


Statistical Operations Branch
File Copy



22502935223

Wellcome Library
for the History
and Understanding
of Medicine



WELLCOME
LIBRARY
General Collections
+M
20

CENSUS REPORTS

VOLUME III

TWELFTH CENSUS OF THE UNITED STATES,
TAKEN IN THE YEAR 1900


WILLIAM R. MERRIAM, DIRECTOR

VITAL STATISTICS

PART I

ANALYSIS AND RATIO TABLES


PREPARED UNDER THE SUPERVISION OF WILLIAM A. KING,
CHIEF STATISTICIAN FOR VITAL STATISTICS



WASHINGTON
UNITED STATES CENSUS OFFICE

1902

77083



REPRINT, JUNE 1, 1903,
GOVERNMENT PRINTING OFFICE.

TABLE OF CONTENTS.

Letter of transmittal of the Chief Statistician for Vital Statistics to the Director of the Census	Page ix
--	---------

PARTS.

Part I. Analysis of the general returns, tables of ratios and death rates for the census year, with maps and diagrams, and an appendix describing the various areas for which data are presented in the report.....	1009 pages
Part II. General tables of deaths for the census year in various relations.....	1055 pages

CONTENTS OF PARTS.

ANALYSIS.

	Part.	Section.	Page.
Introductory	1	I	xi
Enumerators' returns	1	I	xi
Registration records	1	I	xi
Classification of returns.....	1	I	xxxviii
Classification of causes.....	1	I	xxxviii
Future reports	1	I	xxxix
Population	1	II	xl
Births	1	III	xlx
Excess of births, 1890 to 1900.....	1	III	xlx
Births in the census year.....	1	III	liii
General death rates	1	IV	lvi
Sex.....	1	V	lxiv
Color and race, nativity and parent nativity	1	VI	lxxix
Age.....	1	VII	lxxxiv
Average age.....	1	VII	lxxxvii
Infantile mortality	1	VII	lxxxix
Corrected death rates	1	VIII	xcii
Conjugal condition	1	IX	xcvi
Months.....	1	X	xcix
Locality.....	1	XI	cx
Causes of death.....	1	XII	cxv
Generally.....	1	XII	cxix
General diseases—A	1	XII	cxix
Measles.....	1	XII	cxix
Scarlet fever.....	1	XII	cxix
Diphtheria and croup.....	1	XII	cxix
Diphtheria	1	XII	cxix
Whooping cough	1	XII	cxix
Malarial fever.....	1	XII	cxix
Influenza.....	1	XII	cxix
Typhoid fever.....	1	XII	cxix
Diarrheal diseases	1	XII	cxix
Cerebro-spinal fever.....	1	XII	cxix
Smallpox.....	1	XII	cxix
Erysipelas	1	XII	cxix
Venereal diseases	1	XII	cxix
Alcoholism.....	1	XII	cxix
Old age.....	1	XII	cxix
Diabetes.....	1	XII	cxix
Scrofula and tabes	1	XII	cxix
Hydrocephalus.....	1	XII	cxix
Consumption.....	1	XII	cxix
Cancer and tumor.....	1	XII	cxix
Cancer	1	XII	cxix
Diseases of the nervous system.....	1	XII	cxix
Apoplexy and paralysis	1	XII	cxix
Tetanus and trismus nascentium	1	XII	cxix
Convulsions	1	XII	cxix
Diseases of the circulatory system	1	XII	cxix
Heart disease and dropsy	1	XII	cxix
Angina pectoris	1	XII	cxix
Aneurism.....	1	XII	cxix
Diseases of the respiratory system.....	1	XII	cxix
Pneumonia.....	1	XII	cxix
Bronchitis.....	1	XII	cxix

TABLE OF CONTENTS.

ANALYSIS—Continued.

	Part.	Section.	Page.
Causes of death—Continued.			
Diseases of the digestive system.....	1	XII	cexxiv
Diseases of the stomach.....	1	XII	ccxxvii
Obstruction of the bowels.....	1	XII	ccxxix
Appendicitis.....	1	XII	ccxxxi
Hernia.....	1	XII	ccxxxii
Diseases of the liver.....	1	XII	ccxxxiv
Peritonitis.....	1	XII	ccxxxviii
Diseases of the urinary system.....	1	XII	ccxl
Bright's disease.....	1	XII	ccxlii
Diseases of the kidneys.....	1	XII	ccxlv
Diseases of the female organs of generation.....	1	XII	ccxlv
Affections connected with pregnancy.....	1	XII	ccxlvii
Diseases of the bones and joints.....	1	XII	cccl
Accidents and injuries.....	1	XII	ccclii
Suicide.....	1	XII	ccclv
Occupations.....	1	XIII	ccclix
Description of areas for which data are given.....	1	Append.	cccli

TABLES.

	Part.	No.	Page.
AGE AND SEX:			
Deaths in the United States, the registration area and its subdivisions, and the nonregistration area, from certain diseases and classes of diseases, by conjugal condition, color, age, and birthplaces of mothers, with distinction of sex.	1	1	1-73
Deaths in the United States, the registration area and its subdivisions, and the nonregistration area, of males engaged in each occupation and class of occupations, by color, age, and birthplaces of mothers.	1	2	75-111
Deaths in the United States, the registration area and its subdivisions, and the nonregistration area, at the specified ages, of white males engaged in each occupation, and class of occupations.	1	3	113-122
Deaths in the United States, the registration area and its subdivisions, and the nonregistration area, at the specified ages, of colored males engaged in each occupation, and class of occupations.	1	4	123-132
Deaths in the United States, the registration area and its subdivisions, and the nonregistration area, of females engaged in each specified occupation, by color, age, and birthplaces of mothers.	1	5	133-143
Deaths in the United States, the registration area and its subdivisions, and the nonregistration area, at the specified ages, of white females engaged in each specified occupation.	1	6	145-148
Deaths in the United States, the registration area and its subdivisions, and the nonregistration area, at the specified ages, of colored females engaged in each specified occupation.	1	7	149-152
Deaths in the United States, the registration area and its subdivisions, and the nonregistration area, from each specified disease, and class of diseases, of males engaged in each occupation, and class of occupations.	1	8	153-189
Deaths in the United States, the registration area and its subdivisions, and the nonregistration area, from each specified disease and class of diseases, of white males engaged in each occupation, and class of occupations.	1	9	191-207
Deaths in the United States, the registration area and its subdivisions, and the nonregistration area, from each specified disease and class of diseases, of colored males engaged in each occupation, and class of occupations.	1	10	209-225
Deaths in the United States, the registration area and its subdivisions, and the nonregistration area, from each specified disease and class of diseases, of females engaged in each occupation.	1	11	227-237
Deaths in the United States, the registration area and its subdivisions, and the nonregistration area, from each specified disease and class of diseases, of white females engaged in each occupation.	1	12	239-243
Deaths in the United States, the registration area and its subdivisions, and the nonregistration area, from each specified disease and class of diseases, of colored females engaged in each occupation.	1	13	245-249
Deaths from cancer in the United States, the registration area and its subdivisions, and the nonregistration area, by color, general nativity, parent nativity, and birthplaces of mothers, with distinction of sex and age.	1	14	251-256
Deaths from cancer, in the registration area, of the single, married, widowed, and divorced, by color, general nativity, parent nativity, and birthplaces of mothers, with distinction of sex and age.	1	15	257-260
Deaths from cancer of certain specified organs, in the registration area, by color, general nativity, parent nativity, and birthplaces of mothers, with distinction of sex and age.	1	16	261-273
Deaths from cancer in the United States, and in the registration and nonregistration areas, at each age, of males engaged in each occupation and class of occupations.	1	17	275-279
Deaths from cancer in the United States, and in the registration and nonregistration areas, at each age, of females engaged in each occupation.	1	18	281-283
Population, births, deaths, and death rates at certain ages, and deaths from certain principal causes in the United States, each state and city, and each group and county in the registration states, by sex, color, general nativity, and parent nativity.	1	19	285-555
Number of deaths, and the death rate per 100,000 of population, from each cause, in the registration area and its subdivisions, by sex....	1	20	559-564
Death rates from each cause per 100,000 of population, in the registration states, in the aggregate, and for the cities and the rural districts, by sex.	1	21	565-573
Number of deaths at each age per 1,000 deaths, at known ages, in the United States, the registration area and its subdivisions, and in each registration state, by sex, color, general nativity, and birthplaces of mothers.	1	23	583-601
Number of deaths at each age per 1,000 deaths at known ages from each cause, in the United States, the registration area, and the registration cities, by sex.	1	24	603-627
Number of deaths from each cause per 1,000 deaths from known causes, in the United States, the registration area, and the registration cities, by age and sex.	1	25	629-653
Number of deaths from each cause per 1,000 deaths from known causes, in the United States, and each grand group, in the aggregate, and for the cities and rural districts, by sex.	1	26	655-679
Proportions of the aggregate population of the United States at each specified age, per 100,000 population of known ages, by sex, color, general nativity, and parent nativity.	1	27	683-687
Proportions of the aggregate, the white, and the colored populations of the United States, and of each state and territory, at each specified age, per 100,000 population of known ages.	1	28	689-695
Deaths in each state and territory, by sex, at each census: 1870 to 1900.....	2	2	3-4
Deaths in the United States, each state and territory, and each registration city, by color, general nativity, parent nativity, and sex....	2	4	7-19
Deaths in the United States, each state and territory, and each registration city, at each age, by sex.....	2	5	21-53
Deaths in the United States, the registration area and its subdivisions, and in each state and territory, at each age, by sex, color, general nativity, parent nativity, and birthplaces of mothers.	2	6	55-113
Deaths in the United States, the registration area and its subdivisions, and in each state and territory, from each specified disease and class of diseases, by sex and age.	2	8	227-667
Deaths in the United States from each specified disease and class of diseases, by color and race.....	2	9	669-701
Deaths in the registration area, from each specified disease and class of diseases, by color and race.....	2	10	703-727
Deaths of white persons in the registration area, from each specified disease and class of diseases, by birthplaces of mothers.....	2	11	729-841
Deaths in each registration state, from each specified disease and class of diseases, by birthplaces of mothers.....	2	12	843-879
Deaths in the United States, the registration area and its subdivisions and in each grand group, at certain ages and from certain specified diseases and classes of diseases, by months.	2	13	881-1055

TABLE OF CONTENTS.

v

TABLES—Continued.

COLOR AND RACE:	Part.	No.	Page.
Deaths in the United States, the registration area and its subdivisions and the nonregistration area, from certain diseases and classes of diseases, by conjugal condition, color, age, and birthplaces of mothers, with distinction of sex.	1	1	1-73
Deaths in the United States, the registration area and its subdivisions and the nonregistration area, of males engaged in each occupation and class of occupations, by color, age, and birthplaces of mothers.	1	2	75-111
Deaths in the United States, the registration area and its subdivisions and the nonregistration area, at the specified ages, of white males engaged in each occupation and class of occupations.	1	3	113-122
Deaths in the United States, the registration area and its subdivisions and the nonregistration area, at the specified ages, of colored males engaged in each occupation and class of occupations.	1	4	123-132
Deaths in the United States, the registration area and its subdivisions and the nonregistration area, of females engaged in each specified occupation by color, age, and birthplaces of mothers.	1	5	133-143
Deaths in the United States, the registration area and its subdivisions and the nonregistration area, at the specified ages, of white females engaged in each specified occupation.	1	6	145-148
Deaths in the United States, the registration area and its subdivisions and the nonregistration area, at the specified ages, of colored females engaged in each specified occupation.	1	7	149-152
Deaths in the United States, the registration area and its subdivisions and the nonregistration area, from each specified disease and class of diseases, of white males engaged in each occupation and class of occupations.	1	9	191-207
Deaths in the United States, the registration area and its subdivisions and the nonregistration area, from each specified disease and class of diseases, of colored males engaged in each occupation and class of occupations.	1	10	209-225
Deaths in the United States, the registration area and its subdivisions and the nonregistration area, from each specified disease and class of diseases, of white females engaged in each occupation.	1	12	239-243
Deaths in the United States, the registration area and its subdivisions and the nonregistration area, from each specified disease and class of diseases, of colored females engaged in each occupation.	1	13	245-249
Deaths from cancer in the United States, the registration area and its subdivisions and the nonregistration area, by color, general nativity, parent nativity, and birthplaces of mothers, with distinction of sex and age.	1	14	251-256
Deaths from cancer in the registration area, of the single, married, widowed, and divorced, by color, general nativity, parent nativity, and birthplaces of mothers, with distinction of sex and age.	1	15	257-260
Deaths from cancer of certain specified organs, in the registration area, by color, general nativity, parent nativity, and birthplaces of mothers, with distinction of sex and age.	1	16	261-273
Population, births, deaths, and death rates at certain ages, and deaths from certain principal causes in the United States, each state and city, and each group and county in the registration states, by sex, color, general nativity, and parent nativity.	1	19	285-555
Number of deaths at each age per 1,000 deaths at known ages, in the United States, the registration area, and its subdivisions, and in each registration state, by sex, color, general nativity, and birthplaces of mothers.	1	23	583-601
Proportions of the aggregate population of the United States at each specified age, per 100,000 population of known ages, by sex, color, general nativity, and parent nativity.	1	27	683-687
Proportions of the aggregate, the white, and the colored populations of the United States and of each state and territory, at each specified age, per 100,000 population of known ages.	1	28	689-695
Deaths in each state and territory, by color and race.	2	3	5-6
Deaths in the United States, each state and territory and each registration city, by color, general nativity, parent nativity, and sex.	2	4	7-19
Deaths in the United States, the registration area and its subdivisions, and in each state and territory, at each age, by sex, color, general nativity, and parent nativity, and birthplaces of mothers.	2	6	55-113
Deaths in the United States, from each specified disease and class of diseases, by color and race.	2	9	669-701
Deaths in the registration area, from each specified disease and class of diseases, by color and race.	2	10	703-727
GENERAL NATIVITY AND PARENT NATIVITY:			
Deaths from cancer in the United States, the registration area and its subdivisions and the nonregistration area, by color, general nativity, parent nativity, and birthplaces of mothers, with distinction of sex and age.	1	14	251-256
Deaths from cancer, in the registration area, of the single, married, widowed, and divorced, by color, general nativity, parent nativity, and birthplaces of mothers, with distinction of sex and age.	1	15	257-260
Deaths from cancer of certain specified organs, in the registration area, by color, general nativity, parent nativity, and birthplaces of mothers, with distinction of sex and age.	1	16	261-273
Population, births, deaths, and death rates at certain ages, and deaths from certain principal causes in the United States, each state and city, and each group and county in the registration states, by sex, color, general nativity, and parent nativity.	1	19	285-555
Number of deaths at each age, per 1,000 deaths at known ages, in the United States, the registration area and its subdivisions, and in each registration state, by sex, color, general nativity, parent nativity, and birthplaces of mothers.	1	23	583-601
Proportions of the aggregate population of the United States at each specified age, per 100,000 population of known ages, by sex, color, general nativity, and parent nativity.	1	27	683-687
Deaths in the United States, each state and territory and each registration city, by color, general nativity, parent nativity, and sex.	2	4	7-19
Deaths in the United States, the registration area and its subdivisions, and in each state and territory, at each age, by sex, color, general nativity, parent nativity, and birthplaces of mothers.	2	6	55-113
BIRTHPLACES OF MOTHERS:			
Deaths in the United States, the registration area and its subdivisions and the nonregistration area, from certain diseases and classes of diseases, by conjugal condition, color, age, and birthplaces of mothers, with distinction of sex.	1	1	1-73
Deaths in the United States, the registration area and its subdivisions and the nonregistration area, of males engaged in each occupation and class of occupations, by color, age, and birthplaces of mothers.	1	2	75-111
Deaths in the United States, the registration area and its subdivisions and the nonregistration area, of females engaged in each specified occupation, by color, age, and birthplaces of mothers.	1	5	133-143
Deaths from cancer in the United States, the registration area and its subdivisions and the nonregistration area, by color, general nativity, parent nativity, and birthplaces of mothers, with distinction of sex and age.	1	14	251-256
Deaths from cancer, in the registration area, of the single, married, widowed, and divorced, by color, general nativity, parent nativity, and birthplaces of mothers, with distinction of sex and age.	1	15	257-260
Deaths from cancer of certain specified organs, in the registration area, by color, general nativity, parent nativity, and birthplaces of mothers, with distinction of sex and age.	1	16	261-273
Number of deaths at each age, per 1,000 deaths at known ages, in the United States, the registration area and its subdivisions, and in each registration state, by sex, color, general nativity, parent nativity, and birthplaces of mothers.	1	23	583-601
Deaths in the United States, the registration area and its subdivisions, and in each state and territory, at each age, by sex, color, general nativity, parent nativity, and birthplaces of mothers.	2	6	55-113
Deaths of white persons in the registration area, from each specified disease and class of diseases, by birthplaces of mothers.	2	11	729-841
Deaths in each registration state, from each specified disease and class of diseases, by birthplaces of mothers.	2	12	843-879
CAUSES OF DEATH:			
Deaths in the United States, the registration area and its subdivisions and the nonregistration area, from certain diseases and classes of diseases, by conjugal condition, color, age, and birthplaces of mothers, with distinction of sex.	1	1	1-73
Deaths in the United States, the registration area and its subdivisions and the nonregistration area, from each specified disease and class of diseases, of males engaged in each occupation and class of occupations.	1	8	153-189
Deaths in the United States, the registration area and its subdivisions and the nonregistration area, from each specified disease and class of diseases, of white males engaged in each occupation and class of occupations.	1	9	191-207

TABLE OF CONTENTS.

TABLES—Continued.

	Part.	No.	Page.
CAUSES OF DEATH—Continued.			
Deaths in the United States, the registration area and its subdivisions and the nonregistration area, from each specified disease and class of diseases, of colored males engaged in each occupation and class of occupations.	1	10	209-225
Deaths in the United States, the registration area and its subdivisions and the nonregistration area, from each specified disease and class of diseases, of females engaged in each occupation.	1	11	227-237
Deaths in the United States, the registration area and its subdivisions and the nonregistration area, from each specified disease and class of diseases, of white females engaged in each occupation.	1	12	239-243
Deaths in the United States, the registration area and its subdivisions and the nonregistration area, from each specified disease and class of diseases, of colored females engaged in each occupation.	1	13	245-249
Deaths from cancer in the United States, the registration area and its subdivisions and the nonregistration area, by color, general nativity, parent nativity, and birthplaces of mothers, with distinction of sex and age.	1	14	251-256
Deaths from cancer, in the registration area, of the single, married, widowed, and divorced, by color, general nativity, parent nativity, and birthplaces of mothers, with distinction of sex and age.	1	15	257-260
Deaths from cancer of certain specified organs, in the registration area, by color, general nativity, parent nativity, and birthplaces of mothers, with distinction of sex and age.	1	16	261-273
Deaths from cancer in the United States, and in the registration and nonregistration areas, at each age, of males engaged in each occupation and class of occupations.	1	17	275-279
Deaths from cancer in the United States, and in the registration and nonregistration areas, at each age, of females engaged in each occupation.	1	18	281-283
Population, births, deaths, and death rates at certain ages, and deaths from certain principal causes in the United States, each state and city, and each group and county in the registration states, by sex, color, general nativity and parent nativity.	1	19	285-555
Number of deaths and the death rate per 100,000 of population, from each cause, in the registration area and its subdivisions, by sex ...	1	20	559-564
Death rates from each cause, per 100,000 of population, in the registration states, in the aggregate and for the cities and the rural districts, by sex.	1	21	565-573
Death rates from certain causes per 100,000 of population in each county in the registration states.....	1	22	575-581
Number of deaths at each age, per 1,000 deaths at known ages from each cause, in the United States, the registration area and the registration cities, by sex.	1	24	603-627
Number of deaths from each cause, per 1,000 deaths from known causes, in the United States, the registration area and the registration cities, by age and sex.	1	25	629-653
Number of deaths from each cause per 1,000 deaths from known causes, in the United States and each grand group, in the aggregate and for the cities and rural districts, by sex.	1	26	655-679
Deaths in the United States, each state, state group and registration city, from each reported cause	2	7	115-226
Deaths in the United States, the registration area and its subdivisions, and in each state and territory, from each specified disease and class of diseases, by sex and age.	2	8	227-667
Deaths in the United States, from each specified disease and class of diseases, by color and race.....	2	9	669-701
Deaths in the registration area, from each specified disease and class of diseases, by color and race.....	2	10	703-727
Deaths of white persons in the registration area, from each specified disease and class of diseases, by birthplaces of mothers.....	2	11	729-841
Deaths in each registration state, from each specified disease and class of diseases, by birthplaces of mothers	2	12	843-879
Deaths in the United States, the registration area and its subdivisions and in each grand group, at certain ages, and from certain specified diseases and classes of diseases, by months.	2	13	881-1055
CONJUGAL CONDITION:			
Deaths in the United States, the registration area and its subdivisions and the nonregistration area, from certain diseases and classes of diseases, by conjugal condition, color, age, and birthplaces of mothers, with distinction of sex.	1	1	1-73
Deaths from cancer, in the registration area, of the single, married, widowed, and divorced, by color, general nativity, parent nativity, and birthplaces of mothers, with distinction of sex and age.	1	15	257-260
MONTH OR SEASON:			
Deaths in the United States, the registration area and its subdivisions and in each grand group, at certain ages and from certain specified diseases and classes of diseases, by months.	2	13	881-1055
OCCUPATION:			
Deaths in the United States, the registration area and its subdivisions and the nonregistration area, of males engaged in each occupation and class of occupations, by color, age, and birthplaces of mothers.	1	2	75-111
Deaths in the United States, the registration area and its subdivisions and the nonregistration area, at the specified ages, of white males engaged in each occupation and class of occupations.	1	3	113-122
Deaths in the United States, the registration area and its subdivisions and the nonregistration area, at the specified ages, of colored males engaged in each occupation and class of occupations.	1	4	123-132
Deaths in the United States, the registration area and its subdivisions and the nonregistration area, of females engaged in each specified occupation, by color, age, and birthplaces of mothers.	1	5	133-143
Deaths in the United States, the registration area and its subdivisions and the nonregistration area, at the specified ages, of white females engaged in each specified occupation.	1	6	145-148
Deaths in the United States, the registration area and its subdivisions and the nonregistration area, at the specified ages, of colored females engaged in each specified occupation.	1	7	149-152
Deaths in the United States, the registration area and its subdivisions and the nonregistration area, from each specified disease and class of diseases, of males engaged in each occupation and class of occupations.	1	8	153-189
Deaths in the United States, the registration area and its subdivisions and the nonregistration area, from each specified disease and class of diseases, of white males engaged in each occupation and class of occupations.	1	9	191-207
Deaths in the United States, the registration area and its subdivisions and the nonregistration area, from each specified disease and class of diseases, of colored males engaged in each occupation and class of occupations.	1	10	209-225
Deaths in the United States, the registration area and its subdivisions and the nonregistration area, from each specified disease and class of diseases, of females engaged in each occupation.	1	11	227-237
Deaths in the United States, the registration area and its subdivisions and the nonregistration area, from each specified disease and class of diseases, of white females engaged in each occupation.	1	12	239-243
Deaths in the United States, the registration area and its subdivisions and the nonregistration area, from each specified disease and class of diseases, of colored females engaged in each occupation.	1	13	245-249
Deaths from cancer in the United States, and in the registration and nonregistration areas, at each age, of males engaged in each occupation and class of occupations.	1	17	275-279
Deaths from cancer in the United States, and in the registration and nonregistration areas, at each age, of females engaged in each occupation.	1	18	281-283
DEATH RATES AND RATIOS:			
Population, births, deaths, and death rates at certain ages, and deaths from certain principal causes in the United States, each state and city, and each group and county in the registration states, by sex, color, general nativity, and parent nativity.	1	19	285-555
Number of deaths, and the death rate per 100,000 of population, from each cause, in the registration area and its subdivisions, by sex...	1	20	559-564
Death rates from each cause, per 100,000 of population, in the registration states, in the aggregate and for the cities and the rural districts, by sex	1	21	565-573
Death rates from certain causes per 100,000 of population in each county in the registration states.....	1	22	575-581
Number of deaths at each age, per 1,000 deaths at known ages, in the United States, the registration area and its subdivisions, and in each registration state, by sex, color, general nativity, parent nativity, and birthplaces of mothers	1	23	583-601

TABLE OF CONTENTS.

vii

TABLES—Continued.

DEATH RATES AND RATIOS—Continued.

	Part.	No.	Page.
Number of deaths at each age, per 1,000 deaths at known ages from each cause, in the United States, the registration area and the registration cities, by sex	1	24	603-627
Number of deaths from each cause per 1,000 deaths from known causes, in the United States, the registration area and the registration cities, by age and sex	1	25	629-653
Number of deaths from each cause, per 1,000 deaths from known causes in the United States and each grand group, in the aggregate and for the cities and rural districts, by sex	1	26	655-679
POPULATION:			
Population, births, deaths, and death rates at certain ages, and deaths from certain principal causes in the United States, each state and city, and each group and county in the registration states, by sex, color, general nativity, and parent nativity	1	19	285-555
Proportions of the aggregate population of the United States at each specified age, per 100,000 population of known ages, by sex, color, general nativity, and parent nativity	1	27	683-687
Proportions of the aggregate, the white, and the colored populations of the United States and of each state and territory, at each specified age, per 100,000 population of known ages	1	28	689-695
Population and deaths, by states and territories, at each census: 1850 to 1900	2	1	1-2

ILLUSTRATIONS.

MAPS.

	Part.	Page.
STATE GROUPS:		
Map of the United States showing the divisions of the country into grand groups and state groups. (Frontispiece)	1	viii
Map of the United States showing the relative proportions of deaths from measles in the several state groups, per 1,000 deaths from known causes.	1	cxxii
Map of the United States showing the relative proportions of deaths from scarlet fever in the several state groups, per 1,000 deaths from known causes.	1	cxxvi
Map of the United States showing the relative proportions of deaths from diphtheria and croup in the several state groups, per 1,000 deaths from known causes.	1	cxxx
Map of the United States showing the relative proportions of deaths from whooping cough in the several state groups, per 1,000 deaths from known causes.	1	cxxxiv
Map of the United States showing the relative proportions of deaths from malarial fever in the several state groups, per 1,000 deaths from known causes.	1	cxl
Map of the United States showing the relative proportions of deaths from influenza in the several state groups, per 1,000 deaths from known causes.	1	cxlii
Map of the United States showing the relative proportions of deaths from typhoid fever in the several state groups, per 1,000 deaths from known causes.	1	cxlvi
Map of the United States showing the relative proportions of deaths from diarrheal diseases in the several state groups, per 1,000 deaths from known causes.	1	clii
Map of the United States showing the relative proportions of deaths from consumption in the several state groups, per 1,000 deaths from known causes.	1	clxxx
Map of the United States showing the relative proportions of deaths from cancer in the several state groups, per 1,000 deaths from known causes.	1	clxxxiv
Map of the United States showing the relative proportions of deaths from convulsions in the several state groups, per 1,000 deaths from known causes.	1	ccii
Map of the United States showing the relative proportions of deaths from heart disease and dropsy in the several state groups, per 1,000 deaths from known causes.	1	ccx
Map of the United States showing the relative proportions of deaths from pneumonia in the several state groups, per 1,000 deaths from known causes.	1	ccxx
REGISTRATION STATES:		
Map of the registration states showing, by counties, the comparative death rates due to diphtheria and croup, per 100,000 of population	1	cxxx
Map of the registration states showing, by counties, the comparative death rates due to influenza, per 100,000 of population	1	cxlii
Map of the registration states showing, by counties, the comparative death rates due to typhoid fever, per 100,000 of population	1	cxlvi
Map of the registration states showing, by counties, the comparative death rates due to consumption, per 100,000 of population	1	clxxvi
Map of the registration states showing, by counties, the comparative death rates due to cancer and tumor, per 100,000 of population	1	clxxxiv

DIAGRAMS.

MONTHS:		
Diagram showing for the United States the comparative proportions of deaths in each month, at all ages, and under 5 years, per 1,000 deaths, in known months.	1	xcvii
Diagram showing for the United States the comparative proportions of deaths in each month, at 5 to 59, and 60 years of age and over, per 1,000 deaths in known months.	1	xcviii
CAUSES OF DEATH:		
Diagram showing for the registration states the comparative death rates from general diseases A, in each month, in the cities and the rural districts, per 100,000 of population.	1	cxix
Diagram showing for the registration states the comparative death rates from measles in each month, in the cities and the rural districts, per 100,000 of population.	1	cxxiii
Diagram showing for the registration states the comparative death rates from scarlet fever in each month, in the cities and the rural districts, per 100,000 of population.	1	cxxvii
Diagram showing for the United States the comparative proportions of deaths at each age from diphtheria and croup, in 1890 and 1900, per 1,000 deaths at known ages.	1	cxxx
Diagram showing for the registration states the comparative death rates from diphtheria in each month, in the cities and the rural districts, per 100,000 of population.	1	cxxxii
Diagram showing for the registration states the comparative death rates from whooping cough in each month, in the cities and the rural districts, per 100,000 of population.	1	cxxxvi
Diagram showing for the United States the comparative proportions of deaths at each age, from malarial fever, in 1890 and 1900, per 1,000 deaths at known ages.	1	cxxxix

TABLE OF CONTENTS.

DIAGRAMS—Continued.

CAUSES OF DEATH—Continued.

	Part.	Page.
Diagram showing for the registration states the comparative death rates from malarial fever in each month, in the cities and the rural districts, per 100,000 of population.	1	cxl
Diagram showing for the registration states the comparative death rates from influenza in each month, in the cities and the rural districts, per 100,000 of population.	1	cxlii
Diagram showing for the United States the comparative proportions of deaths at each age, from typhoid fever, in 1890 and 1900, per 1,000 deaths at known ages.	1	cxlvii
Diagram showing for the registration states the comparative death rates from typhoid fever in each month, in the cities and the rural districts, per 100,000 of population.	1	cxlviii
Diagram showing for the United States the comparative proportions of deaths at each age, from diarrheal diseases (excluding cholera infantum), in 1890 and 1900, per 1,000 deaths at known ages.	1	clii
Diagram showing for the registration states the comparative death rates from diarrheal diseases in each month, in the cities and the rural districts, per 100,000 of population.	1	cliii
Diagram showing for the United States the comparative proportions of deaths at each age, from cerebro-spinal fever, in 1890 and 1900, per 1,000 deaths at known ages.	1	clvi
Diagram showing for the registration states the comparative death rates from cerebro-spinal fever in each month, in the cities and the rural districts, per 100,000 of population.	1	clvii
Diagram showing for the United States the comparative proportions of deaths at each age, from erysipelas in 1890 and 1900, per 1,000 deaths at known ages.	1	clix
Diagram showing for the registration states the comparative death rates from old age in each month, in the cities and the rural districts, per 100,000 of population.	1	clxvii
Diagram showing for the United States the comparative proportions of deaths at each age, from diabetes in 1890 and 1900, per 1,000 deaths at known ages.	1	clxx
Diagram showing for the United States the comparative proportions of deaths at each age, from scrofula and tabes in 1890 and 1900, per 1,000 deaths at known ages.	1	clxxiii
Diagram showing for the United States the comparative proportions of deaths at each age, from consumption in 1890 and 1900, per 1,000 deaths at known ages.	1	clxxx
Diagram showing for the registration states the comparative death rates from consumption in each month, in the cities and the rural districts, per 100,000 of population.	1	clxxx
Diagram showing for the United States the comparative proportions of deaths at each age, from cancer in 1890 and 1900, per 1,000 deaths at known ages.	1	clxxxviii
Diagram showing for the registration states the comparative death rates from diseases of the nervous system in each month, in the cities and the rural districts, per 100,000 of population.	1	cxcv
Diagram showing for the United States the comparative proportions of deaths at each age, from apoplexy and paralysis in 1890 and 1900, per 1,000 deaths at known ages.	1	cxcviii
Diagram showing for the registration states the comparative death rates from diseases of the circulatory system in each month, in the cities and the rural districts, per 100,000 of population.	1	ccvi
Diagram showing for the United States the comparative proportions of deaths at each age, from heart disease and dropsy, in 1890 and 1900, per 1,000 deaths at known ages.	1	ccix
Diagram showing for the registration states the comparative death rates from diseases of the respiratory system in each month, in the cities and the rural districts, per 100,000 of population.	1	ccxvii
Diagram showing for the United States the comparative proportions of deaths at each age, from pneumonia, in 1890 and 1900, per 1,000 deaths at known ages.	1	ccxx
Diagram showing for the United States the comparative proportions of deaths at each age, from bronchitis, in 1890 and 1900, per 1,000 deaths at known ages.	1	ccxxiii
Diagram showing for the registration states the comparative death rates from diseases of the digestive system in each month, in the cities and the rural districts, per 100,000 of population.	1	ccxxvii
Diagram showing for the United States the comparative proportions of deaths at each age, from diseases of the liver, in 1890 and 1900, per 1,000 deaths at known ages.	1	ccxxxvii
Diagram showing for the registration states the comparative death rates from affections connected with pregnancy in each month, in the cities and the rural districts, per 100,000 of population.	1	ccxlix
Diagram showing for the United States the comparative proportions of deaths at each age, from diseases of the bones and joints, in 1890 and 1900, per 1,000 deaths at known ages.	1	cclii
Diagram showing for the registration states the comparative death rates from accidents and injuries (exclusive of suicide) in each month, in the cities and the rural districts, per 100,000 of population.	1	ccliv
Diagram showing for the United States the comparative proportions of deaths at each age, from suicide, in 1890 and 1900, per 1,000 deaths at known ages.	1	cclvii
Diagram showing for the registration states the comparative death rates from suicide in each month, in the cities and the rural districts, per 100,000 of population.	1	cclviii

Twelfth Census of the United States
William R. Merriam, Director.





LETTER OF TRANSMITTAL.

DEPARTMENT OF THE INTERIOR,

CENSUS OFFICE,

WASHINGTON, D. C., *June 14, 1902.*

SIR:

I have the honor to transmit for publication Part I of the Report on Vital Statistics.

This volume constitutes Volume III of the Census Reports, and contains the general tables giving the statistics of deaths by conjugal condition and occupation in relation to causes of death, with the analysis of the results, and the ratio tables.

Part II, which constitutes Volume IV of the Census Reports, contains the general tables giving the statistics of deaths by cause, sex, and age, in relation to color, general nativity, parent nativity, birthplaces of mothers, and month of death in various combinations.

This division has been greatly handicapped in the preparation of the analytical matter by the necessity of waiting for population details involved in the computations. A comprehensive analysis of the mortality and vital statistics requires complete population data, with all the details of age, color, nativity, parent nativity, conjugal condition, occupation, etc., for the same areas as the deaths, and the limitation in time of publication imposed by the census act did not permit them to be supplied in time to carry the analysis as far as desired, or to make a complete investigation and test of the data.

The reduction in space allowed for the vital statistics from four to two volumes has compelled the omission of detail tables that were presented in the corresponding report for 1890, but this has been largely offset by recasting or changing certain tables so as to present the most important facts in every case, and the analysis has been made as complete as possible within the limited period allowed.

Notwithstanding these limitations, it is believed that the very early publication of this report will more than compensate for the decrease in volume of matter as compared with 1890.

In submitting this report I wish to express my high appreciation of the very valuable assistance rendered by Mr. Whitman Osgood, expert chief of division until his resignation, and Mr. Richard C. Lappin, the present expert chief of division. Their untiring efforts and those of an exceptionally efficient force of clerks have made it possible to complete the statistics in an unprecedented time. With such capable assistance the prosecution of this arduous work has been a pleasure.

Very respectfully,

WILLIAM A. KING,

Chief Statistician for Vital Statistics.

HON. WILLIAM R. MERRIAM,

Director of the Census.

VITAL STATISTICS.

SECTION I.

INTRODUCTORY.

The statistics contained in this report relate to the census year ending May 31, 1900, the year preceding the date of the population enumeration, namely, June 1, 1900.

The data were obtained in part through the census enumerators and in part from the registration records of various states and cities. These two classes of returns do not possess the same value for statistical purposes, and their characteristics are explained below.

ENUMERATORS' RETURNS.

The enumerators made their return of deaths by inquiry of the families enumerated, and as this inquiry was not made until after the close of the year for which the deaths were to be reported it was inevitable that even with the most careful inquiry many deaths would be omitted. The failure of many enumerators to make any return of deaths upon the mortality schedule shows, also, that they frequently neglected to make the inquiry at all. This neglect of the enumerators to inquire concerning deaths, and the failure of families to report all deaths when the inquiry was made, have been experienced at all censuses where information was sought in this way, and in previous reports the deficiencies in the return of deaths by enumeration have always been pointed out and such cautionary statements made as were considered necessary to prevent improper use of the results obtained from this source. These precautions, however, were not always heeded, and misuse of the statistics based solely upon the returns of the enumerators has led to errors, which, if the data had been properly considered, would not have occurred.

Although the enumerators' returns of deaths are too incomplete to afford any reliable conclusions as to the death rates in relation to population, they nevertheless have a certain value in indicating the relative frequency of deaths from different causes, and, as they constitute the only means of securing information in many parts of the country, they must be included in any report which purports to cover the entire area of the United

States as representing the best information on the subject that can be obtained under present conditions. The remedy for the defects referred to can be supplied only by the adoption of an accurate system of registration in all areas where the only data now obtainable is by enumeration.

The value of any statistics for comparative purposes is best shown by the reduction of the original tables to rates and ratios having a uniform numerical basis, and in all tables and statements of this character in the present report, rates, and ratios in relation to population are given only for registration areas in which the results are fairly comparable; for the nonregistration (enumeration) areas the insufficiency of the data is indicated by an asterisk (*). This character is also used for the same purpose in the registration areas when the numbers involved in the production of the rates are so small that the results have no significance. This characteristic mark is also explained by footnotes whenever it is used. Its purpose is to prevent improper use of the data, such as the comparison of death rates in nonregistration areas with those in registration areas, or of abnormal rates due only to the smallness of the factors, with other rates in which the numbers are sufficiently large to indicate approximate correctness in the figures. It gives warning that the data are not regarded as sufficient for the computation of reliable rates.

There is also another respect in which the returns of the enumerators, although incomplete, are of great value, in that they furnish the only check upon the accuracy of registration and the only means of completing imperfect records. This is explained under the head of "Registration Records" below.

REGISTRATION RECORDS.

The record of deaths obtained from registration sources supplied the only data presented in this report that are sufficiently complete for the preparation of reliable mortality statistics; nevertheless, it was far more

complicated and less satisfactory in certain particulars than that secured through the enumerators. This is due to the fact that while the enumerators' returns were incomplete in a quantitative sense, they were all made in the same form and under the same instructions as to the facts to be reported and the distinctions to be observed, whereas the defects in the registration records were qualitative, occasioned by the fact that they were recorded under local laws and ordinances that differed materially as to the items of information required to be reported and were entirely silent concerning certain important distinctions necessary in order to make the data comparable with the census statistics of population.

The defects referred to have been partly corrected at the suggestion of the Census Office, and further improvement is promised as the result of measures since taken; but as these records must continue to be the source of information from which the most valuable statistics can be compiled it is desirable to explain at some length the difficulties experienced in dealing with them, the results accomplished, and the defects still existing in order that registration officials and others interested may have all the information accessible to aid them in perfecting their system and records.

The census utilization of registration records as a source of information commenced with the Tenth Census (1880), when copies of the records of two states, Massachusetts and New Jersey, were secured and used as the basis of the statistics for those states.

At the Eleventh Census (1890) the registration area was extended to include 7 other states in addition to Massachusetts and New Jersey, namely: Connecticut, Rhode Island, New Hampshire, Vermont, New York, Delaware, and the District of Columbia, with the cities therein and 83 cities in other states.

In preparing for the present statistics it was decided that copies should be obtained of all available registration records, and that they should be used as the basis of the statistics wherever they were sufficiently complete and satisfactory, the census act vesting in the Director the discretion to determine when the records were sufficiently complete, in point of numbers, and satisfactory as to the details furnished.

The preliminary work was, therefore, to ascertain the status of registration and the data available therefrom in every section of the country. To this end correspondence was initiated with the officials of every state, and of every city having a population of 5,000 or more, and information secured as to the laws and ordinances governing registration, the forms and methods employed, the details required concerning each death, and the number of deaths registered in past years, with expressions of opinion as to the local observance of the laws as indicated by the probable percentage of deaths reported, and the estimated death rate in each locality.

Aside from the question of the completeness of the record in accounting for all deaths that occurred, the principal defects were found to be:

First. The omission from the recorded data of certain details required for the census compilations. The details most frequently omitted were: Conjugal condition, nativity and parent nativity, and occupation.

Second. The fact that in many places the certificates filed were copied in books which did not provide for or contain all of the information afforded by the original certificate, which, after being copied, was either destroyed or inaccessible. Where this condition existed it frequently happened that the statement of data available—made from the form of certificate used—would be entirely satisfactory, while the transcript actually furnished would be made from the abbreviated book record and be comparatively valueless.

A complete view of the subject of registration was thus obtained, and although it was too late to effect any improvement in the data available for the present statistics, the information was immediately utilized for the benefit of future statistics by preparing a circular reciting the conditions found and giving the complete details desired for statistical purposes, with an explanation of the use, application, and necessity for each, together with a form for a certificate which provided for all of them.

This circular was sent to all registration officials and the request made that they modify the form of certificate in use so as to include such of the specified details as were lacking. It was urged that this be done and the amended forms put into use by January 1, 1900.

The results accomplished by this step were very encouraging, and showed that the registration officials generally appreciated the desirability for uniformity of data and the advantage in securing, through the census compilations, thoroughly comparable statistics for all areas. In accordance with the suggestions, the forms of certificates were amended so as to supply the necessary information in the states and cities specified below.

Of the states which have general registration laws under which the forms in use are prescribed or furnished by the state authorities, the suggested form of certificate was adopted in full in California, Kansas, Minnesota, and North Dakota, and the forms in use were amended so as to include the necessary details in Connecticut, District of Columbia, Maine, Michigan, New Hampshire, New York, and Rhode Island. It was also approved, but for various reasons not adopted in Delaware, Indiana,¹ Maryland, Massachusetts, New Jersey, Vermont, and Wisconsin.

Of the states in which the authority of the state registration or board of health officials was more limited, the suggested form was adopted in full in Arkansas, Colorado,¹ North Carolina, Ohio, South Carolina, and

¹ In Colorado, Indiana, and Illinois new laws have since been passed providing for general registration, and improved forms have been adopted.

Washington. Modifications were made in the forms in use in Pennsylvania, and the suggestions were approved, without further action, in Iowa, Louisiana, and Utah.

Of the 703 cities of 5,000 or more population with which correspondence on this point was conducted,

Akron, Ohio.
Alameda, Cal.
Allegheny, Pa.
Allentown, Pa.
Alliance, Ohio.
Altoona, Pa.
Ashtabula, Ohio.
Atlanta, Ga.
Aurora, Ill.
Baton Rouge, La.
Beatrice, Nebr.
Beaver Falls, Pa.
Bellaire, Ohio.
Belleville, Ill.
Berkeley, Cal.
Braddock, Pa.
Bristol, Pa.
Butler, Pa.
Butte, Mont.
Cairo, Ill.
Canton, Ohio.
Carbondale, Pa.
Charlotte, N. C.
Chillicothe, Ohio.
Cincinnati, Ohio.
Circleville, Ohio.
Cleveland, Ohio.
Colorado Springs, Colo.
Columbus, Ga.
Conshohocken, Pa.
Corry, Pa.
Dallas, Tex.
Danville, Ill.
Danville, Va.
Davenport, Iowa.
Dayton, Ohio.
Decatur, Ill.
Denver, Colo.
Des Moines, Iowa.
Dubois, Pa.
Dunmore, Pa.

East Liverpool, Ohio.
Easton, Pa.
East St. Louis, Ill.
Erie, Pa.
Findlay, Ohio.
Fort Madison, Iowa.
Fort Worth, Tex.
Fostoria, Ohio.
Fremont, Ohio.
Gainesville, Tex.
Galion, Ohio.
Greenville, Ohio.
Greenville, S. C.
Hamilton, Ohio.
Harrisburg, Pa.
Hot Springs, Ark.
Houston, Tex.
Huntington, W. Va.
Ironton, Ohio.
Kansas City, Mo.
Lancaster, Ohio.
Laredo, Tex.
Lawrence, Kans.
Leadville, Colo.
Lexington, Ky.
Lima, Ohio.
Lincoln, Ill.
Lincoln, Nebr.
Little Rock, Ark.
Los Angeles, Cal.
Louisiana, Mo.
Louisville, Ky.
Lynchburg, Va.
McKeesport, Pa.
Marion, Ohio.
Marshall, Tex.
Marshalltown, Iowa.
Martinsburg, W. Va.
Martins Ferry, Ohio.
Massillon, Ohio.
Mattoon, Ill.

about one-half were in states in which the forms used were either furnished or prescribed by the state authorities. Of the remainder the following either adopted the form suggested in full, or so modified their own form as to supply all the details, in connection with others, in—

Meadville, Pa.
Memphis, Tenn.
Middletown, Ohio.
Mobile, Ala.
Monmouth, Ill.
Muscatine, Iowa.
Nashville, Tenn.
Natchez, Miss.
Newark, Ohio.
New Brighton, Pa.
Newcastle, Pa.
Norfolk, Va.
Norristown, Pa.
Oakland, Cal.
Ogden, Utah.
Omaha, Nebr.
Ottumwa, Iowa.
Paducah, Ky.
Parkersburg, W. Va.
Pensacola, Fla.
Peoria, Ill.
Petersburg, Va.
Phoenixville, Pa.
Piqua, Ohio.
Pittsburg, Pa.
Pittston, Pa.
Plymouth, Pa.
Portland, Oreg.
Portsmouth, Ohio.
Portsmouth, Va.
Pottstown, Pa.
Pottsville, Pa.
Provo City, Utah.
Pueblo, Colo.
Raleigh, N. C.
Reading, Pa.
Richmond, Va.
Rockford, Ill.
Rock Island, Ill.
Rome, Ga.
Sacramento, Cal.

St. Joseph, Mo.
St. Louis, Mo.
Salem, Ohio.
Salt Lake City, Utah.
San Antonio, Tex.
San Diego, Cal.
San Jose, Cal.
Santa Barbara, Cal.
Santa Cruz, Cal.
Scranton, Pa.
Seattle, Wash.
Shamokin, Pa.
Shenandoah, Pa.
Shreveport, La.
Sioux City, Iowa.
South Bethlehem, Pa.
South Omaha, Nebr.
Springfield, Ill.
Springfield, Ohio.
Sumter, S. C.
Tacoma, Wash.
Tampa, Fla.
Thomasville, Ga.
Tiffin, Ohio.
Titusville, Pa.
Toledo, Ohio.
Topeka, Kans.
Tucson, Ariz.
Warren, Ohio.
Waterloo, Iowa.
Wellsville, Ohio.
West Pittston, Pa.
Wheeling, W. Va.
Wichita, Kans.
Williamsport, Pa.
Wilmington, N. C.
Wooster, Ohio.
Xenia, Ohio.
York, Pa.
Youngstown, Ohio.
Zanesville, Ohio.

In other cities no action was taken, although the movement to secure uniformity was heartily commended by most of the officials. Many of them were prevented from adopting the suggestions only by lack

of funds for printing or of authority to make changes without additional legislation that they were unable to secure. These were:

Alexandria, Va.
Alton, Ill.¹
Americus, Ga.
Anniston, Ala.
Arkansas City, Kans.
Asheville, N. C.
Ashland, Pa.
Astoria, Oreg.
Atchison, Kans.
Athens, Ga.
Augusta, Ga.
Austin, Tex.
Bethlehem, Pa.

Birmingham, Ala.
Bloomington, Ill.¹
Boone, Iowa.
Bowling Green, Ky.
Bradford, Pa.
Brenham, Tex.
Brownsville, Tex.
Brunswick, Ga.
Bucyrus, Ohio.
Burlington, Iowa.
Canton, Ill.¹
Carlisle, Pa.
Carthage, Mo.

Cedar Rapids, Iowa.
Chambersburg, Pa.
Champaign, Ill.¹
Charleston, S. C.
Charleston, W. Va.
Charlottesville, Va.
Chattanooga, Tenn.
Chester, Pa.
Cheyenne, Wyo.
Chicago, Ill.¹
Clarksville, Tenn.
Clinton, Pa.
Columbia, Pa.

Columbia, S. C.
Columbia, Tenn.
Columbus, Ohio.
Connellsville, Pa.
Corsicana, Tex.
Council Bluffs, Iowa.
Covington, Ky.
Creston, Iowa.
Danville, Pa.
Defiance, Ohio.
Delaware, Ohio.
Denison, Tex.
Dixon, Ill.¹

¹State laws have since been enacted providing for more complete forms.

Dubuque, Iowa.	Jacksonville, Fla.	Mt. Vernon, Ohio.	Selma, Ala.
Durham, N. C.	Jacksonville, Ill. ¹	Nanticoke, Pa.	Sharon, Pa.
Elgin, Ill. ¹	Jeffersonville, Mo.	Nebraska City, Nebr.	Sherman, Tex.
El Paso, Tex.	Johnstown, Pa.	Nevada, Mo.	Sioux Falls, S. Dak.
Elyria, Ohio.	Joliet, Ill. ¹	Newbern, N. C.	Spartanburg, S. C.
Emporia, Kans.	Joplin, Mo.	New Orleans, La.	Spokane, Wash.
Florence, Ala.	Kankakee, Ill. ¹	Newport, Ky.	Springfield, Mo.
Fort Scott, Kans.	Kansas City, Kans.	Newton, Kans.	Staunton, Va.
Fort Smith, Ark.	Kearney, Nebr.	Norwalk, Ohio.	Steelton, Pa.
Frankfort, Ky.	Kenton, Ohio.	Oil City, Pa.	Sterling, Ill. ¹
Franklin, Pa.	Keokuk, Iowa.	Oskaloosa, Iowa.	Steubenville, Ohio.
Freeport, Ill. ¹	Key West, Fla.	Ottawa, Ill. ¹	Stockton, Cal.
Fremont, Nebr.	Knoxville, Tenn.	Ottawa, Kans.	Streator, Ill. ¹
Fresno, Cal.	Lancaster, Pa.	Owensboro, Ky.	Sunbury, Pa.
Galena, Ill. ¹	Laramie, Wyo.	Palestine, Tex.	Tamaqua, Pa.
Galesburg, Ill. ¹	La Salle, Ill. ¹	Pana, Ill. ¹	Trenton, Mo.
Galveston, Tex.	Leavenworth, Kans.	Paris, Tex.	Trinidad, Colo. ¹
Grand Island, Nebr.	Lebanon, Pa.	Parsons, Kans.	Tyler, Tex.
Greenville, Miss.	Litchfield, Ill. ¹	Pekin, Ill. ¹	Uniontown, Pa.
Hannibal, Mo.	Lockhaven, Pa.	Peru, Ill. ¹	Urbana, Ohio.
Hastings, Nebr.	Lyons, Iowa.	Philadelphia, Pa.	Vallejo, Cal.
Hazleton, Pa.	Macon, Ga.	Pine Bluff, Ark.	Van Wert, Ohio.
Helena, Ark.	Mahanoy, Pa.	Pittsburg, Kans.	Vicksburg, Miss.
Helena, Mont.	Manchester, Va.	Plattsmouth, Nebr.	Virginia City, Nev.
Henderson, Ky.	Mansfield, Ohio.	Quincy, Ill. ¹	Waco, Tex.
Homestead, Pa.	Marietta, Ohio.	Richmond, Ky.	Washington C. H., Ohio.
Hopkinsville, Ky.	Maysville, Ky.	Roanoke, Va.	Webb City, Mo.
Huntingdon, Pa.	Meridian, Miss.	St. Charles, Mo.	West Chester, Pa.
Huntsville, Ala.	Middletown, Pa.	Salina, Kans.	Wilkesbarre, Pa.
Hutchinson, Kans.	Milton, Pa.	Sandusky, Ohio.	Winchester, Va.
Independence, Mo.	Moberly, Mo.	San Francisco, Cal.	Winfield, Kans.
Iowa City, Iowa.	Moline, Ill. ¹	Santa Rosa, Cal.	Winston, N. C.
Jackson, Miss.	Montgomery, Ala.	Savannah, Ga.	
Jackson, Tenn.	Mt. Carmel, Pa.	Sedalia, Mo.	

As stated above, the correspondence requested a statement of the number of deaths registered in each year, and an examination of the figures supplied showed that in many cases there were actually fewer deaths recorded in the later years of the decade 1890-1900 than were recorded in 1890, notwithstanding large increases in population. Although some decrease in the general death rate was anticipated, the falling off in the number of deaths was so remarkable as to raise the question whether it was not due in part to a decline in the efficiency of registration. This doubt, together with the knowledge that registration was undoubtedly (and admittedly) defective in some states and cities, led to the decision to have the enumerators make inquiry and return deaths in all areas where any doubt of the sufficiency of registration existed, in order to use the information as a check upon the accuracy of registration, and to supplement and complete the registration returns if found defective in numbers or in details.

The registration record was accepted as sufficiently complete and satisfactory in Massachusetts, Connecticut, Rhode Island, and New Hampshire; certain counties and cities in the state of New York, namely, counties: Broome, Columbia, Dutchess, Franklin, Greene, Madison, Nassau, Onondaga, Orange, Orleans, Otsego, Putnam, Rensselaer, Rockland, Saratoga,

Schenectady, Suffolk, Sullivan, Ulster, Washington, and Westchester; cities: Albany, Cohoes, New York (Greater), Ogdensburg, Utica, Watertown, and Watervliet, and certain counties and cities in the state of New Jersey, namely, counties: Atlantic, Camden, Hudson, Mercer, Ocean, and Warren; cities: Burlington, Bridgeton, Newark, Orange, New Brunswick, Perth Amboy, Passaic, Paterson, Salem, Elizabeth, Plainfield, and Rahway.

In these areas the mortality schedule was withdrawn from the enumerators. In all others they were directed to report deaths, and their returns were carded and compared with the registration records. The result of the comparisons, which were made as thorough as possible, indicated that registration was defective in many places where it was supposed to be perfect, a considerable percentage of the deaths reported by the enumerators not being found in the registration record. As the enumerators did not report more than 50 or 60 per cent of the deaths, the presumption is strong that the omissions in the registration record were even greater than indicated.

The tabulated result of the comparison of the two sets of returns, showing the number of deaths reported from each source, the number added to the registration record from the enumerators' returns, the percentage of

¹ State laws have since been enacted providing for more complete forms.

the enumerators' returns thus added, and the per cent which the original registration record formed of the total thus found, is given below. The number of deaths stated as obtained from registration records includes

stillbirths, cases outside the census year, nonresidents, etc., that were subsequently excluded before the statistics were compiled; hence the totals do not agree in all cases with those given in the general tables.

COMPARISON OF ENUMERATORS' AND REGISTRATION RETURNS. ADDITIONS TO THE REGISTRATION RECORD.

COUNTIES AND CITIES (CITIES INDENTED).	Enumer- ators' returns. (E. R.)	Regis- tration records. (R. R.) ¹	Added from E. R.	Total. ²	PERCENTAGE—		COUNTIES AND CITIES (CITIES INDENTED).	Enumer- ators' returns. (E. R.)	Regis- tration records. (R. R.) ¹	Added from E. R.	Total. ²	PERCENTAGE—	
					Of E. R. added.	R. R. forms of total.						Of E. R. added.	R. R. forms of total.
ALABAMA.					CALIFORNIA—continued.								
Autauga.....	212	10	210	220	99.1	4.5	Lassen.....	30	1	29	30	96.7	3.3
Baldwin.....	88	75	56	131	63.6	57.3	Los Angeles.....	593	512	440	952	74.2	53.8
Barbour.....	346	214	248	462	71.7	46.3	Los Angeles.....	823	1,857	68	1,925	8.3	96.5
Bibb.....	202	100	134	234	66.3	42.7	Marin.....	138	131	72	203	52.2	64.5
Blount.....	254	42	226	268	89.0	15.7	Mendocino.....	235	38	209	247	88.9	15.4
Bullock.....	298	336	168	504	56.4	66.7	Merced.....	64	1	63	64	98.4	1.6
Butler.....	268	207	142	349	53.0	59.3	Modoc.....	37	4	33	37	89.2	10.8
Calhoun.....	305	228	205	433	67.2	52.7	Mono.....	25	36	4	40	16.0	90.0
Anniston.....	159	199	86	285	54.1	69.8	Monterey.....	133	38	105	143	78.9	26.6
Coffee.....	184	125	130	255	70.7	49.0	Napa.....	340	171	234	405	68.8	42.2
Conecuh.....	131	194	39	233	29.8	83.3	Nevada.....	191	28	164	192	85.9	14.6
Coosa.....	153	113	90	203	58.8	55.7	Orange.....	117	187	44	231	37.6	81.0
Crenshaw.....	134	47	114	161	85.1	29.2	Placer.....	156	37	142	179	91.0	20.7
Cullman.....	183	74	151	225	82.5	32.9	Plumas.....	36	11	26	37	72.2	29.7
Dekalb.....	286	185	185	370	64.7	50.0	San Benito.....	57	55	21	76	36.8	72.4
Escambia.....	80	59	56	115	70.0	51.3	San Bernardino.....	245	404	84	488	34.3	82.8
Etowah.....	311	203	189	392	60.8	51.8	San Diego.....	157	76	125	201	79.6	37.8
Fayette.....	151	105	100	205	66.2	51.2	San Diego.....	193	389	19	408	9.8	95.3
Henry.....	323	69	288	357	89.2	19.3	San Francisco ³	3,791	7,089	236	7,325	6.2	96.8
Jackson.....	418	224	305	529	73.0	42.3	San Luis Obispo.....	148	137	50	187	33.8	73.3
Jefferson.....	1,542	1,032	1,034	2,066	67.1	50.0	San Mateo.....	77	79	40	119	51.9	66.4
Birmingham.....	359	305	114	919	31.8	87.6	Santa Clara.....	409	160	353	513	86.3	31.2
Lamar.....	148	79	108	187	73.0	42.2	San Jose.....	156	322	27	349	17.3	92.3
Lawrence.....	369	186	265	451	71.8	41.2	Santa Cruz.....	105	34	86	120	81.9	28.3
Madison.....	430	302	314	616	73.0	49.0	Santa Cruz.....	23	138	1	139	4.3	99.3
Huntsville.....	253	233	124	357	49.0	65.3	Shasta.....	185	87	144	231	77.8	37.7
Marengo.....	465	33	443	476	95.3	6.9	Sierra.....	42	27	16	43	38.1	62.8
Mobile.....	181	292	103	395	56.9	73.9	Solano.....	158	194	101	295	63.9	65.8
Mobile.....	485	1,065	45	1,110	9.3	95.9	Sonoma.....	350	367	156	523	44.6	70.2
Monroe.....	270	93	231	324	85.6	28.7	Stanislaus.....	101	67	45	112	44.6	59.8
Montgomery.....	454	390	391	781	86.1	49.9	Trinity.....	59	5	54	59	91.5	8.5
Montgomery.....	315	422	166	588	52.7	71.8	Tulare.....	182	82	120	202	65.9	40.6
Morgan.....	445	355	324	679	72.8	52.3	Tuolumne.....	112	108	43	151	38.4	71.5
Pike.....	329	204	194	398	59.0	51.3	Ventura.....	117	33	95	128	81.2	25.8
Randolph.....	196	146	119	265	60.7	55.1	Yuba.....	142	158	31	189	21.8	83.6
St. Clair.....	227	113	159	272	70.0	41.5	Sacramento.....	183	763	11	774	6.0	98.6
Talladega.....	454	163	377	540	83.0	30.2	Santa Barbara.....	46	125	1	126	2.2	99.2
Winston.....	86	29	68	97	79.1	29.9	Stockton.....	243	205	166	371	68.3	55.3
ARKANSAS.					COLORADO. ⁴								
Fort Smith.....	179	336	36	372	20.1	90.3	Arapahoe.....	59	58	39	97	66.1	59.8
Hot Springs.....	156	318	54	372	34.6	85.5	Denver.....	1,178	2,677	90	2,767	7.6	96.7
Little Rock.....	694	976	302	1,278	43.5	76.4	Archuleta.....	4	5		5		100.0
CALIFORNIA.					Baca.....								
Alameda.....	383	85	336	421	87.7	20.2	Bent.....	14	12	4	16	28.6	75.0
Alameda.....	126	217	15	232	11.9	93.5	Boulder.....	61	118	13	131	21.3	90.1
Berkeley.....	89	153	20	173	22.5	88.4	Chaffee.....	22	40	2	42	9.1	95.2
Oakland.....	603	1,063	96	1,159	15.9	91.7	Clear Creek.....	34	43	8	51	23.5	84.3
Amador.....	82	13	78	91	95.1	14.3	Conejos.....	21	17	18	35	85.7	48.6
Butte.....	159	189	67	256	42.1	73.8	Costilla.....	21	3	18	21	85.7	14.3
Colusa.....	67	37	47	84	70.1	44.0	Custer.....	24	22	6	28	25.0	78.6
Contra Costa.....	163	129	92	221	56.4	58.4	Delta.....	17	17	5	22	29.4	77.3
Fresno.....	213	307	46	353	21.6	87.0	Dolores.....	13	10	5	15	38.5	66.7
Fresno.....	91	184	11	195	12.1	94.4	Douglas.....	4	5	1	6	25.0	83.3
Humboldt.....	155	206	71	277	45.8	74.4	Eagle.....	11	8	6	14	54.5	57.1
Kern.....	118	67	93	160	78.8	41.9	Elbert.....	12	5	10	15	83.3	33.3
Kings.....	73	118	21	139	28.8	84.9	El Paso.....	22	47	6	53	27.3	88.7
Lake.....	62	54	28	82	45.2	65.9	Colorado Springs.....	184	374	42	416	22.8	89.9
							Fremont.....	52	89	14	103	26.9	86.4

¹ Exclusive of duplicates, cases outside the census year, etc.² Inclusive of stillborn, nonresidents, etc., eliminated before tabulation.³ County and city coextensive.⁴ Record for counties, exclusive of cities, in Colorado for five months.

VITAL STATISTICS.

COMPARISON OF ENUMERATORS' AND REGISTRATION RETURNS. ADDITIONS TO THE REGISTRATION RECORD—Continued.

COUNTIES AND CITIES (CITIES INDENTED).	Enumerators' returns. (E. R.)	Registration records. (R. R.) ¹	Added from E. R.	Total. ²	PERCENTAGE—		COUNTIES AND CITIES (CITIES INDENTED).	Enumerators' returns. (E. R.)	Registration records. (R. R.) ¹	Added from E. R.	Total. ²	PERCENTAGE—	
					Of E. R. added.	R. R. forms of total.						Of E. R. added.	R. R. forms of total.
COLORADO—continued.							ILLINOIS—continued.						
Garfield	16	28	9	37	56.3	75.7	Cairo	138	227	59	286	42.8	79.4
Gilpin	34	57	1	58	2.9	98.3	Chicago	16,059	27,752	1,930	29,682	12.0	93.5
Grand	2	1	1	2	50.0	50.0	Darville	117	293	22	315	18.8	93.0
Gunnison	26	31	5	36	19.2	86.1	Decatur	157	335	27	362	17.2	92.5
Hindsdale	16	1	15	16	93.8	6.3	East St. Louis	307	219	245	464	79.8	47.2
Huerfano	40	31	21	52	52.5	59.6	Elgin	256	322	42	364	16.4	88.5
Jefferson	38	41	10	51	26.3	80.4	Galesburg	143	272	16	288	11.2	94.4
Lake	28	13	24	37	85.7	35.1	Jacksonville	122	351	19	370	15.6	94.9
Leadville	151	344	28	372	18.5	92.5	Joliet	327	373	173	546	52.9	68.3
La Plata	34	37	5	42	14.7	88.1	Lincoln	138	118	58	176	42.0	67.0
Larimer	25	40	5	45	20.0	88.9	Litchfield	68	56	45	101	66.2	55.4
Las Animas	175	152	75	227	42.9	67.0	Mattoon	64	141	13	154	20.3	91.6
Lincoln	5	1	5	6	100.0	16.7	Moline	236	303	81	384	34.3	78.9
Logan	8	11	1	12	12.5	91.7	Monmouth	84	109	8	117	9.5	93.2
Mesa	23	36	4	40	17.4	90.0	Ottawa	83	134	16	150	19.3	89.3
Mineral	8	7	2	9	25.0	77.8	Peoria	452	727	106	833	23.5	87.3
Morgan	4	9	2	11	50.0	81.8	Peru	68	78	32	110	47.1	70.9
Montezuma	12	6	6	12	50.0	50.0	Quincy	386	535	42	577	10.9	92.7
Montrose	8	16	3	19	37.5	84.2	Rockford	300	383	61	444	20.3	86.3
Otero	31	64	7	71	22.6	90.1	Rock Island	201	170	95	265	47.3	64.2
Ouray	18	20	1	21	5.6	95.2	Springfield	273	673	16	689	5.9	97.7
Park	11	10	5	15	45.5	66.7	Streator	81	138	30	168	37.0	82.1
Phillips	9	9		9		100.0	INDIANA. ⁴						
Pitkin	24	34	11	45	45.8	75.6	Adams	153	195	13	208	8.5	93.8
Prowers	15	15	7	22	46.7	68.2	Allen	208	222	50	272	24.0	81.6
Pueblo	28	14	22	36	78.6	38.9	Fort Wayne	368	512	84	596	22.8	85.9
Pueblo	282	657	23	680	8.2	96.6	Bartholomew	197	158	43	201	21.8	78.6
Rio Grande	30	36	9	45	30.0	80.0	Columbus	87	150	14	164	16.1	91.5
Routt	11	2	9	11	81.8	18.2	Benton	55	75	9	84	16.4	89.3
Saguache	12	15	6	21	50.0	71.4	Blackford	105	137	14	151	13.3	90.7
San Juan	15	17	1	18	6.7	94.4	Boone	178	223	20	243	11.2	91.8
San Miguel	32	40	6	46	18.8	87.0	Brown	109	104	22	126	20.2	82.5
Sedgwick	1	1		1		100.0	Carroll	145	149	24	173	16.6	86.1
Summit	19	18	4	22	21.1	81.8	Cass	141	159	29	188	20.6	84.6
Teller	130	229	40	269	30.8	85.1	Logansport	157	263	42	305	26.8	86.2
Weld	46	49	15	64	32.6	76.6	Clark	181	198	53	251	29.3	78.9
Yuma	2	1	2	3	100.0	33.3	Jeffersonville	113	214	18	232	15.9	92.2
DELAWARE.							Clay	211	175	87	262	41.2	66.8
Kent	321	325	151	476	47.0	68.3	Brazil	60	44	44	88	73.3	50.0
New Castle	418	254	192	476	45.9	59.7	Clinton ⁵	251	269	52	321	20.7	83.8
Wilmington	690	1,617	79	1,696	11.4	95.3	Frankfort	93	129	18	147	19.4	87.8
Sussex	393	357	206	563	52.4	63.4	Crawford	87	143	6	149	6.9	96.0
DISTRICT OF COLUMBIA ³							Daviess	163	185	20	205	12.3	90.2
FLORIDA.							Washington	79	117	25	142	31.6	82.4
Jacksonville	296	793	39	832	13.2	95.3	Dearborn	163	212	19	231	11.7	91.8
Key West	122	530	5	535	4.1	99.1	Decatur	136	193	11	204	8.1	94.6
Pensacola	179	427	42	469	23.5	91.0	Dekalb	190	220	26	246	13.7	89.4
Tampa	109	318	49	367	45.0	86.6	Delaware	220	244	31	275	14.1	88.7
GEORGIA.							Muncie	126	276	25	301	19.8	91.7
Athens	150	78	122	200	81.3	39.0	Dubois	154	180	10	190	6.5	94.7
Atlanta	962	2,420	156	2,576	16.2	93.9	Elkhart	154	191	15	206	9.7	92.7
Augusta	555	990	182	1,172	32.8	84.5	Elkhart	115	162	31	193	27.0	83.9
Brunswick	130	160	81	241	62.3	66.4	Goshen	67	82	23	105	34.3	78.1
Columbus	237	462	86	548	36.3	84.3	Fayette	95	130	8	138	8.4	94.2
Macon	258	532	111	643	43.0	82.7	Floyd	84	53	40	93	47.6	57.0
Rome	65	138	30	168	46.2	82.1	New Albany	187	294	48	342	25.7	86.0
Savannah	800	1,942	115	2,057	14.4	94.4	Fountain	156	192	15	207	9.6	92.8
ILLINOIS.							Franklin	132	157	9	166	6.8	94.6
Aurora	241	343	37	380	15.4	90.3	Fulton	130	148	6	154	4.6	96.1
Belleville	119	282	11	293	9.2	96.2	Gibson	261	309	34	343	13.0	90.1
Bloomington	157	269	41	310	26.1	86.8	Grant	356	333	70	403	19.7	82.6
							Marion	153	245	47	292	30.7	83.9
							Greene	217	229	55	284	25.3	80.6
							Hamilton	206	297	15	312	7.3	95.2

¹ Exclusive of duplicates, cases outside the census year, etc.² Inclusive of stillborn, nonresidents, etc., eliminated before tabulation.³ District of Columbia and Washington coextensive.⁴ Record for counties, exclusive of cities in Indiana for eight months, except where otherwise stated.⁵ Record for twelve months.

INTRODUCTORY.

xvii

* COMPARISON OF ENUMERATORS' AND REGISTRATION RETURNS. ADDITIONS TO THE REGISTRATION RECORD—Continued.

COUNTIES AND CITIES (CITIES INDENTED).	Enumer- ators' returns. (E. R.)	Regis- tration records. (R. R.) ¹	Added from E. R.	Total. ²	PERCENTAGE—		COUNTIES AND CITIES (CITIES INDENTED).	Enumer- ators' returns. (E. R.)	Regis- tration records. (R. R.) ¹	Added from E. R.	Total. ²	PERCENTAGE—	
					Of E. R. added.	R. R. forms of total.						Of E. R. added.	R. R. forms of total.
INDIANA—continued.					INDIANA—continued.								
Hancock	160	181	11	192	6.9	94.3	Tipton.....	115	167	16	183	13.9	91.3
Harrison	169	193	14	207	8.3	93.2	Union	57	57	12	69	21.1	82.6
Hendricks.....	146	159	14	173	9.6	91.9	Vanderburg	95	94	39	133	41.1	70.7
Henry	221	282	8	290	3.6	97.2	Evansville.....	484	1,023	63	1,086	13.0	94.2
Howard	143	156	17	173	11.9	90.2	Vermilion	107	137	13	150	12.1	91.3
Kokomo	113	153	24	177	21.2	86.4	Vigo	166	181	63	244	38.0	74.2
Huntington ³	283	300	59	359	20.8	83.6	Terre Haute.....	238	573	29	602	12.2	95.2
Jackson	170	211	19	230	11.2	91.7	Wabash	155	158	33	191	21.3	82.7
Seymour.....	43	72	8	80	18.6	90.0	Wabash	62	78	23	101	37.1	77.2
Jasper	106	126	17	143	16.0	88.1	Warren	69	66	27	93	39.1	71.0
Jay	148	224	16	240	10.8	93.3	Warrick	235	276	34	310	14.5	89.0
Jefferson	104	124	24	148	23.1	83.8	Washington	162	196	22	218	13.6	89.9
Madison	104	195	8	203	7.7	96.1	Wayne	216	231	31	262	14.4	88.2
Jennings	132	163	18	181	13.6	90.1	Richmond.....	186	276	19	295	10.2	93.6
Johnson	162	183	26	209	16.0	87.6	Wells	152	174	17	191	11.2	91.1
Knox	281	308	67	375	23.8	82.1	White	121	123	31	154	25.6	79.9
Vincennes.....	105	189	14	203	13.3	93.1	Whitley	126	152	11	163	8.7	93.3
Kosciusko.....	175	209	20	229	11.4	91.3	IOWA.						
Lagrange	121	148	6	154	5.0	96.1	Boone	70	84	23	107	32.9	78.5
Lake	148	184	26	210	17.6	87.6	Burlington	246	396	8	404	3.3	98.0
Hammond.....	137	162	40	202	29.2	80.2	Cedar Rapids.....	181	285	38	323	21.0	88.2
Laporte	109	114	33	147	30.3	77.6	Clinton	231	276	51	327	22.1	84.4
Laporte.....	62	64	17	81	27.4	79.0	Creston	69	82	17	99	24.6	82.8
Michigan City.....	135	200	16	216	11.9	92.6	Council Bluffs.....	240	327	44	371	18.3	88.1
Lawrence	212	257	33	290	15.6	88.6	Davenport.....	295	578	16	594	5.4	97.3
Madison	335	438	70	508	20.9	86.2	Des Moines.....	492	723	127	850	25.8	85.1
Anderson.....	181	261	47	308	26.0	84.7	Dubuque	323	474	61	535	18.9	88.6
Marion	284	259	84	343	29.6	75.5	Fort Madison.....	89	106	19	125	21.3	84.8
Indianapolis	1,686	2,755	173	2,928	10.3	94.1	Keokuk	167	267	20	287	12.0	93.0
Marshall	178	215	22	237	12.4	90.7	Iowa City.....	83	91	31	122	37.3	74.6
Martin	126	142	19	161	15.1	88.2	Marshalltown	90	169	11	180	12.2	93.9
Miami	136	188	18	206	13.2	91.3	Muscatine	155	228	22	250	14.2	91.2
Peru	72	133	8	141	11.1	94.3	Oskaloosa	74	165	14	179	18.9	92.2
Monroe.....	194	216	23	239	11.9	90.4	Ottumwa	167	315	13	328	7.8	96.0
Montgomery	161	213	16	229	9.9	93.0	Sioux City.....	290	420	43	463	14.8	90.7
Crawfordsville	59	94	6	100	10.2	94.0	KANSAS.						
Morgan	168	201	17	218	10.1	92.2	Allen	157	141	88	229	56.1	61.6
Newton	72	62	19	81	26.4	76.5	Atchison	204	199	96	295	47.1	67.5
Noble	153	173	20	193	13.1	89.6	Barber.....	44	50	21	71	47.7	70.4
Ohio	28	50	3	53	10.7	94.3	Brown.....	150	91	101	192	67.3	47.4
Orange	141	147	39	186	27.7	79.0	Chase	84	85	22	107	26.2	79.4
Owen	119	132	9	141	7.6	93.6	Cherokee.....	437	709	144	853	33.0	83.1
Parke.....	159	183	22	205	13.8	89.3	Clark	12	8	4	12	33.3	66.7
Perry	162	160	35	195	21.6	82.1	Clay	128	129	39	168	30.5	76.8
Pike	202	269	10	279	5.0	96.4	Coffey	156	169	52	221	33.3	76.5
Porter	108	130	13	143	12.0	90.9	Comanche.....	12	15	8	23	66.7	65.2
Valparaiso.....	54	62	11	73	20.4	84.9	Cowley	243	161	134	295	55.1	54.6
Posey	203	259	23	282	11.3	91.8	Crawford	387	525	199	724	51.4	72.5
Pulaski.....	96	105	33	138	34.4	76.1	Decatur	70	51	47	98	67.1	52.0
Putnam	121	174	12	186	9.9	93.5	Dickinson	165	107	97	204	58.8	52.5
Randolph	176	231	14	245	9.0	94.3	Doniphan	160	188	53	241	33.1	78.0
Ripley	168	208	14	222	8.3	93.7	Douglas	107	143	34	177	31.8	80.8
Rush	145	178	9	187	6.2	95.2	Lawrence	95	167	17	184	17.9	90.8
St. Joseph	154	192	29	221	18.8	86.9	Edwards	36	43	6	49	16.7	87.8
South Bend	277	448	63	511	22.7	87.7	Elk	94	57	48	105	51.1	54.3
Scott	74	91	8	99	10.8	91.9	Ellsworth	49	30	49	79	100.0	38.0
Shelby.....	137	148	26	174	19.0	85.1	Franklin	173	99	117	216	67.6	45.8
Shelbyville.....	75	103	22	125	29.3	82.4	Gove	17	15	4	19	23.5	78.9
Spencer	153	213	30	243	19.6	87.7	Graham	58	35	25	60	43.1	58.3
Starke	75	86	12	98	16.0	87.8	Greeley	4	5		5		100.0
Steuben	96	101	21	122	21.9	82.8	Greenwood.....	131	45	100	145	76.3	31.0
Sullivan	196	210	36	246	18.4	85.4	Hamilton	11	6	6	12	54.5	50.0
Switzerland	101	112	8	120	7.9	93.3	Harper	65	19	49	68	75.4	27.9
Tippecanoe.....	144	155	27	182	18.8	85.2	Harvey	123	144	46	190	37.4	75.8
Lafayette.....	95	294	18	312	18.9	94.2							

¹ Exclusive of duplicates, cases outside the census year, etc.² Inclusive of stillborn, nonresidents, etc., eliminated before tabulation.³ Record for twelve months.

VITAL STATISTICS.

COMPARISON OF ENUMERATORS' AND REGISTRATION RETURNS. ADDITIONS TO THE REGISTRATION RECORD—Continued. •

COUNTIES AND CITIES (CITIES INDENTED).	Enumerators' returns. (E. R.)	Registration records. (R. R.) ¹	Added from E. R.	Total. ²	PERCENTAGE—		COUNTIES AND CITIES (CITIES INDENTED).	Enumerators' returns. (E. R.)	Registration records. (R. R.) ¹	Added from E. R.	Total. ²	PERCENTAGE—	
					Of E. R. added.	R. R. forms of total.						Of E. R. added.	R. R. forms of total.
KANSAS—continued.							MAINE—continued.						
Jefferson	131	65	94	159	71.8	40.9	Brunswick	120	159	17	176	14.2	90.3
Johnson	152	139	67	206	44.1	67.5	Portland	800	1,130	36	1,166	4.5	96.9
Kingman	69	54	28	82	40.6	65.9	Westbrook	100	102	3	105	3.0	97.1
Labette	168	72	131	203	78.0	35.5	Franklin	281	305	20	325	7.1	93.8
Parsons	88	29	74	103	84.1	28.2	Hancock	468	530	33	563	7.1	94.1
Lane	9	9	1	10	11.1	90.0	Kennebec	622	520	180	700	28.9	74.3
Leavenworth	380	69	346	415	91.1	16.6	Augusta	206	301	18	319	8.7	94.4
Leavenworth	251	398	33	431	13.1	92.3	Gardiner	58	105	8	113	13.8	92.9
Lincoln	59	43	32	75	54.2	57.3	Waterville	94	100	48	148	51.1	67.6
Linn	155	54	126	180	81.3	30.0	Knox	353	362	34	396	9.6	91.4
Lyon	128	103	73	176	57.0	58.5	Rockland	85	136	13	149	15.3	91.3
Emporia	60	148	14	162	23.3	91.4	Lincoln	286	300	34	334	11.9	89.8
McPherson	180	111	100	211	55.6	52.6	Oxford	425	432	39	471	9.2	91.7
Meade	6	8	1	9	16.7	88.9	Penobscot	663	682	103	785	15.5	86.9
Miami	307	45	275	320	89.6	14.1	Bangor	227	325	31	356	13.7	91.3
Mitchell	113	140	37	177	32.7	79.1	Oldtown	84	99	11	110	13.1	90.0
Nemaha	144	17	131	148	91.0	11.5	Piscataquis	274	247	39	286	14.2	86.4
Neosho	166	100	123	223	74.1	44.8	Sagadahoc	139	162	20	182	14.4	89.0
Osage ³	215	60	170	230	79.1	26.1	Bath	112	145	4	149	3.6	97.3
Osborne	88	79	41	120	46.6	65.8	Somerset	393	382	42	424	10.7	90.1
Ottawa	108	102	38	140	35.2	72.9	Skowhegan	91	91	11	102	12.1	89.2
Pawnee	32	35	14	49	43.8	71.4	Waldo	425	431	45	476	10.6	90.5
Phillips	110	83	58	141	52.7	58.9	Washington	480	522	59	581	12.3	89.8
Pottawatomie	181	20	169	189	93.4	10.6	Calais	66	148	4	152	6.1	97.4
Pratt	59	76	6	82	10.2	92.7	York	706	761	63	824	8.9	92.4
Rawlins	44	35	21	56	47.7	62.5	Biddeford	210	370	22	392	10.5	94.4
Republic	137	121	57	178	41.6	68.0	Saco	56	74	32	106	57.1	69.8
Rice	86	53	58	111	67.4	47.7	MARYLAND.						
Rooks	56	61	14	75	25.0	81.3	Allegany	301	163	207	370	68.8	44.1
Seward	11	13	4	17	36.4	76.5	Cumberland	179	84	130	214	72.6	39.3
Shawnee	251	45	216	261	86.1	17.2	Anne Arundel	317	159	239	398	75.4	39.9
Topeka	273	515	78	593	28.6	86.8	Annapolis	69	170	5	175	7.2	97.1
Sheridan	24	18	11	29	45.8	62.1	Baltimore	1,146	1,361	477	1,838	41.6	74.0
Sherman	28	41	2	43	7.1	95.3	Baltimore	5,398	10,849	569	11,418	10.5	95.0
Stevens	5	2	4	6	80.0	33.3	Calvert	146	137	75	212	51.4	64.6
Sumner	202	113	135	248	66.8	45.6	Caroline	130	117	78	195	60.0	60.0
Thomas	26	28	3	31	11.5	90.3	Carroll	282	276	144	420	51.1	65.7
Wabaunsee	103	24	86	110	83.5	21.8	Cecil	222	279	58	337	26.1	82.8
Washington	188	83	130	213	69.1	39.0	Charles	212	16	197	213	92.9	7.5
Woodson	94	111	33	144	35.1	77.1	Dorchester	310	166	232	398	74.8	41.7
Wyandotte	178	13	168	181	94.4	7.2	Frederick	505	294	313	607	62.0	48.4
Kansas City	592	709	269	978	45.4	72.5	Frederick	91	196	4	200	4.4	98.0
Hutchinson	74	181	10	191	13.5	94.8	Garrett	117	75	73	148	62.4	50.7
Wichita	199	377	26	403	13.1	93.5	Harford	318	259	133	392	41.8	66.1
KENTUCKY.							Howard	186	220	74	294	39.8	74.8
Bowling Green	97	121	40	161	41.2	75.2	Kent	194	211	79	290	40.7	72.8
Covington	469	864	48	912	10.2	94.7	Montgomery	252	124	191	315	75.8	39.4
Henderson	119	237	39	276	32.8	85.9	Prince George	289	170	213	383	73.7	44.4
Lexington	406	817	96	913	23.6	89.5	Queen Anne	152	168	67	235	44.1	71.5
Louisville	2,521	4,109	271	4,380	10.7	93.8	St. Mary	154	81	119	200	77.3	40.5
Newport	241	641	28	669	11.6	95.8	Somerset	283	218	148	366	52.3	59.6
Paducah	249	532	27	559	10.8	95.2	Talbot	232	190	128	318	55.2	59.7
LOUISIANA.							Washington	352	234	202	436	57.4	53.7
Baton Rouge	217	218	145	363	66.8	60.1	Hagerstown	156	187	96	283	61.5	66.1
New Orleans	4,192	8,419	325	8,744	7.8	96.3	Wicomico	252	135	178	313	70.6	43.1
Shreveport	446	667	75	742	16.8	89.9	Worcester	197	169	103	272	52.3	62.1
MAINE.							MICHIGAN.						
Androscoggin	246	264	46	310	18.7	85.2	Alcona	38	28	13	41	34.2	68.3
Auburn	130	163	37	200	28.5	81.5	Alger	40	38	26	64	65.0	59.4
Lewiston	312	533	65	598	20.8	89.1	Allegan	424	469	32	501	7.5	93.6
Aroostook	683	758	165	923	24.2	82.1	Alpena	52	44	9	53	17.3	83.0
Cumberland	481	478	68	546	14.1	87.5	Alpena	141	186	38	224	27.0	83.0
							Antrim	158	226	20	246	12.7	91.9

¹ Exclusive of duplicates, cases outside the census year, etc.² Inclusive of stillborn, nonresidents, etc., eliminated before tabulation.³ Record for five months.

INTRODUCTORY.

xix

COMPARISON OF ENUMERATORS' AND REGISTRATION RETURNS. ADDITIONS TO THE REGISTRATION RECORD—Continued.

COUNTIES AND CITIES (CITIES INDENTED).	Enumer- ators' returns. (E. R.)	Regis- tration records. (R. R.) ¹	Added from E. R.	Total. ²	PERCENTAGE—		COUNTIES AND CITIES (CITIES INDENTED).	Enumer- ators' returns. (E. R.)	Regis- tration records. (R. R.) ¹	Added from E. R.	Total. ²	PERCENTAGE—	
					Of E. R. added.	R. R. forms of total.						Of E. R. added.	R. R. forms of total.
MICHIGAN—continued.													
Arenac.....	100	120	12	132	12.0	90.9	Marquette.....	90	116	14	130	15.6	89.2
Baraga.....	53	52	5	57	9.4	91.2	Ishpeming.....	178	210	5	215	2.8	97.7
Barry.....	230	269	21	290	9.1	92.8	Marquette.....	104	179	2	181	1.9	98.9
Bay.....	231	266	18	284	7.8	93.7	Negaunee.....	68	85	1	86	1.5	98.8
Bay City.....	217	343	27	370	12.4	92.7	Mason.....	79	129	6	135	7.6	95.6
West Bay City.....	126	185	17	202	13.5	91.6	Ludington.....	67	111	7	118	10.4	94.1
Benzie.....	66	109	6	115	9.1	94.8	Mecosta.....	199	275	13	288	6.5	95.5
Berrien.....	339	454	29	483	8.6	94.0	Menominee.....	97	133	26	159	26.8	83.6
Benton Harbor.....	56	84	9	93	16.1	90.3	Menominee.....	111	185	13	198	11.7	93.4
St. Joseph.....	70	57	13	70	18.6	81.4	Midland.....	170	194	15	209	8.8	92.8
Branch.....	227	291	21	312	9.3	93.3	Missaukee.....	88	94	20	114	22.7	82.5
Coldwater.....	93	94	11	105	11.8	89.5	Monroe.....	303	338	20	358	6.6	94.4
Calhoun.....	353	446	38	484	10.8	92.1	Monroe.....	50	65	2	67	4.0	97.0
Battle Creek.....	196	241	14	255	7.1	94.5	Montcalm.....	342	449	26	475	7.6	94.5
Cass.....	231	264	20	284	8.7	93.0	Montmorency.....	22	15	9	24	40.9	62.5
Charlevoix.....	109	160	14	174	12.8	92.0	Muskegon.....	149	175	14	189	9.4	92.6
Cheboygan.....	97	93	27	120	27.8	77.5	Muskegon.....	156	253	12	265	7.7	95.5
Cheboygan.....	104	120	5	125	4.8	96.0	Newaygo.....	175	225	7	232	4.0	97.0
Chippewa.....	60	68	27	95	45.0	71.6	Oakland.....	481	461	39	500	8.1	92.2
Sault Ste. Marie.....	114	161	7	168	6.1	95.8	Pontiac.....	60	133	6	139	10.0	95.7
Clare.....	70	84	7	91	10.0	92.3	Oceana.....	158	194	6	200	3.8	97.0
Clinton.....	269	308	22	330	8.2	93.3	Ogemaw.....	61	65	18	83	29.5	78.3
Crawford.....	18	18	4	22	22.2	81.8	Ontonagon.....	81	58	30	88	37.0	65.9
Delta.....	117	113	31	144	26.5	78.5	Osceola.....	176	216	21	237	11.9	91.1
Escanaba.....	119	183	18	201	15.1	91.0	Oscoda.....	19	5	14	19	73.7	26.3
Dickinson.....	111	116	8	124	7.2	93.5	Otsego.....	60	53	19	72	31.7	73.6
Iron Mountain.....	73	126	5	131	6.8	96.2	Ottawa.....	284	355	23	378	8.1	93.9
Eaton.....	312	372	36	408	11.5	91.2	Grand Haven.....	67	64	16	80	23.9	80.0
Emmett.....	155	179	18	197	11.6	90.9	Holland.....	105	121	20	141	19.0	85.8
Genesee.....	301	336	21	357	7.0	94.1	Presque Isle.....	59	39	34	73	57.6	53.4
Flint.....	125	180	10	190	8.0	94.7	Roscommon.....	8	8	4	12	50.0	66.7
Gladwin.....	32	56	9	65	28.1	86.2	Saginaw.....	374	454	29	483	7.8	94.0
Gogebic.....	74	74	7	81	9.5	91.4	Saginaw.....	354	551	38	589	10.7	93.5
Ironwood.....	77	134	5	139	6.5	96.4	St. Clair.....	397	439	36	475	9.1	92.4
Grand Traverse.....	102	140	3	143	2.9	97.9	Port Huron.....	129	239	17	256	13.2	93.4
Traverse City.....	127	142	8	150	6.3	94.7	St. Joseph.....	272	314	10	324	3.7	96.9
Gratiot.....	267	389	20	409	7.5	95.1	Sanilac.....	342	405	35	440	10.2	92.0
Hillsdale.....	314	405	17	422	5.4	96.0	Schoolcraft.....	69	74	12	86	17.4	86.0
Houghton.....	542	928	74	1,002	13.7	92.6	Shiawassee.....	243	321	23	344	9.5	93.3
Huron.....	307	372	26	398	8.5	93.5	Owosso.....	122	113	8	121	6.6	93.4
Ingham.....	282	330	18	348	6.4	94.8	Tuscola.....	342	461	19	480	5.6	96.0
Lansing.....	136	228	18	246	13.2	92.7	Van Buren.....	347	450	29	479	8.4	93.9
Ionia.....	352	456	36	492	10.2	92.7	Washtenaw.....	298	329	20	349	6.7	94.3
Iosco.....	115	138	11	149	9.6	92.6	Ann Arbor.....	88	179	6	185	6.8	96.8
Iron.....	57	56	10	66	17.5	84.8	Ypsilanti.....	118	113	32	145	27.1	77.9
Isabella.....	223	276	18	294	8.1	93.9	Wayne.....	747	959	57	1,016	7.6	94.4
Jackson.....	252	284	18	302	7.1	94.0	Detroit.....	2,287	4,978	232	5,210	10.1	95.5
Jackson.....	209	331	20	351	9.6	94.3	Wyandotte.....	51	80	5	85	9.8	94.1
Kalamazoo.....	228	250	18	268	7.9	93.3	Wexford.....	117	130	18	148	15.4	87.8
Kalamazoo.....	280	411	15	426	5.4	96.5	Cadillac.....	69	85		85		100.0
Kalkaska.....	84	106	14	120	16.7	88.3	MINNESOTA.						
Kent.....	405	595	55	650	13.6	91.5	Aitken.....	54	32	27	59	50.0	54.2
Grand Rapids.....	709	1,286	72	1,358	10.2	94.7	Anoka.....	85	88	25	113	29.4	77.9
Keweenaw.....	34	40	9	49	26.5	81.6	Becker.....	102	100	27	127	26.5	78.7
Lake.....	54	59	9	68	16.7	86.8	Beltrami.....	53	75	19	94	35.8	79.8
Lapeer.....	287	352	24	376	8.4	93.6	Benton.....	76	76	28	104	36.8	73.1
Leelanaw.....	157	165	11	176	7.0	93.8	Bigstone.....	31	38	12	50	38.7	76.0
Lenawee.....	379	466	27	493	7.1	94.5	Blue Earth.....	142	127	51	178	35.9	71.3
Adrian.....	146	155	25	180	17.1	86.1	Mankato.....	68	159	6	165	8.8	96.4
Livingston.....	230	269	8	277	3.5	97.1	Brown.....	153	151	33	184	21.6	82.1
Luce.....	22	14	18	32	81.8	43.8	Carlton.....	63	73	15	88	23.8	83.0
Mackinac.....	56	71	20	91	35.7	78.0	Carver.....	183	155	60	215	32.8	72.1
Macomb.....	299	371	25	396	8.4	93.7	Cass.....	32	8	24	32	75.0	25.0
Mt. Clemens.....	52	105	9	114	17.3	92.1	Chippewa.....	94	87	18	105	19.1	82.9
Manistee.....	160	205	12	217	7.5	94.5	Chisago.....	116	98	40	138	34.5	71.0
Manistee.....	133	175	32	207	24.1	84.5	Clay.....	129	132	26	158	20.2	83.5

¹Exclusive of duplicates, cases outside the census year, etc.²Inclusive of stillborn, nonresidents, etc., eliminated before tabulation.

VITAL STATISTICS.

COMPARISON OF ENUMERATORS' AND REGISTRATION RETURNS. ADDITIONS TO THE REGISTRATION RECORD—Continued.

COUNTIES AND CITIES (CITIES INDENTED).	Enumerators' returns. (E. R.)	Registration records. (R. R.) ¹	Added from E. R.	Total. ²	PERCENTAGE—		COUNTIES AND CITIES (CITIES INDENTED).	Enumerators' returns. (E. R.)	Registration records. (R. R.) ¹	Added from E. R.	Total. ²	PERCENTAGE—								
					Of E. R. added.	R. R. forms of total.						Of E. R. added.	R. R. forms of total.							
MINNESOTA—continued.																				
Cook	5	1	4	5	80.0	20.0	Todd	130	135	46	181	35.4	74.6							
Cottonwood	96	90	23	113	24.0	79.6	Traverse	46	43	14	57	30.4	75.4							
Crow Wing	28	17	22	39	78.6	43.6	Wabasha	167	129	53	182	31.7	70.9							
Brainerd	86	112	15	127	17.4	88.2	Wadena	61	78	14	92	23.0	84.8							
Dakota	199	181	64	245	32.2	73.9	Waseca	120	112	39	151	32.5	74.2							
Dodge	64	77	23	100	35.9	77.0	Washington	105	93	31	124	29.5	75.0							
Douglas	138	170	27	197	19.6	86.3	Stillwater	82	126	17	143	20.7	88.1							
Faribault	144	109	66	175	45.8	62.3	Watsonwan	72	58	25	83	34.7	69.9							
Fillmore	222	217	58	275	26.1	78.9	Wilkin	41	38	19	57	46.3	66.7							
Freeborn	181	74	116	190	64.1	38.9	Winona	117	114	20	134	17.1	85.1							
Goodhue	207	191	48	239	23.2	79.9	Winona	145	282	13	295	9.0	95.6							
Red Wing	50	71	9	80	18.0	88.8	Wright	228	217	59	276	25.9	78.6							
Grant	76	63	25	88	32.9	71.6	Yellow Medicine	102	122	18	140	17.6	87.1							
Hennepin	235	158	116	274	49.4	57.7	Indian reservations	106		106	106	100.0								
Minneapolis	1,541	2,364	128	2,492	8.3	94.9	MISSISSIPPI.													
Houston	175	162	36	198	20.6	81.8	Natchez	230	451	34	485	14.8	93.0							
Hubbard	33	29	15	44	45.5	65.9	MISSOURI.													
Isanti	112	109	25	134	22.3	81.3	Hannibal	112	132	48	180	42.9	73.3							
Itasca	39	30	9	39	23.1	76.9	Kansas City	1,512	2,825	195	3,020	12.9	93.5							
Jackson	90	88	21	109	23.3	80.7	St. Charles	78	230	7	237	9.0	97.0							
Kanabec	42	28	18	46	42.9	60.9	St. Joseph	337	938	45	983	13.4	95.4							
Kandiyohi	117	128	24	152	20.5	84.2	St. Louis	6,554	10,747	434	11,181	6.6	96.1							
Kittson	63	69	22	91	34.9	75.8	MONTANA.													
Lac qui Parle	84	76	28	104	33.3	73.1	Butte	452	619	97	716	21.5	86.5							
Lake	19	51		51		100.0	Helena	62	144	12	156	19.4	92.3							
Lesueur	150	156	39	195	26.0	80.0	NEBRASKA.													
Lincoln	52	48	18	66	34.6	72.7	Beatrice	59	92	24	116	40.7	79.3							
Lyon	97	73	42	115	43.3	63.5	Lincoln	224	475	28	503	12.5	94.4							
McLeod	148	97	62	159	41.9	61.0	Omaha	773	1,420	66	1,486	8.5	95.6							
Marshall	130	130	18	148	13.8	87.8	South Omaha	113	255	33	288	29.2	88.5							
Martin	95	74	34	108	35.8	68.5	NEW JERSEY.													
Meeker	150	150	37	187	24.7	80.2	Bergen	590	841	134	975	22.7	86.3							
Millelacs	69	67	19	86	27.5	77.9	Englewood	56	107	7	114	12.5	93.9							
Morrison	166	191	36	227	21.7	84.1	Hackensack	100	130	24	154	24.0	84.4							
Mower	183	189	45	234	24.6	80.8	Burlington	578	734	121	855	20.9	85.8							
Murray	66	56	27	83	40.9	67.5	Cape May	134	188	24	212	17.9	88.7							
Nicollet	164	165	24	189	14.6	87.3	Cumberland	265	306	67	373	25.3	82.0							
Nobles	101	90	29	119	28.7	75.6	Millville	93	167	10	177	10.8	94.4							
Norman	119	138	12	150	10.1	92.0	Essex	483	662	99	761	20.5	87.0							
Olmsted	115	114	40	154	34.8	74.0	East Orange	150	228	33	261	22.0	87.4							
Rochester	123	153	13	166	10.6	92.2	Montclair	72	213	5	218	6.9	97.7							
Ottertail	385	368	92	460	23.9	80.0	Gloucester	325	416	73	489	22.5	85.1							
Pine	69	71	20	91	29.0	78.0	Hunterdon	387	471	76	547	19.6	86.1							
Pipestone	46	40	17	57	37.0	70.2	Middlesex	274	470	59	529	21.5	88.8							
Polk	260	257	68	325	26.2	79.1	South Amboy	62	81	10	91	16.1	89.0							
Pope	98	98	21	119	21.4	82.4	Monmouth	546	1,089	117	1,206	21.4	90.3							
Ramsey	60	59	15	74	25.0	79.7	Long Branch	101	159	20	179	19.8	88.8							
St. Paul	866	1,679	79	1,758	9.1	95.5	Morris	545	674	116	790	21.3	85.3							
Red Lake	93	77	36	113	38.7	68.1	Dover	46	69	3	72	6.5	95.8							
Redwood	98	111	28	139	28.6	79.9	Morristown	128	180	15	195	11.7	92.3							
Renville	139	162	28	190	20.1	85.3	Passaic	215	262	68	330	31.6	79.4							
Rice	175	123	98	221	56.0	55.7	Salem	182	264	16	280	8.8	94.3							
Faribault	68	133	6	139	8.8	95.7	Somerset	300	435	34	469	11.3	92.8							
Rock	45	44	15	59	33.3	74.6	Sussex	260	280	76	356	29.2	78.7							
Roseau	40	47	13	60	32.5	78.3	Union	187	273	38	311	20.3	87.8							
St. Louis	152	165	61	226	40.1	73.0	NEW YORK.													
Duluth	471	694	44	738	9.3	94.0	Albany	361	491	52	543	14.4	90.4							
Scott	141	128	35	163	24.8	78.5	Allegany	495	514	47	561	9.5	91.6							
Sherburne	62	56	18	74	29.0	75.7	Cattaraugus	638	665	94	759	14.7	87.6							
Sibley	149	133	37	170	24.8	78.2	Olean	83	111	5	116	6.0	95.7							
Stearns	328	292	107	399	32.6	73.2														
St. Cloud	48	81	18	99	37.5	81.8														
Steele	103	115	28	143	27.2	80.4														
Stevens	64	63	17	80	26.6	78.8														
Swift	87	93	20	113	23.0	82.3														

¹ Exclusive of duplicates, cases outside the census year, etc.² Inclusive of stillborn, nonresidents, etc. eliminated before tabulation.

INTRODUCTORY.

xxi

COMPARISON OF ENUMERATORS' AND REGISTRATION RETURNS. ADDITIONS TO THE REGISTRATION RECORD—Continued.

COUNTIES AND CITIES (CITIES INDENTED).	Enumer- ators' returns. (E. R.)	Regis- tration records, (R. R.) ¹	Added from E. R.	Total. ²	PERCENTAGE—		COUNTIES AND CITIES (CITIES INDENTED).	Enumer- ators' returns. (E. R.)	Regis- tration records, (R. R.) ¹	Added from E. R.	Total. ²	PERCENTAGE—	
					Of E. R. added.	R. R. forms of total.						Of E. R. added.	R. R. forms of total.
NEW YORK—continued.							NORTH CAROLINA—con.						
Cayuga.....	420	505	58	563	13.8	89.7	Raleigh.....	117	408	7	415	6.0	98.3
Auburn.....	423	503	18	521	4.3	96.5	Wilmington.....	279	619	32	651	11.5	95.1
Chautauqua.....	580	659	68	727	11.7	90.6	NORTH DAKOTA.						
Dunkirk.....	125	169		169		100.0	Barnes.....	91	25	72	97	79.1	25.8
Jamestown.....	184	263	22	285	12.0	92.3	Benson.....	31	10	30	40	96.8	25.0
Chemung.....	232	252	24	276	10.3	91.3	Bottineau.....	24	9	19	28	79.2	32.1
Elmira.....	333	512	26	538	7.8	95.2	Cass ³	104	5	103	108	99.0	4.6
Chenango.....	415	439	61	500	14.7	87.8	Fargo.....	19	48	11	59	57.9	81.4
Norwich.....	76	94	9	103	11.8	91.3	Cavalier.....	64	39	43	82	67.2	47.6
Clinton.....	445	344	225	569	50.6	60.5	Dickey.....	54	21	39	60	72.2	35.0
Plattsburg.....	63	143	9	152	14.3	94.1	Foster.....	20	17	13	30	65.0	56.7
Cortland.....	235	231	45	276	19.1	83.7	Grand Forks ³	145	33	141	174	97.2	19.0
Cortland.....	67	111	7	118	10.4	94.1	Lamoure ³	26	10	23	33	88.5	30.3
Delaware.....	500	591	90	681	18.0	86.8	McHenry.....	29	18	19	37	65.5	48.6
Erie.....	686	873	85	958	12.4	91.1	McIntosh.....	47	18	33	51	70.2	35.3
Buffalo.....	3,135	5,528	207	5,735	6.6	96.4	McLean ³	23	2	23	25	100.0	8.0
Tonawanda.....	55	80	12	92	21.8	87.0	Morton.....	58	13	48	61	82.8	21.3
Essex.....	358	379	51	430	14.2	88.1	Nelson.....	48	29	29	58	60.4	50.0
Fulton.....	183	201	37	238	20.2	84.5	Pembina.....	143	75	103	178	72.0	42.1
Gloversville.....	125	205	13	218	10.4	94.0	Ramsey ³	40	2	38	40	95.0	5.0
Johnstown.....	81	130	4	134	4.9	97.0	Ransom.....	40	20	32	52	80.0	38.5
Genesee.....	307	348	30	378	9.8	92.1	Rolette ³	27	4	26	30	96.3	13.3
Batavia.....	108	134	16	150	14.8	89.3	Sargent.....	27	8	21	29	77.8	27.6
Hamilton.....	52	47	21	68	40.4	69.1	Stark.....	28	21	25	46	89.3	45.7
Herkimer.....	436	513	65	578	14.9	88.8	Steele.....	27	12	18	30	66.7	40.0
Little Falls.....	98	136	25	161	25.5	84.5	Stutsman.....	87	47	52	99	59.8	47.5
Jefferson.....	707	770	68	838	9.6	91.9	Towner.....	26	14	21	35	80.8	40.0
Lewis.....	291	310	54	364	18.6	85.2	Traill.....	67	10	57	67	85.1	14.9
Livingston.....	445	428	81	509	18.2	84.1	Walsh.....	141	1	140	141	99.3	0.7
Monroe.....	537	718	66	784	12.3	91.6	Ward.....	43	30	24	54	55.8	55.6
Rochester.....	1,657	2,332	117	2,449	7.1	95.2	Wells.....	51	16	43	59	84.3	27.1
Montgomery.....	254	304	40	344	15.7	88.4	Williams.....	11	6	7	13	63.6	46.2
Amsterdam.....	169	309	27	336	16.0	92.0	OHIO.						
Niagara.....	353	443	74	517	21.0	85.7	Alliance.....	93	117	20	137	21.5	85.4
Lockport.....	182	242	10	252	5.5	96.0	Ashtabula.....	89	213	12	225	13.5	94.7
Niagara Falls.....	148	278	15	293	10.1	94.9	Bellaire.....	93	171	6	177	6.5	96.6
Oneida.....	696	800	88	888	12.6	90.1	Bucyrus.....	49	107	4	111	8.2	96.4
Rome.....	187	245	23	268	12.3	91.4	Canton.....	205	422	19	441	9.3	95.7
Ontario.....	363	432	47	479	12.9	90.2	Chillicothe.....	106	302	5	307	4.7	98.4
Canandaigua.....	65	50	34	84	52.3	59.5	Cincinnati.....	3,449	6,557	238	6,795	6.9	96.5
Geneva.....	99	147	7	154	7.1	95.5	Circleville.....	89	132	9	141	10.1	93.6
Oswego.....	634	759	76	835	12.0	90.9	Cleveland.....	4,212	6,637	328	6,965	7.8	95.3
Oswego.....	314	349	96	445	30.6	78.4	Columbus.....	1,207	2,028	90	2,118	7.5	95.8
St. Lawrence.....	920	1,101	120	1,221	13.0	90.2	Dayton.....	797	1,478	37	1,515	4.6	97.6
Schoharie.....	399	430	36	466	9.0	92.3	Defiance.....	48	99	9	108	18.8	91.7
Schuyler.....	205	218	36	254	17.6	85.8	Elyria.....	78	98	21	119	26.9	82.4
Seneca.....	384	418	19	437	4.9	95.7	Findlay.....	193	281	17	298	8.8	94.3
Seneca Falls.....	60	84	3	87	5.0	96.6	Fostoria.....	69	138	7	145	10.1	95.2
Steuben.....	753	750	131	881	17.4	85.1	Galion.....	75	64	31	95	41.3	67.4
Corning.....	126	189	10	199	7.9	95.0	Greenville.....	57	65	11	76	19.3	85.5
Hornellsville.....	128	159	23	182	18.0	87.4	Hamilton.....	231	345	17	362	7.4	95.3
Tioga.....	339	428	50	478	14.7	89.5	Ironton.....	103	217	13	230	12.6	94.3
Tompkins.....	262	301	35	336	13.4	89.6	Lancaster.....	104	134	18	152	17.3	88.2
Ithaca.....	100	196	17	213	17.0	92.0	Lima.....	181	369	23	392	12.7	94.1
Warren.....	218	237	55	292	25.2	81.2	Marietta.....	94	192	10	202	10.6	95.0
Glens Falls.....	133	227	14	241	10.5	94.2	Marion.....	115	152	43	195	37.4	77.9
Wayne.....	576	678	46	724	8.0	93.6	Martins Ferry.....	77	109	9	118	11.7	92.4
Wyoming.....	367	401	19	420	5.2	95.5	Massillon.....	77	218	3	221	3.9	98.6
Yates.....	208	257	25	282	12.0	91.1	Middletown.....	101	149	4	153	4.0	97.4
NORTH CAROLINA.							Mt. Vernon.....	54	106	7	113	13.0	93.8
Asheville.....	148	344	66	410	44.6	83.9	Newark.....	135	284	9	293	6.7	96.9
Charlotte.....	216	465	81	546	37.5	85.2	Piquay.....	123	136	28	164	22.8	82.9
Newbern.....	99	244	27	271	27.3	90.0	Portsmouth.....	172	333	19	352	11.0	94.6

¹ Exclusive of duplicates, cases outside the census year, etc.² Inclusive of stillborn, nonresidents, etc., eliminated before tabulation.³ Record for seven months.

VITAL STATISTICS.

COMPARISON OF ENUMERATORS' AND REGISTRATION RETURNS. ADDITIONS TO THE REGISTRATION RECORD—Continued.

COUNTIES AND CITIES (CITIES INDENTED).	Enumerators' returns. (E. R.)	Registration records. (R. R.) ¹	Added from E. R.	Total. ²	PERCENTAGE—		COUNTIES AND CITIES (CITIES INDENTED).	Enumerators' returns. (E. R.)	Registration records. (R. R.) ¹	Added from E. R.	Total. ²	PERCENTAGE—	
					Of E. R. added.	R. R. forms of total.						Of E. R. added.	R. R. forms of total.
OHIO—continued.													
Salem	74	123	8	131	10.8	93.9	Charleston	710	2,223	76	2,299	10.7	96.7
Sandusky	197	255	38	293	19.3	87.0	Greenville	148	148	107	255	72.3	58.0
Springfield	458	592	68	660	14.8	89.7	Sumter	107	177	36	213	33.6	83.1
Tiffin	95	141	6	147	6.3	95.9	SOUTH DAKOTA.						
Toledo	1,292	2,134	98	2,232	7.6	95.6	Sioux Falls	58	74	16	90	27.6	82.2
Urbana	93	107	19	126	20.4	84.9	TENNESSEE.						
Warren	119	131	14	145	11.8	90.3	Chattanooga	419	676	117	793	27.9	85.2
Washington C. H.	67	94	27	121	40.3	77.7	Clarksville	52	153	26	179	50.0	85.5
Wellsville	48	110	7	117	14.6	94.0	Jackson	216	108	178	286	82.4	37.8
Wooster	62	128	6	134	9.7	95.5	Knoxville	307	721	82	803	26.7	89.8
Xenia	139	147	19	166	13.7	88.6	Memphis	1,221	2,410	252	2,662	20.6	90.5
Youngstown	326	800	15	815	4.6	98.2	Nashville	1,090	2,029	157	2,186	14.4	92.8
Zanesville	244	314	51	365	20.9	86.0	TEXAS.						
OREGON.													
Portland	440	856	41	897	9.3	95.4	Dallas	387	823	81	904	20.9	91.0
PENNSYLVANIA.													
Allegheny	1,250	2,361	143	2,504	11.4	94.3	Fort Worth	241	406	78	484	32.4	83.9
Allentown	396	667	27	694	6.8	96.1	Gainesville	73	155	17	172	23.3	90.1
Altoona	411	755	43	798	10.5	94.6	Houston	484	1,130	103	1,233	21.3	91.6
Beaver Falls	90	139	17	156	18.9	89.1	Laredo	78	423	21	444	26.9	95.3
Bethlehem	49	102	9	111	18.4	91.9	Marshall	100	129	41	170	41.0	75.9
Braddock	176	235	68	303	38.6	77.6	San Antonio	417	1,323	51	1,374	12.2	96.3
Bristol	109	124	10	134	9.2	92.5	UTAH.						
Butler	100	123	20	143	20.0	86.0	Ogden	100	215	21	236	21.0	91.1
Carbondale	139	295	7	302	5.0	97.7	Provo City	62	88	14	102	22.6	86.3
Carlisle	119	209	8	217	6.7	96.3	Salt Lake City	445	904	21	925	4.7	97.7
Columbia	175	245	12	257	6.9	95.3	VERMONT.						
Connellsville	89	187	30	217	33.7	86.2	Addison	330	334	39	373	11.8	89.5
Conshohocken	80	112	3	115	3.8	97.4	Bennington	246	206	53	259	21.5	79.5
Corry	80	99	4	103	5.0	96.1	Bennington town	63	120	6	126	9.5	95.2
Dubois	53	139	4	143	7.5	97.2	Caledonia	255	237	45	282	17.6	84.0
Dunmore	163	215	31	246	19.0	87.4	St. Johnsbury	48	110	6	116	12.5	94.8
Easton	231	420	12	432	5.2	97.2	Chittenden	300	321	50	371	16.7	86.5
Erie	358	852	25	877	7.0	97.1	Burlington	219	332	18	350	8.2	94.9
Harrisburg	465	848	60	908	12.9	93.4	Essex	96	100	23	123	24.0	81.3
Hazleton	120	195	17	212	14.2	92.0	Franklin	288	281	64	345	22.2	81.4
Johnstown	450	714	35	749	7.8	95.3	St. Albans	74	97	24	121	32.4	80.2
Lancaster	450	760	37	797	8.2	95.4	Grand Isle	42	46	10	56	23.8	82.1
Lebanon	199	310	28	338	14.1	91.7	Lamoille	132	158	9	167	6.8	94.6
McKeesport	320	627	18	645	5.6	97.2	Orange	288	283	40	323	13.9	87.6
Mahanoy City	154	362	9	371	5.8	97.6	Orleans	260	323	52	375	20.0	86.1
Meadville	97	193	5	198	5.2	97.5	Rutland	437	458	67	525	15.3	87.2
Mt. Carmel	101	300	12	312	11.9	96.2	Rutland	152	181	9	190	5.9	95.3
New Brighton	61	106	13	119	21.3	89.1	Washington	462	466	43	514	10.4	90.7
Newcastle	196	416	31	447	15.8	93.1	Barre	91	147	13	160	14.3	91.9
Norristown	452	563	32	595	7.1	94.6	Windham	375	402	58	460	15.5	87.4
Oil City	110	192	15	207	13.6	92.8	Brattleboro	101	118	15	133	14.9	88.7
Philadelphia	14,728	28,369	899	29,268	6.1	96.9	Windsor	483	432	67	499	13.9	86.6
Phoenixville	129	225	1	226	0.8	99.6	VIRGINIA.						
Pittsburg	3,683	6,494	391	6,885	10.6	94.3	Alexandria	219	366	18	384	8.2	95.3
Pittston	150	263	15	278	10.0	94.6	Danville	240	495	57	552	23.8	89.7
Plymouth	186	276	33	309	17.7	89.3	Lynchburg	244	493	44	537	18.0	91.8
Pottstown	149	263	5	268	3.4	98.1	Norfolk	447	1,083	95	1,178	21.3	91.9
Pottsville	139	226	15	241	10.8	93.8	Petersburg	307	675	58	733	18.9	92.1
Reading	808	1,476	49	1,525	6.1	96.8	Portsmouth	198	573	41	614	20.7	93.3
Scranton	1,139	2,195	68	2,263	6.0	97.0	Richmond	1,025	2,659	79	2,738	7.7	97.1
Shamokin	166	423	34	457	20.5	92.6	WASHINGTON.						
Shenandoah	143	465	35	500	24.5	93.0	Adams	24	3	23	26	95.8	11.5
South Bethlehem	141	248	16	264	11.3	93.9	Asotin	17	4	14	18	82.4	22.2
Steelton	102	220	5	225	4.9	97.8	Chehalis	98	36	72	108	73.5	38.3
Tamaqua	111	130	8	138	7.2	94.2	Clallam	44	2	43	45	97.7	4.4
Titusville	62	79	9	88	14.5	89.8	Clarke	82	32	67	99	81.7	32.3
West Pittston	38	90	4	94	10.5	95.7	Columbia	42	15	33	48	78.6	31.3
Wilkesbarre	518	847	61	908	11.8	93.3							
Williamsport	218	328	34	362	15.6	90.6							
York	471	440	73	513	15.5	85.8							

¹ Exclusive of duplicates, cases outside the census year, etc.² Inclusive of stillborn, nonresidents, etc., eliminated before tabulation.

INTRODUCTORY.

xxiii

COMPARISON OF ENUMERATORS' AND REGISTRATION RETURNS. ADDITIONS TO THE REGISTRATION RECORD—Continued.

COUNTIES AND CITIES (CITIES INDENTED).	Enumerators' returns. (E. R.)	Registration records. (R. R.) ¹	Added from E. R.	Total. ²	PERCENTAGE—		COUNTIES AND CITIES (CITIES INDENTED).	Enumerators' returns. (E. R.)	Registration records. (R. R.) ¹	Added from E. R.	Total. ²	PERCENTAGE—	
					Of E. R. added.	R. R. forms of total.						Of E. R. added.	R. R. forms of total.
WASHINGTON—continued.							WISCONSIN—continued.						
Douglas	22	13	14	27	63.6	48.1	Green Lake	124	52	72	124	58.1	41.9
Ferry	25	10	15	25	60.0	40.0	Iowa	184	160	73	233	39.7	63.7
Garfield	21	6	19	25	90.5	24.0	Iron	66	35	31	66	47.0	53.0
Jefferson	56	39	26	65	46.4	60.0	Jackson	125	138	31	169	24.8	81.7
King	283	143	211	354	74.6	40.4	Jefferson	230	259	84	343	36.5	75.5
Seattle	309	943	33	976	10.7	96.6	Watertown	58	66	19	85	32.8	77.6
Kitsap	24	13	22	35	91.7	37.1	Juneau	176	89	107	196	60.8	45.4
Kittitas	65	9	61	70	93.8	12.9	Kenosha	69	73	14	87	20.3	83.9
Klickitat	70	50	29	79	41.4	63.3	Kenosha	124	146	23	169	18.5	86.4
Lincoln	52	8	45	53	86.5	15.1	Kewaunee	160	194	25	219	15.6	88.6
Mason	22	8	16	24	72.7	33.3	La Crosse	121	165	50	215	41.3	76.7
Okanogan	13	1	13	14	100.0	7.1	La Crosse	245	345	39	384	15.9	89.8
Pacific	29	5	26	31	89.7	16.1	Lafayette	194	172	51	223	26.3	77.1
Pierce	201	137	110	247	54.7	55.5	Langlade	80	143	15	158	18.8	90.5
Tacoma	206	424	24	448	11.7	94.6	Lincoln	49	26	23	49	66.9	53.1
San Juan	26	11	17	28	65.4	39.3	Merrill	91	109	21	130	23.1	83.8
Skagit	95	59	58	117	61.1	50.4	Manitowoc	325	341	87	428	26.8	79.7
Snohomish	158	75	111	186	70.3	40.3	Manitowoc	96	156	15	171	15.6	91.2
Stevens	56	12	52	64	92.9	18.8	Marathon	241	154	135	289	56.0	53.3
Thurston	68	85	36	121	52.9	70.2	Wausau	66	107	23	130	34.8	82.3
Wahkiakum	11	9	9	18	81.8	50.0	Marinette	107	141	44	185	41.1	76.2
Wallawalla	132	219	43	262	32.6	83.6	Marinette	127	240	13	253	10.2	94.9
Whatcom	104	42	80	122	76.9	34.4	Marquette	100	94	33	127	33.0	74.0
Whitman	148	29	134	163	90.5	17.8	Milwaukee	791	372	462	834	58.4	44.6
Yakima	89	6	83	89	93.3	6.7	Milwaukee	3,046	4,540	288	4,828	9.5	94.0
Spokane	332	487	28	515	8.4	94.6	Monroe	227	166	99	265	43.6	62.6
WEST VIRGINIA.							Oconto	105	115	34	149	32.4	77.2
Huntington	100	182	22	204	22.0	89.2	Oconto	59	79	7	86	11.9	91.9
Martinsburg	48	110	14	124	29.2	88.7	Oneida	52	66	10	76	19.2	86.8
Parkersburg	62	162	20	182	32.3	89.0	Outagamie	246	262	84	346	34.1	75.7
Wheeling	302	583	33	616	10.9	94.6	Appleton	86	174	10	184	11.6	94.6
WISCONSIN.							Ozaukee	158	180	21	201	13.3	89.6
Adams	76	31	49	80	64.5	38.8	Pepin	89	78	25	103	28.1	75.7
Ashland	34	46	23	69	67.6	66.7	Pierce	224	76	151	227	67.4	33.5
Ashland	118	192	23	215	19.5	89.3	Polk	129	101	47	148	36.4	68.2
Barron	161	145	70	215	43.5	67.4	Portage	206	147	97	244	47.1	60.2
Bayfield	69	21	64	85	92.8	24.7	Stevens Point	48	101	10	111	20.8	91.0
Brown	288	283	113	396	39.2	71.5	Price	60	59	25	84	41.7	70.2
Green Bay	143	316	13	329	9.1	96.0	Racine	179	165	78	243	43.6	67.9
Buffalo	110	55	77	132	70.0	41.7	Racine	227	326	48	374	21.1	87.2
Burnett	48	44	21	65	43.8	67.7	Richland	192	158	55	213	28.6	74.2
Calumet	134	156	35	191	26.1	81.7	Rock	273	220	124	344	45.4	64.0
Chippewa	159	145	71	216	44.7	67.1	Beloit	88	152	5	157	5.7	96.8
Chippewa Falls	67	102	2	104	3.0	98.1	Janesville	131	148	41	189	31.3	78.3
Clark	163	131	80	211	49.1	62.1	St. Croix	284	100	215	315	75.7	31.7
Columbia	258	260	71	331	27.5	78.5	Sauk	259	316	58	374	22.4	84.5
Portage	60	70	13	83	21.7	84.3	Sawyer	26	29	7	36	26.9	80.6
Crawford	145	49	111	160	76.6	30.6	Shawano	200	125	97	222	48.5	56.3
Dane	490	529	85	614	17.3	86.2	Sheboygan	298	278	84	362	28.2	76.8
Madison	114	208	17	225	14.9	92.4	Sheboygan	235	182	89	271	37.9	67.2
Dodge	459	481	112	593	24.4	81.1	Taylor	80	69	30	99	37.5	69.7
Door	144	158	34	192	23.6	82.3	Trempealeau	175	140	75	215	42.9	65.1
Douglas	27	20	15	35	55.6	57.1	Vernon	243	104	165	269	67.9	38.7
Superior	182	341	32	373	17.6	91.4	Vilas	18	11	11	22	61.1	50.0
Dunn	147	118	56	174	38.1	67.8	Walworth	308	298	76	374	24.7	79.7
Menominee	49	68	14	82	28.6	82.9	Washburn	60	14	46	60	76.7	23.3
Eau Claire	95	79	57	136	60.0	58.1	Washington	264	244	77	321	29.2	76.0
Eau Claire	144	244	22	266	15.3	91.7	Waukesha	287	273	87	360	30.3	75.8
Florence	30	30	3	33	10.0	90.9	Waukesha	57	109	8	117	14.0	93.2
Fond du Lac	314	283	117	400	37.3	70.8	Waupaca	262	256	89	345	34.0	74.2
Fond du Lac	130	168	36	204	27.7	82.4	Waushara	154	78	98	176	63.6	44.3
Forest	14	3	13	16	92.9	18.8	Winnebago	242	215	85	300	35.1	71.7
Grant	355	323	89	412	25.1	78.4	Neenah	49	32	27	59	55.1	54.2
Greene	213	224	51	275	23.9	81.5	Oshkosh	194	286	35	321	18.0	89.1
							Wood	175	188	59	247	33.7	76.1
							Indian reservations	75		75	75	100.0	

¹ Exclusive of duplicates, cases outside the census year, etc.² Inclusive of stillborn, nonresidents, etc., eliminated before tabulation.

In considering the relation and use of these two sets of returns it should be remembered that both were necessarily regarded as possessing the same degree of authenticity as to time and place. In the absence of registration records the enumerators' returns were, of necessity, regarded as the closest approximation to correctness, and where the mortality schedule was withdrawn from the enumerators the registration records were, perforce, accepted as correct. When cases appeared upon one but not on the other they could be treated only as omissions.

It should also be remembered that the canvass of the enumerators constituted an entirely independent but collateral inquiry covering the same facts, the same time, and the same areas, and therefore furnished the only possible, if not entirely adequate, means of gauging the accuracy of registration.

It is equally probable that similar deficiencies exist, although perhaps to a less extent, in the areas where the schedules were withdrawn from the enumerators. This probability is sufficiently strong to indicate that in future censuses the enumeration of deaths should cover the entire country, and that every means should be used

to determine the accuracy or the deficiency of local registration. This is the first step toward improvement.

It being the fixed purpose of the Census Office to assist local officials in every feasible way to raise the standard of registration, the information gained by comparison of the returns was placed at their command by the offer to furnish, without cost, a complete record of the cases added from the enumerators' returns for investigation as to the fact and cause of the apparent omissions. If this be thoroughly made, they will thereby be enabled to locate the sources of omission, to establish the responsibility for the same, and to take precautions to prevent such occurrences in the future.

The existence of further defects in registration records is shown by the following statement, which specifies the number of cases in which certain details, omitted or reported as "unknown" in these records, were supplied from the return made by the enumerators of the same cases. The numbers are given only where the registration forms call for and the returns purport to supply the details specified. When the registration laws or forms did not require any of these details to be stated, the fact is indicated by an "x" in the corresponding columns.

OMISSIONS IN REGISTRATION RECORDS SUPPLIED FROM ENUMERATORS' RETURNS.

	Total.	Color.	Sex.	Age.	Conjugal condi- tion.	BIRTHPLACE.			Occupation.	Cause of death.
						Person.	Father.	Mother.		
ALABAMA.										
Anniston	4			4	x	x	x	x		
Birmingham	45			11	10	2	x	x	22	
Huntsville	1						x	x	1	
Mobile	74				12	13	x	x	49	
Montgomery	51					8	21	19	2	1
ARKANSAS.										
Fort Smith	178				5	26	60	62	25	
Hot Springs	45					12	15	15	3	
Little Rock	185				9	14	70	68	24	
CALIFORNIA.										
Alameda	6				3	2	x	x	1	
Berkeley	1			1			x	x		
Fresno	1						x	x	1	
Los Angeles	39				12	8	x	x	19	
Oakland	37					1	x	x	36	
Sacramento	39				2		x	x	35	2
San Diego	8					3	x	x	4	1
San Francisco							x	x		
San Jose	51						18	20	13	
Santa Barbara	1						1			
Santa Cruz	2						x	x	2	
Stockton							x	x		
COLORADO.										
Colorado Springs	72				7	45	x	x	20	
Denver	340	3			62	200	x	x	75	
Leadville	181				16	108	x	x	38	19
Pueblo	48				2	10	10	10	15	1
DELAWARE.										
Kent	39				5	15	x	x	17	2
Newcastle	20				3	5	x	x	11	1
Wilmington	95	1			8	9	x	x	77	
Sussex	42				8	19	x	x	12	

x Not comprehended in registration returns.

INTRODUCTORY.

XXV

OMISSIONS IN REGISTRATION RECORDS SUPPLIED FROM ENUMERATORS' RETURNS—Continued.

	Total.	Color.	Sex.	Age.	Conjugal condi- tion.	BIRTHPLACE.			Occupation.	Cause of death.
						Person.	Father.	Mother.		
DISTRICT OF COLUMBIA.										
District of Columbia	244				11	12	79	77	64	1
FLORIDA.										
Jacksonville.....	5	2				3	x	x	x	
Key West.....	1					1	x	x	x	
Pensacola.....	46						23	22	1	
Tampa.....	56					8	22	22	4	
GEORGIA.										
Athens.....					x	x	x	x	x	
Atlanta.....	5						x	x	5	
Augusta.....	53				15	21	x	x	17	
Brunswick.....	24				x	9	x	x	12	3
Columbus.....	17				2	1	x	x	12	2
Macon.....	73				x	26	x	x	47	
Rome.....	24					3	8	9	2	2
Savannah.....	148				17	14	x	x	103	14
ILLINOIS.										
Aurora.....	2			2						
Belleville.....	2						x	x	2	
Bloomington.....	2				x	1	x	x	1	
Cairo.....	14					1	x	x	13	
Chicago.....	569				22	56	x	x	488	3
Danville.....	27				3	13	x	x	9	2
Decatur.....	14				2	5	x	x	7	
East St. Louis.....	8					6	x	x	2	
Elgin.....	8				x	6	x	x	2	
Galesburg.....	6				x	4	1	1	x	
Jacksonville.....	7					6	x	x	1	
Joliet.....	32				2	20	x	x	8	2
Lincoln.....	26				16	2	x	x	8	
Litchfield.....	21				1	1	9	9	1	
Mattoon.....	24				4	4	7	7	1	1
Moline.....	1						x	x	x	1
Monmouth.....							x	x		
Ottawa.....	3			1			x	x	1	1
Peoria.....	37				2	4	x	x	31	
Peru.....	9				3	4	x	x	2	
Quincy.....	159			1		11	66	66	15	
Rockford.....	53				3	12	x	x	38	
Rock Island.....	12				6	3	x	x	3	
Springfield.....	49		3		9	2	13	16	6	
Streator.....	9				x	7	x	x	1	1
INDIANA.										
Adams.....	49				3	2	19	21		4
Allen.....	45				5	4	15	17	3	1
Fort Wayne.....	226				2	7	89	90	38	
Bartholomew.....	22				1	1	9	10	1	
Columbus.....	42					4	15	17	6	
Benton.....	13				3	3	3	4		
Blackford.....	10					2	3	4	1	
Boone.....	57				6	4	23	22	2	
Brown.....	41				3	2	17	17	1	1
Carroll.....	61				4	4	23	27	3	
Cass.....	52				3	7	18	24		
Logansport.....	106				1	22	32	36	15	
Clark.....	47				4	8	14	18	2	1
Jeffersonville.....							x	x		
Clay.....	53				9	7	16	18	3	
Brazil.....	5				x	5	x	x		
Clinton.....	64				3	6	23	28	3	1
Frankfort.....	29						13	15	1	
Crawford.....	49				6	4	17	18	2	2
Daviess.....	41				8	7	9	15	2	
Washington.....	17					1	7	5	4	
Dearborn.....	81	2			5	12	29	28	4	1
Decatur.....	55				1	1	13	12	27	

x Not comprehended in registration returns.

VITAL STATISTICS.

OMISSIONS IN REGISTRATION RECORDS SUPPLIED FROM ENUMERATORS' RETURNS—Continued.

	Total.	Color.	Sex.	Age.	Conjugal condi- tion.	BIRTHPLACE.			Occupation.	Cause of death.
						Person.	Father.	Mother.		
INDIANA—continued.										
Dekalb.....	59				3	3	21	24	6	2
Delaware.....	64				7	7	22	24	4	
Muncie.....	17					1	8	8		
Dubois.....	54				3	2	9	14	26	
Elkhart.....	60				3	3	21	26	4	3
Elkhart.....	60	1			5	26	26	1	1	
Goshen.....	12				1		4	5	2	
Fayette.....	40				4		15	19	1	1
Floyd.....	8						3	4	1	
New Albany.....	38						21	12	5	
Fountain.....	72				4	2	16	18	32	
Franklin.....	57				3	4	24	24	2	
Fulton.....	52				1	11	18	20	2	
Gibson.....	55					9	22	22	2	
Grant.....	65				11	7	20	25	2	
Marion.....	11				1	1	x	x	9	
Greene.....	51			1		7	21	19	3	
Hamilton.....	41	1			2	2	18	17	1	
Hancock.....	46				6	1	16	17	6	
Harrison.....	38				4	5	10	16	3	
Hendricks.....	34					2	13	19		
Henry.....	59				4	3	18	25	8	1
Howard.....	35				1	4	13	12	5	
Kokomo.....	48					3	22	22	1	
Huntington.....	193				48	7	56	58	16	8
Jackson.....	64				4	6	26	19	9	
Seymour.....	18					1	7	7	3	
Jasper.....	20				1	2	8	9		
Jay.....	47				4	3	15	20	4	1
Jefferson.....	32				2	3	11	15	1	
Madison.....	39				1		19	19	x	
Jennings.....	34				2	3	11	11	7	
Johnson.....	62				4	1	16	14	27	
Knox.....	71				2	10	22	34	3	
Vincennes.....	26				1	3	9	9	2	2
Kosciusko.....	66				4	8	23	24	6	1
Lagrange.....	43				7	4	17	14	1	
Lake.....	30				1	4	9	11	4	1
Hammond.....	36				4	6	12	11	3	
Laporte.....	33				4	10	8	10	1	
Laporte.....	4						1	1	2	
Michigan City.....	43				4	9	12	13	5	
Lawrence.....	131				9	11	35	39	36	1
Madison.....	40					4	15	16	5	
Anderson.....	31				19	x	x	x	8	4
Marion.....	62				11	13	14	15	9	
Indianapolis.....	644				10	67	210	247	107	3
Marshall.....	83				6	2	31	37	7	
Martin.....	50				3	6	15	23	2	1
Miami.....	63				3	3	22	29	6	
Peru.....	36				1	1	10	12	12	
Monroe.....	161				10	31	55	59	4	2
Montgomery.....	49				5	5	19	16	4	
Crawfordsville.....	15				1		6	7	1	
Morgan.....	80				3	12	31	29	5	
Newton.....	25				1	3	7	9	5	
Noble.....	58				5	5	19	23	6	
Ohio.....	10						5	5		
Orange.....	46					5	19	18	3	1
Owen.....	50				3	6	18	18	4	1
Parke.....	38				6		12	15	5	
Perry.....	49				7	6	17	17	2	
Pike.....	59				7	4	22	25	1	
Porter.....	52				3	7	19	19	3	1
Valparaiso.....	22						8	11	3	
Posey.....	129				22	7	28	32	38	2
Pulaski.....	32				2	10	11	9		

x Not comprehended in registration returns.

INTRODUCTORY.

xxvii

OMISSIONS IN REGISTRATION RECORDS SUPPLIED FROM ENUMERATORS' RETURNS—Continued.

	Total.	Color.	Sex.	Age.	Conjugal condi- tion.	BIRTHPLACE.			Occupa- tion.	Cause of death.
						Person.	Father.	Mother.		
INDIANA—continued.										
Putnam	26				2	1	9	10	4	
Randolph	63				4	1	11	12	35	
Ripley	49					4	16	20	7	2
Rush	37				3	2	12	14	6	
St. Joseph	42					6	16	18	1	1
South Bend	78				7	6	26	27	11	1
Scott	35						15	15	5	
Shelby	24				5	1	7	10	1	
Shelbyville	23				1	3	6	8	5	
Spencer	49				4	3	22	20		
Starke	28				2	1	3	6	16	
Steuben	51				6	5	19	19	2	
Sullivan	68				3	9	26	28	2	
Switzerland	34				6	2	13	13		
Tippecanoe	46				3	9	14	14	4	2
Lafayette	84				3	17	29	29	6	
Tipton	41					5	16	15	4	1
Union	7				2		2	2	1	
Vanderburg	16					5	5	4	2	
Evansville	95				2	5	30	43	15	
Vermilion	23				3	1	6	9	3	1
Vigo	55				3	7	19	21	3	2
Terre Haute	92				7	8	36	34	7	
Wabash	59				2	2	26	27	2	
Wabash	21				1	2	8	8	1	1
Warren	27				4	2	10	10	1	
Warrick	55				2	4	22	23	4	
Washington	56	1			1	3	22	24	4	1
Wayne	88				7	12	33	35	1	
Richmond	67				1	7	19	20	20	
Wells	42					3	15	17	6	1
White	18				1		7	9	1	
Whitley	54				7	9	15	21	2	
IOWA.										
Boone	6				2	3	x	x	1	
Burlington	36				6	13	x	x	17	
Cedar Rapids	105				27	53	x	x	24	1
Clinton					x	x	x	x	x	
Council Bluffs	148				14	117	x	x	14	3
Creston							x	x		
Davenport	24				5	9	x	x	10	
Des Moines	469				30	80	155	163	41	
Dubuque					x		x	x		
Fort Madison	27				4	3	8	8	3	1
Iowa City	10				4	5	x	x	1	
Keokuk	18				10	4	x	x	x	4
Marshalltown	3				1	x	x	x	1	1
Muscatine	10				2	5	x	x	1	2
Oskaloosa	21				5	14	x	x	x	2
Ottumwa	188				1	11	86	85	5	
Sioux City	26		3		3	15	x	x	4	1
KANSAS.										
Emporia	5				1		x	x	4	
Hutchinson	16					1	x	x	6	9
Kansas City	21				1	18	x	x	x	2
Lawrence	117				8	13	42	43	11	
Leavenworth	6			1		5	x	x	x	
Parsons	1				1	x	x	x		
Topeka	546	2	4		x	170	165	173	26	6
Wichita					x	x	x	x	x	
KENTUCKY.										
Bowling Green	14					11	x	x	3	
Covington	273					4	108	115	46	
Henderson	82				2	10	32	33	4	1
Lexington	141			16	5	4	45	46	21	4
Louisville	116				42	71	x	x	x	3
Newport	9				9	x	x	x		
Paducah	107					15	42	44	5	

x Not comprehended in registration returns.

VITAL STATISTICS.

OMISSIONS IN REGISTRATION RECORDS SUPPLIED FROM ENUMERATORS' RETURNS—Continued.

	Total.	Color.	Sex.	Age.	Conjugal condi- tion.	BIRTHPLACE.			Occupa- tion.	Cause of death.
						Person.	Father.	Mother.		
LOUISIANA.										
Baton Rouge	53					6	21	23	3	
New Orleans	1,398				125	30	502	504	235	2
Shreveport	6				1	1	1	1	1	1
MAINE.										
Androscoggin	47				2	1	16	18	8	2
Auburn	24					5	5	11	3	
Lewiston	72				5	4	23	22	15	3
Aroostook	133			3	5	12	39	42	8	24
Cumberland	97				3	11	30	38	15	
Brunswick	16				2		7	3	4	
Portland	201		2	3	26	18	52	68	32	
Westbrook	13						6	6		1
Franklin	73				1	6	30	31	5	
Hancock	203				7	12	78	70	36	
Kennebec	174	3	1		10	13	58	68	19	2
Augusta	104				7	11	35	40	9	2
Gardiner	1								1	
Waterville	9						4	3	2	
Knox	97				3	8	32	44	7	3
Rockland	3							3		
Lincoln	88	1			4	10	29	32	6	6
Oxford	125				2	4	44	50	22	3
Penobscot	234				10	12	84	93	27	8
Bangor	121				8	12	40	44	15	2
Old Town	19					2	7	7	3	
Piscataquis	77					11	30	28	7	1
Sagadahoc	24					3	6	8	4	3
Bath	9						4	3	2	
Somerset	124				1	11	48	56	6	2
Skowhegan	30				2	2	12	12		2
Waldo	189				6	10	74	81	12	6
Washington	105				1	7	44	45	6	2
Calais	19						8	10	1	
York	145				4	14	54	56	15	2
Biddeford	29				2	5	9	9	4	
Saco	8					1	2	5		
MARYLAND.										
Annapolis	8				1	3	x	x	3	1
Baltimore	154				3	2	x	x	145	4
Cumberland	25				2	18	x	x	4	1
Frederick	47					3	20	20	4	
Hagerstown	22				1	11	x	x	9	1
MICHIGAN.										
Alcona										
Alger										
Allegan	127	1			6	2	45	65	6	2
Alpena	4						1	2	1	
Alpena	11					1	3	5	1	1
Antrim	34				1	4	14	15		
Arenac	9				1	3	3	2		
Baraga	6					2	1	3		
Barry	69				1	6	20	40	2	
Bay	70				2	10	24	31	3	
Bay City	25					1	9	14	1	
West Bay City	19					1	6	12		
Benzie	13				1	4	2	6		
Berrien	78				3	9	25	36	4	1
Benton Harbor	10						4	6		
Niles	1						1			
St. Joseph	11				1	4	2	4		
Branch	51					4	23	24		
Coldwater	9						2	7		
Calhoun	46				3	6	16	20	1	
Albion	3						1	2		
Battle Creek	25	1			2		9	13		
Marshall	10						5	4	1	

x Not comprehended in registration returns.

OMISSIONS IN REGISTRATION RECORDS SUPPLIED FROM ENUMERATORS' RETURNS—Continued.

	Total.	Color.	Sex.	Age.	Conjugal condi- tion.	BIRTHPLACE.			Occupation.	Cause of death.
						Person.	Father.	Mother.		
MICHIGAN—continued.										
Cass	6					1	1	2	1	1
Charlevoix	29				2	2	10	12	3	
Cheboygan	14						6	8		
Cheboygan	1				1					
Chippewa	13				2	5	2	3	1	
Sault Ste. Marie	23				5	1	5	10	1	1
Clare	18				1	1	6	9	1	
Clinton	67				5	2	26	32	2	
Crawford	1								1	
Delta	14					1	3	5	4	1
Escanaba	23				5	1	4	11		2
Dickinson	1				1					
Iron Mountain										
Eaton	84				4	11	31	37	1	
Charlotte	3						2	1		
Emmet	32					5	9	14	4	
Genesee	58	1				3	22	31	1	
Flint	51				1	2	20	27		1
Gladwin	14				2	1	3	7	1	
Gogebic	2				1	1				
Ironwood	4						1	3		
Grand Traverse	14						6	8		
Traverse City	88					3	42	43		
Gratiot	34					5	10	17	2	
Hillsdale	75				4	5	28	38		
Hillsdale	5						2	3		
Houghton	49		1		5	2	13	21	7	
Huron	49	2			1	3	12	23	5	3
Ingham	66	1			8	7	19	28	3	
Lansing	20					1	7	11	1	
Ionia	93				7	6	29	42	8	1
Ionia	2						1	1		
Iosco	5					1	1	3		
Iron	6				1		1	2	2	
Isabella	63			1	2	7	23	28	2	
Jackson	67				6	7	19	33	2	
Jackson	50				2	4	15	26	3	
Kalamazoo	62	1	1		4	13	17	24	1	1
Kalamazoo	21				1	3	9	8		
Kalkaska	12					1	5	6		
Kent	92				6	6	33	44	3	
Grand Rapids	59					2	26	29	2	
Keweenaw	5					1	1	2	1	
Lake	18						9	8	1	
Lapeer	57				1	2	19	31	4	
Leelanaw	27				3	2	8	14		
Lenawee	110				8	3	56	38	2	3
Adrian	37				1	1	18	16	1	
Livingston	89					3	32	49	4	1
Luce	3					1	1	1		
Mackinac	8				2		2	2	1	1
Macomb	47				4	2	14	22	3	2
Mt. Clemens	5						1	3	1	
Manistee	18		1		1	1	6	7		2
Manistee	6						2	3		1
Marquette	4						1	2	1	
Ishpeming	13						2	9		2
Marquette	14					3	4	7		
Negaunee	6				3		1	2		
Mason	19				3		4	8	4	
Ludington	3						1	1	1	
Mecosta	36				1	1	10	17	5	2
Big Rapids	8				1		4	3		
Menominee	15				3		5	7		
Menominee	59				5		26	27	1	
Midland	26					4	9	13		
Missaukee	12	1				3	2	6		

OMISSIONS IN REGISTRATION RECORDS SUPPLIED FROM ENUMERATORS' RETURNS—Continued.

	Total.	Color.	Sex.	Age.	Conjugal condi- tion.	BIRTHPLACE.			Occupa- tion.	Cause of death.
						Person.	Father.	Mother.		
MICHIGAN—continued.										
Monroe.....	69				6	4	26	33		
Monroe.....	5						2	2		1
Montcalm.....	105					7	39	59		
Montmorency.....	2				2					
Muskegon.....	44				2	4	13	22		3
Muskegon.....	39					1	9	22	7	
Newaygo.....	39				2	1	16	19		
Oakland.....	102				8	8	31	48	6	1
Pontiac.....	16						8	8		
Oceana.....	39	1				3	14	18	1	2
Ogemaw.....	1							1		
Ontonagon.....	3						1	1	1	
Osceola.....	42				2	5	13	21	1	
Oscoda.....	12		2			2	4	4		
Otsego.....	7						4	3		
Ottawa.....	61				1	1	26	32	1	1
Grand Haven.....	4					1	1	2		
Holland.....	4						2	2		
Presque Isle.....	9		1				1	4	1	2
Roscommon.....										
Saginaw.....	111				8	12	35	50	4	2
Saginaw.....	64					4	10	41	8	1
St. Clair.....	34				8	1	9	16		
Port Huron.....	30				3		14	13		
St. Joseph.....	36		1		2	2	12	19		
Sanilac.....	50			2	3	7	10	24	3	1
Schoolcraft.....	9					2	3	4		
Shiawassee.....	48				5	1	16	25		1
Owosso.....	22				1	1	6	13	1	
Tuscola.....	62				5	3	20	31	3	
Van Buren.....	88				3	8	30	41	2	4
Washtenaw.....	73			1	3	3	21	37	7	1
Ann Arbor.....	13					1	3	8	1	
Ypsilanti.....	16					1	6	6	3	
Wayne.....	107				12	5	29	51	5	5
Detroit.....	464				3	4	144	241	72	
Wyandotte.....	13						4	8	1	
Wexford.....	22				2	3	7	8	1	1
Cadillac.....	4				4					
MINNESOTA.										
Aitkin.....	11					1	1	3	4	2
Anoka.....	21						4	4	13	
Becker.....	22					2	4	5	8	3
Beltrami.....	7					1			2	4
Benton.....	15				1		2	2	7	3
Bigstone.....	8						2	2	3	1
Blue Earth.....	43				1	1	11	12	16	2
Mankato.....	8				1		1	1	5	
Brown.....	36				1	1	7	7	15	5
Carlton.....	19					1	3	5	9	1
Carver.....	41				2		7	8	22	2
Cass.....	7			1		2	1	1	2	
Chippewa.....	20					1	2	2	14	1
Chisago.....	18				2		2	2	11	1
Clay.....	34				1	2	7	7	16	1
Cook.....	5			1		1	1	1		1
Cottonwood.....	35			1		2	5	6	19	2
Crow Wing.....	3								3	
Brainerd.....	85				4	16	24	23	18	
Dakota.....	39				2	3	9	9	16	
Dodge.....	22				2		4	4	12	
Douglas.....	43					1	3	4	35	
Faribault.....	39						10	10	14	5
Fillmore.....	43						4	5	30	4
Freeborn.....	36				1	1	4	5	24	1
Goodhue.....	64					1	9	9	40	5
Red Wing.....	14				1		2	2	8	1
Grant.....	6								6	

OMISSIONS IN REGISTRATION RECORDS SUPPLIED FROM ENUMERATORS' RETURNS—Continued.

	Total.	Color.	Sex.	Age.	Conjugal condi- tion.	BIRTHPLACE.			Occupation.	Cause of death.
						Person.	Father.	Mother.		
MINNESOTA—continued.										
Hennepin	50					1	11	12	25	1
Minneapolis	375				7	41	143	151	33	
Houston	41				2		5	5	29	
Hubbard	10						2	2	4	2
Isanti	18				1		1	1	14	1
Itasca	34					6	10	10	6	2
Jackson	20				1	1	2	3	11	
Kanabec	18						5	5	7	1
Kandiyohi	24				1	1	2	2	16	2
Kittson	11						2	2	6	1
Lac qui Parle	20					1	1	2	14	2
Lake	11				2	4	2	3		
Lesueur	32				2		6	6	18	
Lincoln	15					2			10	3
Lyon	14				1			1	10	2
McLeod	25						5	6	14	
Marshall	34					1	5	6	18	4
Martin	21						6	6	5	4
Meeker	34						5	5	18	6
Millelacs	15		1	1			2	3	6	2
Morrison	31					2	6	6	14	3
Mower	18			1			2	1	13	1
Murray	10					1	2	2	5	
Nicollet	55				1	1	7	9	37	
Nobles	23				1	2	4	4	12	
Norman	30				1		2	2	18	7
Olmsted	41					1	11	11	17	1
Rochester	173				1	11	67	67	27	
Ottertail	66				1		10	9	42	4
Pine	17					2	2	2	7	4
Pipestone	2								2	
Polk	56				2	2	7	7	83	5
Pope	31						3	3	24	1
Ramsey	17					1	3	2	9	2
St. Paul	150				2	10	48	48	42	
Red Lake	11					1			5	5
Redwood	24						3	4	14	3
Renville	31					1	4	4	18	4
Rice	36				1	1	5	6	21	2
Faribault	13					1	3	3	6	
Rock	10				1		2	1	4	2
Roseau	11				1		3	3	3	1
St. Louis	40					5	13	12	9	
Duluth	164				1	11	52	50	50	
Scott	54				1		15	14	20	4
Sherburne	20				1		2	2	13	2
Sibley	26								23	3
Stearns	92				1		7	8	55	21
St. Cloud	9					1	2	2	3	1
Steele	27						7	8	10	2
Stevens										
Swift	27						3	3	20	1
Todd	15					1	1	1	9	3
Traverse	5								5	
Wabasha	47				1	2	10	10	23	1
Wadena	7							1	3	3
Waseca	33				1	3	6	6	11	6
Washington	32					1	5	5	20	1
Stillwater	36					2	10	10	14	
Watonwan	8								5	3
Wilkin	5								4	1
Winona	48					2	8	9	28	1
Winona	18								17	1
Wright	55					1	11	11	26	6
Yellow Medicine	12						1	1	8	2
MISSISSIPPI.										
Natchez	11				x	x	x	x	10	

x Not comprehended in registration returns.

VITAL STATISTICS.

OMISSIONS IN REGISTRATION RECORDS SUPPLIED FROM EXUMERATORS' RETURNS—Continued.

	Total.	Color.	Sex.	Age.	Conjugal condi- tion.	BIRTHPLACE.			Occupation.	Cause of death.
						Person.	Father.	Mother.		
MISSOURI.										
Hannibal.....	2					2	x	x		
Kansas City.....	1,102			1	24	206	338	353	180	
St. Charles.....	10				1	9	x	x	x	
St. Joseph.....	84	1	1		15	9	x	x	56	2
St. Louis.....	376	6	3		11	56	x	x	297	3
MONTANA.										
Butte.....	140				28	65	x	x	40	7
Helena.....	12				x	7	x	x	4	1
NEBRASKA.										
Beatrice.....	5				1	4	x	x		
Lincoln.....	209				1	24	84	82	18	
Omaha.....	115				7	44	x	x	61	3
South Omaha.....	147			1	6	30	33	37	14	26
NEW JERSEY.										
Bergen.....	98					4	28	37	29	
Englewood.....										
Hackensack.....	6				1		2	2	1	
Burlington.....	66			1		2	22	20	21	
Bordentown.....										
Burlington.....										
Cape May.....	25			1	2	4	5	6	7	
Cumberland.....	55					5	23	24	3	
Millville.....	7						2	2	3	
Essex.....	190				2	1	75	88	24	
East Orange.....	2						1	1		
Montclair.....										
Gloucester.....	50				1	4	21	18	6	
Hunterdon.....	70				1	6	16	29	18	
Middlesex.....	54				1	2	19	20	12	
South Amboy.....										
Monmouth.....	95				3	7	22	33	30	
Long Branch.....	33				2	2	9	11	9	
Morris.....	108				10	4	31	35	28	
Dover.....										
Morristown.....	51				3	1	17	19	11	
Passaic.....	38					1	13	15	9	
Salem.....	15					1	7	5	2	
Somerset.....	52					3	15	17	16	1
Sussex.....	25					2	9	9	5	
Union.....	31						11	12	8	
NEW YORK.										
Albany.....	120					4	51	54	11	
Allegany.....	214		1	6	3	15	86	94	9	
Cattaraugus.....	130					6	53	60	11	
Olean.....	29						12	16	1	
Cayuga.....	192					7	82	92	11	
Auburn.....	148				2		60	72	14	
Chautauqua.....	209		1			7	91	101	9	
Dunkirk.....	8						2	4	2	
Jamestown.....	26						7	9	10	
Chemung.....	71					6	25	28	12	
Elmira.....	41						13	17	10	1
Chenango.....	187		1	1	1	13	84	85	2	
Norwich.....	40					1	18	18	3	
Clinton.....	54					3	20	24	7	
Plattsburg.....	13						5	5	3	
Cortland.....	86					3	38	43	2	
Cortland.....	23						7	12	4	
Delaware.....	151					3	67	72	9	
Erie.....	179				3	7	72	80	17	
Buffalo.....	512	1			2	8	219	213	68	1
Tonawanda.....	10						4	5	1	
Essex.....	117			2	1	2	46	49	17	
Fulton.....	50		1			3	20	24	2	
Gloversville.....	29					2	9	10	8	
Johnstown.....	33					1	11	11	10	

x Not comprehended in registration returns.

OMISSIONS IN REGISTRATION RECORDS SUPPLIED FROM ENUMERATORS' RETURNS—Continued.

	Total.	Color.	Sex.	Age.	Conjugal condi- tion.	BIRTHPLACE.			Occupa- tion.	Cause of death.
						Person.	Father.	Mother.		
NEW YORK—continued.										
Genesee	93				4	2	36	41	10	
Batavia	29						11	11	7	
Leroy	13						5	5	3	
Hamilton	15						6	8	1	
Herkimer	149					4	66	65	13	1
Little Falls	27					3	9	10	5	
Jefferson	179				3	13	59	65	39	
Lewis	108		1		1	6	34	45	21	
Livingston	95		1		1	3	42	48		
Monroe	174					8	65	80	21	
Rochester	462				3	9	178	190	77	5
Montgomery	98				1	3	38	36	20	
Amsterdam	32				3		9	12	8	
Niagara	90					7	31	37	15	
Lockport	36						12	11	13	
Niagara Falls	17					2	4	4	7	
Oneida	161					2	58	72	27	2
Rome	29						10	11	8	
Ontario	92				1	5	38	37	11	
Canandaigua	9						5	2	2	
Geneva	24					1	6	9	8	
Oswego	223		3			6	75	79	60	
Oswego	186					2	85	84	15	
St. Lawrence	260		2			11	109	125	13	
Schoharie	87					6	38	42	1	
Schuyler	80					3	36	34	7	
Seneca	76				1	2	28	33	10	2
Seneca Falls	24						10	11	3	
Steuben	329				3	19	143	141	23	
Corning	48					2	19	21	6	
Hornellsville	52			1	2	3	21	21	4	
Tioga	121				1	6	54	60		
Tompkins	93					3	35	46	9	
Ithaca	42						20	21		1
Warren	54				1	1	25	24	3	
Glens Falls	22						4	4	13	1
Wayne	117				9	6	38	42	22	
Wyoming	147			2	3	5	59	66	12	
Yates	94	1			1	13	37	41		1
NORTH CAROLINA.										
Asheville	15			2		11	x	x	2	
Charlotte					x	x	x	x	x	
Newbern	2				x	x	x	x	x	2
Raleigh	18				1	11	x	x	6	
Wilmington	44			2	5	24	x	x	13	
NORTH DAKOTA.										
Fargo	3								3	
OHIO.										
Alliance	35					35	x	x		
Ashtabula	1					1	x	x		
Bellaire	15					1	7	7		
Bucyrus	8				5		1	1	1	
Canton	25				5	12	x	x	7	1
Chillicothe							x	x		
Cincinnati	978				20	134	350	357	116	1
Circleville							x	x		
Cleveland	1,194	1			4	106	358	373	349	3
Columbus	252	2	1		22	51	34	25	114	3
Dayton	28			1	1	6	x	x	20	
Defiance	14				2	4	x	x	8	
Elyria	17				1	8	2	3	2	1
Findlay	11						5	3	3	
Fostoria	1					x	x	x	1	
Galion	16				3		6	6	1	
Greenville	33				1		14	15	3	
Hamilton	110				2	9	41	44	11	

x Not comprehended in registration returns.

OMISSIONS IN REGISTRATION RECORDS SUPPLIED FROM ENUMERATORS' RETURNS—Continued.

	Total.	Color.	Sex.	Age.	Conjugal condi- tion.	BIRTHPLACE.			Occupation.	Cause of death.
						Person.	Father.	Mother.		
OHIO—continued.										
Ironton.....	6					2	1	1	2	
Lancaster.....	44				1	3	19	19	1	1
Lima.....	18				3	x	x	x	14	1
Marietta.....	21			1	2	3	6	7	2	
Marion.....	19					1	9	9		
Martins Ferry.....	8					2	2	2	2	
Massillon.....										
Middletown.....	50					1	26	23		
Mt. Vernon.....	2					1	1			
Newark.....	3					3	x	x	x	
Piqua.....	7					4	x	x	3	
Portsmouth.....	48						22	22	4	
Salem.....	100			2	7	31	30	28	2	
Sandusky.....	151				53	98	x	x	x	
Springfield.....	309				26	164	30	31	55	2
Tiffin.....	57						28	29		
Toledo.....	426	23	23		24	35	147	144	28	2
Urbana.....	1		1		x		x	x	x	
Warren.....	7					1	x	x	6	
Washington C. H.....						x	x	x		
Wellsville.....	25					5	10	10		
Wooster.....	3					1	1	1		
Xenia.....	49				2	1	17	17	9	3
Youngstown.....	133					5	49	52	22	5
Zanesville.....	227		1		2	53	68	69	28	6
OREGON.										
Portland.....	268				24	3	87	87	67	
PENNSYLVANIA.										
Allegheny.....	142				41	5	11	11	67	7
Allentown.....	4					4	x	x	x	
Altoona.....	11				2	5	x	x	4	
Beaver Falls.....	11					2	4	5		
Bethlehem.....						x	x	x	x	
Braddock.....	11				1	1	4	4	1	
Bristol.....	28				3	2	7	7	9	
Butler.....	4						2	1		1
Carbondale.....	1						x	x	1	
Carlisle.....	8			1	1	4	x	x	2	
Columbia.....	202				1	7	90	103	1	
Connellsville.....	100				4	4	44	44	4	
Conshohocken.....	32				1	3	13	13	2	
Corry.....							x	x		
Dubois.....	29				x	4	12	12	1	
Dunmore.....	7					3	x	x	4	
Easton.....	1			1		x	x	x	x	
Erie.....	12				x	12	x	x	x	
Harrisburg.....	88				3	62	x	x	23	
Hazleton.....	186						92	92	2	
Johnstown.....	6					5	x	x	x	1
Lancaster.....	12			1	3	8	x	x	x	
Lebanon.....	15				1	3	5	5	x	1
McKeesport.....	46				1	2	19	19	5	
Mahanoy.....	31					4	13	13	1	
Meadville.....	8				1	6	x	x	1	
Mt. Carmel.....	67						32	32	3	
New Brighton.....	19					2	8	8	1	
Newcastle.....	29				5	20	x	x	3	1
Norristown.....	302				13	33	122	122	12	
Oil City.....	46				4	33	x	x	8	1
Philadelphia.....	2,520	2	1	1	100	289	x	x	2,079	48
Phoenixville.....	2						1	1		
Pittsburg.....	573				30	56	171	163	149	4
Pittston.....	10			1	1	5	1	1	1	
Plymouth.....	65					10	24	29	2	
Pottstown.....	13					2	5	5	1	
Pottsville.....	116					1	56	56	3	

x Not comprehended in registration returns.

OMISSIONS IN REGISTRATION RECORDS SUPPLIED FROM ENUMERATORS' RETURNS—Continued.

	Total.	Color.	Sex.	Age.	Conjugal condi- tion.	BIRTHPLACE.			Occupation.	Cause of death.
						Person.	Father.	Mother.		
PENNSYLVANIA—continued.										
Reading	53					2	x	x	51	
Scranton	317		1		15	195	x	x	106	
Shamokin	4				x		x	x	4	
Shenandoah	1					1	x	x	x	
South Bethlehem	3						1	1	1	
Steelton	7						3	3		1
Tamaqua	4				x				4	
Titusville	1					1	x	x		
West Pittston	5						3	2		
Wilkesbarre	531				141	385	x	x	x	5
Williamsport	91				4	4	39	40	4	
York	23					18	x	x	5	
SOUTH CAROLINA.										
Charleston	161	1			33	8	56	56	6	1
Greenville	1	1					x	x		
SOUTH DAKOTA.										
Sioux Falls	20					2	7	7	3	1
TENNESSEE.										
Chattanooga	41				4	37	x	x	x	
Clarksville							x	x		
Jackson	8				1	x	x	x	6	1
Knoxville	78	1	2		9	38	x	x	27	1
Memphis	24				6	16	x	x	x	2
Nashville	396				2	3	184	187	20	
TEXAS.										
Dallas	118				29	79	x	x	4	6
Fort Worth	125					23	47	47	8	
Gainesville	52					2	22	26		2
Houston	44	2	1	1	x	22	x	x	16	2
Laredo	3				x	3	x	x	x	
Marshall	8				1	5	x	x	2	
San Antonio	9				1	6	x	x	x	2
UTAH.										
Ogden	2			2	x		x	x	x	
Provo City	19				15	2	1	1		
Salt Lake	67				1	6	18	24	18	
VERMONT.										
Addison	30				5	8	x	x	16	1
Bennington	31				5	3	x	x	20	3
Bennington	6					2	x	x	3	1
Caledonia	39				7	8	x	x	19	5
St. Johnsbury	11					4	x	x	7	
Chittenden	52				11	13	x	x	25	3
Burlington	13				4	1	x	x	8	
Essex	19				1	5	x	x	12	1
Franklin	26				2	1	x	x	22	1
St. Albans	5				1		x	x	4	
Grand Isle	6				1	2	x	x	2	1
Lamoille	12				1	2	x	x	9	
Orange	20				2	1	x	x	17	
Orleans	17				1	1	x	x	14	1
Rutland	33				1	5	x	x	26	1
Rutland	25			3	4	8	x	x	9	1
Washington	55				5	8	x	x	38	4
Barre	10			1	1	2	x	x	6	
Windham	42				3	9	x	x	25	5
Brattleboro	18				4	7	x	x	7	
Windsor	61				4	10	x	x	45	2
VIRGINIA.										
Alexandria	22						x	x	13	9
Danville	17				1	14	x	x	1	1
Lynchburg	99				9	62	x	x	11	17
Norfolk	84				21	25	x	x	38	
Petersburg	36				6	15	x	x	13	2
Portsmouth	31				1		12	11	3	4
Richmond	53				3	18	x	x	27	5

x Not comprehended in registration returns.

OMISSIONS IN REGISTRATION RECORDS SUPPLIED FROM ENUMERATORS' RETURNS—Continued.

	Total.	Color.	Sex.	Age.	Conjugal condi- tion.	BIRTHPLACE.			Occupation.	Cause of death.
						Person.	Father.	Mother.		
WASHINGTON.										
Seattle.....	262					39	102	104	16	1
Spokane.....	86				7	8	23	30	9	4
Tacoma.....	32					5	7	10	10	
WEST VIRGINIA.										
Huntington.....	8					7	x	x	1	
Martinsburg.....	4					1	x	x	2	
Parkersburg.....	6					2	2	2		
Wheeling.....	83					1	38	43	1	
WISCONSIN.										
Adams.....	19				4	2	5	5	1	2
Ashland.....	4					1	2	1		
Ashland.....	56				5	7	16	18	3	7
Barron.....	28				3	2	10	11	2	
Bayfield.....	3				1	1			1	
Brown.....	46			1	8	1	11	17	6	2
Green Bay.....	11				5		2	2	1	1
Buffalo.....	13					1	3	6	1	2
Burnett.....	4				1			3		
Calumet.....	19				2		5	8	3	1
Chippewa.....	28				1	4	8	9	5	1
Chippewa Falls.....	6					1	1	2		2
Clark.....	55				10	1	10	12	12	10
Columbia.....	104				11		38	40	12	3
Portage.....	24				2	2	9	9	2	
Crawford.....	20				2		7	8	3	
Dane.....	158				31	9	32	39	43	4
Madison.....	78				11	3	22	29	13	
Dodge.....	154				18	7	61	68		
Door.....	17					1	5	8	3	
Douglas.....	2				1				1	
Superior.....	143			1	24	17	36	43	20	2
Dunn.....	35				7	4	10	10	4	
Menominee.....	15				2		3	6	4	
Eau Claire.....	21				7		4	3	1	6
Eau Claire.....	85		1		16	2	14	8	10	34
Florence.....	12				4		4	4		
Fond du Lac.....	163			4	20	16	36	53	24	10
Fond du Lac.....	161				15	28	47	52	18	1
Forest.....	2						1	1		
Grant.....	57				5	3	22	20	4	3
Green.....	74			1	19	3	18	24	9	
Green Lake.....	32				3	1	12	12	4	
Iowa.....	48				2	1	16	24	5	
Iron.....	2						1	1		
Jackson.....	10				1		4	4		1
Jefferson.....	59			1	7	3	20	21	5	2
Watertown.....	18				2		5	6	3	2
Juneau.....	25				1		10	10	2	2
Kenosha.....	20			1	3	1	4	10	1	
Kenosha.....	28				4		9	10	3	2
Kewaunee.....	24					1	6	6	6	5
La Crosse.....	24				3	1	6	10	4	
La Crosse.....	100				9	10	31	30	20	
Lafayette.....	69			2	4	4	23	27	8	1
Langlade.....	17				1	2	5	6	3	
Lincoln.....	15				1		6	6	1	1
Merrill.....	134				12	4	54	54	6	4
Manitowoc.....	78			2	6	6	20	25	16	3
Manitowoc.....	49	1	1		2	4	18	19	3	1
Marathon.....	63				2	5	22	23	4	7
Wausau.....	32				6	2	9	11	2	2
Marinette.....	9						2	3	4	
Marinette.....	34				14	4	6	5	3	2
Marquette.....	51			1	7		20	21	2	
Milwaukee.....	78				11	14	15	13	14	17
Milwaukee.....	326				88	10	48	50	123	7

x Not comprehended in registration returns.

INTRODUCTORY.

xxxvii

OMISSIONS IN REGISTRATION RECORDS SUPPLIED FROM ENUMERATORS' RETURNS—Continued.

	Total.	Color.	Sex.	Age.	Conjugal condi- tion.	BIRTHPLACE.			Occupation.	Cause of death.
						Person.	Father.	Mother.		
WISCONSIN—continued.										
Monroe	68				5	4	23	26	6	4
Oconto	21				1	3	7	7	2	
Oconto	30						12	15	3	
Oneida	22			2		1	9	8	2	
Outagamie	59			2	13	2	12	14	14	2
Appleton	24				3		5	6	6	4
Ozaukee	50				3	5	14	20	8	
Pepin.....	33					5	11	16	1	
Pierce	16				6		5	4	1	
Polk	158				20	3	57	69	6	3
Portage.....	16			1	1	3	9	1	1	
Stevens Point	10					1	3	5	1	
Price	16				5	1	3	4	2	1
Racine.....	39				11	2	7	12	5	2
Racine.....	43				15		5	8	13	2
Richland	52				3		19	24	6	
Rock	46				5	5	13	17	5	1
Beloit.....	41				8	1	12	15	4	1
Janesville	75				9	4	24	29	8	1
St. Croix	24				3	1	5	9	6	
Sauk	107			1	10	10	36	37	13	
Sawyer	12				1	1	5	5		
Shawano	40				7		11	12	5	5
Sheboygan	125			1	15	3	43	54	7	2
Sheboygan	38				2		15	17	3	1
Taylor	45			1	1	3	16	18	5	1
Trempealeau	15					1	4	7		3
Vernon	54			1	6	3	20	19	5	
Vilas	16				1		8	7		
Walworth	155				22	1	48	55	23	6
Washburn										
Washington	73				2	1	28	30	11	1
Waukesha	6				1	1	2	2		
Waukesha	19				5	2	4	6	2	
Waupaca	72				5	3	27	23	8	6
Waushara	100				10	2	36	44	6	2
Winnebago	41			1	4	1	13	16	5	1
Neenah.....	24				3	2	5	6	6	2
Oshkosh	81				11	5	21	28	14	2
Wood	32				3	2	7	8	7	5

The fact that so many items of important information were omitted in the return of cases where the form of certificate employed called specifically for their statement indicates a lamentable carelessness on the part of local registrars in accepting incomplete certificates offered for record. Each of these was presented by the physician or undertaker in the case, or by some other person equally responsible for and capable of ascertaining all of the facts. The enumerators had no difficulty in obtaining the information. Registrars should carefully examine each certificate presented and see that all of the information called for is supplied before accepting it.

Another grave defect which impairs the value of the statistics is found in the large number of cases in which the cause of death is given as "heart failure," "exhaustion," "debility," "collapse," "asthenia," "natural causes," "prostration," etc. Such returns are practically worthless.

In registration states, where the returns are forwarded to a central office, they should be critically examined to see that they are correct and complete, and if not, the registrars should be called upon to make them so. It is evident, however, that in many states there is little or no effort made at supervision in this direction.¹ An examination of the figures given above will show the extent to which the omissions mentioned exist in each state and city.

The results of the comparisons have been given thus fully because they show both the general and local

¹ In some of the registration states, where the records are kept and the transcripts obtained from a central office, deaths are only returned to the central office annually and sometimes several months are allowed after the close of the year for which reports are required for the local registrars to make their returns. This makes it difficult, if not impracticable, for the state officials to obtain corrections of imperfect returns. When monthly returns are required this difficulty is obviated, and when critical examination of the cases is made, with prompt measures to complete missing or unsatisfactory data, the results are greatly improved.

necessity for considerable improvement in administrative methods before the records can be utilized to their fullest extent for statistical purposes.

Referring again to the circular previously mentioned as issued by the Census Office, which was designed to promote uniformity in the statistical data recorded under local laws, a further effort in this direction has since been made, in conjunction with the committee on demography of the American Public Health Association, and a new circular prepared, including a paper by that committee upon the "Essential requirements of a law for the registration of deaths and the collection of mortality statistics," and containing, also, a standard form of certificate for reporting deaths, which has been approved by the committee, the Census Office, the Department of Labor, and other departments of the Government using or interested in mortality statistics, and by the principal registration authorities generally.

The principal purpose of this movement is to promote the extension of effective registration in new areas and upon uniform lines. The "Standard certificate" referred to differs considerably from the form recommended in the first circular issued (which was designed principally to secure more complete data for statistical purposes) in that it provides as well for a comprehensive statement of all the facts regarded as desirable to have established for legal and administrative purposes. It is not urged that officials who adopted the form of certificate first recommended by the Census Office shall now make another change, but the superiority of the "Standard certificate" for general purposes makes it desirable that it shall be substituted when such a change is practicable and convenient.

CLASSIFICATION OF THE RETURNS.

The deficiencies in the registration data noted above made it apparent that the returns for many of the areas, even when supplemented by those of the enumerators, would not afford reliable statistics; and, therefore, in order to establish a certain standard of accuracy, the rule was adopted that only those areas should be classed as "registration" where the deaths obtained from registration sources constituted 90, or more, per cent of the total (registration plus additions from enumerators), and the additions from the enumerators' returns did not exceed 20 per cent of the number reported by them.¹

The standard so fixed was necessarily an arbitrary one, but it had a mathematical basis that could be applied equally in all cases. The alternative proposition of fixing a minimum death rate and excluding as unsatisfactory or unreasonable all areas in which the rate

was less than the minimum would have been far more arbitrary.

In order to conform to the classification of "urban" population previously established by the population division, a number of cities of less than 8,000 population, from which registration records were obtained, were not classed as "registration" cities. In the registration states such cities were classed as rural; in the other states they were classed as nonregistration.

The term "cities" employed in this report is used in its broad sense, and includes all incorporated places, such as cities, towns, villages, and boroughs, as they are variously designated in the different states.

CLASSIFICATION OF CAUSES OF DEATH.

The classification of causes of death used in this report is the same as that in the reports of the Tenth (1880) and Eleventh (1890) censuses, but the list of causes has been considerably increased and detailed information is given separately for a number of causes which were previously included among the "others" of the classes in which they occurred.

At the time the work was commenced strong representations were made to induce the adoption of what is now known as the "International" or "Bertillon" classification, which had been adopted by many of the registration states and cities, but as it was then in a somewhat indefinite form, being subject to revision by a commission appointed to meet at Paris in 1900, and as the exigencies of the work required that the classification should be settled before the results of such revision could become known, it was decided to retain the previous classification in the present report. Another point influencing this decision was the desirability of making the statistics directly comparable with those of 1890 and with current reports of the Registrar-General of England.

Under the recent act of Congress establishing the Census Office upon a permanent basis, periodical reports relating to vital statistics in registration areas will be made, and for such future reports the international classification has been adopted. The first of the reports under the new classification will follow the present report so closely as to practically amount to a compilation of the statistics both ways.

The amount of space allowed for the publication of the vital statistics was limited to two volumes, or approximately, 2,000 pages, which is about one-half the amount covered by the corresponding report in 1890. This has compelled a reduction in the number of areas for which the most extensive tables were given, but the reduction has been confined, as far as possible, to the statement of results for the nonregistration areas. Other tables have been condensed or recast so as to present the most important details in all their principal relations and for all the principal areas.

¹ In case of very defective enumeration more than 20 per cent of the deaths enumerated were sometimes added to the registration record without reducing the percentage of registration in the total below 90. (See Shenandoah, Pa., page xxii.)

FUTURE REPORTS.

Under the act of March 6, 1902, establishing the Census Office upon a permanent basis, it is proposed to issue annual reports upon mortality statistics of registration areas. The Census Office will thus become the central bureau for the compilation of such statistics. It is also proposed to compile and publish these reports in less time than is now generally required for the preparation of such local statistics as are published.

The greater value of annual reports, containing uniform tables for all areas, as compared with the decennial reports heretofore published, hardly needs any comment, but such reports can not be compiled promptly,

nor the statistics made complete and satisfactory, unless the records are available when required and are complete in every detail when available. These conditions rest with the local authorities. The reports will be made for calendar years and the records in registration states should be available in January of each year. This may be done by having the local registrars make their returns promptly. The completeness of the data can only be secured through the adoption of a proper form, followed by a vigilant scrutiny by local registrars of each certificate offered for record, and supplemented by similar vigilance and corrective measures by the state officials.

SECTION II.

POPULATION.

Accurate data concerning population constitute the essential basis of correct vital statistics. It is not only necessary that the gross population be correctly returned, but the details of age, sex, color, nativity, parent nativity, conjugal condition, and occupation must be stated with equal accuracy. These data are secured only through the census enumerations. Equally complete data concerning deaths and births are also essential to a proper study of these phenomena, but these can not be secured by enumeration, and depend, for their sufficiency, upon the efficiency of registration in the various states and cities.

Of the two factors in computing birth and death rates in various relations, the population is numerically the more important, and hence accuracy in population details is more essential to the production of correct rates. A small percentage of error in the population figures has a much greater effect upon the results than an equal percentage of error in the other data.

In all censuses certain defects in the age statistics of the population are apparent and of a uniform nature. Other defects are not so apparent, and can only be inferred from the inconsistency of certain classes of data with others, and with results obtained through registration of vital data. Some of the peculiarities which appear in the succeeding analysis of the data showing the relation of age, color, nativity, etc., to deaths are no doubt due to defects in the population statistics, the extent of which can not be determined. These are further referred to in the sections treating of births, and of deaths in various relations.

The population under 1 year of age is never accurately stated, owing, in part, to the failure of persons to report ages correctly—a defect common to all censuses in all countries. There are also other errors in the age statistics of the population above 1 year of age, as shown by the deficiency in the number in the other early years of life and the concentration upon the ages ending with “5” or “0” after the age of childhood is passed. It is also probable that such omissions as occur include a larger proportion of infants and children than of older persons.

The generally accepted theory concerning census enumerations is that duplications about balance omissions. If this were true, and both related to similar persons, they would not affect the general result, but it

is probable that both omissions and duplications are much greater than they are supposed to be, and careful analysis of the available data indicates that the omissions largely exceed the duplications. And it is still more probable, that duplications generally relate to very different classes of persons from those omitted.

The protracted period allowed for the enumeration, and the shifting character of the population—which is particularly in evidence during the time of the enumeration—contribute greatly to the chances for such defects, and they undoubtedly affect different classes in different degrees. Omissions that are occasioned by the neglect of enumerators to canvass portions of their territory are generally due to physical reasons, and the omitted portions are most likely to be those containing the largest proportions of infants and children, such as alleys, tenements, and tracts inhabited by the poorest people,¹ while duplications will as certainly be largely limited to adult persons—such as those enumerated both at their homes and also in other places when absent from home, or those enumerated at their homes and also at their places of business in other districts. The result is a further derangement of the age statistics by diminishing the number of children and increasing the number of adults.

In the classification of the population by color, general nativity, and parent nativity, the “unknown” are mostly classed as native. The population classed as of “native” parentage really includes all those having both parents native, both parents unknown, or one parent unknown with the other native, while that classed as of “foreign” parentage includes those having both parents foreign, or one parent foreign with the other native or unknown. The actual distribution of the

¹At the meeting of the International Institute of Statistics at St. Petersburg, in September, 1897, Dr. J. Bertillon gave the following statistics as to the births per 1,000 women, aged 15 to 50, per annum, in different quarters of Vienna, Berlin, London, and Paris:

CLASSIFICATION.	Average.	Vienna.	Berlin.	London.	Paris.
Very poor quarters	153	200	157	147	108
Poor quarters	132	164	129	140	95
Comfortable quarters	112	155	114	107	72
Very comfortable quarters ..	105	153	96	107	65
Rich quarters	78	107	63	87	53
Very rich quarters	51	71	47	63	34

population in 1900 by parent nativity is shown in the following table:

DISTRIBUTION OF THE POPULATION BY PARENT NATIVITY.

PARENT NATIVITY.	Total.	White.	Colored.
Both parents native ¹	49,147,929	40,338,004	8,809,925
foreign	21,074,679	20,839,260	235,419
unknown	648,384	505,561	142,823
Father native, mother foreign	1,698,759	1,686,965	11,794
unknown	108,442	89,137	19,305
Mother native, father foreign	3,425,501	3,402,237	23,264
unknown	199,693	129,624	70,069

¹ Includes 9,528 foreign born persons of native parentage, 8,909 of whom are white and 619 colored.

In comparing the death rates of different localities or the mortality from different diseases, the distribution of the population by color or race, and nativity and parent nativity, in relation to age must be considered, and the following tables, showing the number and proportions of the different classes of population in the registration area and its subdivisions on June 1, 1900, and the percentages of each class in certain age groups, are given for reference. The first of these shows the total population, by sex, color, general nativity, and parent nativity, of the areas for which the deaths were so reported that they could be similarly classified.

POPULATION OF REGISTRATION AREAS, BY CLASSES.

CLASSES.	Total.	Cities.	STATES.			Cities in other states.
			Total.	Cities.	Rural.	
Aggregate	28,807,269	21,660,631	17,444,280	10,297,642	7,146,638	11,362,989
Males.....	14,393,332	10,743,374	8,701,245	5,051,287	3,649,958	5,692,087
Females...	14,413,937	10,917,257	8,743,035	5,246,355	3,496,680	5,670,902
White	27,555,800	20,503,666	17,086,319	10,034,185	7,052,134	10,469,481
Males.....	13,778,123	10,177,474	8,525,075	4,924,426	3,600,649	5,253,048
Females.....	13,777,677	10,326,192	8,561,244	5,109,759	3,451,485	5,216,433
Native ¹	20,702,578	14,789,958	12,770,158	6,857,538	5,912,620	7,932,420
Males.....	10,254,227	7,272,731	6,333,509	3,352,013	2,981,496	3,920,718
Females.....	10,448,351	7,517,227	6,436,649	3,505,525	2,931,124	4,011,702
Parents native ¹ ..	8,690,094	4,653,111	7,124,002	3,087,019	4,036,983	1,566,092
Males.....	4,333,433	2,302,404	3,544,971	1,513,942	2,031,029	788,462
Females.....	4,356,661	2,350,707	3,579,031	1,573,077	2,005,954	777,630
Parents foreign ¹ ..	6,745,140	5,130,509	5,348,079	3,733,448	1,614,631	1,397,061
Males.....	3,315,313	2,497,360	2,638,405	1,820,452	817,953	676,908
Females.....	3,429,827	2,633,149	2,709,674	1,912,996	796,678	720,153
Foreign ¹	6,663,384	5,523,870	4,316,161	3,176,647	1,139,514	2,347,223
Males.....	3,429,724	2,810,571	2,191,566	1,572,413	619,153	1,238,158
Females.....	3,233,660	2,713,299	2,124,596	1,604,234	520,361	1,109,065
Colored.....	1,251,469	1,156,965	357,961	263,457	94,504	893,508
Males.....	615,209	565,900	176,170	126,861	49,309	439,039
Females.....	636,260	591,065	181,791	136,596	45,195	454,469

¹ Population excluded for areas not reporting deaths by nativity and parent nativity.

The population of the different classes in the several areas given in the preceding table represents only the reporting population; that is, the population of the states and cities for which similar details were reported for the deaths, and constitutes the population used in computing the rates and ratios for those areas and classes that are given in this report. In certain cities, containing an aggregate population of 189,838, neither nativity nor parent nativity of decedents was reported, and in one state (Vermont) and in certain cities in other states, with a total population of 5,267,344, the parent nativity of decedents was not stated.

For comparing the relative proportions of the different classes of population in the several areas the numbers are reduced to an equal basis of 1,000 population in each area in the following table:

NUMBER IN EACH CLASS OF POPULATION IN THE REGISTRATION AREAS, PER 1,000 OF TOTAL POPULATION.

CLASSES.	REGISTRATION RECORD.					
	Total.	Cities.	States.			Cities in other states.
			Total.	Cities.	Rural.	
Aggregate	1,000	1,000	1,000	1,000	1,000	1,000
Males.....	500	496	499	491	511	501
Females.....	500	504	501	509	489	499
White	956	947	980	974	987	921
Males.....	478	470	489	478	504	462
Females.....	478	477	491	496	483	459
Native.....	724	690	732	666	827	712
Males.....	359	339	363	326	417	352
Females.....	365	351	369	340	410	360

VITAL STATISTICS.

NUMBER IN EACH CLASS OF POPULATION IN THE REGISTRATION AREAS, PER 1,000 OF TOTAL POPULATION—Continued.

CLASSES.	REGISTRATION RECORD.					
	Total.	Cities.	States.			Cities in other states.
			Total.	Cities.	Rural.	
White—Continued.						
Native—Continued.						
Both parents native	407	345	421	302	593	385
Males.....	203	171	210	148	298	193
Females.....	204	174	211	154	295	192
One or both parents foreign	317	345	311	364	234	327
Males.....	156	168	153	178	119	159
Females.....	161	177	158	186	115	168
Foreign	232	257	248	308	160	209
Males.....	119	131	126	152	87	110
Females.....	113	126	122	156	73	99

NUMBER IN EACH CLASS OF POPULATION IN THE REGISTRATION AREAS, PER 1,000 OF TOTAL POPULATION—Continued.

CLASSES.	REGISTRATION RECORD.					
	Total.	Cities.	States.			Cities in other states.
			Total.	Cities.	Rural.	
Colored.....	44	53	20	26	13	79
Males.....	22	26	10	13	7	39
Females.....	22	27	10	13	6	40

The following table shows, for the registration area and its subdivisions, the population at all ages and in each of eight age groups, by sex, color, general nativity, and parent nativity:

POPULATION AT EACH AGE, BY CLASSES.

CLASSES.	AGES.									
	All ages.	Under 1.	Under 5.	5 to 14.	15 to 24.	25 to 34.	35 to 44.	45 to 64.	65 and over.	Unknown.
REGISTRATION RECORD.										
Aggregate	28,807,269	617,918	2,945,368	5,471,791	5,445,589	5,243,793	4,045,663	4,309,590	1,267,355	78,120
Males.....	14,398,332	311,672	1,481,843	2,734,692	2,601,992	2,641,381	2,108,518	2,174,131	597,890	52,885
Females.....	14,413,937	306,246	1,463,525	2,737,099	2,843,597	2,602,412	1,937,145	2,135,459	669,465	25,235
White	27,555,800	596,513	2,842,960	5,267,327	5,168,263	4,980,189	3,853,471	4,140,488	1,233,637	69,465
Males.....	13,778,123	301,077	1,431,425	2,636,216	2,478,794	2,508,641	2,005,749	2,085,961	583,471	47,866
Females.....	13,777,677	295,436	1,411,535	2,631,111	2,689,469	2,471,548	1,847,722	2,054,527	650,166	21,599
Native ¹	20,702,578	589,478	2,785,209	4,904,869	4,076,702	3,373,325	2,420,120	2,382,460	706,252	53,641
Males.....	10,254,227	297,537	1,402,326	2,455,365	1,974,448	1,666,326	1,212,951	1,175,888	329,145	37,778
Females.....	10,448,351	291,941	1,382,883	2,449,504	2,102,254	1,706,999	1,207,169	1,206,572	377,107	15,863
Parents native ¹	8,690,094	204,967	976,264	1,791,868	1,582,928	1,309,106	1,038,440	1,423,568	536,863	31,057
Males.....	4,333,433	103,440	492,163	900,820	777,759	657,411	526,272	704,438	252,009	22,561
Females.....	4,356,661	101,527	484,101	891,048	805,169	651,695	512,168	719,130	284,854	8,496
Parents foreign ¹	6,745,140	241,110	1,120,252	1,849,657	1,412,015	1,137,832	751,293	424,363	47,182	2,546
Males.....	3,315,313	121,566	563,636	924,534	679,007	548,904	368,071	207,692	21,975	1,494
Females.....	3,429,827	119,544	556,616	925,123	733,008	588,928	383,222	216,671	25,207	1,052
Foreign ¹	6,663,384	2,906	38,197	325,086	1,053,575	1,572,273	1,407,338	1,730,841	520,822	15,252
Males.....	3,429,724	1,452	19,302	162,307	486,644	825,039	779,187	896,364	251,217	9,664
Females.....	3,233,660	1,454	18,895	162,779	566,931	747,234	628,151	834,477	269,605	5,588
Colored.....	1,251,469	21,405	102,408	204,464	277,326	263,604	192,192	169,102	33,718	8,655
Males.....	615,209	10,595	50,418	98,476	123,198	132,740	102,769	88,170	14,419	5,019
Females.....	636,260	10,810	51,990	105,988	154,128	130,864	89,423	80,932	19,299	3,636
REGISTRATION CITIES.										
Aggregate	21,660,631	474,549	2,248,584	4,121,712	4,186,831	4,147,179	3,107,976	3,029,441	754,146	64,762
Males.....	10,743,374	239,265	1,130,287	2,050,524	1,963,748	2,078,355	1,621,336	1,516,671	338,683	43,770
Females.....	10,917,257	235,284	1,118,297	2,071,188	2,223,083	2,068,824	1,486,640	1,512,770	415,463	20,992
White	20,503,666	455,127	2,155,275	3,934,156	3,931,559	3,900,175	2,927,497	2,873,641	724,775	56,588
Males.....	10,177,474	229,650	1,084,344	1,960,377	1,851,841	1,954,709	1,524,930	1,435,748	326,506	39,019
Females.....	10,326,192	225,477	1,070,931	1,973,779	2,079,718	1,945,466	1,402,567	1,437,893	398,269	17,569
Native ¹	14,789,958	448,790	2,105,576	3,627,675	3,006,999	2,527,661	1,714,636	1,437,906	324,345	45,160
Males.....	7,272,731	226,447	1,059,266	1,807,824	1,434,821	1,242,869	855,317	700,028	140,429	32,177
Females.....	7,517,227	222,343	1,046,310	1,819,851	1,572,178	1,284,792	859,319	737,878	183,916	12,983
Parents native ¹	4,653,111	120,397	566,169	1,003,132	891,150	757,626	554,556	659,292	197,208	23,978
Males.....	2,302,404	60,744	284,998	500,135	429,724	382,333	281,739	321,171	84,421	17,883
Females.....	2,350,707	59,653	281,171	502,997	461,426	375,293	272,817	338,121	112,787	6,095
Parents foreign ¹	5,130,509	190,754	878,515	1,412,382	1,079,420	881,112	560,641	290,922	25,834	1,683
Males.....	2,497,360	96,150	441,808	703,722	510,679	419,514	270,727	138,852	11,094	964
Females.....	2,633,149	94,604	436,707	708,660	568,741	461,598	289,914	152,070	14,740	719
Foreign ¹	5,523,870	2,208	30,145	269,109	886,574	1,337,923	1,186,848	1,408,548	393,867	10,856
Males.....	2,810,571	1,115	15,281	134,009	399,318	694,564	656,002	722,011	182,968	6,418
Females.....	2,713,299	1,093	14,864	135,100	487,256	643,359	530,846	686,537	210,899	4,438

¹Includes only areas in which nativity and parent nativity were reported for the deaths.

POPULATION.

xliii

POPULATION AT EACH AGE, BY CLASSES—Continued.

CLASSES.	AGES.									
	All ages.	Under 1.	Under 5.	5 to 14.	15 to 24.	25 to 34.	35 to 44.	45 to 64.	65 and over.	Unknown.
REGISTRATION CITIES—continued.										
Colored.....	1,156,965	19,422	93,809	187,556	255,272	247,004	180,479	155,800	29,371	8,174
Males.....	565,900	9,615	45,943	90,147	111,907	123,646	96,406	80,923	12,177	4,751
Females.....	591,065	9,807	47,866	97,409	143,365	123,358	84,073	74,877	17,194	3,423
REGISTRATION STATES.										
Aggregate.....	17,444,280	379,951	1,797,998	3,265,691	3,221,684	3,072,712	2,407,266	2,755,676	889,408	33,845
Males.....	8,701,245	191,455	904,790	1,637,487	1,552,497	1,541,280	1,238,393	1,380,504	423,827	22,467
Females.....	8,743,035	188,496	893,208	1,628,204	1,669,187	1,531,432	1,168,873	1,375,172	465,581	11,378
White.....	17,086,319	373,336	1,768,063	3,211,267	3,141,380	2,996,736	2,852,945	2,705,672	878,219	32,037
Males.....	8,625,075	188,187	890,171	1,611,304	1,516,596	1,502,506	1,209,565	1,354,678	418,804	21,451
Females.....	8,561,244	185,149	877,892	1,599,963	1,624,784	1,494,230	1,143,380	1,350,994	459,415	10,586
Native.....	12,770,158	371,021	1,737,712	2,977,437	2,412,910	1,964,115	1,471,409	1,627,625	556,042	22,908
Males.....	6,333,509	187,044	874,893	1,494,764	1,182,411	967,297	732,895	803,239	262,361	15,649
Females.....	6,436,649	183,977	862,819	1,482,673	1,230,499	996,818	738,514	824,386	293,681	7,259
Parents native. ¹	7,124,002	162,301	775,943	1,429,871	1,259,475	1,044,906	856,733	1,242,027	494,633	20,414
Males.....	3,544,971	81,787	390,952	720,259	622,165	521,194	430,448	612,798	233,024	14,131
Females.....	3,579,031	80,514	384,991	709,612	637,310	523,712	426,285	629,229	261,609	6,283
Parents foreign. ¹	5,348,079	202,029	929,483	1,488,514	1,100,491	875,488	579,023	334,053	39,132	1,895
Males.....	2,638,405	101,837	467,684	744,607	533,438	424,194	284,470	164,446	18,475	1,091
Females.....	2,709,674	100,192	461,799	743,907	567,053	451,294	294,553	169,607	20,657	804
Foreign.....	4,316,161	2,315	30,351	233,830	728,470	1,032,621	881,536	1,078,047	322,177	9,129
Males.....	2,191,566	1,143	15,278	116,540	334,185	535,209	476,670	551,439	156,443	5,802
Females.....	2,124,595	1,172	15,073	117,290	394,285	497,412	404,866	526,608	165,734	3,327
Colored.....	357,961	6,615	29,935	54,424	80,304	75,976	54,321	50,004	11,189	1,808
Males.....	176,170	3,268	14,619	26,183	35,901	38,774	28,828	25,826	5,023	1,016
Females.....	181,791	3,347	15,316	28,241	44,403	37,202	25,493	24,178	6,166	792
CITIES IN REGISTRATION STATES.										
Aggregate.....	10,297,642	236,582	1,101,214	1,915,612	1,962,926	1,976,098	1,469,579	1,475,527	376,199	20,487
Males.....	5,051,287	119,048	553,234	953,319	914,253	978,254	751,211	723,044	164,620	13,352
Females.....	5,246,355	117,534	547,980	962,293	1,048,673	997,844	718,368	752,483	211,579	7,135
White.....	10,034,185	231,950	1,080,378	1,878,096	1,904,676	1,916,722	1,426,971	1,438,825	369,357	19,160
Males.....	4,924,426	116,760	543,090	935,465	889,643	948,574	728,746	704,465	161,839	12,604
Females.....	5,109,759	115,190	537,288	942,631	1,015,033	968,148	698,225	734,360	207,518	6,556
Native.....	6,857,538	230,333	1,058,079	1,700,243	1,343,207	1,118,451	765,925	683,071	174,135	14,427
Males.....	3,352,013	115,954	531,833	847,223	642,784	543,840	375,261	327,379	73,645	10,048
Females.....	3,505,525	114,379	526,246	853,020	700,423	574,611	390,664	355,692	100,490	4,379
Parents native. ¹	3,087,019	77,731	365,848	641,135	567,697	493,426	372,849	477,751	154,978	13,335
Males.....	1,513,942	39,091	183,787	319,574	274,130	246,116	185,915	229,531	65,436	9,433
Females.....	1,573,077	38,640	182,061	321,561	293,567	247,310	186,934	248,220	89,542	3,882
Parents foreign. ¹	3,733,448	151,673	687,746	1,051,239	767,896	618,768	388,371	200,612	17,784	1,032
Males.....	1,820,452	76,421	345,856	523,795	365,110	294,804	187,126	95,606	7,594	561
Females.....	1,912,996	75,252	341,890	527,444	402,786	323,964	201,245	105,006	10,190	471
Foreign.....	3,176,647	1,617	22,299	177,853	551,469	798,271	661,046	755,754	195,222	4,733
Males.....	1,572,413	806	11,257	88,242	246,859	404,734	353,485	377,086	88,194	2,556
Females.....	1,604,234	811	11,042	89,611	314,610	393,537	307,561	378,668	107,028	2,177
Colored.....	263,457	4,632	20,836	37,516	58,250	59,376	42,608	36,702	6,842	1,327
Males.....	126,861	2,288	10,144	17,854	24,610	29,680	22,465	18,579	2,781	743
Females.....	136,596	2,344	10,692	19,662	33,640	29,696	20,143	18,123	4,061	579
RURAL PART OF REGISTRATION STATES.										
Aggregate.....	7,146,638	143,369	696,784	1,350,079	1,258,758	1,096,614	937,687	1,280,149	513,209	13,358
Males.....	3,649,958	72,407	351,556	684,168	638,244	563,026	487,182	657,460	259,207	9,115
Females.....	3,496,680	70,962	345,228	665,911	620,514	533,588	450,505	622,689	254,002	4,243
White.....	7,052,134	141,386	687,685	1,333,171	1,236,704	1,080,014	925,974	1,266,847	508,862	12,877
Males.....	3,600,649	71,427	347,081	675,839	626,953	553,932	480,819	650,213	256,965	8,847
Females.....	3,451,485	69,959	340,604	657,332	609,751	526,082	445,155	616,634	251,897	4,030

¹ Includes only areas in which nativity and parent nativity were reported for the deaths.

VITAL STATISTICS.

POPULATION AT EACH AGE, BY CLASSES—Continued.

CLASSES.	AGES.									
	All ages.	Under 1.	Under 5.	5 to 14.	15 to 24.	25 to 34.	35 to 44.	45 to 64.	65 and over.	Unknown.
RURAL PART OF REGISTRATION STATES—cont.										
White—Continued.										
Native.....	5,912,620	140,688	679,633	1,277,194	1,069,703	845,664	705,484	944,554	381,907	8,481
Males.....	2,981,496	71,090	343,060	647,541	539,627	423,457	357,634	475,860	188,716	5,601
Females.....	2,931,124	69,598	336,573	629,653	530,076	422,207	347,850	468,694	193,191	2,880
Parents native ¹	4,036,983	84,570	410,095	788,736	691,778	551,480	483,884	764,276	339,655	7,079
Males.....	2,031,029	42,696	207,165	400,685	348,035	275,078	244,533	383,267	167,588	4,678
Females.....	2,005,954	41,874	202,930	388,051	343,743	276,402	239,351	381,009	172,067	2,401
Parents foreign ¹	1,614,631	50,356	241,737	437,275	332,595	256,720	190,652	133,441	21,348	863
Males.....	817,953	25,416	121,828	220,812	168,328	129,390	97,344	68,840	10,881	530
Females.....	796,678	24,940	119,909	216,463	164,267	127,330	93,308	64,601	10,467	333
Foreign.....	1,139,514	698	8,052	55,977	167,001	234,350	220,490	322,293	126,955	4,396
Males.....	619,153	337	4,021	28,298	87,326	130,475	123,185	174,353	68,249	3,246
Females.....	520,361	361	4,031	27,679	79,675	103,875	97,305	147,940	58,706	1,150
Colored.....	94,504	1,983	9,099	16,908	22,054	16,600	11,713	13,302	4,347	481
Males.....	49,309	980	4,475	8,329	11,291	9,094	6,363	7,247	2,242	268
Females.....	45,195	1,003	4,624	8,579	10,763	7,506	5,350	6,055	2,105	213
REGISTRATION CITIES IN OTHER STATES.										
Aggregate.....	11,362,989	237,967	1,147,370	2,206,100	2,223,905	2,171,081	1,638,397	1,553,914	377,947	44,275
Males.....	5,692,087	120,217	577,053	1,097,205	1,049,495	1,100,101	870,125	793,627	174,063	30,418
Females.....	5,670,902	117,750	570,317	1,108,895	1,174,410	1,070,980	768,272	760,287	203,884	13,857
White.....	10,469,481	223,177	1,074,897	2,056,060	2,026,883	1,983,453	1,500,526	1,434,816	355,418	37,428
Males.....	5,253,048	112,890	541,254	1,024,912	962,198	1,006,135	796,184	731,283	164,667	26,415
Females.....	5,216,433	110,287	533,643	1,031,148	1,064,685	977,318	704,342	703,533	190,751	11,013
Native ¹	7,932,420	218,457	1,047,497	1,927,432	1,663,792	1,409,210	948,711	754,835	150,210	30,733
Males.....	3,920,718	110,493	527,433	960,601	792,037	699,029	480,056	372,649	66,784	22,129
Females.....	4,011,702	107,964	520,064	966,831	871,755	710,181	468,655	382,186	83,426	8,604
Parents native ¹	1,566,092	42,666	200,321	361,997	323,453	264,200	181,707	181,541	42,230	10,643
Males.....	788,462	21,653	101,211	180,561	155,594	136,217	95,824	91,640	18,985	8,430
Females.....	777,630	21,013	99,110	181,436	167,859	127,983	85,883	89,901	23,245	2,213
Parents foreign ¹	1,397,061	39,081	190,769	361,143	311,524	262,344	172,270	90,310	8,050	651
Males.....	676,908	19,729	95,952	179,927	145,569	124,710	83,601	43,246	3,500	403
Females.....	720,153	19,352	94,817	181,216	165,955	137,634	88,669	47,064	4,550	248
Foreign ¹	2,347,223	591	7,846	91,256	325,105	539,652	525,802	652,794	198,645	6,123
Males.....	1,238,158	309	4,024	45,767	152,459	289,830	302,517	344,925	94,774	3,862
Females.....	1,109,065	282	3,822	45,489	172,646	249,822	223,285	307,869	103,871	2,261
Colored.....	893,508	14,790	72,473	150,040	197,022	187,628	137,871	119,098	22,529	6,847
Males.....	439,039	7,327	35,799	72,293	87,297	93,966	73,941	62,344	9,396	4,003
Females.....	454,469	7,463	36,674	77,747	109,725	93,662	63,930	56,754	13,133	2,844

¹ Includes only areas in which nativity and parent nativity were reported for the deaths.

The following table shows, for the same areas as the preceding table, the per cent of population of each class in each of the eight age groups:

PER CENT OF POPULATION AT CERTAIN AGES, BY CLASSES.

CLASSES.	AGES.							
	Under 1.	Under 5.	5 to 14.	15 to 24.	25 to 34.	35 to 44.	45 to 64.	65 and over.
REGISTRATION RECORD.								
Aggregate.....	2.1	10.2	19.0	18.9	18.2	14.0	15.0	4.4
Males.....	2.2	10.3	19.0	18.1	18.3	14.6	15.1	4.2
Females.....	2.1	10.2	19.0	19.7	18.1	13.4	14.8	4.6
White.....	2.2	10.3	19.1	18.7	18.1	14.0	15.0	4.5
Males.....	2.2	10.4	19.1	18.0	18.2	14.6	15.1	4.2
Females.....	2.1	10.3	19.1	19.5	17.9	13.4	14.9	4.7

PER CENT OF POPULATION AT CERTAIN AGES, BY CLASSES—Con.

CLASSES.	AGES.							
	Under 1.	Under 5.	5 to 14.	15 to 24.	25 to 34.	35 to 44.	45 to 64.	65 and over.
REGISTRATION RECORD—cont.								
White—Continued.								
Native.....	2.8	13.4	23.7	19.7	16.3	11.7	11.5	3.4
Males.....	2.9	13.7	23.9	19.2	16.3	11.8	11.5	3.2
Females.....	2.8	13.2	23.5	20.1	16.3	11.6	11.5	3.6
Parents native.....	2.4	11.2	20.6	18.2	15.1	11.9	16.4	6.2
Males.....	2.4	11.4	20.8	17.9	15.2	12.1	16.3	5.8
Females.....	2.3	11.1	20.4	18.5	15.0	11.8	16.5	6.5
Parents foreign.....	3.6	16.6	27.4	21.0	16.9	11.1	6.3	0.7
Males.....	3.7	17.0	27.9	20.5	16.5	11.1	6.3	0.7
Females.....	3.5	16.2	27.0	21.4	17.2	11.2	6.3	0.7
Foreign.....	0.6	4.9	15.8	23.6	21.1	26.0	7.8	
Males.....	0.6	4.7	14.2	24.1	22.7	26.1	7.3	
Females.....	0.6	5.0	17.6	23.1	19.4	25.8	8.3	

PER CENT OF POPULATION AT CERTAIN AGES, BY CLASSES—CON.

PER CENT OF POPULATION AT CERTAIN AGES, BY CLASSES—CON.

CLASSES.	AGES.							
	Under 1.	Under 5.	5 to 14.	15 to 24.	25 to 34.	35 to 44.	45 to 64.	65 and over.
REGISTRATION RECORD—CONT.								
Colored.....	1.7	8.2	16.3	22.2	21.1	15.3	13.5	2.7
Males.....	1.7	8.2	16.0	20.0	21.6	16.7	14.3	2.4
Females.....	1.7	8.2	16.6	24.2	20.6	14.1	12.7	3.0
REGISTRATION CITIES.								
Aggregate.....	2.2	10.4	19.0	19.3	19.2	14.3	14.0	3.5
Males.....	2.2	10.5	19.1	18.3	19.3	15.1	14.1	3.2
Females.....	2.2	10.2	19.0	20.4	18.9	13.6	13.9	3.8
White.....	2.2	10.5	19.2	19.2	19.0	14.3	14.0	3.5
Males.....	2.3	10.6	19.3	18.2	19.2	15.0	14.1	3.2
Females.....	2.2	10.4	19.1	20.1	18.8	13.6	13.9	3.9
Native.....	3.0	14.2	24.5	20.4	17.1	11.6	9.7	2.2
Males.....	3.1	14.6	24.9	19.7	17.1	11.8	9.6	1.9
Females.....	3.0	13.9	24.2	20.9	17.1	11.4	9.8	2.5
Parents native...	2.6	12.2	21.5	19.2	16.3	11.9	14.2	4.2
Males.....	2.6	12.4	21.7	18.7	16.6	12.2	13.9	3.7
Females.....	2.5	12.0	21.4	19.6	15.9	11.6	14.4	4.8
Parents foreign...	3.7	17.1	27.5	21.1	17.2	10.9	5.7	0.5
Males.....	3.9	17.7	28.2	20.5	16.8	10.8	5.6	0.4
Females.....	3.6	16.6	26.9	21.6	17.5	11.0	5.8	0.6
Foreign.....		0.5	4.9	16.1	24.2	21.5	25.5	7.1
Males.....		0.5	4.8	14.2	24.7	23.4	25.7	6.5
Females.....		0.5	5.0	17.9	23.7	19.6	25.3	7.8
Colored.....	1.7	8.1	16.2	22.1	21.3	15.6	13.5	2.5
Males.....	1.7	8.1	15.9	19.8	21.9	17.0	14.3	2.2
Females.....	1.7	8.0	16.5	24.2	20.9	14.2	12.7	2.9
REGISTRATION STATES.								
Aggregate.....	2.2	10.3	18.7	18.5	17.6	13.5	15.8	5.1
Males.....	2.2	10.4	18.8	17.8	17.7	14.2	15.9	4.9
Females.....	2.2	10.2	18.6	19.1	17.5	13.4	15.7	5.3
White.....	2.2	10.4	18.8	18.4	17.5	13.8	15.8	5.1
Males.....	2.2	10.4	18.9	17.8	17.6	14.2	15.9	4.9
Females.....	2.2	10.3	18.7	19.0	17.4	13.3	15.8	5.4
Native.....	2.9	13.6	23.3	18.9	15.4	11.5	12.7	4.4
Males.....	3.0	13.8	23.6	18.7	15.3	11.6	12.7	4.1
Females.....	2.9	13.4	23.0	19.1	15.5	11.5	12.8	4.6
Parents native...	2.3	10.9	20.1	17.7	14.7	12.0	17.4	6.9
Males.....	2.3	11.0	20.3	17.6	14.7	12.1	17.3	6.6
Females.....	2.2	10.8	19.8	17.8	14.6	11.9	17.6	7.3
Parents foreign...	3.8	17.4	27.8	20.6	16.4	10.8	6.3	0.7
Males.....	3.9	17.7	28.2	20.2	16.1	10.8	6.2	0.7
Females.....	3.7	17.0	27.4	20.9	16.7	10.9	6.3	0.8
Foreign.....	0.1	0.7	5.4	16.9	23.9	20.4	25.0	7.5
Males.....	0.1	0.7	5.3	15.2	24.4	21.8	25.2	7.1
Females.....	0.1	0.7	5.5	18.6	23.4	19.0	24.8	7.8
Colored.....	1.8	8.4	15.2	22.4	21.2	15.2	14.0	3.1
Males.....	1.9	8.3	14.9	20.4	22.0	16.4	14.6	2.8
Females.....	1.8	8.4	15.6	24.4	20.5	14.0	13.3	3.4
CITIES IN REGISTRATION STATES.								
Aggregate.....	2.3	10.7	18.6	19.1	19.2	14.3	14.3	3.6
Males.....	2.4	10.9	18.9	18.1	19.4	14.9	14.3	3.2
Females.....	2.2	10.4	18.4	20.0	19.0	13.7	14.4	4.0
White.....	2.3	10.8	18.7	19.0	19.1	14.2	14.3	3.7
Males.....	2.4	11.0	19.0	18.1	19.3	14.8	14.3	3.3
Females.....	2.3	10.5	18.4	19.9	18.9	13.7	14.4	4.1
Native.....	3.4	15.4	24.8	19.6	16.3	11.2	10.0	2.5
Males.....	3.5	15.8	25.3	19.2	16.2	11.2	9.8	2.2
Females.....	3.3	15.0	24.3	20.0	16.4	11.2	10.1	2.9
Parents native...	2.5	11.8	20.8	18.4	16.0	12.1	15.5	5.0
Males.....	2.6	12.1	21.1	18.1	16.3	12.3	15.2	4.3
Females.....	2.5	11.6	20.4	18.7	15.7	11.9	15.8	5.7
Parents foreign...	4.1	18.4	28.1	20.6	16.6	10.4	5.4	0.5
Males.....	4.2	19.0	28.8	20.0	16.2	10.3	5.3	0.4
Females.....	3.9	17.9	27.6	21.1	16.9	10.5	5.5	0.5

CLASSES.	AGES.							
	Under 1.	Under 5.	5 to 14.	15 to 24.	25 to 34.	35 to 44.	45 to 64.	65 and over.
CITIES IN REGISTRATION STATES—CONT.								
White—Continued.								
Foreign.....	0.1	0.7	5.6	17.7	25.1	20.8	23.8	6.2
Males.....	0.1	0.7	5.6	15.7	25.7	22.5	24.0	5.7
Females.....	0.1	0.7	5.6	19.6	24.5	19.2	23.6	6.6
Colored.....	1.8	7.9	14.2	22.1	22.6	16.2	13.9	2.6
Males.....	1.8	8.0	14.1	19.4	23.4	17.7	14.6	2.2
Females.....	1.7	7.8	14.4	24.6	21.8	14.7	13.3	3.0
RURAL PART OF REGISTRATION STATES.								
Aggregate.....	2.0	9.7	18.9	17.6	15.4	13.1	17.9	7.2
Males.....	2.0	9.6	18.8	17.5	15.4	13.4	18.0	7.1
Females.....	2.0	9.9	19.0	17.7	15.3	12.9	17.8	7.3
White.....	2.0	9.8	18.9	17.5	15.3	13.1	18.0	7.2
Males.....	2.0	9.6	18.8	17.4	15.4	13.4	18.1	7.1
Females.....	2.0	9.9	19.0	17.7	15.2	12.9	17.9	7.3
Native.....	2.4	11.5	21.6	18.1	14.3	11.9	16.0	6.5
Males.....	2.4	11.5	21.7	18.1	14.2	12.0	16.0	6.3
Females.....	2.4	11.5	21.5	18.1	14.4	11.8	16.0	6.6
Parents native...	2.1	10.2	19.5	17.1	13.7	12.0	18.9	8.4
Males.....	2.1	10.2	19.7	17.1	13.6	12.0	18.9	8.3
Females.....	2.1	10.1	19.4	17.1	13.8	11.9	19.0	8.6
Parents foreign...	3.1	15.0	27.1	20.6	15.9	11.8	8.2	1.3
Males.....	3.1	14.9	27.0	20.6	15.8	11.9	8.4	1.3
Females.....	3.1	15.1	27.2	20.6	16.0	11.7	8.1	1.3
Foreign.....	0.1	0.7	4.9	14.7	20.6	19.3	28.3	11.1
Males.....	0.1	0.6	4.6	14.1	21.1	19.9	28.2	11.0
Females.....	0.1	0.8	5.3	15.3	20.0	17.7	28.4	11.3
Colored.....	2.1	9.6	17.9	23.3	17.6	12.4	14.1	4.6
Males.....	2.0	9.1	16.9	22.9	18.5	12.9	14.7	4.5
Females.....	2.2	10.2	19.0	23.8	16.6	11.8	13.4	4.7
REGISTRATION CITIES IN OTHER STATES.								
Aggregate.....	2.1	10.1	19.4	19.6	19.1	14.4	13.7	3.3
Males.....	2.1	10.1	19.3	18.4	19.3	15.3	14.0	3.1
Females.....	2.1	10.1	19.6	20.7	18.9	13.5	13.4	3.6
White.....	2.1	10.3	19.6	19.4	18.9	14.3	13.7	3.4
Males.....	2.1	10.3	19.5	18.3	19.2	15.2	13.9	3.1
Females.....	2.1	10.2	19.8	20.4	18.7	13.5	13.5	3.7
Native.....	2.8	13.2	24.3	21.0	17.8	11.9	9.5	1.9
Males.....	2.8	13.5	24.5	20.2	17.8	12.2	9.5	1.7
Females.....	2.7	13.0	24.1	21.7	17.7	11.7	9.5	2.1
Parents native...	2.7	12.8	23.1	20.6	16.9	11.6	11.6	2.7
Males.....	2.7	12.8	22.9	19.7	17.3	12.2	11.6	2.4
Females.....	2.7	12.7	23.3	21.6	16.5	11.0	11.6	3.0
Parents foreign...	2.8	13.7	25.8	22.3	18.8	12.3	6.5	0.6
Males.....	2.9	14.2	26.6	21.5	18.4	12.3	6.4	0.5
Females.....	2.7	13.2	25.2	23.1	19.1	12.3	6.5	0.6
Foreign.....		0.3	3.9	13.8	23.0	22.4	27.8	8.5
Males.....		0.3	3.7	12.3	23.4	24.4	27.9	7.7
Females.....		0.3	4.1	15.6	22.5	20.1	27.8	9.4
Colored.....	1.7	8.1	16.8	22.1	21.0	15.4	13.3	2.5
Males.....	1.7	8.2	16.5	19.9	21.4	16.8	14.2	2.1
Females.....	1.6	8.1	17.1	24.1	20.6	14.1	12.5	2.9

The percentage of population in each class in each registration state and city is given in Section VI, relating to color and race.

The following table shows, for the registration area and its subdivisions, the white population by birth-places of mothers, the population of the states and

cities in which the parent nativity of decedents was not reported being excluded:

WHITE POPULATION OF REGISTRATION AREAS, BY BIRTHPLACES OF MOTHERS.

BIRTHPLACES OF MOTHERS.	REGISTRATION RECORD.					
	Total.	Cities.	States.			Cities in other states.
			Total.	Cities.	Rural.	
United States.....	9,800,770	5,440,233	7,985,891	3,625,354	4,360,537	1,814,879
Ireland.....	2,801,950	2,251,457	2,488,637	1,938,144	550,493	313,313
Germany.....	2,670,846	2,207,335	1,874,318	1,410,807	463,511	796,528
England and Wales.....	924,365	658,606	763,259	497,500	265,759	161,106
Canada.....	1,345,010	785,992	1,264,549	705,531	559,018	80,461
Scandinavia.....	491,469	380,464	312,831	201,826	111,005	178,638
Scotland.....	277,656	201,627	235,850	159,821	76,029	41,806
Italy.....	464,632	395,161	423,931	354,460	69,471	40,701
France.....	100,162	78,831	72,897	51,566	21,331	27,265
Hungary.....	120,523	107,622	90,925	78,024	12,901	29,598
Bohemia.....	82,758	76,842	40,543	34,627	5,916	42,215
Russia.....	400,810	381,168	365,708	346,066	19,642	35,102
Poland.....	351,828	299,218	248,301	195,691	52,610	103,527
Other foreign.....	564,544	425,596	477,653	338,705	138,948	86,891

The following table shows, for the registration area and its subdivisions, the proportions of white popula-

tion having mothers born in the specified countries per 1,000 of total white population in each area:

PROPORTIONS OF WHITE POPULATION HAVING MOTHERS BORN IN SPECIFIED COUNTRIES, PER 1,000 OF THE TOTAL.

BIRTHPLACES OF MOTHERS.	REGISTRATION RECORD.					
	Total.	Cities.	States.			Cities in other states.
			Total.	Cities.	Rural.	
United States.....	480.5	397.4	479.8	364.8	650.1	483.7
Ireland.....	137.4	164.4	149.5	195.0	82.1	83.5
Germany.....	130.9	161.2	112.6	141.9	69.1	212.3
England and Wales..	45.3	48.1	45.8	50.1	39.6	42.9
Canada.....	65.9	57.4	76.0	71.0	83.4	21.4
Scandinavia.....	24.1	27.8	18.8	20.3	16.6	47.6
Scotland.....	13.6	14.7	14.2	16.1	11.3	11.1
Italy.....	22.8	28.9	25.5	35.7	10.4	10.9
France.....	4.9	5.8	4.4	5.2	3.2	7.3
Hungary.....	5.9	7.9	5.4	7.8	1.9	7.9
Bohemia.....	4.1	5.6	2.4	3.5	0.9	11.2
Russia.....	19.6	27.8	22.0	34.8	2.9	9.4
Poland.....	17.3	21.9	14.9	19.7	7.8	27.6
Other foreign.....	27.7	31.1	28.7	34.1	20.7	23.2

The following table shows, for the registration area and its subdivisions, the white population, in each of eight age groups, having mothers born in the specified countries:

WHITE POPULATION OF CERTAIN AGES, BY BIRTHPLACES OF MOTHERS.

BIRTHPLACES OF MOTHERS.	All ages.	Under 1.	Under 5.	5 to 14.	15 to 24.	25 to 34.	35 to 44.	45 to 64.	65 and over.	Unknown.
Registration record:										
United States.....	9,800,770	245,910	1,174,105	2,151,906	1,872,159	1,465,284	1,110,236	1,474,936	545,797	6,347
Ireland.....	2,801,950	34,481	165,670	317,672	488,249	651,767	509,988	522,960	140,461	5,193
Germany.....	2,670,846	36,441	187,567	418,530	469,015	531,717	470,078	460,627	132,155	1,157
England and Wales...	924,365	11,691	59,374	131,687	149,690	176,745	159,816	191,222	55,118	713
Canada.....	1,345,010	31,261	147,133	288,137	304,756	246,913	169,042	155,638	32,031	1,360
Scandinavia.....	491,469	12,651	61,567	101,783	85,169	103,346	78,038	51,993	8,875	698
Scotland.....	277,656	3,254	16,214	35,477	42,132	53,007	52,016	60,938	17,611	261
Italy.....	464,632	18,725	75,634	95,826	81,974	92,570	67,560	45,229	4,888	1,001
France.....	100,162	878	4,448	10,403	15,197	19,787	19,409	24,045	6,771	102
Russia and Poland....	752,638	28,427	129,879	184,465	148,862	137,090	88,434	54,939	8,142	827
Other foreign.....	767,825	23,223	101,448	149,368	156,292	156,108	103,927	82,143	17,170	1,369
Registration cities:										
United States.....	5,440,233	149,722	707,982	1,262,666	1,104,584	869,798	601,506	688,506	201,838	3,353
Ireland.....	2,251,457	29,968	142,453	264,848	402,258	534,918	407,168	400,938	95,423	3,451
Germany.....	2,207,335	30,135	154,063	339,512	392,153	455,513	390,710	373,570	100,989	825
England and Wales...	658,606	8,956	44,833	98,641	112,321	128,760	113,996	127,426	32,163	466
Canada.....	785,992	18,712	86,129	163,469	182,566	153,927	99,641	84,792	14,839	629
Scandinavia.....	380,464	9,858	47,427	75,599	66,046	84,280	62,267	38,152	6,141	552
Scotland.....	201,627	2,520	12,628	26,975	32,199	40,067	37,900	41,346	10,354	158
Italy.....	395,161	16,391	66,046	84,014	69,837	75,751	56,409	38,579	4,179	346
France.....	78,831	685	3,472	8,251	12,432	16,302	15,437	18,214	4,653	70
Russia and Poland....	680,886	25,769	118,165	168,747	134,384	122,026	79,682	49,596	7,189	597
Other foreign.....	610,060	18,829	81,657	119,962	125,982	124,473	81,937	63,092	12,246	711
Registration states:										
United States.....	7,985,891	194,810	931,741	1,707,326	1,476,240	1,164,039	914,009	1,285,135	502,343	5,058
Ireland.....	2,488,637	31,959	152,993	288,187	436,038	577,235	446,870	455,969	122,814	4,531
Germany.....	1,874,318	27,119	138,770	301,652	324,820	368,846	326,585	321,144	91,739	762
England and Wales...	763,259	9,857	49,823	108,292	121,302	144,887	131,672	159,844	46,885	554
Canada.....	1,264,549	29,875	140,280	271,361	286,527	230,560	157,255	146,761	30,502	1,303
Scandinavia.....	312,831	8,484	40,781	65,261	53,591	64,826	48,282	33,956	5,747	387
Scotland.....	235,850	2,821	14,000	30,216	35,523	44,537	43,811	52,111	15,445	207
Italy.....	423,931	17,311	69,493	87,602	75,144	84,558	61,225	40,807	4,243	859
France.....	72,897	723	3,620	7,984	11,038	14,073	14,066	17,210	4,830	76
Russia and Poland....	614,009	23,194	105,645	148,023	123,437	114,188	71,657	44,305	6,025	729
Other foreign.....	609,121	19,166	83,165	119,429	124,790	122,776	81,146	63,580	13,162	1,073

WHITE POPULATION OF CERTAIN AGES, BY BIRTHPLACES OF MOTHERS—Continued.

BIRTHPLACES OF MOTHERS.	All ages.	Under 1.	Under 5.	5 to 14.	15 to 24.	25 to 34.	35 to 44.	45 to 64.	65 and over.	Unknown.
Cities in registration states:										
United States.....	3,625,354	98,622	465,618	818,086	708,665	568,553	405,279	498,705	158,384	2,064
Ireland.....	1,938,144	27,446	129,776	235,363	350,047	460,386	344,050	337,947	77,786	2,789
Germany.....	1,410,807	20,813	105,266	222,634	247,958	292,642	247,217	234,087	60,573	430
England and Wales...	497,500	7,122	35,282	75,246	83,933	96,902	85,852	96,048	23,930	307
Canada.....	705,531	17,326	79,276	146,693	164,337	137,574	87,854	75,915	13,310	572
Scandinavia.....	201,826	5,691	26,641	39,077	34,468	45,760	32,511	20,115	3,013	241
Scotland.....	159,821	2,087	10,414	21,714	25,590	31,597	29,695	32,519	8,188	104
Italy.....	354,460	14,977	53,905	75,790	63,007	67,739	50,074	34,157	3,584	204
France.....	51,566	530	2,644	5,832	8,273	10,588	10,094	11,379	2,712	44
Russia and Poland....	541,757	20,536	93,931	132,305	108,959	99,124	62,905	38,962	5,072	499
Other foreign.....	451,356	14,772	63,374	90,023	94,480	91,141	59,156	44,529	8,238	415
Rural part of registration states:										
United States.....	4,360,537	96,188	466,123	889,240	767,575	595,486	508,730	786,430	343,959	2,994
Ireland.....	550,493	4,513	23,217	52,824	85,991	116,849	102,820	122,022	45,028	1,742
Germany.....	463,511	6,306	33,504	79,018	76,862	76,204	79,368	87,057	31,166	332
England and Wales...	265,759	2,735	14,541	33,046	37,369	47,985	45,820	63,796	22,955	247
Canada.....	559,018	12,549	61,004	124,668	122,190	92,986	69,401	70,846	17,192	731
Scandinavia.....	111,005	2,793	14,140	26,184	19,123	19,066	15,771	13,841	2,734	146
Scotland.....	76,029	734	3,586	8,502	9,933	12,940	14,116	19,592	7,257	103
Italy.....	69,471	2,334	9,588	11,812	12,137	16,819	11,151	6,650	659	655
France.....	21,331	193	976	2,152	2,765	3,485	3,972	5,831	2,118	32
Russia and Poland....	72,252	2,658	11,714	15,718	14,478	15,064	8,752	5,343	953	230
Other foreign.....	157,765	4,394	19,791	29,406	30,310	31,635	21,990	19,051	4,924	658
Registration cities in other states:										
United States.....	1,814,879	51,100	242,364	444,580	395,919	301,245	196,227	189,801	43,454	1,289
Ireland.....	313,313	2,522	12,677	29,485	52,211	74,532	63,118	62,991	17,637	662
Germany.....	796,528	9,322	48,797	116,878	144,195	162,871	143,493	139,483	40,416	395
England and Wales...	161,106	1,834	9,551	23,395	28,388	31,858	28,144	31,378	8,233	159
Canada.....	80,461	1,386	6,853	16,776	18,229	16,353	11,787	8,877	1,529	57
Scandinavia.....	178,638	4,167	20,786	36,522	31,578	38,520	29,756	18,037	3,128	311
Scotland.....	41,806	433	2,214	5,261	6,609	8,470	8,205	8,827	2,166	54
Italy.....	40,701	1,414	6,141	8,224	6,830	8,012	6,335	4,422	595	142
France.....	27,265	155	828	2,419	4,159	5,714	5,343	6,835	1,941	26
Russia and Poland....	138,629	5,233	24,234	36,442	25,425	22,902	16,777	10,634	2,117	98
Other foreign.....	158,704	4,057	18,283	29,939	31,502	33,332	22,781	18,563	4,008	296

The following table shows, for the registration area and its subdivisions, the percentage of white population in each of eight age groups having mothers born in the specified countries:

PERCENTAGE OF WHITE POPULATION AT CERTAIN AGES, BY BIRTH-PLACES OF MOTHERS.

BIRTHPLACES OF MOTHERS.	Under 1.	Under 5.	5 to 14.	15 to 24.	25 to 34.	35 to 44.	45 to 64.	65 and over.
Registration record:								
United States.....	2.5	12.0	21.9	19.1	15.0	11.3	15.0	5.6
Ireland.....	1.2	5.9	11.3	17.4	23.3	18.2	18.7	5.0
Germany.....	1.4	7.0	15.7	17.6	19.9	17.6	17.3	4.9
England and Wales.....	1.3	6.4	14.2	16.2	19.1	17.3	20.7	6.0
Canada.....	2.3	10.9	21.4	22.6	18.4	12.6	11.6	2.4
Scandinavia.....	2.6	12.5	20.7	17.3	21.0	15.9	10.6	1.8
Scotland.....	1.2	5.8	12.8	15.2	19.1	18.7	22.0	6.3
Italy.....	4.0	16.3	20.6	17.7	19.9	14.6	9.7	1.0
France.....	0.9	4.4	10.4	15.2	19.7	19.4	24.0	6.8
Russia and Poland.....	3.8	17.3	24.5	19.8	18.2	11.7	7.3	1.1
Other foreign.....	3.0	13.2	19.5	20.4	20.3	13.5	10.7	2.2
Registration cities:								
United States.....	2.8	13.0	23.2	20.3	16.0	11.1	12.6	3.7
Ireland.....	1.3	6.3	11.8	17.9	23.7	18.1	17.8	4.2
Germany.....	1.4	7.0	15.4	17.8	20.6	17.7	16.9	4.6
England and Wales.....	1.4	6.8	15.0	17.1	19.5	17.3	19.3	4.9
Canada.....	2.4	10.9	20.8	23.2	19.6	12.7	10.8	1.9
Scandinavia.....	2.6	12.5	19.9	17.4	22.1	16.4	10.0	1.6
Scotland.....	1.2	6.3	13.4	15.9	19.9	18.8	20.5	5.1
Italy.....	4.1	16.7	21.2	17.7	19.2	14.3	9.8	1.0
France.....	0.9	4.4	10.4	15.8	20.7	19.6	23.1	5.9
Russia and Poland.....	3.8	17.4	24.8	19.7	17.9	11.7	7.3	1.1
Other foreign.....	3.1	13.4	19.7	20.7	20.4	13.4	10.3	2.0
Registration states:								
United States.....	2.4	11.6	21.4	18.5	14.6	11.4	16.1	6.3
Ireland.....	1.3	6.1	11.6	17.5	23.2	18.0	18.5	4.9
Germany.....	1.4	7.4	16.1	17.3	19.7	17.4	17.1	4.9
England and Wales.....	1.3	6.5	14.2	15.9	19.0	17.3	20.9	6.1
Canada.....	2.4	11.1	21.5	22.7	18.2	12.4	11.6	2.4
Scandinavia.....	2.7	13.0	20.9	17.2	20.7	15.4	10.9	1.8
Scotland.....	1.2	5.9	12.8	15.1	18.9	18.6	22.1	6.5
Italy.....	4.1	16.4	20.7	17.7	20.0	14.4	9.6	1.0
France.....	1.0	5.0	11.0	15.1	19.3	19.3	23.6	6.6
Russia and Poland.....	3.8	17.2	24.1	20.1	18.6	11.7	7.2	1.0
Other foreign.....	3.1	13.7	19.6	20.5	20.1	13.3	10.4	2.2

PERCENTAGE OF WHITE POPULATION AT CERTAIN AGES, BY BIRTH-PLACES OF MOTHERS—Continued.

BIRTHPLACES OF MOTHERS.	Under 1.	Under 5.	5 to 14.	15 to 24.	25 to 34.	35 to 44.	45 to 64.	65 and over.
Cities in registration states:								
United States.....	2.7	12.8	22.6	19.5	15.7	11.2	13.7	4.4
Ireland.....	1.4	6.7	12.1	18.1	23.8	17.8	17.4	4.0
Germany.....	1.5	7.5	15.8	17.6	20.7	17.5	16.6	4.3
England and Wales.....	1.4	7.1	15.1	16.9	19.5	17.2	19.3	4.8
Canada.....	2.5	11.2	20.8	23.3	19.5	12.4	10.8	1.9
Scandinavia.....	2.8	13.2	19.3	17.1	22.7	16.1	10.0	1.5
Scotland.....	1.3	6.5	13.6	16.0	19.8	18.6	20.3	5.1
Italy.....	4.2	16.9	21.4	17.8	19.1	14.1	9.6	1.0
France.....	1.0	5.1	11.3	16.0	20.5	19.6	22.1	5.3
Russia and Poland.....	3.8	17.4	24.4	20.1	18.3	11.6	7.2	0.9
Other foreign.....	3.3	14.0	20.0	20.9	20.2	13.1	9.9	1.8
Rural part of registration states:								
United States.....	2.2	10.7	20.4	17.6	13.6	11.7	18.0	7.9
Ireland.....	0.8	4.2	9.6	15.6	21.2	18.7	22.2	8.2
Germany.....	1.4	7.2	17.0	16.6	16.5	17.1	18.8	6.7
England and Wales.....	1.0	5.5	12.4	14.1	18.1	17.2	24.0	8.6
Canada.....	2.2	10.9	22.3	21.9	16.6	12.4	12.7	3.1
Scandinavia.....	2.5	12.7	23.6	17.2	17.2	14.2	12.5	2.5
Scotland.....	1.0	4.7	11.2	13.1	17.0	18.6	25.8	9.5
Italy.....	3.4	13.8	17.0	17.5	24.2	16.1	9.6	0.9
France.....	0.9	4.6	10.1	13.0	16.3	18.6	27.3	9.9
Russia and Poland.....	3.7	16.2	21.8	20.0	20.9	12.1	7.4	1.3
Other foreign.....	2.8	12.6	18.6	19.2	20.1	13.9	12.1	3.1
Registration cities in other states:								
United States.....	2.8	13.3	24.5	21.8	16.6	10.8	10.5	2.4
Ireland.....	0.8	4.0	9.4	16.7	23.8	20.2	20.1	5.6
Germany.....	1.2	6.1	14.7	18.1	20.4	18.0	17.5	5.1
England and Wales.....	1.1	5.9	14.5	17.6	19.8	17.5	19.5	5.1
Canada.....	1.7	8.5	20.9	22.7	20.3	14.6	11.0	1.9
Scandinavia.....	2.3	11.6	20.4	17.7	21.6	16.6	10.1	1.8
Scotland.....	1.0	5.3	12.6	15.8	20.3	19.6	21.1	5.2
Italy.....	3.5	15.1	20.2	16.8	19.7	15.5	10.9	1.5
France.....	0.6	3.0	8.9	15.3	20.9	19.6	25.1	7.1
Russia and Poland.....	3.8	17.5	26.3	18.3	16.5	12.1	7.7	1.5
Other foreign.....	2.6	11.5	18.9	19.8	21.0	14.4	11.7	2.5

SECTION III.

BIRTHS.

The data relating to births are the most incomplete and unsatisfactory of any treated in this report. Were it not considered desirable to give such results as bear upon the question for the information of students of the statistics, the subject might be dismissed with the statement that they are entirely inadequate to determine, directly, the general birth rate of the country, or, what is of equal practical importance, the relative birth rate of different classes of population.

Births were not returned by the enumerators, and it is not probable that a complete return could be secured in that way even if a special schedule were provided and the inquiry made in the most careful and thorough manner, and the registration record of births is almost equally defective. A number of the states and cities have laws requiring the registration of births, but it is doubtful if there is a single place in which births are registered as fully as deaths.

In the census reports of 1880 and 1890 the number of births in the census years was estimated by adding to the number of living children returned as under 1 year of age on June 1 of each census year the number who were born during the year but died before the date of the enumeration. If both of these factors could be correctly stated their addition would very closely approximate the true number of births, as the number of children under 1 year of age who are of foreign birth is insignificant. Unfortunately, both factors are erroneous to a certain indeterminate extent. In this case the effect of the deficiency in the return of living children under 1 year of age is much greater than a corresponding, or even a much larger, deficiency in the statement of the "born and died," derived from the return of deaths, as the population factor represents over 94 per cent of the births so calculated.

The method of estimating the number of births in the census year, by addition of the population under 1 year of age and the "born and died" has been followed, in part, for comparative purposes, at the present census, and the results are given in Table 19 of this volume. These results, however, do not afford any data for determining the relative birth rate, or fecundity, of the native and foreign born classes of the population, as the number of parents in these classes can not be stated in the same terms. The population classed as of "native" parentage includes all those having both parents native,

both parents unknown, or one parent native with the other unknown, and that classed as of "foreign" parentage includes all those having both parents foreign, or one parent foreign with the other native or unknown. (See table showing the actual distribution of the population in 1900 by parentage, Section II, page xli. This table, however, shows only the descendants and not the parents.)

The only information concerning the birth rate of native and foreign parents that can be derived from the population figures consists in the increase, between 1890 and 1900, of the number classed (as described above) as of native or foreign parentage. This represents the "natural increase" or the excess of births over deaths in each class, and the result of the enumeration, in this direction, can be shown for the country as a whole and for each state and territory, by comparing the tables giving the "state of birth" of the native population in 1890 and 1900.

EXCESS OF BIRTHS OVER DEATHS, 1890-1900.

The total population within the boundaries of the United States as returned in 1890 was 62,947,714, and the natural increase between 1890 and 1900, due to excess of births over deaths, was 12,315,361.¹ The average annual rate of excess of births was 17.7 per 1,000 of mean population.

In the section relating to general death rates it is estimated that the death rate of the country for the census year 1900 was, approximately, 16.3 per 1,000 of population. Assuming that it was about 18 per 1,000 in 1890, as estimated in the Eleventh Census report, and taking the mean of these (17.4) as representing for this purpose the average annual death rate for the decade, there must necessarily have been an average annual birth rate of 35.1 per 1,000 of mean population to produce the increase in population actually enumerated.

Accepting the population figures showing the increase in native population by state of birth as correct, the only uncertain factor in estimating the birth rate for the United States is the assumed annual death rate, 17.4. This can be accepted as a sufficiently accurate

¹ Including Indian Territory, the population of which in 1890 is estimated.

approximation to indicate that the birth rate will not vary from the stated number (35.1) more than 2 per 1,000 in either direction, or from 33.1 to 37.1. This, however, applies only to the country as a whole.

The estimated annual excess of births over deaths in the United States per 1,000 of population, in comparison with that in certain other countries, is shown in the following table:

EXCESS OF BIRTH RATE OVER DEATH RATE.

COUNTRIES.	TEN YEARS, 1890-1899.		EXCESS OF BIRTHS OVER DEATHS.	
	Birth rate.	Death rate.	Annu- ally, 1890-1899.	1899.
United States	135.1	117.4	117.7	(*)
England and Wales	30.1	18.4	11.7	11.0
Scotland	30.7	18.8	11.9	11.5
Ireland	23.0	18.1	4.9	5.3
Denmark	30.3	17.7	12.6	12.6
Norway	30.4	16.5	13.9	14.1
Sweden	27.2	16.4	10.8	8.6
Austria	37.2	27.1	10.2	11.7
Hungary	40.5	30.3	10.2	12.0
German Empire	36.2	22.5	13.7	14.4
Prussia	36.8	22.1	14.7	15.0
Netherlands	32.7	18.6	14.0	14.0
Belgium	28.9	19.2	9.7	10.0
France	22.2	21.6	0.6	0.8
Italy	35.5	24.6	10.9	12.1
Switzerland	27.7	19.0	8.7	11.3

¹ June 1, 1890, to May 31, 1900.

* Data insufficient to afford rates.

The figures given for the foreign countries specified are based upon estimated populations for inter-censal and post-censal years, as calculated by their registration officials and published in the report of the Registrar-General of England for 1899. They may, however, be regarded as sufficiently accurate for comparative purposes. According to these figures the birth rate in the United States was greater than in any of the foreign countries except Hungary (40.5), Austria (37.2), Germany (36.2), and Italy (35.5), and the excess of the birth rate was considerably greater than in any of them.

The gross birth rate given above is a composite of the different birth rates of the native and foreign whites and the colored, and these vary so materially that it is desirable to separate the data to consider the relative birth rates of these classes. The vital rates of the two classes last mentioned are greater than those of the native whites and their geographical distribution is marked and well defined by state lines. In the succeeding tables the grouping of the states has been made with the view of preserving the distinctions that affect both the general birth and death rates as far as possible.

The following table shows the native population in 1890, by classes, and the per cent in each class, by states and territories:

NATIVE POPULATION AND PER CENT IN EACH CLASS.

STATES AND TERRITORIES.	NUMBER.			PER CENT IN EACH CLASS.		
	Native white.		Native colored.	Native white.		
	Native parents.	Foreign parents.		Native parents.	Foreign parents.	Native colored.
United States—Total ¹ ..	34,466,884	11,512,494	7,718,776	64.2	21.4	14.4
Northeastern division....	4,956,602	2,917,252	116,587	62.0	36.5	1.5
Connecticut	357,235	193,048	12,374	63.5	34.3	2.2
Maine	506,703	73,865	1,557	87.0	12.7	0.3
Massachusetts	955,430	606,440	19,940	60.4	38.3	1.3
New Hampshire	253,629	50,015	546	83.4	16.4	0.2
New York	2,520,810	1,837,463	73,861	56.9	41.4	1.7
Rhode Island	137,550	94,282	7,369	57.5	39.4	3.1
Vermont	225,245	62,149	940	78.1	21.6	0.3
Central and Northern divisions.....	16,186,848	7,046,773	645,033	67.8	29.5	2.7
Illinois	1,882,693	1,044,804	56,508	63.1	35.0	1.9
Indiana	1,697,998	302,735	45,466	83.0	14.8	0.2
Iowa	1,063,971	513,187	11,070	67.0	32.3	0.7
Kansas	992,392	236,597	51,281	77.5	18.5	4.0
Michigan	917,693	613,590	18,727	59.2	39.6	1.2
Minnesota	311,200	518,151	13,576	36.9	61.5	1.6
Missouri	1,856,477	437,699	150,140	76.0	17.9	6.1
Nebraska	594,432	250,420	15,262	69.1	29.1	1.8
New Jersey	696,718	371,878	47,362	62.4	33.3	4.3
North Dakota	37,712	63,347	8,463	34.4	57.9	7.7
Ohio	2,334,517	791,735	86,784	72.7	24.6	2.7
Pennsylvania	3,238,089	1,066,580	107,724	73.4	24.2	2.4
South Dakota	127,952	109,215	20,378	49.7	42.4	7.9
Wisconsin	435,004	726,835	12,292	37.1	61.9	1.0
Southern division.....	11,732,501	829,803	6,755,227	60.7	4.3	35.0
Alabama	796,421	22,693	679,510	53.2	1.5	45.3
Arkansas	780,950	23,708	309,289	70.1	2.1	27.8
Delaware	109,355	17,615	28,362	70.4	11.3	18.3
District of Columbia ..	107,309	28,869	75,444	50.7	13.6	35.7
Florida	190,998	15,773	161,719	51.8	4.3	43.9
Georgia	946,782	19,683	858,751	51.9	1.1	47.0
Kentucky	1,406,918	124,304	268,057	78.2	6.9	14.9
Louisiana	413,090	96,465	559,286	38.7	9.0	52.3
Maryland	576,285	156,421	215,388	60.8	16.5	22.7
Mississippi	520,354	16,778	744,521	40.6	1.3	58.1
North Carolina	1,044,483	7,237	562,527	64.7	0.5	34.8
Oklahoma	55,028	4,563	16,144	72.7	6.0	21.3
South Carolina	445,195	10,670	689,014	38.9	0.9	60.2
Tennessee	1,238,481	33,257	430,751	73.4	1.9	24.7
Texas	1,408,880	185,586	488,105	67.7	8.9	23.4
Virginia	976,758	25,175	635,673	59.7	1.5	38.8
West Virginia	670,214	41,011	32,686	90.1	5.5	4.4
Western division.....	1,489,511	709,847	132,001	63.9	30.4	5.7
Arizona	24,244	14,027	31,177	34.9	20.2	44.9
California	497,890	320,390	28,809	58.8	37.8	3.4
Colorado	242,214	79,814	7,231	73.6	24.2	2.2
Idaho	45,499	21,154	4,439	64.0	29.8	*6.2
Montana	56,401	30,959	12,468	56.5	31.0	12.5
Nevada	14,821	12,406	5,422	45.4	38.0	16.6
New Mexico	119,519	12,539	16,965	80.2	8.4	11.4
Oregon	204,193	49,967	6,227	78.4	19.2	2.4
Utah	68,478	85,314	3,923	43.4	54.1	2.5
Washington	185,878	68,757	12,592	69.6	25.7	4.7
Wyoming	30,374	14,520	2,748	63.7	30.5	5.8

¹ Inclusive of Indian Territory, not stated in detail.

This table shows very clearly the difference in the location of foreign and colored parents. In the Southern division the colored represented 35 per cent of the total, while the foreign were represented by only 4.3 per cent. In this division the colored were practically all negroes. In the Western division the 5.7 per cent of colored were practically all Indians.

In the Northeastern, Central and Northern, and Western divisions there was but little difference in the proportions of population of native white and foreign white parents. In a total population of 10,703,923 in the Northeastern states, 62 per cent of the native population were of native white parents, and 36.5 per cent of foreign white parents. In the Central and Northern division, which included 29,113,463 persons, or 46.3 per cent of the total population of the country, 67.8 per cent of the native population were of native white parents, and 29.5 per cent of foreign white parents. In the Western division 63.9 per cent were of native white parents and 30.4 per cent of foreign white parents.

The following table shows the increase in the number of native population of each class between 1890 and 1900, by the state of birth, and the average annual rate of excess of births over deaths per 1,000 of population in 1890:

INCREASE IN NATIVE POPULATION, 1890-1900, AND EXCESS OF BIRTHS PER 1,000 OF POPULATION, BY CLASSES.

STATES AND TERRITORIES.	NUMBER.			AVERAGE ANNUAL EXCESS OF BIRTHS OVER DEATHS PER 1,000 OF POPULATION.		
	Native white.		Colored.	Native white.		
	Native parents.	Foreign parents.		Native parents.	Foreign parents.	Colored.
United States ¹	6,732,418	4,206,159	1,376,784	19.5	36.5	17.8
Northeastern division ..	187,757	1,153,807	11,782	3.8	39.6	10.1
Connecticut	26,276	82,091	1,100	21.8	42.5	8.9
Maine	221,188	35,044	195	24.2	47.4	12.5
Massachusetts	36,297	276,302	3,470	3.8	45.6	17.4
New Hampshire	226,280	29,275	282	210.4	58.5	215.0
New York	224,931	673,152	6,486	8.9	36.6	8.8
Rhode Island	13	43,524	410		46.2	6.0
Vermont	219,745	14,419	173	28.8	23.2	18.4
Central and Northern divisions	3,243,777	2,535,916	65,941	20.0	36.0	10.2
Illinois	429,845	458,771	9,484	22.8	43.9	16.8
Indiana	277,369	58,633	6,446	16.3	19.4	14.2
Iowa	317,288	159,116	686	29.8	31.0	6.2
Kansas	214,812	70,935	10,346	21.6	30.0	20.2
Michigan	176,669	246,284	2,808	19.3	40.1	15.0
Minnesota	124,543	276,843	356	40.0	53.4	2.6
Missouri	488,711	74,869	13,456	26.3	17.1	9.0
Nebraska	132,246	109,424	2,653	22.2	43.7	24.3
New Jersey	96,833	148,034	6,444	13.9	39.8	13.6
North Dakota	13,299	58,351	21,950	35.3	92.1	228.0
Ohio	300,571	173,167	10,386	12.9	21.9	12.0
Pennsylvania	454,121	392,836	14,842	14.0	36.8	13.8
South Dakota	38,313	57,693	24,912	29.9	52.8	224.1
Wisconsin	179,162	250,960	21,798	41.2	34.5	214.6

¹ Inclusive of Indian Territory, not stated in detail.

² Decrease.

INCREASE IN NATIVE POPULATION, 1890-1900, AND EXCESS OF BIRTHS PER 1,000 OF POPULATION, BY CLASSES—Continued.

STATES AND TERRITORIES.	NUMBER.			AVERAGE ANNUAL EXCESS OF BIRTHS OVER DEATHS PER 1,000 OF POPULATION.		
	Native white.		Colored.	Native white.		
	Native parents.	Foreign parents.		Native parents.	Foreign parents.	Colored.
Southern division	2,830,716	227,092	1,293,255	24.1	27.4	19.1
Alabama	219,942	6,936	169,005	27.6	30.6	24.9
Arkansas	231,569	7,520	72,072	29.7	31.7	23.3
Delaware	11,263	5,457	2,084	10.3	31.0	7.3
District of Columbia	14,214	5,591	8,099	13.2	19.4	10.7
Florida	54,957	7,845	39,592	28.8	49.7	24.5
Georgia	222,008	4,722	192,964	23.4	24.0	22.5
Kentucky	294,524	18,937	22,306	20.9	15.2	8.3
Louisiana	148,075	10,830	120,186	35.8	11.2	21.5
Maryland	96,970	27,313	19,900	16.8	17.5	9.2
Mississippi	134,174	3,774	196,396	25.8	22.5	26.4
North Carolina	201,972	751	77,688	19.3	10.4	13.8
Oklahoma	54,156	6,831	15,356	98.4	149.7	133.2
South Carolina	79,185	1,170	114,744	17.8	11.0	16.7
Tennessee	222,216	7,665	58,573	17.3	23.0	13.6
Texas	544,872	98,763	151,404	38.7	53.2	31.0
Virginia	73,212	2,667	47,179	7.5	10.6	7.4
West Virginia	227,407	10,320	6,419	33.9	25.2	19.6
Western division	385,832	286,041	356	25.9	40.3	0.2
Arizona	8,930	7,365	13,309	36.8	52.5	110.6
California	105,433	96,062	14,310	21.2	30.0	15.0
Colorado	58,317	37,054	11,853	24.1	46.4	25.6
Idaho	21,962	10,747	1,395	48.3	50.8	18.9
Montana	18,179	22,654	781	32.2	73.2	16.3
Nevada	3,524	2,284	1,074	23.8	18.4	19.8
New Mexico	23,784	4,566	12,261	19.9	36.4	113.3
Oregon	42,971	23,187	65	21.0	46.4	1.0
Utah	43,184	35,611	11,358	63.1	41.7	134.6
Washington	51,031	39,912	124	27.5	58.0	10.2
Wyoming	8,517	6,599	1,182	28.0	45.4	43.0

¹ Decrease.

In this table the average annual increase by excess of births in the decade has been computed in the same way that increases are calculated in the population statistics; that is, as an increase over 1890, or as a product of the population of 1890. In a subsequent table the rate of increase per 1,000 of the mean population will be stated.

From these figures it appears that the average annual rate of increase by excess of births in the class born of native white parents was 19.5 per 1,000, while in those of foreign white parents it was 36.5 per 1,000. The rate for the colored was less than for those of native white parents (17.8 per 1,000).

Considered by groups of states the figures for these classes present some very remarkable peculiarities. In the Northeastern division the rate of annual increase of children of native white parents was but 3.8 per 1,000, while in those of foreign white parents it was more than ten times as great (39.6). Excluding New York from this group it appears that in the New England states

the annual death rate of the native whites of native parentage exceeded the birth rate by 1.5 per 1,000, while among those of foreign white parents the birth rate exceeded the death rate by 44.5 per 1,000. On the face these figures indicate that, notwithstanding the higher mortality of children of foreign white parents, the excess of births over deaths in this class was 4 per 1,000 more than the highest birth rate in the principal foreign countries (40.5 in Hungary. See page 1.) A much higher birth rate for foreign parents in this country than in the countries from whence they came is naturally to be expected, since our foreign population contains a much larger proportion of adult persons of productive ages, but unfortunately the census figures do not afford data for determining the number of parents by which these results might be further analyzed. Such comparisons as can be made bear only indirectly upon the question.

The peculiar results noted seem to be confined to the New England states. In the remainder of the country the excess of births was 21.1 for those of native white parents, 35.7 for those of foreign white parents, and 17.9 for the colored. The nearest approach to equality in the rate of excess of births of native and foreign white parents was in the Southern division, where the proportion of foreign parents was least (native white parents, 24.1; foreign parents, 27.4). Examination of the rates in detail for the different states, however, shows great and apparently inconsistent variations in the relative rates of native and foreign parents, in contiguous states of generally similar populations.

As stated previously, the increases and rates given in the preceding table are based upon the population in 1890, and are treated as the product of that population. They are therefore somewhat too high, as the productive population in 1890 also increased to some extent by foreign immigration and by immigration from other states, but the difference only slightly affects the rates. In the New England states, taken together, the total population of 4,700,749 in 1890 was increased during the decade by 302,805 immigrants from foreign countries, and 139,686 immigrants from other states. Considering the total increase by immigration (442,491) as consisting entirely of productive population it amounts to less than 10 per cent of the population in 1890.

In the following table the mean population of the states and territories for the decade is given, with the total increase in native population by excess of births over deaths, and the gross annual rate of increase due to excess of births per 1,000 of the total mean population:

MEAN POPULATION AND INCREASE BY EXCESS OF BIRTHS.

STATES AND TERRITORIES.	Mean population 1890-1900.	Increase in native population by excess of births in each state.	Average annual increase by excess of births per 1,000 of mean population.
United States ¹	69,471,145	12,315,361	17.7
Northeastern.....	11,782,417	1,353,346	11.5
Connecticut.....	827,339	76,915	9.3
Maine.....	677,776	14,056	2.1
Massachusetts.....	2,522,146	316,069	12.5
New Hampshire.....	394,059	2,913	0.7
New York.....	6,636,034	904,569	13.6
Rhode Island.....	387,031	43,977	11.4
Vermont.....	338,032	25,153	21.5
Central and Northern.....	31,816,126	5,845,634	18.4
Illinois.....	4,323,951	898,100	20.8
Indiana.....	2,354,433	342,448	14.5
Iowa.....	2,072,075	477,085	23.0
Kansas.....	1,449,301	296,093	20.4
Michigan.....	2,257,436	425,761	18.9
Minnesota.....	1,530,839	401,742	26.2
Missouri.....	2,892,925	577,036	19.9
Nebraska.....	1,064,478	241,017	22.6
New Jersey.....	1,664,301	251,311	15.1
North Dakota.....	255,065	69,700	27.3
Ohio.....	3,914,937	484,124	12.4
Pennsylvania.....	5,780,114	861,799	14.9
South Dakota.....	375,085	91,094	24.3
Wisconsin.....	1,881,186	428,324	22.8
Southern.....	21,989,672	4,351,063	19.8
Alabama.....	1,671,049	395,883	23.7
Arkansas.....	1,219,888	311,161	25.5
Delaware.....	176,614	18,804	10.6
District of Columbia.....	254,555	27,904	11.0
Florida.....	459,982	102,394	22.3
Georgia.....	2,026,842	419,694	20.7
Kentucky.....	2,002,904	335,767	16.8
Louisiana.....	1,250,106	279,091	22.3
Maryland.....	1,115,217	144,183	12.9
Mississippi.....	1,420,435	334,344	23.5
North Carolina.....	1,755,879	280,411	16.0
Oklahoma.....	238,403	55,631	23.3
South Carolina.....	1,245,733	195,099	15.7
Tennessee.....	1,894,067	288,454	15.2
Texas.....	2,642,119	795,039	30.1
Virginia.....	1,755,082	123,058	7.0
West Virginia.....	860,797	244,146	28.4
Western.....	3,596,809	672,229	18.7
Arizona.....	105,587	12,986	12.3
California.....	1,349,225	205,805	15.3
Colorado.....	476,474	97,224	20.4
Idaho.....	125,160	32,314	25.8
Montana.....	193,127	40,052	20.7
Nevada.....	44,845	6,882	15.3
New Mexico.....	177,796	26,089	14.7
Oregon.....	365,620	66,223	18.1
Utah.....	243,764	77,437	31.8
Washington.....	437,668	90,919	20.8
Wyoming.....	77,543	16,298	21.0

¹ Inclusive of Indian Territory, not stated in detail.² Decrease.

This table differs from those preceding it in that it gives the aggregate increase without distinction of color or parent nativity, and that the annual increase is computed upon the mean population.

Referring again to the previous table, showing the average annual excess of births by parentage, in which the rate of increase by excess of births in the population classed as of foreign white parents was stated as 36.5 per 1,000 of the population in 1890, and to the impossibility of determining the mean number of parents contributing the births during the decade, some further indication concerning the particular foreign elements instrumental in producing this increase may be found by comparing the increase between 1890 and 1900 in native white population whose mothers were of foreign birth with the total mean population of corresponding foreign nativity, which, however, can only be done for the United States as a whole.

The following table shows the total foreign population in 1890 and 1900 reported as born in the specified countries, and the mean population for the decade:

FOREIGN POPULATION BY COUNTRY OF BIRTH.

COUNTRIES.	1890	1900	Mean.
Ireland.....	1,871,509	1,618,567	1,745,038
Germany.....	2,784,894	2,666,990	2,725,942
England and Wales.....	1,009,171	935,760	972,465
Canada.....	980,938	1,181,255	1,081,096
Scandinavia.....	933,249	1,064,309	998,779
Scotland.....	242,231	233,977	238,104
Italy.....	182,580	484,207	333,394
France.....	113,174	104,341	108,758
Hungary.....	62,435	145,802	104,119
Bohemia.....	118,106	156,991	137,549
Russia.....	182,644	424,096	303,370

The figures given in the preceding table represent the total foreign population born in the specified countries and consequently include a small number of colored which can not be excluded. This number, however, is so very small that the stated populations may be assumed to be practically all white, for comparison with the increase in native white population as given below.

The following table shows the native white population in 1890 and 1900 having mothers born in the specified countries and the increase during the decade:

NATIVE WHITE POPULATION, BY BIRTHPLACES OF MOTHERS.

BIRTHPLACES OF MOTHERS.	1890 ¹	1900	Increase.
Ireland.....	2,631,750	2,826,625	194,875
Germany.....	3,535,852	4,159,499	623,647
England and Wales.....	827,091	1,133,214	306,123
Canada.....	570,584	1,012,689	442,105
Scandinavia.....	603,856	1,053,000	449,144
Scotland.....	192,369	307,388	115,019
Italy.....	61,173	224,271	163,098
France.....	91,203	129,652	38,449
Hungary.....	14,560	75,353	60,793
Bohemia.....	102,169	190,941	88,772
Russia.....	77,741	263,264	185,523

¹Including 681,072 population of mixed foreign parents, distributed proportionally.

The following table shows the average annual rate of increase by excess of births, resulting from a division of the increase in the number of native white population having mothers born in specified countries by the mean population of corresponding nativity:

ANNUAL INCREASE BY EXCESS OF BIRTHS.

BIRTHPLACES OF MOTHERS.	Average annual excess of births per 1,000 of mean population.
Ireland.....	11.2
Germany.....	22.9
England and Wales.....	31.5
Canada.....	40.9
Scandinavia.....	45.0
Scotland.....	48.3
Italy.....	48.9
France.....	35.4
Hungary.....	58.4
Bohemia.....	64.5
Russia.....	61.2

The preceding table is faulty in several particulars owing to lack of precisely comparable data, and can only be considered as indicating, in a general way, the relative effect of certain foreign elements upon the birth rate. In this way it indicates that the rate of the combined increase of the Irish and German elements, which constitute more than 50 per cent of the total for the specified countries, is represented by an annual excess of births of 18.3 per 1,000, which is but little more than that of the native whites of native mothers (16). In a subsequent table the results given above will be compared with the birth rate and the excess of births for the census year.

BIRTHS IN THE CENSUS YEAR 1900.

The population reported as under 1 year of age, June 1, 1900, was 1,912,863, and the number of those who were born during the census year, but who died before the date of the enumeration, was 136,269. If these figures were correct, the number of births would be 2,049,132, and the birth rate per 1,000 of mean population would be 27.2. Of the stated number of births, the population under 1 year of age represents 93.3 per cent and the "born and died" represents 6.7 per cent. Owing to the incorrect return of population at this age, previously referred to, the number of births so computed is much too small. The deficiency arising from the incomplete return of deaths is comparatively insignificant.

Comparing the birth rate obtained in this way with the average annual rate previously stated as necessary to account for the increase in native population, namely, 35.1 per 1,000, the deficiency in the rate for the census year appears to be 7.9 per 1,000 of population, or 28.5 per cent.

If it be assumed that the general birth rate for the census year was about the same as the average annual rate found necessary to produce the increase in native

population enumerated (35.1 per 1,000 of mean population), the number of births in the year would be 2,644,512, an increase of 595,380, or 29 per cent.

To reconcile the discrepancy would require that there should have been a much higher birth rate or a much lower death rate, or a conjunction of the two during the years 1891 to 1899, or a birth rate for the census year very far below the normal. None of these conditions appears to have existed. There is, on the contrary, good reason to suppose that both the birth rate for the census year and the excess of survivors out of those born should be greater than the average for the decade. The death rate is known to have decreased, particularly from causes incident to infancy, which would favorably affect the number of survivors; and the general conditions of greater prosperity existing during the census year would tend to increase the birth rate. The economic conditions that adversely affected the birth rate during the decade occurred principally in the earlier years, such as the period of financial and industrial depression beginning in 1893.

While there is undoubtedly a large deficiency in the births, as calculated above for the census year, they may be compared with those obtained in the same way in 1890, and such a comparison is made in the following table:

BIRTHS AND BIRTH RATES 1890 AND 1900.

[Imperfect data.]

STATES AND TERRITORIES.	Population under 1 year of age, June 1, 1900.	Born and died in the census year 1900.	BIRTHS IN THE CENSUS YEAR.		BIRTH RATE PER 1,000 OF MEAN POPULATION.	
			1900	1890	1900	1890
United States ¹	1,912,863	136,269	2,049,132	1,679,028	27.2	26.9
Northeastern division..	275,566	28,179	303,745	234,327	23.8	22.1
Connecticut.....	19,666	1,977	21,643	15,731	24.0	21.3
Maine.....	13,388	1,207	14,595	11,617	21.1	17.6
Massachusetts.....	59,902	6,698	66,600	47,617	24.0	21.5
New Hampshire.....	7,892	818	8,710	6,769	21.3	18.0
New York.....	158,786	15,767	174,553	138,874	24.2	23.3
Rhode Island.....	9,230	1,097	10,327	7,621	24.3	22.3
Vermont.....	6,702	615	7,317	6,098	21.3	18.3
Central and Northern divisions.....	829,312	57,353	886,665	770,877	25.9	26.8
Illinois.....	114,182	7,457	121,639	105,333	25.5	27.8
Indiana.....	57,974	4,229	62,203	55,400	24.9	25.4
Iowa.....	54,722	2,440	57,162	49,922	25.8	26.3
Kansas.....	35,804	2,044	37,848	40,151	25.8	28.5
Michigan.....	53,877	4,627	58,504	51,620	24.3	24.9
Minnesota.....	46,947	2,661	49,608	38,833	28.7	30.2
Missouri.....	75,566	4,667	80,233	76,883	26.0	29.0
Nebraska.....	27,749	1,205	28,954	30,876	27.2	29.9
New Jersey.....	43,425	4,582	48,007	36,213	25.8	25.3
North Dakota.....	10,124	369	10,493	6,686	33.6	36.5
Ohio.....	89,247	6,255	95,502	88,266	23.1	24.2
Pennsylvania.....	155,395	12,565	167,960	134,648	26.9	25.8
South Dakota.....	11,859	447	12,306	10,685	30.8	31.8
Wisconsin.....	52,441	3,805	56,246	45,361	27.4	27.1
Southern division.....	707,881	45,032	752,913	591,572	31.5	30.1
Oklahoma.....	54,398	3,758	58,156	45,972	32.1	30.6
Arkansas.....	39,279	2,857	42,136	38,108	32.4	34.3

¹ Inclusive of Indian Territory, not stated in detail. Births estimated.

BIRTHS AND BIRTH RATES 1890 AND 1900—Continued.

STATES AND TERRITORIES.	Population under 1 year of age, June 1, 1900.	Born and died in the census year 1900.	BIRTHS IN THE CENSUS YEAR.		BIRTH RATE PER 1,000 OF MEAN POPULATION.	
			1900	1890	1900	1890
Southern division—Con.						
Delaware.....	4,164	380	4,544	4,186	24.7	25.0
District of Columbia.....	4,756	854	5,610	5,313	20.3	23.3
Florida.....	15,043	1,057	16,100	11,053	30.9	28.7
Georgia.....	66,323	4,186	70,509	55,695	32.1	30.6
Kentucky.....	61,789	3,575	65,364	54,710	30.6	29.6
Louisiana.....	39,057	2,684	41,741	33,066	30.5	29.8
Maryland.....	28,373	2,657	31,030	26,939	26.3	26.0
Mississippi.....	45,306	3,695	48,001	38,811	31.2	30.3
North Carolina.....	60,224	3,079	63,303	48,383	33.7	30.1
Oklahoma.....	12,406	496	12,902	1,648	33.7	22.1
South Carolina.....	43,002	2,600	45,602	35,766	34.3	31.3
Tennessee.....	57,668	3,949	61,617	54,085	30.7	30.8
Texas.....	93,611	5,304	98,915	69,735	32.9	31.6
Virginia.....	52,382	3,498	55,880	44,907	30.3	27.2
West Virginia.....	30,100	1,403	31,503	23,195	33.2	30.7
Western division.....	87,323	4,906	92,229	69,382	22.8	22.9
Arizona.....	3,123	138	3,261	1,473	26.9	17.2
California.....	25,080	1,863	26,943	23,383	18.3	19.6
Colorado.....	11,920	834	12,754	10,303	23.9	25.6
Idaho.....	4,648	157	4,805	2,281	30.4	26.6
Montana.....	5,595	218	5,813	2,996	24.4	21.8
Nevada.....	770	33	803	747	18.9	15.5
New Mexico.....	6,137	376	6,513	5,218	33.6	33.0
Oregon.....	8,059	266	8,325	7,031	20.4	22.6
Utah.....	9,169	445	9,614	6,474	35.2	31.2
Washington.....	10,721	472	11,193	8,161	22.0	23.8
Wyoming.....	2,101	104	2,205	1,315	24.2	21.7

The close correspondence of the results shown in this table, state by state, indicates that there was little difference in the accuracy of the enumeration of young children in 1890 and 1900. The total deficiency probably amounted to at least 25 or 30 per cent at each census. So far as the imperfect data furnish any indication of the comparative birth rates in the two years they show a slight increase in the rate of 1900 over that of 1890, amounting to 0.3 per 1,000 of the mean population in 1900.

The greatest increase occurred in the Northeastern division. Here it was 1.7 per 1,000. In every state in this division an increase is noted, as follows: Connecticut, 2.7; Maine, 3.5; Massachusetts, 2.5; New Hampshire, 3.3; New York, 0.9; Rhode Island, 2; Vermont, 3.

In the Northern and Central divisions the figures show a decrease of 0.9 per 1,000. Here the decrease was general, all of the states showing a falling off in the rate except New Jersey, Pennsylvania, and Wisconsin, in which the rates increased very slightly.

In the Southern division there was an increase in the rate of 1.4 per 1,000.

In the Western division there was a slight decrease, amounting to 0.1 per 1,000.

In the following table the birth rates for the census years 1900 and 1890, obtained by using the population

under 1 year of age and the "born and died," as previously described, are stated in comparison with the average annual excess of births over deaths, by states and territories:

BIRTH RATES IN THE CENSUS YEARS 1890 AND 1900, AND AVERAGE ANNUAL EXCESS OF BIRTHS, 1890-1900.

STATES AND TERRITORIES.	Birth rate, 1890.	Average annual excess of births over deaths per 1,000 of mean population, 1890-1900.	Birth rate, 1900.
United States ¹	26.9	17.7	27.2
Northeastern division.....	22.1	11.5	23.8
Connecticut.....	21.3	9.3	24.0
Maine.....	17.6	2.1	21.1
Massachusetts.....	21.5	12.5	24.0
New Hampshire.....	18.0	0.7	21.3
New York.....	23.3	13.6	24.2
Rhode Island.....	22.3	11.4	24.3
Vermont.....	18.3	21.5	21.3
Central and Northern divisions.....	26.8	18.4	25.9
Illinois.....	27.8	20.8	25.5
Indiana.....	25.4	14.5	24.9
Iowa.....	26.3	23.0	25.8
Kansas.....	28.5	20.4	25.8
Michigan.....	24.9	18.9	24.3
Minnesota.....	30.2	26.2	28.7
Missouri.....	29.0	19.9	26.0
Nebraska.....	29.9	22.6	27.2
New Jersey.....	25.3	15.1	25.8
North Dakota.....	36.5	27.3	33.6
Ohio.....	24.2	12.4	23.1
Pennsylvania.....	25.8	14.9	26.9
South Dakota.....	31.8	24.3	30.8
Wisconsin.....	27.1	22.8	27.4
Southern division.....	30.1	19.8	31.5
Alabama.....	30.6	23.7	32.1
Arkansas.....	34.3	25.5	32.4
Delaware.....	25.0	10.6	24.7
District of Columbia.....	23.3	11.0	20.3
Florida.....	28.7	22.3	30.9
Georgia.....	30.6	20.7	32.1
Kentucky.....	29.6	16.8	30.6
Louisiana.....	29.8	22.3	30.5
Maryland.....	26.0	12.9	26.3
Mississippi.....	30.3	23.5	31.2
North Carolina.....	30.1	16.0	33.7
Oklahoma.....	22.1	23.3	33.7
South Carolina.....	31.3	15.7	34.3
Tennessee.....	30.8	15.2	30.7
Texas.....	31.6	30.1	32.9
Virginia.....	27.2	7.0	30.3
West Virginia.....	30.7	28.4	33.2
Western division.....	22.9	18.7	22.8
Arizona.....	17.2	12.3	26.9
California.....	19.6	15.3	18.3
Colorado.....	25.6	20.4	23.9
Idaho.....	26.6	25.8	30.4
Montana.....	21.8	20.7	24.4
Nevada.....	15.5	15.3	18.9
New Mexico.....	33.0	14.7	33.6
Oregon.....	22.6	18.1	20.4
Utah.....	31.2	31.8	35.2
Washington.....	23.8	20.8	22.0
Wyoming.....	21.7	21.0	24.2

¹Inclusive of Indian Territory, not stated in detail.

²Decrease.

A comparison of the average annual excess of births, based upon the actual increase of native population enumerated, with the birth rates in 1890 and 1900 as computed from the number of living population under 1 year of age and the "born and died," shows that the annual excess of births in certain states was very nearly equal to the birth rate, so calculated. (See Iowa, Minnesota, Wisconsin, Texas, and others.) As the rate of excess of births is the complement of the death rate, it is evident that these figures are inconsistent to a degree that can not wholly be accounted for by the deficiency in the population under 1 year of age, or by variations in the death rates.

In the following table a comparison is made of certain results for the census year 1900 with those previously given for the period 1890-1900. It shows the number of births and deaths during the census year by birthplaces of mothers for the specified countries, the foreign white population of corresponding nativity, the birth rate per 1,000 of population, and the excess of births, the latter in comparison with the average annual excess for the decade.

BIRTHS AND BIRTH RATES BY BIRTHPLACES OF MOTHERS.

COUNTRIES.	Foreign white population, June 1, 1900, by country of birth.	Births census year 1900. Mothers born in specified countries.	Deaths under 1 year of age census year 1900. Mothers born in specified countries.	Births per 1,000 of population of corresponding nativity.	EXCESS OF BIRTHS.	
					1900	Average annual, 1890-1900.
Ireland.....	1,618,340	52,969	6,533	32.7	28.7	11.2
Germany.....	2,666,776	96,458	8,847	36.2	32.8	22.9
England and Wales.....	934,946	26,280	2,573	28.1	25.4	31.5
Canada.....	1,174,186	44,543	6,549	37.9	32.4	40.9
Scandinavia.....	1,064,226	49,719	3,095	46.7	43.8	45.0
Scotland.....	233,926	7,047	591	30.1	27.6	48.3
Italy.....	484,143	29,483	4,013	60.9	52.6	48.9
France.....	104,175	2,193	278	21.1	18.4	35.4
Hungary.....	145,797	9,551	866	65.5	59.6	58.4
Bohemia.....	156,978	8,947	565	57.0	53.4	64.5
Russia.....	424,078	27,406	2,503	64.6	58.7	61.2
Other foreign.....	1,220,945	69,457	6,497	56.9	51.6	

The number of births in the census year 1900, as given in the preceding table, is much too low, owing, principally, to the inaccurate return of the population under 1 year of age, and this also affects the excess of births, which is correspondingly small. The whole number of births in the census year was previously estimated as about 29 per cent short of the average annual number required to sustain the increase in native population enumerated, but there are no means of determining what proportion of this deficiency occurred in the different classes of population.

The true birth rate of the country was probably higher than that determined by the natural increase (35.1 per 1,000), and the variations in the rates for the different classes of population are no doubt due, to some extent, to defects in the returns from which the population was classified by nativity and parentage.

SECTION IV.

GENERAL DEATH RATES.

In this section the general or gross death rates are given, as this is the usual method of comparing the relative mortality of different areas, and in many cases only the gross death rates are available for such comparisons. These would afford a satisfactory index of the mortality if the respective populations were similarly constituted, but this is seldom the case. In this country, in particular, there are such marked differences in the composition of the population of different states and cities that certain primary characteristics of the population must be taken into consideration in comparing the general death rates with each other or with those of foreign countries or cities.

The elemental divisions of population made for the census statistics are native white, foreign white, and colored, and the death rates of these classes vary so considerably that the proportions in which they exist in any given locality are controlling factors in the general or gross rate. This may be seen from the fact that in the registration area, as a whole, the death rate of the native white is about 3 per 1,000 less than that of the foreign white, notwithstanding the much greater proportion of infants and children in the former class; and the death rate of the native white is about 13 per 1,000, and that of the foreign white about 10 per 1,000 less than that of the colored. These classes are represented in such numbers in the various states and cities as to affect the general death rate most materially. The relative proportions of the different classes of population are shown, for the principal areas, in Section VI, relating to color and nativity.

Other factors influencing the general death rates are those concerning the distribution of the population by age and sex, and these vary also for the classes mentioned. The distribution by sex is shown in Section V, and that by age in Section VII.

Corrected death rates, based upon the proportions of the different classes of population represented, reduced to a general standard of distribution by age, are given for the registration areas and principal cities in Section VIII.

The only areas in which the death rates for the census year ending May 31, 1900, are fairly reliable and comparable are those in which the statistics are based upon registration records. In this report death rates are given only for such areas. In all other areas the insufficiency of the data to afford any reliable indication

of the death rate is indicated by the asterisk (*), which has this fixed significance in all tables in which the death rates in relation to population are presented.

The total number of deaths reported in the United States for the census year was 1,039,094. In 1890 the corresponding number was 841,419. These numbers are exclusive of stillbirths, which are not included in any of the tables given herein.

The increase in the number of deaths reported over 1890 is 197,675, or 23.5 per cent. As the percentage of increase in the number of deaths is greater than the percentage of increase in the population for the same period (20.7), it indicates a more complete return of deaths than in 1890. The gain in point of completeness is actually much greater than indicated by these figures, because the general death rate has decreased very materially.

In 1890 the registration area included Connecticut, Delaware, District of Columbia, Massachusetts, New Hampshire, New Jersey, New York, Rhode Island, and Vermont, with the cities therein, and 83 cities of 5,000 or more population in other states, the gross population represented being 19,659,440.

In the present statistics the registration area includes the same states (with the exception of Delaware¹), also Maine and Michigan, and 153 cities of 8,000 or more population in other states. The population comprehended in this area is 28,807,269, or about 38 per cent of the entire population of the United States.

The population and deaths in the United States and in the registration and nonregistration areas in 1900, in comparison with 1890, are shown in the following table, the death rates per 1,000 of population being also given for the registration areas:

POPULATION, DEATHS, AND DEATH RATES.

AREAS.	1900			1890		
	Popula- tion.	Deaths.	Rate.	Popula- tion.	Deaths.	Rate.
United States ² ..	75,994,575	1,039,094	(*)	62,947,714	841,419	(*)
Registration	28,807,269	512,669	17.8	19,659,440	386,212	19.6
Nonregistration.....	47,187,306	526,425	(*)	43,288,274	455,207	(*)

¹ Registration in Delaware was too defective to permit its inclusion in this class. Outside of the city of Wilmington the number of deaths registered was less than the number reported by the enumerators.

² Including Indian Territory and Indians on reservations, but excluding persons in the military and naval service abroad.

* Data insufficient to afford correct rates.

The number of deaths per 1,000 of population in the nonregistration areas was slightly greater in 1900 than in 1890, but this is due to the more complete return of deaths. It does not indicate any actual increase in the death rate. On the other hand, while the return of deaths in the registration area was also more complete than in 1890, there was a remarkable and most satisfactory decrease in the death rate, which declined from 19.6 per 1,000 in 1890 to 17.8 per 1,000 in 1900.

The population of the United States, and of the registration area distinguished as urban and rural, with the percentage of each, and the percentage of each class comprehended in the registration area, is shown in the following table:

TOTAL POPULATION AND NUMBER AND PERCENTAGE CLASSED AS REGISTRATION.

DIVISIONS.	UNITED STATES.		REGISTRATION.		Per cent classed as registration.
	Population.	Pr. ct.	Population.	Pr. ct.	
Total.....	75,994,575	100.0	28,807,269	100.0	37.9
Cities over 8,000.....	24,992,199	32.9	21,660,631	75.2	86.7
Rural	51,002,376	67.1	7,146,638	24.8	14.0

These figures show that 86.7 per cent of the total urban population of the United States living in cities of 8,000 population or more is embraced in the registration record, and that the urban population of the registration area amounts to 75.2 per cent of its total. The rural population constitutes 24.8 per cent of the population of the registration area, and 14 per cent of the total rural population of the United States.

The comparative population, deaths, and death rates in the registration area and its subdivisions in 1900 and 1890 are shown in the following statement:

POPULATION, DEATHS, AND DEATH RATES IN REGISTRATION STATES.

AREAS.	1900			1890		
	Population.	Deaths.	Rate.	Population.	Deaths.	Rate.
Registration	28,807,269	512,669	17.8	19,659,440	586,212	19.6
Cities	21,660,631	402,666	18.6	14,958,254	314,119	21.0
States, total	17,444,280	301,670	17.3	11,881,330	231,130	19.5
Cities	10,297,642	191,667	18.6	7,180,144	159,037	22.1
Rural	7,146,638	110,003	15.4	4,701,186	72,093	15.3
Cities in other states.	11,362,989	210,999	18.6	7,778,110	155,082	19.9

The death rate for the United States can not be accurately determined, but as the registration area with its death rate of 17.8 per 1,000 is very largely urban, and the nonregistration area is almost wholly rural in character, it is probable that the death rate in the latter more nearly approximates the death rate in the rural part of the registration states (15.4 per 1,000). This would fix the general death rate of the country somewhere between 15.4 and 17.8 per 1,000. If it be assumed that the death rate in the rural part of the

registration states fairly represents the rate in the rural part of the nonregistration states, the general death rate would be about 16.3 per 1,000. It probably did not vary much from this number.

The death rates in the registration area of the United States, in comparison with the rates in certain foreign countries, are shown in the following table. The rates for the countries specified are based upon estimated populations for intercensal and postcensal years, as calculated by the registration officials of each country and furnished to the registrar-general of England, from whose report for 1899 the figures are taken.

COMPARATIVE DEATH RATES OF CERTAIN COUNTRIES.

COUNTRIES.	1890	Ten years, 1890-1899.	1899
Registration area of the United States	¹ 19.6		² 17.8
England and Wales	19.5	18.4	18.3
Scotland.....	19.7	18.8	18.6
Ireland.....	18.2	18.1	17.6
Denmark.....	19.0	17.7	17.5
Norway.....	17.9	16.5	16.8
Sweden.....	17.1	16.4	17.6
Austria.....	29.4	27.1	25.4
Hungary.....	32.4	30.3	27.0
German Empire	24.4	22.5	21.5
Prussia.....	24.0	22.1	21.4
Netherlands.....	20.5	18.6	17.1
Belgium.....	20.6	19.2	18.8
France.....	22.8	21.6	21.1
Italy.....	26.4	24.6	22.1
Switzerland.....	20.8	19.0	17.3

¹ Census year ending May 31, 1890.

² Census year ending May 31, 1900.

The rate given for the registration area of the United States (17.8) is based upon a population that is 75 per cent urban, but it is still less than that of most of the foreign countries, particularly of those having the largest populations. As the rate for the United States as a whole is undoubtedly less than in the registration area, it is probably somewhat less than in any of the countries specified. The figures also show that the decrease in the death rate in the United States during the decade agrees closely with the decrease in other countries.

The decrease in the death rates in the registration areas is shown in the following statement:

DECREASE IN DEATH RATES BETWEEN 1890 AND 1900.

AREAS.	DEATH RATE PER 1,000 OF POPULATION.		Decrease.
	1900	1890	
Registration record.....	17.8	19.6	1.8
Cities.....	18.6	21.0	2.4
States, total.....	17.3	19.5	2.2
Cities.....	18.6	22.1	3.5
Rural.....	15.4	15.3	0.1
Cities in other states.....	18.6	19.9	1.3

¹ Increase.

The death rates given for 1890 are based upon registration records only, while those for 1900 are based upon the same records supplemented by additions from the enumerators' returns, and when it is considered that these returns for 1900 are undoubtedly more complete than in 1890, the general decrease in the death rates shown is most significant.

The decrease is naturally greatest (2.4 per 1,000 of population) in the cities, as the necessity of protecting the public health by sanitary improvements and regulations is first recognized in places where the population is most dense and personal contact most close and frequent.

In the cities in the registration states, embracing a population of 10,297,642, the decrease in the rate was 3.5 per 1,000, being considerably greater than in the cities in the nonregistration states, which embraced a population of 11,362,989. In these the decrease in the rate was 1.3 per 1,000. Aside from sanitary conditions, this is partly due to differences in locality and in the composition of the population comprehended. The registration states are confined to the Northeastern and northern Middle states, and, with the cities located therein, include a large proportion of adult white persons of both native and foreign birth, while the cities in the nonregistration states include all of the Southern registration cities and practically all of those in which the colored population is numerically sufficient to be an important factor.

In the rural part of the registration states there appears to have been a slight increase (0.1 per 1,000) in the death rate, but this is probably due to a deficiency in the record of deaths in this part of the registration area in 1890.

The figures for the registration states are given in the following table:

POPULATION, DEATHS, AND DEATH RATES IN REGISTRATION STATES.

REGISTRATION STATES.	1900		DEATH RATE.	
	Population.	Deaths.	1900	1890
Connecticut.....	908,420	15,422	17.0	18.6
Delaware.....	(¹)	(¹)	(¹)	18.2
District of Columbia.....	278,718	6,364	22.8	23.7
Maine.....	694,466	12,148	17.5	(²)
Massachusetts.....	2,805,346	49,756	17.7	19.3
Michigan.....	2,420,982	33,572	13.9	(²)
New Hampshire.....	411,588	7,400	18.0	18.2
New Jersey.....	1,883,669	32,735	17.4	19.7
New York.....	7,268,894	130,268	17.9	19.6
Rhode Island.....	428,656	8,176	19.1	20.9
Vermont.....	343,641	5,829	17.0	15.8

¹ Nonregistration for 1900.² Nonregistration for 1890.

The effect of the advances made in medical science and sanitation, and in the preventive and restrictive measures enforced by local health authorities, which is indicated by the preceding tables, may be further studied in the following statement, which gives the population, deaths, and death rate per 1,000 of population in 1900, with the corresponding rate in 1890, for each city classed as registration at that time.

POPULATION, DEATHS, AND DEATH RATES IN REGISTRATION CITIES.

REGISTRATION CITIES.	1900		DEATH RATE.	
	Population.	Deaths.	1900	1890
In registration states:				
Adams town, Mass.....	11,134	179	16.1	19.8
Albany, N. Y.....	94,151	1,813	19.3	25.5
Amesbury town, Mass.....	9,473	144	15.2	12.7
Amsterdam, N. Y.....	20,929	336	16.1	19.3
Ann Arbor, Mich.....	14,509	185	12.8	(*)
Ansonia town, Conn.....	12,681	227	17.9	(¹)
Arlington town, Mass.....	8,603	133	15.5	18.3
Atlantic City, N. J.....	27,838	466	16.7	25.0
Attleboro town, Mass.....	11,335	160	14.1	15.8
Auburn, N. Y.....	30,345	521	17.2	22.1
Augusta, Me.....	11,683	308	26.4	(*)
Bangor, Me.....	21,850	354	16.2	(*)
Barre, Vt.....	8,448	158	18.7	(¹)
Bath, Me.....	10,477	146	13.9	(*)
Battlecreek, Mich.....	18,563	250	13.5	(*)
Bay City, Mich.....	27,628	351	12.7	(*)
Bayonne, N. J.....	32,722	545	16.7	20.3
Bennington town, Vt.....	8,033	127	15.8	(¹)
Berlin, N. H.....	8,886	149	16.8	(¹)
Beverly, Mass.....	13,884	205	14.8	14.6
Biddeford, Me.....	16,145	375	23.2	(*)
Binghamton, N. Y.....	39,647	698	17.6	17.0
Boston, Mass.....	560,892	11,277	20.1	23.4
Bridgeport, Conn.....	70,996	1,226	17.3	19.2
Bridgeton, N. J.....	13,913	200	14.4	16.3
Bristol town, Conn.....	9,643	149	15.5	(¹)
Brockton, Mass.....	40,063	529	13.2	15.2
Brookline town, Mass.....	19,935	260	13.0	10.2
Buffalo, N. Y.....	352,387	5,207	14.8	18.4
Burlington, Vt.....	18,640	347	18.6	16.7
Cambridge, Mass.....	91,886	1,699	18.5	18.5
Camden, N. J.....	75,935	1,235	16.3	22.8
Central Falls, R. I.....	18,167	290	16.0	(¹)
Chelsea, Mass.....	34,072	636	18.7	20.2
Chicopee, Mass.....	19,167	399	20.8	21.1
Clinton town, Mass.....	13,667	224	16.4	8.3
Cohoes, N. Y.....	23,910	484	20.2	21.5
Concord, N. H.....	19,632	357	18.2	19.1
Corning, N. Y.....	11,061	199	18.0	13.8
Cortland, N. Y.....	9,014	120	13.3	14.2
Danbury town, Conn.....	19,474	320	16.4	19.5
Danvers town, Mass.....	8,542	152	17.8	26.4
Detroit, Mich.....	285,704	4,893	17.1	18.7
Dover, N. H.....	13,207	257	19.5	21.7
Dunkirk, N. Y.....	11,616	172	14.8	9.3
Elizabeth, N. J.....	52,130	911	17.5	19.1
Elmira, N. Y.....	35,672	550	15.4	17.7
Escanaba, Mich.....	9,549	188	19.7	(*)
Everett, Mass.....	24,336	386	15.9	16.2
Fall River, Mass.....	104,863	2,345	22.4	23.2
Fitchburg, Mass.....	31,581	428	13.6	16.8
Flint, Mich.....	13,103	185	14.1	(*)
Framingham town, Mass.....	11,302	190	16.8	15.2
Gardner town, Mass.....	10,813	205	19.0	20.1
Geneva, N. Y.....	10,433	153	14.7	16.7
Glens Falls, N. Y.....	12,613	242	19.2	17.7
Gloucester, Mass.....	26,121	388	14.9	12.3
Gloversville, N. Y.....	18,349	217	11.8	13.6
Grand Rapids, Mich.....	87,565	1,258	14.4	(*)
Greenwich town, Conn.....	12,172	206	16.9	(¹)
Harrison town, N. J.....	10,596	234	22.1	28.7
Hartford, Conn.....	79,850	1,546	19.4	24.4
Haverhill, Mass.....	37,175	561	15.1	14.4
Hoboken, N. J.....	59,364	1,253	21.1	25.9
Holyoke, Mass.....	45,712	820	17.9	22.8
Hudson, N. Y.....	9,528	208	21.8	21.5
Hyde Park town, Mass.....	13,244	215	16.2	16.3
Iron Mountain, Mich.....	9,242	122	13.2	(*)
Ironwood, Mich.....	9,705	126	13.0	(*)

* Nonregistration; data insufficient.

¹ Not separately reported.

GENERAL DEATH RATES.

lix

POPULATION, DEATHS, AND DEATH RATES IN REGISTRATION CITIES—Continued.

REGISTRATION CITIES.	1900		DEATH RATE.		REGISTRATION CITIES.	1900		DEATH RATE.	
	Population.	Deaths.	1900	1890		Population.	Deaths.	1900	1890
In registration states—Continued.					In registration states—Continued.				
Ishpeming, Mich.....	13,255	196	14.8	(*)	Pittsfield, Mass.....	21,766	338	15.5	9.4
Ithaca, N. Y.....	13,136	214	16.3	12.8	Plainfield, N. J.....	15,369	242	15.7	17.5
Jackson, Mich.....	25,180	338	13.4	(*)	Plymouth town, Mass.....	9,592	173	18.0	23.5
Jamestown, N. Y.....	22,892	288	12.6	12.8	Pontiac, Mich.....	9,769	138	14.1	(*)
Jersey City, N. J.....	206,433	4,277	20.7	25.6	Port Huron, Mich.....	19,158	238	12.4	(*)
Johnstown, N. Y.....	10,130	135	13.3	19.2	Port Jervis, N. Y.....	9,385	149	15.9	15.4
Kalamazoo, Mich.....	24,404	416	17.0	(*)	Portland, Me.....	50,145	1,100	21.9	(*)
Keene, N. H.....	9,165	125	13.6	18.1	Portsmouth, N. H.....	10,637	180	16.9	20.3
Kingston, N. Y.....	24,535	442	18.0	21.8	Poughkeepsie, N. Y.....	24,029	496	20.6	20.3
Laconia, N. H.....	8,042	163	20.3	(¹)	Providence, R. I.....	175,597	3,491	19.9	21.1
Lansing, Mich.....	16,485	232	14.1	(*)	Quincy, Mass.....	23,899	366	15.3	19.2
Lansingburg, N. Y.....	12,595	248	19.7	19.4	Revere town, Mass.....	10,395	162	15.6	8.8
Lawrence, Mass.....	62,559	1,262	20.2	27.8	Rochester, N. H.....	8,466	188	22.2	(¹)
Leominster town, Mass.....	12,392	176	14.2	14.4	Rochester, N. Y.....	162,608	2,446	15.0	17.3
Lockport, N. Y.....	16,581	259	15.6	11.3	Rockland, Me.....	8,150	146	17.9	(*)
Lowell, Mass.....	94,969	1,876	19.8	25.9	Rome, N. Y.....	15,343	267	17.4	22.5
Lynn, Mass.....	68,513	1,124	16.4	16.9	Rutland, Vt.....	11,499	190	16.5	(¹)
Malden, Mass.....	33,664	486	14.4	12.5	Saginaw, Mich.....	42,345	560	13.2	(*)
Manchester, N. H.....	56,987	1,092	19.2	19.2	Salem, Mass.....	35,956	787	21.9	22.5
Manchester town, Conn.....	10,601	126	11.9	(¹)	Saratoga Springs, N. Y.....	12,409	265	21.4	20.6
Marlboro, Mass.....	13,609	219	16.1	20.8	Sault Ste. Marie, Mich.....	10,538	163	15.5	(*)
Marquette, Mich.....	10,058	167	16.6	(*)	Schenectady, N. Y.....	31,682	473	15.1	22.2
Medford, Mass.....	18,244	262	14.4	15.5	Somerville, Mass.....	61,643	946	15.3	17.0
Melrose, Mass.....	12,962	191	14.7	11.6	Southbridge town, Mass.....	10,025	204	20.3	22.2
Menominee, Mich.....	12,818	179	14.0	(*)	Springfield, Mass.....	62,059	1,057	17.0	19.2
Meriden town, Conn.....	28,695	409	14.3	(¹)	Stamford town, Conn.....	18,839	319	16.9	(¹)
Middletown, N. Y.....	14,522	253	17.4	20.5	Stonington town, Conn.....	8,540	144	16.9	(¹)
Middletown town, Conn.....	17,486	290	16.6	(¹)	Syracuse, N. Y.....	108,374	1,494	13.8	19.6
Millford town, Mass.....	11,376	207	18.2	15.9	Taunton, Mass.....	31,036	615	19.8	21.7
Millville, N. J.....	10,583	176	16.6	17.9	Torrington town, Conn.....	12,453	182	14.6	(¹)
Montclair town, N. J.....	13,962	217	15.5	(¹)	Town of Union, N. J.....	15,187	207	13.6	21.4
Morristown town, N. J.....	11,267	191	17.0	16.7	Traverse City, Mich.....	9,407	148	15.7	(*)
Mt. Vernon, N. Y.....	21,228	411	19.4	24.4	Trenton, N. J.....	73,307	1,174	16.0	17.0
Muskegon, Mich.....	20,818	255	12.2	20.0	Troy, N. Y.....	60,651	1,393	23.0	27.0
Nashua, N. H.....	23,898	479	20.0	15.7	Utica, N. Y.....	56,383	990	17.6	22.0
Natick town, Mass.....	9,488	133	14.0	17.0	Vernon town, Conn.....	8,483	127	15.0	(¹)
Naugatuck town, Conn.....	10,541	179	17.0	(¹)	Wakefield town, Mass.....	9,290	135	14.5	15.2
Newark, N. J.....	246,070	4,866	19.8	27.4	Wallingford town, Conn.....	9,001	138	15.3	(¹)
New Bedford, Mass.....	62,442	1,154	18.5	22.5	Waltham, Mass.....	23,481	329	14.0	14.5
New Britain town, Conn.....	28,202	483	17.1	(¹)	Ware town, Mass.....	8,263	112	13.6	17.3
New Brunswick, N. J.....	20,006	425	21.3	18.4	Washington, D. C.....	278,718	6,364	22.8	23.7
Newburg, N. Y.....	24,943	500	20.0	18.7	Waterbury town, Conn.....	51,139	869	17.0	(¹)
Newburyport, Mass.....	14,478	312	21.5	22.0	Watertown, N. Y.....	21,696	356	16.4	18.1
New Haven town, Conn.....	108,027	1,862	17.2	18.8	Watertown town, Mass.....	9,706	143	14.7	15.1
New London, Conn.....	17,548	345	19.7	19.8	Watervliet, N. Y.....	14,321	275	19.2	(¹)
Newport, R. I.....	22,034	421	19.1	18.1	Webster town, Mass.....	8,804	146	16.6	23.6
New Rochelle, N. Y.....	14,720	246	16.7	(¹)	West Bay City, Mich.....	13,119	196	14.9	(*)
Newton, Mass.....	33,587	479	14.3	14.9	Westfield town, Mass.....	12,310	236	19.2	15.7
New York city, N. Y.....	3,437,202	70,229	20.4	25.4	Weymouth town, Mass.....	11,324	203	17.9	14.9
Bronx borough.....	200,507	3,624	18.1	21.0	Windham town, Conn.....	10,137	173	17.1	(¹)
Brooklyn borough.....	1,166,582	23,263	19.9	24.0	Woburn, Mass.....	14,254	241	16.9	17.0
Manhattan borough.....	1,850,093	39,331	21.3	26.7	Woonsocket, R. I.....	28,204	516	18.3	23.7
Queens borough.....	152,999	2,642	17.3	24.8	Worcester, Mass.....	118,421	1,838	15.5	18.0
Richmond borough.....	67,021	1,369	20.4	19.8	Yonkers, N. Y.....	47,931	781	16.3	17.1
Niagara Falls, N. Y.....	19,457	297	15.3	(¹)	In other states:				
North Adams, Mass.....	24,200	334	13.8	20.3	Alameda, Cal.....	16,464	224	13.6	23.3
Northampton, Mass.....	18,643	281	15.1	16.9	Alexandria, Va.....	14,528	351	24.2	(*)
Norwalk town, Conn.....	19,932	299	15.0	(¹)	Allegheny, Pa.....	129,896	2,385	18.4	18.2
Norwich town, Conn.....	24,637	405	16.4	(¹)	Allentown, Pa.....	35,416	646	18.2	(*)
Ogdensburg, N. Y.....	12,633	204	16.1	18.7	Altoona, Pa.....	38,973	752	19.3	17.6
Olean, N. Y.....	9,462	119	12.6	12.5	Annapolis, Md.....	8,525	170	19.9	(*)
Orange, N. J.....	24,141	490	20.3	22.9	Appleton, Wis.....	15,085	175	11.6	(*)
Owosso, Mich.....	8,696	121	13.9	(*)	Ashtabula, Ohio.....	12,949	219	16.9	(*)
Passaic, N. J.....	27,777	563	20.3	16.7	Atlanta, Ga.....	89,872	2,387	26.6	22.6
Paterson, N. J.....	105,171	2,000	19.0	22.2	Aurora, Ill.....	24,147	362	15.0	19.3
Pawtucket, R. I.....	39,231	723	18.4	23.3	Baltimore, Md.....	508,957	10,679	21.0	22.9
Peabody town, Mass.....	11,523	185	16.1	13.0	Bellaire, Ohio.....	9,912	167	16.8	(*)
Peekskill, N. Y.....	10,358	206	19.9	13.1	Belleville, Ill.....	17,484	269	15.4	(*)
Perth Amboy, N. J.....	17,699	250	14.1	16.8	Beloit, Wis.....	10,436	152	14.6	(*)
Phillipsburg town, N. J.....	10,052	161	16.0	16.0	Burlington, Iowa.....	23,201	384	16.6	(*)

* Nonregistration; data insufficient.

¹ Not separately reported.

VITAL STATISTICS.

POPULATION, DEATHS, AND DEATH RATES IN REGISTRATION CITIES—Continued.

REGISTRATION CITIES.	1900		DEATH RATE.		REGISTRATION CITIES.	1900		DEATH RATE.	
	Population.	Deaths.	1900	1890		Population.	Deaths.	1900	1890
In other states—Continued.					In other states—Continued.				
Canton, Ohio.....	30,667	408	13.3	(*)	Mobile, Ala.....	38,469	995	25.9	30.3
Carbondale, Pa.....	13,536	295	21.8	(*)	Mt. Carmel, Pa.....	13,179	295	22.4	(*)
Carlisle, Pa.....	9,626	207	21.5	(*)	Muncie, Ind.....	20,942	286	13.7	(*)
Charleston, S. C.....	55,807	2,094	37.5	37.7	Muscatine, Iowa.....	14,073	240	17.1	15.7
Chicago, Ill.....	1,698,575	27,533	16.2	19.1	Nashville, Tenn.....	80,865	2,042	25.3	17.8
Chillicothe, Ohio.....	12,976	277	21.3	16.3	Natchez, Miss.....	12,210	485	39.7	(*)
Chippewa Falls, Wis.....	8,094	100	12.4	(*)	Newark, Ohio.....	18,157	269	14.8	(*)
Cincinnati, Ohio.....	325,902	6,214	19.1	21.0	Newcastle, Pa.....	28,339	437	15.4	(*)
Cleveland, Ohio.....	381,768	6,521	17.1	20.2	New Orleans, La.....	287,104	8,287	28.9	26.3
Columbia, Pa.....	12,316	239	19.4	(*)	Newport, Ky.....	28,301	572	20.2	(*)
Columbus, Ind.....	8,130	162	19.9	(*)	Norfolk, Va.....	46,624	1,173	25.2	(*)
Columbus, Ohio.....	125,560	1,983	15.8	14.7	Norristown, Pa.....	22,265	524	23.5	23.8
Covington, Ky.....	42,938	869	20.2	(*)	Oakland, Cal.....	66,960	1,121	16.7	17.7
Danville, Ill.....	16,354	312	19.1	(*)	Oil City, Pa.....	13,264	199	15.0	(*)
Davenport, Iowa.....	35,254	562	15.9	16.4	Omaha, Nebr.....	102,555	1,382	13.5	9.4
Dayton, Ohio.....	85,333	1,405	16.5	15.1	Oskaloosa, Iowa.....	9,212	167	18.1	(*)
Decatur, Ill.....	20,754	355	17.1	(*)	Ottawa, Ill.....	10,588	150	14.2	15.8
Denver, Colo.....	133,859	2,484	18.6	23.0	Ottumwa, Iowa.....	18,197	317	17.4	(*)
Dubois, Pa.....	9,375	131	14.0	(*)	Paducah, Ky.....	19,446	541	27.8	18.9
Duluth, Minn.....	52,969	698	13.2	(*)	Peru, Ind.....	8,463	136	16.1	(*)
Easton, Pa.....	25,238	421	16.7	(*)	Petersburg, Va.....	21,810	678	31.1	31.6
Eau Claire, Wis.....	17,517	257	14.7	(*)	Philadelphia, Pa.....	1,293,697	27,456	21.2	21.3
Erie, Pa.....	52,733	801	15.2	17.4	Phoenixville, Pa.....	9,196	203	22.1	(*)
Evansville, Ind.....	59,007	1,045	17.7	15.3	Pittsburg, Pa.....	321,616	6,436	20.0	20.1
Findlay, Ohio.....	17,613	275	15.6	(*)	Pittston, Pa.....	12,556	274	21.8	(*)
Frederick, Md.....	9,296	185	19.9	(*)	Plymouth, Pa.....	13,649	286	21.0	(*)
Fresno, Cal.....	12,470	187	15.0	10.6	Portland, Oreg.....	90,426	856	9.5	(*)
Galesburg, Ill.....	18,607	270	14.5	15.5	Portsmouth, Ohio.....	17,870	328	18.4	14.0
Green Bay, Wis.....	18,684	315	16.9	(*)	Pottstown, Pa.....	13,696	240	17.5	(*)
Hamilton, Ohio.....	23,914	349	14.6	17.7	Pottsville, Pa.....	15,710	244	15.5	(*)
Harrisburg, Pa.....	50,167	895	17.8	(*)	Pueblo, Colo.....	28,157	648	23.0	(*)
Hazleton, Pa.....	14,230	205	14.4	(*)	Quincy, Ill.....	36,252	556	15.3	(*)
Helena, Mont.....	10,770	154	14.3	(*)	Raleigh, N. C.....	13,643	371	27.2	31.9
Hutchinson, Kans.....	9,379	189	20.2	(*)	Reading, Pa.....	78,961	1,401	17.7	14.4
Indianapolis, Ind.....	169,164	2,817	16.7	17.3	Richmond, Ind.....	18,226	292	16.0	(*)
Ironton, Ohio.....	11,868	221	18.6	(*)	Richmond, Va.....	85,050	2,523	29.7	26.7
Jacksonville, Fla.....	28,429	825	29.0	(*)	Sacramento, Cal.....	29,282	724	24.7	16.3
Jacksonville, Ill.....	15,078	329	21.8	11.4	St. Joseph, Mo.....	102,979	933	9.1	(*)
Jeffersonville, Ind.....	10,774	227	21.1	(*)	St. Louis, Mo.....	575,238	10,320	17.9	17.4
Johnstown, Pa.....	35,936	710	19.8	(*)	St. Paul, Minn.....	163,065	1,574	9.7	14.9
Kansas City, Mo.....	163,752	2,852	17.4	17.3	Salt Lake City, Utah.....	53,531	854	16.0	(*)
Keokuk, Iowa.....	14,641	279	19.1	14.7	San Antonio, Tex.....	53,321	1,257	23.6	23.4
Key West, Fla.....	17,114	486	28.4	(*)	San Diego, Cal.....	17,700	399	22.5	(*)
Lafayette, Ind.....	18,116	296	16.3	(*)	San Francisco, Cal.....	342,782	7,040	20.5	22.5
Lancaster, Pa.....	41,459	724	17.5	(*)	San Jose, Cal.....	21,500	334	15.5	24.9
Lawrence, Kans.....	10,862	179	16.5	(*)	Savannah, Ga.....	54,244	1,862	34.3	35.3
Leadville, Colo.....	12,455	351	28.2	(*)	Scranton, Pa.....	102,026	2,111	20.7	21.8
Leavenworth, Kans.....	20,735	419	20.2	(*)	Seattle, Wash.....	80,671	898	11.1	(*)
Lebanon, Pa.....	17,628	326	18.5	(*)	Shreveport, La.....	16,013	728	45.5	(*)
Lima, Ohio.....	21,723	377	17.4	(*)	Sioux City, Iowa.....	33,111	435	13.1	(*)
Lincoln, Nebr.....	40,169	476	11.8	(*)	South Bethlehem, Pa.....	13,241	256	19.3	(*)
Los Angeles, Cal.....	102,479	1,857	18.1	20.0	Spokane, Wash.....	36,848	511	13.9	(*)
Louisville, Ky.....	204,731	4,092	20.0	20.1	Springfield, Ill.....	34,159	642	18.8	(*)
Lynchburg, Va.....	18,891	523	27.7	26.6	Steelton, Pa.....	12,086	213	17.6	(*)
McKeesport, Pa.....	34,227	592	17.3	(*)	Superior, Wis.....	31,091	352	11.3	(*)
Madison, Wis.....	19,164	216	11.3	(*)	Tacoma, Wash.....	37,714	425	11.3	(*)
Mahanoy, Pa.....	13,504	360	26.7	(*)	Terre Haute, Ind.....	36,673	587	16.0	16.1
Manitowoc, Wis.....	11,786	168	14.3	(*)	Tiffin, Ohio.....	10,989	139	12.6	(*)
Mankato, Minn.....	10,599	159	15.0	(*)	Toledo, Ohio.....	131,822	2,112	16.0	18.9
Marietta, Ohio.....	13,348	182	13.6	(*)	Vincennes, Ind.....	10,249	196	19.1	(*)
Marquette, Wis.....	16,195	232	14.3	(*)	Warren, Ohio.....	8,529	143	16.8	(*)
Marshalltown, Iowa.....	11,544	181	15.7	(*)	Wheeling, W. Va.....	38,878	554	14.2	(*)
Massillon, Ohio.....	11,944	197	16.5	(*)	Wichita, Kans.....	24,671	390	15.8	(*)
Meadville, Pa.....	10,291	185	18.0	(*)	Wilkesbarre, Pa.....	51,721	857	16.6	(*)
Memphis, Tenn.....	102,320	2,572	25.1	25.3	Williamsport, Pa.....	28,757	345	12.0	(*)
Michigan City, Ind.....	14,850	210	14.1	(*)	Wilmington, Del.....	76,508	1,595	20.8	20.8
Middletown, Ohio.....	9,215	145	15.7	(*)	Wilmington, N. C.....	20,976	565	26.9	(*)
Milwaukee, Wis.....	285,315	4,550	15.9	18.8	Winona, Minn.....	19,714	276	14.0	(*)
Minneapolis, Minn.....	202,718	2,183	10.8	13.5	Youngstown, Ohio.....	44,885	745	16.6	(*)

* Nonregistration; data insufficient.

Reference was made in the introductory section to the decrease in the number of deaths registered in certain cities in each year since 1890, and to the correspondence with local health authorities concerning the general and local causes operating to reduce the number of deaths.

The facts developed are so important and instructive, and the possibilities in this direction through improved sanitary conditions and effective health regulations are so apparent that the figures are given for some of the principal cities below.

DEATHS REGISTERED IN CERTAIN CITIES: 1890-1900.

CITIES.	DEATH RATES, CENSUS YEAR.		NUMBER OF DEATHS REGISTERED IN EACH YEAR, AS REPORTED BY LOCAL REGISTERS.									
	1900	1890	1900	1899	1898	1897	1896	1895	1894	1893	1892	1891
Albany, N. Y.	19.3	25.5	1,789	1,994	1,904	2,022	2,105	2,343	2,580	2,142	2,565	2,390
Auburn, N. Y.	17.2	22.1	520	487	395	429	465	474	459	507	479	510
Boston, Mass.	20.1	23.4	11,671	11,167	10,886	11,154	11,634	11,329	11,520	11,710	11,236	10,571
Brockton, Mass.	13.2	15.2	555	458	458	473	601	486	481	459	405	429
Brooklyn, N. Y.	19.9	24.0	23,507	21,649	21,989	20,674	22,501	22,568	21,183	21,017	20,807	21,349
Buffalo, N. Y.	14.8	18.4	4,999	4,662	4,533	4,475	4,452	4,684	5,280	5,711	5,697	6,001
Chelsea, Mass.	18.7	20.2	648	699	674	695	675	699	760	674	699	735
Cincinnati, Ohio	19.1	21.0	5,412	6,000	5,585	5,565	5,916	6,096	5,945	6,092	6,015	6,635
Cleveland, Ohio	17.1	20.2	6,104	5,556	5,040	5,007	4,859	5,167	5,663	5,261	5,227	5,204
Hartford, Conn.	19.4	24.4	1,445	1,550	1,307	1,155	1,257	1,033	951	1,234	1,189	1,237
Jersey City, N. J.	20.7	25.6	4,198	3,926	3,727	3,735	4,407	4,497	4,320	4,541	4,633	4,386
Lawrence, Mass.	20.2	27.8	1,276	1,235	1,057	1,087	1,017	993	901	1,171	1,211	1,136
Lowell, Mass.	19.8	25.9	1,849	1,848	1,808	1,855	1,901	1,857	1,775	2,094	2,224	1,972
Newark, N. J.	19.8	27.4	4,824	4,714	4,303	4,023	4,716	4,616	4,614	4,903	5,593	5,064
New Haven, Conn.	17.2	18.8	1,967	1,717	1,843	1,768	2,019	1,890	1,717	2,037	1,780	1,677
New York, N. Y.	21.3	26.7	38,879	39,911	40,438	38,877	41,622	43,420	41,175	44,486	44,329	43,659
North Adams, Mass. ...	13.8	20.3	350	306	309	336	365	326	308	370	345	307
Rochester, N. Y.	15.0	17.3	2,271	2,290	2,192	2,080	2,295	2,356	2,205	2,606	2,772	2,506
Schenectady, N. Y.	15.1	22.2	(¹)	(¹)	352	355	435	435	433	474	568	582
Taunton, Mass.	19.8	21.7	667	671	558	588	583	498	575	580	606	456
Washington, D. C.	22.8	23.7	5,953	6,026	5,815	5,486	5,832	5,782	5,868	6,119	6,416	6,108
Yonkers, N. Y.	16.3	17.1	(¹)	(¹)	752	743	758	787	793	687	743	692

¹ Data not furnished.

The death rates given in the first and second columns of this table are for the census years 1890 and 1900, and are based upon the deaths as returned at the Eleventh and Twelfth censuses. The deaths for the years 1891 to 1899 represent the number reported by the local officials as registered in each of those years.

In reply to the request for a statement of the local causes operating to diminish the death rate some of the officers have supplied elaborate and careful analyses of the data, giving details of age, month, etc., that show conclusively the incidence and effect of improved methods of sanitation and health regulations upon the number of deaths recorded. These can not be given in full, but an abstract of the essential features of the causes assigned is appended.

ALBANY, N. Y.—The death rate in Albany for the census year 1890 was 25.5 per 1,000 of population. In 1900 it was 19.3. Among the causes which are assigned for the decrease in the death rate are the following: The general improvement of the city from extensive laying of new pavements and cleaning of streets; the thoroughness with which contagious diseases are regulated and infected premises fumigated and cleaned; and the introduction of a filtered water supply.

AUBURN, N. Y.—The death rate in Auburn in 1890 was 22.1; in 1900 it was 17.2. The decrease is reported as due in part to the extension of water mains and the discontinuance of the use of wells; the great extension

of the sewer system and the intelligent application of methods of modern sanitation.

BOSTON, MASS.—The death rate in the census year 1890 in Boston was 23.4; in 1900 it was 20.1. Causes assigned: Improved water supply; improved sewerage (main drainage and intercepting sewer around seaboard); abolition of the old vault system and the substitution of water-closets; additional public parks and improved health regulations.

BROCKTON, MASS.—Death rate in 1890, 15.2; in 1900, 13.2. The principal cause assigned for the decrease in the number of deaths and the death rate is the extension and improvement of the system of sewerage.

BROOKLYN, N. Y.—The death rate in 1890 was 24; in 1900 it was 19.9. The decrease is attributed in part to the purification of the water supply, particularly in the care given to prevent contamination of the watersheds; the removal or drainage of stagnant ponds; and supervision of the milk supply by which the poorer people were supplied with sterilized or pasteurized milk.

BUFFALO, N. Y.—The death rate in 1890 was 18.4; in 1900 it was 14.8. A very complete analysis of the death rate in Buffalo during the ten years, with tables showing the deaths in each year by ages and from certain causes, was supplied by Dr. Wende, health commissioner. From this it appears that the greatest decrease in deaths occurred in children under 5 years

of age, the largest percentage of decrease being in those under 1 year. This is attributed to preventive and remedial agencies, summarized as follows: Control of the milk supply by licensing and supervision of milk dealers; inspection of outside dairies supplying milk, and exclusion of the product of dairies in unsanitary condition; the enforcement of strict regulations requiring the immediate reporting of contagious diseases (among which tuberculosis is included), inspection of infected premises, and strict quarantine of the same during continuance of the disease, with complete disinfection after its termination.

One means of reducing the infant mortality is stated as consisting of a circular of instructions concerning the care of infants that was mailed to each mother in the case of every birth registered.

Vaccination of school children is obligatory. Free public baths are provided for bathing and laundry purposes; tenement and lodging houses are repeatedly inspected and made to comply with sanitary regulations. The discontinuance of privy vaults or any other than sanitary closets, and the condemnation and abandonment of all public and private wells had also a certain effect. Buffalo was given a practical object lesson in the influence of an impure water supply upon typhoid fever in 1894, when the board of public works, without knowledge of the health department, reopened an abandoned water inlet to relieve a scarcity of water. Within two months the entire water supply of the city was contaminated, and before its effects had been counteracted nearly 700 cases of typhoid fever were reported. The water was then drawn from the reservoirs, which were cleaned and thoroughly disinfected, the abandoned water inlet was sealed up, so as to render its further use impossible, and the strictest precautions were adopted to guard against further contamination.

Improvement in the system of sewerage, the extension of paved streets, and the regular cleaning of the same also contributed to the general result.

CHELSEA, MASS.—The death rate in 1890 was 20.2; in 1900, 18.7. The principal cause assigned is the great improvement in the system of sewerage.

CINCINNATI, OHIO.—The death rate in 1890 was 21 per 1,000; in 1900 it was 19.1. The decrease in the rate is attributed to improved sanitation and modern methods of isolating and treating cases of contagious disease.

CLEVELAND, OHIO.—Death rate in 1890, 20.2; in 1900, 17.1. The causes which have operated to reduce the death rate are stated as the rapid extension of a system of good water supply, the extension of the sewers, and the rapid connection made by property owners; and the thorough disinfecting by the health department, not only of the premises in which contagious diseases have occurred, but also of houses from and to which people move.

HARTFORD, CONN.—The death rate in 1890 was 24.4, and in 1900, 19.4. The decrease is attributed to improvement in the general sanitary conditions of the city, produced by the increased efficiency in the enforcement of proper health regulations.

JERSEY CITY, N. J.—Death rate in 1890, 25.6; in 1900, 20.7. The very notable decrease in the death rate of Jersey City in 1897 was coincident with the introduction of pure water supply from the Pequananac River. Introduction of an extensive system of sewerage was initiated about 1890, and has been carried on since that time.

LAWRENCE, MASS.—Death rate in 1890, 27.8; in 1900, 20.2. The principal reason assigned for the decrease in the rate is the substitution of pure filtered water for the polluted river water which was used prior to 1893. The effect of this is clearly seen in the immediate decrease in the number of deaths reported, beginning in 1894.

LOWELL, MASS.—Death rate in 1890, 25.9; in 1900, 19.8. Causes assigned: Improvement in system of water supply by substitution of pure water from a driven well, instead of the previous sources, thus materially lessening the mortality from typhoid fever; improvement of sewers, and almost entire freedom from vaults.

NEWARK, N. J.—The death rate of Newark in 1890 was 27.4; in 1900, it was 19.8. A very complete report upon the mortality in Newark during the decade is submitted by the health officer, including an analysis by Mr. F. L. Hoffman giving the mortality by ages and causes. The great decrease in the death rate is attributed generally to the advanced policy of the board of health along the line of preventive measures. In connection with this was the rapid increase in the number of miles of streets paved, and of miles of sewers constructed. As the sewers were extended, connection with adjoining houses was made compulsory. A complete system of house to house inspection by sanitary officers was conducted yearly, and plans made of every house and yard, showing the system of plumbing, location of sinks and cesspools, and their relation to the sewer system. Wells were abolished.

In 1892 the source of water supply was changed from the Passaic River by the introduction of water from the Pequananac watershed, and an immediate decrease is noted in the number of deaths, beginning with 1893. This decrease is particularly noticeable in the case of deaths from typhoid fever.

NEW HAVEN, CONN.—Death rate in 1890, 18.8; in 1900, 17.2. The decrease is attributed to the general improvement in the sanitary condition of the city and greater attention given to hygiene by the people.

NEW YORK CITY (OLD CITY), N. Y.—Death rate in 1890, 26.7; in 1900, 21.3. The decrease is attributed to the advance made in medical and surgical knowledge,

especially in the line of preventive medicine; improved sanitary surroundings and cleaner streets; and the stricter inspection of milk and food.

NORTH ADAMS, MASS.—The death rate in 1890 was 20.3; in 1900 it was 13.8. The causes assigned for this decrease in the death rate are the great improvement in the sanitary condition of the city; compulsory connection of houses with public sewers; improved regulations concerning the milk supply; and the rigid enforcement of the regulations of the board of health.

ROCHESTER, N. Y.—Death rate in 1890, 17.3; in 1900, 15. The decrease is reported as most marked in cases of diphtheria, typhoid fever, scarlet fever, and other diseases of children, and is attributed to the efforts of the health department in controlling infectious diseases, increased watchfulness of the milk supply, and the maintenance of a good supply of pure water by preventing pollution at its source.

SCHENECTADY, N. Y.—Death rate in 1890, 22.2; in 1900, 15.1. Causes assigned: Introduction of new system of water supply; extension of paved streets; sani-

tary inspection of buildings; and abandonment of vaults and wells.

TAUNTON, MASS.—Death rate in 1890, 21.7; in 1900, 19.8. Causes assigned: Increased observance of sanitary precautions by the people; advances in sanitary plumbing; and enforcement by the health authorities of regulations looking to the public health.

WASHINGTON, D. C.—The death rate in 1890 was 23.7; in 1900, it was 22.8. The decrease in the death rate is attributed to improved sanitary conditions, such as the extension of the sewer system and compulsory sewer connection; closing of wells; improved milk supply; and better observance of sanitary requirements by the people.

YONKERS, N. Y.—Death rate in 1890, 17.1; in 1900, 16.3. Causes assigned: Extension of the sewer system and connection of dwellings; reconstruction of streets; extension of asphalt and granite pavements, with a thorough cleaning of the same; the elimination of vaults and cesspools; and control of the milk supply.

SECTION V.

SEX IN RELATION TO DEATHS.

The total population enumerated within the boundaries of the United States on June 1, 1900, was 75,994,575. Of this number 38,816,451 were males, and 37,178,124 were females, the proportion of males to each 1,000 females being 1,044.

Of the 1,039,094 deaths reported 551,611 were males and 487,483 were females. This gives a proportion of 1,132 males to 1,000 females. In 1890 the proportion was 1,119 males to 1,000 females.

In England and Wales 581,799 deaths were registered during the year 1899, the division by sex being 299,472 males and 282,327 females, giving the proportion of 1,061 males to 1,000 females.

In the registration area of the United States 512,669 deaths were reported, 272,819 of which were males and 239,850 were females. The relative proportions of deaths of males to 1,000 deaths of females in each class, in this area, are shown in comparison with 1890 in the following table:

PROPORTION OF MALES PER 1,000 FEMALES.

CLASSES.	1900	1890
All classes.....	1,138	1,116
White	1,141	1,121
Native.....	1,126	1,095
Both parents native.....	1,061	1,026
One or both parents foreign.....	1,183	1,128
Foreign.....	1,146	1,170
Colored.....	1,092	1,081

The proportions of males per 1,000 females were greater than in 1890 in each class except the foreign white. The excess of deaths of males was least for the native white of native parents in both 1890 and 1900. It was greatest for the foreign white in 1890, and for the native white of foreign parents in 1900.

The proportions in the registration area and in the United States, as a whole, do not differ materially.

The following table shows the comparative death rates of males and females in the registration area and its subdivisions, and in each registration state, in 1890 and 1900:

DEATH RATES PER 1,000 OF POPULATION, BY SEX.

AREA,	DEATH RATE PER 1,000 OF POPULATION.			
	Males.		Females.	
	1900	1890	1900	1890
Registration record	19.0	20.8	16.6	18.5
Cities.....	20.0	22.4	17.2	19.6
States, total.....	18.1	20.4	16.5	18.5
Cities.....	19.8	23.7	17.5	20.7
Rural.....	15.8	15.7	15.0	15.0
Cities in other states.....	20.2	21.3	16.9	18.6
Registration states:				
Connecticut.....	17.4	19.4	16.6	17.7
Delaware.....	(*)	19.1	(*)	17.3
District of Columbia.....	24.8	26.2	21.1	21.3
Maine.....	17.9	(*)	17.0	(*)
Massachusetts.....	18.5	19.8	17.0	18.7
Michigan.....	14.5	(*)	13.2	(*)
New Hampshire.....	17.8	18.4	18.1	18.0
New Jersey.....	18.5	20.7	16.2	18.6
New York.....	19.0	20.9	16.9	18.4
Rhode Island.....	19.6	21.6	18.5	20.3
Vermont.....	16.8	15.2	17.2	16.5

* Nonregistration; data insufficient for rates.

These figures show that in each subdivision of the registration area the death rate of males was greater than that of females, the excess in the entire registration area being 2.4 per 1,000. The greatest excess (3.3 per 1,000) occurred in the cities in the nonregistration states.

The death rate of males also exceeded that of females in each registration state except Vermont, where the excess in the death rate of females was 0.4 per 1,000, and New Hampshire, where the excess in the death rate of females was 0.3 per 1,000.

In comparison with 1890 the death rates of both sexes show a decided decrease in all of the areas except in the rural part of the registration states, where the death rate of females (15.0) was exactly the same, and that of males (15.8) was 0.1 per 1,000 higher, and in New Hampshire and Vermont. In New Hampshire the death rate of females (18.1) was 0.1 per 1,000 higher

SEX IN RELATION TO DEATHS.

lxv

than in 1890, and in Vermont the death rate of males (16.8) was 1.6 per 1,000 higher and that of females (17.2) was 0.7 per 1,000 higher than in 1890. These apparent increases in the death rates in New Hampshire and Vermont are probably due to a deficiency in the returns in 1890 and not to any actual increase in the mortality of either sex.

In the following table the death rates of males and females in 1890 and 1900 are given for each registration city:

DEATH RATES IN 1890 AND 1900.

AREA.	DEATH RATE PER 1,000 OF POPULATION.			
	Males.		Females.	
	1900	1890	1900	1890
Cities in registration states:				
Adams town, Mass	17.1	21.0	15.1	18.6
Albany, N. Y.	19.9	28.2	18.6	23.0
Amesbury town, Mass	16.8	14.2	13.7	11.2
Amsterdam, N. Y.	16.8	20.6	15.4	18.1
Ann Arbor, Mich.	13.8	(*)	11.7	(*)
Ansonia town, Conn	18.8	(¹)	16.9	(¹)
Arlington town, Mass	16.0	20.7	15.0	16.2
Atlantic City, N. J.	17.6	25.8	15.9	24.4
Attleboro town, Mass	13.8	14.6	14.4	17.0
Auburn, N. Y.	17.5	21.1	16.8	23.2
Augusta, Me	26.5	(*)	26.3	(*)
Bangor, Me	18.1	(*)	14.5	(*)
Barre, Vt.	17.7	(¹)	19.8	(¹)
Bath, Me	13.2	(*)	14.7	(*)
Battle Creek, Mich.	15.1	(*)	12.0	(*)
Bay City, Mich.	15.2	(*)	10.3	(*)
Bayonne, N. J.	16.9	19.7	16.4	20.9
Bennington town, Vt	16.2	(¹)	15.5	(¹)
Berlin, N. H.	16.4	(¹)	17.1	(¹)
Beverly, Mass	14.1	15.3	15.4	14.0
Biddeford, Me	27.0	(*)	19.8	(*)
Binghamton, N. Y.	18.9	17.8	16.5	16.3
Boston, Mass	20.8	24.5	19.4	22.4
Bridgeport, Conn.	18.6	21.6	15.9	16.9
Bridgeton, N. J.	14.8	17.4	13.9	15.2
Bristol town, Conn.	13.0	(¹)	17.9	(¹)
Brockton, Mass	14.3	14.1	12.1	16.2
Brookline town, Mass	16.0	11.6	10.9	9.1
Buffalo, N. Y.	15.9	19.8	13.7	16.9
Burlington, Vt	19.1	16.7	18.2	16.8
Cambridge, Mass	18.9	18.9	18.1	18.3
Camden, N. J.	17.1	23.3	15.5	22.3
Central Falls, R. I.	16.5	(¹)	15.4	(¹)
Chelsea, Mass	19.7	19.3	17.7	21.0
Chicopee, Mass	21.6	22.4	20.1	20.0
Clinton town, Mass	16.9	8.0	15.9	8.5
Cohoes, N. Y.	21.6	22.8	19.1	20.5
Concord, N. H.	17.8	18.8	18.6	19.3
Corning, N. Y.	19.5	15.0	16.5	12.6
Cortland, N. Y.	13.0	14.8	13.6	13.6
Danbury town, Conn	17.4	24.5	15.5	14.9
Danvers town, Mass	16.3	27.2	19.2	25.7
Detroit, Mich	18.1	19.3	16.2	18.1
Dover, N. H.	20.5	21.1	18.5	22.2
Dunkirk, N. Y.	15.7	11.4	13.9	7.3
Elizabeth, N. J.	19.0	20.0	15.9	18.2
Elmira, N. Y.	16.4	17.7	14.4	17.6
Escanaba, Mich	24.9	(*)	13.9	(*)
Everett, Mass	14.9	16.0	16.8	16.3
Fall River, Mass	23.8	23.1	21.0	23.3
Fitchburg, Mass	15.2	17.5	12.0	16.3
Flint, Mich	14.7	(*)	13.6	(*)

* Nonregistration; data insufficient for rates.

¹ Deaths not separately reported.

DEATH RATES IN 1890 AND 1900—Continued.

AREA.	DEATH RATE PER 1,000 OF POPULATION.			
	Males		Females.	
	1900	1890	1900	1890
Cities in registration states—Cont'd.				
Framingham town, Mass	17.9	17.7	15.8	12.9
Gardner town, Mass	15.9	19.8	22.3	20.3
Geneva, N. Y.	14.3	17.1	15.0	16.3
Glens Falls, N. Y.	18.4	17.9	19.9	17.5
Gloucester, Mass	14.7	10.0	15.0	15.5
Gloversville, N. Y.	11.8	15.9	11.9	11.5
Grand Rapids, Mich	16.1	(*)	12.7	(*)
Greenwich town, Conn	17.7	(¹)	16.1	(¹)
Harrison town, N. J.	21.8	33.0	22.4	24.5
Hartford, Conn	19.1	25.6	19.6	23.3
Haverhill, Mass	16.0	15.8	14.3	13.1
Hoboken, N. J.	24.0	28.4	18.2	23.3
Holyoke, Mass	18.1	24.4	17.8	21.4
Hudson, N. Y.	27.2	24.7	17.4	18.8
Hyde Park town, Mass	17.1	16.7	15.4	15.9
Iron Mountain, Mich	14.5	(*)	11.6	(*)
Ironwood, Mich	15.1	(*)	10.3	(*)
Ishpeming, Mich	15.9	(*)	13.5	(*)
Ithaca, N. Y.	14.0	11.9	18.3	13.6
Jackson, Mich	14.3	(*)	12.6	(*)
Jamestown, N. Y.	13.2	14.6	12.0	11.2
Jersey City, N. J.	22.0	28.0	19.5	23.3
Johnstown, N. Y.	16.3	24.5	10.6	14.4
Kalamazoo, Mich	19.6	(*)	14.7	(*)
Keene, N. H.	13.7	19.7	13.6	16.6
Kingston, N. Y.	17.6	22.5	18.4	21.1
Laconia, N. H.	22.8	(¹)	18.1	(¹)
Lansing, Mich	14.0	(*)	14.2	(*)
Lansingburg, N. Y.	21.1	21.8	18.5	17.4
Lawrence, Mass	21.3	27.2	19.1	28.3
Leominster town, Mass	13.0	13.4	15.4	15.4
Lockport, N. Y.	16.6	12.4	14.7	10.4
Lowell, Mass	20.8	26.1	18.8	25.7
Lynn, Mass	17.5	17.7	15.4	16.2
Malden, Mass	14.1	13.0	14.7	12.0
Manchester, N. Y.	19.5	20.7	18.9	18.0
Manchester town, Conn	13.5	(¹)	10.4	(¹)
Marlboro, Mass	16.7	21.7	15.5	20.0
Marquette, Mich	19.0	(*)	14.0	(*)
Medford, Mass	14.3	18.1	14.5	13.2
Melrose, Mass	16.5	11.8	13.2	11.5
Menominee, Mich	14.9	(*)	12.9	(*)
Meriden town, Conn	14.8	(¹)	13.7	(¹)
Middletown, N. Y.	17.2	21.7	17.6	19.5
Middletown town, Conn	16.5	(¹)	16.6	(¹)
Milford town, Mass	19.4	18.0	16.8	14.0
Millville, N. J.	15.3	19.1	18.0	16.6
Montclair town, N. J.	15.3	(¹)	15.7	(¹)
Morristown town, N. J.	20.5	20.3	14.1	14.0
Mt. Vernon, N. Y.	20.2	25.5	18.6	23.3
Muskegon, Mich	13.3	22.4	11.2	17.3
Nashua, N. H.	20.6	17.1	19.6	14.4
Natick town, Mass	17.5	17.8	10.8	16.3
Naugatuck town, Conn	16.4	(¹)	17.6	(¹)
Newark, N. J.	21.7	29.3	17.9	25.5
New Bedford, Mass	20.2	23.3	16.9	21.8
New Britain town, Conn	17.1	(¹)	17.2	(¹)
New Brunswick, N. J.	22.3	17.9	20.2	18.9
Newburg, N. Y.	19.4	19.8	20.6	17.8
Newburyport, Mass	21.8	22.1	21.4	21.9
New Haven town, Conn	17.7	19.6	16.8	18.0
New London, Conn	21.0	20.7	18.4	18.9
Newport, R. I.	20.5	18.2	17.7	17.9
New Rochelle, N. Y.	18.0	(¹)	15.4	(¹)
Newton, Mass	16.0	16.2	12.9	13.8
New York city, N. Y.	22.0	27.5	18.9	23.3
Bronx borough	19.4	22.9	16.7	19.2

DEATH RATES IN 1890 AND 1900—Continued.

AREA.	DEATH RATE PER 1,000 OF POPULATION.				AREA.	DEATH RATE PER 1,000 OF POPULATION.			
	Males.		Females.			Males.		Females.	
	1900	1890	1900	1890		1900	1890	1900	1890
Cities in registration states—Cont'd.					Cities in registration states—Cont'd.				
New York city, N. Y.—Continued.					West Bay City, Mich.....	17.1	(*)	12.7	(*)
Brooklyn borough.....	21.0	25.9	18.9	22.2	Westfield town, Mass.....	19.9	17.0	18.4	14.5
Manhattan borough.....	23.1	29.0	19.4	24.4	Weymouth town, Mass.....	18.4	17.2	17.5	12.7
Queens borough.....	18.3	25.7	16.2	23.9	Windham town, Conn.....	16.9	(1)	17.2	(1)
Richmond borough.....	23.1	22.5	17.6	16.8	Woburn, Mass.....	18.4	17.3	15.5	16.7
Niagara Falls, N. Y.....	15.0	(1)	15.5	(1)	Woonsocket, R. I.....	18.9	26.8	17.8	20.9
North Adams, Mass.....	13.8	20.8	13.8	19.9	Worcester, Mass.....	16.0	18.5	15.0	17.5
Northampton, Mass.....	17.4	18.5	13.2	15.6	Yonkers, N. Y.....	18.2	19.7	14.5	14.7
Norwalk town, Conn.....	15.0	(1)	15.0	(1)					
Norwich town, Conn.....	16.3	(1)	16.6	(1)	Cities in other states:				
Ogdensburg, N. Y.....	16.9	18.9	15.5	18.5	Alameda, Cal.....	15.2	29.2	12.1	17.3
Olean, N. Y.....	10.8	13.2	14.3	11.8	Alexandria, Va.....	26.1	(*)	22.5	(*)
Orange, N. J.....	23.7	25.1	17.2	20.8	Allegheny, Pa.....	19.9	19.0	16.7	17.3
Owosso, Mich.....	15.5	(*)	12.4	(*)	Allentown, Pa.....	20.1	(*)	16.5	(*)
Passaic, N. J.....	21.5	16.9	19.2	16.5	Altoona, Pa.....	22.9	17.6	15.8	17.6
Paterson, N. J.....	20.8	23.4	17.2	21.0	Annapolis, Md.....	19.6	(*)	20.4	(*)
Pawtucket, R. I.....	18.3	24.3	18.6	22.5	Appleton, Wis.....	14.8	(*)	8.6	(*)
Peabody town, Mass.....	16.6	12.3	15.5	13.8	Ashtabula, Ohio.....	19.7	(*)	13.9	(*)
Peekskill, N. Y.....	21.4	14.8	18.6	11.6	Atlanta, Ga.....	30.3	23.5	23.3	21.9
Perth Amboy, N. J.....	14.6	18.1	13.6	15.3	Aurora, Ill.....	16.9	19.3	13.2	19.3
Phillipsburg town N. J.....	17.5	17.3	14.6	14.6	Baltimore, Md.....	22.3	24.3	19.8	21.6
Pittsfield, Mass.....	16.0	10.9	15.1	8.0	Bellaire, Ohio.....	18.5	(*)	15.1	(*)
Plainfield, N. J.....	19.4	17.2	12.6	17.7	Belleville, Ill.....	17.2	(*)	13.6	(*)
Plymouth town, Mass.....	17.3	21.5	18.7	25.4	Beloit, Wis.....	13.7	(*)	15.4	(*)
Pontiac, Mich.....	15.8	(*)	12.4	(*)	Burlington, Iowa.....	19.7	(*)	13.6	(*)
Port Huron, Mich.....	13.9	(*)	11.0	(*)	Canton, Ohio.....	14.0	(*)	12.6	(*)
Port Jervis, N. Y.....	18.5	19.9	13.5	11.1	Carbondale, Pa.....	25.0	(*)	18.7	(*)
Portland, Me.....	24.5	(*)	19.7	(*)	Carlisle, Pa.....	25.5	(*)	18.1	(*)
Portsmouth, N. H.....	18.5	21.9	15.6	18.7	Charleston, S. C.....	42.2	40.7	33.5	35.0
Poughkeepsie, N. Y.....	19.7	21.9	21.5	18.8	Chicago, Ill.....	17.5	20.1	14.8	17.9
Providence, R. I.....	20.8	22.2	19.0	20.1	Chillicothe, Ohio.....	21.1	16.4	21.6	16.2
Quincy, Mass.....	16.5	18.5	14.1	20.0	Chippewa Falls, Wis.....	13.5	(*)	11.2	(*)
Revere town, Mass.....	15.9	8.6	15.3	9.1	Cincinnati, Ohio.....	21.5	23.2	16.8	18.9
Rochester, N. H.....	23.4	(1)	21.0	(1)	Cleveland, Ohio.....	18.7	21.6	15.4	18.8
Rochester, N. Y.....	15.8	18.8	14.3	15.9	Columbia, Pa.....	19.6	(*)	19.2	(*)
Rockland, Me.....	22.5	(*)	13.7	(*)	Columbus, Ind.....	19.0	(*)	20.8	(*)
Rome, N. Y.....	20.3	25.1	14.6	20.1	Columbus, Ohio.....	17.1	15.9	14.4	13.5
Rutland, Vt.....	18.1	(1)	15.2	(1)	Covington, Ky.....	23.3	(*)	17.5	(*)
Saginaw, Mich.....	15.6	(*)	11.0	(*)	Danville, Ill.....	23.7	(*)	14.6	(*)
Salem, Mass.....	23.1	22.5	20.8	22.6	Davenport, Iowa.....	17.6	18.5	14.4	14.5
Saratoga Springs, N. Y.....	21.0	22.9	21.7	18.8	Dayton, Ohio.....	17.2	15.4	15.7	14.8
Sault Ste. Marie, Mich.....	16.3	(*)	14.5	(*)	Decatur, Ill.....	19.0	(*)	15.3	(*)
Schenectady, N. Y.....	14.5	21.7	15.9	22.6	Denver, Colo.....	21.5	23.8	15.7	22.0
Somerville, Mass.....	15.2	18.2	15.5	15.9	Du Bois, Pa.....	14.1	(*)	13.9	(*)
Southbridge town, Mass.....	21.5	23.7	19.2	20.9	Duluth, Minn.....	14.6	(*)	11.3	(*)
Springfield, Mass.....	17.3	19.6	16.8	18.8	Easton, Pa.....	18.7	(*)	14.8	(*)
Stamford town, Conn.....	19.4	(1)	14.6	(1)	Eau Claire, Wis.....	16.1	(*)	13.3	(*)
Stonington town, Conn.....	17.7	(1)	16.1	(1)	Erie, Pa.....	17.3	18.4	13.0	16.4
Syracuse, N. Y.....	14.8	21.6	12.8	17.7	Evansville, Ind.....	19.9	16.2	15.7	14.4
Taunton, Mass.....	22.4	21.6	17.3	21.9	Findlay, Ohio.....	16.1	(*)	15.1	(*)
Torrington town, Conn.....	13.5	(1)	15.9	(1)	Frederick, Md.....	21.2	(*)	18.8	(*)
Traverse City, Mich.....	16.3	(*)	15.1	(*)	Fresno, Cal.....	15.6	10.9	14.2	10.2
Trenton, N. J.....	16.6	18.6	15.4	15.3	Galesburg, Ill.....	16.6	18.0	12.6	13.0
Troy, N. Y.....	26.6	29.1	19.9	25.1	Green Bay, Wis.....	19.0	(*)	14.8	(*)
Town of Union, N. J.....	14.2	22.6	13.1	20.2	Hamilton, Ohio.....	15.7	17.2	13.5	18.2
Utica, N. Y.....	19.7	23.4	15.6	20.9	Harrisburg, Pa.....	20.3	(*)	15.5	(*)
Vernon town, Conn.....	11.7	(1)	18.0	(1)	Hazleton, Pa.....	15.6	(*)	13.2	(*)
Wakefield town, Mass.....	16.3	14.4	12.9	15.9	Helena, Mont.....	15.5	(*)	13.1	(*)
Wallingford town, Conn.....	18.0	(1)	12.6	(1)	Hutchinson, Kans.....	20.0	(*)	20.3	(*)
Waltham, Mass.....	13.7	17.2	14.3	12.2	Indianapolis, Ind.....	17.2	18.2	16.1	16.4
Ware town, Mass.....	13.9	18.4	13.2	16.4	Ironton, Ohio.....	20.3	(*)	17.0	(*)
Washington, D. C. ²	24.8	26.2	21.1	21.3	Jacksonville, Fla.....	33.3	(*)	25.0	(*)
Waterbury town, Conn.....	17.1	(1)	16.8	(1)	Jacksonville, Ill.....	24.9	11.6	19.0	11.1
Watertown, N. Y.....	16.9	16.3	15.9	19.8	Jeffersonville, Ind.....	22.5	(*)	19.7	(*)
Watertown town, Mass.....	16.2	16.3	13.3	14.1	Johnstown, Pa.....	21.5	(*)	17.7	(*)
Watervliet, N. Y.....	21.2	(1)	17.4	(1)	Kansas City, Mo.....	18.8	17.1	16.0	17.5
Webster town, Mass.....	15.3	23.9	17.9	23.4	Keokuk, Iowa.....	20.4	15.6	17.8	13.8

* Nonregistration; data insufficient for rates.

¹ Deaths not separately reported.² Coextensive with District of Columbia.

SEX IN RELATION TO DEATHS.

lxvii

DEATH RATES IN 1890 AND 1900—Continued.

AREA.	DEATH RATE PER 1,000 OF POPULATION.				AREA.	DEATH RATE PER 1,000 OF POPULATION.			
	Males.		Females.			Males.		Females.	
	1900	1890	1900	1890		1900	1890	1900	1890
Cities in other states—Continued.					Cities in other states—Continued.				
Key West, Fla.....	33.2	(*)	23.8	(*)	Salt Lake City, Utah.....	18.8	(*)	13.3	(*)
Lafayette, Ind.....	18.5	(*)	14.4	(*)	San Antonio, Tex.....	27.7	28.3	19.6	18.1
Lancaster, Pa.....	20.0	(*)	15.3	(*)	San Diego, Cal.....	26.7	(*)	18.5	(*)
Lawrence, Kans.....	16.8	(*)	16.2	(*)	San Francisco, Cal.....	23.6	25.2	16.9	18.9
Leadville, Colo.....	32.5	(*)	22.1	(*)	San Jose, Cal.....	18.6	28.7	12.8	20.9
Leavenworth, Kans.....	21.4	(*)	19.1	(*)	Savannah, Ga.....	38.6	37.5	30.4	33.2
Lebanon, Pa.....	19.0	(*)	18.1	(*)	Scranton, Pa.....	21.8	22.9	19.6	20.7
Lima, Ohio.....	18.8	(*)	15.9	(*)	Seattle, Wash.....	12.1	(*)	9.5	(*)
Lincoln, Nebr.....	12.6	(*)	11.0	(*)	Shreveport, La.....	53.9	(*)	37.4	(*)
Los Angeles, Cal.....	22.2	22.3	14.2	17.4	Sioux City, Iowa.....	14.2	(*)	12.0	(*)
Louisville, Ky.....	21.2	22.0	18.9	18.3	South Bethlehem, Pa.....	19.6	(*)	19.0	(*)
Lynchburg, Va.....	29.5	27.1	26.3	26.3	Spokane, Wash.....	14.5	(*)	13.1	(*)
McKeesport, Pa.....	17.3	(*)	17.3	(*)	Springfield, Ill.....	21.0	(*)	16.7	(*)
Madison, Wis.....	12.5	(*)	10.1	(*)	Steelton, Pa.....	16.2	(*)	19.7	(*)
Mahanoy City, Pa.....	29.8	(*)	23.2	(*)	Superior, Wis.....	11.9	(*)	10.6	(*)
Manitowoc, Wis.....	15.5	(*)	13.1	(*)	Tacoma, Wash.....	12.5	(*)	9.7	(*)
Mankato, Minn.....	19.0	(*)	11.2	(*)	Terre Haute, Ind.....	16.9	17.0	15.2	15.1
Marietta, Ohio.....	15.2	(*)	12.1	(*)	Tiffin, Ohio.....	11.5	(*)	13.7	(*)
Marinette, Wis.....	14.7	(*)	13.9	(*)	Toledo, Ohio.....	16.6	19.8	15.4	18.0
Marshalltown, Iowa.....	18.5	(*)	12.9	(*)	Vincennes, Ind.....	17.0	(*)	21.1	(*)
Massillon, Ohio.....	18.2	(*)	14.7	(*)	Warren, Ohio.....	19.1	(*)	14.6	(*)
Meadville, Pa.....	20.2	(*)	16.1	(*)	Wheeling, W. Va.....	15.8	(*)	12.8	(*)
Memphis, Tenn.....	27.5	29.7	22.7	20.9	Wichita, Kans.....	17.4	(*)	14.3	(*)
Michigan City, Ind.....	14.5	(*)	13.7	(*)	Wilkesbarre, Pa.....	19.1	(*)	14.1	(*)
Middletown, Ohio.....	18.6	(*)	13.0	(*)	Williamsport, Pa.....	12.9	(*)	11.2	(*)
Milwaukee, Wis.....	17.8	20.0	14.2	17.6	Wilmington, Del.....	22.2	22.4	19.4	19.2
Minneapolis, Minn.....	11.2	13.6	10.3	13.5	Wilmington, N. C.....	30.3	(*)	24.1	(*)
Mobile, Ala.....	30.5	34.9	21.8	26.5	Winona, Minn.....	15.6	(*)	12.5	(*)
Mt. Carmel, Pa.....	22.5	(*)	22.3	(*)	Youngstown, Ohio.....	17.7	(*)	15.4	(*)
Muncie, Ind.....	13.4	(*)	13.9	(*)					
Muscatine, Iowa.....	21.0	16.6	13.2	14.8					
Nashville, Tenn.....	27.1	19.3	23.6	16.4					
Natchez, Miss.....	50.0	(*)	31.6	(*)					
Newark, Ohio.....	16.9	(*)	12.7	(*)					
Newcastle, Pa.....	17.5	(*)	13.1	(*)					
New Orleans, La.....	33.2	30.4	24.9	22.6					
Newport, Ky.....	23.0	(*)	17.7	(*)					
Norfolk, Va.....	26.9	(*)	23.5	(*)					
Norristown, Pa.....	25.2	24.3	22.1	23.5					
Oakland, Cal.....	18.1	18.6	15.4	16.7					
Oil City, Pa.....	17.6	(*)	12.4	(*)					
Omaha, Nebr.....	14.7	9.1	12.2	9.9					
Oskaloosa, Iowa.....	18.9	(*)	17.3	(*)					
Ottawa, Ill.....	16.4	17.4	12.1	14.2					
Ottumwa, Iowa.....	20.4	(*)	14.5	(*)					
Paducah, Ky.....	30.4	22.6	25.2	15.2					
Peru, Ind.....	16.2	(*)	15.9	(*)					
Petersburg, Va.....	36.2	34.1	26.8	29.5					
Philadelphia, Pa.....	22.7	22.7	19.8	19.9					
Phoenixville, Pa.....	22.3	(*)	21.8	(*)					
Pittsburg, Pa.....	22.1	21.6	17.7	18.5					
Pittston, Pa.....	25.1	(*)	18.5	(*)					
Plymouth, Pa.....	23.6	(*)	18.1	(*)					
Portland, Oreg.....	9.3	(*)	9.7	(*)					
Portsmouth, Ohio.....	19.9	17.7	16.9	10.7					
Pottstown, Pa.....	17.4	(*)	17.7	(*)					
Pottsville, Pa.....	17.8	(*)	13.5	(*)					
Pueblo, Colo.....	25.5	(*)	20.0	(*)					
Quincy, Ill.....	17.0	(*)	13.8	(*)					
Raleigh, N. C.....	28.9	34.3	25.7	29.5					
Reading, Pa.....	19.3	15.6	16.2	13.3					
Richmond, Ind.....	16.0	(*)	16.1	(*)					
Richmond, Va.....	33.5	28.8	26.2	24.8					
Sacramento, Cal.....	29.2	18.4	19.5	13.5					
St. Joseph, Mo.....	8.8	(*)	9.4	(*)					
St. Louis, Mo.....	20.0	19.2	15.8	15.5					
St. Paul, Minn.....	9.8	15.3	9.5	14.5					

* Nonregistration; data insufficient for rates.

In comparing the death rates of different cities given in the preceding table, the difference in the distribution of the population and the relative proportions of colored and of native and foreign whites in each should be taken into consideration. The percentage of each of these classes of population in the registration cities is given in Section VI, relating to color and race.

The following table shows, for the registration area, the proportions of deaths of males to 1,000 deaths of females, from each of certain specified causes, at all ages and under 5 years, in 1890 and 1900:

CAUSES.	1900		1890	
	All ages.	Under 5.	All ages.	Under 5.
Alcoholism.....	4,601		3,640	
Suicide.....	3,416		3,535	
Accidents and injuries.....	3,172	1,278	3,238	1,379
Tetanus and trismus.....	2,207	1,535	1,554	1,391
Appendicitis.....	1,679	1,379		
Diseases of the liver.....	1,463	1,422	1,388	1,565
Typhoid fever.....	1,361	950	1,352	1,254
Erysipelas.....	1,347	1,038	1,101	878
Angina pectoris.....	1,346		1,319	
Diseases of the bones and joints.....	1,333	1,424	1,430	1,491

* Nonregistration; data insufficient for rates.

* Nonregistration; data insufficient for rates.

In comparing the death rates of different cities given in the preceding table, the difference in the distribution of the population and the relative proportions of colored and of native and foreign whites in each should be taken into consideration. The percentage of each of these classes of population in the registration cities is given in Section VI, relating to color and race.

The following table shows, for the registration area, the proportions of deaths of males to 1,000 deaths of females, from each of certain specified causes, at all ages and under 5 years, in 1890 and 1900:

NUMBER OF DEATHS OF MALES TO 1,000 DEATHS OF FEMALES FROM CERTAIN CAUSES.

CAUSES.	1900		1890	
	All ages.	Under 5.	All ages.	Under 5.
Alcoholism.....	4,601		3,640	
Suicide.....	3,416		3,535	
Accidents and injuries.....	3,172	1,278	3,238	1,379
Tetanus and trismus.....	2,207	1,535	1,554	1,391
Appendicitis.....	1,679	1,379		
Diseases of the liver.....	1,463	1,422	1,388	1,565
Typhoid fever.....	1,361	950	1,352	1,254
Erysipelas.....	1,347	1,038	1,101	878
Angina pectoris.....	1,346		1,319	
Diseases of the bones and joints.....	1,333	1,424	1,430	1,491
Pleurisy.....	1,277	1,447	1,489	1,490

NUMBER OF DEATHS OF MALES TO 1,000 DEATHS OF FEMALES FROM
CERTAIN CAUSES—Continued.

CAUSES.	1900		1890	
	All ages.	Under 5.	All ages.	Under 5.
Inflammation of the brain and meningitis.....	1,271	1,253	1,191	1,175
Venereal diseases.....	1,266	1,141	1,267	1,227
Diseases of the brain.....	1,264	1,394	1,365	1,228
Diseases of the kidney (including Bright's).....	1,262	1,167	1,297	1,306
Epilepsy.....	1,255	1,212	1,398	1,576
Convulsions.....	1,242	1,298	1,186	1,217
Cerebro-spinal fever.....	1,236	1,309	1,151	1,287
Hydrocephalus.....	1,225	1,193	1,317	1,331
Consumption.....	1,179	1,195	1,087	1,105
Pneumonia.....	1,177	1,214	1,220	1,168
Diseases of the spinal cord.....	1,172	1,511	1,380	1,163
Croup.....	1,172	1,238	1,168	1,193
Asthma.....	1,117	1,240	1,100	1,400
Paralysis.....	1,114	1,124	959	1,025
Diarrheal diseases.....	1,110	1,184	1,077	1,140
Diabetes.....	1,089	1,044	1,312	
Heart disease.....	1,088	1,231	1,071	1,241
Malarial fever.....	1,065	975	1,029	1,052
Apoplexy.....	1,048	1,243	1,058	980
Diseases of the digestive system.....	1,039	1,247	1,047	1,231
Scarlet fever.....	1,030	1,061	919	932
Rheumatism.....	981	900	1,072	1,121
Measles.....	971	1,031	991	1,029
Bronchitis.....	970	1,217	971	1,107
Diphtheria.....	970	1,058	968	1,069
Dropsy.....	920	1,571	868	1,442
Scrofula and tabes.....	894	1,217	989	1,113
Whooping cough.....	881	902	804	824
Influenza.....	750	1,069		

NUMBER OF DEATHS OF MALES TO 1,000 DEATHS OF FEMALES FROM
CERTAIN CAUSES—Continued.

CAUSES.	1900		1890	
	All ages.	Under 5.	All ages.	Under 5.
Tumor.....	713	1,116	808	1,360
Cancer.....	586	1,375	529	1,625
Peritonitis.....	576	1,254	710	1,324

The greatest proportions of deaths of males in 1900, occurred from alcoholism (4,601), suicide (3,416), accidents and injuries (3,172), tetanus and trismus nascentium (2,207), appendicitis (1,679), diseases of the liver (1,463), typhoid fever (1,361), erysipelas (1,347), angina pectoris (1,346), diseases of the bones and joints (1,333), pleurisy (1,277), inflammation of the brain and meningitis (1,271), and venereal diseases (1,266).

The proportions of deaths of males were least from croup (1,172), asthma (1,117), diarrheal diseases (1,110), diabetes (1,089), heart disease (1,088), malarial fever (1,065), apoplexy (1,048), diseases of the digestive system (1,039), and scarlet fever (1,030).

In addition to those causes of death peculiar to females, excessive proportions of deaths of females occurred from rheumatism, measles, bronchitis, diphtheria, dropsy, scrofula and tabes, whooping cough, influenza, cancer, tumor, and peritonitis.

The relative proportions in 1890 and 1900 do not differ materially either in the aggregate or under 5 years.

SECTION VI.

COLOR AND RACE IN RELATION TO DEATHS.

The distribution of the population in the registration area and its subdivisions by color, race, and birthplaces of mothers, and the comparative proportions of each class in certain principal age groups are given in section 1, relating to population.

Table 6, Part II, gives the deaths in the United States, the registration area and its subdivisions, and in each state and territory at each age, by sex, color, general nativity, parent nativity, and birthplaces of mothers.

Table 19, Part I, gives the population and deaths at all ages, under 1, and under 5 years, and the number of deaths from certain principal causes, in the United States, the registration areas, each state and territory, each state group of the registration states, and certain principal cities, by color, general nativity, and parent nativity.

The term "colored" as used in this discussion and in the tabular statistics includes all persons of negro descent, Indians, Chinese, and Japanese.

The term "race" as used in this connection includes nationality, as indicated by the country of birth. To show the relation of nationality to deaths the birthplace of the mothers of decedents is used as best indicating the influence of national characteristics or inherited tendencies. The birthplaces of the decedents themselves would be of comparatively little value for this purpose, because most of those of foreign nationality would be adult persons, and their children would generally be classed as Americans.

Of 28,807,269 population in the entire registration area on June 1, 1900, 27,555,800 were white, 1,180,546 were negroes, 14,010 were Indians, 48,565 were Chinese, and 8,348 were Japanese. The 512,669 deaths in this area during the census year were distributed as follows: White, 475,640; negro, 35,710; Indian, 319; Chinese, 914; Japanese, 86.

The population, deaths, and death rates of the above-mentioned races, in the registration area and its subdivisions, are shown in the following table:

POPULATION, DEATHS, AND DEATH RATES, BY RACE.

AREAS.	White.	Negro.	Indian.	Chinese.	Japanese.
Registration record:					
Population	27,555,800	1,180,546	14,010	48,565	8,348
Deaths	475,640	35,710	319	914	86
Death rate	17.3	30.2	22.8	18.8	10.3
Registration cities:					
Population	20,503,666	1,100,501	1,198	46,996	8,270
Deaths	367,430	34,178	60	912	86
Death rate	17.9	31.1	50.1	19.4	10.4
Registration states:					
Population	17,086,319	330,693	13,296	13,461	511
Deaths	292,618	8,650	270	129	3
Death rate	17.1	26.2	20.3	9.6	5.9
Cities in registration states:					
Population	10,034,185	250,648	484	11,892	433
Deaths	184,408	7,118	11	127	3
Death rate	18.4	28.4	22.7	10.7	6.9
Rural part of registration states:					
Population	7,052,134	80,045	12,812	1,569	78
Deaths	108,210	1,532	259	2	
Death rate	15.3	19.1	20.2	1.3	
Registration cities in other states:					
Population	10,469,481	849,853	714	35,104	7,837
Deaths	188,022	27,060	49	785	83
Death rate	17.5	31.8	68.6	22.4	10.6

It will be seen from the preceding table that the large majority of the negro, Chinese, and Japanese population was in the registration cities in the nonregistration states, and that the large majority of Indian population was in the rural districts of the registration states. Taking the primary areas in which each race is represented in greatest numbers, it will be seen that the death rate of negroes was 31.8; of Indians, 20.2; of Chinese, 22.4; and of Japanese, 10.6. The Indian population in the registration area is not large enough to afford a reliable indication of the ordinary death rate among Indians, but about 54 per cent of the entire Chinese population, and 34 per cent of the Japanese population was located in this area. The low death rates of the Chinese and Japanese noted are due to the fact that the population consists principally of adult males.

The following table shows, for the registration area, the death rates during the census year of whites, negroes, Indians, Chinese, and Japanese from certain diseases and classes of diseases, per 100,000 of corresponding population:

DEATH RATES FROM CERTAIN CAUSES, BY RACE.

CAUSES.	REGISTRATION RECORD.				
	White.	Negro.	Indian.	Chinese.	Japanese.
Measles.....	13.1	15.2	64.2		
Scarlet fever.....	12.0	2.6	7.1		
Diphtheria and croup.....	45.9	32.0	7.1	6.2	
Whooping cough.....	12.1	28.6		6.2	
Malarial fever.....	6.5	63.2		2.1	12.0
Influenza.....	23.6	32.0	50.0		
Typhoid fever.....	32.4	67.5	28.6	22.7	107.8
Diarrheal diseases.....	129.5	214.0	171.3	43.2	47.9
Consumption.....	173.5	485.4	506.8	656.8	239.6
Cancer and tumor.....	66.7	48.0	28.6	49.4	24.0
Heart disease and dropsy.....	137.4	221.1	92.8	175.0	35.9
Pneumonia.....	184.8	355.3	228.4	282.1	59.9
Diseases of the liver.....	22.8	20.9	7.1	51.5	12.0
Diseases of the nervous system.....	213.7	308.0	135.6	57.6	47.9
Diseases of the urinary organs.....	99.8	157.3	78.5	142.1	35.9
Old age.....	53.5	66.7	50.0	16.5	

This table shows that the death rates of negroes in the registration area, in comparison with those of the whites, were excessively high from malarial fever (white, 6.5; negro, 63.2), typhoid fever (white, 32.4; negro, 67.5), diarrheal diseases (white, 129.5; negro, 214), consumption (white, 173.5; negro, 484.5), heart disease and dropsy (white, 137.4; negro, 221.1), pneumonia (white, 184.8; negro, 355.3), diseases of the nervous system (white, 213.7; negro, 308), and diseases of the urinary organs (white, 99.8; negro, 157.3).

The death rates of negroes were less than those of whites from scarlet fever (white, 12; negro, 2.6), cancer and tumor (white, 66.7; negro, 48), and diseases of the liver (white, 22.8; negro, 20.9).

Among the Indians in the registration area the death rates were highest from consumption (506.8), pneumonia (228.4), and diarrheal diseases (171.3).

The death rate of the Chinese from consumption (656.8) was very much higher than that of the Indians (506.8) or the negroes (485.4) and was nearly three times as high as the death rate of the Japanese from this disease (239.6).

Among the Japanese the death rate from typhoid fever (107.8) was excessively high. For the other diseases most frequent in adults the death rate of the Japanese was generally less than that of any of the other races.

The following table shows, for the registration area

and its subdivisions, the death rates per 1,000 of population, by color, general nativity, and parent nativity, in comparison with 1890:

DEATH RATES BY COLOR AND NATIVITY.

AREAS.	Aggre- gate.	WHITE					Col- ored.
		Total.	Native. ¹			For- eign. ¹	
			Total.	Both parents native. ¹	One or both parents for- eign. ¹		
Registration area....1900	17.8	17.3	16.6	16.6	16.6	19.4	29.6
1890	19.6	19.1	19.0	17.3	21.5	19.4	29.9
Cities.....1900	18.6	17.9	17.3	17.4	17.9	19.7	30.5
1890	21.0	20.4	20.6	19.0	23.3	19.9	31.0
States.....1900	17.3	17.1	16.7	16.4	17.1	18.3	25.3
1890	19.5	19.3	19.1	17.4	21.9	19.8	27.4
Cities.....1900	18.6	18.4	18.3	17.5	19.0	18.5	27.6
1890	22.1	21.9	22.4	20.0	24.7	20.9	31.5
Rural.....1900	15.4	15.3	14.9	15.6	12.7	17.8	19.0
1890	15.3	15.3	15.1	15.4	14.1	16.4	18.1
Cities in other states.1900	18.6	17.5	16.3	17.6	14.5	21.3	31.3
1890	19.9	18.9	18.9	16.9	20.1	18.7	30.9

¹ Unknown nativity and parent nativity distributed.

Taking the registration area as a whole, it will be seen from the table above that there was a decrease in the death rate of each class except the foreign white, for which class the rate (19.4) was the same in both years. It appears from these figures that the decrease was greatest in the class having one or both parents foreign (21.5 in 1890 and 16.6 in 1900), but the difference in the aggregate rate for this class, and also the stationary rate for the foreign white, is probably due to some extent to the inclusion of new areas in 1900, in which these classes are represented in different proportions, such as the additional cities in the nonregistration states. In these the proportions of native white population of native parents and of colored are much greater than in the cities included in this area in 1890, and the proportions of foreign white population and native white population having one or both parents foreign are much less, and it will be seen by reference to the table above that in these cities there was an increase in the death rate of the foreign whites and the colored, while that of the native whites having one or both parents foreign decreased to a much greater extent than in the cities in the registration states.

In the cities in the registration states there was a decided decrease in the death rate of all classes amounting to 12.5 per cent for the native white of native parents; 23.1 per cent for the native white having one or both parents foreign; 11.5 per cent for the foreign white; and 12.4 per cent for the colored.

In the registration states there was a decrease in the

aggregate death rate of 11.3 per cent, as compared with the rate in 1890.

The following table shows, for the registration area and its subdivisions, the death rates of white persons having mothers born in the specified countries per 1,000 of corresponding population:

DEATH RATE OF WHITES, BY BIRTHPLACES OF MOTHERS.

BIRTHPLACES OF MOTHERS.	REGISTRATION RECORD.					
	Total.	Cities.	States.			Cities in other states.
			Total.	Cities.	Rural.	
United States.....	14.6	15.2	14.8	15.9	13.9	13.8
Ireland.....	21.3	22.2	21.5	22.5	17.7	20.3
Germany.....	15.5	15.9	15.6	16.2	13.8	15.3
England and Wales.....	15.5	15.9	15.6	16.0	14.7	15.3
Canada.....	13.8	14.8	14.0	15.3	12.4	10.4
Scandinavia.....	12.4	12.8	13.4	14.7	11.1	10.6
Scotland.....	15.8	15.9	16.0	16.3	15.4	14.7
Italy.....	20.4	22.1	20.5	22.3	11.2	20.3
France.....	17.1	18.2	16.4	17.8	13.1	18.9
Hungary and Bohemia.....	12.9	13.2	12.2	12.7	9.1	14.0
Russia and Poland.....	12.0	12.3	11.2	11.5	9.6	15.3
Other foreign.....	17.4	18.3	17.0	18.0	14.5	19.7

This table shows that for white persons having mothers born in the specified countries the death rates were highest among those whose mothers were born in Ireland (21.3), Italy (20.4), and France (17.1), and were lowest among those whose mothers were born in Russia and Poland (12), Scandinavia (12.4), and Hungary and Bohemia (12.9). The death rate for white persons whose mothers were born in the United States (14.6) was less than for those whose mothers were born in Ireland (21.3), Italy (20.4), France (17.1), Scotland (15.8), Germany (15.5), or England and Wales (15.5).

The rates given in this table are the gross rates, without regard to the age distribution of the population contributing the deaths, and the high death rate for white persons having mothers born in the United States, in comparison with those having mothers born in some of the foreign countries, is due to the much greater proportion of children in the former class. They should be studied in connection with the table given in Section VII, which shows for the registration area the death rates of the same classes by age periods.

As previously stated, the distribution of the population by color, general nativity, and parent nativity, which constitute the primary divisions of the population, has a most important influence on the mortality in different areas. The aggregate or gross death rate is a composite of the low death rate of the whites and the high death rate of the colored; the death rate of the whites is in turn a composite of the low death rate of native whites and the higher death rate of the foreign whites, and finally the death rate of the native whites is again a composite of the varying death rates of those

of native parents and those having one or both parents of foreign birth.

The following table shows, for the registration area and its subdivisions and for each registration state and city, the per cent of population in each of the above-mentioned classes:

PER CENT OF POPULATION IN EACH CLASS.

STATES AND CITIES.	CLASSES BY COMBINATION.		PRIMARY CLASSES.			
	White.	Native white.	Native white.		Foreign white.	Colored.
			Both parents native.	One or both parents foreign.		
Summaries:						
Registration record.....	95.7	72.5	40.7	31.8	23.2	4.3
Registration cities.....	94.7	69.1	34.6	34.5	25.6	5.3
Registration states.....	97.9	73.2	42.1	31.1	24.7	2.1
Cities.....	97.4	66.6	30.2	36.4	30.8	2.6
Rural.....	98.7	82.7	59.3	23.4	16.0	1.3
Registration cities in other states.....	92.1	71.2	38.5	32.7	20.9	7.9
Registration states:						
Connecticut.....	98.2	72.1	41.0	31.1	26.1	1.8
District of Columbia.....	68.7	61.7	48.1	13.6	7.0	31.3
Maine.....	99.7	86.3	71.0	15.3	13.4	0.3
Massachusetts.....	98.7	68.8	36.8	32.0	29.9	1.3
Michigan.....	99.1	76.8	42.4	34.4	22.3	0.9
New Hampshire.....	99.8	78.4	58.9	19.5	21.4	0.2
New Jersey.....	96.2	73.4	43.9	29.5	22.8	3.8
New York.....	98.5	72.5	39.2	33.3	26.0	1.5
Rhode Island.....	97.8	66.6	33.9	32.7	31.2	2.2
Vermont.....	99.7	86.7	(1)	(1)	13.0	0.3
Registration cities:						
Adams town, Mass.....	99.8	60.5	25.0	35.5	39.3	0.2
Alameda, Cal.....	96.9	73.6	(1)	(1)	23.3	3.1
Albany, N. Y.....	98.7	79.9	40.8	39.1	18.8	1.3
Alexandria, Va.....	68.7	66.0	59.2	6.8	2.7	31.3
Allegheny, Pa.....	97.4	74.2	36.7	37.5	23.2	2.6
Allentown, Pa.....	99.7	91.3	(1)	(1)	8.4	0.3
Altoona, Pa.....	99.0	90.5	(1)	(1)	8.5	1.0
Amesbury town, Mass.....	99.7	73.9	43.5	30.4	25.8	0.3
Amsterdam, N. Y.....	99.5	72.9	40.1	32.8	26.6	0.5
Annapolis, Md.....	64.7	59.2	48.5	10.7	5.5	35.3
Ann Arbor, Mich.....	97.4	81.7	48.6	33.1	15.7	2.6
Ansonia town, Conn.....	96.0	62.2	20.9	41.3	33.8	4.0
Appleton, Wis.....	99.8	75.9	27.4	48.5	23.9	0.2
Arlington town, Mass.....	99.0	71.4	37.8	33.6	27.6	1.0
Ashtabula, Ohio.....	99.4	71.0	43.2	27.8	28.4	0.6
Atlanta, Ga.....	60.2	57.5	(1)	(1)	2.7	39.8
Atlantic City, N. J.....	76.4	65.4	50.0	15.4	11.0	23.6
Attleboro town, Mass.....	98.9	70.5	41.2	29.3	28.4	1.1
Auburn, N. Y.....	98.3	80.4	46.5	33.9	17.9	1.7
Augusta, Me.....	99.5	81.3	65.4	15.9	18.2	0.5
Aurora, Ill.....	99.1	78.1	40.0	38.1	21.0	0.9
Baltimore, Md.....	84.3	71.0	(1)	(1)	13.3	15.7
Bangor, Me.....	99.2	82.4	60.1	22.3	16.8	0.8
Barre, Vt.....	99.9	66.4	(1)	(1)	33.5	0.1
Bath, Me.....	99.5	82.8	66.0	16.8	16.7	0.5
Battle Creek, Mich.....	97.1	87.3	68.5	18.8	9.8	2.9
Bay City, Mich.....	99.5	68.8	20.6	43.2	30.7	0.5
Bayonne, N. J.....	98.9	66.0	24.2	41.8	32.9	1.1
Bellaire, Ohio.....	95.6	84.0	59.0	25.0	11.6	4.4
Belleville, Ill.....	98.7	83.0	(1)	(1)	15.7	1.3
Beloit, Wis.....	99.3	85.3	53.1	32.2	14.0	0.7
Bennington town, Vt.....	99.1	84.0	(1)	(1)	15.1	0.9

¹ Deaths not reported by nativity or parent nativity.

VITAL STATISTICS.

PER CENT OF POPULATION IN EACH CLASS—Continued.

STATES AND CITIES.	CLASSES BY COMBINATION.		PRIMARY CLASSES.				STATES AND CITIES.	CLASSES BY COMBINATION.		PRIMARY CLASSES.			
	White.	Native white.	Native white.		Foreign white.	Colored.		White.	Native white.	Native white.		Foreign white.	Colored.
			Both parents native.	One or both parents foreign.						Both parents native.	One or both parents foreign.		
Registration cities—Cont'd.							Registration cities—Cont'd.						
Berlin, N. H.	99.9	47.7	14.5	33.2	52.2	0.1	Galesburg, Ill.	96.0	76.7	(1)	(1)	19.3	4.0
Beverly, Mass.	99.6	79.5	58.1	21.4	20.1	0.4	Gardner town, Mass.	99.4	67.6	37.2	30.4	31.8	0.6
Biddeford, Me.	99.9	55.7	26.5	29.2	44.2	0.1	Geneva, N. Y.	98.1	79.8	46.7	33.1	18.3	1.9
Binghamton, N. Y.	98.7	88.0	66.2	21.8	10.7	1.3	Glens Falls, N. Y.	99.7	85.8	55.1	30.7	13.9	0.3
Boston, Mass.	97.7	63.0	26.1	36.9	34.7	2.3	Gloucester, Mass.	99.7	66.3	34.8	31.5	33.4	0.3
Bridgeport, Conn.	98.3	67.0	30.8	36.2	31.3	1.7	Gloversville, N. Y.	98.8	85.0	66.8	18.2	13.8	1.2
Bridgeton, N. J.	94.9	90.2	81.1	9.1	4.7	5.1	Grand Rapids, Mich.	99.3	72.1	33.9	38.2	27.2	0.7
Bristol town, Conn.	99.5	72.9	42.4	30.5	26.6	0.5	Green Bay, Wis.	99.8	78.3	27.6	50.7	21.5	0.2
Brockton, Mass.	99.1	75.6	47.6	28.0	23.5	0.9	Greenwich town, Conn.	97.0	70.3	41.9	28.4	26.7	3.0
Brookline town, Mass.	99.1	66.5	39.3	27.2	32.6	0.9	Hamilton, Ohio	98.5	86.2	51.7	34.5	12.3	1.5
Buffalo, N. Y.	99.5	70.0	25.8	44.2	29.5	0.5	Harrisburg, Pa.	91.8	86.9	(1)	(1)	4.9	8.2
Burlington, Iowa.	98.2	78.7	(1)	(1)	19.5	1.8	Harrison town, N. J.	99.5	65.3	19.3	46.0	34.2	0.5
Burlington, Vt.	99.4	79.4	(1)	(1)	20.0	0.6	Hartford, Conn.	97.5	67.9	34.9	33.0	29.6	2.5
Cambridge, Mass.	95.6	63.0	27.4	35.6	32.6	4.4	Haverhill, Mass.	98.9	76.1	50.2	25.9	22.8	1.1
Camden, N. J.	92.6	79.4	56.8	22.6	13.2	7.4	Hazleton, Pa.	99.9	80.7	(1)	(1)	19.2	0.1
Canton, Ohio.	99.5	86.4	(1)	(1)	13.1	0.5	Helena, Mont.	96.1	71.9	(1)	(1)	24.2	3.9
Carbondale, Pa.	99.9	81.1	(1)	(1)	18.8	0.1	Hoboken, N. J.	99.7	63.8	18.4	45.4	35.9	0.3
Carlisle, Pa.	88.1	86.3	(1)	(1)	1.8	11.9	Holyoke, Mass.	99.8	58.5	16.7	41.8	41.3	0.2
Central Falls, R. I.	99.6	52.1	13.7	38.4	47.5	0.4	Hudson, N. Y.	95.4	83.4	58.9	24.5	12.0	4.6
Charleston, S. C.	43.4	38.9	29.5	9.4	4.5	56.6	Hutchinson, Kans.	95.3	90.9	(1)	(1)	4.4	4.7
Chelsea, Mass.	97.7	65.3	31.5	33.8	32.4	2.3	Hyde Park town, Mass.	99.0	70.5	36.6	33.9	28.5	1.0
Chicago, Ill.	98.1	63.7	(1)	(1)	34.4	1.9	Indianapolis, Ind.	90.6	80.5	57.8	22.7	10.1	9.4
Chicopee, Mass.	99.9	57.5	19.9	37.6	42.4	0.1	Iron Mountain, Mich.	99.9	52.6	7.9	44.7	47.3	0.1
Chillicothe, Ohio.	92.4	85.4	(1)	(1)	7.0	7.6	Ironton, Ohio.	92.2	86.2	64.3	21.9	6.0	7.8
Chippewa Falls, Wis.	99.9	70.8	21.7	49.1	29.1	0.1	Ironwood, Mich.	99.9	52.4	7.5	44.9	47.5	0.1
Cincinnati, Ohio.	95.6	77.8	34.9	42.9	17.8	4.4	Ishpeming, Mich.	99.9	54.9	6.2	48.7	45.0	0.1
Cleveland, Ohio.	98.4	65.8	23.0	42.8	32.6	1.6	Ithaca, N. Y.	97.2	87.3	68.4	16.9	9.9	2.8
Clinton town, Mass.	99.7	59.5	19.6	39.9	40.2	0.3	Jackson, Mich.	98.1	83.1	54.9	28.2	15.0	1.9
Cohoes, N. Y.	99.9	69.4	23.6	45.8	30.5	0.1	Jacksonville, Fla.	42.8	39.2	(1)	(1)	3.6	57.2
Columbia, Pa.	96.6	90.3	(1)	(1)	6.3	3.4	Jacksonville, Ill.	93.3	83.4	(1)	(1)	9.9	6.7
Columbus, Ind.	97.2	93.4	79.6	13.8	3.8	2.8	Jamestown, N. Y.	99.7	67.9	37.3	30.6	31.8	0.3
Columbus, Ohio.	93.4	83.6	59.7	23.9	9.8	6.6	Jeffersonville, Ind.	83.1	77.4	(1)	(1)	5.7	16.9
Concord, N. H.	99.7	80.3	58.1	22.2	19.4	0.3	Jersey City, N. J.	98.1	69.9	27.7	42.2	28.2	1.9
Corning, N. Y.	98.9	86.2	59.4	26.8	12.7	1.1	Johnstown, N. Y.	98.9	82.6	63.3	19.3	16.3	1.1
Cortland, N. Y.	99.4	91.9	74.3	17.6	7.5	0.6	Johnstown, Pa.	99.1	78.8	(1)	(1)	20.3	0.9
Covington, Ky.	94.2	81.8	45.2	36.6	12.4	5.8	Kalamazoo, Mich.	98.1	78.8	49.2	29.6	19.3	1.9
Danbury town, Conn.	98.5	77.3	46.0	31.3	21.2	1.5	Kansas City, Mo.	89.2	78.0	57.6	20.4	11.2	10.8
Danvers town, Mass.	99.8	77.9	49.8	28.1	21.9	0.2	Keene, N. H.	99.8	86.2	64.9	21.3	13.6	0.2
Danville, Ill.	96.1	87.3	(1)	(1)	8.8	3.9	Keokuk, Iowa	91.9	79.7	(1)	(1)	12.2	8.1
Davenport, Iowa.	98.6	74.6	(1)	(1)	24.0	1.4	Key West, Fla.	67.3	41.5	(1)	(1)	25.8	32.7
Dayton, Ohio.	96.0	84.3	(1)	(1)	11.7	4.0	Kingston, N. Y.	97.8	83.3	53.5	29.8	14.5	2.2
Decatur, Ill.	97.0	87.7	(1)	(1)	9.3	3.0	Laconia, N. H.	99.7	77.7	59.1	18.6	22.0	0.3
Denver, Colo.	96.8	78.2	(1)	(1)	18.6	3.2	Lafayette, Ind.	98.1	85.6	(1)	(1)	12.5	1.9
Detroit, Mich.	98.6	65.0	21.5	43.5	33.6	1.4	Lancaster, Pa.	98.1	89.7	(1)	(1)	8.4	1.9
Dover, N. H.	99.8	74.9	49.5	25.4	24.9	0.2	Lansing, Mich.	98.0	83.7	56.9	26.8	14.3	2.0
Dubois, Pa.	99.7	82.1	58.7	23.4	17.6	0.3	Lansingburg, N. Y.	99.2	82.3	50.5	31.8	16.9	0.8
Duluth, Minn.	99.2	59.6	19.5	40.1	39.6	0.8	Lawrence, Kans.	81.3	74.1	(1)	(1)	7.2	18.7
Dunkirk, N. Y.	99.9	71.2	25.7	45.5	28.7	0.1	Lawrence, Mass.	99.8	54.2	16.7	37.5	45.6	0.2
Easton, Pa.	98.7	(1)	(1)	(1)	(1)	1.3	Leadville, Colo.	98.4	(1)	(1)	(1)	(1)	1.6
Eau Claire, Wis.	99.9	71.4	24.4	47.0	28.5	0.1	Leavenworth, Kans.	85.9	69.5	(1)	(1)	16.4	14.1
Elizabeth, N. J.	97.8	69.5	29.4	40.1	28.3	2.2	Lebanon, Pa.	99.6	96.1	89.5	6.6	3.5	0.4
Elmira, N. Y.	97.7	82.3	54.7	27.6	15.4	2.3	Leominster town, Mass.	99.3	76.6	49.1	27.5	22.7	0.7
Erie, Pa.	99.5	76.9	(1)	(1)	22.6	0.5	Lima, Ohio.	96.6	(1)	(1)	(1)	(1)	3.4
Escanaba, Mich.	99.7	66.1	17.7	48.4	33.6	0.3	Lincoln, Nebr.	97.9	84.8	(1)	(1)	13.1	2.1
Evansville, Ind.	87.3	77.8	46.8	31.0	9.5	12.7	Lockport, N. Y.	99.0	81.4	44.9	36.5	17.6	1.0
Everett, Mass.	97.2	69.3	38.4	30.9	27.9	2.8	Los Angeles, Cal.	95.7	78.2	(1)	(1)	17.5	4.3
Fall River, Mass.	99.6	52.0	13.6	38.4	47.6	0.4	Louisville, Ky.	80.9	70.4	(1)	(1)	10.5	19.1
Findlay, Ohio.	98.3	92.4	76.6	15.8	5.9	1.7	Lowell, Mass.	99.8	56.7	21.9	34.8	43.1	0.2
Fitchburg, Mass.	99.7	65.2	31.5	33.7	34.5	0.3	Lynchburg, Va.	56.3	55.0	(1)	(1)	1.3	43.7
Flint, Mich.	98.0	81.7	53.7	28.0	16.3	2.0	Lynn, Mass.	98.8	73.3	44.5	28.8	25.5	1.2
Framingham town, Mass.	99.6	78.6	47.7	30.9	21.0	0.4	McKeesport, Pa.	97.8	70.5	(1)	(1)	27.3	2.2
Frederick, Md.	83.5	80.9	73.3	7.6	2.6	16.5	Madison, Wis.	99.5	82.1	37.1	45.0	17.4	0.5
Fresno, Cal.	87.4	70.2	(1)	(1)	17.2	12.6	Mahanoy City, Pa.	99.9	71.2	31.1	40.1	28.7	0.1

1 Deaths not reported by nativity or parent nativity.

COLOR AND RACE IN RELATION TO DEATHS.

lxxiii

PER CENT OF POPULATION IN EACH CLASS—Continued.

STATES AND CITIES.	CLASSES BY COMBINATION.		PRIMARY CLASSES.				STATES AND CITIES.	CLASSES BY COMBINATION.		PRIMARY CLASSES.			
	White.	Native white.	Native white.		Foreign white.	Colored.		White.	Native white.	Native white.		Foreign white.	Colored.
			Both parents native.	One or both parents foreign.						Both parents native.	One or both parents foreign.		
Registration cities—Cont'd.							Registration cities—Cont'd.						
Malden, Mass.	98.6	70.6	40.1	30.5	28.0	1.4	Northampton, Mass.	99.4	75.3	41.8	33.5	24.1	0.6
Manchester, N. H.	99.9	57.4	26.9	30.5	42.5	0.1	Norwalk town, Conn.	98.2	79.0	51.5	27.5	19.2	1.8
Manchester town, Conn.	99.5	64.0	26.3	37.7	35.5	0.5	Norwich town, Conn.	97.2	68.1	32.8	35.3	29.1	2.8
Manitowoc, Wis.	99.9	74.5	21.2	53.3	25.4	0.1	Oakland, Cal.	96.8	72.5	(1)	(1)	24.3	3.2
Mankato, Minn.	99.9	75.6	32.2	43.4	24.3	0.1	Ogdensburg, N. Y.	99.8	74.3	29.3	45.0	25.5	0.2
Marietta, Ohio.	97.3	(1)	(1)	(1)	(1)	2.7	Oil City, Pa.	98.6	83.6	(1)	(1)	15.0	1.4
Marinette, Wis.	99.3	65.1	17.1	48.0	34.2	0.7	Olean, N. Y.	98.7	82.8	52.9	29.9	15.9	1.3
Marlboro, Mass.	99.7	75.5	35.8	59.7	24.2	0.3	Omaha, Nebr.	96.5	73.7	(1)	(1)	22.8	3.5
Marquette, Mich.	99.0	64.8	17.7	47.1	34.2	1.0	Orange, N. J.	92.0	64.9	28.3	36.6	27.1	8.0
Marshalltown, Iowa.	98.7	(1)	(1)	(1)	(1)	1.3	Oskaloosa, Iowa.	96.2	89.2	(1)	(1)	7.0	3.8
Massillon, Ohio.	99.3	85.1	47.9	37.2	14.2	0.7	Ottawa, Ill.	99.6	82.6	(1)	(1)	17.0	0.4
Meadville, Pa.	98.2	89.4	(1)	(1)	8.8	1.8	Ottumwa, Iowa.	96.7	87.0	66.0	21.0	9.7	3.3
Medford, Mass.	98.6	75.0	46.9	28.1	23.6	1.4	Owosso, Mich.	99.7	83.7	57.0	26.7	16.0	0.3
Melrose, Mass.	98.9	76.6	53.6	23.0	22.3	1.1	Paducah, Ky.	70.0	67.4	58.3	9.1	2.6	30.0
Memphis, Tenn.	51.2	46.2	(1)	(1)	5.0	48.8	Passaic, N. J.	98.3	52.0	18.6	33.4	46.3	1.7
Menominee, Mich.	99.7	67.1	16.7	50.4	32.6	0.3	Paterson, N. J.	98.8	62.0	22.7	39.3	36.8	1.2
Meriden town, Conn.	99.2	69.5	29.3	40.2	29.7	0.8	Pawtucket, R. I.	99.5	66.2	27.1	39.1	33.3	0.5
Michigan City, Ind.	98.7	74.1	31.2	42.9	24.6	1.3	Peabody town, Mass.	99.6	74.8	39.1	35.7	24.8	0.4
Middletown, N. Y.	97.3	85.7	64.4	21.3	11.6	2.7	Peekskill, N. Y.	97.6	84.7	64.3	20.4	12.9	2.4
Middletown, Ohio.	96.6	88.3	64.0	24.3	8.3	3.4	Perth Amboy, N. J.	99.4	54.4	19.6	34.8	45.0	0.6
Middletown town, Conn.	98.7	72.5	41.2	31.3	26.2	1.3	Peru, Ind.	99.2	90.5	69.4	21.1	8.7	0.8
Milford town, Mass.	99.7	70.4	34.1	36.3	29.3	0.3	Petersburg, Va.	50.7	49.5	(1)	(1)	1.2	49.3
Millville, N. J.	98.7	93.0	81.0	12.0	5.7	1.3	Philadelphia, Pa.	95.1	72.4	(1)	(1)	22.7	4.9
Milwaukee, Wis.	99.7	68.5	17.0	51.5	31.2	0.3	Phillipsburg, N. J.	99.6	89.8	67.2	22.6	9.8	0.4
Minneapolis, Minn.	99.2	69.1	30.2	38.9	30.1	0.8	Phoenixville, Pa.	96.9	72.8	48.8	24.0	24.1	3.1
Mobile, Ala.	55.6	50.3	(1)	(1)	5.3	44.4	Pittsburg, Pa.	94.7	68.4	31.0	37.4	26.3	5.3
Montclair, N. J.	90.2	68.5	43.4	25.1	21.7	9.8	Pittsfield, Mass.	98.7	78.8	42.4	36.4	19.9	1.3
Morristown, N. J.	92.7	72.7	48.9	23.8	20.0	7.3	Pittston, Pa.	99.8	72.8	25.3	47.5	27.0	0.2
Mt. Carmel, Pa.	99.9	71.3	35.8	35.5	28.6	0.1	Plainfield, N. J.	90.5	72.8	48.5	24.3	17.7	9.5
Mt. Vernon, N. Y.	97.4	72.8	38.7	34.1	24.6	2.6	Plymouth, Pa.	99.8	64.6	(1)	(1)	35.2	0.2
Muncie, Ind.	96.4	90.5	75.2	15.3	5.9	3.6	Plymouth town, Mass.	98.5	74.8	55.0	19.8	23.7	1.5
Muscatine, Iowa.	99.1	82.4	(1)	(1)	16.7	0.9	Pontiac, Mich.	98.4	78.0	48.7	29.3	20.4	1.6
Muskegon, Mich.	99.9	69.9	25.2	44.7	30.0	0.1	Port Huron, Mich.	99.6	62.4	21.1	41.3	37.2	0.4
Nashua, N. H.	99.7	65.9	35.9	30.0	33.8	0.3	Port Jervis, N. Y.	98.7	89.2	62.8	26.4	9.5	1.3
Nashville, Tenn.	62.8	59.1	50.2	8.9	3.7	37.2	Portland, Me.	99.4	78.7	54.0	24.7	20.7	0.6
Natchez, Miss.	41.9	(1)	(1)	(1)	(1)	58.1	Portland, Oreg.	89.1	69.5	(1)	(1)	19.6	10.9
Natick town, Mass.	99.4	80.7	46.4	34.3	18.7	0.6	Portsmouth, N. H.	99.0	80.0	57.4	22.6	19.0	1.0
Naugatuck town, Conn.	99.6	67.1	26.0	41.1	32.5	0.4	Portsmouth, Ohio.	94.7	88.7	67.2	21.5	6.0	5.3
Newark, N. J.	97.2	68.3	29.1	39.2	28.9	2.8	Pottstown, Pa.	97.9	92.1	(1)	(1)	5.8	2.1
Newark, Ohio.	98.3	91.0	(1)	(1)	7.3	1.7	Pottsville, Pa.	98.9	88.4	59.1	29.3	10.5	1.1
New Bedford, Mass.	97.1	56.9	23.5	30.4	40.2	2.9	Poughkeepsie, N. Y.	97.4	80.8	53.2	27.6	16.6	2.6
New Britain town, Conn.	99.5	63.8	25.4	38.4	35.7	0.5	Providence, R. I.	97.1	65.6	31.0	34.6	31.5	2.9
New Brunswick, N. J.	96.1	78.6	47.1	31.5	17.5	3.9	Pueblo, Colo.	95.5	79.0	57.9	21.1	16.5	4.5
Newburg, N. Y.	97.7	80.4	48.4	32.0	17.3	2.3	Quincy, Ill.	94.4	80.7	43.5	37.2	13.7	5.6
Newburyport, Mass.	99.3	79.6	54.0	25.6	19.7	0.7	Quincy, Mass.	99.8	67.8	31.6	36.2	32.0	0.2
Newcastle, Pa.	98.3	79.6	(1)	(1)	18.7	1.7	Raleigh, N. C.	58.1	57.0	(1)	(1)	1.1	41.9
New Haven town, Conn.	97.2	68.8	33.7	35.1	28.4	2.8	Reading, Pa.	99.3	91.8	(1)	(1)	7.5	0.7
New London, Conn.	97.8	76.7	48.4	28.3	21.1	2.2	Revere town, Mass.	99.4	71.6	37.9	33.7	27.8	0.6
New Orleans, La.	72.8	62.5	36.0	26.5	10.3	27.2	Richmond, Ind.	94.4	86.4	62.9	23.5	8.0	5.6
Newport, Ky.	98.5	(1)	(1)	(1)	(1)	1.5	Richmond, Va.	62.1	58.8	(1)	(1)	3.3	37.9
Newport, R. I.	92.6	67.6	35.4	32.2	25.0	7.4	Rochester, N. H.	99.9	80.4	61.1	19.3	19.5	0.1
New Rochelle, N. Y.	94.6	64.7	30.2	34.5	29.9	5.4	Rochester, N. Y.	99.6	74.6	32.3	42.3	25.0	0.4
Newton, Mass.	98.3	68.5	42.0	26.5	29.8	1.7	Rockland, Me.	99.6	92.2	82.5	9.7	7.4	0.4
New York City, N. Y.	98.0	61.3	21.4	39.9	36.7	2.0	Rome, N. Y.	99.4	82.9	52.0	30.9	16.5	0.6
Bronx borough.	98.7	68.2	25.1	43.1	30.5	1.3	Rutland, Vt.	99.5	86.2	(1)	(1)	13.3	0.5
Brooklyn borough.	98.3	68.0	26.6	41.4	30.3	1.7	Sacramento, Cal.	93.8	75.3	(1)	(1)	18.5	6.2
Manhattan borough.	97.8	55.5	16.9	38.6	42.3	2.2	Saginaw, Mich.	99.2	72.3	28.3	44.0	26.9	0.8
Queens borough.	98.2	69.0	27.2	41.8	29.2	1.8	St. Joseph, Mo.	93.9	85.7	(1)	(1)	8.2	6.1
Richmond borough.	98.3	70.6	34.0	36.6	27.7	1.7	St. Louis, Mo.	93.8	74.5	(1)	(1)	19.3	6.2
Niagara Falls, N. Y.	98.2	60.8	25.0	35.8	37.4	1.8	St. Paul, Minn.	98.6	69.9	26.0	43.9	28.7	1.4
Norfolk, Va.	56.4	53.0	(1)	(1)	3.4	43.6	Salem, Mass.	99.4	69.2	35.6	33.6	30.2	0.6
Norristown, Pa.	96.7	83.1	65.2	17.9	13.6	3.3	Salt Lake City, Utah.	99.0	75.6	33.8	41.8	23.4	1.0
North Adams, Mass.	99.6	71.5	34.8	36.7	28.1	0.4	San Antonio, Tex.	85.7	68.4	(1)	(1)	17.3	14.3

¹Deaths not reported by nativity or parent nativity.

PER CENT OF POPULATION IN EACH CLASS—Continued.

STATES AND CITIES.	CLASSES BY COMBINATION.		PRIMARY CLASSES.			
	White.	Native white.	Native white.		Foreign white.	Colored.
			Both parents native.	One or both parents foreign.		
Registration cities—Cont'd.						
San Diego, Cal.....	96.5	76.9	(1)	(1)	19.6	3.5
San Francisco, Cal.....	94.9	64.5	(1)	(1)	30.4	5.1
San Jose, Cal.....	96.2	77.4	46.1	31.3	18.8	3.8
Saratoga Springs, N. Y.....	94.9	81.5	57.2	24.3	13.4	5.1
Sault Ste. Marie, Mich.....	98.9	48.5	14.4	34.1	50.4	1.1
Savannah, Ga.....	48.1	42.0	(1)	(1)	6.1	51.9
Schenectady, N. Y.....	99.5	77.0	46.0	31.0	22.5	0.5
Scranton, Pa.....	99.5	71.1	(1)	(1)	28.4	0.5
Seattle, Wash.....	95.2	72.1	48.1	24.0	23.1	4.8
Shreveport, La.....	46.6	42.2	(1)	(1)	4.4	53.4
Sioux City, Iowa.....	99.1	79.2	(1)	(1)	19.9	0.9
Somerville, Mass.....	99.7	71.8	40.0	31.8	27.9	0.3
South Bethlehem, Pa.....	99.1	74.1	43.9	30.2	25.0	0.9
Southbridge town, Mass.....	99.7	65.1	22.7	42.4	34.6	0.3
Spokane, Wash.....	98.0	77.7	50.9	26.8	20.3	2.0
Springfield, Ill.....	93.5	79.9	50.1	29.8	13.6	6.5
Springfield, Mass.....	98.3	75.2	44.1	31.1	23.1	1.7
Stamford town, Conn.....	98.5	74.3	41.8	32.5	24.2	1.5
Steelton, Pa.....	87.5	68.5	58.2	10.3	19.0	12.5
Stonington town, Conn.....	98.3	75.3	46.3	29.0	23.0	1.7
Superior, Wis.....	99.3	62.6	23.5	39.1	36.7	0.7
Syracuse, N. Y.....	99.0	77.1	40.4	36.7	21.9	1.0
Tacoma, Wash.....	96.7	69.8	40.1	29.7	26.9	3.3
Taunton, Mass.....	99.2	70.1	37.3	32.8	29.1	0.8
Terre Haute, Ind.....	95.8	87.8	66.2	21.6	8.0	4.2
Tiffin, Ohio.....	99.6	89.0	59.3	29.7	10.6	0.4
Toledo, Ohio.....	98.7	77.6	39.6	38.0	21.1	1.3
Torrington town, Conn.....	98.9	67.1	34.2	32.9	31.8	1.1
Town of Union, N. J.....	99.9	65.9	22.6	43.3	34.0	0.1
Traverse City, Mich.....	99.8	77.9	47.9	30.0	21.9	0.2
Trenton, N. J.....	97.1	74.3	43.8	30.5	22.8	2.9
Troy, N. Y.....	99.3	75.6	33.2	42.4	23.7	0.7
Utica, N. Y.....	99.6	75.7	35.2	40.5	23.9	0.4
Vernon town, Conn.....	99.4	65.9	26.0	39.9	33.5	0.6
Vincennes, Ind.....	95.8	88.6	66.8	21.8	7.2	4.2
Wakefield town, Mass.....	99.7	74.5	44.5	30.0	25.2	0.3
Wallingford town, Conn.....	99.6	73.7	37.7	36.0	25.9	0.4
Waltham, Mass.....	99.7	71.3	38.3	33.0	28.4	0.3
Ware town, Mass.....	99.9	60.5	23.3	37.2	39.4	0.1
Warren, Ohio.....	98.4	84.8	(1)	(1)	13.6	1.6
Washington, D. C.....	68.7	61.7	48.1	13.6	7.0	31.3
Waterbury, Conn.....	98.8	66.7	27.8	38.9	32.1	1.2
Watertown, N. Y.....	99.6	76.1	48.1	28.0	23.5	0.4
Watertown town, Mass.....	99.4	69.8	36.7	33.1	29.6	0.6
Watervliet, N. Y.....	99.6	80.4	39.7	40.7	19.2	0.4
Webster town, Mass.....	99.5	59.1	18.2	40.9	40.4	0.5
West Bay City, Mich.....	99.9	71.3	25.3	46.0	28.6	0.1
Westfield town, Mass.....	99.3	79.5	52.2	27.3	19.8	0.7
Weymouth town, Mass.....	99.6	83.4	56.4	27.0	16.2	0.4
Wheeling, W. Va.....	97.2	83.2	47.9	35.3	14.0	2.8
Wichita, Kans.....	94.4	(1)	(1)	(1)	(1)	5.6
Wilkesbarre, Pa.....	98.7	(1)	(1)	(1)	(1)	1.3
Williamsport, Pa.....	96.0	88.3	68.9	19.4	7.7	4.0
Wilmington, Del.....	87.2	73.6	(1)	(1)	13.6	12.8
Wilmington, N. C.....	50.3	48.2	(1)	(1)	2.1	49.7
Windham town, Conn.....	99.2	73.4	42.9	30.5	25.8	0.8
Winona, Minn.....	99.8	74.5	24.9	49.6	25.3	0.2
Woburn, Mass.....	98.1	71.2	31.2	40.0	26.9	1.9
Woonsocket, R. I.....	99.9	55.6	16.4	39.2	44.3	0.1
Worcester, Mass.....	99.0	67.3	31.5	35.8	31.7	1.0
Yonkers, N. Y.....	97.8	67.4	28.9	38.5	30.4	2.2
Youngstown, Ohio.....	97.9	70.7	29.7	41.0	27.2	2.1

¹ Deaths not reported by nativity or parent nativity.

The proportional distribution of the population by classes, as indicated in the preceding table, should be taken into consideration in comparing the general or gross death rates of any areas.

The following table shows, for the same areas as those given in the preceding table, the relative death rates of the specified classes per 1,000 of population:

DEATH RATES BY COLOR, GENERAL NATIVITY, AND PARENT NATIVITY.

STATES AND CITIES.	CLASSES BY COMBINATION.		PRIMARY CLASSES.			
	White.	Native white.	Native white		Foreign white.	* Colored.
			Both parents native.	One or both parents foreign.		
Summaries:						
Registration record.....	17.3	16.6	16.6	16.6	19.4	29.6
Registration cities.....	17.9	17.3	17.4	17.9	19.7	30.5
Registration states.....	17.1	16.7	16.4	17.1	18.3	25.3
Cities.....	18.4	18.3	17.5	19.0	18.5	27.6
Rural.....	15.3	14.9	15.6	12.7	17.8	19.0
Registration cities in other states.....	17.5	16.3	17.6	14.5	21.3	31.3
Registration states:						
Connecticut.....	16.9	16.8	16.4	17.5	16.9	23.4
District of Columbia.....	19.1	17.6	18.3	15.3	32.0	31.0
Maine.....	17.5	17.7	17.2	20.1	16.2	16.1
Massachusetts.....	17.7	18.3	16.6	20.2	16.4	19.5
Michigan.....	13.8	13.1	14.0	12.1	16.4	16.4
New Hampshire.....	18.0	19.3	16.7	27.3	13.1	15.1
New Jersey.....	17.1	16.7	16.7	16.7	18.6	23.3
New York.....	17.8	17.0	16.5	17.6	20.1	26.2
Rhode Island.....	18.9	19.7	19.5	19.9	17.3	24.9
Vermont.....	16.9	16.6	(1)	(1)	19.1	28.7
Registration cities:						
Adams town, Mass.....	16.1	19.0	12.2	23.7	11.7	
Alameda, Cal.....	13.8	11.7	(1)	(1)	20.3	7.8
Albany, N. Y.....	19.2	16.4	17.7	15.0	31.1	21.9
Alexandria, Va.....	18.0	17.2	18.5	6.0	37.5	37.6
Allegheny, Pa.....	18.5	17.3	21.7	12.9	22.4	13.2
Allentown, Pa.....	18.3	17.9	(1)	(1)	22.1	(*)
Altoona, Pa.....	19.2	18.6	(1)	(1)	25.5	(*)
Amesbury town, Mass.....	15.1	16.7	16.0	17.7	10.7	(*)
Amsterdam, N. Y.....	16.0	16.5	16.0	17.2	14.7	(*)
Annapolis, Md.....	15.1	14.9	16.4	7.7	17.2	28.9
Ann Arbor, Mich.....	12.7	10.7	12.2	8.5	23.2	(*)
Ansonia town, Conn.....	17.4	17.4	15.1	18.5	17.5	29.4
Appleton, Wis.....	11.6	9.7	11.1	8.9	17.8	
Arlington town, Mass.....	15.6	15.6	15.4	15.9	15.6	
Ashtabula, Ohio.....	16.8	16.3	14.3	19.5	17.9	(*)
Atlanta, Ga.....	23.1	23.5	(1)	(1)	15.5	31.8
Atlantic City, N. J.....	18.1	17.0	16.6	18.2	24.4	12.5
Attleboro town, Mass.....	14.0	14.3	13.9	14.7	13.4	(*)
Auburn, N. Y.....	17.1	16.2	19.3	12.1	21.2	18.8
Augusta, Me.....	26.5	27.5	28.9	21.5	22.1	
Aurora, Ill.....	14.7	13.0	17.9	7.9	20.9	(*)
Baltimore, Md.....	19.1	17.7	(1)	(1)	26.6	31.2
Bangor, Me.....	16.2	15.3	16.4	12.3	21.1	(*)
Barre, Vt.....	18.6	21.0	(1)	(1)	13.8	(*)
Bath, Me.....	13.7	13.1	13.2	13.1	16.6	(*)
Battle Creek, Mich.....	13.5	12.5	13.7	8.0	22.6	13.0
Bay City, Mich.....	12.7	11.8	12.8	11.3	14.9	(*)
Bayonne, N. J.....	16.5	17.6	16.8	18.1	14.4	(*)
Bellaire, Ohio.....	16.9	16.2	15.7	17.4	21.7	(*)
Belleville, Ill.....	15.2	11.4	(1)	(1)	35.3	(*)
Beloit, Wis.....	14.6	14.0	15.9	11.0	17.7	(*)

* Rate not stated where colored population is less than 500.

¹ Deaths not reported by nativity or parent nativity.

COLOR AND RACE IN RELATION TO DEATHS.

lxxv

DEATH RATES BY COLOR, GENERAL NATIVITY, AND PARENT NATIVITY—Continued.

STATES AND CITIES.	CLASSES BY COMBINATION.		PRIMARY CLASSES.				STATES AND CITIES.	CLASSES BY COMBINATION.		PRIMARY CLASSES.			
	White.	Native white.	Native white.		Foreign white.	*Colored.		White.	Native white.	Native white.		Foreign white.	*Colored.
			Both parents native.	One or both parents foreign.						Both parents native.	One or both parents foreign.		
Registration cities—Cont'd.							Registration cities—Cont'd.						
Bennington town, Vt.....	15.8	•15.4	(1)	(1)	18.1	(*)	Frederick, Md.....	18.2	17.3	18.9	1.4	45.6	28.6
Berlin, N. H.....	16.8	27.1	7.7	35.6	7.3		Fresno, Cal.....	14.4	15.5	(1)	(1)	9.8	19.1
Beverly, Mass.....	14.8	14.4	14.3	14.8	16.5		Galesburg, Ill.....	14.5	12.4	(1)	(1)	22.8	14.9
Biddeford, Me.....	23.2	30.4	19.8	39.9	14.3		Gardner town, Mass.....	19.1	22.7	17.4	29.2	11.3	
Binghamton, N. Y.....	17.6	16.5	15.9	18.3	26.5	17.8	Geneva, N. Y.....	14.2	12.5	13.1	11.6	21.5	(*)
Boston, Mass.....	20.0	20.3	17.7	22.1	19.5	25.5	Glens Falls, N. Y.....	19.2	17.6	17.8	17.1	29.0	(*)
Bridgeport, Conn.....	17.1	17.4	15.0	13.5	16.7	25.4	Gloucester, Mass.....	14.9	16.6	17.0	16.0	11.5	(*)
Bridgeton, N. J.....	13.8	13.8	14.3	9.4	13.8	25.6	Gloversville, N. Y.....	11.9	11.9	12.2	11.1	11.8	(*)
Bristol town, Conn.....	15.3	16.8	14.2	20.4	11.3	(*)	Grand Rapids, Mich.....	14.5	14.4	14.6	14.3	14.6	
Brockton, Mass.....	13.3	13.9	12.4	16.5	11.1	(*)	Green Bay, Wis.....	16.9	15.0	19.2	12.7	23.9	
Brookline town, Mass.....	13.1	14.3	14.0	14.8	10.5	(*)	Greenwich town, Conn.....	16.9	17.2	14.7	20.9	16.3	(*)
Buffalo, N. Y.....	14.7	13.2	13.6	13.0	18.2	27.8	Hamilton, Ohio.....	14.5	12.7	14.5	10.0	27.5	(*)
Burlington, Iowa.....	16.3	13.9	(1)	(1)	26.0	(*)	Harrisburg, Pa.....	17.3	16.8	(1)	(1)	26.2	23.5
Burlington, Vt.....	18.3	17.8	(1)	(1)	20.2	(*)	Harrison town, N. J.....	22.0	21.7	24.4	20.5	22.6	(*)
Cambridge, Mass.....	18.2	18.7	17.5	19.5	17.3	25.2	Hartford, Conn.....	19.4	19.9	16.9	23.1	18.0	19.4
Camden, N. J.....	15.2	14.9	15.7	12.8	17.3	29.4	Haverhill, Mass.....	15.2	15.5	15.5	15.5	13.9	(*)
Canton, Ohio.....	13.3	12.4	(1)	(1)	18.9	(*)	Hazleton, Pa.....	14.4	12.5	(1)	(1)	22.4	
Carbondale, Pa.....	21.8	18.4	(1)	(1)	36.4		Helena, Mont.....	14.4	12.4	(1)	(1)	20.3	(*)
Carlisle, Pa.....	21.4	21.6	(1)	(1)	11.6	22.6	Hoboken, N. J.....	21.1	20.0	22.2	19.0	23.3	(*)
Central Falls, R. I.....	16.0	18.5	18.5	18.5	13.2	(*)	Holyoke, Mass.....	18.0	19.5	14.8	21.4	15.8	
Charleston, S. C.....	25.6	23.4	25.2	17.6	44.8	46.7	Hudson, N. Y.....	20.7	20.0	22.4	14.1	25.4	(*)
Chelsea, Mass.....	18.9	20.2	19.6	20.8	16.2	9.0	Hutchinson, Kans.....	20.7	21.4	(1)	(1)	7.3	(*)
Chicago, Ill.....	16.1	15.8	(1)	(1)	16.6	21.6	Hyde Park town, Mass.....	16.4	14.9	15.1	14.7	20.1	
Chicopee, Mass.....	20.8	25.5	15.2	30.9	14.5		Indianapolis, Ind.....	15.9	14.8	15.9	12.0	24.5	23.8
Chillicothe, Ohio.....	21.0	17.6	(1)	(1)	62.8	25.3	Iron Mountain, Mich.....	13.2	18.1	8.2	19.8	7.8	
Chippewa Falls, Wis.....	12.4	11.0	10.8	11.1	15.7		Ironton, Ohio.....	18.4	16.6	18.9	10.0	43.5	21.6
Cincinnati, Ohio.....	18.6	15.4	18.3	13.0	32.6	29.5	Ironwood, Mich.....	13.0	15.1	4.1	17.0	10.6	
Cleveland, Ohio.....	17.1	17.7	20.4	16.2	15.8	18.0	Ishpeming, Mich.....	14.8	16.5	15.6	16.6	12.7	
Clinton town, Mass.....	16.4	16.8	14.5	18.0	15.8		Ithaca, N. Y.....	16.3	15.5	17.1	9.7	23.0	(*)
Cohoes, N. Y.....	20.3	19.9	23.3	18.2	21.0		Jackson, Mich.....	13.3	12.2	12.6	11.4	19.4	(*)
Columbia, Pa.....	19.3	19.0	(1)	(1)	23.4	(*)	Jacksonville, Fla.....	25.6	23.8	(1)	(1)	44.7	31.6
Columbus, Ind.....	19.4	19.0	18.5	21.4	28.8	(*)	Jacksonville, Ill.....	22.0	17.3	(1)	(1)	61.1	19.9
Columbus, Ohio.....	15.4	14.0	14.8	12.0	27.3	21.2	Jamestown, N. Y.....	12.6	12.0	15.0	8.3	14.0	
Concord, N. H.....	18.2	19.9	18.6	23.2	11.3	(*)	Jeffersonville, Ind.....	18.9	16.8	(1)	(1)	47.3	31.9
Corning, N. Y.....	17.9	17.1	16.0	19.5	23.4	(*)	Jersey City, N. J.....	20.6	19.5	19.1	19.8	23.5	25.5
Cortland, N. Y.....	13.3	13.2	14.5	7.6	14.7	(*)	Johnstown, N. Y.....	13.3	13.3	13.1	13.8	13.3	(*)
Covington, Ky.....	20.1	17.1	22.2	10.8	40.2	22.0	Johnstown, Pa.....	19.8	19.2	(1)	(1)	22.0	(*)
Danbury town, Conn.....	16.5	15.6	16.4	14.4	19.8	(*)	Kalamazoo, Mich.....	16.9	15.5	15.9	15.0	22.6	(*)
Danvers town, Mass.....	17.7	15.3	19.3	8.3	26.2	(*)	Kansas City, Mo.....	16.3	15.4	15.2	16.0	22.7	26.3
Danville, Ill.....	18.6	16.7	(1)	(1)	38.4	29.7	Keene, N. H.....	13.7	13.3	13.5	12.8	16.0	
Davenport, Iowa.....	15.9	11.5	(1)	(1)	29.5	(*)	Keokuk, Iowa.....	19.1	16.2	(1)	(1)	38.2	18.5
Dayton, Ohio.....	16.3	14.6	(1)	(1)	28.5	21.1	Key West, Fla.....	28.5	29.5	(1)	(1)	26.9	28.1
Decatur, Ill.....	17.1	16.0	(1)	(1)	27.9	16.1	Kingston, N. Y.....	17.5	15.6	16.8	13.6	28.5	39.9
Denver, Colo.....	18.4	17.6	(1)	(1)	22.1	21.9	Laconia, N. H.....	20.2	22.1	18.9	32.2	13.6	(*)
Detroit, Mich.....	17.0	16.9	16.1	17.3	17.3	24.9	Lafayette, Ind.....	16.4	14.8	(1)	(1)	27.9	(*)
Dover, N. H.....	19.4	20.3	17.9	25.1	16.7	(*)	Lancaster, Pa.....	17.4	15.9	(1)	(1)	33.1	21.5
Dubois, Pa.....	13.9	13.8	11.8	18.7	14.5	(*)	Lansing, Mich.....	13.7	12.8	14.5	9.0	19.5	(*)
Duluth, Minn.....	13.2	*12.2	9.2	13.6	14.9	(*)	Lansingburg, N. Y.....	19.4	18.3	18.7	17.7	24.4	(*)
Dunkirk, N. Y.....	14.8	13.8	12.7	14.4	17.4		Lawrence, Kans.....	14.7	13.2	(1)	(1)	30.8	24.1
Easton, Pa.....	16.6	(1)	(1)	(1)	(1)	(*)	Lawrence, Mass.....	20.2	22.7	17.0	25.3	17.2	(*)
Eau Claire, Wis.....	14.6	13.3	17.3	11.2	18.0	(*)	Leadville, Colo.....	28.6	(1)	(1)	(1)	(1)	
Elizabeth, N. J.....	17.4	16.5	16.3	16.7	19.5	21.4	Leavenworth, Kans.....	18.1	15.7	(1)	(1)	28.3	33.1
Elmira, N. Y.....	15.4	14.5	15.3	12.9	20.2	15.9	Lebanon, Pa.....	18.6	18.2	19.3	2.6	29.2	
Erie, Pa.....	15.2	13.2	(1)	(1)	21.9	(*)	Leominster town, Mass.....	14.1	15.6	14.3	17.9	9.2	(*)
Escanaba, Mich.....	19.6	18.1	21.3	16.9	22.8	(*)	Lima, Ohio.....	17.3	(1)	(1)	(1)	(1)	(*)
Evansville, Ind.....	17.0	14.6	16.5	11.6	36.8	22.6	Lincoln, Nebr.....	11.6	10.6	(1)	(1)	17.7	24.9
Everett, Mass.....	15.9	17.1	16.0	18.4	12.9	14.9	Lockport, N. Y.....	15.7	14.3	17.0	11.1	22.2	(*)
Fall River, Mass.....	22.4	29.4	21.3	32.3	14.8	(*)	Los Angeles, Cal.....	17.9	16.4	(1)	(1)	24.3	23.9
Findlay, Ohio.....	15.7	15.1	15.7	11.8	25.8	(*)	Louisville, Ky.....	17.9	16.4	(1)	(1)	28.6	28.7
Fitchburg, Mass.....	13.6	15.3	13.3	17.2	10.4	(*)	Lowell, Mass.....	19.8	23.6	15.7	28.5	14.7	(*)
Flint, Mich.....	14.0	13.7	15.0	11.2	15.5	(*)	Lynchburg, Va.....	21.0	21.0	(1)	(1)	20.4	36.3
Framingham town, Mass.....	16.9	15.5	13.9	18.0	21.9		Lynn, Mass.....	16.4	16.7	16.1	17.5	15.5	18.8

* Rate not stated where colored population is less than 500.

1 Deaths not reported by nativity or parent nativity.

VITAL STATISTICS.

DEATH RATES BY COLOR, GENERAL NATIVITY, AND PARENT NATIVITY—Continued.

STATES AND CITIES.	CLASSES BY COMBINATION.		PRIMARY CLASSES.				STATES AND CITIES.	CLASSES BY COMBINATION.		PRIMARY CLASSES.			
	White.	Native white.	Native white.		Foreign white.	*Colored.		White.	Native white.	Native white.		Foreign white.	*Colored.
			Both parents native.	One or both parents foreign.						Both parents native.	One or both parents foreign.		
Registration cities—Cont'd.							Registration cities—Cont'd.						
McKeesport, Pa.....	17.1	19.3	(1)	(1)	11.7	24.0	Niagara Falls, N. Y.....	15.0	15.7	16.2	15.4	13.9	(*)
Madison, Wis.....	11.3	8.8	11.7	6.4	23.1	(*)	Norfolk, Va.....	18.5	18.4	(1)	(1)	19.9	33.
Mahanoy City, Pa.....	26.6	25.0	22.8	26.8	30.4	(*)	Norristown, Pa.....	23.4	21.0	20.1	24.6	37.9	27.0
Malden, Mass.....	14.5	14.9	15.1	14.7	13.3	(*)	North Adams, Mass.....	13.8	14.5	13.0	15.9	12.2	(*)
Manchester, N. H.....	19.2	22.7	14.4	30.0	14.4	(*)	Northampton, Mass.....	15.1	14.8	15.9	13.4	16.1	(*)
Manchester town, Conn.....	11.9	13.3	10.4	15.3	9.6		Norwalk town, Conn.....	14.8	14.5	14.2	15.0	16.2	(*)
Manitowoc, Wis.....	14.3	12.4	16.0	11.0	19.7		Norwich town, Conn.....	16.4	15.6	17.8	13.5	18.3	19.1
Mankato, Minn.....	15.0	14.0	17.6	11.3	18.2		Oakland, Cal.....	16.8	14.4	(1)	(1)	24.0	16.1
Marietta, Ohio.....	13.8	(1)	(1)	(1)	(1)	(*)	Ogdensburg, N. Y.....	16.2	13.2	17.0	10.7	24.9	
Marinette, Wis.....	14.2	13.9	13.0	14.3	14.6	(*)	Oil City, Pa.....	15.1	14.5	(1)	(1)	18.6	(*)
Marlboro, Mass.....	16.1	15.9	17.9	14.1	17.0		Olean, N. Y.....	12.4	11.1	11.6	10.3	19.3	(*)
Marquette, Mich.....	16.5	16.3	14.6	16.9	16.9	(*)	Omaha, Nebr.....	13.2	12.9	(1)	(1)	14.4	20.3
Marshalltown, Iowa.....	15.8	(1)	(1)	(1)	(1)	(*)	Orange, N. J.....	19.1	18.8	17.6	19.8	19.7	34.2
Massillon, Ohio.....	16.5	12.5	18.0	5.4	40.8	(*)	Oskaloosa, Iowa.....	18.4	17.5	(1)	(1)	29.5	(*)
Meadville, Pa.....	17.1	15.5	(1)	(1)	33.2	(*)	Ottawa, Ill.....	13.9	11.7	(1)	(1)	25.0	(*)
Medford, Mass.....	14.4	15.1	15.3	14.8	12.1	(*)	Ottumwa, Iowa.....	16.9	15.2	17.0	9.7	32.4	31.7
Melrose, Mass.....	14.7	15.4	15.4	15.4	12.1	(*)	Owosso, Mich.....	14.0	13.6	13.9	12.9	15.8	
Memphis, Tenn.....	21.9	20.2	(1)	(1)	37.1	28.6	Paducah, Ky.....	25.1	24.6	25.2	20.4	39.4	34.2
Menominee, Mich.....	14.0	14.2	12.1	14.9	13.6		Passaic, N. J.....	20.0	27.1	15.3	33.6	12.1	(*)
Meriden town, Conn.....	14.3	12.7	14.4	11.4	17.9	(*)	Paterson, N. J.....	18.8	19.8	19.5	19.9	17.3	33.5
Michigan City, Ind.....	14.2	13.5	14.0	13.0	16.4	(*)	Pawtucket, R. I.....	18.5	17.9	19.1	17.0	19.7	(*)
Middletown, N. Y.....	17.2	16.0	16.2	15.2	26.1	(*)	Peabody town, Mass.....	15.8	16.0	19.6	12.1	15.0	(*)
Middletown, Ohio.....	15.6	13.4	13.1	14.3	39.2	(*)	Peekskill, N. Y.....	20.3	18.9	18.9	18.9	29.1	(*)
Middletown town, Conn.....	16.3	14.8	17.2	11.7	20.5	(*)	Perth Amboy, N. J.....	13.9	19.4	11.6	23.8	7.3	(*)
Milford town, Mass.....	18.2	18.6	19.6	17.7	17.4		Peru, Ind.....	16.0	15.8	15.8	15.7	17.7	(*)
Millville, N. J.....	16.7	17.1	17.5	14.2	10.0	(*)	Petersburg, Va.....	27.9	27.9	(1)	(1)	26.3	34.4
Milwaukee, Wis.....	16.0	15.0	17.4	14.2	18.0	14.7	Philadelphia, Pa.....	20.7	20.2	(1)	(1)	22.3	31.1
Minneapolis, Minn.....	10.7	10.2	11.7	9.0	12.0	16.8	Phillipsburg, N. J.....	16.1	14.5	15.5	11.5	30.3	
Mobile, Ala.....	21.9	18.9	(1)	(1)	50.6	30.8	Phoenixville, Pa.....	21.7	21.2	21.2	21.3	23.0	(*)
Montclair, N. J.....	14.9	15.6	14.0	18.2	12.9	21.3	Pittsburg, Pa.....	19.7	18.9	18.4	19.3	21.7	25.9
Morristown, N. J.....	15.5	15.9	16.5	14.6	14.2	35.1	Pittsfield, Mass.....	15.5	14.3	15.0	13.5	20.1	(*)
Mt. Carmel, Pa.....	22.3	24.2	23.8	24.6	17.8	(*)	Pittston, Pa.....	21.9	21.5	23.3	20.5	23.0	
Mt. Vernon, N. Y.....	18.0	20.1	18.0	22.4	11.9	71.8	Plainfield, N. J.....	15.3	14.2	15.7	11.3	19.9	19.8
Muncie, Ind.....	13.5	13.6	14.9	7.2	12.2	17.4	Plymouth, Pa.....	21.0	25.3	(1)	(1)	13.1	
Muscatine, Iowa.....	17.2	14.5	(1)	(1)	30.6		Plymouth town, Mass.....	18.3	19.4	17.0	25.8	15.0	
Muskegon, Mich.....	12.2	12.3	15.6	10.4	11.9	(*)	Pontiac, Mich.....	14.2	13.7	15.8	10.1	16.5	(*)
Nashua, N. H.....	20.1	23.1	14.5	33.3	14.3		Port Huron, Mich.....	12.4	11.5	15.3	9.6	13.9	(*)
Nashville, Tenn.....	20.8	19.6	21.5	8.8	40.0	32.8	Port Jervis, N. Y.....	15.3	12.9	14.4	9.3	38.3	(*)
Natchez, Miss.....	27.2	(1)	(1)	(1)	(1)	48.8	Portland, Me.....	21.9	22.2	23.1	20.1	21.1	(*)
Natick town, Mass.....	14.1	12.7	15.7	8.6	20.3		Portland, Oreg.....	10.0	8.8	(1)	(1)	14.2	5.4
Naugatuck town, Conn.....	17.0	18.4	14.6	20.8	14.3		Portsmouth, N. H.....	16.9	17.9	18.2	17.0	12.9	(*)
Newark, N. J.....	19.5	19.0	20.7	17.8	20.6	29.7	Portsmouth, Ohio.....	17.7	15.9	17.1	12.0	45.2	29.5
Newark, Ohio.....	14.6	13.1	(1)	(1)	33.0	(*)	Pottstown, Pa.....	17.7	17.6	(1)	(1)	18.9	(*)
New Bedford, Mass.....	18.6	22.5	18.0	26.4	13.0	14.9	Pottsville, Pa.....	15.6	14.3	16.5	9.8	27.2	(*)
New Britain town, Conn.....	17.2	17.9	16.5	18.8	16.0		Poughkeepsie, N. Y.....	20.1	17.2	17.5	16.5	34.6	39.6
New Brunswick, N. J.....	20.5	18.7	20.8	15.6	28.8	38.8	Providence, R. I.....	19.7	20.3	19.4	21.2	18.4	26.1
Newburg, N. Y.....	19.7	18.6	21.9	13.5	25.2	33.1	Pueblo, Colo.....	22.9	22.4	25.7	13.5	25.4	24.6
Newburyport, Mass.....	21.4	21.3	21.1	21.6	22.0	(*)	Quincy, Ill.....	15.2	12.7	15.7	9.3	29.5	18.1
Newcastle, Pa.....	15.4	15.8	(1)	(1)	13.7	(*)	Quincy, Mass.....	15.3	16.0	12.9	18.8	13.9	
New Haven town, Conn.....	16.8	15.8	15.2	16.3	19.3	31.8	Raleigh, N. C.....	22.6	22.8	(1)	(1)	14.2	33.6
New London, Conn.....	19.6	19.1	17.3	22.1	21.6	(*)	Reading, Pa.....	17.6	17.1	(1)	(1)	23.8	31.1
New Orleans, La.....	23.8	19.6	22.4	15.7	49.6	42.4	Revere town, Mass.....	15.7	15.7	15.2	16.3	15.6	
Newport, Ky.....	20.1	(1)	(1)	(1)	(1)	(*)	Richmond, Ind.....	15.5	14.9	16.6	10.3	21.9	25.6
Newport, R. I.....	18.7	17.9	21.0	14.5	20.9	23.8	Richmond, Va.....	24.5	23.2	(1)	(1)	48.3	38.1
New Rochelle, N. Y.....	16.1	16.6	16.0	17.1	15.0	27.6	Rochester, N. H.....	22.2	24.8	23.2	30.0	11.5	
Newton, Mass.....	14.3	16.2	13.8	20.1	9.9	12.4	Rochester, N. Y.....	15.0	12.7	15.3	10.7	21.9	26.1
New York city, N. Y.....	20.3	20.8	20.1	21.1	19.4	29.3	Rockland, Me.....	18.0	18.8	19.0	16.5	8.3	
Bronx borough.....	17.9	17.0	17.2	16.9	19.7	34.8	Rome, N. Y.....	17.4	15.7	16.8	13.9	25.8	(*)
Brooklyn borough.....	19.8	19.4	19.5	19.4	20.7	27.5	Rutland, Vt.....	16.4	14.3	(1)	(1)	30.0	(*)
Manhattan borough.....	21.1	22.8	21.5	23.4	18.7	30.3	Sacramento, Cal.....	23.4	20.5	(1)	(1)	34.9	45.4
Queens borough.....	17.2	16.2	16.4	16.1	19.4	23.2	Saginaw, Mich.....	13.2	11.4	12.5	10.7	18.1	(*)
Richmond borough.....	20.3	19.0	20.1	18.1	23.6	25.9	St. Joseph, Mo.....	8.6	7.9	(1)	(1)	15.8	15.8

* Rate not stated where colored population is less than 500.

1 Deaths not reported by nativity or parent nativity.

COLOR AND RACE IN RELATION TO DEATHS.

lxxvii

DEATH RATES BY COLOR, GENERAL NATIVITY, AND PARENT NATIVITY—Continued.

STATES AND CITIES.	CLASSES BY COMBINATION.		PRIMARY CLASSES.				CLASSES AND CITIES.	CLASSES BY COMBINATION.		PRIMARY CLASSES.			
	White.	Native white.	Native white.		Foreign white.	* Colored.		White.	Native white.	Native white.		Foreign white.	* Colored.
			Both parents native.	One or both parents foreign.						Both parent native.	One or both parents foreign.		
Registration cities—Cont'd.							Registration cities—Cont'd.						
St. Louis, Mo	17.0	14.4	(1)	(1)	26.9	32.2	Waltham, Mass.....	14.0	14.9	13.8	16.1	11.9	(*)
St. Paul, Minn.....	9.6	8.5	10.3	7.4	12.4	10.4	Ware town, Mass.....	13.6	14.4	16.1	13.4	12.3	
Salem, Mass	21.9	24.4	23.3	25.6	16.0	(*)	Warren, Ohio.....	16.6	15.6	(1)	(1)	22.4	(*)
Salt Lake City, Utah	15.7	13.0	16.0	10.6	24.5	37.0	Washington, D. C.....	19.1	17.6	18.3	15.3	32.0	31.0
San Antonio, Tex	23.8	20.4	(1)	(1)	37.1	22.4	Waterbury, Conn.....	16.9	17.7	13.5	20.6	15.2	27.5
San Diego, Cal.....	22.4	21.2	(1)	(1)	27.1	27.3	Watertown, N. Y.....	16.2	16.2	16.3	16.0	16.5	(*)
San Francisco, Cal	19.7	16.1	(1)	(1)	27.5	35.9	Watertown town, Mass.....	14.7	13.6	13.8	13.4	17.4	(*)
San Jose, Cal	15.4	14.5	14.9	14.0	18.8	19.8	Watervliet, N. Y.....	19.3	16.9	17.9	16.0	29.1	
Saratoga Springs, N. Y.....	21.1	20.0	22.8	13.2	28.4	25.2	Webster town, Mass.....	16.7	19.6	19.9	19.5	12.4	
Sault Ste. Marie, Mich	15.6	20.2	14.5	22.6	11.3		West Bay City, Mich	14.9	13.8	11.4	15.1	17.8	
Savannah, Ga	24.7	23.3	(1)	(1)	34.3	43.3	Westfield town, Mass.....	19.0	20.1	20.4	19.6	14.4	(*)
Schenectady, N. Y.....	15.1	13.6	12.3	15.4	20.4	(*)	Weymouth town, Mass.....	17.8	17.2	17.2	17.0	21.3	(*)
Scranton, Pa	20.7	21.2	(1)	(1)	19.4	14.8	Wheeling, W. Va.....	13.9	12.0	13.5	10.0	25.3	25.1
Seattle, Wash	11.3	9.5	8.3	12.0	16.9	7.3	Wichita, Kans.....	15.2	(1)	(1)	(1)	(1)	25.9
Shreveport, La	32.7	33.5	(1)	(1)	25.3	56.6	Wilkesbarre, Pa	16.5	(1)	(1)	(1)	(1)	21.9
Sioux City, Iowa	13.2	12.7	(1)	(1)	15.2	(*)	Williamsport, Pa	11.7	10.9	11.9	7.3	21.1	18.4
Somerville, Mass	15.4	14.7	13.1	16.8	17.2		Wilmington, Del.....	20.1	20.5	(1)	(1)	17.6	26.0
South Bethlehem, Pa.....	19.1	19.9	21.5	17.5	16.9	(*)	Wilmington, N. C.....	19.7	19.2	(1)	(1)	31.3	34.3
Southbridge town, Mass.....	20.3	23.6	17.1	27.1	14.2	(*)	Windham town, Conn.....	16.8	15.9	15.4	16.5	19.5	(*)
Spokane, Wash	14.0	13.0	11.9	15.0	18.1	5.4	Winona, Minn.....	14.0	13.3	17.1	11.5	16.0	
Springfield, Ill.....	18.5	16.3	20.1	9.8	31.5	23.3	Woburn, Mass.....	16.6	15.4	15.1	15.6	19.9	(*)
Springfield, Mass.....	17.2	16.7	14.4	20.0	18.7	8.4	Woonsocket, R. I.....	18.3	22.0	19.5	23.1	13.7	
Stamford town, Conn	16.7	14.9	16.1	13.4	21.9	(*)	Worcester, Mass.....	15.5	16.0	15.3	16.6	14.4	18.1
Steelton, Pa	17.9	19.1	16.5	33.8	13.5	15.9	Yonkers, N. Y.....	16.1	16.1	14.3	17.5	16.0	24.6
Stonington town, Conn	16.3	16.0	18.0	12.9	17.3	(*)	Youngstown, Ohio.....	16.7	16.4	15.6	16.9	17.5	13.0
Superior, Wis.....	11.3	11.9	10.2	12.8	10.4	(*)							
Syracuse, N. Y.....	13.8	12.7	14.9	10.3	17.5	16.9							
Tacoma, Wash.....	11.3	10.0	11.0	8.6	14.8	10.5							
Taunton, Mass.....	19.9	20.3	18.4	22.4	19.1	(*)							
Terre Haute, Ind.....	15.8	14.3	15.0	12.1	31.9	21.0							
Tiffin, Ohio.....	12.7	11.7	14.0	7.0	21.4								
Toledo, Ohio.....	16.0	15.0	14.8	15.2	19.8	16.6							
Torrington town, Conn.....	14.5	16.4	13.4	19.5	10.6	(*)							
Town of Union, N. J.....	13.6	13.0	15.2	11.9	14.9								
Traverse City, Mich.....	15.8	14.7	16.7	11.7	19.4								
Trenton, N. J.....	15.8	15.0	14.6	15.6	18.2	23.2							
Troy, N. Y.....	22.9	20.3	21.4	19.4	31.1	(*)							
Utica, N. Y.....	17.5	16.5	18.5	14.6	20.9	(*)							
Vernon town, Conn.....	14.8	14.0	10.0	16.5	16.5	(*)							
Vincennes, Ind.....	18.7	17.7	20.0	10.7	31.4	(*)							
Wakefield town, Mass.....	14.5	15.5	17.2	12.9	11.5	(*)							
Wallingford town, Conn.....	15.3	15.7	16.8	14.5	14.2	(*)							

* Rates not stated where colored population is less than 500.
† Deaths not reported by nativity or parent nativit7.

* Rate not stated where colored population is less than 500.
† Deaths not reported by nativity or parent nativity.

In Section VIII, corrected death rates are given for the native whites of native parents, native whites of foreign parents, and colored, in the registration area and its subdivisions, each registration state and some of the principal cities, the correction being made for differences in the age distribution of certain classes of population.

The following table shows, for the registration area, the death rates of white persons having mothers born in the specified countries, from certain diseases and classes of diseases, per 100,000 of population:

* Rate not stated where colored population is less than 500.
 † Deaths not reported by nativity or parent nativity.

In Section VIII, corrected death rates are given for the native whites of native parents, native whites of foreign parents, and colored, in the registration area and its subdivisions, each registration state and some of the principal cities, the correction being made for differences in the age distribution of certain classes of population.

The following table shows, for the registration area, the death rates of white persons having mothers born in the specified countries, from certain diseases and classes of diseases, per 100,000 of population:

DEATH RATE OF WHITES FROM CERTAIN DISEASES, BY BIRTHPLACES OF MOTHERS.

CAUSE OF DEATH.	United States.	Ireland.	Germany.	England and Wales.	Canada.	Scandinavia.	Scotland.	Italy.	France.	Hungary and Bohemia.	Russia and Poland.	Other foreign.
All causes	1,460.3	2,132.9	1,549.1	1,553.9	1,393.3	1,240.2	1,579.7	2,044.8	1,710.2	1,286.4	1,199.8	1,736.6
General diseases—A	277.2	275.0	230.3	225.6	317.4	265.3	203.9	471.8	248.6	273.5	295.2	382.5
Measles.....	11.9	10.4	8.9	7.9	17.3	13.4	5.8	62.6	2.0	8.8	13.5	23.6
Scarlet fever.....	11.0	9.6	7.6	8.3	11.5	13.6	9.4	15.5	3.0	13.8	18.4	12.0
Diphtheria.....	30.9	26.9	29.0	19.7	30.0	35.6	19.5	48.7	10.0	37.4	39.6	31.7
Diphtheria and croup.....	40.7	32.8	37.7	25.4	40.9	44.6	23.1	67.4	11.0	49.2	49.7	44.1
Whooping cough.....	14.0	10.9	6.9	10.1	16.0	16.1	6.5	20.9	6.0	8.4	11.7	19.5
Malarial fever.....	5.2	5.8	5.5	4.7	3.8	1.8	6.8	7.3	12.0	1.5	1.7	5.5
Typhoid fever.....	28.4	27.1	27.6	30.5	27.5	41.9	19.8	20.9	30.9	24.6	17.3	37.9
Diarrheal diseases.....	120.3	113.7	104.4	84.7	166.5	107.2	80.3	240.5	134.8	153.4	167.8	205.7
Cerebro-spinal fever.....	8.6	5.7	3.9	5.2	9.4	8.4	7.2	11.2	5.0	4.9	7.6	9.9
Erysipelas.....	4.2	6.4	5.0	5.4	3.8	2.8	4.0	14.4	6.0	6.9	4.5	6.2
Venereal diseases.....	1.7	1.7	1.1	1.9	1.7	2.2	1.8	7.3	2.0	0.5	1.2	2.8

DEATH RATE OF WHITES FROM CERTAIN DISEASES, BY BIRTHPLACES OF MOTHERS—Continued.

CAUSE OF DEATH.	United States.	Ireland.	Germany.	England and Wales.	Canada.	Scandinavia.	Scotland.	Italy.	France.	Hungary and Russia.	Russia and Poland.	Other foreign.
Alcoholism.....	2.4	17.7	6.1	8.3	3.7	5.5	9.7	0.7	7.0	3.9	1.7	4.2
Old age.....	45.6	69.7	50.0	54.9	22.4	20.8	77.1	7.1	61.9	17.7	10.8	26.9
Diabetes.....	9.6	10.4	12.2	12.1	6.3	3.3	12.3	2.6	12.9	3.4	3.3	7.8
Scrofula and tabes.....	3.5	2.1	1.7	2.4	4.5	3.1	2.2	3.2	4.0	0.5	0.7	2.8
Hydrocephalus.....	11.7	10.7	6.4	8.0	10.7	15.5	8.3	20.5	9.0	14.3	15.1	16.7
Consumption.....	112.8	339.6	167.0	135.1	143.1	170.3	172.5	113.6	184.7	107.7	71.8	153.8
Cancer.....	48.3	76.4	78.2	72.0	40.3	31.1	81.8	22.8	92.8	31.5	25.7	48.5
Cancer and tumor.....	53.0	83.9	84.4	78.3	44.0	34.8	89.7	24.7	97.8	34.0	28.6	54.3
Diseases of the nervous system.....	207.6	227.1	178.8	211.3	146.2	114.5	205.7	165.9	221.6	141.2	114.3	176.6
Apoplexy and paralysis.....	95.0	133.2	95.3	127.6	48.6	34.4	131.9	27.9	132.7	38.4	21.7	55.5
Tetanus and trismus nascentium.....	3.1	2.5	2.6	2.0	1.0	2.4	0.7	6.4	3.0	3.4	4.9	3.2
Convulsions.....	29.3	16.5	23.9	17.0	25.3	26.1	13.3	39.2	15.0	57.1	39.1	49.4
Diseases of the circulatory system.....	126.8	205.5	144.9	165.7	90.4	68.8	171.8	76.4	176.7	66.4	55.4	102.7
Heart disease and dropsy.....	117.6	194.1	140.2	154.1	86.2	66.8	160.6	69.3	160.7	65.3	50.9	98.3
Angina pectoris.....	7.0	5.3	5.3	8.5	3.4	1.0	7.5	2.1	6.0	2.0	1.6	4.8
Diseases of the respiratory system.....	211.6	365.3	245.7	228.7	209.4	209.8	221.1	705.5	208.6	272.5	268.5	327.5
Pneumonia.....	142.8	257.5	161.1	156.9	136.2	148.3	154.1	479.8	145.7	206.6	197.6	226.5
Bronchitis.....	35.7	65.1	47.0	36.7	40.3	33.0	38.2	175.6	38.9	33.5	40.8	57.9
Diseases of the digestive system.....	79.7	116.6	100.4	99.1	72.1	68.2	89.3	75.3	132.8	79.7	61.6	94.1
Diseases of the stomach.....	16.1	30.1	17.7	22.9	11.6	8.1	19.8	13.1	17.0	12.8	11.7	18.6
Diseases of the liver.....	15.6	34.7	28.7	26.3	13.9	12.4	24.8	18.7	52.9	21.6	9.8	17.2
Peritonitis.....	14.8	15.6	18.4	14.1	15.8	18.5	12.2	16.6	18.9	11.8	9.4	18.4
Diseases of the urinary system, exclusive of Bright's disease.....	21.6	25.8	19.6	28.7	14.3	11.7	23.8	19.1	26.0	12.8	14.2	18.4
Bright's disease.....	55.5	134.8	86.8	85.1	35.1	38.4	87.5	36.6	117.8	39.3	28.7	49.6
Diseases of the female organs of generation.....	9.6	11.2	12.3	9.7	9.3	7.6	10.9	14.9	16.4	9.0	8.2	10.0
Affections connected with pregnancy.....	17.5	29.7	32.3	30.2	26.6	26.6	20.3	60.8	14.3	24.1	31.0	37.8
Diseases of the bones and joints.....	3.4	4.1	2.8	2.8	3.3	4.1	4.8	3.9	2.0	1.5	2.8	2.8
Accidents and injuries.....	62.7	99.9	84.5	77.2	71.5	79.1	82.8	119.5	78.9	77.2	75.9	107.4
Suicides.....	6.8	6.1	19.3	10.4	6.5	10.7	11.6	5.1	22.0	11.8	5.8	15.1
Other accidents and injuries.....	55.9	93.8	65.2	66.8	65.0	68.4	71.2	114.4	56.9	65.4	70.1	92.3

The relation of birthplace of mother to the death rates from individual causes of death, in the aggregate | and by age periods, is shown in greater detail in Section XII.

SECTION VII.

RELATION OF AGE TO DEATHS.

This section treats of the relation of age to the general or gross death rates. The age distribution of the population furnishing the deaths is a most important factor to be considered in studying the gross rates of different localities, or the mortality from different diseases in different areas. The differences in the age distribution of the population are, however, largely due to the presence of different classes of population in the various areas, and the proportions of such classes as well as the differences in their distribution by age should be kept constantly in view. The population of the registration area and its subdivisions, by classes, and the proportions and age distribution of each class are given in Section II.

In Section VI, which treats of the relations of color and race, the percentage of each of the primary classes of population in each registration state and city is given in full, with a corresponding table showing the death rates of each class.

Table 1, Part I, gives the number of deaths in the United States and the registration area from certain diseases and classes of diseases by age periods in relation to conjugal condition.

Tables 8, 9, 10, 11, and 12, Part II, give the number of deaths from each disease and class of diseases by sex and age for various areas.

Table 25, Part I, gives the number of deaths from each cause per 1,000 deaths from known causes in the United States, the registration area, and the registration cities, by age and sex.

Table 24, Part I, gives the number of deaths at each age, per 1,000 deaths at known ages from each cause, in the United States, the registration area and the registration cities, by sex.

The following table shows, for the registration area, the death rates at each age per 1,000 of population in 1890 and 1900, and the decreases and increases in the rates:

DEATH RATES AT EACH AGE.

AGE.	DEATH RATE.		DECREASE OR INCREASE IN DEATH RATE.	
	1900	1890	Decrease.	Increase.
Under 1 year	165.4	205.8	40.4	
1 year.....	46.6	84.9	38.3	
2 years.....	20.5	23.8	3.3	
3 years.....	13.2	16.8	3.6	
4 years.....	9.4	13.0	3.6	
Under 5 years.....	52.1	66.8	14.7	
5 to 9 years.....	5.2	7.3	2.1	
10 to 14 years.....	3.3	3.8	0.5	
15 to 19 years.....	5.2	6.0	0.8	
20 to 24 years.....	7.5	8.4	0.9	
25 to 29 years.....	8.6	9.9	1.3	
30 to 34 years.....	9.4	10.6	1.2	
35 to 39 years.....	11.0	12.5	1.5	
40 to 44 years.....	12.2	13.5	1.3	
45 to 49 years.....	15.2	16.5	1.3	
50 to 54 years.....	19.1	19.2	0.1	
55 to 59 years.....	26.3	26.5	0.2	
60 to 64 years.....	35.1	32.8		2.3
65 to 69 years.....	52.2	49.0		3.2
70 to 74 years.....	75.2	64.5		10.7
75 to 79 years.....	110.5	103.2		7.3
80 to 84 years.....	165.8	144.6		21.2
85 to 89 years.....	241.3	215.5		25.8
90 to 94 years.....	339.2	260.0		79.2
95 years and over.....	418.9	347.1		71.8

This table shows that in comparison with 1890 there was a very regular decrease in the death rates at each age up to 60 years, and an increase in the rates at each age above 60 years.

In Section XII, the death rates at certain ages for each disease and class of diseases in the different areas are given in full, and comparisons are made with the corresponding rates in 1890, which show the causes to which decreased or increased rates are due, and the ages at which they occurred.

The following table shows for the registration area and its subdivisions, the death rates during the census year in each of eight age groups by sex:

DEATH RATES AT CERTAIN AGES IN REGISTRATION AREAS, BY SEX.

REGISTRATION AREAS.	AGES.							
	Under 1.	Under 5.	5 to 14.	15 to 24.	25 to 34.	35 to 44.	45 to 64.	65 and over.
Total	165.4	52.1	4.3	6.4	9.0	11.5	22.1	86.6
Males.....	183.7	56.7	4.4	6.7	9.5	12.4	24.1	91.1
Females.....	146.8	47.5	4.2	6.1	8.5	10.5	20.1	82.6
Cities.....	179.9	57.6	4.7	6.7	9.6	12.6	24.8	93.3
Males.....	199.6	62.6	4.8	7.2	10.3	13.8	27.7	99.6
Females.....	159.9	52.6	4.6	6.3	8.8	11.2	22.0	88.1
States.....	159.3	49.9	3.8	5.7	8.3	10.5	20.3	82.8
Males.....	177.2	54.4	3.9	5.8	8.5	11.0	21.4	85.9
Females.....	141.1	45.4	3.8	5.5	8.1	10.0	19.2	80.0
Cities.....	184.7	59.7	4.3	5.9	9.1	12.1	24.3	90.9
Males.....	205.3	65.0	4.3	6.3	9.8	13.1	26.3	95.2
Females.....	163.7	54.4	4.2	5.6	8.5	11.0	22.3	87.6
Rural.....	117.4	34.4	3.2	5.3	6.8	8.0	15.7	76.8
Males.....	131.0	37.6	3.2	5.2	6.4	7.8	16.0	80.0
Females.....	103.6	31.2	3.2	5.3	7.3	8.2	15.4	73.6
Cities in other states.....	175.2	55.6	5.1	7.5	9.9	13.0	25.3	95.6
Males.....	194.0	60.4	5.2	8.1	10.8	14.4	28.9	103.8
Females.....	156.0	50.8	4.9	6.9	9.1	11.4	21.6	88.7

This table shows that for infants under 1, and children under 5 years of age, the death rates were higher in the cities in the registration states than in those in the nonregistration states, and also that at all ages above 5 years, the death rates were highest in the cities in the nonregistration states; but by reference to Section XII, showing the relation of age to causes of death, it will be seen that in comparison with 1890 the decrease in the death rate of infants and young children was much more marked in the cities in the registration states than in those in the nonregistration states.

The following table shows, for each registration state and city, the death rates during the census year in each of eight age groups:

DEATH RATES AT CERTAIN AGES IN REGISTRATION STATES AND CITIES.

AREAS.	AGES.							
	Under 1.	Under 5.	5 to 14.	15 to 24.	25 to 34.	35 to 44.	45 to 64.	65 and over.
Registration states:								
Connecticut.....	156.8	46.4	3.6	5.4	7.4	9.5	19.8	83.8
District of Columbia.....	274.5	81.0	7.0	9.7	11.2	13.0	27.3	103.3
Maine.....	144.1	41.9	3.5	6.5	7.9	8.7	17.0	78.1
Massachusetts.....	177.8	54.4	3.8	5.6	7.8	9.7	20.7	86.3
Michigan.....	121.3	36.0	3.2	5.3	7.0	8.0	15.6	74.5
New Hampshire.....	172.0	51.8	3.9	5.4	6.3	8.2	16.1	79.2
New Jersey.....	167.4	52.7	4.2	5.5	8.3	10.9	21.0	85.5
New York.....	159.8	52.3	3.9	5.6	9.1	11.8	22.1	83.6
Rhode Island.....	197.9	63.3	4.0	5.9	8.0	10.6	22.5	91.7
Vermont.....	122.1	34.4	3.4	6.0	7.4	9.5	16.6	80.4

DEATH RATES AT CERTAIN AGES IN REGISTRATION STATES AND CITIES—Continued.

AREAS.	AGES.							
	Under 1.	Under 5.	5 to 14.	15 to 24.	25 to 34.	35 to 44.	45 to 64.	65 and over.
Registration cities:								
Alameda, Cal.....	81.5	22.5	2.0	7.3	8.4	10.3	17.5	74.4
Albany, N. Y.....	199.6	60.8	4.6	6.7	10.9	13.2	25.8	84.7
Alexandria, Va.....	250.0	81.3	10.4	12.5	10.1	11.3	23.6	107.1
Alegheny, Pa.....	178.0	59.5	4.7	7.4	9.3	12.8	25.1	96.6
Allentown, Pa.....	192.5	63.2	4.9	7.5	8.2	9.3	17.4	99.9
Altoona, Pa.....	214.8	62.8	4.5	9.2	7.5	9.1	24.7	111.4
Amsterdam, N. Y.....	146.6	45.0	4.6	6.1	4.5	13.4	22.4	86.3
Annapolis, Md.....	233.5	78.0	7.8	7.6	6.0	5.1	19.5	132.5
Ann Arbor, Mich.....	103.0	23.5	1.5	4.4	10.2	11.7	21.4	70.7
Appleton, Wis.....	109.6	29.3	2.1	4.5	7.1	4.5	15.3	63.5
Ashtabula, Ohio.....	126.9	42.7	4.4	3.9	9.0	11.6	28.2	96.2
Atlanta, Ga.....	306.0	99.4	5.4	13.0	14.7	18.6	34.7	123.5
Atlantic City, N. J.....	215.4	64.8	3.8	3.7	7.3	13.0	22.7	112.8
Attleboro town, Mass.....	168.3	57.7	3.4	5.9	2.4	9.3	11.5	78.5
Auburn, N. Y.....	186.2	53.7	6.2	6.8	6.8	10.1	17.7	92.4
Augusta, Me.....	219.4	59.0	5.9	7.8	15.2	19.9	35.4	91.7
Aurora, Ill.....	129.5	37.6	4.9	5.9	6.0	6.3	20.3	79.5
Baltimore, Md.....	235.1	72.2	5.4	7.3	10.4	13.7	26.6	95.5
Bangor, Me.....	120.4	34.4	4.4	5.5	6.3	8.9	15.8	101.7
Barre, Vt.....	153.5	56.6	11.0	4.0	6.2	13.9	25.3	98.5
Bath, Me.....	121.5	38.3	1.2	3.8	3.8	7.3	16.9	67.9
Battle Creek, Mich.....	89.4	30.9	3.1	3.3	5.0	12.1	19.1	81.5
Bay City, Mich.....	112.9	35.5	3.9	5.4	6.9	7.0	16.6	71.7
Bayonne, N. J.....	149.9	50.6	5.2	5.4	8.8	12.2	23.1	72.0
Bellaire, Ohio.....	163.1	57.4	6.0	5.5	8.0	9.9	17.1	107.0
Belleville, Ill.....	139.7	42.5	4.0	4.7	11.4	7.7	20.9	76.8
Beloit, Wis.....	143.5	44.0	6.1	3.0	6.2	10.3	17.7	68.8
Bennington town, Vt.....	127.7	31.0	0.7	6.2	10.4	9.7	24.7	79.2
Berlin, N. H.....	170.7	56.0	4.2	3.5	6.0	8.0	12.4	67.6
Biddeford, Me.....	311.6	105.6	4.2	7.9	8.7	15.2	22.4	61.4
Binghamton, N. Y.....	196.9	56.3	6.9	7.8	7.9	10.1	20.2	78.9
Boston, Mass.....	194.1	64.7	4.4	6.6	10.2	12.6	25.8	101.7
Bridgeport, Conn.....	172.2	57.3	3.9	5.5	7.6	11.7	24.5	74.8
Brockton, Mass.....	119.4	35.8	4.5	6.0	5.3	7.7	15.7	79.6
Buffalo, N. Y.....	150.9	45.4	3.1	4.5	6.8	9.8	20.8	81.8
Burlington, Iowa.....	129.6	31.0	4.1	7.6	12.4	9.8	20.7	93.0
Burlington, Vt.....	248.0	63.4	4.8	6.3	9.1	12.0	22.1	79.2
Cambridge, Mass.....	186.5	62.4	5.6	5.6	7.2	10.3	21.0	97.2
Camden, N. J.....	171.3	56.6	6.7	4.5	7.1	8.8	19.0	76.1
Canton, Ohio.....	133.3	35.1	5.2	4.4	6.3	8.5	16.8	94.5
Carbondale, Pa.....	170.0	58.4	10.3	6.5	9.5	14.8	30.5	113.3
Carlisle, Pa.....	245.4	66.2	7.1	6.9	7.5	12.1	20.6	113.6
Central Falls, R. I.....	181.5	59.2	4.1	3.5	5.9	7.9	23.5	79.3
Charleston, S. C.....	419.5	132.4	8.5	17.8	21.9	28.9	50.3	134.5
Chelsea, Mass.....	155.7	54.4	2.6	6.1	7.6	10.8	24.7	89.1
Chicago, Ill.....	146.6	49.4	5.2	5.8	8.1	11.4	24.1	92.4
Chillicothe, Ohio.....	107.6	45.4	3.7	8.9	14.7	8.0	23.7	131.8
Chippewa Falls, Wis.....	112.9	25.2	4.1	6.1	11.8	7.0	18.3	54.5
Cincinnati, Ohio.....	174.3	53.2	3.6	6.9	11.0	14.6	26.8	99.6
Cleveland, Ohio.....	185.5	55.0	4.6	5.7	8.6	12.9	22.3	86.4
Columbia, Pa.....	167.2	57.3	9.5	5.3	5.9	9.7	23.4	104.3
Columbus, Ind.....	177.2	59.8	2.7	9.4	6.3	14.0	24.9	100.0
Columbus, Ohio.....	141.3	41.4	5.0	7.3	9.7	12.5	21.2	91.6
Concord, N. H.....	145.3	47.1	3.7	5.4	5.3	13.2	15.1	98.8
Corning, N. Y.....	133.9	43.6	6.5	7.4	9.7	16.7	14.2	109.7
Cortland, N. Y.....	87.6	27.3	3.7	4.2	6.9	6.4	19.8	59.9
Covington, Ky.....	182.8	53.6	3.6	7.9	11.3	13.9	27.0	117.3
Danville, Ill.....	177.9	55.9	5.2	8.1	6.9	13.4	21.7	112.2
Davenport, Iowa.....	129.4	36.2	2.0	5.7	9.2	7.8	19.5	99.2
Dayton, Ohio.....	124.6	34.0	3.7	7.8	9.0	10.5	22.7	109.1
Decatur, Ill.....	138.8	45.4	4.0	8.0	9.1	10.7	21.7	82.5
Denver, Colo.....	162.3	51.2	4.6	9.6	14.3	14.2	24.9	92.9
Detroit, Mich.....	201.2	58.4	3.7	5.8	8.0	9.7	21.0	93.8
Dover, N. H.....	186.0	55.7	3.7	5.6	8.3	11.0	19.6	90.7
Dubois, Pa.....	136.1	45.6	2.5	4.1	8.0	10.8	9.7	100.0

RELATIONS OF AGE TO DEATHS.

lxxxi

DEATH RATES AT CERTAIN AGES IN REGISTRATION STATES AND CITIES—Continued.

AREAS.	AGES.								AREAS.	AGES.							
	Under 1.	Under 5.	5 to 14.	15 to 24.	25 to 34.	35 to 44.	45 to 64.	65 and over.		Under 1.	Under 5.	5 to 14.	15 to 24.	25 to 34.	35 to 44.	45 to 64.	65 and over.
Registration cities—Con.									Registration cities—Con.								
Duluth, Minn.	111.4	31.9	3.8	6.5	10.0	10.4	21.0	78.2	Manitowoc, Wis.	130.2	36.7	5.0	6.9	7.4	8.9	13.9	50.4
Easton, Pa.	184.4	49.1	3.9	6.8	8.0	8.0	19.6	84.2	Mankato, Minn.	107.1	36.4	7.5	4.5	5.8	12.9	20.0	70.6
Eau Claire, Wis.	152.8	35.8	5.0	9.7	11.1	5.2	18.3	72.5	Marietta, Ohio.	104.5	29.7	2.1	6.4	6.6	9.0	14.5	103.7
Elizabeth, N. J.	185.6	56.3	2.8	4.7	6.4	11.3	23.9	101.3	Marinette, Wis.	149.2	45.5	3.8	5.2	10.8	7.8	13.6	76.3
Elmira, N. Y.	142.9	36.7	3.8	6.8	8.1	11.7	20.0	83.5	Marshalltown, Iowa.	104.7	37.3	3.6	11.6	10.8	10.0	17.3	81.1
Erie, Pa.	138.4	40.0	3.5	4.9	6.8	11.3	19.8	92.8	Massillon, Ohio.	77.8	21.8	3.3	5.3	12.4	11.8	25.6	140.9
Escanaba, Mich.	157.3	49.1	4.9	13.3	13.5	19.5	32.9	46.9	Meadville, Pa.	109.1	32.3	4.3	5.9	10.7	10.6	23.9	112.9
Evansville, Ind.	202.4	54.4	4.7	6.7	8.9	13.7	26.2	98.1	Memphis, Tenn.	247.1	68.9	9.3	14.1	17.5	22.3	37.5	104.6
Fall River, Mass.	304.7	98.3	3.5	4.9	8.4	9.9	26.3	94.4	Menominee, Mich.	108.1	36.8	3.2	8.1	8.3	10.6	21.8	56.6
Findlay, Ohio.	152.7	41.6	3.5	9.5	10.0	10.8	18.6	74.8	Meriden town, Conn.	110.8	34.8	2.4	3.9	5.7	8.7	22.4	90.0
Fitchburg, Mass.	148.2	43.0	4.0	3.8	5.2	5.4	19.0	66.2	Michigan City, Ind.	171.1	44.7	6.4	2.8	4.3	7.6	18.5	76.7
Flint, Mich.	125.7	38.5	6.4	2.8	4.5	12.1	19.9	69.9	Milwaukee, Wis.	190.2	53.0	3.8	5.4	6.5	9.5	19.0	85.9
Frederick, Md.	172.0	50.7	6.2	5.3	5.3	5.1	24.3	110.9	Minneapolis, Minn.	102.0	29.3	3.5	5.1	5.2	7.7	15.4	66.4
Fresno, Cal.	169.6	58.0	7.5	9.9	5.3	10.3	19.4	33.3	Mobile, Ala.	344.5	84.5	5.5	11.2	16.4	21.7	36.8	102.0
Galesburg, Ill.	95.2	27.1	3.6	5.8	6.6	8.4	22.8	69.0	Morristown town, N. J.	159.6	46.5	3.7	7.4	8.0	7.8	20.1	97.0
Geneva, N. Y.	128.5	35.3	2.8	4.1	7.7	10.5	16.2	80.3	Mt. Carmel, Pa.	183.4	81.3	2.2	6.4	9.4	10.5	24.1	126.1
Glens Falls, N. Y.	136.0	50.2	6.5	6.9	12.1	11.9	22.9	87.1	Muncie, Ind.	140.5	43.9	3.6	8.0	8.2	9.4	10.3	94.4
Gloucester, Mass.	153.0	41.6	4.7	6.6	5.9	7.8	16.5	77.8	Muscatine, Iowa.	126.4	29.9	1.7	6.3	8.7	10.5	22.6	113.7
Grand Rapids, Mich.	146.1	45.8	4.4	5.0	6.8	9.2	17.0	69.0	Muskegon, Mich.	138.7	42.8	2.4	3.6	6.7	6.2	13.5	72.7
Green Bay, Wis.	165.1	49.6	4.8	6.2	5.8	11.8	20.6	87.3	Nashua, N. H.	261.2	84.3	5.4	5.6	6.4	10.9	14.6	81.1
Harrisburg, Pa.	169.1	53.0	5.2	7.8	6.8	10.2	25.3	100.2	Nashville, Tenn.	228.9	84.6	8.7	13.2	15.2	16.4	29.9	108.0
Hartford, Conn.	178.2	59.8	5.8	7.3	8.0	13.0	23.5	97.5	Natchez, Miss.	256.3	78.7	9.2	27.9	35.1	29.6	54.9	154.1
Haverhill, Mass.	138.9	40.6	3.8	3.5	7.0	10.2	20.1	69.6	Newark, N. J.	182.0	63.9	4.4	6.0	9.0	14.9	27.3	86.7
Hazleton, Pa.	125.3	43.5	2.7	3.7	6.2	11.7	19.4	101.1	Newark, Ohio.	145.7	37.8	1.5	5.7	8.2	11.2	21.3	83.1
Helena, Mont.	52.6	23.5	2.8	11.3	12.1	9.6	23.4	77.5	New Bedford, Mass.	222.9	66.8	3.6	7.2	5.8	8.3	19.2	91.2
Hoboken, N. J.	198.3	65.1	3.5	6.3	12.0	16.6	30.6	104.6	New Britain town, Conn.	184.9	54.6	4.3	4.5	6.3	8.3	22.4	102.7
Holyoke, Mass.	203.4	60.6	4.0	5.9	9.0	10.3	24.0	105.6	New Castle, Pa.	138.6	41.8	3.2	7.9	9.8	12.7	17.0	87.8
Hudson, N. Y.	200.0	75.3	3.9	6.2	10.6	7.5	23.4	106.9	New Haven, Conn.	154.0	45.4	2.8	5.5	8.5	11.3	27.9	82.4
Hutchinson, Kans.	120.2	51.9	5.7	9.2	12.6	14.9	26.3	97.0	New Orleans, La.	229.2	71.2	6.1	14.2	20.1	25.1	42.6	119.4
Indianapolis, Ind.	173.5	52.8	5.1	7.2	8.7	11.4	20.0	88.6	Newport, Ky.	189.8	60.6	4.2	7.4	8.9	13.3	23.8	124.0
Iron Mountain, Mich.	167.7	47.0	3.9	3.2	4.4	5.9	17.4	77.7	Newport, R. I.	147.4	47.4	4.1	7.5	6.6	10.1	26.6	111.6
Ironton, Ohio.	123.5	52.2	3.6	8.0	13.7	12.9	18.1	108.3	Newton, Mass.	138.5	46.6	3.7	3.3	4.0	6.0	16.5	87.2
Ironwood, Mich.	113.5	36.4	1.7	8.0	7.4	11.6	15.2	59.4	New York city, N. Y.	189.4	66.2	4.4	6.0	10.7	14.9	29.1	97.9
Ithaca, N. Y.	121.5	34.7	5.9	3.1	7.2	13.9	13.3	98.3	Bronx borough.	146.7	51.3	4.0	6.4	10.0	12.9	25.5	101.3
Jackson, Mich.	101.2	26.7	2.0	5.3	7.3	10.5	16.5	81.8	Brooklyn borough.	197.2	66.0	4.6	6.2	10.1	13.2	26.3	89.0
Jacksonville, Fla.	287.6	100.0	8.3	14.5	17.7	24.1	39.7	151.0	Manhattan borough.	190.9	69.8	4.4	5.9	11.3	16.3	31.9	104.6
Jacksonville, Ill.	160.6	46.8	7.1	9.5	14.7	13.0	23.9	106.4	Queens borough.	166.5	50.7	4.4	4.5	7.6	13.2	23.6	93.9
Jeffersonville, Ind.	120.0	45.2	5.1	8.9	13.3	3.6	37.8	105.3	Richmond borough.	200.4	58.0	4.6	6.6	9.1	11.3	26.0	107.1
Jersey City, N. J.	196.4	63.1	4.9	7.1	11.3	14.1	29.8	97.8	Norfolk, Va.	284.3	88.8	5.6	11.5	13.0	19.0	35.5	105.6
Johnstown, Pa.	199.2	66.3	5.8	8.8	10.1	10.6	23.3	95.1	Norristown, Pa.	186.4	47.5	4.3	7.7	11.7	25.1	26.7	104.3
Kalamazoo, Mich.	135.9	39.7	2.8	6.3	8.6	12.2	22.2	94.0	Oakland, Cal.	116.4	37.8	3.9	5.9	9.8	12.0	20.1	96.6
Kansas City, Mo.	186.8	60.3	4.9	8.6	9.9	12.6	23.4	91.0	Ogdensburg, N. Y.	143.9	39.7	5.8	6.0	7.2	11.0	15.0	81.4
Keene, N. H.	123.5	29.4	3.5	7.3	6.4	4.1	10.4	66.7	Oil City, Pa.	156.6	45.0	4.0	6.4	11.5	10.3	13.9	88.2
Keokuk, Iowa.	154.5	48.5	2.2	6.6	11.6	14.5	18.0	90.9	Olean, N. Y.	140.1	30.0	4.4	3.2	7.2	7.8	17.4	93.4
Key West, Fla.	311.8	96.2	5.5	10.6	15.2	23.1	34.1	126.4	Omaha, Nebr.	151.9	44.9	3.8	5.6	7.0	10.5	18.9	84.1
Kingston, N. Y.	178.8	50.6	2.8	7.3	8.8	8.6	23.7	101.8	Oskaloosa, Iowa.	177.6	66.9	4.8	6.5	7.4	10.9	19.4	93.1
Laconia, N. H.	294.6	76.2	5.8	6.4	9.3	4.8	17.0	86.1	Ottawa, Ill.	126.9	33.1	2.4	6.0	3.5	11.5	14.1	83.1
Lafayette, Ind.	152.0	42.5	5.7	7.7	6.3	9.8	21.1	86.0	Ottumwa, Iowa.	149.6	47.1	4.7	7.0	9.9	8.5	20.8	116.2
Lancaster, Pa.	149.8	53.9	6.7	5.7	7.3	9.8	16.2	93.9	Owosso, Mich.	237.3	51.9	4.9	5.8	4.1	6.3	21.4	52.0
Lansing, Mich.	115.2	33.0	4.0	5.5	6.6	7.6	17.5	95.5	Paducah, Ky.	170.9	90.5	10.1	14.7	16.5	21.9	38.3	96.7
Lansingburg, N. Y.	230.8	65.2	6.4	7.9	11.0	10.2	22.9	76.0	Passaic, N. J.	227.9	80.4	6.0	6.2	6.3	12.7	24.7	80.0
Lawrence, Kans.	178.8	52.0	3.5	6.2	11.1	9.5	17.3	62.1	Paterson, N. J.	190.5	61.4	5.9	6.7	9.3	11.8	25.1	88.1
Lawrence, Mass.	246.5	78.0	5.2	5.8	7.3	11.8	24.8	87.9	Pawtucket, R. I.	179.5	55.9	4.0	4.9	9.8	7.3	24.1	99.6
Leadville, Colo.	226.6	75.4	8.6	16.9	16.3	20.0	46.5	169.8	Peru, Ind.	146.7	51.0	2.5	6.3	13.0	11.2	12.5	93.0
Leavenworth, Kans.	184.4	59.2	3.7	7.0	9.2	14.6	25.8	84.3	Petersburg, Va.	265.1	91.6	9.6	12.5	19.2	25.7	41.9	107.2
Lebanon, Pa.	155.4	56.6	5.3	5.4	6.9	14.2	22.7	97.5	Philadelphia, Pa.	201.9	68.4	5.8	6.9	9.8	13.5	26.9	104.1
Lima, Ohio.	177.8	46.3	4.4	8.4	9.0	16.6	18.8	99.2	Phillipsburg town, N. J.	180.0	50.3	3.5	5.6	9.6	4.0	23.6	94.1
Lincoln, Nebr.	134.7	35.8	2.0	3.6	7.1	9.7	18.0	87.9	Phoenixville, Pa.	206.7	72.1	4.4	3.3	7.2	15.9	30.9	118.7
Los Angeles, Cal.	175.1	45.6	5.5	7.5	13.0	16.0	23.2	71.4	Pittsburg, Pa.	180.5	64.9	5.4	9.3	11.2	13.7	26.5	94.7
Louisville, Ky.	173.5	57.9	4.6	9.4	11.3	14.5	27.3	92.7	Pittston, Pa.	204.1	69.4	7.0	5.2	11.4	12.3	29.6	104.2
Lowell, Mass.	275.5	81.5	4.0	6.1	8.6	11.7	22.7	83.4	Pittsfield, N. J.	154.6	46.5	4.1	3.4	7.7	12.0	17.7	94.6
Lyneburg, Va.	301.7	99.3	7.8	13.8	12.3	17.0	31.9	101.7	Plymouth, Pa.	201.4	74.4	9.6	5.0	5.7	13.6	25.2	83.3
Lynn, Mass.	161.0	45.8	4.4	6.1	7.5	11.0	19.5	86.5	Plymouth town, Mass.	192.1	51.7	5.0	5.5	4.1	9.2	15.1	90.2
McKeesport, Pa.	177.0	56.0	5.2	6.8	9.2	10.4	21.2	80.1	Pontiac, Mich.	103.9	29.3	0.7	5.5	8.3	8.3	24.0	54.6
Madison, Wis.	97.1	29.4	4.2	3.0	5.8	6.8	16.4	69.0	Port Huron, Mich.	138.9	36.8	2.9	4.6	6.4	7.6	16.9	71.4
Malden, Mass.	137.7	40.1	2.7	4.8	6.8	9.3	16.6	82.4	Portland, Me.	195.9	59.2	3.9	8.6	11.5	11.1	26.4	99.3
Manchester, N. H.	238.4	78.6	3.1	6.3	8.8	9.3	20.1	75.5	Portland, Oreg.	92.3	26.3	4.0	4.7	4.9	6.3	12.9	68.7

VITAL STATISTICS.

DEATH RATES AT CERTAIN AGES IN REGISTRATION STATES AND CITIES—Continued.

AREAS.	AGES.								AREAS.	AGES.							
	Under 1.	Under 5.	5 to 14.	15 to 24.	25 to 34.	35 to 44.	45 to 64.	65 and over.		Under 1.	Under 5.	5 to 14.	15 to 24.	25 to 34.	35 to 44.	45 to 64.	65 and over.
Registration cities—Con.									Registration cities—Con.								
Portsmouth, N. H.	170.1	53.9	1.9	4.8	2.8	8.3	14.0	91.9	Sioux City, Iowa	131.1	36.7	5.2	5.8	6.7	9.6	18.4	70.0
Portsmouth, Ohio	172.8	57.0	5.0	9.5	9.9	12.0	16.9	100.3	Somerville, Mass	130.8	42.3	3.7	5.2	6.2	7.0	18.7	90.8
Pottstown, Pa.	169.2	50.4	3.9	8.3	10.7	8.7	16.5	94.1	South Bethlehem, Pa.	178.7	59.1	8.8	7.4	7.6	7.8	23.9	125.7
Poughkeepsie, N. Y.	202.6	57.1	3.4	6.9	8.7	10.2	24.1	104.4	Spokane, Wash.	136.1	48.5	4.2	5.7	6.6	10.8	22.0	87.0
Providence, R. I.	214.9	71.6	3.9	6.6	9.0	12.7	23.8	89.3	Springfield, Ill.	167.4	52.3	5.9	9.6	8.5	10.9	25.9	84.3
Pueblo, Colo.	178.4	61.7	10.3	11.1	15.5	19.5	30.3	128.7	Springfield, Mass.	136.3	48.0	5.5	4.6	7.4	9.2	22.1	84.2
Quincy, Ill.	120.9	37.9	6.2	6.1	8.8	9.2	20.2	68.8	Steelton, Pa.	244.6	77.2	3.8	6.2	7.8	9.5	18.2	112.1
Raleigh, N. C.	215.4	84.4	5.0	8.8	17.3	14.7	29.2	161.6	Superior, Wis.	105.9	31.6	3.6	4.9	8.0	8.4	13.5	87.9
Reading, Pa.	198.9	56.9	4.5	5.0	8.6	9.7	21.2	103.6	Syracuse, N. Y.	132.5	36.6	3.3	5.1	6.3	8.7	20.0	74.8
Revere town, Mass.	169.5	47.9	7.9	5.2	6.7	11.2	13.6	79.0	Tacoma, Wash.	93.4	25.4	3.6	5.9	7.3	8.6	19.3	72.8
Richmond, Ind.	138.2	37.1	6.0	6.3	6.9	13.2	13.9	91.0	Taunton, Mass.	191.5	54.5	3.3	6.7	9.3	10.5	23.2	100.0
Richmond, Va.	300.7	94.5	5.4	12.3	16.8	24.0	42.4	133.5	Terre Haute, Ind.	169.8	48.3	6.4	7.7	8.1	10.3	16.4	83.7
Rochester, N. H.	125.0	63.2	7.1	3.2	7.8	13.1	25.7	98.7	Tiffin, Ohio.	93.8	29.6	3.7	2.7	6.5	10.2	11.0	79.7
Rochester, N. Y.	108.7	32.2	3.6	5.2	8.0	10.0	21.7	95.5	Toledo, Ohio.	157.4	50.7	5.5	6.2	7.5	9.0	21.0	80.6
Rockland, Me.	160.7	39.0	4.8	2.8	9.6	7.4	17.7	92.1	Traverse City, Mich.	192.8	40.6	5.6	3.2	7.1	10.5	25.2	92.7
Rome, N. Y.	94.2	31.4	3.9	7.5	6.0	11.7	19.1	83.9	Trenton, N. J.	171.2	48.4	3.3	4.7	8.7	9.2	18.8	95.1
Rutland, Vt.	128.9	40.7	4.4	8.1	4.5	11.3	17.3	88.1	Troy, N. Y.	229.5	73.1	5.6	6.8	14.0	18.2	32.1	96.4
Sacramento, Cal.	177.7	48.8	6.2	11.4	17.4	17.7	34.5	128.8	Utica, N. Y.	138.6	40.9	6.3	6.0	8.7	11.2	22.9	87.5
Saginaw, Mich.	139.0	32.9	3.4	6.4	8.1	6.1	16.8	85.7	Vincennes, Ind.	197.0	66.4	6.0	9.2	9.5	11.7	20.0	66.8
St. Joseph, Mo.	89.0	26.0	2.7	3.3	4.4	7.0	14.8	72.3	Warren, Ohio.	142.9	46.2	6.0	7.5	8.0	11.6	16.3	92.8
St. Louis, Mo.	162.4	49.8	4.3	7.2	10.3	13.6	28.4	93.1	Washington, N. C.	274.5	81.0	7.0	9.7	11.2	13.0	27.3	103.3
St. Paul, Minn.	96.9	27.7	2.9	3.3	5.0	7.2	14.7	64.4	Waterbury town, Conn.	190.7	58.7	3.5	4.8	9.0	10.3	20.7	98.7
Salem, Mass.	247.7	81.3	3.1	6.1	5.1	8.9	23.0	106.5	Watertown, N. Y.	219.4	55.9	4.1	5.2	9.2	8.5	19.3	70.3
Salt Lake City, Utah	82.9	30.0	3.9	7.0	11.3	13.2	22.7	90.2	West Bay City, Mich.	151.8	43.5	4.6	9.0	10.2	8.4	16.6	66.8
San Antonio, Tex.	203.9	66.2	6.1	9.0	19.6	21.6	32.2	103.4	Wheeling, W. Va.	99.1	32.0	3.4	6.4	8.8	9.4	22.0	88.9
San Diego, Cal.	185.5	48.1	3.9	12.2	19.1	13.7	23.7	88.6	Wichita, Kans.	137.6	44.3	5.0	7.6	8.0	11.6	19.3	83.1
San Francisco, Cal.	152.2	45.7	4.6	7.9	12.0	16.9	34.2	100.0	Wilkesbarre, Pa.	155.4	49.9	3.3	5.9	7.7	9.6	24.6	105.1
San Jose, Cal.	99.3	32.4	4.4	6.6	8.2	10.7	21.5	74.8	Williamsport, Pa.	124.0	33.8	1.8	4.9	4.9	7.0	15.9	76.9
Saratoga Springs, N. Y. ..	244.9	59.8	3.6	10.5	11.5	11.2	19.9	100.9	Wilmington, Del.	200.9	66.6	8.2	8.2	9.3	11.8	24.3	107.2
Sault Ste. Marie, Mich. ..	196.9	56.4	3.4	7.3	6.5	8.9	20.7	92.2	Wilmington, N. C.	232.2	77.3	4.1	13.1	17.6	25.2	31.8	103.7
Savannah, Ga.	387.5	124.0	8.4	15.6	19.9	25.5	49.7	157.3	Winona, Minn.	143.8	37.4	2.9	5.3	8.8	8.5	14.4	82.4
Schenectady, N. Y.	146.2	45.0	4.2	3.7	5.7	5.9	23.4	98.7	Woonsocket, R. I.	233.8	74.5	3.8	6.1	7.5	5.9	18.3	88.5
Scranton, Pa.	170.9	66.1	10.4	6.4	9.3	12.4	27.0	92.3	Worcester, Mass.	164.7	49.7	2.8	4.7	7.7	8.5	21.2	77.1
Seattle, Wash.	102.6	29.6	3.7	6.0	6.4	9.4	22.6	73.5	Yonkers, N. Y.	160.9	48.7	4.3	4.3	10.8	8.6	22.6	86.1
Shreveport, La.	293.5	112.4	13.1	33.2	36.0	45.7	58.9	175.5	Youngstown, Ohio.	170.5	52.4	4.3	7.1	8.8	12.6	19.5	102.1

The following table shows, for the registration area groups, by sex, color, general nativity, and parent and its subdivisions, the death rates in each of eight age nativity:

DEATH RATES AT CERTAIN AGES, BY CLASSES.

CLASSES.	AGES.								CLASSES.	AGES.							
	Under 1.	Under 5.	5 to 14.	15 to 24.	25 to 34.	35 to 44.	45 to 64.	65 and over.		Under 1.	Under 5.	5 to 14.	15 to 24.	25 to 34.	35 to 44.	45 to 64.	65 and over.
Registration record:									Registration cities:								
Aggregate	165.4	52.1	4.3	6.4	9.0	11.5	22.1	86.6	Aggregate	179.9	57.6	4.7	6.7	9.6	12.6	24.8	93.3
Males	183.7	56.7	4.4	6.7	9.5	12.4	24.1	91.1	Males	199.6	62.6	4.8	7.2	10.3	13.8	27.7	99.6
Females	146.8	47.5	4.2	6.1	8.5	10.5	20.1	82.6	Females	159.9	52.6	4.6	6.3	8.8	11.2	22.0	88.1
White	158.0	49.7	4.1	5.9	8.6	11.1	21.5	86.0	White	171.1	54.8	4.4	6.1	9.1	12.0	24.1	92.4
Males	175.9	54.2	4.2	6.2	9.0	12.0	23.5	90.4	Males	190.4	59.7	4.6	6.6	9.7	13.3	27.0	98.6
Females	139.8	45.2	4.0	5.6	8.1	10.1	19.5	82.1	Females	151.4	49.8	4.3	5.7	8.4	10.7	21.8	87.4
Native	158.0	50.0	4.1	6.0	8.8	10.7	18.4	82.7	Native	171.2	55.1	4.5	6.2	9.3	11.9	20.7	90.3
Males	175.9	54.5	4.2	6.2	9.3	11.7	20.1	88.1	Males	190.5	60.0	4.6	6.6	10.2	13.4	28.4	98.7
Females	139.8	45.4	4.0	5.7	8.2	9.7	16.8	78.0	Females	151.5	50.1	4.3	5.9	8.5	10.4	18.0	83.9
Both parents native...	148.8	45.0	3.9	5.5	7.1	8.7	17.4	80.4	Both parents native...	175.1	54.1	4.5	5.8	7.5	9.7	19.7	88.6
Males	163.9	48.7	4.0	5.5	6.9	8.8	18.5	85.5	Males	193.3	58.7	4.7	5.9	7.6	10.2	22.0	97.1
Females	133.4	41.2	3.8	5.5	7.3	8.6	16.2	75.8	Females	156.5	49.5	4.4	5.7	7.4	9.3	17.5	82.3
One or both parents foreign.	164.4	53.3	3.9	6.1	10.4	12.6	18.8	87.6	One or both parents foreign.	175.0	57.8	4.1	6.4	11.2	14.0	21.6	90.5
Males	184.7	58.5	4.0	6.5	11.8	14.6	21.2	92.1	Males	196.0	63.2	4.2	6.9	13.0	16.7	25.3	96.4
Females	143.8	48.1	3.8	5.8	9.0	10.6	16.5	83.7	Females	153.7	52.3	3.9	5.9	9.5	11.4	18.3	86.0
Foreign	149.0	34.7	3.8	5.6	8.2	11.6	25.8	90.3	Foreign	159.9	36.8	3.8	5.7	8.5	12.3	27.6	94.0
Males	161.2	36.2	3.9	6.1	8.4	12.3	28.0	93.1	Males	177.6	38.6	3.9	6.3	9.0	13.1	30.3	98.3
Females	136.9	33.2	3.6	5.1	7.9	10.8	23.4	87.6	Females	141.8	34.8	3.7	5.1	8.1	11.2	24.8	90.4
Colored	371.5	118.5	9.8	15.6	16.9	21.0	36.7	108.6	Colored	387.0	123.6	10.1	16.3	17.4	21.6	38.0	113.7
Males	403.9	127.2	9.2	17.2	18.2	21.5	38.6	119.8	Males	419.9	132.7	9.6	18.3	18.9	22.3	40.3	127.2
Females	339.7	110.2	10.2	14.4	15.6	20.4	34.6	100.3	Females	354.8	114.7	10.6	14.7	15.9	20.9	35.6	104.1

RELATIONS OF AGE TO DEATHS.

lxxxiii

DEATH RATES AT CERTAIN AGES, BY CLASSES—Continued.

CLASSES.	AGES.								CLASSES.	AGES.							
	Under 1.	Under 5.	5 to 14.	15 to 24.	25 to 34.	35 to 44.	45 to 64.	65 and over.		Under 1.	Under 5.	5 to 14.	15 to 24.	25 to 34.	35 to 44.	45 to 64.	65 and over.
Registration states:									Rural part of registration states:								
Aggregate.....	159.3	49.9	3.8	5.7	8.3	10.5	20.3	82.8	Aggregate.....	117.4	34.4	3.2	5.2	6.8	8.0	15.7	76.8
Males.....	177.2	54.4	3.9	5.8	8.5	11.0	21.4	85.9	Males.....	181.0	37.6	3.2	5.2	6.4	7.8	16.0	80.0
Females.....	141.1	45.4	3.8	5.5	8.1	10.0	19.2	80.0	Females.....	103.6	31.2	3.2	5.3	7.3	8.2	15.4	73.6
White.....	156.0	48.9	3.7	5.5	8.2	10.4	20.1	82.7	White.....	116.0	34.0	3.2	5.2	6.8	8.0	15.6	76.9
Males.....	173.8	53.3	3.8	5.7	8.4	10.9	21.2	85.7	Males.....	129.4	37.2	3.2	5.1	6.3	7.8	16.0	80.0
Females.....	137.9	44.3	3.7	5.4	8.0	9.8	19.0	79.9	Females.....	102.4	30.7	3.2	5.3	7.3	8.2	15.3	73.7
Native.....	156.0	49.1	3.7	5.6	8.4	9.8	17.0	79.5	Native.....	116.0	34.1	3.1	5.2	7.0	7.8	14.9	76.3
Males.....	173.9	53.6	3.8	5.7	8.8	10.5	18.0	83.9	Males.....	129.5	37.3	3.1	5.1	6.6	7.7	15.1	80.1
Females.....	137.9	44.5	3.7	5.5	8.0	9.2	15.9	75.5	Females.....	102.3	30.8	3.1	5.3	7.4	8.0	14.8	72.5
Both parents native...	144.8	43.3	3.7	5.1	6.6	8.0	16.6	78.9	Both parents native...	110.1	32.1	3.1	5.1	6.5	7.3	15.1	75.5
Males.....	158.6	46.7	3.7	5.1	6.3	8.0	17.4	83.5	Males.....	120.8	34.7	3.0	5.0	5.9	7.0	15.3	79.5
Females.....	130.7	39.8	3.6	5.2	6.9	8.0	15.8	74.8	Females.....	99.3	29.4	3.1	5.2	7.1	7.7	15.0	71.6
One or both parents foreign.	166.2	54.4	3.8	6.1	10.6	12.5	18.5	87.0	One or both parents foreign.	126.2	37.7	3.3	5.4	7.9	9.0	13.6	85.6
Males.....	187.2	59.9	3.9	6.4	11.9	14.3	20.6	90.4	Males.....	143.8	41.9	3.3	5.3	8.2	9.2	14.3	89.4
Females.....	144.9	49.0	3.8	5.8	9.3	10.8	16.5	83.8	Females.....	108.3	33.4	3.2	5.4	7.7	8.8	13.0	81.6
Foreign.....	152.9	35.7	3.7	5.3	7.8	11.3	24.9	88.1	Foreign.....	114.6	27.1	3.7	5.1	6.1	8.4	17.7	78.6
Males.....	165.4	37.2	3.9	5.6	7.7	11.6	26.0	88.7	Males.....	106.8	26.9	4.1	5.2	5.4	8.3	18.3	79.7
Females.....	140.8	34.1	3.6	5.0	8.0	10.9	23.8	87.5	Females.....	121.9	27.3	3.3	5.0	6.9	8.7	17.0	77.4
Colored.....	343.8	112.0	8.7	11.0	12.3	16.0	29.4	93.4	Colored.....	218.9	67.0	6.0	7.7	9.1	11.4	21.4	74.5
Males.....	370.6	118.5	7.8	10.9	12.9	15.1	29.7	102.7	Males.....	246.9	70.6	5.6	6.0	8.4	9.6	20.6	79.8
Females.....	317.6	105.8	9.6	11.0	11.6	17.1	29.0	85.8	Females.....	191.4	63.6	6.4	9.5	10.0	13.5	22.5	68.9
Cities in registration states:									Registration cities in other states:								
Aggregate.....	184.7	59.7	4.3	5.9	9.1	12.1	24.3	90.9	Aggregate.....	175.2	55.6	5.1	7.5	9.9	13.0	25.3	95.6
Males.....	203.3	65.0	4.3	6.3	9.8	13.1	26.3	95.2	Males.....	194.0	60.4	5.2	8.1	10.8	14.4	28.9	103.8
Females.....	163.7	54.4	4.2	5.6	8.5	11.0	22.3	87.6	Females.....	156.0	50.8	4.9	6.9	9.1	11.4	21.6	88.7
White.....	180.4	58.3	4.2	5.7	9.0	11.9	24.1	90.6	White.....	161.4	51.2	4.7	6.5	9.1	12.1	24.1	94.3
Males.....	201.0	63.6	4.2	6.1	9.6	13.0	26.1	94.8	Males.....	179.5	55.7	4.9	7.0	9.9	13.5	27.8	102.4
Females.....	159.5	53.0	4.1	5.4	8.4	10.8	22.1	87.4	Females.....	142.9	46.6	4.5	6.0	8.3	10.5	20.4	87.4
Native.....	180.5	58.7	4.2	5.9	9.5	11.6	19.8	86.9	Native.....	161.4	51.4	4.7	6.5	9.3	12.1	21.5	94.2
Males.....	201.1	64.1	4.3	6.2	10.5	13.1	22.2	94.0	Males.....	179.4	55.9	4.9	6.9	10.0	13.6	24.6	103.9
Females.....	159.6	53.3	4.1	5.6	8.5	10.2	17.5	81.6	Females.....	143.0	46.8	4.5	6.1	8.6	10.6	18.6	86.5
Both parents native...	181.5	55.6	4.4	5.1	6.7	8.8	18.8	86.6	Both parents native...	165.9	52.3	4.9	7.1	9.4	12.2	22.3	95.5
Males.....	198.9	59.9	4.5	5.2	6.8	9.2	20.8	94.1	Males.....	186.3	57.4	5.0	7.3	9.4	12.4	25.3	106.9
Females.....	163.8	51.1	4.2	5.1	6.6	8.3	16.9	81.2	Females.....	145.0	47.0	4.7	6.9	9.4	11.9	19.3	86.1
One or both parents foreign.	180.0	60.5	4.1	6.4	11.7	14.4	22.2	89.6	One or both parents foreign.	153.0	47.3	4.0	6.2	9.5	12.7	20.5	94.2
Males.....	202.1	66.3	4.1	6.9	13.6	17.1	25.7	93.2	Males.....	168.8	51.1	4.4	6.8	11.0	15.6	24.2	105.4
Females.....	157.5	54.5	4.0	6.0	10.0	11.9	18.9	86.8	Females.....	136.8	43.4	3.7	5.7	8.1	9.9	17.1	85.5
Foreign.....	168.8	38.7	3.7	5.4	8.3	12.3	28.0	94.0	Foreign.....	132.0	31.0	3.9	6.2	8.7	12.2	27.2	94.1
Males.....	189.8	40.9	3.8	5.8	8.4	12.8	29.5	95.4	Males.....	142.4	32.1	4.1	7.1	9.7	13.4	31.2	101.0
Females.....	148.0	36.5	3.7	5.0	8.3	11.6	26.5	92.8	Females.....	120.6	29.8	3.7	5.3	7.7	10.5	22.6	87.9
Colored.....	397.2	131.6	9.9	12.2	13.1	17.3	32.3	105.4	Colored.....	383.8	121.2	10.1	17.5	18.8	23.0	39.8	116.2
Males.....	423.5	139.6	8.8	13.1	14.3	16.6	33.3	121.2	Males.....	418.7	130.8	9.8	19.8	20.4	24.0	42.3	129.0
Females.....	371.6	124.1	10.9	11.5	12.0	18.0	31.2	94.6	Females.....	349.6	112.0	10.5	15.7	17.1	21.8	37.0	107.1

In the preceding table the deaths of unknown nativity and parent nativity have been distributed proportionately.

In the registration area taken as a whole, this table shows that in infants under 1 year of age the death rate of the whites (158) was less than half that of the colored (371.5), and that the death rate of the native whites of native parents (148.8) was less than that of the native whites having one or both parents foreign (164.4) or the foreign whites (149).

For all children under 5 years of age the rate of the colored (118.5) was more than twice as high as that of the whites (49.7). In this age group the death rate of native whites of native parents (45) was less than that of the native whites having one or both parents foreign (53.3), but was greater than that of the foreign whites (34.7).

At 5 to 14 years of age the death rate of the whites was 4.1, and that of the colored was 9.8. For native

whites of native parents it was the same as for those having one or both parents foreign (3.9), and both were slightly higher than that for the foreign whites (3.8).

In the age group 15 to 24 years the death rate of the colored (15.6) was nearly three times as high as that of the whites (5.9). For the native whites of native parents it was 5.5, and was less than for the foreign whites (5.6) or the native whites having one or both parents foreign (6.1).

In the age groups from 25 years upward the death rates of the native whites of native parents were all less than those of the foreign whites, or the native whites having one or both parents foreign, and at 45 to 64 years, and 65 years and over, the death rate of the foreign white was higher than that of the native white having one or both parents foreign.

At 25 to 34 years the death rate of the colored (16.9) was very much higher than that of the whites (8.6), and that of the native whites having one or both parents

foreign (10.4) was higher than that of the foreign whites (8.2) or the native whites of native parents (7.1).

In the age group 35 to 44 years the death rate of the whites (11.1) was about half that of the colored (21). In this age group the death rate of the native whites having one or both parents foreign (12.6) was higher than that of the foreign whites (11.6) and was nearly 50 per cent higher than that of the native whites of native parents (8.7).

At 45 to 64 years the death rate of the colored was 36.7, and that of the whites was 21.5. Among the whites the death rate at these ages was much higher in the foreign born (25.8) than in the native born (18.4), and the rate of the native whites having one or both parents foreign (18.8) was higher than that of the native whites of native parents (17.4).

At 65 years of age and over the greatest mortality occurred among the colored (108.6), and next to this, among the foreign whites (90.3). For the native whites of native parents the death rate (80.4) was considerably less than that of the native whites having one or both parents foreign (87.6).

In the aggregate, the death rate of males was higher than that of females in every age group.

In Section VIII, corrected death rates for the registration area and its subdivisions; the registration states, and some of the principal cities are given for certain classes of population, the correction being made for differences in the age distribution of the different classes.

The following table shows for the registration area the death rates per 1,000 of white population in each of 8 age groups, by birthplaces of mothers:

DEATH RATES AT CERTAIN AGES, BY BIRTHPLACES OF MOTHERS.

BIRTHPLACES OF MOTHERS.	AGES.							
	Under 1.	Under 5.	5 to 14.	15 to 24.	25 to 34.	35 to 44.	45 to 64.	65 and over.
United States.....	141.8	43.0	3.7	5.0	6.4	7.5	14.6	65.9
Ireland.....	169.5	56.1	4.5	7.5	12.2	15.0	30.6	96.9
Germany.....	159.0	47.6	3.7	4.8	7.4	9.6	20.3	81.8
England and Wales.....	149.3	44.2	3.6	4.6	6.6	8.8	18.3	81.1
Canada.....	183.7	54.9	3.6	5.4	6.8	8.5	15.7	68.4
Scandinavia.....	113.6	37.0	3.7	5.7	7.4	9.0	16.9	67.3
Scotland.....	120.2	37.0	3.3	4.5	6.5	9.4	18.8	84.6
Italy.....	189.2	80.7	4.9	6.6	7.1	9.2	17.2	66.1
France.....	244.9	67.7	3.3	4.5	7.2	10.3	19.2	74.4
Hungary.....	113.4	41.1	2.4	3.8	5.8	8.6	16.0	56.2
Bohemia.....	142.5	44.5	3.3	4.7	8.1	10.5	18.8	72.7
Russia.....	133.7	47.0	3.0	4.0	5.6	8.5	20.2	92.0
Poland.....	111.7	36.7	2.0	2.7	3.5	5.0	9.7	40.9
Other foreign.....	183.0	62.7	4.0	5.9	7.6	10.7	21.0	82.8

This table shows that in infants under 1 year of age the death rates were highest among those whose mothers were born in France (244.9), in Italy (189.2), and in Canada (183.7); and were lowest among those whose mothers were born in Poland (111.7), in Hungary (113.4), and in Scandinavia (113.6). The rate was lower in those of native mothers (141.8) than in those whose mothers were born in Ireland (169.5), in Germany (159), or in England and Wales (149.3).

For all children under 5 years of age the death rates were highest in those whose mothers were born in Italy (80.7), in France (67.7), and in "Other foreign" countries (62.7). It was lower for children of native mothers (43) than for those whose mothers were born in Ireland (56.1), in Germany (47.6), in England and Wales (44.2), or in Canada (54.9).

At 5 to 14 years the highest death rate occurred in those whose mothers were born in Italy (4.9), and the lowest in those whose mothers were born in Poland (2).

At 15 to 24 years the death rates were highest in those whose mothers were born in Ireland (7.5), and in Italy (6.6); and were lowest in those whose mothers were born in Poland (2.7), and in Hungary (3.8).

In the age group 25 to 34 years it was highest in those whose mothers were born in Ireland (12.2), and was lowest in those whose mothers were born in Poland (3.5).

At 35 to 44 years the death rates were highest in those whose mothers were born in Ireland (15), in "Other foreign" countries (10.7), and in Bohemia (10.5); and were lowest in those whose mothers were born in Poland (5), and in the United States (7.5).

At 45 to 64 years the highest rates occurred among those whose mothers were born in Ireland (30.6), in "Other foreign" countries (21), and in Germany (20.3); and the lowest among those whose mothers were born in Poland (9.7), in the United States (14.6), and in Canada (15.7).

For white persons 65 years of age and over the death rates were highest in those whose mothers were born in Ireland (96.9), in Russia (92), and in Scotland (84.6); and were lowest in those whose mothers were born in Poland (40.9), in the United States (65.9), and in Hungary (56.2).

AVERAGE AGE AT DEATH.

The following table shows, for the registration area and its subdivisions, the average age at death during the census year for all persons, and for those dying at 15 years of age and upward, by sex, color, general nativity, and parent nativity:

RELATIONS OF AGE TO DEATHS.

lxxxv

AVERAGE AGE AT DEATH BY COLOR AND NATIVITY.

COLOR AND GENERAL NATIVITY.	REGISTRATION RECORD.		REGISTRATION CITIES.		REGISTRATION STATES.		CITIES IN REGISTRATION STATES.		RURAL PART OF REGISTRATION STATES.		CITIES IN OTHER STATES.	
	All ages.	15 years and over.	All ages.	15 years and over.	All ages.	15 years and over.	All ages.	15 years and over.	All ages.	15 years and over.	All ages.	15 years and over.
Aggregate.....	35.2	52.8	32.6	50.6	36.8	54.8	32.4	51.5	44.7	59.5	32.8	49.8
Males.....	34.5	52.2	31.8	49.8	35.8	54.3	31.0	50.5	44.3	59.8	32.6	49.2
Females.....	36.0	53.4	33.5	51.5	38.0	55.2	33.9	52.6	45.1	59.1	33.2	50.5
White.....	35.8	53.4	33.1	51.3	37.1	55.0	32.6	51.8	44.9	59.6	33.5	50.8
Males.....	35.0	52.8	32.2	50.4	36.1	54.6	31.1	50.7	44.5	59.9	33.2	50.2
Females.....	36.7	54.1	34.1	52.2	38.3	55.5	34.2	52.9	45.3	59.2	33.9	51.5
Native.....	28.0	51.2	23.5	47.3	30.3	54.0	22.7	48.8	41.1	58.9	24.3	46.0
Males.....	27.1	50.7	22.6	46.5	29.1	53.7	21.5	47.6	40.4	59.4	23.7	45.5
Females.....	29.1	51.7	24.5	48.1	31.5	54.4	24.1	50.0	41.9	58.5	24.9	46.5
Both parents native.....	36.0	57.2	29.3	53.5	38.4	58.7	31.2	55.8	44.6	60.6	25.1	48.1
Males.....	34.9	57.1	27.6	52.6	37.2	58.6	29.1	54.6	44.2	61.1	24.3	48.1
Females.....	37.3	57.3	31.1	54.4	39.6	58.8	33.3	57.0	45.1	60.0	26.1	48.0
One or both parents foreign.....	15.0	38.5	13.9	37.2	14.6	38.6	13.0	36.9	20.1	43.0	17.2	37.9
Males.....	14.6	38.3	13.5	36.9	14.2	38.5	12.7	36.6	19.5	43.3	17.0	37.9
Females.....	15.5	38.6	14.2	37.4	15.1	38.8	13.4	37.2	20.8	42.6	17.4	38.0
Foreign.....	55.7	56.7	54.8	55.8	55.2	56.4	53.4	54.7	60.2	61.4	56.5	57.1
Males.....	55.0	56.0	53.9	54.9	54.7	56.0	52.6	53.9	60.5	61.6	55.4	55.9
Females.....	56.5	57.6	55.9	56.9	55.6	56.9	54.3	55.6	59.8	61.1	58.1	58.8
Colored.....	28.0	44.1	27.8	43.7	27.6	46.3	26.6	45.1	31.4	51.0	28.2	43.4
Males.....	27.8	43.7	27.6	43.3	27.5	46.5	26.3	44.9	32.3	52.9	27.9	42.9
Females.....	28.2	44.5	28.1	44.2	27.6	46.1	26.9	45.3	30.6	49.1	28.4	44.0

Considering the average age at death of all decedents, the figures in the preceding table show that the average age of native whites of native parents in the entire registration area was 36 years (males, 34.9; females, 37.3), and that it was more than twice as great as the average age of native whites having one or both parents foreign (15). The average age of the colored was 28 years, and that of the foreign whites was 55.7 years. The average age for this class is greatly raised by the small proportion of infants and children subject to death.

The average age was highest for all classes in the rural districts of the registration states. In all classes the average age of females was slightly greater than that of males, except for the foreign whites and the colored in the rural districts of the registration states.

For those dying at 15 years of age and over, the aver-

age age was also greatest in the aggregate for the native whites of native parents (57.2 years). For the native whites having one or both parents foreign it was 38.5 years; for the colored, 44.1 years; and for the foreign whites, 56.7 years. For the last-mentioned class the average at 15 years and over was but 1 year more than the average at all ages, which shows the effect of the small number of deaths in this class below 15 years.

Further information as to the comparative longevity, in this country, of white persons of different nationalities is contained in the following table, which shows, for the registration area and its subdivisions, the average age, for all persons, and for those dying at 15 years of age and upward, by sex and birthplaces of mothers:

AVERAGE AGE AT DEATH, BY BIRTHPLACES OF MOTHERS.

BIRTHPLACES OF MOTHERS (WHITES ONLY).	REGISTRATION RECORD.		REGISTRATION CITIES.		REGISTRATION STATES.		CITIES IN REGISTRATION STATES.		RURAL PART OF REGISTRATION STATES.		CITIES IN OTHER STATES.	
	All ages.	15 years and over.	All ages.	15 years and over.	All ages.	15 years and over.	All ages.	15 years and over.	All ages.	15 years and over.	All ages.	15 years and over.
United States.....	34.2	56.4	27.4	52.5	36.3	57.9	28.8	54.7	43.4	60.1	24.3	47.3
Males.....	33.0	56.2	25.8	51.6	35.1	57.8	26.8	53.4	42.9	60.7	23.5	47.3
Females.....	35.5	56.5	29.2	53.4	37.6	58.0	30.9	55.8	44.0	59.5	26.2	47.3
Ireland.....	42.8	51.7	41.1	50.5	42.3	51.5	40.2	50.1	51.9	57.4	47.1	53.3
Males.....	40.9	50.3	38.9	48.8	40.2	50.1	37.7	48.3	51.0	56.7	46.2	52.1
Females.....	44.7	53.1	43.2	52.1	44.3	52.9	42.6	51.7	52.8	58.2	48.2	54.8
Germany.....	41.1	54.2	40.1	53.5	40.6	54.2	39.0	53.1	46.3	57.8	42.2	54.4
Males.....	40.9	54.0	39.8	53.1	40.6	54.1	38.8	52.6	47.0	59.0	41.7	53.9
Females.....	41.3	54.5	40.5	54.1	40.7	54.3	39.4	53.7	45.4	56.3	42.7	55.0
England and Wales.....	45.1	56.9	41.8	54.7	45.2	57.4	41.0	54.8	53.8	62.0	44.5	54.4
Males.....	45.2	57.0	41.3	54.1	45.4	57.7	40.4	54.2	55.1	63.5	44.2	53.9
Females.....	45.0	56.8	42.4	55.4	45.0	57.2	41.8	55.5	52.1	60.2	44.8	55.1
Canada.....	24.7	46.8	22.6	45.2	24.3	46.9	21.8	45.1	28.2	49.1	23.1	45.6
Males.....	23.9	47.9	21.4	45.6	23.4	48.0	20.2	45.5	28.2	51.1	23.3	46.9
Females.....	25.5	45.7	23.9	44.7	25.3	45.8	23.4	44.8	28.3	47.2	23.0	43.7
Scandinavia.....	26.1	44.6	25.7	43.7	24.8	45.1	23.5	43.7	27.8	48.3	29.1	43.8
Males.....	26.7	45.1	26.3	44.1	25.4	45.7	24.1	44.3	28.5	49.2	29.8	43.8
Females.....	25.3	44.1	24.9	43.2	24.0	44.2	22.6	42.8	27.1	47.2	28.2	43.7

VITAL STATISTICS.

AVERAGE AGE AT DEATH, BY BIRTHPLACES OF MOTHERS—Continued.

BIRTHPLACES OF MOTHERS (WHITES ONLY).	REGISTRATION RECORD.		REGISTRATION CITIES.		REGISTRATION STATES.		CITIES IN REGISTRATION STATES.		RURAL PART OF REGISTRATION STATES.		CITIES IN OTHER STATES.	
	All ages.	15 years and over.	All ages.	15 years and over.	All ages.	15 years and over.	All ages.	15 years and over.	All ages.	15 years and over.	All ages.	15 years and over.
Scotland.....	48.6	57.7	45.8	55.5	48.5	57.8	44.9	55.2	56.5	63.2	49.2	56.7
Males.....	47.8	57.3	44.7	54.9	47.7	57.6	43.7	54.6	56.2	63.3	48.3	56.1
Females.....	49.6	58.1	46.9	56.1	49.4	58.1	46.2	55.8	56.8	63.0	50.5	57.6
Italy.....	13.9	41.5	13.6	41.4	13.0	41.3	12.5	41.2	17.5	42.0	23.4	42.1
Males.....	15.4	41.8	15.0	41.9	14.1	41.9	13.5	42.0	19.5	41.2	27.2	41.7
Females.....	12.0	40.8	11.8	40.5	11.5	40.5	11.3	40.1	14.2	44.2	17.1	43.4
France.....	45.7	56.4	44.3	55.2	42.5	56.2	39.3	54.1	53.1	62.3	53.1	56.7
Males.....	45.1	56.0	43.3	54.6	42.1	55.9	38.4	53.4	53.8	62.3	52.2	56.1
Females.....	46.5	57.0	45.5	56.0	43.0	56.7	40.5	54.9	51.9	62.2	54.3	57.6
Hungary.....	17.4	41.4	17.9	41.6	16.0	41.8	16.4	42.2	13.0	37.9	21.1	40.6
Males.....	18.5	42.1	18.8	42.2	16.3	43.6	16.5	44.1	15.4	40.1	23.3	40.0
Females.....	16.1	40.3	16.7	40.7	15.7	39.8	16.4	40.3	9.4	32.9	17.4	41.9
Bohemia.....	26.7	48.2	26.8	48.2	25.1	47.4	25.2	47.3	23.9	48.9	28.2	48.9
Males.....	25.2	46.2	25.2	45.9	23.3	45.6	23.3	44.7	24.2	57.5	26.8	46.8
Females.....	28.5	50.5	28.8	50.9	27.2	49.5	27.5	50.2	23.6	41.7	29.8	51.5
Russia.....	17.4	44.0	17.4	44.2	17.1	44.2	17.1	44.4	17.0	40.7	20.5	43.0
Males.....	17.4	44.1	17.4	44.4	16.9	44.3	16.8	44.7	17.5	39.8	21.7	42.7
Females.....	17.4	43.9	17.4	44.0	17.3	44.0	17.4	44.0	16.1	42.2	18.2	43.8
Poland.....	14.5	44.8	14.3	44.7	14.7	45.5	14.4	45.3	15.9	46.2	14.3	44.1
Males.....	15.1	43.8	14.6	43.7	15.7	44.4	14.9	44.3	18.7	44.5	14.3	43.0
Females.....	13.8	46.5	14.0	46.1	13.4	47.4	13.7	46.7	12.3	50.1	14.2	45.6
Other foreign countries.....	24.9	48.1	23.5	47.0	24.1	48.3	22.0	46.9	30.5	51.7	28.9	47.1
Males.....	25.7	47.7	24.3	46.6	24.7	48.3	22.5	46.9	31.3	51.3	30.2	45.7
Females.....	23.8	48.7	22.4	47.6	23.3	48.5	21.3	46.9	29.4	52.2	26.6	49.9
Unknown.....	47.0	57.2	40.3	52.4	50.2	59.9	41.8	54.6	61.9	65.8	37.7	48.7
Males.....	46.3	56.0	40.0	51.3	49.4	58.6	41.3	53.2	60.9	64.9	37.9	48.4
Females.....	47.9	58.7	40.6	53.9	51.2	61.5	42.4	56.4	63.2	66.9	37.3	49.2

Taking the deaths at all ages in the entire registration area, the average ages at death of white persons having mothers born in the specified countries were as follows: Scotland, 48.6; France, 45.7; England and Wales, 45.1; Ireland, 42.8; Germany, 41.1; United States, 34.2; Bohemia, 26.7; Scandinavia, 26.1; "Other foreign" countries, 24.9; Canada, 24.7; Russia, 17.4; Hungary, 17.4; Poland, 14.5; and Italy, 13.9.

For those dying at 15 years of age and over, the average ages at death of white persons having mothers born in the specified countries, stated in the order of their

magnitude, were as follows: Scotland, 57.7; England and Wales, 56.9; United States, 56.4; France, 56.4; Germany, 54.2; Ireland, 51.7; Bohemia, 48.2; "Other foreign" countries, 48.1; Canada, 46.8; Poland, 44.8; Scandinavia, 44.6; Russia, 44; Italy, 41.5; and Hungary, 41.4.

The following table shows, for each specified disease and class of diseases, the average ages at death in the registration area during the census years 1890 and 1900, for all persons, and for those dying at 15 years of age and over:

AVERAGE AGE AT DEATH, 1900 AND 1890, BY CAUSES.

CAUSE OF DEATH.	ALL AGES.		15 YEARS AND OVER.		CAUSE OF DEATH.	ALL AGES.		15 YEARS AND OVER.	
	1900	1890	1900	1890		1900	1890	1900	1890
All causes.....	35.2	31.1	52.8	50.7	Diseases of the circulatory system.....	53.6	50.5	58.9	57.1
General diseases—A.....	18.5	13.7	49.6	43.2	Heart disease and dropsy.....	54.3	52.7	58.8	57.4
Measles.....	4.4	4.0	32.3	30.0	Angina pectoris.....	59.5	58.2	59.8	58.9
Scarlet fever.....	5.9	5.5	26.9	28.6	Aneurism.....	49.2	48.5	49.8	48.9
Diphtheria.....	5.8	6.3	28.6	28.6	Diseases of the respiratory system.....	30.7	30.0	55.2	52.9
Diphtheria and croup.....	5.4	5.6	29.1	29.8	Pneumonia.....	31.5	33.6	53.2	50.2
Whooping cough.....	1.8	1.6	41.0	51.3	Bronchitis.....	28.9	27.3	65.9	61.7
Malarial fever.....	31.9	31.1	45.1	42.9	Diseases of the digestive system.....	37.8	35.3	49.7	50.5
Typhoid fever.....	28.8	27.6	33.1	31.6	Diseases of the stomach.....	44.1	40.9	56.2	54.4
Diarrheal diseases.....	12.3	11.0	59.1	55.4	Obstruction of the bowels.....	39.7	37.1	52.1	50.3
Cerebro-spinal fever.....	10.4	9.8	33.2	34.4	Hernia.....	52.8	52.3	58.8	58.5
Smallpox.....	27.9	18.9	33.3	28.6	Diseases of the liver.....	48.2	47.9	54.6	53.7
Erysipelas.....	36.1	34.8	54.1	54.2	Peritonitis.....	31.8	33.2	38.3	39.6
Venereal diseases.....	13.9	17.0	41.1	38.7	Diseases of the urinary system, exclusive of				
Alcoholism.....	44.1	42.9	44.2	43.3	Bright's disease.....	50.5	49.7	59.8	55.9
Old age.....	81.8	82.5	81.8	82.5	Bright's disease.....	53.7	51.5	55.1	52.5
Diabetes.....	51.1	49.4	54.7	53.1	Diseases of the female organs of generation.....	39.1	41.8	39.5	42.0
Serofula and tabes.....	26.4	18.4	41.8	40.6	Affections connected with pregnancy.....	29.9	29.6	29.9	29.6
Hydrocephalus.....	6.0	4.2	32.3	34.6	Diseases of the bones and joints.....	32.3	27.5	44.7	41.8
Consumption.....	35.3	35.3	37.4	37.5	Accidents and injuries.....	34.8	34.1	42.5	42.3
Cancer.....	58.1	57.2	58.3	57.5	Suicides.....	43.6	44.1	43.6	44.2
Cancer and tumor.....	57.2	56.1	57.8	56.9	Other accidents and injuries.....	33.5	32.9	42.3	42.0
Diseases of the nervous system.....	39.9	31.7	60.2	58.9					
Apoplexy and paralysis.....	63.2	62.5	64.5	64.3					
Tetanus and trismus nascentium.....	11.7	5.6	36.8	38.9					
Convulsions.....	2.5	2.5	40.0	41.3					

These figures show an increase for the decade of 4.1 years in the average age at death in the entire registration area. This, however, should not be taken to mean an absolute increase of 4.1 years in the "expectation of life," as it is termed, although a decrease in the general death rate, and an increase in the average age at death, undoubtedly indicate an increase in the expectation of life, the extent of which can be determined only by the construction of accurate life tables, the data for which are insufficient. The figures given simply mean that of the number of decedents reported at both censuses, those dying in 1900 were, upon the average, 4.1 years older at death.

Concerning the general increase in the expectation of life in recent years that is indicated by the general decrease in the death rate in the principal countries, the following figures relating to the increase in expectation of life in England, and are based upon the English Life Tables for 1838-1854, 1871-1880, and 1881-1890, are cited from Newsholme's "Vital Statistics."¹

INCREASE IN EXPECTATION OF LIFE (ENGLAND).

AGE.	MALES.		FEMALES.	
	1871-1880 compared with 1838-1854.	1881-1890 compared with 1871-1880.	1871-1880 compared with 1838-1854.	1881-1890 compared with 1871-1880.
0.....	1.44	2.31	2.77	2.56
5.....	1.16	1.88	2.75	1.84
10.....	0.55	1.40	2.09	1.34
15.....	0.23	1.06	1.73	0.92
20.....		0.87	1.37	0.76
25.....		0.60	0.94	0.52
30.....		0.42	0.60	0.35
35.....		0.27	0.31	0.26
40.....		0.12	0.12	0.14

Above the last age noted in each column the expectation of life decreased slightly. Taking the mean of the figures given for males and females, there is also shown an increase in the expectation of life, at birth, of 2.11 years for all persons in the second period over the first, 2.44 years in the third period over the second, and 4.54 years in the third period over the first. It also appears that the increase in the expectation of life in the period 1881-1890 as compared with 1838-1854 extended from birth to 25 years of age for males, and to 40 years for females.

¹ Vital Statistics, A. Newsholme, 1899, page 307.

Referring to the table on page lxxix, giving the death rates at each age in the registration area of the United States in 1900 and 1890, with the decreases and increases in the rates, it will be noted that the decrease in the rates in the registration area since 1890 extends to 60 years.

INFANTILE MORTALITY.

The death rates of children under 1 year furnish an important means of estimating the healthfulness and sanitary condition of different localities or of different classes of population. The data for consideration in this connection consist of the population, the deaths under 1 year of age, and the births, during the census year.

Owing to the deficiency in the population reported as under 1 year of age, the death rates of infants, computed upon the population at this age, are much too high, and the birth rates are much too low, but the defects in this direction in 1890 and 1900, as remarked in the section relating to births, appear to have been very similar in extent, and the results are fairly comparable.

The following table shows, for the registration area and its subdivisions, the death rate under 1 year of age during the census year, by color, general nativity, and parent nativity, per 1,000 of population under 1 year of age:

DEATHS UNDER 1 YEAR OF AGE PER 1,000 OF POPULATION.

COLOR, GENERAL NATIVITY, AND PARENT NATIVITY.	REGISTRATION RECORD.					
	Total.	Cities.	States.			Cities in other states.
			Total.	Cities.	Rural.	
Aggregate	165.4	179.9	159.3	184.7	117.4	175.2
White	158.0	171.1	156.0	180.4	116.0	161.4
Native ¹	158.0	171.2	156.0	180.5	116.0	161.4
Both parents native ¹	148.8	175.1	144.8	181.5	110.1	165.9
One or both parents foreign ¹	164.4	175.0	166.2	180.0	126.2	153.0
Foreign ¹	149.0	159.9	152.9	168.8	114.6	132.0
Colored	371.5	387.0	343.8	397.2	218.9	383.8

¹ Deaths of unknown nativity and parent nativity distributed.

These figures show that the death rate was highest in the cities in the registration states (184.7), and lowest in the rural districts of the same states (117.4).

By classes, the death rate was least among white infants of native parents (148.8), and greatest among the colored (371.5). The rate for the native white infants of foreign parents was 164.4.

The table following gives, for the same areas and classes, the number of deaths of infants under 1 year of age per 1,000 births during the census year.

Comparing this table with the one preceding, there appears to be but little difference in the ratios of the deaths of infants to the population under 1 year of age and to the number of births. In both cases the ratios are too high, owing to the deficiency in the population under 1 year of age, which constitutes the principal factor in estimating the births.¹

¹See Section III, relating to births.

DEATHS UNDER 1 YEAR OF AGE PER 1,000 BIRTHS.

COLOR, GENERAL NATIVITY, AND PARENT NATIVITY.	REGISTRATION RECORD.					
	Total.	Cities.	States.			Cities in other states.
			Total.	Cities.	Rural.	
Aggregate	149.4	161.2	144.7	165.8	108.7	156.7
White	143.4	154.2	142.0	162.4	107.5	145.6
Native ¹	143.3	154.3	142.0	162.4	107.5	145.7
Both parents native ¹	135.3	157.0	132.1	162.6	102.3	148.9
One or both parents foreign ¹	149.2	158.0	150.8	162.3	116.7	138.7
Foreign ¹	141.1	150.7	144.9	159.0	110.2	124.8
Colored.....	297.0	307.0	282.4	318.9	190.3	303.3

¹Deaths of unknown nativity and parent nativity distributed.

SECTION VIII.

CORRECTED DEATH RATES.

In Section IV general death rates resulting from the division of the deaths by the aggregate population were given for the registration areas, and mention was made of the fact that such rates were very largely dependent upon the proportions of certain classes of population represented.

The generally accepted proposition that the difference in the gross death rates is due principally to differences in the age distribution of the population, is true only so far as it applies to places having populations that are naturally subject to an approximately similar mortality. Where different races or classes of population that have widely different rates of mortality, under normal conditions as to age distribution, are present in large numbers, any correction of the aggregate death rate that is based solely upon an accepted standard of age distribution as applied to the total population is inadequate.

In the Eleventh Census report upon vital and social statistics, corrected death rates were given for certain cities. These were calculated as recommended by the International Institute of Statistics, at the meeting at Berne in 1895, by using the age distribution of the population of Sweden, in 5 groups, as the standard, which was applied to the aggregate population of the cities for which such rates were computed.

Discussing the results it was then said, "In the large cities of the United States a correction of gross death rates for peculiarities of race distribution of the population of each city would be much more important than the above corrections for age distribution, but it seems hardly worth while to indicate the relative healthfulness of different cities by rates for the total population only."¹

In order to compare death rates in different localities in this country, with each other, and with those of other countries, two distinct standards are necessary. For internal comparison of the death rates of native classes, the plan has been adopted of using the age distribution of the native whites of native parentage in the whole registration area as the standard. In applying this method the total population in the locality of each of the three elemental classes (native white of native parentage, native white of foreign parentage, and colored) is multiplied successively by the standard per-

centages representing the five age groups, and the standard population at each age, in each class, is thus found. The standard population thus distributed is then multiplied by the actual death rate of each class at the given age, and a corrected number of deaths obtained representing the number that would have occurred in each class at the given rate if the age distribution of the population agreed with the standard fixed.

The age groups used for this purpose, and the percentages of native white population of native parents in each age group in the entire registration area, are as follows:

	AGES.				
	Under 5.	5 to 19.	20 to 39.	40 to 59.	60 and over.
Per cent of population	11.4	30.3	31.2	18.3	8.8

The process described gives the data for comparing the death rates of the native classes in the several areas.

No correction for age distribution can be made that will give an accurate indication of the relative death rates of native and foreign whites, as the period of highest mortality for the latter class occurred previous to their arrival in this country, and deaths of infants and young children, which raise the death rates of the native classes, are not represented in the case of the foreign born at all. If a correction is sought upon the basis of the age distribution of the native whites of native parents, a large foreign population will be thrown into the age group under 5 years, which has its death rate diminished by the absence of deaths of infants and young children, and this would give an entirely erroneous and much too small number of deaths of foreign whites in this age group, with a corresponding decrease in the general death rate for this class, so obtained.

The fairest comparison of these classes is obtained by using as the standard the age distribution of the foreign whites in the registration area, which is as follows:

	AGES.				
	Under 5.	5 to 19.	20 to 39.	40 to 59.	60 and over.
Per cent of population	0.5	10.6	45.0	30.9	13.0

¹ Eleventh Census, Vital Statistics, Part 2, page 30.

VITAL STATISTICS.

The computations described above have been made for the registration area and its subdivisions, the registration states, and each city of 50,000 or more population in which nativity and parent nativity were reported for the deaths, and the results are given in the following table:

CORRECTED DEATH RATES OF EACH CLASS, BASED UPON A STANDARD DISTRIBUTION AS TO AGE.

AREAS.	NATIVE WHITE AND COLORED.						NATIVE WHITE OF NATIVE PARENTS, AND FOREIGN WHITE.			
	Uncorrected rates.			Corrected rates—on basis of the age distribution of the native white of native parents.			Uncorrected rates.		Corrected rates—on basis of the age distribution of the foreign white.	
	Native white.		Colored.	Native white.		Colored.	Native white of native parents.	Foreign white.	Native white of native parents.	Foreign white.
	Both parents native.	One or both parents foreign.		Both parents native.	One or both parents foreign.					
Summaries:										
Registration record	16.6	16.6	29.6	16.4	18.7	34.7	16.6	19.4	15.9	19.6
Registration cities	17.4	17.9	30.5	18.3	20.2	36.0	17.4	19.7	17.1	20.6
Registration states	16.4	17.1	25.3	18.8	18.8	30.0	16.4	18.3	15.3	19.0
Cities	17.5	19.0	27.6	17.9	20.6	33.7	17.5	18.5	16.3	20.5
Rural	15.6	12.7	19.0	14.0	15.0	20.8	15.6	17.8	14.6	15.5
Registration cities in other states	17.6	14.5	31.3	19.4	18.6	36.7	17.6	21.3	18.9	20.6
Registration states:										
Connecticut	16.4	17.5	23.4	15.1	18.7	27.3	16.4	16.9	15.0	18.5
District of Columbia	18.3	15.3	31.0	19.9	20.0	37.2	18.3	32.0	19.4	23.4
Maine	17.2	20.1	16.1	14.9	19.6	17.4	17.2	16.2	15.7	16.6
Massachusetts	16.6	20.2	19.5	15.5	21.3	22.3	16.6	16.4	14.9	18.6
Michigan	14.0	12.1	16.4	13.8	14.9	17.1	14.0	16.4	14.1	15.1
New Hampshire	16.7	27.3	15.1	14.3	25.3	20.1	16.7	13.1	14.7	15.5
New Jersey	16.7	16.7	23.3	16.9	17.2	26.9	16.7	18.6	16.0	19.4
New York	16.5	17.6	26.2	16.2	19.1	32.8	16.5	20.1	15.4	20.5
Rhode Island	19.5	19.9	24.9	18.0	20.6	28.3	19.5	17.3	16.4	19.9
Registration cities:										
Albany, N. Y.	17.7	15.0	21.9	18.9	19.9	29.4	17.7	31.1	15.8	23.9
Allegheny, Pa.	21.7	12.9	13.2	25.3	14.4	15.3	21.7	22.4	24.7	22.7
Boston, Mass.	17.7	22.1	25.5	17.6	22.7	30.2	17.7	19.5	15.6	22.5
Bridgeport, Conn.	15.0	19.5	25.4	15.3	21.0	29.5	15.0	16.4	14.7	20.2
Buffalo, N. Y.	13.6	13.0	27.8	15.6	12.9	29.4	13.6	18.2	15.3	18.4
Cambridge, Mass.	17.5	19.5	25.2	17.4	20.2	28.7	17.5	17.3	14.6	20.1
Camden, N. J.	15.7	12.8	29.4	17.0	14.0	32.6	15.7	17.3	14.8	17.1
Charleston, S. C.	25.2	17.6	46.7	28.6	22.4	54.0	25.2	44.8	28.8	30.1
Cincinnati, Ohio	18.3	13.0	29.5	20.8	17.7	35.0	18.3	32.6	21.1	22.9
Cleveland, Ohio	20.4	16.2	18.0	21.8	21.2	24.7	20.4	15.8	20.2	17.0
Columbus, Ohio	14.8	12.0	21.2	16.8	15.7	25.4	14.8	27.3	16.6	21.6
Detroit, Mich.	16.1	17.3	24.9	17.9	18.3	28.6	16.1	17.3	17.0	18.1
Duluth, Minn.	9.2	13.6	4.7	10.5	13.5	11.8	9.2	14.9	9.7	20.6
Elizabeth, N. J.	16.3	16.7	21.4	16.4	16.4	23.1	16.3	19.5	14.2	21.1
Evansville, Ind.	16.5	11.6	22.6	19.7	18.6	28.6	16.5	36.8	19.3	24.2
Fall River, Mass.	21.3	32.3	9.9	20.3	31.8	14.8	21.3	14.8	16.8	18.9
Grand Rapids, Mich.	14.6	14.3	-----	15.8	15.2	-----	14.6	14.6	14.7	14.6
Hartford, Conn.	16.9	23.1	19.4	18.6	18.7	24.8	16.9	18.0	17.5	21.6
Hoboken, N. J.	22.2	19.0	6.1	23.3	19.5	6.1	22.2	23.3	22.7	24.6
Indianapolis, Ind.	15.9	12.0	23.8	17.6	17.5	28.3	15.9	24.5	16.1	18.3
Jersey City, N. J.	19.1	19.8	25.5	19.5	22.8	31.1	19.1	23.5	18.1	23.8
Kansas City, Mo.	15.2	16.0	26.3	18.3	20.0	35.6	15.2	22.7	17.0	23.3
Lawrence, Mass.	17.0	25.3	6.9	16.8	21.4	13.8	17.0	17.2	15.3	20.0
Lowell, Mass.	15.7	28.5	20.5	18.1	24.7	30.8	15.7	14.7	15.4	18.1
Lynn, Mass.	16.1	17.5	18.8	16.0	20.6	17.7	16.1	15.5	14.8	18.0
Manchester, N. H.	14.4	30.0	16.4	15.4	23.0	49.2	14.4	14.4	14.0	18.1
Milwaukee, Wis.	17.4	14.2	14.7	17.4	18.0	18.1	17.4	18.0	16.1	16.9
Minneapolis, Minn.	11.7	9.0	16.8	12.8	9.7	21.2	11.7	12.0	12.7	14.3
Nashville, Tenn.	21.5	8.8	32.8	24.2	12.0	38.5	21.5	40.0	23.3	30.3
Newark, N. J.	20.7	17.8	29.7	21.1	18.0	36.2	20.7	20.6	18.6	21.4
New Bedford, Mass.	18.0	26.4	14.9	17.5	22.6	16.6	18.0	13.0	15.8	16.8
New Haven, Conn.	15.2	16.3	31.8	15.1	18.1	36.5	15.2	19.3	15.0	20.9
New Orleans, La.	22.4	15.7	42.4	23.8	21.4	46.6	22.4	49.6	23.8	35.0
New York city, N. Y.	20.1	21.1	29.3	20.2	22.1	40.0	20.1	19.4	17.8	22.4
Paterson, N. J.	19.5	19.9	33.5	21.0	21.4	38.9	19.5	17.3	18.8	19.2
Pittsburg, Pa.	18.4	19.3	25.9	20.6	20.5	31.7	18.4	21.7	19.3	24.1
Portland, Me.	23.1	20.1	21.7	22.0	23.9	18.6	23.1	21.1	20.8	21.3
Providence, R. I.	19.4	21.2	26.1	19.2	22.1	30.9	19.4	18.4	16.2	20.9
Rochester, N. Y.	15.3	10.7	26.1	16.6	14.7	30.9	15.3	21.9	17.4	19.1
St. Paul, Minn.	10.3	7.4	10.4	11.2	8.5	12.6	10.3	12.4	10.5	13.3
Salt Lake City, Utah.	16.0	10.6	37.0	17.2	19.9	38.9	16.0	24.5	19.3	21.1
Seattle, Wash.	8.3	12.0	7.3	8.8	13.2	17.6	8.3	16.9	8.1	19.5
Somerville, Mass.	13.1	16.8	-----	13.5	19.6	-----	13.1	17.2	12.7	19.1
Springfield, Mass.	14.4	20.0	8.4	14.6	22.3	7.5	14.4	18.7	14.1	21.5
Syracuse, N. Y.	14.9	10.3	16.9	16.1	14.4	19.7	14.9	17.5	16.2	15.8
Toledo, Ohio	14.8	15.2	16.6	16.9	20.1	18.4	14.8	19.8	15.7	18.8
Trenton, N. J.	14.6	15.6	23.2	16.5	17.3	29.2	14.6	18.2	15.7	19.5
Troy, N. Y.	21.4	19.4	35.4	22.7	24.1	54.2	21.4	31.1	19.5	26.3
Utica, N. Y.	18.5	14.6	24.4	19.3	18.0	32.5	18.5	20.9	20.2	17.4
Washington, D. C. ¹	18.3	15.3	31.0	19.9	20.0	37.2	18.3	32.0	19.4	23.4
Worcester, Mass.	15.3	16.6	18.1	15.8	20.6	19.8	15.3	14.4	13.7	17.5

¹Coextensive with District of Columbia.

The preceding table shows that when the death rates of the native classes are computed upon the age distribution of the native whites of native parents in the entire registration area, the rate for the native whites having one or both parents foreign (18.7) is considerably higher than for those with both parents native (16.4), and is increased by 2.1 per 1,000 over the uncorrected rate (16.6). The rate for the colored (34.7) is also increased over the uncorrected rate (29.6), and is more than twice the rate for the native whites of native parents.

Making the proper corrections for the age distribution of the foreign whites, the corrected death rate of

the native whites of native parents (15.9) is 0.7 per 1,000 less than the uncorrected rate (16.6), and is 3.7 per 1,000 less than that of the foreign whites. As previously stated and explained, this does not adequately show the actual difference in the death rates of these two classes. The death rate of the foreign whites is higher at each age, except in the age group under 5 years, in which group it is only apparently lower on account of the absence of deaths of infants and young children. Omitting deaths under 5 years of age, the death rate of native whites of native parents is 13.3, and that of foreign whites is 19.4, per 1,000.

SECTION IX.

CONJUGAL CONDITION IN RELATION TO DEATHS.

Table 1, Part I, shows deaths in the United States and the registration area and its subdivisions during the census year ending May 31, 1900, from certain diseases and classes of diseases, by conjugal condition, color, age, and birthplaces of mothers, with distinction of sex.

Of 1,036,863 persons dying in the United States during the census year, for whom the conjugal condition was reported, 378,124 were persons under 15 years of age, and 7,415 of unknown age. Of those 15 years of age and over whose ages are known, 144,607 were reported as single, 324,913 as married, 138,948 as widowed, 1,840 as divorced, and 41,016 as of unknown conjugal condition.

In the registration area, of the 510,438 decedents for whom the conjugal condition was reported, 176,545 were persons under 15 years of age, and 1,839 of unknown age. Of those 15 years of age and over whose ages are known, 75,402 were reported as single, 164,050 as married, 82,387 as widowed, 892 as divorced, and 9,323 as of unknown conjugal condition.

The following table shows, for the registration area and its subdivisions, the death rates of the single, the married, and the widowed, by color and sex.

DEATH RATES BY CONJUGAL CONDITION, COLOR, AND SEX.

CONJUGAL CONDITION.	COLOR.			
	White.		Colored.	
	Males.	Females.	Males.	Females.
Registration record:				
Single	16.6	13.7	32.7	29.6
Married	16.4	13.1	23.8	20.3
Widowed	62.6	43.6	49.1	34.4
Registration cities:				
Single	18.1	14.6	34.1	30.5
Married	16.7	13.4	24.5	20.7
Widowed	63.1	41.5	49.7	34.4
Registration states:				
Single	16.1	13.6	27.7	26.7
Married	16.0	12.9	19.4	16.9
Widowed	64.5	47.5	51.7	36.4
Cities in registration states:				
Single	18.9	15.2	31.9	29.3
Married	16.1	13.3	20.9	17.5
Widowed	67.3	45.9	56.4	37.2
Rural part of registration states:				
Single	11.9	10.9	17.6	19.4
Married	15.7	12.3	15.2	15.3
Widowed	61.6	49.9	42.2	33.3
Registration cities in other states:				
Single	17.4	13.9	34.7	30.9
Married	17.3	13.4	25.6	21.7
Widowed	58.8	37.0	48.1	33.7

The following table shows, for the registration area and its subdivisions, the death rates of the single, the married, and the widowed in each of 4 age groups, per 1,000 of corresponding population, by sex:

DEATH RATES AT CERTAIN AGES, BY CONJUGAL CONDITION AND SEX.

CONJUGAL CON- DITION.	AGE.							
	15 years and over.		15 to 44 years.		45 to 64 years.		65 years and over.	
	Males.	Fe- males.	Males.	Fe- males.	Males.	Fe- males.	Males.	Fe- males.
Registration record:								
Single	11.6	8.2	9.4	6.2	33.3	21.8	107.8	88.7
Married	16.7	13.4	8.1	9.1	20.4	17.4	75.0	65.6
Widowed	61.9	43.0	19.6	12.2	37.6	24.8	116.4	88.7
Registration cities:								
Single	12.4	8.2	10.3	6.3	38.6	22.9	119.9	95.3
Married	17.1	13.7	8.9	9.6	23.1	19.2	82.3	75.6
Widowed	62.2	40.9	21.6	12.7	43.3	26.2	123.2	90.5
Registration states:								
Single	10.4	8.1	8.4	5.7	28.3	21.2	96.1	84.4
Married	16.0	12.9	7.3	8.7	18.3	16.1	70.1	58.1
Widowed	65.2	47.2	20.3	12.8	36.2	25.9	114.8	90.1
Cities in registra- tion states:								
Single	11.5	7.9	9.6	5.8	35.7	22.7	104.7	91.3
Married	16.3	13.4	8.4	9.5	22.0	18.6	77.2	65.7
Widowed	67.0	45.6	25.4	14.2	46.6	29.4	126.2	95.3
Rural part of regis- tration states:								
Single	8.8	8.4	6.6	5.6	20.1	18.9	90.6	77.6
Married	15.7	12.3	5.5	7.4	14.2	13.6	65.9	53.4
Widowed	61.3	49.6	12.2	8.9	23.2	19.5	106.7	85.2
Registration cities in other states:								
Single	13.2	8.5	10.8	6.9	41.0	23.2	132.5	101.0
Married	17.9	14.0	9.4	9.7	24.1	19.8	87.2	85.8
Widowed	57.7	36.6	18.6	11.6	40.0	23.2	120.2	85.7

This table shows that in persons 15 to 44 years of age the death rate of single males (9.4) was higher than that of married males (8.1) or of single females (6.2). At these ages the death rate of married females (9.1) was higher than that of married males (8.1), but was less than that of single males (9.4).

In the age groups above 45 years, the death rates of the single were higher than those of the married, in both sexes, and the death rates of the males were higher than those of the females of each condition.

The following table shows, for the registration area, the death rates of the single, the married, and the widowed, from certain diseases and classes of diseases per 100,000 of population, by color and sex.

CONJUGAL CONDITION IN RELATION TO DEATHS.

xciii

DEATH RATES FROM CERTAIN DISEASES, BY COLOR AND SEX.

COLOR AND CAUSE OF DEATH.	SINGLE.		MARRIED.		WIDOWED.	
	Males.	Females.	Males.	Females.	Males.	Females.
Total:						
Alcoholism	8.6	0.7	11.7	4.1	38.4	5.9
Consumption	171.1	124.9	215.5	216.5	465.2	235.1
Cancer and tumor	12.0	18.2	83.8	116.4	263.7	310.6
Suicides	8.9	3.4	25.3	7.1	64.5	7.8
General diseases—A	423.2	406.3	133.7	117.7	470.3	387.3
Diseases of the nervous system	193.1	160.8	224.6	143.0	936.6	672.0
Diseases of the circulatory system	70.8	59.3	216.5	147.5	907.7	590.8
Diseases of the respiratory system	310.1	261.0	223.4	159.6	851.4	690.5
Diseases of the digestive system	79.4	67.7	112.2	103.9	288.3	227.2
Diseases of the urinary system	48.0	33.2	171.7	106.3	664.4	300.2
Diseases of the female organs of generation		4.7		21.4		19.9
Accidents and injuries	111.5	36.8	118.4	31.9	244.4	88.1
All other causes	271.0	243.6	125.1	151.8	942.3	730.7
Unknown	18.6	15.8	12.5	9.5	48.0	26.8
White:						
Alcoholism	8.7	0.7	12.0	4.1	40.2	6.2
Consumption	156.9	111.7	203.2	204.8	454.0	226.8
Cancer and tumor	12.0	18.2	85.9	117.3	272.7	324.2
Suicides	9.0	3.3	26.1	7.2	67.8	8.4
General diseases—A	411.9	394.5	128.9	113.2	471.1	391.3
Diseases of the nervous system	186.7	154.9	225.1	142.2	959.5	687.6
Diseases of the circulatory system	69.0	58.8	213.0	143.5	913.5	598.0
Diseases of the respiratory system	296.1	247.5	217.1	157.2	867.2	709.7
Diseases of the digestive system	76.6	64.8	111.9	102.5	294.2	233.2
Diseases of the urinary system	46.3	31.9	169.0	104.2	671.5	299.8
Diseases of the female organs of generation		4.1		20.7		18.8
Accidents and injuries	108.2	34.9	116.9	31.4	248.9	90.6
All other causes	260.1	231.5	123.7	150.4	950.5	742.1
Unknown	16.2	13.3	11.8	9.1	46.9	24.3
Colored:						
Alcoholism	6.5	0.3	5.3	1.8	7.9	2.2
Consumption	490.2	429.2	504.1	498.9	660.7	339.5
Cancer and tumor	13.8	17.7	35.5	95.5	106.2	140.4
Suicides	6.5	4.4	8.0	3.2	7.9	
General diseases—A	676.1	678.8	244.7	225.5	456.2	337.4
Diseases of the nervous system	335.9	295.2	213.7	162.1	534.9	475.6
Diseases of the circulatory system	112.2	70.6	298.4	243.5	806.2	500.6
Diseases of the respiratory system	625.6	572.1	370.2	216.4	574.2	449.5
Diseases of the digestive system	140.4	135.9	120.6	136.4	184.8	152.4
Diseases of the urinary system	86.7	62.7	236.7	156.6	538.8	304.7
Diseases of the female organs of generation		18.1		38.1		33.7
Accidents and injuries	185.4	81.7	154.3	43.2	165.2	57.7
All other causes	514.8	523.0	156.9	185.6	798.4	587.7
Unknown	72.3	73.2	29.3	21.1	66.9	57.7

In considering the figures given in this table, it must be borne in mind that the married and the widowed classes include persons of more advanced ages than the single class, and that the death rates from those diseases to which persons beyond middle age are specially liable will be less among the single than among the married or the widowed.

The following table shows, for the registration area, the death rates of the single, the married, and the widowed, in each of four age groups, from certain diseases and classes of diseases, per 100,000 of population, by sex:

DEATH RATES FROM CERTAIN CAUSES, BY AGE AND SEX.

CAUSE OF DEATH AND CONJUGAL CONDITION.	REGISTRATION RECORD.								CAUSE OF DEATH AND CONJUGAL CONDITION.	REGISTRATION RECORD.							
	15 years and over.		15 to 44 years.		45 to 64 years.		65 years and over.			15 years and over.		15 to 44 years.		45 to 64 years.		65 years and over.	
	Males.	Fe- males.	Males.	Fe- males.	Males.	Fe- males.	Males.	Fe- males.		Males.	Fe- males.	Males.	Fe- males.	Males.	Fe- males.	Males.	Fe- males.
Consumption:									Diseases of the di- gestive system:								
Single.....	309.8	225.2	292.2	223.4	565.3	235.6	604.1	296.0	Single.....	63.8	55.3	53.6	46.3	177.5	127.9	455.2	352.2
Married.....	215.5	216.4	208.3	237.6	223.1	153.7	244.2	236.1	Married.....	112.3	103.8	55.7	75.7	156.1	138.8	406.6	395.3
Widowed.....	465.0	235.1	667.0	356.7	487.4	189.3	312.0	213.2	Widowed.....	288.7	227.0	100.2	96.4	239.0	157.6	464.4	410.8
Cancer and tumor:									Diseases of the uri- nary system:								
Single.....	21.5	37.2	9.1	14.4	154.7	273.6	532.5	577.3	Single.....	73.7	48.8	45.1	31.1	383.3	204.1	1,231.1	585.7
Married.....	83.9	116.4	18.8	45.1	136.4	254.1	413.3	533.3	Married.....	171.7	106.2	52.8	65.4	231.5	168.6	933.5	452.0
Widowed.....	264.0	311.1	42.2	85.4	215.8	292.4	459.1	491.9	Widowed.....	665.1	300.6	123.7	100.7	440.4	250.2	1,263.8	506.6
Diseases of the ner- vous system:									Diseases of the fe- male organs of generation:								
Single.....	93.3	78.8	60.7	40.5	400.8	337.1	1,703.5	1,550.7	Single.....	9.8	8.5	28.9	14.6				
Married.....	224.6	142.8	61.0	51.3	285.7	243.8	1,367.9	1,175.7	Married.....	21.4	22.7	18.7	16.8				
Widowed.....	937.4	672.6	134.9	94.6	494.1	369.0	1,950.9	1,481.8	Widowed.....	19.9	30.2	15.9	18.1				
Diseases of the cir- culatory system:									Suicides:								
Single.....	91.0	72.9	55.4	44.1	444.7	273.6	1,735.0	1,154.7	Single.....	18.0	7.2	15.2	7.0	56.0	10.7	77.3	12.5
Married.....	216.3	147.3	56.5	67.5	282.9	245.8	1,302.1	979.1	Married.....	25.2	7.1	18.2	7.4	35.5	6.2	40.8	7.7
Widowed.....	909.1	591.0	163.0	104.6	560.7	365.2	1,778.4	1,231.8	Widowed.....	64.3	7.8	51.5	7.8	67.6	6.9	68.5	9.1

Death rates in relation to population can not be computed for the United States as a whole, owing to the incompleteness in the return of deaths, and the only comparisons that can be made between the registration area and the United States are such as may be derived from the relative proportions of deaths in the two areas to the total number of deaths.

The following table shows, for the United States, and the registration area, the number of deaths of the single, the married, and the widowed, at certain ages, from certain diseases and classes of diseases, per 1,000 deaths from known causes, of persons of corresponding age and conjugal condition, by sex:

PROPORTIONS OF DEATHS FROM CERTAIN CAUSES PER 1,000 DEATHS FROM KNOWN CAUSES.

CAUSE OF DEATH AND CONJUGAL CONDITION.	UNITED STATES.						REGISTRATION RECORD.					
	15 to 44 years.		45 to 64 years.		65 years and over.		15 to 44 years.		45 to 64 years.		65 years and over.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
All causes:												
Single.....	790.2	763.9	131.5	118.5	78.3	117.6	762.9	696.8	157.3	152.4	79.8	150.8
Married.....	292.7	514.8	368.1	309.0	339.2	176.2	298.0	485.1	385.0	326.9	317.0	188.0
Widowed.....	63.5	63.6	224.6	238.1	711.9	698.3	71.9	64.3	250.7	256.9	677.4	678.8
Consumption:												
Single.....	890.4	931.0	91.2	51.9	18.4	17.1	883.6	921.4	99.7	60.2	16.7	18.4
Married.....	556.1	764.3	335.2	188.8	108.7	46.9	592.2	779.6	327.6	178.6	80.2	41.8
Widowed.....	283.5	308.5	403.7	348.3	312.8	343.2	326.0	343.7	432.2	358.1	241.8	298.2
Cancer and tumor:												
Single.....	407.2	384.9	371.1	404.8	221.7	210.3	395.9	358.5	392.5	423.7	211.6	217.8
Married.....	133.5	278.2	492.6	542.4	373.9	179.4	137.1	275.1	514.4	549.2	348.5	175.7
Widowed.....	29.2	54.6	296.6	392.9	674.2	552.5	36.3	62.2	337.1	418.0	626.6	519.8
Diseases of the nervous system:												
Single.....	648.1	571.5	205.3	202.3	146.6	226.2	609.2	477.7	234.6	246.3	156.2	276.0
Married.....	162.8	273.2	379.5	417.7	457.7	309.1	166.5	255.2	402.6	429.2	430.9	315.6
Widowed.....	30.7	30.2	202.5	223.4	766.8	746.4	32.7	31.9	217.4	244.0	749.9	724.1
Diseases of the circulatory system:												
Single.....	560.6	591.2	252.5	199.2	186.9	209.6	570.2	561.9	266.8	216.0	163.0	222.1
Married.....	143.6	340.5	397.9	405.5	458.5	254.0	160.1	325.4	413.9	419.7	426.0	254.9
Widowed.....	33.5	37.7	230.4	253.3	736.1	709.0	40.8	40.1	254.3	274.8	704.9	685.1

CONJUGAL CONDITION IN RELATION TO DEATHS.

xcv

PROPORTIONS OF DEATHS FROM CERTAIN CAUSES PER 1,000 DEATHS FROM KNOWN CAUSES—Continued.

CAUSE OF DEATH AND CONJUGAL CONDITION.	UNITED STATES.						REGISTRATION RECORDS.					
	15 to 44 years.		45 to 64 years.		65 years and over.		15 to 44 years.		45 to 64 years.		65 years and over.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Diseases of the digestive system:												
Single.....	795.9	792.8	137.0	119.3	67.1	87.9	787.1	777.6	151.9	133.1	61.0	89.3
Married.....	281.4	499.8	425.7	343.1	292.9	157.1	303.7	517.8	440.1	336.2	256.2	146.0
Widowed.....	65.1	79.7	299.5	290.5	635.4	629.8	78.9	96.2	341.4	303.8	579.7	595.0
Diseases of the urinary system:												
Single.....	574.4	613.8	263.1	222.7	162.5	163.5	573.1	591.2	284.0	240.6	142.9	168.2
Married.....	162.4	440.7	395.8	391.8	441.8	167.5	188.5	437.4	426.7	399.4	384.8	163.2
Widowed.....	34.1	68.4	230.1	350.1	735.8	581.5	42.3	75.9	273.0	370.1	684.7	554.0
Diseases of the female organs of gener- ation:												
Single.....		834.8		137.1		28.1		808.4		170.6		21.0
Married.....		691.6		266.0		42.4		750.6		219.3		30.1
Widowed.....		299.0		397.0		304.0		344.1		356.3		299.6
Suicides:												
Single.....	807.2	915.8	153.6	68.4	39.2	15.8	792.9	891.1	170.3	84.7	36.8	24.2
Married.....	441.4	718.5	442.8	232.5	115.8	49.0	440.7	739.6	445.0	218.7	114.3	41.7
Widowed.....	167.5	220.6	404.3	426.5	428.2	352.9	182.1	226.8	433.8	391.8	384.1	381.4
All other causes:												
Single.....	830.9	754.8	99.6	98.8	69.5	146.4	794.0	652.9	127.9	136.1	78.1	211.0
Married.....	341.6	553.0	334.3	253.4	324.1	193.6	337.8	509.8	345.5	266.8	316.7	223.4
Widowed.....	55.3	43.6	181.4	179.4	763.3	777.0	58.8	39.8	198.2	191.3	743.0	768.9

The relation of conjugal condition to individual causes of death is discussed in Section XII.

SECTION X.

MONTH OR SEASON IN RELATION TO DEATHS.

Table 13, Part II, shows deaths in the United States, the registration area and its subdivisions, and in each grand group, during the census year ending May 31, 1900, at certain ages and from certain specified diseases, and classes of diseases, by months.

The following table shows, for the registration area, the death rates in each month, at all ages, and in each of three age groups, per 100,000 population of corresponding ages, by sex:

DEATH RATES AT CERTAIN AGES, BY MONTHS.

MONTHS.	ALL AGES.		UNDER 5.		5 TO 59 YEARS.		60 YEARS AND OVER.	
	Males.	Fe- males.	Males.	Fe- males.	Males.	Fe- males.	Males.	Fe- males.
June	140.8	121.6	447.8	380.2	74.9	63.4	481.9	417.1
July	168.3	142.8	675.9	570.5	78.6	64.3	496.4	430.2
August	158.0	138.4	583.7	512.5	76.6	64.9	507.1	444.6
September ..	144.6	123.9	486.6	411.6	73.5	61.9	497.5	420.0
October	139.9	120.9	380.6	309.4	78.2	67.5	531.7	459.4
November ..	134.2	116.7	334.9	290.3	77.4	64.8	526.6	457.2
December ..	148.1	130.0	383.1	329.3	82.9	69.6	590.7	532.8
January	164.3	144.3	447.3	366.2	89.4	76.6	655.8	597.2
February ...	155.9	141.0	451.7	375.2	82.8	74.1	604.2	568.6
March	192.5	173.3	528.3	429.2	100.8	87.7	810.9	778.6
April	185.5	167.3	500.3	405.5	98.4	85.6	778.3	757.2
May	163.1	143.5	449.9	371.2	89.6	77.8	631.1	566.5

This table shows that at all ages the death rates of both males and females were highest in March (males,

192.5; females, 173.3) and in April (males, 185.5; females, 167.3), and were lowest in October (males, 139.9; females, 120.9) and in November (males, 134.2; females, 116.7).

In the age group under 5 years the death rates of both males and females were highest in July (males, 675.9; females, 570.5) and in August (males, 583.7; females, 512.5), and were lowest in October (males, 380.6; females, 309.4) and in November (males, 334.9; females, 290.3).

At 5 to 59 years the rates for both males and females were highest in March (males, 100.8; females, 87.7) and in April (males, 98.4; females, 85.6), and were lowest in June (males, 74.9; females, 63.4) and in September (males, 73.5; females, 61.9).

For those 60 years of age and over the highest death rates of both males and females occurred in the same months as at 5 to 59 years, but the difference in the mortality in the different months is much more marked, the highest rates being as follows: In March (males, 810.9; females, 778.6) and in April (males, 778.3; females, 757.2). The lowest rates were in June (males, 481.9; females, 417.1) and in September (males, 497.5; females, 420.0).

The following table shows, for the registration states, with distinction of cities and rural districts, the death rates in each month, at all ages, in each of three age groups, per 100,000 population of corresponding ages:

DEATH RATES AT CERTAIN AGES, BY MONTHS.

MONTHS.	REGISTRATION STATES.				CITIES IN REGISTRATION STATES.				RURAL PART OF REGISTRATION STATES.			
	All ages.	Under 5.	5 to 59.	60 and over.	All ages.	Under 5.	5 to 59.	60 and over.	All ages.	Under 5.	5 to 59.	60 and over.
June	123.2	369.5	62.3	428.0	135.5	461.4	69.6	467.1	105.6	224.3	51.2	396.3
July	150.8	611.2	64.4	438.8	174.0	787.9	72.5	486.0	117.3	332.0	52.2	400.6
August	145.7	552.2	64.3	451.4	153.6	629.8	69.3	470.3	134.3	429.7	56.7	436.1
September ..	132.0	455.3	60.8	441.5	137.9	504.9	67.1	462.9	123.4	376.9	51.3	424.1
October	125.0	330.0	65.5	467.3	132.7	392.7	72.9	496.0	113.8	231.1	54.4	444.1
November	121.1	297.0	64.6	470.5	130.4	361.5	72.5	517.7	107.8	195.0	52.8	432.2
December ..	134.5	335.4	70.3	532.1	145.1	405.8	79.9	581.7	119.2	224.0	55.7	491.9
January	146.8	378.9	74.9	580.4	157.9	452.8	85.3	635.9	130.7	262.2	59.3	535.5
February	143.6	389.3	72.4	554.2	157.2	467.8	82.8	633.0	123.9	265.2	56.8	490.3
March	183.9	461.5	90.0	786.8	199.8	552.0	102.5	917.5	161.1	318.5	71.1	681.0
April	174.5	431.9	86.5	741.7	182.5	510.4	96.8	783.2	163.0	307.7	71.0	708.0
May	148.0	378.6	77.1	574.9	154.7	443.4	84.9	606.2	138.4	276.1	65.5	549.6
Unknown	0.3	0.3	0.1	0.9	0.1	0.2		0.2	0.6	0.6	0.2	1.6

It will be seen from this table that in the aggregate the death rate was highest in the cities in March (199.8), and in the rural districts in April (163). It was lowest in the cities in November (130.4), and in the rural districts in June (105.6).

For those under 5 years of age it was highest in the cities in July (787.9), and in the rural districts in August (429.7), and was lowest in both cities and rural districts in November (cities, 361.5; rural districts, 195).

At 5 to 59 years it was highest in both cities and rural districts in March (cities, 102.5; rural districts, 71.1), and was lowest in the cities in September (67.1), and in the rural districts in June (51.2).

At 60 years and over it was highest in the cities in March (917.5), and in the rural districts in April (708); and was lowest in the cities in September (462.9), and in the rural districts in June (396.3).


The following table shows the proportions of deaths in each month at certain ages, per 1,000 deaths in known months at the same ages, in the United States, and in the registration area.

NUMBER OF DEATHS IN EACH MONTH PER 1,000 IN KNOWN MONTHS.


MONTHS.	ALL AGES.		UNDER 5.		5 TO 59 YEARS.		60 YEARS AND OVER.	
	United States.	Registration record.	United States.	Registration record.	United States.	Registration record.	United States.	Registration record.
June	67.0	73.7	72.4	79.5	66.8	74.3	60.6	66.4
July	79.5	87.3	101.9	119.7	72.3	76.6	64.9	68.4
August	82.9	83.3	104.1	105.4	76.6	76.0	68.2	70.3
September ..	76.5	75.4	89.1	86.2	73.7	72.8	65.8	67.6
October	75.0	73.2	71.9	66.1	78.6	78.3	72.1	73.1
November ..	69.5	70.5	62.1	60.1	74.2	76.3	70.2	72.5
December...	76.7	78.1	67.6	68.4	80.6	81.9	80.7	83.0
January.....	86.7	86.7	78.3	78.0	89.1	89.1	92.7	92.5
February ...	86.5	83.5	82.6	79.3	86.8	84.4	91.1	86.7
March	103.6	102.8	94.1	91.8	102.9	101.3	116.7	117.5
April.....	130.9	99.3	86.9	86.8	101.1	99.0	117.8	113.6
May.....	95.2	86.2	89.0	78.7	97.3	90.0	99.2	88.4

The proportions of deaths in each month, and the relative proportions at the different ages, in the United States, given in the preceding table are shown graphically in the following diagrams:


ALL AGES




UNDER 5



5 TO 59



60 AND OVER



The following table shows, for the registration states, the death rates due to certain diseases and classes of diseases in each month, per 100,000 of population.

The relation of month or season to causes of death is shown very fully in the discussion concerning each cause, in Section XII.

DEATH RATES FROM CERTAIN DISEASES, BY MONTHS.

CAUSE OF DEATH.	June.	July.	August.	Septem-ber.	October.	Novem-ber.	Decem-ber.	January.	Febru-ary.	March.	April.	May.
All causes.....	123.2	150.8	145.7	131.9	125.0	121.1	134.5	146.8	143.6	183.9	174.5	148.0
General diseases—A.....	20.7	46.1	42.7	31.5	18.9	15.0	15.6	17.5	17.9	25.2	25.1	18.3
Measles.....	1.1	0.8	0.4	0.3	0.3	0.7	1.0	1.7	2.1	2.3	2.1	2.0
Scarlet fever.....	0.8	0.5	0.4	0.4	0.6	0.8	1.1	1.2	1.4	1.2	1.2	1.1
Diphtheria.....	1.8	1.9	1.8	2.3	2.8	3.3	3.6	3.4	3.1	2.8	2.5	2.4
Whooping cough.....	0.9	1.4	1.7	1.1	0.7	0.8	1.1	1.1	1.1	1.5	1.4	1.2
Malarial fever.....	0.4	0.6	0.5	0.7	0.6	0.4	0.3	0.3	0.3	0.3	0.3	0.4
Influenza.....	0.6	0.3	0.2	0.2	0.4	0.5	1.0	1.9	2.7	8.4	9.7	3.2
Typhoid fever.....	1.1	1.6	2.5	3.3	3.7	2.8	2.3	2.1	1.6	1.7	1.3	1.4
Diarrheal diseases.....	11.1	36.5	32.7	21.2	7.9	3.7	3.0	3.1	2.8	3.3	3.3	3.7
Cerebro-spinal fever.....	1.0	0.9	0.8	0.7	0.6	0.5	0.5	0.5	0.5	0.7	0.6	0.7
Old age.....	3.7	3.5	4.1	3.7	4.2	3.9	4.2	5.1	4.6	5.9	5.3	4.9
Consumption.....	12.9	14.1	13.4	12.9	13.8	13.5	14.4	15.0	14.4	17.8	17.3	16.3
Diseases of the nervous system.....	16.9	17.3	17.4	16.0	16.3	15.5	17.6	18.4	17.5	21.3	20.7	19.1
Diseases of the circulatory system.....	11.3	10.9	10.7	10.9	11.2	12.5	13.4	14.3	13.5	16.6	15.1	14.1
Diseases of the respiratory system.....	12.4	9.8	8.7	10.3	15.7	18.6	25.3	31.1	33.4	45.6	41.7	26.7
Diseases of the digestive system.....	7.3	8.1	8.1	7.5	7.4	7.0	7.3	7.7	7.1	8.5	8.4	8.5
Diseases of the urinary system.....	8.1	8.3	7.7	7.8	8.3	8.1	8.8	9.5	8.8	10.6	9.6	9.2
Affections connected with pregnancy.....	2.2	2.0	1.9	1.4	1.7	1.5	2.1	2.3	2.1	3.4	2.9	2.8
Accidents and injuries, except suicides.....	7.4	7.6	7.3	6.4	5.8	5.8	5.6	5.3	5.3	5.4	5.6	6.2
Suicides.....	0.8	0.9	0.9	0.8	0.8	0.7	0.7	0.8	0.6	0.8	1.0	1.1

SECTION XI.

LOCALITY IN RELATION TO DEATHS.

Differences in climate, occasioned by meteorological conditions, latitude, altitude, and topography, have a marked influence on the mortality in different localities, which is also affected by the density and distribution of the population, by color or race, age, sex, and occupation, as well as by the liability to certain diseases in epidemic form.

In the previous sections the relations of sex, age, and color or race to the death rates, in the registration states and cities, have been presented very fully. States, however, are political divisions only, and their boundaries are not fixed with reference to any of the agencies affecting the health of the population. The peculiar physical characteristics of different sections of the country which influence the mortality are, therefore, best shown by taking the county as the unit and grouping together the counties in each state having similar characteristics, forming what are specified as "state groups," for which statistics are presented in various relations.

The subdivision of the country into state and grand groups is shown in Plate No. 1 (Frontispiece).

State groups of generally similar physical characteristics are then grouped together, forming "grand groups." The composition of the state and grand groups is given in detail in the appendix to this report, being the same as at the Tenth Census (1880) and the Eleventh Census (1890). The division into groups was made by Mr. Henry Gannett, geographer of the Tenth, Eleventh, and Twelfth censuses, and his description of the principal characteristics of the grand groups—21 in number—is given below.

Following the principle stated in the introductory section of this discussion, death rates in relation to population are only given for registration areas. Of the 21 grand groups, 1 and 5 consist wholly of registration counties, and 7, 8, and 19 are partly of registration counties. In the other grand groups the only registration areas included are the registration cities located therein. These are specified in the descriptive matter given for each grand group.

In the nonregistration localities the only comparable data are those derivable from the incomplete returns of deaths, made by the enumerators. These consist of the proportions of deaths from different causes to the total deaths from all causes, the proportion at each age to

the total at all ages, etc., which are not so valuable as death rates in relation to population, but are given as the best approximation to the relative frequency of certain fatal diseases in the different localities, obtainable from the data. They are at least as accurate as death rates based upon the same imperfect returns would be, and by using them instead of the latter the erroneous use of defective death rates is prevented to that extent.

The number of deaths from each tabulated cause in each state, state group, and registration city is given in Table 7, Part II.

The number of deaths from each disease and class of diseases, by sex and age, in each state, and each state group of the registration states, is given in Table 8, Part II.

The number of deaths at all ages, under 1 and under 5 years, with the deaths from certain principal causes, by color, general nativity, and parent nativity, in each state, each group in the registration states, and in each registration city, is given in Table 19 of this volume. This table also gives, for registration areas, the death rates at all ages, under 1 and under 5 years, per 1,000 of corresponding population.

The proportions of deaths from each disease and class of diseases in each grand group, in the aggregate, and for the cities and rural districts, with distinction of sex, are given in Table 26 of this volume.

In the following remarks concerning the several grand groups the proportions of deaths due to the principal causes are compared with the average proportions from the same causes in the United States, as a whole.

GRAND GROUP 1.—NORTH ATLANTIC COAST REGION.

This group includes a strip of land from 50 to 75 miles wide along the coast of Maine, New Hampshire, Massachusetts, Rhode Island, and Connecticut. The surface is mainly undulating and hilly, becoming less varied toward the south. The coast is bold and rocky in Maine, but mostly sandy and low in Massachusetts, Rhode Island, and Connecticut. There is comparatively little swamp or undrained land. The mean annual temperature is 40° to 50° F. The mean annual rainfall is from 40 to 50 inches. The elevation ranges up to 500 feet, sloping toward the shore.

In this group the entire area is classed as "registration" and the death rates from certain principal causes in each county are given in Table 22 of this volume.

The registration cities in this group are the following: Amesbury town, Mass.; Ansonia town, Conn.; Arlington town and Attleboro town, Mass.; Augusta and Bath, Me.; Beverly, Mass.; Biddeford, Me.; Boston, Mass.; Bridgeport, Conn.; Brockton, Brookline town, and Cambridge, Mass.; Central Falls, R. I.; Chelsea, Mass.; Concord, N. H.; Danbury town, Conn.; Danvers town, Mass.; Dover, N. H.; Everett, Fall River, Framingham town, and Gloucester, Mass.; Greenwich town, Conn.; Haverhill and Hyde Park town, Mass.; Laconia, N. H.; Lawrence, Lowell, Lynn, and Malden, Mass.; Manchester, N. H.; Marlboro, Medford, and Melrose, Mass.; Meriden town and Middletown town, Conn.; Nashua, N. H.; Natick town, Mass.; Naugatuck town, Conn.; New Bedford and Newburyport, Mass.; New Haven town and New London, Conn.; Newport, R. I.; Newton, Mass.; Norwalk town and Norwich town, Conn.; Pawtucket, R. I.; Peabody town and Plymouth town, Mass.; Portland, Me.; Portsmouth, N. H.; Providence, R. I.; Quincy and Revere town, Mass.; Rochester, N. H.; Rockland, Me.; Salem and Somerville, Mass.; Stamford town and Stonington town, Conn.; Taunton and Wakefield town, Mass.; Wallingford town, Conn.; Waltham, Mass.; Waterbury town, Conn.; Watertown town, Weymouth town, and Woburn, Mass.; and Woonsocket, R. I.

The total population was 3,824,576, of which 2,642,750, or more than two-thirds, were found in the cities of 8,000 inhabitants and upward, specified above. The area was 19,280 square miles, and the density of population was 198.4 persons to the square mile, an increase of 32.6 persons per square mile over 1890.

Females were in excess in this group, the population being divided into 51.1 per cent females and 48.9 per cent males.

The colored population was insignificant, only 1.4 per cent being found in this class.

The principal causes in which the proportions of deaths were higher than the average for the United States, in both cities and rural districts, were heart disease, cancer, apoplexy, bronchitis, influenza, and diabetes. Diarrheal diseases, paralysis, inflammation of the brain and meningitis, measles, whooping cough, and cerebro-spinal fever caused more than the average proportions of deaths in the cities, but less than the average in the rural districts. The proportions of deaths due to Bright's disease, peritonitis, and suicide were above the average for the United States in the rural districts, but were below the average in the cities.

In both cities and rural districts the proportions of deaths due to consumption, pneumonia, typhoid fever, diphtheria, croup, malarial fever, diseases of the brain,

rheumatism, diseases of the kidneys, and childbirth were less than the average proportions in the whole country.

GRAND GROUP 2.—MIDDLE ATLANTIC COAST REGION.

This group includes a strip of land comprising the coast counties of New York, New Jersey, Delaware, Maryland, the District of Columbia, and Virginia. The climate is somewhat milder than that of Grand Group 1. The surface is low and sandy, and along the New Jersey coast are characteristic sand reefs, shoreward from which are lagoons, succeeded by extensive areas of swamp. Farther inland the country is low, nowhere rising more than 100 feet above the level of the sea. The mean annual temperature is from 45° to 50° F. in the northern portion, and from 55° to 60° in the southern portion. The mean annual rainfall is from 45 to 55 inches.

The registration cities in this group are the following: Annapolis, Md.; Atlantic City, N. J.; Baltimore, Md.; Bayonne, Bridgeton, Camden, Elizabeth, Harrison town, Hoboken, Jersey City, Millville, and Montclair town, N. J.; Mt. Vernon, N. Y.; Newark and New Brunswick, N. J.; New Rochelle and New York city, N. Y.; Norfolk, Va.; Orange, N. J.; Peekskill, N. Y.; Perth Amboy, Plainfield, and town of Union, N. J.; Washington, D. C.;¹ Wilmington, Del., and Yonkers, N. Y.

The total population of this group was 7,139,889, of which 5,292,719 were contained in the cities specified above. The area was 23,817 square miles, and the density of population was 299.8 persons to the square mile, an increase of 63.7 persons per square mile since 1890.

The distribution of the population by classes was as follows: Native white, 65 per cent; foreign white, 25.2 per cent; and colored, 9.8 per cent. The foreign white element was greatest in New York (35.3 per cent) and New Jersey (22.9 per cent). In the other states less than 10 per cent of the population was of this class. The colored element was less than 5 per cent in New York and New Jersey. It was greatest in Maryland (22.1 per cent), District of Columbia (31.3 per cent), and Virginia (51 per cent).

Females were slightly in excess in this group, the percentage being 50.2, to 49.8 per cent of males.

In both cities and rural districts in this group the proportions of deaths were above the average proportions in the United States from consumption, pneumonia, diarrheal diseases, Bright's disease, apoplexy, bronchitis, diphtheria, and hydrocephalus. The proportions due to measles, whooping cough, scarlet fever, diseases of the kidneys, and cerebro-spinal fever were greater than the average in the cities, but were less

¹ Coextensive with District of Columbia.

than the average in the rural districts, while those due to heart disease, paralysis, convulsions, and peritonitis were above the average in the rural districts but below the average in the cities.

The proportions of deaths in both cities and rural districts were less than the average from the following causes: typhoid fever, cancer, old age, inflammation of the brain and meningitis, influenza, malarial fever, croup, diseases of the brain, suicide, rheumatism, diabetes, and childbirth.

GRAND GROUP 3.—SOUTH ATLANTIC COAST REGION.

This group includes the coast counties of North Carolina, South Carolina, and Georgia, with extensive reefs inclosing large bays and sounds. A large proportion of the area is low and swampy. It includes those portions of the states above mentioned which lie below what is called the "fall line," that is, the line which forms the boundary of the metamorphic region. The mean annual temperature is from 60° to 65° F. The mean annual rainfall is from 50 to 60 inches. The average elevation above the sea is less than 100 feet.

The only registration cities in this group are Charleston, S. C., Savannah, Ga., and Wilmington, N. C.

The total population was 1,193,697, and the population of the cities was 131,027. The area was 41,111 square miles, and the density of population was 29 persons to the square mile, the increase in density over 1890 being 3.9 persons to the square mile.

The colored element predominated in this group, representing 53 per cent of the entire population. In the coast counties of South Carolina, contained in this group, the percentage of colored in the population was 66.2.

As in the two preceding groups there was a slight excess of females, these constituting 50.3 per cent of the population, against 49.7 per cent of males.

More than the average proportions of deaths, in both cities and rural districts were occasioned by diarrheal diseases, typhoid fever, influenza, malarial fever, whooping cough, and childbirth. The proportions were also above the average in the cities from consumption, Bright's disease, diseases of the brain, and diseases of the kidneys, but the proportions due to these causes were below the average in the rural districts.

In both cities and rural districts there were less than the average proportions of deaths from pneumonia, heart disease, cancer, old age, apoplexy, bronchitis, diphtheria, croup, convulsions, measles, scarlet fever, suicide, rheumatism, diabetes, hydrocephalus, and cerebrospinal fever.

GRAND GROUP 4.—GULF COAST REGION.

This region includes the entire state of Florida and the coast counties of Alabama, Mississippi, Louisiana, and Texas. In Florida and Louisiana a large portion

is uninhabited swamp land. The mean annual temperature is from 70° to 75° F.; the mean annual rainfall is over 55 inches. The elevation above the sea is less than 100 feet, with the exception of a small part of the interior of northern Florida, where it is from 100 to 500 feet.

The registration cities in this group are Jacksonville and Key West, Fla.; Mobile, Ala.; and New Orleans, Louisiana.

The total population of the group was 1,767,487, and that of the cities was 371,116. The area was 107,385 square miles, and the density of population was 16.5 persons to the square mile, an increase of 4.2 persons per square mile over 1890.

The colored element in this group represented 38.6 per cent of the total population, and varied but little in the state groups of which it is composed. The foreign white element was less than 6 per cent of the whole, being greater than this only in the coast counties of Texas, where it reached 11.2 per cent.

There was a slight excess of males in this group, the percentage by sex being, males, 50.9; females, 49.1.

The proportions of deaths from the principal causes in this group were generally below the average proportions in the United States. The proportions due to diarrheal diseases, typhoid fever, malarial fever, and diseases of the brain were above the average in both cities and rural districts, and those due to consumption, heart disease, Bright's disease, old age, and cerebrospinal fever were above the average in the cities but below the average in the rural districts.

Influenza, whooping cough, scarlet fever, and childbirth caused more than the average proportions of deaths in the rural districts, but less than the average proportions in the cities. For all other principal diseases the proportions were below the average in both cities and rural districts.

GRAND GROUP 5.—NORTHEASTERN HILLS AND PLATEAUS.

Grand Groups 5, 6, and 9 include the area of highlands stretching from northeast to southwest which has generally received the name of the Appalachian region. It comprises the broken, hilly country of Maine, the White Mountains of New Hampshire and the Green Mountains of Vermont, the hills of central Massachusetts and of northern Connecticut, the Adirondacks and Catskills of New York, and the multitudinous ridges and ranges of Pennsylvania, Maryland, New Jersey, Virginia, West Virginia, the Carolinas, Tennessee, Kentucky, Georgia, and Alabama.

The Northeastern Appalachian region, or Grand Group 5, includes all that portion of Maine, New Hampshire, Massachusetts, and Connecticut not comprised in the coast strip, with all of Vermont and the northern portion (including the Adirondacks) of New York. The area is by no means all strictly mountainous country,

but includes also a large amount of hilly, broken country. It was originally covered with dense forests, which, in the settled portions, have been largely cut away. The climate is severe, being affected comparatively little by the sea, and the mean annual temperature over most of this area is less than 45° F. In some parts, although not the most thickly settled ones, it falls below 40° F. The annual rainfall is from 35 to 45 inches. The elevation is mostly above 500 feet, and in extensive areas rises to mountains from 3,000 to 5,000 and even 6,000 feet in height.

The following-named registration cities are located in this group: Adams town, Mass.; Bangor, Me.; Barre, and Bennington town, Vt.; Berlin, N. H.; Bristol town, Conn.; Burlington, Vt.; Chicopee, Clinton town, Fitchburg, and Gardner town, Mass.; Glens Falls, N. Y.; Hartford, Conn.; Holyoke, Mass.; Keene, N. H.; Leominster town, Mass.; Manchester town, Conn.; Milford town, Mass.; New Britain town, Conn.; North Adams and Northampton, Mass.; Ogdensburg, N. Y.; Pittsfield, Mass.; Rutland, Vt.; Southbridge town and Springfield, Mass.; Torrington town and Vernon town, Conn.; Ware town, Webster town, and Westfield town, Mass.; Windham town, Conn.; and Worcester, Mass.

The entire area covered by this grand group is classed as "registration," and the death rates for certain principal causes are given for each county in Table 22 of this volume.

The total population was 2,063,453, and the population of the cities was 711,419. The area was 54,163 square miles, and the density of population was 38.1 persons to the square mile, an increase over 1890 of 4.7 persons per square mile.

The foreign white population represented 20.3 per cent, in this group, and the native white population 79. The colored element was so small as to be insignificant.

The sexes were represented by 50.5 per cent of males, and 49.5 per cent of females.

The proportions of deaths reported as due to heart disease, cancer, old age, apoplexy, influenza, peritonitis, diabetes, hydrocephalus, and cerebro-spinal fever were greater than the average proportions from these causes in the United States, in both cities and rural districts. In the cities the proportions due to diarrheal diseases, inflammation of the brain and meningitis, paralysis, measles, whooping cough, scarlet fever, and rheumatism were also above the average proportions from these causes, but in the rural districts the proportions from these causes were below the average. In the rural districts the proportions from Bright's disease, bronchitis, diseases of the brain, suicide, and appendicitis were above the average, while in the cities they were below the average.

In both cities and rural districts the proportions due to consumption, pneumonia, typhoid fever, diphtheria, croup, malarial fever, diseases of the kidneys, and childbirth were lower than the average.

GRAND GROUP 6.—THE CENTRAL APPALACHIAN REGION.

This group includes the Catskill region of southeastern New York, the central portion of Pennsylvania, and the western part of New Jersey and Maryland, and consists chiefly of narrow parallel ridges, with singularly uniform crests, broken by few gaps, and rising from 1,000 to 2,000 feet above the narrow valleys separating them, which, in their turn, are from 500 to 1,000 feet above the sea. The mean annual temperature is from 40° to 45° F. The mean annual rainfall is from 35 to 40 inches.

The registration cities in this group are as follows: Altoona, Carbondale, Carlisle, and Dubois, Pa.; Frederick, Md.; Harrisburg, Hazelton, and Johnstown, Pa.; Kingston, N. Y.; Lebanon and Mahanoy City, Pa.; Middletown, N. Y.; Morristown, N. J.; Mt. Carmel, Pa.; Newburg, N. Y.; Passaic, Paterson, and Phillipsburg, N. J.; Pittston, and Plymouth, Pa.; Port Jervis, N. Y.; Pottsville, Scranton, and Steelton, Pa.; Trenton, N. J.; and Wilkesbarre and Williamsport, Pa.

The total population was 3,249,040. The population of the registration cities specified was 762,914. The area was 36,491 square miles, and the density of population was 89 persons to the square mile. The increase in density over 1890 was 11.7 persons per square mile.

The predominating element in the population was the native white, which represented 84.2 per cent of the total. The colored element was inconsiderable, being only 1.7 per cent.

In this group the causes to which were attributed more than the average proportions of deaths, in both cities and rural districts, were apoplexy, paralysis, diphtheria, convulsions, scarlet fever, diseases of the kidneys, and peritonitis. The proportions were above the average, in the cities, for inflammation of the brain and meningitis, croup, whooping cough, and cerebro-spinal fever; but in the rural districts the proportions from these causes were below the average. On the other hand, the proportions from pneumonia, heart disease, Bright's disease, cancer, bronchitis, rheumatism, and diabetes were above the average in the rural districts, but below the average in the cities.

For the following causes the proportions were below the average in both cities and rural districts: Consumption, typhoid fever, old age, influenza, malarial fever, measles, diseases of the brain, suicide, appendicitis, and hydrocephalus.

GRAND GROUP 7.—REGION OF THE GREAT NORTHERN LAKES.

This group includes those parts of New York, Ohio, Indiana, Illinois, Michigan, and Wisconsin which border on the Great Lakes, and it partakes to a certain extent of the characteristics of the Atlantic coast region. These large bodies of fresh water undoubtedly exert

considerable influence upon the climate in moderating its extremes. The mean annual temperature in the southern part of this region is from 45° to 50°, and in the northern portion from 40° to 45° F. The mean annual rainfall is from 30 to 40 inches, except in northern Michigan, where it is only from 20 to 25 inches. The elevation is nowhere above 500 feet.

The registration cities in this group are the following: Ashtabula, Ohio; Bay City, Mich.; Buffalo, N. Y.; Chicago, Ill.; Cleveland, Ohio; Detroit, Mich.; Dunkirk, N. Y.; Escanaba, Mich.; Green Bay, Wis.; Iron Mountain, Ironwood, and Ishpeming, Mich.; Jamestown and Lockport, N. Y.; Manitowoc, Wis.; Marquette and Menominee, Mich.; Michigan City, Ind.; Milwaukee, Wis.; Muskegon, Mich.; Niagara Falls, N. Y.; Port Huron, Mich.; Rochester, N. Y.; Saginaw and Sault Ste. Marie, Mich.; Toledo, Ohio; Traverse City, Mich.; Watertown, N. Y.; and West Bay City, Michigan.

The total population of this group was 5,910,100, of which 3,656,330, or more than 60 per cent, were located in the cities specified. The area was 51,488 square miles, and the density of population was 114.8 persons to the square mile. The increase in density since 1890 was 27.7 persons per square mile, due chiefly to the great increase in the population of the cities.

The colored population was small, the percentage of this class being only 1.1 per cent. The foreign white element constituted 28.3 per cent of the whole population, being highest in Illinois (33.7 per cent), and lowest in Indiana (20.9 per cent). There was a small excess of males in this group, the percentage by sex being, males, 50.9; females, 49.1.

The causes to which more than the average proportions of deaths in both cities and rural districts were due were the following: Diarrheal diseases, cancer, bronchitis, diphtheria, convulsions, scarlet fever, peritonitis, suicide, and appendicitis. The proportions were also above the average in the cities from inflammation of the brain and meningitis, measles, and childbirth, but they were below the average for these causes in the rural districts. In the latter, heart disease, Bright's disease, old age, apoplexy, diabetes, hydrocephalus, and cerebro-spinal fever caused more than the average proportions of deaths, while the proportions from the same causes in the cities were less than the average.

In both cities and rural districts less than the average proportions of deaths occurred from consumption, pneumonia, typhoid fever, paralysis, influenza, malarial fever, croup, diseases of the brain, and whooping cough.

GRAND GROUP 8.—THE INTERIOR PLATEAU.

This group includes that portion of the plain stretching from the base of the Appalachians, eastward, which includes parts of Pennsylvania, Virginia, and North Carolina, and also, on the west side of the Appalachians,

the plateau country of central New York and western Pennsylvania. It consists of three regions, which are not contiguous, namely, (1) the western parts of New York and Pennsylvania, (2) the southeastern corner of Pennsylvania, and (3) the central portions of Virginia and North Carolina. The characteristics of the second of these regions, so far as returns of deaths are concerned, are largely due to the fact that it contains the cities of Philadelphia and Reading. These regions have little that is characteristic in climate or surface; lying, as they do, between the Appalachians and the Atlantic coast region on one hand and the lake region on the other, they partake to a certain extent of the climate of both. The surface is broken and hilly, but nowhere rises into mountains. The group is an upland country originally covered with forests, which have been in great part cut away. It contains comparatively little water surface or swamp land. The mean annual temperature is from 45° to 50° F. The annual rainfall is from 40 to 45 inches in that part east of the Appalachians; from 30 to 35 in the northern portion.

The registration cities in this group are the following: Albany, N. Y.; Alexandria, Va.; Allegheny and Allentown, Pa.; Amsterdam, Auburn, Binghamton, and Cohoes, N. Y.; Columbia, Pa.; Corning and Cortland, N. Y.; Easton, Pa.; Elmira, N. Y.; Erie, Pa.; Geneva, Gloversville, Hudson, Ithaca, and Johnstown, N. Y.; Lancaster, Pa.; Lansingburg, N. Y.; Lynchburg, Va.; McKeesport, Meadville, Newcastle, Norristown, and Oil City, Pa.; Olean, N. Y.; Petersburg, Va.; Philadelphia, Phoenixville, Pittsburg, and Pottstown, Pa.; Poughkeepsie, N. Y.; Raleigh, N. C.; Reading, Pa.; Richmond, Va.; Rome, Saratoga Springs, and Schenectady, N. Y.; South Bethlehem, Pa.; Syracuse, Troy, Utica, and Watervliet, N. Y.

The total population of this group was 7,488,008. In the cities named above the population was 2,961,327. The area was 75,354 square miles, and the density of population was 99.4 persons to the square mile. The increase in density over 1890 was 13.5 persons per square mile.

The native white element predominated largely in the population, this class being represented by 76.7 per cent. The remainder was about equally divided between the foreign white (12.2 per cent), and the colored (11.1 per cent).

The distribution by sex was exactly even.

The causes to which more than the average proportions of deaths were attributed, in both cities and rural districts, were heart disease, old age, apoplexy, paralysis, rheumatism, peritonitis, diphtheria, and convulsions. In the cities the proportions were above the average from typhoid fever, measles, croup, and childbirth, and in the rural districts the proportions from the same causes were below the average. In the rural districts the proportions were above the average from

pneumonia, Bright's disease, cancer, bronchitis, influenza, and diabetes, and they were also higher than the proportions from the same causes in the cities.

Less than the average proportions occurred in both cities and rural districts from consumption, diarrheal diseases, malarial fever, whooping cough, scarlet fever, suicide, appendicitis, hydrocephalus, and cerebro-spinal fever.

GRAND GROUP 9.—SOUTHERN CENTRAL APPALACHIAN REGION.

This region is a continuation of Grand Groups 5 and 6, extending to the southwest. It includes portions of Virginia, West Virginia, the Carolinas, Kentucky, Tennessee, Georgia, and Alabama. In Virginia and West Virginia the character of the country is very similar to that of Grand Group 6, but as we proceed southward there is a gradual rise in the ridges, and a tendency to break up into peaks, which in North Carolina develops to the highest degree, presenting in the western part of that state a complex of mountains, rising without much apparent system to heights of from 6,000 to 6,700 feet. In Virginia and farther southward the feature which was outlined in Pennsylvania becomes very characteristic, namely, the great valley occupied in northern Virginia by the Shenandoah, farther south by the branches of the New River and the heads of the Tennessee, and in Tennessee by the river of that name. This forms a great depression, which, throughout the whole region, is traversed by numberless minor ranges and ridges, while it is limited on either side by higher ranges, represented in North Carolina by the mountains of the western part of that state, while the western boundary of the belt is the Cumberland range or plateau. In Georgia and Alabama these ranges gradually fade out and disappear. The mountains of this region rise from 1,000 to 6,700 feet above the sea, and the valleys are at elevations of from 500 to 2,000 feet.

The temperature of the habitable portions of this region varies with the altitude and the latitude, but nowhere is the mean annual temperature much higher than 55° F., and it falls below 40° in the higher country. This region is covered with heavy forests of pine and hard wood. The mean annual rainfall is from 35 to 45 inches in the northern half, and from 50 to 60 inches in the southern half.

Atlanta, Ga., is the only registration city in this group.

The total population was 4,031,150, and the area was 103,416 square miles, giving a density of 39 persons to the square mile, an increase in density since 1890 of 6.7 persons per square mile.

The foreign white element was very small in this group, being less than 1 per cent. The native white constituted 84.7 per cent and the colored 14.4 per cent of the entire population.

Males were slightly in excess in this group, the percentage being, males, 50.7; females, 49.3.

Of the principal causes of death those to which more than the average proportions were attributed, in both cities and rural districts, were consumption, diarrheal diseases, typhoid fever, influenza, croup, and rheumatism. In the cities there were more than the average proportions of deaths from paralysis, malarial fever, diseases of the brain, peritonitis, and childbirth, but in the rural districts the proportions from these causes were below the average. In the rural districts more than the average proportions of deaths occurred from inflammation of the brain and meningitis, bronchitis, measles, and whooping cough, while in the cities the proportions due to these causes were below the average.

The causes to which less than the average proportions of deaths were due, in both cities and rural districts, were pneumonia, heart disease, Bright's disease, cancer, old age, apoplexy, diphtheria, convulsions, scarlet fever, cerebro-spinal fever, suicide, appendicitis, diabetes, and diseases of the kidneys.

GRAND GROUP 10.—THE OHIO RIVER BELT.

This group includes those parts of Ohio, Indiana, Kentucky, and West Virginia which border on the Ohio River. It is an area of broken country becoming more and more diversified along the upper part of the river. For the most part the rivers flow in deep, narrow valleys bordered by high bluffs and broken hills. The area of bottom land is limited. The mean annual temperature is from 45° to 55° F. The annual rainfall is from 45 to 50 inches. The elevation is less than 500 feet between the mouth of the Ohio River and Cincinnati, and above this point it is from 500 to 1,000 feet.

The following registration cities are located in this group: Bellaire, Chillicothe, and Cincinnati, Ohio; Covington, Ky.; Dayton, Ohio; Evansville, Ind.; Hamilton and Ironton, Ohio; Jeffersonville, Ind.; Louisville, Ky.; Marietta and Middletown, Ohio; Newport and Paducah, Ky.; Portsmouth, Ohio; and Wheeling, West Virginia.

The population was 3,018,359, of which 914,413 were located in the cities named. The area was 35,201 square miles, and the density of population was 85.7 persons to the square mile. The increase in density over 1890 was 8.4 persons per square mile.

The predominating element in the population was the native white class, which represented 87.8 per cent. The remainder was about equally divided between foreign white (6.5 per cent) and colored (5.7 per cent).

The percentage by sex was, males, 50.4; females, 49.6.

The causes to which more than the average proportions of deaths were due, in both the cities and rural districts, were consumption, typhoid fever, cancer,

inflammation of the brain and meningitis, paralysis, peritonitis, and cerebro-spinal fever. In the cities the proportions of deaths due to old age, bronchitis, convulsions, malarial fever, diseases of the brain, suicide, and diabetes were also above the average proportions from these causes, but in the rural districts the proportions from the same causes were below the average. In the rural districts heart disease, Bright's disease, croup, rheumatism, diseases of the kidneys, and hydrocephalus caused more than the average proportions of deaths, while in the cities the proportions from these causes were less than the average.

The causes producing less than the average proportions of deaths in both cities and rural districts of this group were the following: Pneumonia, diarrheal diseases, apoplexy, influenza, appendicitis, childbirth, diphtheria, measles, whooping cough, and scarlet fever.

GRAND GROUP 11.—SOUTHERN INTERIOR PLATEAU.

This group includes the section of the Atlantic plain which extends across South Carolina and Georgia, with the region in central Alabama, Mississippi, and Tennessee lying between the Appalachian region and the Gulf Coast belt. It is for the most part level and timbered, principally with pine, a large extent of the surface being what is popularly known as "pine barrens." It has a warm climate, and during the summer the temperature rises much higher than on the coast. The mean annual temperature is from 60° to 70° F. The annual rainfall is heavy, being from 50 to 60 inches. The elevation is for the most part below 1,000 feet.

There are no registration cities in this group.

The total population of the group was 4,812,414, and the area was 127,688 square miles, giving a density of 37.7 persons to the square mile. The increase in density over 1890 was 5.9 persons per square mile.

The colored element predominated in the population, 53.4 per cent of the total being of this class. The remainder was almost entirely native white (46.3 per cent), as the foreign white population was but 0.3 per cent of the total.

The distribution by sex was as follows: Males, 49.8 per cent; females, 50.2 per cent.

The causes of death in this group to which more than the average proportions were due were consumption, pneumonia, diarrheal diseases, typhoid fever, influenza, malarial fever, measles, croup, diseases of the brain, and childbirth.

The proportions of deaths due to heart disease, Bright's disease, cancer, old age, apoplexy, paralysis, bronchitis, diphtheria, convulsions, scarlet fever, cerebro-spinal fever, hydrocephalus, suicide, rheumatism, diabetes, and diseases of the kidneys were below the average proportions for the United States.

GRAND GROUP 12.—SOUTH MISSISSIPPI RIVER BELT.

Along the Mississippi and Missouri rivers lie narrow belts characterized by a considerable extent of low bottom land with rich, deep, moist soil. All this region that borders the lower Mississippi from the neighborhood of the coast to the mouth of the Ohio is included in this group, and has very characteristic features. It includes the river counties of Kentucky, Tennessee, Arkansas, Mississippi, and Louisiana. It is an alluvial bottom land, lying very low with relation to the river, and subject to overflow. The drainage is poor, and there are large areas of swamp land and stagnant water. Vegetation is very rank, being almost tropical in its luxuriance. The mean annual temperature is from 60° to 70° F. The annual rainfall is from 50 to 55 inches. The elevation is between 100 and 500 feet.

This group contains but 2 registration cities, namely, Memphis, Tenn., and Natchez, Miss.

The total population of the group was 1,090,623. Of this number 114,530 were found in the cities named. The area was 27,357 square miles, and the density of population was 39.9 persons to the square mile. In 1890 the density was 33.6, the increase being 6.3 persons per square mile.

The colored element largely predominated in the population, the percentage of this class being 65.9. Only 1.2 per cent were foreign white, the remainder (32.9 per cent) being native white.

Males were in excess in this group, the percentages by sex being, males, 51.4; females, 48.6.

The causes of death to which more than the average proportions were due, in both cities and rural districts in this group, were consumption, pneumonia, typhoid fever, influenza, malarial fever, measles, diseases of the brain, rheumatism, and childbirth. The proportions of deaths due to diarrheal diseases and peritonitis were above the average in the cities but below the average in the rural districts, and in the latter the proportion due to whooping cough was above the average, while the proportion due to the same cause in the cities was below the average.

The causes to which less than the average proportions of deaths were due in both cities and rural districts were heart disease, Bright's disease, cancer, old age, apoplexy, paralysis, bronchitis, diphtheria, croup, convulsions, scarlet fever, hydrocephalus, cerebro-spinal fever, suicide, diabetes, and diseases of the kidneys.

GRAND GROUP 13.—NORTH MISSISSIPPI RIVER BELT.

This group extends from the mouth of the Ohio to the head of the Mississippi River, including portions of Missouri, Iowa, and Minnesota on the western, and of Illinois and Wisconsin on the eastern bank. The mean

annual temperature is from 40° to 45° F. in the northern portion and 50° to 55° F. in the southern portion. The annual rainfall is from 30 to 40 inches in the northern part and from 40 to 50 inches in the southern part. The elevation in the southern portion is less than 500 feet, and rises toward the north to points from 500 to 1,000 feet.

The following-named registration cities are in this group: Belleville, Ill.; Burlington, Davenport, and Keokuk, Iowa; Minneapolis, Minn.; Muscatine, Iowa; Quincy, Ill.; St. Louis, Mo.; St. Paul and Winona, Minnesota.

The population was 2,872,624. Nearly 40 per cent of this number (1,101,640) were located in the cities named. The area was 42,166 square miles, and the population density was 68.1 persons to the square mile, an increase over 1890 of 9.6 persons per square mile.

The colored population represented only 3.5 per cent of the total, the predominating element being native white, with 79.2 per cent. The foreign white constituted 17.3 per cent.

The percentage by sex was as follows: Males, 51.3; females, 48.7.

The causes of death in this group to which more than the average proportions of deaths were due in both cities and rural districts were cancer, old age, convulsions, cerebro-spinal fever, malarial fever, diseases of the brain, suicide, and appendicitis. In the cities the proportions due to consumption, typhoid fever, Bright's disease, and peritonitis were also above the average, but the proportions from these causes in the rural districts were below the average. In the rural districts pneumonia, paralysis, bronchitis, diphtheria, rheumatism, diabetes, diseases of the kidneys, and childbirth caused more than the average proportions of deaths from these causes, while in the cities the proportions from the same causes were below the average.

The causes to which less than the average proportions were due in both cities and rural districts were diarrheal diseases, heart disease, apoplexy, influenza, measles, whooping cough, scarlet fever, and hydrocephalus.

GRAND GROUP 14.—SOUTHWEST CENTRAL REGION.

This group includes the northwestern part of Louisiana, the southern part of Missouri, all of Arkansas (except such portions of these states as belong to the south Mississippi River belt), Indian Territory, and central Texas. It is mainly upland, and, with the exception of parts of Texas, is heavily timbered. In Louisiana it is traversed by a narrow strip of bottom land along the Red River. A considerable part of this region in Missouri and Arkansas is occupied by the Ozark hills, which rise 2,500 feet or more above the sea level, or 2,000 feet above the surrounding country. The mean annual temperature is from 60° to 70° F.

The annual rainfall is from 35 to 50 inches. The elevation is from 100 to 500 feet, with some peaks rising above 2,500 feet.

There are but 2 registration cities in this group—San Antonio, Tex., and Shreveport, La.

The population was 5,424,490, less than 2 per cent (69,334) of which was located in the cities named. The area was 247,349 square miles and the density of population was 21.9 persons to the square mile, an increase over 1890 of 4.7 persons per square mile.

The population was principally native white and colored, the former predominating with 76.7 per cent, and the latter representing 20.2 per cent. The foreign white class constituted only 3.1 per cent of the total. The greatest percentage of colored population was in the Louisiana counties (54.2 per cent), and the least percentage of this class was in Missouri (colored, 2 per cent; native white, 95.6 per cent).

The distribution by sex was, males, 51.6 per cent; females, 48.4 per cent.

The causes to which more than the average proportions of deaths were due in both the cities and rural districts in this group were diarrheal diseases, typhoid fever, malarial fever, measles, diseases of the brain, scarlet fever, and childbirth.

The causes to which less than the average proportions of deaths were due, in both cities and rural districts, were heart disease, Bright's disease, cancer, apoplexy, paralysis, bronchitis, influenza, diphtheria, convulsions, suicide, appendicitis, diabetes, and hydrocephalus.

GRAND GROUP 15.—CENTRAL REGION, PLAINS, AND PRAIRIES.

This group includes the plateau running across the northern part of Ohio and Indiana, and the central portions of Kentucky and Tennessee, and is essentially what is left of the eastern portion of the Mississippi Valley after taking from it other characteristic regions. The surface is for the most part undulating, presenting neither the dead level of the prairies on the one hand, nor the broken character marking the western foothills of the Appalachians on the other. The timber which originally covered it has been largely cut away. The mean annual temperature is from 50° to 60° F. The mean annual rainfall is from 40 to 50 inches. The elevation is from 500 to 1,000 feet.

The following registration cities are located in this group: Canton, Ohio; Columbus, Ind.; Columbus and Findlay, Ohio; Indianapolis and Lafayette, Ind.; Lima and Massillon, Ohio; Muncie, Ind.; Nashville, Tenn.; Newark, Ohio; Peru, Richmond, and Terre Haute, Ind.; Tiffin, Ohio; Vincennes, Ind.; Warren and Youngstown, Ohio.

The population of this group was 5,458,379. In the cities the population was 660,895. The area was 83,937 square miles, and the density of population was 65 per-

sons to the square mile. In 1890 the density was 57.9 to the square mile; the increase in density was therefore 7.1 persons per square mile.

The native white element largely predominated in the population, representing 87.8 per cent of the total. The percentage of foreign white was everywhere small, the average being 4.4. In Tennessee the percentage of colored was 26.7, and in Kentucky it was 17.5, but in the other states there was less than 2 per cent of this class.

By sex, the distribution was, males, 50.9 per cent; females, 49.1 per cent.

The causes of death which produced more than the average proportions, in both cities and rural districts in this group, were consumption, typhoid fever, cancer, inflammation of the brain, and meningitis, paralysis, diseases of the brain, peritonitis, suicide, rheumatism, and diseases of the kidneys. In the cities the proportions due to old age, influenza, malarial fever, and croup were also greater than the average proportions, while in the rural districts the proportions from the same causes were less than the average.

The causes of death to which less than the average proportions were due, in both cities and rural districts were pneumonia, diarrheal diseases, heart disease, apoplexy, bronchitis, diphtheria, convulsions, measles, whooping cough, scarlet fever, appendicitis, and childbirth.

GRAND GROUP 16.—THE PRAIRIE REGION.

This group includes most of the state of Illinois, the southern part of Wisconsin, nearly all of Iowa, southern Minnesota, the northern part of Missouri, the eastern half of Kansas, and a considerable portion of Nebraska, with that part of the Dakotas lying east of the Missouri belt. Though not entirely treeless, forests cover but a small portion of the area, and these are distributed along the water courses, on the faces of bluffs, and the tops of knolls. The surface is nearly level, except where cut or scored by streams. The soil is deep, extremely fertile, and generally very retentive of moisture. Originally there were larger areas of swamp land and standing water than at present. The mean annual temperature is from 50° to 55° F. in the southern part, and 40° to 45° in the northern part. The mean annual rainfall is from 35 to 40 inches in the eastern part, and from 20 to 25 inches in the western part. The elevation is from 500 to 1,000 feet in the eastern portion, gradually rising from 2,000 to 3,000 feet in the west.

The following are the registration cities in this group: Aurora, Ill.; Beloit, Wis.; Danville, Decatur, and Galesburg, Ill.; Hutchinson, Kans.; Jacksonville, Ill.; Lawrence and Leavenworth, Kans.; Lincoln, Nebr.; Madison, Wis.; Mankato, Minn.; Marshalltown and Oskaloosa, Iowa; Ottawa, Ill.; Ottumwa, Iowa; Springfield, Ill., and Wichita, Kans.

The total population of this group was 8,133,937. The population of the cities was 324,655. The area of the group was 265,946 square miles, and the density of population was 30.6 persons to the square mile, an increase in density over 1890 of 4.1 persons per square mile.

The colored element in the population was very small, being less than 2 per cent. The native white element predominated, with a percentage of 84.4, the percentage of foreign white being 14.3. The foreign white element was greatest in Minnesota (25.8 per cent) and North Dakota (35.1 per cent).

Males were in excess in this group by 2 per cent, the percentage of females being 48.

Of the principal causes of deaths in this group, those to which more than the average proportions were due in both cities and rural districts, were heart disease, cancer, old age, paralysis, peritonitis, suicide, appendicitis, rheumatism, diabetes, diseases of the kidneys, and cerebro-spinal fever. In the cities the proportions from typhoid fever, croup, whooping cough, and childbirth were also above the average, but in the rural districts the proportions due to these causes were below the average. In the rural districts Bright's disease, diphtheria, convulsions, and hydrocephalus caused more than the average proportions, while in the cities the proportions from these causes were less than the average.

The causes to which less than the average proportions were due in both cities and rural districts were consumption, pneumonia, diarrheal diseases, apoplexy, bronchitis, influenza, malarial fever, and measles.

GRAND GROUP 17.—THE MISSOURI RIVER BELT.

This group includes a narrow strip across Missouri, with portions of eastern Nebraska, western Iowa, the western part of North Dakota, and the central part of South Dakota, including in the main a broad area of bottom land of deep, rich soil, subject to overflow in the southern portion. Higher up the river, in the Dakotas, we enter the subhumid section of the country, the atmosphere being drier and the rainfall less. The mean annual temperature is from 40° to 45° F. in the northern part, and from 50° to 55° in the southern part. The mean annual rainfall is from 10 to 20 inches in the northern part, and from 30 to 40 in the southern part. The elevation is from 500 to 1,000 feet in the southern and central portions, 1,500 feet in South Dakota, and 2,000 feet in North Dakota.

The registration cities in this group are Kansas City and St. Joseph, Mo.; Omaha, Nebr.; and Sioux City, Iowa.

The total population of this group was 1,446,643, and that of the cities was 402,397. The area was 87,480 square miles, and the density of population was 16.5 persons to the square mile. There was a slight decrease in the population of this group since 1890, the decrease in density amounting to 1.7 persons per square mile.

The native white population constituted the predominating element in this group, with a percentage of 81.6 of the total population. The percentage of foreign white was 12.5, and that of the colored 5.9.

By sex, the distribution was, males, 52.7; females, 47.3 per cent.

The causes to which more than the average proportions of deaths in this group were due, in both cities and rural districts, were old age, paralysis, peritonitis, appendicitis, rheumatism, diseases of the kidneys, and cerebro-spinal fever. In the cities the proportions were also above the average from heart disease, typhoid fever, malarial fever, croup, and diseases of the brain, but in the rural districts the proportions due to these causes were below the average. In the rural districts consumption, pneumonia, diphtheria, convulsions, whooping cough, scarlet fever, and suicide caused more than the average proportions of deaths, while in the cities the proportions due to these causes were less than the average. The causes for which the proportions of deaths in this group were below the average in both cities and rural districts were diarrheal diseases, Bright's disease, cancer, apoplexy, bronchitis, influenza, measles, diabetes, and hydrocephalus.

GRAND GROUP 18.—REGION OF THE WESTERN PLAINS.

This group extends westward from the border of the prairie region, including parts of Texas, Kansas, Nebraska, Colorado, Wyoming, South Dakota, Montana, and New Mexico, and all of Oklahoma. The characteristics of the prairie region are here intensified in every particular. Timber is scarce, being found only along the water courses. The surface is a monotonous rolling expanse, covered only with sparse clumps of bunch grass, cactus, yucca, and other plants characteristic of a dry climate. The mean annual temperature varies from 65° to 70° F. in the southern part, and from 40° to 45° F. in the northern portion. The mean annual rainfall is from 10 to 20 inches. Indeed, the isohyetal line of 20 inches may be taken in general terms as the boundary line between this and the prairie region, although in the north the cooler climate and small evaporation tend to throw the boundary westward, while the reverse condition in the south tends to throw it eastward. The extremes of temperature in this region are great, being exceeded only in the still more arid region farther west. The elevation is 1,500 feet in the eastern portions, rising to 4,000, 5,000, and 6,000 feet in the west.

There are but two registration cities in this group—Denver and Pueblo, Colo.

The total population of this group was 1,442,684, of which but little over 1 per cent (162,016) were found in the cities named. The area was 429,328 square miles, and the density of the population was 3.4 persons to the square mile. In 1890 the density of population in this group was 2.1 persons per square mile, and the increase in density was therefore 1.3 persons per square mile.

The colored element in the population of this group consisted principally of Indians, and amounted to 4.4 per cent of the total population. The highest percentage of this class was in Montana (14.8) and South Dakota (23.8). The foreign white element represented 10.2 per cent, and the native white element largely predominated, with 85.4 per cent of the total population.

By sex, the distribution was 53.9 per cent males and 46.1 per cent females.

In this group the causes to which more than the average proportions of deaths were due, in both cities and rural districts, were typhoid fever, inflammation of the brain and meningitis, whooping cough, and appendicitis. In the cities the proportions due to consumption, paralysis, diseases of the brain, peritonitis, rheumatism, and diabetes were also above the average, but in the rural districts the proportions due to these causes were below the average. In the rural districts pneumonia, diarrheal diseases, diphtheria, measles, scarlet fever, suicide, diseases of the kidneys, and cerebro-spinal fever caused more than the average proportions of deaths, while in the cities the proportions due to these causes were below the average.

The causes of death to which less than the average proportions of deaths in this group were attributed, in both cities and rural districts, were heart disease, Bright's disease, cancer, old age, apoplexy, bronchitis, influenza, convulsions, malarial fever, croup, and hydrocephalus.

GRAND GROUP 19.—HEAVILY TIMBERED REGION OF THE NORTHWEST.

This group includes parts of Minnesota, Wisconsin, and Michigan. It is heavily timbered and well watered, containing large numbers of small lakes and considerable areas of swamp, especially in Wisconsin and Minnesota. This large water surface, together with the dense forests, tends to give to this region a moist atmosphere, although the rainfall is not great. The mean annual temperature is from 40° to 50° F., and below 40° in northern Wisconsin and Minnesota. The mean annual rainfall is from 30 to 40 inches. The elevation is from 1,000 to 1,500 feet.

The registration cities in this group are Ann Arbor, Mich.; Appleton, Wis.; Battle Creek, Mich.; Chippewa Falls, Wis.; Duluth, Minn.; Eau Claire, Wis.; Flint, Grand Rapids, Jackson, Kalamazoo, and Lansing, Mich.; Marinette, Wis.; Owosso and Pontiac, Mich.; and Superior, Wis.

The population of this group was 1,990,622, of which 359,225 were located in the registration cities named. The area was 98,210 square miles, and the density of population was 20.3 persons to the square mile, an increase over 1890 of 4.3 persons per square mile.

The colored population in this group was insignificant, amounting to but 1.3 per cent of the total. Of the remainder, 76.6 per cent were native white, and

22.1 per cent foreign white. The largest percentage of foreign white was in Minnesota (36.5).

The proportions of deaths from the principal causes were generally higher in this group than the average. In both cities and rural districts the proportions due to heart disease, cancer, old age, paralysis, peritonitis, suicide, appendicitis, rheumatism, diabetes, diseases of the kidneys, and cerebro-spinal fever were above the average, and in the rural districts, which constitute the greater portion of the area, the proportions due to Bright's disease, apoplexy, bronchitis, diphtheria, convulsions, and hydrocephalus were also above the average.

The causes to which less than the average proportions of deaths were due in both cities and rural districts were consumption, pneumonia, diarrheal diseases, influenza, malarial fever, and scarlet fever.

GRAND GROUP 20.—THE CORDILLERAN REGION.

This group includes the region westward from the east base of the Rocky Mountains to the Cascades and Sierra Nevada, consisting mainly of a high plateau crowned by a succession of mountain ranges forming systems of a greater or less degree of complexity. It comprises Arizona, Idaho, Utah, Nevada, and portions of Colorado, Montana, Wyoming, New Mexico, California, Oregon, and Washington. The climate is arid, the rainfall is small, except on the mountains, and the extremes of temperature are great between summer and winter and day and night. As a general thing, the mountains only are timbered, the valleys and level country being covered with herbaceous plants characteristic of an arid climate. The slopes are everywhere amply sufficient to insure good drainage, and therefore swamps and stagnant water are rare. The mean annual temperature is from 40° to 50° F. in the northern and central portions, and from 60° to 65° in the southern portion. The mean annual rainfall is below 10 inches in the central and southwestern portions, and somewhat greater in the eastern and northern portions. The elevation is from 4,000 to 10,000 feet and over.

The registration cities in this group are Fresno and Sacramento, Cal.; Helena, Mont.; Leadville, Colo.; Salt Lake City, Utah; and Spokane, Wash.

The total population of this group was 1,965,065. The population of the registration cities was 155,356. The area was 908,342 square miles, and the density of population was 2.2 persons to the square mile, an increase in this sparsely settled area of 0.6 persons per square mile since 1890.

The colored element in this group, represented by 6.4 per cent of the total population, consisted principally of Indians. The greatest percentage of colored was in Arizona, with 24.4 per cent; Nevada, with 16.4 per cent; and New Mexico, with 11 per cent. The native

white element of the population was 76.8 per cent, and the foreign white was 16.8 per cent. The least percentage of foreign white was in New Mexico (8), followed closely by Oregon (8.2). In other states the percentages of foreign white did not vary greatly from the total for the group.

In this group there was the greatest excess of males, the percentage being 57.5 to 42.5 per cent of females.

In this group the causes to which more than the average proportions of deaths were due, in both cities and rural districts, were pneumonia, cancer, whooping cough, peritonitis, scarlet fever, suicide, appendicitis, rheumatism, childbirth, and cerebro-spinal fever. In the cities, heart disease, typhoid fever, old age, inflammation of the brain and meningitis, paralysis, malarial fever, diabetes, and diseases of the kidneys also caused more than the average proportions of deaths, but in the rural districts the proportions due to these causes were below the average.

In both cities and rural districts the proportions due to consumption, diarrheal diseases, Bright's disease, apoplexy, bronchitis, influenza, convulsions, measles, croup, and diseases of the brain were below the average proportions from these causes in the United States.

GRAND GROUP 21.—PACIFIC COAST REGION.

This group includes the coast portions of Washington, Oregon, and California, lying between the ranges of the Cascades and Sierra Nevada and the Pacific coast. It has a well-defined wet and dry season, the former corresponding to the winter in the eastern portion of the country and the latter to the summer. The northern part receives much more rain than the southern part. The surface consists of a complex range of mountains known as the Coast range, running parallel to the coast, east of which is a great valley extending from Puget Sound to the southern part of California. This is occupied in Oregon by the Willamette and other rivers, and in California by the Sacramento and the San Joaquin. East of this valley is a great uplift, represented in Washington and Oregon by the Cascade range, and in California by the Sierra Nevada. The mean annual temperature is from 55° to 65° F. in the southern portion, and from 45° to 55° in the northern portion. The mean annual rainfall is above 60 inches in the north, and below 20 inches in the south. The elevation varies from the coast line to 5,000 feet.

The registration cities in this group are Alameda, Los Angeles, and Oakland, Cal.; Portland, Oreg.; San Diego, San Francisco, and San Jose, Cal.; and Seattle and Tacoma, Wash.

The total population of this group was 1,671,335, of which nearly 50 per cent (776,696) were in the registration cities named. The area was 104,721 square miles,

and the density of population was 16 persons to the square mile. The increase in density in this group over 1890 amounted to 3.6 persons per square mile.

The native white element of the population predominated, with 73.7 per cent. The percentage of foreign white was 21.7, and that of the colored, mainly Indian, Chinese, and Japanese, was 4.6. The percentage of the different classes was very uniform in all of the states represented in this group.

The males were largely in excess in this group, the percentage being 55.1, to 44.9 per cent of females.

The causes to which more than the average proportions of deaths in this group were due, in both cities and rural districts, were consumption, heart disease,

cancer, apoplexy, diseases of the brain, peritonitis, suicide, appendicitis, diabetes, hydrocephalus, cerebrospinal fever, and gunshot wounds. The proportion due to typhoid fever in the cities was also considerably greater than the average proportion from this cause, although in the rural districts the proportion was less than the average.

The causes to which less than the average proportions of deaths in both cities and rural districts were due were pneumonia, diarrheal diseases, bronchitis, influenza, malarial fever, diphtheria, croup, convulsions, whooping cough, scarlet fever, rheumatism, and childbirth.

SECTION XII.

CAUSES OF DEATH.

Table 7, Part II, gives the number of deaths in the United States, and in each state, state group, and registration city, during the census year, from each reported cause. The causes of death in this table are arranged in alphabetical order and given more fully than in any other table.

Table 8, Part II, gives the number of deaths reported in the United States, the registration area and its subdivisions, and in each state and territory, during the census year, from each specified disease and class of diseases, by sex and age.

Table 9, Part II, gives the same data for the United States, by color and race.

Table 10, Part II, gives the same data for the registration area, by color and race.

Table 11, Part II, gives the same data for white persons in the registration area, by birthplaces of mothers.

Table 12, Part II, gives the number of deaths reported in each registration state during the census year, from each specified disease and class of diseases, by birthplaces of mothers.

Table 13, Part II, gives the number of deaths in the United States, the registration area and its subdivisions, and in each grand group, during the census year, at certain ages, and from certain specified diseases and classes of diseases, by months.

Of 1,039,094 deaths reported as occurring in the United States during the census year, 40,539, or 39 per 1,000, were reported as due to unknown cause. In 1890 the proportion reported as due to unknown cause was 40.7 per 1,000, and in 1880 it was 49 per 1,000. In the registration area the proportion reported as due to unknown cause in the census year 1900 was 9.5 per 1,000, being slightly less than the proportion in 1890 (9.7 per 1,000).

These figures show some slight improvement in the accuracy with which the cause of death is reported, but leave much to be desired in this respect. In addition to the deaths necessarily classified under "cause unknown," a large number of cases in which the cause of death is reported as inanition, debility, atrophy, dropsy, heart failure, and other indefinite or symptomatic terms can not be properly classified except as unknown or ill defined. This is true even in the registration area where the record of deaths is fairly complete in number.

The nomenclature and classification of diseases used in the tables are the same as those employed in the Tenth and Eleventh censuses, but the list of titles for which detailed information is presented has been increased by the addition of a number of diseases.

The following table shows the principal reported causes of deaths in the United States in the census years 1900 and 1890, in the order of their frequency, with the proportion from each cause per 100,000 from all causes:

DEATHS FROM CERTAIN CAUSES, AND PROPORTION FROM EACH CAUSE, PER 100,000 FROM ALL CAUSES.

CAUSES OF DEATH.	1900		1890	
	Number.	Proportion.	Number.	Proportion.
Consumption ¹	111,059	10,688	102,199	12,146
Pneumonia.....	105,971	10,198	76,496	9,091
Heart disease ²	69,315	6,671	44,959	5,343
Diarrheal diseases ³	46,907	4,514	47,201	5,610
Unknown cause.....	40,539	3,901	34,286	4,074
Diseases of the kidney ⁴	36,724	3,534	19,457	2,312
Typhoid fever.....	35,379	3,405	27,058	3,216
Cancer.....	29,475	2,837	18,536	2,203
Old age.....	29,222	2,812	16,591	1,972
Apoplexy.....	26,901	2,589	14,999	1,783
Inflammation of the brain and meningitis.....	25,664	2,470	17,775	2,113
Cholera infantum.....	25,576	2,461	27,510	3,269
Paralysis ⁵	23,865	2,297	16,570	1,969
Bronchitis.....	20,223	1,946	21,422	2,546
Debility and atrophy.....	17,282	1,663	25,536	3,035
Influenza.....	16,645	1,602	12,957	1,540
Diphtheria.....	16,475	1,586	27,815	3,306
Convulsions.....	15,505	1,492	16,598	1,973
Malarial fever.....	14,874	1,431	18,594	2,210
Premature birth.....	14,720	1,417	7,636	908
Diseases of the stomach ⁶	13,484	1,298	8,080	960
Measles.....	12,866	1,238	9,256	1,100
Croup.....	12,484	1,201	13,862	1,647
Diseases of the liver ⁷	12,249	1,179	9,460	1,124
Diseases of the brain.....	11,469	1,104	12,322	1,464
Inanition.....	11,382	1,095	6,995	831
Dropsy.....	11,264	1,084	10,070	1,197
Whooping cough.....	9,958	958	8,432	1,002
Peritonitis.....	7,501	722	4,995	594
Railroad accidents.....	6,936	667	5,756	684
Septicemia.....	6,776	652	3,748	445
Burns and scalds.....	6,772	652	3,850	458
Scarlet fever.....	6,333	609	5,969	709
Suicide.....	5,498	529	3,932	467
Drowning.....	5,387	518	5,104	607
Appendicitis.....	5,111	492		
Rheumatism.....	5,067	488	4,508	536
Diabetes.....	4,672	450	2,407	286
Hydrocephalus.....	4,302	414	4,338	516
Cerebro-spinal fever.....	4,174	402	3,333	393
Gunshot wounds.....	4,060	391	2,552	303

¹Including general tuberculosis.

²Including pericarditis.

³Including cholera morbus, colitis, diarrhea, dysentery, and enteritis.

⁴Including Bright's disease.

⁵Including general paralysis of the insane.

⁶Including gastritis.

⁷Including jaundice, and inflammation and abscess of the liver.

This table serves only to indicate the relative frequency of deaths from the specified causes, as reported. It should be compared with the next table giving the death rates from the same causes in the registration area. On the face of the returns the figures given indicate an increase over 1890 in the proportions of deaths due to pneumonia, heart disease, diseases of the kidney, typhoid fever, cancer, old age, apoplexy, paralysis, diseases of the stomach, diseases of the liver, suicide, and diabetes; and a decrease in the proportions due to consumption, diarrheal diseases and cholera infantum, debility and atrophy, diphtheria, convulsions, croup, whooping cough, scarlet fever, and hydrocephalus.

The following table shows, for the registration area, in 1900 and 1890, the number of deaths from the same causes as those presented in the preceding table, with the death rates per 100,000 of population:

DEATHS FROM CERTAIN CAUSES IN THE REGISTRATION AREA, AND DEATH RATES DUE TO EACH CAUSE, PER 100,000 OF POPULATION.

CAUSES OF DEATH.	1900		1890	
	Number.	Rate.	Number.	Rate.
Pneumonia.....	55,296	191.9	36,752	186.9
Consumption ¹	54,898	190.5	48,286	245.4
Heart disease ²	38,608	134.0	23,939	121.8
Diarrheal diseases ³	24,509	85.1	20,457	104.1
Diseases of the kidney ⁴	24,124	83.7	11,736	59.7
Apoplexy.....	19,173	66.6	9,631	49.0
Cancer.....	17,296	60.0	9,410	47.9
Old age.....	15,558	54.0	8,823	44.9
Bronchitis.....	13,903	48.3	14,632	74.4
Cholera infantum.....	13,758	47.8	15,659	79.7
Debility and atrophy.....	13,108	45.5	17,427	88.6
Inflammation of the brain and meningitis.....	12,026	41.8	9,666	49.1
Diphtheria.....	10,201	35.4	13,786	70.1
Typhoid fever.....	9,749	33.8	9,097	46.3
Premature birth.....	9,690	33.7	4,948	25.2
Convulsions.....	9,522	33.1	11,050	56.3
Paralysis ⁵	9,450	32.8	6,980	35.5
Inanition.....	7,859	27.3	5,445	27.7
Influenza.....	6,882	23.9	1,215	6.2
Diseases of the liver ⁶	6,544	22.7	4,742	24.2
Diseases of the stomach ⁷	5,743	20.0	3,565	18.1

¹ Including general tuberculosis.

² Including pericarditis.

³ Including cholera morbus, colitis, diarrhea, dysentery, and enteritis.

⁴ Including Bright's disease.

⁵ Including general paralysis of the insane.

⁶ Including jaundice, and inflammation and abscess of the liver.

⁷ Including gastritis.

DEATHS FROM CERTAIN CAUSES IN THE REGISTRATION AREA, AND DEATH RATES DUE TO EACH CAUSE, PER 100,000 OF POPULATION—Continued.

CAUSES OF DEATH.	1900		1890	
	Number.	Rate.	Number.	Rate.
Diseases of the brain.....	5,357	18.6	6,055	30.9
Peritonitis.....	5,028	17.5	3,419	17.4
Unknown cause.....	4,849	16.8	4,827	24.6
Measles.....	3,801	13.2	2,662	13.5
Railroad accidents.....	3,792	13.2	2,761	14.0
Whooping cough.....	3,669	12.7	3,098	15.8
Suicide.....	3,400	11.8	2,027	10.3
Scarlet fever.....	3,327	11.5	2,682	13.6
Hydrocephalus.....	3,173	11.0	3,033	15.4
Drowning.....	3,152	11.0	2,543	12.9
Septicemia.....	2,867	10.0	1,517	7.7
Appendicitis.....	2,858	9.9		
Croup.....	2,830	9.8	5,432	27.6
Diabetes.....	2,693	9.4	1,089	5.5
Burns and scalds.....	2,545	8.8	1,081	5.5
Malarial fever.....	2,526	8.8	3,773	19.2
Cerebro-spinal fever.....	2,039	7.1	1,241	6.3
Dropsy.....	1,979	6.9	2,034	10.3
Rheumatism.....	1,951	6.8	1,587	8.1
Gunshot wounds.....	1,103	3.8	479	2.4

It will be seen from this table that the increase in the death rates in the registration area was confined to the following causes: Pneumonia, heart disease, diseases of the kidney, apoplexy, cancer, old age, influenza, diseases of the stomach, peritonitis, suicide, septicemia, diabetes, burns and scalds, cerebro-spinal fever, and gunshot wounds. For all other of the specified causes the death rates decreased.

Comparing this table with the one preceding, it will be seen that there was a very close correspondence in the relative proportions of deaths from these causes in the United States as a whole, and the death rates from the same causes in the registration area. They both indicate an increase in the relative mortality from diseases most frequent in adult life and advanced age, and a decided decrease in mortality from diseases incident to infancy and youth. This is further shown in the two succeeding tables.

The following table gives the death rate due to each disease and class of diseases in the registration area and its subdivisions per 100,000 of population in 1900, in comparison with 1890:

CAUSES OF DEATH.

cxiii

DEATH RATES FROM EACH DISEASE AND CLASS OF DISEASES.

CAUSES.	REGISTRATION RECORD.		REGISTRATION CITIES.		REGISTRATION STATES.						REGISTRATION CITIES IN OTHER STATES.	
	1900	1890	1900	1890	Total.		Cities.		Rural.		1900	1890
					1900	1890	1900	1890	1900	1890		
All causes	1,779.7	1,964.5	1,859.0	2,100.0	1,729.3	1,945.3	1,861.3	2,215.0	1,539.2	1,533.5	1,856.9	1,993.8
Unknown cause	16.8	24.6	15.7	23.2	13.3	19.4	8.5	13.3	20.3	28.8	22.2	32.4
General diseases—A	306.3	398.3	329.3	441.4	294.5	376.6	334.9	452.4	236.3	260.9	324.3	431.4
Measles	13.2	13.5	14.3	15.6	14.8	10.7	18.2	13.1	9.9	7.0	10.7	17.9
Scarlet fever	11.5	13.6	12.9	15.2	11.0	13.0	13.0	16.0	7.4	8.5	12.9	14.6
Diphtheria	35.4	70.1	42.1	79.2	31.7	70.1	43.1	89.1	15.2	41.1	41.1	70.1
Whooping cough	12.7	15.8	13.4	17.3	14.0	18.2	16.4	23.0	10.6	10.7	10.7	12.1
Malarial fever	8.8	19.2	9.9	21.4	5.1	14.7	4.9	16.5	5.4	12.1	14.3	26.0
Influenza	23.9	6.2	20.4	3.9	29.1	7.6	25.3	3.8	34.6	13.5	15.9	3.9
Typhoid fever	33.8	46.3	36.6	51.0	25.4	36.0	25.3	39.0	25.5	31.4	46.8	62.0
Cholera morbus	6.2	4.5	5.8	4.8	5.5	4.9	4.2	5.6	7.4	3.7	7.3	4.0
Dysentery	13.6	32.3	13.5	35.4	13.0	29.0	12.5	33.3	14.0	22.3	14.5	37.4
Diarrhea	12.8	27.2	12.9	31.1	13.7	27.6	14.7	35.9	12.2	15.0	11.4	26.7
Enteritis	52.5	40.1	62.3	46.6	49.2	34.5	67.7	44.6	22.6	19.1	57.4	48.4
Cholera infantum	47.8	79.7	50.0	88.6	50.8	82.8	57.6	103.5	41.0	51.3	43.1	74.8
Cerebro-spinal fever	7.1	6.3	7.0	6.7	8.0	5.8	8.4	6.3	7.4	5.0	5.7	7.1
Erysipelas	5.1	5.4	5.4	5.8	5.4	5.4	6.3	6.1	4.2	4.3	4.6	5.5
Septicemia	10.0	7.7	10.2	8.1	8.5	6.0	8.1	5.7	9.2	6.5	12.1	10.3
Venereal diseases	3.3	4.0	4.0	4.9	2.4	3.1	3.4	4.5	1.0	1.0	4.7	5.3
Others of this group	8.6	6.4	8.6	5.8	6.9	7.2	5.8	6.4	8.7	8.4	11.1	5.3
General diseases—B	41.0	39.0	47.4	46.0	29.8	27.1	35.4	33.9	21.9	16.6	58.2	57.1
Alcoholism	7.2	8.1	8.4	9.5	6.6	8.1	8.8	11.0	3.4	3.6	8.0	8.1
Parasitic diseases	0.1	0.3	0.1	0.3	0.1	0.2	0.1	0.2	0.2	0.3	0.2	0.3
Poison	6.4	2.9	7.2	3.1	6.1	2.5	7.4	2.7	4.4	2.2	6.9	3.5
Inanition	27.3	27.7	31.7	33.1	17.0	16.3	19.1	20.0	13.9	10.5	43.1	45.2
General diseases—C	142.8	163.0	145.6	169.9	141.4	163.1	146.4	185.8	134.3	141.0	145.0	155.2
Old age	54.0	44.9	47.3	37.3	53.1	52.0	38.4	41.0	74.4	68.9	55.4	34.0
Premature birth	33.7	25.2	36.9	28.7	33.4	27.5	40.0	36.2	23.9	13.9	34.0	21.7
Malformation	5.9	4.3	5.8	4.6	6.6	4.7	6.9	5.5	6.2	3.5	4.9	3.7
Debility and atrophy	45.5	88.6	51.7	99.3	43.7	83.9	55.6	103.1	26.6	54.7	48.2	95.8
Others of this group	3.7		3.9		4.6		5.5		3.2		2.5	
General diseases—D	301.7	350.2	316.7	370.9	293.3	357.5	318.9	405.3	256.4	284.5	314.7	339.1
Anemia	5.2	3.6	4.6	3.8	5.8	3.3	4.9	3.5	7.2	3.0	4.3	4.2
Diabetes	9.4	5.5	8.7	5.0	10.6	6.4	10.1	5.7	11.4	7.3	7.4	4.3
Rheumatism	6.8	8.1	6.6	8.2	6.6	8.7	6.1	9.3	7.3	7.8	7.1	7.1
Scrofula and tabes	3.6	6.7	3.5	7.3	3.1	5.4	2.6	6.0	3.9	4.6	4.3	8.5
Hydrocephalus	11.0	15.4	12.4	17.7	12.6	17.5	16.5	23.4	6.9	8.2	8.6	12.4
Tuberculosis, general	3.2		3.3		3.5		3.9		3.0		2.8	
Consumption	187.3	245.4	204.9	265.6	175.9	249.0	204.8	293.5	134.1	181.0	204.9	239.9
Cancer	60.0	47.9	58.3	47.1	62.1	50.9	59.8	51.3	65.3	50.3	57.0	43.2
Tumor	5.8	5.2	5.7	5.1	5.6	5.4	5.3	5.2	6.1	5.7	6.1	4.9
Dropsy	6.9	10.3	6.1	8.8	5.2	9.1	2.5	4.9	9.2	15.4	9.4	12.3
Others of this class	2.5	2.1	2.6	2.3	2.3	1.8	2.4	2.5	2.0	1.2	2.8	2.3
Diseases of the nervous system	217.2	247.4	215.5	259.1	214.0	240.3	208.3	260.1	222.3	210.0	222.0	258.2
Inflammation of the brain	3.8	7.9	3.6	8.3	3.0	3.8	2.2	5.2	4.2	6.7	4.9	11.2
Meningitis	38.0	41.2	42.0	47.9	36.3	42.2	43.5	56.7	25.8	20.0	40.6	39.8
Apoplexy	66.6	49.0	62.3	47.2	76.1	56.8	73.8	58.2	79.5	54.6	51.9	37.0
Paralysis	30.8		25.9		31.7		22.2		45.5		29.3	
Paralysis, general (of insane)	2.0	35.5	1.9	29.5	2.2	40.2	2.0	30.8	2.5	54.5	1.8	28.3
Tetanus and trismus nascentium	4.6	6.5	5.5	8.1	2.4	2.8	2.8	3.7	1.9	1.5	7.9	12.2
Epilepsy	4.2	4.8	3.6	4.7	4.6	5.5	3.6	5.6	6.1	5.3	3.7	3.9
Convulsions	33.1	56.3	37.7	65.8	24.5	41.5	28.4	51.8	18.9	25.8	46.1	78.6
Mental diseases	6.8	5.5	6.7	5.6	7.1	7.1	6.8	8.4	7.4	5.1	6.5	3.1
Diseases of the brain	18.6	30.9	18.3	32.3	17.2	28.8	15.5	30.6	19.5	26.1	20.8	33.9
Diseases of the spinal cord	4.9	6.3	4.7	6.5	5.1	6.0	4.6	6.2	5.8	5.7	4.7	6.8
Others of this class	3.8	3.5	3.3	3.2	3.8	3.6	2.9	2.9	5.2	4.7	3.8	3.4

VITAL STATISTICS.

DEATH RATES FROM EACH DISEASE AND CLASS OF DISEASES—Continued.

CAUSES.	REGISTRATION RECORD.		REGISTRATION CITIES.		REGISTRATION STATES.						REGISTRATION CITIES IN OTHER STATES.	
					Total.		Cities.		Rural.			
	1900	1890	1900	1890	1900	1890	1900	1890	1900	1890	1900	1890
Diseases of the circulatory system	150.1	134.2	145.6	132.4	154.5	144.0	148.3	146.3	163.6	140.4	143.2	119.4
Pericarditis	2.3	121.8	2.5	119.0	2.0	131.6	2.2	132.0	1.8	130.6	2.7	106.9
Diseases of the heart	131.7		127.1		137.3		131.4		145.8		123.2	
Angina pectoris	6.4	3.4	5.5	3.1	6.8	3.9	5.4	3.4	8.9	4.6	5.7	2.8
Others of this class	9.7	9.0	10.5	10.3	8.4	8.5	9.3	10.9	7.1	5.2	11.6	9.7
Diseases of the respiratory system.....	279.4	324.1	306.0	355.7	279.3	333.3	335.1	405.0	199.0	223.7	279.7	310.1
Croup	9.8	27.6	10.7	32.0	8.6	25.3	9.7	32.8	7.0	13.8	11.7	31.2
Pneumonia.....	191.9	186.9	210.5	201.4	193.3	197.3	233.1	234.1	135.9	141.1	189.9	171.1
Laryngitis	2.1	2.7	2.2	3.2	2.2	2.2	2.5	2.9	1.8	1.1	1.9	3.5
Bronchitis.....	48.3	74.4	53.4	83.8	49.7	79.1	61.4	101.7	32.7	44.5	46.1	67.3
Pleurisy	4.9	5.2	5.4	5.7	4.8	5.5	5.9	7.0	3.3	3.3	5.1	4.6
Asthma	4.3	5.1	4.8	5.7	2.6	3.2	2.6	3.3	2.7	3.1	6.8	8.0
Others of this class	18.1	22.2	19.0	23.9	18.1	20.7	19.9	23.2	15.6	16.8	18.2	24.4
Diseases of the digestive system.....	98.5	91.5	101.1	97.7	93.0	86.0	94.6	95.1	90.6	72.0	107.0	100.0
Dentition.....	2.6	7.7	3.2	9.1	2.0	5.6	2.9	7.0	0.8	3.4	3.5	11.1
Gastritis.....	14.8	10.4	14.8	11.1	14.0	10.5	13.5	12.1	14.8	8.1	15.9	10.2
Diseases of the stomach	5.2	7.7	4.9	7.7	5.2	7.4	4.6	7.0	5.9	8.0	5.2	8.3
Obstruction of the bowels.....	8.1	5.7	8.4	6.1	7.8	5.2	8.2	5.7	7.3	4.4	8.5	6.5
Appendicitis	9.9		10.7		9.0		9.9		7.7		11.3	
Hernia	3.7	3.3	3.7	3.3	3.8	3.4	3.9	3.5	3.7	3.2	3.6	3.2
Other diseases of the bowels	2.6	2.2	2.5	2.1	2.3	2.1	1.8	1.9	2.8	2.4	3.0	2.2
Diseases of the liver	22.7	24.2	23.5	26.0	21.7	23.1	22.6	26.5	20.4	18.1	24.3	25.5
Peritonitis.....	17.5	17.4	18.3	18.2	15.8	17.5	16.3	19.4	14.9	14.7	20.1	17.2
Others of this class	11.4	12.9	11.1	14.1	11.4	11.2	10.9	12.0	12.3	9.7	11.6	15.8
Diseases of the urinary system and male organs of generation	102.2	70.7	107.3	74.6	104.8	80.1	117.2	94.4	87.0	58.3	98.2	56.4
Bright's disease ¹	77.3	35.5	82.6	37.4	81.5	40.4	95.4	47.5	61.5	29.7	70.9	28.1
Diseases of the kidney ¹	6.4	24.2	6.5	26.9	6.5	28.3	6.7	36.8	6.1	15.4	6.3	17.8
Diseases of the bladder.....	5.1	5.3	4.2	4.4	5.7	6.3	4.5	5.0	7.5	8.3	4.0	3.8
Others of this class	13.4	5.7	14.0	5.9	11.1	5.1	10.6	5.1	11.9	4.9	17.0	6.7
Diseases of the female organs of genera- tion.....	12.6	10.4	13.8	11.3	11.8	9.5	13.7	10.8	8.7	7.5	13.9	11.9
Affections connected with pregnancy...	26.2	30.5	26.7	33.0	26.3	28.0	27.6	31.5	24.5	22.5	25.9	34.5
Diseases of the bones and joints.....	3.6	4.0	3.6	4.3	4.0	4.0	4.1	4.6	3.7	3.1	3.1	3.9
Diseases of the skin.....	3.2	4.3	3.3	4.6	3.0	4.3	3.1	4.8	2.9	3.5	3.4	4.4
Diseases of the absorbent system.....	1.3	0.8	1.2	0.8	1.4	0.8	1.3	0.8	1.7	0.8	1.1	0.9
Accidents and injuries	96.0	91.9	100.3	97.2	83.7	84.9	84.2	91.5	83.0	75.0	114.8	102.4
Burns and scalds.....	8.8	5.5	9.8	6.3	7.8	4.4	9.0	5.3	6.0	3.0	10.4	7.2
Drowning	11.0	12.9	10.4	12.9	11.3	13.4	10.4	13.7	12.6	12.9	10.4	12.2
Gunshot wounds	3.8	2.4	4.0	2.6	2.8	1.7	2.4	1.5	3.3	1.9	5.4	3.6
Homicide and infanticide.....	2.3	2.0	2.8	2.5	1.1	1.2	1.4	1.6	0.7	0.7	4.1	3.3
Railroad accidents	13.2	14.0	13.6	14.7	10.3	12.7	9.2	13.2	11.9	12.0	17.6	16.1
Suffocation	4.2	5.0	4.4	5.5	4.1	5.0	4.3	5.9	3.8	3.6	4.5	5.1
Suicide	11.8	10.3	12.7	11.0	9.9	8.8	10.5	9.3	9.0	8.0	14.7	12.7
Surgical operations.....	1.4	2.8	1.6	3.5	1.0	2.5	1.1	3.8	0.8	0.7	2.2	3.3
Wounds	1.5	2.9	1.7	2.9	1.1	2.3	1.3	2.1	0.9	2.7	2.1	3.7
Others of this class	38.0	34.1	39.3	35.3	34.3	32.9	34.6	35.1	34.0	29.5	43.4	35.2

¹Death rates from Bright's disease and diseases of the kidney should be considered together.

The death rates from the causes specified in the preceding table, and the comparative rates in 1890 and 1900, in the various areas, are shown more fully in the discussion of the individual causes which follows.

In the following table the decreases and increases in the death rates, between 1890 and 1900, due to certain principal causes given in the table preceding are brought together for comparison:

DECREASES AND INCREASES IN DEATH RATES FROM CERTAIN CAUSES.

CAUSES.	Total.	Cities.	STATES.			Cities in other states.
			Total.	Cities.	Rural.	
Decreases:						
Consumption	54.9	57.4	69.6	84.8	43.9	32.2
Diphtheria and croup...	52.5	58.4	55.1	69.1	32.7	48.5
Debility, atrophy, and inanition	43.5	49.0	39.5	48.4	24.7	49.7
Cholera infantum	31.9	38.6	32.0	45.9	10.3	31.7
Bronchitis	26.1	30.4	29.4	40.3	11.8	21.2
Convulsions	23.2	28.1	17.0	23.4	6.9	32.5
Diarrheal diseases	19.0	23.4	14.6	20.3	3.9	25.9
Typhoid fever	12.5	14.4	10.6	13.7	5.9	15.2
Diseases of the brain ...	12.3	14.0	11.6	15.1	6.6	13.1
Malarial fever	10.4	11.5	9.6	11.6	6.7	11.7
Unknown	7.8	7.5	6.1	4.8	8.5	10.2
Inflammation of brain and meningitis	7.3	10.6	8.7	16.2	13.3	5.5
Hydrocephalus	4.4	5.3	4.9	6.9	1.3	3.8
Dropsy	3.4	2.7	3.9	2.4	6.2	2.9
Scrofula and tabes	3.1	3.8	2.3	3.4	0.7	4.2
Whooping cough	3.1	3.9	4.2	6.6	0.1	1.4
Paralysis	2.7	1.7	6.3	6.6	6.5	12.8
Scarlet fever	2.1	2.3	2.0	3.0	1.1	1.7
Increases:						
Angina pectoris	3.0	2.4	2.9	2.0	4.3	2.9
Diabetes	3.9	3.7	4.2	4.4	4.1	3.1
Gastritis	4.4	3.7	3.5	1.4	6.7	5.7
Pneumonia	5.0	9.1	24.0	21.0	25.2	18.8
Premature birth	8.5	8.2	5.9	3.8	10.0	12.3
Old age	9.1	10.0	1.1	22.6	5.5	21.4
Cancer	12.1	11.2	11.2	8.5	15.0	13.8
Heart disease	12.2	10.6	7.7	1.6	17.0	19.0
Apoplexy	17.6	15.1	19.3	15.6	24.9	14.9
Influenza	17.7	16.5	21.5	21.5	21.1	12.0
Diseases of the kidney ..	24.0	24.8	19.3	17.8	22.5	31.3

¹ Increase.² Decrease.

The greatest decreases in the death rates in the registration area during the decade occurred in consump-

tion (54.9), diphtheria and croup (52.5), debility, atrophy and inanition (43.5), cholera infantum (31.9), bronchitis (26.1), convulsions (23.2), diarrheal diseases (19), typhoid fever (12.5), diseases of the brain (12.3), and malarial fever (10.4). The decrease in the mortality from these causes was most marked in the cities in the registration states, and least marked in the rural districts of the same states.

The greatest increases in the rates occurred in diseases of the kidney (24), influenza (17.7), apoplexy (17.6), heart disease (12.2), cancer (12.1), and old age (9.1). In the registration states the increase in the rates from these diseases was greater in the rural districts than in the cities.

GENERAL DISEASES—A.

This group includes the following diseases: Measles, scarlet fever, diphtheria, whooping cough, malarial fever, influenza, typhoid fever, cholera morbus, colitis, diarrhea, dysentery, enteritis, cholera infantum, fever (unspecified), cerebro-spinal fever, smallpox, erysipelas, septicemia, venereal diseases, and other minor diseases of this class.

The total number of deaths reported as due to this group of diseases in the United States during the census year was 209,819, of which 107,704 were males and 102,115 were females, and the proportion of deaths from these diseases in 1,000 deaths from all known causes was 210.1. In 1890 the corresponding proportion was 224.4.

In the registration area the number of deaths reported as due to this group of diseases was 88,227, of which 45,525 were males and 42,702 were females, giving a proportion of 173.7 deaths from these diseases in 1,000 deaths from all known causes, and a death rate of 306.3 per 100,000 of population. In 1890 the death rate was 392.1.

The following table shows, for the registration states, in the aggregate, and for the cities and the rural districts, the death rates from this group of diseases in the census year, per 100,000 of population, in comparison with 1890:

VITAL STATISTICS.

DEATH RATES IN CITIES AND RURAL DISTRICTS.

REGISTRATION STATES.	AGGREGATE.			MALES.			FEMALES.		
	Total.	Cities.	Rural.	Total.	Cities.	Rural.	Total.	Cities.	Rural.
Total	1900.. 294.5	334.9	236.3	302.1	349.8	236.1	287.0	320.7	236.5
	1890.. 369.0	448.6	247.4	381.2	468.4	252.4	357.0	429.7	242.3
Connecticut	1900.. 345.4	339.3	356.7	335.7	331.0	344.1	355.2	347.6	369.5
	1890.. 362.1	435.3	309.9	376.7	464.3	315.3	347.7	407.5	304.6
District of Columbia	1900.. 455.7	455.7		477.2	477.2		436.2	436.2	
	1890.. 510.4	510.4		525.6	525.6		496.7	496.7	
Maine ¹	1900.. 257.4	292.1	250.3	277.2	352.3	262.8	237.3	237.2	237.3
Massachusetts	1900.. 310.6	334.9	233.8	317.4	342.9	238.9	304.2	327.4	228.8
	1890.. 343.5	370.2	256.0	356.9	381.3	279.0	330.8	359.8	233.6
Michigan ¹	1900.. 243.1	267.5	232.8	247.3	286.0	232.1	238.6	249.5	233.7
New Hampshire	1900.. 278.5	319.6	252.5	266.8	326.3	231.6	290.0	313.5	274.3
	1890.. 313.7	406.3	275.2	336.6	466.2	286.4	291.1	352.9	263.7
New Jersey	1900.. 291.6	321.6	252.4	306.1	346.3	254.2	277.2	297.2	250.6
	1890.. 391.4	497.3	252.8	393.9	502.4	254.5	388.9	492.3	251.2
New York	1900.. 295.0	336.7	208.3	306.3	354.4	209.2	283.8	319.5	207.3
	1890.. 375.3	473.2	217.1	389.2	495.2	223.6	361.6	452.1	210.4
Rhode Island	1900.. 415.3	436.0	375.0	408.5	435.0	358.7	422.0	437.0	391.5
	1890.. 427.8	437.4	414.6	439.8	462.1	410.3	416.4	414.6	418.9
Vermont	1900.. 209.5	255.3	202.3	207.8	292.7	195.3	211.3	220.2	209.8
	1890.. 256.3	325.1	249.9	253.4	295.3	249.7	259.4	352.6	250.1

¹ Nonregistration in 1890.

This table shows that there was a great decrease in the death rates due to these diseases between 1890 and 1900, amounting in the aggregate to 74.5 per 100,000 of population. The decrease was greatest in the cities (113.7). In the rural districts of the registration states there was comparatively little change, the rate being 236.3 in 1900 and 247.4 in 1890. The death rate from these diseases was highest in the District of Columbia (455.7), owing to the large proportion of colored population, and was lowest in the rural districts in Vermont (202.3).

In the New England states the rate was higher among females than among males, except in Maine and Massachusetts; but in New York, New Jersey, and Michigan it was higher among males than females.

The following table shows, for the registration area and its subdivisions, the death rates from "General diseases—A" among the whites during the census year, per 100,000 of white population, by birthplaces of mothers:

DEATH RATES BY BIRTHPLACES OF MOTHERS.

BIRTHPLACES OF MOTHERS.	REGISTRATION RECORD.					
	Total.	Cities.	States.			Cities in other states.
			Total.	Cities.	Rural.	
United States	277.2	319.4	273.6	332.8	224.5	292.8
Ireland	275.0	291.0	279.8	299.8	209.5	236.8

DEATH RATES BY BIRTHPLACES OF MOTHERS—Continued.

BIRTHPLACES OF MOTHERS.	REGISTRATION RECORD.					
	Total.	Cities.	States.			Cities in other states.
			Total.	Cities.	Rural.	
Germany	230.3	237.6	235.5	248.5	195.9	218.2
England and Wales	225.6	243.3	226.5	250.5	181.7	221.0
Canada	317.4	354.8	327.1	376.6	264.7	164.1
Scandinavia	265.3	273.6	299.2	333.4	236.9	206.0
Scotland	203.9	204.8	209.9	214.0	201.2	169.8
Italy	471.8	512.7	474.6	520.8	239.0	442.2
France	248.6	271.5	249.7	285.1	164.1	245.7
Hungary and Bohemia	273.5	278.1	276.1	284.1	228.5	268.7
Russia and Poland	295.2	303.1	269.4	275.8	221.4	409.7
Other foreign	382.5	416.2	380.0	421.3	279.3	395.9

This table shows that the mortality from this group of diseases was greatest among those having mothers born in Italy (471.8), in Canada (317.4), and in Russia and Poland (295.2); and was least among those having mothers born in Scotland (203.9), in England and Wales (225.6), and in Germany (230.3). The greatest mortality occurred in the cities in the registration states, among the children of mothers born in Italy (520.8).

The following table shows, for the registration area and its subdivisions, the death rates from "General diseases—A" during the census year, in each of six age groups, per 100,000 population of corresponding ages, in comparison with 1890, by sex:

CAUSES OF DEATH.

cxvii

DEATH RATES AT CERTAIN AGES.

REGISTRATION AREAS.	UNDER 1.		UNDER 5.		5 TO 14.		15 TO 44.		45 TO 64.		65 AND OVER.	
	1900	1890	1900	1890	1900	1890	1900	1890	1900	1890	1900	1890
Total	4,741.4	6,457.9	1,682.2	2,325.9	150.0	242.5	95.5	122.9	157.8	155.9	742.3	503.1
Males.....	5,105.7	6,767.1	1,768.7	2,403.4	142.9	226.9	102.3	132.4	163.0	162.3	707.3	503.9
Females.....	4,370.7	6,140.2	1,594.6	2,246.9	157.1	258.2	88.7	113.5	152.4	149.5	773.5	502.4
Cities.....	5,143.2	7,066.7	1,860.1	2,594.3	164.5	262.1	100.7	131.7	176.0	176.5	761.3	576.9
Males.....	5,545.7	7,387.0	1,955.2	2,679.0	157.4	245.9	109.9	143.4	184.2	186.2	733.1	577.1
Females.....	4,733.9	6,738.1	1,763.9	2,508.1	171.5	278.2	91.7	120.3	167.8	166.9	784.2	576.7
States	4,901.2	6,799.1	1,671.5	2,352.4	128.3	229.7	75.0	100.8	137.6	133.8	757.9	467.3
Males.....	5,297.9	7,136.0	1,765.7	2,437.2	122.7	216.5	78.1	106.3	136.6	133.5	706.9	459.3
Females.....	4,498.2	6,452.9	1,576.0	2,266.1	133.9	242.0	72.0	95.6	138.5	134.1	804.4	474.6
Cities.....	5,803.9	8,287.0	2,027.9	2,946.8	144.1	263.2	73.5	106.7	157.6	156.6	817.4	556.5
Males.....	6,299.1	8,664.9	2,144.7	3,053.8	139.2	250.3	78.8	114.2	157.1	157.9	759.3	529.9
Females.....	5,302.3	7,900.1	1,909.9	2,838.7	149.0	276.0	68.5	99.6	158.0	155.4	862.6	577.5
Rural.....	3,411.5	4,026.2	1,108.2	1,332.9	105.8	179.7	77.5	90.6	114.5	105.5	714.3	402.1
Males.....	3,651.6	4,300.6	1,169.4	1,388.9	99.7	167.1	77.1	92.9	114.1	103.8	673.6	414.1
Females.....	3,166.5	3,742.4	1,046.0	1,275.2	112.0	192.8	78.0	88.2	115.0	107.3	755.9	390.0
Cities in other states ..	4,486.3	5,999.3	1,699.0	2,289.6	182.2	261.1	125.1	154.7	193.6	197.1	705.4	600.3
Males.....	4,799.7	6,271.2	1,773.5	2,357.2	173.2	242.1	137.1	169.0	208.9	214.1	708.4	628.9
Females.....	4,166.5	5,720.0	1,623.7	2,220.4	191.1	280.1	113.0	140.1	177.6	179.4	702.9	575.8

It will be seen from this table that the greatest mortality from this group of diseases occurred in infants under 1 year of age. At this age it was higher among males (5,105.7) than among females (4,370.7), and was higher in the cities in the registration states (5,803.9) than in the cities in the nonregistration states (4,486.3), or in the rural districts of the same states (3,411.5).

The death rate from these diseases was lowest in persons 15 to 44 years of age (95.5), and in this age group it was less in the cities in the registration states (73.5) than in the rural districts (77.5).

The death rate from these diseases at 45 to 64 years of age (157.8) was but little higher than that at 5 to 14 years (150), the rates in these two age groups bearing much the same proportions in all of the areas.

At 65 years of age and upward the death rate from these diseases (742.3) was more than four times as high as the rate at 45 to 64, and nearly twice the rate between 5 and 65.

As this group of diseases includes most of the specific infectious or communicable diseases, a comparison of the death rates, by ages, with those in 1890, particularly in the cities, will afford some valuable information. It will be observed that there was a great decrease in the death rates at all ages up to 45 years, a very similar rate for those 45 to 64 years, and a large increase in the rate for persons 65 years of age and over.

The decrease in the death rate per 100,000 of population was greatest in infants under 1 year old, and at this age the decrease, stated in whole numbers, was greater in the cities in the registration states (2,483) than in the cities in the nonregistration states (1,513). It was least in the rural districts of the registration states (615).

For all children under 5 years of age the decrease in the rate per 100,000 of population was 919 in the cities in the registration states, 591 in the cities in the nonregistration states, and 125 in the rural districts of the registration states.

At 5 to 14 years of age the decrease was 119 in the cities in the registration states, 79 in the cities in the nonregistration states, and 74 in the rural districts of the registration states.

For those 15 to 44 years of age the decrease was 33 in the cities in the registration states, 30 in the cities in the nonregistration states, and 13 in the rural districts of the registration states.

At 65 years of age and over the increase in the death rate was 261 per 100,000 in the cities in the registration states, 105 in the cities in the nonregistration states, and 312 in the rural districts of the registration states.

Taking all of the registration cities together, these figures show that where 7,067 infants died of these diseases in 1890 as against 5,143 in 1900. In all children under 5 years old there were 2,594 deaths in 1890 to 1,860 in 1900. At 5 to 14 years there were 262 deaths in 1890 to 165 in 1900. For those 15 to 44 years of age there were 132 deaths in 1890 to 101 in 1900, and at 45 to 64 years there were 177 deaths in 1890 to 176 in 1900. Above 65 years there were 761 deaths in 1900 to 577 in 1890.

The ratio of change in the death rate from these diseases in the rural districts between 1890 and 1900 was not so satisfactory, and the figures given illustrate forcibly the great benefit accruing from improved sanitary conditions and health regulations in many of the cities.

The combined relations of age and race to the death

rates from these diseases are indicated in the following table, for the registration area, giving the death rates during the census year in each of six age groups, per 100,000 population of corresponding ages, by color and birthplaces of mothers:

DEATH RATES BY AGE, COLOR, AND BIRTHPLACES OF MOTHERS.

COLOR AND BIRTHPLACES OF MOTHERS.	Under 1.	Under 5.	5 to 14.	15 to 44.	45 to 64.	65 and over.
White	4,605.1	1,633.4	144.5	88.4	149.4	736.0
Colored	8,540.1	3,036.9	291.5	231.5	363.7	969.8
Mothers born in—						
United States	3,960.8	1,360.5	129.2	79.1	105.0	607.4
Ireland	5,249.3	1,991.9	143.5	86.0	228.5	942.0
Germany	5,320.9	1,701.3	131.9	69.8	124.6	608.4
England and Wales	4,482.1	1,497.3	121.5	76.3	126.6	758.4
Canada	6,714.4	2,052.6	119.4	74.5	105.4	596.3
Scandinavia	3,564.9	1,276.7	157.2	97.2	98.1	518.3
Scotland	3,380.5	1,208.8	155.0	59.8	113.2	891.5
Italy	5,607.5	2,407.6	137.7	68.6	110.5	454.7
France	10,706.2	2,787.8	57.7	79.1	145.6	605.5
Hungary	3,573.7	1,331.8	77.8	65.0	125.1	290.9
Bohemia	4,359.6	1,435.1	112.4	63.7	83.2	403.8
Russia	4,268.4	1,565.2	70.9	42.7	110.6	405.2
Poland	3,411.1	1,283.7	67.7	41.6	73.1	263.5
Other foreign	6,174.6	2,187.9	120.5	99.9	122.4	616.1

This table shows that the death rate of the colored from this group of diseases was nearly twice as high as that of the whites in each age group up to 65 years. At 65 years of age and over, the rate for the colored was much higher than that for the whites, but the difference is not so great as at the lower ages.

In white infants under 1 year of age, among whom the mortality was greatest, the death rates were highest in those whose mothers were born in France (10,706.2), in Canada (6,714.4), in "Other foreign" countries (6,174.6), and in Italy (5,607.5); and were lowest among those whose mothers were born in Scotland (3,380.5), in Poland (3,411.1), and in Scandinavia (3,564.9). The rate for white infants whose mothers were born in the United States (3,960.8) was lower than for those whose mothers were born in England and Wales (4,482.1), in Ireland (5,249.3), or in Germany (5,320.9).

The following table shows, for the registration area, the proportions of deaths from this group of diseases at each age, per 1,000 deaths at known ages from these diseases, in 1900 and 1890, by sex.

NUMBER OF DEATHS AT EACH AGE PER 1,000 AT KNOWN AGES.

AGE.	1900		1890	
	Males.	Females.	Males.	Females.
Under 1 year	350.4	314.1	365.2	342.7
1 year	112.6	111.9	117.0	118.3
2 years	51.6	54.5	56.1	58.2
3 years	36.2	38.3	41.8	43.0
4 years	26.3	28.8	34.1	35.5
Under 5 years	577.1	547.6	614.2	597.7
5 to 9 years	64.2	73.3	81.1	94.3
10 to 14 years	21.9	27.5	26.3	34.7

NUMBER OF DEATHS AT EACH AGE PER 1,000 AT KNOWN AGES—Continued.

AGE.	1900		1890	
	Males.	Females.	Males.	Females.
15 to 19 years	24.7	27.8	31.3	34.2
20 to 24 years	36.6	32.4	41.8	35.8
25 to 29 years	32.4	29.0	33.0	29.6
30 to 34 years	26.7	24.1	24.6	21.6
35 to 39 years	24.5	22.2	20.8	18.7
40 to 44 years	20.9	18.3	17.1	14.8
45 to 49 years	19.8	16.2	16.1	14.0
50 to 54 years	19.2	17.2	14.4	13.7
55 to 59 years	18.6	19.2	14.4	14.3
60 to 64 years	20.3	23.7	13.9	16.2
65 to 69 years	22.4	27.9	14.7	15.7
70 to 74 years	23.3	28.6	12.7	14.5
75 to 79 years	20.2	27.2	11.0	12.7
80 to 84 years	16.1	21.6	7.4	9.9
85 to 89 years	8.3	11.0	4.0	5.2
90 to 94 years	2.1	4.1	0.8	1.7
95 years and over	0.7	1.1	0.4	0.7

This table shows that at each census, and in both sexes, more than half the deaths from these diseases occurred among children under 5 years of age.

The average age at death from diseases of this class in the registration area in 1900 was 18.5 years. In 1890 it was 13.7 years. For those dying at 15 years of age and over the average age was 49.6 years. In 1890 it was 43.2.

The following table shows for each grand group in the United States the proportion of deaths from "General diseases—A," during the census year, per 1,000 deaths from known causes, in the aggregate and by sex, for the cities and rural districts:

NUMBER OF DEATHS PER 1,000 DEATHS FROM KNOWN CAUSES.

GRAND GROUP.	Total.	RURAL.		CITIES.	
		Males.	Females.	Males.	Females.
1. North Atlantic Coast region	178.3	147.1	156.3	185.1	194.6
2. Middle Atlantic Coast region	183.1	189.7	196.7	176.3	185.9
3. South Atlantic Coast region	291.9	320.6	318.6	226.7	222.0
4. Gulf Coast region	289.6	331.8	344.0	222.7	229.2
5. Northeastern hills and plateaus	170.1	155.3	159.2	194.6	193.0
6. Central Appalachian region	183.7	175.7	193.9	176.8	190.7
7. Region of the Great Northern Lakes	179.1	159.6	179.6	177.3	192.6
8. Interior plateau	179.1	179.7	193.5	169.6	176.5
9. Southern Central Appalachian region	273.2	272.8	278.4	225.9	234.0
10. Ohio River belt	174.5	186.2	201.5	144.2	152.2
11. Southern Interior plateau	309.3	315.8	303.0		
12. South Mississippi River belt	336.0	347.1	350.8	265.0	295.5
13. North Mississippi River belt	177.3	192.2	211.2	142.3	158.8
14. Southwest Central region	353.3	346.1	365.6	284.9	292.7
15. Central region, plains and prairies	199.8	201.3	209.6	169.0	177.5
16. Prairie region	182.8	175.4	193.8	154.7	186.9
17. Missouri River belt	196.4	203.0	230.3	153.5	180.8
18. Region of the Western plains	257.9	277.9	312.0	125.0	165.6
19. Heavily timbered region of the North-west	168.6	164.6	176.0	159.6	169.7
20. Cordilleran region	207.8	181.9	272.3	133.5	184.3
21. Pacific Coast region	121.7	125.0	156.2	105.1	121.8

The proportions of deaths from this group of diseases were greatest in the Southwest Central region (353.3), the South Mississippi River belt (336), the Southern Interior plateau (309.3), the South Atlantic Coast region (291.9), and the Gulf Coast region (289.6); and were least in the Pacific Coast region (121.7) and the heavily timbered region of the Northwest (168.6).



It will be seen from the table that the proportions of deaths from this group of diseases were greatest in the southern and southwestern sections of the country, where the proportion of colored population is greatest; and were least on the Pacific coast and in the north-eastern section.

The following table shows, for the registration states, the death rate from "General diseases—A" in each month of the census year, in the aggregate, and for the cities and rural districts:

DEATH RATES BY MONTHS.

MONTHS.	Total.	Cities.	Rural.
January	17.5	19.4	14.6
February	17.9	20.6	14.1
March	25.2	28.4	20.5
April	25.1	26.7	22.9
May	18.3	19.4	16.8
June	20.7	26.6	12.2
July	46.1	60.8	24.7
August	42.7	47.2	36.2
September	31.5	31.6	31.5
October	18.9	19.7	17.8
November	15.0	16.8	12.5
December	15.6	17.7	12.5

The death rate from this group of diseases in each month, in the cities and the rural districts, and the relative difference in the rates in the two areas is shown in the following diagram:



The preceding table and diagram show that the death rates from this group of diseases in the registration states were highest, in both cities and rural districts, in July (cities, 60.8; rural, 24.7), August (cities, 47.2; rural, 36.2), and September (cities, 31.6; rural, 31.5).

The following table shows the comparative proportions of the deaths from "General diseases—A" in each month during the census year per 1,000 deaths in known months in the United States, as a whole, and in the registration states:

COMPARATIVE PROPORTION OF DEATHS IN EACH MONTH.

MONTHS.	United States.	Registration states.
January	63.8	59.3
February	64.9	60.8
March	80.1	85.4

COMPARATIVE PROPORTION OF DEATHS IN EACH MONTH—CON.

MONTHS.	United States.	Registration states.
April	82.8	85.3
May	82.2	62.3
June	71.4	70.4
July	117.3	156.3
August	128.7	145.1
September	106.3	107.1
October	82.1	64.2
November	62.7	51.0
December	57.7	52.8

MEASLES.

The total number of deaths reported as due to measles in the United States during the census year was 12,866, of which 6,231 were of males and 6,635 were of females; and the proportion of deaths from this disease in 1,000

VITAL STATISTICS.

deaths from all known causes was 12.9. In 1890 the corresponding proportion was 11.1.

In the registration area the number of deaths reported as due to this disease was 3,801, of which 1,872 were of males and 1,929 were of females, giving a proportion of 7.5 deaths from this disease in 1,000 deaths from all known causes, and a death rate of 13.2 per 100,000 of population. In 1890 the death rate was 13.5.

In England and Wales the death rate from measles during the year 1899 was 31.5 per 100,000 of population, and this was the lowest rate from this disease since 1881.

The following table shows, for the registration area and its subdivisions, the death rate from measles in the census years 1900 and 1890, by sex, color, general nativity, and parent nativity:

DEATH RATES, BY COLOR AND NATIVITY.

AREAS.	Aggre- gate.	WHITE.							COLORED.		
		Total.	Males.	Females.	Native.			Foreign.	Total.	Males.	Females.
					Total.	Both parents native.	One or both parents foreign.				
Registration area.....1900.. 1890..	13.2 13.5	13.1 13.2	13.0 13.2	13.3 13.3	16.8 17.1	12.1 11.2	24.6 24.6	1.9 2.7	15.0 19.6	14.1 20.0	15.9 19.2
Cities.....1900.. 1890..	14.3 15.6	14.3 15.3	14.4 15.5	14.1 15.2	19.0 20.9	14.4 15.9	27.2 27.7	1.8 2.6	14.6 20.1	13.6 20.6	15.6 19.5
States 1900.. 1890..	14.8 10.7	14.7 10.7	14.6 10.8	14.9 10.7	18.8 13.4	12.2 8.7	28.3 20.9	2.6 3.0	19.0 10.7	17.0 11.3	20.9 10.0
Cities.....1900.. 1890..	18.2 13.1	18.2 13.3	18.7 13.7	17.7 12.8	25.3 18.1	15.9 12.1	33.3 23.9	2.7 3.1	18.6 9.0	15.8 10.0	21.2 8.0
Rural.....1900.. 1890..	9.9 7.0	9.8 6.9	9.0 6.4	10.7 7.3	11.2 7.6	9.2 6.1	17.1 12.9	2.5 2.9	20.1 14.6	20.3 14.1	19.9 15.2
Cities in other states 1900.. 1890..	10.7 17.9	10.5 17.4	10.3 17.1	10.6 17.6	13.5 23.4	11.5 24.0	10.5 36.4	0.6 2.1	13.4 23.1	13.0 23.4	13.9 22.9

The highest death rate from measles was in the cities in the registration states (18.2), and the lowest in the rural districts of the same states (9.9). In both cities and rural districts of the registration states there was an increase in the death rate from this disease over 1890, the increase being greatest in the cities (5.1). In the cities in the nonregistration states the rate was 10.7 in 1900 and 17.9 in 1890, a decrease of 7.2.

By classes, the death rate from measles was highest in native white children having one or both parents foreign (24.6), and lowest in the foreign whites (1.9),

owing to the small proportion of children in this class. The death rate of native whites of native parents (12.1) was about half as high as the rate for those having one or both parents foreign (24.6), and was also less than the death rate of the colored from this disease (15). In both white and colored the rate was slightly higher for females than for males.

The following table shows, for the registration states, in the aggregate, and for the cities and rural districts, the death rate from measles in the census year per 100,000 of population, in comparison with 1890:

DEATH RATES IN CITIES AND RURAL DISTRICTS.

REGISTRATION STATES.	AGGREGATE.			MALES.			FEMALES.		
	Total.	Cities.	Rural.	Total.	Cities.	Rural.	Total.	Cities.	Rural.
Total.....1900..	14.8	18.2	9.9	14.6	18.6	9.1	15.0	17.8	10.8
.....1890..	10.7	13.1	7.0	10.8	13.6	6.5	10.7	12.7	7.5
Connecticut.....1900..	17.7	16.3	20.4	17.4	15.4	21.1	18.1	17.2	19.6
.....1890..	5.8	7.7	4.4	6.5	10.5	3.7	5.0	5.1	5.0
District of Columbia.....1900..	13.6	13.6		14.4	14.4		13.0	13.0	
.....1890..	2.6	2.6		2.7	2.7		2.5	2.5	
Maine ¹ 1900..	7.2	4.2	7.8	6.6	5.3	6.8	7.9	3.2	8.9
Massachusetts.....1900..	11.1	12.8	5.8	12.2	14.1	6.3	10.0	11.5	5.3
.....1890..	4.3	4.3	4.6	3.8	3.3	5.4	4.9	5.2	3.8
Michigan ¹ 1900..	15.4	17.3	14.6	13.9	17.4	12.6	17.0	17.2	16.9
New Hampshire.....1900..	10.9	16.4	7.5	9.7	14.4	7.0	12.1	18.2	8.1
.....1890..	4.3	9.1	2.3	5.4	13.4	2.2	3.2	5.1	2.3
New Jersey.....1900..	11.0	14.2	6.6	11.6	15.5	6.6	10.3	13.0	6.7
.....1890..	12.7	16.4	7.8	12.2	14.6	9.2	13.1	18.1	6.4
New York.....1900..	16.1	20.8	6.4	15.9	20.7	6.1	16.4	20.9	6.8
.....1890..	12.6	16.6	6.2	12.7	17.6	5.0	12.6	15.7	7.4
Rhode Island.....1900..	47.6	48.4	46.1	46.5	50.9	38.3	48.6	46.0	53.9
.....1890..	34.4	30.0	40.6	35.1	35.5	34.7	33.8	25.0	46.4
Vermont.....1900..	6.1	4.3	6.4	5.1	4.4	5.2	7.1	4.2	7.6
.....1890..	6.0	14.1	5.3	7.1	22.2	5.8	4.9	6.8	4.7

¹ Nonregistration in 1890.

The preceding table shows that the highest death rate from measles in the registration states was in Rhode Island (47.6), and the lowest in Vermont (6.1). In the cities the rate from this disease was also highest in Rhode Island (48.4), and was lowest in Maine (4.2). In the rural districts the death rate in Rhode Island (46.1) was more than twice as high as the rate in any other state.

The following table shows, for the registration area and its subdivisions, the death rate from measles among the whites during the census year, per 100,000 of white population, by birthplaces of mothers:

DEATH RATES BY BIRTHPLACES OF MOTHERS.

BIRTHPLACES OF MOTHERS.	REGISTRATION RECORD.					
	Total.	Cities.	States.			Cities in other states.
			Total.	Cities.	Rural.	
United States.....	11.9	13.8	12.3	15.7	9.4	10.0
Ireland.....	10.4	11.9	11.1	13.0	4.2	4.8
Germany.....	8.9	9.0	10.8	11.7	8.2	4.3
England and Wales.....	7.9	8.9	8.1	9.6	5.3	6.8
Canada.....	17.3	17.5	18.3	19.4	16.8	1.3

DEATH RATES BY BIRTHPLACES OF MOTHERS—Continued.

BIRTHPLACES OF MOTHERS.	REGISTRATION RECORD.					
	Total.	Cities.	States.			Cities in other states.
			Total.	Cities.	Rural.	
Scandinavia.....	13.4	13.1	17.9	19.8	14.4	5.6
Scotland.....	5.8	7.4	6.0	8.1	1.3	4.8
Italy.....	62.6	69.6	67.0	75.6	23.1	17.2
France.....	2.0	2.5	2.7	3.9		
Hungary and Bohemia.....	8.8	9.2	12.2	13.3	5.3	2.8
Russia and Poland.....	13.5	13.1	13.7	13.1	18.0	13.0
Other foreign.....	23.6	26.5	24.9	29.2	14.4	16.1

This table shows that the death rates from measles were highest among the children of mothers born in Italy (62.6), in "other foreign" countries (23.6), and in Canada (17.3), the rate for children of mothers born in Italy being nearly three times that of any other class.

The following table shows, for the registration area and its subdivisions, the death rates from measles during the census year, in each of the four age groups, per 100,000 population of corresponding ages, in comparison with 1890, by sex.

DEATH RATES AT CERTAIN AGES.

REGISTRATION AREAS.	UNDER 1.		UNDER 5.		5 TO 14.		15 AND OVER.	
	1900	1890	1900	1890	1900	1890	1900	1890
Total.....	152.8	168.1	106.5	112.5	7.4	6.5	1.3	1.2
Males.....	159.8	172.7	107.5	113.0	6.5	6.5	1.0	0.8
Females.....	145.6	163.4	105.6	112.0	8.3	6.5	1.5	1.5
Cities.....	162.9	186.2	119.9	128.6	7.1	7.2	0.7	0.9
Males.....	170.1	186.8	121.5	128.6	6.3	7.5	0.5	0.7
Females.....	155.6	185.6	118.3	128.6	7.9	6.9	0.8	1.1
States.....	173.4	147.2	117.2	91.8	8.5	4.5	1.6	1.3
Males.....	183.3	155.1	119.0	92.3	7.4	4.9	1.2	0.9
Females.....	163.4	139.2	115.3	91.3	9.5	4.2	2.0	1.6
Cities.....	206.3	174.7	151.2	114.5	8.6	4.8	0.6	0.8
Males.....	218.4	175.9	154.9	114.0	7.4	5.9	0.3	0.7
Females.....	194.0	173.6	147.5	114.9	9.7	3.6	0.9	0.9
Rural.....	119.3	95.9	63.4	53.0	8.3	4.2	3.1	2.0
Males.....	125.7	116.5	62.6	55.5	7.3	3.3	2.4	1.2
Females.....	112.7	74.7	64.3	50.4	9.3	5.1	3.7	2.7
Cities in other states.....	119.8	196.2	89.9	140.8	5.8	9.3	0.7	1.0
Males.....	122.3	196.4	89.4	141.1	5.3	8.8	0.7	0.7
Females.....	117.2	196.0	90.3	140.5	6.4	9.8	0.8	1.3

The preceding table shows that the mortality from measles was greatest in infants under 1 year of age, and at this age it was highest in the cities in the registration states (206.3). In these cities the death rate from measles at each age in 1900 was higher than in 1890, but in the other areas there was generally a decrease in the rate as compared with 1890.

The death rate of children under 5 years of age in the registration area from this disease (106.5) was

very much less than the corresponding death rate in England and Wales for the year 1899, which was 239.7.

The combined relations of age and race to the death rates from measles are indicated in the following table for the registration area, giving the death rates during the census year in each of four age groups, per 100,000 population of corresponding ages, by color and birthplaces of mothers:

DEATH RATES BY AGE, COLOR, AND BIRTHPLACES OF MOTHERS.

COLOR AND BIRTHPLACES OF MOTHERS.	Under 1.	Under 5.	5 to 14.	15 and over.
White	150.4	105.3	7.1	1.2
Colored.....	219.6	141.6	14.2	1.4
Mothers born in:				
United States.....	119.1	74.4	6.9	2.2
Ireland.....	208.8	151.5	9.1	0.5
Germany.....	167.4	106.6	5.7	0.6
England and Wales.....	136.9	111.2	3.8	0.3
Canada.....	179.1	127.8	10.8	1.3
Scandinavia.....	86.9	86.1	12.8	
Scotland.....	153.7	61.7	16.9	
Italy.....	379.2	374.2	7.3	0.3
France.....	113.9	45.0		
Hungary.....	107.0	61.2		
Bohemia.....	134.8	55.9		
Russia.....	117.2	72.7	2.1	
Poland.....	100.5	72.0	6.9	
Other foreign.....	214.4	164.5	10.4	1.3

The preceding table shows that the death rates from measles in white infants under 1 year of age were highest among those whose mothers were born in Italy (379.2), in "Other foreign" countries (214.4), and in Ireland (208.8); and were lowest among those whose mothers were born in Scandinavia (86.9), in Poland (100.5), and in Hungary (107).

For all children under 5 years of age they were highest in those whose mothers were born in Italy (374.2), in "Other foreign" countries (164.5), and in Ireland (151.5); and were lowest among those whose mothers were born in France (45), in Bohemia (55.9), and in Hungary (61.2). The rate was lower for the children of native mothers (74.4) than for those whose mothers were born in Germany (106.6), in England and Wales (111.2), or in Canada (127.8).

The following table shows, for the registration area, the proportions of deaths from measles at each specified age, per 1,000 deaths at known ages from this disease, in 1900 and 1890, by sex:

NUMBER OF DEATHS AT EACH AGE, PER 1,000 AT KNOWN AGES.

AGE.	1900		1890	
	Males.	Females.	Males.	Females.
Under 1 year	266.0	231.6	279.3	256.6
1 year.....	331.2	317.8	331.6	308.9
2 years.....	145.3	145.4	150.6	157.8
3 years.....	66.3	67.5	65.1	73.3
4 years.....	42.2	40.0	38.6	37.4
Under 5 years.....	851.0	802.3	865.2	831.0
5 to 9 years.....	76.4	91.9	78.7	73.3
10 to 14 years.....	19.2	25.4	12.9	17.2
15 to 19 years.....	8.5	18.2	16.7	18.7
20 to 24 years.....	16.0	12.0	8.3	16.5
25 to 29 years.....	7.5	13.0	6.1	12.7
30 to 34 years.....	5.9	9.3	1.5	8.2
35 to 39 years.....	3.7	9.9	3.0	6.7
40 to 44 years.....	1.6	4.7	2.3	4.5
45 to 49 years.....	1.1	5.2	0.8	5.2
50 to 54 years.....	4.3	1.0		2.2
55 to 59 years.....	0.5	3.6		2.2
60 to 64 years.....	1.1			0.8
65 to 69 years.....	1.1	1.0		
70 to 74 years.....	0.5	0.5	2.3	0.8
75 to 79 years.....	1.6	0.5		
80 to 84 years.....		1.0	1.5	
85 years and over.....		0.5	0.7	

This table shows that in both census years more than 80 per cent of the deaths caused by measles in the registration area occurred in children under 5 years of age.

The average age at death from this disease in the registration area in 1900 was 4.4 years. In 1890 it was 4 years.

The following table shows, for each grand group in the United States, the proportions of deaths from measles during the census year, per 1,000 deaths from known causes, in the aggregate, and by sex, for the cities and rural districts:

NUMBER OF DEATHS PER 1,000 DEATHS FROM KNOWN CAUSES.

GRAND GROUP.	Total.	RURAL.		CITIES.	
		Males.	Fe-males.	Males.	Fe-males.
1. North Atlantic Coast region	8.3	5.6	7.2	9.1	9.2
2. Middle Atlantic Coast region	8.8	4.6	6.1	8.9	10.5
3. South Atlantic Coast region.....	9.8	13.4	12.4	1.8	2.4
4. Gulf Coast region	13.3	16.0	19.0	6.8	8.8
5. Northeastern hills and plateaus	6.7	5.4	6.2	9.4	7.3
6. Central Appalachian region	9.0	9.6	11.5	5.6	6.7
7. Region of the Great Northern Lakes ..	8.6	6.7	8.9	7.9	10.3
8. Interior plateau.....	8.4	8.7	8.9	8.1	8.1
9. Southern Central Appalachian region ..	20.4	20.8	21.8	3.2	4.5
10. Ohio River belt	6.3	6.5	8.7	4.2	4.7
11. Southern Interior plateau.....	22.7	22.8	22.5		
12. South Mississippi River belt.....	40.7	40.9	51.9	14.1	19.9
13. North Mississippi River belt.....	7.1	11.0	12.6	1.1	2.2
14. Southwest Central region	51.7	47.7	58.9	7.3	11.1
15. Central region—plains and prairies....	8.8	8.5	11.4	3.6	3.0
16. Prairie region	6.5	5.6	7.9	6.0	3.0
17. Missouri River belt.....	7.1	8.8	10.0	2.6	4.4
18. Region of the Western plains.....	18.5	22.6	21.7	5.0	7.7
19. Heavily timbered region of the North-west	8.4	7.4	10.0	5.6	10.7
20. Cordilleran region	12.2	10.4	19.0	1.3	4.8
21. Pacific Coast region	2.1	2.3	3.9	1.6	1.4

This table indicates that the greatest proportions of deaths from measles occurred in the Southwest Central region (51.7), the South Mississippi River belt (40.7), and the Southern Interior plateau (22.7); and the least in the Pacific Coast region (2.1), the Ohio River belt (6.3), and the Prairie region (6.5).

The geographical distribution of deaths from measles by state groups is shown by plate No. 2.


The following table shows, for the registration states, the death rate from measles in each month of the census year, in the aggregate, and for the cities and rural districts:

DEATH RATES BY MONTHS.

MONTHS.	Total.	Cities.	Rural.
January	1.7	2.3	0.9
February.....	2.1	2.4	1.5
March.....	2.3	2.7	1.8
April.....	2.1	2.5	1.5
May.....	2.0	2.2	1.7
June.....	1.1	1.4	0.7
July.....	0.8	1.0	0.4
August.....	0.4	0.6	0.2
September.....	0.3	0.5	0.1
October.....	0.3	0.4	0.2
November.....	0.7	0.8	0.4
December.....	1.0	1.4	0.5



The death rate from measles in each month in the cities and the rural districts, and the relative difference in the rates in the two areas are shown in the following diagram:



SCARLET FEVER.

The preceding table and diagram show that in the cities in the registration states the death rates from measles were highest in February, March, and April. In the rural districts the highest rates occurred in March, April, and May.

The following table shows the comparative proportions of deaths from measles in each month during the census year, per 1,000 deaths in known months, in the United States, as a whole, and the registration states:

COMPARATIVE PROPORTIONS OF DEATHS IN EACH MONTH.

MONTHS.	United States.	Registration states.
January	95.0	118.1
February	150.1	139.4
March	176.0	159.5
April	146.8	139.4
May	130.3	134.3
June	66.4	76.3
July	48.5	50.7
August	43.6	28.3
September	34.7	21.3
October	25.5	19.7
November	34.6	44.1
December	48.5	68.9

The total number of deaths reported as due to scarlet fever in the United States during the census year was 6,333, of which 3,135 were of males and 3,198 were of females, and the proportion of deaths from this disease in 1,000 deaths from all known causes was 6.3. In 1890 the corresponding proportion was 7.1.

In the registration area the number of deaths reported as due to this disease was 3,327, of which 1,688 were of males and 1,639 were of females, giving a proportion of 6.6 deaths from this disease in 1,000 deaths from all known causes, and a death rate of 11.6 per 100,000 of population. In 1890 the death rate was 13.6.

In England and Wales the death rate from this disease during the year 1899 was 11.7.

The following table shows, for the registration area and its subdivisions, the death rate from scarlet fever in the census years 1900 and 1890, by sex, color, general nativity, and parent nativity:

VITAL STATISTICS.

DEATH RATES BY COLOR AND NATIVITY.

AREAS.	Aggre- gate.	WHITE.							COLORED.		
		Total.	Males.	Females.	Native.			Foreign.	Total.	Males.	Females.
					Total.	Both parents native.	One or both parents foreign.				
Registration area.....1900..	11.6	12.0	12.1	11.8	15.3	10.3	18.9	1.7	2.6	2.6	2.5
.....1890..	13.6	14.2	13.6	14.8	18.4	14.2	22.3	2.8	2.7	2.6	2.9
Cities.....1900..	12.9	13.5	13.8	13.2	17.9	13.3	20.3	1.8	2.6	2.7	2.5
.....1890..	15.3	16.0	15.7	16.3	21.7	19.3	24.1	3.0	2.6	2.3	2.9
States.....1900..	10.7	10.8	11.2	10.4	13.9	10.0	19.7	1.8	3.6	4.5	2.8
.....1890..	13.1	13.2	12.7	13.7	16.9	13.2	22.9	2.8	5.2	4.5	5.7
Cities.....1900..	13.0	13.2	14.0	12.5	18.4	14.2	22.0	2.0	4.2	5.5	2.9
.....1890..	16.0	16.3	16.4	16.2	22.5	19.4	25.7	3.2	5.8	4.5	7.0
Rural.....1900..	7.4	7.5	7.6	7.4	8.7	6.8	14.2	1.1	2.1	2.0	2.2
.....1890..	8.5	8.6	7.3	10.0	10.0	8.4	15.2	1.4	3.7	4.7	2.5
Cities in other states.....1900..	12.9	13.8	13.6	14.0	17.5	11.8	15.8	1.6	2.1	1.8	2.4
.....1890..	14.6	15.8	15.1	16.5	20.9	19.2	20.4	2.7	1.8	1.8	1.7

It will be seen from this table that the death rate from scarlet fever was much higher in the cities in the registration states (13) than in the rural districts (7.4), and that it was much higher among the whites (12) than among the colored (2.6). Among the native whites of native parents the rate (10.3) was much less than among those having one or both parents foreign born (18.9). The low death rate of the foreign born whites from

this disease (1.7) was due to the small proportion of children in this class. In comparison with 1890 the figures show a decrease in the death rates from this disease in all areas and for all classes.

The following table shows, for the registration states, in the aggregate, and for the cities and rural districts, the death rates from scarlet fever in the census year, per 100,000 of population, in comparison with 1890:

DEATH RATES IN CITIES AND RURAL DISTRICTS.

REGISTRATION STATES.	AGGREGATE.			MALES.			FEMALES.		
	Total.	Cities.	Rural.	Total.	Cities.	Rural.	Total.	Cities.	Rural.
Total.....1900..	10.7	13.0	7.4	11.1	13.7	7.5	10.3	12.2	7.4
.....1890..	13.1	16.0	8.5	12.5	16.1	7.3	13.6	15.9	9.8
Connecticut.....1900..	6.7	6.6	6.9	6.6	7.9	4.3	6.8	5.4	9.5
.....1890..	10.9	11.3	10.6	8.9	11.2	7.4	12.7	11.4	13.7
District of Columbia.....1900..	9.0	9.0		11.4	11.4		6.8	6.8	
.....1890..	7.8	7.8		4.6	4.6		10.8	10.8	
Maine ¹ 1900..	7.8	5.9	8.2	10.5	8.9	10.9	4.9	3.2	5.3
Massachusetts.....1900..	13.7	14.9	10.0	13.2	14.3	9.6	14.2	15.4	10.3
.....1890..	8.7	9.3	6.7	8.6	9.7	5.4	8.7	8.9	7.9
Michigan ¹ 1900..	9.1	7.6	9.7	9.2	8.8	9.3	9.0	6.4	10.1
New Hampshire.....1900..	7.0	6.9	7.1	7.8	5.2	9.3	6.3	8.5	4.9
.....1890..	5.3	8.1	4.1	4.8	7.7	3.7	5.8	8.6	4.6
New Jersey.....1900..	12.3	15.9	7.6	12.6	17.1	6.8	12.0	14.7	8.4
.....1890..	14.3	19.1	8.2	14.4	19.7	7.6	14.2	18.4	8.7
New York.....1900..	11.2	13.9	5.4	11.8	14.9	5.5	10.6	13.0	5.3
.....1890..	15.9	20.1	9.2	15.3	20.1	7.8	16.6	20.2	10.6
Rhode Island.....1900..	8.2	8.5	7.6	10.9	10.9	11.0	5.5	6.2	4.1
.....1890..	10.1	9.0	11.7	12.5	9.4	16.6	7.9	8.6	6.8
Vermont.....1900..	4.1	8.6	3.4	3.4	8.9	2.6	4.8	8.3	4.2
.....1890..	6.3	3.5	6.6	3.5		3.9	9.2	6.8	9.4

¹ Nonregistration in 1890.

This table shows that in the registration states the highest death rates from scarlet fever in the census year occurred in the cities in New Jersey (15.9) and Massachusetts (14.9), and the lowest rates in the rural districts in Vermont (3.4) and New York (5.4).

In comparison with 1890 there was an increase in the death rates from this disease in the District of Columbia, Massachusetts, and New Hampshire; and a decrease in the other states. The greatest decrease in the rates occurred in the cities in New York (6.2 per 1,000).

The following table shows, for the registration area and its subdivisions, the death rates from scarlet fever among the whites during the census year, per 100,000 of white population, by birthplaces of mothers:

DEATH RATES BY BIRTHPLACES OF MOTHERS.

BIRTHPLACES OF MOTHERS.	REGISTRATION RECORD.					
	Total.	Cities.	States.			Cities in other states.
			Total.	Cities.	Rural.	
United States.....	11.0	13.8	10.8	14.9	7.4	11.7
Ireland.....	9.6	10.6	9.8	11.1	5.3	7.7
Germany.....	7.6	8.2	7.3	8.0	5.0	8.5
England and Wales.....	8.3	9.4	8.4	9.9	5.6	8.1

DEATH RATES BY BIRTHPLACES OF MOTHERS—Continued.

BIRTHPLACES OF MOTHERS.	REGISTRATION RECORD.					
	Total.	Cities.	States.			Cities in other states.
			Total.	Cities.	Rural.	
Canada.....	11.5	10.8	11.5	10.9	12.3	10.0
Scandinavia.....	13.6	13.1	16.6	17.3	15.3	8.4
Scotland.....	9.4	10.4	9.8	11.3	6.6	7.2
Italy.....	15.5	16.7	16.5	18.1	8.7	4.9
France.....	3.0	2.5	2.7	1.9	4.7	3.7
Hungary and Bohemia.....	13.8	14.6	17.5	19.5	5.3	6.9
Russia and Poland.....	18.4	19.8	17.3	18.8	5.5	23.8
Other foreign.....	12.0	12.5	12.6	13.3	10.8	9.2

The preceding table shows that the death rates due to scarlet fever were highest among the children of mothers born in Russia and Poland (18.4), in Italy (15.5), and in Hungary and Bohemia (13.8); and were lowest among the children of mothers born in France (3), in Germany (7.6), and in England and Wales (8.3).

The following table shows, for the registration area and its subdivisions, the death rates from scarlet fever during the census year in each of four age groups, per 100,000 population of corresponding ages, in comparison with 1890, by sex:

DEATH RATES AT CERTAIN AGES.

REGISTRATION AREAS.	UNDER 1.		UNDER 5.		5 TO 14.		15 AND OVER.	
	1900	1890	1900	1890	1900	1890	1900	1890
Total.....	29.8	42.2	70.0	88.4	19.7	20.8	0.9	0.9
Males.....	35.6	40.2	71.7	84.5	19.6	19.5	0.9	0.9
Females.....	23.8	44.2	68.4	92.5	19.8	22.0	0.9	1.0
Cities.....	32.5	42.7	79.3	98.5	21.4	22.0	0.9	0.9
Males.....	39.3	39.8	81.0	94.5	21.4	21.7	0.8	1.0
Females.....	25.5	45.6	77.6	102.5	21.4	22.3	0.9	0.9
States.....	29.7	50.5	64.9	87.4	17.6	20.4	1.0	1.0
Males.....	35.5	44.9	68.0	82.4	17.6	19.3	1.0	1.0
Females.....	23.9	56.2	61.8	92.5	17.6	21.6	1.0	1.0
Cities.....	35.1	55.9	80.6	108.4	19.7	22.8	1.0	1.0
Males.....	42.8	46.5	84.8	102.8	20.0	23.7	1.0	1.2
Females.....	27.2	65.6	76.5	114.1	19.3	21.8	1.0	0.9
Rural.....	20.9	40.3	40.0	51.4	14.7	16.9	1.0	1.0
Males.....	23.5	41.9	41.5	47.6	14.3	12.8	1.1	0.7
Females.....	18.3	38.5	38.5	55.2	15.0	21.1	1.0	1.3
Cities in other states.....	29.8	31.1	78.1	89.8	22.8	21.3	0.8	0.8
Males.....	35.8	34.0	77.5	87.4	22.5	19.9	0.7	0.8
Females.....	23.8	28.2	78.7	92.4	23.2	22.7	0.9	0.8

The preceding table shows that the death rate from scarlet fever was highest in children under 5 years of age (70), and that at this age, and also in infants under 1 year old, the death rate of males was higher than that of females. In the age group 5 to 14 years the death rate of females (19.8) was slightly higher than that of males (19.6). At 15 years of age and over the death rate of both sexes was even (0.9). The greatest mortality from this disease in children under 5 years of age

was in the cities in the registration states (80.6), where it was twice as high as the rate in the rural districts (40), and slightly higher than in the cities in the non-registration states (78.1).

In comparison with 1890 there was a large decrease in the death rates from this disease, particularly in the cities in the registration states, where the rate for those under 5 years of age declined from 108.4 in 1890 to 80.6 in 1900. The decrease at this age in the nonregistra-

tion states was less marked, the rates being 89.8 in 1890 and 78.1 in 1900.

The death rate of children under 5 years of age from scarlet fever in the registration area (70) was higher than the corresponding rate from this disease in England and Wales in 1899 (59.6).

The combined relations of age and race to the death rates from scarlet fever are indicated, for the registration area, in the following table giving the death rates during the census year in each of the 4 age groups, per 100,000 population of corresponding ages, by color and birthplaces of mothers:

DEATH RATES BY AGE, COLOR, AND BIRTHPLACES OF MOTHERS.

COLOR AND BIRTHPLACES OF MOTHERS.	Under 1.	Under 5.	5 to 14.	15 and over.
White	30.8	72.0	20.4	0.9
Colored.....		16.6	2.9	1.0
Mothers born in—				
United States.....	21.6	53.3	17.9	1.0
Ireland.....	40.6	105.0	24.2	0.8
Germany.....	8.2	66.1	16.7	0.5
England and Wales.....	25.7	80.8	15.9	1.1
Canada.....	48.0	70.7	14.6	0.8
Scandinavia.....	23.7	48.7	31.4	1.5
Scotland.....	61.5	55.5	36.6	1.8
Italy.....	37.4	68.8	18.8	0.7
France.....		67.4		
Hungary.....	42.8	56.1	20.5	1.3
Bohemia.....		65.2	15.3	1.9
Russia.....	62.1	109.8	16.4	0.4
Poland.....	28.7	49.6	17.2	1.0
Other foreign.....	30.6	73.1	10.4	1.3

It will be seen from this table that in white children under 5 years of age the death rates from scarlet fever were highest in those whose mothers were born in Russia (109.8), in Ireland (105), and in England and Wales (80.8); and were lowest in those whose mothers were born in Scandinavia (48.7), in Poland (49.6), and in the United States (53.3).

The following table shows, for the registration area, the proportions of deaths from scarlet fever at each specified age, per 1,000 deaths at known ages from this disease, in 1900 and 1890, by sex:

NUMBER OF DEATHS AT EACH AGE PER 1,000 AT KNOWN AGES.

AGE.	1900		1890	
	Males.	Females.	Males.	Females.
Under 1 year.....	65.8	44.6	67.1	66.0
1 year.....	128.0	116.6	156.8	149.2
2 years.....	158.9	157.5	159.9	170.0
3 years.....	170.7	158.7	158.3	150.6
4 years.....	106.1	133.7	124.8	122.0
Under 5 years.....	629.5	611.1	666.9	657.8
5 to 9 years.....	270.9	283.3	250.4	248.2
10 to 14 years.....	46.8	48.2	35.1	45.9
15 to 19 years.....	17.2	21.4	21.8	15.8
20 to 24 years.....	11.9	12.2	4.7	7.9
25 to 29 years.....	8.3	7.9	6.2	7.2
30 to 34 years.....	6.5	4.9	4.7	7.2
35 to 39 years.....	3.6	4.9	2.3	3.6
40 to 44 years.....	2.9	3.1	1.6	1.5
45 to 49 years.....	0.6	0.6	1.6	
50 to 54 years.....		0.6	0.8	
55 to 59 years.....			2.3	1.4
60 years and over.....	1.8	1.8	1.6	3.5

This table shows that of the total deaths from this disease at known ages in the registration area, about 65 per cent occurred under 5 years of age.

The average age at death from this disease in the registration area was 5.9 years. In 1890 it was 5.5 years.

The following table shows, for each grand group in the United States, the proportion of deaths from scarlet fever during the census year, per 1,000 deaths from known causes, in the aggregate, and by sex, for the cities, and rural districts.

NUMBER OF DEATHS PER 1,000 DEATHS FROM KNOWN CAUSES.

GRAND GROUP.	Total.	RURAL.		CITIES.	
		Males.	Fe-males.	Males.	Fe-males.
1. North Atlantic Coast region	6.0	4.1	3.1	6.8	7.2
2. Middle Atlantic Coast region	6.3	2.5	3.9	7.2	7.0
3. South Atlantic Coast region	2.1	2.8	1.9	0.4	2.9
4. Gulf Coast region	7.0	11.6	12.5	0.3	0.4
5. Northeastern hills and plateaus	6.0	5.4	5.4	6.8	7.4
6. Central Appalachian region	11.4	9.3	10.8	12.2	16.4
7. Region of the Great Northern Lakes.....	10.9	8.4	9.8	11.2	12.7
8. Interior plateau.....	5.5	5.0	5.1	5.5	6.5
9. Southern Central Appalachian region..	3.6	3.4	3.6	8.1	3.6
10. Ohio River belt.....	3.2	2.6	4.8	2.4	2.7
11. Southern Interior plateau.....	1.1	1.2	1.0		
12. South Mississippi River belt.....	1.7	1.4	2.2	0.6	1.5
13. North Mississippi River belt	4.9	5.0	4.9	4.2	5.5
14. Southwest Central region	11.5	9.5	14.0	5.4	12.3
15. Central region, plains and prairies.....	4.6	4.5	5.1	3.6	4.3
16. Prairie region	5.9	5.3	6.7	6.3	5.5
17. Missouri River belt	4.6	5.5	6.6	2.6	2.0
18. Region of the Western plains	9.1	9.2	10.7	3.9	10.8
19. Heavily timbered region of the North-west.....	4.2	4.2	4.3	3.7	4.6
20. Cordilleran region	12.5	10.6	16.9	8.8	11.4
21. Pacific Coast region.....	3.7	2.9	5.4	3.1	4.5


This table shows that the proportions of deaths from scarlet fever, per 1,000 deaths from known causes, were greatest in the Cordilleran region (12.5), the Southwest Central region (11.5), and the Central Appalachian region (11.4); and were least in the Southern Interior plateau (1.1) and the South Mississippi River belt (1.7).

The geographical distribution of deaths from scarlet fever, by state groups, is shown by plate No. 3.


The following table shows, for the registration states, the death rate from scarlet fever in each month of the census year, in the aggregate, and for the cities and rural districts:

DEATH RATES BY MONTHS.

MONTHS.	Total.	Cities.	Rural.
January.....	1.2	1.6	0.8
February.....	1.4	1.8	0.9
March.....	1.2	1.5	0.9
April.....	1.2	1.4	0.8
May.....	1.1	1.4	0.7
June.....	0.8	1.0	0.4
July.....	0.5	0.6	0.3
August.....	0.4	0.5	0.3
September.....	0.4	0.4	0.3
October.....	0.6	0.8	0.4
November.....	0.8	0.8	0.8
December.....	1.1	1.2	0.8



The death rate from scarlet fever in each month in the cities and the rural districts, and the relative difference in the rates in the two areas, is shown in the following diagram:



The preceding table and diagram show that in the cities in the registration states the death rates from scarlet fever were highest in January and February. In the rural districts the highest rates occurred in February and March.

The following table shows the comparative proportions of deaths from scarlet fever in each month during the census year, per 1,000 deaths in known months, in the United States, as a whole, and in the registration states:

COMPARATIVE PROPORTIONS OF DEATHS IN EACH MONTH.

MONTHS.	United States.	Registration states.
January	118.3	115.8
February	112.8	134.5
March	106.8	115.2
April	105.7	110.9
May	98.4	100.8
June	56.0	72.9
July	46.3	48.2
August	50.3	36.4
September	52.5	34.8
October	69.4	59.0
November	84.8	73.4
December	98.7	98.1

DIPHTHERIA AND CROUP.

In this discussion these diseases will first be considered together. The deaths from each are stated separately in the general tables giving the relation of sex

and age to causes of death. The number from each in the United States and the registration area, by sex, was as follows:

CAUSE.	UNITED STATES.		REGISTRATION AREA.	
	Males.	Females.	Males.	Females.
Diphtheria	8,070	8,405	5,022	5,179
Croup	6,808	5,676	1,527	1,303

The total number of deaths reported as due to diphtheria and croup in the United States during the census year was 28,959, of which 14,878 were males and 14,081 were females, and the proportion of deaths from these diseases in 1,000 deaths from all known causes was 29. In 1890 the corresponding proportion was 49.7.

In the registration area the number of deaths reported as due to diphtheria and croup was 13,031, of which 6,549 were males and 6,482 were females, giving a proportion of 25.7 deaths from these diseases in 1,000 deaths from all known causes, and a death rate of 45.2 per 100,000 of population. In 1890 the death rate was 97.8.

In England and Wales the death rate from diphtheria and croup for the year 1899 was 32.5-per 100,000 of population.

The following table shows, for the registration area and its subdivisions, the death rates from diphtheria and croup in the census years 1900 and 1890, by sex, color, general nativity, and parent nativity:

VITAL STATISTICS.

DEATH RATES BY COLOR AND NATIVITY.

AREAS.	Aggregate.	WHITE.							COLORED.		
		Total.	Males.	Females.	Native.			Foreign.	Total.	Males.	Females.
					Total.	Both parents native.	One or both parents foreign.				
Registration area 1900..	45.2	45.9	46.1	45.7	59.1	39.6	69.0	4.9	30.5	31.7	29.4
.....1890..	97.8	100.4	101.7	99.0	130.1	89.4	193.0	18.6	46.9	45.5	48.2
Cities.....1900..	52.8	54.0	54.6	53.5	72.5	55.7	78.3	5.1	31.5	33.2	30.0
.....1890..	111.2	115.2	117.4	113.0	156.8	124.0	216.0	19.3	47.2	45.6	48.7
States.....1900..	40.3	40.3	40.9	39.8	52.2	37.8	73.2	5.3	37.7	37.5	37.9
.....1890..	95.4	96.0	99.2	92.9	122.5	85.7	183.4	19.7	70.2	69.6	70.8
Cities.....1900..	52.8	53.0	54.6	51.5	74.8	59.5	87.8	5.9	44.8	46.5	43.2
.....1890..	122.0	123.0	129.6	116.8	171.7	131.5	212.8	21.4	81.6	81.4	81.8
Rural.....1900..	22.3	22.3	22.2	22.4	25.9	21.1	39.6	3.8	18.0	14.2	22.1
.....1890..	54.9	55.1	54.7	55.6	62.7	50.7	104.1	14.2	43.8	44.7	42.9
Cities in other states.....1900..	52.8	55.0	54.6	55.4	70.4	48.5	52.5	4.1	27.6	29.4	26.0
.....1890..	101.3	107.4	105.8	109.1	143.0	107.8	223.3	16.9	37.6	36.1	39.1

The highest death rate from diphtheria and croup was in the cities (52.8), being the same in the cities in the registration states and those in the nonregistration states, and more than twice the rate in the rural districts (22.3).

By classes, the rate from these diseases was much higher for the whites (45.9) than for the colored (30.5). It was also much higher for the native whites having one or both parents foreign (69) than for those of native

parents (39.6). For both white and colored the rate was slightly higher in males than in females.

In comparison with 1890 the figures show a great decrease in the death rates from diphtheria and croup, in all areas and all classes.

The following table shows, for the registration states, in the aggregate, and for the cities and rural districts, the death rates from diphtheria and croup in the census year, per 1,000 of population, in comparison with 1890:

DEATH RATES IN CITIES AND RURAL DISTRICTS.

REGISTRATION STATES.	AGGREGATE.			MALES.			FEMALES.		
	Total.	Cities.	Rural.	Total.	Cities.	Rural.	Total.	Cities.	Rural.
Total.....1900..	40.3	52.8	22.2	40.9	54.3	22.2	39.7	51.3	22.5
.....1890..	95.4	122.0	54.9	98.5	128.3	54.5	92.4	115.9	55.4
Connecticut.....1900..	35.9	38.6	30.7	34.1	36.5	29.7	37.7	40.9	31.7
.....1890..	96.1	127.6	73.6	96.1	131.3	71.3	96.1	124.0	75.9
District of Columbia.....1900..	75.4	75.4	-----	81.8	81.8	-----	69.6	69.6	-----
.....1890..	83.3	83.3	-----	84.0	84.0	-----	82.8	82.8	-----
Maine ¹ 1900..	24.1	30.4	22.9	24.0	35.5	21.8	24.5	25.9	24.2
Massachusetts.....1900..	45.5	51.9	24.8	45.6	52.8	23.3	45.4	51.2	26.3
.....1890..	98.8	111.0	59.0	102.2	114.9	61.7	95.6	107.3	56.2
Michigan ¹ 1900..	22.3	37.9	15.7	20.9	34.8	15.5	23.7	41.1	16.0
New Hampshire.....1900..	26.0	40.9	16.6	24.3	38.0	16.3	27.7	43.5	17.0
.....1890..	86.6	143.0	63.2	88.4	143.9	66.9	84.8	142.2	59.3
New Jersey.....1900..	48.8	58.5	36.1	51.7	63.2	36.7	45.9	53.7	35.4
.....1890..	104.9	144.8	52.7	101.8	141.4	51.0	108.0	148.2	54.4
New York.....1900..	45.3	56.9	21.2	46.7	59.0	21.9	43.9	54.9	20.4
.....1890..	94.3	126.7	41.8	99.8	136.6	42.4	88.8	117.1	41.3
Rhode Island.....1900..	29.6	28.6	31.6	30.4	30.6	30.1	28.9	26.7	33.2
.....1890..	81.9	86.0	76.3	80.9	93.9	63.8	82.8	78.7	88.7
Vermont.....1900..	18.3	40.8	14.8	18.3	44.4	14.4	18.4	37.4	15.2
.....1890..	83.3	49.5	86.5	79.7	66.4	80.9	87.1	33.9	92.4

¹ Nonregistration in 1890.

It will be seen from this table that the death rate from diphtheria and croup in the registration states was highest in the District of Columbia (75.4) and lowest in Vermont (18.3). It was more than twice as high in the cities as in the rural districts.

In comparison with 1890 there was a great decrease

in the death rates from these diseases in both cities and rural districts.

The following table shows, for the registration area and its subdivisions, the death rates from diphtheria and croup among the whites during the census year, per 100,000 of white population, by birthplaces of mothers:

DEATH RATES BY BIRTHPLACES OF MOTHERS.

BIRTHPLACES OF MOTHERS.	REGISTRATION RECORD.					
	Total.	Cities.	States.			Cities in other states.
			Total.	Cities.	Rural.	
United States.....	40.7	55.9	39.7	61.5	21.6	44.7
Ireland.....	32.8	37.4	35.0	41.0	14.0	15.3
Germany.....	37.7	40.7	39.0	44.2	22.8	34.6
England and Wales.....	25.4	28.7	26.3	31.1	17.3	21.1
Canada.....	40.9	47.2	41.8	49.6	32.2	26.1
Scandinavia.....	44.6	50.4	53.1	68.9	24.3	29.7
Scotland.....	23.1	23.8	25.0	26.9	21.1	11.9
Italy.....	67.4	70.3	69.9	73.6	50.4	41.8
France.....	11.0	12.7	15.1	19.4	4.7	
Hungary and Bohemia.....	49.2	50.4	43.4	44.4	37.2	59.9
Russia and Poland.....	49.7	50.8	50.5	52.0	38.7	46.1
Other foreign.....	44.1	51.4	45.1	54.6	21.6	39.2

This table shows that the death rates due to diphtheria and croup in the registration area were highest among the children of mothers born in Italy (67.4), in Russia and Poland (49.7), and in Hungary and Bohemia (49.2); and lowest among those whose mothers were born in England and Wales (25.4), in Scotland (23.1), and in France (11). The rate was lower among the children of native mothers (40.7) than among those whose mothers were born in Canada (40.9) or in Scandinavia (44.6).

The following table shows, for the registration area and its subdivisions, the death rates from diphtheria and croup during the census year in each of four age groups, per 100,000 population of corresponding ages, in comparison with 1890, by sex:

DEATH RATES AT CERTAIN AGES.

REGISTRATION AREAS.	UNDER 1.		UNDER 5.		5 TO 14.		15 AND OVER.	
	1900	1890	1900	1890	1900	1890	1900	1890
Total.....	161.5	337.4	285.7	607.3	75.1	166.5	2.5	5.8
Males.....	184.2	384.2	297.8	632.8	70.1	156.4	2.1	5.2
Females.....	138.5	339.4	273.4	581.2	80.1	176.6	2.8	6.4
Cities.....	180.4	362.3	335.6	693.6	85.4	180.5	2.4	5.1
Males.....	206.0	407.6	348.7	724.1	80.4	169.4	2.0	4.6
Females.....	154.3	315.9	322.5	662.6	90.4	191.6	2.8	5.6
States.....	150.0	344.1	258.8	613.7	62.8	165.7	2.6	6.6
Males.....	169.8	404.8	267.9	649.7	60.2	156.4	2.4	5.9
Females.....	130.0	281.7	249.7	577.0	65.5	175.2	2.8	7.2
Cities.....	180.9	400.9	343.8	803.7	76.5	195.3	2.5	5.7
Males.....	205.0	466.0	352.8	857.2	75.2	184.1	2.2	5.1
Females.....	156.6	334.3	334.7	749.6	77.7	206.4	2.8	6.2
Rural.....	99.0	238.0	124.6	287.8	43.5	121.6	2.7	8.0
Males.....	111.9	291.2	134.3	296.9	39.2	115.8	2.6	7.1
Females.....	86.0	183.0	114.7	278.4	47.9	127.5	2.8	8.9
Cities in other states.....	179.9	328.5	327.8	598.5	93.2	167.6	2.3	4.6
Males.....	207.1	356.5	344.7	609.8	84.9	156.5	1.8	4.1
Females.....	152.0	299.7	310.7	586.9	101.5	178.7	2.8	5.0

The preceding table shows that the greatest mortality from these diseases occurred in children under 5 years of age (285.7), the rate at 5 to 14 years being 75.1, and that at 15 years and over, 2.5. For infants under 1 year of age the death rate was 161.5.

In the age period under 5 years of age the death rate from these diseases was highest in the cities of the registration states (343.8), and was lowest in the rural districts of the same states (124.6). In the cities of the nonregistration states it was 327.8.

In England and Wales the death rate from diphtheria and croup in children under 5 years of age during the year 1899 was 169.3.

In comparison with 1890 the figures show a great decrease in the death rate due to these diseases in each age group, the decrease being greatest in the cities in the registration states. In the age group under 5 years the death rate from these diseases decreased from 803.7 in 1890 to 343.8 in 1900, the decrease amounting to about 57 per cent.

The combined relations of age and race to the death rates from diphtheria and croup, are indicated for the registration area, in the following table, giving the death rates during the census year in each of four age groups, per 100,000 population of corresponding ages, by color and birthplaces of mothers:

VITAL STATISTICS.

DEATH RATES BY AGE, COLOR, AND BIRTHPLACES OF MOTHERS.

COLOR AND BIRTHPLACES OF MOTHERS.	Under 1.	Under 5.	5 to 14.	15 and over.
White	154.9	287.6	75.6	2.5
Colored.....	345.7	234.4	62.6	1.5
Mothers born in—				
United States	109.4	208.2	63.3	2.7
Ireland.....	145.0	389.3	71.8	2.0
Germany	189.3	337.5	78.1	2.2
England and Wales	145.4	257.7	53.9	1.5
Canada.....	172.7	250.1	55.2	2.6
Scandinavia.....	150.2	232.3	70.7	1.2
Scotland.....	92.2	265.2	53.6	0.9
Italy.....	240.3	354.3	40.7	2.1
France.....	113.9	157.4	19.2	2.3
Hungary.....	64.2	229.6	36.9	
Bohemia.....	134.8	242.3	97.1	1.9
Russia.....	262.0	320.5	27.7	2.1
Poland.....	86.2	158.5	29.9	0.5
Other foreign.....	183.8	253.1	58.8	1.8

The preceding table shows that the death rates due to diphtheria and croup in white children under 5 years of age were highest in those whose mothers were born in Italy (354.3), in Ireland (389.3), and in Germany (337.5); the lowest among those whose mothers were born in Poland (158.5), in France (157.4), and in the United States (208.2).

The following table shows, for the registration area, the proportions of deaths from diphtheria and croup at

each specified age, per 1,000 deaths at known ages from these diseases in 1900 and 1890, by sex:


NUMBER OF DEATHS AT EACH AGE, PER 1,000 AT KNOWN AGES.

AGE.	1900		1890	
	Males.	Females.	Males.	Females.
Under 1 year.....	87.7	65.4	84.7	63.4
1 year.....	162.4	147.6	152.6	141.1
2 years.....	168.8	149.7	164.1	151.9
3 years.....	142.7	140.9	141.6	134.5
4 years.....	112.6	114.1	117.8	115.9
Under 5 years.....	674.2	617.7	660.8	606.8
5 to 9 years.....	249.6	283.5	256.1	285.8
10 to 14 years.....	43.1	54.8	46.4	60.4
15 to 19 years.....	11.3	15.7	14.0	16.3
20 to 24 years.....	6.6	8.5	7.3	10.0
25 to 29 years.....	4.0	5.1	3.4	4.6
30 to 34 years.....	3.8	3.8	2.3	4.0
35 years and over.....	7.4	10.9	9.7	12.7

This table shows that in both census years more than 60 per cent of the deaths caused by diphtheria and croup in the registration area occurred in children under 5 years of age, and more than 90 per cent in children under 15 years of age.

The average age at death from these diseases in the registration area in 1900 was 5.4 years. In 1890 it was 5.6 years.

The comparative proportions of deaths from diphtheria and croup at each age in the registration area in 1900 and 1890 are shown in the following diagram:





THE DEATH
DIPHTHERIA
per 100,000



ATE DUE TO
ND CROUP
population







The following table shows, for each grand group in the United States, the proportions of deaths from diphtheria and croup during the census year, per 1,000 deaths from known causes, in the aggregate, and by sex, for the cities and rural districts:

NUMBER OF DEATHS PER 1,000 DEATHS FROM KNOWN CAUSES.

GRAND GROUP.	Total.	RURAL.		CITIES.	
		Males.	Fe- males.	Males.	Fe- males.
1. North Atlantic Coast region	21.7	13.1	14.5	24.3	26.0
2. Middle Atlantic Coast region	31.1	24.9	27.5	31.0	33.8
3. South Atlantic Coast region	12.0	14.1	16.7	3.5	4.4
4. Gulf Coast region	12.7	20.1	17.8	4.3	4.7
5. Northeastern hills and plateaus	19.3	14.3	14.7	28.0	28.5
6. Central Appalachian region	41.5	36.2	45.1	42.8	45.8
7. Region of the Great Northern Lakes	28.5	16.5	18.9	30.5	37.9
8. Interior plateau	31.4	25.8	27.2	34.9	36.5
9. Southern Central Appalachian region	58.4	64.2	57.0	12.9	21.6
10. Ohio River belt	24.3	30.3	31.7	13.5	16.8
11. Southern Interior plateau	28.7	29.5	28.0		
12. South Mississippi River belt	17.6	21.3	17.7	5.0	13.0
13. North Mississippi River belt	28.1	28.3	29.0	25.8	29.5
14. Southwest Central region	33.7	36.4	32.4	11.8	8.6
15. Central region—plains and prairies	26.1	26.8	26.7	21.5	24.4
16. Prairie region	27.1	26.8	28.5	17.7	24.7
17. Missouri River belt	32.2	35.0	36.1	21.9	33.3
18. Region of the Western plains	38.3	39.7	49.4	16.1	24.6
19. Heavily timbered region of the North- west	20.9	20.8	21.7	18.6	20.9
20. Cordilleran region	23.7	19.2	35.3	11.2	17.2
21. Pacific Coast region	15.6	16.1	20.0	11.3	18.9

This table indicates that diphtheria and croup caused the greatest proportions of deaths in the Southern Central Appalachian region (58.4), the Central Appalachian region (41.5), and the region of the Western plains (38.3). The proportions for these diseases were least in the South Atlantic Coast region (12) and the Gulf Coast region (12.7).

The comparative death rates from these diseases in the counties in the registration states are shown by plates Nos. 4 and 5.

The geographical distribution of deaths from diphtheria and croup, by state groups, is shown by plate No. 6.

DIPHTHERIA.

The total number of deaths reported as due to diphtheria alone in the United States during the census year was 16,475, of which 8,070 were males and 8,405 were females.

In the registration area the number of deaths reported as due to this disease was 10,201, of which 5,022 were males and 5,179 were females, giving a proportion of 20.1 deaths from this disease in 1,000 deaths from all known causes, and a death rate of 35.4 per 100,000 of population. In 1890 the death rate was 70.1.

The following table shows, for the registration states, in the aggregate, and for the cities and rural districts, the death rates from diphtheria in the census year, per 100,000 of population:

DEATH RATES IN CITIES AND RURAL DISTRICTS.

REGISTRATION STATES.	AGGREGATE.			MALES.			FEMALES.		
	Total.	Cities.	Rural.	Total.	Cities.	Rural.	Total.	Cities.	Rural.
Total	31.7	43.1	15.2	31.6	43.7	14.8	31.8	42.6	15.7
Connecticut	27.9	30.5	22.9	26.6	29.0	22.3	29.1	32.1	23.5
District of Columbia	69.3	69.3		75.0	75.0		64.1	64.1	
Maine	14.8	22.8	13.2	15.7	26.6	13.6	14.0	19.4	12.8
Massachusetts	38.2	44.4	18.4	37.7	44.2	17.6	38.7	44.7	19.2
Michigan	15.6	27.7	10.6	13.4	22.8	9.7	18.0	32.5	11.6
New Hampshire	15.8	25.2	9.9	14.6	23.6	9.3	17.0	26.6	10.5
New Jersey	36.0	43.2	26.5	37.6	46.1	26.5	34.4	40.3	26.5
New York	36.8	47.4	14.7	37.4	48.7	14.5	36.2	46.2	14.8
Rhode Island	17.0	18.4	14.4	16.2	18.2	12.3	17.9	18.5	16.6
Vermont	12.2	36.5	8.4	12.0	35.5	8.5	12.5	37.4	8.3

The following table shows, for the registration states, the death rates from diphtheria in each month of the census year, in the aggregate, and for the cities and rural districts:



DEATH RATES BY MONTHS.

MONTHS.	Total.	Cities.	Rural.
January	3.4	4.6	1.8
February	3.1	4.2	1.4
March	2.8	4.0	1.1

DEATH RATES BY MONTHS—Continued.

MONTHS.	Total.	Cities.	Rural.
April	2.5	3.4	1.1
May	2.4	3.4	0.9
June	1.8	2.6	0.7
July	1.9	2.7	0.8
August	1.8	2.4	0.9
September	2.3	2.9	1.3
October	2.8	3.7	1.6
November	3.3	4.4	1.8
December	3.6	4.8	1.8

The death rates from diphtheria in each month, in the cities and the rural districts, and the relative differences in the rates in the two areas, are shown in the following diagram:



WHOOPING COUGH.

The preceding table and diagram show that in both cities and rural districts of the registration states the death rates from diphtheria were highest in November, December, and January, and were lowest in June, July, and August.

The following table shows the comparative proportions of deaths from diphtheria in each month during the census year, per 1,000 deaths in known months, in the United States, as a whole, and in the registration states:

COMPARATIVE PROPORTIONS OF DEATHS IN EACH MONTH.

MONTHS.	United States.	Registration states.
January	112.0	108.1
February.....	90.9	96.7
March	85.7	89.3
April	70.2	77.6
May	65.7	76.3
June.....	48.3	56.6
July	50.2	61.1
August	54.5	55.0
September.....	85.2	72.0
October.....	105.6	89.0
November.....	116.1	105.3
December	115.6	113.0

The total number of deaths reported as due to whooping cough in the United States during the census year was 9,958, of which 4,601 were males and 5,357 were females, and the proportion of deaths from this disease in 1,000 deaths from all known causes was 10. In 1890 the corresponding proportion was 10.1.

In the registration area the number of deaths reported as due to this disease was 3,669, of which 1,718 were males and 1,951 were females, giving a proportion of 7.2 deaths from this disease in 1,000 deaths from all known causes, and a death rate of 12.7 per 100,000 of population. In 1890 the death rate was 15.8.

In England and Wales the death rate from whooping cough for the year 1899 was 31.9 per 100,000 of population.

The following table shows, for the registration area and its subdivisions, the death rates from whooping cough in the census years 1900 and 1890, by sex, color, general nativity, and parent nativity:

CAUSES OF DEATH.

cxxxiii

DEATH RATES BY COLOR AND NATIVITY.

AREAS.	Aggre- gate.	WHITE.							COLORED.		
		Total.	Males.	Females.	Native.			Foreign.	Total.	Males.	Females.
					Total.	Both parents native.	One or both parents foreign.				
Registration area.....1900..	12.7	12.1	11.4	12.8	15.8	13.8	21.0	0.7	27.2	24.7	29.7
.....1890..	15.8	15.4	13.7	17.0	20.5	15.8	32.1	1.4	23.4	21.1	25.6
Cities.....1900..	13.4	12.7	11.9	13.4	17.2	16.8	22.4	0.7	26.9	24.9	28.8
.....1890..	17.3	17.0	15.2	18.8	23.8	21.1	35.3	1.4	22.8	20.6	24.9
States.....1900..	14.0	13.7	12.8	14.6	18.0	14.0	23.6	0.9	31.3	28.9	33.6
.....1890..	18.2	17.8	16.1	19.5	23.4	15.9	36.0	1.5	33.8	29.5	37.9
Cities... ..1900..	16.4	16.0	15.0	17.0	23.0	18.9	26.6	0.9	31.1	31.5	30.7
.....1890..	23.0	22.7	20.7	24.6	32.8	23.7	42.0	1.6	35.8	31.2	39.9
Rural.....1900..	10.6	10.3	9.7	10.9	12.1	10.2	16.7	1.0	31.8	22.3	42.1
.....1890..	10.7	10.4	9.3	11.5	12.1	9.9	19.6	1.3	29.2	25.9	32.8
Cities in other states 1900..	10.7	9.5	9.1	9.9	12.3	12.9	11.0	0.3	25.6	23.0	28.2
.....1890..	12.1	11.4	10.0	12.8	15.4	15.3	19.9	1.2	19.2	17.8	20.6

This table shows that the death rate from whooping cough was more than twice as high among the colored (27.2) as among the white (12.1), and that it was much higher in the whites having one or both parents foreign (21) than in those of native parents (13.8). The low death rate for the foreign whites (0.7) has no significance as it is due to the very small proportion of children in this class.

The highest death rate from this disease was in the cities in the registration states (16.4). In the cities in

the nonregistration states the rate (10.7) was about the same as that in the rural districts of the registration states (10.6).

In comparison with 1890 the death rates for whooping cough show a general decrease in all areas, but principally in the cities.

The following table shows, for the registration states, in the aggregate, and for the cities and rural districts, the death rates from whooping cough in the census year, per 100,000 of population, in comparison with 1890:

DEATH RATES IN CITIES AND RURAL DISTRICTS.

REGISTRATION STATES.	AGGREGATE.			MALES.			FEMALES.		
	Total.	Cities.	Rural.	Total.	Cities.	Rural.	Total.	Cities.	Rural.
Total.....1900..	14.0	16.4	10.6	13.1	15.4	9.9	15.0	17.4	11.3
.....1890..	18.2	23.0	10.7	16.4	21.0	9.6	19.9	25.0	11.9
Connecticut.....1900..	13.1	13.9	11.6	9.9	8.9	11.8	16.3	18.9	11.4
.....1890..	18.8	27.1	12.9	15.2	20.4	11.5	22.3	33.5	14.2
District of Columbia.....1900..	13.6	13.6		16.7	16.7		10.9	10.9	
.....1890..	13.0	13.0		12.8	12.8		13.2	13.2	
Maine ¹ 1900..	14.0	21.1	12.5	13.4	28.3	10.5	14.6	14.5	14.6
Massachusetts.....1900..	13.4	15.2	7.6	11.8	13.8	6.0	14.8	16.5	9.2
.....1890..	16.3	18.5	9.0	15.0	16.7	9.7	17.6	20.3	8.3
Michigan ¹ 1900..	11.3	11.7	11.1	11.0	10.8	11.0	11.6	12.5	11.2
New Hampshire.....1900..	19.0	21.4	17.4	17.1	24.9	12.4	20.8	18.2	22.7
.....1890..	9.8	10.0	9.8	10.2	9.6	10.4	9.5	10.3	9.1
New Jersey.....1900..	17.5	19.4	14.9	17.1	18.8	14.9	17.8	20.0	14.9
.....1890..	26.0	30.5	20.1	22.9	26.9	17.8	29.1	34.1	22.5
New York.....1900..	13.6	16.5	7.5	13.1	16.0	7.2	14.1	17.0	7.9
.....1890..	18.0	24.0	8.5	16.5	22.4	7.2	19.6	25.5	9.7
Rhode Island.....1900..	25.9	29.3	19.3	16.6	18.9	12.3	34.9	39.1	26.3
.....1890..	29.5	32.0	26.1	27.4	29.2	25.0	31.6	34.6	27.3
Vermont.....1900..	11.6	8.6	12.1	13.7	17.7	13.1	9.5		11.1
.....1890..	4.8	10.6	4.3	3.0	7.4	2.6	6.7	13.6	6.1

¹ Nonregistration in 1890.

As in the case of measles, the highest death rate from whooping cough in the registration states during the census year 1900 was in Rhode Island (25.9), where it was highest in both the cities (29.3) and the rural districts (19.3). The lowest rate in the aggregate was in Michigan (11.3).

The following table shows, for the registration area and its subdivisions, the death rates from whooping cough among the whites during the census year, per 100,000 of white population, by birthplaces of mothers:

DEATH RATES BY BIRTHPLACES OF MOTHERS.

BIRTHPLACES OF MOTHERS.	REGISTRATION RECORD.					
	Total.	Cities.	States.			Cities in other states.
			Total.	Cities.	Rural.	
United States.....	14.0	16.9	14.5	19.4	10.4	11.8
Ireland.....	10.9	12.4	11.5	13.4	4.7	6.1
Germany.....	6.9	7.1	7.7	8.2	6.3	5.0
England and Wales.....	10.1	12.0	10.4	13.1	5.3	8.7
Canada.....	16.0	16.3	16.8	17.7	15.6	3.7
Scandinavia.....	16.1	14.5	21.4	21.3	21.6	6.7
Scotland.....	6.5	6.5	7.2	7.5	6.6	2.4

DEATH RATES BY BIRTHPLACES OF MOTHERS—Continued.

BIRTHPLACES OF MOTHERS.	REGISTRATION RECORD.					
	Total.	Cities.	States.			Cities in other states.
			Total.	Cities.	Rural.	
Italy.....	20.9	22.3	22.2	24.0	13.0	7.4
France.....	6.0	6.4	8.2	9.7	4.7	
Hungary and Bohemia.....	8.4	8.7	10.6	11.5	5.3	4.2
Russia and Poland.....	11.7	11.9	12.5	12.9	9.7	7.9
Other foreign.....	19.5	21.4	20.1	22.7	13.7	16.1

The preceding table shows that the death rates due to whooping cough were highest among those whose mothers were born in Italy (20.9), in "Other foreign" countries (19.5), and in Scandinavia (16.1); and lowest among those whose mothers were born in France (6), in Germany (6.9), and in Scotland (6.5).

The following table shows, for the registration area and its subdivisions, the death rates from whooping cough during the census year in each of four age groups, per 100,000 population of corresponding ages, in comparison with 1890, by sex:

DEATH RATES AT CERTAIN AGES.

REGISTRATION AREAS.	UNDER 1.		UNDER 5.		5 TO 14.		15 AND OVER.	
	1900	1890	1900	1890	1900	1890	1900	1890
Total.....	322.0	411.9	118.6	147.1	2.3	3.4	0.2	0.1
Males.....	322.5	393.6	111.8	131.6	1.4	2.3	0.2	0.1
Females.....	321.6	430.7	125.5	162.9	3.1	4.4	0.2	0.2
Cities.....	319.0	428.1	124.0	157.2	2.2	3.4	0.2	0.1
Males.....	317.6	407.6	116.3	140.4	1.5	2.3	0.1	0.1
Females.....	320.5	449.2	131.9	174.4	2.9	4.6	0.2	0.2
States.....	354.0	500.8	129.7	177.7	2.3	3.8	0.3	0.2
Males.....	351.5	491.3	121.6	159.0	1.3	2.7	0.2	0.1
Females.....	356.5	510.5	137.9	196.7	3.3	4.8	0.3	0.3
Cities.....	367.3	583.3	147.9	217.3	2.2	4.2	0.2	0.2
Males.....	359.5	574.1	137.0	194.0	1.5	3.0	0.2	
Females.....	375.2	592.8	158.9	240.9	2.9	5.4	0.3	0.3
Rural.....	332.0	347.0	100.9	109.8	2.4	3.0	0.3	0.2
Males.....	338.4	337.8	97.3	99.4	1.2	2.2	0.3	0.1
Females.....	325.5	356.4	104.6	120.4	3.8	3.9	0.2	0.2
Cities in other states.....	271.0	292.4	101.1	105.3	2.2	2.8	0.1	0.1
Males.....	276.2	262.2	96.4	94.4	1.5	1.7	0.1	0.1
Females.....	265.8	323.4	105.9	116.5	3.0	3.8	0.2	

The preceding table shows that the greatest mortality from whooping cough occurred in infants under 1 year of age, being 322 per 100,000 of population of this age. For children under 5 years of age, the death rate from this disease was 118.6; above 5 years of age, the death rates were insignificant.


The death rate from this disease in infants under 1 year of age was highest in the cities in the registration states (367.3), and was lowest in the cities in the non-registration states (271). In the rural districts of the registration states it was 332.

In England and Wales the death rates of children

under 5 years of age from this disease, during the year 1899 (males, 233.4; females, 273.6), were much higher than in the registration area in this country.

In comparison with 1890 there was a great decrease in the death rates due to whooping cough, the decrease being most marked in the cities in the registration states, where the rate for infants under 1 year of age declined from 583.3 in 1890 to 367.3 in 1900.

The combined relations of age and race to the death rates from whooping cough are indicated for the registration area in the following table, giving the death rates during the census year in each of four age groups,



per 100,000 population of corresponding ages, by color and birthplaces of mothers:

DEATH RATES BY AGE, COLOR, AND BIRTHPLACES OF MOTHERS.

COLOR AND BIRTHPLACES OF MOTHERS.	Under 1.	Under 5.	5 to 14.	15 and over.
White	310.0	111.5	2.0	0.2
Colored.....	658.7	313.5	8.3	0.2
Mothers born in—				
United States.....	322.9	111.3	2.2	0.2
Ireland.....	426.3	175.0	3.1	0.1
Germany.....	252.5	91.2	1.4	0.3
England and Wales.....	419.1	146.5	3.8	
Canada.....	444.6	137.3	1.7	0.6
Scandinavia.....	339.9	120.2	4.9	
Scotland.....	215.1	111.0		
Italy.....	251.0	126.9	1.0	
France.....	341.7	134.9		
Hungary.....	85.6	45.9		
Bohemia.....	179.8	74.6		
Russia.....	186.2	86.0	3.1	
Poland.....	107.7	43.2		
Other foreign.....	324.7	151.9	1.9	

The preceding table shows that the death rates from whooping cough in white infants under 1 year of age were highest in those whose mothers were born in Canada (444.6), in Ireland (426.3), and in England and Wales (419.1); and lowest among those whose mothers were born in Hungary (85.6), in Poland (107.7), and in Bohemia (179.8).

The following table shows, for the registration area, the proportions of deaths from whooping cough at each specified age, per 1,000 deaths at known ages from this disease, in 1900 and 1890, by sex:

NUMBER OF DEATHS AT EACH AGE PER 1,000 AT KNOWN AGES.

AGE.	1900		1890	
	Males.	Females.	Males.	Females.
Under 1 year.....	586.7	506.7	609.4	524.0
1 year.....	233.5	241.8	223.2	235.1
2 years.....	86.9	108.5	85.5	107.0
3 years.....	42.0	57.6	30.4	52.6
4 years.....	17.5	29.8	16.7	26.3
Under 5 years.....	966.6	944.4	965.2	945.0
5 to 9 years.....	21.0	39.6	27.6	39.7
10 years and over.....	12.4	16.0	7.2	15.3

This table shows that in each census year more than half of the deaths caused by whooping cough occurred in those under 1 year of age, and more than 90 per cent in those under 5 years.

The average age at death from this disease in the registration area in 1900 was 1.8 years. In 1890 it was 1.6 years.

The following table shows, for each grand group in the United States, the proportions of deaths from

whooping cough during the census year, per 1,000 deaths from known causes, in the aggregate, and by sex, for the cities and rural districts:

NUMBER OF DEATHS PER 1,000 DEATHS FROM KNOWN CAUSES.

GRAND GROUP.	Total.	RURAL.		CITIES.	
		Males.	Fe-males.	Males.	Fe-males.
1. North Atlantic Coast region.....	8.6	4.6	8.2	7.9	11.3
2. Middle Atlantic Coast region.....	9.2	10.0	10.6	7.8	10.2
3. South Atlantic Coast region.....	12.5	13.4	15.1	7.9	8.2
4. Gulf Coast region.....	9.3	12.3	16.6	2.6	2.7
5. Northeastern hills and plateaus.....	7.7	7.1	8.0	7.2	8.6
6. Central Appalachian region.....	9.2	8.1	12.0	7.0	8.7
7. Region of the Great Northern Lakes.....	5.9	6.9	8.4	4.5	5.7
8. Interior plateau.....	7.2	7.8	8.8	5.6	7.0
9. Southern Central Appalachian region.....	16.3	15.7	18.0	4.9	9.0
10. Ohio River belt.....	9.7	8.9	14.2	7.1	7.2
11. Southern Interior plateau.....	11.8	11.7	11.9		
12. South Mississippi River belt.....	12.8	11.8	16.5	3.1	12.3
13. North Mississippi River belt.....	7.9	8.6	12.6	4.6	5.3
14. Southwest Central region.....	18.2	10.0	21.8	0.9	2.5
15. Central region—plains and prairies.....	9.0	8.4	10.6	6.0	7.6
16. Prairie region.....	10.5	8.6	12.7	9.2	11.1
17. Missouri River belt.....	10.3	10.0	15.1	4.9	9.7
18. Region of the Western plains.....	17.4	17.2	22.8	7.2	13.1
19. Heavily timbered region of the North-west.....	11.3	9.0	14.0	11.2	11.6
20. Cordilleran region.....	13.8	10.7	20.5	7.5	13.3
21. Pacific Coast region.....	5.8	6.7	13.0	3.4	3.9

This table indicates that the proportions of deaths from whooping cough were greatest in the Southwest Central region (18.2), the region of the Western plains (17.4), and the Southern Central Appalachian region (16.3); and least in the Pacific Coast region (5.8), the region of the Great Northern Lakes (5.9), and the Interior plateau (7.2).

The geographical distribution of deaths from whooping cough, by state groups, is shown by plate No. 7.



The following table shows, for the registration states, the death rates from whooping cough in each month of the census year, in the aggregate, and for the cities and rural districts:

DEATH RATES BY MONTHS.

Months.	Total.	Cities.	Rural.
January.....	1.1	1.3	0.8
February.....	1.1	1.4	0.9
March.....	1.5	2.0	0.9
April.....	1.4	1.8	0.8
May.....	1.2	1.2	1.1
June.....	0.9	1.0	0.7
July.....	1.4	1.7	0.9
August.....	1.7	2.0	1.3
September.....	1.1	1.4	0.7
October.....	0.7	.8	0.6
November.....	0.8	.8	0.8
December.....	1.1	1.0	1.1

The death rates from whooping cough in each month in the cities and the rural districts, and the relative dif-

ferences in the rates in the two areas are shown in the following diagram:



According to the preceding table and diagram the death rates from whooping cough in the cities in the registration states were highest in March, April, and August; and lowest in November and October. In the rural districts the highest rates occurred in May, August, and December; and the lowest in June, September, and October.

The following table shows the comparative proportions of deaths from whooping cough in each month during the census year, per 1,000 deaths in known months, in the United States, as a whole, and in the registration states:

COMPARATIVE PROPORTIONS OF DEATHS IN EACH MONTH.

MONTHS.	United States.	Registration states.
January	72.4	75.2
February	81.0	82.1
March	107.3	110.7
April	113.9	100.5
May	129.7	82.9
June	66.3	64.9
July	84.6	97.6
August	91.0	121.3
September	79.8	80.9

COMPARATIVE PROPORTIONS OF DEATHS IN EACH MONTH—Con.

MONTHS.	United States.	Registration states.
October	60.6	51.9
November	54.9	56.0
December	58.5	76.0

MALARIAL FEVER.

The total number of deaths reported as due to malarial fever in the United States during the census year was 14,874, of which 7,497 were males and 7,377 were females, and the proportion of deaths from this disease in 1,000 deaths from all known causes was 14.9. In 1890 the corresponding proportion was 22.1.

In the registration area the number of deaths reported as due to this disease was 2,526, of which 1,303 were males and 1,223 were females, giving a proportion of 5 deaths from this disease in 1,000 deaths from all known causes, and a death rate of 8.8 per 100,000 of population. In 1890 the death rate was 19.2.

The following table shows, for the registration area and its subdivisions, the death rates from malarial fever in the census years 1900 and 1890, by sex, color, general nativity, and parent nativity:

CAUSES OF DEATH.

cxvii

DEATH RATES BY COLOR AND NATIVITY.

AREAS.	Aggre- gate.	WHITE.							COLORED.		
		Total.	Males.	Females.	Native.			Foreign.	Total.	Males.	Females.
					Total.	Both parents native.	One or both parents foreign.				
Registration area.....1900..	8.8	6.5	6.8	6.1	6.4	6.2	5.0	6.7	59.8	60.5	59.1
.....1890..	19.2	16.5	16.8	16.2	16.0	14.3	13.7	18.0	72.1	73.0	71.1
Cities.....1900..	9.9	6.8	7.3	6.4	6.8	6.9	4.9	6.8	64.2	65.0	63.5
.....1890..	21.4	18.0	18.5	17.5	17.6	16.5	14.3	18.8	76.5	77.9	75.2
States.....1900..	5.1	5.0	4.9	5.1	4.9	5.2	4.6	5.2	12.0	9.6	14.3
.....1890..	14.8	14.2	14.1	14.3	13.6	13.3	14.1	15.8	39.7	38.6	40.8
Cities.....1900..	4.9	4.7	4.5	4.8	4.6	5.0	4.3	4.8	14.4	10.2	18.3
.....1890..	16.5	15.7	15.5	15.8	15.2	15.2	15.1	16.7	46.3	45.7	46.9
Rural.....1900..	5.4	5.4	5.3	5.5	5.3	5.4	5.3	6.2	5.3	8.1	2.2
.....1890..	12.1	11.9	11.9	11.9	11.7	11.8	11.4	12.9	24.4	23.5	25.3
Cities in other states.....1900..	14.4	8.8	9.8	7.8	8.7	11.0	5.9	9.4	78.9	80.9	77.0
.....1890..	26.0	20.3	21.3	19.3	20.0	19.4	12.5	21.2	84.9	86.5	83.4

This table shows that for the census year 1900 the death rate from malarial fever was nearly ten times as high among the colored (59.8) as it was among the whites (6.5); that it was about the same in males (white, 6.8; colored, 60.5) as it was in females (white, 6.1; colored, 59.1); and that it was somewhat higher in the native whites of native parents (6.2) than in those having one or both parents foreign (5).

The highest rate from this disease was in the cities in

the nonregistration states (14.4), which include the cities in the Southern states. The decrease in the rate from this disease in these cities, however, was the same as in the cities in the registration states, 11.6 per 100,000 of population.

The following table shows, for the registration states, in the aggregate, and for the cities and rural districts, the death rates from malarial fever in the census year, per 100,000 of population, in comparison with 1890:

DEATH RATES IN CITIES AND RURAL DISTRICTS.

REGISTRATION STATES.	AGGREGATE.			MALES.			FEMALES.		
	Total.	Cities.	Rural.	Total.	Cities.	Rural.	Total.	Cities.	Rural.
Total.....1900..	5.1	4.9	5.4	5.0	4.7	5.3	5.3	5.2	5.5
.....1890..	14.8	16.5	12.1	14.6	16.3	12.1	14.9	16.6	12.1
Connecticut.....1900..	12.1	11.5	13.2	9.9	9.2	11.1	14.3	13.8	15.2
.....1890..	25.6	32.2	20.9	23.8	33.5	17.0	27.3	31.0	24.7
District of Columbia.....1900..	22.6	22.6		22.0	22.0		23.2	23.2	
.....1890..	42.5	42.5		38.3	38.3		46.4	46.4	
Maine ¹ 1900..	2.3		2.8	3.1		3.7	1.5		1.8
Massachusetts.....1900..	2.5	2.3	3.3	3.0	2.3	5.1	2.0	2.2	1.5
.....1890..	5.1	4.7	6.7	5.9	5.3	7.7	4.4	4.1	5.7
Michigan ¹ 1900..	6.9	4.9	7.8	6.7	5.7	7.1	7.2	4.2	8.5
New Hampshire.....1900..	4.4	6.9	2.8	4.4	6.6	3.1	4.4	7.3	2.4
.....1890..	5.3	8.1	4.1	8.0	11.5	6.7	2.6	5.1	1.5
New Jersey.....1900..	5.8	4.6	7.5	6.3	4.9	8.0	5.4	4.3	6.9
.....1890..	19.0	21.7	15.3	20.0	21.5	18.1	18.0	22.0	12.6
New York.....1900..	4.2	4.4	3.9	3.8	4.1	3.3	4.7	4.7	4.5
.....1890..	15.9	17.9	12.7	15.6	17.7	12.3	16.2	18.0	13.1
Rhode Island.....1900..	5.6	6.7	3.4	5.2	5.8	4.1	6.0	7.6	2.8
.....1890..	17.1	22.0	10.3	11.9	15.7	6.9	22.0	27.8	13.6
Vermont.....1900..	2.6		3.0	2.9		3.3	2.4		2.8
.....1890..	4.2		4.6	3.5		3.9	4.9		5.4

¹ Nonregistration in 1890.

VITAL STATISTICS.

This table shows that the death rate from malarial fever in the registration states was much higher in the District of Columbia (22.6) than in any of the other registration states. The lowest rate from this disease was in Maine (2.3). There were no deaths from this disease in the cities in Maine and Vermont.

In comparison with 1890 there was a great decrease in the death rates from malarial fever in both cities and rural districts in the registration states.

The following table shows, for the registration area and its subdivisions, the death rates from malarial fever among the whites during the census year, per 100,000 of white population, by birthplaces of mothers:

DEATH RATES BY BIRTHPLACES OF MOTHERS.

BIRTHPLACES OF MOTHERS.	REGISTRATION RECORD.					
	Total.	Cities.	States.			Cities in other states.
			Total.	Cities.	Rural.	
United States.....	5.2	5.4	4.8	4.6	5.0	7.0
Ireland.....	5.8	5.5	5.7	5.3	6.9	6.7
Germany.....	5.5	5.4	5.0	4.8	5.6	6.5
England and Wales.....	4.7	5.2	4.4	5.0	3.4	5.6
Canada.....	3.8	2.9	3.8	2.8	5.0	3.7

DEATH RATES BY BIRTHPLACES OF MOTHERS—Continued.

BIRTHPLACES OF MOTHERS.	REGISTRATION RECORD.					
	Total.	Cities.	States.			Cities in other states.
			Total.	Cities.	Rural.	
Scandinavia.....	1.8	1.6	2.2	2.0	2.7	1.1
Scotland.....	6.8	6.0	6.0	4.4	9.2	11.9
Italy.....	7.3	8.6	5.2	6.2		29.5
France.....	12.0	11.4	6.9	3.9	14.1	25.7
Hungary and Bohemia.....	1.5	1.6	2.3	2.7		
Russia and Poland.....	1.7	1.5	1.9	1.7	4.2	0.7
Other foreign.....	5.5	5.2	5.4	5.0	6.5	5.8

This table shows that the death rates from malarial fever were highest among those whose mothers were born in France (12), in Scotland (6.8), and in Italy (7.3). The rate was lower among the children of native mothers (5.2) than among those whose mothers were born in Ireland (5.8) or in Germany (5.5).

The following table shows, for the registration area and its subdivisions, the death rates from malarial fever during the census year in each of six age groups, per 100,000 population of corresponding ages, in comparison with 1890, by sex:

DEATH RATES AT CERTAIN AGES.

REGISTRATION AREAS.	UNDER 5.		UNDER 15.		15 TO 24.		25 TO 34.		35 TO 44.		45 AND OVER.	
	1900	1890	1900	1890	1900	1890	1900	1890	1900	1890	1900	1890
Total.....	18.6	35.3	9.6	20.3	6.8	15.3	5.8	13.9	5.6	15.7	14.3	28.8
Males.....	18.3	35.9	9.2	20.2	7.3	16.0	6.1	14.7	6.4	16.6	15.3	28.9
Females.....	19.0	34.8	10.1	20.4	6.5	14.6	5.5	13.2	4.7	14.8	13.4	28.7
Cities.....	21.8	39.5	11.4	23.1	7.7	16.9	6.5	14.8	6.5	18.1	16.2	33.5
Males.....	20.9	40.7	10.8	23.5	8.4	18.0	6.7	15.7	7.8	18.8	17.6	33.4
Females.....	22.8	38.3	11.9	22.8	7.1	16.0	6.2	14.0	5.1	17.4	14.8	33.6
States.....	10.2	24.4	5.0	13.9	3.6	10.9	2.8	11.7	2.8	11.2	10.2	24.2
Males.....	10.7	24.7	4.6	13.7	3.5	10.3	2.7	12.3	2.7	10.5	10.1	24.3
Females.....	9.7	24.1	5.4	14.1	3.6	11.5	2.9	11.1	2.9	11.8	10.2	24.1
Cities.....	11.4	26.9	5.5	15.9	3.3	11.8	2.6	12.5	2.9	13.3	10.0	29.1
Males.....	11.2	28.6	4.9	16.5	3.3	10.9	2.2	13.3	3.3	11.6	9.7	28.8
Females.....	11.7	25.3	6.0	15.3	3.2	12.7	2.9	11.7	2.5	15.0	10.3	29.3
Rural.....	8.3	19.9	4.3	10.7	4.1	9.4	3.3	10.2	2.6	7.8	10.4	18.9
Males.....	10.0	18.0	4.2	9.4	3.9	9.4	3.6	10.6	1.6	8.9	10.6	19.6
Females.....	6.7	21.9	4.4	12.1	4.2	9.4	3.0	9.9	3.6	6.6	10.2	18.1
Cities in other states.....	31.8	50.4	16.7	29.4	11.6	21.5	10.0	17.0	9.7	22.8	22.1	38.2
Males.....	30.2	51.2	16.2	29.6	12.8	24.3	10.7	17.7	11.6	25.4	24.8	38.0
Females.....	33.5	49.5	17.2	29.3	10.6	19.0	9.2	16.2	7.5	19.8	19.4	38.4

The preceding table shows that the mortality from malarial fever was greatest in children under 5 years of age, and that the death rate at this age was highest in the cities in the nonregistration states (31.8).

At 45 years and over, the death rate from this disease was highest in the cities in the nonregistration states (22.1), and was higher in the rural districts of the registration states (10.4) than in the cities in the same states (10).

In comparison with 1890, the figures show a general decrease in the death rate from this disease for children under 5 years of age in each area, amounting in the aggregate to about 50 per cent.

The combined relations of age and race to the death rates from malarial fever are indicated, for the registration area, in the following table, giving the death rates during the census year in each of six age groups, per

100,000 population of corresponding ages, by color and birthplaces of mothers:

DEATH RATES BY AGE, COLOR, AND BIRTHPLACES OF MOTHERS.

COLOR AND BIRTHPLACES OF MOTHERS.	Under 5.	Under 15.	15 to 24.	25 to 34.	35 to 44.	45 and over.
White	12.8	6.3	4.6	4.4	4.2	11.9
Colored.....	180.6	97.8	48.7	32.6	34.3	77.4
Mothers born in—						
United States.....	11.1	5.7	4.2	3.2	3.0	8.2
Ireland.....	9.1	3.9	4.3	3.2	2.4	13.3
Germany.....	9.1	4.3	4.7	3.6	3.6	10.5
England and Wales.....	5.1	2.6	1.3	2.3	4.4	10.1
Canada.....	8.2	4.4	2.6	2.4	0.6	9.1
Scandinavia.....	1.6	1.2	2.3	1.9	2.6	1.6
Scotland.....	6.2	3.9	4.7	5.7	3.8	12.7
Italy.....	18.5	11.1	3.7	5.4	1.5	12.0
France.....			6.6	5.1	15.5	22.7
Hungary.....			4.0			
Bohemia.....	18.6	6.6				
Russia.....	1.5	1.2		4.0	2.1	
Poland.....	6.4	2.7	1.5	1.6		3.2
Other foreign.....	15.5	6.2	4.4	2.6	5.1	10.3

This table shows that the death rates from malarial fever in white children under 5 years of age were highest in those whose mothers were born in Bohemia (18.6), in Italy (18.5), and in "Other foreign" countries (15.5); and lowest among those whose mothers were born in Russia (1.5), and in Scandinavia (1.6).

In persons 45 years of age and over, the death rates were highest in those whose mothers were born in France (22.7), in Ireland (13.3), and in Scotland (12.7).

The following table shows, for the registration area, the proportions of deaths from malarial fever at each


specified age, per 1,000 deaths at known ages from this disease, in 1900 and 1890, by sex:

NUMBER OF DEATHS AT EACH AGE PER 1,000 AT KNOWN AGES.

AGE.	1900		1890	
	Males.	Females.	Males.	Females.
Under 1 year.....	90.4	81.3	76.7	57.5
1 year.....	44.8	50.9	41.0	47.1
2 years.....	23.2	46.8	31.5	32.0
3 years.....	27.8	29.6	27.8	29.3
4 years.....	23.2	19.7	13.7	21.1
Under 5 years.....	209.4	228.3	190.7	187.0
5 to 9 years.....	59.5	76.4	70.4	70.5
10 to 14 years.....	30.9	42.7	45.7	57.4
15 to 19 years.....	55.7	64.9	72.0	87.3
20 to 24 years.....	90.4	86.2	90.9	79.7
25 to 29 years.....	71.9	59.1	77.2	75.3
30 to 34 years.....	51.8	59.1	63.0	49.9
35 to 39 years.....	54.1	41.1	57.2	53.1
40 to 44 years.....	49.5	34.5	54.1	44.4
45 to 49 years.....	58.7	39.4	42.5	35.2
50 to 54 years.....	44.0	32.0	43.1	37.4
55 to 59 years.....	42.5	40.2	44.1	47.1
60 to 64 years.....	39.4	44.3	41.0	49.9
65 to 69 years.....	41.7	46.8	37.3	39.6
70 to 74 years.....	37.9	43.5	22.6	36.9
75 to 79 years.....	34.0	24.6	25.2	26.0
80 to 84 years.....	17.0	23.8	14.7	11.4
85 to 89 years.....	9.3	10.7	4.2	7.6
90 to 94 years.....	2.3	0.8	3.1	2.7
95 years and over.....		1.6	1.0	1.6

The average age at death from malarial fever in the registration area in 1900 was 31.9 years. In 1890 it was 31.1 years.

The comparative proportions of deaths from malarial fever at each age, in the registration area in 1900 and 1890, are shown in the following diagram:



VITAL STATISTICS.

The following table shows, for each grand group in the United States, the proportions of deaths from malarial fever during the census year, per 1,000 deaths from known causes, in the aggregate, and by sex, for the cities and rural districts:

NUMBER OF DEATHS PER 1,000 DEATHS FROM KNOWN CAUSES.

GRAND GROUP.	Total.	RURAL.		CITIES.	
		Males.	Fe-males.	Males.	Fe-males.
1. North Atlantic Coast region	2.3	2.4	2.3	1.8	2.7
2. Middle Atlantic Coast region	5.2	11.6	11.6	3.2	4.1
3. South Atlantic Coast region	61.7	67.0	71.6	49.1	36.7
4. Gulf Coast region	47.9	61.3	63.7	27.0	30.5
5. Northeastern hills and plateaus.....	2.8	3.1	2.1	3.4	3.0
6. Central Appalachian region.....	2.6	3.0	2.6	2.4	1.7
7. Region of the Great Northern Lakes...	2.2	3.3	4.3	1.6	1.3
8. Interior plateau.....	5.1	6.9	9.7	2.2	2.4
9. Southern Central Appalachian region .	15.2	14.4	15.9	14.6	18.9
10. Ohio River belt.....	7.6	8.3	8.4	6.0	7.2
11. Southern Interior plateau.....	43.8	43.6	43.9		
12. South Mississippi River belt.....	88.8	83.0	91.8	90.0	104.4
13. North Mississippi River belt	15.9	21.3	23.2	8.9	7.9
14. Southwest Central region.....	57.9	57.8	58.8	40.8	54.1
15. Central region—plains and prairies ...	10.6	10.6	12.1	6.5	7.8
16. Prairie region	8.6	8.3	9.8	1.8	7.3
17. Missouri River belt.....	11.9	12.4	19.3	5.9	6.4
18. Region of the Western plains	14.9	19.3	18.6	2.2	
19. Heavily timbered region of the North-west	4.4	3.7	5.7	4.5	2.8
20. Cordilleran region	11.0	9.0	16.4	5.0	6.6
21. Pacific Coast region	2.9	2.9	4.8	3.0	1.6

This table indicates that the proportion of deaths due to malarial fever was very high in the South and South-

west. The proportions were greatest in the South Mississippi River belt (88.8), South Atlantic Coast region (61.7), Southwest Central region (57.9), Gulf Coast region (47.9), and the Southern Interior plateau (43.8); and least in the region of the Great Northern Lakes (2.2), the North Atlantic Coast region (2.3), and the Central Appalachian region (2.6).


The geographical distribution of deaths from malarial fever, by state groups, is shown by plate No. 8.


The following table shows, for the registration states, the death rates from malarial fever in each month of the census year, in the aggregate, and for the cities and rural districts:

DEATH RATES BY MONTHS.

MONTHS.	Total.	Cities.	Rural.
January	0.3	0.2	0.3
February	0.3	0.3	0.3
March	0.3	0.3	0.4
April	0.3	0.3	0.3
May	0.4	0.3	0.4
June.....	0.4	0.5	0.3
July.....	0.6	0.5	0.6
August	0.5	0.6	0.5
September.....	0.7	0.7	0.7
October	0.6	0.5	0.8
November.....	0.4	0.4	0.5
December	0.3	0.3	0.3

The death rates from malarial fever in each month, in the cities and the rural districts, and the relative differences in the rates in the two areas, are shown in the following diagram:





The following table shows the comparative proportions of deaths from malarial fever in each month during the census year, per 1,000 deaths in known months, in the United States, as a whole, and in the registration states:

COMPARATIVE PROPORTIONS OF DEATHS IN EACH MONTH.

MONTHS.	United States.	Registration states.
January	45.0	50.2
February	42.6	52.5
March	49.9	68.1
April	56.8	59.2
May	75.8	71.4
June	65.2	72.5
July	108.9	110.5
August	166.3	108.3
September	146.7	135.1
October	116.7	120.5
November	72.8	85.9
December	53.4	65.8

INFLUENZA.

The total number of deaths reported as due to influenza in the United States during the census year was 16,645, of which 7,718 were males and 8,927 were females, and the proportion of deaths from this disease in 1,000 deaths from all known causes was 16.7. In 1890 deaths from this disease were not separately compiled.

In the registration area the number of deaths reported as due to this disease was 6,882, of which 2,950 were males and 3,932 were females, giving a proportion of 13.5 deaths from this disease in 1,000 deaths from all known causes, and a death rate of 23.9 per 100,000 of population.

In England and Wales the death rate from influenza for the year 1899 was 39.1 per 100,000 of population, being slightly higher for males (39.6) than for females (38.7).

The following table shows, for the registration area and its subdivisions, the death rates from influenza in the census year 1900, by sex, color, general nativity, and parent nativity:

DEATH RATES BY COLOR AND NATIVITY.

AREAS.	Aggre- gate.	WHITE.							COLORED.		
		Total.	Males.	Females.	Native.			Foreign.	Total.	Males.	Females.
					Total.	Both parents native.	One or both parents foreign.				
Registration area.....	23.9	23.6	20.2	27.0	21.0	32.3	12.6	31.8	30.8	27.3	34.1
Cities.....	20.4	19.8	16.8	22.8	16.2	26.0	11.5	29.6	30.7	27.4	33.8
States.....	29.1	29.1	24.4	33.7	26.4	35.5	13.9	36.8	31.0	23.3	38.5
Cities.....	25.3	25.2	20.4	29.8	20.7	30.1	13.1	34.7	30.7	22.1	38.8
Rural.....	34.6	34.6	29.9	39.5	33.1	39.7	15.7	42.4	31.8	26.4	37.6
Cities in other states	15.9	14.6	13.4	15.9	12.3	18.0	7.4	22.6	30.7	28.9	32.3

This table shows that the death rate from influenza for the census year 1900 was higher in the colored (30.8) than in the whites (23.6) and much higher in the native whites of native parents (32.3) than in those having one or both parents foreign (12.6). For the foreign whites it was 31.8, which was considerably higher than the rate for the native whites (21).

The highest rate for this disease was in the rural dis-

tricts in the registration states (34.6). In the cities in the nonregistration states it was 15.9, being much less in these cities than in those in the registration states (25.3).

The following table shows, for the registration states, in the aggregate, and for the cities and rural districts, the death rates from influenza in the census year, per 100,000 of population:

DEATH RATES IN CITIES AND RURAL DISTRICTS.

REGISTRATION STATES.	AGGREGATE.			MALES.			FEMALES.		
	Total.	Cities.	Rural.	Total.	Cities.	Rural.	Total.	Cities.	Rural.
Total	29.1	25.3	34.6	24.4	20.4	29.8	33.8	30.0	39.5
Connecticut	70.9	56.7	97.1	61.9	51.9	79.8	79.9	61.4	114.7
District of Columbia	41.3	41.3		31.0	31.0		50.4	50.4	
Maine	35.3	24.5	37.5	33.0	19.5	35.7	37.5	29.1	39.5
Massachusetts	39.9	37.3	48.3	30.1	26.2	41.9	49.3	47.7	54.6
Michigan	17.3	11.1	19.9	16.3	11.7	18.2	18.3	10.5	21.8
New Hampshire	45.0	30.2	54.2	38.5	34.1	41.1	51.4	26.6	68.0
New Jersey	23.5	19.4	29.0	21.1	17.9	25.3	25.9	20.8	32.7
New York	20.0	15.6	29.1	16.7	12.6	25.1	23.2	18.6	33.2
Rhode Island	75.6	79.1	68.8	62.2	62.6	61.6	88.5	94.7	76.1
Vermont	37.5	17.2	40.7	30.3	13.3	32.8	45.1	20.7	49.1

This table shows that in the registration states the death rates from influenza were highest in Rhode Island (75.6) and Connecticut (70.9), and lowest in Michigan (17.3) and New York (20). The rate was higher in the rural districts (34.6) than in the cities (25.3), being highest in the rural districts in Connecticut (97.1). The lowest rate was in the cities in Michigan (11.1).

In both cities and rural districts the death rates from this disease were much higher among females than among males.

The comparative death rates from influenza, in the counties in the registration states, are shown in plates Nos. 9 and 10.

The following table shows, for the registration area and its subdivisions, the death rates from influenza among the whites during the census year, per 100,000 of white population, by birthplaces of mothers:

DEATH RATES BY BIRTHPLACES OF MOTHERS.

BIRTHPLACES OF MOTHERS.	REGISTRATION RECORD.					
	Total.	Cities.	States.			Cities in other states.
			Total.	Cities.	Rural.	
United States.....	26.3	21.1	29.2	24.6	32.9	14.0
Ireland.....	38.7	36.7	40.4	38.6	46.7	24.9
Germany.....	15.0	13.6	16.2	14.4	21.6	12.3
England and Wales.....	28.6	27.8	30.8	31.0	30.5	18.0
Canada.....	17.7	20.6	18.3	22.1	13.6	7.5
Scandinavia.....	9.4	9.2	11.5	12.4	9.9	5.6
Scotland.....	28.1	21.3	31.4	24.4	46.0	9.6
Italy.....	11.8	11.9	10.6	10.4	11.5	24.6
France.....	15.9	15.2	17.8	17.4	18.7	11.0
Hungary and Bohemia.....	3.4	3.8	5.3	6.2		
Russia and Poland.....	4.5	4.0	4.6	3.9	9.7	4.3
Other foreign.....	13.5	10.6	14.7	11.5	22.3	6.9

This table shows that the death rates from influenza were greatest among the persons whose mothers were born in Ireland (38.7), in England and Wales (28.6), and in Scotland (28.1); and least among those whose mothers were born in Hungary and Bohemia (3.4), in Russia and Poland (4.5), and in Scandinavia (9.4).

The following table shows, for the registration area and its subdivisions, the death rates from influenza during the census year in each of five age groups, per 100,000 population of corresponding ages, by sex:

DEATH RATES AT CERTAIN AGES.

REGISTRATION AREA.	Under 5.	5 to 14.	15 to 44.	45 to 64.	65 and over.
Total.....	24.6	2.6	6.8	34.0	278.5
Males.....	25.2	2.4	6.5	28.0	237.2
Females.....	23.9	2.8	7.1	40.1	315.3
Cities.....	22.5	2.2	6.8	34.9	260.7
Males.....	22.9	2.0	6.7	28.2	220.3
Females.....	22.1	2.3	6.9	41.6	293.6
States.....	26.8	2.9	7.4	37.7	315.4
Males.....	26.7	2.6	6.8	30.8	262.8
Females.....	26.9	3.3	7.9	44.7	363.2
Cities.....	24.0	2.2	7.7	42.9	330.1
Males.....	23.0	1.9	7.5	33.9	268.5
Females.....	25.0	2.5	8.0	51.6	378.1

DEATH RATES AT CERTAIN AGES—Continued.

REGISTRATION AREA.	Under 5.	5 to 14.	15 to 44.	45 to 64.	65 and over.
Rural.....	31.3	4.0	6.7	31.8	304.6
Males.....	32.7	3.5	5.6	27.4	259.3
Females.....	29.8	4.5	7.9	36.5	350.8
Cities in other states.....	21.1	2.1	6.0	27.4	191.6
Males.....	22.9	2.2	6.1	23.1	174.6
Females.....	19.3	2.1	5.9	31.8	206.0

The preceding table shows that the mortality from influenza was greatest under 5 and above 45 years of age. For those under 5 years the death rate was 24.6; at 5 to 14 it was 2.6; from 15 to 44 it was 6.8; at 45 to 64 it was 34; and at 65 and over it was 278.5. In children under 5 years of age the death rate of males was greater than that of females, but in the age groups above 5 the mortality of females exceeded that of males, the death rates at 45 to 64 being 40.1 for females and 28 for males, and in the age group 65 years of age and over, 315.3 for females and 237.2 for males. Below 15 years of age the mortality from influenza was greatest in the rural districts in the registration states, but in the age groups above 15 it was greatest in the cities in the same states.

The combined relations of age and race to the death rates from influenza are indicated for the registration area, in the following table, giving the death rates during the census year in each of the five age groups, per 100,000 population of corresponding ages, by color and birthplaces of mothers:


DEATH RATES BY AGE, COLOR, AND BIRTHPLACES OF MOTHERS.

COLOR AND BIRTHPLACES OF MOTHERS.	Under 5.	5 to 14.	15 to 44.	45 to 64.	65 and over.
White.....	22.6	2.3	6.5	32.9	278.9
Colored.....	80.1	9.8	12.5	60.9	261.0
Mothers born in—					
United States.....	26.2	2.6	6.1	29.0	277.9
Ireland.....	19.9	2.8	12.4	67.5	341.8
Germany.....	10.7	2.2	4.5	20.0	161.9
England and Wales.....	23.6	0.8	7.4	26.7	290.3
Canada.....	42.1	3.8	6.5	25.7	234.1
Scandinavia.....	21.1	2.0	4.9	11.5	135.2
Scotland.....	18.5	2.8	2.7	27.9	300.9
Italy.....	35.7	3.1	4.5	17.7	108.3
France.....	22.5			12.5	177.2
Hungary.....		4.1		11.4	
Bohemia.....				20.8	151.4
Russia.....	8.9	2.1	1.0	3.5	93.5
Poland.....	12.8	2.3	1.2	11.5	101.3
Other foreign.....	19.7	0.9	6.5	22.0	191.2

The preceding table shows that the death rates from influenza of white persons 45 to 64 years of age were highest in those whose mothers were born in Ireland (67.5), in Scotland (27.9), and in the United States (29); and lowest among those whose mothers were born in Russia (3.5) and in Hungary (11.4).


For persons 65 years of age and over they were highest in those whose mothers were born in Ireland


THE DEATH
INF
per 100,000
19



TE DUE TO
NZA
population







(341.8), in Scotland (300.9), and in England and Wales (290.3); and lowest among those whose mothers were born in Russia (93.5) and in Poland (101.3).

The following table shows, for each grand group in the United States, the proportions of deaths from influenza during the census year, per 1,000 deaths from known causes, in the aggregate, and by sex, for the cities and rural districts:

NUMBER OF DEATHS PER 1,000 DEATHS FROM KNOWN CAUSES.

GRAND GROUP.	Total.	RURAL.		CITIES.	
		Males.	Fe-males.	Males.	Fe-males.
1. North Atlantic Coast region	26.9	27.1	37.4	18.5	31.1
2. Middle Atlantic Coast region	10.3	14.1	17.3	7.2	11.0
3. South Atlantic Coast region	36.3	39.0	40.5	23.7	32.3
4. Gulf Coast region	17.2	23.7	26.7	5.7	7.6
5. Northeastern hills and plateaus	25.8	23.5	33.2	17.0	25.7
6. Central Appalachian region	14.1	13.2	18.8	8.4	13.5
7. Region of the Great Northern Lakes	8.7	12.9	17.6	4.6	6.7
8. Interior plateau	16.1	18.6	26.0	9.0	13.0
9. Southern Central Appalachian region	38.9	36.5	43.9	13.0	17.1
10. Ohio River belt	11.1	11.9	15.2	7.3	8.4
11. Southern Interior plateau	33.8	34.7	33.0		
12. South Mississippi River belt	20.0	23.0	20.7	9.8	13.0
13. North Mississippi River belt	8.1	10.1	11.2	4.6	5.7
14. Southwest Central region	13.3	13.5	13.4	8.2	7.4
15. Central region—plains and prairies	17.4	16.0	20.1	13.1	16.0
16. Prairie region	11.4	10.4	13.0	6.4	12.8
17. Missouri River belt	10.7	12.2	14.4	4.6	9.3
18. Region of the Western plains	8.6	9.2	10.4	3.9	6.2
19. Heavily timbered region of the North-west	14.4	14.0	17.6	8.2	11.2
20. Cordilleran region	12.2	11.8	15.8	2.5	7.6
21. Pacific Coast region	10.1	16.2	16.0	4.3	8.6

The preceding table indicates that the proportions of deaths due to influenza were greatest in the Southern Central Appalachian region (38.9), the South Atlantic Coast region (36.3), and the Southern Interior plateau (33.8); and least in the Northern Mississippi River belt (8.1), the region of the Western plains (8.6), and the region of the Great Northern Lakes (8.7).

The geographical distribution of deaths from influenza, by state groups, is shown by plate No. 11.


The following table shows, for the registration states, the death rates from influenza in each month of the census year, in the aggregate, and for the cities and rural districts:

DEATH RATES BY MONTHS.


Months.	Total.	Cities.	Rural.
January	1.9	1.4	2.7
February	2.7	2.6	2.9
March	8.4	8.6	8.0
April	9.7	8.4	11.7
May	3.2	2.3	4.6
June	0.6	0.2	1.2
July	0.3	0.1	0.5
August	0.2	0.1	0.3
September	0.2	0.1	0.3
October	0.4	0.3	0.5
November	0.5	0.4	0.7
December	1.0	0.8	1.2

The death rates from influenza in each month, in the cities and the rural districts, and the relative differences in the rates in the two areas, are shown in the following diagram:

CITIES



RURAL



The preceding table and diagram show that in both cities and rural districts in the registration states the death rates from influenza were highest in March and April, and were lowest in August and September.

The following table shows the comparative proportions of deaths per 1,000 from influenza in each month, in the United States, as a whole, and in the registration states:

COMPARATIVE PROPORTIONS OF DEATHS IN EACH MONTH.

MONTHS.	United States.	Registration states.
January	78.3	65.4
February	109.4	92.4
March	229.2	287.2
April	285.6	333.7
May	142.1	110.9
June	22.2	21.9
July	15.2	9.7
August	14.2	7.3
September	16.1	7.5
October	19.6	13.0
November	25.2	17.9
December	42.9	33.1

TYPHOID FEVER.

The total number of deaths reported as due to typhoid fever in the United States during the census year was 35,379, of which 18,881 were males, and 16,498 were females, and the proportion of deaths from this disease in 1,000 deaths from all known causes was 35.4. In 1890 the corresponding proportion was 32.1.

In the registration area the number of deaths reported as due to this disease was 9,749, of which 5,620 were males and 4,129 were females, giving a proportion of 19.2 deaths from this disease in 1,000 deaths from all known causes, and a death rate of 33.8 per 100,000 of population. In 1890 the death rate was 46.3.

In England and Wales the death rate due to typhoid fever for the year 1899 was 19.9 per 100,000 of population (males, 23.2; females, 16.8).

The following table shows, for the registration area and its subdivisions, the death rates from typhoid fever in the census years 1900 and 1890, by sex, color, general nativity, and parent nativity:

DEATH RATES BY COLOR AND NATIVITY.

AREAS.	Aggre- gate.	WHITE.							COLORED.		
		Total.	Males.	Females.	Native.			Foreign.	Total.	Males.	Females
					Total.	Both parents native.	One or both parents foreign.				
Registration area.....1900..	33.9	32.4	37.4	27.4	31.6	32.3	26.4	34.4	65.6	75.3	56.3
.....1890..	46.3	45.2	52.4	38.1	40.4	35.2	36.8	58.4	67.2	72.6	62.1
Cities.....1900..	36.6	34.8	40.8	28.8	34.1	36.9	28.1	36.0	68.8	80.1	58.0
.....1890..	51.0	49.8	58.1	41.5	44.3	40.0	37.6	62.4	70.0	75.6	64.7
States.....1900..	25.4	24.9	28.8	21.1	24.6	26.7	21.4	26.0	47.8	52.2	43.4
.....1890..	36.0	35.2	40.5	30.1	32.5	32.0	33.0	43.0	67.3	68.8	65.8
Cities.....1900..	25.3	24.5	29.4	19.8	23.9	26.8	21.4	25.9	55.4	64.6	46.9
.....1890..	39.0	37.9	44.1	31.9	34.1	35.0	32.8	45.6	80.0	81.4	78.8
Rural.....1900..	25.5	25.5	27.9	23.0	25.4	26.5	21.9	26.3	26.5	20.3	33.2
.....1890..	31.4	31.2	35.1	27.3	30.6	29.7	33.5	34.9	37.7	42.3	32.8
Cities in other states 1900..	46.8	44.6	51.4	37.7	43.0	57.3	45.6	49.7	72.7	84.5	61.4
.....1890..	62.0	61.5	71.5	51.4	53.7	50.9	48.7	81.4	67.2	74.1	60.5

This table shows that the death rate from typhoid fever was much higher in the cities in the nonregistration states (46.8) than in the cities in the registration states (25.3); that it was higher among males (white, 37.4; colored, 75.3) than among females (white, 27.4; colored, 56.3), and higher among native whites of native parents (32.3) than among native whites of foreign parents (26.4). It was slightly higher for the foreign white (34.4) than for the native white (31.6).

In comparison with 1890 there was a decided decrease in the death rates from this disease in all areas, the decrease being most marked in the cities in the nonregistration states, where it amounted to about 25 per cent.

The following table shows, for the registration states, in the aggregate, and for the cities and rural districts, the death rates from typhoid fever in the census year, per 100,000 of population, in comparison with 1890:

CAUSES OF DEATH.

cxlv

DEATH RATES IN CITIES AND RURAL DISTRICTS.

REGISTRATION STATES.	AGGREGATE.			MALES.			FEMALES.		
	Total.	Cities.	Rural.	Total.	Cities.	Rural.	Total.	Cities.	Rural.
Total	1900.. 25.4 1890.. 36.0	25.3 39.0	25.5 31.4	29.3 41.1	30.3 45.0	27.8 35.3	21.5 30.9	20.5 33.2	23.1 27.4
Connecticut	1900.. 27.4 1890.. 44.4	27.5 42.5	27.3 45.7	30.8 48.4	31.8 49.3	29.1 47.9	24.0 40.4	23.3 36.1	25.4 43.5
District of Columbia	1900.. 80.7 1890.. 86.8	80.7 86.8		102.2 93.1	102.2 93.1		61.3 81.1	61.3 81.1	
Maine ¹	1900.. 28.8	44.7	25.5	36.5	65.5	30.9	21.0	25.8	19.9
Massachusetts	1900.. 22.3 1890.. 36.9	23.3 38.5	19.0 31.9	27.3 44.8	28.2 47.3	24.8 36.7	17.5 29.5	18.7 30.2	13.3 27.2
Michigan ¹	1900.. 28.1	30.6	27.0	29.2	33.6	27.5	26.9	27.7	26.5
New Hampshire	1900.. 16.8 1890.. 36.9	11.3 27.2	20.2 41.0	19.5 40.7	17.0 32.6	20.9 43.9	14.1 33.2	6.0 22.3	19.4 38.0
New Jersey	1900.. 21.1 1890.. 47.3	21.0 63.8	21.2 25.9	25.5 52.0	28.6 66.6	21.4 33.0	16.8 42.8	13.5 60.9	21.1 18.7
New York	1900.. 24.4 1890.. 28.6	22.8 30.2	27.9 26.0	28.0 33.2	26.5 35.1	31.2 30.1	20.8 24.1	19.1 25.5	24.6 21.8
Rhode Island	1900.. 23.8 1890.. 43.4	27.9 37.5	15.8 51.6	29.0 50.0	32.7 54.2	21.9 44.4	18.8 37.2	23.3 22.1	9.7 58.7
Vermont	1900.. 31.1 1890.. 37.3	27.9 60.1	31.7 35.2	28.5 34.8	26.6 29.5	28.8 35.3	33.8 39.9	29.1 88.1	34.6 35.1

¹ Nonregistration in 1890.

It will be seen from this table that the death rate from typhoid fever in the registration states was highest in the District of Columbia (80.7) and lowest in New Hampshire (16.8). It was slightly higher in the rural districts (25.5) than in the cities (25.3), which is the reverse of the case in 1890, when the rate in the cities was 39, and that in the rural districts 31.4.

Excluding the District of Columbia, which is mostly urban in character, the death rate for this disease was highest in the cities in Maine (44.7). In both cities and rural districts there was a marked decrease in the death rate from typhoid fever in comparison with 1890.

The following table shows, for the registration area and its subdivisions, the death rates from typhoid fever among the whites during the census year, per 100,000 of white population, by birthplaces of mothers:

DEATH RATES BY BIRTHPLACES OF MOTHERS.

BIRTHPLACES OF MOTHERS.	REGISTRATION RECORD.					
	Total.	Cities.	States.			Cities in other states.
			Total.	Cities.	Rural.	
United States	28.4	31.4	24.4	24.0	24.8	46.2
Ireland	27.1	27.7	24.1	23.9	24.5	51.1
Germany	27.6	28.3	22.2	21.7	23.9	40.1

PART I—VITAL STAT—X

DEATH RATES BY BIRTHPLACES OF MOTHERS—Continued.

BIRTHPLACES OF MOTHERS.	REGISTRATION RECORD.					
	Total.	Cities.	States.			Cities in other states.
			Total.	Cities.	Rural.	
England and Wales	30.5	33.4	24.1	24.5	23.3	60.8
Canada	27.5	29.4	26.8	28.4	24.9	38.5
Scandinavia	41.9	46.3	33.2	36.7	27.1	57.1
Scotland	19.8	19.8	19.5	19.4	19.7	21.5
Italy	20.9	23.0	16.5	18.1	8.6	66.3
France	30.9	35.5	20.6	23.3	14.1	58.7
Hungary and Bohemia	24.6	26.0	7.6	7.1	10.7	55.7
Russia and Poland	17.3	17.2	10.4	9.4	18.0	47.6
Other foreign	37.9	44.2	24.5	26.9	18.7	111.6

The preceding table shows that the death rates due to typhoid fever were highest among those whose mothers were born in Scandinavia (41.9), in "Other foreign" countries (37.9), and in France (30.9); and lowest among those whose mothers were born in Russia and Poland (17.3), in Scotland (19.8), and in Italy (20.9).

The following table shows, for the registration area and its subdivisions, the death rates from typhoid fever during the census year in each of five age groups, per 100,000 population of corresponding ages, in comparison with 1890, by sex:

VITAL STATISTICS.

DEATH RATES AT CERTAIN AGES.

REGISTRATION AREAS.	UNDER 15.		15 TO 24.		25 TO 34.		35 TO 44.		45 AND OVER.	
	1900	1890	1900	1890	1900	1890	1900	1890	1900	1890
Total	20.2	26.8	53.0	78.7	43.9	60.4	33.1	39.1	26.8	32.1
Males.....	19.0	26.4	62.5	94.3	56.3	74.9	39.6	46.9	30.7	35.7
Females.....	21.3	27.2	44.4	64.4	31.2	45.5	26.0	30.8	22.9	28.6
Cities.....	22.0	30.0	56.2	85.5	46.5	65.3	35.1	43.5	29.6	34.1
Males.....	21.0	30.0	67.4	103.4	60.6	80.8	42.2	52.6	35.1	38.0
Females.....	23.0	30.0	46.3	69.5	32.4	49.1	27.4	33.8	24.3	30.3
States.....	13.7	19.5	38.9	62.1	35.0	46.4	25.8	30.7	21.4	27.4
Males.....	12.8	18.5	45.8	74.3	43.7	57.3	30.8	36.3	24.8	30.3
Females.....	14.6	20.6	32.5	50.9	26.2	35.6	20.4	25.0	18.0	24.7
Cities.....	13.3	21.7	36.6	66.6	35.6	49.2	25.4	34.4	21.9	26.9
Males.....	12.7	21.1	44.8	81.0	45.6	61.0	30.9	41.5	27.9	29.6
Females.....	13.8	22.4	29.5	54.1	25.9	37.8	19.8	27.4	16.4	24.5
Rural.....	14.4	16.1	42.4	54.4	33.7	41.0	26.2	24.6	20.8	28.0
Males.....	12.9	14.5	47.2	63.7	40.3	50.6	30.8	23.0	21.8	31.0
Females.....	15.9	17.7	37.5	45.0	26.8	31.3	21.3	21.2	19.7	24.9
Cities in other states.....	29.9	37.1	73.5	102.6	56.5	79.7	43.8	52.1	37.0	41.6
Males.....	28.5	37.6	87.1	123.5	74.0	97.6	51.9	62.4	41.7	46.4
Females.....	31.4	36.6	61.4	83.7	38.5	59.9	34.6	40.3	32.2	36.8

The preceding table shows that the death rate due to typhoid fever was highest among persons 15 to 24 years of age (53), and that in this age group it was highest in the cities in the nonregistration states (73.5), and lowest in the cities in the registration states (36.6). In the age group under 15 years it was higher among females (21.3) than among males (19), but in the age groups above 15 years, the mortality of males exceeded that of the females.

The combined relations of age and race to the death rates from typhoid fever are indicated for the registration area, in the following table, giving the death rates during the census year in each of five age groups, per 100,000 population of corresponding ages, by color and birthplaces of mothers:

DEATH RATES BY AGE, COLOR, AND BIRTHPLACES OF MOTHERS.

COLOR AND BIRTHPLACES OF MOTHERS.	Under 15.	15 to 24.	25 to 34.	35 to 44.	45 and over.
White.....	18.3	50.3	43.1	32.4	26.3
Colored.....	69.1	104.2	58.0	45.8	38.0
Mothers born in—					
United States.....	17.5	48.1	38.0	29.1	20.6
Ireland.....	11.6	35.0	37.9	25.3	23.2
Germany.....	16.0	40.1	35.7	24.9	24.0
England and Wales.....	19.4	42.8	50.4	26.3	20.3
Canada.....	17.0	45.3	34.4	23.7	17.6
Scandinavia.....	16.5	75.1	66.8	41.0	23.0
Scotland.....	11.6	40.3	20.8	17.3	15.3
Italy.....	13.4	40.3	23.8	19.2	12.0
France.....	26.9	46.1	20.2	30.9	32.5
Hungary.....	6.8	59.3	28.0	25.3	10.1
Bohemia.....	6.6	35.9	50.2	29.6	17.3
Russia.....	6.1	13.4	26.9	19.1	15.6
Poland.....	10.0	46.4	25.6	16.9	19.4
Other foreign.....	15.9	56.9	58.1	44.9	21.8

It will be seen from the preceding table that the death rates from typhoid fever of white persons 15 to 24 years of age were highest in those whose mothers were born in Scandinavia (75.1), in Hungary (59.3), and in "Other

foreign" countries (56.9); and lowest in those whose mothers were born in Russia (13.4) and in Ireland (35).

At 25 to 34 years they were highest in those whose mothers were born in Scandinavia (66.8), in "Other foreign" countries (58.1), in England and Wales (50.4), and in Bohemia (50.2); and lowest in those whose mothers were born in France (20.2), in Scotland (20.8), and in Italy (23.8).

The following table shows, for the registration area, the proportions of deaths from typhoid fever at each specified age, per 1,000 deaths at known ages from this disease, in 1900 and 1890, by sex:



NUMBER OF DEATHS AT EACH AGE PER 1,000 AT KNOWN AGES.


AGE.	1900		1890	
	Males.	Females.	Males.	Females.
Under 1 year.....	8.0	10.2	12.1	13.5
1 year.....	6.4	11.4	7.5	9.1
2 years.....	7.3	10.9	11.1	10.4
3 years.....	8.6	15.1	8.4	8.3
4 years.....	10.6	10.9	10.2	11.9
Under 5 years.....	40.9	58.5	49.3	53.2
5 to 9 years.....	50.5	67.3	39.5	57.6
10 to 14 years.....	52.0	91.8	57.2	90.6
15 to 19 years.....	112.3	150.6	136.7	178.6
20 to 24 years.....	177.8	156.2	214.2	174.4
25 to 29 years.....	150.9	113.7	153.4	132.7
30 to 34 years.....	114.6	83.8	108.4	74.8
35 to 39 years.....	91.2	68.3	69.7	55.6
40 to 44 years.....	57.7	54.2	45.7	41.5
45 to 49 years.....	46.2	34.5	35.3	33.7
50 to 54 years.....	35.2	30.8	23.8	28.6
55 to 59 years.....	25.5	26.2	18.2	22.8
60 to 64 years.....	19.5	22.3	14.4	15.1
65 to 69 years.....	11.2	18.0	14.0	14.5
70 to 74 years.....	9.1	14.8	9.8	10.6
75 to 79 years.....	3.4	5.1	6.1	9.4
80 to 84 years.....	1.1	2.9	3.1	4.9
85 to 89 years.....	0.9	1.0	0.6	0.8
90 to 94 years.....			0.4	0.3
95 years and over.....			0.2	0.3


THE DEATH
TYPHOID
per 100,000



ATE DUE TO
FEVER
population








CAUSES OF DEATH.

cxlvii

The average age at death from typhoid fever in the registration area in 1900 was 28.8 years. In 1890 it was 27.6 years.

The comparative proportions of deaths from typhoid fever at each age in the registration area, in 1900 and 1890, are shown in the following diagram:



The following table shows, for each grand group in the United States, the proportions of deaths from typhoid fever during the census year, per 1,000 deaths from known causes, in the aggregate, and by sex, for the cities and rural districts:

NUMBER OF DEATHS PER 1,000 DEATHS FROM KNOWN CAUSES.

GRAND GROUP.	Total.	RURAL.		CITIES.	
		Males.	Fe-males.	Males.	Fe-males.
1. North Atlantic Coast region.....	12.6	14.2	9.2	15.3	10.6
2. Middle Atlantic Coast region.....	14.2	25.8	24.9	12.4	10.5
3. South Atlantic Coast region.....	41.8	51.3	47.7	25.9	20.3
4. Gulf Coast region.....	45.2	58.4	64.8	21.6	25.9
5. Northeastern hills and plateaus.....	18.1	19.7	16.4	20.4	15.7
6. Central Appalachian region.....	23.7	27.3	24.1	21.9	16.4
7. Region of the Great Northern Lakes...	19.7	20.6	21.5	20.2	17.7
8. Interior plateau.....	34.4	41.4	39.4	32.2	25.5
9. Southern Central Appalachian region...	63.3	66.3	62.6	44.5	38.7
10. Ohio River belt.....	43.6	52.6	55.1	30.0	28.6
11. Southern Interior plateau.....	76.1	74.0	78.1		
12. South Mississippi River belt.....	47.0	50.7	54.2	26.3	19.2
13. North Mississippi River belt.....	33.3	39.6	42.7	25.2	23.0
14. Southwest Central region.....	69.5	68.4	72.8	38.1	39.3
15. Central region—plains and prairies....	52.1	55.5	56.5	37.1	29.2
16. Prairie region.....	35.7	35.4	36.4	33.2	33.7
17. Missouri River belt.....	37.9	43.8	44.2	31.1	25.3
18. Region of the Western plains.....	43.4	50.1	45.3	28.3	28.5
19. Heavily timbered region of the North-west.....	23.8	23.7	19.2	36.1	26.0
20. Cordilleran region.....	31.8	30.4	37.1	27.6	20.0
21. Pacific Coast region.....	24.1	26.0	33.5	23.2	17.4

The preceding table indicates that the proportions of deaths due to typhoid fever were greatest in the Southern Interior plateau (76.1), the Southwest Central region (69.5), and the Southern Central Appalachian region (63.3), and least in the North Atlantic Coast region (12.6), Middle Atlantic Coast region (14.2), and the Northeastern hills and plateaus (18.1).

The geographical distribution of deaths from typhoid fever, by state groups, is shown by plate No. 14.

The death rates from typhoid fever in the counties in the registration states are shown by plates Nos. 12 and 13.


The following table shows, for the registration states, the death rates from typhoid fever in each month of the census year, in the aggregate, and for the cities and rural districts:

DEATH RATES BY MONTHS.

MONTHS.	Total.	Cities.	Rural
January.....	2.1	2.2	2.1
February.....	1.6	1.6	1.5
March.....	1.7	1.7	1.6
April.....	1.3	1.4	1.2
May.....	1.4	1.3	1.5
June.....	1.1	1.1	1.1
July.....	1.6	1.6	1.5
August.....	2.5	2.6	2.4
September.....	3.3	3.3	3.5
October.....	3.7	3.3	4.2
November.....	2.8	2.8	2.7
December.....	2.3	2.4	2.2

The death rates from typhoid fever in each month in the cities and the rural districts, and the relative differ-

ences in the rates in the two areas are shown in the following diagram:



The preceding table and diagram show that in both cities and rural districts of the registration states the highest death rates from typhoid fever occurred in September and October, and the lowest in June.

The following table shows the comparative proportions of deaths from typhoid fever in each month during the census year, per 1,000 deaths in known months, in the United States, as a whole, and the registration states:

COMPARATIVE PROPORTIONS OF DEATHS IN EACH MONTH.

MONTHS.	United States.	Registration states.
January	67.8	84.4
February	53.0	61.9
March	53.9	66.6
April	52.7	52.6
May	55.6	55.3
June	47.7	44.0
July	78.1	61.9
August	121.9	99.3
September	134.4	131.6
October	142.6	143.5
November	106.3	108.8
December	86.0	90.1

DIARRHEAL DISEASES.

The diseases grouped under this title are cholera infantum, cholera morbus, colitis, diarrhea, dysentery, and enteritis. These diseases are stated separately in the general tables giving details of sex and age in rela-

tion to causes of death. The number of deaths from each, in the United States and the registration area, by sex, was as follows:

DIARRHEAL DISEASES.	UNITED STATES.		REGISTRATION AREA.	
	Males.	Females.	Males.	Females.
Cholera infantum	13,662	11,914	7,381	6,377
Cholera morbus	3,370	3,039	914	879
Colitis	770	651	483	433
Diarrhea	4,272	3,438	1,965	1,712
Dysentery	6,112	5,598	1,497	1,509
Enteritis	10,258	9,399	7,887	7,230

The total number of deaths reported as due to diarrheal diseases, as above, in the United States during the census year was 72,483, of which 38,444 were males and 34,039 were females, and the proportion of deaths from these diseases in 1,000 deaths from all known causes was 72.5. In 1890 the corresponding proportion was 88.8.

In the registration area the number of deaths reported as due to these diseases was 38,267, of which 20,127 were males and 18,140 were females, giving a proportion of 75.3 deaths from these diseases in 1,000 deaths from all known causes, and a death rate of 132.8 per 100,000 of population. In 1890 the death rate was 183.7.

In England and Wales the death rate due to diarrheal diseases was 97.5 per 100,000 of population (males, 105.2; females, 90.4).

CAUSES OF DEATH.

cxlix

The following table shows, for the registration area and its subdivisions, the death rates from diarrheal diseases in the census years 1900 and 1890, by sex, color, general nativity, and parent nativity:

DEATH RATES BY COLOR AND NATIVITY.

AREAS.	Aggre- gate.	WHITE.							COLORED.		
		Total.	Males.	Females.	Native.			Foreign.	Total.	Males.	Females.
					Total.	Both parents native.	One or both parents foreign.				
Registration area.....1900..	132.8	129.5	136.4	122.7	154.2	120.2	206.5	53.2	205.8	217.2	194.7
.....1890..	183.7	180.1	187.2	173.1	219.4	145.9	313.6	72.1	253.8	269.7	238.5
Cities.....1900..	144.6	140.8	149.5	132.2	173.9	144.6	226.6	52.9	211.9	225.1	199.1
.....1890..	206.4	202.6	211.1	194.2	258.8	181.8	350.7	73.3	268.3	286.9	250.5
States.....1900..	132.3	131.1	138.3	123.9	157.8	114.4	220.2	52.1	189.7	193.6	185.9
.....1890..	178.7	177.6	184.6	170.9	213.5	144.4	327.4	73.9	225.3	234.4	216.7
Cities.....1900..	156.6	155.2	166.8	144.1	203.5	144.3	253.2	51.0	210.7	219.9	202.1
.....1890..	222.8	221.3	231.9	211.2	290.5	194.9	385.6	76.8	279.5	299.8	261.4
Rural.....1900..	97.2	96.7	99.3	94.1	104.8	92.0	142.8	54.9	131.2	125.7	137.2
.....1890..	111.4	111.6	115.2	107.9	120.2	105.8	169.8	64.9	99.8	96.4	103.5
Cities in other states.....1900..	133.7	127.0	133.3	120.6	148.4	148.9	151.6	55.3	212.2	226.6	198.3
.....1890..	191.3	184.2	191.3	176.9	229.3	153.5	270.3	69.4	265.2	283.5	247.4

This table shows that the death rate from diarrheal diseases was highest in the cities in the registration states (156.6), and lowest in the rural districts of the same states (97.2). It was much higher for the colored (205.8) than the white (129.5), and was also much higher for the native white of foreign parents (206.5) than for those of native parents (120.2). By sex, the death rate from these diseases was higher among the males (white, 136.4; colored, 217.2) than among the females (white, 122.7; colored, 194.7). The low death rate of foreign whites for these diseases

(53.2) is due to the small proportion of children in this class.

In comparison with 1890, the figures show that there was a great decrease in the death rates from diarrheal diseases in all areas, and for all classes, the greatest decrease being in the cities in the registration states, where it reached about 30 per cent.

The following table shows, for the registration states, in the aggregate, and for the cities and rural districts, the death rates from diarrheal diseases in the census year, per 100,000 of population, in comparison with 1890:

DEATH RATES IN CITIES AND RURAL DISTRICTS.

REGISTRATION STATES.	AGGREGATE.			MALES.			FEMALES.		
	Total.	Cities.	Rural.	Total.	Cities.	Rural.	Total.	Cities.	Rural.
Total.....1900..	132.3	156.7	97.2	139.3	168.2	99.7	125.1	145.6	94.6
.....1890..	178.7	222.8	111.4	185.7	233.6	114.9	171.9	212.6	107.8
Connecticut.....1900..	140.0	145.5	129.8	139.8	144.8	130.6	140.2	146.2	129.3
.....1890..	153.8	181.7	134.0	173.7	207.5	150.1	134.3	156.9	118.0
District of Columbia.....1900..	175.5	175.5		176.5	176.5		174.5	174.5	
.....1890..	257.0	257.0		268.3	268.3		246.7	246.7	
Maine ¹ 1900..	114.0	129.2	110.7	121.6	145.1	117.2	105.9	114.6	104.0
Massachusetts.....1900..	139.0	154.3	90.1	149.9	168.4	92.8	128.6	141.2	87.4
.....1890..	166.6	186.7	100.9	169.6	191.8	98.8	163.8	182.0	103.0
Michigan ¹ 1900..	103.9	117.6	98.3	109.8	131.8	101.2	97.8	103.8	95.0
New Hampshire.....1900..	122.6	167.9	94.1	117.8	173.0	85.2	127.6	163.4	103.5
.....1890..	150.6	211.8	125.2	160.8	264.8	120.5	140.6	164.4	130.0
New Jersey.....1900..	133.1	146.6	115.4	140.5	156.2	120.1	125.8	137.1	110.6
.....1890..	174.5	216.9	119.2	175.4	225.3	111.2	173.7	208.7	127.2
New York.....1900..	138.3	164.3	84.2	146.5	176.2	86.7	130.0	152.8	81.5
.....1890..	189.2	244.3	100.0	197.3	256.3	104.9	181.2	232.8	95.0
Rhode Island.....1900..	185.1	191.7	172.0	195.8	210.2	168.4	174.8	174.2	175.7
.....1890..	206.7	212.4	198.7	216.0	217.0	214.8	197.8	208.3	182.8
Vermont.....1900..	73.4	122.2	65.6	78.8	164.2	66.2	67.7	83.0	65.1
.....1890..	99.6	169.6	93.1	109.3	162.4	104.6	89.5	176.3	80.9

¹ Nonregistration in 1890.

VITAL STATISTICS.

This table shows that the death rate from diarrheal diseases in the registration states was highest in Rhode Island (aggregate, 185.1; cities, 191.7; rural districts, 172). The lowest rate was in the rural districts in Vermont (65.6).

The death rate of males (139.3) was higher than that of females (125.1). The rates of the males were higher in all of the states except Connecticut and New Hampshire, in which states the death rates of females from these diseases exceeded those of males.

The following table shows, for the registration area and its subdivisions, the death rates from diarrheal diseases among the whites during the census year, per 100,000 of white population, by birthplaces of mothers:

DEATH RATES BY BIRTHPLACES OF MOTHERS.

BIRTHPLACES OF MOTHERS.	REGISTRATION RECORD.					
	Total.	Cities.	States.			Cities in other states.
			Total.	Cities.	Rural.	
United States.....	120.3	143.6	118.6	151.3	91.4	128.3
Ireland.....	113.7	122.2	116.7	127.3	79.5	90.3
Germany.....	104.4	109.1	110.0	119.1	82.7	91.1
England and Wales.....	84.7	91.8	87.6	98.8	66.5	70.8
Canada.....	166.5	191.9	173.8	207.9	130.6	53.4

DEATH RATES BY BIRTHPLACES OF MOTHERS—Continued.

BIRTHPLACES OF MOTHERS.	REGISTRATION RECORD.					
	Total.	Cities.	States.			Cities in other states.
			Total.	Cities.	Rural.	
Scandinavia.....	107.2	110.9	127.3	145.1	94.6	72.2
Scotland.....	80.3	82.8	80.9	84.5	73.7	76.6
Italy.....	240.5	260.9	242.9	266.2	123.8	213.7
France.....	134.8	147.3	152.3	178.5	89.1	87.9
Hungary and Bohemia.....	153.4	155.6	159.7	164.3	132.9	142.0
Russia and Poland.....	167.8	172.7	146.1	149.3	121.8	264.1
Other foreign.....	205.7	224.8	211.2	237.7	146.8	174.9

The preceding table shows that the death rates due to diarrheal diseases in the registration area were highest among the children of mothers born in Italy (240.5), in "Other foreign" countries (205.7), and in Russia and Poland (167.8), and lowest among those whose mothers were born in Scotland (80.3), in England and Wales (84.7), and in Germany (104.4).

The following table shows, for the registration area and its subdivisions, the death rates from diarrheal diseases during the census year in each of six age groups, per 100,000 population of corresponding ages, in comparison with 1890, by sex:

DEATH RATES AT CERTAIN AGES.

REGISTRATION AREAS.	UNDER 1.		UNDER 5.		5 TO 14.		15 TO 44.		45 TO 64.		65 AND OVER.	
	1900	1890	1900	1890	1900	1890	1900	1890	1900	1890	1900	1890
Total.....	3,706.5	5,279.9	1,018.7	1,428.4	13.5	20.1	12.8	20.9	48.6	70.8	274.5	294.3
Males.....	4,015.4	5,560.7	1,097.8	1,506.9	14.3	20.0	12.2	19.7	47.6	69.2	250.4	269.4
Females.....	3,392.0	4,991.5	938.6	1,348.4	12.7	20.3	13.4	22.0	49.6	72.4	296.1	316.5
Cities.....	4,047.8	5,798.1	1,113.1	1,585.4	14.3	20.7	14.0	23.1	56.8	82.0	309.2	347.2
Males.....	4,393.5	6,101.1	1,201.2	1,669.4	14.8	20.1	13.5	22.2	55.5	81.4	286.1	319.2
Females.....	3,696.4	5,487.3	1,024.1	1,499.9	13.8	21.4	14.5	24.0	58.0	82.5	328.1	370.0
States.....	3,833.9	5,589.5	1,022.6	1,459.7	13.2	19.2	9.7	17.3	38.9	60.7	260.3	274.5
Males.....	4,176.4	5,879.2	1,107.7	1,540.6	14.2	19.5	8.5	15.6	36.7	54.3	232.4	242.9
Females.....	3,486.0	5,291.9	936.4	1,377.4	12.2	18.9	10.9	18.8	41.2	66.9	285.7	303.2
Cities.....	4,595.9	6,866.2	1,218.0	1,816.6	14.7	19.8	10.4	19.8	47.3	74.7	310.5	346.4
Males.....	5,034.1	7,210.2	1,325.3	1,912.3	15.3	19.4	9.1	18.5	43.4	66.8	277.6	296.6
Females.....	4,152.0	6,514.0	1,109.7	1,719.9	14.1	20.3	11.7	21.0	51.0	82.1	336.0	385.4
Rural.....	2,576.6	3,210.3	713.7	847.6	11.0	18.3	8.6	12.8	29.3	43.5	223.5	222.0
Males.....	2,766.3	3,410.7	765.2	908.8	12.6	19.7	7.6	10.8	29.4	39.2	203.7	208.4
Females.....	2,383.0	3,003.1	661.3	784.6	9.3	16.8	9.6	14.8	29.2	47.7	243.7	235.6
Cities in other states.....	3,503.0	4,863.8	1,012.5	1,385.6	13.9	21.5	17.2	26.1	65.8	89.6	308.0	348.1
Males.....	3,759.0	5,132.6	1,082.2	1,460.9	14.4	20.7	17.4	25.4	66.5	95.8	294.1	343.9
Females.....	3,241.6	4,587.7	941.9	1,308.6	13.4	22.3	17.0	26.8	65.0	83.0	319.8	351.6

It will be seen from the preceding table that the greatest mortality from diarrheal diseases occurred in infants under 1 year of age, the decrease being 3,706.5 per 100,000 of population at this age. For children under 5 years of age the death rate was 1,018.7; at 5 to 14, it was 13.5; at 15 to 44, it was 12.8; at 45 to 64, it was 48.6 and at 65 years of age and over it was 274.5. Below 15 years of age the death rates of males from these diseases exceeded those of females, but in the age groups above 15 years of age the death rates of females were higher than those of males.

In England and Wales the death rate from these diseases in children under 5 years of age, during the year 1899, was 1,128.5.

The highest death rate from these diseases occurred in the cities in the registration states. In this area the death rate for infants under 1 year of age was 4,595.9, and for children under 5 it was 1,218. In the age groups 15 to 44 and 45 to 64 the death rates from these diseases were higher in the cities in the nonregistration states than in the cities in the registration states.

In comparison with 1890 the figures show a great decrease in the death rates from these diseases, that for infants under 1 year of age declining from 5,279.9 to 3,706.5. For those under 5 years of age the decrease was less marked, the rate being 1,428.4 in 1890 and 1,018.7 in 1900.

The combined relations of age and race to the death rates from diarrheal diseases are indicated, for the registration area, in the following table, giving the death rates during the census year in each of six age groups, per 100,000 population of corresponding ages, by color and birthplaces of mothers:

DEATH RATES BY AGE, COLOR, AND BIRTHPLACES OF MOTHERS.

COLOR AND BIRTHPLACES OF MOTHERS.	Under 1.	Under 5.	5 to 14	15 to 44.	45 to 64.	65 and over.
White	3,613.0	987.1	12.8	11.7	45.8	271.9
Colored.....	6,311.6	1,895.4	31.3	32.9	117.7	370.7
Mothers born in—						
United States.....	3,059.2	837.5	12.0	7.5	24.3	182.3
Ireland.....	4,083.4	1,105.2	16.1	16.7	85.5	414.4
Germany.....	4,453.8	1,091.3	11.9	10.1	35.0	289.8
England and Wales ...	3,378.7	852.2	13.7	9.3	37.1	255.8
Canada.....	5,550.0	1,387.9	10.8	8.5	27.6	184.2
Scandinavia.....	2,703.3	734.2	9.8	8.3	36.5	247.9
Scotland.....	2,642.9	678.4	19.7	7.5	37.7	403.2
Italy.....	4,154.9	1,360.5	31.3	9.5	53.1	227.4
France.....	9,567.2	2,180.8		20.2	49.9	221.5
Hungary.....	3,102.9	918.5	8.2	4.5	56.9	187.3
Bohemia.....	3,865.2	1,015.7	5.1	7.3	31.2	151.4
Russia.....	3,303.0	906.5	4.1	7.4	38.0	311.7
Poland.....	2,994.6	942.8	6.9	1.8	34.6	81.1
Other foreign.....	5,127.1	1,476.4	12.3	11.6	31.4	290.3

The preceding table shows that the death rates due to diarrheal diseases in white infants under 1 year of age were highest in those whose mothers were born in France (9,567.2), in Canada (5,550), and in "Other foreign" countries (5,127.1), and lowest in those whose mothers were born in Scandinavia (2,703.3), in Scotland (2,642.9), in Poland (2,994.6), and in the United States (3,059.2).

At 65 years of age and over the death rates from these diseases were highest for those whose mothers were born in Ireland (414.4), in Scotland (403.2), and in Russia (311.7), and lowest for those whose mothers were born in Poland (81.1), in Bohemia (151.4), and in the United States (182.3).

The following table shows, for the registration area, the proportions of deaths from diarrheal diseases at each specified age, per 1,000 deaths at known ages from these diseases, in 1900 and 1890, by sex:

NUMBER OF DEATHS AT EACH AGE PER 1,000 AT KNOWN AGES.


AGE.	1900		1890	
	Males.	Females.	Males.	Females.
Under 1 year.....	623.1	573.4	635.8	598.9
1 year.....	135.5	135.2	136.8	134.7
2 years.....	31.5	31.1	25.1	24.1
3 years.....	12.4	11.7	10.9	8.7
4 years.....	7.4	6.8	7.3	4.8
Under 5 years.....	809.9	758.2	815.9	771.2
5 to 9 years.....	14.0	13.4	14.5	15.4
10 to 14 years.....	5.5	5.8	5.5	6.5
15 to 19 years.....	4.7	5.1	5.7	7.5
20 to 24 years.....	7.5	7.9	8.5	12.2
25 to 29 years.....	7.8	10.2	11.1	11.8
30 to 34 years.....	7.3	10.4	7.8	10.8
35 to 39 years.....	8.5	10.7	10.2	11.4
40 to 44 years.....	8.9	10.4	9.9	10.8
45 to 49 years.....	10.5	11.7	12.3	11.9
50 to 54 years.....	11.9	12.8	12.4	13.1
55 to 59 years.....	13.1	14.7	14.0	15.0
60 to 64 years.....	16.1	19.3	14.4	20.4
65 to 69 years.....	18.7	26.8	16.2	19.6
70 to 74 years.....	18.9	26.4	14.7	19.0
75 to 79 years.....	16.4	24.8	12.7	17.9
80 to 84 years.....	12.0	17.9	8.5	14.6
85 to 89 years.....	6.2	9.7	4.9	7.7
90 to 94 years.....	1.3	2.9	0.4	2.4
95 years and over.....	0.8	0.9	0.4	0.8

This table shows that in both census years more than 80 per cent of the deaths of males and more than 75 per cent of the deaths of females from these diseases in the registration area occurred in children under 5 years of age.

The average age at death from these diseases in the registration area in 1900 was 12.3 years. In 1890 it was 11 years.

VITAL STATISTICS.

The comparative proportions of deaths from diarrheal diseases (excluding cholera infantum) at each age in the registration area in 1900 and 1890 are shown in the following diagram:



The following table shows, for each grand group in the United States, the proportions of deaths from diarrheal diseases during the census year, per 1,000 deaths from known causes, in the aggregate, and by sex for the cities and rural districts:

NUMBER OF DEATHS PER 1,000 DEATHS FROM KNOWN CAUSES.

GRAND GROUP.	Total.	RURAL.		CITIES.	
		Males.	Fe-males.	Males.	Fe-males.
1. North Atlantic Coast region	79.1	62.3	62.9	89.1	83.3
2. Middle Atlantic Coast region	86.6	79.4	82.2	87.2	89.1
3. South Atlantic Coast region	80.9	82.3	70.5	90.3	94.1
4. Gulf Coast region	89.9	92.3	86.8	85.6	95.6
5. Northeastern hills and plateaus	69.9	60.3	59.6	91.9	84.9
6. Central Appalachian region	67.0	63.2	65.8	69.6	75.6
7. Region of the Great Northern Lakes...	80.6	66.1	72.8	85.1	87.9
8. Interior plateau	61.8	57.7	57.4	64.1	66.9
9. Southern Central Appalachian region .	79.7	79.4	74.8	124.8	124.2
10. Ohio River belt	60.7	62.6	58.4	61.1	61.3
11. Southern Interior plateau	75.8	80.2	71.7		
12. South Mississippi River belt.....	65.6	61.6	58.8	88.1	92.1
13. North Mississippi River belt.....	59.9	61.8	60.5	56.5	61.3
14. Southwest Central region	88.7	90.7	83.4	130.7	134.0
15. Central region—plains and prairies....	62.6	64.7	58.7	65.5	66.5
16. Prairie region	64.7	64.4	64.4	62.8	73.4
17. Missouri River belt.....	67.1	64.4	67.1	65.2	74.3
18. Region of the Western plains	79.4	85.7	94.6	41.2	51.7
19. Heavily timbered region of the North-west	65.8	65.1	66.5	62.1	70.6
20. Cordilleran region	50.8	43.9	59.4	48.9	74.0
21. Pacific Coast region	41.3	38.9	44.9	40.8	42.6


This table indicates that the proportions of deaths due to diarrheal diseases were greatest in the Gulf Coast region (89.9), the Southwest Central region (88.7), and the Middle Atlantic Coast region (86.6), and least in the Pacific Coast region (41.3), the Cordilleran region (50.8), and the North Mississippi River belt (59.9).

The geographical distribution of deaths from diarrheal diseases, by state groups, is shown by plate No. 15.

The following table shows, for the registration states, the death rates from diarrheal diseases in each month of the census year, in the aggregate, and for the cities and rural districts:



DEATH RATES BY MONTHS.

MONTHS.	Total.	Cities.	Rural.
January	3.1	3.5	2.5
February	2.8	3.2	2.3
March	3.3	3.8	2.6
April	3.3	3.8	2.6
May	3.7	4.2	3.0
June	11.1	15.9	4.2
July	36.5	49.8	17.4
August	32.7	36.2	27.7
September.....	21.2	20.4	22.2
October.....	7.9	8.1	7.5
November.....	3.7	4.3	2.9
December	3.0	3.4	2.3



The death rates from diarrheal diseases in each month in the cities and the rural districts and the relative

differences in the rates in the two areas are shown in the following diagram:



The preceding table and diagram show that in both cities and rural districts of the registration states the highest death rates from diarrheal diseases occurred in July, August, and September, and the lowest rates in December and February.

The following table shows the comparative proportions of deaths from diarrheal diseases in each month during the census year, per 1,000 deaths in known months, in the United States, as a whole, and the registration states:

COMPARATIVE PROPORTIONS OF DEATHS IN EACH MONTH.

MONTHS.	United States.	Registration states.
January	30.1	23.3
February	27.5	21.4
March	30.2	24.9
April	33.5	24.9
May	62.2	28.2
June	103.0	88.7

COMPARATIVE PROPORTION OF DEATHS IN EACH MONTH—CON.

MONTHS.	United States.	Registration states.
July	214.8	276.2
August	212.0	247.4
September	143.6	159.8
October	73.6	59.7
November	40.1	28.2
December	29.4	22.3

CEREBRO-SPINAL FEVER.

The total number of deaths reported as due to cerebro-spinal fever in the United States during the census year was 4,174, of which 2,322 were males and 1,852 were females, and the proportion of deaths from this disease in 1,000 deaths from all known causes was 4.2. In 1890 the corresponding proportion was 4.

In the registration area the number of deaths reported as due to this disease was 2,039, of which

VITAL STATISTICS.

1,127 were males and 912 were females, giving a proportion of 4 deaths from this disease in 1,000 deaths from all known causes, and a death rate of 7.1 per 100,000 of population. In 1890 the death rate was 6.3.

The following table shows, for the registration states, in the aggregate, and for the cities and rural districts, the death rates from cerebro-spinal fever in the census year, per 100,000 of population, in comparison with 1890:

DEATH RATES IN CITIES AND RURAL DISTRICTS.

REGISTRATION STATES.		AGGREGATE.			MALES.			FEMALES.		
		Total.	Cities.	Rural.	Total.	Cities.	Rural.	Total.	Cities.	Rural.
Total	1900	8.0	8.4	7.4	9.0	9.6	8.1	7.0	7.2	6.7
	1890	5.8	6.3	5.0	6.2	6.9	5.2	5.3	5.7	4.8
Connecticut	1900	7.4	8.5	5.3	7.3	7.9	6.2	7.5	9.1	4.4
	1890	7.0	5.5	8.0	4.9	3.9	5.5	9.0	7.0	10.5
District of Columbia	1900	8.6	8.6		9.8	9.8		7.5	7.5	
	1890	9.1	9.1		9.1	9.1		9.1	9.1	
Maine ¹	1900	6.3	5.9	6.4	7.1	8.9	6.8	5.5	3.2	6.0
Massachusetts	1900	7.5	8.0	5.9	9.1	10.1	6.3	6.0	6.1	5.6
	1890	4.9	3.9	8.0	5.3	4.3	8.5	4.4	3.5	7.6
Michigan ¹	1900	12.2	11.5	12.4	14.0	13.9	14.0	10.1	9.1	10.6
New Hampshire	1900	9.5	10.7	8.7	10.7	13.1	9.3	8.2	8.5	8.1
	1890	8.2	6.3	9.0	7.0	1.9	8.9	9.5	10.3	9.1
New Jersey	1900	7.5	9.2	5.4	8.6	10.9	5.6	6.5	7.4	5.2
	1890	6.5	7.9	4.6	8.9	10.4	7.0	4.1	5.6	2.3
New York	1900	7.1	7.9	5.5	7.7	8.8	5.5	6.5	7.0	5.4
	1890	5.7	7.0	3.6	6.0	7.4	3.8	5.4	6.6	3.4
Rhode Island	1900	7.9	7.4	8.9	7.6	7.3	8.2	8.3	7.6	9.7
	1890	4.1	3.5	4.8	4.8	4.2	5.5	3.4	2.9	4.1
Vermont	1900	5.5	12.9	4.4	6.3	4.4	6.6	4.7	20.8	2.1
	1890	3.9	10.6	3.3	3.0	14.8	1.9	4.9	6.8	4.7

¹ Nonregistration in 1890.

It will be seen from this table that the death rate from cerebro-spinal fever in the registration states was highest in Michigan in the aggregate (12.2), and also in the rural districts (12.4). In the cities the rate from this disease was highest in Vermont (12.9). There was but little difference in the rates in the cities and rural districts.

The following table shows, for the registration area and its subdivisions, the death rates from cerebro-spinal fever among the whites during the census year, per 100,000 of white population, by birthplaces of mothers:

DEATH RATES BY BIRTHPLACES OF MOTHERS.

BIRTHPLACES OF MOTHERS.	REGISTRATION RECORD.					
	Total.	Cities.	States.			Cities in other states.
			Total.	Cities.	Rural.	
United States	8.6	9.4	8.7	9.9	7.7	8.3
Ireland	5.7	6.4	6.0	6.9	3.1	3.5
Germany	3.9	3.8	4.3	4.1	4.7	3.1
England and Wales	5.2	4.6	5.8	5.2	6.8	2.5
Canada	9.4	9.3	9.6	9.6	9.5	6.2
Scandinavia	8.4	6.1	9.3	5.4	16.2	6.7
Scotland	7.2	8.4	8.1	10.0	3.9	2.4

DEATH RATES BY BIRTHPLACES OF MOTHERS—Continued.

BIRTHPLACES OF MOTHERS.	REGISTRATION RECORD.					
	Total.	Cities.	States.			Cities in other states.
			Total.	Cities.	Rural.	
Italy	11.2	12.1	11.8	13.0	5.8	4.9
France	5.0	6.4	4.1	5.8		7.3
Hungary and Bohemia	4.9	4.3	6.1	5.3	10.6	2.8
Russia and Poland	7.6	7.8	8.1	8.5	5.5	5.1
Other foreign	9.9	8.5	10.7	9.2	14.4	5.8

This table shows that the death rates due to cerebro-spinal fever in the registration area were highest among those whose mothers were born in Italy (11.2), in "Other foreign" countries (9.9), and in Canada (9.4), and lowest among those whose mothers were born in Germany (3.9), in Hungary and Bohemia (4.9), and in England and Wales (5.2).

The following table shows, for the registration area and its subdivisions, the death rates from cerebro-spinal fever during the census year in each of four age groups, per 100,000 population of corresponding ages, in comparison with 1890, by sex:

CAUSES OF DEATH.

clv

DEATH RATES AT CERTAIN AGES.

REGISTRATION AREAS.	UNDER 1.		UNDER 5.		5 TO 14.		15 AND OVER.	
	1900	1890	1900	1890	1900	1890	1900	1890
Total	84.8	79.7	39.3	37.4	7.4	6.1	2.3	1.9
Males.....	95.3	94.1	44.3	41.7	7.7	6.0	2.6	1.9
Females.....	74.1	64.9	34.3	33.1	7.1	6.2	2.1	1.9
Cities.....	84.1	83.0	38.7	39.6	7.3	6.6	2.2	1.9
Males.....	92.4	94.3	42.6	44.9	7.8	6.3	2.5	1.8
Females.....	75.7	71.5	34.7	34.2	6.8	6.9	1.9	1.9
States	102.6	72.4	46.7	35.2	7.9	5.1	2.4	2.0
Males.....	117.5	89.8	53.8	39.2	7.9	5.4	2.7	1.8
Females.....	87.5	54.5	39.4	31.0	7.8	4.8	2.1	2.1
Cities.....	112.0	75.6	49.9	38.4	7.9	5.5	2.2	1.9
Males.....	125.2	87.9	56.4	44.6	8.4	5.6	2.7	1.7
Females.....	98.7	63.0	43.4	32.2	7.5	5.4	1.8	2.2
Rural.....	87.2	66.3	41.5	29.6	7.8	4.5	2.6	2.0
Males.....	105.0	93.2	49.8	30.1	7.3	5.1	2.6	2.0
Females.....	69.1	38.5	33.0	29.0	8.3	3.9	2.6	2.0
Cities in other states	56.3	89.5	27.9	40.5	6.7	7.5	2.2	1.8
Males.....	59.9	99.8	29.5	45.1	7.3	6.9	2.4	2.0
Females.....	52.7	78.9	26.3	35.9	6.1	8.1	2.1	1.6

The preceding table shows that the highest death rate from this disease occurred in infants under 1 year of age, and that the death rate above 5 years of age was very low. The death rate for those under 1 year of age was highest in the cities in the registration states (112), being 125.2 for males and 98.7 for females. The death rate at this age in the cities in the nonregistration states (56.3) was only half as high as that in the cities in the registration states, and it was also less than the rate in the rural districts of the registration states (87.2).

In comparison with 1890 the figures show an increase in the death rates from cerebro-spinal fever at all ages in both the cities and the rural districts in the registration states, while the rates from this disease in the cities in the nonregistration states show a decrease at each age except for those 15 years of age and over, where the increase was insignificant.

The combined relations of age and race to the death rates from cerebro-spinal fever are indicated, for the registration area, in the following table, giving the death rates during the census year in each of four age groups, per 100,000 population of corresponding ages, by color and birthplaces of mothers:

DEATH RATES BY AGE, COLOR, AND BIRTHPLACES OF MOTHERS.

COLOR AND BIRTHPLACES OF MOTHERS.	Under 1.	Under 5.	5 to 14.	15 and over.
White	84.3	39.3	7.0	2.3
Colored.....	98.1	42.0	16.6	2.8
Mothers born in—				
United States.....	102.5	45.7	6.9	2.5
Ireland.....	110.2	54.9	9.4	1.7
Germany.....	68.6	30.4	3.3	1.6
England and Wales.....	77.0	33.7	7.6	2.5
Canada.....	108.8	57.1	6.6	2.5

DEATH RATES BY AGE, COLOR, AND BIRTHPLACES OF MOTHERS—Con.

COLOR AND BIRTHPLACES OF MOTHERS.	Under 1.	Under 5.	5 to 14.	15 and over.
Mothers born in—Continued.				
Scandinavia.....	102.8	39.0	9.8	2.1
Scotland.....	92.2	37.0	8.5	4.9
Italy.....	101.5	45.0	17.7	0.3
France.....	227.8	67.4	9.6	1.2
Hungary.....	42.8	25.5	8.2	1.3
Bohemia.....		9.3		1.9
Russia.....	110.3	49.0	10.3	2.5
Poland.....	21.5	11.2	1.1	
Other foreign.....	61.3	38.0	15.2	3.4

It will be seen from the preceding table that the death rates from cerebro-spinal fever in white infants under 1 year of age were highest in those whose mothers were born in France (227.8), in Russia (110.3), and in Ireland (110.2), and lowest in those whose mothers were born in Poland (21.5), in Hungary (42.8), and in "Other foreign" countries (61.3).

The following table shows, for the registration area, the proportions of deaths from cerebro-spinal fever at each specified age, per 1,000 deaths at known ages from this disease, in 1900 and 1890, by sex:

NUMBER OF DEATHS AT EACH AGE PER 1,000 AT KNOWN AGES.

AGE.	1900		1890	
	Males.	Females.	Males.	Females.
Under 1 year.....	268.8	249.2	303.6	234.4
1 year.....	155.4	122.9	170.7	138.9
2 years.....	72.8	79.0	75.5	83.3
3 years.....	57.7	63.7	51.4	67.7
4 years.....	33.7	36.2	36.3	45.1
Under 5 years.....	583.4	551.0	637.5	569.4
5 to 9 years.....	119.9	125.1	114.8	133.0
10 to 14 years.....	66.6	88.9	54.4	66.0
15 to 19 years.....	55.1	60.4	57.4	46.9


VITAL STATISTICS.

NUMBER OF DEATHS AT EACH AGE PER 1,000 AT KNOWN AGES.—Continued.

AGE.	1900		1890		AGE.	1900		1890	
	Males.	Females.	Males.	Females.		Males.	Females.	Males.	Males.
20 to 24 years.....	39.9	29.6	19.6	39.9	85 to 89 years.....				
25 to 29 years.....	32.0	30.7	22.7	31.7	90 to 94 years.....		1.1		
30 to 34 years.....	16.0	22.0	15.1	26.0	95 years and over.....				
35 to 39 years.....	21.3	19.8	13.6	20.8					
40 to 44 years.....	16.0	22.0	12.1	12.2					
45 to 49 years.....	16.9	20.8	15.1	12.2					
50 to 54 years.....	8.9	5.5	9.1	6.9					
55 to 59 years.....	8.0	7.7	10.6	5.2					
60 to 64 years.....	5.3	4.4	6.0	1.8					
65 to 69 years.....	4.4	2.2	3.0	10.4					
70 to 74 years.....	3.6	4.4	3.0	3.5					
75 to 79 years.....	1.8	3.3	3.0	10.4					
80 to 84 years.....	0.9	1.1	3.0						

The average age at death from this disease in the registration area in 1900 was 10.4 years. In 1890 it was 9.8 years.

The comparative proportions of deaths from cerebro-spinal fever at each age in the registration area in 1900 and 1890 are shown in the following diagram:



The following table shows, for each grand group in the United States, the proportions of deaths from cerebro-spinal fever during the census year, to 1,000 deaths from known causes, in the aggregate, and by sex, for the cities and rural districts:

NUMBER OF DEATHS PER 1,000 DEATHS FROM KNOWN CAUSES.

GRAND GROUP.	Total.	RURAL.		CITIES.	
		Males.	Fe-males.	Males.	Fe-males.
1. North Atlantic Coast region	4.1	3.2	3.6	4.8	3.9
2. Middle Atlantic Coast region	3.9	3.4	3.4	4.5	3.6
3. South Atlantic Coast region	2.5	1.9	2.6	1.7	4.3
4. Gulf Coast region	3.4	2.7	1.7	4.8	5.3
5. Northeastern hills and plateaus.....	4.8	5.1	3.9	6.1	4.6
6. Central Appalachian region	4.2	4.4	3.5	4.9	4.3
7. Region of the Great Northern Lakes...	3.8	6.4	5.8	2.9	2.3
8. Interior plateau.....	2.7	2.9	3.0	2.5	2.5
9. Southern Central Appalachian region ..	3.5	4.1	3.3		0.9
10. Ohio River belt	5.4	5.6	5.8	4.9	5.0
11. Southern Interior plateau.....	1.8	2.2	1.4		
12. South Mississippi River belt.....	3.6	4.6	2.7	1.8	4.6
13. North Mississippi River belt	5.4	4.4	7.8	3.7	6.3
14. Southwest Central region	6.6	7.4	6.0	3.6	3.7
15. Central region—plains and prairies ..	5.0	6.4	4.0	3.4	3.5
16. Prairie region.....	4.6	4.4	4.8	6.0	4.7
17. Missouri River belt	4.9	5.8	3.9	5.6	4.0
18. Region of the Western plains	4.7	4.9	6.7	1.1	2.3
19. Heavily timbered region of the North-west.....	5.5	6.7	4.7	3.7	5.6
20. Cordilleran region	6.1	5.5	7.0	5.6	7.6
21. Pacific Coast region	4.5	4.5	5.4	3.4	5.5


This table indicates that the proportions of deaths caused by cerebro-spinal fever were greatest in the Southwest Central region (6.6), the Cordilleran region (6.1), and the heavily timbered region of the Northwest (5.5), and least in the Southern Interior plateau (1.8), the South Atlantic Coast region (2.5), and the Interior plateau (2.7).

The following table shows, for the registration states, the death rates from cerebrospinal fever in each months, of the census year, in the aggregate, and for the cities and rural districts:

DEATH RATES BY MONTHS.

MONTHS.	Total.	Cities.	Rural.
January	0.5	0.4	0.6
February.....	0.5	0.5	0.5
March.....	0.7	0.8	0.5
April.....	0.6	0.7	0.5
May.....	0.7	0.7	0.6
June.....	1.0	1.1	1.0
July.....	0.9	1.1	0.7
August.....	0.8	0.8	0.7
September.....	0.7	0.7	0.7
October.....	0.6	0.6	0.6
November.....	0.5	0.6	0.5
December.....	0.5	0.4	0.5

The death rates from cerebro-spinal fever in each month in the cities and the rural districts, and the relative differences in the rates in the two areas, are shown in the following diagram:



The following table shows the comparative proportions of deaths from cerebro-spinal fever in each month during the census year, per 1,000 deaths in known months, in the United States, as a whole, and in the registration states:

COMPARATIVE PROPORTIONS OF DEATHS IN EACH MONTH.

MONTHS.	United States.	Registration states.
January	75.6	65.4
February	72.0	64.0
March	89.7	88.4
April	87.8	79.8
May	88.3	83.4
June	119.5	125.8
July	104.8	116.5
August	94.3	99.2
September	80.9	85.6
October	71.7	69.0
November	59.0	66.1
December	56.4	56.8

SMALLPOX.

The total number of deaths reported as due to smallpox in the United States during the census year was 3,484, of which 2,116 were males and 1,368 were females,

and the ratio of deaths from this disease per 1,000 deaths from all known causes was 3.5. In 1890 the number of deaths from this disease was 398 and the ratio was 0.5 to 1,000 deaths from all known causes.

In the registration area the number of deaths reported as due to this disease was 593, of which 363 were males and 230 were females, giving a death rate of 1.2 per 100,000 of population. In 1890 the number of deaths from this disease in the registration area was only 38.

These numbers are too small to afford rates of any value.

ERYSIPELAS.

The total number of deaths reported as due to erysipelas in the United States during the census year was 2,861, of which 1,582 were males and 1,279 were females.

In the registration area the number of deaths reported as due to this disease was 1,476, of which 847 were males and 629 were females, giving a death rate of 5.1 per 100,000 of population. In 1890 the death rate was 5.4.

The following table shows, for the registration states, in the aggregate, and for the cities and rural districts, the death rates from erysipelas in the census year, per 100,000 of population, in comparison with 1890:

VITAL STATISTICS.

DEATH RATES IN CITIES AND RURAL DISTRICTS.

REGISTRATION STATES.	AGGREGATE.			MALES.			FEMALES.		
	Total.	Cities.	Rural.	Total.	Cities.	Rural.	Total.	Cities.	Rural.
Total.....1900..	5.5	6.3	4.2	6.2	7.2	4.8	4.7	5.5	3.5
.....1890..	5.4	6.1	4.3	5.7	6.7	4.2	5.1	5.6	4.4
Connecticut.....1900..	5.0	5.3	4.4	5.7	6.8	3.7	4.2	3.7	5.1
.....1890..	4.6	7.1	2.8	4.9	8.5	2.3	4.3	5.7	3.2
District of Columbia.....1900..	2.5	2.5	-----	2.3	2.3	-----	2.7	2.7	-----
.....1890..	3.0	3.0	-----	4.6	4.6	-----	1.7	1.7	-----
Maine ¹ 1900..	3.7	3.4	3.8	4.6	5.3	4.4	2.9	1.6	3.2
Massachusetts.....1900..	5.6	6.0	4.3	5.9	6.1	5.1	5.3	5.8	3.5
.....1890..	4.2	4.0	5.2	4.5	4.8	3.5	4.0	3.2	6.8
Michigan ¹ 1900..	5.1	6.6	4.4	6.4	8.8	5.5	3.7	4.4	3.3
New Hampshire.....1900..	2.7	1.9	3.2	1.9	-----	3.1	3.4	3.6	3.2
.....1890..	4.3	2.7	4.9	5.9	3.8	6.7	2.6	1.7	3.0
New Jersey.....1900..	6.4	7.3	5.3	7.2	8.1	6.1	5.6	6.5	4.5
.....1890..	5.5	6.0	5.0	6.1	6.2	6.0	5.0	5.8	3.9
New York.....1900..	5.9	6.9	3.7	6.9	8.1	4.4	4.8	5.7	2.9
.....1890..	6.1	7.6	3.8	6.3	7.8	3.9	6.0	7.4	3.6
Rhode Island.....1900..	5.1	4.9	5.5	5.2	4.4	6.9	5.0	5.5	4.1
.....1890..	5.2	4.0	6.9	4.8	5.2	4.2	5.6	2.9	9.6
Vermont.....1900..	4.1	4.3	4.0	3.4	4.4	3.3	4.7	4.2	4.8
.....1890..	5.7	3.5	5.9	4.1	7.4	3.9	7.4	-----	8.1

¹ Nonregistration in 1890.

This table shows that there was very little difference in the death rates from erysipelas in 1890 and 1900. The death rate in the registration states was higher in the cities than in the rural districts and higher in males than in females. The rate from this disease was highest in the cities in New Jersey (7.3) and lowest in the rural districts of New Hampshire (3.2).

The following table shows, for the registration area and its subdivisions, the death rates from erysipelas during the census year in each of five age groups, per 100,000 of population of corresponding ages, in comparison with 1890, by sex:

DEATH RATES AT CERTAIN AGES.

REGISTRATION AREAS.	UNDER 5.		5 TO 14.		15 TO 44.		45 TO 64.		65 AND OVER.	
	1900	1890	1900	1890	1900	1890	1900	1890	1900	1890
Total.....	16.3	18.5	0.3	0.5	2.3	2.3	7.8	7.2	24.3	27.0
Males.....	16.5	17.1	0.4	0.6	2.8	2.7	9.5	8.6	29.6	27.2
Females.....	16.1	19.9	0.3	0.3	1.7	1.9	6.0	5.7	19.6	26.7
Cities.....	18.4	20.7	0.4	0.5	2.4	2.5	8.6	8.5	28.0	30.0
Males.....	18.6	18.7	0.5	0.7	2.9	3.1	10.9	10.4	33.7	32.2
Females.....	18.2	22.7	0.3	0.2	1.8	1.9	6.3	6.6	23.3	28.2
States.....	18.1	18.8	0.2	0.5	2.3	2.1	7.8	6.4	23.2	26.6
Males.....	18.5	18.2	0.2	0.6	2.9	2.4	9.3	8.0	28.3	25.7
Females.....	17.8	19.3	0.2	0.5	1.6	1.8	6.3	4.8	18.5	27.3
Cities.....	23.6	23.7	0.3	0.6	2.5	2.3	9.5	8.4	29.0	31.7
Males.....	24.0	22.3	0.3	0.8	3.3	2.8	12.0	11.1	34.6	33.0
Females.....	23.2	25.0	0.3	0.5	1.8	1.8	7.0	5.8	24.6	30.6
Rural.....	9.5	10.3	0.1	0.5	1.8	1.7	5.8	3.9	18.9	22.9
Males.....	9.7	11.1	0.1	0.4	2.3	1.6	6.2	4.3	24.3	21.1
Females.....	9.3	9.5	0.2	0.5	1.3	2.0	5.3	3.5	13.4	24.6
Cities in other states.....	13.3	18.1	0.5	0.3	2.3	2.7	7.8	8.7	27.0	28.0
Males.....	13.3	15.7	0.7	0.7	2.7	3.3	10.0	9.7	32.7	31.4
Females.....	13.3	20.6	0.3	-----	1.8	2.1	5.5	7.5	22.1	25.2

The preceding table shows that the death rates from erysipelas were highest in children under 5 years of age (16.3) and in persons 65 years of age and over (24.3). For children under 5 years of age the death rate from

this disease was highest in the cities in the registration states (23.6) and lowest in the rural districts of the same states (9.5). At 65 years of age and over the death rate from this disease in the cities in the registration states (29) was slightly higher than that in the cities in the nonregistration states (27), and considerably higher than that in the rural districts of the registration states (18.9).

In comparison with 1890 the figures show a slight decrease in the death rate due to erysipelas at each age, except at 45 to 64.

The combined relations of age and race to the death rates from erysipelas are indicated, for the registration area, in the following table, giving the death rates during the census year in each of 5 age groups, per 100,000 of population of corresponding ages, by color and birthplaces of mothers:

DEATH RATES BY AGE, COLOR, AND BIRTHPLACES OF MOTHERS.

COLOR AND BIRTHPLACES OF MOTHERS.	Under 5.	5 to 14.	15 to 44.	45 to 64.	65 and over.
White.....	16.5	0.4	2.2	7.8	24.5
Colored.....	9.8		2.9	5.9	17.8
Mothers born in—					
United States.....	13.9	0.4	1.3	4.5	20.7
Ireland.....	19.3	0.3	3.3	11.5	21.4
Germany.....	18.1	0.7	2.2	9.8	15.1
England and Wales.....	18.5		2.1	7.3	27.2
Canada.....	10.9		1.7	8.4	31.2
Scandinavia.....	14.6		1.1	3.8	
Scotland.....			3.4	3.3	22.7
Italy.....	56.9	1.0	7.0	11.1	20.7
France.....	22.5		1.8	8.3	29.5
Hungary.....	20.4		6.1	45.5	
Bohemia.....	18.6				
Russia.....	34.1		2.0	10.4	
Poland.....	3.2		0.6		20.3
Other foreign.....	29.5		1.9	7.8	21.2

The average age at death from erysipelas in the registration area in 1900 was 36.1 years. In 1890 it was 34.8 years.


The preceding table shows that the death rates from erysipelas in white children under 5 years of age were highest for those whose mothers were born in Italy (56.9), in Russia (34.1), and in "Other foreign" countries (29.5). The rate was lower for those whose mothers were born in the United States (13.9) than for those whose mothers were born in Ireland (19.3), in Germany (18.1), or in England and Wales (18.5).

The following table shows, for the registration area, the proportions of deaths from erysipelas at each specified age, per 1,000 deaths at known ages from this disease, in 1900 and 1890, by sex:

NUMBER OF DEATHS AT EACH AGE PER 1,000 AT KNOWN AGES.

AGE.	1900		1890	
	Males.	Females.	Males.	Females.
Under 1 year.....	256.8	328.0	277.0	330.0
1 year.....	20.1	27.1	14.4	29.8
2 years.....	3.6	9.5	14.4	9.9
3 years.....	4.7	6.4	3.6	8.0
4 years.....	3.6	3.2	1.8	13.9
Under 5 years.....	288.8	374.2	311.2	391.6
5 to 9 years.....	5.9	4.8	19.8	6.0
10 to 14 years.....	8.3	6.4	1.8	4.0
15 to 19 years.....	20.1	15.9	21.6	29.8
20 to 24 years.....	20.1	28.7	36.0	25.8
25 to 29 years.....	41.4	38.2	34.2	19.9
30 to 34 years.....	48.5	19.1	28.8	41.8
35 to 39 years.....	47.3	65.3	70.2	37.8
40 to 44 years.....	65.1	35.0	57.6	39.8
45 to 49 years.....	48.5	30.3	57.6	39.8
50 to 54 years.....	63.9	47.8	54.0	47.7
55 to 59 years.....	75.8	55.7	50.4	43.7
60 to 64 years.....	56.8	70.1	61.2	33.8
65 to 69 years.....	63.9	50.9	59.4	55.7
70 to 74 years.....	54.5	55.7	48.6	45.7
75 to 79 years.....	47.3	49.4	43.2	49.7
80 to 84 years.....	28.4	33.4	25.2	47.7
85 to 89 years.....	9.5	12.7	12.6	25.8
90 to 94 years.....	4.7	4.8	3.0	7.9
95 years and over.....	1.2	1.6	3.6	6.0

The comparative proportions of deaths from erysipelas at each age in the registration area in 1900 and 1890 are shown in the following diagram:



The following table shows, for each grand group in the United States, the proportions of deaths from erysipelas during the census year, per 1,000 deaths from known causes, in the aggregate, and by sex, for the cities and rural districts:

NUMBER OF DEATHS PER 1,000 DEATHS FROM KNOWN CAUSES.

GRAND GROUP.	Total.	RURAL.		CITIES.	
		Males.	Fe- males.	Males.	Fe- males.
1. North Atlantic Coast region	2.9	2.7	2.4	3.2	3.0
2. Middle Atlantic Coast region	3.3	3.0	1.9	3.7	3.2
3. South Atlantic Coast region	2.4	2.4	2.6	3.5	0.5
4. Gulf Coast region	1.6	2.3	2.0	1.6	0.2
5. Northeastern hills and plateaus.....	2.7	2.3	2.7	2.9	3.0
6. Central Appalachian region	3.5	3.7	3.3	4.3	2.2
7. Region of the Great Northern Lakes...	2.7	3.4	1.7	3.0	2.3
8. Interior plateau.....	2.6	2.4	2.2	3.1	2.6
9. Southern Central Appalachian region...	3.0	3.0	3.3		0.9
10. Ohio River belt	2.9	3.2	3.1	2.9	2.0
11. Southern Interior plateau.....	1.9	1.9	1.8		
12. South Mississippi River belt	2.6	2.5	2.9	1.2	3.1
13. North Mississippi River belt	3.1	2.9	3.7	2.9	3.2
14. Southwest Central region	3.3	3.5	3.2	2.7	
15. Central region—plains and prairies....	2.8	2.5	3.3	2.9	1.7
16. Prairie region	3.1	3.1	3.1	2.1	3.8
17. Missouri River belt.....	3.4	3.1	4.2	2.0	4.4
18. Region of the Western plains	3.8	3.3	4.2	3.3	4.6
19. Heavily timbered region of the North- west.....	3.1	3.4	2.2	3.7	4.2
20. Cordilleran region	2.9	3.0	2.7	3.8	1.9
21. Pacific Coast region	1.8	2.0	0.3	1.8	2.7

This table indicates that the proportions of deaths due to erysipelas were greatest in the region of the Western plains (3.8), and the Central Appalachian region (3.5), and least in the Gulf Coast region (1.6), and the Pacific Coast region (1.8).

VENEREAL DISEASES.

The total number of deaths reported as due to venereal diseases in the United States during the census year was 1,591, of which 934 were of males and 657 were of females, and the proportion of deaths from this disease in 1,000 deaths from all known causes was 1.6. In 1890 the corresponding proportion was 1.9.

In the registration area the number of deaths reported as due to this disease was 947, of which 529 were males and 418 were females, giving a proportion of 1.9 deaths from this disease in 1,000 deaths from all known causes, and a death rate of 3.3 per 100,000 of population. In 1890 the death rate was 4 per 100,000.

The following table shows, for the registration area and its subdivisions, the death rates from venereal diseases during the census year in each of three age groups, per 100,000 of population of corresponding ages, in comparison with 1890, by sex:

DEATH RATES AT CERTAIN AGES.

REGISTRATION AREAS.	UNDER 15.	15 TO 44.		45 AND OVER.	
	1900	1900	1890	1900	1890
Total.....	7.5	1.3	2.4	2.0	2.4
Males.....	7.9	1.4	2.5	3.0	3.1
Females.....	7.0	1.2	2.3	1.1	4.5
Cities	9.4	1.5	2.8	2.5	3.2
Males	10.1	1.6	3.1	3.8	4.5
Females.....	8.7	1.4	2.6	1.3	1.9
States	6.0	0.8	1.6	1.2	1.8
Males	6.2	0.9	1.6	1.7	2.5
Females	5.8	0.7	1.7	0.6	1.2
Cities	9.1	0.9	2.1	1.4	2.7
Males	9.6	1.1	2.2	2.1	3.9
Females.....	8.7	0.8	2.0	0.6	1.6
Rural	1.4	0.7	0.8	0.9	0.8
Males	1.4	0.7	0.5	1.3	1.0
Females.....	1.4	0.7	1.1	0.6	0.7
Cities in other states	9.7	2.1	3.5	3.6	3.7
Males	10.6	2.1	3.9	5.3	5.2
Females.....	8.8	2.0	3.2	2.0	2.1

This table shows that the highest death rate from venereal diseases occurred in the age group under 15 years, and that in this age group it was slightly higher in the cities in the nonregistration states (9.7) than in cities in the registration states (9.1). It was very much higher in the cities than in the rural districts of the registration states.

The combined relations of age and race to the death rates from venereal diseases are indicated in the following table for the registration area, giving the death rates during the census year in each of three age groups, per 100,000 of population of corresponding ages, by color and birthplaces of mothers:

DEATH RATES BY AGE, COLOR, AND BIRTHPLACES OF MOTHERS.

COLOR AND BIRTHPLACES OF MOTHERS.	Under 15.	15 to 44.	45 and over.
White	6.5	1.0	1.6
Colored.....	33.9	8.5	12.3
Mothers born in—			
United States.....	3.8	0.4	0.8
Ireland	4.3	1.2	1.1
Germany	2.1	0.7	0.8
England and Wales...	4.7	0.4	2.8
Canada	3.9	0.6	1.1
Scandinavia.....	3.7	1.1	3.3
Scotland.....	1.9	1.4	2.5
Italy.....	16.9	1.7	2.0
France	13.5		
Hungary		1.5	
Bohemia			
Russia.....	4.9		
Poland	0.7		
Other foreign.....	6.2	1.3	1.3

The preceding table shows that the death rates due to venereal diseases in white persons under 15 years of age were highest among those whose mothers were born in Italy (16.9), in France (13.5), and in "Other foreign" countries (6.2). The rate was lower among those whose mothers were born in the United States (3.8) than among those whose mothers were born in Ireland (4.3), in England and Wales (4.7), or in Canada (3.9).

The following table shows, for the registration area, the proportions of deaths from venereal diseases at each specified age, per 1,000 deaths at known ages from these diseases, in 1900 and 1890, by sex:

NUMBER OF DEATHS AT EACH AGE PER 1,000 AT KNOWN AGES.

AGE.	1900		1890	
	Males.	Females.	Males.	Females.
Under 1 year.....	575.8	636.2	497.7	510.2
1 year.....	36.5	26.5	27.7	43.7
2 years.....	11.5	19.3	16.1	5.8
3 years.....	9.6	12.0	6.9	5.9
4 years.....	1.9	4.8		
Under 5 years.....	635.3	698.8	548.4	565.6
5 to 9 years.....	3.8	2.4	11.5	14.6
10 to 14 years.....	3.8	4.8	4.6	
15 to 19 years.....	9.6	21.7	4.6	32.1
20 to 24 years.....	15.4	41.0	36.9	46.6
25 to 29 years.....	46.1	38.6	55.3	67.1
30 to 34 years.....	38.4	45.8	66.8	75.8
35 to 39 years.....	46.1	38.6	62.2	70.0
40 to 44 years.....	44.1	36.1	66.8	46.6
45 to 49 years.....	36.5	24.1	43.8	29.1
50 to 54 years.....	40.3	21.7	46.1	17.5
55 to 59 years.....	32.6	7.2	13.8	11.7
60 to 64 years.....	24.9	2.4	4.6	8.7
65 to 69 years.....	7.7	4.8	16.2	5.8
70 to 74 years.....	5.8	7.2	18.4	8.8
75 to 79 years.....	7.7	2.4		
80 years and over.....	1.9	2.4		

This table shows that more than half of the deaths from venereal diseases in the registration area, in both 1900 and 1890, occurred in children under 1 year of age, being due to congenital syphilis.

The average age at death from these diseases in the registration area in 1900 was 13.9 years. In 1890 it was 17 years. For those dying of these diseases at 15 years of age and over, the average age at death was 41.1 years in 1900 and 38.7 years in 1890.

The following table shows, for each grand group in the United States, the proportions of deaths from venereal diseases during the census year, per 1,000 deaths

from known causes, in the aggregate, and by sex, for the cities and rural districts:

NUMBER OF DEATHS PER 1,000 DEATHS FROM KNOWN CAUSES.

GRAND GROUPS.	Total.	RURAL.		CITIES.	
		Males.	Females.	Males.	Females.
1. North Atlantic Coast region.....	1.1	0.9	0.9	1.3	0.9
2. Middle Atlantic Coast region.....	2.0	0.7	0.7	2.2	2.5
3. South Atlantic Coast region.....	3.2	2.8	0.6	7.9	5.8
4. Gulf Coast region.....	2.2	1.5	1.8	3.3	2.3
5. Northeastern hills and plateaus.....	0.8	0.8	0.5	1.4	0.7
6. Central Appalachian region.....	0.5	0.5	0.4	0.9	
7. Region of the Great Northern Lakes.....	3.0	1.0	0.7	3.9	4.1
8. Interior plateau.....	1.0	0.8	0.6	1.4	1.0
9. Southern Central Appalachian region..	1.7	1.9	1.4	4.0	2.7
10. Ohio River belt.....	1.7	2.1	1.0	2.2	1.8
11. Southern Interior plateau.....	3.2	3.7	2.7		
12. South Mississippi River belt.....	3.0	3.6	1.6	5.5	3.1
13. North Mississippi River belt.....	1.6	0.7	0.3	3.2	2.4
14. Southwest Central region.....	1.1	1.2	0.7	7.3	2.5
15. Central region—plains and prairies....	1.1	1.3	0.8	1.0	1.9
16. Prairie region.....	0.7	0.7	0.5	1.1	0.9
17. Missouri River belt.....	1.3	1.1	0.7	2.3	1.6
18. Region of the Western plains.....	2.0	2.3	0.4	4.4	3.1
19. Heavily timbered region of the Northwest.....	0.7	0.9	0.6	0.7	0.5
20. Cordilleran region.....	1.2	1.4	0.9	0.6	0.9
21. Pacific Coast region.....	1.8	0.7	1.2	2.1	2.7

This table indicates that the proportions of deaths from venereal diseases were greatest in the South Atlantic Coast region (3.2), Southern Interior plateau (3.2), South Mississippi River belt (3), and the region of the Great Northern Lakes (3), and least in the Central Appalachian region and the heavily timbered region of the Northwest.

ALCOHOLISM.

The total number of deaths reported as due to alcoholism in the United States during the census year was 2,811, of which 2,388 were males and 423 were females, and the proportion of deaths from this disease in 1,000 deaths from all known causes was 2.8. In 1890 the corresponding proportion was 3 per 1,000.

In the registration area the number of deaths reported as due to this disease was 2,061, of which 1,693 were males and 368 were females, giving a proportion of 4.1 deaths from this disease in 1,000 deaths from all known causes, and a death rate of 7.2 per 100,000 of population. In 1890 the death rate was 8.1.

The following table shows, for the registration states, in the aggregate, and for the cities and rural districts, the death rates from alcoholism in the census year, per 100,000 of population, in comparison with 1890:

DEATH RATES IN CITIES AND RURAL DISTRICTS.

REGISTRATION STATES.	AGGREGATE.			MALES.			FEMALES.		
	Total.	Cities.	Rural.	Total.	Cities.	Rural.	Total.	Cities.	Rural.
Total.....1900..	6.6	8.8	3.4	10.6	14.1	5.7	2.6	3.7	1.1
.....1890..	8.1	11.0	3.6	12.7	17.1	6.2	3.5	5.1	0.9
Connecticut.....1900..	7.5	7.3	7.8	11.6	10.6	13.6	3.3	4.0	1.9
.....1890..	11.1	17.1	6.9	16.0	21.7	12.0	6.4	12.7	1.8
District of Columbia.....1900..	7.2	7.2	-----	13.6	13.6	-----	1.4	1.4	-----
.....1890..	12.6	12.6	-----	19.2	19.2	-----	6.6	6.6	-----
Maine ¹ 1900..	2.2	5.1	1.6	3.4	10.6	2.0	0.9	-----	1.1
Massachusetts.....1900..	6.8	7.6	4.3	10.6	11.7	7.2	3.2	3.7	1.5
.....1890..	7.3	7.9	5.2	10.8	11.2	9.3	4.0	4.9	1.1
Michigan ¹ 1900..	3.5	5.8	2.6	6.4	11.1	4.6	0.4	0.5	0.4
New Hampshire.....1900..	2.2	3.1	1.6	3.9	6.5	2.3	0.5	-----	0.8
.....1890..	3.7	5.4	3.0	5.9	5.8	6.0	1.6	5.1	-----
New Jersey.....1900..	5.3	6.6	3.7	8.9	10.9	6.3	1.8	2.4	1.0
.....1890..	6.4	8.4	3.8	10.8	14.1	6.7	2.1	2.9	1.0
New York.....1900..	8.4	10.8	3.3	13.3	17.0	5.7	3.5	4.7	0.9
.....1890..	8.8	12.7	2.6	14.3	20.6	4.5	3.4	5.1	0.6
Rhode Island.....1900..	10.5	9.2	13.1	15.2	14.5	16.4	6.0	4.1	9.7
.....1890..	10.4	11.5	8.9	16.7	18.8	13.9	4.5	4.8	4.1
Vermont.....1900..	3.2	10.7	2.0	5.7	17.8	4.0	0.6	4.1	-----
.....1890..	1.8	3.5	1.6	3.0	7.4	2.6	0.6	-----	0.7

¹ Nonregistration in 1890.

According to the preceding table the death rate from alcoholism in the registration states was highest in Rhode Island (10.5) and lowest in New Hampshire and Maine (2.2). In both cities and rural districts the death rates from this cause were considerably lower than in 1890.

The following table shows, for the registration area and its subdivisions, the death rates from alcoholism among the whites during the census year, per 100,000 of white population, by birthplaces of mothers:

DEATH RATES BY BIRTHPLACES OF MOTHERS.

BIRTHPLACES OF MOTHERS.	REGISTRATION RECORD.					
	Total.	Cities.	States.			Cities in other states.
			Total.	Cities.	Rural.	
United States.....	2.4	3.1	2.3	3.4	1.5	2.5
Ireland.....	17.7	19.4	17.8	19.7	10.9	17.3
Germany.....	6.1	6.4	6.1	6.6	4.7	6.0
England and Wales.....	8.3	10.3	8.1	10.7	3.4	9.3
Canada.....	3.7	4.4	3.7	4.7	2.5	2.5
Scandinavia.....	5.5	6.0	5.7	6.9	3.6	5.0
Scotland.....	9.7	10.9	9.7	11.3	6.6	9.6
Italy.....	0.7	0.8	0.7	0.8	-----	-----
France.....	7.0	7.6	6.8	7.8	4.7	7.3
Hungary and Bohemia.....	3.9	4.3	3.8	4.4	-----	4.2
Russia and Poland.....	1.7	1.6	1.3	1.1	2.8	3.6
Other foreign.....	4.2	4.5	2.5	2.0	3.6	13.8

The preceding table shows that the death rates due to alcoholism in the registration area were highest among those whose mothers were born in Ireland (17.7), in Scotland (9.7), and in England and Wales (8.3), and

were lowest among those whose mothers were born in Italy (0.7), in Russia and Poland (1.7), and in the United States (2.4).

The following table shows, for the registration area and its subdivisions, the death rates from alcoholism during the census year in each of two age groups, per 100,000 of population of corresponding ages, in comparison with 1890, by sex:

DEATH RATES AT CERTAIN AGES.

REGISTRATION AREAS.	15 TO 44.		45 AND OVER.	
	1900	1890	1900	1890
Total.....	8.0	9.1	15.4	17.2
Males.....	12.8	13.8	26.4	28.9
Females.....	3.2	4.5	4.6	5.9
Cities.....	9.4	10.7	19.0	21.7
Males.....	15.1	16.1	33.0	36.1
Females.....	3.8	5.3	5.5	7.9
States.....	7.8	9.8	12.8	14.4
Males.....	12.1	14.9	21.4	24.4
Females.....	3.4	4.9	4.3	4.8
Cities.....	10.7	13.5	17.4	20.5
Males.....	16.8	20.5	30.0	34.5
Females.....	4.9	6.9	5.9	7.8
Rural.....	2.9	3.3	8.0	7.7
Males.....	4.9	5.5	13.1	13.9
Females.....	0.8	1.1	2.6	1.5
Cities in other states.....	8.2	8.1	20.4	23.0
Males.....	13.6	12.2	35.8	37.8
Females.....	2.8	3.8	5.1	8.1

The preceding table shows that the death rate from alcoholism was higher among those 45 years of age and over (15.4) than among those 15 to 44 years (8). At 45 years of age and over the death rate of males from alcoholism (26.4) was more than five times as high as the death rate of females (4.6). It was higher in the cities in the nonregistration states (20.4) than in the cities in the registration states (17.4), and was much higher than in the rural districts of the registration states (8).

In comparison with 1890 the figures show a decrease in the rate in both age groups.

The combined relations of age and race to the death rates from alcoholism are indicated in the following table for the registration area, giving the death rates during the census year in each of two age groups, per 100,000 of population of corresponding ages, by color and birthplaces of mothers:

DEATH RATES BY AGE, COLOR, AND BIRTHPLACES OF MOTHERS.

COLOR AND BIRTHPLACES OF MOTHERS.	15 to 44.	45 and over.
White	8.2	15.6
Colored.....	3.7	10.4
Mothers born in—		
United States.....	2.9	4.9
Ireland.....	18.8	27.9
Germany.....	6.2	12.1
England and Wales.....	8.4	14.6
Canada.....	4.4	8.0
Scandinavia.....	6.0	18.1

DEATH RATES BY AGE, COLOR, AND BIRTHPLACES OF MOTHERS—Continued.

COLOR AND BIRTHPLACES OF MOTHERS.	15 to 44.	45 and over.
Mothers born in—Continued.		
Scotland.....	7.5	20.4
Italy.....	0.4	2.0
France.....	5.5	13.0
Hungary.....	3.0	20.3
Bohemia.....	4.9	17.3
Russia.....	1.0	6.2
Poland.....	2.9	12.9
Other foreign.....	2.6	19.3

This table shows that in white persons 15 to 44 years of age the death rates from alcoholism were highest in those whose mothers were born in Ireland (18.8), in England and Wales (8.4), and in Scotland (7.5). The rate was lower in those whose mothers were born in the United States (2.9) than for those whose mothers were born in Germany (6.2), in Canada (4.4), in Scandinavia (6), or in France (5.5).

At 45 years and over the death rates from this cause were highest in those whose mothers were born in Ireland (27.9), in Scotland (20.4), and in Hungary (20.3), and lowest in those whose mothers were born in Italy (2), in the United States (4.9), and in Russia (6.2).

The following table shows the death rates from alcoholism in the registration area during the census year, by conjugal condition in relation to color and age:

DEATH RATES BY CONJUGAL CONDITION, BY AGE.

CONJUGAL CONDITION.	AGE.							
	15 years and over.		15 to 44 years.		45 to 64 years.		65 years and over.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Single	17.4	1.4	13.0	1.1	81.1	5.1	91.6	4.2
Married	11.7	4.0	9.7	4.1	15.6	4.0	11.9	1.9
Widowed.....	37.9	6.0	45.9	8.2	47.0	7.2	22.5	2.7

It will be seen from this table that in persons 15 years of age and over the death rate of single males from alcoholism (17.4) was higher than that of married

males (11.7), but that the death rate of married females from this cause (4) was higher than that of single females (1.4).

The following table shows, for the registration area, the proportions of deaths from alcoholism at each specified age, per 1,000 deaths at known ages from this cause, in 1900 and 1890, by sex:

NUMBER OF DEATHS AT EACH AGE PER 1,000 AT KNOWN AGES.

AGE.	1900		1890	
	Males.	Females.	Males.	Females.
Under 5 years.....		2.7	4.0	2.9
5 to 9 years.....	0.6		4.0	2.9
10 to 14 years.....	0.6		1.6	
15 to 19 years.....	0.6	2.7	2.4	2.9
20 to 24 years.....	19.1	38.5	26.7	55.9
25 to 29 years.....	77.8	134.6	105.8	123.5
30 to 34 years.....	133.4	120.9	132.5	150.0
35 to 39 years.....	190.7	181.3	138.9	155.9
40 to 44 years.....	139.4	164.9	155.1	176.5
45 to 49 years.....	129.7	118.1	136.5	114.7
50 to 54 years.....	113.0	88.0	117.9	82.4
55 to 59 years.....	77.8	57.7	69.5	58.8
60 to 64 years.....	41.3	41.2	48.5	41.2
65 to 69 years.....	46.1	22.0	28.3	20.6
70 to 74 years.....	13.7	13.7	13.7	5.9
75 to 79 years.....	11.4	11.0	8.9	2.9
80 to 84 years.....	2.4	2.7	4.1	3.0
85 years and over.....	2.4		1.6	

This table shows that the greatest proportion of deaths from alcoholism in the registration area in 1900 occurred among those from 35 to 39 years of age.

The average age at death from alcoholism in the registration area in 1900 was 44.1 years. In 1890 it was 42.9 years.

The following table shows, for each grand group in the United States, the proportions of deaths from alcoholism during the census year, per 1,000 deaths from known causes, in the aggregate, and by sex for the cities and rural districts:

NUMBER OF DEATHS PER 1,000 DEATHS FROM KNOWN CAUSES.

GRAND GROUP.	Total.	RURAL.		CITIES.	
		Males.	Fe-males.	Males.	Fe-males.
1. North Atlantic Coast region.....	3.7	3.7	1.6	6.1	2.2
2. Middle Atlantic Coast region.....	4.7	3.4	0.5	7.9	2.3
3. South Atlantic Coast region.....	1.7	2.4	0.2	4.8	0.5
4. Gulf Coast region.....	2.5	2.4	0.9	4.9	2.1
5. Northeastern hills and plateaus.....	2.5	3.1	0.3	6.6	1.5
6. Central Appalachian region.....	2.2	3.1	0.5	4.3	0.8

NUMBER OF DEATHS PER 1,000 DEATHS FROM KNOWN CAUSES—Continued.

GRAND GROUP.	Total.	RURAL.		CITIES.	
		Males.	Fe-males.	Males.	Fe-males.
7. Region of the Great Northern Lakes...	4.1	3.8	0.7	8.0	1.4
8. Interior plateau.....	3.0	3.4	0.4	6.1	1.4
9. Southern Central Appalachian region..	1.2	2.2	0.1	4.9	
10. Ohio River belt.....	2.1	2.2		5.4	1.3
11. Southern Interior plateau.....	0.6	1.1	0.1		
12. South Mississippi River belt.....	1.8	1.9	0.3	8.6	
13. North Mississippi River belt.....	1.9	2.3	0.1	4.5	0.4
14. Southwest Central region.....	0.7	1.3		2.7	
15. Central region—plains and prairies...	1.8	3.1	0.2	4.8	0.4
16. Prairie region.....	1.5	2.6	0.2	3.9	
17. Missouri River belt.....	2.4	1.6	0.2	7.5	1.2
18. Region of the Western plains.....	3.7	2.8	0.4	14.4	3.9
19. Heavily timbered region of the North-west.....	1.8	2.5		6.3	0.4
20. Cordilleran region.....	6.6	10.0	1.7	7.5	1.9
21. Pacific Coast region.....	8.1	6.7	0.6	13.2	6.4

The preceding table indicates that the proportions of deaths due to alcoholism were greatest in the Pacific Coast region (8.1), the Cordilleran region (6.6), and the Middle Atlantic Coast region (4.7), and lowest in the Southwest Central region, and the Southern Interior plateau.

OLD AGE.

The total number of deaths reported as due to old age in the United States during the census year was 29,222, of which 13,362 were males and 15,860 were females, and the proportion of deaths from this disease in 1,000 deaths from all known causes was 29.3. In 1890 the corresponding proportion was 19.9.

In the registration area the number of deaths reported as due to this disease was 15,558, of which 6,673 were males and 8,885 were females, giving a proportion of 30.6 deaths from this disease in 1,000 deaths from all known causes and a death rate of 54 per 100,000 of population. In 1890 the death rate was 44.9.

In England and Wales the death rate due to old age for the year 1899 was 99.2 per 100,000 of population (males, 87.9; females, 109.7).

The following table shows, for the registration area and its subdivisions, the death rates from old age in the census years 1900 and 1890, by sex, color, general nativity, and parent nativity:

CAUSES OF DEATH.

clxv

DEATH RATES BY COLOR AND NATIVITY.

AREAS.	Aggregate.	WHITE.							COLORED.		
		Total.	Males.	Females.	Native.			Foreign.	Total.	Males.	Females.
					Total.	Both parents native.	One or both parents foreign.				
Registration area.....1900..	54.0	53.5	46.1	61.0	37.4	63.5	7.2	103.4	64.2	51.5	76.4
.....1890..	44.9	44.9	38.0	51.8	33.7	60.1	6.7	75.8	43.9	28.9	58.3
Cities.....1900..	47.3	46.3	37.8	54.6	26.7	46.9	5.0	98.0	65.3	52.3	77.8
.....1890..	37.3	37.0	29.5	44.3	21.8	43.3	5.5	71.8	43.3	28.1	57.9
States.....1900..	53.1	53.3	47.0	59.6	43.2	68.8	6.9	83.4	42.5	34.1	50.6
.....1890..	52.0	52.4	45.5	59.1	43.7	66.5	6.8	77.5	36.8	24.2	48.6
Cities.....1900..	38.4	38.3	30.5	45.8	25.2	51.0	3.7	66.5	39.9	30.7	48.3
.....1890..	41.0	41.2	33.3	48.8	27.3	50.5	5.1	70.4	31.1	17.8	42.9
Rural.....1900..	74.4	74.7	69.6	80.1	64.1	82.7	14.2	129.7	49.7	42.6	57.5
.....1890..	68.9	69.3	63.5	75.1	63.6	78.8	11.3	99.7	49.9	37.6	63.1
Cities in other states.....1900..	55.4	53.9	44.7	63.2	28.0	38.6	8.6	140.6	72.9	58.5	86.7
.....1890..	34.0	32.7	26.0	39.6	16.8	27.7	6.5	73.3	46.7	30.8	62.3

The death rate from old age was highest in the rural districts in the registration states (74.4) and lowest in the registration cities in the same states (38.4).

The death rate from old age was very much the highest for the foreign whites (103.4) on account of the large proportion of persons over 60 years of age in this class. The difference in the death rates of native whites of native parents (63.5) and those having one or both parents foreign (7.2) is also due to the much larger proportion of old persons in the former. The death

rate of the colored from old age (64.2) was considerably higher than the rate for the whites (53.5).

For all classes and for both sexes the death rates from this cause were higher than in 1890, the increase in the aggregate rate being 9.1 per 100,000 of population.

The following table shows, for the registration states, in the aggregate, and for the cities and rural districts, the death rates from old age in the census year per 100,000 of population in comparison with 1890:

DEATH RATES IN CITIES AND RURAL DISTRICTS.

REGISTRATION STATES.	AGGREGATE.			MALES.			FEMALES.		
	Total.	Cities.	Rural.	Total.	Cities.	Rural.	Total.	Cities.	Rural.
Total.....1900..	53.1	38.4	74.4	46.8	30.5	69.2	59.5	45.9	79.8
.....1890..	52.0	41.0	63.9	45.0	32.9	63.0	58.9	48.7	74.9
Connecticut.....1900..	40.1	36.7	46.4	35.4	32.5	40.8	44.7	40.8	52.0
.....1890..	78.5	66.1	87.4	63.9	55.2	70.0	92.9	76.6	104.7
District of Columbia.....1900..	55.3	55.3		58.3	58.3		52.5	52.5	
.....1890..	16.5	16.5		13.7	13.7		19.0	19.0	
Maine ¹ 1900..	94.0	70.9	98.8	89.2	60.2	94.7	99.0	80.7	103.0
Massachusetts.....1900..	60.7	50.6	92.9	48.3	37.7	81.1	72.5	62.6	104.6
.....1890..	57.4	50.3	80.5	47.0	40.4	67.9	67.2	59.5	92.8
Michigan ¹ 1900..	50.7	44.4	53.4	47.6	42.7	49.5	54.2	46.1	57.8
New Hampshire.....1900..	84.8	57.3	102.1	74.0	52.4	86.8	95.5	61.7	118.1
.....1890..	93.8	60.6	107.5	85.8	53.7	98.2	101.6	66.8	117.0
New Jersey.....1900..	32.9	23.7	45.1	27.6	17.1	41.2	38.2	30.1	49.1
.....1890..	30.8	24.7	38.8	26.6	20.2	34.9	34.9	29.0	42.8
New York.....1900..	50.3	32.8	86.7	45.2	25.2	85.5	55.5	40.3	88.0
.....1890..	48.7	38.7	65.0	44.0	31.1	64.1	53.4	46.0	65.8
Rhode Island.....1900..	43.9	37.8	55.7	37.5	30.5	50.6	50.0	44.6	60.9
.....1890..	62.8	56.0	72.2	46.4	34.4	62.4	78.3	75.8	81.9
Vermont.....1900..	101.0	81.5	104.0	79.9	66.5	81.9	122.9	95.5	127.4
.....1890..	88.4	70.7	90.1	75.6	66.4	76.4	101.8	74.6	104.5

¹ Nonregistration in 1890.

This table shows that in comparison with 1890 the death rates from old age in the registration states increased in the rural districts and decreased in the cities. The highest rates for this cause were in the cities and

rural districts in Vermont (cities, 81.5; rural, 104), and the lowest rates were in the cities of New Jersey (23.7) and New York (32.8).

The following table shows, for the registration area and its subdivisions, the death rates from old age among the whites during the census year, per 100,000 of white population of all ages, by birthplaces of mothers:

DEATH RATES BY BIRTHPLACES OF MOTHERS.

BIRTHPLACES OF MOTHERS.	REGISTRATION RECORD.					Cities in other states.
	Total.	Cities.	States.			
			Total.	Cities.	Rural.	
United States.....	45.6	31.6	50.4	34.9	63.1	25.0
Ireland.....	69.7	61.2	65.5	54.4	104.5	103.4
Germany.....	50.0	47.1	41.3	34.0	63.4	70.3
England and Wales.....	54.9	45.1	53.4	39.8	79.0	61.4
Canada.....	22.4	17.1	21.5	14.9	29.9	36.0
Scandinavia.....	20.8	18.1	19.8	14.4	29.8	22.4
Scotland.....	77.1	63.0	73.8	54.4	114.5	95.7
Italy.....	7.1	7.3	5.0	4.8	5.8	29.5
France.....	61.9	53.3	49.4	31.0	93.7	95.4
Hungary and Bohemia.....	17.7	18.4	11.4	11.5	10.6	29.2
Russia and Poland.....	10.8	10.6	9.6	9.2	12.5	15.9
Other foreign.....	26.9	25.4	21.6	17.4	31.7	56.4

The preceding table shows that in relation to the population of all ages the death rates due to old age in the registration area were highest among those whose mothers were born in Scotland (77.1), in Ireland (69.7), and in France (61.9), and were lowest among those whose mothers were born in Italy (7.1), in Russia and Poland (10.8), and in Hungary and Bohemia (17.7).

The following table shows, for the registration area and its subdivisions, the death rates from old age during the census year, at 60 years and over, per 100,000 population of corresponding ages, in comparison with 1890, by sex:

DEATH RATES AT CERTAIN AGES.

REGISTRATION AREA.	60 AND OVER.	
	1900	1890
Total.....	770.8	645.3
Males.....	693.6	563.9
Females.....	841.3	719.6
Cities.....	819.4	668.6
Males.....	721.6	568.1
Females.....	902.8	754.7
States.....	666.5	636.1
Males.....	610.4	567.8
Females.....	718.2	698.9
Cities.....	635.2	669.2
Males.....	552.8	581.2
Females.....	702.5	741.5
Rural.....	691.8	608.7
Males.....	652.0	557.9
Females.....	732.3	660.0
Cities in other states.....	1,002.0	667.9
Males.....	881.4	554.3
Females.....	1,109.3	770.0

It will be seen from this table that the death rate from old age was much higher among females (841.3) than among males (693.6), and was much higher in the

cities in the nonregistration states (1,002) than in the cities in the registration states (635.2). It was higher in the rural districts of the registration states (691.8) than in the cities in the same states.

In comparison with 1890 the figures show an increase in the death rate from this cause.

The combined relations of age and race to the death rates from old age are indicated, for the registration area, in the following table, giving the death rates during the census year at 60 years of age and over per 100,000 population 60 years of age and over, by color and birthplaces of mothers:

DEATH RATES BY AGE, COLOR, AND BIRTHPLACES OF MOTHERS.

COLOR AND BIRTHPLACES OF MOTHERS.	60 and over.
White.....	752.4
Colored.....	1,406.8
Mothers born in—	
United States.....	541.5
Ireland.....	820.6
Germany.....	635.2
England and Wales.....	578.9
Canada.....	556.6
Scandinavia.....	666.4
Scotland.....	765.0
Italy.....	341.6
France.....	574.7
Hungary.....	325.4
Bohemia.....	858.8
Russia.....	459.9
Poland.....	618.8
Other foreign.....	631.9

The preceding table shows that the death rates due to old age in white persons 60 years of age and over were highest in those whose mothers were born in Bohemia (858.8), in Ireland (820.6), and in Scotland (765); and were lowest in those whose mothers were born in Hungary (325.4), in Italy (341.6), and in Russia (459.9).

The following table shows, for the registration area, the proportions of deaths from old age at each specified age, per 1,000 deaths at known ages from this cause, in 1900 and 1890, by sex:

NUMBER OF DEATHS AT EACH AGE PER 1,000 AT KNOWN AGES.

AGE.	1900		1890	
	Males.	Females.	Males.	Females.
Under 65 years.....	15.2	21.4	15.0	16.6
65 to 69 years.....	49.4	47.1	39.0	39.8
70 to 74 years.....	131.0	121.3	113.9	112.6
75 to 79 years.....	204.6	188.3	195.1	171.1
80 to 84 years.....	284.9	261.8	282.4	269.4
85 to 89 years.....	197.7	201.6	217.2	213.6
90 to 94 years.....	86.1	109.6	102.2	119.8
95 years and over.....	31.1	48.9	35.2	57.1

This table shows that at both censuses, and for both sexes, the greatest proportion of deaths from old age occurred among those from 80 to 84 years of age.

The average age at death from old age in the registration area in 1900 was 81.8 years. In 1890 it was 82.5 years. The decrease in the average age of persons

reported as dying from "old age" is probably due to the tendency in certain registration areas to require a more specific statement in such cases, from which the deaths are differently classified.

The following table shows, for each grand group in the United States, the proportions of deaths from old age during the census year, per 1,000 deaths from known causes, in the aggregate, and by sex, for the cities and rural districts:

NUMBER OF DEATHS PER 1,000 DEATHS FROM KNOWN CAUSSE.

GRAND GROUP.	Total.	RURAL.		CITIES.	
		Males.	Fe- males.	Males.	Fe- males.
1. North Atlantic Coast region	33.4	43.1	58.0	20.0	32.4
2. Middle Atlantic Coast region	19.0	25.7	37.7	11.0	21.7
3. South Atlantic Coast region.....	21.0	17.0	21.4	17.1	34.3
4. Gulf Coast region	28.9	21.4	28.7	24.6	46.5
5. Northeastern hills and plateaus	46.3	47.4	62.3	22.5	39.6
6. Central Appalachian region	28.9	29.7	33.9	17.5	30.6
7. Region of the Great Northern Lakes...	32.4	46.4	55.3	18.4	30.0
8. Interior plateau	37.1	43.1	47.7	21.1	39.5
9. Southern Central Appalachian region.	16.0	15.5	17.0	8.1	12.6
10. Ohio River belt	34.3	29.5	31.2	32.7	48.0
11. Southern Interior plateau.....	19.3	15.7	22.7		
12. South Mississippi River belt.....	20.0	16.6	23.3	12.2	32.3
13. North Mississippi River belt.....	44.9	39.6	45.1	37.7	61.0
14. Southwest Central region	13.6	12.3	14.0	17.2	40.6
15. Central region—plains and prairies....	31.2	28.4	33.0	27.1	40.9
16. Prairie region	39.0	35.4	42.4	39.9	49.9
17. Missouri River belt.....	30.1	27.9	37.6	24.6	28.5
18. Region of the Western plains	19.2	14.9	22.9	18.3	26.2
19. Heavily timbered region of the North- west.....	42.3	41.3	50.2	27.5	35.3
20. Cordilleran region	29.7	28.4	29.7	30.1	43.7
21. Pacific Coast region.....	28.7	36.4	37.7	20.7	26.8



This table indicates that the proportions of deaths due to old age were greatest in the Northeastern hills and plateaus (46.3), North Mississippi River belt (44.9), and the Heavily timbered region of the Northwest (42.3), and were least in the Southwest Central region (13.6), Southern Appalachian region (16), and the Middle Atlantic Coast region (19).

The following table shows, for the registration states, the death rates from old age in each month of the census year, in the aggregate, and for the cities and rural districts:

DEATH RATES BY MONTHS.

MONTHS.	Total.	Cities.	Rural.
January	5.1	3.9	6.8
February	4.6	3.6	6.0
March	5.9	4.3	8.3
April	5.3	3.5	7.9
May	4.9	3.6	6.7
June.....	3.7	2.6	5.2
July	3.5	2.4	5.1
August	4.1	2.9	5.7
September.....	3.7	2.6	5.3
October.....	4.2	3.0	6.1
November	3.9	2.8	5.5
December	4.2	3.1	5.8

The death rates from old age in each month in the cities and the rural districts and the relative differences in the rates in the two areas are shown in the following diagram:



VITAL STATISTICS.

The following table shows the comparative proportions of deaths from old age in each month during the census year, per 1,000 deaths in known months, in the United States, as a whole, and in the registration states:

COMPARATIVE PROPORTIONS OF DEATHS IN EACH MONTH.

MONTHS.	United States.	Registration states.
January	96.7	96.6
February	89.9	85.9
March	112.1	111.9
April	105.9	99.4
May	95.3	92.2
June	61.3	69.0
July	66.1	65.5
August	72.4	76.7
September	69.9	70.1
October	76.8	80.0
November	72.0	73.7
December	81.6	79.0

DIABETES.

The total number of deaths reported as due to diabetes in the United States during the census year was 4,672, of which 2,650 were males and 2,022 were females, and the proportion of deaths from this disease in 1,000 deaths from all known causes was 4.7. In 1890 the corresponding proportion was 2.8.

In the registration area the number of deaths reported as due to this disease was 2,693, of which 1,404 were males and 1,289 were females, giving a proportion of 5.3 deaths from this disease in 1,000 deaths from all known causes, and a death rate of 9.3 per 100,000 of population. In 1890 the death rate was 5.5.

In England and Wales the death rate from diabetes for the year 1899 was 8.6 per 100,000 of population.

The following table shows, for the registration states in the aggregate, and for the cities and rural districts, the death rates from diabetes in the census year, per 100,000 of population, in comparison with 1890:

DEATH RATES IN CITIES AND RURAL DISTRICTS.

REGISTRATION STATES.	AGGREGATE.			MALES.			FEMALES.		
	Total.	Cities.	Rural.	Total.	Cities.	Rural.	Total.	Cities.	Rural.
Total	10.6	10.1	11.4	11.2	10.2	12.5	10.0	9.9	10.2
1890..	6.4	5.7	7.3	7.1	6.1	8.5	5.7	5.4	6.1
Connecticut	13.3	13.9	12.2	16.3	15.7	17.3	10.3	12.2	7.0
1890..	8.0	8.4	7.8	8.7	8.5	8.8	7.4	8.2	6.9
District of Columbia	5.4	5.4	-----	6.1	6.1	-----	4.8	4.8	-----
1890..	3.0	3.0	-----	2.7	2.7	-----	3.3	3.3	-----
Maine ¹	14.3	11.8	14.8	14.3	10.6	14.9	14.2	12.9	14.5
Massachusetts	11.3	10.7	13.2	11.0	10.4	12.8	11.7	11.1	13.6
1890..	6.9	6.0	10.1	7.8	6.3	12.7	6.1	5.6	7.6
Michigan ¹	10.1	9.2	10.6	12.5	10.0	13.5	7.7	8.3	7.4
New Hampshire	13.4	9.4	15.8	12.2	7.9	14.7	14.6	10.9	17.0
1890..	6.6	6.3	6.8	7.0	3.8	8.2	6.3	8.6	5.3
New Jersey	8.3	8.2	8.3	8.4	7.9	9.0	8.2	8.5	7.7
1890..	5.8	4.6	7.4	5.8	4.9	7.0	5.8	4.4	7.7
New York	10.5	10.3	10.9	10.8	10.4	11.6	10.2	10.1	10.2
1890..	5.9	5.7	6.2	6.7	6.3	7.3	5.1	5.1	5.1
Rhode Island	9.6	7.1	14.4	8.5	7.3	11.0	10.5	6.8	18.0
1890..	9.3	8.5	10.3	10.7	9.4	12.5	7.9	7.7	8.2
Vermont	11.4	10.7	11.4	12.6	13.3	12.5	10.1	8.3	10.4
1890..	10.2	8.5	10.9	12.4	-----	13.5	8.0	6.8	8.1

¹ Nonregistration in 1890.

It will be seen from this table that the death rates from diabetes in the registration states were highest in Maine (14.3), New Hampshire (13.4), and Connecticut (13.3), and were lowest in the District of Columbia

(5.4), New Jersey (8.3), and Rhode Island (9.6). The rate was slightly higher in the rural districts (11.4) than in the cities (10.1), and was highest of all among females in the rural districts of Vermont (18).

The following table shows, for the registration area and its subdivisions, the death rates from diabetes among the whites during the census year, per 100,000 of white population, by birthplaces of mothers:

DEATH RATES BY BIRTHPLACES OF MOTHERS.

BIRTHPLACES OF MOTHERS.	REGISTRATION RECORD.					
	Total.	Cities.	States.			Cities in other states.
			Total.	Cities.	Rural.	
United States.....	9.6	7.7	10.6	9.1	11.9	5.0
Ireland.....	10.4	10.6	10.6	10.9	9.4	8.6
Germany.....	12.2	12.6	14.1	15.4	10.1	7.8
England and Wales.....	12.1	10.6	12.6	10.9	15.8	9.9
Canada.....	6.3	6.2	6.1	5.8	6.4	10.0
Scandinavia.....	3.3	3.2	4.1	4.5	3.6	1.7
Scotland.....	12.3	11.9	12.3	11.9	13.2	12.0
Italy.....	2.6	2.5	2.6	2.5	2.9	2.5
France.....	12.9	12.7	13.7	13.6	14.1	11.0
Hungary and Bohemia.....	3.4	3.8	3.0	3.5		4.2
Russia and Poland.....	3.3	3.5	3.7	4.1	1.4	1.4
Other foreign.....	7.8	7.8	8.6	8.8	7.9	3.5

This table shows that the death rates due to diabetes in the registration area were highest among those whose mothers were born in France (12.9), in Germany (12.2), and in Scotland (12.3), and were lowest among those whose mothers were born in Italy (2.6), in Russia and Poland (3.3), and in Scandinavia (3.3).

The following table shows, for the registration area and its subdivisions, the death rates from diabetes during the census year in each of two age groups, per 100,000 population of corresponding ages, in comparison with 1890, by sex:

DEATH RATES AT CERTAIN AGES.

REGISTRATION AREAS.	15 TO 44.		45 AND OVER.	
	1900	1890	1900	1890
Total.....	4.6	3.0	32.3	18.4
Males.....	5.5	3.7	31.9	20.0
Females.....	3.7	2.3	32.8	16.9
Cities.....	4.2	2.7	34.0	18.6
Males.....	5.0	3.2	32.3	20.0
Females.....	3.4	2.2	35.6	17.3
States.....	4.8	3.2	34.8	20.0
Males.....	5.9	3.8	34.9	21.6
Females.....	3.8	2.5	34.7	18.5
Cities.....	4.1	2.6	40.6	21.9
Males.....	5.0	2.8	38.9	23.2
Females.....	3.2	2.4	42.1	20.7
Rural.....	6.0	4.1	28.8	18.0
Males.....	7.2	5.6	31.0	20.0
Females.....	4.7	2.7	26.6	16.1
Cities in other states.....	4.2	2.7	27.7	15.2
Males.....	4.9	3.5	26.4	16.8
Females.....	3.5	1.9	29.0	13.5

The preceding table shows that the death rate from diabetes at 45 years of age and over (32.3) was very much higher than at 15 to 45 years (4.6); that it was highest in the cities in the registration states (40.6), and was about the same in the cities in the nonregistration states (27.7) as in the rural districts in the registration states (28.8).

In comparison with 1890 the figures show an increase in the death rate from this disease at 45 years of age and over amounting to nearly 100 per cent for the females and to about 50 per cent for the males.

The combined relations of age and race to the death rates from diabetes are indicated, for the registration area, in the following table, giving the death rates during the census year in each of two age groups, per 100,000 population of corresponding ages, by color and birthplace of mothers.

DEATH RATES BY AGE, COLOR, AND BIRTHPLACES OF MOTHERS.

COLOR AND BIRTHPLACES OF MOTHERS.	15 to 44.	45 and over.
White.....	4.7	33.0
Colored.....	1.9	15.3
Mothers born in—		
United States.....	5.6	28.4
Ireland.....	3.9	32.0
Germany.....	4.3	42.7
England and Wales.....	4.5	35.7
Canada.....	3.3	23.4
Scandinavia.....	3.0	13.1
Scotland.....	5.4	26.7
Italy.....	1.7	12.0
France.....	3.7	35.7
Hungary.....	3.0	
Bohemia.....	4.9	8.6
Russia.....	2.0	49.8
Poland.....	0.6	9.7
Other foreign.....	2.6	41.1

The preceding table shows that the death rates due to diabetes in white persons 45 years of age and over were highest in those whose mothers were born in Russia (49.8), in Germany (42.7), and in "Other foreign" countries (41.1), and were lowest in those whose mothers were born in Bohemia (8.6), in Poland (9.7), and in Italy (12).


The following table shows, for the registration area, the proportions of deaths from diabetes at each specified age per 1,000 deaths at known ages from this disease in 1900 and 1890, by sex:

NUMBER OF DEATHS AT EACH AGE PER 1,000 AT KNOWN AGES.

AGE.	1900		1890	
	Males.	Females.	Males.	Females.
Under 5 years.....	17.2	17.9	27.6	12.8
5 to 9 years.....	23.6	25.7	22.8	12.9
10 to 14 years.....	40.7	31.9	48.8	40.7
15 to 19 years.....	40.0	24.9	40.7	30.0
20 to 24 years.....	35.7	36.5	27.6	30.0
25 to 29 years.....	47.8	34.2	45.5	55.7
30 to 34 years.....	47.8	26.4	71.5	34.3
35 to 39 years.....	48.5	39.6	55.3	42.8
40 to 44 years.....	67.8	48.2	63.4	53.5
45 to 49 years.....	62.1	59.1	71.5	68.5
50 to 54 years.....	91.4	98.0	92.7	115.6
55 to 59 years.....	81.4	126.7	81.3	128.5
60 to 64 years.....	113.5	140.0	81.3	107.1
65 to 69 years.....	111.3	119.8	123.6	119.9
70 to 74 years.....	80.6	39.4	68.3	79.2
75 to 79 years.....	58.5	55.2	48.8	47.1
80 to 84 years.....	25.0	20.2	22.8	10.7
85 to 89 years.....	4.3	4.7	4.9	6.4
90 to 94 years.....	2.1	1.6	1.6	4.3
95 years and over.....	0.7			

The average age at death from diabetes in the registration area in 1900 was 51.1 years. In 1890 it was 49.4 years.

The comparative proportions of deaths from diabetes at each age in the registration area in 1900 and 1890 are shown in the following diagram:



The following table shows, for each grand group in the United States, the proportions of deaths from diabetes during the census year, per 1,000 deaths from known causes, in the aggregate, and by sex, for the cities and rural districts:

NUMBER OF DEATHS PER 1,000 DEATHS FROM KNOWN CAUSES.					
GRAND GROUP.	Total.	RURAL.		CITIES.	
		Males.	Fe-males.	Males.	Fe-males.
1. North Atlantic Coast region	6.8	8.6	9.7	5.5	6.2
2. Middle Atlantic Coast region	4.5	4.4	3.7	4.3	4.8
3. South Atlantic Coast region.....	2.2	1.3	3.4	1.7	1.4
4. Gulf Coast region	1.4	0.8	1.4	1.9	1.7
5. Northeastern hills and plateaus	6.8	7.7	5.6	7.3	6.6
6. Central Appalachian region	5.3	5.5	6.0	4.8	4.0
7. Region of the Great Northern Lakes...	5.1	6.7	5.4	4.2	5.1
8. Interior plateau.....	4.9	6.3	4.7	3.8	4.8
9. Southern Central Appalachian region.	2.7	3.7	1.7	5.7	0.9
10. Ohio River belt	4.5	4.6	3.0	5.1	5.8
11. Southern Interior plateau.....	1.5	2.1	1.0		
12. South Mississippi River belt	0.7	0.7		3.1	0.8
13. North Mississippi River belt	4.9	6.3	5.4	3.3	4.4
14. Southwest Central region.....	2.3	3.1	1.4	2.7	3.7
15. Central region—plains and prairies....	4.7	6.0	3.7	4.0	3.3
16. Prairie region	7.2	8.6	5.9	4.6	5.1
17. Missouri River belt	3.6	4.2	3.4	2.9	3.6
18. Region of the Western plains.....	4.2	4.9	2.2	6.6	4.6
19. Heavily timbered region of the North-west.....	8.4	10.4	7.1	7.8	5.1
20. Cordilleran region	4.7	4.6	3.5	6.9	9.5
21. Pacific Coast region.....	7.5	8.3	8.4	5.4	9.2

This table shows that the proportions of deaths due to diabetes were greatest in the Pacific Coast region, the Prairie region, and the Heavily timbered region of the Northwest, and were least in the South Mississippi River belt, Gulf Coast region, and the Southern Interior plateau.

SCROFULA AND TABES.

The total number of deaths reported as due to scrofula and tabes in the United States during the census year was 3,489, of which 1,707 were males and 1,782 were females, and the proportion of deaths from these diseases in 1,000 deaths from all known causes was 3.5. In 1890 the corresponding proportion was 4.9.

In the registration area the number of deaths reported as due to scrofula and tabes was 1,040, of which 491 were males and 549 were females, giving a proportion of 2 deaths from these diseases in 1,000 deaths from all known causes, and a death rate of 3.6 per 100,000 of population. In 1890 the death rate was 6.7.

The following table shows, for the registration states in the aggregate, and for the cities and rural districts, the death rates from scrofula and tabes in the census year, per 100,000 of population, in comparison with 1890:

CAUSES OF DEATH.

clxxi

DEATH RATES IN CITIES AND RURAL DISTRICTS.

REGISTRATION STATES.	AGGREGATE.			MALES.			FEMALES.		
	Total.	Cities.	Rural.	Total.	Cities.	Rural.	Total.	Cities.	Rural.
Total.....1900..	3.1	2.6	3.9	3.0	2.8	3.3	3.3	2.5	4.5
.....1890..	5.4	6.0	4.6	5.1	5.9	4.0	5.8	6.2	5.2
Connecticut.....1900..	2.9	2.4	3.8	3.3	3.4	3.1	2.4	1.3	4.4
.....1890..	6.3	6.4	6.2	6.5	8.5	5.1	6.1	4.4	7.3
District of Columbia.....1900..	5.0	5.0		5.3	5.3		4.8	4.8	
.....1890..	12.6	12.6		11.9	11.9		13.2	13.2	
Maine ¹ 1900..	6.6	4.2	7.1	6.0	3.5	6.5	7.3	4.8	7.8
Massachusetts.....1900..	2.3	2.2	2.7	2.3	1.9	3.3	2.3	2.4	2.1
.....1890..	7.3	7.6	6.3	7.0	7.2	6.2	7.6	7.9	6.4
Michigan ¹ 1900..	4.2	4.6	4.1	3.6	4.8	3.1	4.9	4.4	5.2
New Hampshire.....1900..	6.1	8.2	4.7	5.8	7.9	4.7	6.3	8.5	4.8
.....1890..	8.0	6.3	8.7	7.0	7.7	6.7	9.0	5.1	10.6
New Jersey.....1900..	2.1	2.2	1.8	2.5	2.8	2.2	1.6	1.7	1.5
.....1890..	5.3	6.2	4.2	4.9	5.9	3.5	5.8	6.5	4.8
New York.....1900..	2.7	2.2	3.7	2.4	2.3	2.7	2.9	2.1	4.7
.....1890..	4.2	4.6	3.5	3.8	4.5	2.8	4.5	4.7	4.3
Rhode Island.....1900..	4.2	3.9	4.8	5.7	5.1	6.8	2.8	2.7	2.7
.....1890..	8.4	9.5	6.9	6.6	7.3	5.5	10.1	11.5	8.2
Vermont.....1900..	4.9	2.2	5.4	3.4		3.9	6.5	4.2	6.9
.....1890..	5.4	4.1	4.6	6.5	14.8	5.8	4.3	13.6	3.4

¹ Nonregistration in 1890.

This table shows that in the registration states the highest death rate from scrofula and tabes was in Maine (6.6) and the lowest in New Jersey (2.1). It was higher in the rural districts (3.9) than in the cities (2.6), being highest in the cities in New Hampshire (8.2).

The following table shows, for the registration area and its subdivisions, the death rates from scrofula and tabes among the whites during the census year, per 100,000 of white population, by birthplaces of mothers:

DEATH RATES BY BIRTHPLACES OF MOTHERS.

BIRTHPLACES OF MOTHERS.	REGISTRATION RECORD.					
	Total.	Cities.	States.			Cities in other states.
			Total.	Cities.	Rural.	
United States.....	3.5	3.3	3.5	3.0	3.9	3.9
Ireland.....	2.1	1.9	1.8	1.6	2.7	3.8
Germany.....	1.7	1.6	1.7	1.6	2.0	1.6
England and Wales.....	2.4	1.7	2.4	1.4	4.1	2.5
Canada.....	4.5	4.1	4.7	4.4	5.0	1.2
Scandinavia.....	3.1	3.2	3.2	3.4	2.7	2.8
Scotland.....	2.2	3.0	1.7	2.5		4.8
Italy.....	3.2	3.8	3.1	3.7		4.9
France.....	4.0	5.1	4.1	5.8		3.7

DEATH RATES BY BIRTHPLACES OF MOTHERS—Continued.

BIRTHPLACES OF MOTHERS.	REGISTRATION RECORD.					
	Total.	Cities.	States.			Cities in other states.
			Total.	Cities.	Rural.	
Hungary and Bohemia.....	0.5	0.5	0.8	0.9		
Russia and Poland.....	0.7	0.6	0.7	0.6	1.4	0.7
Other foreign.....	2.8	2.1	3.2	2.4	5.0	1.2

This table shows that the death rates due to scrofula and tabes in the registration area were highest among those whose mothers were born in Canada (4.5), in France (4), and in the United States (3.5). The number of deaths from these diseases among those whose mothers were born in Hungary and Bohemia, and Russia and Poland were too small to afford reliable rates. For the other classes the rates were lowest among those whose mothers were born in Germany (1.7), in Scotland (2.2), and in Ireland (2.1).

The following table shows, for the registration area and its subdivisions, the death rates from scrofula and tabes during the census year in each of four age groups, per 100,000 population of corresponding ages, in comparison with 1890, by sex:

VITAL STATISTICS.

DEATH RATES AT CERTAIN AGES.

REGISTRATION AREAS.	UNDER 5.		5 TO 14.		15 TO 44.		45 AND OVER.	
	1900	1890	1900	1890	1900	1890	1900	1890
Total	11.4	31.8	1.2	3.3	2.6	3.4	4.6	5.5
Males	12.5	33.2	1.1	3.3	2.1	3.0	4.3	5.6
Females	10.4	30.5	1.4	3.3	3.0	3.7	4.8	5.5
Cities	12.1	36.6	1.3	3.6	2.4	3.6	4.3	5.1
Males	13.3	38.2	1.2	3.7	2.1	3.2	4.0	6.0
Females	10.9	35.1	1.4	3.4	2.6	4.0	4.6	4.2
States	11.1	28.1	0.8	2.4	2.1	2.4	3.8	4.9
Males	12.3	27.6	0.6	2.4	1.6	2.0	3.8	4.4
Females	9.9	28.6	0.9	2.5	2.5	2.8	3.9	5.5
Cities	12.2	36.2	0.5	2.4	1.4	2.3	2.6	3.5
Males	13.7	35.1	0.5	2.7	1.3	1.8	2.6	4.0
Females	10.6	37.4	0.5	2.1	1.4	2.8	2.7	3.1
Rural	9.3	14.1	1.1	2.5	3.2	2.6	5.1	6.4
Males	10.0	14.8	0.7	2.0	2.0	2.3	5.0	4.7
Females	8.7	13.3	1.5	3.0	4.4	2.9	5.1	8.1
Cities in other states	12.0	37.0	1.9	4.6	3.3	4.7	5.9	6.7
Males	12.8	40.9	1.8	4.6	2.8	4.4	5.3	7.9
Females	11.2	33.0	2.1	4.6	3.7	5.0	6.5	5.5

The preceding table shows that the death rate from scrofula and tabes was highest in children under 5 years of age; that it was about the same in the cities in the registration states (12.2) as in the cities in the nonregistration states (12), and was higher in both than in the rural districts of the registration states (9.3).

In comparison with 1890 the figures show a large decrease in the death rate due to these diseases in all of the areas.

The combined relations of age and race to the death rates from scrofula and tabes are indicated for the registration area, in the following table, giving the death rates during the census year in each of four age groups, per 100,000 population of corresponding ages, by color and birthplaces of mothers:

DEATH RATES BY AGE, COLOR, AND BIRTHPLACES OF MOTHERS.

COLOR AND BIRTHPLACES OF MOTHERS.	Under 5.	5 to 14.	15 to 44.	45 and over.
White	10.7	0.8	2.3	4.3
Colored	31.2	13.2	6.8	10.4
Mothers born in—				
United States	10.6	0.7	2.6	4.6
Ireland	4.8	0.3	1.9	2.6
Germany	10.7		1.0	1.7
England and Wales	8.4	0.8	1.6	3.2
Canada	21.7	1.0	3.1	1.6
Scandinavia	8.1	1.0	2.3	4.9
Scotland			1.4	5.1
Italy	13.2	3.1	0.8	
France	67.4		1.8	
Hungary				
Bohemia			2.4	
Russia	4.5			
Poland			1.2	
Other foreign	14.1		1.0	3.9

There were no deaths from these diseases under 15 years of age in white persons whose mothers were born

in Scotland, Hungary, Bohemia, or Poland. For the other countries, the death rate was highest in those whose mothers were born in France (67.4) and was lowest for those whose mothers were born in Russia (4.5).

The following table shows, for the registration area, the proportions of deaths from scrofula and tabes at each specified age, per 1,000 deaths at known ages from these diseases, in 1900 and 1890, by sex:


NUMBER OF DEATHS AT EACH AGE PER 1,000 AT KNOWN AGES.

AGE.	1900		1890	
	Males.	Females.	Males.	Females.
Under 1 year	260.3	160.6	308.7	278.5
1 year	71.7	56.6	96.8	95.9
2 years	30.7	29.2	50.7	47.2
3 years	8.2	12.8	26.1	18.3
4 years	8.2	18.2	33.8	19.8
Under 5 years	379.1	277.4	516.1	459.7
5 to 9 years	47.1	32.8	61.4	56.3
10 to 14 years	14.4	36.5	33.8	36.1
15 to 19 years	43.0	78.5	30.7	45.7
20 to 24 years	77.9	73.0	53.8	59.4
25 to 29 years	61.5	76.7	55.3	57.8
30 to 34 years	45.1	78.5	30.7	42.6
35 to 39 years	55.3	56.6	30.7	36.5
40 to 44 years	30.7	45.6	30.7	45.7
45 to 49 years	43.0	49.3	35.3	38.0
50 to 54 years	22.6	54.7	24.6	22.8
55 to 59 years	38.9	27.4	33.8	27.4
60 to 64 years	47.1	32.8	15.4	24.4
65 to 69 years	45.1	29.2	20.0	18.3
70 to 74 years	28.7	16.4	10.8	19.8
75 to 79 years	10.3	18.2	10.8	3.0
80 years and over	10.2	16.4	6.1	4.5

The average age at death from scrofula and tabes in the registration area in 1900 was 26.4 years. In 1890

it was 18.4. For those dying at 15 years of age and over the average age was 41.8 years in 1900 and 40.6 years in 1890.

The comparative proportions of deaths from scrofula and tabes at each age in the registration area in 1900 and 1890 are shown in the following diagram:



The following table shows, for each grand group in the United States, the proportions of deaths from scrofula and tabes during the census year, per 1,000 deaths from known causes, in the aggregate, and by sex, for the cities and rural districts:

NUMBER OF DEATHS PER 1,000 DEATHS FROM KNOWN CAUSES.

GRAND GROUP.	Total.	RURAL.		CITIES.	
		Males.	Fe-males.	Males.	Fe-males.
1. North Atlantic Coast region	1.8	3.0	2.6	1.4	1.3
2. Middle Atlantic Coast region	1.5	2.2	2.6	1.4	1.2
3. South Atlantic Coast region	5.4	5.7	7.0	3.1	3.4
4. Gulf Coast region	3.2	3.3	3.3	2.1	4.0
5. Northeastern hills and plateaus	2.6	2.2	3.1	2.0	2.5
6. Central Appalachian region	1.5	1.3	2.1	1.2	0.9
7. Region of the Great Northern Lakes...	2.4	1.3	4.3	2.0	2.5
8. Interior plateau	3.2	4.3	4.9	1.7	2.4
9. Southern Central Appalachian region..	9.4	8.9	10.5	3.3	3.6
10. Ohio River belt	4.7	5.3	7.5	2.4	2.2
11. Southern Interior plateau	6.9	7.1	6.6		
12. South Mississippi River belt	5.0	5.4	5.6	1.2	5.4
13. North Mississippi River belt	2.1	2.2	3.3	0.9	2.2
14. Southwest Central region	3.7	3.9	3.4	1.8	3.7
15. Central region—plains and prairies....	6.7	6.9	7.9	3.6	3.7
16. Prairie region	3.2	3.1	3.1	3.9	4.7
17. Missouri River belt	3.7	4.4	3.2	2.3	5.2
18. Region of the Western plains	2.9	3.1	3.3	1.7	2.3
19. Heavily timbered region of the North-west.....	3.0	2.5	2.7	3.3	6.1
20. Cordilleran region	2.9	2.8	4.3		
21. Pacific Coast region	2.2	2.0	1.8	1.9	3.3

This table indicates that the proportions of deaths due to scrofula and tabes were greatest in the Southern Central Appalachian region (9.4), the Southern Interior plateau (6.9), and the Central region, plains and prairies (6.7), and were least in the Northern Atlantic and Middle Atlantic Coast regions and the Central Appalachian region.

HYDROCEPHALUS.

The total number of deaths reported as due to hydrocephalus in the United States during the census year was 4,302, of which 2,356 were males and 1,946 were females, and the proportion of deaths from this disease in 1,000 deaths from all known causes was 4.3. In 1890 the corresponding proportion was 5.1.

In the registration area the number of deaths reported as due to this disease was 3,173, of which 1,747 were males and 1,426 were females, giving a proportion of 6.3 deaths from this disease in 1,000 deaths from all known causes, and a death rate of 11 per 100,000 of population. In 1890 the death rate was 15.4.

The following table shows, for the registration states, in the aggregate, and for the cities and rural districts, the death rates from hydrocephalus in the census year, per 100,000 of population, in comparison with 1890:

VITAL STATISTICS.

DEATH RATES IN CITIES AND RURAL DISTRICTS.

REGISTRATION STATES.		AGGREGATE.			MALES.			FEMALES.		
		Total.	Cities.	Rural.	Total.	Cities.	Rural.	Total.	Cities.	Rural.
Total	1900..	12.6	16.5	6.9	13.7	18.5	7.0	11.4	14.6	6.7
	1890..	17.5	23.5	8.3	20.0	27.8	8.4	15.0	19.3	8.2
Connecticut	1900..	9.0	9.2	8.8	9.0	9.2	8.7	9.0	9.1	8.9
	1890..	14.2	18.4	11.2	14.9	21.7	10.1	13.5	15.2	12.4
District of Columbia	1900..	14.0	14.0		18.2	18.2		10.2	10.2	
	1890..	14.8	14.8		18.3	18.3		11.6	11.6	
Maine ¹	1900..	11.2	16.0	10.2	10.0	14.2	9.2	12.5	17.8	11.4
Massachusetts	1900..	15.9	17.9	9.4	18.2	21.0	9.6	13.6	15.0	9.2
	1890..	22.6	26.0	11.3	25.1	29.3	11.6	20.2	22.9	10.9
Michigan ¹	1900..	6.7	8.6	6.0	7.3	10.5	6.0	6.1	6.7	5.9
New Hampshire	1900..	8.3	10.7	6.7	8.8	14.4	5.4	7.8	7.3	8.1
	1890..	10.6	10.9	10.5	8.0	5.8	8.9	13.2	15.4	12.2
New Jersey	1900..	12.2	15.7	7.6	13.3	16.6	9.0	11.2	14.9	6.2
	1890..	21.3	24.7	16.9	24.0	27.1	20.0	18.6	22.3	13.9
New York	1900..	13.9	18.1	5.3	15.4	20.3	5.5	12.5	15.9	5.1
	1890..	16.4	23.8	4.5	19.7	29.5	4.4	13.2	18.4	4.5
Rhode Island	1900..	20.0	24.0	12.4	19.5	22.5	13.7	20.6	25.4	11.1
	1890..	20.6	23.0	17.2	22.0	26.1	16.6	19.2	20.2	17.7
Vermont	1900..	6.4	12.9	5.4	6.3	13.3	5.2	6.5	12.4	5.5
	1890..	5.7	14.1	4.9	5.9	22.2	4.5	5.5	6.8	5.4

¹ Nonregistration in 1890.

It will be seen from this table that the death rates from hydrocephalus in the registration states were highest in Rhode Island (20) and Massachusetts (15.9), and lowest in Vermont (6.4) and Michigan (6.7). The rate was much higher in the cities (16.5) than in the rural districts (6.9), being highest in the cities in Rhode Island (24) and lowest in the rural districts in New York.

In comparison with 1890 the figures show a decrease in the death rates from this disease in all of the registration states except Vermont, where there was a slight increase.

The following table shows, for the registration area and its subdivisions, the death rates from hydrocephalus among the whites during the census year, per 100,000 of white population, by birthplaces of mothers:

DEATH RATES BY BIRTHPLACES OF MOTHERS.

BIRTHPLACES OF MOTHERS.	REGISTRATION RECORD.					
	Total.	Cities.	States.			Cities in other states.
			Total.	Cities.	Rural.	
United States	11.7	15.6	12.4	19.1	6.8	8.4
Ireland	10.7	11.8	11.7	13.3	6.0	2.5
Germany	6.4	6.9	7.5	8.6	4.3	3.8

DEATH RATES BY BIRTHPLACES OF MOTHERS—Continued.

BIRTHPLACES OF MOTHERS.	REGISTRATION RECORD.					
	Total.	Cities.	States.			Cities in other states.
			Total.	Cities.	Rural.	
England and Wales	8.0	9.0	9.4	11.5	5.7	1.2
Canada	10.7	12.2	10.8	12.5	8.6	10.0
Scandinavia	15.5	16.8	17.9	21.8	10.8	11.2
Scotland	8.3	9.4	9.8	11.9	5.3	
Italy	20.5	22.5	22.4	25.1	8.6	
France	9.0	8.9	11.0	11.7	9.4	3.7
Hungary and Bohemia	14.3	15.2	20.5	23.1	5.3	2.8
Russia and Poland	15.1	16.2	17.1	18.6	5.5	6.5
Other foreign	16.7	19.0	18.6	22.4	9.4	5.7

The preceding table shows that the death rates due to hydrocephalus in the registration area were highest among those whose mothers were born in Italy (20.5), "Other foreign" countries (16.7), and in Scandinavia (15.5); and were lowest among those whose mothers were born in Germany (6.4), in England and Wales (8), and in Scotland (8.3).

The following table shows, for the registration area and its subdivisions, the death rates from hydrocephalus during the census year in each of four age groups, per 100,000 of population of corresponding ages, in comparison with 1890, by sex:

CAUSES OF DEATH.

clxxv

DEATH RATES AT CERTAIN AGES.

REGISTRATION AREAS.	UNDER 1.		UNDER 5.		5 TO 14.		15 AND OVER.	
	1900	1890	1900	1890	1900	1890	1900	1890
Total	182.7	315.1	81.5	125.1	7.1	8.5	1.9	1.4
Males.....	200.2	370.6	88.1	141.4	7.9	9.1	2.2	1.7
Females.....	164.9	258.1	74.8	108.4	6.4	8.0	1.5	1.2
Cities	197.0	343.0	90.4	138.7	8.2	9.8	2.0	1.6
Males.....	211.1	409.3	97.9	158.2	9.4	11.0	2.5	2.0
Females.....	182.8	275.0	82.7	118.7	7.0	8.7	1.6	1.2
States.....	214.0	377.1	95.6	149.8	7.5	9.6	1.8	1.4
Males.....	222.6	402.3	98.4	159.8	8.1	9.7	2.1	1.8
Females.....	196.8	310.2	87.5	129.5	7.2	9.8	1.6	1.1
Cities.....	261.6	470.2	122.5	198.5	10.0	13.1	2.2	1.8
Males.....	271.3	564.0	133.2	222.8	11.1	13.8	2.6	2.4
Females.....	251.8	374.2	111.7	163.9	8.9	12.5	1.8	1.2
Rural.....	135.3	208.7	53.0	74.8	4.0	4.4	1.3	0.9
Males.....	164.3	216.7	56.6	79.6	3.4	3.1	1.3	0.8
Females.....	105.7	190.3	49.2	70.0	4.7	5.7	1.3	1.0
Cities in other states	132.8	231.8	59.5	91.2	6.6	7.0	1.9	1.4
Males.....	151.4	274.2	64.1	102.8	7.8	8.6	2.4	1.6
Females.....	113.8	188.2	54.9	79.4	5.3	5.4	1.4	1.2

It will be seen from this table that the highest death rate from hydrocephalus occurred in infants under 1 year of age, and that the death rate above 15 years was insignificant. In infants under 1 year of age the death rate was higher in males (200.2) than in females (164.9) and was much higher in the cities in the registration states (261.6) than in the cities in the nonregistration states (132.8) or in the rural districts of the registration states (135.3).

In comparison with 1890 the figures show a decrease in the rate under 1 year of age amounting to over 40 per cent in each area.

The combined relations of age and race to the death rates from hydrocephalus are indicated for the registration area, in the following table, giving the death rates during the census year in each of four age groups, per 100,000 population of corresponding ages, by color and birthplaces of mothers:

DEATH RATES BY AGE, COLOR, AND BIRTHPLACES OF MOTHERS.

COLOR AND BIRTHPLACES OF MOTHERS.	Under 1.	Under 5.	5 to 14.	15 and over.
White	178.7	80.2	7.0	1.8
Colored.....	294.3	118.2	10.3	3.1
Mothers born in—				
United States.....	177.3	78.3	5.9	1.5
Ireland.....	313.2	139.4	8.2	1.7
Germany.....	161.9	65.0	4.5	1.5
England and Wales.....	248.1	97.7	6.1	1.1
Canada.....	169.5	70.7	6.6	2.3
Scandinavia.....	150.2	91.0	8.8	3.4
Scotland.....	368.8	117.2	5.6	0.9
Italy.....	186.9	100.5	15.7	1.4
France.....	227.8	112.4	9.6	3.5
Hungary.....	149.8	97.0	4.1	
Bohemia.....	44.9	46.6	10.2	3.8
Russia.....	248.2	123.1	8.2	2.5
Poland.....	50.3	22.4	1.1	1.0
Other foreign.....	159.3	85.8	18.0	3.6

It will be seen from the preceding table that the death rates from hydrocephalus in white infants under 1 year

of age were highest in those whose mothers were born, in Scotland (368.8), in Ireland (313.2), and in Russia (248.2); and were lowest in those whose mothers were born in Bohemia (44.9), in Poland (50.3), and in Hungary (149.8).

The following table shows, for the registration area, the proportions of deaths from hydrocephalus at each specified age, per 1,000 deaths at known ages from this disease, in 1900 and 1890, by sex:

NUMBER OF DEATHS AT EACH AGE PER 1,000 AT KNOWN AGES.

AGE.	1900		1890	
	Males.	Females.	Males.	Females.
Under 1 year.....	358.0	354.4	461.0	411.8
1 year.....	200.2	208.4	216.6	223.9
2 years.....	99.8	89.8	77.4	95.8
3 years.....	54.0	73.0	48.9	46.0
4 years.....	37.3	42.8	29.1	46.8
Under 5 years.....	749.3	768.4	833.0	824.3
5 to 9 years.....	94.1	96.2	80.3	93.6
10 to 14 years.....	29.3	27.4	18.6	20.7
15 to 19 years.....	21.8	33.0	9.9	13.8
20 to 24 years.....	21.2	15.4	10.5	12.3
25 to 29 years.....	14.3	16.2	11.6	7.7
30 to 34 years.....	21.8	9.1	5.8	5.4
35 to 39 years.....	12.6	9.1	8.7	8.4
40 to 44 years.....	12.6	8.4	5.8	3.8
45 to 49 years.....	9.2	5.6	3.5	1.5
50 to 54 years.....	5.7	2.8	2.9	2.3
55 to 59 years.....	2.9	2.8	2.9	1.5
60 to 64 years.....	2.3		2.3	
65 to 69 years.....	0.6	1.4	1.2	0.8
70 to 74 years.....	0.6	2.8	1.8	0.8
75 to 79 years.....	1.1	1.4	0.6	0.8
80 years and over.....	0.6		0.6	2.3

The average age at death from hydrocephalus in the registration area in 1900 was 6 years. In 1890 it was 4.2 years. For those dying at 15 years of age and over the average age was 32.3 years in 1900, and 34.6 years in 1890.

The following table shows, for each grand group in the United States, the proportions of deaths from hydrocephalus during the census year, per 1,000 deaths from known causes, in the aggregate, and by sex, for the cities and rural districts:

NUMBER OF DEATHS PER 1,000 DEATHS FROM KNOWN CAUSES.

GRAND GROUP.	Total.	RURAL.		CITIES.	
		Males.	Females.	Males.	Females.
1. North Atlantic Coast region	8.4	4.7	6.2	10.2	9.2
2. Middle Atlantic Coast region	8.4	3.9	3.0	10.0	9.2
3. South Atlantic Coast region	1.7	0.9	2.3	3.1	1.0
4. Gulf Coast region	1.7	0.8	2.4	2.1	1.9
5. Northeastern hills and plateaus.....	5.9	5.6	5.2	8.2	5.4
6. Central Appalachian region.....	2.9	2.5	2.5	3.5	3.9
7. Region of the Great Northern Lakes...	4.6	3.5	3.5	5.4	4.7
8. Interior plateau.....	3.3	2.5	2.2	4.5	3.5
9. Southern Central Appalachian region ..	1.6	1.9	1.3	1.6	0.9
10. Ohio River belt.....	4.6	3.1	4.9	5.6	5.2
11. Southern Interior plateau.....	1.2	1.5	0.9		
12. South Mississippi River belt.....	1.1	1.2	0.8	1.2	1.5
13. North Mississippi River belt	4.2	2.4	2.8	5.8	6.3
14. Southwest Central region	1.9	1.9	1.8	0.9	2.5
15. Central region—plains and prairies....	3.5	3.4	3.2	4.3	4.3
16. Prairie region	2.9	3.1	2.7	3.9	2.1
17. Missouri River belt.....	2.7	2.2	1.7	3.6	4.0
18. Region of the Western plains	2.5	1.7	2.0	3.9	5.4
19. Heavily timbered region of the North-west.....	3.9	3.3	4.2	5.2	4.2
20. Cordilleran region	3.1	2.9	2.7	5.6	4.8
21. Pacific Coast region	8.6	3.1	6.3	10.7	12.7

The preceding table indicates that the proportions of deaths due to hydrocephalus were greatest in the Pacific Coast region (8.6), and the North Atlantic and Middle Atlantic Coast regions, in both of which it was 8.4. The proportions of deaths from this disease were lowest in the South Mississippi River belt and the Southern Interior plateau.

CONSUMPTION.

The total number of deaths reported as due to consumption in the United States during the census year was 109,750, of which 53,626 were males and 56,124 were females, and the ratio of deaths from this disease to 1,000 deaths from all known causes was 109.9. In 1890 the corresponding ratio was 122.3.

In the registration area the number of deaths from this disease was 53,962, of which 29,192 were males, and 24,770 were females, giving a ratio of 106.3 deaths from this disease to 1,000 deaths from all known causes, and a death rate of 187.3 per 100,000 of population. In 1890 the death rate was 245.4.

In England and Wales the death rate from consumption for the year 1899 was 133.8 per 100,000 of population. In the ten years 1889–1898 the average rates, by sex, from this disease were males, 162.9; females, 128.9.


The following table shows, for the registration area and its subdivisions, the death rates from consumption in the census years 1900 and 1890, by sex, color, general nativity, and parent nativity:

DEATH RATES BY COLOR AND NATIVITY.

AREAS.	Aggre- gate.	WHITE.							COLORED.		
		Total.	Males.	Females.	Native.			Foreign.	Total.	Males.	Females.
					Total.	Both parents native.	One or both parents foreign.				
Registration area.....1900..	187.3	173.5	188.3	158.8	155.4	126.5	184.8	231.1	490.6	527.3	455.1
.....1890..	245.4	230.0	240.1	220.0	200.1	167.7	259.8	312.3	546.1	578.3	515.0
Cities.....1900..	204.9	188.0	211.6	164.6	167.7	131.6	201.8	244.0	504.3	546.9	463.6
.....1890..	265.6	247.2	265.0	229.5	212.9	177.0	274.2	325.9	563.1	599.5	528.2
States.....1900..	175.9	170.5	182.8	158.3	150.4	121.7	188.9	229.9	431.9	463.2	401.6
.....1890..	249.0	242.4	250.1	234.9	209.2	165.4	280.7	338.4	529.2	589.8	471.9
Cities.....1900..	204.8	197.8	226.8	169.9	173.0	125.3	212.6	251.5	471.0	525.8	420.2
.....1890..	293.5	285.1	308.1	263.2	243.4	176.1	309.1	372.2	600.1	696.7	513.7
Rural.....1900..	134.1	131.6	122.4	141.2	124.4	119.3	133.7	168.9	322.7	302.2	345.2
.....1890..	181.0	177.7	165.1	190.6	167.7	157.2	203.9	231.8	365.2	364.4	366.1
Cities in other states.....1900..	204.9	178.5	197.4	159.5	163.5	150.1	167.8	232.8	514.2	553.0	476.6
.....1890..	239.9	209.7	224.0	195.1	184.7	179.0	193.8	273.5	552.9	573.7	532.4


It will be seen from this table that the death rate from consumption was about the same in the cities in the registration states (204.8) as in the cities in the nonregistration states (204.9), in both of which it was much higher than in the rural districts of the registration states (134.1). The death rate of the colored from consumption (490.6) was nearly three times that of the whites (173.5), and that of the foreign whites (231.1)

was much higher than that of the native whites (155.4). For the last-mentioned class the death rate for those having one or both parents foreign (184.8) was also much higher than for those of native parents (126.5). The death rates of males from this disease (white, 188.3; colored, 527.3) were considerably higher than those of females (white, 158.8; colored, 455.1).



TE DUE TO
PTION
population





The following table shows, for the registration states, the death rates from consumption in the census year, in the aggregate, and for the cities and rural districts, per 100,000 of population, in comparison with 1890:

DEATH RATES IN CITIES AND RURAL DISTRICTS.

REGISTRATION STATES.	AGGREGATE.			MALES.			FEMALES.		
	Total.	Cities.	Rural.	Total.	Cities.	Rural.	Total.	Cities.	Rural.
Total	175.9	204.8	134.1	188.4	234.3	124.9	163.3	176.4	143.8
1890.....	249.0	293.5	181.0	257.7	318.0	168.6	240.4	270.1	193.6
Connecticut	168.3	182.7	141.8	176.8	200.2	134.3	159.8	165.4	149.6
1890.....	233.6	272.6	205.8	245.7	301.4	206.7	221.7	244.9	204.9
District of Columbia	305.3	305.3		334.1	334.1		279.4	279.4	
1890.....	359.0	359.0		403.3	403.3		318.7	318.7	
Maine ¹	164.9	191.7	159.4	149.3	200.1	139.6	180.8	184.0	180.1
Massachusetts	186.2	193.7	162.5	202.5	208.1	185.3	170.7	180.2	140.0
1890.....	267.1	279.4	227.0	265.2	276.1	230.4	268.9	282.4	223.8
Michigan ¹	100.7	116.7	94.1	84.8	119.6	71.2	117.6	118.8	119.4
New Hampshire	152.3	176.2	137.3	142.2	173.0	124.0	162.5	179.1	151.3
1890.....	193.6	191.9	194.3	171.5	176.5	169.6	215.3	205.6	219.6
New Jersey	180.1	202.2	151.1	194.3	232.0	145.6	165.8	172.7	156.7
1890.....	234.5	268.9	189.4	247.1	300.3	178.7	221.9	238.2	200.3
New York	194.1	221.4	137.3	221.3	265.3	132.4	167.2	178.8	142.4
1890.....	247.7	306.6	152.3	264.3	343.2	141.2	231.2	271.5	163.8
Rhode Island	195.3	208.3	170.0	207.1	225.5	172.5	183.9	192.1	167.4
1890.....	266.6	294.9	227.6	275.6	320.2	216.2	258.1	271.6	238.8
Vermont	152.5	160.9	151.2	137.0	168.6	132.4	168.5	153.7	171.0
1890.....	198.8	243.9	194.7	155.3	221.5	149.6	244.0	264.4	242.0

¹ Nonregistration in 1890.

This table shows that the death rate from consumption in the registration states was highest in the District of Columbia (305.3), which was due mainly to the large proportion of colored population. The next highest rate in the registration states was in Rhode Island, where it was 195.3. The death rate from this disease was higher among males than among females in the cities, but lower in the rural districts. Excluding the District of Columbia, the highest occurred among males in the cities in New York (265.3) and the lowest also among males in the rural districts in Michigan.

The comparative death rates from consumption in the different counties of the registration states, per 100,000 of population, are shown by plates Nos. 16 and 17.

The following table shows, for the registration area and its subdivisions, the death rates from consumption among the whites during the census year, per 100,000 of white population, by birthplaces of mothers:

DEATH RATES BY BIRTHPLACES OF MOTHERS.

BIRTHPLACES OF MOTHERS.	REGISTRATION RECORD.					
	Total.	Cities.	States.			Cities in other states.
			Total.	Cities.	Rural.	
United States	112.8	116.6	112.4	117.4	108.2	115.0
Ireland	339.6	364.3	351.1	383.0	238.5	248.3
Germany	167.0	174.7	169.4	182.2	130.5	161.4
England and Wales	135.1	147.0	141.9	161.2	105.7	103.1

PART I—VITAL STAT—XII

DEATH RATES BY BIRTHPLACES OF MOTHERS—Continued.

BIRTHPLACES OF MOTHERS.	REGISTRATION RECORD.					
	Total.	Cities.	States.			Cities in other states.
			Total.	Cities.	Rural.	
Canada	143.1	158.1	144.9	163.1	122.0	114.3
Scandinavia	170.3	183.5	173.9	200.7	125.2	164.0
Scotland	172.5	191.9	180.2	208.3	121.0	129.1
Italy	113.6	122.5	112.3	121.9	63.3	127.7
France	184.7	210.6	175.6	211.4	89.0	209.0
Hungary and Bohemia	107.7	113.3	107.3	116.3	53.2	108.6
Russia and Poland	71.8	72.6	70.4	71.2	63.6	77.9
Other foreign	153.8	159.8	150.3	156.5	135.3	172.6

It will be seen from the preceding table that the death rates due to consumption in the registration area were highest among those whose mothers were born in Ireland (339.6), in France (184.7), and in Scotland (172.5); and were lowest among those whose mothers were born in Russia and Poland (71.8), in the United States (112.8), and in Hungary and Bohemia (107.7). The mortality from this disease among the children of Irish mothers in the cities in the registration states (383) was much higher than in the cities in other states (248.3) or in the rural districts of the registration states (238.5).

The following table shows, for the registration area and its subdivisions, the death rates from consumption during the census year in each of four age groups, per 100,000 population of corresponding ages, in comparison with 1890, by sex:

DEATH RATES AT CERTAIN AGES.

REGISTRATION AREAS.	UNDER 15.	15 TO 44.		45 TO 64.		65 AND OVER.	
	1900	1900	1890	1900	1890	1900	1890
Total	39.6	252.4	320.1	232.5	319.3	260.1	369.0
Males.....	36.6	265.3	324.5	290.7	384.5	293.9	410.0
Females.....	42.6	239.5	315.7	173.1	254.8	230.0	332.3
Cities.....	44.1	273.4	345.5	266.7	363.3	278.2	396.9
Males.....	41.4	297.3	360.0	347.1	446.6	344.3	474.2
Females.....	46.9	250.1	331.2	186.1	280.6	224.3	333.7
States.....	36.0	239.8	324.8	208.4	310.2	246.6	360.5
Males.....	33.1	251.5	327.0	253.1	372.1	269.0	381.1
Females.....	39.0	228.2	322.7	163.6	250.5	226.2	341.9
Cities.....	43.2	276.8	380.7	257.9	389.1	264.2	401.3
Males.....	40.9	311.2	404.5	337.2	487.1	333.5	458.8
Females.....	45.5	243.9	358.2	181.8	296.5	210.3	356.2
Rural.....	25.5	179.1	227.4	151.4	212.3	233.6	330.7
Males.....	21.7	158.1	197.1	160.6	232.5	223.0	331.3
Females.....	29.3	201.1	258.2	141.6	192.4	239.4	330.2
Cities in other states	45.0	270.5	313.2	275.0	336.5	292.1	391.9
Males.....	41.9	285.1	320.9	356.2	406.7	354.5	491.2
Females.....	48.1	255.8	305.3	190.3	263.2	238.9	307.0

It will be seen from this table that the death rates from consumption were higher among those 15 to 44 years of age (252.4) and those 65 years of age and over (260.1) than among those between 45 and 64 years of age (232.5). The rate was higher among males than among females in each age group above 15 years, the greatest difference being in the age group 45 to 64 years (males, 290.7; females, 173.1).

It was much higher in the cities than in the rural districts in every age group, being highest in the cities in the nonregistration states among those 65 years of age and over (292.1).

In comparison with 1890 the figures show a large decrease in the death rate at each age and in each area, amounting in the aggregate to 67.7 per 100,000 of those 15 to 44 years old; 86.6 for those 45 to 64 years old; and 108.9 for those 65 years of age and over.

The combined relations of age and race to the death rates from consumption are indicated for the registration area, in the following table, giving the death rates during the census year in each of 4 age groups, per 100,000 population of corresponding ages, by color and birthplaces of mothers:

DEATH RATES BY AGE, COLOR, AND BIRTHPLACES OF MOTHERS.

COLOR AND BIRTHPLACES OF MOTHERS.	Under 15.	15 to 44.	45 to 64.	65 and over.
White	31.8	234.8	220.8	252.3
Colored.....	246.0	587.4	518.0	548.7
Mothers born in—				
United States.....	27.5	162.5	131.8	176.4
Ireland.....	42.2	428.0	340.9	324.7
Germany.....	26.6	205.9	207.5	235.3
England and Wales.....	27.2	151.4	173.1	234.0
Canada.....	34.5	199.7	163.8	237.3

DEATH RATES BY AGE, COLOR, AND BIRTHPLACES OF MOTHERS—Continued.

COLOR AND BIRTHPLACES OF MOTHERS.	Under 15.	15 to 44.	45 to 64.	65 and over.
Scandinavia.....	32.4	233.7	267.3	236.6
Scotland.....	32.9	201.1	201.8	238.5
Italy.....	50.7	149.9	157.0	144.7
France.....	47.1	220.6	195.5	162.5
Hungary.....	38.6	113.4	125.1	187.3
Bohemia.....	13.2	235.2	124.9	101.0
Russia.....	26.7	131.1	172.8	249.4
Poland.....	11.4	67.4	103.9	243.2
Other foreign.....	45.9	189.1	263.6	233.7

The preceding table shows that the death rates due to consumption in white persons under 15 years of age were highest in those whose mothers were born in Italy (50.7), in France (47.1), and in "Other foreign" countries (45.9); and were lowest in those whose mothers were born in Poland (11.4), in Bohemia (13.2), and in Germany (26.6).

At 15 to 44 years of age they were highest in those whose mothers were born in Ireland (428), in Bohemia (235.2), and in Scandinavia (233.7); and were lowest in those whose mothers were born in Poland (67.4), in Hungary (113.4), and in Russia (131.1).

At 45 to 64 years they were highest in those whose mothers were born in Ireland (340.9), in Scandinavia (267.3), and in "Other foreign" countries (263.6); and were lowest in those whose mothers were born in Poland (103.9), in Bohemia (124.9), in Hungary (125.1), and in the United States (131.8).

At 65 years of age and over the death rates were highest in those whose mothers were born in Ireland

(324.7), in Russia (249.4), and in Poland (243.2); and were lowest in those whose mothers were born in Bohemia (101), in Italy (144.7), and in France (162.5).

The following table shows the death rates from consumption in the registration area during the census year, by conjugal condition in relation to age:

DEATH RATES BY CONJUGAL CONDITION AND AGE.

CONJUGAL CONDITION.	AGE.							
	15 years and over.		15 to 44 years.		45 to 64 years.		65 years and over.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Single	309.8	225.2	292.2	223.4	565.3	235.6	604.1	296.0
Married	215.5	216.4	208.3	237.6	223.1	153.7	244.2	236.1
Widowed	465.0	235.1	667.0	356.7	487.4	189.3	312.0	213.2

It will be seen from this table that the death rates from consumption in persons 15 years of age and over were higher in the single (males, 309.8; females, 225.2) than in the married (males, 215.5; females, 216.4).

In the age group 15 to 44 years, the death rate of single males (292.2) was higher than that of married males (208.3), but for the married females (237.6) it was higher than for the single females (223.4). It was highest of all in widowed males at these ages (667).

At 45 to 64 years the rates were higher for the single (males, 565.3; females, 235.6) than for the married (males, 223.1; females, 153.7), and in females the rate was higher for the single than for the widowed (189.3).

In the age group 65 years and over, it was highest in single males (604.1) and lowest in widowed females (213.2).


The following table shows, for the registration area, the proportions of deaths from consumption at each age, per 1,000 deaths at known ages from this disease, in 1900 and 1890, by sex:

NUMBER OF DEATHS AT EACH AGE PER 1,000 AT KNOWN AGES.

AGE.	1900		1890	
	Males.	Females.	Males.	Females.
Under 1 year.....	18.8	17.8	20.1	16.5
1 year.....	9.3	9.6	9.7	10.9
2 years.....	5.2	4.8	5.1	5.0
3 years.....	3.3	4.0	2.7	3.6
4 years.....	2.3	2.2	2.0	2.8
Under 5 years.....	38.9	38.4	39.6	38.8
5 to 9 years.....	8.1	13.2	8.1	11.7
10 to 14 years.....	9.5	24.7	10.7	27.2
15 to 19 years.....	52.1	89.2	57.0	100.4
20 to 24 years.....	119.7	153.7	132.9	151.5
25 to 29 years.....	142.2	165.3	143.8	154.2
30 to 34 years.....	135.7	129.8	126.9	122.6
35 to 39 years.....	123.5	103.7	108.7	96.4
40 to 44 years.....	93.8	70.2	85.6	72.0
45 to 49 years.....	75.7	48.4	75.5	55.3
50 to 54 years.....	60.3	39.7	59.2	41.6
55 to 59 years.....	45.7	33.4	46.5	33.8
60 to 64 years.....	34.7	28.1	39.8	29.7
65 to 69 years.....	26.7	24.9	29.5	26.1
70 to 74 years.....	17.7	17.4	17.8	17.6
75 to 79 years.....	10.6	11.9	12.0	11.9
80 to 84 years.....	3.8	5.1	4.5	5.9
85 to 89 years.....	1.0	2.3	1.5	2.5
90 to 94 years.....	0.2	0.4	0.2	0.6
95 years and over.....	0.1	0.2	0.2	0.2

The average age at death from consumption in the registration area in 1900 was 35.3 years, being the same as in 1890. For those dying at 15 years of age and over, the average was 37.4 years in 1900 and 37.5 years in 1890.

The comparative proportions of deaths from consumption at each age in the registration area, in 1900 and 1890, are shown in the following diagram:



The following table shows, for each grand group in the United States, the proportions of deaths from consumption during the census year, per 1,000 deaths from known causes, in the aggregate, and by sex, for the cities and rural districts:

NUMBER OF DEATHS PER 1,000 DEATHS FROM KNOWN CAUSES.

GRAND GROUP.	Total.	RURAL.		CITIES.	
		Males.	Fe-males.	Males.	Fe-males.
1. North Atlantic Coast region	104.6	95.3	95.6	112.3	104.6
2. Middle Atlantic Coast region	117.8	108.8	131.0	130.5	102.9
3. South Atlantic Coast region	111.5	93.5	121.9	109.2	133.7
4. Gulf Coast region	106.1	84.9	93.2	123.6	130.0
5. Northeastern hills and plateaus	93.8	81.7	97.7	102.7	101.0
6. Central Appalachian region	81.4	73.4	94.3	70.3	87.9
7. Region of the Great Northern Lakes	96.1	84.7	105.2	99.9	94.1
8. Interior plateau	103.0	89.8	117.3	104.5	101.4
9. Southern Central Appalachian region	135.0	102.3	169.1	123.1	133.3
10. Ohio River belt	132.4	112.7	169.5	127.5	116.3
11. Southern Interior plateau	119.5	92.5	145.3		
12. South Mississippi River belt	114.0	97.8	128.1	109.6	137.4
13. North Mississippi River belt	102.6	79.7	109.5	117.4	109.5
14. Southwest Central region	92.6	73.6	108.0	172.5	170.9
15. Central region—plains and prairies	138.0	111.2	171.7	116.4	134.0
16. Prairie region	104.4	84.4	127.8	91.5	123.3
17. Missouri River belt	113.6	96.8	145.9	91.0	118.9
18. Regions of the Western plains	117.2	93.7	111.0	195.5	134.9
19. Heavily timbered region of the North-west	86.5	66.5	111.6	72.9	97.6
20. Cordilleran region	99.2	96.9	103.8	95.8	98.8
21. Pacific Coast region	153.0	138.0	181.5	161.2	138.1


The preceding table indicates that the proportions of deaths due to consumption were greatest in the Pacific Coast region (153), the Central region of plains and prairies (138), the Southern Central Appalachian region (135), and the Ohio River belt (132.4); and were lowest in the Central Appalachian region (81.4), the heavily timbered region of the Northwest (86.5), and the Southwest Central region (92.6).

The geographical distribution of deaths from consumption, by state groups, is shown by plate No. 18.

The following table shows, for the registration states, the death rates from consumption in each month of the census year, in the aggregate, and for the cities and rural districts:



DEATH RATES BY MONTHS.

MONTHS.	Total.	Cities.	Rural.
January	15.0	17.3	11.1
February	14.4	16.8	10.9
March	17.8	21.1	13.1
April	17.3	20.2	13.2
May	16.3	18.3	13.4
June	12.9	14.7	10.4
July	14.1	16.6	10.6
August	13.4	15.5	10.5
September	12.9	15.3	9.4
October	13.8	16.2	10.4
November	13.5	15.7	10.3
December	14.4	16.8	10.8



The death rates from consumption in each month in the cities and the rural districts, and the relative differ-

ences in the rates in the two areas, are shown in the following diagram:



The preceding table and diagram show that in both cities and rural districts of the registration states the death rates from consumption were highest in March, April, and May, and were lowest in September.

The following table shows the comparative proportions of deaths from consumption in each month during the census year, per 1,000 deaths in known months in the United States, as a whole, and in the registration states:

COMPARATIVE PROPORTIONS OF DEATHS IN EACH MONTH.

MONTHS.	United States.	Registration states.
January	86.9	85.0
February	86.5	81.9
March	104.0	101.2
April	103.6	98.6
May	106.6	92.5
June	70.6	73.4
July	75.3	80.4
August	72.0	76.5
September	70.0	73.3
October	73.1	78.7
November	72.1	76.6
December	79.3	81.9

CANCER AND TUMOR.

Table 14, Part I, gives the number of deaths from cancer in the United States, the registration area and its subdivisions and the nonregistration area, during the census year ending May 31, 1900, by color, general nativity, parent nativity, and birthplaces of mothers, with distinction of sex and age.

Table 15, Part I, gives the number of deaths from cancer, in the registration area, of the single, married, widowed, and divorced, during the census year ending May 31, 1900, by color, general nativity, parent nativity, and birthplaces of mothers, with distinction of sex and age.

Table 16, Part I, gives the deaths from cancer of certain specified organs in the registration area, during the census year ending May 31, 1900, by color, general nativity, and birthplaces of mothers, with distinction of sex and age.

Table 17, Part I, gives the number of deaths from cancer in the United States, and in the registration and nonregistration areas during the census year ending May 31, 1900, at each age, of males engaged in each occupation and class of occupations.

Table 18, Part I, gives the number of deaths from cancer in the United States, and in the registration and nonregistration areas during the census year ending May 31, 1900, at each age, of females engaged in each occupation.

Table 19, Part I, gives the deaths from cancer and tumor in the United States, the registration area and its subdivisions, each state group in the registration states, and each principal city, by color, nativity, and parent nativity.

The deaths from cancer and tumor will first be considered together, as it is impossible accurately to distinguish them as they are commonly reported. They are stated separately in the general tables showing the rela-

tion of sex and age to causes of death. The number from each in the United States and the registration area, by sex, is stated below:

DISEASE.	UNITED STATES.		REGISTRATION AREA.	
	Males.	Females.	Males.	Females.
Cancer	11,436	18,039	6,388	10,908
Tumor.....	1,305	2,122	694	973

The total number of deaths reported as due to cancer and tumor in the United States during the census year was 32,902, of which 12,741 were males, and 20,161

were females, and the proportion of deaths from these diseases in 1,000 deaths from known causes was 32.9. In 1890 the corresponding proportion was 25.4.

In the registration area the number of deaths reported as due to cancer and tumor was 18,963, of which 7,082 were males, and 11,881 were females, giving a proportion of 37.4 deaths from these diseases in 1,000 deaths from all known causes, and a death rate of 65.8 per 100,000 of population. In 1890 the death rate was 53.1.

The following table shows, for the registration area and its subdivisions, the death rates from cancer and tumor, in the census years 1900 and 1890, by sex, color, general nativity, and parent nativity:

DEATH RATES BY COLOR AND NATIVITY.

AREAS.	Aggre- gate.	WHITE.							COLORED.		
		Total.	Males.	Females.	Native.			Foreign.	Total.	Males.	Females.
					Total.	Both parents native.	One or both parents foreign.				
Registration area 1900..	65.8	66.7	50.1	83.2	48.0	66.9	25.7	124.6	47.7	28.6	66.2
.....1890..	53.1	53.9	38.8	69.0	39.6	58.6	17.9	93.3	36.7	19.2	53.6
Cities.....1900..	64.0	64.8	49.3	80.1	42.0	59.5	24.9	125.9	49.2	30.2	67.3
.....1890..	52.2	53.1	38.5	67.6	34.5	55.8	17.3	95.9	37.1	18.3	55.2
States 1900..	67.7	68.1	49.2	87.0	51.9	70.4	25.5	116.2	45.0	23.3	66.0
.....1890..	56.3	56.8	39.0	74.2	45.6	62.1	18.8	89.0	35.7	19.7	50.8
Cities.....1900..	65.1	65.5	46.8	83.4	42.5	64.7	24.1	115.1	50.5	28.4	71.0
.....1890..	56.5	57.0	38.3	74.9	40.0	62.5	18.3	92.4	37.4	15.6	56.9
Rural.....1900..	71.4	71.9	52.4	92.3	62.9	74.6	29.8	118.6	29.6	10.1	50.9
.....1890..	56.0	56.4	40.0	73.1	52.4	61.8	20.1	78.2	31.7	23.2	35.4
Cities in other states 1900..	63.0	64.2	51.6	76.9	41.7	49.4	27.6	140.3	48.8	30.7	66.2
.....1890..	48.2	49.3	38.6	60.2	29.4	41.4	14.9	99.8	37.1	19.0	54.8

This table shows that the death rate from cancer and tumor was highest in the rural districts of the registration states (71.4), and lowest in the cities in the nonregistration states (63). It was higher among the whites (66.7) than among the colored (47.7), much higher in the native whites of native parents (66.9) than in those of foreign parents (25.7), and highest of all for the foreign whites.

The relatively higher death rates of females (white, 83.2; colored, 66.2) than of males (white, 50.1; colored,

28.6) are due to the greater tendency of these diseases to attack the female mammary and generative organs.

In comparison with 1890 there was a decided increase in the death rates due to cancer and tumor, ranging from 15 per cent in the cities in the registration states to 27 per cent in the rural districts.

The following table shows, for the registration states, in the aggregate, and for the cities and rural districts, the death rates from cancer and tumor in the census year, per 100,000 of population, in comparison with 1890:

DEATH RATES IN CITIES AND RURAL DISTRICTS.

REGISTRATION STATES.		AGGREGATE.			MALES.			FEMALES.		
		Total.	Cities.	Rural.	Total.	Cities.	Rural.	Total.	Cities.	Rural.
Total	1900..	67.7	65.1	71.4	48.6	46.4	51.8	86.6	83.1	91.8
	1890..	56.3	56.5	56.0	38.5	37.7	39.8	73.6	74.4	72.5
Connecticut.....	1900..	66.1	64.3	69.2	43.6	40.4	50.1	88.5	88.5	88.7
	1890..	55.2	52.5	57.1	34.9	32.8	36.4	75.1	71.5	77.8
District of Columbia	1900..	77.5	77.5	-----	51.4	51.4	-----	100.9	100.9	-----
	1890..	49.9	49.9	-----	29.2	29.2	-----	68.7	68.7	-----
Maine ¹	1900..	88.5	87.8	88.5	64.7	49.6	67.5	112.7	122.7	110.4
Massachusetts.....	1900..	72.4	67.7	87.3	49.2	45.6	60.4	94.4	88.4	113.6
	1890..	66.9	63.2	79.0	44.2	39.8	58.3	88.3	85.0	99.3
Michigan ¹	1900..	63.2	66.7	61.7	51.4	55.5	49.8	75.8	77.7	74.8
New Hampshire.....	1900..	72.9	55.4	84.0	43.3	36.7	47.2	102.3	72.7	122.2
	1890..	69.6	51.6	77.1	43.4	24.9	50.6	95.3	75.4	104.1

¹ Nonregistration in 1890.

CAUSES OF DEATH.

clxxxiii

DEATH RATES IN CITIES AND RURAL DISTRICTS—Continued.

REGISTRATION STATES.	AGGREGATE.			MALES.			FEMALES.		
	Total.	Cities.	Rural.	Total.	Cities.	Rural.	Total.	Cities.	Rural.
New Jersey.....1900..	56.4	55.5	57.8	42.5	42.0	43.1	70.4	68.7	72.6
.....1890..	47.6	48.4	46.5	31.9	30.6	33.6	63.1	65.8	59.6
New York.....1900..	66.7	65.1	70.2	48.3	47.5	49.8	85.1	82.2	91.1
.....1890..	58.1	56.1	48.4	37.6	39.5	34.6	68.5	72.0	62.5
Rhode Island.....1900..	66.7	60.3	79.1	39.8	36.4	46.5	92.7	83.0	112.0
.....1890..	63.1	63.0	63.3	43.5	42.8	44.4	81.7	81.6	81.9
Vermont.....1900..	90.2	77.2	92.3	61.7	57.7	62.3	119.9	95.6	124.0
.....1890..	75.8	53.0	77.9	57.3	44.3	58.4	95.0	61.0	98.4

This table shows that the death rates from cancer and tumor in the registration states were highest in Vermont (90.2) and Maine (88.5), and lowest in New Jersey (56.4) and Michigan (63.2). The rate was slightly higher in the rural districts (71.4) than in the cities (65.1), being highest in the rural districts in Vermont (92.3) and lowest in the registration cities in New Hampshire (55.4).

The following table shows, for the registration area and its subdivisions, the death rates from cancer and tumor among the whites during the census year, per 100,000 of white population, by birthplaces of mothers:

DEATH RATES BY BIRTHPLACES OF MOTHERS.

BIRTHPLACES OF MOTHERS.	REGISTRATION RECORD.					
	Total.	Cities.	States.			Cities in other states.
			Total.	Cities.	Rural.	
United States.....	53.0	44.4	57.3	49.6	63.7	33.9
Ireland.....	83.9	82.6	83.7	82.0	89.8	86.2
Germany.....	84.4	85.8	85.5	88.3	77.0	81.6
England and Wales.....	78.3	77.9	78.0	77.2	79.4	80.1
Canada.....	44.0	41.5	44.2	41.5	47.6	41.0
Scandinavia.....	34.8	36.2	34.5	37.1	29.8	35.3
Scotland.....	89.7	84.3	94.5	90.1	103.9	62.2
Italy.....	24.7	25.6	23.3	24.0	20.1	39.2

DEATH RATES BY BIRTHPLACES OF MOTHERS—Continued.

BIRTHPLACES OF MOTHERS.	REGISTRATION RECORD.					
	Total.	Cities.	States.			Cities in other states.
			Total.	Cities.	Rural.	
France.....	97.8	100.2	89.1	89.2	89.1	121.0
Hungary and Bohemia.....	34.0	35.3	30.4	32.0	21.3	40.4
Russia and Poland.....	28.6	28.8	29.1	29.5	26.3	26.0
Other foreign.....	54.3	54.0	54.9	54.6	55.4	51.7

The preceding table shows that the death rates due to these diseases in the registration area were highest among those whose mothers were born in France (97.8), in Scotland (89.7), and in Germany (84.4); and were lowest among those whose mothers were born in Russia and Poland (28.6), in Italy (24.7), and in Hungary and Bohemia (34). The rate was lower among those whose mothers were born in the United States (53) than among those whose mothers were born in Ireland (83.9), or in England and Wales (78.3).

The following table shows, for the registration area and its subdivisions, the death rates from cancer and tumor during the census year in each of five age groups, per 100,000 of population of corresponding ages, in comparison with 1890, by sex:

DEATH RATES AT CERTAIN AGES.

REGISTRATION AREAS.	UNDER 5.		5 TO 14.		15 TO 44.		45 TO 64.		65 AND OVER	
	1900	1890	1900	1890	1900	1890	1900	1890	1900	1890
Total.....	4.4	5.0	1.8	1.6	24.1	21.4	208.9	171.3	483.9	367.9
Males.....	4.7	5.9	1.8	1.6	14.4	12.7	149.0	118.5	443.4	317.1
Females.....	4.0	4.1	1.8	1.5	33.8	30.0	269.9	223.6	520.1	413.2
Cities.....	4.2	5.3	2.1	1.8	25.2	23.0	227.7	186.8	513.2	404.6
Males.....	4.4	6.3	2.1	1.9	15.5	13.8	169.2	132.6	485.4	355.9
Females.....	3.9	4.4	2.2	1.7	34.7	32.1	286.4	240.5	535.8	444.5
States.....	4.3	4.8	1.6	1.1	22.9	20.7	196.2	164.2	477.3	364.1
Males.....	4.5	5.8	1.8	1.1	12.7	11.1	132.3	105.6	419.7	308.9
Females.....	4.1	3.8	1.4	1.1	33.0	30.0	260.5	220.6	529.7	414.1
Cities.....	3.9	5.3	2.1	1.3	24.4	23.8	223.8	188.8	526.8	427.6
Males.....	3.8	6.5	2.5	1.4	14.0	12.7	159.3	123.5	469.0	370.3
Females.....	4.0	4.1	1.8	1.2	34.4	34.3	285.7	250.5	571.9	472.6
Rural.....	5.0	4.0	0.8	0.8	20.3	15.2	164.5	133.7	441.0	317.6
Males.....	5.7	4.6	0.9	0.7	10.7	8.5	102.5	83.8	388.5	269.6
Females.....	4.3	3.3	0.8	0.9	30.5	22.2	230.0	182.7	494.5	366.0
Cities in other states.....	4.4	5.3	2.1	2.2	25.9	22.3	231.4	184.7	499.5	378.3
Males.....	5.6	6.1	1.7	2.4	16.8	14.8	178.2	141.6	501.0	340.1
Females.....	3.9	4.6	2.5	2.1	35.0	30.0	287.0	229.7	493.3	410.9

It will be seen from this table that the death rate from cancer and tumor under 15 years of age was comparatively insignificant, and that it increased rapidly with increasing age. At 15 to 44 years it was 24.1, at 45 to 64 it was 208.9, and at 65 years of age and over it was 483.9 per 100,000 of population. Above the age of 15 years the death rate from cancer and tumor was much higher among females than among males, but the difference in the death rate of the two sexes decreased with the increase in age. It was slightly higher in the cities than in the rural districts.

In comparison with 1890 there was a large increase in the death rate from cancer and tumor in each area, and at each age above 15.

The combined relations of age and race to the death rates from cancer and tumor are indicated, for the registration area, in the following table, giving the death rates during the census year in each of five age groups, per 100,000 of population of corresponding ages, by color and birthplaces of mothers:

DEATH RATES BY AGE, COLOR, AND BIRTHPLACES OF MOTHERS.

COLOR AND BIRTHPLACES OF MOTHERS.	Under 5.	5 to 14.	15 to 44.	45 to 64.	65 and over.
White.....	4.3	1.8	23.8	211.0	489.2
Colored	5.9	1.0	30.0	159.1	290.6
Mothers born in—					
United States	4.3	1.6	17.2	155.3	374.9
Ireland	1.8	1.9	26.8	232.3	479.9
Germany	4.8	1.7	26.7	238.6	561.5

DEATH RATES BY CONJUGAL CONDITION AND AGE.

CONJUGAL CONDITION.	AGE.							
	15 years and over.		15 to 44 years.		45 to 64 years.		65 years and over.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Single	21.5	37.2	9.1	14.4	154.7	273.6	532.5	577.3
Married	83.9	116.4	18.8	45.1	136.4	254.1	413.3	533.3
Widowed	264.0	311.1	42.2	85.4	215.8	292.4	459.1	491.9

It will be seen from this table that in the age group 15 to 44 years the death rates from cancer and tumor were higher for the married (males, 18.8; females, 45.1) than for the single (males, 9.1; females, 14.4).

At 45 years and over the death rate of the single was higher than that of the married of both sexes, and in the age group 65 years of age and over, it was also higher than that of the widowed of both sexes.

The following table shows, for the registration area, the proportions of deaths from cancer and tumor at each specified age, per 1,000 deaths at known ages from these diseases, in 1900 and 1890, by sex:

DEATH RATES BY AGE, COLOR, AND BIRTHPLACES OF MOTHERS—Continued.


COLOR AND BIRTHPLACES OF MOTHERS.	Under 5.	5 to 14.	15 to 44.	45 to 64.	65 and over.
Mothers born in—Continued.					
England and Wales.....	3.4	3.8	24.5	186.7	433.6
Canada	6.8	1.0	19.4	187.6	458.9
Scandinavia	1.6	1.0	18.8	165.4	371.8
Scotland	6.2		29.9	167.4	579.2
Italy	1.3	1.0	16.5	119.4	392.7
France			25.7	220.4	457.8
Hungary			16.6	147.8	280.9
Bohemia			14.7	280.9	454.3
Russia	1.5	4.1	26.0	259.1	748.1
Poland	3.2		11.1	92.3	263.5
Other foreign.....		0.9	22.6	241.6	580.7

It will be seen from the preceding table that the death rates due to these diseases in white persons 65 years of age and over were highest in those whose mothers were born in Russia (748.1), in "Other foreign" countries (580.7), and in Scotland (579.2); and lowest in those whose mothers were born in Poland (263.5), in Hungary (280.9), and in Scandinavia (371.8). At this age the rate was lower for persons whose mothers were born in the United States (374.9) than for those whose mothers were born in Ireland (479.9), in England and Wales (433.6), in Canada (458.9), or in Germany (561.5).

The following table shows the death rates from cancer and tumor in the registration area during the census year, by conjugal condition in relation to age:


NUMBER OF DEATHS AT EACH AGE PER 1,000 AT KNOWN AGES.


AGE.	1900		1890	
	Males.	Females.	Males.	Females.
Under 1 year.....	3.9	2.0	6.2	2.1
1 year	1.3	0.6	1.6	2.1
2 years	1.8	0.9	2.4	1.2
3 years	1.8	1.0	2.7	0.4
4 years	1.1	0.5	3.3	0.3
Under 5 years	9.9	5.0	16.2	6.1
5 to 9 years	4.1	2.0	4.9	2.3
10 to 14 years.....	2.8	2.2	3.2	1.9



TE DUE TO
TUMOR
population







CAUSES OF DEATH.

clxxxv

NUMBER OF DEATHS AT EACH AGE PER 1,000 AT KNOWN AGES—
Continued.

AGE.	1900		1890	
	Males.	Females.	Males.	Females.
15 to 19 years.....	5.7	3.4	6.5	4.5
20 to 24 years.....	10.9	7.1	11.1	8.8
25 to 29 years.....	13.7	15.3	20.8	17.5
30 to 34 years.....	22.8	33.2	31.4	40.8
35 to 39 years.....	36.8	61.8	47.0	60.1
40 to 44 years.....	59.8	89.8	55.7	96.3
45 to 49 years.....	85.6	118.7	86.8	114.1
50 to 54 years.....	114.6	120.1	109.8	130.5
55 to 59 years.....	127.5	130.2	124.4	119.4
60 to 64 years.....	130.7	122.4	138.9	120.6
65 to 69 years.....	134.7	110.5	135.7	98.1
70 to 74 years.....	109.0	81.8	95.4	76.2
75 to 79 years.....	77.0	57.7	64.1	54.4
80 to 84 years.....	35.9	30.1	31.6	29.3
85 to 89 years.....	13.4	10.8	11.9	13.5
90 to 94 years.....	4.4	2.4	4.3	4.0
95 years and over.....	0.7	0.5	0.3	1.6

The average age at death from cancer and tumor in the registration area in 1900 was 57.2 years. In 1890 it was 56.1 years. For those dying at 15 years of age and over, the average age was 57.8 years in 1900, and 56.9 years in 1890.

The following table shows, for each grand group in the United States, the proportions of deaths from cancer and tumor during the census year, per 1,000 deaths from known causes, in the aggregate, and by sex, for the cities and rural districts:

NUMBER OF DEATHS PER 1,000 DEATHS FROM KNOWN CAUSES.

GRAND GROUP.	Total.	RURAL.		CITIES.	
		Males.	Fe-males.	Males.	Fe-males.
1. North Atlantic Coast region	41.5	34.3	67.9	23.4	52.3
2. Middle Atlantic Coast region	31.0	20.9	39.2	21.2	42.9
3. South Atlantic Coast region	18.7	10.2	25.2	10.5	32.3
4. Gulf Coast region	20.2	13.1	25.3	15.0	30.9
5. Northeastern hills and plateaus	44.5	33.8	65.1	24.4	47.9
6. Central Appalachian region	34.4	26.8	48.2	18.3	44.4
7. Region of the great Northern Lakes ...	41.6	37.3	57.1	30.6	49.7
8. Interior plateau	34.4	25.2	50.7	21.3	43.5
9. Southern Central Appalachian region ..	20.0	13.5	26.8	6.5	30.6
10. Ohio River belt	34.2	24.4	39.8	26.4	50.7
11. Southern Interior plateau	18.1	9.1	26.8	-----	-----
12. South Mississippi River belt	11.3	6.3	12.5	12.2	30.7
13. North Mississippi River belt	37.3	29.7	46.7	27.0	49.8
14. Southwest Central region	15.8	12.7	18.7	22.7	25.8
15. Central region—plains and prairies....	34.1	25.1	42.9	22.9	49.9
16. Prairie region	43.0	36.4	50.3	33.2	60.2
17. Missouri River belt	31.0	27.2	37.3	24.2	35.8

NUMBER OF DEATHS PER 1,000 DEATHS FROM KNOWN CAUSES—
Continued.

GRAND GROUP.	Total.	RURAL.		CITIES.	
		Males.	Fe-males.	Males.	Fe-males.
18. Region of the Western plains	26.5	17.9	32.9	26.7	42.4
19. Heavily timbered region of the North-west.....	46.8	34.4	58.8	39.9	64.6
20. Cordilleran region	32.1	25.7	41.5	31.3	40.8
21. Pacific Coast region	51.9	36.5	69.4	43.6	70.3

The preceding table indicates that the proportions of deaths due to cancer and tumor were greatest in the Pacific Coast region (51.9), the Northeastern hills and plateaus (44.5), the Prairie region (43), and the heavily timbered region of the Northwest (46.8); and least in the South Mississippi River belt (11.3), Southwest Central region (15.8), and the Southern Interior plateau (18.1).

The death rates from cancer and tumor in the counties in registration states are shown by plates Nos. 19 and 20.

The geographical distribution of deaths from cancer alone, by state groups, is shown by plate No. 21.

CANCER.

The total number of deaths reported as due to cancer alone in the United States during the census year was 29,475, of which 11,436 were males, and 18,039 were females, and the proportion of deaths from this disease in 1,000 deaths from all known causes was 29.5. In 1890 the corresponding ratio was 22.5.

In the registration area the number of deaths reported as due to this disease was 17,296, of which 6,388 were males, and 10,908 were females, giving a proportion of 34.1 deaths from this disease in 1,000 deaths from all known causes, and a death rate of 60 per 100,000 of population. In 1890 the death rate was 47.9.

In England and Wales the death rate from cancer in the year 1899 was 82.9 (males, 67.2; females, 97.7). The increase in the English rate between 1890 and 1899 (15.3 per 100,000) was greater than the increase in the registration area of the United States between 1890 and 1900 (12.1).

The following table shows, for the registration states, in the aggregate, and for the cities and rural districts, the death rates from cancer during the census year, per 100,000 of population, in comparison with 1890:

VITAL STATISTICS.

DEATH RATES IN CITIES AND RURAL DISTRICTS.

REGISTRATION STATES.	AGGREGATE.			MALES.			FEMALES.		
	Total.	Cities.	Rural.	Total.	Cities.	Rural.	Total.	Cities.	Rural.
Total	62.1	59.8	65.3	44.2	41.7	47.7	79.8	77.2	83.7
Connecticut	61.1	59.9	63.3	41.0	37.9	46.4	81.2	81.7	80.5
District of Columbia	71.8	71.8		46.9	46.9		94.1	94.1	
Maine	83.7	81.0	84.2	62.4	46.1	65.5	105.4	113.0	103.7
Massachusetts	66.4	62.4	79.4	44.2	40.9	54.4	87.6	82.5	103.9
Michigan	58.0	61.4	56.6	47.8	51.2	46.5	68.9	71.3	67.7
New Hampshire	66.8	48.5	78.4	39.9	31.5	44.9	93.6	64.2	113.3
New Jersey	50.4	49.1	52.1	37.2	35.6	39.2	63.6	62.4	65.2
New York	61.2	60.0	63.6	43.5	42.7	45.0	78.8	76.9	82.7
Rhode Island	62.3	56.1	74.3	37.0	34.2	42.4	86.7	76.8	106.5
Vermont	81.8	72.9	83.2	55.4	53.2	55.7	109.2	91.4	112.2

Of the deaths from cancer alone the rates in the registration states during the census year were highest in Maine (83.7) and Vermont (81.8), and lowest in New Jersey (50.4) and Michigan (58). The highest death rate from this disease occurred among the females in the rural districts in New Hampshire (113.3), and the lowest among the males in the cities in New Hampshire (31.5).

The following table shows, for the registration area and its subdivisions, the death rates from cancer among the whites during the census year, per 100,000 of white population, by birthplaces of mothers:

DEATH RATES BY BIRTHPLACES OF MOTHERS.

BIRTHPLACES OF MOTHERS.	REGISTRATION RECORD.					
	Total.	Cities.	States.			Cities in other states.
			Total.	Cities.	Rural.	
United States	48.3	40.4	52.4	45.4	58.2	30.4
Ireland	76.4	75.0	76.4	74.7	82.5	76.6
Germany	78.2	79.7	79.6	82.6	70.5	74.7
England and Wales	72.0	70.9	71.4	69.6	74.9	75.1
Canada	40.3	37.8	40.6	38.0	43.8	36.0
Scandinavia	31.1	32.8	30.7	33.7	25.3	31.9
Scotland	81.8	76.4	87.3	83.2	96.0	50.2
Italy	22.8	23.3	21.7	22.0	20.1	34.3
France	92.8	96.4	83.6	85.3	79.7	117.3
Hungary and Bohemia	31.5	33.1	27.4	29.3	16.0	39.0
Russia and Poland	25.7	25.9	26.2	26.6	23.5	23.1
Other foreign	48.5	49.1	49.0	49.9	46.8	46.0

The preceding table shows that the death rates due to cancer were highest among those whose mothers were born in France (92.8), in Scotland (81.8), and in Germany (78.2), and were lowest among those whose mothers were born in Italy (22.8), in Russia and Poland (25.7), and in Scandinavia (31.1).

The following table shows, for the registration area and its subdivisions, the death rates from cancer during the census year in each of five age groups, per 100,000 population of corresponding ages, by sex:

DEATH RATES AT CERTAIN AGES.

REGISTRATION AREAS.	Under 5.	5 to 14.	15 to 44.	45 to 64.	65 and over.
Total	1.3	0.8	20.5	194.8	454.3
Males	1.5	0.7	11.5	137.6	417.0
Females	1.1	0.9	29.4	253.0	487.6
Cities	1.0	0.9	21.6	212.3	482.4
Males	1.0	0.7	12.4	155.6	456.5
Females	1.0	1.0	30.6	269.2	503.5
States	1.5	0.9	19.6	183.5	447.3
Males	1.8	0.9	10.2	122.9	394.0
Females	1.2	0.8	29.0	244.3	495.7
Cities	1.0	1.1	21.4	209.8	494.2
Males	0.9	1.2	11.3	147.3	439.2
Females	1.1	1.0	31.2	269.8	536.9
Rural	2.3	0.5	16.6	153.2	412.9
Males	3.1	0.6	8.5	96.1	365.3
Females	1.4	0.5	25.2	213.4	461.4
Cities in other states	1.0	0.7	21.8	214.8	470.7
Males	1.0	0.4	13.5	163.2	472.8
Females	0.9	1.0	30.1	268.7	468.9

The preceding table shows that the mortality from cancer was greatest in persons 65 years of age and over, and that at this age it was higher in females (487.6) than in males (417), and was higher in the cities (482.4) than in the rural districts of the registration states (412.9).

The combined relations of age and race to the death rates from cancer are indicated in the following table for the registration area, giving the death rates during the census year in each of five age groups, per 100,000 population of corresponding ages, by color and birthplaces of mothers:

DEATH RATES BY AGE, COLOR, AND BIRTHPLACES OF MOTHERS.

COLOR AND BIRTHPLACES OF MOTHERS.	Under 5.	5 to 14.	15 to 44.	45 to 64.	65 and over.
White	1.2	0.8	20.3	196.6	459.2
Colored	3.9	1.0	25.4	149.6	272.9
Mothers born in—					
United States	1.1	0.8	14.7	145.1	349.4
Ireland	1.2	0.6	22.2	215.1	452.1
Germany	1.1	0.7	22.8	226.2	530.4
England and Wales	1.7	2.3	21.4	171.5	415.5
Canada	2.7	0.7	17.1	176.0	434.0
Scandinavia			16.1	148.1	371.8
Scotland	6.2		27.2	151.0	533.8
Italy		1.0	14.5	115.0	372.1

CAUSES OF DEATH.

clxxxvii

DEATH RATES BY AGE, COLOR, AND BIRTHPLACES OF MOTHERS—Con.

COLOR AND BIRTHPLACES OF MOTHERS.	Under 5.	5 to 14.	15 to 44.	45 to 64.	65 and over.
Mothers born in—Continued.					
France.....			23.9	212.1	428.3
Hungary.....			12.1	147.8	280.9
Bohemia.....			14.7	270.5	403.8
Russia.....		4.1	21.6	245.3	654.6
Poland.....	1.6		9.4	88.5	263.5
Other foreign.....			17.8	227.5	524.0

The preceding table shows that the death rates due to cancer in white persons 65 years of age and over were highest in those whose mothers were born in Russia (654.6), in Scotland (533.8), and in Germany (530.4), and lowest in those whose mothers were born in Poland (263.5), in Hungary (280.9), and in the United States (349.4).

The following table shows, for the registration area, the death rates from cancer of the single, the married, and the widowed in each of three age groups, by sex:

DEATH RATES AT CERTAIN AGES, BY CONJUGAL CONDITION.

SEX.	15 TO 44 YEARS.			45 TO 64 YEARS.			65 YEARS AND OVER.		
	Single.	Married.	Widowed.	Single.	Married.	Widowed.	Single.	Married.	Widowed.
Total.....	8.7	28.6	69.6	192.1	175.6	256.4	518.7	426.0	455.8
Males.....	6.5	15.7	40.3	142.1	125.8	200.8	512.5	388.0	433.7
Females.....	11.3	39.8	80.7	248.8	238.8	275.9	523.1	496.7	464.9

This table shows that at 15 to 44 years of age the death rate of the married of both sexes was higher than that of the single. Above 44 years the rate for the single was higher in both sexes, and at 65 years and over it was higher in the single of both sexes than in either the married or the widowed.

The following table shows, for the registration area, the number of deaths at certain ages from cancer of certain specified organs or parts, per 1,000 total deaths at the same ages, from cancer for which the organ or part is known, by sex:

PROPORTIONS OF DEATHS FROM CANCER OF CERTAIN ORGANS.

ORGAN OR REGION OF THE BODY.	ALL AGES.			20 TO 44 YEARS.			45 TO 64 YEARS.			65 YEARS AND OVER.		
	Total.	Males.	Females.	Total.	Males.	Females.	Total.	Males.	Females.	Total.	Males.	Females.
Abdomen.....	82.8	92.4	76.9	78.6	118.9	62.6	79.2	92.2	71.5	88.4	83.3	92.4
Bladder.....	13.5	25.3	6.2	5.8	6.3	5.6	12.3	22.8	6.0	19.3	34.7	6.9
Brain.....	2.0	2.6	1.7	4.4	4.7	4.3	1.1	1.6	0.7	1.4	2.0	0.8
Breast.....		7.5	157.8		11.0	151.9		7.8	157.8		6.1	162.4
Eye.....	1.3	2.4	0.7				0.3	0.4	0.2	2.5	4.6	0.8
Genitals.....		9.6	6.3		3.1	8.1		8.6	5.8		12.8	6.1
Head, face, and neck.....	59.2	104.2	31.4	37.3	92.3	15.5	46.2	95.1	17.4	87.9	118.0	63.9
Larynx.....	4.9	10.8	1.3	4.0	7.8	2.5	5.4	13.1	1.0	4.8	9.2	1.2
Liver.....	133.4	145.6	125.9	112.3	159.6	93.6	133.7	151.4	123.3	143.2	132.4	151.9
Lower extremities.....	2.7	3.7	2.1	2.7	4.7	1.9	2.0	2.4	1.7	3.6	4.6	2.9
Lungs.....	5.5	6.1	5.1	4.9	6.3	4.3	7.4	8.6	6.7	2.9	3.1	2.9
Mouth, tongue, and throat.....	46.8	95.5	16.8	25.3	67.3	8.7	45.4	98.3	14.2	59.6	101.2	26.5
Ovaries.....			9.7			16.7			8.9			5.3
Penis.....		3.9			4.7			3.7			3.6	
Rectum.....	42.9	54.9	35.5	54.2	79.8	44.0	39.8	50.6	33.5	42.6	53.7	33.8
Stomach.....	315.6	430.6	244.7	249.6	427.2	179.2	318.8	441.4	246.4	348.0	422.6	288.7
Testicle.....		1.6			4.7			0.8			1.5	
Upper extremities.....	1.9	3.3	1.1	1.3	1.6	1.2	0.9	1.2	0.7	3.9	6.6	1.6
Uterus.....			276.8			399.9			304.2			151.9

The preceding table shows that in each 1,000 deaths of males at all ages from definitely located cancers, 430.6 were due to cancer of the stomach, 145.6 to cancer of the liver, 104.2 to cancer of the head, face, and neck, 95.5 to cancer of the mouth, tongue, and throat, 92.4 to cancer of the abdomen, and 54.9 to cancer of the rectum.

In females of all ages, 276.2 deaths from definitely located cancers were due to cancer of the uterus, 244.7 to cancer of the stomach, 157.8 to cancer of the breast,

125.9 to cancer of the liver, 76.9 to cancer of the abdomen, and 35.5 to cancer of the rectum.

The excess of deaths from cancer of the female generative and mammary organs reduces the proportions due to cancer of the other organs or parts, as compared with the proportions given for the males, but, as stated previously, when cancer of the generative and mammary organs are excluded the death rate of males from other forms of cancer exceeds that of the females.

The following table shows, for the registration area,

the proportions of deaths from cancer at each age, per 1,000 deaths at known ages from this disease, in 1900 and 1890, by sex:

NUMBER OF DEATHS AT EACH AGE PER 1,000 AT KNOWN AGES.


AGE.	1900		1890	
	Males.	Females.	Males.	Females.
Under 1 year.....	1.3	0.9	2.5	1.0
1 year.....	0.6	0.1	0.6	1.0
2 years.....	0.5	0.1	1.5	0.5
3 years.....	0.5	0.3	0.9	0.1
4 years.....	0.6	0.1	2.5	
Under 5 years.....	3.5	1.5	8.0	2.6
5 to 9 years.....	1.6	1.1	3.1	1.0
10 to 14 years.....	1.4	1.1	0.6	0.8
15 to 19 years.....	2.5	1.7	1.5	3.1
20 to 24 years.....	7.5	4.3	6.5	7.0
25 to 29 years.....	10.5	13.3	15.7	16.3
30 to 34 years.....	19.9	30.8	23.7	39.0
35 to 39 years.....	34.5	60.4	43.8	59.3
40 to 44 years.....	58.0	89.3	54.2	95.2
45 to 49 years.....	84.1	115.6	86.3	115.7
50 to 54 years.....	117.5	122.8	111.6	133.5

NUMBER OF DEATHS AT EACH AGE PER 1,000 AT KNOWN AGES—Continued.

AGE.	1900		1890	
	Males.	Females.	Males.	Females.
55 to 59 years.....	131.2	133.2	130.3	121.3
60 to 64 years.....	136.6	124.9	148.5	122.9
65 to 69 years.....	139.5	112.6	143.9	100.9
70 to 74 years.....	113.1	83.2	100.5	77.4
75 to 79 years.....	81.0	58.9	70.3	53.9
80 to 84 years.....	37.3	31.1	33.3	30.2
85 to 89 years.....	14.6	11.0	13.3	13.9
90 to 94 years.....	4.9	2.7	4.6	4.2
95 years and over.....	0.8	0.5	0.3	1.8

The average age at death from cancer in the registration area in 1900 was 58.1 years. In 1890 it was 57.2 years. For those dying at 15 years of age and over, the average age was 58.3 years in 1900 and 57.5 years in 1890.

The comparative proportions of deaths from cancer at each age in the registration area in 1900 and 1890 are shown in the following diagram:



Cancer of the Abdomen.—The total number of deaths reported as due to cancer of the abdomen, excluding cancer of the stomach, uterus, liver, bladder, and ovaries, in the registration area during the census year, was 1,107, of which 913 occurred in persons 45 years of age and over, 389 being males and 524 females. At 65 years of age and over, there were 390 deaths, 163 being males and 227 females.

At 45 to 64 years the death rates were 10.4 for males and 13.9 for females. At 65 years and over they were: males, 27.3; females, 33.9.

Cancer of the Bladder.—The total number of deaths reported as due to cancer of the bladder in the registration area during the census year was 180, of which 166 were persons 45 years of age and over, 124 being males and 42 females. Four of the males and 2 of the females were colored. In those 45 years of age and

over the death rates of the whites were: males, 4.5; females, 1.5.

Cancer of the Brain.—The total number of deaths reported as due to cancer of the brain in the registration area during the census year was 27, of which 10 occurred in persons from 20 to 44 years of age, 3 being males and 7 females, while 13 occurred in persons 45 years of age and over, 8 being males and 5 females.

Cancer of the Breast.—The total number of deaths in the registration area during the census year reported as due to cancer of the breast was 1,344, of which 38 were males and 1,306 were females. Of these, 2 deaths occurred in persons under 20 years of age, 252 in persons 20 to 44 years of age, 674 in persons 45 to 64 years of age, and 411 in persons 65 years of age and over.

The following table shows, for the registration area, the death rates due to cancer of the breast, per 100,000

of population, at all ages, and in each of three age groups, by sex, color, general nativity, parent nativity, and birthplaces of mothers:

DEATH RATES AT CERTAIN AGES.

SEX, COLOR, NATIVITY, PARENTAL NATIVITY, AND BIRTHPLACES OF MOTHERS.	All ages.	20 to 44.	45 to 64.	65 and over.
Total.....	4.7	2.1	15.6	32.4
Males.....	0.3	0.1	0.9	2.0
Females.....	9.1	4.1	30.7	59.6
White.....	4.7	2.0	15.7	32.9
Males.....	0.3	0.1	0.9	1.9
Females.....	9.1	3.9	30.8	60.8
Native.....	3.8	2.0	15.7	36.4
Males.....	0.2	0.1	0.7	1.8
Females.....	7.4	3.8	30.3	66.6
Both parents native.....	4.5	1.5	14.1	27.2
Males.....	0.2	0.1	0.4	1.6
Females.....	8.9	2.9	27.5	49.9
One or both parents foreign ...	2.0	2.0	13.9	48.7
Males.....	0.1		1.4	
Females.....	3.8	3.9	25.8	91.2
Foreign.....	7.2	2.0	15.4	26.9
Males.....	0.6	0.3	1.0	2.0
Females.....	14.3	3.9	30.9	50.1
Colored.....	4.2	3.7	14.2	14.8
Males.....	0.3		1.1	6.9
Females.....	7.9	7.4	28.4	20.7
Birthplaces of mothers (white):				
United States.....	4.5	1.5	15.1	29.7
Ireland.....	7.1	2.7	18.9	42.0
Germany.....	4.7	2.4	12.8	27.2
England and Wales.....	6.3	3.1	15.7	27.2
Canada.....	1.9	0.9	9.0	21.9
Scandinavia.....	1.0	0.4	7.7	
Scotland.....	6.1	3.9	16.4	11.4
Italy.....	0.6			62.0
France.....	8.0		25.0	29.5
Hungary.....	0.8		11.4	
Russia.....	1.7	2.5	6.9	31.2
Poland.....	0.6	0.7	3.8	
Other foreign.....	2.8	1.9	9.4	35.4

This table shows that the death rate from cancer of the breast was much higher in females (9.1) than in males (0.3); that it was much higher for the age group 45 to 64 years (30.7) than at the lower ages, and was still higher in those 65 years of age and over (females, 59.6; males, 2.0).

The death rate from this cause at all ages was higher in white females (9.1) than in colored females (7.9). In colored females it was higher in the age group 20 to 44 (7.4) than in the white (3.9), while for those 45 years of age and over it was higher in the whites than in the colored. In white females from 45 to 64 years of age the death rate was about the same in the native born (30.3) and foreign born (30.9). At 65 years of age and over, the death rates for the same classes were

higher (natives, 66.6; foreign born, 50.1). Among the whites of both sexes from 45 to 64 years of age the death rates from cancer of the breast were highest among those whose mothers were born in France (25.0) and in Ireland (18.9), and were lowest among those whose mothers were born in Poland (3.8) and in Russia (6.9). In those 65 years of age and over in both sexes the death rates from this cause were highest among those whose mothers were born in Italy (62.0) and in Ireland (42.0), and were lowest among those whose mothers were born in Scotland (11.4) and in Canada (21.9).

Cancer of the Extremities.—In the registration area during the census year 26 deaths were reported as due to cancer of the upper extremities and 36 due to cancer of the lower extremities, 17 of the former and 19 of the latter being males, and 9 of the former and 17 of the latter, females. In those 45 years of age and over, the death rates of the whites from cancer of the upper extremities were: males, 0.6; females, 0.3; and of the lower extremities: males, 0.5; females, 0.5.

Cancer of the Eye.—The total number of deaths reported as due to cancer of the eye in the registration area during the census year was 18, of which 13 occurred in persons 45 years of age and over, 10 of these being males and 3, females, while 5 occurred in children under 20 years of age, 2 being males and 3 females. This is one form of cancer which is likely to appear in children. No deaths from this form of cancer were reported among the colored people.

Cancer of the Genitals.—The total number of deaths reported as due to cancer of the genitals in the registration area during the census year was 101, of which 85 occurred in persons 45 years of age and over, 46 being males and 39, females. In those 45 years of age and over, the death rates per 100,000 of population for the whites were: males, 1.7; females, 1.4.

Cancer of the Head, Face, and Neck.—The total number of deaths from cancer of the head, face, and neck reported during the census year was 791, of which 531 were males and 260 were females. Ten occurred in persons under 20 years of age, 84 in persons 20 to 44, 305 in persons 45 to 64, and 388 in persons 65 years of age and over.

The death rate for this group of causes was much higher in males (3.7) than in females (1.8), and was highest in persons 65 years of age and over (males, 386; females, 23.5).

Cancer of the Kidneys.—The total number of deaths reported as due to cancer of the kidneys in the registration area during the census year was 90, of which 65 were persons 45 years of age and over, 29 being males and 36, females. One of the males and 2 of the females were colored. In white persons 45 years of age and over the death rate was: males, 1.1; females, 1.3.

Cancer of the Larynx.—The total number of deaths reported as due to cancer of the larynx in the registration area during the census year was 66, of which 57

occurred in persons 45 years of age and over, 50 being males and 7, females. The death rates of the whites 45 years of age and over from this cause were: males, 1.9; females, 0.3.

Cancer of the Liver.—The total number of deaths in the registration area during the census year reported as due to cancer of the liver was 1,784, giving a death rate of 6.2 per 100,000 of population. Of these deaths, 253 occurred in persons from 20 to 44 years of age, 883 in persons 45 to 64 years of age, and 632 in persons 65 years of age and over. The death rate from this cause for those 45 to 64 years of age was 20.5 (males, 17.1; females, 24); for those 65 years of age and over it was 49.9 (males, 43.3; females, 55.7).

The following table shows, for the registration area, the death rates due to cancer of the liver, per 100,000 of population, at all ages, and in each of three age groups, by sex, color, general nativity, parent nativity, and birthplaces of mothers:

DEATH RATES AT CERTAIN AGES.

SEX, COLOR, NATIVITY, PARENTAL NATIVITY, AND BIRTHPLACES OF MOTHERS.	All ages.	20 to 44.	45 to 64.	65 and over.
Total.....	6.2	2.1	20.5	49.9
Males.....	5.2	1.7	17.1	43.3
Females.....	7.2	2.5	24.0	55.7
White.....	6.3	2.1	20.8	50.7
Males.....	5.2	1.7	17.2	43.7
Females.....	7.4	2.5	24.5	57.1
Native.....	4.1	1.7	16.1	44.3
Males.....	3.1	1.3	12.6	35.2
Females.....	5.0	2.2	19.5	52.2
Both parents native.....	4.9	1.3	13.2	36.1
Males.....	3.8	1.1	10.2	28.2
Females.....	6.1	1.6	16.1	43.2
One or both parents foreign...	1.6	1.5	13.0	29.7
Males.....	1.2	0.9	10.1	31.9
Females.....	2.0	2.0	15.7	27.8
Foreign.....	12.8	2.8	26.2	57.0
Males.....	11.2	2.5	22.3	53.3
Females.....	14.6	3.2	30.4	60.5
Colored.....	3.2	1.9	12.4	17.8
Males.....	3.6	1.6	13.6	27.7
Females.....	2.8	2.3	11.1	10.4
Birthplaces of mothers (white):				
United States.....	4.6	1.3	13.7	37.0
Ireland.....	8.9	2.7	28.1	44.1
Germany.....	9.3	2.1	25.8	77.2
England and Wales.....	7.5	2.2	20.4	34.5
Canada.....	3.7	1.0	16.7	53.1
Scandinavia.....	4.1	3.1	15.4	56.3
Scotland.....	7.2	1.6	13.1	56.8
Italy.....	2.8	3.4	11.1	20.7
France.....	8.0	4.2	16.6	29.5
Hungary.....	2.5	1.9	11.4	93.6
Bohemia.....	4.8	3.1	20.8	50.5
Russia.....	3.2	4.3	6.9	124.7
Poland.....	2.3	2.9	7.7	40.5
Other foreign.....	5.7	1.2	26.7	85.0

This table indicates that the death rate from cancer of the liver was higher in females (7.2) than in males (5.2), and this difference was especially marked in those from 45 to 64 years of age (females, 24; males, 17.1). In those 65 years of age and over it was higher among the foreign born in both males and females. In white persons 65 years of age and over, the rates were highest in those having mothers born in Russia (124.7) and in Hungary (93.6), and were lowest in those having mothers born in Italy (20.7) and in France (29.5).

Cancer of the Lungs.—The total number of deaths reported as due to cancer of the lungs in the registration area during the census year was 73, of which 62 were persons 45 years of age and over, 27 being males and 35 females. In white persons 45 years of age and over the death rates per 100,000 of population were: males, 1; females, 1.2.

Cancer of the Mouth, Tongue, and Throat.—The total number of deaths from cancer of the mouth, tongue, and throat reported in the registration area during the census year was 626, of which 487 were males and 139 females.

Of the total deaths from this group of cancers, 57 occurred at 20 to 44 years; 300, at 45 to 64 years; and 263 at 65 years of age and over.

The death rates for both males and females were highest in the age group 65 years and over (males, 33.1; females, 9.7).

Cancer of the Ovaries.—The total number of deaths reported as due to cancer of the ovaries in the registration area during the census year was 80, of which 27 were persons 20 to 44 years of age, and 50 were 45 years of age and over. In white females 20 to 44 years of age, the death rate was 0.4. At 45 years of age and over, it was 1.8.

Cancer of the Penis.—The total number of deaths reported as due to cancer of the penis in the registration area during the census year was 20, of which 16 were persons 45 years of age and over. No deaths from this form of cancer were reported among the colored. In those 45 years of age and over, 5 were native and 11 foreign. The death rates in those 45 years and over, were, native, 0.3; foreign, 1.

Cancer of the Rectum.—The total number of deaths reported as due to cancer of the rectum in the registration area during the census year was 574, of which 280 were males and 294 were females, giving a death rate, per 100,000 of population, of 1.9 for males, and 2, for females. Of the deaths from this cause, 122 occurred in persons 20 to 44 years of age (51 males and 71 females), and 451 in persons 45 years of age and over, 229 being males and 222 females.

By ages, the death rates were as follows: At 20 to 44 years, males, 0.8; females, 1.2; at 45 to 64 years, males, 5.7; females, 6.5; and at 65 years and over, males, 17.6; females, 12.4.

Cancer of the Stomach.—The total number of deaths reported in the registration area during the census year

as due to cancer of the stomach was 4,220, of which 2,195 were males and 2,025 females.

The following table shows, for the registration area, the death rates from cancer of the stomach, per 100,000 of population, at all ages, and in each of three age groups, by sex, color, general nativity, parent nativity, and birthplaces of mothers:

DEATH RATES AT CERTAIN AGES.

SEX, COLOR, NATIVITY, PARENTAL NATIVITY, AND BIRTHPLACES OF MOTHERS.	All ages.	20 to 44.	45 to 64.	65 and over.
Total.....	14.6	4.6	48.8	121.2
Males.....	15.3	4.5	49.8	138.3
Females.....	14.0	4.8	47.9	105.9
White.....	14.9	4.6	49.5	122.4
Males.....	15.5	4.4	50.6	139.7
Females.....	14.3	4.7	48.3	106.9
Native.....	8.3	3.5	31.9	96.6
Males.....	8.0	2.9	28.5	111.5
Females.....	8.6	4.0	35.2	83.5
Both parents native.....	10.0	3.0	25.8	75.6
Males.....	9.7	2.4	23.0	88.1
Females.....	10.3	3.7	28.5	64.6
One or both parents foreign.....	3.7	3.2	27.1	101.7
Males.....	3.6	3.2	22.6	132.0
Females.....	3.8	3.2	31.4	75.4
Foreign.....	34.4	6.9	71.6	153.2
Males.....	37.0	7.4	77.2	171.6
Females.....	31.6	6.2	65.7	136.1
Colored.....	9.3	5.2	33.7	77.1
Males.....	8.9	4.9	30.6	83.2
Females.....	9.6	5.5	37.1	72.5
Birthplaces of mothers (white):				
United States.....	9.6	3.0	26.8	80.2
Ireland.....	18.4	4.0	59.1	104.0
Germany.....	25.3	6.7	72.5	193.0
England and Wales.....	16.0	4.3	38.2	103.4
Canada.....	10.6	5.2	45.0	131.1
Scandinavia.....	11.4	4.8	61.5	146.5
Scotland.....	18.7	7.8	31.2	124.9
Italy.....	5.6	2.4	33.2	124.0
France.....	19.0	4.2	41.6	103.4
Hungary.....	7.5	1.9	68.2	187.3
Bohemia.....	18.1	6.3	93.6	201.9
Russia.....	10.0	4.9	100.2	93.5
Poland.....	6.8	3.6	42.3	141.9
Other foreign.....	17.2	5.8	84.7	198.3

It will be seen from this table that the death rate from cancer of the stomach was very low in persons under 45 years of age, and that it was more than twice as high in persons 65 years of age and over as in persons between 45 and 64 years of age.

In those 65 years of age and over it was higher in males (138.3) than in females (105.9); much higher in whites (122.4) than in the colored (77.1); and higher among the foreign born whites (153.2) than among the native born whites (96.6). The rates were highest in

white persons whose mothers were born in Bohemia (201.9), in "Other foreign" countries (198.3), and in Germany (193); and were lowest in those whose mothers were born in the United States (80.2), in Russia (93.5), in England and Wales (103.4), and in France (103.4).

Cancer of the Uterus.—The total number of deaths in the registration area during the census year reported as due to cancer of the uterus was 2,291.

The following table shows, for the registration area, the death rates due to cancer of the uterus, per 100,000 of female population, at all ages, and in each of three age groups, by general nativity, parent nativity, and birthplaces of mothers:

DEATH RATES AT CERTAIN AGES.

COLOR, NATIVITY, PARENTAL NATIVITY, AND BIRTHPLACES OF MOTHERS.	All ages.	20 to 44.	45 to 64.	65 and over.
Total.....	15.9	10.7	59.1	55.7
White.....	15.7	10.5	58.3	54.9
Native.....	12.8	10.0	59.6	56.0
Both parents native.....	13.6	8.7	45.1	45.6
One or both parents foreign.....	6.1	7.3	46.2	35.7
Foreign.....	24.5	11.1	55.5	50.8
Colored.....	20.0	14.6	80.3	82.9
Birthplaces of mothers (white):				
United States.....	12.9	8.3	46.0	48.9
Ireland.....	17.1	10.2	50.8	40.7
Germany.....	16.7	9.1	59.1	50.9
England and Wales.....	16.3	7.8	51.4	37.0
Canada.....	12.4	9.7	63.6	49.9
Scandinavia.....	4.2	4.6	18.1	21.5
Scotland.....	13.8	11.0	24.1	55.7
Italy.....	10.8	12.4	54.1	132.8
France.....	26.6	8.4	90.8	32.1
Hungary.....	7.0	12.8	27.3	
Bohemia.....	7.1	6.1		187.3
Russia.....	3.7	4.2	22.9	69.5
Poland.....	1.2	1.8	9.2	
Other foreign.....	8.5	9.1	36.8	30.5

It will be seen from this table that the death rate from cancer of the uterus was highest in women from 45 to 64 years of age (59.1), although it continued high in those 65 years of age and over (55.7) as compared with those 20 to 44 (10.7). It was much higher in the colored than in the whites in each group, and it was higher in the native white at 45 to 64 years of age (59.6) than in the foreign white (55.5). It was highest in the age group 45 to 64 years in those whose mothers were born in France (90.8), and was lowest in those having mothers born in Poland (9.2).

DISEASES OF THE NERVOUS SYSTEM.

The total number of deaths reported as due to diseases of the nervous system in the United States during the census year was 117,579, of which 64,189 were males and 53,390 were females, and the proportion of deaths from this class of diseases in 1,000 deaths from all known causes was 117.7. In 1890 the corresponding proportion was 107 per 1,000.

In the registration area the number of deaths reported

VITAL STATISTICS.

as due to this class of diseases was 62,563, of which 33,680 were males and 28,883 were females, giving a proportion of 123.2 deaths from these diseases in 1,000 deaths from all known causes, and a death rate of 217.2 per 100,000 of population. In 1890 the death rate was 247.4.

In England and Wales the death rate from diseases of

the nervous system for the year 1899 was 207.7 per 100,000 of population (males, 221.5; females, 194.6).

The following table shows, for the registration area and its subdivisions, the death rate from diseases of the nervous system in the census years 1900 and 1890, by sex, color, general nativity, and parent nativity:

DEATH RATES BY COLOR AND NATIVITY.

AREAS.	Aggre- gate.	WHITE.							COLORED.		
		Total.	Males.	Females.	Native.			Foreign.	Total.	Males.	Females.
					Total.	Both parents native.	One or both parents foreign.				
Registration area.....1900..	217.2	213.7	230.7	196.6	211.0	241.5	175.1	221.5	294.6	307.5	282.1
.....1890..	247.4	243.0	261.0	225.1					332.9	341.0	325.1
Cities.....1900..	215.5	210.6	230.1	191.4	207.9	239.7	181.7	217.4	301.1	316.1	286.6
.....1890..	259.1	253.6	276.9	230.7					347.2	359.0	335.8
States 1900..	214.0	213.1	224.9	201.2	211.3	239.9	172.0	218.3	260.6	267.9	253.6
.....1890..	240.3	239.2	252.7	226.0					287.0	294.9	279.6
Cities.....1900..	208.3	206.5	219.5	193.9	204.9	236.9	178.5	209.8	276.7	290.9	263.6
.....1890..	260.1	258.1	279.5	237.7					332.7	358.9	309.2
Rural.....1900..	222.3	222.4	232.4	212.1	218.9	243.5	154.3	241.0	215.9	208.9	223.5
.....1890..	210.0	210.5	213.3	207.8					181.4	159.9	204.5
Cities in other states 1900..	222.0	214.7	240.1	189.0	210.6	247.4	188.8	227.1	308.2	323.4	293.5
.....1890..	258.2	249.2	274.3	223.5					351.2	359.0	343.6

This table shows that the death rate from diseases of the nervous system was higher in the rural districts of the registration states (222.3) than in the cities in the nonregistration states (222) or in the cities in the same states (208.3). It was higher for the foreign white (221.5) than the native white (211), and higher among the native whites of native parents (241.5) than for those having one or both parents foreign (175.1). The death rate of males from these diseases was considerably higher than that of females (white males,

230.7; colored males, 307.5; white females, 196.6; colored females, 282.1).

In comparison with 1890 there was a considerable decrease in the death rates from these diseases in the registration cities, but in the rural districts of the registration states the rates increased.

The following table shows, for the registration states, in the aggregate, and for the cities and rural districts, the death rates from diseases of the nervous system in the census year, per 100,000 of population:

DEATH RATES IN CITIES AND RURAL DISTRICTS.

REGISTRATION STATES.	AGGREGATE.			MALES.			FEMALES.		
	Total.	Cities.	Rural.	Total.	Cities.	Rural.	Total.	Cities.	Rural.
Total.....	214.0	208.3	222.3	225.8	221.3	232.0	202.3	195.7	212.2
Connecticut.....	215.5	209.5	226.7	222.8	209.7	246.3	208.3	209.2	206.6
District of Columbia.....	282.0	282.0		337.9	337.9		231.8	231.8	
Maine.....	263.1	384.1	238.2	267.5	400.1	242.1	258.6	309.6	234.1
Massachusetts.....	219.4	210.6	247.4	229.5	220.6	257.1	209.8	201.2	237.7
Michigan.....	177.9	193.1	171.6	189.8	215.2	179.8	165.3	171.5	162.6
New Hampshire.....	258.0	258.6	257.7	255.1	260.8	251.8	260.9	256.6	263.8
New Jersey.....	254.9	261.3	246.4	271.8	270.4	273.7	237.9	252.4	218.6
New York.....	203.8	189.6	233.4	216.1	203.2	242.2	191.6	176.4	224.4
Rhode Island.....	191.8	173.4	227.8	203.3	179.7	247.8	180.7	167.4	207.5
Vermont.....	232.8	214.5	235.7	237.5	261.7	234.0	227.9	170.3	237.5

This table shows that the death rate from diseases of the nervous system in the registration states was highest in the District of Columbia (282) and lowest in Michigan (177.9). It was higher in the rural districts (222.3) than in the cities (208.3), and higher among males (225.8) than among females (202.3), being highest among males in the cities of Maine (400.1), and lowest among females in the rural districts in Michigan (162.6).

The following table shows, for the registration area and its subdivisions, the death rates from diseases of the nervous system among the whites during the census year, per 100,000 of white population, by birthplaces of mothers:

DEATH RATES BY BIRTHPLACES OF MOTHERS.

BIRTHPLACES OF MOTHERS.	REGISTRATION RECORD.					
	Total.	Cities.	States.			Cities in other states.
			Total.	Cities.	Rural.	
United States.....	207.6	204.3	210.0	207.9	211.8	196.9
Ireland.....	227.1	227.0	227.1	227.1	227.3	226.3
Germany.....	178.8	179.7	173.4	173.2	174.3	191.5
England and Wales.....	211.3	206.0	213.3	207.4	224.3	201.7
Canada.....	146.2	151.8	148.6	156.8	138.3	108.1

DEATH RATES AT CERTAIN AGES.

REGISTRATION AREAS.	UNDER 1.		UNDER 5.		5 TO 14.		15 TO 44.		45 TO 64.		65 AND OVER.	
	1900	1890	1900	1890	1900	1890	1900	1890	1900	1890	1900	1890
Total.....	2,122.0	3,387.6	657.0	1,043.9	44.2	55.4	56.9	58.6	308.3	285.6	1,494.1	1,321.2
Males.....	2,424.7	3,777.3	736.0	1,131.5	48.5	57.6	64.4	65.2	326.2	307.9	1,591.6	1,393.3
Females.....	1,813.9	2,987.2	577.1	954.6	40.0	53.3	49.5	52.0	290.1	263.5	1,406.9	1,256.8
Cities.....	2,339.3	3,836.3	726.5	1,184.3	46.8	60.5	59.0	61.9	331.8	315.4	1,520.8	1,390.9
Males.....	2,657.7	4,287.0	809.7	1,292.0	52.0	63.8	68.4	70.6	356.4	347.3	1,665.3	1,509.7
Females.....	2,015.4	3,374.2	642.3	1,074.7	41.7	57.2	49.9	53.4	307.2	283.7	1,403.0	1,293.7
States.....	1,702.6	2,683.7	544.4	879.0	38.6	50.8	51.8	57.5	300.4	282.9	1,508.2	1,346.1
Males.....	1,965.0	2,956.8	611.7	936.0	41.2	52.3	56.4	64.2	309.4	298.5	1,574.5	1,400.3
Females.....	1,436.1	2,403.3	476.1	821.1	36.0	49.3	47.3	51.0	291.4	267.8	1,447.9	1,213.7
Cities.....	1,884.3	3,267.9	614.9	1,085.7	40.3	58.6	53.2	63.8	341.7	339.4	1,581.1	1,510.5
Males.....	2,153.8	3,607.6	683.4	1,168.5	43.6	62.0	59.9	75.1	357.4	370.2	1,639.1	1,633.8
Females.....	1,611.4	2,920.1	545.6	1,002.0	37.0	55.3	46.8	53.1	326.7	310.2	1,489.3	1,413.7
Rural.....	1,402.7	1,595.1	433.0	524.7	36.1	39.2	49.5	46.6	252.8	212.9	1,454.8	1,225.9
Males.....	1,654.5	1,749.6	498.9	540.7	37.7	38.2	50.9	46.1	256.6	211.3	1,495.3	1,250.6
Females.....	1,145.7	1,435.3	365.8	508.2	34.5	40.2	48.0	47.1	248.8	214.4	1,413.4	1,200.9
Cities in other states.....	2,791.6	4,333.5	833.6	1,269.6	52.5	62.1	64.3	60.2	322.4	290.6	1,460.8	1,253.5
Males.....	3,156.8	4,880.3	930.8	1,398.0	59.3	65.3	75.8	66.6	355.5	324.7	1,633.3	1,373.7
Females.....	2,418.7	3,772.0	735.2	1,138.0	45.8	58.9	52.7	53.6	287.9	254.9	1,313.5	1,150.7

It will be seen from this table that the highest death rates from diseases of the nervous system occurred in infants under 1 year of age (2,122), and in persons 65 years of age and over (1,494.1). Among infants under 1 year of age the death rate from these diseases was higher in males (2,424.7) than in females (1,813.9), and was much higher in the cities in the nonregistration states (2,791.6) than in the cities in the registration states (1,884.3) or in the rural districts of the registration states (1,402.7). At 65 years of age and over, however, the mortality from these diseases was highest in the cities in the registration states (1,581.1), and was about the same in the cities in the nonregistration states (1,460.8) as in the rural districts of the registration states (1,454.8).

DEATH RATES BY BIRTHPLACES OF MOTHERS—Continued.

BIRTHPLACES OF MOTHERS.	REGISTRATION RECORD.					
	Total.	Cities.	States.			Cities in other states.
			Total.	Cities.	Rural.	
Scandinavia.....	114.5	113.3	124.4	127.3	118.9	97.4
Scotland.....	205.7	193.4	214.5	203.3	238.1	155.5
Italy.....	165.9	176.6	161.6	172.7	105.1	211.3
France.....	221.6	229.6	203.0	207.5	192.2	271.4
Hungary and Bohemia.....	141.2	145.3	109.5	111.0	101.0	199.1
Russia and Poland.....	114.3	117.3	98.8	100.6	85.8	182.5
Other foreign.....	176.6	178.8	172.3	173.3	169.8	200.2

The preceding table shows that the death rates due to this class of diseases in the registration area were highest among those whose mothers were born in Ireland (227.1), in France (221.7), and in England and Wales (211.3); and lowest among those whose mothers were born in Russia and Poland (114.3), in Scandinavia (114.5), and in Hungary and Bohemia (141.2).

The following table shows for the registration area and its subdivisions the death rates from diseases of the nervous system during the census year in each of six age groups, per 100,000 population of corresponding ages, in comparison with 1890, by sex:

In comparison with 1890 the figures show a decrease in the mortality from this class of diseases in infants under 1 year of age and children under 5 years of age amounting, for the former, to 1,265.6 per 100,000, and to 386.9 per 100,000 of all children under 5. In the age groups 45 to 64 and 65 years of age and over, however, there was an increase in the mortality from diseases of the nervous system amounting to 22.7 per 100,000 of those 45 to 64 years old, and to 172.9 per 100,000 of those 65 years of age and over.

The combined relations of age and race to the death rates from diseases of the nervous system are indicated in the following table, for the registration area, giving the death rates during the census year in each of six

age groups, per 100,000 population of corresponding ages, by color, and birthplaces of mothers:

DEATH RATES BY AGE, COLOR, AND BIRTHPLACES OF MOTHERS.

COLOR AND BIRTHPLACES OF MOTHERS.	Under 1.	Under 5.	5 to 14.	15 to 44.	45 to 64.	65 and over.
White	2,002.1	625.3	42.6	55.3	302.3	1,493.3
Colored.....	5,461.3	1,538.0	84.6	87.2	455.9	1,521.4
Mothers born in—						
United States.....	1,795.8	562.3	40.8	47.4	243.1	1,309.1
Ireland.....	1,853.2	615.1	48.8	64.9	401.8	1,422.6
Germany.....	2,129.5	611.5	33.2	48.4	259.0	1,196.6
England and Wales...	1,762.0	525.5	34.2	47.1	275.6	1,522.2
Canada.....	1,756.2	594.0	42.7	40.0	207.5	1,098.9
Scandinavia.....	1,414.9	448.3	23.6	35.6	176.9	833.8
Scotland.....	1,352.2	474.9	14.1	53.0	269.1	1,402.5
Italy.....	1,586.1	634.6	57.4	40.9	205.6	888.8
France.....	2,050.1	764.4	48.1	49.6	237.1	1,462.1
Hungary.....	1,326.8	428.6	16.4	25.7	159.2	1,404.5
Bohemia.....	2,606.7	754.8	30.7	61.2	260.1	656.2
Russia.....	1,310.2	419.9	23.6	32.9	186.6	1,589.8
Poland.....	1,529.6	433.8	23.0	26.9	100.0	364.8
Other foreign.....	2,082.7	698.8	38.0	38.1	273.0	1,182.6

It will be seen from this table that the rates due to this class of diseases in white infants under 1 year of age were highest in those whose mothers were born in Bohemia (2,606.7), in Germany (2,129.5), and in "Other foreign" countries (2,082.7); and lowest in those whose mothers were born in Russia (1,310.2), in Hungary (1,326.8), and in Scotland (1,352.2).

For all children under 5 years of age they were highest in those whose mothers were born in France (764.4), in Bohemia (754.8), and in "Other foreign" countries (698.8); and lowest in those whose mothers were born in Russia (419.9), in Hungary (428.6), and in Bohemia (433.8).

At 65 years of age and over, they were highest in those whose mothers were born in Russia (1,589.8), in England and Wales (1,522.2), and in France (1,462.1); and lowest in those whose mothers were born in Poland (364.8), in Bohemia (656.2), and in Scandinavia (833.8).

The following table shows the death rates from diseases of the nervous system in the registration area during the census year, by conjugal condition in relation to age:

DEATH RATES BY CONJUGAL CONDITION, AND AGE.

CONJUGAL CONDITION.	AGE.							
	15 years and over.		15 to 44 years.		45 to 64 years.		65 years and over.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Single	93.3	78.8	60.7	40.5	400.8	337.1	1,703.5	1,550.7
Married	224.6	142.8	61.0	51.3	285.7	243.8	1,367.9	1,175.7
Widowed.....	937.4	672.6	134.9	94.6	494.1	369.0	1,950.9	1,481.8

The preceding table shows that in persons 15 to 44 years of age the death rates of the married (males, 61; females, 51.3) were higher than that of the single (males, 60.7; females, 40.5), but at 45 years of age and over the rate was higher among the single than the married of both sexes.

The following table shows, for the registration area, the proportions of deaths from diseases of the nervous system at each age, per 1,000 deaths at known ages from this class of diseases, in 1900 and 1890, by sex:

NUMBER OF DEATHS AT EACH AGE PER 1,000 AT KNOWN AGES.

AGE.	1900		1890	
	Males.	Females.	Males.	Females.
Under 1 year.....	225.1	192.8	312.7	275.5
1 year.....	54.4	52.6	74.4	80.5
2 years.....	23.3	23.3	28.2	32.4
3 years.....	13.2	14.3	16.9	19.5
4 years.....	8.8	10.2	11.3	11.8
Under 5 years.....	324.8	293.2	443.5	419.7
5 to 9 years.....	24.5	24.0	28.1	29.7
10 to 14 years.....	14.9	14.0	13.7	14.3
15 to 19 years.....	14.4	14.2	13.7	14.5
20 to 24 years.....	15.2	16.0	16.2	17.1

NUMBER OF DEATHS AT EACH AGE PER 1,000 AT KNOWN AGES—Con.

AGE.	1900		1890	
	Males.	Females.	Males.	Females.
25 to 29 years.....	19.7	19.9	18.9	18.6
30 to 34 years.....	24.3	20.5	22.9	18.7
35 to 39 years.....	32.0	27.2	27.7	23.4
40 to 44 years.....	35.4	29.0*	28.0	24.9
45 to 49 years.....	40.9	40.2	34.7	33.3
50 to 54 years.....	49.1	48.2	39.2	41.4
55 to 59 years.....	56.4	55.6	43.2	41.8
60 to 64 years.....	64.9	71.1	54.1	52.7
65 to 69 years.....	74.8	80.0	58.2	61.2
70 to 74 years.....	77.1	83.8	58.8	60.7
75 to 79 years.....	67.6	77.2	50.7	57.0
80 to 84 years.....	43.1	51.9	33.2	41.9
85 to 89 years.....	16.0	24.0	12.4	21.5
90 to 94 years.....	3.9	8.0	2.3	6.4
95 years and over.....	1.0	2.0	0.5	1.2

The average age at death from diseases of the nervous system in the registration area in 1900 was 39.9 years. In 1890 it was 31.7 years. For those dying at 15 years of age and over, the average age was 60.2 years in 1900, and 58.9 years in 1890.

CAUSES OF DEATH.

cxcv

The following table shows, for each grand group in the United States, the proportions of deaths from diseases of the nervous system during the census year, per 1,000 deaths from known causes, in the aggregate, and by sex, for the cities and rural districts:

NUMBER OF DEATHS PER 1,000 DEATHS FROM KNOWN CAUSES.

GRAND GROUP.	Total.	RURAL.		CITIES.	
		Males.	Fe-males.	Males.	Fe-males.
1. North Atlantic Coast region	126.7	145.6	143.7	119.4	118.5
2. Middle Atlantic Coast region	108.3	147.5	129.8	100.9	100.7
3. South Atlantic Coast region	91.9	79.3	86.1	119.3	108.6
4. Gulf Coast region	102.9	90.6	88.7	121.0	119.8
5. Northeastern hills and plateaus	136.8	144.9	139.1	124.6	129.8
6. Central Appalachian region	156.0	156.0	158.7	156.6	149.8
7. Region of the Great Northern Lakes	123.4	134.8	128.8	120.9	117.1
8. Interior plateaus	134.8	146.8	135.2	130.1	127.8
9. Southern Central Appalachian region	94.0	99.5	85.6	128.7	108.9
10. Ohio River belt	134.7	141.3	128.1	140.3	127.1
11. Southern Interior plateau	81.1	85.4	77.1		
12. South Mississippi River belt	75.3	76.7	74.7	71.6	75.2
13. North Mississippi River belt	123.3	134.3	125.1	117.7	112.0
14. Southwest Central region	93.6	97.9	89.4	83.5	84.9
15. Central region—plains and prairies	126.9	133.3	118.0	143.7	118.7
16. Prairie region	130.1	135.3	125.0	131.1	113.0
17. Missouri River belt	118.0	123.1	109.6	124.7	114.5
18. Region of the Western plains	98.7	96.2	87.7	119.4	119.4
19. Heavily timbered region of the North-west	127.7	130.7	125.5	126.5	124.6
20. Cordilleran region	99.6	102.3	94.4	102.8	99.7
21. Pacific Coast region	116.3	136.2	129.6	102.2	108.2



The preceding table indicates that the proportions of deaths due to diseases of the nervous system were greatest in the Central Appalachian region (156), the Interior plateau (134.8), the Ohio River belt (134.7), and the Northern hills and plateaus (136.8); and least in the South Mississippi River belt (75.3), the Southern Interior plateau (81.1), and the South Atlantic Coast region (91.9).

The following table shows, for the registration states, the death rates from diseases of the nervous system in each month of the census year, in the aggregate, and for the cities and rural districts:

DEATH RATES BY MONTHS.

MONTHS.	Total.	Cities.	Rural.
January	18.4	17.9	19.0
February	17.5	17.4	17.6
March	21.3	20.6	22.4
April	20.7	20.3	21.4
May	19.1	18.8	19.5
June	16.9	16.5	17.6
July	17.3	17.9	16.6
August	17.4	16.3	18.9
September	16.0	15.4	16.8
October	16.3	15.5	17.4
November	15.5	14.8	16.5
December	17.6	16.9	18.6

The death rates from diseases of the nervous system in each month in the cities and the rural districts, and the relative difference in the rates in the two areas are shown in the following diagram:



The preceding table and diagram show that in both cities and rural districts of the registration states the death rates due to diseases of the nervous system were

highest in March and April, and were lowest in November.

The following table shows the comparative propor-

tions of deaths from diseases of the nervous system in each month during the census year, per 1,000 deaths in known months, in the United States, as a whole, and in the registration states:

COMPARATIVE PROPORTIONS OF DEATHS IN EACH MONTH.

MONTHS.	United States.	Registration states.
January	86.7	85.8
February	85.4	81.7
March	99.5	99.6
April	97.8	96.9
May	96.1	89.2
June	76.0	79.0
July	79.8	81.0
August	82.5	81.3
September	74.5	74.6
October	73.6	76.1
November	69.7	72.5
December	78.4	82.3

DEATH RATES IN CITIES AND RURAL DISTRICTS.

REGISTRATION STATES.	AGGREGATE.			MALES.			FEMALES.		
	Total.	Cities.	Rural.	Total.	Cities.	Rural.	Total.	Cities.	Rural.
Total	110.0	98.0	127.5	111.6	98.7	129.5	108.6	97.4	125.3
Connecticut	116.1	106.4	134.1	115.4	99.7	143.6	116.9	113.0	124.2
District of Columbia	130.6	130.6		150.8	150.8		112.4	112.4	
Maine	141.6	168.8	135.9	139.2	177.1	132.1	143.9	161.4	140.0
Massachusetts	109.8	99.9	140.8	107.0	96.4	140.1	112.3	103.4	141.4
Michigan	89.2	86.3	90.5	91.5	92.5	91.0	87.2	80.2	90.2
New Hampshire	137.1	101.9	159.1	131.0	89.1	155.7	143.1	113.8	162.6
New Jersey	115.5	105.8	128.2	117.1	102.2	136.4	113.8	109.3	119.9
New York	109.1	93.0	142.7	112.6	96.1	145.6	105.6	89.8	139.5
Rhode Island	106.2	92.9	132.1	110.6	86.6	56.1	101.9	98.8	107.9
Vermont	126.8	83.7	133.6	125.0	84.3	131.0	123.8	83.1	136.4

It will be seen from this table that the death rates due to apoplexy and paralysis in the registration states were highest in Maine (141.6) and New Hampshire (137.1), and lowest in Michigan (89.2) and Rhode Island (106.2). The rate was much higher in the rural districts (127.5) than in the cities (98), and was slightly higher among males (111.6) than among females (108.6).

The following table shows, for the registration area and its subdivisions, the death rates from apoplexy and paralysis among the whites during the census year, per 100,000 of white population, by birthplaces of mothers:

DEATH RATES BY BIRTHPLACES OF MOTHERS.

BIRTHPLACES OF MOTHERS.	REGISTRATION RECORD.					
	Total.	Cities.	States.			Cities in other states.
			Total.	Cities.	Rural.	
United States	95.0	74.8	105.0	86.7	120.1	50.8
Ireland	133.2	130.7	134.1	131.6	142.8	125.4
Germany	95.3	94.6	101.1	101.9	99.0	81.7
England and Wales	127.6	118.8	131.2	121.4	149.4	111.0
Canada	48.6	42.9	48.7	42.6	56.5	46.0
Scandinavia	34.4	32.6	38.5	37.1	40.5	27.4
Scotland	131.9	120.5	140.8	130.8	161.9	81.3
Italy	27.9	28.6	28.5	29.4	24.6	22.1
France	132.7	137.0	120.7	122.2	117.2	165.1
Hungary and Bohemia	38.4	40.7	35.8	39.1	15.9	43.1
Russia and Poland	21.7	23.2	22.4	24.2	8.3	19.5
Other foreign	55.5	52.7	56.5	53.4	64.0	49.5

APOPLEXY AND PARALYSIS.

The total number of deaths reported as due to apoplexy and paralysis in the United States during the census year was 50,766, of which 27,059 were males and 23,707 were females, and the proportion of deaths from these diseases in 1,000 deaths from all known causes was 50.8. In 1890 the corresponding proportion was 37.6.

In the registration area the number of deaths reported as due to apoplexy and paralysis was 28,623, of which 14,788 were males and 13,835 were females, giving a proportion of 56.3 deaths from these diseases in 1,000 deaths from all known causes, and a death rate of 99.4 per 100,000 of population. In 1890 the death rate was 84.5.

The following table shows, for the registration states, in the aggregate, and for the cities and rural districts the death rates from apoplexy and paralysis in the census year, per 100,000 of population:

The preceding table shows that the death rates due to these diseases in the registration area were highest among those whose mothers were born in Ireland (133.2), in France (132.7), and in Scotland (131.9); and lowest among those whose mothers were born in Russia and Poland (21.7), in Italy (27.9), and in Scandinavia (34.4).

The following table shows, for the registration area and its subdivisions, the death rates from apoplexy and paralysis during the census year in each of three age groups, per 100,000 of population of corresponding ages, in comparison with 1890, by sex:

DEATH RATES AT CERTAIN AGES.

REGISTRATION AREAS.	15 TO 44.		45 TO 64.		65 AND OVER.	
	1900	1890	1900	1890	1900	1890
Total	20.1	18.9	215.2	187.7	1,189.1	1,024.8
Males	23.4	21.0	221.2	195.2	1,244.4	1,054.0
Females	16.8	16.8	209.1	180.3	1,139.7	998.7
Cities	21.0	20.0	231.6	206.0	1,209.2	1,065.5
Males	24.8	22.6	240.5	217.3	1,298.3	1,120.7
Females	17.3	17.4	222.7	194.7	1,136.6	1,020.4
States	19.4	19.3	216.0	188.8	1,208.4	1,046.6
Males	22.0	21.5	217.5	191.6	1,244.4	1,069.7
Females	16.9	17.1	214.4	186.1	1,175.7	1,025.7

DEATH RATES AT CERTAIN AGES—Continued.

REGISTRATION AREAS.	15 TO 44.		45 TO 64.		65 AND OVER.	
	1900	1890	1900	1890	1900	1890
States—Continued.						
Cities	20.8	21.8	250.3	225.7	1,275.1	1,152.7
Males	24.1	25.2	354.6	233.3	1,355.2	1,221.9
Females	17.7	18.5	246.1	218.5	1,212.8	1,098.4
Rural	17.1	14.9	176.4	143.1	1,159.6	969.0
Males	18.7	15.2	176.7	141.0	1,174.0	972.2
Females	15.4	14.6	176.0	145.1	1,144.9	965.9
Cities in other states	21.2	18.4	213.8	185.6	1,143.5	965.4
Males	25.5	20.3	227.6	201.6	1,244.4	1,009.9
Females	16.8	16.4	199.5	168.8	1,057.5	927.4

The preceding table shows that the mortality from apoplexy and paralysis was highest in persons 65 years of age and over (1,189.1), and that in this age group it was higher in the cities of the registration states (1,275.1) and in the rural districts of the registration states (1,159.6) than in the cities in the nonregistration states (1,143.5). It was higher in males than in females in each age group and in each area.

In comparison with 1890 the figures show an increase in the death rates due to apoplexy and paralysis amounting to 27.5 per 100,000 of those 45 to 64 years old, and to 164.3 per 100,000 of those 65 years of age and over.

The combined relations of age and race to the death rates from apoplexy and paralysis are indicated for the registration area, in the following table, giving the death rates during the census year in each of three age groups, per 100,000 of population of corresponding ages, by color and birthplaces of mothers:

DEATH RATES BY AGE, COLOR, AND BIRTHPLACES OF MOTHERS.

COLOR AND BIRTHPLACES OF MOTHERS.	15 to 44.	45 to 64.	65 and over.
White	19.5	210.6	1,186.7
Colored	32.2	328.8	1,275.3
Mothers born in—			
United States	16.0	169.6	1,043.2
Ireland	26.8	300.8	1,139.9
Germany	20.1	187.8	964.0
England and Wales	16.7	199.2	1,215.6
Canada	13.0	141.4	917.9
Scandinavia	12.0	125.0	664.8
Scotland	21.7	183.8	1,175.4
Italy	11.2	123.8	744.1

DEATH RATES BY AGE, COLOR, AND BIRTHPLACES OF MOTHERS—Continued.

COLOR AND BIRTHPLACES OF MOTHERS.	15 to 44.	45 to 64.	65 and over.
Mothers born in—Continued.			
France	23.9	145.6	1,211.0
Hungary	10.6	136.4	1,123.6
Bohemia	22.0	197.7	504.8
Russia	11.8	134.8	1,402.7
Poland	8.2	61.5	222.9
Other foreign	12.0	197.7	913.5

The preceding table shows that the death rates due to apoplexy and paralysis in white persons 65 years of age and over, were highest in those whose mothers were born in Russia (1,402.7), in France (1,211), and in England and Wales (1,215.6); and lowest in those whose mothers were born in Poland (222.9), in Bohemia (504.8), and in Scandinavia (664.8).


The following table shows, for the registration area, the proportions of deaths from apoplexy and paralysis at each specified age, per 1,000 deaths at known ages from these diseases, in 1900 and 1890, by sex:

NUMBER OF DEATHS AT EACH AGE PER 1,000 AT KNOWN AGES.

AGE.	1900		1890	
	Males.	Females.	Males.	Females.
Under 5 years	18.0	16.0	21.5	21.8
5 to 9 years	3.3	2.5	3.5	5.4
10 to 14 years	2.5	1.8	3.5	3.2
15 to 19 years	4.3	4.3	7.3	5.1
20 to 24 years	6.0	6.8	10.1	8.4
25 to 29 years	12.7	11.1	14.9	13.1
30 to 34 years	23.1	14.6	22.8	17.7
35 to 39 years	34.3	23.3	31.3	23.7
40 to 44 years	47.2	33.8	40.8	36.3
45 to 49 years	56.9	53.5	58.5	52.6
50 to 54 years	76.6	70.4	73.1	76.6
55 to 59 years	93.2	89.0	85.8	78.3
60 to 64 years	111.6	114.2	119.4	111.2
65 to 69 years	129.4	132.0	133.6	127.6
70 to 74 years	139.4	143.7	134.8	131.1
75 to 79 years	123.3	132.9	120.5	125.1
80 to 84 years	80.3	90.2	79.6	94.8
85 to 89 years	29.3	42.3	31.7	50.4
90 to 94 years	6.7	14.0	6.0	14.9
95 years and over	1.9	3.6	1.3	2.7

The average age at death from apoplexy and paralysis in the registration area in 1900 was 63.2 years. In 1890 it was 62.5 years.

The comparative proportions of deaths from apoplexy and paralysis at each age in the registration area in 1900 and 1890 are shown in the following diagram:



The following table shows, for each grand group in the United States, the proportions of deaths from apoplexy and paralysis during the census year per 1,000 deaths from known causes, in the aggregate, and by sex, for the cities and rural districts:

NUMBER OF DEATHS PER 1,000 DEATHS FROM KNOWN CAUSES.

GRAND GROUP.	Total.	RURAL.		CITIES.	
		Males.	Fe-males.	Males.	Fe-males.
1. North Atlantic Coast region	65.6	83.0	86.3	53.1	61.8
2. Middle Atlantic Coast region	51.9	76.2	68.3	45.2	48.7
3. South Atlantic Coast region	37.6	28.7	39.7	46.1	45.4
4. Gulf Coast region	31.1	27.8	28.6	32.3	31.4
5. Northeastern hills and plateaus.....	72.3	80.5	79.9	52.3	63.5
6. Central Appalachian region.....	71.0	74.5	80.8	54.4	63.0
7. Region of the Great Northern lakes ...	48.7	64.4	66.1	40.0	41.3
8. Interior plateau.....	64.8	77.1	75.9	51.9	57.5
9. Southern Central Appalachian region.	33.2	32.5	31.5	64.8	42.3
10. Ohio River belt	53.8	58.3	57.0	48.3	48.4
11. Southern Interior plateau	30.8	32.6	29.3		
12. South Mississippi River belt	15.8	14.3	14.4	26.3	17.7
13. North Mississippi River belt	46.7	55.4	47.3	42.2	38.9
14. Southwest Central region	20.9	22.1	19.0	26.3	28.2
15. Central region—plains and prairies....	56.7	60.9	54.2	54.1	50.8
16. Prairie region.....	58.4	61.0	55.3	61.5	52.5
17. Missouri River belt	45.5	49.6	37.3	49.5	46.6
18. Region of the Western plains	31.3	29.4	26.7	43.9	37.7
19. Heavily timbered region of the North-west.....	65.5	65.7	69.1	53.9	65.6
20. Cordilleran region	42.1	46.0	33.7	48.9	42.7
21. Pacific Coast region	57.8	70.4	62.4	50.2	52.8

The preceding table indicates that the proportions of deaths due to apoplexy and paralysis were greatest in the Northeastern hills and plateaus (72.3), the Central Appalachian region (71), the North Atlantic coast region (65.6), and the heavily timbered region of the Northwest (65.5); and least in the South Mississippi River belt (15.8), the Gulf Coast region (31.1), and the Southwest Central region (20.9).

TETANUS AND TRISMUS NASCENTIUM.

The total number of deaths reported as due to tetanus and trismus nascentium in the United States during the census year was 2,259, of which 1,516 were males and 743 were females, and the proportion of deaths from these diseases in 1,000 deaths from all known causes was 2.3. In 1890 the corresponding proportion was 2.4.

In the registration area the number of deaths reported as due to these diseases was 1,318, of which 907 were males and 411 were females, giving a proportion of 2.6 deaths from tetanus and trismus nascentium in 1,000 deaths from all known causes, and a death rate of 4.6 per 100,000 of population. In 1890 the death rate was 6.5.

The following table shows, for the registration states, in the aggregate, and for the cities and rural districts, the death rates from tetanus and trismus nascentium in the census year, per 100,000 of population, in comparison with 1890:

CAUSES OF DEATH.

cxcix

DEATH RATES IN CITIES AND RURAL DISTRICTS.

REGISTRATION STATES.	AGGREGATE.			MALES.			FEMALES.		
	Total.	Cities.	Rural.	Total.	Cities.	Rural.	Total.	Cities.	Rural.
Total	1900.. 2.4	2.8	1.9	3.6	4.3	2.6	1.2	1.4	1.0
1890..	2.8	3.7	1.5	3.7	4.9	1.8	2.0	2.5	1.2
Connecticut.....	1900.. 2.8	2.9	2.5	3.7	4.5	2.5	1.8	1.3	2.5
1890..	2.4	4.2	1.2	2.4	3.9	1.4	2.4	4.4	0.9
District of Columbia.....	1900.. 4.3	4.3		6.1	6.1		2.7	2.7	
1890..	25.2	25.2		28.3	28.3		22.4	22.4	
Maine ¹	1900.. 1.3		1.6	2.3		2.7	0.3		0.4
Massachusetts.....	1900.. 1.1	1.2	0.8	1.9	2.3	0.6	0.3	0.2	0.9
1890..	0.9	0.8	1.0	1.3	1.2	1.5	0.4	0.5	0.4
Michigan ¹	1900.. 1.4	1.7	1.2	2.1	2.8	1.8	0.6	0.6	0.6
New Hampshire.....	1900.. 0.7	0.6	0.8	0.5		0.8	1.0	1.2	0.8
1890..	0.3		0.4				0.5		0.8
New Jersey.....	1900.. 5.0	5.8	3.9	7.3	8.7	5.6	2.7	3.0	2.2
1890..	5.5	6.4	4.5	7.1	8.6	5.1	4.0	4.1	3.9
New York.....	1900.. 2.8	3.1	2.1	4.1	4.7	3.1	1.5	1.6	1.1
1890..	2.4	3.4	1.0	3.4	4.8	1.2	1.5	2.0	0.7
Rhode Island.....	1900.. 2.1	1.4	3.4	2.9	1.5	5.5	1.4	1.4	1.4
1890..	1.5	0.5	2.8	2.4	1.0	4.2	0.6		1.4
Vermont.....	1900.. 0.9	4.3	0.3	1.7	8.9	0.7			
1890..									

¹ Nonregistration in 1890.

It will be seen from this table that the death rate from tetanus and trismus nascentium in the registration states was much higher among males (3.6) than among females (1.2), higher in the cities (2.8) than in the rural districts (1.9), and highest of all among males in the cities of Vermont (8.9) and New Jersey (8.7).

The following table shows, for the registration area and its subdivisions, the death rates from tetanus and trismus nascentium among the whites during the census year, per 100,000 of white population, by birthplaces of mothers:

DEATH RATES BY BIRTHPLACES OF MOTHERS.

BIRTHPLACES OF MOTHERS.	REGISTRATION RECORD.					
	Total.	Cities.	States.			Cities in other states.
			Total.	Cities.	Rural.	
United States.....	3.1	4.1	2.2	2.7	1.8	7.0
Ireland.....	2.5	2.5	2.5	2.5	2.4	2.6
Germany.....	2.6	2.5	2.4	2.3	3.0	2.9
England and Wales.....	2.0	2.1	2.0	2.2	1.5	1.9
Canada.....	1.0	1.1	1.0	1.1	0.9	1.2
Scandinavia.....	2.4	2.4	2.2	2.0	2.7	2.8
Scotland.....	0.7	1.0	0.8	1.2		

DEATH RATES BY BIRTHPLACES OF MOTHERS—Continued.

BIRTHPLACES OF MOTHERS.	REGISTRATION RECORD.					
	Total.	Cities.	States.			Cities in other states.
			Total.	Cities.	Rural.	
Italy.....	6.4	6.8	4.7	4.8	4.3	24.5
France.....	3.0	2.5	2.7	1.9	4.7	3.7
Hungary and Bohemia.....	3.4	3.8	3.8	4.4		2.8
Russia and Poland.....	4.9	5.2	3.9	4.1	2.8	9.4
Other foreign.....	3.2	4.0	2.7	3.5	0.7	5.7

The preceding table shows that the death rates due to these diseases in the registration area were highest among those whose mothers were born in Italy (6.4), in Russia and Poland (4.9), and in Hungary and Bohemia (3.4); and lowest among those whose mothers were born in Scotland (0.7), in Canada (1), and in England and Wales (2).

The following table shows, for the registration area and its subdivisions, the death rates from tetanus and trismus nascentium during the census year in each of five age groups, per 100,000 of population of corresponding ages, in comparison with 1890, by sex:

VITAL STATISTICS.

DEATH RATES AT CERTAIN AGES.

REGISTRATION AREAS.	UNDER 1.		UNDER 5.	5 TO 14.		15 TO 44.		45 AND OVER.	
	1900	1890	1900	1900	1890	1900	1890	1900	1890
Total	117.7	248.0	25.9	3.7	1.7	1.7	1.0	1.8	1.4
Males.....	139.6	284.1	31.2	6.8	2.8	2.5	1.4	2.7	2.2
Females.....	95.3	211.0	20.6	0.7	0.6	0.9	0.7	0.9	0.6
Cities.....	143.9	298.3	31.6	4.3	2.0	1.9	1.2	2.0	1.6
Males.....	170.9	342.0	38.0	7.8	3.4	2.9	1.6	2.9	2.6
Females.....	116.5	253.4	25.1	0.8	0.7	1.0	0.8	1.1	0.7
States	44.5	99.7	10.3	2.8	1.0	1.1	0.7	1.4	1.2
Males.....	53.3	115.9	12.5	5.3	1.7	1.8	1.0	2.1	1.9
Females.....	35.5	83.0	8.1	0.4	0.2	0.4	0.4	0.7	0.5
Cities.....	52.8	127.7	12.1	3.4	1.1	1.2	0.8	1.4	1.3
Males.....	63.8	149.5	14.6	6.5	2.1	2.2	1.3	1.8	2.3
Females.....	41.7	105.4	9.5	0.3		0.3	0.3	0.9	0.4
Rural	30.7	47.4	7.5	2.1	0.8	0.9	0.5	1.4	1.0
Males.....	35.9	53.6	9.1	3.7	1.1	1.1	0.5	2.3	1.5
Females.....	25.4	40.9	5.8	0.5	0.5	0.6	0.5	0.5	0.5
Cities in other states	234.5	447.4	50.4	5.0	2.9	2.5	1.6	2.6	2.0
Males.....	277.0	570.1	60.5	8.9	4.5	3.5	2.0	3.9	2.9
Females.....	191.1	383.1	40.2	1.2	1.3	1.6	1.2	1.3	0.8

The preceding table shows that the highest death rate from tetanus and trismus nascentium occurred in infants under 1 year of age. Above 5 years the death rate from these diseases was insignificant. In infants under 1 year of age the death rate in the cities in the non-registration states (234.5) was excessively high, being more than four times the rate in the cities in the registration states (52.8), and more than seven times the rate in the rural districts of the registration states (30.7).

In comparison with 1890 the death rate from these diseases under 1 year of age shows a great decrease, the aggregate in 1900 (117.7) being less than half the aggregate rate at this age in 1890 (248).

The combined relations of age and race to the death rates from tetanus and trismus nascentium are indicated, for the registration area, in the following table, giving the death rates during the census year in each of five age groups, per 100,000 of population of corresponding ages, by color and birthplaces of mothers:

DEATH RATES BY AGE, COLOR, AND BIRTHPLACES OF MOTHERS.

COLOR AND BIRTHPLACES OF MOTHERS.	Under 1.	Under 5.	5 to 14.	15 to 44.	45 and over.
White	77.6	17.4	3.4	1.5	1.6
Colored	1,233.4	262.7	11.7	5.3	6.9
Mothers born in—					
United States	59.8	13.5	3.6	1.1	0.8
Ireland	49.3	10.9	5.7	1.6	0.9
Germany.....	85.1	17.6	2.2	1.2	1.7
England and Wales.....	34.2	6.7	3.0	1.4	1.2
Canada	6.4	2.0	0.7	0.8	1.6
Scandinavia	15.8	6.5	2.9	1.5	1.6
Scotland.....	30.7	6.2			1.3
Italy	58.7	17.2	5.2	2.9	10.0
France.....	113.9	22.5			6.5
Hungary.....	85.6	20.4	4.1		
Bohemia.....	44.9	9.3		2.4	
Russia.....	89.6	20.8	1.0	1.5	
Poland.....	86.2	20.8	2.3	2.3	
Other foreign	73.5	16.9	2.8	1.0	

The preceding table shows that the death rates due to tetanus and trismus nascentium in white infants under 1 year of age were highest in those whose mothers were born in France (113.9), in Russia (89.6), and in Poland (86.2), and lowest in those whose mothers were born in Canada (6.4), in Scandinavia (15.8), and in Scotland (30.7).

The following table shows, for the registration area, the proportions of deaths from tetanus and trismus nascentium at each specified age, per 1,000 deaths at known ages from these diseases, in 1900 and 1890, by sex:

NUMBER OF DEATHS AT EACH AGE PER 1,000 AT KNOWN AGES.

AGE.	1900		1890	
	Males.	Females.	Males.	Females.
Under 1 year.....	480.7	710.5	780.2	874.5
1 year.....	10.0	12.1	5.1	4.0
2 years.....	5.5		2.6	
3 years.....	7.7	4.9	1.3	
4 years.....	6.6	4.9	1.3	2.0
Under 5 years.....	510.5	732.4	790.5	880.5
5 to 9 years.....	66.3	17.0	33.4	13.9
10 to 14 years.....	138.1	29.2	34.7	10.0
15 to 19 years.....	57.5	19.5	18.0	8.0
20 to 24 years.....	34.2	21.9	14.1	15.9
25 to 29 years.....	37.6	21.9	19.3	10.0
30 to 34 years.....	36.5	34.1	11.6	11.9
35 to 39 years.....	16.6	31.6	15.4	15.9
40 to 44 years.....	19.9	29.2	10.3	9.9
45 to 49 years.....	21.0	9.7	15.4	2.0
50 to 54 years.....	18.8	4.9	9.0	4.0
55 to 59 years.....	15.5	19.5	9.0	10.0
60 to 64 years.....	7.7	21.9	10.3	
65 to 69 years.....	7.7	2.4	7.7	
70 to 74 years.....	6.6	2.4	1.3	4.0
75 years and over	5.5	2.4		4.0

The average age at death from tetanus and trismus nascentium in the registration area in 1900 was 11.7 years. In 1890 it was 5.6 years. For those dying at

15 years of age and over, the average age was 36.8 years in 1900, and 38.9 years in 1890.

CONVULSIONS.

The total number of deaths reported as due to convulsions in the United States during the census year was 15,505, of which 8,548 were males, and 6,957 were females, and the proportion of deaths from this disease in 1,000 deaths from all known causes was 15.5. In 1890 the corresponding proportion was 19.7.

In the registration area the number of deaths reported as due to convulsions was 9,522, of which 5,275 were males, and 4,247 were females, giving a proportion of 18.8 deaths from this disease in 1,000 deaths from all known causes, and a death rate of 33.1 per 100,000 of population. In 1890 the death rate was 56.2.

The following table shows, for the registration states, in the aggregate, and for the cities and rural districts, the death rates from convulsions in the census year, per 100,000 of population:

DEATH RATES IN CITIES AND RURAL DISTRICTS.

REGISTRATION STATES.	AGGREGATE.			MALES.			FEMALES.		
	Total.	Cities.	Rural.	Total.	Cities.	Rural.	Total.	Cities.	Rural.
Total	24.5	28.4	18.9	27.4	32.0	21.0	21.7	24.9	16.8
Connecticut	22.0	27.2	12.5	24.9	32.8	10.5	19.1	21.6	14.6
District of Columbia	48.1	48.1		56.0	56.0		40.9	40.9	
Maine	16.6	20.3	15.8	19.1	23.0	18.3	14.0	17.8	13.1
Massachusetts	24.8	25.7	22.2	28.5	29.9	24.2	21.4	21.7	20.1
Michigan	23.5	36.0	18.3	25.8	39.6	20.4	21.0	32.5	15.9
New Hampshire	25.3	41.5	15.0	28.2	48.5	16.3	22.3	35.1	13.8
New Jersey	47.0	56.4	34.7	51.7	60.1	40.9	42.3	52.7	28.3
New York	20.1	22.2	15.9	22.1	24.7	16.9	18.1	19.7	14.9
Rhode Island	10.7	12.7	6.9	13.8	18.2	5.5	7.8	7.5	8.3
Vermont	19.5	23.6	18.8	25.1	35.5	23.6	13.7	12.4	13.8

This table shows that the death rates from convulsions in the registration states were highest in the District of Columbia (48.1) and New Jersey (47), and lowest in Rhode Island (10.7) and Maine (16.6). It was higher in the cities (28.4) than in the rural districts (18.9), being highest of all in the cities in New Jersey (56.4) and lowest in the rural districts in Rhode Island (6.9).

The following table shows, for the registration area and its subdivisions, the death rates from convulsions among the whites during the census year, per 100,000 of white population, by birthplaces of mothers:

DEATH RATES BY BIRTHPLACES OF MOTHERS.

BIRTHPLACES OF MOTHERS.	REGISTRATION RECORD.					
	Total.	Cities.	States.			Cities in other states.
			Total.	Cities.	Rural.	
United States	29.3	38.0	24.8	32.4	18.5	49.2
Ireland	16.5	17.9	16.1	17.7	10.3	19.2
Germany	23.9	25.4	18.0	18.4	16.6	37.8
England and Wales	17.0	21.1	14.5	18.7	6.8	28.6
Canada	25.3	30.0	25.8	31.5	18.6	17.4
Scandinavia	26.1	25.2	25.9	24.3	28.9	26.3
Scotland	13.3	15.9	13.6	16.9	6.6	12.0
Italy	39.2	41.5	38.9	41.5	25.9	41.7
France	15.0	12.7	15.1	11.6	23.4	14.6
Hungary and Bohemia	57.1	56.4	31.9	26.6	63.8	103.0
Russia and Poland	39.1	39.1	25.2	23.4	38.7	100.3
Other foreign	49.4	52.4	44.4	46.0	40.3	77.1

The preceding table shows that the death rates due to convulsions, in the registration area, were highest

among those whose mothers were born in Hungary and Bohemia (57.1), "Other foreign" countries (49.4), and in Italy (39.2); and lowest among those whose mothers were born in Scotland (13.3), in France (15), and in Ireland (16.5).

The following table shows, for the registration area and its subdivisions, the death rates from convulsions during the census year in each of two age groups, per 100,000 population of corresponding ages, in comparison with 1890, by sex:

DEATH RATES AT CERTAIN AGES.

REGISTRATION AREAS.	UNDER 5.		5 AND OVER.	
	1900	1890	1900	1890
Total	301.7	513.9	2.3	4.0
Males	338.7	558.6	1.9	3.6
Females	264.3	468.2	2.8	4.4
Cities	340.3	587.1	2.5	4.0
Males	379.6	642.8	2.1	3.6
Females	300.6	530.3	2.9	4.3
States	221.4	392.8	1.9	3.5
Males	250.9	419.9	1.4	3.1
Females	191.4	365.3	2.3	3.8
Cities	249.4	480.0	1.9	3.1
Males	278.7	520.4	1.6	2.9
Females	219.7	439.1	2.2	3.2
Rural	177.1	243.2	1.8	4.0
Males	207.1	248.8	1.1	3.3
Females	146.6	237.4	2.5	4.7
Cities in other states	427.7	679.6	3.1	4.8
Males	476.4	747.8	2.6	4.3
Females	378.4	609.7	3.6	5.3

The preceding table shows that the death rate from convulsions was highest in children under 5 years of age, and that at this age it was nearly twice as high in the cities in the nonregistration states (427.7) as in the cities in the registration states (249.4). In the rural districts of the registration states it was 177.1.

In comparison with 1890, the death rate from convulsions was very much lower in all of the areas, the greatest decrease occurring in the cities in the registration states, where the rate under 5 years declined from 480 in 1890 to 249.4 in 1900.

The combined relations of age and race to the death rates from convulsions are indicated in the following table, for the registration area, giving the death rates during the census year in each of two age groups, per 100,000 population of corresponding ages, by color and birthplaces of mothers:

DEATH RATES BY AGE, COLOR, AND BIRTHPLACES OF MOTHERS.

COLOR AND BIRTH-PLACES OF MOTHERS.	Under 5.	5 and over.
White	282.9	2.2
Colored.....	823.2	4.9
Mothers born in—		
United States.....	230.2	1.9
Ireland.....	240.2	2.4
Germany.....	321.0	1.4
England and Wales.....	230.7	2.3
Canada.....	210.7	2.3
Scandinavia.....	194.9	1.9
Scotland.....	203.5	1.5
Italy.....	226.1	2.6
France.....	337.2	
Hungary.....	265.3	3.0
Bohemia.....	531.2	4.2
Russia.....	152.8	1.2
Poland.....	286.5	2.4
Other foreign.....	376.8	2.0

The preceding table shows that the death rates from convulsions in white children under 5 years of age were highest in those whose mothers were born in Bohemia (531.2), in "Other foreign" countries (376.8), and in France (337.2); and lowest in those whose mothers were born in Russia (152.8), in Scandinavia (194.9), and in Scotland (203.5).

The following table shows, for the registration area, the proportions of deaths from convulsions at each specified age, per 1,000 deaths at known ages from this disease, in 1900 and 1890, by sex:

NUMBER OF DEATHS AT EACH AGE PER 1,000 AT KNOWN AGES.

AGE.	1900		1890	
	Males.	Females.	Males.	Females.
Under 1 year.....	781.3	715.6	751.0	698.1
1 year.....	106.3	118.1	119.9	133.6
2 years.....	39.5	41.3	43.6	50.1
3 years.....	16.9	24.8	22.5	26.2
4 years.....	10.5	13.7	10.9	15.1
Under 5 years.....	954.5	913.5	947.9	923.1
5 to 9 years.....	15.4	20.5	18.9	21.9
10 years and over.....	30.1	66.0	33.2	55.0

This table shows that of the total deaths from convulsions in the registration area, more than 70 per cent occurred in children under 1 year of age, and more than 90 per cent in children under 5 years of age.

The average age at death from convulsions in the registration area in 1900 was 2.5 years, being the same as in 1890. For those dying at 15 years of age and over, the average age was 40 years in 1900, and 41.3 years in 1890.

The following table shows, for each grand group in the United States, the proportions of deaths from convulsions during the census year, per 1,000 deaths from known causes, in the aggregate, and by sex, for the cities and rural districts:

NUMBER OF DEATHS PER 1,000 DEATHS FROM KNOWN CAUSES.

GRAND GROUP.	Total.	RURAL.		CITIES.	
		Males.	Fe-males.	Males.	Fe-males.
1. North Atlantic Coast region.....	12.9	10.7	9.7	16.0	12.1
2. Middle Atlantic Coast region.....	15.7	17.8	15.2	16.1	14.8
3. South Atlantic Coast region.....	13.6	11.2	12.1	19.3	17.9
4. Gulf Coast region.....	11.1	8.1	11.9	11.8	13.7
5. Northeastern hills and plateaus.....	11.4	11.1	8.3	16.8	11.8
6. Central Appalachian region.....	32.3	28.9	26.8	42.9	38.6
7. Region of the Great Northern lakes...	27.1	20.2	18.6	31.3	30.1
8. Interior plateau.....	22.0	17.2	14.7	27.8	26.5
9. Southern Central Appalachian region..	6.7	6.7	6.1	10.5	16.2
10. Ohio River belt.....	16.5	12.2	11.8	23.0	22.6
11. Southern Interior plateau.....	9.1	9.1	9.1		
12. South Mississippi River belt.....	10.8	9.8	12.4	7.4	13.1
13. North Mississippi River belt.....	19.6	15.4	17.0	23.7	23.6
14. Southwest Central region.....	7.1	6.9	7.1	12.7	11.1
15. Central region—plains and prairies....	11.6	11.5	9.3	19.6	14.9
16. Prairie region.....	13.7	14.1	13.0	14.8	14.1
17. Missouri River belt.....	13.6	13.1	11.7	13.7	17.3
18. Region of the Western plains.....	9.9	7.5	7.3	17.2	19.3
19. Heavily timbered region of the North-west.....	13.8	14.6	11.8	16.4	14.4
20. Cordilleran region.....	9.5	8.8	8.7	13.8	16.2
21. Pacific Coast region.....	7.7	7.6	6.9	7.8	8.4


The preceding table indicates that the proportions of deaths due to convulsions were greatest in the Central Appalachian region, the region of the Great Northern lakes, and the interior plateau, and least in the Southwest Central region, Southern Central Appalachian region, and Pacific Coast region.

The geographical distribution of deaths from convulsions under 5 years of age, per 1,000 deaths from known causes under 5 years of age, by state groups, is shown by plate No. 22.

DISEASES OF THE CIRCULATORY SYSTEM.

The total number of deaths reported as due to diseases of this class in the United States during the census year was 75,791, of which 40,804 were males and 34,987 were females, and the proportion of deaths from this class of diseases in 1,000 deaths from all known causes was 75.9. In 1890 the corresponding proportion was 58.

In the registration area the number of deaths reported as due to this class of diseases was 43,233, of which



CAUSES OF DEATH.

cciii

22,884 were males and 20,349 were females, giving a proportion of 85.1 deaths from these diseases in 1,000 deaths from all known causes, and a death rate of 150.1 per 100,000 of population. In 1890 the death rate was 134.2.

In England and Wales the death rate due to diseases

of the circulatory system for the year 1899 was 170.8 per 100,000 of population (males, 167.3; females, 173.1).

The following table shows, for the registration states, in the aggregate, and for the cities and rural districts, the death rates from diseases of the circulatory system in the census year, per 100,000 of population:

DEATH RATES IN CITIES AND RURAL DISTRICTS.

REGISTRATION STATES.	AGGREGATE.			MALES.			FEMALES.		
	Total.	Cities.	Rural.	Total.	Cities.	Rural.	Total.	Cities.	Rural.
Total	154.6	148.3	163.6	161.4	150.0	177.2	147.8	146.6	149.5
Connecticut	142.3	132.8	160.0	139.5	121.6	172.1	145.1	143.8	147.7
District of Columbia	216.7	216.7		237.9	237.9		197.7	197.7	
Maine	182.4	185.8	181.8	201.7	226.6	196.9	162.8	148.5	165.9
Massachusetts	170.5	160.3	202.9	177.4	160.2	230.8	164.0	160.5	175.4
Michigan	129.0	125.2	130.6	144.8	140.0	146.6	112.3	110.7	113.0
New Hampshire	194.1	165.5	212.1	211.3	180.9	229.3	177.0	151.3	194.2
New Jersey	149.2	140.7	160.4	152.2	142.0	165.3	146.3	139.5	155.4
New York	150.6	144.6	163.1	154.7	145.1	174.0	146.5	144.1	151.9
Rhode Island	152.1	145.5	165.1	152.5	143.3	169.8	151.8	147.5	160.5
Vermont	198.5	158.7	204.7	214.1	155.2	222.8	182.2	162.0	185.5

This table shows that the death rates from diseases of the circulatory system in the registration states were highest in the District of Columbia (216.7) and Vermont (198.5), and lowest in Michigan (129) and Connecticut (142.3). The rate was somewhat higher in the rural districts (163.6) than in the cities (148.3). Excluding the District of Columbia, the highest death rate from these diseases in the cities was in Maine (185.8) and the lowest, in Michigan (125.2). In the rural districts the highest death rate occurred in New Hampshire (212.1) and the lowest, in Michigan (130.6).

The following table shows, for the registration area and its subdivisions, the death rates from diseases of the circulatory system among the whites during the census year, per 100,000 of white population, by birthplaces of mothers:

DEATH RATES BY BIRTHPLACES OF MOTHERS.

BIRTHPLACES OF MOTHERS.	REGISTRATION RECORD.					
	Total.	Cities.	States.			Cities in other states.
			Total.	Cities.	Rural.	
United States	126.8	109.4	135.5	119.8	148.5	88.4
Ireland	205.5	206.3	206.0	207.0	202.5	201.7
Germany	144.9	143.8	148.4	147.9	149.9	136.7

DEATH RATES BY BIRTHPLACES OF MOTHERS—Continued.

BIRTHPLACES OF MOTHERS.	REGISTRATION RECORD.					
	Total.	Cities.	States.			Cities in other states.
			Total.	Cities.	Rural.	
England and Wales	165.7	155.6	167.6	155.2	190.8	157.0
Canada	90.4	89.8	91.7	92.0	91.2	70.9
Scandinavia	68.8	72.5	70.6	78.8	55.9	65.5
Scotland	171.8	155.7	174.7	155.8	214.4	155.5
Italy	76.4	82.5	76.2	82.9	41.8	78.6
France	176.7	175.1	161.9	153.2	182.8	216.4
Hungary and Bohemia	66.4	71.5	59.3	66.6	15.9	79.4
Russia and Poland	55.4	56.3	57.5	58.9	47.0	46.2
Other foreign	102.7	107.6	97.2	101.0	87.8	133.5

The preceding table shows that the death rates due to diseases of the circulatory system in the registration area were highest among those whose mothers were born in Ireland (205.5), in France (176.7), and in Scotland (171.8); and lowest among those whose mothers were born in Russia and Poland (55.4), in Hungary and Bohemia (66.4), and in Scandinavia (68.8).

The following table shows, for the registration area and its subdivisions, the death rates from diseases of the circulatory system during the census year, in each of six age groups, per 100,000 of population of corresponding ages, in comparison with 1890, by sex:

VITAL STATISTICS.

DEATH RATES AT CERTAIN AGES.

REGISTRATION AREAS.	UNDER 1.		UNDER 5.		5 TO 14.		15 TO 44.		45 TO 64.		65 AND OVER	
	1900	1890	1900	1890	1900	1890	1900	1890	1900	1890	1900	1890
Total	363.0	458.3	90.3	111.2	27.5	27.4	59.6	59.4	310.3	274.2	1,322.8	1,068.0
Males.....	415.2	511.5	102.6	124.2	23.2	25.0	59.3	60.8	336.0	294.5	1,502.1	1,184.1
Females.....	309.9	403.7	78.0	98.0	31.9	29.9	59.8	57.9	284.2	254.1	1,162.7	964.4
Cities	351.1	472.9	89.5	116.2	31.7	30.4	65.3	65.0	342.8	304.0	1,362.7	1,141.7
Males.....	399.1	525.3	101.0	129.1	26.8	26.5	66.9	68.2	372.9	327.9	1,543.9	1,288.5
Females.....	302.2	419.1	77.9	103.1	36.5	34.3	63.7	61.7	312.5	280.4	1,215.0	1,021.9
States.....	366.1	482.2	90.3	115.7	25.6	27.3	54.6	57.6	288.7	267.6	1,316.4	1,067.6
Males.....	405.8	542.7	99.5	130.7	21.0	25.7	51.2	56.7	307.3	281.0	1,486.0	1,174.4
Females.....	325.7	420.0	81.1	100.4	30.3	28.8	58.0	58.4	270.1	254.6	1,162.0	970.7
Cities	344.1	526.1	88.6	129.0	33.1	33.6	63.8	68.2	336.6	320.8	1,387.6	1,205.0
Males.....	367.9	589.1	94.4	145.0	27.3	29.5	62.2	70.2	358.8	337.2	1,546.6	1,358.9
Females.....	319.9	461.6	82.8	112.7	39.0	37.7	65.3	66.4	315.4	305.3	1,263.8	1,084.1
Rural.....	402.5	400.3	93.0	92.9	15.0	17.8	39.7	39.0	233.5	201.5	1,264.2	967.1
Males.....	468.2	456.6	107.5	106.4	12.3	20.1	34.1	34.2	250.7	212.8	1,447.5	1,056.1
Females.....	335.4	342.0	78.2	79.0	17.7	15.4	45.6	43.8	215.4	190.5	1,077.2	877.4
Cities in other states.....	358.0	426.3	90.4	105.2	30.4	27.6	66.6	62.0	348.6	286.7	1,338.0	1,069.2
Males.....	430.1	469.5	107.4	115.4	26.4	24.0	71.0	66.5	385.8	318.7	1,541.4	1,211.3
Females.....	284.5	381.9	73.1	94.8	34.3	31.3	62.3	57.3	309.8	253.3	1,164.4	947.7

The preceding table shows that the death rates from this class of diseases were highest in infants under 1 year of age, and in persons 65 years of age and over. At 45 to 64 years the death rate (310.3) was somewhat less than the death rate under 1 year of age (363).

In the age group under 1 year the highest mortality from this class of diseases occurred in the rural districts in the registration states (402.5), and the lowest occurred in the cities in the same states (344.1).

At 45 to 64 years of age the death rate from these diseases was highest in the cities in the nonregistration states (348.6), and lowest in the rural portions of the registration states (233.5).

In the age group 65 years of age and over, it was highest in the cities in the registration states (1,387.6), and lowest in the rural districts of the same states (1,264.2).

In the age groups under 5 years and above 45 years, the death rate of males from this class of diseases exceeded that of females, but in the age groups between 5 and 45, the mortality of females was greater than that of males.

In comparison with 1890 the figures show a decrease in the death rate from these causes at each age up to 5 years, and an increase in the rates at each age above 5.

The combined relations of age and race to the death rates from diseases of the circulatory system are indicated for the registration area in the following table, giving the death rates during the census year in each of six age groups, per 100,000 of population of corresponding ages, by color and birthplaces of mothers:

DEATH RATES BY AGE, COLOR, AND BIRTHPLACES OF MOTHERS.

COLOR AND BIRTHPLACES OF MOTHERS.	Under 1.	Under 5.	5 to 14.	15 to 44.	45 to 64.	65 and over.
White	364.6	90.1	27.5	56.2	299.1	1,311.8
Colored.....	317.7	96.7	28.4	124.3	585.4	1,726.1
Mothers born in—						
United States.....	401.0	95.4	23.2	40.3	213.7	1,071.1
Ireland.....	362.5	93.0	32.1	82.6	414.0	1,395.5
Germany.....	268.9	65.0	28.9	53.2	265.5	1,224.3
England and Wales.....	376.4	84.2	38.0	45.9	258.3	1,290.0
Canada.....	358.3	85.0	22.9	42.6	213.3	1,202.0
Scandinavia.....	213.4	55.2	26.5	33.8	209.6	856.3
Scotland.....	276.6	61.7	11.3	55.7	269.1	1,226.5
Italy.....	235.0	64.8	29.2	50.8	258.7	764.8
France.....	227.8	45.0	48.1	60.7	232.9	1,181.5
Hungary.....	235.4	61.2	20.5	36.3	193.3	936.3
Bohemia.....	89.9	46.6	20.4	41.6	187.3	1,161.0
Russia.....	193.1	65.3	31.8	50.1	269.5	1,184.5
Poland.....	114.9	33.6	8.0	22.3	115.4	547.2
Other foreign.....	251.1	68.9	27.5	52.0	265.2	1,211.0

The preceding table shows that the death rates due to diseases of the circulatory system in white children under 5 years of age were highest in those whose mothers were born in the United States (95.4), in Ireland (93), and in Canada (85), and lowest in those whose mothers were born in Poland (33.6), in France (45), and in Bohemia (46.6).

At 65 years of age and over they were highest in those whose mothers were born in Ireland (1,395.5), in England and Wales (1,290), and in Scotland (1,226.5); and lowest in those whose mothers were born in Poland (547.2), in Scandinavia (856.3), and in Italy (764.8).

CAUSES OF DEATH.

ccv

The following table shows the death rates from diseases of the circulatory system in the registration area

during the census year, by conjugal condition in relation to age:

DEATH RATES BY CONJUGAL CONDITION, AND AGE.

CONJUGAL CONDITION.	AGE.							
	15 years and over.		15 to 44 years.		45 to 64 years.		65 years and over.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Single	91.0	72.9	55.4	44.1	444.7	273.6	1,735.0	1,154.7
Married	216.3	147.3	56.5	67.5	282.9	245.8	1,302.1	979.1
Widowed	909.1	591.0	163.0	104.6	560.7	365.2	1,778.4	1,231.8

The preceding table shows that in persons 15 to 44 years of age the death rates of the married (males, 56.5; females, 67.5) were higher than that of the single (males, 55.4; females, 44.1). At 45 to 64 years they were higher in the single (males, 444.7; females, 273.6) than in the married (males, 282.9; females, 245.8). The rates were highest in persons 65 years of age and over, and in this group they were higher for the single (males, 1,735; females, 1,154.7) than for the married (males, 1,302.1; females, 979.1).

The following table shows, for the registration area, the proportions of deaths from diseases of the circulatory system at each age, per 1,000 deaths at known ages from these diseases, in 1900 and 1890, by sex:

NUMBER OF DEATHS AT EACH AGE PER 1,000 AT KNOWN AGES.

AGE.	1900		1890	
	Males.	Females.	Males.	Females.
Under 1 year.....	56.8	46.8	79.4	67.3
1 year.....	3.0	2.6	4.7	3.7
2 years.....	2.2	1.8	2.9	2.5
3 years.....	2.2	2.0	2.0	2.2
4 years.....	2.5	3.1	2.3	2.2
Under 5 years.....	66.7	56.3	91.3	77.9
5 to 9 years.....	14.2	18.6	16.6	20.5
10 to 14 years.....	13.6	24.4	17.4	24.0
15 to 19 years.....	17.1	21.8	22.4	25.7
20 to 24 years.....	20.3	29.4	25.9	33.6
25 to 29 years.....	26.4	31.8	31.0	40.0
30 to 34 years.....	33.6	37.5	39.3	39.6
35 to 39 years.....	44.8	45.6	49.9	46.9
40 to 44 years.....	49.1	51.4	54.4	50.1
45 to 49 years.....	55.8	58.0	65.3	60.5
50 to 54 years.....	73.4	68.8	70.3	72.1
55 to 59 years.....	87.5	78.6	79.4	76.8
60 to 64 years.....	103.6	93.9	92.2	85.7
65 to 69 years.....	113.2	106.4	102.6	94.7
70 to 74 years.....	113.6	106.0	95.1	93.3
75 to 79 years.....	91.4	85.7	78.6	78.0
80 to 84 years.....	51.1	53.2	45.0	49.2
85 to 89 years.....	20.2	23.8	17.8	23.8
90 to 94 years.....	3.6	6.9	4.4	5.5
95 years and over.....	0.8	1.9	1.1	2.1

The average age at death from diseases of the circulatory system in the registration area in 1900 was 53.6

years; in 1890 it was 50.5 years. For those dying at 15 years and over, the average age was 58.9 years in 1900, and 57.1 years in 1890.

The following table shows, for each grand group in the United States, the proportions of deaths from diseases of the circulatory system during the census year, per 1,000 deaths from known causes, in the aggregate, and by sex, for the cities and rural districts:

NUMBER OF DEATHS PER 1,000 DEATHS FROM KNOWN CAUSES.


GRAND GROUP.	Total.	RURAL.		CITIES.	
		Males.	Females.	Males.	Females.
1. North Atlantic Coast region.....	96.5	122.0	107.7	84.2	92.9
2. Middle Atlantic Coast region	75.7	85.5	85.6	69.7	77.4
3. South Atlantic Coast region.....	57.7	54.3	58.4	59.6	62.7
4. Gulf Coast region	68.6	58.5	60.8	78.8	82.9
5. Northeastern hills and plateaus.....	98.4	119.4	96.3	81.0	80.2
6. Central Appalachian region	84.0	90.0	88.1	68.3	79.8
7. Region of the Great Northern lakes ..	83.1	100.7	91.9	74.2	79.1
8. Interior plateau.....	84.6	91.2	84.4	81.7	81.4
9. Southern Central Appalachian region..	50.7	50.6	48.9	65.6	68.4
10. Ohio River belt	79.6	89.2	71.7	74.3	81.8
11. Southern Interior plateau.....	53.3	50.7	55.8		
12. South Mississippi River belt.....	41.2	33.0	44.2	52.6	55.2
13. North Mississippi River belt	73.3	75.6	68.8	74.4	73.9
14. Southwest Central region	39.6	38.6	39.1	66.3	55.3
15. Central region—plains and prairies...	72.3	76.8	66.4	77.4	72.9
16. Prairie region	85.0	89.0	80.6	78.1	89.2
17. Missouri River belt.....	75.5	75.1	69.8	83.2	76.3
18. Region of the Western plains	61.0	65.7	52.4	65.0	64.7
19. Heavily timbered region of the North-west	101.7	112.2	97.2	89.3	86.5
20. Cordilleran region	71.5	69.7	67.3	83.3	97.8
21. Pacific Coast region	109.9	111.5	81.1	117.5	115.0

The preceding table indicates that the proportions of deaths due to diseases of the circulatory system were greatest in the Pacific Coast region (109.9), the Heavily timbered region of the Northwest (101.7), the Northeastern hills and plateaus (98.4), and the North Atlantic Coast region (96.5); and least in the Southwest Central region (39.6), South Mississippi River belt (41.2), and the Southern Central Appalachian region (50.7).

The following table shows, for the registration states, the death rates from diseases of the circulatory system in each month of the census year, in the aggregate, and for the cities and rural districts:

DEATH RATES BY MONTHS.


MONTHS.	Total.	Cities.	Rural.
January	14.3	14.2	14.3
February	13.5	13.2	13.9
March	16.6	16.4	16.9
April	15.1	14.4	16.0
May	14.1	13.6	14.9



DEATH RATES BY MONTHS—Continued.

MONTHS.	Total.	Cities.	Rural.
June	11.3	10.5	12.5
July	10.9	10.1	11.9
August	10.7	9.9	11.9
September	10.9	10.4	11.8
October	11.2	10.9	11.8
November	12.5	11.9	13.3
December	13.4	12.8	14.4

The death rate from diseases of the circulatory system in each month in the cities and the rural districts, and the relative difference in the rates in the two areas are shown in the following diagram:



The preceding table and diagram show that in both cities and rural districts of the registration states the death rates due to diseases of the circulatory system were highest in March and April. The death rate from these diseases was lowest in the cities in August and in the rural districts in September and October.

The following table shows the comparative proportions of deaths from diseases of the circulatory system in each month during the census year, per 1,000 deaths in known months, in the United States, as a whole, and in the registration states:

COMPARATIVE PROPORTIONS OF DEATHS IN EACH MONTH.

MONTHS.	United States.	Registration states.
January	93.4	92.3
February	91.2	87.1
March	105.1	107.3
April	103.6	97.5
May	100.4	91.6
June	68.7	73.2
July	67.8	70.2
August	67.5	69.3
September	67.6	70.8
October	73.9	72.7
November	75.5	80.9
December	85.3	87.1

HEART DISEASE AND DROPSY.

For purposes of comparison this title includes deaths from pericarditis, organic diseases of the heart, and dropsy, as in the Eleventh Census. The deaths from each of these diseases are shown separately in the general tables, giving each disease and class of diseases in relation to sex and age.

The number, by sex, was as follows:

	UNITED STATES.		REGISTRATION RECORD.	
	Males.	Females.	Males.	Females.
Heart disease	36,500	31,939	19,783	18,161
Pericarditis	457	419	335	329
Dropsy	5,600	5,664	948	1,031

The total number of deaths reported as due to diseases of the heart and dropsy, combined, in the United States during the census year was 80,579, of which 42,557 were males and 38,022 were females, and the proportion of deaths from these diseases in 1,000 deaths from all known causes was 80.7. In 1890 the corresponding proportion was 65.5.

In the registration area the number of deaths reported as due to these diseases was 40,587, of which 21,066

CAUSES OF DEATH.

ccvii

were males and 19,521 were females, giving a proportion of 79.9 deaths from them in 1,000 deaths from all known causes and a death rate of 140.9 per 100,000 of population. In 1890 the death rate was 132.1.

The following table shows, for the registration area and its subdivisions, the death rates from heart disease and dropsy in the census years 1900 and 1890, by sex, color, general nativity, and parent nativity:

DEATH RATES BY COLOR AND NATIVITY.

AREAS.	Aggregate.	WHITE.							COLORED.		
		Total.	Males.	Females.	Native.			Foreign.	Total.	Males.	Females.
					Total.	Both parents native.	One or both parents foreign.				
Registration area.....1900..	140.9	137.4	142.8	132.0	110.3	145.6	72.5	222.0	216.6	225.0	208.6
.....1890..	132.1	128.4	132.3	124.7	105.3	139.0	69.2	192.2	204.0	209.2	198.9
Cities.....1900..	135.6	130.8	134.4	127.2	97.8	124.9	74.2	219.0	221.7	229.6	214.2
.....1890..	127.7	122.6	126.0	119.4	93.0	123.8	69.4	190.9	209.8	217.2	202.7
States.....1900..	144.5	143.3	147.0	139.5	119.8	152.5	73.6	212.8	203.7	214.0	193.6
.....1890..	140.6	139.8	143.3	136.5	119.4	147.5	72.7	199.0	173.8	166.3	180.9
Cities.....1900..	136.0	133.8	132.7	134.7	101.3	131.7	75.7	203.9	221.3	230.2	213.0
.....1890..	137.0	135.6	137.8	133.6	105.4	136.5	74.3	198.7	187.4	183.9	190.5
Rural.....1900..	156.8	156.9	166.6	146.6	141.5	168.5	69.2	236.6	154.5	172.4	135.0
.....1890..	146.1	146.2	151.2	141.1	136.3	156.0	68.4	199.8	142.4	129.3	156.5
Cities in other states.....1900..	135.3	127.9	136.0	119.8	94.9	112.7	69.6	239.1	221.8	229.4	214.5
.....1890..	119.1	109.8	114.7	104.8	81.5	96.4	58.0	182.0	216.0	226.0	206.3

It will be seen from this table that the death rate from heart disease and dropsy was highest in the rural districts in the registration states (156.8) and lowest in the cities in the nonregistration states (135.3). It was much higher in the colored (216.6) than in the whites (137.4) and was twice as high for the foreign whites (222) as for the native whites (110.3), but in the latter class it was twice as high among those of native parents (145.6) as among those of foreign parents (72.5), which is due to the greater proportion of persons of advanced age of native parentage.

In comparison with 1890 there was an increase in the death rates due to heart disease and dropsy in all the areas except the cities in the registration states where the rate decreased very slightly.

The following table shows, for the registration states, in the aggregate, and for the cities and rural districts, the death rates from heart disease and dropsy in the census year, per 100,000 of population, in comparison with 1890:

DEATH RATES IN CITIES AND RURAL DISTRICTS.

REGISTRATION STATES.	AGGREGATE.			MALES.			FEMALES.		
	Total.	Cities.	Rural.	Total.	Cities.	Rural.	Total.	Cities.	Rural.
Total.....1900..	144.5	136.1	156.8	148.4	135.2	166.7	140.7	136.7	146.5
.....1890..	140.6	137.0	146.1	143.8	139.0	150.8	137.5	135.1	141.3
Connecticut.....1900..	130.3	119.8	149.7	127.0	109.3	159.1	133.7	130.2	140.1
.....1890..	128.4	123.4	131.9	132.3	130.0	133.9	124.5	117.1	129.9
District of Columbia.....1900..	206.6	206.6		225.0	225.0		190.2	190.2	
.....1890..	126.7	126.7		140.5	140.5		114.2	114.2	
Maine ¹ 1900..	174.4	179.0	173.4	190.1	224.8	183.3	158.3	137.2	163.1
Massachusetts.....1900..	156.1	145.8	188.6	160.2	143.5	212.2	152.1	148.0	165.4
.....1890..	156.2	152.2	169.2	156.2	151.1	172.5	156.1	153.1	166.1
Michigan ¹ 1900..	125.3	118.9	127.9	136.4	127.6	139.9	113.5	110.5	114.9
New Hampshire.....1900..	187.5	164.3	202.2	198.2	174.3	212.3	177.0	155.0	191.8
.....1890..	173.2	149.3	183.1	176.4	163.1	181.5	170.0	137.0	184.7
New Jersey.....1900..	139.5	130.8	151.1	139.6	129.8	152.5	139.3	131.7	149.7
.....1890..	124.2	121.3	128.1	121.1	114.3	129.9	127.3	128.2	126.2
New York.....1900..	140.6	131.6	159.4	142.1	129.4	167.7	139.2	133.7	150.8
.....1890..	137.8	133.7	144.6	142.3	136.7	151.1	133.4	130.8	137.9
Rhode Island.....1900..	136.3	130.3	148.0	134.4	126.6	149.3	138.0	133.7	146.7
.....1890..	142.7	142.0	143.7	143.4	146.0	140.0	142.0	138.2	147.4
Vermont.....1900..	181.6	148.0	186.8	193.0	142.0	200.5	169.7	153.7	172.4
.....1890..	154.9	166.1	153.9	161.8	199.3	158.6	147.8	135.6	149.0

¹ Nonregistration in 1890.

This table shows that the death rates from heart disease and dropsy in the registration states were highest in the District of Columbia (206.6) and New Hampshire (187.5) and lowest in Michigan (125.3) and Connecticut (139.3). The rate was higher in the rural districts (156.8) than in the cities (136.1), and, excluding the District of Columbia, it was highest of all in the rural districts of New Hampshire (202.2).

The following table shows, for the registration area and its subdivisions, the death rates from heart disease and dropsy among the whites during the census year, per 100,000 of white population, by birthplaces of mothers:

DEATH RATES BY BIRTHPLACES OF MOTHERS.

BIRTHPLACES OF MOTHERS.	REGISTRATION RECORD.					
	Total.	Cities.	States.			Cities in other states.
			Total.	Cities.	Rural.	
United States.....	117.6	99.0	125.7	107.3	140.9	82.1
Ireland.....	194.1	194.0	193.8	193.6	194.7	196.6
Germany.....	140.2	138.2	140.9	138.0	150.0	138.6
England and Wales.....	154.1	142.7	155.7	141.3	182.5	147.1
Canada.....	86.2	83.7	87.5	85.9	89.5	64.7
Scandinavia.....	66.8	68.9	67.2	71.4	59.5	66.0
Scotland.....	160.6	141.4	164.5	142.1	211.8	138.7
Italy.....	69.3	74.9	68.7	74.8	37.4	76.0
France.....	160.7	157.3	148.2	137.7	173.4	194.4
Hungary and Bohemia.....	65.3	69.9	54.8	60.4	21.2	84.9
Russia and Poland.....	50.9	51.6	51.9	52.8	44.3	46.9
Other foreign.....	98.3	101.3	89.8	90.1	89.3	145.1

This table shows that the death rates due to heart disease and dropsy in the registration area were highest among those whose mothers were born in Ireland (194.1), in France (160.7), and in Scotland (160.6), and lowest among those whose mothers were born in Russia and Poland (50.9), in Hungary and Bohemia (65.3), and in Scandinavia (66.8). The rate was lower among those whose mothers were born in the United States (117.6) than in those whose mothers were born in Germany (140.2) or in England and Wales (154.1).

The following table shows, for the registration area and its subdivisions, the death rates from heart disease and dropsy during the census year in each of three age groups, per 100,000 population of corresponding ages, in comparison with 1890, by sex:

DEATH RATES AT CERTAIN AGES.

REGISTRATION AREA.	15 TO 44.		45 TO 64.		65 AND OVER.	
	1900	1890	1900	1890	1900	1890
Total.....	57.2	59.8	293.9	278.7	1,259.4	1,111.3
Males.....	56.4	60.1	310.2	289.9	1,408.1	1,219.5
Females.....	57.9	59.5	277.3	267.5	1,126.6	1,014.7
Cities.....	62.8	64.9	323.8	305.8	1,276.9	1,174.2
Males.....	63.6	66.9	342.9	320.0	1,424.9	1,310.2
Females.....	62.0	62.9	304.6	291.7	1,156.3	1,063.0

DEATH RATES AT CERTAIN AGES—Continued.

REGISTRATION AREA.	15 TO 44.		45 TO 64.		65 AND OVER.	
	1900	1890	1900	1890	1900	1890
States.....	51.8	57.4	271.1	267.9	1,255.1	1,093.8
Males.....	48.0	55.9	282.7	273.2	1,397.7	1,193.7
Females.....	55.5	58.8	259.5	262.8	1,125.3	1,008.2
Cities.....	60.4	66.6	312.6	312.6	1,284.4	1,187.4
Males.....	57.9	67.9	326.3	320.2	1,416.0	1,326.8
Females.....	62.7	65.4	299.5	305.5	1,182.1	1,078.0
Rural.....	37.7	41.2	223.3	212.5	1,233.6	1,025.4
Males.....	32.3	35.8	234.8	216.2	1,386.2	1,108.3
Females.....	43.3	46.8	211.0	208.9	1,077.9	941.8
Cities in other states.....	65.0	63.3	334.3	298.7	1,269.5	1,158.9
Males.....	68.6	66.1	358.0	319.8	1,433.4	1,292.0
Females.....	61.4	60.5	309.6	276.7	1,129.6	1,045.1

This table shows that the greatest mortality from heart disease and dropsy occurred in persons 65 years of age and over (1,259.4), and that at this age it was highest in the cities in the registration states (1,284.4) and lowest in the rural districts of the same states (1,233.6).

At 45 to 64 years of age it was higher in the cities in the nonregistration states (334.3) than in the cities in the registration states (312.6) or in the rural districts of the same states (223.3).

In the age group 15 to 44 years of age the death rate of males (56.4) was lower than that of females (57.9), but above 45 years the death rate of males was considerably higher than that of females.

In comparison with 1890 the figures show a slight increase in the death rate due to these diseases at 45 years and over and a slight decrease in the rate under 45.

The combined relations of age and race to the death rates from heart disease and dropsy are indicated, for the registration area, in the following table, giving the death rates during the census year in each of three age groups, per 100,000 population of corresponding ages, by color and birthplaces of mothers:

DEATH RATES BY AGE, COLOR, AND BIRTHPLACES OF MOTHERS.

COLOR AND BIRTHPLACES OF MOTHERS.	15 to 44.	45 to 64.	65 and over.
White.....	53.6	281.5	1,246.2
Colored.....	126.3	598.5	1,740.9
Mothers born in—			
United States.....	38.4	199.3	1,016.1
Ireland.....	79.9	393.1	1,314.3
Germany.....	50.9	257.3	1,215.2
England and Wales.....	44.0	243.2	1,201.1
Canada.....	40.9	207.5	1,173.9
Scandinavia.....	32.6	202.0	890.1
Scotland.....	53.0	260.9	1,124.3
Italy.....	46.7	247.6	744.1
France.....	51.5	207.9	1,107.7
Hungary.....	33.3	170.6	749.1
Bohemia.....	41.6	218.5	1,312.5
Russia.....	47.1	252.2	1,059.9
Poland.....	21.7	115.4	567.5
Other foreign.....	50.1	257.3	1,232.2

It will be seen from this table that the death rates due to heart disease and dropsy in white persons 45 to 64 years of age were highest in those whose mothers were born in Ireland (393.1), in Scotland (260.9), and in Germany (257.3), and lowest in those whose mothers were born in Poland (115.4), in Hungary (170.6), and in the United States (199.3).

At 65 years of age and over, they were highest in those whose mothers were born in Ireland (1,314.3), in Bohemia (1,312.5), and in "Other foreign" countries (1,232.2); and lowest in those whose mothers were born in Poland (567.5), in Italy (744.1), and in Hungary (749.1).

The following table shows, for the registration area, the proportions of deaths from heart disease and dropsy at each age, per 1,000 deaths at known ages from these diseases, in 1900 and 1890, by sex:

NUMBER OF DEATHS AT EACH AGE PER 1,000 AT KNOWN AGES.


AGE.	1900		1890	
	Males.	Females.	Males.	Females.
Under 1 year.....	37.5	31.9	37.2	31.2
1 year	3.4	2.9	5.1	4.1
2 years	2.5	2.0	2.9	2.5
3 years	2.4	2.2	2.8	2.5
4 years	2.7	3.1	2.9	2.3
Under 5 years	48.5	42.1	50.9	42.6

NUMBER OF DEATHS AT EACH AGE PER 1,000 AT KNOWN AGES—Con.

AGE.	1900		1890	
	Males.	Females.	Males.	Females.
5 to 9 years.....	16.1	19.9	18.8	21.5
10 to 14 years.....	15.3	25.9	19.0	25.2
15 to 19 years.....	18.7	23.1	23.9	26.0
20 to 24 years.....	22.4	29.6	27.7	33.6
25 to 29 years.....	27.1	30.8	31.9	39.7
30 to 34 years.....	34.6	37.9	40.4	39.8
35 to 39 years.....	45.0	45.9	50.0	49.0
40 to 44 years.....	49.8	52.5	54.8	52.2
45 to 49 years.....	57.2	59.0	64.4	62.6
50 to 54 years.....	73.3	70.2	72.4	76.7
55 to 59 years.....	87.9	79.2	80.4	78.9
60 to 64 years.....	102.9	96.0	96.8	90.2
65 to 69 years.....	115.2	108.2	108.2	98.5
70 to 74 years.....	116.2	107.6	102.6	96.3
75 to 79 years.....	92.7	86.6	84.2	81.6
80 to 84 years.....	51.8	52.9	48.1	52.1
85 to 89 years.....	20.9	24.2	19.3	24.9
90 to 94 years.....	3.6	6.5	4.8	6.1
95 years and over	0.8	1.9	1.4	2.5

The average age at death from heart disease and dropsy in the registration area in 1900 was 54.3 years. In 1890 it was 52.7 years. For those dying at 15 years of age and over, the average age was 58.8 years in 1900 and 57.4 years in 1890.

The comparative proportions of deaths from heart disease and dropsy at each age in the registration area in 1900 and 1890 are shown in the following diagram:



The following table shows, for each grand group in the United States, the proportions of deaths from heart disease and dropsy during the census year, per 1,000 deaths from known causes, in the aggregate, and by sex, for the cities and rural districts:

NUMBER OF DEATHS PER 1,000 DEATHS FROM KNOWN CAUSES.

GRAND GROUPS.	Total.	RURAL.		CITIES	
		Males.	Fe-males.	Males.	Fe-males.
1. North Atlantic Coast region.....	88.9	111.5	103.5	75.9	85.9
2. Middle Atlantic Coast region	71.1	89.8	91.2	61.7	71.7
3. South Atlantic Coast region.....	88.3	95.3	98.7	66.2	68.5
4. Gulf Coast region	76.9	76.6	77.6	72.9	80.7
5. Northeastern hills and plateaus	91.7	110.7	91.6	74.7	73.6
6. Central Appalachian region.....	91.5	100.4	101.7	64.6	81.3
7. Region of the Great Northern lakes....	79.5	101.2	94.4	66.1	75.6
8. Interior plateau.....	87.4	101.5	98.7	74.8	77.5
9. Southern Central Appalachian region ..	70.6	69.5	71.0	72.9	79.2
10. Ohio River belt	84.8	99.8	83.8	68.4	80.9
11. Southern Interior plateau.....	78.6	75.6	81.4		
12. South Mississippi River belt	65.2	58.6	73.3	61.2	67.5
13. North Mississippi River belt	77.6	87.5	82.7	68.1	68.8
14. Southwest Central region	52.8	52.0	52.8	69.9	55.3
15. Central region—plains and prairies....	80.9	85.0	79.6	74.5	73.9
16. Prairie region.....	93.5	96.3	91.5	73.8	93.0
17. Missouri River belt	80.7	84.9	79.1	79.9	77.2
18. Region of the Western plains	68.6	74.8	64.8	61.1	64.7
19. Heavily timbered region of the North-west.....	101.8	111.1	101.2	82.9	85.1
20. Cordilleran region	77.3	74.2	77.8	85.8	93.1
21. Pacific Coast region	104.9	112.4	87.2	104.9	108.5

The preceding table indicates that the proportions of deaths from heart disease and dropsy were greatest in the Pacific Coast region (104.9), the heavily timbered region of the Northwest (101.8), and the prairie region (93.5), and least in the Southwest Central region (52.8), South Mississippi River belt (65.2), and the region of the Western plains (68.6).

The geographical distribution of deaths from heart disease and dropsy, by state groups, is shown by plate No. 23.

ANGINA PECTORIS.

The total number of deaths reported as due to angina pectoris in the United States during the census year was 2,785, of which 1,595 were males and 1,190 were females, and the proportion of deaths from this disease in 1,000 deaths from all known causes was 2.8. In 1890 the corresponding proportion was 1.5.

In the registration area the number of deaths reported as due to this disease was 1,839, of which 1,055 were males and 784 were females, giving a proportion of 3.6 deaths from this disease in 1,000 deaths from all known causes, and a death rate of 6.4 per 100,000 of population. In 1890 the rate was 3.4.

The following table shows, for the registration states in the aggregate, and for the cities and rural districts, the death rates from angina pectoris in the census year, per 100,000 of population, in comparison with 1890:

DEATH RATES IN CITIES AND RURAL DISTRICTS.

REGISTRATION STATES.	AGGREGATE.			MALES.			FEMALES.		
	Total.	Cities.	Rural.	Total.	Cities.	Rural.	Total.	Cities.	Rural.
Total	6.8	5.4	8.9	7.8	6.1	10.0	5.9	4.7	7.7
1890..	3.9	3.4	4.6	4.3	3.9	4.9	3.5	3.0	4.3
Connecticut.....	6.6	5.3	9.1	7.9	5.5	12.4	5.3	5.1	5.7
1890..	5.1	5.8	4.6	4.1	3.3	4.6	6.1	8.2	4.6
District of Columbia	6.5	6.5		6.1	6.1		6.8	6.8	
1890..	2.6	2.6		3.7	3.7		1.7	1.7	
Maine ¹	11.5	8.5	12.2	12.8	7.1	13.9	10.2	9.7	10.3
Massachusetts.....	6.4	5.4	9.7	7.0	5.6	11.1	6.0	5.3	8.2
1890..	3.0	2.4	4.8	3.1	2.7	4.6	2.8	2.1	4.9
Michigan ¹	7.4	6.9	7.5	9.2	9.7	9.0	5.4	4.2	5.9
New Hampshire.....	9.7	5.0	12.6	11.7	5.3	15.5	7.7	4.8	9.7
1890..	7.7	5.4	8.7	9.1	9.6	8.9	6.3	1.7	8.4
New Jersey.....	6.7	6.7	6.8	7.5	8.1	6.5	6.1	5.4	7.0
1890..	5.4	4.5	6.6	5.7	4.4	7.3	5.1	4.6	5.8
New York	6.1	4.7	8.9	6.8	5.4	9.7	5.3	4.1	8.1
1890..	3.6	3.4	4.0	4.4	4.3	4.6	2.9	2.5	3.5
Rhode Island.....	7.5	6.4	9.6	7.1	6.6	8.2	7.8	6.2	11.0
1890..	5.2	5.0	5.5	6.0	5.2	6.9	4.5	4.8	4.1
Vermont	9.6	4.3	10.4	10.9	4.4	11.8	8.3	4.2	9.0
1890..	2.1	3.5	2.0	1.8	7.4	1.3	2.5		2.7

¹ Nonregistration in 1890.



According to this table the death rates from angina pectoris in the registration states were highest in Maine (11.5) and New Hampshire (9.7), and lowest in New York (6.1) and Massachusetts (6.4). The rate was higher in the rural districts (8.9) than in the cities (5.4), and higher among males (7.8) than among females (5.9). In the cities the highest death rate from this disease occurred in Maine (8.5), and in the rural districts of New Hampshire (12.6).

The following table shows, for the registration area and its subdivisions, the death rates from angina pectoris among the whites during the census year, per 100,000 of white population, by birthplaces of mothers:

DEATH RATES BY BIRTHPLACES OF MOTHERS.

BIRTHPLACES OF MOTHERS.	REGISTRATION RECORD.					
	Total.	Cities.	States.			Cities in other states.
			Total.	Cities.	Rural.	
United States.....	7.0	5.4	7.6	6.1	8.8	4.2
Ireland.....	5.3	4.7	5.3	4.7	7.6	4.8
Germany.....	5.3	4.9	5.5	5.1	6.9	4.8
England and Wales.....	8.5	6.8	9.4	7.7	12.8	4.3
Canada.....	3.4	3.1	3.5	3.1	3.9	2.5
Scandinavia.....	1.0	0.8	0.9	0.5	1.8	1.1

DEATH RATES AT CERTAIN AGES.

REGISTRATION AREAS.	UNDER 15.		15 TO 44.		45 TO 64.		65 AND OVER.	
	1900	1890	1900	1890	1900	1890	1900	1890
Total.....	0.1	0.2	2.2	1.3	17.0	9.0	60.2	32.3
Males.....	0.1	0.1	2.3	1.2	20.1	11.6	74.1	38.2
Females.....	0.2	0.2	2.2	1.4	13.7	6.5	47.8	27.0
Cities.....	0.1	0.1	2.3	1.3	17.0	9.3	55.8	31.8
Males.....	0.1	0.1	2.4	1.3	20.6	12.5	70.3	39.0
Females.....	0.2	0.2	2.1	1.4	13.4	6.1	44.0	25.9
States.....	0.1	0.2	2.1	1.1	16.5	9.1	61.1	34.8
Males.....	0.1	0.1	2.1	0.9	19.3	11.6	73.4	40.7
Females.....	0.2	0.2	2.1	1.4	13.7	6.7	49.8	29.5
Cities.....	0.1	0.2	2.1	1.2	16.2	9.7	53.4	37.4
Males.....	0.1	0.3	2.3	0.9	19.4	13.4	64.4	46.0
Females.....	0.1	0.3	1.9	1.4	13.2	6.2	44.9	30.6
Rural.....	0.2	0.2	2.1	1.1	16.9	8.3	66.6	32.9
Males.....	0.1	0.3	1.9	0.7	19.2	9.4	79.1	37.2
Females.....	0.3	0.2	2.4	1.4	14.5	7.3	53.9	28.5
Cities in other states.....	0.2	0.1	2.4	1.5	17.8	8.9	58.2	25.4
Males.....	0.1	0.1	2.5	1.6	21.7	11.5	75.8	31.4
Females.....	0.2	0.2	2.4	1.3	13.7	6.1	43.2	20.3

This table shows that the death rate from this disease was highest at 65 years of age and over (60.2). At 45 to 64 years it was 17. Below 45 years the death rate from this disease was insignificant. At 45 to 64 years the death rate from this disease was highest in the cities in the nonregistration states (17.8) and lowest in the cities in the registration states (16.2), but in the age

DEATH RATES BY BIRTHPLACES OF MOTHERS—Continued.

BIRTHPLACES OF MOTHERS.	REGISTRATION RECORD.					
	Total.	Cities.	States.			Cities in other states.
			Total.	Cities.	Rural.	
Scotland.....	7.5	7.4	6.8	6.2	7.9	12.0
Italy.....	2.1	2.5	2.1	2.5		2.5
France.....	6.0	6.4	5.5	5.8	4.7	7.3
Hungary and Bohemia.....	2.0	2.2	2.3	2.6		1.4
Russia and Poland.....	1.6	1.5	1.6	1.5	2.7	1.5
Other foreign.....	4.8	5.4	5.5	6.5	2.9	1.2

This table shows that the death rates due to angina pectoris in the registration area were highest among those whose mothers were born in England and Wales (8.5), in Scotland (7.5), and in the United States (7), and lowest among those whose mothers were born in Scandinavia (1), in Russia and Poland (1.6), and in Hungary and Bohemia (2).

The following table shows, for the registration area and its subdivisions, the death rates from angina pectoris during the census year in each of four age groups, per 100,000 of population of corresponding ages, in comparison with 1890, by sex:

group 65 years and over it was highest in the rural districts of the registration states (66.6), and lowest in the cities in the same states (53.4).

In comparison with 1890, the figures show that above 15 years of age there was an increase in the death rate in each age group amounting to nearly 50 per cent.

The following table shows, for the registration area,

the proportions of deaths from angina pectoris at each specified age, per 1,000 deaths at known ages from this disease, in 1900 and 1890, by sex:

NUMBER OF DEATHS AT EACH AGE PER 1,000 AT KNOWN AGES.

AGE. °	1900		1890	
	Males.	Females.	Males.	Females.
Under 15 years.....	2.9	10.2	7.9	20.6
15 to 19 years.....	5.7	10.2	7.9	13.8
20 to 24 years.....	7.6	34.5	5.3	44.8
25 to 29 years.....	20.9	38.3	15.8	55.2
30 to 34 years.....	27.6	35.8	29.0	48.3
35 to 39 years.....	44.7	47.3	47.4	41.4
40 to 44 years.....	52.3	40.9	47.4	34.5
45 to 49 years.....	54.2	83.0	78.9	65.5
50 to 54 years.....	93.2	80.5	86.8	62.1
55 to 59 years.....	103.7	100.9	144.7	93.1
60 to 64 years.....	165.6	109.8	126.3	103.5
65 to 69 years.....	128.5	137.9	157.9	127.6
70 to 74 years.....	120.8	103.4	105.3	113.8
75 to 79 years.....	99.0	77.9	94.7	120.7
80 to 84 years.....	54.2	65.1	26.3	44.8
85 to 89 years.....	18.1	16.6	18.4	10.3
90 years and over.....	1.0	7.7		

The average age at death from angina pectoris in the registration area in 1900 was 59.5 years. In 1890 it was 58.2 years.

ANEURISM.

The total number of deaths reported as due to aneurism in the United States during the census year was 754, of which 515 were males and 239 were females, and the proportion of deaths from this disease in 1,000 deaths from all known causes was 0.8. In 1890 the corresponding proportion was 0.6.

In the registration area the number of deaths reported as due to this disease was 488, of which 369 were males and 119 were females, giving a proportion of 1 death from this disease in 1,000 deaths from all known causes, and a death rate of 1.7 per 100,000 of population. In 1890 the death rate was 1.8.

The following table shows, for the registration states, in the aggregate, and for the cities and rural districts, the death rates from aneurism in the census year, per 100,000 of population, in comparison with 1890:

DEATH RATES IN CITIES AND RURAL DISTRICTS.

REGISTRATION STATES.	AGGREGATE.			MALES.			FEMALES.		
	Total.	Cities.	Rural.	Total.	Cities.	Rural.	Total.	Cities.	Rural.
Total.....1900..	1.2	1.4	0.9	1.7	2.2	1.1	0.7	0.7	0.7
.....1890..	1.5	2.0	0.9	2.3	3.1	1.2	0.7	0.9	0.5
Connecticut.....1900..	1.3	1.4	1.3	1.5	1.7	1.2	1.1	1.0	1.3
.....1890..	1.2	1.3	1.2	1.9	2.0	1.8	0.5	0.6	0.5
District of Columbia.....1900..	1.8	1.8		3.8	3.8				
.....1890..	5.6	5.6		10.0	10.0		1.7	1.7	
Maine ¹ 1900..	0.9		1.0	1.4		1.7	0.3		0.4
Massachusetts.....1900..	1.2	1.3	0.9	1.7	1.9	0.9	0.7	0.6	0.9
.....1890..	1.2	1.3	0.8	2.0	2.4	0.8	0.4	0.3	0.8
Michigan ¹ 1900..	0.8	1.0	0.7	1.2	1.4	1.1	0.3	0.5	0.2
New Hampshire.....1900..	0.2	0.6		0.5	1.3				
.....1890..	0.8		1.1	1.1		1.5	0.5		0.8
New Jersey.....1900..	0.8	0.8	0.7	1.2	1.1	1.2	0.4	0.5	0.2
.....1890..	1.3	1.5	1.1	1.8	2.0	1.6	0.8	1.0	0.6
New York.....1900..	1.5	1.7	1.1	2.2	2.7	1.1	0.9	0.8	1.2
.....1890..	1.7	2.2	0.7	2.5	3.4	1.1	0.8	1.1	0.3
Rhode Island.....1900..	1.6	2.5		1.9	2.9		1.4	2.1	
.....1890..	2.9	4.0	1.4	3.6	5.2	1.4	2.3	2.9	1.4
Vermont.....1900..	1.2	2.1	1.0	1.7	4.4	1.3	0.6		0.7
.....1890..	0.3		0.3	0.6		0.6			

¹ Nonregistration in 1890.

This table shows that the death rate due to aneurism in the registration states was highest in the District of Columbia (1.8) and lowest in New Hampshire (0.2).

The following table shows, for the registration area and its subdivisions, the death rates from aneurism during the census year in each of three age groups, per 100,000 population of corresponding ages, in comparison with 1890, by sex:

DEATH RATES AT CERTAIN AGES.

REGISTRATION AREAS.	15 to 44.		45 to 64.		65 and over.	
	1900	1890	1900	1890	1900	1890
Total.....	1.4	1.5	4.7	5.1	6.1	6.1
Males.....	2.1	2.1	7.6	8.4	7.2	9.2
Females.....	0.6	0.8	1.8	1.9	5.1	3.3
Cities.....	1.6	1.8	5.9	6.5	7.6	7.3
Males.....	2.6	2.7	9.7	10.5	9.2	11.8
Females.....	0.6	0.9	2.1	2.5	6.3	3.7

CAUSES OF DEATH.

ccxiii

DEATH RATES AT CERTAIN AGES—Continued.

REGISTRATION AREAS.	15 to 44.		45 to 63.		65 and over.	
	1900	1890	1900	1890	1900	1890
States.....	1.0	1.2	3.0	3.9	4.6	5.6
Males.....	1.5	1.7	4.6	6.7	5.2	8.1
Females.....	0.5	0.7	1.5	1.2	4.1	3.4
Cities.....	1.2	1.7	4.1	5.6	5.6	7.3
Males.....	2.0	2.6	6.4	9.5	6.1	11.3
Females.....	0.4	0.8	1.9	1.9	5.2	4.1
Rural.....	0.5	0.4	1.9	1.8	3.9	4.5
Males.....	0.5	0.2	2.7	3.4	4.6	6.1
Females.....	0.6	0.6	1.0	0.2	3.1	2.8
Cities in other states.....	1.9	1.8	7.7	7.5	9.5	7.4
Males.....	3.1	2.7	12.7	11.5	12.1	12.4
Females.....	0.8	0.9	2.4	3.3	7.4	3.3

The preceding table shows that the highest death rate from this disease occurred in persons 65 years of age and over, among whom it was highest in the cities in the nonregistration states (9.5) and lowest in the rural districts of the registration states (3.9). In this age group the aggregate death rate in 1900 was the same as it was in 1890 (6.1).

The following table shows, for the registration area, the proportions of deaths from aneurism at each specified age, per 1,000 deaths at known ages from this disease, in 1900 and 1890, by sex:

NUMBER OF DEATHS AT EACH AGE PER 1,000 AT KNOWN AGES.

AGE.	1900		1890	
	Males.	Females.	Males.	Females.
Under 15 years.....	8.2	33.6	3.8	23.8
15 to 19 years.....		8.4	11.3	47.6
20 to 24 years.....	21.8	8.4	26.3	35.7
25 to 29 years.....	49.0	84.1	52.6	35.7
30 to 34 years.....	65.4	67.2	56.4	59.5
35 to 39 years.....	147.1	67.2	120.3	142.9

DEATH RATES IN CITIES AND RURAL DISTRICTS.

REGISTRATION STATES.	AGGREGATE.			MALES.			FEMALES.		
	Total.	Cities.	Rural.	Total.	Cities.	Rural.	Total.	Cities.	Rural.
Total.....	279.3	335.1	199.0	290.9	356.6	200.0	267.8	314.4	198.0
Connecticut.....	243.5	260.2	212.6	248.5	272.3	205.5	238.5	248.4	219.9
District of Columbia.....	287.0	287.0		293.9	293.9		280.8	280.8	
Maine.....	230.9	267.6	223.4	227.9	288.6	216.3	234.1	248.5	230.9
Massachusetts.....	270.8	282.8	232.7	279.9	294.5	234.7	262.1	271.8	230.6
Michigan.....	172.7	218.1	153.7	182.3	237.7	160.7	162.4	199.0	146.1
New Hampshire.....	300.3	348.6	269.9	296.5	347.3	266.5	304.1	349.8	273.5
New Jersey.....	285.7	337.5	217.6	304.1	365.1	225.2	267.2	310.2	209.9
New York.....	323.5	388.5	188.3	340.2	415.7	187.7	307.0	362.0	189.1
Rhode Island.....	310.8	315.7	301.4	324.4	335.3	303.9	297.7	297.0	298.8
Vermont.....	253.5	313.2	244.1	249.0	306.0	240.5	258.2	319.9	247.9

It will be seen from the preceding table that the death rates from diseases of the respiratory system were highest in New York (323.5) and Rhode Island (310.8) and lowest in Michigan (172.7) and Maine (230.9). The

NUMBER OF DEATHS AT EACH AGE PER 1,000 AT KNOWN AGES—Continued.

AGE.	1900		1890	
	Males.	Females.	Males.	Females.
40 to 44 years.....	141.7	126.1	135.3	154.8
45 to 49 years.....	130.8	134.5	154.1	119.1
50 to 54 years.....	103.5	50.4	109.0	95.3
55 to 59 years.....	125.4	75.6	112.8	35.7
60 to 64 years.....	89.9	58.8	79.0	71.4
65 to 69 years.....	43.6	92.5	52.6	59.5
70 to 74 years.....	40.9	58.8	37.6	47.6
75 to 79 years.....	30.0	75.6	41.4	35.7
80 to 84 years.....	2.7	42.0	7.5	11.9
85 to 89 years.....		8.4		23.8
90 years and over.....		8.4		

The average age at death from aneurism in the registration area in 1900 was 49.2 years. In 1890 it was 48.5 years.

DISEASES OF THE RESPIRATORY SYSTEM.

The total number of deaths reported as due to this class of diseases in the United States during the census year was 154,035, of which 83,672 were males and 70,363 were females, and the proportion of deaths from these diseases in 1,000 deaths from all known causes was 154.3. In 1890 the corresponding proportion was 164.5.

In the registration area the number of deaths reported as due to this class of diseases was 80,504, of which 48,872 were males and 37,632 were females, giving a proportion of 158.5 deaths from these diseases in 1,000 deaths from all known causes, and a death rate of 279.5 per 100,000 of population. In 1890 the death rate was 330.3.

In England and Wales the death rate due to diseases of the respiratory system in 1899 was 324.1 per 100,000 of population (males, 353.1; females, 290.4).

The following table shows, for the registration states, in the aggregate, and for the cities and rural districts, the death rates from diseases of the respiratory system in the census year, per 100,000 of population:

rate was very much higher in the cities (335.1) than in the rural districts (199).

The following table shows, for the registration area and its subdivisions, the death rates from diseases of

the respiratory system among the whites during the census year, per 100,000 of white population, by birth-places of mothers:

DEATH RATES BY BIRTHPLACES OF MOTHERS.

BIRTHPLACES OF MOTHERS.	REGISTRATION RECORD.					
	Total.	Cities.	States.			Cities in other states.
			Total.	Cities.	Rural.	
United States.....	211.6	240.2	214.5	261.0	175.9	198.7
Ireland.....	365.3	394.5	368.3	403.0	246.1	341.5
Germany.....	245.7	261.0	257.8	285.7	172.8	217.2
England and Wales.....	228.7	244.3	226.7	246.2	190.0	238.4
Canada.....	209.4	231.2	214.7	243.2	178.7	125.5
Scandinavia.....	209.8	224.5	229.5	268.1	159.5	175.2
Scotland.....	221.1	249.5	223.4	260.3	146.0	208.1
Italy.....	705.5	786.0	733.9	829.2	247.6	410.3
France.....	208.6	229.6	229.1	269.5	131.2	154.0
Hungary and Bohemia.....	272.5	286.2	295.1	321.4	138.2	231.1
Russia and Poland.....	268.5	281.2	263.3	278.5	149.5	291.4
Other foreign.....	327.5	361.6	326.0	368.2	223.1	336.0

The preceding table shows that the death rates due to diseases of the respiratory system in the registration area were highest among those whose mothers were born in Italy (705.5), in Ireland (365.3), and in "other foreign" countries (327.5), and lowest among those whose mothers were born in France (208.6), in Canada (209.4), and in Scandinavia (209.8). The rate was lower for those whose mothers were born in the United States (211.6) than for those whose mothers were born in Germany (245.7), in England and Wales (228.7), or in Scotland (221.1). In all of the areas except the rural districts of the registration states, the death rate of those whose mothers were born in Italy was nearly twice as high as that of children of mothers born in any of the other countries.

The following table shows, for the registration area and its subdivisions, the death rates from diseases of the respiratory system during the census year in each of six age groups, per 100,000 population of corresponding ages, in comparison with 1890, by sex:

DEATH RATES AT CERTAIN AGES.

REGISTRATION AREAS.	Under 1.		Under 5.		5 to 14.		15 to 44.		45 to 64.		65 and over.	
	1900	1890	1900	1890	1900	1890	1900	1890	1900	1890	1900	1890
Total.....	2,939.9	3,109.4	1,136.4	1,297.2	62.6	85.9	95.8	129.3	309.7	386.2	1,259.3	1,324.6
Males.....	3,321.1	3,415.1	1,242.9	1,380.2	61.9	85.3	113.2	155.9	333.8	432.8	1,185.8	1,243.0
Females.....	2,551.9	2,795.4	1,028.5	1,212.5	63.4	86.4	78.6	102.9	285.2	340.1	1,324.9	1,397.4
Cities.....	3,289.0	3,450.6	1,296.1	1,472.2	68.7	96.4	104.6	141.2	360.4	447.2	1,496.5	1,482.6
Males.....	3,717.2	3,779.3	1,418.4	1,566.1	69.3	96.7	126.1	173.2	397.0	503.5	1,442.4	1,417.2
Females.....	2,853.6	3,113.6	1,172.6	1,376.6	68.2	90.1	83.6	109.7	323.7	391.3	1,540.7	1,536.0
States.....	2,974.3	3,184.1	1,138.2	1,282.5	57.3	80.3	89.8	135.6	292.4	392.3	1,173.1	1,331.9
Males.....	3,337.6	3,471.7	1,238.3	1,368.5	55.1	80.5	103.0	162.5	300.0	431.1	1,076.9	1,220.1
Females.....	2,605.4	2,888.6	1,036.7	1,195.1	59.5	80.2	76.7	109.5	284.8	354.9	1,260.8	1,433.3
Cities.....	3,695.5	3,955.4	1,465.5	1,651.5	66.5	99.3	104.8	164.1	381.4	517.1	1,531.1	1,637.5
Males.....	4,143.7	4,283.4	1,593.9	1,764.0	66.0	101.6	124.1	203.4	401.9	572.3	1,433.0	1,517.6
Females.....	3,241.6	3,619.6	1,335.8	1,537.9	67.0	97.0	86.3	127.1	361.7	464.9	1,607.4	1,731.7
Rural.....	1,784.2	1,746.6	620.9	649.7	44.1	52.0	65.2	85.8	189.8	237.5	910.7	1,108.5
Males.....	2,012.2	1,966.3	678.7	696.1	39.9	49.7	69.8	93.9	188.0	259.6	850.7	1,029.4
Females.....	1,551.5	1,519.6	561.9	601.9	48.5	54.5	60.3	77.6	191.7	215.8	972.0	1,188.0
Cities in other states.....	2,884.9	3,009.1	1,133.6	1,317.2	70.6	93.9	104.5	120.3	340.4	374.8	1,462.1	1,304.7
Males.....	3,294.9	3,339.1	1,250.1	1,396.2	72.1	92.4	127.8	146.7	392.5	435.7	1,451.2	1,307.2
Females.....	2,466.2	2,670.2	1,015.8	1,236.3	69.2	95.4	81.2	93.1	286.1	311.2	1,471.4	1,302.5

The preceding table shows that the death rate from diseases of the respiratory system was highest in infants under 1 year of age, and that among these it was higher in the cities in the registration states (3,695.5) than in the cities in the nonregistration states (2,884.9) or in the rural districts of the registration states (1,784.2). At the ages above 1 year the death rate from these diseases was highest in persons 65 years of age and over (1,259.3). For all children under 5 years of age it was 1,136.4; for persons 5 to 14, it was 62.6; for those 15 to 44, it was 95.8; and for those 45 to 64, it was 309.7.

The lowest death rates from these diseases at each age occurred in the rural districts of the registration states,

and the highest in the cities in the registration states except for the age group 5 to 14 years, where the death rate in the cities in the nonregistration states (70.6) was slightly higher than that of the cities in the registration states (66.5). For children under 5 years of age, the death rate from these diseases was higher in males than in females, as was also the case in persons 15 to 64 years of age. For those 5 to 14 years and 65 years of age and over, the death rate of females exceeded that of males.

In comparison with 1890 the figures show a decrease in the death rate due to these diseases at each age.

The combined relations of age and race to the death rates from diseases of the respiratory system are indicated, for the registration area, in the following table,

giving the death rates during the census year in each of six age groups, per 100,000 population of corresponding ages, by color and birthplaces of mothers:

DEATH RATES BY AGE, COLOR, AND BIRTHPLACES OF MOTHERS.

COLOR AND BIRTHPLACES OF MOTHERS.	Under 1.	Under 5.	5 to 14.	15 to 44.	45 to 64.	65 and over.
White	2,790.2	1,076.5	59.3	89.4	301.8	1,262.9
Colored.....	7,110.5	2,799.6	147.7	218.9	503.8	1,130.0
Mothers born in—						
United States.....	2,225.6	818.5	51.8	61.9	179.5	839.9
Ireland.....	3,251.1	1,280.9	72.7	147.0	565.8	1,765.0
Germany.....	3,007.6	1,115.9	58.8	81.0	260.1	1,384.7
England and Wales...	2,335.1	869.1	51.6	79.6	251.0	1,188.4
Canada.....	2,866.2	1,067.1	56.2	63.8	217.2	867.9
Scandinavia.....	2,466.2	909.6	38.3	76.5	234.6	1,183.1
Scotland.....	1,598.0	666.1	25.4	73.4	272.4	1,266.3
Italy.....	7,049.4	3,458.8	113.7	123.5	371.4	1,777.6
France.....	3,872.4	1,304.0	48.1	84.6	199.6	768.0
Hungary.....	2,995.9	1,301.2	28.7	75.6	272.9	561.8
Bohemia.....	2,202.2	987.8	71.5	95.5	280.9	1,312.5
Russia.....	3,537.4	1,470.2	45.2	55.0	342.1	1,870.3
Poland.....	2,219.0	864.3	34.4	39.8	138.5	749.9
Other foreign.....	3,742.7	1,580.4	66.4	91.5	288.7	1,317.2

It will be seen from the preceding table that the death rates from this class of diseases in white infants under 1 year of age were highest in those whose mothers were born in Italy (7,049.4), in France (3,872.4), and in "Other foreign" countries (3,742.7), and lowest in those whose mothers were born in Scotland (1,598), in Bohemia (2,202.2), in Poland (2,219), and in the United States (2,225.6).

At 45 to 64 years of age they were highest in those whose mothers were born in Ireland (565.8), in Italy (371.4), and in Russia (342.1), and lowest in those whose mothers were born in Poland (138.5), in the United States (179.5), and in France (199.6).

At 65 years of age and over they were highest in those whose mothers were born in Italy (1,777.6), in Ireland (1,765), and in Russia (1,870.3), and lowest in those whose mothers were born in Hungary (561.8), in France (768), and in Poland (749.9).

The following table shows the death rates from diseases of the respiratory system in the registration area during the census year, by conjugal condition in relation to race:

DEATH RATES BY CONJUGAL CONDITION, AND AGE.

CONJUGAL CONDITION.	AGE.							
	15 years and over.		15 to 44 years.		45 to 64 years.		65 years and over.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Single.....	138.3	90.3	108.0	57.9	468.5	301.1	1,339.9	1,373.5
Married.....	223.4	159.6	109.1	89.4	280.3	227.2	958.5	1,016.1
Widowed.....	853.5	690.6	229.5	134.1	561.2	411.6	1,581.6	1,451.6

This table shows that the death rates from diseases of the respiratory system in persons 15 to 44 years of age were higher for the married (males, 109.1; females, 89.4) than for the single (males, 108; females, 57.9).

At 45 to 64 years of age they were higher in the single (males, 468.5; females, 301.1) than in the married (males, 280.3; females, 227.2), and at 65 years of age and over they were also higher in the single (males, 1,339.9; females, 1,373.5) than in the married (males, 958.5; females, 1,016.1).

The following table shows, for the registration area, the proportions of deaths from diseases of the respiratory system at each age, per 1,000 deaths at known ages from these diseases, in 1900 and 1890, by sex:

NUMBER OF DEATHS AT EACH AGE PER 1,000 AT KNOWN AGES.

AGE.	1900		1890	
	Males.	Females.	Males.	Females.
Under 1 year.....	242.0	208.1	210.8	193.5
1 year.....	104.9	101.2	95.8	99.8
2 years.....	45.6	47.6	49.4	53.7
3 years.....	23.9	27.0	29.6	31.8
4 years.....	14.2	17.0	17.9	21.2
Under 5 years.....	430.6	400.9	403.5	400.0
5 to 9 years.....	30.4	34.1	36.4	40.5
10 to 14 years.....	9.2	12.1	9.8	13.0
15 to 19 years.....	17.1	16.3	19.5	22.4
20 to 24 years.....	28.3	23.8	36.6	26.6
25 to 29 years.....	33.0	26.9	42.6	30.1
30 to 34 years.....	24.4	28.4	41.0	31.4

NUMBER OF DEATHS AT EACH AGE PER 1,000 AT KNOWN AGES—Continued.

AGE.	1900		1890	
	Males.	Females.	Males.	Females.
35 to 39 years.....	41.8	31.1	45.0	31.8
40 to 44 years.....	39.8	28.0	42.5	31.6
45 to 49 years.....	40.4	29.5	47.1	34.6
50 to 54 years.....	42.8	36.5	44.8	40.0
55 to 59 years.....	42.7	42.7	42.7	41.3
60 to 64 years.....	43.8	53.5	44.8	48.1
65 to 69 years.....	45.9	60.3	40.8	53.5
70 to 74 years.....	44.8	60.6	37.1	50.9
75 to 79 years.....	36.4	51.6	31.9	44.4
80 to 84 years.....	23.9	37.7	21.0	32.2
85 to 89 years.....	11.2	17.9	9.5	18.7
90 to 94 years.....	2.8	6.2	2.7	6.6
95 years and over	0.7	1.9	0.7	2.3

The average age at death from diseases of the respiratory system in the registration area in 1900 was 30.7 years; in 1890 it was 30 years. For those dying at 15 years of age and over, the average age was 55.2 years in 1900 and 52.9 years in 1890.

The following table shows, for each grand group in the United States, the proportions of deaths from diseases of the respiratory system during the census year, per 1,000 deaths from known causes, in the aggregate, and by sex for the cities and rural districts:

NUMBER OF DEATHS PER 1,000 DEATHS FROM KNOWN CAUSES.

GRAND GROUP.	Total.	RURAL.		CITIES.	
		Males.	Females.	Males.	Females.
1. North Atlantic Coast region.....	155.3	137.5	143.9	162.3	160.8
2. Middle Atlantic Coast region	188.4	140.8	141.9	199.6	200.1
3. South Atlantic Coast region.....	122.2	149.3	108.3	114.9	96.5
4. Gulf Coast region	115.9	128.6	106.2	115.6	109.6
5. Northeastern hills and plateaus	141.6	134.2	142.4	147.3	148.5
6. Central Appalachian region.....	158.7	158.7	153.2	167.3	159.8
7. Region of the Great Northern lakes....	155.9	122.4	124.9	172.5	170.5
8. Interior plateau.....	152.0	145.0	143.1	160.6	157.3
9. Southern Central Appalachian region...	169.5	180.7	163.2	109.3	137.7

NUMBER OF DEATHS PER 1,000 DEATHS FROM KNOWN CAUSES—Continued.

GRAND GROUP.	Total.	RURAL.		CITIES.	
		Males.	Females.	Males.	Females.
10. Ohio River belt	137.7	136.8	137.8	138.6	137.8
11. Southern Interior plateau.....	156.4	172.2	141.3		
12. South Mississippi River belt.....	178.1	197.9	157.7	193.4	152.7
13. North Mississippi River belt	156.5	165.4	152.4	157.2	147.7
14. Southwest Central region.....	162.4	178.7	150.1	88.9	70.1
15. Central region—plains and prairies...	134.9	139.3	131.0	126.2	141.1
16. Prairie region	138.7	140.7	137.9	134.9	121.6
17. Missouri River belt	158.4	176.3	144.5	158.5	148.6
18. Region of the Western plains.....	149.7	158.9	141.1	145.0	144.8
19. Heavily timbered region of the North-west.....	120.8	117.3	114.4	142.9	133.9
20. Cordilleran region	155.5	165.4	142.0	158.5	134.9
21. Pacific Coast region.....	117.6	103.6	97.7	130.4	126.0

The preceding table indicates that the proportions of deaths due to diseases of the respiratory system were highest in the Southern Central Appalachian region (169.5), the south Mississippi River belt (178.1), and the Middle Atlantic Coast region (188.4), and lowest in the Gulf Coast region (115.9), the Pacific Coast region (117.6), and the South Atlantic Coast region (122.2).



The following table shows, for the registration states, the death rates from diseases of the respiratory system in each month of the census year, in the aggregate, and for the cities and rural districts:

DEATH RATES BY MONTHS.

MONTHS.	Total.	Cities.	Rural.
January	31.1	36.8	22.8
February	33.4	40.1	23.6
March	45.6	54.0	33.5
April	41.7	46.3	35.1
May	26.7	30.2	21.7
June	12.4	15.8	7.5
July	9.8	12.9	5.4
August	8.7	11.0	5.4
September.....	10.3	13.0	6.3
October	15.7	19.7	10.1
November.....	18.6	23.9	11.0
December	25.3	31.4	16.5

The death rates from diseases of the respiratory system in each month in the cities and the rural districts,

and the relative differences in the rates in the two areas are shown in the following diagram:



PNEUMONIA.

The preceding table and diagram show that in both cities and rural districts of the registration states the death rates due to diseases of the respiratory system were highest in March and April, and lowest in July and August.

The following table shows the comparative proportions of deaths from diseases of the respiratory system in each month during the census year, per 1,000 deaths in known months, in the United States, as a whole, and the registration states:

COMPARATIVE PROPORTIONS OF DEATHS IN EACH MONTH.

MONTHS	United States.	Registration states.
January	120.0	111.2
February	128.5	119.5
March	162.5	163.3
April	148.7	149.2
May	94.4	95.6
June	37.0	44.4
July	31.2	35.2
August	31.0	31.2
September	37.2	36.8
October	56.4	56.4
November	63.6	66.7
December	89.5	90.5

The total number of deaths reported as due to pneumonia in the United States during the census year was 105,971, of which 58,340 were males and 47,631 were females, and the proportion of deaths from this disease in 1,000 deaths from all known causes was 106.1. In 1890 the corresponding proportion was 90.6.

In the registration area the number of deaths reported as due to this disease was 55,296, of which 29,898 were males and 25,398 were females, giving a proportion of 108.9 deaths from this disease in 1,000 deaths from all known causes and a death rate of 192 per 100,000 of population. In 1890 the death rate was 186.9.

In England and Wales the death rate from pneumonia in the year 1899 was 125.5 (males, 149.8; females, 102.7).

The following table shows, for the registration area and its subdivisions, the death rates from pneumonia in the census years 1900 and 1890, by sex, color, general nativity, and parent nativity:

VITAL STATISTICS.

DEATH RATES BY COLOR AND NATIVITY.

AREAS.	Aggre- gate.	WHITE.							COLORED.		
		Total.	Males.	Females.	Native.			Foreign.	Total.	Males.	Females.
					Total.	Both par- ents na- tive.	One or both par- ents for- eign.				
Registration area.....	1900..	192.0	184.8	199.3	176.7	155.0	212.2	209.8	349.0	396.1	303.5
	1890..	186.9	182.2	200.7	167.1	154.0	197.2	223.9	279.0	313.3	245.7
Cities.....	1900..	210.4	201.8	221.6	194.9	175.2	240.2	221.0	363.1	415.6	312.8
	1890..	201.4	195.8	218.8	179.6	165.1	218.2	233.2	290.3	328.6	253.7
States.....	1900..	193.3	191.0	201.5	186.8	154.8	230.0	203.2	302.0	321.3	283.3
	1890..	197.3	195.1	213.0	177.7	158.5	209.8	245.5	290.7	325.9	257.4
Cities.....	1900..	233.1	230.1	249.1	234.8	185.8	275.6	220.1	346.9	379.2	317.0
	1890..	234.1	231.0	258.6	212.3	180.7	244.7	269.9	348.0	404.6	297.3
Rural.....	1900..	135.9	135.3	136.4	131.4	132.4	121.7	155.9	176.7	172.4	181.5
	1890..	141.1	140.8	146.1	135.7	141.5	115.5	168.6	158.3	159.9	156.5
Cities in other states.....	1900..	189.9	174.7	195.8	160.4	157.5	142.1	222.1	367.9	426.2	311.6
	1890..	171.2	161.2	181.0	149.2	131.7	157.2	191.8	274.3	308.3	241.0

This table shows that the death rate from pneumonia was highest in the cities in the registration states (233.1) and lowest in the rural districts of the same states (135.9). It was very much higher among the colored (349) than among the whites (184.8), higher for the foreign whites (209.8) than native whites (176.7), and also higher for the native whites having one or both parents foreign (212.2) than for those having native parents (155).

In comparison with 1890 there was a slight increase in the death rates due to pneumonia, occasioned by the increase in the cities. In the rural districts of the registration states the death rate from pneumonia decreased.

The following table shows, for the registration states, in the aggregate, and for the cities and rural districts, the death rates from pneumonia in the census year per 100,000 of population in comparison with 1890:

DEATH RATES IN CITIES AND RURAL DISTRICTS.

REGISTRATION STATES.	AGGREGATE.			MALES.			FEMALES.		
	Total.	Cities.	Rural.	Total.	Cities.	Rural.	Total.	Cities.	Rural.
Total.....	1900.. 198.3	233.1	135.9	203.9	252.4	136.9	182.7	214.6	134.8
	1890.. 197.3	234.1	141.1	215.5	262.3	146.3	179.5	207.2	135.8
Connecticut.....	1900.. 161.7	175.9	135.6	165.3	183.1	133.1	158.1	168.7	138.2
	1890.. 180.1	206.9	161.0	205.9	236.4	184.6	154.8	178.4	137.7
District of Columbia.....	1900.. 185.8	185.8		193.2	193.2		179.3	179.3	
	1890.. 210.1	210.1		229.1	229.1		192.9	192.9	
Maine ¹	1900.. 164.0	204.3	155.7	165.2	221.3	154.5	162.7	188.8	157.0
Massachusetts.....	1900.. 187.8	195.8	162.5	195.7	205.5	165.5	180.3	186.7	159.4
	1890.. 177.1	186.6	146.2	185.5	197.9	145.9	169.1	175.9	146.4
Michigan ¹	1900.. 109.3	136.0	98.2	117.6	158.0	101.8	100.5	114.6	94.2
New Hampshire.....	1900.. 212.1	236.6	196.7	207.4	234.6	191.4	216.8	238.5	202.3
	1890.. 165.7	137.6	177.4	169.9	132.4	184.5	161.6	142.2	170.2
New Jersey.....	1900.. 194.7	228.9	149.8	208.7	249.9	155.6	180.7	208.2	144.0
	1890.. 185.1	236.2	118.2	202.1	272.9	111.2	168.1	200.2	125.3
New York.....	1900.. 228.4	275.9	129.6	244.7	301.5	129.8	212.3	251.1	129.3
	1890.. 215.8	266.6	133.8	240.0	303.0	141.5	192.0	231.6	125.9
Rhode Island.....	1900.. 209.8	210.8	207.8	217.6	225.5	202.6	202.3	196.9	213.1
	1890.. 166.1	173.4	156.1	172.0	183.6	156.6	160.6	164.1	155.5
Vermont.....	1900.. 183.6	214.5	178.8	181.6	208.5	177.6	185.8	220.1	180.0
	1890.. 169.1	176.7	168.4	167.1	162.4	167.5	171.1	189.8	169.2

¹ Nonregistration in 1890.

This table shows that the death rates due to pneumonia in the registration states were highest in New York (228.4) and New Hampshire (212.1), and lowest in Michigan (109.3) and Connecticut (161.7). The rate was very

much higher in the cities (233.1) than in the rural districts (135.9) and shows but little variation in the aggregate rates in comparison with 1890.

The following table shows, for the registration area and its subdivisions, the death rates from pneumonia among the whites during the census year, per 100,000 of white population, by birthplaces of mothers:

DEATH RATES BY BIRTHPLACES OF MOTHERS.

BIRTHPLACES OF MOTHERS.	REGISTRATION RECORD.					
	Total.	Cities.	States.			Cities in other states.
			Total.	Cities.	Rural.	
United States.....	142.8	160.9	145.5	175.7	120.3	131.2
Ireland.....	257.5	278.7	261.0	286.7	170.7	229.8
Germany.....	161.1	171.6	173.2	193.7	111.1	132.4
England and Wales.....	156.9	167.2	158.3	172.7	131.3	150.2
Canada.....	136.2	151.8	140.4	161.2	114.3	69.6
Scandinavia.....	148.3	159.8	160.5	188.8	109.0	127.1
Scotland.....	154.1	176.6	157.3	187.1	94.7	136.3
Italy.....	479.8	536.2	495.4	561.4	158.4	317.0
France.....	145.7	158.6	156.4	180.3	98.4	117.4
Hungary and Bohemia.....	206.6	216.8	232.7	253.9	106.3	158.7
Russia and Poland.....	197.6	207.8	197.4	210.2	101.0	198.4
Other foreign.....	226.5	252.6	226.1	258.6	146.8	229.0

The preceding table shows that the death rate due to pneumonia in the registration states was excessively high among those whose mothers were born in Italy (479.8), particularly in the cities in the registration states, where it was 561.4. Among those whose mothers were born in other countries, the rates were highest in those whose mothers were born in Ireland (257.5), in Hungary and Bohemia (206.6), and in "Other foreign" countries (226.5). The rate was lower for the children of mothers born in the United States (142.8) than in any other class except those whose mothers were born in Canada (136.2).

The following table shows, for the registration area and its subdivisions, the death rates from pneumonia during the census year in each of four age groups, per 100,000 population of corresponding ages, in comparison with 1890, by sex:

DEATH RATES AT CERTAIN AGES.

REGISTRATION AREAS.	UNDER 15.	15 TO 44.		45 TO 64.		65 AND OVER.	
	1900	1900	1890	1900	1890	1900	1890
Total.....	277.1	78.3	100.1	234.7	263.1	805.4	733.8
Males.....	300.4	94.8	123.6	257.1	301.0	770.2	701.7
Females.....	253.7	61.8	76.7	211.9	225.6	836.8	762.4
Cities.....	321.4	85.5	109.8	271.9	302.2	928.6	785.8
Males.....	350.5	105.5	137.7	305.5	347.1	913.5	772.5
Females.....	292.4	66.0	82.3	238.2	257.7	940.9	796.7
States.....	278.8	74.5	105.6	224.0	272.7	773.4	758.9
Males.....	299.5	88.1	130.0	234.0	307.6	721.5	708.0
Females.....	258.0	61.1	81.9	214.1	239.0	820.7	805.1
Cities.....	373.6	87.6	129.1	291.2	357.2	976.9	890.7
Males.....	404.6	106.6	164.0	314.5	405.8	939.7	853.3
Females.....	342.7	69.4	96.3	268.8	311.3	1,005.8	920.0

DEATH RATES AT CERTAIN AGES—Continued.

REGISTRATION AREAS.	UNDER 15.	15 TO 44.		45 TO 64.		65 AND OVER.	
	1900	1900	1890	1900	1890	1900	1890
States—Continued.							
Rural.....	139.1	53.1	64.5	146.6	167.8	624.3	662.6
Males.....	146.5	59.1	73.0	145.4	188.3	582.9	614.8
Females.....	131.5	46.8	55.9	147.9	147.7	666.5	710.7
Cities in other states.....	274.4	83.7	92.1	253.6	245.3	880.5	665.5
Males.....	301.7	104.5	114.6	297.4	289.2	888.8	684.0
Females.....	247.1	62.9	68.9	207.8	199.4	873.5	649.7

The preceding table shows that the death rates from pneumonia were highest among those under 15 years of age (277.1) and at 65 years of age and over (805.4). At each age under 65 years the mortality from this disease was higher in males than in females, but at 65 years and over the mortality of females exceeded that of males. In each age group the death rate was highest in the cities in the registration states and lowest in the rural districts of the same states.

In comparison with 1890 the figures show a decrease in the death rates under 65 years of age, and an increase in the rate at 65 years of age and over.

The combined relations of age and race to the death rates from pneumonia are indicated, for the registration area, in the following table, giving the death rates during the census year in each of four age groups, per 100,000 population of corresponding ages, by color and birthplaces of mothers:

DEATH RATES BY AGE, COLOR, AND BIRTHPLACES OF MOTHERS.

COLOR AND BIRTHPLACES OF MOTHERS.	Under 15.	15 to 44.	45 to 64.	65 and over.
White.....	260.9	73.1	229.2	806.5
Colored.....	704.9	178.0	369.0	765.2
Mothers born in—				
United States.....	194.6	50.7	141.6	581.0
Ireland.....	305.6	121.7	416.3	1,095.0
Germany.....	235.6	66.6	193.0	758.2
England and Wales.....	184.2	66.8	189.3	742.0
Canada.....	242.1	49.4	155.5	543.2
Scandinavia.....	229.0	66.8	192.3	856.3
Scotland.....	137.4	58.4	205.1	829.0
Italy.....	1,039.9	105.7	302.9	1,095.5
France.....	249.1	69.9	145.6	531.7
Hungary.....	452.2	68.1	261.5	374.5
Bohemia.....	267.3	83.3	187.3	807.7
Russia.....	482.5	43.2	259.1	1,184.5
Poland.....	247.4	34.0	119.2	567.5
Other foreign.....	451.0	77.2	213.4	764.8

The preceding table shows that the death rates due to pneumonia in white persons 65 years of age and over were highest in those whose mothers were born in Russia (1,184.5), in Italy (1,095.5), and in Ireland (1,095), and lowest in those whose mothers were born in France (531.7), in Canada (543.2), and in Hungary (374.5).

In the age group under 15 years the death rates from

this disease were highest in those whose mothers were born in Italy (1,039.9), in Russia (482.5), and in Hungary (452.2), and lowest in those whose mothers were born in Scotland (137.4), in England and Wales (184.2), and in the United States (194.6).

The following table shows for the registration area the proportions of deaths from pneumonia at each age, per 1,000 deaths at known ages from this disease, in 1900 and 1890, by sex:

NUMBER OF DEATHS AT EACH AGE PER 1,000 AT KNOWN AGES.


AGE.	1900		1890	
	Males.	Females.	Males.	Females.
Under 1 year.....	207.3	185.0	155.0	146.4
1 year.....	106.6	106.4	79.4	85.6
2 years.....	42.6	47.0	35.2	40.5
3 years.....	20.6	23.6	18.7	23.0
4 years.....	11.5	14.6	10.0	15.6
Under 5 years.....	388.6	376.6	298.3	311.1
5 to 9 years.....	26.0	30.1	26.2	31.9
10 to 14 years.....	9.9	13.7	10.8	15.3
15 to 19 years.....	19.9	18.5	25.6	30.6
20 to 24 years.....	34.2	26.7	51.1	35.3
25 to 29 years.....	40.0	31.1	58.7	40.8
30 to 34 years.....	41.6	33.7	55.9	43.7
35 to 39 years.....	50.6	37.3	62.0	44.1

NUMBER OF DEATHS AT EACH AGE PER 1,000 AT KNOWN AGES—Continued.

AGE.	1900		1890	
	Males.	Females.	Males.	Females.
40 to 44 years.....	47.4	32.8	56.7	41.7
45 to 49 years.....	47.8	33.5	60.9	45.6
50 to 54 years.....	48.9	40.6	54.7	49.1
55 to 59 years.....	44.7	47.3	50.6	48.5
60 to 64 years.....	46.0	57.1	48.7	55.0
65 to 69 years.....	45.4	60.5	43.9	57.1
70 to 74 years.....	43.0	58.0	35.6	51.2
75 to 79 years.....	33.2	47.6	30.3	45.6
80 to 84 years.....	20.7	33.7	19.4	30.4
85 to 89 years.....	9.3	14.9	7.7	15.5
90 to 94 years.....	2.2	4.9	2.4	5.9
95 years and over.....	0.6	1.4	0.5	1.6

The average age at death from pneumonia in the registration area in 1900 was 31.5 years. In 1890 it was 33.6 years. For those dying at 15 years of age and over, the average age was 53.2 years in 1900 and 50.2 years in 1890.

The comparative proportions of deaths from pneumonia at each age in the registration area in 1900 and 1890 are shown in the following diagram:




The following table shows, for each grand group in the United States, the proportions of deaths from pneumonia during the census year, per 1,000 deaths from known causes in the aggregate, and by sex, for the cities and rural districts:

NUMBER OF DEATHS PER 1,000 DEATHS FROM KNOWN CAUSES.

GRAND GROUP.	Total.	RURAL.		CITIES.	
		Males.	Fe-males.	Males.	Fe-males.
1. North Atlantic Coast region.....	106.9	95.5	98.6	112.1	110.2
2. Middle Atlantic Coast region.....	134.6	102.5	100.6	144.6	140.3
3. South Atlantic Coast region.....	87.3	112.2	76.1	78.9	61.8
4. Gulf Coast region.....	80.3	90.9	72.9	81.4	72.6
5. Northeastern hills and plateaus.....	99.4	95.0	100.8	102.3	102.2
6. Central Appalachian region.....	106.8	105.9	106.3	111.7	104.0
7. Region of the Great Northern lakes.....	103.0	81.9	82.2	116.5	109.1
8. Interior plateau.....	106.1	102.8	101.0	111.6	107.6

NUMBER OF DEATHS PER 1,000 DEATHS FROM KNOWN CAUSES—Con.

GRAND GROUP.	Total.	RURAL.		CITIES.	
		Males.	Fe-males.	Males.	Fe-males.
9. Southern Central Appalachian region..	94.6	100.2	90.4	76.1	85.5
10. Ohio River belt.....	88.6	91.3	92.3	86.7	81.1
11. Southern Interior plateau.....	111.7	126.2	97.9		
12. South Mississippi River belt.....	142.0	162.5	120.2	162.2	112.8
13. North Mississippi River belt.....	108.4	120.8	108.2	106.6	93.0
14. Southwest Central region.....	111.7	124.2	101.8	69.9	35.6
15. Central region—plains and prairies....	91.0	92.8	88.0	90.3	97.0
16. Prairie region.....	96.5	98.5	95.6	93.3	81.9
17. Missouri River belt.....	111.5	128.2	102.3	112.0	95.6
18. Region of the Western plains.....	111.0	118.6	104.1	107.8	106.3
19. Heavily timbered region of the North-west.....	79.4	77.8	73.5	104.6	78.5
20. Cordilleran region.....	118.7	129.7	102.2	124.1	99.7
21. Pacific Coast region.....	78.6	74.3	64.8	88.4	77.1



This table indicates that the proportions of deaths due to pneumonia were greatest in the South Mississippi River belt (142), the Middle Atlantic Coast region (134.6), and the Cordilleran region (118.7), and least in the Pacific Coast region (78.6), the heavily timbered region of the Northwest (79.4), and the Gulf Coast region (80.3).

The geographical distribution of deaths from pneumonia, by state groups, is shown by plate No. 24.

BRONCHITIS.

The total number of deaths reported as due to bronchitis in the United States during the census year was 20,223, of which 10,031 were males and 10,192 were

females, and the proportion of deaths from this disease in 1,000 deaths from all known causes was 20.3. In 1890 the corresponding proportion was 25.6.

In the registration area the number of deaths reported as due to this disease was 13,903, of which 6,844 were males and 7,059 were females, giving a proportion of 273 deaths from this disease in 1,000 deaths from all known causes, and a death rate of 48.3 per 100,000 of population. In 1890 the death rate was 74.4.

In England and Wales the death rate from bronchitis in 1899 was 161.3 (males, 163.2; females, 159.6).

The following table shows, for the registration states, in the aggregate, and for the rural districts, the death rates from bronchitis in the census year, per 100,000 of population, in comparison with 1890:

DEATH RATES IN CITIES AND RURAL DISTRICTS.

REGISTRATION STATES.	AGGREGATE.			MALES.			FEMALES.		
	Total.	Cities.	Rural.	Total.	Cities.	Rural.	Total.	Cities.	Rural.
Total.....1900..	49.6	61.4	32.7	48.1	60.2	31.3	51.2	62.6	34.2
.....1890..	79.1	101.7	44.5	77.0	100.7	42.1	81.1	102.7	47.0
Connecticut.....1900..	48.9	50.2	46.3	50.4	54.3	43.3	47.3	46.2	49.5
.....1890..	63.9	82.8	50.5	62.2	79.5	50.2	65.6	86.0	50.8
District of Columbia.....1900..	50.6	50.6		46.9	46.9		53.8	53.8	
.....1890..	78.1	78.1		94.0	94.0		63.7	63.7	
Maine ¹ 1900..	32.8	28.7	33.7	31.3	33.6	30.9	34.4	24.2	36.6
Massachusetts.....1900..	50.7	54.2	39.8	49.2	53.0	37.4	52.2	55.3	42.2
.....1890..	72.5	79.5	49.6	68.7	75.7	46.3	76.1	83.1	52.8
Michigan ¹ 1900..	34.5	48.6	28.5	34.4	46.1	29.8	34.6	51.1	27.2
New Hampshire.....1900..	51.8	65.5	43.1	49.7	62.9	41.8	53.8	67.8	44.5
.....1890..	46.2	67.0	37.6	38.6	49.9	34.2	53.7	82.2	41.0
New Jersey.....1900..	46.8	55.7	35.0	45.9	54.4	34.8	47.6	57.0	35.2
.....1890..	77.8	96.9	52.9	76.9	96.5	51.7	78.7	97.2	54.1
New York.....1900..	56.0	69.5	28.0	53.4	67.5	25.1	58.6	71.4	31.1
.....1890..	88.7	117.0	42.9	86.0	116.0	39.0	91.4	117.9	47.0
Rhode Island.....1900..	66.8	74.2	52.3	70.3	78.5	54.7	63.3	70.0	49.8
.....1890..	105.1	120.5	83.9	111.3	124.1	94.3	99.2	117.1	73.7
Vermont.....1900..	40.5	66.5	36.4	37.1	57.6	34.1	43.9	74.8	38.8
.....1890..	22.0	53.0	19.1	20.1	51.7	17.3	23.9	54.2	20.9

¹ Nonregistration in 1890.

This table shows that the death rates from bronchitis in the registration states were highest in Rhode Island (66.8) and New York (56) and lowest in Michigan (34.5) and Maine (32.8). The rate was much higher in the cities (61.4) than in the rural districts (32.7). The death rate from this disease in comparison with 1890 shows a decrease in all of the states except Vermont, where the rate in 1900 (40.5) was much higher than that of 1890 (22), and in New Hampshire (46.2 in 1890 and 51.8 in 1900).

The following table shows, for the registration area and its subdivisions, the death rates from bronchitis among the whites during the census year, per 100,000 of white population, by birthplaces of mothers:

DEATH RATES BY BIRTHPLACES OF MOTHERS.

BIRTHPLACES OF MOTHERS.	REGISTRATION RECORD.					
	Total.	Cities.	States.			Cities in other states.
			Total.	Cities.	Rural.	
United States.....	35.7	41.8	36.3	46.0	28.2	33.3
Ireland.....	65.1	71.2	66.1	73.3	40.5	58.1
Germany.....	47.0	50.1	49.7	55.4	32.6	40.7
England and Wales.....	36.7	40.1	36.4	40.8	28.2	37.9
Canada.....	40.3	46.3	41.4	48.9	31.8	23.6
Scandinavia.....	33.0	33.1	38.0	41.1	32.5	24.1
Scotland.....	38.2	44.1	36.5	43.2	22.3	47.8
Italy.....	175.6	198.4	187.0	214.7	46.1	56.5
France.....	38.9	48.2	46.6	64.0	4.7	18.3
Hungary and Bohemia.....	33.5	34.7	35.8	38.1	21.3	29.2
Russia and Poland.....	40.8	42.2	37.3	38.6	27.7	56.3
Other foreign.....	57.9	64.4	57.8	65.8	38.1	57.7

It will be seen from this table that the death rates from bronchitis in the registration area were highest among those whose mothers were born in Italy (175.6), in Ireland (65.1), and in "Other foreign" countries (57.9), and lowest among those whose mothers were born in Scandinavia (33), in Hungary and Bohemia (33.5), and in the United States (35.7). In the cities in the registration states the mortality from this disease

among those whose mothers were born in Italy was about three times as high as that of any other class.

The following table shows, for the registration area and its subdivisions, the death rates from bronchitis during the census year in each of six age groups, per 100,000 of population of corresponding ages, in comparison with 1890, by sex:

DEATH RATES AT CERTAIN AGES.

REGISTRATION AREAS.	UNDER 1.		UNDER 5.		5 TO 14.		15 TO 44.		45 TO 64.		65 AND OVER.	
	1900	1890	1900	1890	1900	1890	1900	1890	1900	1890	1900	1890
Total	845.1	1,223.2	259.7	397.6	5.3	9.1	5.3	12.2	34.0	65.1	291.6	373.8
Males.....	945.9	1,306.5	283.3	413.7	5.3	8.3	4.9	12.7	30.3	63.8	246.7	322.6
Females.....	742.5	1,137.7	235.7	381.2	5.3	9.9	5.7	11.7	37.8	66.4	331.6	419.4
Cities	948.3	1,394.9	294.9	461.3	6.1	10.1	5.9	13.4	41.3	79.2	363.7	461.1
Males.....	1,067.0	1,486.2	322.6	479.8	5.9	9.2	5.6	14.1	37.1	77.6	309.7	407.1
Females.....	827.5	1,301.3	267.0	442.5	6.2	11.0	6.2	12.7	45.5	80.8	407.7	505.2
States.....	874.3	1,273.2	266.5	402.1	4.4	8.8	4.8	14.4	32.7	70.0	269.2	379.4
Males.....	964.2	1,350.7	288.2	416.4	4.4	7.8	4.2	14.8	27.7	67.7	220.4	318.8
Females.....	783.0	1,193.7	244.4	387.6	4.5	9.8	5.5	14.0	37.7	72.2	313.6	434.3
Cities.....	1,099.0	1,667.9	342.8	542.2	5.4	10.8	5.8	18.1	46.6	101.7	383.3	550.4
Males.....	1,218.8	1,759.9	371.6	561.2	5.0	9.4	5.3	19.1	39.7	98.6	308.6	474.4
Females.....	977.6	1,573.9	313.7	523.0	5.7	12.2	6.3	17.1	53.2	104.5	441.4	610.2
Rural.....	503.6	537.6	145.8	161.8	3.1	5.9	3.2	7.9	16.8	30.7	185.5	254.3
Males.....	545.5	591.7	157.0	170.2	3.5	5.5	2.4	7.5	14.6	30.0	164.3	219.0
Females.....	460.8	481.7	134.4	153.2	2.7	6.2	4.1	8.3	19.1	31.4	207.1	289.9
Cities in other states.....	798.4	1,156.1	249.0	391.4	6.7	9.5	6.0	9.1	36.3	55.9	344.2	358.6
Males.....	916.7	1,247.2	275.5	409.9	6.7	9.1	5.9	9.7	34.7	56.9	310.8	333.5
Females.....	677.7	1,062.4	222.2	372.5	6.6	10.0	6.1	8.4	38.0	54.9	372.8	380.0

The preceding table shows that the highest death rates from bronchitis were in infants under 1 year of age (845.1), in children under 5 (259.7), and in persons 65 year of age and over (291.6). At 5 to 14 years and from 15 to 44 years the death rates were exactly the same (5.3). The highest death rates from this disease at each age occurred in the cities in the registration states, except in the age groups 5 to 14 and 15 to 44 years, in which it was higher in the cities in the nonregistration states. In each age group the death rate was less in the rural districts of the registration states than in the cities.

In comparison with 1890 the figures show a decrease of about 50 per cent in the death rates from this disease at each age.

The combined relations of age and race to the death rates from bronchitis are indicated in the following table, for the registration area, giving the death rates during the census year in each of six age groups, per 100,000 of population of corresponding ages, by color and birthplaces of mothers:

DEATH RATES BY AGE, COLOR, AND BIRTHPLACES OF MOTHERS.

COLOR AND BIRTHPLACES OF MOTHERS.	Under 1.	Under 5.	5 to 14.	15 to 44.	45 to 64.	65 and over.
White	810.7	245.1	4.9	4.8	33.4	295.0
Colored.....	1,803.3	664.0	17.1	14.0	49.1	166.1
Mothers born in—						
United States.....	618.9	182.4	3.7	3.1	14.6	169.3
Ireland.....	1,067.3	321.1	6.6	9.9	85.5	470.6
Germany.....	924.8	252.2	6.0	4.8	28.9	419.2
England and Wales.....	744.2	203.8	3.0	3.7	21.4	281.2
Canada.....	873.3	269.1	4.2	4.6	25.7	187.3
Scandinavia.....	719.3	209.5	2.0	1.1	15.4	225.4
Scotland.....	461.0	141.9	5.6	2.0	36.1	318.0
Italy.....	2,616.8	990.3	8.3	8.3	28.7	537.4
France.....	1,936.2	494.6	9.6	5.5	16.6	132.9
Hungary.....	577.8	183.7	4.1	1.5		93.6
Bohemia.....	494.4	177.1	5.1	4.9	31.2	201.9
Russia.....	710.2	192.9	1.0	2.5	38.0	374.1
Poland.....	675.0	204.9	6.9	2.3	11.5	141.9
Other foreign.....	1,059.7	343.1	1.9	3.2	29.8	368.2

The preceding table shows that the death rates from bronchitis in white children under 5 years of age were


ccxxiii

The following table shows, for each grand group in the United States, the proportions of deaths from bronchitis during the census year, per 1,000 deaths from known causes, in the aggregate, and by sex, for the cities and rural districts:

NUMBER OF DEATHS PER 1,000 DEATHS FROM KNOWN CAUSES.

GRAND GROUP.	Total.	RURAL.		CITIES.	
		Males.	Fe- males.	Males.	Fe- males.
1. North Atlantic Coast region	29.4	22.6	25.5	30.8	32.6
2. Middle Atlantic Coast region	31.2	14.8	19.0	31.8	37.9
3. South Atlantic Coast region.....	10.6	6.4	8.7	17.1	19.3
4. Gulf Coast region	16.2	10.0	10.3	21.9	26.9
5. Northeastern hills and plateaus	23.7	20.0	24.2	25.0	28.1
6. Central Appalachian region	19.1	15.7	17.8	23.4	25.0
7. Region of the Great Northern lakes ...	31.9	20.2	22.9	34.0	40.8
8. Interior plateau.....	17.9	13.3	15.9	19.7	22.4
9. Southern Central Appalachian region ..	14.9	13.8	15.9	11.4	19.8
10. Ohio River belt	20.1	10.2	14.7	28.1	34.4
11. Southern Interior plateau.....	10.5	10.6	10.3		
12. South Mississippi River belt.....	10.8	8.1	12.2	10.4	19.2
13. North Mississippi River belt.....	21.4	15.2	18.3	25.5	29.1
14. Southwest Central region	14.1	14.8	13.1	13.6	24.6
15. Central region—plains and prairies....	13.6	13.2	13.2	13.0	17.7
16. Prairie region	13.3	12.1	14.2	16.2	15.3
17. Missouri River belt	16.5	12.2	13.4	21.3	23.7
18. Region of the Western plains	10.0	8.5	10.4	10.6	13.8
19. Heavily timbered region of the North- west.....	17.3	15.5	17.0	17.5	27.0
20. Cordilleran region	13.0	11.7	14.1	10.7	23.7
21. Pacific Coast region	17.4	8.1	13.0	20.8	25.0

The preceding table indicates that the proportions of deaths due to bronchitis were greatest in the region of



the Great Northern lakes (31.9), the Middle Atlantic Coast region (31.2), and the North Atlantic Coast region (29.4), and least in the region of the Western plains (10), the Southern Interior plateau (10.5), and the South Atlantic Coast region (10.6).

DISEASES OF THE DIGESTIVE SYSTEM.

The total number of deaths reported as due to this class of diseases in the United States during the census year was 60,229, of which 31,457 were males and 28,772 were females, and the proportion of deaths from these diseases in 1,000 deaths from all known causes

was 60.3. In 1890 the corresponding proportion was 46.9.

In the registration area the number of deaths reported as due to this class of diseases was 28,379, of which 14,459 were males and 13,920 were females, giving a proportion of 55.9 deaths from these diseases in 1,000 deaths from all known causes, and a death rate of 98.5 per 100,000 of population. In 1890 the death rate was 91.5.

The following table shows, for the registration states in the aggregate, and for the cities and rural districts, the death rates from diseases of the digestive system in the census year, per 100,000 of population:

DEATH RATES IN CITIES AND RURAL DISTRICTS.

REGISTRATION STATES.	AGGREGATE.			MALES.			FEMALES.		
	Total.	Cities.	Rural.	Total.	Cities.	Rural.	Total.	Cities.	Rural.
Total	93.0	94.6	90.6	93.4	96.0	89.9	92.5	93.2	91.3
Connecticut	89.9	92.9	84.5	87.2	90.9	80.5	92.7	94.8	88.7
District of Columbia	118.4	118.4		124.2	124.2		113.1	113.1	
Maine	84.7	87.0	84.2	80.1	99.2	76.4	89.4	75.8	92.4
Massachusetts	82.2	81.7	83.6	82.7	82.1	84.7	81.6	81.4	82.4
Michigan	100.5	106.0	98.2	104.1	113.0	100.6	96.6	99.1	95.5
New Hampshire	81.2	96.3	71.6	77.9	98.3	65.9	84.4	94.4	77.7
New Jersey	89.4	94.6	82.7	87.0	94.3	77.4	91.9	94.9	88.0
New York	96.1	97.1	94.1	96.9	98.1	94.4	95.3	96.0	93.7
Rhode Island	92.4	101.0	75.7	99.3	109.8	79.4	85.8	92.6	71.9
Vermont	100.1	105.1	99.3	96.5	84.3	98.3	103.9	124.6	100.4

This table shows that the death rates from diseases of the digestive system in the registration states were highest in the District of Columbia (118.4), Michigan (100.5), and Vermont (100.1), and lowest in New Hampshire (81.2), Massachusetts (82.2), and Maine (84.7). There was but little difference in the death rates due to these diseases in the cities and rural districts.

The following table shows, for the registration area and its subdivisions, the death rates from diseases of the digestive system among the whites during the census year, per 100,000 of white population, by birthplaces of mothers:

DEATH RATES BY BIRTHPLACES OF MOTHERS.

BIRTHPLACES OF MOTHERS.	REGISTRATION RECORD.					
	Total.	Cities.	States.			Cities in other states.
			Total.	Cities.	Rural.	
United States	79.7	77.2	80.1	76.9	82.7	77.8
Ireland	116.6	120.8	114.2	118.4	99.5	136.0
Germany	100.4	100.0	99.0	98.0	102.0	103.4

DEATH RATES BY BIRTHPLACES OF MOTHERS—Continued.

BIRTHPLACES OF MOTHERS.	REGISTRATION RECORD.					
	Total.	Cities.	States.			Cities in other states.
			Total.	Cities.	Rural.	
England and Wales	99.1	98.7	96.7	94.9	100.1	110.5
Canada	72.1	73.7	71.1	72.0	69.9	88.2
Scandinavia	68.2	65.2	76.4	75.3	78.4	53.7
Scotland	89.3	88.3	85.6	82.6	92.1	110.0
Italy	75.3	81.0	68.2	73.1	43.2	149.9
France	132.8	143.3	115.2	124.1	93.8	179.7
Hungary and Bohemia	79.7	80.8	63.9	63.0	69.1	108.6
Prussia and Poland	61.6	60.7	57.0	55.2	70.6	82.2
Other foreign	94.1	98.0	91.3	95.1	82.0	109.3

It will be seen from this table that the death rates due to diseases of the digestive system in the registration area were highest among those whose mothers were born in France (132.8), in Ireland (116.6), and in Germany (100.4), and lowest among those whose mothers were born in Russia and Poland (61.6), in Scandinavia (68.2), and in Canada (72.1).

CAUSES OF DEATH.

CCXXV

The following table shows, for the registration area and its subdivisions, the death rates from diseases of the digestive system during the census year in each of

six age groups, per 100,000 population of corresponding ages, in comparison with 1890, by sex:

DEATH RATES AT CERTAIN AGES.

REGISTRATION AREAS.	UNDER 1.		UNDER 5.		5 TO 14.		15 TO 44.		45 TO 64.		65 AND OVER.	
	1900	1890	1900	1890	1900	1890	1900	1890	1900	1890	1900	1890
Total	639.2	789.3	188.3	240.9	31.1	21.0	60.7	48.0	157.2	152.6	420.6	359.4
Males.....	726.7	872.3	207.7	263.2	33.1	22.2	56.6	45.0	169.3	163.9	435.4	367.3
Females.....	550.2	704.1	168.7	218.1	29.0	19.8	64.8	51.0	144.9	141.4	407.3	352.4
Cities	667.8	864.8	199.1	267.0	31.7	21.3	65.0	51.8	174.5	175.7	442.8	412.2
Males.....	764.4	953.3	221.7	291.7	33.6	22.5	61.4	49.6	190.9	192.7	467.7	440.2
Females.....	569.5	774.0	176.3	241.9	29.8	20.1	68.5	54.1	158.1	158.8	422.4	389.3
States.....	604.6	658.7	174.7	199.8	28.6	21.1	53.8	44.6	140.4	141.5	399.7	335.1
Males.....	680.1	734.5	190.9	223.2	30.5	22.5	49.7	40.2	146.8	143.5	404.4	336.0
Females.....	527.9	580.9	158.4	176.0	26.6	19.6	57.8	48.8	134.1	139.7	395.4	334.2
Cities.....	640.8	750.4	188.2	232.3	28.2	21.7	58.6	50.6	161.4	178.0	415.7	400.5
Males.....	727.4	834.1	208.8	261.4	29.8	23.3	55.6	47.1	171.6	184.6	422.2	426.7
Females.....	553.0	664.8	167.5	202.9	26.7	20.2	61.3	53.9	151.6	171.8	410.7	380.0
Rural.....	544.7	487.9	153.4	144.0	29.0	20.1	45.9	34.0	116.2	96.3	388.0	287.2
Males.....	602.2	549.8	162.7	158.2	31.6	21.4	40.4	28.7	119.4	93.4	393.1	277.9
Females.....	486.2	423.9	144.0	129.4	26.4	18.6	51.7	39.5	112.9	99.0	382.7	296.6
Cities in other states.....	694.6	964.9	209.6	297.0	34.7	20.9	70.8	52.9	186.9	173.2	469.6	425.6
Males.....	801.1	1,057.5	234.1	317.6	36.9	21.7	66.5	51.7	208.4	200.6	510.7	455.1
Females.....	586.0	869.8	184.8	275.9	32.6	20.0	75.0	54.2	164.4	144.6	434.6	400.3

The preceding table shows that the highest death rates for this class of diseases occurred in infants under 1 year of age (639.2) and in persons 65 years of age and over (420.6). The rate was higher in males than in females except for those from 15 to 44 years, in which group the death rate of females was higher.

In each age group the highest death rate from these diseases occurred in the cities in the nonregistration states and the lowest in the rural districts of the registration states, except for the age group 5 to 14 years, where the death rate from these diseases in the cities in the registration states (28.2) was less than in the rural districts of the same states (29).

In comparison with 1890 the figures show a decrease in the death rate from these diseases in children under 5 years of age, and an increase in the rate for persons 5 years of age and over.

The combined relations of age and race to the death rates from diseases of the digestive system are indicated in the following table, for the registration area, giving the death rates during the census year in each of six age groups, per 100,000 population of corresponding ages, by color and birthplaces of mothers:

DEATH RATES BY AGE, COLOR, AND BIRTHPLACES OF MOTHERS.

COLOR AND BIRTHPLACES OF MOTHERS.	Under 1.	Under 5.	5 to 14.	15 to 44.	45 to 64.	65 and over.
White	611.9	177.7	30.4	58.8	155.5	423.3
Colored.....	1,401.5	483.4	48.9	96.7	199.3	320.3
Mothers born in—						
United States.....	567.3	167.5	29.5	45.9	98.0	312.9
Ireland.....	626.4	176.3	28.3	66.8	213.4	471.3
Germany.....	713.5	191.4	23.7	55.1	170.6	470.7
England and Wales.....	641.5	175.2	19.0	55.9	140.7	442.7
Canada.....	537.4	167.9	28.8	49.5	102.8	371.5
Scandinavia.....	498.0	139.7	26.5	47.3	142.3	247.9
Scotland.....	307.3	86.3	25.4	46.9	141.1	397.5
Italy.....	587.4	185.1	20.9	44.6	148.1	310.0
France.....	1,025.1	292.3	57.7	80.9	178.8	398.8
Hungary.....	406.6	127.6	24.6	39.3	238.8	280.9
Bohemia.....	1,303.4	298.2	20.4	58.8	176.9	201.9
Russia.....	537.9	148.4	26.7	47.1	141.7	529.9
Poland.....	567.3	169.7	13.8	22.8	73.1	162.1
Other foreign.....	857.6	236.2	30.4	59.1	127.1	467.4

The preceding table shows that the death rates due to this class of diseases in white children under 5 years of age were highest in those whose mothers were born in Bohemia (298.2), in France (292.3), and in "Other foreign" countries (236.2), and lowest in those whose

mothers were born in Scotland (86.3), in Hungary (127.6), and in Scandinavia (139.7).

At 65 years of age and over they were highest in those whose mothers were born in Russia (529.9), in Ireland (471.3), and in Germany (470.7), and lowest in those whose mothers were born in Poland (162.1), in Bohemia (201.9), and in Scandinavia (247.9).

The following table shows, for the registration area, the proportions of deaths from diseases of the digestive system at each specified age, per 1,000 deaths at known ages from this class of diseases, in 1900 and 1890, by sex:

NUMBER OF DEATHS AT EACH AGE PER 1,000 AT KNOWN AGES.

AGE.	1900		1890	
	Males.	Females.	Males.	Females.
Under 1 year.....	157.0	121.5	203.2	167.4
1 year.....	30.9	29.6	57.1	55.3
2 years.....	12.1	11.3	14.9	11.9
3 years.....	6.9	8.4	8.2	7.9
4 years.....	6.5	7.2	6.9	4.7
Under 5 years.....	213.4	178.0	290.3	247.2
5 to 9 years.....	29.5	29.5	25.4	22.0
10 to 14 years.....	33.2	27.8	19.9	20.0
15 to 19 years.....	36.9	39.1	27.1	28.9
20 to 24 years.....	42.8	57.1	31.4	45.5
25 to 29 years.....	47.5	66.3	44.1	58.4
30 to 34 years.....	46.2	60.2	41.6	54.4
35 to 39 years.....	51.9	64.6	48.0	56.9
40 to 44 years.....	63.2	57.8	55.2	51.9
45 to 49 years.....	63.2	51.9	60.3	58.3
50 to 54 years.....	61.3	56.2	61.5	59.6
55 to 59 years.....	66.8	56.5	63.6	57.7
60 to 64 years.....	63.8	58.5	71.2	58.5
65 to 69 years.....	60.4	62.2	60.2	62.9
70 to 74 years.....	51.5	55.0	44.8	47.6
75 to 79 years.....	39.3	41.7	32.4	34.5
80 to 84 years.....	18.7	23.3	14.1	22.2
85 to 89 years.....	7.8	10.7	7.8	9.4
90 to 94 years.....	2.2	3.1	1.1	3.1
95 years and over.....	0.4	0.5		1.0

The average age at death from diseases of the digestive system in the registration area in 1900 was 37.8 years. In 1890 it was 35.3 years. For those dying at 15 years of age and over the average age was 49.7 years in 1900, and 50.5 years in 1890.

The following table shows, for each grand group in the United States, the proportions of deaths from diseases of the digestive system during the census year, per 1,000 deaths from known causes, in the aggregate, and by sex, for the cities and rural districts:

NUMBER OF DEATHS PER 1,000 DEATHS FROM KNOWN CAUSES.

GRAND GROUP.	Total.	RURAL.		CITIES.	
		Males.	Females.	Males.	Females.
1. North Atlantic Coast region.....	47.6	42.5	50.1	47.0	49.5
2. Middle Atlantic Coast region.....	50.0	50.6	58.5	46.0	52.2
3. South Atlantic Coast region.....	62.3	70.2	64.0	50.9	50.2
4. Gulf Coast region.....	56.2	62.3	66.0	48.1	42.7
5. Northeastern hills and plateaus.....	52.6	53.6	55.2	46.8	51.8
6. Central Appalachian region.....	53.3	50.4	55.6	54.9	53.4
7. Region of the Great Northern lakes.....	62.5	69.0	70.4	57.8	60.4
8. Interior plateau.....	57.8	62.1	60.2	51.6	58.6
9. Southern Central Appalachian region.....	61.4	63.6	57.7	76.1	75.6
10. Ohio River belt.....	60.8	60.2	59.9	56.9	67.5
11. Southern Interior plateau.....	64.7	68.4	61.2		
12. South Mississippi River belt.....	56.0	52.1	56.3	63.0	66.8
13. North Mississippi River belt.....	67.8	71.8	71.4	60.8	66.5
14. Southwest Central region.....	69.4	71.5	68.2	49.9	60.3
15. Central region—plains and prairies.....	64.7	64.2	64.4	63.2	70.2
16. Prairie region.....	73.2	73.7	74.0	58.6	73.4
17. Missouri River belt.....	69.6	68.9	69.3	68.8	72.7
18. Region of the Western plains.....	68.3	68.0	70.4	48.9	89.4
19. Heavily timbered region of the North-west.....	74.6	76.2	74.4	66.6	78.6
20. Cordilleran region.....	61.3	56.0	63.8	72.1	82.6
21. Pacific Coast region.....	63.7	53.8	76.6	57.6	75.5

The preceding table indicates that the proportions of deaths due to diseases of the digestive system were greatest in the heavily timbered region of the Northwest (74.6), the Prairie region (73.2), and the Southwest Central region (69.4) and least in the North Atlantic Coast region (47.6), the Middle Atlantic Coast region (50), and the Northeastern hills and plateaus (52.6).

The following table shows, for the registration states, the death rates from diseases of the digestive system in each month of the census year, in the aggregate, and for the cities and rural districts:


DEATH RATES BY MONTHS.

MONTHS.	Total.	Cities.	Rural.
January.....	7.7	7.7	7.6
February.....	7.1	7.4	6.6
March.....	8.5	8.7	8.1
April.....	8.4	8.6	8.2
May.....	8.5	8.6	8.3
June.....	7.3	7.7	6.7
July.....	8.1	8.5	7.6
August.....	8.1	8.0	8.3
September.....	7.5	7.6	7.5
October.....	7.4	7.4	7.4
November.....	7.0	7.1	7.0
December.....	7.3	7.3	7.2


The death rates from diseases of the digestive system in each month in the cities and the rural districts, and

the relative differences in the rates in the two areas are shown in the following diagram:

CITIES



RURAL



The preceding table and diagram show that there was little variation in the death rates due to these diseases in the different months in either cities or rural districts, and also little difference in the rates in the two areas for the same months.

The following table shows the comparative proportions of deaths from diseases of the digestive system in each month during the census year, per 1,000 deaths in known months in the United States, as a whole, and in the registration states:

COMPARATIVE PROPORTIONS OF DEATHS IN EACH MONTH.

MONTHS.	United States.	Registration states.	MONTHS.	United States.	Registration states.
January	79.9	82.7	July	85.5	87.5
February	75.3	76.5	August	91.7	87.2
March	88.1	90.9	September...	86.9	81.1
April	87.4	90.8	October	85.4	79.9
May	99.0	91.0	November...	73.8	75.4
June	73.6	78.8	December	73.4	78.2

DISEASES OF THE STOMACH.

The total number of deaths reported as due to diseases of the stomach (including gastritis) in the United States during the census year was 13,484, of which 6,751 were males and 6,733 were females, and the proportion of deaths from these diseases in 1,000 deaths from all known causes was 13.5. In 1890 the corresponding proportion was 9.6.

In the registration area the number of deaths reported as due to diseases of the stomach was 5,743, of which 2,815 were males and 2,928 were females, giving a proportion of 11.3 deaths from these diseases in 1,000 deaths from all known causes, and a death rate of 19.9 per 100,000 of population. In 1890 the death rate was 18.1.

The following table shows, for the registration states, in the aggregate, and for the cities and rural districts, the death rates from diseases of the stomach in the census year, per 100,000 of population, in comparison with 1890:

DEATH RATES IN CITIES AND RURAL DISTRICTS.

REGISTRATION STATES.	AGGREGATE.			MALES.			FEMALES.		
	Total.	Cities.	Rural.	Total.	Cities.	Rural.	Total.	Cities.	Rural.
Total	1900.. 19.1	18.1	20.7	18.2	17.1	19.7	20.1	19.2	21.6
	1890.. 17.9	19.1	16.1	16.7	18.0	14.6	19.1	20.1	17.6
Connecticut	1900.. 21.5	22.0	20.3	17.7	18.8	15.5	25.4	25.3	25.3
	1890.. 18.0	19.3	17.0	15.4	13.1	17.0	20.4	25.3	16.9
District of Columbia.....	1900.. 28.7	28.7		28.7	28.7		28.6	28.6	
	1890.. 23.9	23.9		21.0	21.0		26.5	26.5	

VITAL STATISTICS.

DEATH RATES IN CITIES AND RURAL DISTRICTS—Continued.

REGISTRATION STATES.	AGGREGATE.			MALES.			FEMALES.		
	Total.	Cities.	Rural.	Total.	Cities.	Rural.	Total.	Cities.	Rural.
Maine ¹ 1900..	18.4	16.0	19.0	17.3	19.5	17.0	19.5	12.9	21.0
Massachusetts.....1900..	15.1	14.7	16.6	14.3	13.6	16.8	15.8	15.8	16.3
.....1890..	14.2	13.8	15.3	13.1	12.9	13.5	15.2	14.7	17.0
Michigan ¹ 1900..	20.5	19.8	20.7	19.9	20.5	19.7	21.0	19.2	21.8
New Hampshire.....1900..	20.8	20.1	21.3	16.0	10.4	19.4	25.7	29.1	23.5
.....1890..	19.7	19.9	19.6	13.4	13.4	13.4	25.8	25.7	25.8
New Jersey.....1900..	20.5	19.6	21.6	20.7	19.4	22.4	20.3	19.9	20.9
.....1890..	20.6	23.9	16.3	18.7	22.0	14.6	22.5	25.9	18.0
New York.....1900..	19.4	18.2	21.7	18.6	17.1	21.5	20.2	19.3	22.0
.....1890..	18.6	20.2	16.0	18.3	19.9	15.8	18.8	20.4	16.2
Rhode Island.....1900..	13.8	13.4	14.5	11.4	12.3	9.6	16.0	14.4	19.4
.....1890..	19.7	21.0	17.9	16.1	19.8	11.1	23.1	22.1	24.6
Vermont.....1900..	24.4	19.4	25.2	21.1	17.7	21.7	27.9	20.8	29.1
.....1890..	12.3	14.1	12.2	8.9	14.8	8.4	15.9	13.6	16.2

¹ Nonregistration in 1890.

It will be seen from this table that the death rates from diseases of the stomach in the registration states were highest in the District of Columbia (28.7) and Vermont (24.4), and lowest in Rhode Island (13.8) and Massachusetts (15.1). The rate was slightly higher in the rural districts in these states (20.7) than in the cities (18.1).

The following table shows, for the registration area and its subdivisions, the death rates from diseases of the stomach among the whites during the census year, per 100,000 of white population, by birthplaces of mothers:

DEATH RATES BY BIRTHPLACES OF MOTHERS.

BIRTHPLACES OF MOTHERS.	REGISTRATION RECORD.					
	Total.	Cities.	States.			Cities in other states.
			Total.	Cities.	Rural.	
United States.....	16.1	14.3	16.3	13.9	18.3	14.9
Ireland.....	30.1	31.1	28.3	29.0	25.8	44.4
Germany.....	17.7	16.6	17.5	15.7	23.1	18.0
England and Wales.....	22.9	21.8	22.0	20.1	25.6	27.3
Canada.....	11.6	11.4	11.4	11.0	11.8	14.9
Scandinavia.....	8.1	7.6	9.6	9.4	9.9	5.6
Scotland.....	19.8	17.4	18.2	14.4	26.3	28.7
Italy.....	13.1	13.7	10.6	10.7	10.1	39.3
France.....	17.0	20.3	11.0	13.6	4.7	33.0
Hungary and Bohemia.....	12.8	12.5	10.7	9.8	16.0	16.7
Russia and Poland.....	11.7	11.3	9.0	8.1	15.2	23.8
Other foreign.....	18.6	19.3	18.9	19.8	16.6	17.3

This table shows that the death rates from diseases of the stomach were highest among those whose mothers were born in Ireland (30.1), in England and Wales

(22.9), and in Scotland (19.8), and lowest among those whose mothers were born in Scandinavia (8.1), in Canada (11.6), and in Russia and Poland (11.7).

The following table shows, for the registration area and its subdivisions, the death rates from diseases of the stomach during the census year in each of four age groups, per 100,000 of population of corresponding ages, in comparison with 1890, by sex:

DEATH RATES AT CERTAIN AGES.

REGISTRATION AREA.	UNDER 5.		5 TO 14.		15 TO 44.		45 AND OVER.	
	1900	1890	1900	1890	1900	1890	1900	1890
Total.....	39.0	39.5	2.3	3.5	8.6	8.3	57.2	48.1
Males.....	41.3	41.3	2.2	3.0	7.4	7.0	57.4	48.0
Females.....	36.7	37.6	2.5	4.0	9.7	9.5	57.0	48.1
Cities.....	42.3	44.3	2.7	3.8	9.0	8.7	57.1	51.2
Males.....	45.7	47.3	2.3	3.1	7.8	7.7	58.2	51.6
Females.....	38.9	41.2	3.1	4.6	10.1	9.8	56.2	50.8
States.....	34.4	33.1	1.8	3.2	7.9	8.0	54.1	47.5
Males.....	35.6	34.4	1.8	2.7	6.7	6.5	52.2	45.7
Females.....	33.3	31.7	1.9	3.6	9.1	9.6	56.0	49.3
Cities.....	38.2	39.7	2.3	3.7	8.4	8.9	51.1	53.2
Males.....	40.9	43.3	1.9	2.7	7.1	7.7	48.6	50.6
Females.....	35.6	36.0	2.7	4.7	9.7	10.1	53.4	55.6
Rural.....	28.4	21.8	1.2	3.4	7.0	6.6	57.3	41.4
Males.....	27.3	19.4	1.6	2.7	6.0	4.5	55.7	40.6
Females.....	29.5	24.3	0.8	2.1	8.1	8.7	58.9	42.2
Cities in other states.	46.2	48.2	3.1	3.9	9.5	8.6	62.9	49.1
Males.....	50.3	50.7	2.7	3.4	8.5	7.7	67.0	52.7
Females.....	42.1	45.7	3.4	4.5	10.5	9.5	58.9	45.6

This table shows that the death rates from diseases of the stomach were highest in children under 5 years of age (39) and in persons 45 years of age and over (57.2). In these age groups the death rates of males were higher than those of females, but in the age groups 5 to 45 years the death rates of females exceeded those of males. In the age group under 5 years of age the death rate from these diseases was highest in the cities in the nonregistration states (46.2) and lowest in the rural part of the registration states (28.4). Among those 45 years of age and over, the death rate from these diseases was also highest in the cities in the nonregistration states (62.9), but it was lower in the cities in the registration states (51.1) than in the rural districts of the same states (57.3).

In comparison with 1890 the figures show little difference in the death rates at the different ages up to 15 years, but at 15 years of age and over there was an increase in the rates.

The combined relations of age and race to the death rates from diseases of the stomach are indicated in the following table for the registration area, giving the death rates during the census year in each of four age groups, per 100,000 of population of corresponding ages, by color and birthplaces of mothers:

DEATH RATES BY AGE, COLOR, AND BIRTHPLACES OF MOTHERS.

COLOR AND BIRTHPLACES OF MOTHERS.	Under 5.	5 to 14.	15 to 44.	45 and over.
White	37.8	2.2	8.2	57.2
Colored.....	72.3	6.4	14.9	56.7
Mothers born in—				
United States.....	32.8	2.3	6.4	42.4
Ireland.....	26.0	2.2	14.4	83.5
Germany.....	37.3	1.2	5.5	53.3
England and Wales.....	33.7	1.5	8.6	60.1
Canada.....	31.3	0.7	7.1	29.8
Scandinavia.....	26.0		3.4	24.6
Scotland.....		2.8	8.8	52.2
Italy.....	46.3	3.1	4.1	26.0
France.....	22.5		1.8	48.7
Hungary.....	40.8		7.6	20.3
Bohemia.....	37.3		4.9	43.1
Russia.....	22.3	1.0	3.9	43.5
Poland.....	64.0	3.4	2.3	9.7
Other foreign.....	73.1	2.8	3.9	48.8

The preceding table shows that the death rates due to diseases of the stomach in white persons 45 years of age and over, were highest in those whose mothers were born in Ireland (83.5), in England and Wales (60.1), and in Germany (53.3); and lowest in those whose mothers were born in Poland (9.7), in Hungary (20.3), and in Scandinavia (24.6).

The following table shows, for the registration area, the proportions of deaths from diseases of the stomach at each age, per 1,000 deaths at known ages from these diseases, in 1900 and 1890, by sex:

NUMBER OF DEATHS AT EACH AGE PER 1,000 AT KNOWN AGES.

AGE.	1900		1890	
	Males.	Females.	Males.	Females.
Under 1 year.....	164.2	116.4	178.0	136.0
1 year.....	31.0	36.3	39.8	34.7
2 years.....	8.9	12.0	13.5	15.2
3 years.....	8.9	11.3	8.2	9.2
4 years.....	5.0	7.9	5.2	7.1
Under 5 years.....	218.0	183.9	244.7	202.2
5 to 9 years.....	13.9	16.8	22.8	30.3
10 to 14 years.....	7.1	6.8	9.9	9.8
15 to 19 years.....	11.0	17.1	15.2	21.1
20 to 24 years.....	16.0	36.6	21.1	42.3
25 to 29 years.....	30.6	46.2	33.4	50.4
30 to 34 years.....	36.0	44.2	40.4	52.6
35 to 39 years.....	47.4	57.9	41.6	53.7
40 to 44 years.....	53.4	42.8	54.5	42.8
45 to 49 years.....	68.8	50.7	69.7	52.6
50 to 54 years.....	68.4	64.0	58.0	62.9
55 to 59 years.....	80.9	61.0	81.4	61.2
60 to 64 years.....	76.6	75.4	73.8	61.8
65 to 69 years.....	83.7	75.0	74.9	65.6
70 to 74 years.....	74.1	85.3	70.8	62.9
75 to 79 years.....	62.0	62.7	51.5	62.3
80 to 84 years.....	32.4	46.2	22.3	37.4
85 to 89 years.....	15.0	19.5	11.7	18.4
90 to 94 years.....	3.6	7.2	2.3	6.5
95 years and over.....	1.1	0.7		3.2

The average age at death from diseases of the stomach in the registration area in 1900 was 44.1 years. In 1890 it was 40.9 years.

OBSTRUCTION OF THE BOWELS.

The total number of deaths reported as due to obstruction of the bowels in the United States during the census year was 3,745, of which 1,894 were males and 1,851 were females, and the proportion of deaths from this disease in 1,000 deaths from all known causes was 3.8. In 1890 the corresponding proportion was 2.6.

In the registration area the number of deaths reported as due to this disease was 2,338, of which 1,130 were males and 1,208 were females, giving a proportion of 4.6 deaths from this disease in 1,000 deaths from all known causes, and a death rate of 8.1 per 100,000 of population. In 1890 the death rate was 5.7.

The following table shows, for the registration states,

VITAL STATISTICS.

in the aggregate, and for the cities and rural districts, the death rates from obstruction of the bowels in the census year, per 100,000 of population, in comparison with 1890:

DEATH RATES IN CITIES AND RURAL DISTRICTS.

REGISTRATION STATES.	AGGREGATE.			MALES.			FEMALES.		
	Total.	Cities.	Rural.	Total.	Cities.	Rural.	Total.	Cities.	Rural.
Total.....1900..	7.9	8.2	7.3	7.6	7.8	7.3	8.1	8.6	7.3
.....1890..	5.2	5.7	4.4	5.5	6.2	4.6	4.9	5.3	4.3
Connecticut.....1900..	8.1	8.8	6.9	7.7	9.6	4.3	8.6	8.1	9.5
.....1890..	6.2	6.1	6.2	7.3	5.9	8.3	5.0	6.3	4.1
District of Columbia.....1900..	9.7	9.7	-----	7.6	7.6	-----	11.6	11.6	-----
.....1890..	8.3	8.3	-----	11.0	11.0	-----	5.8	5.8	-----
Maine ¹ 1900..	7.5	6.8	7.6	7.7	8.9	7.5	7.3	4.9	7.8
Massachusetts.....1900..	7.6	7.4	8.0	7.4	7.1	8.4	7.8	7.8	7.7
.....1890..	4.9	5.3	3.8	5.2	5.8	3.1	4.7	4.7	4.5
Michigan ¹ 1900..	7.6	8.3	7.3	9.6	10.8	9.1	5.5	5.8	5.3
New Hampshire.....1900..	6.8	6.9	6.7	5.8	9.2	3.9	7.8	4.8	9.7
.....1890..	2.1	1.8	2.3	1.6	1.9	1.5	2.6	1.7	3.0
New Jersey.....1900..	7.2	8.8	5.2	5.7	7.9	2.9	8.7	9.7	7.4
.....1890..	6.4	6.4	6.6	6.8	6.4	7.3	6.1	6.3	5.8
New York.....1900..	8.2	8.3	8.1	7.7	7.4	8.4	8.7	9.1	7.7
.....1890..	4.9	5.7	3.7	5.4	6.4	4.0	4.4	5.0	3.4
Rhode Island.....1900..	7.0	8.5	4.1	6.2	8.0	2.7	7.8	8.9	5.5
.....1890..	6.1	4.0	8.9	4.8	2.1	8.3	7.3	5.8	9.6
Vermont.....1900..	8.4	17.2	7.1	6.3	13.3	5.2	10.6	20.8	9.0
.....1890..	4.5	10.6	4.0	3.0	7.4	2.6	6.1	13.6	5.4

¹ Nonregistration in 1890.

This table indicates that there was little variation in the death rates from obstruction of the bowels in the registration states, the highest rate being that in the District of Columbia (9.7), and the lowest that in New Hampshire (6.8). There was also but little difference in the aggregate death rates from this disease in the cities (8.2) and the rural districts (7.3), or in the rates of males (7.6) and females (8.1).

The following table shows, for the registration area and its subdivisions, the death rates from obstruction of the bowels among the whites during the census year, per 100,000 of white population, by birthplaces of mothers:

DEATH RATES BY BIRTHPLACES OF MOTHERS.

BIRTHPLACES OF MOTHERS.	REGISTRATION RECORD.					
	Total.	Cities.	States.			Cities in other states.
			Total.	Cities.	Rural.	
United States.....	6.7	6.7	7.0	7.3	6.7	5.5
Ireland.....	9.3	9.3	9.6	9.7	9.4	7.0

DEATH RATES BY BIRTHPLACES OF MOTHERS—Continued.

BIRTHPLACES OF MOTHERS.	REGISTRATION RECORD.					
	Total.	Cities.	States.			Cities in other states.
			Total.	Cities.	Rural.	
Germany.....	6.9	7.0	6.8	7.0	6.0	7.0
England and Wales.....	8.8	9.3	8.9	9.7	7.5	8.1
Canada.....	5.1	4.3	5.1	4.3	6.3	5.0
Scandinavia.....	5.7	5.8	6.4	6.9	5.4	4.5
Scotland.....	5.8	5.4	5.1	4.4	6.6	9.6
Italy.....	5.4	6.1	5.2	5.9	1.4	7.4
France.....	11.0	11.4	12.3	13.6	9.4	7.3
Hungary and Bohemia.....	5.9	6.5	4.6	5.3	-----	8.3
Russia and Poland.....	5.7	5.9	6.0	6.3	4.1	4.3
Other foreign.....	8.7	9.9	8.6	10.0	5.0	9.2

This table shows that the death rates due to this cause were highest among those whose mothers were born in France (11), in Ireland (9.3), and in England and Wales (8.8), and lowest among those whose mothers were born in Canada (5.1) and in Italy (5.4).

CAUSES OF DEATH.

ccxxxi

The following table shows, for the registration area and its subdivisions, the death rates from obstruction of the bowels during the census year in each of four

age groups, per 100,000 population of corresponding ages, in comparison with 1890, by sex:

DEATH RATES AT CERTAIN AGES.

REGISTRATION AREAS.	UNDER 15.		15 TO 44.		45 TO 64.		65 AND OVER.	
	1900	1890	1900	1890	1900	1890	1900	1890
Total	7.0	5.4	4.4	3.3	12.9	9.1	42.5	24.7
Males.....	8.3	6.9	3.9	3.7	11.6	7.9	39.8	20.7
Females.....	5.6	4.0	4.9	2.9	14.2	10.3	44.8	28.3
Cities.....	7.2	5.9	4.9	3.7	14.6	10.1	46.4	31.2
Males.....	8.9	7.3	4.3	4.2	12.9	8.8	41.0	24.9
Females.....	5.5	4.4	5.4	3.2	16.2	11.4	50.8	36.3
States.....	7.1	4.6	3.6	2.8	11.8	8.0	40.8	22.1
Males.....	8.3	6.3	3.2	3.0	10.8	7.3	37.5	19.7
Females.....	5.9	2.8	4.0	2.7	12.9	8.7	43.8	24.3
Cities.....	7.8	4.9	4.2	3.4	14.2	9.1	46.5	30.5
Males.....	9.5	6.8	3.7	3.7	12.7	8.7	36.4	26.0
Females.....	6.0	3.0	4.6	3.1	15.7	9.5	54.4	34.1
Rural.....	6.2	4.0	2.7	1.8	9.1	6.6	36.6	15.9
Males.....	6.7	5.5	2.4	1.6	8.7	5.5	38.2	15.6
Females.....	5.6	2.5	3.0	2.0	9.5	7.6	35.0	16.2
Cities in other states.....	6.7	6.7	5.5	3.9	14.9	11.1	46.3	32.0
Males.....	8.3	7.8	4.8	4.6	13.1	9.0	45.4	23.8
Females.....	5.1	5.6	6.1	3.2	16.7	13.4	47.1	39.0

This table shows that the death rate from obstruction of the bowels was highest in persons 65 years and over, and that at this age it was about the same in the cities in the registration states (46.5) as in the cities in the nonregistration states (46.3), in both of which it was higher than in the rural portions of the registration states (36.6). Under 15 years of age the death rate from this cause was higher in males than in females, but in the age groups above 15 the death rates of females were higher than those for males.

In comparison with 1890 the figures show an increase in the death rates at each age.

The following table shows, for the registration area, the proportions of deaths from obstruction of the bowels at each age, per 1,000 deaths at known ages from this cause, in 1900 and 1890, by sex:

NUMBER OF DEATHS AT EACH AGE PER 1,000 AT KNOWN AGES.

AGE.	1900		1890	
	Males.	Females.	Males.	Females.
Under 1 year.....	193.6	107.7	209.0	117.1
1 year.....	17.8	12.5	12.1	22.3
2 years.....	14.2	9.2	22.5	5.6
3 years.....	6.2	14.2	13.8	9.3
4 years.....	9.8	6.7	10.4	5.6
Under 5 years.....	241.6	150.3	267.8	159.9
5 to 9 years.....	42.6	31.7	44.9	20.4
10 to 14 years.....	27.5	13.4	31.1	29.7
15 to 19 years.....	36.4	22.5	38.0	24.2
20 to 24 years.....	40.9	40.1	60.5	39.0

NUMBER OF DEATHS AT EACH AGE PER 1,000 AT KNOWN AGES—
Continued.

AGE.	1900		1890	
	Males.	Females.	Males.	Females.
25 to 29 years.....	55.9	61.8	57.0	46.5
30 to 34 years.....	46.2	48.4	50.1	35.3
35 to 39 years.....	39.1	55.9	57.0	78.1
40 to 44 years.....	33.7	71.8	55.3	53.9
45 to 49 years.....	55.9	65.9	27.6	57.6
50 to 54 years.....	59.5	54.3	65.6	78.1
55 to 59 years.....	63.1	72.6	53.5	61.3
60 to 64 years.....	46.2	60.9	48.4	79.9
65 to 69 years.....	60.4	84.3	53.5	89.2
70 to 74 years.....	63.9	66.8	36.3	65.1
75 to 79 years.....	57.7	50.1	27.6	44.6
80 to 84 years.....	15.1	29.2	8.6	20.5
85 to 89 years.....	10.7	17.5	15.5	7.4
90 to 94 years.....	3.6	0.8	1.7	7.4
95 years and over.....		1.7		1.9

The average age at death from obstruction of the bowels in the registration area in 1900 was 39.7 years. In 1890 it was 37.1 years. For those dying at 15 years of age and over, the average age was 52.1 years in 1900, and 50.3 years in 1890.

APPENDICITIS.

The total number of deaths reported as due to appendicitis in the United States during the census year was 5,111, of which 3,282 were males and 1,892 were females,

and the proportion of deaths from this disease in 1,000 deaths from all known causes was 5.1. In 1890 the deaths from this disease were not separately compiled.

In the registration area the number of deaths reported as due to this disease was 2,858, of which 1,791 were males and 1,067 were females, giving a ratio of 5.6

deaths from this disease to 1,000 deaths from all known causes, and a death rate of 9.9 per 100,000 of population.

The following table shows, for the registration states in the aggregate, and for the cities and rural districts, the death rates from appendicitis in the census year, per 100,000 of population:

DEATH RATES IN CITIES AND RURAL DISTRICTS.

REGISTRATION STATES.	AGGREGATE.			MALES.			FEMALES.		
	Total.	Cities.	Rural.	Total.	Cities.	Rural.	Total.	Cities.	Rural.
Total	9.0	9.9	7.7	11.1	12.4	9.4	6.9	7.5	5.9
Connecticut	7.2	8.1	5.6	7.9	7.9	8.1	6.6	8.5	3.2
District of Columbia	9.0	9.0		12.1	12.1		6.1	6.1	
Maine	6.5	8.5	6.1	5.7	12.4	4.4	7.3	4.9	7.8
Massachusetts	8.2	8.6	6.8	12.2	13.0	9.9	4.3	4.5	3.8
Michigan	10.0	10.7	9.7	12.0	12.5	11.8	7.8	8.9	7.4
New Hampshire	5.1	5.7	4.7	5.4	6.6	4.6	4.8	4.8	4.9
New Jersey	6.8	7.2	6.4	6.9	8.5	4.9	6.8	5.9	8.0
New York	10.1	11.5	7.3	12.5	13.8	9.8	7.7	9.2	4.6
Rhode Island	8.2	8.5	7.6	12.3	11.6	13.7	4.1	5.5	1.4
Vermont	12.2	10.7	12.5	15.4	13.3	15.7	8.9	8.3	9.0

According to these figures the death rates from appendicitis in the registration states were highest in Vermont (12.2), New York (10.1), and Michigan (10); and lowest in New Hampshire (5.1), Maine (6.5), and New Jersey (6.8). The rate was slightly higher in the cities (9.9) than in the rural districts (7.7).

The following table shows, for the registration area and its subdivisions, the death rates from appendicitis among the whites during the census year, per 100,000 of white population, by birthplaces of mothers:

DEATH RATES BY BIRTHPLACES OF MOTHERS.

BIRTHPLACES OF MOTHERS.	REGISTRATION RECORD.					
	Total.	Cities.	States.			Cities in other states.
			Total.	Cities.	Rural.	
United States	8.2	8.9	8.0	9.0	7.2	8.8
Ireland	8.1	8.4	8.1	8.5	6.9	7.3
Germany	9.7	9.9	9.9	10.3	8.6	9.4
England and Wales	8.0	8.9	7.6	8.6	5.6	9.9
Canada	9.1	10.2	8.3	8.8	7.7	22.4
Scandinavia	8.8	9.2	7.7	7.9	7.2	10.6
Scotland	10.4	10.9	10.2	10.6	9.2	11.9
Italy	5.4	6.1	5.0	5.7	1.4	9.8
France	11.0	12.7	12.3	15.5	4.7	7.3
Hungary and Bohemia	5.9	6.0	5.3	5.3	5.3	7.0
Russia and Poland	8.9	9.7	9.8	10.9	1.4	5.1
Other foreign	11.0	11.7	10.5	11.2	8.6	13.8

This table shows that the death rates due to appendicitis in the registration area were highest among those whose mothers were born in France (11), in "Other foreign" countries (11), and in Scotland (10.4), and lowest among those whose mothers were born in Italy (5.4), in Hungary and Bohemia (5.9), and in England and Wales (8).

The following table shows, for the registration area and its subdivisions, the death rates from appendicitis

during the census year in each of four age groups, per 100,000 population of corresponding ages:

DEATH RATES AT CERTAIN AGES.

REGISTRATION AREAS.	Under 15.	15 to 44.	45 to 64.	65 and over.
Total	7.9	11.7	8.2	9.1
Males	9.2	15.1	10.7	10.5
Females	6.5	8.3	5.8	7.8
Cities	8.3	12.3	9.4	11.3
Males	9.5	16.1	12.3	14.2
Females	7.1	8.6	6.6	8.9
States	7.0	10.7	7.4	8.3
Males	8.3	13.8	9.1	9.0
Females	5.8	7.7	5.7	7.7
Cities	7.4	11.5	9.1	11.7
Males	8.4	15.1	10.9	14.0
Females	6.4	8.0	7.3	9.9
Rural	6.5	9.5	5.4	5.8
Males	8.1	11.7	7.0	5.8
Females	4.9	7.3	3.7	5.9
Cities in other states	9.1	13.1	9.8	10.8
Males	10.5	16.9	13.5	14.4
Females	7.7	9.2	5.9	7.8

The preceding table shows that the death rate from appendicitis was highest in persons 15 to 44 years of age, and that at this age it was higher in the cities in the nonregistration states (13.1) than in the cities in the registration states (11.5) or in the rural districts of the same states (9.5). It was higher among males than among females in all the age groups.

HERNIA.

The total number of deaths reported as due to hernia in the United States during the census year was 1,979, of which 1,157 were males and 822 were females, and the proportion of deaths from this disease in 1,000 deaths

from all known causes was 2. In 1890 the corresponding proportion was 1.7.

In the registration area the number of deaths reported as due to this disease was 1,071, of which 570 were males and 501 were females, giving a proportion of 2.1 deaths from this disease in 1,000 deaths from all known

causes, and a death rate of 3.7 per 100,000 of population. In 1890 the death rate was 3.3.

The following table shows, for the registration states, in the aggregate, and for the cities and rural districts the death rates from hernia in the census year, per 100,000 of population, in comparison with 1890:

DEATH RATES IN CITIES AND RURAL DISTRICTS.

REGISTRATION STATES.	AGGREGATE.			MALES.			FEMALES.		
	Total.	Cities.	Rural.	Total.	Cities.	Rural.	Total.	Cities.	Rural.
Total.....1900..	3.8	3.9	3.7	4.1	4.1	4.0	3.5	3.6	3.3
.....1890..	3.4	3.5	3.2	3.5	3.9	3.0	3.2	3.1	3.4
Connecticut.....1900..	3.3	3.4	3.1	4.2	4.1	4.3	2.4	2.7	1.9
.....1890..	3.5	5.2	2.3	2.4	4.6	0.9	4.5	5.7	3.7
District of Columbia.....1900..	3.6	3.6		6.1	6.1		1.4	1.4	
.....1890..	5.6	5.6		7.3	7.3		4.1	4.1	
Maine ¹ 1900..	3.6	2.5	3.8	3.7	1.8	4.1	3.5	3.2	3.6
Massachusetts.....1900..	3.3	3.4	3.0	2.9	2.9	3.0	3.6	3.8	2.9
.....1890..	2.9	2.5	4.0	2.7	2.4	3.5	3.0	2.6	4.5
Michigan ¹ 1900..	3.1	2.7	3.2	3.8	4.0	3.7	2.3	1.4	2.7
New Hampshire.....1900..	3.2	3.8	2.8	4.4	5.2	3.9	1.9	2.4	1.6
.....1890..	4.3	2.7	4.9	4.8	1.9	6.0	3.7	3.4	3.8
New Jersey.....1900..	4.2	4.1	4.4	4.8	4.9	4.6	3.7	3.3	4.2
.....1890..	3.1	3.4	2.7	3.8	4.4	2.9	2.5	2.4	2.6
New York.....1900..	4.2	4.3	3.9	4.3	4.3	4.2	4.0	4.3	3.5
.....1890..	3.3	3.5	3.1	3.6	4.2	2.7	3.1	2.8	3.5
Rhode Island.....1900..	4.9	4.2	6.2	4.7	5.1	4.1	5.1	3.4	8.3
.....1890..	5.2	7.0	2.8	5.4	6.3	4.2	5.1	7.7	1.4
Vermont.....1900..	4.1		4.7	4.6		5.2	3.6		4.1
.....1890..	4.2	7.1	4.0	4.7	7.4	4.5	3.7	6.8	3.4

¹ Nonregistration in 1890.

This table indicates that there was little difference in the death rates due to hernia in the several registration states, the highest rate being that in Vermont (4.9), and the lowest that in Michigan (3.1).

The following table shows, for the registration area

and its subdivisions, the death rates from hernia during the census year in each of four age groups, per 100,000 of population of corresponding ages, in comparison with 1890, by sex:

DEATH RATES AT CERTAIN AGES.

REGISTRATION AREAS.	UNDER 15.		15 TO 44.		45 TO 64.		65 AND OVER.	
	1900	1890	1900	1890	1900	1890	1900	1890
Total.....	1.3	1.2	1.4	1.1	8.5	8.7	30.1	25.6
Males.....	2.0	1.9	1.7	1.4	7.5	8.2	33.3	27.7
Females.....	0.7	0.5	1.1	0.9	9.6	9.2	27.3	23.6
Cities.....	1.3	1.3	1.6	1.1	9.7	9.9	32.4	31.0
Males.....	2.0	2.0	2.0	1.5	8.1	10.0	35.7	34.9
Females.....	0.6	0.5	1.3	0.8	11.2	9.8	29.6	27.8
States.....	1.2	1.3	1.2	0.9	8.3	8.6	29.3	22.7
Males.....	1.9	2.1	1.5	1.0	7.4	8.1	33.3	23.7
Females.....	0.6	0.5	1.0	0.9	9.3	9.0	25.8	21.8
Cities.....	1.1	1.5	1.6	0.8	10.6	10.9	32.7	29.0
Males.....	1.9	2.4	2.0	1.0	8.7	11.7	38.3	31.2
Females.....	0.3	0.5	1.2	0.7	12.4	10.1	28.4	27.2
Rural.....	1.4	1.0	0.7	1.1	5.8	5.7	26.9	18.1
Males.....	1.8	1.5	0.7	0.9	5.9	3.8	30.1	18.9
Females.....	1.0	0.5	0.7	1.3	5.6	7.6	23.6	17.4
Cities in other states.....	1.5	1.1	1.7	1.4	8.8	9.0	32.0	33.3
Males.....	2.2	1.7	2.0	1.9	7.6	8.4	33.3	39.0
Females.....	0.8	0.6	1.4	0.8	10.1	9.6	30.9	28.4

The preceding table shows that the death rate from this cause was highest in persons 65 years of age and over (30.1). Below 45 years of age the rates were

insignificant. In the age group 65 years of age and over, it was slightly higher in the cities in the registration states (32.7) than in the cities in the nonregistra-

tion states (32), in both of which it was a little higher than in the rural portions of the registration states (26.9).

At this age the figures show an increase in the death rate from this cause in comparison with 1890, the increase being greatest in the rural districts of the registration states.

The following table shows, for the registration area, the proportions of deaths from hernia at each age, per 1,000 deaths at known ages from this cause, in 1900 and 1890, by sex:

NUMBER OF DEATHS AT EACH AGE PER 1,000 AT KNOWN AGES.

AGE.	1900		1890	
	Males.	Females.	Males.	Females.
Under 1 year.....	121.3	40.0	127.9	43.6
1 year.....	10.5	4.0	2.8	
2 years.....			2.8	
3 years.....				
4 years.....	1.8	4.0	2.8	
Under 5 years.....	133.6	48.0	136.3	43.6
5 to 9 years.....	5.3	8.0	17.1	3.4
10 to 14 years.....	8.8		2.8	3.4
15 to 19 years.....	26.4	6.0	8.5	
20 to 24 years.....	22.8	2.0	22.7	6.7
25 to 29 years.....	28.1	4.0	42.6	10.1
30 to 34 years.....	35.1	28.0	48.3	16.8
35 to 39 years.....	49.2	56.0	36.9	60.4
40 to 44 years.....	56.2	72.0	34.1	53.7
45 to 49 years.....	66.8	70.0	62.5	120.8
50 to 54 years.....	51.0	104.0	79.6	93.9
55 to 59 years.....	82.6	106.0	82.4	83.9
60 to 64 years.....	84.3	130.0	110.8	147.6
65 to 69 years.....	75.6	128.0	113.7	130.9
70 to 74 years.....	100.2	104.0	71.0	80.5
75 to 79 years.....	93.1	76.0	82.4	73.8
80 to 84 years.....	51.0	32.0	25.6	40.3
85 to 89 years.....	22.8	22.0	22.7	20.1
90 to 94 years.....	5.3	4.0		3.4
95 years and over.....	1.8			6.7

The average age at death from hernia in the registration area in 1900 was 52.8 years. In 1890 it was 52.3 years.

DISEASES OF THE LIVER.

Included in this title are jaundice, inflammation and abscess of the liver, and other diseases of the liver for which details are given separately in the general tables showing the relations of sex and age to each disease and class of diseases. The number of deaths from each, by sex, in the United States and in the registration area, was as follows:

	UNITED STATES.		REGISTRATION AREA.	
	Males.	Females.	Males.	Females.
Jaundice	1,358	1,127	526	460
Inflammation and abscess of the liver.....	1,550	1,363	679	591
Other diseases of the liver.....	4,226	2,625	2,682	1,606

The total number of deaths reported as due to diseases of the liver in the United States during the census year was 12,249, of which 7,134 were males and 5,115 were females, and the proportion of deaths from these diseases in 1,000 deaths from all known causes was 12.3. In 1890 the corresponding proportion was 11.2.

In the registration area the number of deaths reported as due to these diseases was 6,544, of which 3,887 were males and 2,657 were females, giving a proportion of 13 deaths from these diseases in 1,000 deaths from all known causes, and a death rate of 22.7 per 100,000 of population. In 1890 the death rate was 24.1.

The following table shows, for the registration area and its subdivisions, the death rates from diseases of the liver in the census years 1900 and 1890, by sex, color, general nativity, and parent nativity:

DEATH RATES BY COLOR AND NATIVITY.

AREAS.	Aggregate.	WHITE.							COLORED.		
		Total	Males.	Females.	Native.			Foreign.	Total.	Males.	Females.
					Total.	Both parents native.	One or both parents foreign.				
Registration area.....	1900..	22.7	22.8	18.6	17.0	18.5	14.8	40.5	21.9	29.9	14.1
	1890..	24.1	24.1	20.3	16.7	19.3	12.0	44.6	24.3	31.9	16.9
Cities.....	1900..	23.5	23.5	18.7	16.7	16.7	15.8	41.8	23.2	31.6	15.1
	1890..	26.0	26.0	21.1	16.8	20.0	12.7	47.4	25.6	33.9	17.5
States.....	1900..	21.7	21.8	18.4	16.9	18.5	14.8	36.4	14.5	18.7	10.5
	1890..	23.2	23.3	21.7	16.7	19.5	12.1	42.6	15.8	19.7	12.2
Cities.....	1900..	22.6	22.7	18.3	16.1	16.1	16.1	37.1	17.5	22.1	13.2
	1890..	26.5	26.7	24.0	16.9	20.8	13.2	47.2	17.9	23.4	13.0
Rural.....	1900..	20.4	20.6	18.6	17.9	20.3	12.1	34.3	6.3	10.1	2.2
	1890..	18.1	18.3	18.1	16.4	18.5	9.1	28.2	11.0	11.8	10.1
Cities in other states.....	1900..	24.3	24.3	19.0	17.3	18.1	15.0	48.1	24.8	34.4	15.6
	1890..	25.6	25.4	18.0	16.7	18.3	11.6	47.6	27.7	36.7	18.8

This table shows that the death rate from diseases of the liver was highest in the cities in the nonregistration states (24.3), and lowest in the rural parts of the regis-

tration states (20.4). There was but little difference in the death rate of the whites (22.8) and the colored (21.9), but the rate of the foreign whites (40.5) was very much

CAUSES OF DEATH.

CCXXXV

higher than that of the native whites (17). The death rates of males from these diseases (white, 26.9; colored, 29.9) exceeded those of the females (white, 18.6; colored, 14.1), particularly among the colored.

In comparison with 1890 there was a small decrease in the death rates from diseases of the liver in most of

the areas, the greatest being in the cities in the registration states.

The following table shows, for the registration states, in the aggregate, and for the cities and rural districts, the death rates from diseases of the liver in the census year, per 100,000 of population, in comparison with 1890:

DEATH RATES IN CITIES AND RURAL DISTRICTS.

REGISTRATION STATES.	AGGREGATE.			MALES.			FEMALES.		
	Total.	Cities.	Rural.	Total.	Cities.	Rural.	Total.	Cities.	Rural.
Total	1900.. 21.7	22.6	20.4	25.0	27.2	22.3	18.3	18.1	18.4
..... 1890..	23.2	26.5	18.1	24.9	29.3	18.3	21.5	23.7	17.9
Connecticut	1900.. 20.6	21.6	18.8	25.5	27.0	23.0	15.6	16.2	14.6
..... 1890..	25.2	26.8	24.1	26.0	32.2	21.6	24.4	21.5	26.5
District of Columbia	1900.. 24.3	24.3		37.1	37.1		12.9	12.9	
..... 1890..	24.3	24.3		32.9	32.9		16.6	16.6	
Maine ¹	1900.. 19.8	21.2	19.4	22.8	28.3	21.7	16.5	14.5	17.0
Massachusetts	1900.. 17.6	17.1	19.4	19.9	20.5	17.6	15.5	13.8	20.9
..... 1890..	20.1	20.2	20.0	19.5	19.6	19.3	20.8	20.8	20.8
Michigan ¹	1900.. 23.3	21.7	24.0	26.2	27.3	25.8	20.2	16.1	22.1
New Hampshire	1900.. 15.9	18.9	13.9	20.5	24.9	17.8	11.2	13.4	9.7
..... 1890..	24.4	29.0	22.6	28.9	30.7	28.3	20.0	27.4	16.7
New Jersey	1900.. 20.4	23.0	16.9	23.9	27.7	19.0	16.9	18.6	14.6
..... 1890..	25.3	29.2	20.3	27.3	33.6	19.3	23.3	24.9	21.3
New York	1900.. 23.7	25.3	20.4	27.2	29.5	22.3	20.3	21.0	18.6
..... 1890..	24.0	28.3	16.2	26.3	32.1	17.2	21.7	25.6	15.2
Rhode Island	1900.. 22.8	22.5	23.4	27.5	27.0	28.7	18.4	18.5	17.9
..... 1890..	25.5	32.0	16.5	27.4	39.6	11.1	23.7	25.0	21.8
Vermont	1900.. 18.4	14.9	18.8	20.5	8.9	22.3	16.1	20.7	15.3
..... 1890..	14.4	14.1	14.5	12.4	22.2	11.6	16.6	6.8	17.5

¹ Nonregistration in 1890.

The preceding table shows that the death rates from diseases of the liver in the registration states were highest in the District of Columbia (24.3) and New York (23.7), and lowest in New Hampshire (15.9) and Massachusetts (17.6). There was but little difference in the death rates from these diseases in the cities and rural districts. The death rate of males from diseases of the liver (25)

was considerably higher than that of females (18.3) in all of the registration states.

The following table shows, for the registration area and its subdivisions, the death rates from diseases of the liver among the whites during the census year, per 100,000 of white population, by birthplaces of mothers:

DEATH RATES BY BIRTHPLACES OF MOTHERS.

BIRTHPLACES OF MOTHERS.	REGISTRATION RECORD.					
	Total.	Cities.	States.			Cities in other states.
			Total.	Cities.	Rural.	
United States	15.6	13.8	16.0	13.9	17.7	13.5
Ireland	34.7	36.0	34.6	36.0	29.2	35.8
Germany	28.7	29.7	28.1	29.9	23.1	29.5
England and Wales	26.3	25.7	26.1	25.3	27.4	27.3
Canada	13.9	12.6	14.2	13.0	15.7	8.7
Scandinavia	12.4	12.3	15.6	17.4	12.6	6.7
Scotland	24.8	25.8	24.6	25.6	22.3	26.3
Italy	18.7	20.7	16.5	18.3	7.2	41.8
France	52.9	57.1	35.7	34.9	37.5	99.0
Hungary and Bohemia	21.6	23.3	17.5	19.5	5.3	29.3
Russia and Poland	9.8	9.8	9.6	9.4	11.1	10.8
Other foreign	17.2	16.7	16.5	15.7	18.7	20.6

The preceding table shows that the death rates due to diseases of the liver in the registration area were highest among those whose mothers were born in France (52.9), in Ireland (34.7), and in Germany (28.7),

and lowest among those whose mothers were born in Russia and Poland (9.8), in Scandinavia (12.4), and in Canada (13.9).

The following table shows, for the registration area and its subdivisions, the death rates from diseases of the liver during the census year in each of five age

groups, per 100,000 of population of corresponding ages, in comparison with 1890, by sex:

DEATH RATES AT CERTAIN AGES.

REGISTRATION AREAS.	UNDER 5.		UNDER 15.		15 TO 44.		45 TO 64.		65 AND OVER.	
	1900	1890	1900	1890	1900	1890	1900	1890	1900	1890
Total	23.8	23.6	9.4	9.2	11.2	12.1	57.5	67.2	127.0	122.0
Males.....	27.7	28.5	10.8	11.2	13.7	14.5	71.4	80.7	145.0	133.1
Females.....	19.7	18.7	8.0	7.3	8.8	9.6	43.2	53.8	111.0	112.1
Cities	24.9	25.8	9.8	10.1	12.5	13.6	65.5	80.3	137.2	143.5
Males.....	28.8	31.2	11.3	12.4	15.7	16.6	83.3	99.8	166.2	167.3
Females.....	21.0	20.3	8.4	7.8	9.4	10.7	47.7	61.0	113.6	124.1
States.....	20.2	20.0	8.2	8.0	10.5	10.9	50.9	59.7	117.4	113.6
Males.....	24.8	24.3	9.8	9.4	12.2	11.8	62.4	65.4	128.1	117.9
Females.....	15.7	15.7	6.5	6.5	8.8	10.0	39.5	54.2	107.6	109.7
Cities	20.4	22.7	8.3	9.0	12.8	13.4	61.9	79.5	124.7	142.3
Males.....	25.1	27.8	10.0	10.9	15.5	14.5	79.1	91.3	145.2	159.6
Females.....	15.7	17.6	6.6	7.2	10.2	12.4	45.3	68.2	108.7	128.7
Rural.....	19.9	15.5	8.1	6.2	6.7	6.4	38.4	35.1	112.0	92.6
Males.....	24.2	18.5	9.6	7.2	7.1	7.2	44.0	33.9	117.3	91.2
Females.....	15.6	12.4	6.5	5.3	6.3	5.7	32.4	36.4	106.7	94.0
Cities in other states	29.3	28.5	11.2	11.1	12.3	13.8	69.0	81.2	149.8	144.9
Males.....	32.4	34.1	12.4	13.7	15.8	18.4	87.2	108.1	186.1	175.8
Females.....	26.1	22.7	10.1	8.4	8.8	9.1	50.0	53.1	118.7	118.6

It will be seen from this table that the death rate from diseases of the liver was highest in persons 65 years of age and over, and that at this age it was higher in the cities in the nonregistration states (149.8) than in the cities in the registration states (124.7). The lowest death rates from these causes at each age occurred in the rural portions of the registration states.

There appears to have been but little difference in the comparative death rates from diseases of the liver at the specified ages between 1890 and 1900.

The combined relations of age and race to the death rates from diseases of the liver are indicated, for the registration area, in the following table, giving the death rates during the census year in each of five age groups, per 100,000 population of corresponding ages, by color and birthplaces of mothers:

DEATH RATES BY AGE, COLOR, AND BIRTHPLACES OF MOTHERS.

COLOR AND BIRTHPLACES OF MOTHERS.	Under 5.	Under 15.	15 to 44.	45 to 64.	65 and over.
White	23.1	9.1	11.0	57.8	128.9
Colored	41.0	16.3	16.4	49.1	59.3
Mothers born in—					
United States	20.9	8.3	5.8	32.2	94.2
Ireland	19.3	7.4	19.8	78.2	141.7
Germany.....	18.1	5.9	13.9	71.9	146.0
England and Wales.....	13.5	5.2	11.3	51.2	143.3
Canada	17.0	7.1	6.7	39.8	140.5
Scandinavia	13.0	5.5	4.9	55.8	112.7
Scotland	6.2	3.9	10.9	50.9	113.6
Italy	30.4	16.3	9.1	64.1	165.4
France.....			36.8	83.2	192.0
Hungary.....	35.7	15.9	4.5	125.1	187.3
Bohemia.....	18.6	6.6	26.9	83.2	

DEATH RATES BY AGE, COLOR, AND BIRTHPLACES OF MOTHERS—Continued.

COLOR AND BIRTHPLACES OF MOTHERS.	Under 5.	Under 15.	15 to 44.	45 to 64.	65 and over.
Mothers born in—					
Russia	23.7	9.7	9.3	31.1	155.9
Poland.....	11.2	5.3	5.3	23.1	40.5
Other foreign	16.9	8.5	12.0	51.8	85.0

The preceding table shows that the death rates due to diseases of the liver in white persons 45 to 64 years of age were highest in those whose mothers were born in Hungary (125.1), in Bohemia (83.2), and in France (83.2); and lowest in those whose mothers were born in Poland (23.1), in Russia (31.1), and in the United States (32.2).

At 65 years of age and over, they were highest in those whose mothers were born in France (192), in Hungary (187.3), and in Italy (165.4); and lowest in those whose mothers were born in Poland (40.5), in "Other foreign" countries (85), and in the United States (94.2).

The following table shows, for the registration area, the proportions of deaths from diseases of the liver at each age, per 1,000 deaths at known ages from these diseases, in 1900 and 1890, by sex:

NUMBER OF DEATHS AT EACH AGE.

AGE.	1900		1890	
	Males.	Females.	Males.	Females.
Under 1 year.....	94.5	91.8	91.4	81.4
1 year	3.3	4.2	5.5	5.6
2 years	3.9	5.7	3.6	1.5
3 years	1.3	3.4	3.3	3.0

CAUSE OF DEATHS.

ccxxxvii

NUMBER OF DEATHS AT EACH AGE—Continued.


AGE.	1900		1890	
	Males.	Females.	Males.	Females.
4 years.....	2.8	4.1	1.1	1.5
Under 5 years.....	105.8	109.2	104.9	93.0
5 to 9 years.....	5.9	8.3	7.6	5.1
10 to 14 years.....	5.9	8.7	5.1	6.1
15 to 19 years.....	6.4	7.6	9.8	11.1
20 to 24 years.....	16.5	21.9	15.3	15.2
25 to 29 years.....	31.4	31.0	33.9	40.9
30 to 34 years.....	45.1	43.4	45.9	42.4
35 to 39 years.....	66.4	61.6	73.2	57.6
40 to 44 years.....	93.5	79.0	88.5	80.4
45 to 49 years.....	93.2	75.6	103.4	96.0
50 to 54 years.....	99.1	90.3	106.3	102.1
55 to 59 years.....	103.0	91.0	95.1	97.0
60 to 64 years.....	104.5	91.8	116.9	99.0
65 to 69 years.....	91.2	96.7	83.4	102.6
70 to 74 years.....	64.6	83.1	53.2	75.3
75 to 79 years.....	44.3	60.4	35.7	39.9

NUMBER OF DEATHS AT EACH AGE—Continued.

AGE.	1900		1890	
	Males.	Female.	Males.	Females.
80 to 84 years.....	16.0	26.8	13.1	23.2
85 to 89 years.....	5.1	11.3	7.6	9.6
90 to 94 years.....	1.8	2.3	1.1	3.5
95 years and over.....	0.3			

The average age at death from diseases of the liver in the registration area in 1900 was 48.2 years. In 1890 it was 47.9 years. For those dying at 15 years of age and over, the average age was 54.6 years in 1900 and 53.7 years in 1890.

The comparative proportions of deaths from diseases of the liver at each age in the registration area in 1900 and 1890 are shown in the following diagram:



The following table shows, for each grand group in the United States, the proportions of deaths from diseases of the liver during the census year, per 1,000 deaths from known causes, in the aggregate, and by sex, for the cities and rural districts:

NUMBER OF DEATHS PER 1,000 DEATHS FROM KNOWN CAUSES.

GRAND GROUP.	Total.	RURAL.		CITIES.	
		Males.	Fe-males.	Males.	Fe-males.
1. North Atlantic Coast region.....	10.7	12.1	11.1	12.4	8.1
2. Middle Atlantic Coast region.....	12.2	10.8	9.5	14.2	10.9
3. South Atlantic Coast region.....	10.2	11.9	9.2	9.7	8.7
4. Gulf Coast region.....	15.4	16.9	14.2	18.9	10.9
5. Northeastern hills and plateaus.....	10.8	11.4	10.0	10.9	10.5
6. Central Appalachian region.....	10.7	11.0	10.5	12.0	8.5
7. Region of the Great Northern lakes...	13.2	14.6	14.3	14.3	10.5
8. Interior plateau.....	12.2	13.5	10.7	13.2	11.3
9. Southern Central Appalachian region...	11.6	12.2	10.9	15.4	10.8
10. Ohio River belt.....	13.6	13.4	10.6	17.7	12.8
11. Southern Interior plateau.....	9.3	10.6	8.1		
12. South Mississippi River belt.....	9.5	8.5	8.6	20.2	6.2
13. North Mississippi River belt.....	13.9	13.2	11.9	18.1	12.0

NUMBER OF DEATHS PER 1,000 DEATHS FROM KNOWN CAUSES—Con.

GRAND GROUP.	Total.	RURAL.		CITIES.	
		Males.	Fe-males.	Males.	Fe-males.
14. Southwest Central region.....	13.0	15.6	10.4	14.6	4.9
15. Central region—plains and prairies....	12.7	13.0	11.7	15.4	13.6
16. Prairie region.....	12.8	12.8	12.9	13.4	11.6
17. Missouri River belt.....	11.3	12.4	10.5	13.7	7.6
18. Region of the Western plains.....	11.8	11.0	12.0	12.2	13.9
19. Heavily timbered region of the North-west.....	14.9	16.7	14.2	13.8	11.2
20. Cordilleran region.....	10.5	11.2	8.8	15.0	6.6
21. Pacific Coast region.....	17.3	11.3	11.7	21.2	20.9

This table indicates that the proportions of deaths due to diseases of the liver were greatest in the Pacific Coast region (17.3), the Gulf Coast region (15.4), and the heavily timbered region of the Northwest (14.9); and least in the Southern Interior plateau (9.3), South Mississippi River belt (9.5), and the South Atlantic Coast region (10.2).

PERITONITIS.

The total number of deaths reported as due to peritonitis in the United States during the census year was 7,501, of which 2,845 were males, and 4,656 were females, and the proportion of deaths from this disease in 1,000 deaths from all known causes was 7.5. In 1890 the corresponding proportion was 6.2.

In the registration area the number of deaths re-

ported as due to this disease was 5,028, of which 1,838 were males and 3,190 were females, giving a proportion of 9.9 deaths from this disease in 1,000 deaths from all known causes, and a death rate of 17.5 per 100,000 of population. In 1890 the death rate was 17.4.

The following table shows, for the registration states, in the aggregate, and for the cities and rural districts, the death rates from peritonitis in the census year, per 100,000 of population, in comparison with 1890:

DEATH RATES IN CITIES AND RURAL DISTRICTS.

REGISTRATION STATES.	AGGREGATE.			MALES.			FEMALES.		
	Total.	Cities.	Rural.	Total.	Cities.	Rural.	Total.	Cities.	Rural.
Total	1900.. 15.8 1890.. 17.5	16.3 19.4	14.9 14.7	11.6 15.3	11.8 17.2	11.3 12.6	19.9 19.7	20.7 21.5	18.7 16.8
Connecticut	1900.. 12.5 1890.. 16.1	12.1 19.0	13.5 14.0	9.3 14.1	8.5 18.4	10.5 11.1	15.9 18.1	15.5 19.6	16.5 16.9
District of Columbia	1900.. 17.9 1890.. 10.9	17.9 10.9		11.3 7.3	11.3 7.3		23.8 14.1	23.8 14.1	
Maine ¹	1900.. 15.4	19.4	14.6	10.0	15.9	8.8	21.0	22.6	20.6
Massachusetts	1900.. 16.8 1890.. 18.0	17.4 19.4	14.6 13.6	12.4 16.6	12.5 18.0	11.9 12.0	20.9 19.5	22.1 20.8	17.1 15.1
Michigan ¹	1900.. 16.1	22.5	13.4	10.7	13.1	9.7	21.9	31.7	17.5
New Hampshire	1900.. 16.3 1890.. 15.9	23.9 12.7	11.5 17.3	10.2 13.9	17.1 11.5	6.2 14.9	22.3 17.9	30.2 13.7	17.0 19.8
New Jersey	1900.. 17.8 1890.. 19.9	20.4 25.2	14.4 13.1	13.5 16.2	16.0 21.7	10.2 9.2	22.0 23.6	24.7 23.5	18.6 17.1
New York	1900.. 15.3 1890.. 17.8	14.5 19.1	16.9 15.9	11.6 15.8	10.7 16.5	13.4 14.6	18.9 19.9	18.3 21.5	20.4 17.3
Rhode Island	1900.. 7.5 1890.. 16.2	7.1 18.0	8.2 13.8	6.2 11.9	7.3 13.6	4.1 9.7	8.7 20.3	6.9 22.1	12.5 17.7
Vermont	1900.. 20.9 1890.. 11.4	34.3 21.2	18.8 10.5	19.4 10.6	31.1 36.9	17.7 8.4	22.5 12.3	37.4 6.8	20.0 12.8

¹ Nonregistration in 1890.

This table shows that the death rates from peritonitis in the registration states were highest in Vermont (20.9) and the District of Columbia (17.9), and lowest in Rhode Island (7.5) and Connecticut (12.5).

The following table shows, for the registration area and its subdivisions, the death rates from peritonitis among the whites during the census year, per 100,000 of white population, by birthplaces of mothers:

DEATH RATES BY BIRTHPLACES OF MOTHERS.

BIRTHPLACES OF MOTHERS.	REGISTRATION RECORD.					
	Total.	Cities.	States.			Cities in other states.
			Total.	Cities.	Rural.	
United States	14.8	15.1	14.1	13.9	14.4	17.5
Ireland	15.6	16.2	14.8	15.3	13.1	21.7
Germany	18.4	18.8	17.6	17.9	16.4	20.3
England and Wales	14.1	15.0	12.7	13.3	11.7	20.5
Canada	15.8	17.6	15.2	16.7	13.2	24.8
Scandinavia	18.5	18.1	18.9	18.3	19.9	17.9

DEATH RATES BY BIRTHPLACES OF MOTHERS—Continued.

BIRTHPLACES OF MOTHERS.	REGISTRATION RECORD.					Cities in other states.
	Total.	Cities.	States.			
			Total.	Cities.	Rural.	
Scotland.....	12.2	12.4	9.8	8.8	11.9	26.3
Italy.....	16.6	17.7	14.6	15.5	10.1	36.8
France.....	18.9	22.8	16.4	21.3	4.7	25.7
Hungary and Bohemia.....	11.8	10.9	10.7	8.9	21.3	13.9
Russia and Poland.....	9.4	8.9	8.6	7.9	13.8	13.0
Other foreign.....	18.4	19.0	18.2	18.9	16.6	19.6

The preceding table shows that the death rates from peritonitis in the registration area were highest among those whose mothers were born in France (18.9), in Scandinavia (18.5), and in Germany (18.4), and lowest among those whose mothers were born in Russia and Poland (9.4), in Hungary and Bohemia (11.8), and in Scotland (12.2).

The following table shows, for the registration area

and its subdivisions, the death rates from peritonitis during the census year in each of four age groups, per 100,000 of population of corresponding ages, in comparison with 1890, by sex:

DEATH RATES AT CERTAIN AGES.

REGISTRATION AREAS.	UNDER 15.		15 TO 44.		45 TO 64.		65 AND OVER.	
	1900	1890	1900	1890	1900	1890	1900	1890
Total	12.0	11.3	19.3	18.3	18.0	20.4	29.5	36.9
Males	12.8	12.3	10.9	12.9	15.3	18.5	26.6	36.2
Females	11.2	10.2	27.8	23.8	20.8	22.3	32.1	37.4
Cities	12.2	11.4	20.3	19.5	20.1	22.6	31.4	41.6
Males	13.3	12.6	11.3	13.6	17.1	20.4	28.3	42.2
Females	11.1	10.2	29.1	25.2	23.1	24.8	33.9	41.1
States	12.0	12.8	16.7	17.5	15.9	20.5	27.3	34.8
Males	12.6	13.9	9.3	13.2	12.7	18.8	24.8	34.2
Females	11.3	11.7	24.0	21.6	19.1	22.2	29.6	35.3
Cities	12.3	14.1	17.2	19.3	18.2	25.0	28.2	40.8
Males	13.5	15.6	9.4	15.0	14.2	22.7	25.5	42.5
Females	11.2	12.6	24.6	23.4	22.1	27.1	30.2	39.5
Rural	11.4	10.8	15.9	14.3	13.2	15.0	26.7	30.4
Males	11.4	11.2	9.3	10.2	11.1	13.9	24.3	28.9
Females	11.5	10.4	22.9	18.4	15.4	16.1	29.1	31.9
Cities in other states	12.1	9.1	23.1	19.6	21.8	20.2	34.7	42.5
Males	13.1	10.0	13.0	12.5	19.7	18.1	31.0	41.8
Females	11.1	8.1	33.3	26.9	24.1	22.4	37.8	43.0

This table shows that the death rate from peritonitis was highest in persons 65 years of age and over (29.5), and that in this age group it was higher in the cities in the nonregistration states (34.7) than in the cities in the registration states (28.2) or in the rural districts of the same states (26.7). Below 15 years of age the death rate of males from this disease was greater than that of females, but at ages above 15 years the death rate of females was very much greater than that of males.

In comparison with 1890 the figures show an increase in the death rates from peritonitis up to 45 years of age, and a decrease in the rates from this cause above 45.

The combined relations of age and race to the death rates from peritonitis are indicated, for the registration area, in the following table, giving the death rates during the census year in each of four age groups, per 100,000 of population of corresponding ages, by color and birthplaces of mothers:

DEATH RATES BY AGE, COLOR, AND BIRTHPLACES OF MOTHERS.

COLOR AND BIRTHPLACES OF MOTHERS.	Under 15.	15 to 44.	45 to 64.	65 and over.
White	11.5	18.5	17.6	29.2
Colored	25.1	36.1	29.6	41.5
Mothers born in—				
United States	11.5	16.8	13.4	22.0
Ireland	11.2	15.2	18.2	25.6
Germany	13.2	17.7	22.8	34.1
England and Wales	7.9	15.4	13.1	27.2
Canada	12.4	17.3	16.7	21.9
Scandinavia	13.5	18.3	30.8	33.8
Scotland	5.8	11.6	13.1	34.1
Italy	12.8	16.5	31.0	20.7
France	20.2	20.2	12.5	29.5
Hungary	9.1	19.7	11.4	
Bohemia		12.2	10.4	
Russia	9.7	12.3	17.3	
Poland	6.0	4.7	26.9	20.3
Other foreign	15.9	18.7	12.6	63.7

The preceding table shows that the death rates from peritonitis in white persons 15 to 44 years of age were highest in those whose mothers were born in France (20.2), in Hungary (19.7), and in Scandinavia (18.8) and lowest in those whose mothers were born in Poland (4.7), in Scotland (11.6), and in Bohemia (12.2).

The following table shows, for the registration area, the proportions of deaths from peritonitis at each specified age, per 1,000 deaths at known ages from this cause, in 1900 and 1890, by sex:

NUMBER OF DEATHS AT EACH AGE PER 1,000 AT KNOWN AGES.

AGE.	1900		1890	
	Males.	Females.	Males.	Females.
Under 1 year	74.3	29.9	69.9	39.7
1 year	21.3	12.2	24.7	12.6
2 years	25.1	9.4	14.1	7.5
3 years	10.4	6.9	8.5	6.0
4 years	9.3	6.0	12.7	4.0
Under 5 years	140.4	64.4	129.9	69.8
5 to 9 years	77.1	38.3	54.4	31.2
10 to 14 years	77.6	45.3	66.4	45.7
15 to 19 years	84.7	80.5	90.4	70.4
20 to 24 years	82.0	134.5	84.8	121.1
25 to 29 years	79.2	133.9	98.9	136.7
30 to 34 years	62.3	119.1	66.4	116.6
35 to 39 years	57.9	104.7	57.2	94.5
40 to 44 years	70.5	71.7	61.4	67.3
45 to 49 years	59.6	42.7	50.8	53.8
50 to 54 years	35.5	34.9	41.0	36.7
55 to 59 years	43.1	32.1	44.5	40.2
60 to 64 years	38.3	30.2	51.5	31.6
65 to 69 years	34.4	25.8	35.3	33.2
70 to 74 years	23.5	21.4	31.1	21.1
75 to 79 years	15.8	12.6	20.5	13.1
80 to 84 years	7.7	3.8	12.0	10.5
85 to 89 years	3.8	2.5	2.8	6.0
90 years and over	1.6	1.6	0.7	0.5

The average age at death from peritonitis in the registration area in 1900 was 31.8 years. In 1890 it

was 33.2 years. For those dying at 15 years of age and over, the average age was 38.3 years in 1900, and 39.6 in 1890.

The following table shows, for each grand group in the United States, the proportions of deaths from peritonitis during the census year, per 1,000 deaths from known causes, in the aggregate, and by sex, for the cities and rural districts:

NUMBER OF DEATHS PER 1,000 DEATHS FROM KNOWN CAUSES.

GRAND GROUP.	Total.	RURAL.		CITIES.	
		Males.	Fe-males.	Males.	Fe-males.
1. North Atlantic Coast region.....	8.3	5.5	10.0	6.2	11.1
2. Middle Atlantic Coast region.....	6.9	4.6	10.4	4.6	9.4
3. South Atlantic Coast region.....	2.7	0.6	1.7	4.8	8.7
4. Gulf Coast region.....	4.7	2.3	4.1	5.2	8.8
5. Northeastern hills and plateaus.....	10.2	8.0	11.8	7.3	14.5
6. Central Appalachian region.....	8.7	5.2	9.5	9.5	14.4
7. Region of the Great Northern lakes...	9.9	7.9	11.7	6.8	13.8
8. Interior plateau.....	8.6	4.8	7.9	8.0	13.9
9. Southern Central Appalachian region..	3.7	2.7	3.3	6.5	25.2
10. Ohio River belt.....	9.1	5.0	7.5	7.9	19.3
11. Southern Interior plateau.....	2.6	2.6	2.7		
12. South Mississippi River belt.....	5.0	1.3	2.7	11.6	26.9
13. North Mississippi River belt.....	9.1	4.6	7.3	8.0	19.1
14. Southwest Central region.....	3.7	2.5	4.4	7.3	23.4
15. Central region—plains and prairies....	7.7	3.9	9.0	8.3	20.1
16. Prairie region.....	7.8	5.5	9.7	9.2	17.5
17. Missouri River belt.....	11.9	5.8	9.0	11.5	28.5
18. Region of the Western plains.....	7.5	4.2	6.7	5.6	27.7
19. Heavily timbered region of the North-west.....	12.0	8.5	13.5	8.2	26.9
20. Cordilleran region.....	8.9	4.6	12.6	11.9	24.7
21. Pacific Coast region.....	9.9	5.4	10.3	7.7	17.8

DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.

The total number of deaths reported as due to this class of diseases in the United States during the census year was 44,941, of which 27,869 were males and 17,072 were females, and the proportion of deaths from these diseases in 1,000 deaths from all known causes was 45. In 1890 the corresponding proportion was 28.1.

In the registration area the number of deaths reported as due to this class of diseases was 29,447, of which 17,159 were males and 12,288 were females, giving a proportion of 58 deaths from these diseases in 1,000 deaths from all known causes, and a death rate of 102.2 per 100,000 of population. In 1890 the death rate was 70.7.

In England and Wales the death rate due to this class of diseases for the year 1899 was 48.5 per 100,000 (males, 60.2; females, 37.4).

The following table shows, for the registration area and its subdivisions, the death rates from diseases of this class in the census years 1900 and 1890, by sex, color, general nativity, and parent nativity:

DEATH RATES BY COLOR AND NATIVITY.

AREAS.	Aggre- gate.	WHITE.							COLORED.		
		Total.	Males.	Females.	Native.			Foreign.	Total.	Males.	Females.
					Total.	Both parents native.	One or both parents foreign.				
Registration area.....1900.. 1890..	102.2 70.7	99.8 70.0	116.8 83.7	82.9 56.3	79.6	95.2	60.3	163.4	155.0 85.5	174.1 106.8	136.6 64.7
Cities.....1900.. 1890..	107.2 74.6	104.3 73.8	120.4 85.6	88.5 62.0	79.3	94.6	66.6	172.5	159.0 88.3	180.3 111.2	138.6 66.5
States.....1900.. 1890..	104.8 80.1	104.2 79.8	120.6 94.9	87.8 65.1	84.4	99.9	63.7	162.7	136.9 91.1	139.1 103.6	134.8 79.4
Cities.....1900.. 1890..	117.2 94.4	116.4 94.0	130.9 106.7	102.5 82.0	88.0	106.2	73.1	177.9	147.7 106.9	152.9 122.6	142.8 92.8
Rural.....1900.. 1890..	87.0 58.3	86.7 58.4	106.5 77.7	66.0 38.7	80.3	95.1	42.1	120.1	106.9 54.8	103.4 63.5	110.6 45.5
Cities in other states.....1900.. 1890..	98.2 56.4	92.7 53.8	110.6 65.7	74.8 41.7	71.8	73.2	47.9	164.7	162.3 83.2	188.1 108.1	137.3 58.8

It will be seen from this table that the death rate from diseases of the urinary system and male organs of generation was highest in the cities in the registration states (117.2) and lowest in the rural districts of the same states (87). It was much higher for the colored (155) than for the whites (99.8); also higher for the foreign

whites (163.4) than for the native whites (79.6). For the last-mentioned class the rate was higher among those of native parents (95.2) than among those having one or both parents foreign (60.3).

In comparison with 1890 there was a decided increase in the death rate due to this class of diseases, being

greatest in the cities in the nonregistration states, where it amounted to nearly 75 per cent.

The following table shows for the registration states, in the aggregate, and for the cities and rural districts,

the death rates from diseases of the urinary system and male organs of generation in the census year, per 100,000 of population:

DEATH RATES IN CITIES AND RURAL DISTRICTS.

REGISTRATION STATES.	AGGREGATE.			MALES.			FEMALES.		
	Total.	Cities.	Rural.	Total.	Cities.	Rural.	Total.	Cities.	Rural.
Total	104.8	117.2	87.0	120.9	131.4	106.5	88.8	103.6	66.6
Connecticut	108.4	106.6	111.8	126.8	118.9	141.1	90.1	94.5	81.8
District of Columbia	124.9	124.9		153.0	153.0		99.5	99.5	
Maine	101.4	119.0	97.7	124.5	127.5	123.9	77.7	111.4	70.3
Massachusetts	85.6	82.8	94.4	101.6	96.5	117.3	70.4	70.0	71.8
Michigan	65.0	69.8	62.9	81.8	91.7	78.0	47.0	48.6	46.3
New Hampshire	77.0	66.7	83.5	91.5	73.4	102.3	62.5	60.5	63.9
New Jersey	104.2	114.9	90.1	119.0	127.5	108.1	89.4	102.5	71.9
New York	125.7	141.9	91.9	141.0	154.9	112.9	110.4	129.2	70.2
Rhode Island	129.7	124.6	139.7	148.2	147.7	149.2	111.9	102.9	130.1
Vermont	89.6	85.8	90.2	103.9	71.0	108.8	74.8	99.7	70.6

It will be seen from this table that the death rates from diseases of the urinary system and male organs of generation were highest in Rhode Island (129.7), New York (125.7), and the District of Columbia (124.9); and lowest in Michigan (65), New Hampshire (77), and Massachusetts (85.6). The rate was much higher in the cities (117.2) than in the rural districts (87), and was also much higher among males (120.9) than among females (88.8). The highest death rate from this class of diseases was that of males in the cities in New York (154.9), and the lowest was that of females in the rural districts in Michigan (46.3).

The following table shows, for the registration area and its subdivisions, the death rates from diseases of the urinary system and male organs of generation among the whites during the census year, per 100,000 of white population, by birthplaces of mothers:

DEATH RATES BY BIRTHPLACES OF MOTHERS.

BIRTHPLACES OF MOTHERS.	REGISTRATION RECORD.					
	Total.	Cities.	States.			Cities in other states.
			Total.	Cities.	Rural.	
United States	77.1	74.3	83.2	86.3	80.7	50.4
Ireland	160.6	172.7	166.3	182.0	111.0	115.2
Germany	106.4	112.7	116.0	128.9	76.6	83.9
England and Wales	113.8	118.1	118.0	126.0	103.1	93.7
Canada	49.4	54.1	49.7	55.1	42.8	44.7
Scandinavia	50.1	53.4	56.3	65.9	38.7	39.2
Scotland	111.3	119.5	110.7	120.8	89.4	114.8
Italy	55.7	60.2	55.0	59.8	30.2	63.9
France	143.8	163.7	131.7	157.1	70.3	176.1
Hungary and Bohemia	52.1	54.7	57.1	62.1	26.6	43.2
Russia and Poland	42.9	45.4	43.5	46.7	19.4	40.4
Other foreign	68.0	76.1	67.8	77.9	43.2	69.0

This table shows that the death rates from these diseases in the registration area were highest among those whose mothers were born in France (143.8), in Ireland (160.6), and in England and Wales (113.8), and lowest among those whose mothers were born in Russia and Poland (42.9), in Canada (49.4), and in Scandinavia (50.1).

The following table shows, for the registration area and its subdivisions, the death rates from diseases of the urinary system and male organs of generation during the census year in each of five age groups, per 100,000 of population of corresponding ages, by sex:

DEATH RATES AT CERTAIN AGES.

REGISTRATION AREAS.	Under 5.	Under 15.	15 to 44.	45 to 64.	65 and over.
Total	35.6	21.7	52.0	235.0	768.8
Males	39.1	23.0	51.5	273.8	1,069.6
Females	32.0	20.3	52.6	195.5	500.1
Cities	39.0	23.8	57.7	277.6	878.6
Males	42.6	25.2	58.6	325.8	1,230.6
Females	35.4	22.4	56.9	229.4	591.6
States	35.3	20.9	51.9	223.0	734.2
Males	40.2	22.9	49.3	253.9	1,009.1
Females	30.2	19.0	54.5	191.9	483.9
Cities	42.0	25.1	63.9	300.1	907.2
Males	48.1	27.5	63.2	344.8	1,245.3
Females	36.0	22.6	64.6	257.1	644.2
Rural	24.5	14.9	32.2	134.0	607.4
Males	27.9	16.1	27.5	153.9	859.2
Females	21.1	13.5	37.0	113.1	350.4
Cities in other states	36.1	22.8	52.2	256.3	850.1
Males	37.3	23.2	54.6	308.5	1,216.8
Females	34.9	22.3	49.8	201.9	537.1

It will be seen from this table that the death rate from diseases of the urinary system and male organs of generation was highest in persons 65 years of age and over (768.8), and at this age it was higher in the cities in the registration states (907.2) than in the cities in the nonregistration states (850.1), or the rural districts in the registration states (607.4).

The combined relations of age and race to the death rates from diseases of the urinary system and male organs of generation are indicated, for the registration area, in the following table, giving the death rates during the census year in each of five age groups, per 100,000 of population of corresponding ages, by color and birthplaces of mothers:

DEATH RATES BY AGE, COLOR, AND BIRTHPLACES OF MOTHERS.

COLOR AND BIRTHPLACES OF MOTHERS.	Under 5.	Under 15.	15 to 44.	45 to 64.	65 and over.
White.....	34.3	20.8	49.9	226.3	760.8
Colored.....	71.3	44.0	92.6	447.1	1,061.7
Mothers born in—					
United States.....	31.8	18.9	35.4	149.2	576.4
Ireland.....	29.6	20.1	87.2	347.3	813.1
Germany.....	27.2	18.8	45.6	225.8	768.8
England and Wales.....	33.7	18.3	49.8	198.7	711.2
Canada.....	30.6	16.8	28.6	134.9	540.1
Scandinavia.....	26.0	19.6	34.9	123.1	642.3
Scotland.....	12.3	15.5	42.8	182.2	721.1
Italy.....	67.4	41.4	34.3	152.6	744.1

DEATH RATES BY CONJUGAL CONDITION AND AGE.

CONJUGAL CONDITION.	AGE.							
	15 years and over.		15 to 44 years.		45 to 64 years.		65 years and over.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Single.....	73.7	48.8	45.1	31.1	383.3	204.1	1,231.1	585.7
Married.....	171.7	106.2	52.8	65.4	231.5	168.6	933.5	452.0
Widowed.....	665.1	300.6	123.7	100.7	440.4	250.2	1,263.8	506.6

The preceding table shows that in persons 15 to 44 years of age the death rates of the married from this class of diseases (males, 52.8; females, 65.4) were higher than those of the single (males, 45.1; females, 31.1). At 45 to 54 years of age they were higher in the single (males, 383.3; females, 204.1) than in the married (males, 231.5; females, 168.6), and in the age group 65 years and over, also higher in the single (males, 1,231.1;

DEATH RATES BY AGE, COLOR, AND BIRTHPLACES OF MOTHERS—Continued.

COLOR AND BIRTHPLACES OF MOTHERS.	Under 5.	Under 15.	15 to 44.	45 to 64.	65 and over.
Mothers born in—					
France.....			33.1	299.4	797.5
Hungary.....	45.9	20.4	31.8	193.3	842.7
Bohemia.....	9.3	13.2	49.0	156.1	555.3
Russia.....	46.0	23.7	42.7	321.3	1,091.0
Poland.....	30.4	14.7	12.3	53.9	243.2
Other foreign.....	39.4	20.4	30.7	216.5	800.2

This table shows that the death rates due to this class of diseases in white persons 45 to 64 years of age were highest in those whose mothers were born in Ireland (347.3), in Russia (321.3), and in France (299.4), and lowest in those whose mothers were born in Poland (53.9), in Scandinavia (123.1), and in Canada (134.9).

At 65 years of age and over they were highest in those whose mothers were born in Russia (1,091), in Hungary (842.7), and in Ireland (813.1), and lowest in those whose mothers were born in Poland (243.2), in Canada (540.1), and in Bohemia (555.3).

The following table shows the death rates from diseases of the urinary system and male organs of generation, per 100,000 of population in the registration area during the census year, by conjugal condition in relation to age:

females, 585.7) than in the married (males, 933.5; females, 452).

The following table shows, for the registration area, the proportions of deaths from diseases of the urinary system and male organs of generation, at each specified age, per 1,000 deaths at known ages from these diseases, in 1900 and 1890, by sex:

CAUSES OF DEATH.

ccxliii

NUMBER OF DEATHS AT EACH AGE PER 1,000 AT KNOWN AGES.

AGE.	1900		1890	
	Males.	Females.	Males.	Females.
Under 1 year.....	17.3	16.4	18.0	17.2
1 year.....	4.8	6.3	6.6	5.4
2 years.....	3.6	6.1	6.4	7.9
3 years.....	4.4	4.8	4.6	6.5
4 years.....	3.8	4.7	4.7	6.6
Under 5 years.....	33.9	38.3	40.3	43.5
5 to 9 years.....	14.0	17.1	15.3	22.6
10 to 14 years.....	8.8	14.2	8.7	13.1
15 to 19 years.....	12.2	20.6	16.4	22.8
20 to 24 years.....	22.8	42.5	26.4	49.6
25 to 29 years.....	33.9	53.4	41.8	70.7
30 to 34 years.....	39.9	57.4	48.9	67.5
35 to 39 years.....	51.0	71.7	58.6	73.1
40 to 44 years.....	61.5	71.1	62.8	80.1
45 to 49 years.....	67.2	76.9	76.2	80.8
50 to 54 years.....	85.3	80.5	81.4	87.3
55 to 59 years.....	92.5	87.5	80.1	78.8
60 to 64 years.....	103.1	95.7	99.8	86.9
65 to 69 years.....	107.8	88.2	106.7	80.1
70 to 74 years.....	103.2	81.8	96.3	60.2
75 to 79 years.....	85.3	55.7	77.2	44.3
80 to 84 years.....	50.5	29.1	40.2	24.4
85 to 89 years.....	22.0	14.0	19.1	9.9
90 to 94 years.....	4.0	3.0	2.9	3.2
95 years and over.....	1.1	1.3	0.9	1.1

The following table shows, for the registration states, the death rates from diseases of the urinary system and male organs of generation in each month of the census year, in the aggregate, and for the cities and rural districts:

DEATH RATES BY MONTHS.

MONTHS.	Total.	Cities.	Rural.
January.....	9.5	11.0	7.4
February.....	8.8	9.9	7.1
March.....	10.6	12.1	8.5
April.....	9.6	10.5	8.4
May.....	9.2	10.0	8.2
June.....	8.1	9.1	6.5
July.....	8.3	9.3	6.9
August.....	7.7	8.4	6.7
September.....	7.8	8.7	6.4
October.....	8.3	9.3	6.8
November.....	8.1	9.3	6.5
December.....	8.8	9.6	7.5

The preceding table shows that the highest death rates from diseases of the urinary system and male organs of generation, in both cities and rural districts of the registration states, occurred in March. In the cities the rate for these diseases was lowest in August, and in the rural districts in September.

The following table shows the comparative proportions of deaths from diseases of the urinary system and male organs of generation in each month during the census year, per 1,000 deaths in known months in the United States, as a whole, and in the registration states:

COMPARATIVE PROPORTIONS OF DEATHS IN EACH MONTH.

MONTHS.	United States.	Registration states.
January.....	90.0	90.8
February.....	85.5	83.5
March.....	99.3	101.4
April.....	97.2	92.1
May.....	94.8	88.2
June.....	71.6	76.8
July.....	76.6	79.6
August.....	72.7	73.5
September.....	72.2	74.0
October.....	78.5	78.9
November.....	77.4	77.7
December.....	84.2	83.5

BRIGHT'S DISEASE.

The total number of deaths reported as due to Bright's disease in the United States during the census year was 32,170, of which 18,997 were males and 13,173 were females, and the proportion of deaths from this disease, per 1,000 deaths from all known causes, was 32.2.

In the registration area the number of deaths reported as due to this disease was 22,276, of which 12,385 were males and 9,891 were females, giving a proportion of 43.9 deaths from this disease in 1,000 deaths from all known causes, and a death rate of 77.3 per 100,000 of population.

The following table shows, for the registration states, in the aggregate, and for the cities and rural districts, the death rates from Bright's disease in the census year, per 100,000 of population:

DEATH RATES IN CITIES AND RURAL DISTRICTS.

REGISTRATION STATES.	AGGREGATE.			MALES.			FEMALES.		
	Total.	Cities.	Rural.	Total.	Cities.	Rural.	Total.	Cities.	Rural.
Total.....	81.5	95.4	61.5	89.0	102.8	69.9	74.0	88.2	52.7
Connecticut.....	84.4	83.9	85.5	92.7	88.5	100.2	76.2	79.3	70.4
District of Columbia.....	98.7	98.7		121.2	121.2		78.4	78.4	
Maine.....	70.0	78.5	68.2	80.9	77.9	81.5	58.8	79.1	54.3
Massachusetts.....	62.6	60.6	68.7	69.2	65.6	80.2	56.3	55.9	57.3
Michigan.....	43.5	50.7	40.5	50.9	62.9	46.2	35.6	38.9	34.2
New Hampshire.....	56.6	48.5	61.7	58.4	45.8	65.9	54.8	50.9	57.5
New Jersey.....	81.4	91.4	68.1	90.0	99.3	78.2	72.7	83.8	58.0
New York.....	102.5	120.8	64.3	110.0	128.3	72.9	95.0	113.5	55.3
Rhode Is and.....	106.1	102.7	112.9	113.0	112.0	115.0	99.5	94.0	110.7
Vermont.....	61.1	62.2	60.9	66.2	53.3	68.2	55.8	70.6	53.3

The preceding table shows that the death rates from Bright's disease were highest in Rhode Island (106.1), New York (102.5), and the District of Columbia (98.7); and were lowest in Michigan (43.5), New Hampshire (56.6), and Vermont (61.1).

The following table shows, for the registration area and its subdivisions, the death rates from Bright's disease among the whites during the census year, per 100,000 of white population, by birthplaces of mothers:

DEATH RATES BY BIRTHPLACES OF MOTHERS.

BIRTHPLACES OF MOTHERS.	REGISTRATION RECORD.					
	Total.	Cities.	States.			Cities in other states.
			Total.	Cities.	Rural.	
United States.....	55.5	55.3	60.7	66.6	55.8	32.9
Ireland.....	134.8	147.6	140.6	157.1	82.5	88.7
Germany.....	86.8	93.0	97.8	111.1	57.0	60.9
England and Wales.....	85.1	90.5	89.5	98.9	71.8	64.6
Canada.....	35.1	39.1	35.3	39.8	29.5	32.3
Scandinavia.....	38.4	41.0	44.5	52.5	29.7	28.0
Scotland.....	87.5	95.2	88.6	98.9	67.1	81.3
Italy.....	36.6	40.0	34.7	38.1	17.3	56.5
France.....	117.8	134.5	107.0	128.0	56.2	146.7
Hungary and Bohemia.....	39.3	41.7	48.0	53.3	16.0	23.7
Russia and Poland.....	28.7	30.4	31.4	34.0	12.4	16.6
Other foreign.....	49.6	56.6	50.0	59.0	28.1	47.2

The preceding table shows that the death rates due to Bright's disease, in the registration area, were highest among those whose mothers were born in Ireland (134.8), in France (117.8), and in Scotland (87.5) and lowest among those whose mothers were born in Russia and Poland (28.7), in Canada (35.1), and in Italy (36.6). The death rate due to this disease among those whose mothers were born in the United States (55.5) was lower than the rate for those whose mothers were born in Germany (86.8) or in England and Wales (85.1).

The following table shows, for the registration area and its subdivisions, the death rates from Bright's disease during the census year in each of three age groups, per 100,000 population of corresponding ages, by sex:

DEATH RATES AT CERTAIN AGES.

REGISTRATION AREAS.	15 to 44.	45 to 64.	65 and over.
Total.....	42.2	195.7	544.9
Males.....	42.2	222.3	682.9
Females.....	42.1	168.7	421.7
Cities.....	47.0	232.8	643.6
Males.....	48.2	266.2	817.3
Females.....	45.8	199.3	502.1
States.....	43.8	192.2	529.5
Males.....	42.5	213.4	651.7
Females.....	45.1	170.9	418.2
Cities.....	55.1	265.2	706.3
Males.....	55.5	297.4	879.0
Females.....	54.7	234.3	571.9

DEATH RATES AT CERTAIN AGES—Continued.

REGISTRATION AREAS.	15 to 44.	45 to 64.	65 and over.
States—Continued.			
Rural.....	25.4	108.0	399.8
Males.....	22.2	121.1	507.3
Females.....	28.7	94.3	290.2
Cities in other states.....	39.7	202.1	581.3
Males.....	41.9	237.9	758.9
Females.....	37.6	164.7	429.7

The preceding table shows that the death rate from Bright's disease was highest in persons 65 years of age and over (544.9), and that at each age it was highest in the cities in the registration states, and lowest in the rural districts of the same states.

The combined relations of age and race to the death rates from Bright's disease are indicated for the registration area, in the following table, giving the death rates during the census year in each of three groups, per 100,000 population of corresponding ages, by color and birthplaces of mothers:

DEATH RATES BY AGE, COLOR, AND BIRTHPLACES OF MOTHERS.

COLOR AND BIRTHPLACES OF MOTHERS.	15 to 44.	45 to 64.	65 and over.
White.....	40.2	187.9	536.6
Colored.....	78.6	386.7	848.2
Mothers born in—			
United States.....	28.3	122.0	394.5
Ireland.....	76.8	305.2	618.7
Germany.....	37.9	200.4	591.0
England and Wales.....	38.7	164.2	495.3
Canada.....	22.6	104.7	384.0
Scandinavia.....	28.9	107.7	450.7
Scotland.....	34.7	155.9	522.4
Italy.....	26.8	130.4	599.4
France.....	25.7	253.7	635.1
Hungary.....	25.7	147.8	561.8
Bohemia.....	41.6	145.7	504.8
Russia.....	35.4	273.0	841.6
Poland.....	8.2	42.3	101.3
Other foreign.....	25.2	188.3	509.9

It will be seen from this table that the death rates from Bright's disease in white persons 45 to 64 years of age were highest in those whose mothers were born in Ireland (305.2), in Russia (273), and in France (253.7) and lowest in those whose mothers were born in Poland (42.3), in Canada (104.7), and in Scandinavia (107.7). In this age group the death rate from this disease in those whose mothers were born in the United States (122) was less than that of those whose mothers were born in Germany (200.4), in England and Wales (164.2), or in Scotland (155.9).

At 65 years of age and over, the death rates from this disease were highest in those whose mothers were born in Russia (841.6), in Ireland (618.7), and in France (635.1); and lowest in those whose mothers were born in Poland (101.3), in Canada (384), and in the United States (394.5).

The following table shows, for each grand group in the United States, the proportions of deaths from Bright's disease during the census year, per 1,000 deaths from known causes, in the aggregate, and by sex for the cities and rural districts:

NUMBER OF DEATHS PER 1,000 DEATHS FROM KNOWN CAUSES.

GRAND GROUP.	Total.	RURAL.		CITIES.	
		Males.	Fe- males.	Males.	Fe- males.
1. North Atlantic Coast region.....	40.0	52.0	38.9	38.7	36.5
2. Middle Atlantic Coast region.....	57.8	44.1	33.6	62.5	62.1
3. South Atlantic Coast region.....	27.6	13.6	7.9	72.8	63.7
4. Gulf Coast region.....	33.5	21.9	15.2	53.1	53.5
5. Northeastern hills and plateaus.....	40.1	43.5	35.3	42.7	39.6
6. Central Appalachian region.....	31.4	32.6	25.6	35.0	35.8
7. Region of the Great Northern lakes.....	33.8	32.9	26.9	37.4	33.3
8. Interior plateau.....	33.7	32.4	22.9	38.9	38.9
9. Southern Central Appalachian region.....	13.7	16.4	8.9	36.4	27.0
10. Ohio River belt.....	30.8	32.8	17.2	40.2	36.3
11. Southern Interior plateau.....	13.4	17.6	9.4		
12. South Mississippi River belt.....	14.8	12.8	6.7	47.1	23.0
13. North Mississippi River belt.....	33.4	29.3	15.6	49.5	40.3
14. Southwest Central region.....	12.9	16.2	7.9	31.8	34.4
15. Central region—plains and prairies.....	24.7	31.0	17.2	29.3	23.8
16. Prairie region.....	27.4	34.2	18.8	39.6	19.6
17. Missouri River belt.....	24.1	29.0	14.1	31.1	22.9
18. Region of the Western plains.....	20.5	22.8	11.3	32.8	25.4
19. Heavily timbered region of the North- west.....	31.1	35.2	23.3	46.1	23.7
20. Cordilleran region.....	25.3	27.0	18.2	33.2	38.9
21. Pacific Coast region.....	39.0	38.1	22.6	46.0	39.5

This table indicates that the proportions of deaths due to Bright's disease were greatest in the Middle Atlantic Coast region (57.8), the Northeastern hills and plateaus (40.1), and the North Atlantic Coast region (40) and least in the Southwest Central region (12.9), Southern Interior plateau (13.4), and the Southern Central Appalachian region (13.7).

DISEASES OF THE KIDNEY.

The deaths compiled under this title were mostly due to Bright's disease. In 1890 deaths from acute nephritis were compiled under diseases of the kidney, and in 1900 under Bright's disease, which makes it necessary that they be considered together in order to make comparisons with 1900. Deaths from Bright's disease in 1900 are treated separately.

The total number of deaths reported as due to diseases of the kidney in the United States during the census year was 36,724, of which 21,944 were males and 14,780 were females, and the proportion of deaths from these diseases in 1,000 deaths from all known causes was 36.8. In 1890 the corresponding proportion was 23.9.

In the registration area the number of deaths reported as due to these diseases was 24,124, of which 13,460 were males and 10,664 were females, giving a proportion of 47.5 deaths from diseases of the kidney in 1,000 deaths from all known causes, and a death rate of 83.8 per 100,000 of population. In 1890 the death rate was 59.7.

DISEASES OF THE FEMALE ORGANS OF GENERATION.

The total number of deaths reported as due to diseases of the female organs of generation in the United States during the census year was 3,253, and the proportion of deaths from this class of diseases in 1,000 deaths from all known causes among females was 6.9. In 1890 the corresponding proportion was 7.3.

In the registration area the number of deaths reported as due to these diseases was 1,812, giving a proportion of 7.6 deaths from these diseases in 1,000 deaths of females from all known causes, and a death rate of 12.6 per 100,000 of female population. In 1890 the death rate was 10.4.

The following table shows, for the registration states, in the aggregate, and for the cities and rural districts, the death rates from diseases of the female organs of generation in the census year, per 100,000 of female population, in comparison with 1890:

DEATH RATES IN CITIES AND RURAL DISTRICTS.

REGISTRATION STATES.	FEMALES.		
	Total.	Cities.	Rural.
Total.....	11.7	13.7	8.7
.....1890..	9.5	10.8	7.5
Connecticut.....	11.0	12.8	7.6
.....1890..	11.4	12.7	10.5
District of Columbia.....	26.6	26.6	
.....1890..	9.9	9.9	
Maine ¹	9.0	14.5	7.8
Massachusetts.....	9.7	10.7	6.2
.....1890..	9.4	9.9	7.6
Michigan ¹	14.0	17.8	12.3
New Hampshire.....	7.3	7.3	7.3
.....1890..	9.5	8.6	9.9
New Jersey.....	6.9	8.5	4.7
.....1890..	8.7	8.7	8.7
New York.....	12.8	14.8	8.6
.....1890..	9.5	11.5	6.3
Rhode Island.....	17.4	21.3	9.7
.....1890..	7.9	10.6	4.1
Vermont.....	10.1	8.3	10.4
.....1890..	8.6	20.3	7.4

¹ Nonregistration in 1890.

This table shows that there was a slight increase in the death rates due to diseases of the female organs of generation in the registration states over 1890. The highest death rates from these diseases were in the District of Columbia (26.6), Rhode Island (17.4), and Michigan (14), and the lowest in New Jersey (6.9), New Hampshire (7.3), and Maine (9). In Vermont the death rate from this class of diseases was highest in the rural districts (10.4), and in New Hampshire it was exactly the same in both cities and rural districts (7.3). In all other registration states the death rate from this class of diseases was much higher in the cities than in the rural districts.

The following table shows, for the registration area and its subdivisions, the death rates from diseases of

the female organs of generation among the whites during the census year, per 100,000 of white female population, by birthplaces of mothers:

DEATH RATES BY BIRTHPLACES OF MOTHERS.

BIRTHPLACES OF MOTHERS.	REGISTRATION RECORD.					
	Total.	Cities.	States.			Cities in other states.
			Total.	Cities.	Rural.	
United States.....	9.6	10.6	9.7	11.2	8.4	9.4
Ireland.....	11.2	11.6	11.2	11.7	9.2	11.1
Germany.....	12.3	13.1	13.0	14.3	8.7	10.9
England and Wales.....	9.7	11.0	8.8	10.0	6.3	14.0
Canada.....	9.3	11.6	9.1	11.4	5.9	13.0
Scandinavia.....	7.6	8.6	6.0	7.0	3.9	10.5
Scotland.....	10.9	10.9	12.7	13.6	10.8	
Italy.....	14.9	17.0	15.7	18.1		6.1
France.....	16.4	20.3	17.0	23.3		14.7
Hungary and Bohemia.....	9.0	8.7	9.2	8.7	13.1	8.7
Russia and Poland.....	8.2	9.0	7.7	8.5		10.9
Other foreign.....	10.0	10.6	9.5	10.0	8.2	13.2

The preceding table shows that the death rates due to these diseases in the registration area were highest among those whose mothers were born in France (16.4), in Italy (14.9), and in Germany (12.3), and lowest among those whose mothers were born in Scandinavia (7.6), in Russia and Poland (8.2), and in Hungary and Bohemia (9).

The following table shows, for the registration area and its subdivisions, the death rates from diseases of the female organs of generation during the census year in each of three age groups, per 100,000 of female population of corresponding ages, in comparison with 1890:

DEATH RATES AT CERTAIN AGES.

REGISTRATION AREAS.	15 TO 44.		45 TO 64.		65 AND OVER.	
	1900	1890	1900	1890	1900	1890
Total.....	17.0	12.4	19.5	20.4	17.6	19.4
Cities.....	19.0	13.7	20.5	23.4	18.3	21.1
States.....	15.1	10.8	19.8	18.5	17.8	17.8
Cities.....	18.3	12.5	22.1	22.8	19.4	19.1
Rural.....	9.6	7.8	17.0	13.0	16.5	16.8
Cities in other states.....	19.7	14.8	18.9	24.0	17.2	23.6

The preceding table shows that the death rate from diseases of the female organs of generation was about the same at 15 to 44 years (17) as at 65 years of age and over (17.6), and that it was highest in the age group 45 to 64 years (19.5). At 15 to 44 years the death rate from these diseases in the cities in the nonregistration states was higher than in the cities in the registration states, but above 45 years the death rate from these diseases was higher in the cities in the registration states. At each age it was lowest in the rural districts of the registration states.

In comparison with 1890 the figures show a decrease in the rate at each age above 45 years and an increase in the rate at 15 to 44.

The combined relations of age and race to the death rates from diseases of the female organs of generation are indicated, for the registration area, in the following table, giving the death rates during the census year in each of three age groups, per 100,000 of female population of corresponding ages, by color and birthplaces of mothers.

DEATH RATES BY AGE, COLOR, AND BIRTHPLACES OF MOTHERS.

COLOR AND BIRTHPLACES OF MOTHERS.	15 to 44.	45 to 64.	65 and over.
White.....	15.9	18.8	17.5
Colored.....	36.6	35.8	20.7
Mothers born in—			
United States.....	12.5	19.4	14.8
Ireland.....	13.2	12.4	17.8
Germany.....	15.2	18.1	16.5
England and Wales.....	9.6	17.5	18.5
Canada.....	14.2	14.6	
Scandinavia.....	9.3	22.7	21.5
Scotland.....	13.6	13.8	11.1
Italy.....	25.5	24.0	
France.....	11.0	27.2	64.1
Hungary.....	16.2		
Bohemia.....	14.2	20.9	
Russia.....	21.5		69.5
Poland.....	8.1	9.2	
Other foreign.....	16.0	7.4	15.2

The preceding table shows that the death rates due to this class of diseases in white females 15 to 44 years of age were highest in those whose mothers were born in Italy (25.5), in Russia (21.5), and in "Other foreign" countries (16), and lowest in those whose mothers were born in Poland (8.1), in England and Wales (9.6), and in Scandinavia (9.3).

The following table shows the death rates from diseases of the female organs of generation per 100,000 of female population in the registration area during the census year, by conjugal condition in relation to age:

DEATH RATES BY CONJUGAL CONDITION AND AGE.

CONJUGAL CONDITION.	AGE.			
	15 years and over.	15 to 44 years.	45 to 64 years.	65 years and over.
Single.....	9.8	8.5	28.9	14.6
Married.....	21.4	22.7	18.7	16.8
Widowed.....	19.9	30.2	15.9	18.1

The preceding table shows that in females 15 to 44 years of age the death rate of the married from diseases of the female organs of generation (22.7) was very much higher than that of the single (8.5). At 45 to 64 years the death rate of the single (28.9) was higher than that

of the married (18.7) or of the widowed (15.9). At 65 years of age and over, the death rate was highest in the widowed (18.1), and was higher in the married (16.8) than in the single (14.6).

The following table shows, for the registration area, the proportions of deaths from diseases of the female organs of generation at each specified age, per 1,000 deaths at known ages from these diseases, in 1900 and 1890:

NUMBER OF DEATHS AT EACH AGE PER 1,000 AT KNOWN AGES.

AGE.	1900	1890
	Females.	Females.
Under 5 years	6.5	2.0
5 to 9 years	0.6	1.0
10 to 14 years.....	5.0	3.9
15 to 19 years.....	37.6	33.3
20 to 24 years.....	104.0	79.4
25 to 29 years.....	142.7	134.3
30 to 34 years.....	141.0	111.8
35 to 39 years.....	132.2	143.1
40 to 44 years.....	135.0	116.7
45 to 49 years.....	101.2	107.8
50 to 54 years.....	61.9	75.5
55 to 59 years.....	36.0	53.9
60 to 64 years.....	31.0	52.0
65 to 69 years.....	26.0	36.3
70 to 74 years.....	17.7	17.6
75 to 79 years.....	12.7	14.7
80 to 84 years.....	6.1	12.8
85 to 89 years.....	1.1	3.9
90 to 94 years.....	1.1	
95 years and over.....	0.6	

The average age at death from diseases of the female organs of generation in the registration area in 1900 was 39.1 years. In 1890 it was 41.8 years.

AFFECTIONS CONNECTED WITH PREGNANCY.

The total number of deaths reported as due to affections connected with pregnancy in the United States during the census year was 9,699, and the proportion of deaths from these diseases in 1,000 deaths from all known causes among females was 20.7. In 1890 the corresponding proportion was 28.5.

In the registration area the number of deaths reported as due to these diseases was 3,772, giving a proportion

of 15.9 deaths from these diseases in 1,000 deaths of females from all known causes, and a death rate of 26.2 per 100,000 of female population. In 1890 the death rate was 30.5.

The following table shows, for the registration area and its subdivisions, the death rate from this class of diseases in the census years 1900 and 1890, by sex, color, general nativity, and parent nativity:

DEATH RATES BY COLOR AND NATIVITY.

AREAS.	Aggre- gate.	WHITE.					Col- ored.
		Total.	Native.			For- eign.	
			Total.	Both par- ents na- tive.	One or both par- ents for- eign.		
Registration area.1900..	26.2	25.6	20.3	19.1	21.5	43.4	37.2
1890..	30.5	29.8		20.9	26.9	47.2	45.4
Cities.....1900..	26.7	26.1	19.7	17.8	20.7	44.2	38.2
1890..	33.0	32.2		22.3	27.4	49.7	45.8
States.....1900..	26.3	26.3	20.0	18.9	21.1	45.3	28.6
1890..	28.0	27.8		19.5	27.1	43.7	38.6
Cities.....1900..	27.6	27.5	18.5	17.1	19.7	47.2	30.0
1890..	31.5	31.3		19.7	27.9	47.2	37.9
Rural.....1900..	24.5	24.5	21.8	20.3	24.7	39.4	24.3
1890..	22.5	22.2		19.3	24.9	31.7	40.4
Cities in other states...1900..	25.9	24.7	20.8	19.5	23.5	39.7	40.7
1890..	34.5	33.2		28.2	26.3	52.8	48.1

It will be seen from this table that there was comparatively little difference in the death rates from affections connected with pregnancy in the several registration areas, the highest being that in the cities in the registration states (27.6) and the lowest that in the rural districts of the same states (24.5). The death rate from these causes was higher among the colored (37.2) than among the white (25.6); higher for the native whites having one or both parents foreign (21.5) than for those of native parents (19.1); and more than twice as high for the foreign whites (43.4) as for the native whites (20.3).

In comparison with 1890 there was a decrease in the death rate due to affections connected with pregnancy in the cities and an increase in the rural districts.

The following table shows, for the registration states, in the aggregate, and for the cities and rural districts,

the death rates from affections connected with pregnancy in the census year, per 100,000 of female population, in comparison with 1890:

DEATH RATES IN CITIES AND RURAL DISTRICTS.

REGISTRATION STATES.	FEMALES.		
	Total.	Cities.	Rural.
Total	1900.. 26.3 1890.. 28.0	27.6 31.5	24.5 18.2
Connecticut	1900.. 25.3 1890.. 25.2	25.3 34.8	25.4 18.3
District of Columbia	1900.. 29.3 1890.. 37.3	29.3 37.3	
Maine ¹	1900.. 25.6	17.8	27.4
Massachusetts	1900.. 18.8 1890.. 24.7	19.6 23.9	16.2 27.2
Michigan ¹	1900.. 34.7	34.7	34.7
New Hampshire	1900.. 15.5 1890.. 21.6	7.3 17.1	21.0 23.6
New Jersey	1900.. 25.3 1890.. 28.6	27.5 35.3	22.3 19.6
New York	1900.. 27.1 1890.. 28.9	30.6 34.6	19.5 19.3
Rhode Island	1900.. 33.0 1890.. 31.6	36.4 28.8	26.3 35.5
Vermont	1900.. 27.9 1890.. 33.7	33.2 27.1	27.0 34.4

¹ Nonregistration in 1890.

This table shows that the death rates from affections connected with pregnancy in the registration states were highest in Rhode Island (33), Michigan (34.7), and the District of Columbia (29.3), and lowest in New Hampshire (15.5), Massachusetts (18.8), and Connecticut and New Jersey, in each of which it was 25.3.

The following table shows, for the registration area and its subdivisions, the death rates from affections connected with pregnancy among the whites during the census year, per 100,000 of white female population, by birthplaces of mothers:

DEATH RATES BY BIRTHPLACES OF MOTHERS.

BIRTHPLACES OF MOTHERS.	REGISTRATION RECORD.					
	Total.	Cities.	States.			Cities in other states.
			Total.	Cities.	Rural.	
United States	17.5	16.3	17.7	16.1	19.1	16.6
Ireland	29.7	31.8	30.5	33.3	20.3	22.8
Germany	32.3	31.1	34.4	33.1	38.4	27.4
England and Wales	30.2	30.2	29.8	29.7	30.0	31.9
Canada	26.6	21.5	26.4	20.4	34.4	31.2
Scandinavia	26.6	24.8	28.5	26.1	33.1	23.2
Scotland	20.3	20.9	18.6	18.5	18.9	30.8
Italy	60.8	65.5	61.9	67.3	25.9	49.1
France	14.3	10.2	17.0	11.6	31.5	7.4
Hungary and Bohemia	24.1	22.9	30.7	29.5	39.4	11.7
Russia and Poland	31.0	31.4	30.3	30.7	26.5	34.3
Other foreign	37.8	34.8	40.6	38.0	47.7	21.3

This table shows that the death rates due to affections connected with pregnancy in the registration area were

highest among those whose mothers were born in Italy (60.8), in "Other foreign" countries (37.8), and in Germany (32.3), and lowest among those whose mothers were born in France (14.3), in the United States (17.5), and in Scotland (20.3).

The following table shows, for the registration area and its subdivisions, the death rates from affections connected with pregnancy during the census year at 15 to 49 years of age, per 100,000 of female population of corresponding ages, in comparison with 1890:

DEATH RATES AT CERTAIN AGES.

REGISTRATION AREAS.	15 TO 49.	
	1900	1890
Total	46.3	53.6
Cities	46.0	56.7
States	47.5	49.7
Cities	47.7	53.8
Rural	47.2	42.5
Cities in other States	44.5	59.5

The preceding table shows that the death rate from affections connected with pregnancy in females 15 to 49 years of age was highest in the cities in the registration states (47.7) and lowest in the cities in the non-registration states (44.5).

In comparison with 1890 the figures show a decrease in the death rate due to these diseases amounting to about 15 per cent.

The combined relations of age and race to the death rates from affections connected with pregnancy are indicated, for the registration area, in the following table, giving the death rates during the census year at 15 to 49 years of age, per 100,000 of female population of corresponding ages, by color and birthplaces of mothers:

DEATH RATES BY AGE, COLOR, AND BIRTHPLACES OF MOTHERS.

COLOR AND BIRTHPLACES OF MOTHERS.	15 to 49.
White	45.7
Colored	57.4
Mothers born in—	
United States	34.7
Ireland	45.1
Germany	52.7
England and Wales	50.7
Canada	45.6
Scandinavia	45.7
Scotland	33.7
Italy	121.7
France	22.5
Hungary	52.6
Bohemia	30.6
Russia	66.2
Poland	54.7
Other foreign	65.3

The preceding table shows that the death rates due to affections connected with pregnancy in white females

15 to 49 years of age were highest in those whose mothers were born in Italy (121.7), in Russia (66.2), and in "other foreign" countries (65.3), and lowest in those whose mothers were born in France (22.5), in Bohemia (30.6), in Scotland (33.7), and in the United States (34.7).

The following table shows, for the registration area, the proportions of deaths from affections connected with pregnancy at each specified age, per 1,000 deaths at known ages from these diseases, in 1900 and 1890:

NUMBER OF DEATHS AT EACH AGE PER 1,000 AT KNOWN AGES.

AGE.	1900	1890
	Females.	Females.
Under 15 years	1.3	0.3
15 to 19 years	69.0	67.9
20 to 24 years	216.5	231.4
25 to 29 years	246.6	258.1
30 to 34 years	210.4	204.6
35 to 39 years	165.4	162.5
40 to 44 years	80.7	58.8
45 years and over.....	10.1	16.4

The average age at death from affections connected with pregnancy in the registration area in 1900 was 29.9 years. In 1890 it was 29.6 years.


The following table shows, for the registration states, the death rates from affections connected with pregnancy in each month of the census year, in the aggregate, and for the cities and rural districts:

DEATH RATES BY MONTHS.


MONTHS.	Total.	Cities.	Rural.
January	2.3	2.6	1.7
February	2.1	2.4	1.7
March	3.4	3.8	2.7
April	2.9	3.1	2.8
May	2.8	2.7	3.0
June.....	2.2	2.4	1.8
July	2.0	1.8	2.4
August	1.9	1.9	1.9
September.....	1.4	1.5	1.4
October	1.7	1.8	1.6
November.....	1.5	1.5	1.5
December	2.1	2.1	2.0

The death rates from affections connected with pregnancy in each month, in the cities and rural districts, and the relative differences in the rates in the two areas, are shown in the following diagram:

CITIES



RURAL



The following table shows the comparative proportions of deaths from affections connected with pregnancy in each month during the census year, per 1,000 deaths of females in known months, in the United States, as a whole, and the registration states:

COMPARATIVE PROPORTIONS OF DEATHS IN EACH MONTH.

MONTHS.	United States.	Registration states.
January	93.2	86.5
February	93.7	81.3
March	117.3	128.2
April	105.0	110.8
May	106.8	106.1
June	70.2	82.1
July	68.6	76.9
August	67.4	70.4
September	68.8	54.8
October	70.6	66.5
November	64.4	56.9
December	74.0	79.5

DISEASES OF THE BONES AND JOINTS.

The total number of deaths reported as due to diseases of the bones and joints in the United States during the census year was 3,021, of which 1,717 were males and 1,304 were females, and the proportion of deaths from this class of diseases in 1,000 deaths from all known causes was 3. In 1890 the corresponding proportion was 3.3.

In the registration area the number of deaths reported as due to this class of diseases was 1,050, of which 600 were males and 450 were females, giving a proportion of 2.1 deaths from these diseases in 1,000 deaths from all known causes, and a death rate of 3.6 per 100,000 of population. In 1890 the death rate was 4 per 100,000.

The following table shows, for the registration states, in the aggregate, and for the cities and rural districts, the death rates from diseases of the bones and joints in the census year, per 100,000 of population, in comparison with 1890:

DEATH RATES IN CITIES AND RURAL DISTRICTS.

REGISTRATION STATES.	AGGREGATE.			MALES.			FEMALES.		
	Total.	Cities.	Rural.	Total.	Cities.	Rural.	Total.	Cities.	Rural.
Total	1900.. 4.0	4.1	3.7	4.7	5.1	4.1	3.3	3.2	3.4
	1890.. 4.0	4.6	3.1	4.6	5.5	3.1	3.5	3.8	3.1
Connecticut	1900.. 4.4	3.9	5.3	5.3	6.1	3.7	3.5	1.7	7.0
	1890.. 4.0	4.2	3.9	3.3	2.6	3.7	4.8	5.7	4.1
District of Columbia	1900.. 6.1	6.1		6.1	6.1		6.1	6.1	
	1890.. 4.3	4.3		4.6	4.6		4.1	4.1	
Maine ¹	1900.. 4.3	5.1	4.2	5.1	3.5	5.4	3.5	6.5	2.8
Massachusetts	1900.. 4.1	4.2	3.7	5.4	5.5	5.1	2.8	2.9	2.4
	1890.. 4.8	4.8	4.8	6.0	6.4	4.6	3.7	3.4	4.9
Michigan ¹	1900.. 4.3	4.5	4.3	5.5	6.5	5.1	3.1	2.5	3.3
New Hampshire	1900.. 3.6	1.9	4.7	3.9	2.6	4.6	3.4	1.2	4.9
	1890.. 2.9	2.7	3.0	2.7	3.8	2.2	3.2	1.7	3.8
New Jersey	1900.. 3.3	3.1	3.6	3.9	4.1	3.7	2.7	2.0	3.5
	1890.. 3.4	4.4	2.1	4.6	6.2	2.5	2.2	2.7	1.6
New York	1900.. 3.7	4.2	2.8	4.2	4.7	3.2	3.3	3.7	2.4
	1890.. 3.8	4.8	2.2	4.1	5.4	2.2	3.4	4.1	2.2
Rhode Island	1900.. 5.4	5.3	5.5	4.3	5.1	2.7	6.4	5.5	8.3
	1890.. 4.1	5.0	2.8	4.8	6.3	2.8	3.4	3.8	2.7
Vermont	1900.. 4.7	6.4	4.4	3.4	13.3	2.0	5.9		6.9
	1890.. 7.8	3.5	8.2	7.7		8.4	8.0	6.8	8.1

¹ Nonregistration in 1890.

This table indicates that the death rates due to diseases of the bones and joints in the registration states were highest in the District of Columbia (6.1) and Rhode Island (5.4), and lowest in New Jersey (3.3) and New Hampshire (3.6).

The following table shows, for the registration area and its subdivisions, the death rates from diseases of the bones and joints among the whites during the census year, per 100,000 of white population, by birthplaces of mothers:

DEATH RATES BY BIRTHPLACES OF MOTHERS.

BIRTHPLACES OF MOTHERS.	REGISTRATION RECORD.					
	Total.	Cities.	States.			Cities in other states.
			Total.	Cities.	Rural.	
United States	3.4	3.3	3.7	3.8	3.6	2.2
Ireland	4.1	4.4	4.3	4.7	3.1	2.2

DEATH RATES BY BIRTHPLACES OF MOTHERS—Continued.

BIRTHPLACES OF MOTHERS.	REGISTRATION RECORD.					
	Total.	Cities.	States.			Cities in other states.
			Total.	Cities.	Rural.	
Germany	2.8	2.7	3.0	2.8	3.5	2.5
England and Wales	2.8	2.3	3.0	2.4	4.1	1.9
Canada	3.3	4.1	3.3	4.1	2.3	3.7
Scandinavia	4.1	4.7	4.2	5.5	1.8	3.9
Scotland	4.3	4.0	5.1	5.0	5.3	
Italy	3.9	4.1	4.2	4.5	2.9	
France	2.0	2.5	2.8	3.9		
Hungary and Bohemia	1.5	1.1	2.3	1.8	5.3	
Russia and Poland	2.8	2.6	3.1	2.9	4.2	1.5
Other foreign	2.8	2.6	2.9	2.7	3.6	2.3

This table shows that the death rates due to diseases of the bones and joints in the registration area were

CAUSES OF DEATH.

ccli

highest among those whose mothers were born in Scotland (4.3), in Scandinavia (4.1), and in Ireland (4.1), and lowest among those whose mothers were born in Hungary and Bohemia (1.5) and in France (2).

and its subdivisions, the death rates from diseases of the bones and joints during the census year in each of four age groups, per 100,000 population of corresponding ages, in comparison with 1890, by sex:

The following table shows, for the registration area

DEATH RATES AT CERTAIN AGES.

REGISTRATION AREAS.	UNDER 5.		5 TO 14.		15 TO 44.		45 AND OVER.	
	1900	1890	1900	1890	1900	1890	1900	1890
Total	5.4	6.6	3.3	4.9	2.6	2.8	6.0	5.0
Males.....	6.3	7.8	3.4	5.6	3.3	3.5	6.2	5.3
Females.....	4.5	5.3	3.1	4.2	1.9	2.0	5.7	4.6
Cities.....	5.4	6.9	3.6	5.8	2.6	3.0	5.8	5.1
Males.....	6.1	8.4	3.8	6.8	3.3	3.8	6.3	6.0
Females.....	4.7	5.3	3.4	4.8	1.8	2.2	5.3	4.2
States.....	6.2	6.2	3.4	5.4	2.8	2.7	6.1	5.0
Males.....	7.5	7.0	3.8	5.7	3.6	3.4	6.5	4.9
Females.....	4.9	5.4	3.1	5.1	2.0	1.9	5.8	5.0
Cities.....	6.7	6.6	4.3	7.7	3.0	3.0	5.9	5.2
Males.....	7.8	7.9	5.0	8.5	3.9	4.0	7.0	5.8
Females.....	5.7	5.2	3.5	6.9	2.1	2.1	5.0	4.7
Rural.....	5.5	5.6	2.2	2.0	2.6	2.0	6.3	4.7
Males.....	7.1	5.6	2.0	1.8	3.3	2.5	6.0	4.0
Females.....	3.8	5.7	2.4	2.3	1.9	1.6	6.6	5.3
Cities in other states	4.2	7.1	3.0	4.2	2.2	2.9	5.7	5.0
Males.....	4.5	8.9	2.7	5.4	2.8	3.7	5.7	6.1
Females.....	3.9	5.3	3.2	3.0	1.6	2.2	5.7	3.7

This table shows that the death rate due to diseases of the bones and joints was highest at 45 years of age and over, and that at this age it was higher in the rural districts of the registration states (6.3) than in the cities of the same states (5.9) or in the cities in the nonregistration states (5.7). It was higher in males than in females at each age.

The following table shows, for the registration area, the proportions of deaths from diseases of the bones and joints at each age, per 1,000 at known ages from this class of diseases, in 1900 and 1890, by sex:

NUMBER OF DEATHS AT EACH AGE PER 1,000 AT KNOWN AGES.

AGE.	1900		1890	
	Males.	Females.	Males.	Females.
Under 1 year.....	66.7	77.8	65.4	68.3
1 year.....	23.3	31.1	24.0	31.1
2 years.....	10.0	13.3	30.5	40.4
3 years.....	30.0	17.8	26.1	12.4
4 years.....	26.7	6.7	26.1	12.4
Under 5 years.....	156.7	146.7	172.1	164.6
5 to 9 years.....	75.0	113.3	132.9	136.6


NUMBER OF DEATHS AT EACH AGE PER 1,000 AT KNOWN AGES—Continued.

AGE.	1900		1890	
	Males.	Females.	Males.	Females.
10 to 14 years.....	78.3	77.8	95.9	108.7
15 to 19 years.....	93.3	55.6	76.2	62.1
20 to 24 years.....	81.7	60.0	74.1	43.5
25 to 29 years.....	50.0	35.5	80.6	59.0
30 to 34 years.....	55.0	55.6	50.1	65.2
35 to 39 years.....	56.7	46.7	63.2	55.9
40 to 44 years.....	66.7	51.1	41.4	34.2
45 to 49 years.....	53.3	46.7	39.2	40.4
50 to 54 years.....	53.3	51.1	37.0	55.9
55 to 59 years.....	36.7	51.1	37.0	21.7
60 to 64 years.....	31.6	44.4	28.3	34.2
65 to 69 years.....	43.3	44.4	24.0	43.5
70 to 74 years.....	30.0	64.4	21.8	40.4
75 to 79 years.....	26.7	17.8	15.3	18.6
80 to 84 years.....	5.0	26.7	6.5	9.3
85 to 89 years.....	5.0	6.7	4.4	6.2
90 to 94 years.....	1.7	4.4		
95 years and over				

The average age at death from diseases of the bones and joints in the registration area in 1900 was 32.3

years. In 1890 it was 27.5 years. For those dying at 15 years of age and over, the average age was 44.7 years in 1900 and 41.8 years in 1890.

The comparative proportions of deaths at each age in the registration area in 1890 and 1900 are shown in the following diagram:



ACCIDENTS AND INJURIES.

The total number of deaths reported as due to accidents and injuries in the United States during the census year was 57,513, of which 43,414 were males and 14,099 were females, and the proportion of deaths from these causes in 1,000 deaths from all known causes was 57.6. In 1890 the corresponding proportion was 53.7.

In the registration area the number of deaths reported

as due to this class of causes was 27,649, of which 21,067 were males and 6,582 were females, giving a proportion of 54.5 deaths from these causes in 1,000 deaths from all known causes and a death rate of 96 per 100,000 of population. In 1890 the death rate was 91.9.

The following table shows, for the registration states, in the aggregate, and for the cities and rural districts, the death rates from accidents and injuries in the census year per 100,000 of population in comparison with 1890:

DEATH RATES IN CITIES AND RURAL DISTRICTS.

REGISTRATION STATES.	AGGREGATE.			MALES.			FEMALES.		
	Total.	Cities.	Rural.	Total.	Cities.	Rural.	Total.	Cities.	Rural.
Total 1900	83.7	84.2	83.0	125.4	127.2	122.9	42.2	42.8	41.4
.....1890	85.0	91.5	75.0	130.1	142.2	112.2	40.8	43.2	37.0
Connecticut 1900	95.8	90.8	104.9	134.7	129.5	144.2	56.8	52.6	64.6
.....1890	88.6	97.3	82.4	138.6	146.4	133.0	39.6	50.0	32.0
District of Columbia.....1900	92.9	92.9		135.6	135.6		54.5	54.5	
.....1890	94.2	94.2		153.3	153.3		40.6	40.6	
Maine ¹ 1900	80.6	114.0	73.8	112.3	170.0	101.2	48.3	62.9	45.1
Massachusetts 1900	74.8	73.0	80.7	111.9	109.6	118.8	39.6	38.5	43.1
.....1890	80.2	79.0	84.0	121.9	120.6	126.2	40.7	40.2	42.6
Michigan ¹ 1900	85.9	95.1	82.0	129.4	146.9	122.6	39.5	44.7	37.2
New Hampshire.....1900	73.9	66.1	78.8	109.1	107.5	110.0	38.8	27.8	46.1
.....1890	78.1	76.0	78.9	115.2	124.7	111.6	41.6	32.5	45.6
New Jersey 1900	91.3	97.3	83.4	139.2	145.2	131.5	43.4	50.2	34.5
.....1890	92.5	102.5	79.4	151.8	170.8	127.4	33.4	35.5	30.6
New York 1900	83.9	83.5	84.7	127.1	127.3	126.7	41.3	41.1	41.6
.....1890	85.5	95.7	69.1	128.7	145.7	102.0	43.0	47.7	35.2
Rhode Island 1900	80.3	79.1	82.6	120.6	120.8	120.5	41.3	39.8	44.3
.....1890	81.6	80.5	83.2	127.4	129.3	124.7	38.3	35.5	42.3
Vermont 1900	76.8	77.2	76.7	111.3	110.9	111.4	40.9	45.7	40.2
.....1890	75.5	88.4	74.3	106.9	155.0	102.7	42.9	27.1	44.5

¹ Nonregistration in 1890.

This table shows that the death rates due to accidents and injuries in the registration states were highest in Connecticut (95.8), District of Columbia (92.9), and New Jersey (91.3); and lowest in Massachusetts (74.8) and in New Hampshire (73.9). In the cities in the regis-

tration states the death rate from accidents and injuries was highest in Maine (114) and lowest in New Hampshire (66.1). In the rural districts of these states the rate due to these causes was highest in Connecticut (104.9) and lowest in Maine (73.8). In both cities and

CAUSES OF DEATH.

celiii

rural districts the death rate from this class of causes was about three times as high among males as it was among females.

The following table shows, for the registration area and its subdivisions, the death rates from accidents and injuries among the whites during the census year, per 100,000 of white population, by birthplaces of mothers:

DEATH RATES BY BIRTHPLACES OF MOTHERS.

BIRTHPLACES OF MOTHERS.	REGISTRATION RECORD.					
	Total.	Cities.	States.			Cities in other states.
			Total.	Cities.	Rural.	
United States.....	62.7	62.0	60.0	55.7	63.5	74.8
Ireland.....	99.9	99.4	95.2	93.3	101.7	137.3
Germany.....	84.5	83.3	81.7	78.8	90.4	91.3
England and Wales.....	77.2	78.5	71.0	69.3	74.1	106.8
Canada.....	71.5	71.0	69.8	67.9	72.3	98.2
Scandinavia.....	79.1	75.7	84.4	80.8	91.0	70.0
Scotland.....	82.8	88.3	77.2	81.3	68.4	114.8
Italy.....	119.5	114.1	106.1	97.6	149.7	258.0
France.....	78.9	79.9	76.8	77.6	75.0	84.4
Hungary and Bohemia.....	77.2	74.3	55.5	47.0	106.3	117.0
Russia and Poland.....	75.9	74.8	62.2	59.1	85.8	136.3
Other foreign.....	107.4	104.1	95.3	86.2	117.3	173.8

This table shows that the death rates due to accidents and injuries in the registration area were highest among those whose mothers were born in Italy (119.5), in "Other foreign" countries (107.4), and in Ireland (99.9) and lowest among those whose mothers were born in Canada (71.5) and in the United States (62.7).

The following table shows, for the registration area and its subdivisions, the death rates from accidents and injuries during the census year in each of three age groups, per 100,000 of population of corresponding ages, in comparison with 1890, by sex:

DEATH RATES AT CERTAIN AGES.

REGISTRATION AREAS.	UNDER 15.		15 TO 44.		45 AND OVER.	
	1900	1890	1900	1890	1900	1890
Total.....	67.0	67.4	89.8	82.8	150.5	146.7
Males.....	85.4	88.3	148.7	137.7	223.8	221.6
Females.....	48.6	46.3	31.1	28.3	78.0	74.3
Cities.....	70.2	72.1	94.3	89.1	163.8	159.2
Males.....	89.5	94.5	156.6	147.7	250.7	246.6
Females.....	50.9	49.6	33.3	31.3	80.1	75.6
States.....	63.7	65.3	73.4	72.3	131.2	135.5
Males.....	80.6	85.9	122.3	122.3	187.8	200.4
Females.....	46.7	44.4	24.9	23.9	75.8	74.0
Cities.....	68.2	74.1	73.1	79.4	139.7	149.6
Males.....	86.1	97.7	122.4	134.5	206.7	230.1
Females.....	50.3	50.4	25.9	27.6	77.9	76.1
Rural.....	57.2	51.6	73.9	59.8	122.6	120.3
Males.....	72.7	67.7	122.1	101.9	169.5	169.4
Females.....	41.3	34.9	23.1	17.1	73.5	71.6
Cities in other states.....	72.0	70.4	113.4	97.9	186.9	169.4
Males.....	92.6	91.7	186.6	159.3	291.0	263.1
Females.....	51.5	48.9	40.0	34.8	82.4	75.0

This table shows that the death rate due to accidents and injuries was highest in persons 45 years of age and over, and that at this age it was higher in the cities in the nonregistration states (186.9) than in the cities in the registration states (139.7). It was lowest in the rural districts of the registration states (122.6).

In comparison with 1890 the figures show that the death rate from these causes was less among those under 15 years of age and greater for those 15 years of age and over.

The following table shows, for the registration area, the proportions of deaths from accidents and injuries, excluding suicides, at each specified age, per 1,000 deaths at known ages from these causes, in 1900 and 1890, by sex:

NUMBER OF DEATHS AT EACH AGE PER 1,000 AT KNOWN AGES.

AGE.	1900		1890	
	Males.	Females.	Males.	Females.
Under 1 year.....	46.6	115.7	59.1	145.4
1 year.....	12.8	35.6	15.2	32.7
2 years.....	15.8	32.8	15.2	30.3
3 years.....	14.4	35.9	11.5	28.5
4 years.....	11.2	28.5	9.6	21.2
Under 5 years.....	100.8	248.5	110.6	258.1
5 to 9 years.....	48.4	73.0	48.7	55.3
10 to 14 years.....	49.1	32.1	52.6	40.8
15 to 19 years.....	65.9	37.3	68.7	37.0
20 to 24 years.....	93.1	53.0	99.9	56.4
25 to 29 years.....	102.5	54.4	103.5	58.8
30 to 34 years.....	95.1	56.1	90.3	53.7
35 to 39 years.....	98.8	57.8	82.5	55.3
40 to 44 years.....	73.6	44.1	70.3	45.9
45 to 49 years.....	63.5	40.8	62.6	47.0
50 to 54 years.....	50.8	38.0	53.4	39.4
55 to 59 years.....	40.8	34.2	44.4	30.6
60 to 64 years.....	37.5	38.6	35.9	39.4
65 to 69 years.....	28.3	41.9	27.9	40.0
70 to 74 years.....	20.5	40.1	19.3	37.8
75 to 79 years.....	15.4	40.8	14.3	34.3
80 to 84 years.....	9.6	33.4	9.5	33.0
85 to 89 years.....	4.4	23.8	4.0	24.4
90 to 94 years.....	1.6	9.0	1.0	8.0
95 years and over.....	0.3	3.1	0.6	4.8

The average age at death from accidents and injuries, exclusive of suicides, in the registration area in 1900 was 33.5 years. In 1890 it was 32.9 years. For those dying at 15 years of age and over the average age was 42.3 years in 1900 and 42 years in 1890.

The following table shows, for each grand group in the United States, the proportions of deaths from accidents and injuries during the census year, per 1,000 deaths from known causes, in the aggregate, and by sex for the cities and rural districts:

NUMBER OF DEATHS PER 1,000 DEATHS FROM KNOWN CAUSES.

GRAND GROUP.	Total.	RURAL.		CITIES.	
		Males.	Fe-males.	Males.	Fe-males.
1. North Atlantic Coast region.....	43.9	64.1	26.3	62.0	23.5
2. Middle Atlantic Coast region.....	46.0	76.9	28.9	61.5	24.0
3. South Atlantic Coast region.....	60.7	84.6	42.2	77.6	28.5
4. Gulf Coast region.....	62.0	96.6	38.2	74.8	24.8

VITAL STATISTICS.

NUMBER OF DEATHS PER 1,000 DEATHS FROM KNOWN CAUSES—
Continued.

GRAND GROUP.	Total.	RURAL.		CITIES.	
		Males.	Fe- males.	Males.	Fe- males.
5. Northeastern hills and plateaus.....	48.4	70.1	29.1	63.7	26.6
6. Central Appalachian region	71.4	107.6	27.2	108.8	28.2
7. Region of the Great Northern lakes....	64.0	93.1	30.5	92.0	29.7
8. Interior plateau.....	55.5	79.6	32.8	77.1	28.0
9. Southern Central Appalachian region..	55.6	82.7	28.8	72.9	19.8
10. Ohio River belt	53.6	70.9	28.0	83.1	28.8
11. Southern Interior plateau.....	61.3	80.2	43.1		
12. South Mississippi River belt.....	57.2	79.8	33.3	75.9	29.2
13. North Mississippi River belt.....	61.2	83.0	31.4	86.7	33.5
14. Southwest Central region	49.0	66.0	29.7	81.7	27.1
15. Central region—plains and prairies....	53.3	75.7	25.9	90.8	31.1
16. Prairie region	62.2	85.9	31.6	114.4	33.3
17. Missouri River belt	66.5	83.7	33.2	102.1	46.2
18. Region of the Western plains	71.9	98.2	34.6	100.6	45.5
19. Heavily timbered region of the North- west.....	69.7	103.8	29.6	94.9	38.1
20. Cordilleran region	108.3	151.0	40.1	146.6	37.0
21. Pacific Coast region	82.9	126.8	40.1	100.1	36.2

This table indicates that the proportions of deaths due to accidents and injuries were greatest in the Cordilleran region (108.3), the Pacific Coast region (82.9), and the region of the Western plains (71.9), and least



in the North Atlantic Coast region (43.9), Middle Atlantic Coast region (46), and the Northeastern hills and plateaus (48.4).

The following table shows, for the registration states, the death rates from accidents and injuries, exclusive of suicide, in each month of the census year, in the aggregate, and for the cities and rural districts:

DEATH RATES BY MONTHS.

MONTHS.	Total.	Cities.	Rural.
January	5.3	5.3	5.4
February	5.3	5.3	5.3
March	5.4	5.2	5.7
April	5.6	5.6	5.6
May	6.2	6.4	5.8
June.....	7.4	7.9	6.6
July	7.6	7.5	7.6
August	7.3	7.0	7.8
September....	6.4	6.5	6.3
October	5.8	5.6	6.1
November	5.8	5.6	6.2
December	5.6	5.7	5.4

The death rates from accidents and injuries, excluding suicide, in each month in the cities and the rural districts, and the relative differences in the rates in the two areas, are shown in the following diagram:



CAUSES OF DEATH.

cciv

The following table shows the comparative proportions of deaths from accidents and injuries, exclusive of suicide, in each month during the census year, per 1,000 deaths in known months, in the United States, as a whole, and in the registration states:

COMPARATIVE PROPORTIONS OF DEATHS IN EACH MONTH.

MONTHS.	United States.	Registration states.
January	82.3	72.2
February.....	79.6	72.3
March.....	82.2	73.9
April.....	80.5	75.9
May.....	99.3	83.9
June.....	79.9	99.7
July.....	88.0	102.4
August.....	88.3	99.3
September.....	78.6	87.3
October.....	79.1	78.4
November.....	77.1	78.9
December.....	85.1	75.8

SUICIDE.

The deaths from suicide are treated collectively under this title. In the general tables showing the relation of sex and age to causes of death, these details are stated separately for deaths from suicide by drowning, poison, and shooting, and for suicide by all other means. The number of deaths was as follows:

SUICIDE BY—	UNITED STATES.		REGISTRATION AREA.	
	Males.	Females.	Males.	Females.
Drowning	157	84	112	52
Poison.....	761	464	551	364
Shooting	1,190	103	764	53
Other means	2,205	534	1,203	301

The total number of deaths reported as due to suicide in the United States during the census year was 5,498, of which 4,313 were males and 1,185 were females, and the proportion of deaths from this cause in 1,000 deaths from all known causes was 5.5. In 1890 the corresponding proportion was 4.5.

In the registration area the number of deaths reported as due to this cause was 3,400, of which 2,630 were males and 770 were females, giving a proportion of 6.7 deaths from this cause in 1,000 deaths from all known causes and a death rate of 11.8 per 100,000 of population. In 1890 the death rate was 10.3.

In England and Wales the death rate from suicide for the year 1899 was 9 per 100,000 of population (males, 13.7; females, 4.4).

The following table shows, for the registration states, in the aggregate, and for the cities and rural districts, the death rates from suicide in the census year, per 100,000 of population, in comparison with 1890:

DEATH RATES IN CITIES AND RURAL DISTRICTS.

REGISTRATION STATES.	AGGREGATE.			MALES.			FEMALES.		
	Total.	Cities.	Rural.	Total.	Cities.	Rural.	Total.	Cities.	Rural.
Total.....1900..	9.9	10.5	9.0	15.1	16.1	13.7	4.8	5.1	4.2
.....1890..	8.8	9.3	8.0	13.8	14.9	12.3	3.9	4.0	3.7
Connecticut.....1900..	10.5	9.9	11.5	14.9	14.0	16.7	5.9	5.7	6.3
.....1890..	6.7	7.1	6.4	10.8	11.2	10.6	2.7	3.2	2.3
District of Columbia.....1900..	10.1	10.1		11.4	11.4		8.9	8.9	
.....1890..	9.1	9.1		18.3	18.3		0.8	0.8	
Maine ¹ 1900..	10.8	10.9	10.8	16.0	21.3	14.9	5.5	1.6	6.4
Massachusetts.....1900..	9.3	9.1	10.2	15.0	14.3	16.8	4.1	4.1	3.9
.....1890..	8.4	8.0	9.5	12.9	12.3	14.7	4.1	4.0	4.5
Michigan ¹ 1900..	8.7	10.4	8.0	12.6	14.5	12.0	4.6	6.4	3.7
New Hampshire.....1900..	10.0	8.8	10.7	16.6	15.7	17.1	3.4	2.4	4.1
.....1890..	9.8	6.3	11.3	13.9	9.6	15.6	5.8	3.4	6.8
New Jersey.....1900..	9.1	10.2	7.8	14.8	16.5	12.6	3.4	3.8	2.9
.....1890..	8.1	7.8	8.5	12.9	11.6	14.6	3.3	4.1	2.3
New York.....1900..	10.6	11.4	8.7	16.1	17.4	13.1	5.2	5.7	4.3
.....1890..	9.5	10.7	7.6	15.0	17.2	11.5	4.2	4.5	3.6
Rhode Island.....1900..	9.1	9.6	8.3	13.3	13.8	12.4	5.1	5.5	4.2
.....1890..	8.1	7.0	9.6	13.7	13.6	13.9	2.8	1.0	5.5
Vermont.....1900..	9.9	10.8	9.8	17.2	22.2	16.4	2.4		2.8
.....1890..	8.1	10.6	7.9	12.4	22.2	11.6	3.7		4.0

¹ Nonregistration in 1890.

This table shows that the death rates due to suicide in the registration states were highest in Maine (10.8), New York (10.6), and Connecticut (10.5), and lowest in Michigan (8.7), and New Jersey and Rhode Island, in each of which it was 9.1. In both cities and rural

districts in all of these states, except the District of Columbia, the death rate of males from suicide was about three times as high as that of females.

The following table shows, for the registration area and its subdivisions, the death rates from suicide among

the whites during the census year, per 100,000 of white population, by birthplaces of mothers:

DEATH RATES BY BIRTHPLACES OF MOTHERS.

BIRTHPLACES OF MOTHERS.	REGISTRATION RECORD.					
	Total.	Cities.	States.			Cities in other states.
			Total	Cities.	Rural.	
United States.....	6.8	6.1	7.0	6.2	7.5	5.9
Ireland.....	6.1	6.2	6.2	6.2	5.9	5.8
Germany.....	19.3	20.2	19.9	21.3	15.3	18.2
England and Wales.....	10.4	11.8	10.1	11.8	6.8	11.9
Canada.....	6.5	6.5	6.1	5.8	6.4	12.5
Scandinavia.....	10.7	11.0	11.2	11.9	9.9	10.1
Scotland.....	11.6	12.9	11.5	13.2	7.9	12.0
Italy.....	5.1	4.6	4.2	3.4	8.6	14.8
France.....	22.0	22.8	20.5	21.3	18.8	25.7
Hungary and Bohemia.....	11.8	13.1	11.4	13.3		12.5
Russia and Poland.....	5.8	6.0	5.8	6.3	2.8	5.0
Other foreign.....	15.1	15.1	15.3	15.4	15.1	13.8

The preceding table shows that the death rates due to suicide in the registration area were highest among those whose mothers were born in France (22), in Germany (19.3), and in "Other foreign" countries (15.1), and lowest among those whose mothers were born in Italy (5.1), in Russia and Poland (5.8), and in Ireland (6.1). The death rate from suicide among those whose mothers were born in the United States (6.8) was lower than among those whose mothers were born in England and Wales (10.4), in Scandinavia (10.7), or in Scotland (11.6).

The following table shows for the registration area and its subdivisions, the death rates from suicide during the census year in each of three age groups, per 100,000 population of corresponding ages, in comparison with 1890, by sex:

DEATH RATES AT CERTAIN AGES.

REGISTRATION AREAS.	15 TO 44.		45 TO 64.		65 AND OVER.	
	1900	1890	1900	1890	1900	1890
Total.....	12.8	10.4	25.2	24.5	30.0	27.3
Males.....	18.2	15.1	43.1	41.4	53.5	49.2
Females.....	7.4	5.8	7.0	7.8	9.0	7.8
Cities.....	14.3	11.6	28.3	27.7	31.2	30.8
Males.....	20.4	16.8	49.6	47.8	58.5	58.5
Females.....	8.3	6.4	6.9	7.7	8.9	8.2
States.....	10.3	8.4	21.0	20.3	26.8	22.4
Males.....	14.5	12.6	34.7	33.3	46.5	39.6
Females.....	6.1	4.3	7.3	7.8	8.8	6.8
Cities.....	11.8	9.6	23.5	23.1	24.7	22.1
Males.....	16.7	14.7	40.5	39.3	45.6	42.5
Females.....	7.1	4.8	7.2	7.7	8.5	6.1

DEATH RATES AT CERTAIN AGES—Continued.

REGISTRATION AREAS.	15 TO 44.		45 TO 64.		65 AND OVER.	
	1900	1890	1900	1890	1900	1890
Rural.....	7.8	6.2	18.1	16.9	28.3	22.9
Males.....	10.9	9.1	28.3	25.9	47.1	37.8
Females.....	4.5	3.3	7.4	8.0	9.1	7.7
Cities in other states.....	16.5	13.4	32.8	32.4	37.6	40.7
Males.....	23.6	18.7	57.8	56.1	70.7	76.0
Females.....	9.4	8.0	6.6	7.7	9.3	10.6

It will be seen from this table that the death rate due to suicide was highest in persons 65 years of age and over, and that in this age group it was highest in the cities in the nonregistration states (37.6) and lowest in the cities in the registration states (24.7). In the rural districts of the registration states it was 28.3. For the age groups below 65 years of age, the highest death rates from suicide also occurred in the cities in the nonregistration states and the lowest in the rural districts of the registration states.

In comparison with 1890, the figures show a slight increase in the death rates due to this cause.

The combined relations of age and race to the death rates from suicide are indicated, for the registration area, in the following table, giving the death rates during the census year in each of 3 age groups, per 100,000 of population of corresponding ages, by color and birthplaces of mothers:

DEATH RATES BY AGE, COLOR, AND BIRTHPLACES OF MOTHERS.

COLOR AND BIRTHPLACES OF MOTHERS.	15 to 44.	45 to 64.	65 and over.
White.....	13.0	26.1	30.6
Colored.....	8.6	4.1	5.9
Mothers born in—			
United States.....	7.2	16.7	16.5
Ireland.....	6.7	7.3	14.2
Germany.....	16.6	41.5	60.5
England and Wales.....	9.9	18.8	21.8
Canada.....	7.6	18.0	12.5
Scandinavia.....	9.4	42.3	67.6
Scotland.....	10.2	23.0	17.0
Italy.....	8.7	6.6	
France.....	16.5	33.3	73.8
Hungary.....	12.1		
Bohemia.....	19.6	62.4	50.5
Russia.....	14.2	17.3	62.3
Poland.....	2.3	11.5	
Other foreign.....	17.1	43.9	28.3

The preceding table shows that the death rates from suicide in white persons 45 to 64 years of age were highest for those whose mothers were born in Bohemia (62.4), in "Other foreign" countries (43.9), and in Scandinavia (42.3). At 65 years of age and over the rates were highest in those whose mothers were born in France (73.8), in Scandinavia (67.6), and in Russia

(62.3). There were no deaths from suicide at this age among white persons whose mothers were born in Italy, Hungary, or Poland.

The following table shows the death rates from suicide in the registration area during the census year, by conjugal condition in relation to age:

DEATH RATES BY CONJUGAL CONDITION AND AGE.

CONJUGAL CON- DITION.	AGE.							
	15 years and over.		15 to 44 years.		45 to 64 years.		65 years and over.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Single	18.0	7.2	15.2	7.0	56.0	10.7	77.3	12.5
Married	25.2	7.1	18.2	7.4	35.5	6.2	40.8	7.7
Widowed	64.3	7.8	51.5	7.8	67.6	6.9	68.5	9.1

The preceding table shows that in persons 15 years of age and over the death rate of married males from suicide (25.2) was higher than that of single males (18), but that it was higher for single females (7.2) than for married females (7.1). At 15 to 44 years of age the rates were higher in the married (males, 18.2; females, 7.4) than in the single (males, 15.2; females, 7). At 45 to 64 years they were higher in the single (males, 56; females, 10.7) than in the married (males, 35.5; females, 6.2), and in females of these ages the rate was higher for the single (10.7) than for the widowed (6.9).

At 65 years of age and over the rate was very much higher in the single (males, 77.3; females, 12.5) than in the married (males, 40.8; females, 7.7), and in females of these ages the rate was also higher in the single (12.5) than in the widowed (9.1).


The following table shows, for the registration area, the proportions of deaths from suicide at each specified age, per 1,000 deaths at known ages from this cause, in 1900 and 1890, by sex:

NUMBER OF DEATHS AT EACH AGE PER 1,000 AT KNOWN AGES.

AGE.	1900		1890	
	Males.	Females.	Males.	Females.
Under 15 years	1.2	7.8	3.2	2.3
15 to 19 years	18.8	100.5	23.7	92.8
20 to 24 years	68.8	158.0	69.2	158.4
25 to 29 years	92.6	135.8	92.9	144.8
30 to 34 years	103.4	109.7	99.4	99.5
35 to 39 years	114.2	124.0	103.9	83.7
40 to 44 years	117.3	90.1	100.0	83.7
45 to 49 years	113.4	75.7	119.9	81.4
50 to 54 years	105.7	50.9	110.3	83.7
55 to 59 years	79.2	40.5	82.7	49.8
60 to 64 years	62.3	28.7	68.6	40.7
65 to 69 years	50.4	27.4	53.8	24.9
70 to 74 years	35.8	23.5	41.0	13.6
75 to 79 years	25.0	14.4	20.5	27.1
80 to 84 years	9.2	7.8	8.3	6.8
85 to 89 years	1.9	3.9	2.6	6.8
90 years and over	0.8	1.3		

The average age at death from suicide in the registration area in 1900 was 43.6 years. In 1890 it was 44.1 years.

The comparative proportions of deaths from suicide at each age in the registration area in 1900 and 1890 are shown in the following diagram:



The following table shows, for each grand group in the United States, the proportions of deaths from suicide during the census year, per 1,000 deaths from

known causes, in the aggregate, and by sex for the cities and rural districts:

NUMBER OF DEATHS PER 1,000 DEATHS FROM KNOWN CAUSES.

GRAND GROUP.	Total.	RURAL.		CITIES.	
		Males.	Fe-males.	Males.	Fe-males.
1. North Atlantic Coast region	5.6	9.7	2.8	8.0	2.6
2. Middle Atlantic Coast region	5.6	5.6	1.7	8.7	3.1
3. South Atlantic Coast region	0.7	0.6	0.2	2.1	0.5
4. Gulf Coast region	3.2	2.8	1.0	8.7	0.8
5. Northeastern hills and plateaus	5.2	7.6	3.1	7.3	2.0
6. Central Appalachian region	3.1	5.2	1.4	3.8	0.5
7. Region of the Great Northern lakes ...	9.3	10.3	3.1	14.7	5.3
8. Interior plateau	4.6	6.4	1.8	7.3	2.1
9. Southern Central Appalachian region..	1.7	2.3	1.0	4.0	0.9
10. Ohio River belt	5.5	6.8	1.3	11.0	3.0
11. Southern Interior plateau	1.4	2.6	0.4		
12. South Mississippi River belt	1.5	2.1	0.5	3.6	
13. North Mississippi River belt	7.9	8.3	3.4	13.4	5.8
14. Southwest Central region	2.9	4.7	0.9	8.2	
15. Central region—plains and prairies ...	5.4	7.9	1.9	10.7	4.1
16. Prairie region	6.8	9.7	3.3	9.9	3.4
17. Missouri River belt	7.8	13.4	3.8	8.5	3.6
18. Region of the Western plains	6.3	9.9	3.1	5.5	2.4
19. Heavily timbered region of the North-west	6.5	9.7	1.9	8.9	6.0
20. Cordilleran region	11.8	14.0	6.7	23.2	4.8
21. Pacific Coast region	15.6	13.8	5.7	24.3	10.8

The preceding table indicates that the proportions of deaths due to suicide were greatest in the Pacific coast



region (15.6), the Cordilleran region (11.8), the region of the Great Northern lakes (9.3), and were least in the South Atlantic Coast region (0.7), the Southern Interior plateau (1.4), and the South Mississippi River belt (1.5).

The following table shows, for the registration states, the death rates from suicide in each month of the census year, in the aggregate, and for the cities and rural districts:

DEATH RATES BY MONTHS.

MONTHS.	Total.	Cities.	Rural.
January	0.8	0.9	0.7
February	0.6	0.7	0.6
March	0.8	0.8	0.8
April	1.0	1.1	0.9
May	1.1	1.1	1.0
June	0.8	0.8	0.7
July	0.9	0.9	0.9
August	0.9	1.0	0.7
September	0.8	0.8	0.7
October	0.8	0.9	0.7
November	0.7	0.8	0.6
December	0.7	0.7	0.7

The death rates from suicide in each month in the cities and rural districts and the relative differences in the rates in the two areas are shown in the following diagram:



The following table shows the comparative proportions of deaths from suicide in each month during the census year, per 1,000 deaths in known months, in the United States, as a whole, and the registration states:

COMPARATIVE PROPORTIONS OF DEATHS IN EACH MONTH.

MONTHS.	United States.	Registration states.
January	76.8	80.4
February	68.2	63.7
March	82.6	80.4

COMPARATIVE PROPORTIONS OF DEATHS IN EACH MONTH—Continued.

MONTHS.	United States.	Registration states.
April	104.0	102.4
May	106.9	106.5
June	83.3	79.3
July	84.8	90.9
August	87.4	86.2
September	79.2	78.1
October	80.4	85.1
November	75.1	74.7
December	71.3	72.3

SECTION XIII.

OCCUPATIONS IN RELATION TO DEATHS.

The data available for studying the influence of occupation upon the death rate in various localities or from different causes consist of the returns made by the enumerators showing the occupations of the living population, and the registration record of deaths which show, to a certain extent only, the occupations of decedents. They are not fully comparable because the enumerators made their returns of occupations in accordance with certain definite instructions concerning the manner of stating occupations, while the physicians or others reporting deaths in the registration areas stated occupations according to their individual understanding, and entirely without uniformity.

In some of the registration areas but little attention is given to the returns of the occupations of decedents, and in others it is not required at all. (See section I, concerning registration returns.)

For these reasons the subject can be discussed only in general terms, and death rates can be given only for such individual occupations as are not subject to particular rules or fine distinctions concerning the classification. Most of the distinctive occupations, including all the more important ones, are, however, generally stated in simple terms that leave no doubt as to the kind of work done, and for these the data are sufficient for fairly accurate death rates.

The general tables giving the statistics of deaths in relation to occupation are the following:

Table 2, Part I, shows, for the United States, the registration area, and its subdivisions, and the nonregistration area the number of deaths of males engaged in each occupation and class of occupations, by color, age, and birthplaces of mothers.

Table 5, Part I, gives the same information for females.

Table 3, Part I, shows, for the United States, the registration area and its subdivisions, and the nonregistration area, the number of deaths at the specified ages of white males engaged in each occupation and class of occupations.

Table 6, Part I, gives the same information for white females.

Table 4, Part I, shows, for the United States, the registration area and its subdivisions, and the nonregistra-

tion area, the number of deaths at the specified ages of colored males engaged in each occupation and class of occupations.

Table 7, Part I, gives the same information for colored females.

Table 8, Part I, shows, for the United States, the registration area and its subdivisions, and the nonregistration area, the number of deaths from each specified disease and class of diseases of males engaged in each occupation and class of occupations.

Table 11, Part I, gives the same information for females.

Table 9, Part I, shows, for the United States, the registration area and its subdivisions, and the nonregistration area, the number of deaths from each specified disease and class of diseases of white males engaged in each occupation and class of occupations.

Table 12, Part I, gives the same information for white females.

Table 10, Part I, shows, for the United States, the registration area and its subdivisions, and the nonregistration area, the number of deaths from each specified disease and class of diseases of colored males engaged in each occupation and class of occupations.

Table 13, Part I, gives the same information for colored females.

The classification of occupations used in the present statistics is the same as that employed in the Eleventh Census (1890), except that it includes all reported occupations, whereas in 1890 it included only certain specified occupations. Those not comprehended in the statistics given in 1890 are included in the general title "All other" occupations, or "Other occupations" of the particular classes to which they belong. They are comparatively few in number.

Of 360,739 males 10 years of age and over dying in the United States during the census year, 278,147, or 77.1 per cent, were reported as having a gainful occupation. Of females 10 years of age and over there were 324,075 deaths, and 45,491, or 14 per cent, were reported as having a gainful occupation.

In the registration area, as a whole, there were 181,084 deaths reported of males 10 years of age and over, and 136,917, or 75.6 per cent, were engaged in gainful occu-

pations. For the females 10 years of age and over the total number of deaths in this area was 162,969, and of these 21,984, or 13.5 per cent, were engaged in gainful occupations.

The following discussion relates only to occupations in the registration states,¹ as the population data relating to occupations in the other areas could not be supplied in time to complete the analysis within the period fixed by Congress for publication of the census reports.

In these states the number of deaths during the census year of males 10 years of age and over was 104,511, and 83,815, or 80.2 per cent, were reported as having gainful occupations. Of females 10 years of age and over there were 99,510 deaths, and of this number 13,203, or 13.3 per cent, were reported as engaged in gainful occupations.

The following table shows, for the registration states, the population, deaths, and death rates during the census year, by occupations and classes of occupations, in comparison with 1890:

POPULATION, DEATHS, AND DEATH RATES, BY OCCUPATIONS.

OCCUPATIONS.	Population.	Deaths.	DEATH RATE.	
			1900	1890
MALES.				
All occupations	5,575,745	83,815	15.0	13.8
Professional	203,104	3,109	15.3	15.7
Architects, artists, and teachers of art, etc	19,587	229	11.7	12.4
Clergymen	23,485	553	23.5	18.2
Engineers and surveyors	36,539	300	8.2	5.6
Journalists	9,021	135	15.0	16.8
Lawyers	23,597	493	17.2	17.7
Musicians and teachers of music	16,008	243	15.2	16.0
Physicians and surgeons	29,622	589	19.9	21.6
Teachers (school)	20,135	246	12.2	10.4
Others of this class	20,110	321	16.0	
Clerical and official	424,781	5,716	13.5	9.8
Bookkeepers, clerks, and copyists	278,137	3,788	13.6	11.2
Bankers, brokers, and officials of com- panies	43,430	514	11.8	4.7
Collectors, auctioneers, and agents	73,958	972	13.1	10.7
Others of this class	29,256	442	15.1	
Mercantile and trading	493,994	6,000	12.1	12.3
Apothecaries, pharmacists, etc	14,728	270	18.3	16.2
Commercial travelers	25,989	147	5.7	5.8
Merchants and dealers	228,899	3,764	16.4	14.7
Hucksters and peddlers	33,482	401	12.0	14.1
Others of this class	190,896	1,418	7.4	
Public entertainment	87,888	1,350	15.4	14.5
Hotel and boarding house keepers	19,969	445	22.3	14.9
Saloon keepers, liquor dealers, bar- tenders, and restaurant keepers	67,919	905	13.3	14.4
Personal service, police, and military	149,164	1,931	12.9	15.4
Barbers and hairdressers	40,007	416	10.4	12.5
Janitors and sextons	19,493	324	16.6	17.2
Policemen, watchmen, and detectives	43,145	665	15.4	16.2
Soldiers, sailors, and marines (United States	14,851	180	12.1	22.7
Others of this class	31,668	346	10.9	

¹ Connecticut, District of Columbia, Maine, Massachusetts, Michigan, New Hampshire, New Jersey, New York, Rhode Island, and Vermont.

POPULATION, DEATHS, AND DEATH RATES, BY OCCUPATIONS—Con.

OCCUPATIONS.	Population.	Deaths.	DEATH RATE.	
			1900	1890
Laboring and servant.....	800,983	16,158	20.2	22.6
Laborers (not agricultural).....	719,647	14,895	20.7	25.3
Servants.....	81,336	1,263	15.5	12.9
Manufacturing and mechanical industry.....	1,796,928	24,769	13.8	13.0
Bakers and confectioners.....	39,181	483	12.3	14.6
Blacksmiths.....	56,840	1,041	18.3	15.6
Boot and shoe makers.....	96,662	909	9.4	15.3
Brewers, distillers, and rectifiers.....	5,840	115	19.7	14.7
Butchers.....	38,228	614	16.1	14.9
Cabinetmakers and upholsterers.....	24,787	446	18.0	15.3
Carpenters and joiners.....	180,110	3,090	17.2	13.8
Cigarmakers and tobacco workers.....	25,581	479	18.7	16.3
Compositors, printers, and pressmen.....	54,374	658	12.1	11.1
Coopers.....	11,020	262	23.8	21.5
Engineers and firemen (not locomotive).....	71,388	1,119	15.7	13.6
Glass blowers and glass workers.....	10,219	110	10.8	9.5
Hat and cap makers.....	12,763	228	17.9	19.5
Iron and steel workers.....	69,851	748	10.7	9.8
Leather makers.....	16,697	206	12.3	10.3
Leather workers.....	12,320	216	17.5	13.3
Machinists.....	116,918	1,222	10.5	11.4
Marble and stone cutters.....	26,272	392	14.9	13.8
Masons (brick and stone).....	55,117	1,097	19.9	15.6
Mill and factory operatives (textiles).....	150,783	1,332	8.8	8.1
Millers (flour and grist).....	6,044	161	26.6	17.3
Painters, glaziers, and varnishers.....	108,992	1,769	16.2	13.0
Plasterers and whitewashers.....	8,603	146	17.0	17.3
Plumbers, and gas and steam fitters.....	48,634	442	9.1	9.7
Tailors.....	83,856	991	11.8	16.5
Tinners and tinware makers.....	19,708	285	14.5	12.2
Others of this class.....	446,140	6,208	13.9	
Agriculture, transportation, and other outdoor.....	1,528,241	24,196	15.8	12.1
Boatmen and canalmen.....	8,178	154	18.8	20.1
Draymen, hackmen, teamsters, etc.....	185,552	2,044	11.0	12.1
Farmers, planters, and farm laborers.....	958,778	16,899	17.6	11.9
Gardeners, florists, nurserymen, and vine growers.....	34,296	591	17.2	14.8
Livery stable keepers and hostlers.....	32,529	395	12.1	12.0
Lumbermen and raftsmen.....	13,078	216	16.5	13.1
Miners and quarrymen.....	38,890	373	9.6	7.8
Sailors, pilots, fishermen, and oystermen.....	47,747	1,321	27.7	22.0
Steam railroad employees.....	129,472	1,395	10.8	9.0
Stock raisers, herders, and drovers.....	966	31	32.1	19.4
Others of this class.....	78,755	777	9.9	
All other occupations.....	90,662	586	6.5	
FEMALES.				
All occupations.....	1,587,874	13,203	8.3	10.5
Musicians and teachers of music.....	16,566	83	5.0	2.4
Teachers in schools.....	91,964	541	5.9	4.3
Stenographers and typewriters.....	33,780	92	2.7	1.8
Bookkeepers, clerks, and copyists.....	72,713	409	5.6	3.2
Hotel and boarding house keepers.....	19,755	89	4.5	3.5
Laundresses.....	59,300	302	5.1	6.7
Nurses and midwives.....	41,912	397	9.5	11.2
Servants.....	403,801	6,920	17.1	18.2
Artificial flower and paper box makers.....	12,624	17	1.3	3.5
Cigarmakers and tobacco workers.....	12,838	52	4.1	3.4
Mill and factory operatives (textiles).....	162,392	644	4.0	5.3
Milliners.....	29,122	171	5.9	4.4
Dressmakers and seamstresses.....	195,176	1,021	5.2	
Telegraph and telephone operators.....	7,801	42	5.4	4.1
All other occupations.....	428,130	2,423	5.7	

OCCUPATIONS IN RELATION TO DEATHS.

ccxi

OCCUPATIONS OF MALES.

The following table shows, for the registration states, the number of males reported as engaged in each class of occupations, in the aggregate and in each of four

age groups, with the deaths in the same classes during the census year, and the percentage of both population and deaths in each age group.

POPULATION AND DEATHS, BY AGES.

POPULATION AND DEATHS; CLASSES OF OCCUPATIONS.	NUMBER.					PER CENT.			
	All ages.	15-24	25-44	45-64	65 and over.	15-24	25-44	45-64	65 and over.
POPULATION.									
All occupations.....	5,575,745	1,259,471	2,680,241	1,282,259	283,310	22.6	48.1	23.0	5.1
Professional.....	203,104	32,144	112,568	47,125	10,615	15.8	55.4	23.2	5.2
Clerical and official.....	424,781	126,397	194,476	82,989	17,600	29.8	45.8	19.5	4.1
Mercantile and trading.....	493,994	102,500	252,877	116,506	18,200	20.7	51.2	28.6	3.7
Public entertainment.....	87,888	10,599	53,417	21,245	2,471	12.1	60.8	24.2	2.8
Personal service, police, and military.....	149,164	26,396	79,127	37,015	5,949	17.7	53.0	24.8	4.0
Laboring and servant.....	800,983	207,579	386,253	164,833	30,101	25.9	48.2	20.6	3.8
Manufacturing and mechanical industry.....	1,796,928	407,398	899,543	398,684	69,608	22.7	50.1	22.2	3.9
Agriculture, transportation, and other outdoor.....	1,528,241	311,977	669,231	401,461	127,053	20.4	43.8	26.3	8.3
All other occupations.....	90,662	34,481	32,749	12,401	1,713	38.0	36.1	13.7	1.9
DEATHS.									
All occupations.....	83,815	6,486	23,541	25,532	27,888	7.7	28.1	30.5	33.3
Professional.....	3,109	153	857	974	1,121	4.9	27.6	31.3	36.1
Clerical and official.....	5,716	906	2,165	1,652	984	15.9	37.9	28.9	17.2
Mercantile and trading.....	6,000	266	1,700	2,320	1,707	4.4	28.3	38.7	28.5
Public entertainment.....	1,350	55	621	506	168	4.1	46.0	37.5	12.4
Personal service, police, and military.....	1,931	156	649	735	381	8.1	33.6	38.1	19.7
Laboring and servant.....	16,158	1,606	5,382	5,253	3,812	9.9	33.3	32.5	23.6
Manufacturing and mechanical industry.....	24,769	1,805	7,514	8,039	7,339	7.3	30.3	32.5	29.6
Agriculture, transportation, and other outdoor.....	24,196	1,432	4,441	5,895	12,281	5.9	18.4	24.4	50.8
All other occupations.....	586	107	212	158	95	18.3	36.2	27.0	16.2

The following table shows, for the registration states, the percentage of males engaged in each class of occupations, in the aggregate, and for each of the age groups given in the preceding table:

PER CENT OF POPULATION IN EACH CLASS.

CLASSES.	AGE.				
	All ages.	15 to 24.	25 to 44.	45 to 64.	65 years and over.
All occupations.....	100.0	100.0	100.0	100.0	100.0
Professional.....	3.6	2.6	4.2	3.7	3.8
Clerical and official.....	7.6	10.0	7.2	6.5	6.2
Mercantile and trading.....	8.9	8.2	9.4	9.1	6.4
Public entertainment.....	1.6	0.8	2.0	1.6	0.9
Personal service, police and military..	2.7	2.1	3.0	2.9	2.1
Laboring and servant.....	14.4	16.5	14.4	12.8	10.6
Manufacturing and mechanical industry.....	32.2	32.3	33.6	31.1	24.6
Agriculture, transportation, and other outdoor.....	27.4	24.8	25.0	31.3	44.8
All other occupations.....	1.6	2.7	1.2	1.0	0.6

The age distribution of the population engaged in the different occupations has a great influence upon the comparative death rates, and this distribution is shown for both population and deaths in the tables given for

each occupation in detail in the analysis following. In the tables given for the classes of occupations, comparisons are made with the totals for all occupations, and in those for each individual occupation, with the total of the class to which it belongs.

The following table shows, for the registration states, the death rates of males engaged in all occupations and in each class of occupations, at all ages, and in each of four age groups, per 1,000 of corresponding population:

DEATH RATES AT CERTAIN AGES.

CLASSES.	AGE.				
	All ages.	15 to 24.	25 to 44.	45 to 64.	65 years and over.
All occupations.....	15.0	5.1	8.8	19.9	98.4
Professional.....	15.3	4.8	7.6	20.7	105.6
Clerical and official.....	13.5	7.2	11.1	19.9	55.9
Mercantile and trading.....	12.1	2.6	6.7	19.9	93.8
Public entertainment.....	15.4	5.2	11.6	23.8	68.0
Personal service, police, and military..	12.9	5.9	8.2	19.9	64.0
Laboring and servant.....	20.2	7.7	13.9	31.9	126.6
Manufacturing and mechanical industry.....	13.8	4.4	8.4	20.2	105.4
Agriculture, transportation, and other outdoor.....	15.8	4.6	6.6	14.7	96.7
All other occupations.....	6.5	3.1	6.5	12.7	55.5

As shown by the preceding table the death rate of males 10 years of age and over reported as engaged in gainful occupations during the census year was 15 per 1,000. This represents the average death rate for all classes of occupations.

Considering the specific classes of occupations, it will be seen that the highest death rates occurred in the laboring and servant class (20.2); the class engaged in agriculture, transportation, and other out-door pursuits (15.8), and the public entertainment class (15.4). The lowest rates were those of the mercantile and trading class (12.1); the personal service, police, and military class (12.9), and the clerical and official class (13.5). The death rates of laborers and servants were highest at each age.

The following table shows, for the registration states, the deaths of occupied males from certain diseases and classes of diseases during the census year, and the death rates per 100,000 of population in comparison with 1890:

DEATH RATES FROM CERTAIN CAUSES.

CAUSE OF DEATH.	Deaths, 1900.	DEATH RATE.	
		1900	1890
Malarial fever.....	261	4.7	11.7
Typhoid fever.....	1,962	35.2	40.3
Rheumatism.....	409	7.3	9.1
Consumption.....	13,197	236.7	279.7
Diabetes.....	719	12.9	7.0
Diseases of nervous system.....	10,569	189.6	159.0
Heart disease.....	9,484	170.1	131.9
Other diseases, circulatory system.....	1,023	18.3	
Pneumonia.....	8,592	154.1	237.3
Other diseases, respiratory system.....	2,372	42.5	
Diseases of liver.....	1,640	29.4	25.4
Other diseases, digestive system.....	3,323	59.6	41.1
Diseases of urinary system.....	8,031	144.0	100.6
Diseases of bones and joints.....	203	3.6	2.8
Suicide.....	1,124	20.2	15.6
Other accidents and injuries.....	6,312	113.2	102.8
Cancer.....	3,181	57.1	

This table shows that the diseases causing the highest mortality in occupied males were consumption (236.7), pneumonia, and other diseases of the respiratory system (196.6), diseases of the nervous system (189.6), and heart disease (170.1). These diseases also caused the highest rates in 1890, but the rate for consumption shows a decrease of about 18 per cent, and that for diseases of the respiratory system of about 21 per cent, as compared with the rates from these diseases in 1890. On the other hand the death rates for the other principal diseases, such as diseases of the nervous system, heart disease, and diseases of the urinary system, were correspondingly higher than in 1890.

PROFESSIONAL CLASS.

The total number of males engaged in occupations included in this class, in the registration states, was 203,104, or 3.6 per cent of the total males having gainful occupations. The number of deaths in this class was

3,109, or 3.7 per cent of all deaths of occupied males in this area, and the death rate was 15.3 per 1,000. In 1890 the death rate in this class was 15.7.

The following table shows, for the registration states, the number of males in professional occupations at all ages, and in each of 4 age groups, the deaths at corresponding ages during the census year, with the per cent of both population and deaths at each age, and the death rates per 1,000 of population.

POPULATION, DEATHS, AND DEATH RATES, BY AGES.

POPULATION, DEATHS, AND DEATH RATES.	All ages.	15 to 24.	25 to 44.	45 to 64.	65 and over.
Population.....	203,104	32,144	112,568	47,125	10,615
Per cent at each age.....		15.8	55.4	23.2	5.2
Deaths.....	3,109	153	857	974	1,121
Per cent at each age.....		4.9	27.6	31.3	36.1
Death rate.....	15.3	4.8	7.6	20.7	105.6
Average rate in all classes..	15.0	5.1	8.8	19.9	98.4

The preceding table shows that a majority (55.4 per cent) of males having professional occupations were between 25 and 45 years of age, and that in this age group the death rate of males in this class (7.6) was less than the average rate for all occupied males (8.8). At 15 to 24 years the death rate for this class (4.8) was also less than the average rate of all classes (5.1). Above 45 years the rates for this class were higher than the average rates for all classes.

The following table shows, for the registration states, the number of deaths of males in professional occupations during the census year from certain specified causes, and the death rates per 100,000 of population:

DEATH RATES FROM CERTAIN CAUSES.

CAUSE OF DEATH.	Deaths.	Death rate.
Malarial fever.....	14	6.9
Typhoid fever.....	77	37.9
Rheumatism.....	15	7.4
Consumption.....	370	182.2
Diabetes.....	45	22.2
Diseases of nervous system.....	535	263.4
Heart disease.....	359	176.8
Other diseases, circulatory system.....	51	25.1
Pneumonia.....	292	143.8
Other diseases, respiratory system.....	88	43.3
Diseases of liver.....	59	29.0
Other diseases, digestive system.....	132	65.0
Diseases of urinary system.....	342	168.4
Diseases of bones and joints.....	10	4.9
Suicide.....	33	16.2
Other accidents and injuries.....	124	61.1
Cancer.....	105	51.7

This table shows that the highest death rates of males in professional occupations were due to diseases of the nervous system (263.4), consumption (182.2), heart disease (176.8), and diseases of the urinary system (168.4). The rate from diseases of the nervous system in this class was much higher than the average rate from these diseases in all classes (189.6), while that from con-

sumption was much below the average rate for all classes (236.7).

The death rates of males in this class from pneumonia, diseases of the liver, consumption, suicide and other accidents and injuries, and cancer were lower than the average rates from these causes in all classes, but for all other specified causes they were higher than the average.

The following table shows the comparative death rates of males in each occupation in this class, at all ages, and in each of four age groups, per 1,000 of corresponding population:

DEATH RATES IN EACH OCCUPATION, BY AGES.

OCCUPATIONS.	AGE.				
	All ages.	15 to 24 years.	25 to 44 years.	45 to 64 years.	65 years and over.
Professional	15.3	4.8	7.6	20.7	105.6
Architects, artists, and teachers of art, etc	11.7	3.3	6.8	20.0	98.9
Clergymen	23.5	5.1	6.2	20.8	123.4
Engineers and surveyors	8.2	4.2	6.2	14.1	86.5
Journalists	15.0	5.3	6.7	29.2	99.4
Lawyers	17.2	4.2	6.9	20.1	94.7
Musicians and teachers of music	15.2	9.3	11.3	18.5	95.0
Physicians and surgeons	19.9	6.1	8.7	21.4	113.7
Teachers (school)	12.2	4.5	7.0	21.6	97.4
Others of this class	16.0	3.8	10.0	24.1	99.0

This table shows that in this class of occupations the highest death rates were those for clergymen (23.5), physicians and surgeons (19.9), and lawyers (17.2). The lowest rates were those for engineers and surveyors (8.2), architects, artists, and teachers of art, etc. (11.7), and school teachers (12.2).

ARCHITECTS, ARTISTS, AND TEACHERS OF ART, ETC.

This title includes architects, artists, teachers of art, designers, draftsmen, sculptors, and inventors.

The number of architects, artists, and teachers of art reported in the registration states was 19,587. The number of deaths in these occupations during the census year was 229, and the death rate was 11.7 per 1,000. The death rates per 1,000 of population, by age groups, were as follows: At 15 to 24 years, 3.3; at 25 to 44 years, 6.8; at 45 to 64 years, 20; and at 65 years and over, 98.9.

The death rate for architects, artists, and teachers of art from consumption (188.9) was slightly higher than the average rate in the professional class (182.2), but the rates were considerably below the average of this class from diseases of the nervous system (architects, artists, and teachers of art, 188.9; professional class, 263.4), pneumonia (architects, artists, and teachers of art, 102.1; professional class, 143.8), and diseases of the urinary organs (architects, artists, and teachers of art, 56.2; professional class, 168.4).

CLERGYMEN.

The number of clergymen reported in the registration states was 23,485, and the number of deaths of clergymen during the census year was 553, the death rate being 23.5 per 1,000. In 1890 the rate was 18.2.

The following table shows, for the registration states, the number of clergymen at all ages, and in each of four age groups, the deaths at corresponding ages during the census year, with the per cent of both population and deaths at each age, and the death rates per 1,000 of population:

POPULATION, DEATHS, AND DEATH RATES, BY AGES.

POPULATION, DEATHS, AND DEATH RATES.	All ages.	15 to 24.	25 to 44.	45 to 64.	65 and over.
Population	23,485	584	12,170	8,209	2,463
Per cent at each age		2.5	51.8	35.0	10.5
Deaths	553	3	75	171	304
Per cent at each age		0.5	13.6	30.9	55.0
Death rate	23.5	5.1	6.2	20.8	123.4
Average rate in this class ..	15.3	4.8	7.6	20.7	105.6

This table shows that more than 45 per cent of the clergymen in the registration states were over 45 years of age, and that the greatest number of deaths occurred in the age group 65 years and over, or in 10.5 per cent of the population, the death rate in this age group 123.4 per 1,000. The total death rate of clergymen (23.5) was very much higher than the average death rate in the professional class (15.3).

The following table shows, for the registration states, the number of deaths of clergymen during the census year from certain specified causes, and the death rates per 100,000 of population:

DEATH RATES FROM CERTAIN CAUSES.

CAUSE OF DEATH.	Deaths.	Death rate.
Malarial fever	4	17.0
Typhoid fever	11	46.8
Rheumatism		
Consumption	29	123.5
Diabetes	8	34.1
Diseases of nervous system	103	438.6
Heart disease	64	272.5
Other diseases, circulatory system	13	55.4
Pneumonia	60	255.5
Other diseases, respiratory system	20	85.2
Diseases of liver	5	21.3
Other diseases, digestive system	25	106.5
Diseases of urinary system	77	327.9
Diseases of bones and joints	1	4.3
Suicide	2	8.5
Other accidents and injuries	12	51.1
Cancer	24	102.2

This table shows that the highest death rates among clergymen occurred from diseases of the nervous system (438.6), diseases of the urinary system (327.9), heart disease (272.5), and pneumonia (255.5). In comparison

with the average death rates of males in the professional class, the death rates of clergymen from all of these causes were excessively high. The rate from consumption (123.5) was, however, much less than the average rate from this disease in the professional class (182.2). The rate from cancer (102.2) was nearly twice the average rate from this cause in the professional class (51.7), which is partly accounted for by the large number of clergymen of advanced ages.

ENGINEERS AND SURVEYORS.

This title includes those engaged in civil, mechanical, mining, electrical, and other engineering professions, surveyors, and electricians.

The number of engineers and surveyors reported in the registration states was 36,539. The number of deaths of engineers and surveyors during the census year was 300, and the death rate was 8.2 per 1,000 of population. In 1890 the death rate was 5.6. The death rates per 1,000 of population by age groups were as follows: At 15 to 24 years, 4.2; at 25 to 44 years, 6.2; at 45 to 64 years, 14.1; and at 65 years and over, 86.5.

The death rates of engineers and surveyors, per 100,000 of population, were above the average of the professional class from accidents and injuries exclusive of suicide (engineers and surveyors, 84.8; professional class, 61.1), suicide (engineers and surveyors, 21.9; professional class, 16.2), and typhoid fever (engineers and surveyors, 43.8; professional, 37.9). From all other causes the death rates of engineers and surveyors were considerably below the average for that class.

JOURNALISTS.

The number of journalists, reported in the registration, states was 9,021. The number of deaths of journalists in the same area during the census year was 135, and the death rate was 15 per 1,000. By age groups the death rates were as follows: At 15 to 24 years, 5.3; at 25 to 44 years, 6.7; at 45 to 64 years, 29.2; and at 65 years and over, 99.4.

The death rate of journalists, per 100,000 of population, from diseases of the urinary organs (232.8) was higher than the average in the professional class (168.4), as was also the rate from consumption (journalists, 188.4; professional class, 182.2), while the rate from diseases of the nervous system was below the average (journalists, 221.7; professional class, 263.4).

LAWYERS.

The total number of lawyers reported in the registration states was 28,597. The number of deaths of lawyers during the census year was 493, and the death rate was 17.2 per 1,000. In 1890 the death rate was 17.7.

The following table shows, for the registration states, the number of lawyers at all ages, and in each of four age groups, the deaths at corresponding ages during the census year, with the per cent of both population

and deaths at each age, and the death rates per 1,000 of population:

POPULATION, DEATHS, AND DEATH RATES, BY AGES.

POPULATION, DEATHS, AND DEATH RATES.	All ages.	15 to 24.	25 to 44.	45 to 64.	65 and over.
Population	28,597	2,156	15,543	8,696	2,122
Per cent at each age		7.5	54.4	30.4	7.
Deaths	493	9	107	175	201
Per cent at each age		1.8	21.7	35.5	40.8
Death rate	17.2	4.2	6.9	20.1	94.7
Average rate in this class ...	15.3	4.8	7.6	20.7	105.6

It will be seen from this table that over 60 per cent of the lawyers reported in the registration states were under 45 years of age, 54.4 per cent being between 25 and 45 years. In this age group the death rate (6.9) was somewhat less than the average rate at this age in the professional class. At 15 to 24 years, and at 45 to 64 years, the rates were about the same as the average rate for the professional class, but at 65 years of age and over the rate was considerably less than the average rate in this class.

The following table shows, for the registration states, the number of deaths of lawyers during the census year from certain specified causes, and the death rates per 100,000 of population:

DEATH RATES FROM CERTAIN CAUSES.

CAUSE OF DEATH.	Deaths.	Death rate.
Malarial fever	3	10.5
Typhoid fever	9	31.5
Rheumatism	3	10.5
Consumption	40	139.9
Diabetes	9	31.5
Diseases of nervous system	102	356.7
Heart disease	67	234.3
Other diseases, circulatory system	12	42.0
Pneumonia	38	132.9
Other diseases, respiratory system	13	45.5
Diseases of liver	13	45.5
Other diseases, digestive system	25	87.4
Diseases of urinary system	56	195.8
Diseases of bones and joints	2	7.0
Suicide	4	14.0
Other accidents and injuries	16	55.9
Cancer	15	52.5

This table shows that the highest death rate among lawyers occurred from diseases of the nervous system (356.7). This rate was very much higher than the average rate from these diseases in the professional class (263.4). The rate from heart disease (234.3) was also very high, and was much higher than the average rate in the professional class (176.8).

The death rate of lawyers from consumption (139.9) was much below the average rate from this disease in the professional class (182.2), and the rate from pneumonia (132.9) was also less than the average rate from this disease (143.8).

MUSICIANS AND TEACHERS OF MUSIC.

The number of musicians and teachers of music reported in the registration states was 16,008. The number of deaths of musicians and teachers of music during the census year was 243, and the death rate was 15.2 per 1,000. The death rates per 1,000 of population by age groups were as follows: At 15 to 24 years, 9.3; at 25 to 44 years, 11.3; at 45 to 64 years, 18.5; and at 65 years and over, 95.

The death rate of musicians and teachers of music from consumption (349.8) was nearly twice as high as the average in the professional class (182.2); the rate was also above the average from heart disease (musicians and teachers of music, 187.4; professional class, 176.8), while the rates were below the average for the professional class from diseases of the nervous system (musicians and teachers of music, 187.4; professional class, 263.4); and diseases of the urinary organs (musicians and teachers of music, 149.9; professional class, 168.4).

PHYSICIANS AND SURGEONS.

The total number of physicians and surgeons reported in the registration states was 29,622. The number of deaths of physicians and surgeons during the census year was 589, and the death rate was 19.9 per 1,000. In 1890 the rate was 21.6.

The following table shows, for the registration states, the number of physicians and surgeons at all ages, and in each of four age groups, the deaths at corresponding ages during the census year, with the per cent of both population and deaths at each age, and the death rates per 1,000 of population:

POPULATION, DEATHS, AND DEATH RATES, BY AGES.

POPULATION, DEATHS, AND DEATH RATES.	All ages.	15 to 24.	25 to 44.	45 to 64.	65 and over.
Population	29,622	1,483	17,236	8,688	2,137
Per cent at each age		5.0	58.2	29.3	7.2
Deaths	589	9	150	186	243
Per cent at each age		1.5	25.5	31.3	41.3
Death rate	19.9	6.1	8.7	21.4	113.7
Average rate in this class ...	15.3	4.8	7.6	20.7	105.6

The preceding table shows that the death rate of physicians and surgeons (19.9) was higher than the average death rate in the professional class (15.3), and that the rates were slightly higher than the average in each age group.

The following table shows, for the registration states, the number of deaths of physicians and surgeons during the census year from certain specified causes, and the death rates per 100,000 of population:

DEATH RATES FROM CERTAIN CAUSES.

CAUSE OF DEATH.	Deaths.	Death rate.
Malarial fever	1	3.4
Typhoid fever	10	33.8
Rheumatism	3	10.1
Consumption	50	168.8
Diabetes	5	16.9
Diseases of nervous system	120	405.1
Heart disease	64	216.1
Other diseases, circulatory system	9	30.4
Pneumonia	53	178.9
Other diseases, respiratory system	19	64.1
Diseases of liver	11	37.1
Other diseases, digestive system	27	91.1
Diseases of urinary system	69	232.9
Diseases of bones and joints	2	6.8
Suicide	7	23.6
Other accidents and injuries	14	47.3
Cancer	20	67.5

The highest death rates among physicians and surgeons occurred from diseases of the nervous system (405.1), diseases of the urinary system (232.9), heart disease (216.1), and pneumonia (178.9); and the rates from these diseases were very much higher than the average rates in the professional class. The rate from consumption (168.8) was considerably lower than the average rate in the professional class (182.2).

SCHOOL TEACHERS.

This title includes professors and teachers in schools and colleges, and private tutors and instructors.

The number of male teachers reported in the registration states was 20,135. The number of deaths of teachers in the same area during the census year was 246, and the death rate was 12.2 per 1,000. The death rates per 1,000 of population by age groups were as follows: At 15 to 24 years, 4.5; at 25 to 44 years, 7; at 45 to 64 years, 21.6; and at 65 years and over, 97.4.

The death rate of teachers from pneumonia (144) was slightly higher than the average for the professional class (143.8), but was below the average from consumption (teachers, 144; professional class, 182.2), and diseases of the nervous system (teachers, 203.6; professional class, 263.4).

CLERICAL AND OFFICIAL CLASS.

The total number of males engaged in occupations included in this class in the registration states was 424,781, or 7.6 per cent of the total males having gainful occupations. The number of deaths in this class during the census year was 5,716, or 6.8 per cent of the whole number of deaths of occupied males in this area, and the death rate was 13.5 per 1,000. In 1890 the death rate in this class was 9.8.

The following table shows, for the registration states, the number of males in clerical and official occupations at all ages, and in each of four age groups, the deaths at corresponding ages during the census year, with the per cent of both population and deaths at each age, and the death rates per 1,000 of population:

POPULATION, DEATHS, AND DEATH RATES, BY AGES.

POPULATION, DEATHS, AND DEATH RATES.	All ages.	15 to 24.	25 to 44.	45 to 64.	65 and over.
Population	424,781	126,397	194,476	82,989	17,600
Per cent at each age.....		29.8	45.8	19.5	4.1
Deaths	5,716	906	2,165	1,652	984
Per cent at each age.....		15.9	37.9	28.9	17.2
Death rate.....	13.5	7.2	11.1	19.9	55.9
Average rate in all classes...	15.0	5.1	8.8	19.9	98.4

It will be seen from this table that the death rate in this class (13.5) was slightly lower than the average rate for all occupied males (15). This class contains a larger percentage of males in the age group 15 to 24 years than any other class (29.8), and in this age group the death rate (7.2) was higher than the average rate at this age for all classes (5.1). At 25 to 44 years the death rate of this class (11.1) was also higher than the average rate (8.8). At 45 to 64 years the rate was exactly the same as the average rate (19.9), but at 65 years of age and over the rate for this class (55.9) was very much less than the average rate (98.4).

The following table shows, for the registration states, the number of deaths of males in clerical and official occupations during the census year from certain specified causes, and the death rates per 100,000 of population:

DEATH RATES FROM CERTAIN CAUSES.

CAUSE OF DEATH.	Deaths.	Death rate.
Malarial fever.....	16	3.8
Typhoid fever.....	198	46.6
Rheumatism	32	7.5
Consumption.....	1,292	304.2
Diabetes.....	77	18.1
Diseases of nervous system.....	654	154.0
Heart disease.....	572	134.7
Other diseases, circulatory system	82	19.3
Pneumonia.....	589	138.7
Other diseases, respiratory system	123	29.0
Diseases of liver.....	133	31.3
Other diseases, digestive system	267	62.9
Diseases of urinary system	586	138.0
Diseases of bones and joints.....	15	3.5
Suicide	104	24.5
Other accidents and injuries.....	235	55.3
Cancer	160	37.7

The greatest mortality in this class was caused by consumption. The death rate from this disease (304.2) was much higher than the average rate for all classes (236.7). The death rates in this class were also above the average from typhoid fever, rheumatism, diabetes,

diseases of the liver, and suicide. They were below the average from diseases of the nervous system, heart disease, pneumonia and other diseases of the respiratory system, diseases of the urinary system, and cancer.

The following table shows the comparative death rates of males in each occupation in this class, at all ages, and in each of four age groups, per 1,000 of corresponding population:

DEATH RATES IN EACH OCCUPATION, BY AGES.

OCCUPATION.	AGE.				
	All ages.	15 to 24 years.	25 to 44 years.	45 to 64 years.	65 years and over.
Clerical and official	13.5	7.2	11.1	19.9	55.9
Bookkeepers, clerks, and copyists.....	13.6	7.7	13.3	25.2	90.1
Bankers, brokers, and officials of companies.....	11.8	2.9	5.1	14.5	28.0
Collectors, auctioneers, and agents.....	13.1	3.4	7.5	15.8	60.3
Others of this class	15.1	3.9	9.2	19.2	71.3

Of the individual occupations included in this class, the death rate of bookkeepers, clerks, and copyists (13.6) was slightly above the average rate in this class (13.5), but the rates of bankers, brokers, and officials of companies (11.8) and of collectors, auctioneers, and agents (13.1) were below the average. The highest rates at each age occurred among bookkeepers, clerks, and copyists.

BOOKKEEPERS, CLERKS, AND COPYISTS.

This title includes accountants, bookkeepers, copyists, Government clerks, and all others in ordinary clerical positions, but not stenographers and typewriters.

The total number of bookkeepers, clerks, and copyists reported in the registration states was 278,137. The number of deaths of bookkeepers, clerks, and copyists during the census year was 3,788, and the death rate was 13.6 per 1,000. In 1890 the rate was 11.2.

The following table shows, for the registration states, the number of bookkeepers, clerks, and copyists at all ages, and in each of four age groups, the deaths at corresponding ages during the census year, with the per cent of both population and deaths at each age, and the death rates per 1,000 of population:

POPULATION, DEATHS, AND DEATH RATES, BY AGES.

POPULATION, DEATHS, AND DEATH RATES.	All ages.	15 to 24.	25 to 44.	45 to 64.	65 and over.
Population	278,137	109,562	126,371	35,073	4,163
Per cent at each age.....		39.4	45.4	12.6	1.5
Deaths	3,788	847	1,679	883	375
Per cent at each age.....		22.4	44.3	23.3	9.9
Death rate.....	13.6	7.7	13.3	25.2	90.1
Average rate in this class ...	13.5	7.2	11.1	19.9	55.9

It will be seen from the preceding table that over 80 per cent of the bookkeepers, clerks, and copyists in the registration states were under 45 years of age, and that the death rates were higher than the average rates for the clerical and official class in every age group.

The following table shows, for the registration states, the number of deaths of bookkeepers, clerks, and copyists during the census year from certain specified causes, and the death rates per 100,000 of population:

DEATH RATES FROM CERTAIN CAUSES.

CAUSE OF DEATH.	Deaths.	Death rate.
Malarial fever.....	12	4.3
Typhoid fever.....	141	50.7
Rheumatism.....	21	7.6
Consumption.....	1,107	398.0
Diabetes.....	44	15.8
Diseases of nervous system.....	347	124.8
Heart disease.....	332	119.4
Other diseases, circulatory system.....	38	13.7
Pneumonia.....	403	144.9
Other diseases, respiratory system.....	79	28.4
Diseases of liver.....	78	28.0
Other diseases, digestive system.....	181	65.1
Diseases of urinary system.....	334	120.1
Diseases of bones and joints.....	5	1.8
Suicide.....	59	21.2
Other accidents and injuries.....	159	57.2
Cancer.....	78	28.0

The highest death rate among bookkeepers, clerks, and copyists occurred from consumption (398), and the rate from this disease was much higher than the average rate in this class (304.2). The rates from heart disease (119.4), diseases of the nervous system (124.8), and diseases of the urinary system (120.1) were lower than the average rates in this class, but the rate from pneumonia (144.9) was slightly higher than the average (138.7).

BANKERS, BROKERS, AND OFFICIALS OF COMPANIES.

This title includes bankers and bank officials, commercial and stock brokers, superintendents and other officials of insurance, trust, trade, transportation, and other companies, proprietors and managers, and all others in similar positions of responsibility, as distinguished from ordinary clerical work.

The number of bankers, brokers, and officials of companies reported in the registration states was 43,430. The number of deaths of bankers, brokers, and officials of companies during the census year was 514, and the death rate was 11.8 per 1,000.

The following table shows, for the registration states, the number of bankers, brokers, and officials of companies at all ages, and in each of four age groups, the deaths at corresponding ages during the census year, with the per cent of both population and deaths at each age, and the death rates per 1,000 of population:

POPULATION, DEATHS, AND DEATH RATES, BY AGES.

POPULATION, DEATHS, AND DEATH RATES.	All ages.	15 to 24.	25 to 44.	45 to 64.	65 and over.
Population.....	43,430	2,453	19,065	15,001	6,830
Per cent at each age.....		5.6	43.9	34.5	15.7
Deaths.....	514	7	98	217	191
Per cent at each age.....		1.4	19.1	42.2	37.2
Death rate.....	11.8	2.9	5.1	14.5	28.0
Average rate in this class...	13.5	7.2	11.1	19.9	55.9

The preceding table shows that the death rates of bankers, brokers, and officials of companies were lower, in the aggregate, and in each age group, than the average rates in this class. Over 50 per cent of the bankers, brokers, and officials of companies in the registration states were more than 45 years of age, and the highest number of deaths occurred in the age group 45 to 64 years, in which the death rate (14.5) was less than the average rate for the class (19.9). At 65 years of age and over, the rate (28) was only about half as high as the average rate in this class (55.9).

The following table shows, for the registration states, the number of deaths of bankers, brokers, and officials of companies during the census year from certain specified causes, and the death rates per 100,000 of population.

DEATH RATES FROM CERTAIN CAUSES.

CAUSE OF DEATH.	Deaths.	Death rate.
Malarial fever.....	1	2.3
Typhoid fever.....	16	36.8
Rheumatism.....	2	4.6
Consumption.....	40	92.1
Diabetes.....	9	20.7
Diseases of nervous system.....	84	193.4
Heart disease.....	60	138.2
Other diseases, circulatory system.....	20	46.1
Pneumonia.....	50	115.1
Other diseases, respiratory system.....	12	27.6
Diseases of liver.....	13	29.9
Other diseases, digestive system.....	25	57.6
Diseases of urinary system.....	76	175.0
Diseases of bones and joints.....	4	9.2
Suicide.....	9	20.7
Other accidents and injuries.....	21	48.4
Cancer.....	18	41.4

The highest death rate of bankers, brokers, etc., occurred from diseases of the nervous system (193.4), and this was considerably higher than the average rate from these diseases in the clerical and official class (154). The rates from heart disease (138.2), and other diseases of the circulatory system (46.1), and diseases of the urinary organs (175) were higher than the average rates in this class, but the rate from consumption (92.1) was less than one-third of the average rate in this class (304.2).

COLLECTORS, AUCTIONEERS, AND AGENTS.

This title includes collectors, auctioneers, and claim, commission, real estate, insurance, and other agents.

The number of collectors, auctioneers, and agents reported in the registration states was 73,958. The number of deaths of collectors, auctioneers, and agents during the census year was 972, and the death rate was 13.1 per 1,000. In 1890 the rate was 10.7.

The following table shows, for the registration states, the number of collectors, auctioneers, and agents at all ages, and in each of four age groups, the deaths at corresponding ages during the census year, with the per cent of both population and deaths at each age, and the death rates per 1,000 of population:

POPULATION, DEATHS, AND DEATH RATES, BY AGES.

POPULATION, DEATHS, AND DEATH RATES.	All ages.	15 to 24.	25 to 44.	45 to 64.	65 and over.
Population	73,958	8,466	36,711	23,763	4,826
Per cent at each age		11.4	49.6	32.1	6.5
Deaths	972	29	274	376	291
Per cent at each age		3.0	28.2	38.7	29.9
Death rate	13.1	3.4	7.5	15.8	60.3
Average rate in this class ...	13.5	7.2	11.1	19.9	55.9

This table shows that about 50 per cent of the collectors, auctioneers, and agents reported in the registration states were between 25 and 45 years of age, and that in this age group the death rate of males in these occupations (7.5) was much lower than the average rate in this class (11.1). The rate at 45 to 64 years was also lower than the average rate in this class, but at 65 years of age and over, it was somewhat higher than the average.

The following table shows, for the registration states, the number of deaths of collectors, auctioneers, and agents during the census year from certain specified causes, and the death rates per 100,000 of population:

DEATH RATES FROM CERTAIN CAUSES.

CAUSE OF DEATH.	Deaths.	Death rate.
Malarial fever	2	2.7
Typhoid fever	28	37.9
Rheumatism	7	9.5
Consumption	97	131.2
Diabetes	16	21.6
Diseases of nervous system	162	219.0
Heart disease	133	179.8
Other diseases, circulatory system	17	23.0
Pneumonia	84	113.6
Other diseases, respiratory system	23	31.1
Diseases of liver	28	37.9
Other diseases, digestive system	43	58.1
Diseases of urinary system	108	146.0
Diseases of bones and joints	4	5.4
Suicide	32	43.3
Other accidents and injuries	38	51.4
Cancer	43	58.1

The causes of death among collectors, auctioneers, and agents, for which the death rates were higher than the average rates in this class, were diseases of the

nervous system, heart disease and other diseases of the circulatory system, diseases of the liver, diseases of the urinary organs, suicide, and cancer. The rates from typhoid fever, consumption, and pneumonia were less than the average rates in this class.

MERCANTILE AND TRADING CLASS.

The total number of males engaged in occupations included in this class in the registration states was 493,994, or 8.9 per cent of the total males having gainful occupations. The number of deaths in this class during the census year was 6,000, or 7.2 per cent of the whole number of deaths of occupied males in this area, and the death rate was 12.1 per 1,000. In 1890 the death rate in this class was 12.3.

The following table shows, for the registration states, the number of males engaged in mercantile and trading pursuits, at all ages, and in each of four age groups, the deaths at corresponding ages during the census year, with the per cent of both population and deaths at each age, and the death rates per 1,000 of population:

POPULATION, DEATHS, AND DEATH RATES, BY AGES.

POPULATION, DEATHS, AND DEATH RATES.	All ages.	15 to 24.	25 to 44.	45 to 64.	65 and over.
Population	493,994	102,500	252,877	116,506	18,200
Per cent at each age		20.7	51.2	23.6	3.7
Deaths	6,000	266	1,700	2,320	1,707
Per cent at each age		4.4	28.3	38.7	28.5
Death rate	12.1	2.6	6.7	19.9	93.8
Average rate in all classes ..	15.0	5.1	8.8	19.9	98.4

The preceding table shows that the death rate in this class (12.1) was less than the average rate in all classes (15), and that the rates were less at each age except at 45 to 64 years, in which age group the rate was exactly the same as the average rate (19.9).

The following table shows, for the registration states, the number of deaths of males in mercantile and trading occupations during the census year from certain specified causes, and the death rates per 100,000 of population.

DEATH RATES FROM CERTAIN CAUSES.

CAUSE OF DEATH.	Deaths.	Death rate.
Malarial fever	17	3.4
Typhoid fever	140	28.3
Rheumatism	27	5.5
Consumption	819	165.8
Diabetes	96	19.4
Diseases of nervous system	847	171.5
Heart disease	719	145.5
Other diseases, circulatory system	114	23.1
Pneumonia	659	133.4
Other diseases, respiratory system	166	33.6
Diseases of liver	155	31.4
Other diseases, digestive system	269	54.5
Diseases of urinary system	696	140.9
Diseases of bones and joints	11	2.2
Suicide	100	20.2
Other accidents and injuries	227	46.0
Cancer	257	52.0

This table shows that the highest death rates in this class were caused by diseases of the nervous system (171.5), consumption (165.8), heart disease (145.5), and diseases of the urinary organs (140.9), but the rates from these causes were generally much less than the average rates in all classes. The only diseases for which death rates in this class were above the average were diabetes and diseases of the liver.

The following table shows the comparative death rates of males in each occupation in this class, at all ages, and in each of four age groups, per 1,000 of corresponding population:

DEATH RATES IN EACH OCCUPATION BY AGES.

OCCUPATIONS.	AGE.				
	All ages.	15 to 24 years.	25 to 44 years.	45 to 64 years.	65 years and over.
Mercantile and trading	12.1	2.6	6.7	19.9	93.8
Apothecaries, pharmacists, etc.	18.3	11.7	11.8	29.2	104.3
Commercial travelers	5.7	1.1	3.8	9.1	32.2
Merchants and dealers	16.4	4.2	6.7	20.4	104.8
Hucksters and peddlers	12.0	4.0	8.6	19.6	57.9
Others of this class	7.4	1.7	6.5	20.6	69.9

The very low death rate of commercial travelers as given in the preceding table (5.7) indicates that probably this occupation was not reported with sufficient accuracy by the physicians in making their returns. It is evident that this rate does not represent the mortality in this class, and this affects to some extent the average rate for the class as a whole, in the aggregate, and for each group. At 25 to 44 years the death rate was highest among the apothecaries, pharmacists, etc. (11.8), being nearly twice as high as the rate for general merchants and dealers (6.7), but at 65 years of age and over the death rate of general merchants and dealers (104.8) was about the same as that of apothecaries, pharmacists, etc. (104.3).

APOTHECARIES, PHARMACISTS, ETC.

This title includes apothecaries, pharmacists, druggists, and dealers in drugs, chemicals, and medicines.

The number of apothecaries, pharmacists, etc., reported in the registration states was 14,728. The number of deaths of apothecaries, pharmacists, etc., during the census year was 270, and the death rate was 18.3. The death rates per 1,000 of population by age groups were as follows: At 15 to 24 years, 11.7; at 25 to 44 years, 11.8; at 45 to 64 years, 29.2; and at 65 years and over, 104.3.

The death rates of apothecaries, pharmacists, etc., per 100,000 of population, were very much higher than the average for the mercantile and trading class from the following causes: Consumption (305.5), diseases

of the nervous system (271.6), pneumonia (230.9), and diseases of the urinary organs (237.6).

COMMERCIAL TRAVELERS AND SALESMEN.

The number of commercial travelers reported in the registration states was 25,989. The number of deaths of commercial travelers in the same area during the census year was 147, and the death rate was 5.7 per 1,000. The death rates per 1,000 of population by age groups were as follows: At 15 to 24 years, 1.1; at 25 to 44 years, 3.8; at 45 to 64 years, 9.1; and at 65 years and over, 32.2.

The death rate of commercial travelers per 100,000 of population was highest from diseases of the nervous system (92.3), which was very much less than the average for the mercantile and trading class (171.5). The death rate of commercial travelers from the causes specified were generally much below the average rates in this class.

MERCHANTS AND DEALERS.

This title includes all wholesale and retail merchants, storekeepers, and dealers, except retail wine and liquor dealers. The number of merchants and dealers reported in the registration states was 228,899. The number of deaths of merchants and dealers during the census year was 3,764, and the death rate was 16.4 per 1,000. In 1890 the rate was 14.7.

The following table shows, for the registration states, the number of merchants and dealers at all ages, and in each of four age groups, the deaths at corresponding ages during the census year, with the per cent of both population and deaths at each age, and the death rates per 1,000 of population:

POPULATION, DEATHS, AND DEATH RATES, BY AGES.

POPULATION, DEATHS, AND DEATH RATES.	All ages.	15 to 24.	25 to 44.	45 to 64.	65 and over.
Population	228,899	20,646	121,114	73,149	13,154
Per cent at each age.....		9.0	52.9	32.0	5.7
Deaths	3,764	87	807	1,489	1,378
Per cent at each age		2.3	21.4	39.6	36.6
Death rate.....	16.4	4.2	6.7	20.4	104.8
Average rate in this class ...	12.1	2.6	6.7	19.9	93.8

This table shows that the death rate of merchants and dealers (16.4) was considerably higher than the average death rate in the mercantile and trading class (12.1), and that the rates were higher at each age except at 25 to 44 years, in which the rate was exactly the same as the average rate in this class (6.7).

The following table shows, for the registration states, the number of deaths of merchants and dealers during the census year from certain specified causes, and the death rates per 100,000 of population:

DEATH RATES FROM CERTAIN CAUSES.

CAUSE OF DEATH.	Deaths.	Death rate.
Malarial fever.....	13	5.7
Typhoid fever.....	77	33.6
Rheumatism.....	18	7.9
Consumption.....	375	163.8
Diabetes.....	71	31.0
Diseases of nervous system.....	573	250.3
Heart disease.....	492	214.9
Other diseases, circulatory system.....	74	32.3
Pneumonia.....	382	166.9
Other diseases, respiratory system.....	114	49.8
Diseases of liver.....	97	42.4
Other diseases, digestive system.....	180	78.6
Diseases of urinary system.....	469	204.9
Diseases of bones and joints.....	7	3.1
Suicide.....	56	24.5
Other accidents and injuries.....	109	47.6
Cancer.....	186	81.3

The highest death rates among merchants and dealers occurred from diseases of the nervous system (250.3), heart disease (214.9), and diseases of the urinary organs (204.9), and these rates were very much higher than the average rates from the same diseases in this class. The rate from suicide (24.5) was somewhat higher than the average rate in this class (20.2), and that from cancer (81.3) was very high, the average rate from this cause in the mercantile and trading class being 52.

HUCKSTERS AND PEDDLERS.

The number of hucksters and peddlers reported in the registration states was 33,482. The number of deaths of hucksters and peddlers during the census year was 401, and the death rate was 12 per 1,000. In 1890 the rate was 14.1.

The following table shows, for the registration states, the number of hucksters and peddlers, at all ages, and in each of four age groups, the deaths at corresponding ages during the census year, with the per cent of both population and deaths at each age, and the death rates per 1,000 of population:

POPULATION, DEATHS, AND DEATH RATES, BY AGES.

POPULATION, DEATHS, AND DEATH RATES.	All ages.	15 to 24.	25 to 44.	45 to 64.	65 and over.
Population	33,482	7,260	16,623	7,664	1,364
Per cent at each age		21.7	49.6	22.9	4.1
Deaths	401	29	143	150	79
Per cent at each age		7.2	35.7	37.4	19.7
Death rate.....	12.0	4.0	8.6	19.6	57.9
Average rate in this class	12.1	2.6	6.7	19.9	93.8

This table shows that the death rate of hucksters and peddlers (12) was about the same as the average rate in the mercantile and trading class (12.1). Over 70 per cent of the hucksters and peddlers reported in the registration states were under 45 years of age, and at these ages the death rates of hucksters and peddlers were higher than the average rates in the mercantile and

trading class. Above 45 years the death rates of hucksters and peddlers were lower than the average rates.

The following table shows, for the registration states, the number of deaths of hucksters and peddlers during the census year from certain specified causes, and the death rates per 100,000 of population:

DEATH RATES FROM CERTAIN CAUSES.

CAUSE OF DEATH.	Deaths.	Death rate.
Malarial fever.....		
Typhoid fever.....	5	14.9
Rheumatism.....		
Consumption.....	84	250.9
Diabetes.....	2	6.0
Diseases of nervous system.....	43	128.4
Heart disease.....	45	134.4
Other diseases, circulatory system.....	8	9.0
Pneumonia.....	36	107.5
Other diseases, respiratory system.....	12	35.8
Diseases of liver.....	9	26.9
Other diseases, digestive system.....	17	50.8
Diseases of urinary system.....	40	119.5
Diseases of bones and joints.....		
Suicide.....	5	14.9
Other accidents and injuries.....	22	65.7
Cancer.....	21	62.7

The death rate of hucksters and peddlers from consumption (250.9) was much higher than the average rate from this disease in the mercantile and trading class (165.8), but the rates from the other specified causes were generally much lower than the average rates in this class.

PUBLIC ENTERTAINMENT CLASS.

The total number of males engaged in occupations included in this class in the registration states was 87,888, or 1.6 per cent of the total males having gainful occupations. The number of deaths in this class during the census year was 1,350, or 1.6 per cent of the whole number of deaths of occupied males in this area, and the death rate was 15.4 per 1,000. In 1890 the death rate in this class was 14.5.

The following table shows, for the registration states, the number of males in this class at all ages, and in each of four age groups, the deaths at corresponding ages during the census year, with the per cent of both population and deaths at each age, and the death rates per 1,000 of population.

POPULATION, DEATHS, AND DEATH RATES, BY AGES.

POPULATION, DEATHS, AND DEATH RATES.	All ages.	15 to 24.	25 to 44.	45 to 64.	65 and over.
Population	87,888	10,599	53,417	21,245	2,471
Per cent at each age		12.1	60.8	24.2	2.8
Deaths	1,350	55	621	506	168
Per cent at each age		4.1	46.0	37.5	12.4
Death rate.....	15.4	5.2	11.6	23.8	68.0
Average rate in all classes....	15.0	5.1	8.8	19.9	98.4

The preceding table shows that the death rate in this class (15.4) was slightly higher than the average rate in all classes (15). The rates in this class were considerably above the average at 25 to 44 years, and at 45 to 64 years, but were below the average at 65 years of age and over. For those 15 to 24 years, the rate (5.2) was about the same as the average rate (5.1).

The following table shows, for the registration states, the number of deaths of males in this class during the census year from certain specified causes, and the death rates per 100,000 of population:

DEATH RATES FROM CERTAIN CAUSES.

CAUSE OF DEATH.	Deaths.	Death rate.
Malarial fever.....	8	3.4
Typhoid fever.....	24	27.3
Rheumatism.....	9	10.2
Consumption.....	236	268.5
Diabetes.....	14	15.9
Diseases of nervous system.....	169	192.3
Heart disease.....	126	143.4
Other diseases circulatory system.....	18	20.5
Pneumonia.....	146	166.1
Other diseases respiratory system.....	25	28.4
Diseases of liver.....	98	111.5
Other diseases digestive system.....	64	72.8
Diseases of urinary system.....	152	172.9
Diseases of bones and joints.....	2	2.3
Suicide.....	21	23.9
Other accidents and injuries.....	57	64.9
Cancer.....	31	35.3

In this class the death rates from rheumatism (10.2), consumption (268.5), diabetes (15.9), diseases of the nervous system (192.3), pneumonia (166.1), diseases of the liver (111.5), and other diseases of the digestive system (72.8), diseases of the urinary organs (172.9), and suicide (23.9) were all higher than the average rates from these causes in all classes. The rate from diseases of the digestive system (184.3) was excessively high, being more than twice the average rate from these diseases in all classes (89).

The following table shows the comparative death rates of males in each occupation in this class, at all ages, and in each of four age groups, per 1,000 of corresponding population:

DEATH RATES IN EACH OCCUPATION, BY AGES.

OCCUPATIONS.	AGE.				
	All ages.	15 to 24 years.	25 to 44 years.	45 to 64 years.	65 years and over.
Public entertainment.....	15.4	5.2	11.6	23.8	68.0
Hotel and boarding house keepers.....	22.3	11.2	11.1	25.8	82.1
Saloon keepers, liquor dealers, bartenders, and restaurant keepers.....	13.3	4.9	11.7	22.6	47.5

This table shows that the death rate of hotel and boarding house keepers (22.3) was much higher than that of saloon keepers, liquor dealers, etc. (13.3), and that it was higher in each age group except at 25 to 44

years, in which group the death rate of saloon keepers, liquor dealers, etc. (11.7) was slightly higher than that of hotel and boarding house keepers (11.1).

HOTEL AND BOARDING HOUSE KEEPERS.

The number of hotel and boarding house keepers reported in the registration states was 19,969. The number of deaths of hotel and boarding house keepers during the census year was 445, and the death rate was 22.3 per 1,000. In 1890 the rate was 14.9.

The following table shows, for the registration states, the number of hotel and boarding house keepers at all ages and in each of four age groups, the deaths at corresponding ages during the census year, with the per cent of both population and deaths at each age, and the death rates per 1,000 of population:

POPULATION, DEATHS, AND DEATH RATES, BY AGES.

POPULATION, DEATHS, AND DEATH RATES.	All ages.	15 to 24.	25 to 44.	45 to 64.	65 and over.
Population.....	19,969	535	9,809	8,140	1,461
Per cent at each age.....		2.7	49.1	40.8	7.3
Deaths.....	445	6	109	210	120
Per cent at each age.....		1.3	24.5	47.2	27.0
Death rate.....	22.3	11.2	11.1	25.8	82.1
Average rate in this class...	15.4	5.2	11.6	23.8	68.0

This table shows that the death rate of hotel and boarding house keepers (22.3) was much higher than the average rate in this class (15.4). About 50 per cent of the persons reported in these occupations in the registration states were between 25 and 45 years of age, and in this age group the death rate of hotel and boarding house keepers (11.1) was slightly lower than the average rate in this class (11.6). About 40 per cent were between 45 and 65 years of age, and in this age group the death rate (25.8) was higher than the average rate in this class (23.8).

The following table shows, for the registration states, the number of deaths of hotel and boarding house keepers during the census year from certain specified causes, and the death rates per 100,000 of population:

DEATH RATES FROM CERTAIN CAUSES.

CAUSE OF DEATH.	Deaths.	Death rate.
Malarial fever.....		
Typhoid fever.....	7	35.1
Rheumatism.....	5	25.0
Consumption.....	42	210.3
Diabetes.....	5	25.0
Diseases of nervous system.....	68	340.5
Heart disease.....	64	320.5
Other diseases, circulatory system.....	10	50.1
Pneumonia.....	43	215.3
Other diseases, respiratory system.....	8	40.1
Diseases of the liver.....	19	95.1
Other diseases, digestive system.....	23	115.2
Diseases of the urinary system.....	66	330.5
Diseases of bones and joints.....	1	5.0
Suicide.....	7	35.1
Other accidents and injuries.....	15	75.1
Cancer.....	12	60.1

The death rates of hotel and boarding-house keepers from diseases of the nervous system (340.5), heart disease (320.5), pneumonia (215.3), and diseases of the urinary system (330.5) were all very high, being much higher than the average rates from these diseases in this class. The rate from consumption (210.3) was much less than the average rate in this class (268.5), but for the other specified diseases the death rates of hotel and boarding-house keepers were generally higher than the average rates in this class.

SALOON AND RESTAURANT KEEPERS.

This title includes saloon keepers, bartenders, retail wine and liquor dealers, restaurant keepers, and keepers of billiard saloons, and bowling alleys.

The number of males engaged in these occupations in the registration states was 67,919, and the number of deaths during the census year was 905, the death rate per 1,000 being 13.3. In 1890 the rate was 14.4.

The following table shows, for the registration states, the number of saloon and restaurant keepers at all ages, and in each of four age groups, the deaths at corresponding ages during the census year, with the per cent of both population and deaths at each age, and the death rates per 1,000 of population:

POPULATION, DEATHS, AND DEATH RATES, BY AGES.

POPULATION, DEATHS, AND DEATH RATES.	All ages.	15 to 24.	25 to 44.	45 to 64.	65 and over.
Population	67,919	10,064	43,608	13,105	1,010
Per cent at each age		14.8	64.2	19.3	1.5
Deaths	905	49	512	296	48
Per cent at each age		5.4	56.6	32.7	5.3
Death rate.....	13.3	4.9	11.7	22.6	47.5
Average rate in this class ...	15.4	5.2	11.6	23.8	68.0

This table shows that the death rate of saloon and restaurant keepers, bartenders, etc. (13.3), was lower than the average rate in this class (15.4). Nearly 80 per cent of the persons reported in these occupations in the registration states were under 45 years of age, and in the age group 25 to 44 the rate was higher than the average rates in this class. In the age groups above 45 years the rates were lower than the average rates.

The following table shows, for the registration states, the number of deaths of saloon and restaurant keepers during the census year from certain specified causes, and the death rates per 100,000 of population:

DEATH RATES FROM CERTAIN CAUSES.

CAUSE OF DEATH.	Deaths.	Death rate.
Malarial fever.....	3	4.4
Typhoid fever.....	17	25.0
Rheumatism	4	5.9
Consumption.....	194	285.6
Diabetes.....	9	13.3
Diseases of nervous system.....	101	148.7

DEATH RATES FROM CERTAIN CAUSES—Continued.

CAUSE OF DEATH.	Deaths.	Death rate.
Heart disease.....	62	91.3
Other diseases, circulatory system.....	8	11.8
Pneumonia.....	103	151.7
Other diseases, respiratory system.....	17	25.0
Diseases of liver.....	79	116.3
Other diseases, digestive system.....	41	60.4
Diseases of urinary system.....	86	126.6
Diseases of bones and joints.....	1	1.5
Suicide.....	14	20.6
Other accidents and injuries.....	42	61.8
Cancer.....	19	28.0

The highest death rates of saloon and restaurant keepers, bartenders, etc., were due to consumption (285.6), pneumonia (151.7), and diseases of the nervous system (148.7). The rates from consumption (285.6) and diseases of the liver (116.3) were also higher than the average rates from these diseases in this class, but the rates from the other specified causes were generally much lower than the average in this class.

PERSONAL SERVICE, POLICE, AND MILITARY CLASS.

The total number of males engaged in occupations included in this class, in the registration states, was 149,164, or 2.7 per cent of the total males having gainful occupations. The number of deaths in this class during the census year was 1,931, or 2.3 per cent of the whole number of deaths of the occupied males in this area, and the death rate was 12.9 per 1,000. In 1890 the death rate in this class was 15.4.

The following table shows, for the registration states, the number of males in this class at all ages and in each of four age groups, the deaths at corresponding ages during the census year, with the per cent of both population and deaths at each age, and the death rates per 1,000 of population:

POPULATION, DEATHS, AND DEATH RATES, BY AGES.

POPULATION, DEATHS, AND DEATH RATES.	All ages.	15 to 24.	25 to 44.	45 to 64.	65 and over.
Population	149,164	26,396	79,127	37,015	5,949
Per cent at each age.....		17.7	53.0	24.8	4.0
Deaths	1,931	156	649	735	381
Per cent at each age.....		2.1	33.6	38.1	19.7
Death rate.....	12.9	5.9	8.2	19.9	64.0
Average rate in all classes...	15.0	5.1	8.8	19.9	98.4

This table shows that the death rate in this class (12.9) was less than the average in all classes (15), and that the rate was lower at 25 to 44 years (8.2) than the average rate at this age (8.8), also at 65 years and over, in which age group the rate in this class (64) was much less than the average rate (98.4). At 15 to 24 years, the death rate in this class (5.9) was slightly higher than the average rate (5.1), and at 45 to 64 years it was exactly the same as the average rate in all classes (19.9).

The following table shows, for the registration states, the number of deaths of males in this class during the census year from certain specified causes, and the death rates per 100,000 of population:

DEATH RATES FROM CERTAIN CAUSES.

CAUSE OF DEATH.	Deaths.	Death rate.
Malarial fever.....	13	8.7
Typhoid fever.....	57	38.2
Rheumatism.....	10	6.7
Consumption.....	380	254.8
Diabetes.....	13	8.7
Diseases of nervous system.....	216	144.8
Heart disease.....	188	126.0
Other diseases, circulatory system.....	26	17.4
Pneumonia.....	221	148.2
Other diseases, respiratory system.....	47	31.5
Diseases of liver.....	42	28.2
Other diseases, digestive system.....	72	48.3
Diseases of urinary system.....	217	145.5
Diseases of bones and joints.....	4	2.7
Suicide.....	41	27.5
Other accidents and injuries.....	125	83.8
Cancer.....	64	42.9

The death rates in this class from consumption (254.8), typhoid fever (38.2), malarial fever (8.7), diseases of the urinary system (145.5), and suicide (27.5) were higher than the average rates from these diseases in all classes, but the rates due to all other specified causes were lower than the average rates.

The following table shows the comparative death rates of males in each occupation in this class, at all ages, and in each of four age groups, per 1,000 of corresponding population:

DEATH RATES IN EACH OCCUPATION, BY AGES.

OCCUPATION.	AGE.				
	All ages.	15 to 24 years.	25 to 44 years.	45 to 64 years.	65 years and over.
Personal service, police, and military.....	12.9	5.9	8.2	19.9	64.0
Barbers and hairdressers.....	10.4	5.7	8.7	19.5	90.9
Janitors and sextons.....	16.6	2.8	9.1	20.3	43.9
Policemen, watchmen, and detectives.....	15.4	2.0	7.2	19.4	65.6
Soldiers, sailors, and marines (United States).....	12.1	6.5	9.5	32.2	198.6
Others of this class.....	10.9	7.3	8.0	18.3	68.8

This table shows that of the individual occupations included in this class, the death rates were above the average for the class (12.9) among janitors and sextons (16.6) and policemen, watchmen, and detectives (15.4). The lowest rate in this class was that of barbers and hairdressers (10.4).

BARBERS AND HAIRDRESSERS.

The number of barbers and hairdressers reported in the registration states was 40,007, and the number of deaths of barbers and hairdressers during the census

year was 416, the death rate per 1,000 being 10.4. In 1890 the rate was 12.5.

The following table shows, for the registration states, the number of barbers and hairdressers at all ages, and in each of four age groups, the deaths at corresponding ages during the census year, with the per cent of both population and deaths at each age, and the death rates per 1,000 of population:

POPULATION, DEATHS, AND DEATH RATES, BY AGES

POPULATION, DEATHS, AND DEATH RATES.	All ages.	15 to 24.	25 to 44.	45 to 64.	65 and over.
Population.....	40,007	10,103	23,390	5,687	462
Per cent at each age.....		25.3	58.5	14.2	1.2
Deaths.....	416	58	203	111	42
Per cent at each age.....		13.9	48.8	26.7	10.1
Death rate.....	10.4	5.7	8.7	19.5	90.9
Average rate in this class.....	12.9	5.9	8.2	19.9	64.0

This table shows that the death rate of barbers and hairdressers in the registration states (10.4) was lower than the average rate in this class (12.9). Over 80 per cent of the barbers and hairdressers in this area were under 45 years of age, 58.5 per cent being between 25 and 45 years. The highest number of deaths occurred in this age group, and the death rate (8.7) was slightly higher than the average rate in this class (8.2). At 15 to 24 years, and at 45 to 64 years, the death rates of barbers and hairdressers were lower than the average rates in this class, but at 65 years of age and over, the rate was considerably higher than the average.

The following table shows, for the registration states, the number of deaths of barbers and hairdressers during the census year from certain specified causes, and the death rates per 100,000 of population:

DEATH RATES FROM CERTAIN CAUSES.

CAUSE OF DEATH.	Deaths.	Death rate.
Malarial fever.....	1	2.5
Typhoid fever.....	16	40.0
Rheumatism.....	1	2.5
Consumption.....	184	334.9
Diabetes.....	2	5.0
Diseases of nervous system.....	30	75.0
Heart disease.....	41	102.5
Other diseases, circulatory system.....	7	17.5
Pneumonia.....	31	77.5
Other diseases, respiratory system.....	12	30.0
Diseases of liver.....	13	32.5
Other diseases, digestive system.....	16	40.0
Diseases of urinary system.....	36	90.0
Diseases of bones and joints.....	1	2.5
Suicide.....	12	30.0
Other accidents and injuries.....	18	45.0
Cancer.....	11	27.5

The highest death rate among barbers and hairdressers was due to consumption (334.9) and this was very much higher than the average rate from this disease in this class (254.8). The rates from typhoid fever, dis-

eases of the circulatory system other than heart disease, diseases of the liver, and suicide, were all higher than the average rates in this class, but the rates due to the other specified causes were generally much lower than the average.

JANITORS AND SEXTONS.

The number of janitors and sextons reported in the registration states was 19,493, and the number of deaths of janitors and sextons during the census year was 324, the death rate per 1,000 being 16.6. In 1890 the rate was 17.2.

The following table shows, for the registration states, the number of janitors and sextons at all ages, and in each of four age groups, the deaths at corresponding ages during the census year, with the per cent of both population and deaths at each age, and the death rates per 1,000 of population:

POPULATION, DEATHS, AND DEATH RATES, BY AGES.

POPULATION, DEATHS, AND DEATH RATES.	All ages.	15 to 24.	25 to 44.	45 to 64.	65 and over.
Population	19,493	1,430	8,170	7,885	1,957
Per cent at each age		7.3	41.9	40.5	10.0
Deaths	324	4	74	160	86
Per cent at each age		1.2	22.8	49.4	26.5
Death rate.....	16.6	2.8	9.1	20.3	43.9
Average rate in this class...	12.9	5.9	8.2	19.9	64.0

This table shows that the death rate of janitors and sextons in the registration states (16.6) was considerably higher than the average rate in this class (12.9), and that the rates were higher in the age groups 25 to 44 and 45 to 64 years, which included over 80 per cent of the janitors and sextons reported. At 15 to 24 years of age and at 65 years and over the death rates of janitors and sextons were lower than the average rates in this class.

The following table shows, for the registration states, the number of deaths of janitors and sextons during the census year from certain specified causes, and the death rates per 100,000 of population:

DEATH RATES FROM CERTAIN CAUSES.

CAUSE OF DEATH.	Deaths.	Death rate.
Malarial fever.....	1	5.1
Typhoid fever.....	5	25.7
Rheumatism		
Consumption	49	251.4
Diabetes.....		
Diseases of nervous system	37	189.8
Heart disease.....	30	153.9
Other diseases, circulatory system.....	5	25.7
Pneumonia.....	62	318.1
Other diseases, respiratory system.....	8	41.0
Diseases of liver	2	10.3
Other diseases, digestive system.....	16	82.1
Diseases of urinary system	47	241.1
Diseases of bones and joints.....		
Suicide	8	41.0
Other accidents and injuries.....	13	66.7
Cancer	13	66.7

The death rate of janitors and sextons from pneumonia (318.1) was excessively high, being more than twice the average rate in this class (148.2). The rate from diseases of the urinary organs (241.1) was also very much higher than the average rate in this class (145.5). The rate from consumption (251.4) was slightly lower than the average rate in this class (254.8).

POLICEMEN, WATCHMEN, AND DETECTIVES.

The number of policemen, watchmen, and detectives reported in the registration states was 43,145, and the number of deaths during the census year was 665, the death rate being 15.4 per 1,000. In 1890 the rate was 16.2.

The following table shows, for the registration states, the number of policemen, watchmen, and detectives at all ages, and in each of four age groups, the deaths at corresponding ages during the census year, with the per cent of both population and deaths at each age, and the death rates per 1,000 of population:

POPULATION, DEATHS, AND DEATH RATES, BY AGES.

POPULATION, DEATHS, AND DEATH RATES.	All ages.	15 to 24.	25 to 44.	45 to 64.	65 and over.
Population	43,145	1,534	22,160	16,665	2,715
Per cent at each age		3.6	51.4	38.6	6.3
Deaths.....	665	3	160	323	178
Per cent at each age.....		0.5	24.1	48.6	26.8
Death rate.....	15.4	2.0	7.2	19.4	65.6
Average rate in this class....	12.9	5.9	8.2	19.9	64.0

This table shows that the death rate of policemen, watchmen, and detectives was higher than the average rate in this class (12.9), but that the rates were lower in each of the age groups up to 65 years. At 65 years and over, the death rate of policemen, watchmen, and detectives (65.6) was slightly higher than the average rate in this class (64). The greatest number of deaths of policemen, watchmen, and detectives occurred between the ages of 45 and 65 years, and in this age group the rate (19.4) was about the same as the average rate in this class (19.9).

The following table shows, for the registration states, the number of deaths of policemen, watchmen, and detectives during the census year from certain specified causes, and the death rates per 100,000 of population:

DEATH RATES FROM CERTAIN CAUSES.

CAUSE OF DEATH.	Deaths.	Death rate.
Malarial fever.....	2	4.6
Typhoid fever.....	9	20.9
Rheumatism	6	13.9
Consumption.....	59	136.7
Diabetes.....	4	9.3
Diseases of nervous system	105	243.4
Heart disease.....	77	178.5
Other diseases, circulatory system.....	10	23.2
Pneumonia.....	75	173.8
Other diseases, respiratory system.....	17	39.4

DEATH RATES FROM CERTAIN CAUSES—Continued.

CAUSE OF DEATH.	Deaths.	Death Rate.
Diseases of liver	17	39.4
Other diseases, digestive system	23	53.3
Diseases of urinary system	94	217.9
Diseases of bones and joints		
Suicide	13	30.1
Other accidents and injuries	60	139.1
Cancer	26	60.3

The highest death rates of policemen, watchmen, and detectives were due to diseases of the nervous system (248.4), diseases of the urinary system (217.9), heart disease (178.5), and pneumonia (173.8), and the rates from these diseases were all much higher than the average rates in this class. The rate from accidents and injuries other than suicide (139.1) was very much higher than the average rate (83.8) and the rates from suicide, cancer, rheumatism, diseases of the liver, and other diseases of the digestive system were also higher than the average rates in this class, but the rate due to consumption (136.7) was very much lower than the average rate in this class (254.8).

SOLDIERS, SAILORS, AND MARINES (UNITED STATES SERVICE).

The number of soldiers, sailors, and marines reported in the registration states was 14,851; the number of deaths of soldiers, sailors, and marines during the census year was 180; and the death rate was 12.1 per 1,000. The death rates per 1,000 of population by age groups were as follows: At 15 to 24 years, 6.5; at 25 to 44 years, 9.5; at 45 to 64 years, 32.2; and at 65 years and over, 198.6.

The death rates of soldiers, sailors, and marines per 100,000 of population were above the average for the class, from accidents and injuries exclusive of suicide (141.4) and typhoid fever (80.8). The death rates from other causes were generally below the class average.

LABORING AND SERVANT CLASS.

The total number of males engaged in occupations included in this class in the registration states was 800,983, or 14.4 per cent of the total males having gainful occupations. The number of deaths in this class during the census year was 16,158, or 19.3 per cent of the whole number of deaths of occupied males in this area, and the death rate was 20.2 per 1,000. In 1890 the death rate in this class was 22.6.

The following table shows, for the registration states, the number of males in this class at all ages, and in each of four age groups, the deaths at corresponding ages

during the census year, with the per cent of both population and deaths at each age, and the death rates per 1,000 of population:

POPULATION, DEATHS, AND DEATH RATES, BY AGES.

POPULATION, DEATHS, AND DEATH RATES.	All ages.	15 to 24.	25 to 44.	45 to 64.	65 and over.
Population	800,983	207,579	386,253	164,833	30,101
Per cent at each age		25.9	48.2	20.6	3.8
Deaths	16,158	1,606	5,382	5,253	3,812
Per cent at each age		9.9	33.3	32.5	23.6
Death rate	20.2	7.7	13.9	31.9	126.6
Average rate in all classes ..	15.0	5.1	8.8	19.9	98.4

The preceding table shows that about 75 per cent of the population in the laboring and servant class were under 45 years of age. The death rate of this class (20.2) was much higher than the average rate of all classes (15), and the rates were higher in each age group than the average rates at the same ages in all classes.

The following table shows, for the registration states, the number of deaths of males in this class during the census year from certain specified causes, and the death rates per 100,000 of population:

DEATH RATES FROM CERTAIN CAUSES.

CAUSE OF DEATH.	Deaths.	Death rate.
Malarial fever	43	5.4
Typhoid fever	409	51.1
Rheumatism	53	6.6
Consumption	3,018	376.8
Diabetes	63	7.9
Diseases of nervous system	1,601	199.9
Heart disease	1,542	192.5
Other diseases, circulatory system	128	16.0
Pneumonia	1,996	249.2
Other diseases, respiratory system	513	64.0
Diseases of liver	256	32.0
Other diseases, digestive system	626	78.2
Diseases of urinary system	1,340	167.3
Diseases of bones and joints	48	6.0
Suicide	165	20.6
Other accidents and injuries	1,764	220.2
Cancer	533	66.5

In comparison with the average death rates from the specified causes, the death rates of laborers and servants from consumption (376.8) was very much higher than the average rate (236.7), and the rate from pneumonia (249.2) was also much higher than the average rate from this disease (154.1). The only diseases in which the death rates of this class were lower than the average rate were rheumatism, diabetes, and diseases of the circulatory system other than heart disease.

The following table shows the comparative death rates of males in each occupation in this class, at all

ages, and in each of four age groups, per 1,000 of corresponding population:

DEATH RATES IN EACH OCCUPATION, BY AGES.

OCCUPATIONS.	AGE.				
	All ages.	15 to 24 years.	25 to 44 years.	45 to 64 years.	65 years and over.
Laboring and servant.....	20.2	7.7	13.9	31.9	126.6
Laborers (not agricultural).....	20.7	8.0	14.0	31.6	127.3
Servants.....	15.5	6.0	13.5	36.0	110.7

The preceding table shows that the death rates of laborers were higher than those of servants at each age, except at 45 to 64 years, in which group the death rate of servants (36) was considerably higher than that of laborers (31.6).

LABORERS.

This title includes all persons reported as laborers, excepting agricultural laborers.

The number of laborers reported in the registration states was 719,647, and the number of deaths of laborers during the census year was 14,895, the death rate per 1,000 being 20.7. In 1890 the rate was 25.3.

The following table shows, for the registration states, the number of laborers (not agricultural) at all ages, and in each of four age groups, the deaths at corresponding ages during the census year, with the per cent of both population and deaths at each age, and the death rates per 1,000 of population:

POPULATION, DEATHS, AND DEATH RATES, BY AGES.

POPULATION, DEATHS, AND DEATH RATES.	All ages.	15 to 24.	25 to 44.	45 to 64.	65 and over.
Population	719,647	184,404	341,508	154,081	28,963
Per cent at each age.....		25.6	47.5	21.4	4.0
Deaths.....	14,895	1,467	4,776	4,866	3,686
Per cent at each age.....		9.8	32.1	32.7	24.7
Death rate.....	20.7	8.0	14.0	31.6	127.3
Average rate in this class....	20.2	7.7	13.9	31.9	126.6

This table shows that the death rates of laborers (not agricultural) in the aggregate and at each age were higher than the rates for the laboring and servant class, but the average rates for this class are determined largely by the deaths of the laborers themselves, as they represent the great majority in this class. In comparison with the total death rate of males in all occupations, it will be seen that the death rate of laborers (20.7) was much higher than the average death rate of all occupied males (15). At 15 to 24 years the death rate of laborers (8) was 2.9 per 1,000 higher than the average rate of all males at these ages (5.1); at 25 to 44 years, the average death rate of all occupied males was 8.8, and that of laborers was 14. At 45 to 64 years, the average death rate of all occupied males was 19.9, and that of laborers was 31.6; and at 65 years of age

and over, the death rate of all occupied males was 98.4, and that of laborers was 127.3.

The following table shows, for the registration states, the number of deaths of laborers (not agricultural) during the census year from certain specified causes, and the death rates per 100,000 of population:

DEATH RATES FROM CERTAIN CAUSES.

CAUSE OF DEATH.	Deaths.	Death rate.
Malarial fever.....	39	5.4
Typhoid fever.....	373	51.8
Rheumatism.....	50	6.9
Consumption.....	2,668	370.7
Diabetes.....	57	7.9
Diseases of nervous system.....	1,507	209.4
Heart disease.....	1,423	197.7
Other diseases, circulatory system.....	115	16.0
Pneumonia.....	1,840	255.7
Other diseases, respiratory system.....	488	67.8
Diseases of liver.....	235	32.7
Other diseases, digestive system.....	576	80.0
Diseases of urinary system.....	1,201	166.9
Diseases of bones and joints.....	45	6.3
Suicide.....	153	21.3
Other accidents and injuries.....	1,692	235.1
Cancer.....	497	69.1

The death rates of laborers were higher than those of all occupied males from each of the causes specified in the preceding table, except rheumatism, diabetes, and diseases of the circulatory system other than heart disease. The death rate of laborers from consumption (370.7) was excessively high, the average rate from this disease in all occupied males being 236.7. The rate from pneumonia (255.7) was also very much higher than the average rate from this disease in all occupied males (154.1), and the rate from accidents and injuries other than suicide (235.1) was more than twice the average rate from these causes in all occupied males (113.2).

SERVANTS.

The number of servants reported in the registration states was 81,336, and the number of deaths of servants during the census year was 1,263, the death rate being 15.5 per 1,000. In 1890 the rate was 12.6.

The following table shows, for the registration states, the number of servants, at all ages, and in each of four age groups, the deaths at corresponding ages during the census year, with the per cent of both population and deaths at each age, and the death rates per 1,000 of population:

POPULATION, DEATHS, AND DEATH RATES, BY AGES.

POPULATION, DEATHS, AND DEATH RATES.	All ages.	15 to 24.	25 to 44.	45 to 64.	65 and over.
Population	81,336	23,175	44,745	10,752	1,138
Per cent at each age.....		28.5	55.0	13.2	1.4
Deaths.....	1,263	139	606	387	126
Per cent at each age.....		11.0	48.0	30.6	10.0
Death rate.....	15.5	6.0	13.5	36.0	110.7
Average rate in this class....	20.2	7.7	13.9	31.9	126.6

This table shows that the death rate of servants (15.5) was less than the death rate of laborers (20.7), but was slightly higher than the average death rate in all occupied males (15). Over 80 per cent of the male servants reported in the registration states were under 45 years of age. The greatest number of deaths occurred in the age group 25 to 44 years, and in this age group the death rate of servants (13.5) was nearly as high as that of laborers (14) and was very much higher than the average rate of all occupied males at these ages (8.8).

The following table shows, for the registration states, the number of deaths of servants during the census year from certain specified causes, and the death rates per 100,000 of population:

DEATH RATES FROM CERTAIN CAUSES.

CAUSE OF DEATH.	Deaths.	Death rate.
Malarial fever.....	4	4.9
Typhoid fever.....	36	44.3
Rheumatism.....	3	3.7
Consumption.....	350	430.3
Diabetes.....	6	7.4
Diseases of nervous system.....	94	115.6
Heart disease.....	119	146.3
Other diseases, circulatory system.....	13	16.0
Pneumonia.....	156	191.8
Other diseases, respiratory system.....	25	30.7
Diseases of liver.....	21	25.8
Other diseases, digestive system.....	50	61.5
Diseases of urinary system.....	139	170.9
Diseases of bones and joints.....	3	3.7
Suicide.....	12	14.8
Other accidents and injuries.....	72	88.5
Cancer.....	36	44.3

The high death rates of servants, as compared with the average rates for all occupied males, was largely due to the excessive death rates from consumption, pneumonia, and diseases of the urinary organs. The death rate of servants from consumption (430.3) was nearly twice the average rate from this disease in all occupied males (236.7). The rates from diseases of the nervous system (115.6) and heart disease (146.3) were very much below the average rates from these diseases in all occupied males.

MANUFACTURING AND MECHANICAL INDUSTRY CLASS.

The total number of males engaged in occupations included in this class in the registration states was 1,796,928, or 32.2 per cent of the total males having gainful occupations. The number of deaths in this class during the census year was 24,769, or 29.6 per cent of the whole number of deaths of occupied males in this area, and the death rate was 13.8 per 1,000. In 1890 the death rate in this class was 13.

The following table shows, for the registration states, the number of males in this class at all ages, and in each

of four age groups, the deaths at corresponding ages during the census year, with the per cent of both population and deaths at each age, and the death rates per 1,000 of population.

POPULATION, DEATHS, AND DEATH RATES, BY AGES.

POPULATION, DEATHS, AND DEATH RATES.	All ages.	15 to 24.	25 to 44.	45 to 64.	65 and over.
Population.....	1,796,928	407,398	899,543	398,684	69,608
Per cent at each age.....		22.7	50.1	22.2	3.9
Deaths.....	24,769	1,805	7,514	8,039	7,339
Per cent at each age.....		7.3	30.3	32.5	29.6
Death rate.....	13.8	4.4	8.4	20.2	105.4
Average rate in all classes.....	15.0	5.1	8.8	19.9	98.4

This table shows that the death rate of males engaged in manufacturing and mechanical pursuits (13.8) was less than the average rate of males in all classes of occupations (15), and that the rates were lower in each age group up to 45 years. Above the age of 45 years the rates in this class were higher than the average rates of all classes.

The following table shows, for the registration states, the number of deaths of males in this class during the census year from certain specified causes, and the death rates per 100,000 of population:

DEATH RATES FROM CERTAIN CAUSES.

CAUSE OF DEATH.	Deaths.	Death rate.
Malarial fever.....	84	4.7
Typhoid fever.....	529	29.4
Rheumatism.....	123	6.8
Consumption.....	4,710	262.1
Diabetes.....	202	11.2
Diseases of nervous system.....	3,102	172.6
Heart disease.....	2,696	150.0
Other diseases, circulatory system.....	295	16.4
Pneumonia.....	2,496	138.9
Other diseases, respiratory system.....	760	42.3
Diseases of liver.....	479	26.7
Other diseases, digestive system.....	877	48.8
Diseases of urinary system.....	2,419	134.6
Diseases of bones and joints.....	57	3.2
Suicide.....	366	20.4
Other accidents and injuries.....	1,589	88.4
Cancer.....	957	53.3

The death rate from consumption in this class (262.1) was higher than the average rate from this disease in all classes (236.7), but the rates from all other causes, except suicide, were less than the average rates, being comparatively low from diseases of the nervous system, heart disease, pneumonia, and diseases of the urinary system. The rate from suicide (20.4) was about the same as the average rate from this cause in all classes (20.2).

The following table shows the comparative death rates of males in each occupation in this class, at all ages, and

in each of four age groups, per 1,000 of corresponding population:

DEATH RATES IN EACH OCCUPATION, BY AGES.

OCCUPATIONS.	AGE.				
	All ages.	15 to 24 years.	25 to 44 years.	45 to 64 years.	65 years and over.
Manufacturing and mechanical industry.....	13.8	4.4	8.4	20.2	105.4
Bakers and confectioners.....	12.3	4.5	7.9	23.4	105.8
Blacksmiths.....	18.3	3.8	7.6	20.0	134.3
Boot and shoe makers.....	9.4	2.7	3.4	11.2	77.9
Brewers, distillers, and rectifiers.....	19.7	1.8	12.2	32.4	138.9
Butchers.....	16.1	5.5	10.4	29.5	133.6
Cabinetmakers and upholsterers.....	18.0	4.6	10.5	19.8	109.6
Carpenters and joiners.....	17.2	4.2	6.8	16.4	98.9
Cigarmakers and tobacco workers.....	18.7	5.9	14.6	31.0	120.6
Compositors, printers, and pressmen.....	12.1	5.0	12.3	20.0	108.8
Coopers.....	23.8	3.2	9.6	23.9	152.1
Engineers and firemen (not locomotive).....	15.7	6.4	10.2	23.1	107.2
Glass blowers and glass workers.....	10.8	4.6	10.9	21.8	82.3
Hat and cap makers.....	17.9	5.4	13.1	32.9	173.1
Iron and steel workers.....	10.7	3.2	7.8	22.0	100.4
Leather makers.....	12.3	3.5	7.8	19.7	94.2
Leather workers.....	17.5	3.4	7.5	23.7	94.6
Machinists.....	10.5	3.9	6.6	20.3	92.1
Marble and stone cutters.....	14.9	3.4	9.3	24.7	122.9
Masons (brick and stone).....	19.9	5.3	9.1	21.8	112.0
Mill and factory operatives (textiles).....	8.8	4.1	7.6	18.2	119.9
Millers (flour and grist).....	26.6	5.8	10.5	15.6	164.9
Painters, glaziers, and varnishers.....	16.2	5.3	11.3	24.3	97.8
Plasterers and whitewashers.....	17.0	7.8	10.7	23.5	88.4
Plumbers, and gas and steam fitters.....	9.1	4.6	10.4	16.6	34.6
Tailors.....	11.8	2.6	5.6	19.9	113.6
Tinners and tinware makers.....	14.5	5.0	9.6	22.5	112.0
Others of this class.....	13.9	5.1	8.4	20.3	108.0

Considering the individual occupations included in this class, the preceding table shows that the highest death rates occurred among millers (26.6), coopers (23.8), and brick and stone masons (19.9); and the lowest rates among boot and shoe makers (9.4), plumbers, and gas and steam fitters (9.1), and mill and factory operatives (8.8).

The variations in the death rates at the different ages are largely due to differences in the ages of the population employed in the respective occupations, and the percentage of population at each age, as shown in the small tables given for the individual occupations following, and the differences should be taken into consideration in comparing the rates in this class.

BAKERS AND CONFECTIONERS.

The number of bakers and confectioners reported in the registration states was 39,181, and the number of deaths of bakers and confectioners during the census year was 483, the death rate being 12.3 per 1,000. In 1890 the rate was 14.6.

The following table shows, for the registration states,

the number of bakers and confectioners at all ages, and in each of four age groups, the deaths at corresponding ages during the census year, with the per cent of both population and deaths at each age, and the death rates per 1,000 of population:

POPULATION, DEATHS, AND DEATH RATES, BY AGES.

POPULATION, DEATHS, AND DEATH RATES.	All ages.	15 to 24.	25 to 44.	45 to 64.	65 and over.
Population.....	39,181	9,200	21,566	7,106	992
Per cent at each age.....		23.5	55.0	18.1	2.5
Deaths.....	483	41	170	166	105
Per cent at each age.....		8.5	35.2	34.4	21.7
Death rate.....	12.3	4.5	7.9	23.4	105.8
Average rate in this class.....	13.8	4.4	8.4	20.2	105.4

This table shows that the death rate of bakers and confectioners (12.3) was lower than the average rate in this class (13.8). More than 75 per cent of the bakers and confectioners reported in the registration states were under 45 years of age, and in the age group 25 to 44 years the death rate of bakers and confectioners was lower than the average rate, but in the other age groups the rates were slightly higher than the average rates in this class.

The following table shows, for the registration states, the number of deaths of bakers and confectioners during the census year from certain specified causes, and the death rates per 100,000 of population:

DEATH RATES FROM CERTAIN CAUSES.

CAUSE OF DEATH.	Deaths.	Death rate.
Malarial fever.....		
Typhoid fever.....	14	35.7
Rheumatism.....	1	2.6
Consumption.....	98	250.1
Diabetes.....	5	12.8
Diseases of nervous system.....	63	160.8
Heart disease.....	40	102.1
Other diseases, circulatory system.....	4	10.2
Pneumonia.....	46	117.4
Other diseases, respiratory system.....	15	38.3
Diseases of liver.....	18	45.9
Other diseases, digestive system.....	23	58.7
Diseases of urinary system.....	57	145.5
Diseases of bones and joints.....	3	7.7
Suicide.....	6	15.3
Other accidents and injuries.....	24	61.3
Cancer.....	20	51.0

The highest death rates of bakers and confectioners were due to consumption (250.1), diseases of the urinary organs (145.5), diseases of the nervous system (160.8), and pneumonia (117.4), but the rates due to all of these diseases except diseases of the urinary organs were lower than the average rates in this class. The rates from diseases of the liver (45.9) and other diseases of the digestive system (58.7) were much higher than the average rates from these diseases in this class.

BLACKSMITHS.

This title includes blacksmiths and horseshoers and their apprentices and helpers. The number of blacksmiths reported in the registration states was 56,840, and the number of deaths of blacksmiths during the census year was 1,041, the death rate being 18.3 per 1,000. In 1890 the rate was 15.6.

The following table shows, for the registration states, the number of blacksmiths at all ages, and in each of four age groups, the deaths at corresponding ages during the census year, with the per cent of both population and deaths at each age, and the death rates per 1,000 of population:

POPULATION, DEATHS, AND DEATH RATES, BY AGES.

POPULATION, DEATHS, AND DEATH RATES.	All ages.	15 to 24.	25 to 44.	45 to 64.	65 and over.
Population	56,840	8,207	28,677	16,338	3,424
Per cent at each age		14.4	50.5	28.7	6.0
Deaths	1,041	31	219	327	460
Per cent at each age		3.0	21.0	31.4	44.2
Death rate	18.3	3.8	7.6	20.0	134.3
Average rate in this class....	13.8	4.4	8.4	20.2	105.4

This table shows that the death rate of blacksmiths (18.3) was much higher than the average death rate of males engaged in manufacturing and mechanical industries (13.8). About 50 per cent of the blacksmiths reported in the registration states were between 25 and 45 years of age, and in this age group the death rate of blacksmiths (7.6) was less than the average rate in this class. It was also less at 15 to 24 years, and at 45 to 64 years, but at 65 years of age and over, in which group the highest number of deaths occurred, the death rate of blacksmiths (134.3) was much higher than the average rate in this class (105.4).

The following table shows, for the registration states, the number of deaths of blacksmiths during the census year from certain specified causes, and the death rates per 100,000 of population.

DEATH RATES FROM CERTAIN CAUSES.

CAUSE OF DEATH.	Deaths.	Death rate.
Malarial fever.....	2	3.5
Typhoid fever.....	24	42.2
Rheumatism	5	8.8
Consumption	121	212.9
Diabetes	7	12.3
Diseases of nervous system.....	170	299.1
Heart disease.....	108	190.0
Other diseases, circulatory system.....	14	24.6
Pneumonia.....	96	168.9
Other diseases, respiratory system.....	33	58.1
Diseases of liver.....	21	36.9
Other diseases, digestive system.....	36	63.3
Diseases of urinary system.....	108	190.0
Diseases of bones and joints.....	1	1.8
Suicide	19	33.4
Other accidents and injuries.....	57	100.3
Cancer.....	61	107.3

The death rate of blacksmiths from the causes specified in the preceding table were all higher than the average rates in this class except those from malarial fever, diseases of the bones and joints, and consumption. The death rate of blacksmiths from suicide (33.4) was much higher than the average rate in this class (20.4), and that from other accidents and injuries (100.3) was also higher than the average rate (88.4). The rate from cancer (107.3) was excessively high, being more than twice the average rate in this class (53.3).

BOOT AND SHOE MAKERS.

The number of boot and shoe makers reported in the registration states was 96,662, and the number of deaths of boot and shoe makers during the census year was 909, the death rate being 9.4 per 1,000. In 1890 the rate was 15.3.

The following table shows, for the registration states, the number of boot and shoe makers at all ages, and in each of four age groups, the deaths at corresponding ages during the census year, with the per cent of both population and deaths at each age, and the death rates per 1,000 of population:

POPULATION, DEATHS, AND DEATH RATES, BY AGES.

POPULATION, DEATHS, AND DEATH RATES.	All ages.	15 to 24.	25 to 44.	45 to 64.	65 and over.
Population	96,662	22,650	45,140	22,101	5,740
Per cent at each age		23.4	46.7	22.9	5.9
Deaths	909	62	153	247	447
Per cent at each age		6.8	16.8	27.2	49.2
Death rate	9.4	2.7	3.4	11.2	77.9
Average rate in this class....	13.8	4.4	8.4	20.2	105.4

This table shows that the death rate of boot and shoe makers (9.4) was much less than the average rate in this class (13.8), and was lower than the average rate in each age group. About one-half of the deaths occurred in the age group 65 years of age and over, or in less than 6 per cent of the population engaged in this occupation. At this age the death rate (77.9) was considerably lower than the average rate in this class (105.4).

The following table shows, for the registration states, the number of deaths of boot and shoe makers during the census year from certain specified causes, and the death rates per 100,000 of population:

DEATH RATES FROM CERTAIN CAUSES.

CAUSE OF DEATH.	Deaths.	Death rate.
Malarial fever.....	6	6.2
Typhoid fever.....	9	9.3
Rheumatism	7	7.2
Consumption	131	135.5
Diabetes.....	6	6.2
Diseases of nervous system.....	145	150.0
Heart disease.....	141	145.9
Other diseases, circulatory system.....	7	7.2
Pneumonia.....	92	95.2
Other diseases, respiratory system.....	24	24.8
Diseases of liver.....	14	14.5
Other diseases, digestive system.....	28	29.0

DEATH RATES FROM CERTAIN CAUSES—Continued.

CAUSE OF DEATH.	Deaths.	Death rate.
Diseases of urinary system	76	78.6
Diseases of bones and joints.....	1	1.0
Suicide	11	11.4
Other accidents and injuries.....	32	33.1
Cancer	33	34.1

The highest death rate among boot and shoe makers occurred from diseases of the nervous system (150), but this rate was much lower than the average rate from these diseases in this class (172.6). The rate from heart disease and dropsy (145.9) was a little lower than the average rate in this class (150), but for all other specified causes, excepting rheumatism and malarial fever, the death rates of boot and shoe makers were much below the average rates.

BREWERS, DISTILLERS, AND RECTIFIERS.

The number of brewers, distillers, and rectifiers reported in the registration states was 5,840. The number of deaths of brewers, distillers, and rectifiers during the census year was 115, and the death rate was 19.7 per 1,000. The death rates per 1,000 of population by age groups were as follows: At 15 to 24 years, 1.8; at 25 to 44 years, 12.2; at 45 to 64 years, 32.4; and at 65 years and over, 138.9.

The death rates of brewers, distillers, and rectifiers per 100,000 of population were generally above the average of the class engaged in manufacturing and mechanical industries, the highest being from diseases of the nervous system (brewers, distillers, and rectifiers 274; class average 172.6), diseases of the urinary organs (brewers, distillers, and rectifiers 256.8; class average 134.6), and heart disease (brewers, distillers, and rectifiers 222.6; class average 150). The rate from consumption (brewers, distillers, and rectifiers 256.8; class average 262.1) was slightly below the average for the class.

BUTCHERS.

The number of butchers reported in the registration states was 38,228, and the number of deaths of butchers during the census year was 614, the death rate being 16.1 per 1,000. In 1890 the rate was 14.9.

The following table shows, for the registration states, the number of butchers at all ages, and in each of four age groups, the deaths at corresponding ages during the census year, with the per cent of both population and deaths at each age, and the death rates per 1,000 of population:

POPULATION, DEATHS, AND DEATH RATES, BY AGES.

POPULATION, DEATHS, AND DEATH RATES.	All ages.	15 to 24.	25 to 44.	45 to 64.	65 and over.
Population	38,228	8,400	21,251	7,332	973
Per cent at each age		22.0	55.6	19.2	2.5
Deaths	614	46	222	216	130
Per cent at each age		7.5	36.2	35.2	21.2
Death rate.....	16.1	5.5	10.4	29.5	133.6
Average rate in this class ...	13.8	4.4	8.4	20.2	105.4

This table shows that the death rate of butchers (16.1) was higher than the average rate in this class (13.8), and that the rates were higher in each age group. Over 70 per cent of the butchers in the registration states were under 45 years of age, and the greatest number of deaths of butchers occurred in the age group 25 to 44 years, in which the death rate of butchers was 10.4, and the average rate for the class was 8.4.

The following table shows, for the registration states, the number of deaths of butchers during the census year from certain specified causes, and the death rates per 100,000 of population:

DEATH RATES FROM CERTAIN CAUSES.

CAUSE OF DEATH.	Deaths.	Death rate.
Malarial fever.....	1	2.6
Typhoid fever.....	16	41.9
Rheumatism	6	15.7
Consumption	110	287.7
Diabetes.....	3	7.8
Diseases of nervous system	88	230.2
Heart disease.....	68	177.9
Other diseases, circulatory system.....	5	13.1
Pneumonia.....	66	172.6
Other diseases, respiratory system.....	15	39.2
Diseases of liver	19	49.7
Other diseases, digestive system.....	36	94.2
Diseases of urinary system	52	136.0
Diseases of bones and joints.....	3	7.8
Suicide	8	20.9
Other accidents and injuries.....	31	81.1
Cancer.....	17	44.5

The highest death rates of butchers occurred from consumption (287.7), diseases of the nervous system (230.2), heart disease (177.9), pneumonia (172.6), and diseases of the urinary system (136), and in all of these the death rates were higher than the average rates in this class. The rates from malarial fever, diabetes, diseases of the respiratory system other than pneumonia, accidents and injuries other than suicide, and cancer were all lower than the average rates in this class.

CABINETMAKERS AND UPHOLSTERERS.

The number of cabinetmakers and upholsterers reported in the registration states was 24,787, and the number of deaths of cabinetmakers and upholsterers during the census year was 446, the death rate being 18 per 1,000. In 1890 the rate was 15.3.

The following table shows, for the registration states, the number of cabinetmakers and upholsterers at all ages, and in each of four age groups, the deaths at corresponding ages during the census year, with the per cent of both population and deaths at each age, and the death rates per 1,000 of population:

POPULATION, DEATHS, AND DEATH RATES, BY AGES.

POPULATION, DEATHS, AND DEATH RATES.	All ages.	15 to 24.	25 to 44.	45 to 64.	65 and over.
Population	24,787	4,135	12,239	6,825	1,496
Per cent at each age.....		16.7	49.4	27.5	6.0
Deaths	446	19	128	135	164
Per cent at each age.....		4.3	28.7	30.3	36.8
Death rate.....	18.0	4.6	10.5	19.8	109.6
Average rate in this class....	13.8	4.4	8.4	20.2	105.4

This table shows that the death rate of cabinetmakers and upholsterers (18) was much higher than the average rate in this class (13.8), and that it was higher in each age group except at 45 to 64 years of age, in which the death rate of cabinetmakers and upholsterers (19.8) was less than the average rate in this class (20.2). The greatest number of deaths of cabinetmakers and upholsterers occurred in the age group 65 years and over, and in this group the death rate (109.6) was but slightly higher than the average rate in this class (105.4).

The following table shows, for the registration states, the number of deaths of cabinetmakers and upholsterers during the census year from certain specified causes, and the death rates per 100,000 of population:

DEATH RATES FROM CERTAIN CAUSES.

CAUSE OF DEATH.	Deaths.	Death rate.
Malarial fever	2	8.1
Typhoid fever	14	56.5
Rheumatism	2	8.1
Consumption	89	359.1
Diabetes	5	20.2
Diseases of nervous system	55	221.9
Heart disease	40	161.4
Other diseases, circulatory system	5	20.2
Pneumonia	43	173.5
Other diseases, respiratory system	20	80.7
Diseases of liver	9	36.3
Other diseases, digestive system	18	72.6
Diseases of urinary system	39	157.3
Diseases of bones and joints		
Suicide	10	40.3
Other accidents and injuries	16	64.5
Cancer	18	72.6

The death rate of cabinetmakers and upholsterers from consumption (359.1) was excessively high, the average rate from this disease in this class being 262.1. The rate from suicide (40.3) was nearly twice the average rate in this class (20.4), and that from cancer (72.6) was very much higher than the average rate (53.3). The death rates of cabinetmakers and upholsterers were higher from all of the causes specified except accidents and injuries other than suicide.

CARPENTERS AND JOINERS.

The number of carpenters and joiners reported in the registration states was 180,110, and the number of deaths of carpenters and joiners during the census year was 3,090, the death rate being 17.2 per 1,000. In 1890 the rate was 13.8.

The following table shows, for the registration states, the number of carpenters and joiners, at all ages, and in each of four age groups, the deaths at corresponding ages during the census year, with the per cent of both

population and deaths at each age, and the death rates per 1,000 of population:

POPULATION, DEATHS, AND DEATH RATES, BY AGES.

POPULATION, DEATHS, AND DEATH RATES.	All ages.	15 to 24.	25 to 44.	45 to 64.	65 and over.
Population	180,110	17,249	86,439	61,691	14,280
Per cent at each age		9.6	48.0	34.3	7.9
Deaths	3,090	72	592	1,011	1,412
Per cent at each age		2.3	19.2	32.7	45.7
Death rate	17.2	4.2	6.8	16.4	98.9
Average rate in this class	13.8	4.4	8.4	20.2	105.4

This table shows that the death rate of carpenters and joiners (17.2) was higher than the average rate in this class (13.8). The greatest number of deaths of carpenters and joiners occurred in the age group 65 years and over, and in this age group the death rate of carpenters and joiners (98.9) was slightly less than the average rate at this age (105.4). The rates were lower than the average rates for all of the age groups specified, but were somewhat higher than the average for those under 15 years and those of unknown age, which are not shown in the table.

The following table shows, for the registration states, the number of deaths of carpenters and joiners during the census year from certain specified causes, and the death rates per 100,000 of population:

DEATH RATES FROM CERTAIN CAUSES.

CAUSE OF DEATH.	Deaths.	Death rate.
Malarial fever	14	7.8
Typhoid fever	43	23.9
Rheumatism	10	5.6
Consumption	416	231.0
Diabetes	15	8.3
Diseases of nervous system	442	245.4
Heart disease	403	223.8
Other diseases, circulatory system	49	27.2
Pneumonia	263	146.0
Other diseases, respiratory system	82	45.5
Diseases of liver	47	26.1
Other diseases, digestive system	98	54.4
Diseases of urinary system	313	173.8
Diseases of bones and joints	11	6.1
Suicide	36	20.0
Other accidents and injuries	213	118.3
Cancer	140	77.7

The death rate of carpenters and joiners from consumption (231) was less than the average rate in this class (262.1), but the rates from diseases of the nervous system (245.4), heart disease (223.8), and diseases of the urinary organs were much higher than the average rates from these diseases, and the rate from accidents and injuries other than suicide (118.3) was also very much

higher than the average rate from these causes (88.4). The rates from typhoid fever, rheumatism, diabetes, diseases of the liver, and suicide were less than the average rates from these causes in this class.

CIGARMAKERS AND TOBACCO WORKERS.

The number of cigarmakers and tobacco workers reported in the registration states was 25,581, and the number of deaths of cigarmakers and tobacco workers during the census year was 479, the death rate being 18.7 per 1,000. In 1890 the rate was 16.3.

The following table shows, for the registration states, the number of cigarmakers and tobacco workers at all ages, and in each of four age groups, the deaths at corresponding ages during the census year, with the per cent of both population and deaths at each age, and the death rates per 1,000 of population:

POPULATION, DEATHS, AND DEATH RATES, BY AGES.

POPULATION, DEATHS, AND DEATH RATES.	All ages.	15 to 24.	25 to 44.	45 to 64.	65 and over.
Population	25,581	5,810	13,226	5,554	655
Per cent at each age.....		22.7	51.7	21.7	2.6
Deaths	479	34	193	172	79
Per cent at each age.....		7.1	40.3	35.9	16.5
Death rate.....	18.7	5.9	14.6	31.0	120.6
Average rate in this class....	13.8	4.4	8.4	20.2	105.4

This table shows that the death rate of cigarmakers and tobacco workers (18.7) was much higher than the average rate in this class (13.8). Over 70 per cent of the cigarmakers and tobacco workers in the registration states were under 45 years of age. The greatest number of deaths occurred in the age group 25 to 44 years, and in this age group the death rate of cigarmakers and tobacco workers (14.6) was nearly twice the average rate in this class (8.4).

The following table shows, for the registration states, the number of deaths of cigarmakers and tobacco workers during the census year from certain specified causes, and the death rates per 100,000 of population:

DEATH RATES FROM CERTAIN CAUSES.

CAUSE OF DEATH.	Deaths.	Death rate.
Malarial fever.....		
Typhoid fever.....	9	35.2
Rheumatism	4	15.6
Consumption.....	122	476.9
Diabetes.....	4	15.6
Diseases of nervous system.....	46	179.8
Heart disease.....	45	175.9
Other diseases, circulatory system	7	27.4
Pneumonia.....	55	215.0
Other diseases, respiratory system.....	25	97.7
Diseases of liver	13	50.8
Other diseases, digestive system.....	12	46.9
Diseases of urinary system	43	168.1
Diseases of bones and joints.....	3	11.7
Suicide.....	17	66.5
Other accidents and injuries.....	18	70.4
Cancer	19	74.3

The death rates of cigar makers and tobacco workers were higher from all of the specified causes except diseases of the digestive system other than diseases of the liver, and accidents and injuries other than suicide. The rate from suicide (66.5) was more than three times the average rate in this class (20.4), and the rate from cancer (74.3) was also much higher than the average rate in this class (53.3). The rate from consumption (476.9) was excessively high, the average rate in this class being 262.1.

COMPOSITORS, PRINTERS, AND PRESSMEN.

The number of compositors, printers, and pressmen reported in the registration states was 54,374, and the number of deaths of compositors, printers, and pressmen during the census year was 658, the death rate being 12.1 per 1,000. In 1890 the rate was 11.1.

The following table shows, for the registration states, the number of compositors, printers, and pressmen at all ages, and in each of four age groups, the deaths at corresponding ages during the census year, with the per cent of both population and deaths at each age, and the death rates per 1,000 of population:

POPULATION, DEATHS, AND DEATH RATES, BY AGES.

POPULATION, DEATHS, AND DEATH RATES.	All ages.	15 to 24.	25 to 44.	45 to 64.	65 and over.
Population	54,374	18,632	27,102	7,098	818
Per cent at each age		34.3	49.8	13.1	1.5
Deaths.....	658	94	333	142	89
Per cent at each age		14.3	50.6	21.6	13.5
Death rate.....	12.1	5.0	12.3	20.0	105.8
Average rate in this class ...	13.8	4.4	8.4	20.2	105.4

This table shows that the death rate of compositors, printers, and pressmen (12.1) was less than the average rate in this class (13.8). About 75 per cent of the compositors, printers, and pressmen in the registration states were under 45 years of age. Below this age the rates were higher than the average rates in this class. At 45 to 64 years, the rate was slightly lower than the average rate, but at 65 years of age and over it was slightly higher than the average.

The following table shows, for the registration states, the number of deaths of compositors, printers, and pressmen during the census year from certain specified causes, and the death rates per 100,000 of population:

DEATH RATES FROM CERTAIN CAUSES.

CAUSE OF DEATH.	Deaths.	Death rate.
Malarial fever.....	2	3.7
Typhoid fever.....	13	23.9
Rheumatism	5	9.2
Consumption.....	237	435.9
Diabetes	2	3.7
Diseases of nervous system	71	130.6
Heart disease.....	51	93.8
Other diseases, circulatory system	10	18.4

OCCUPATIONS IN RELATION TO DEATHS.

cclxxxiii

DEATH RATES FROM CERTAIN CAUSES—Continued.

CAUSE OF DEATH.	Deaths.	Death rate.
Pneumonia.....	63	115.9
Other diseases, respiratory system.....	21	38.6
Diseases of liver.....	12	22.1
Other diseases, digestive system.....	23	42.3
Diseases of urinary system.....	51	93.8
Diseases of bones and joints.....	2	3.7
Suicide.....	10	18.4
Other accidents and injuries.....	27	49.7
Cancer.....	12	22.1

The death rates of compositors, printers, and pressmen were less than the average rates in this class from all of the specified causes except rheumatism, consumption, and diseases of the bones and joints. The gross death rate of males in these occupations is raised materially by the excessive death rate from consumption (435.9), which is very much higher than the average rate in this class (262.1), and nearly twice the average death rate from this disease of males in all occupations (236.7).

COOPERS.

The number of coopers reported in the registration states was 11,020, the number of deaths of coopers for the same area during the census year being 262, and the death rate 23.8 per 1,000. The death rates per 1,000 of population, by age groups, were as follows: at 15 to 24 years, 3.2; at 25 to 44 years, 9.6; at 45 to 64 years, 23.9; and at 65 years and over 152.1.

The death rates of coopers were generally above the average of the manufacturing and mechanical industry class, the highest being from diseases of the urinary organs (coopers 308.5; class average 134.6), consumption (coopers 299.5; class average 262.1), and diseases of the nervous system (coopers 290.4; class average 172.6).

ENGINEERS AND FIREMEN (NOT LOCOMOTIVE).

The number of engineers and firemen (not locomotive) reported in the registration states was 71,388, and the number of deaths of engineers and firemen (not locomotive) during the census year was 1,119, the death rate being 15.7 per 1,000. In 1890 the rate was 13.6.

The following table shows, for the registration states, the number of engineers and firemen (not locomotive), at all ages, and in each of four age groups, the deaths at corresponding ages during the census year, with the per cent of both population and deaths at each age, and the death rates per 1,000 of population:

POPULATION, DEATHS, AND DEATH RATES, BY AGES.

POPULATION, DEATHS, AND DEATH RATES.	All ages.	15 to 24.	25 to 44.	45 to 64.	65 and over.
Population.....	71,388	8,025	42,647	18,675	1,865
Per cent at each age.....		11.2	59.7	26.2	2.6
Deaths.....	1,119	51	434	431	200
Per cent at each age.....		4.6	38.8	38.5	17.9
Death rate.....	15.7	6.4	10.2	23.1	107.2
Average rate in this class.....	13.8	4.4	8.4	20.2	105.4

This table shows that the death rate of engineers and firemen (not including locomotive engineers and firemen) was 15.7, which was slightly higher than the average rate in this class (13.8). About 60 per cent of the engineers and firemen were between 25 and 45 years of age, and in this age group the death rate was 10.2 per 1,000, and the average rate in this class was 8.4. The death rates of engineers and firemen in the other age groups were proportionately higher than the average rates in this class.

The following table shows, for the registration states, the number of deaths of engineers and firemen (not locomotive) during the census year from certain specified causes, and the death rates per 100,000 of population:

DEATH RATES FROM CERTAIN CAUSES.

CAUSE OF DEATH.	Deaths.	Death rate.
Malarial fever.....	4	5.6
Typhoid fever.....	30	42.0
Rheumatism.....	10	14.0
Consumption.....	164	229.7
Diabetes.....	7	9.8
Diseases of nervous system.....	149	208.7
Heart disease.....	129	180.7
Other diseases, circulatory system.....	12	16.8
Pneumonia.....	127	177.9
Other diseases, respiratory system.....	25	35.0
Diseases of liver.....	20	28.0
Other diseases, digestive system.....	37	51.8
Diseases of urinary system.....	119	166.7
Diseases of bones and joints.....	2	2.8
Suicide.....	13	18.2
Other accidents and injuries.....	131	183.5
Cancer.....	34	47.6

The death rate of engineers and firemen was highest from consumption (229.7), but this rate was lower than the average rate from this disease in this class (262.1). The rates were higher than the average in this class from diseases of the nervous system (208.7), heart disease (180.7), pneumonia (177.9), and diseases of the urinary system (166.7). The rate from accidents and injuries other than suicide (183.5) was more than twice the average rate from these causes in this class.

GLASS BLOWERS AND GLASS WORKERS.

The number of glass blowers and glass workers reported in the registration states was 10,219, the number of deaths of glass blowers and glass workers in the same area during the census year being 110, and the death rate 10.8 per 1,000. The death rates per 1,000 of population by age groups were as follows: at 15 to 24 years, 4.6; at 25 to 44 years, 10.9; at 45 to 64 years, 21.8; and at 65 years and over, 82.3.

The death rates of the glass blowers and glass workers per 100,000 of population were above the average of the manufacturing and mechanical industry class, from consumption and accidents and injuries exclusive of suicide, and were generally below the class average in the other specified causes.

HAT AND CAP MAKERS.

The number of hat and cap makers reported in the registration states was 12,763, the number of deaths of hat and cap makers in the same area during the census year being 228, and the death rate 17.9 per 1,000. The death rates per 1,000 of population by age groups were as follows: at 15 to 24 years, 5.4; at 25 to 44 years, 13.1; at 45 to 64 years, 32.9; and at 65 years and over, 173.1.

The death rates of hat and cap makers were generally above the average of the manufacturing and mechanical industry class, being highest from consumption, heart disease, and pneumonia. The rate from diseases of the nervous system was below the average.

IRON AND STEEL WORKERS.

The number of iron and steel workers reported in the registration states was 69,851, and the number of deaths of iron and steel workers during the census year was 748, the death rate being 10.7 per 1,000. In 1890 the rate was 9.8.

The following table shows, for the registration states, the number of iron and steel workers at all ages, and in each of four age groups, the deaths at corresponding ages during the census year, with the per cent of both population and deaths at each age, and the death rates per 1,000 of population:

POPULATION, DEATHS, AND DEATH RATES, BY AGES.

POPULATION, DEATHS, AND DEATH RATES.	All ages.	15 to 24.	25 to 44.	45 to 64.	65 and over.
Population	69,851	18,158	38,145	11,654	1,335
Per cent at each age.....		26.0	54.6	16.7	1.9
Deaths	748	59	296	256	134
Per cent at each age.....		7.9	39.6	34.2	17.9
Death rate.....	10.7	3.2	7.8	22.0	100.4
Average rate in this class....	13.8	4.4	8.4	20.2	105.4

This table shows that the death rate of iron and steel workers (10.7) was less than the average rate in this class (13.8), and that the rates were lower at each age except in the age group 45 to 64 years, in which the death rate of iron and steel workers (22) was somewhat higher than the average rate in this class (20.2).

The following table shows, for the registration states, the number of deaths of iron and steel workers during the census year from certain specified causes, and the death rates per 100,000 of population:

DEATH RATES FROM CERTAIN CAUSES.

CAUSE OF DEATH.	Deaths.	Death rate.
Malarial fever.....	6	8.6
Typhoid fever.....	29	41.5
Rheumatism	2	2.9
Consumption.....	165	236.2

DEATH RATES FROM CERTAIN CAUSES—Continued.

CAUSE OF DEATH.	Deaths.	Death rate.
Diabetes.....	2	2.9
Diseases of nervous system.....	64	91.6
Heart disease.....	71	101.6
Other diseases, circulatory system	3	4.3
Pneumonia.....	127	181.8
Other diseases, respiratory system	30	42.9
Diseases of liver.....	11	15.7
Other diseases, digestive system.....	21	30.1
Diseases of urinary system	54	77.3
Diseases of bones and joints.....	2	2.9
Suicide.....	10	14.3
Other accidents and injuries.....	55	78.7
Cancer	22	31.5

The highest death rate among iron and steel workers occurred from consumption (236.2), but this was less than the average rate from this disease in this class (262.1). The rates from malarial fever (8.6), typhoid fever (41.5), pneumonia (181.8), and other diseases of the respiratory system (42.9) were higher than the average rates from the same diseases in this class, but the rates from all other causes were lower than the average.

LEATHER MAKERS.

This title includes leather curriers, dressers, finishers, and tanners.

The number of leather makers reported in the registration states was 16,697, the number of deaths of leather makers in the same area during the census year being 206, and the death rate 12.3 per 1,000. The death rates per 1,000 of population by age groups were as follows: at 15 to 24 years, 3.5; at 25 to 44 years, 7.8; at 45 to 64 years, 19.7; and at 65 years and over, 94.2.

The death rate of leather makers was highest from consumption (311.4), which was considerably higher than the average in this class (262.1). In most of the other specified causes the death rates of leather makers were below the class average, the greatest difference being in the rate for diseases of the nervous system (leather makers, 101.8; class average, 172.6).

LEATHER WORKERS.

This title includes harness and saddle makers and repairers, trunk, valise, leather case and pocketbook makers.

The number of leather workers reported in the registration states was 12,320, the number of deaths of leather workers in the same area during the census year being 216, and the death rate 17.5 per 1,000. The death rates per 1,000 of population by age groups were as follows: at 15 to 24 years, 3.4; at 25 to 44 years, 7.5; at 45 to 64 years, 23.7; and at 65 years and over, 94.6.

The death rates of leather workers were above the average of the manufacturing and mechanical industry

class from diseases of the nervous system (leather workers, 267.9; class average, 172.6), diseases of the urinary organs (leather workers, 227.3; class average, 134.6), and heart disease (leather workers, 211; class average, 150), while from consumption (leather workers, 227.3; class average, 262.1), and pneumonia (leather workers, 97.4; class average, 138.9) the rates were below the average for the class.

MACHINISTS.

The number of machinists reported in the registration states was 116,918, and the number of deaths of machinists during the census year was 1,222, the death rate being 10.5 per 1,000. In 1890 the rate was 11.4.

The following table shows, for the registration states, the number of machinists at all ages, and in each of four age groups, the deaths at corresponding ages during the census year, with the per cent of both population and deaths at each age, and the death rates per 1,000 of population:

POPULATION, DEATHS, AND DEATH RATES, BY AGES.

POPULATION, DEATHS, AND DEATH RATES.	All ages.	15 to 24.	25 to 44.	45 to 64.	65 and over.
Population	116,918	33,398	58,738	21,278	2,963
Per cent at each age		28.6	50.2	18.2	2.5
Deaths	1,222	129	386	432	273
Per cent at each age		10.6	31.6	35.4	22.3
Death rate	10.5	3.9	6.6	20.3	92.1
Average rate in this class ...	13.8	4.4	8.4	20.2	105.4

This table shows that the death rate of machinists, in the registration states (10.5), was less than the average rate in this class (13.8), and that the rates were lower than the average in each age group, except between 45 and 65 years. In this age group the death rate of machinists (20.3) was about the same as the average rate in this class. More than 75 per cent of the machinists in the registration states were under 45 years of age.

The following table shows, for the registration states, the number of deaths of machinists during the census year from certain specified causes, and the death rates per 100,000 of population:

DEATH RATES FROM CERTAIN CAUSES.

CAUSE OF DEATH.	Deaths.	Death rate.
Malarial fever	5	4.3
Typhoid fever	41	35.1
Rheumatism	5	4.3
Consumption	229	195.9
Diabetes	6	5.1
Diseases of nervous system	145	124.0
Heart disease	121	103.5
Other diseases, circulatory system	12	10.3
Pneumonia	129	110.3
Other diseases, respiratory system	37	31.6
Diseases of liver	21	18.0
Other diseases, digestive system	52	44.5
Diseases of urinary system	115	98.4
Diseases of bones and joints	4	3.4
Suicide	17	14.5
Other accidents and injuries	83	71.0
Cancer	61	52.2

The death rates of machinists from all of the specified causes were lower than the average rates in this class, excepting those from typhoid fever (machinists, 35.1; average, 29.4), and diseases of the bones and joints (machinists, 3.4; average, 3.2). The death rate of machinists from consumption (195.9) was much below the average rate in this class (262.1).

MARBLE AND STONE CUTTERS.

The number of marble and stone cutters reported in the registration states was 26,272, and the number of deaths of marble and stone cutters during the census year was 392, the death rate being 14.9 per 1,000. In 1890 the rate was 13.8.

The following table shows, for the registration states, the number of marble and stone cutters at all ages, and in each of four age groups, the deaths at corresponding ages during the census year, with the per cent of both population and deaths at each age, and the death rates per 1,000 of population:

POPULATION, DEATHS, AND DEATH RATES, BY AGES.

POPULATION, DEATHS, AND DEATH RATES.	All ages.	15 to 24.	25 to 44.	45 to 64.	65 and over.
Population	26,272	3,875	15,336	6,271	659
Per cent at each age		14.7	58.4	23.9	2.5
Deaths	392	13	143	155	81
Per cent at each age		3.3	36.5	39.5	20.7
Death rate	14.9	3.4	9.3	24.7	122.9
Average rate in this class ...	13.8	4.4	8.4	20.2	105.4

This table shows that the death rate of marble and stone cutters (14.9) was higher than the average rate in this class (13.8), and that the rates were higher at each age except in the age group 15 to 24 years. The greatest number of deaths of marble and stone cutters occurred in the age group 45 to 64 years, and in this age group the death rate was 24.7, the average rate for this class being 20.2.

The following table shows, for the registration states, the number of deaths of marble and stone cutters during the census year from certain specified causes, and the death rates per 100,000 of population:

DEATH RATES FROM CERTAIN CAUSES.

CAUSE OF DEATH.	Deaths.	Death rate.
Malarial fever		
Typhoid fever	4	15.2
Rheumatism	3	11.4
Consumption	142	540.5
Diabetes		
Diseases of nervous system	29	110.4
Heart disease	42	159.9
Other diseases, circulatory system	1	3.8
Pneumonia	36	137.0
Other diseases, respiratory system	17	64.7
Diseases of liver	5	19.0
Other diseases, digestive system	8	30.5
Diseases of urinary system	22	83.7
Diseases of bones and joints		
Suicide	2	7.6
Other accidents and injuries	26	99.0
Cancer	12	45.7

The death rate of marble and stone cutters is very materially increased by the excessive death rate from consumption (540.5), which was more than twice the average rate in this class (262.1). The rates from heart disease (159.9), and from diseases of the respiratory system other than pneumonia (64.7) were higher than the average rates in this class, as was also the rate due to accidents and injuries other than suicide (99). For all other specified causes the death rates of marble and stone cutters were generally lower than the average rates.

MASONS (BRICK AND STONE).

The number of brick and stone masons reported in the registration states was 55,117, and the number of deaths of brick and stone masons during the census year was 1,097, the death rate being 19.9. In 1890 the rate was 15.6.

The following table shows, for the registration states, the number of brick and stone masons at all ages, and in each of four age groups, the deaths at corresponding ages during the census year, with the per cent of both population and deaths at each age, and the death rates per 1,000 of population:

POPULATION, DEATHS, AND DEATH RATES, BY AGES.

POPULATION, DEATHS, AND DEATH RATES.	All ages.	15 to 24.	25 to 44.	45 to 64.	65 and over.
Population	55,117	6,081	27,025	18,075	3,760
Per cent at each age.....		11.0	49.0	32.8	6.8
Deaths.....	1,097	32	245	394	421
Per cent at each age.....		2.9	22.3	35.9	38.4
Death rate.....	19.9	5.3	9.1	21.8	112.0
Average rate in this class...	13.8	4.4	8.4	20.2	105.4

This table shows that the death rate of brick and stone masons (19.9) was much higher than the average rate in this class and that the rates were higher in each age group. It will be seen that 60 per cent of the brick and stone masons reported in the registration states were under 45 years of age, 32.8 per cent being between 45 and 65 years, and 6.8 per cent 65 years of age and over. The greatest number of deaths occurred in the highest age group (65 years and over). In this age group the death rate of brick and stone masons (112) was higher than the average rate, which was 105.4.

The following table shows, for the registration states, the number of deaths of brick and stone masons during the census year from certain specified causes, and the death rates per 100,000 of population:

DEATH RATES FROM CERTAIN CAUSES.

CAUSE OF DEATH.	Deaths.	Death rate.
Malarial fever.....	3	5.4
Typhoid fever.....	17	30.8
Rheumatism	3	5.4
Consumption	162	293.9

DEATH RATES FROM CERTAIN CAUSES—Continued.

CAUSE OF DEATH.	Deaths.	Death rate.
Diabetes.....	10	18.1
Diseases of nervous system.....	125	226.8
Heart disease.....	128	232.2
Other diseases, circulatory system.....	13	23.6
Pneumonia.....	127	230.4
Other diseases, respiratory system.....	50	90.7
Diseases of liver.....	27	49.0
Other diseases, digestive system.....	25	45.4
Diseases of urinary system.....	101	183.2
Diseases of bones and joints.....	4	7.3
Suicide.....	17	30.8
Other accidents and injuries.....	87	157.8
Cancer.....	54	98.0

The death rate of brick and stone masons from rheumatism (5.4) was less than the average rate in this class (6.8), and the rate from diseases of the digestive system other than diseases of the liver (45.4) was also slightly less than the average rate in this class (48.8). For all other specified causes the death rates of brick and stone masons were higher than the average rates in this class, being particularly high from diseases of the nervous system (226.8), heart disease (232.2), pneumonia (230.4) and other diseases of the respiratory system (90.7), and diseases of the urinary system (183.2). The rate from accidents and injuries other than suicide (157.8) was excessively high, the average rate from this cause in this class being (88.4). The rate from cancer (98) was also very much higher than the average rate in this class (53.3).

MILL AND FACTORY OPERATIVES (TEXTILES).

The number of mill and factory operatives (textiles) reported in the registration states was 150,783, and the number of deaths of mill and factory operatives (textiles) during the census year was 1,332, the death rate being 8.8. In 1890 the rate was 8.1.

The following table shows, for the registration states, the number of mill and factory operatives (textiles) at all ages, and in each of four age groups, the deaths at corresponding ages during the census year, with the per cent of both population and deaths at each age, and the death rates per 1,000 of population:

POPULATION, DEATHS, AND DEATH RATES, BY AGES.

POPULATION, DEATHS, AND DEATH RATES.	All ages.	15 to 24.	25 to 44.	45 to 64.	65 and over.
Population	150,783	58,004	64,965	18,969	1,935
Per cent at each age		38.5	43.1	12.6	1.3
Deaths	1,332	238	494	346	232
Per cent at each age		17.9	37.1	26.0	17.4
Death rate	8.8	4.1	7.6	18.2	119.9
Average rate in this class...	13.8	4.4	8.4	20.2	105.4

This table shows that the death rate of mill and factory operatives (8.8) was very much less than the average

rate in this class (13.8), which is largely due to the fact that the persons in these occupations were generally of younger ages, over 80 per cent being under 45 years of age. The death rates were lower than the average rates in each age group except at 65 years of age and over, in which group the rate (119.9) was higher than the average rate in this class.

The following table shows, for the registration states, the number of deaths of mill and factory operatives (textiles) during the census year from certain specified causes, and the death rates per 100,000 of population:

DEATH RATES FROM CERTAIN CAUSES.

CAUSE OF DEATH.	Deaths.	Death rate.
Malarial fever.....	5	3.3
Typhoid fever.....	55	36.5
Rheumatism.....	7	4.6
Consumption.....	313	207.6
Diabetes.....	6	4.0
Diseases of nervous system.....	127	84.2
Heart disease.....	137	90.9
Other diseases, circulatory system.....	10	6.6
Pneumonia.....	122	80.9
Other diseases, respiratory system.....	40	26.5
Diseases of liver.....	31	20.6
Other diseases, digestive system.....	55	36.5
Diseases of urinary system.....	86	57.0
Diseases of bones and joints.....	4	2.7
Suicide.....	18	11.9
Other accidents and injuries.....	114	75.6
Cancer.....	52	34.5

The death rate of mill and factory operatives from typhoid fever (36.5) was higher than the average rate in this class (29.4), but the rates from all other specified causes were very much lower than the average rates, particularly those due to consumption, diseases of the nervous system, heart disease, pneumonia and other diseases of the respiratory system, diseases of the digestive system, and diseases of the urinary organs.

MILLERS (FLOUR AND GRIST).

The number of millers reported in the registration states was 6,044, the number of deaths of millers in the same area during the census year being 161, and the death rate 26.6 per 1,000. The death rates per 1,000 of population by age groups were as follows: at 15 to 24 years, 5.8; at 25 to 44 years, 10.5; at 45 to 64 years, 15.6; and at 65 years and over, 164.9.

The death rates of millers from the specified causes, per 100,000 of population, were generally higher than the average in this class, the highest being from diseases of the nervous system (millers, 380.5; class average, 172.6) and pneumonia (millers, 297.8; class average, 138.9). The death rate from consumption (millers, 198.5; class average, 262.1) was below the average for the class.

PAINTERS, GLAZIERS, AND VARNISHERS.

The number of painters, glaziers, and varnishers reported in the registration states was 108,992, and the number of deaths of painters, glaziers, and varnishers during the census year was 1,769, the death rate being 16.2 per 1,000. In 1890 the rate was 13.

The following table shows, for the registration states, the number of painters, glaziers, and varnishers at all ages, and in each of four age groups, the deaths at corresponding ages during the census year, with the per cent of both population and deaths at each age, and the death rates per 1,000 of population:

POPULATION, DEATHS, AND DEATH RATES, BY AGES.

POPULATION, DEATHS, AND DEATH RATES.	All ages.	15 to 24.	25 to 44.	45 to 64.	65 and over.
Population.....	108,992	20,054	58,306	26,491	3,631
Per cent at each age.....		18.4	53.5	24.3	3.3
Deaths.....	1,769	107	660	645	355
Per cent at each age.....		6.0	37.3	36.5	20.1
Death rate.....	16.2	5.3	11.3	24.3	97.8
Average rate in this class.....	13.8	4.4	8.4	20.2	105.4

This table shows that the death rate of painters, glaziers, and varnishers (16.2) was higher than the average rate in this class (13.8), and that the rates were higher in each age group up to 65 years. At 65 years of age and over, the death rate (97.8) was lower than the average rate in this class (105.4). Over 70 per cent of the painters, glaziers, and varnishers reported in the registration states were under 45 years of age. The greatest number of deaths occurred in the age group 25 to 44 years, and in this group the death rate of painters, glaziers, and varnishers was 11.3, and the average rate was 8.4.

The following table shows, for the registration states, the number of deaths of painters, glaziers, and varnishers during the census year from certain specified causes, and the death rates per 100,000 of population:

DEATH RATES FROM CERTAIN CAUSES.

CAUSE OF DEATH.	Deaths.	Death rate.
Malarial fever.....	6	5.5
Typhoid fever.....	39	35.8
Rheumatism.....	4	3.7
Consumption.....	348	319.3
Diabetes.....	11	10.1
Diseases of nervous system.....	233	213.8
Heart disease.....	185	169.7
Other diseases, circulatory system.....	30	27.5
Pneumonia.....	168	154.1
Other diseases, respiratory system.....	40	36.7
Diseases of liver.....	31	28.4
Other diseases, digestive system.....	62	56.9
Diseases of urinary system.....	199	182.6
Diseases of bones and joints.....	2	1.8
Suicide.....	18	16.5
Other accidents and injuries.....	140	128.4
Cancer.....	49	45.0

The highest death rates among painters, glaziers, and varnishers occurred from consumption (319.3), diseases of the nervous system (213.8), diseases of the urinary organs (182.6), heart disease (169.7), pneumonia (154.1), and accidents and injuries other than suicide (128.4), the rates from all of these causes being considerably above the average rates in this class. The rates from rheumatism, diabetes, suicide, and cancer were lower than the average.

PLASTERERS AND WHITEWASHERS.

The number of plasterers and whitewashers reported in the registration states was 8,603, the number of deaths of plasterers and whitewashers in the same area during the census year being 146, and the death rate 17 per 1,000. The death rates per 1,000 of population by age groups were as follows: at 15 to 24 years, 7.8; at 25 to 44 years, 10.7; at 45 to 64 years, 23.5; and at 65 years and over, 88.4.

The death rates of plasterers and whitewashers were greatly above the average in this class, being highest from consumption, pneumonia, and diseases of the urinary organs.

PLUMBERS, AND GAS AND STEAM FITTERS.

The number of plumbers, and gas and steam fitters reported in the registration states was 48,634, and the number of deaths of plumbers, and gas and steam fitters during the census year was 442, the death rate being 9.1 per 1,000. In 1890 the rate was 9.7.

The following table shows, for the registration states, the number of plumbers, and gas and steam fitters at all ages, and in each of four age groups, the deaths at corresponding ages during the census year, with the per cent of both population and deaths at each age, and the death rates per 1,000 of population:

POPULATION, DEATHS, AND DEATH RATES, BY AGES.

POPULATION, DEATHS, AND DEATH RATES.	All ages.	15 to 24.	25 to 44.	45 to 64.	65 and over.
Population	48,634	17,838	24,818	5,180	463
Per cent at each age.....		36.7	51.0	10.7	1.0
Deaths	442	82	257	86	16
Per cent at each age.....		18.6	58.1	19.5	3.6
Death rate.....	9.1	4.6	10.4	16.6	34.6
Average rate in this class..	13.8	4.4	8.4	20.2	105.4

This table shows that the death rate of plumbers, and gas and steam fitters (9.1) was much lower than the average rate in this class (13.8). More than 87 per cent of the plumbers, and gas and steam fitters reported in the registration states were under 45 years of age, 51 per cent being in the age group 25 to 44 years, and in this group the death rate of plumbers, and gas and steam fitters (10.4) was higher than the average rate in this class, but in the age groups above 45 the rates were lower than the average.

The following table shows, for the registration states, the number of deaths of plumbers and gas and steam fitters during the census year from certain specified causes, and the death rates per 100,000 of population:

DEATH RATES FROM CERTAIN CAUSES.

CAUSE OF DEATH.	Deaths.	Death rate.
Malarial fever.....	3	6.2
Typhoid fever.....	10	20.6
Rheumatism	2	4.1
Consumption.....	143	294.0
Diabetes.....	3	6.2
Diseases of nervous system.....	44	90.5
Heart disease.....	29	59.6
Other diseases, circulatory system.....		
Pneumonia.....	55	113.1
Other diseases, respiratory system.....	5	10.3
Diseases of liver.....	7	14.4
Other diseases, digestive system.....	13	26.7
Diseases of urinary system.....	43	88.4
Diseases of bones and joints.....		
Suicide.....	5	10.3
Other accidents and injuries.....	37	76.1
Cancer	4	8.2

The death rate of plumbers, and gas and steam fitters from consumption (294) was higher than the average rate in this class (262.1), and the rate from malarial fever (6.2) was also higher than the average rate (4.7), but the rates due to all other specified causes were generally much lower than the average.

TAILORS.

The number of tailors reported in the registration states was 83,856, and the number of deaths of tailors during the census year was 991, the death rate being 11.8 per 1,000. In 1890 the rate was 16.5.

The following table shows, for the registration states, the number of tailors at all ages, and in each of four age groups, the deaths at corresponding ages during the census year, with the per cent of both population and deaths at each age, and the death rates per 1,000 of population:

POPULATION, DEATHS, AND DEATH RATES, BY AGES.

POPULATION, DEATHS, AND DEATH RATES.	All ages.	15 to 24.	25 to 44.	45 to 64.	65 and over.
Population	83,856	18,540	46,391	14,751	3,397
Per cent at each age.....		22.1	55.3	17.6	4.1
Deaths	991	49	260	293	386
Per cent at each age.....		4.9	26.2	29.6	39.0
Death rate.....	11.8	2.6	5.6	19.9	113.6
Average rate in this class ..	13.8	4.4	8.4	20.2	105.4

This table shows that the death rate of tailors (11.8) was less than the average rate in this class, and that the rates were lower in each age group up to 65 years. The greatest number of deaths of tailors occurred in the age group 65 years of age and over, and in this age

group the death rate of tailors (113.6) was higher than the average rate in this class (105.4).

The following table shows, for the registration states, the number of deaths of tailors during the census year from certain specified causes, and the death rates per 100,000 of population:

DEATH RATES FROM CERTAIN CAUSES.

CAUSE OF DEATH.	Deaths.	Death rate.
Malarial fever.....	1	1.2
Typhoid fever.....	12	14.3
Rheumatism.....	9	10.7
Consumption.....	183	218.2
Diabetes.....	12	14.3
Diseases of nervous system.....	120	143.1
Heart disease.....	108	128.8
Other diseases, circulatory system.....	21	25.0
Pneumonia.....	95	113.3
Other diseases, respiratory system.....	39	46.5
Diseases of liver.....	11	13.1
Other diseases, digestive system.....	38	45.3
Diseases of urinary system.....	116	138.3
Diseases of bones and joints.....		
Suicide.....	24	28.6
Other accidents and injuries.....	43	51.3
Cancer.....	49	58.4

The death rates of tailors from consumption (218.2), pneumonia (113.3), diseases of the nervous system (143.1), and heart disease (128.8) were lower than the average rates in this class, but the death rates due to rheumatism (10.7), diabetes (14.3), diseases of the urinary organs (138.3), suicide (28.6), and cancer (58.4) were all higher than the average rates from these causes.

TINNERS AND TINWARE MAKERS.

The number of tanners and tinware makers reported in the registration states was 19,708, the number of deaths of tanners and tinware makers in the same area during the census year being 285, and the death rate 14.5 per 1,000. The death rates per 1,000 of population by age groups were as follows: At 15 to 24 years, 5; at 25 to 44 years, 9.6; at 45 to 64 years, 22.5; and at 65 years and over, 112.

The death rates of tanners and tinware makers per 100,000 of population were above the average of the manufacturing and mechanical industry class from consumption (tanners and tinware makers, 365.3; class average, 262.1) and diseases of the nervous system (tanners and tinware makers, 177.6; class average, 172.6), while from heart disease (tanners and tinware makers, 126.9; class average, 150) and diseases of the urinary organs (tanners and tinware makers, 131.9; class average, 134.6) the death rates were below the average for the class.

AGRICULTURE, TRANSPORTATION, AND OTHER OUTDOOR CLASS.

The total number of males engaged in occupations included in this class in the registration states was 1,528,241, or 27.4 per cent of the total males having

gainful occupations. The number of deaths in this class during the census year was 24,196, or 28.9 per cent of the whole number of deaths of occupied males in this area, and the death rate was 15.8 per 1,000. In 1890 the death rate in this class was 12.1.

The following table shows, for the registration states, the number of males in this class, at all ages, and in each of four age groups the deaths at corresponding ages during the census year, with the per cent of both population and deaths at each age, and the death rates per 1,000 of population:

POPULATION, DEATHS, AND DEATH RATES, BY AGES.

POPULATION, DEATHS, AND DEATH RATES.	All ages.	15 to 24.	25 to 44.	45 to 64.	65 and over.
Population.....	1,528,241	311,977	669,231	401,461	127,053
Per cent at each age.....		20.4	43.8	26.3	8.3
Deaths.....	24,196	1,432	4,441	5,895	12,281
Per cent at each age.....		5.9	18.4	24.4	50.8
Death rate.....	15.8	4.6	6.6	14.7	96.7
Average rate in all classes.....	15.0	5.1	8.8	19.9	98.4

The preceding table shows that the death rate in this class (15.8) was about the same as the average rate in all classes (15). By age periods, the death rates in this class were slightly lower than the average rates in all classes, for the ages shown in the table, which do not include those under 15 years and those of unknown age, in which the rates in this class were slightly higher than the average.

The following table shows, for the registration states, the number of deaths of males in this class during the census year from certain specified causes, and the death rates per 100,000 of population:

DEATH RATES FROM CERTAIN CAUSES.

CAUSE OF DEATH.	Deaths.	Death rate.
Malarial fever.....	69	4.5
Typhoid fever.....	501	32.8
Rheumatism.....	138	9.0
Consumption.....	2,250	147.2
Diabetes.....	204	13.3
Diseases of nervous system.....	3,382	221.3
Heart disease.....	3,226	211.1
Other diseases, circulatory system.....	302	19.8
Pneumonia.....	2,139	140.0
Other diseases, respiratory system.....	634	41.5
Diseases of liver.....	399	26.1
Other diseases, digestive system.....	992	64.9
Diseases of urinary system.....	2,223	145.5
Diseases of bones and joints.....	55	3.6
Suicide.....	291	19.0
Other accidents and injuries.....	2,133	139.6
Cancer.....	1,058	69.2

The preceding table shows that the highest death rates in this class were due to diseases of the nervous system (221.3) and heart disease (211.1). In both of these the rates were considerably higher than the average rates from these diseases in all classes. The death rate from diseases of the urinary system (145.5) was

also higher than the average rate from these diseases in all classes (144), and the rate from accidents and injuries other than suicide (139.6) was much higher in this class than the average in all classes (113.2), owing to the number of hazardous occupations included under this title. The death rate from consumption (147.2) was very much less than the average death rate from this disease (236.7), and the rate from pneumonia (140) was also considerably less than the average rate in all classes (154.1).

The following table shows the comparative death rates of males in each occupation in this class, at all ages, and in each of four age groups, per 1,000 of corresponding population:

DEATH RATES IN EACH OCCUPATION, BY AGES.

OCCUPATION.	AGE.				
	All ages.	15 to 24 years.	25 to 44 years.	45 to 64 years.	65 years and over.
Agriculture, transportation, and other outdoor	15.8	4.6	6.6	14.7	96.7
Boatmen and canalmen	18.8	12.1	10.4	21.6	101.6
Draymen, hackmen, teamsters, etc. ...	11.0	4.7	9.9	16.7	75.3
Farmers, planters, and farm laborers..	17.6	3.7	4.6	13.2	96.8
Gardeners, florists, nurserymen, and vine growers	17.2	3.9	7.3	18.2	71.0
Livery stable keepers and hostlers	12.1	3.2	9.1	19.9	68.6
Lumbermen and raftsmen	16.5	6.6	8.7	24.2	163.7
Miners and quarrymen	9.6	5.4	7.8	13.1	116.6
Sailors, pilots, fishermen, and oystermen	27.7	12.0	14.0	31.3	163.9
Steam railroad employees	10.8	8.9	7.9	15.7	65.0
Stock raisers, herders, and drovers....	32.1		20.6	32.9	148.1
Others of this class	9.9	4.3	6.6	14.8	108.9

The number of deaths of stock raisers, herders, and drovers was so small that the high death rate in this occupation (32.1) has no special significance. Of the other individual occupations included in this class, the death rates were highest for sailors, pilots, fishermen, and oystermen (27.7) and boatmen and canalmen (18.8), and were lowest among miners and quarrymen (9.6) and steam railroad employees (10.8). The age distribution and the death rates from certain causes are given below for the individual occupations.

BOATMEN AND CANALMEN.

The number of boatmen and canalmen reported in the registration states was 8,178, the number of deaths of boatmen and canalmen in the same area during the census year being 154, and the death rate 18.8 per 1,000. The death rates per 1,000 of population by age groups were as follows: At 15 to 24 years, 12.1; at 25 to 44 years, 10.4; at 45 to 64 years, 21.6; and at 65 years and over, 101.6.

The death rates of boatmen and canalmen per 100,000 of population were above the average of the agriculture,

transportation, and other outdoor class, from accidents and injuries exclusive of suicide (boatmen and canalmen 403.5; agriculture, transportation, and other outdoor 139.6), and consumption (boatmen and canalmen 256.8; agriculture, transportation, and other outdoor 147.2), but were below the average from pneumonia (boatmen and canalmen 110.1; agriculture, transportation, and other outdoor 140), and diseases of the urinary organs (boatmen and canalmen 134.5; agriculture, transportation, and other outdoor 145.5).

DRAYMEN, HACKMEN, TEAMSTERS, ETC.

The number of draymen, hackmen, teamsters, etc., reported in the registration states was 185,552, and the number of deaths of draymen, hackmen, teamsters, etc., during the census year was 2,044, the death rate being 11 per 1,000. In 1890 the rate was 12.1.

The following table shows, for the registration states, the number of draymen, hackmen, teamsters, etc., at all ages, and in each of four age groups, the deaths at corresponding ages during the census year, with the per cent of both population and deaths at each age, and the death rates per 1,000 of population:

POPULATION, DEATHS, AND DEATH RATES, BY AGES.

POPULATION, DEATHS, AND DEATH RATES.	All ages.	15 to 24.	25 to 44.	45 to 64.	65 and over.
Population	185,552	46,167	101,504	32,741	3,572
Per cent at each age.....		24.9	54.7	17.6	1.9
Deaths	2,044	217	1,005	548	269
Per cent at each age.....		10.6	49.2	26.8	13.2
Death rate.....	11.0	4.7	9.9	16.7	75.3
Average rate in this class....	15.8	4.6	6.6	14.7	96.7

This table shows that the death rate of draymen, hackmen, teamsters, etc. (11), was less than the average rate in this class (15.8), but 76 per cent of the deaths in these occupations occurred between 25 and 65 years of age, and at these ages the death rates of draymen, hackmen, teamsters, etc., were higher than the average rates. At 15 to 24 years the rate was about the same as the average rate, but at 65 years of age and over it was very much less than the average.

The following table shows, for the registration states, the number of deaths of draymen, hackmen, teamsters, etc., during the census year from certain specified causes, and the death rates per 100,000 of population:

DEATH RATES FROM CERTAIN CAUSES.

CAUSE OF DEATH.	Deaths.	Death rate.
Malarial fever.....	3	1.6
Typhoid fever.....	59	31.8
Rheumatism	8	4.3
Consumption	485	261.4
Diabetes.....	11	5.9
Diseases of nervous system	166	89.5

OCCUPATIONS IN RELATION TO DEATHS.

ccxc

DEATH RATES FROM CERTAIN CAUSES—Continued.

CAUSES OF DEATH.	Deaths.	Death rates.
Heart disease.....	177	95.4
Other diseases, circulatory system.....	13	7.0
Pneumonia.....	274	147.7
Other diseases, respiratory system.....	42	22.6
Diseases of liver.....	33	17.8
Other diseases, digestive system.....	62	33.4
Diseases of urinary system.....	167	90.0
Diseases of bones and joints.....	7	3.8
Suicide.....	30	16.2
Other accidents and injuries.....	248	133.7
Cancer.....	42	22.6

The death rate of draymen, hackmen, teamsters, etc., from consumption (261.4) was very much higher than the average rate in this class (147.2), and the rate due to pneumonia (147.7) was somewhat higher than the average rate (140), but for the other specified causes the death rates of draymen, hackmen, teamsters, etc., were generally very much below the average.

FARMERS, PLANTERS, AND FARM LABORERS.

The number of farmers, planters, and farm laborers reported in the registration states was 958,778, and the number of deaths of farmers, planters, and farm laborers during the census year was 16,899, the death rate being 17.6 per 1,000. In 1890 the death rate was 11.9. The addition of Maine and Michigan, with their large proportions of rural territory, to the registration states since 1890 is probably accountable for the differences in the death rates in these occupations.

The following table shows, for the registration states, the number of farmers, planters, and farm laborers at all ages and in each of four age groups, the deaths at corresponding ages during the census year, with the per cent of both population and deaths at each age, and the death rate per 1,000 of population:

POPULATION, DEATHS, AND DEATH RATES, BY AGES.

POPULATION, DEATHS, AND DEATH RATES.	All ages.	15 to 24.	25 to 44.	45 to 64.	65 and over.
Population.....	958,778	192,361	354,473	287,673	109,951
Per cent at each age.....		20.1	37.0	30.0	11.5
Deaths.....	16,899	715	1,639	3,797	10,642
Per cent at each age.....		4.2	9.7	22.5	63.0
Death rate.....	17.6	3.7	4.6	13.2	96.8
Average rate in this class.....	15.8	4.6	6.6	14.7	96.7

This table shows that the death rate of farmers, planters, and farm laborers (17.6) was higher than the average rate in the agricultural and outdoor class (15.8), which is largely due to the number in these occupations under 15 and over 65 years of age. It will be seen that 63 per cent of the deaths occurred at ages above 65 years, or in 11.5 per cent of the population. In this age group the death rate of farmers, planters, and farm laborers (96.8) was a little higher than the average rate in this class (96.7). In the other age groups specified the rates were lower than the average.

The following table shows, for the registration states, the number of deaths of farmers, planters, and farm laborers, during the census year, from certain specified causes, and the death rates per 100,000 of population:

DEATH RATES FROM CERTAIN CAUSES.

CAUSE OF DEATH.	Deaths.	Death rate.
Malarial fever.....	51	5.3
Typhoid fever.....	293	30.6
Rheumatism.....	111	11.6
Consumption.....	1,071	111.7
Diabetes.....	158	16.5
Diseases of nervous system.....	2,595	270.7
Heart disease.....	2,520	262.8
Other diseases, circulatory system.....	236	24.6
Pneumonia.....	1,430	149.1
Other diseases, respiratory system.....	469	48.9
Diseases of liver.....	306	31.9
Other diseases, digestive system.....	773	80.6
Diseases of urinary system.....	1,635	170.5
Diseases of bones and joints.....	37	3.9
Suicide.....	201	21.0
Other accidents and injuries.....	808	84.3
Cancer.....	841	87.7

The death rate of farmers, planters, and farm laborers from typhoid fever (30.6) was lower than the average rate from this disease (32.8). The rate from consumption (111.7) was much lower than the average rate (147.2), and that due to accidents and injuries other than suicide (84.3) was also very much lower than the average rate from this cause (139.6). For all other of the specified causes the death rates of males in these occupations were higher than the average rates. This is particularly the case with the death rates due to cancer (87.7), diseases of the urinary organs (170.5), diseases of the nervous system (270.7), and heart disease (262.8).

GARDENERS, FLORISTS, NURSERYMEN, AND VINEGROWERS.

The number of gardeners, florists, nurserymen, and vinegrowers reported in the registration states was 34,296, and the number of deaths of gardeners, florists, nurserymen, and vinegrowers during the census year was 591, the death rate being 17.2 per 1,000. In 1890 the rate was 14.8.

The following table shows, for the registration states, the number of gardeners, florists, nurserymen, and vinegrowers at all ages, and in each of four age groups, the deaths at corresponding ages during the census year, with the per cent of both population and deaths at each age, and the death rates per 1,000 of population:

POPULATION, DEATHS, AND DEATH RATES, BY AGES.

POPULATION, DEATHS, AND DEATH RATES.	All ages.	15 to 24.	25 to 44.	45 to 64.	65 and over.
Population.....	34,296	4,911	14,605	10,665	3,804
Per cent at each age.....		14.3	42.6	31.1	11.1
Deaths.....	591	19	107	194	270
Per cent at each age.....		3.2	18.1	32.8	45.7
Death rate.....	17.2	3.9	7.3	18.2	71.0
Average rate in this class.....	15.8	4.6	6.6	14.7	96.7

This table shows that the death rate of gardeners, florists, nurserymen, and vinegrowers (17.2) was higher than the average rate in this class (15.8) and was about the same as the death rate of farmers, planters, and farm laborers (17.6). The death rates of gardeners, florists, nurserymen, and vine growers at 15 to 24 years and at 65 years and over were lower than the average rates at these ages, but between 25 and 65 years the rates were higher than the average.

The following table shows, for the registration states, the number of deaths of gardeners, florists, nurserymen, and vine growers during the census year from certain specified causes, and the death rates per 100,000 of population:

DEATH RATES FROM CERTAIN CAUSES.

CAUSE OF DEATH.	Deaths.	Death rate.
Malarial fever.....	1	2.9
Typhoid fever.....	8	23.3
Rheumatism.....	6	17.5
Consumption.....	64	186.6
Diabetes.....	7	20.4
Diseases of nervous system.....	99	288.7
Heart disease.....	80	233.3
Other diseases, circulatory system.....	8	23.3
Pneumonia.....	59	172.0
Other diseases, respiratory system.....	20	58.3
Diseases of liver.....	9	26.2
Other diseases, digestive system.....	19	55.4
Diseases of urinary system.....	55	160.4
Diseases of bones and joints.....		
Suicide.....	5	14.6
Other accidents and injuries.....	34	99.1
Cancer.....	25	72.9

The highest death rates among gardeners, florists, nurserymen, and vinegrowers were due to diseases of the nervous system (288.7) and heart disease (233.3), both being much higher than the average rates from these diseases. The rate due to consumption (186.6) was also higher than the average rate in this class (147.2). The rates due to malarial fever (2.9), typhoid fever (23.3), diseases of the digestive system other than diseases of the liver (55.4), suicide (14.6), and accidents and injuries other than suicide (99.1), were lower than the average rates from these causes, but for all other specified causes the rates were higher than the average.

LIVERY STABLE KEEPERS AND HOSTLERS.

The number of livery stable keepers and hostlers reported in the registration states was 32,529, and the number of deaths of livery stable keepers and hostlers during the census year was 395, the death rate being 12.1 per 1,000. In 1890 the rate was 12.

The following table shows, for the registration states, the number of livery stable keepers and hostlers at all ages, and in each of four age groups, the deaths at corresponding ages during the census year, with the per

cent of both population and deaths at each age, and the death rates per 1,000 of population:

POPULATION, DEATHS, AND DEATH RATES, BY AGES.

POPULATION, DEATHS, AND DEATH RATES.	All ages.	15 to 24.	25 to 44.	45 to 64.	65 and over.
Population.....	32,529	6,877	16,995	7,450	976
Per cent at each age.....		21.1	52.2	22.9	3.0
Deaths.....	395	22	155	148	67
Per cent at each age.....		5.6	39.2	37.5	17.0
Death rate.....	12.1	3.2	9.1	19.9	68.6
Average rate in this class....	15.8	4.6	6.6	14.7	96.7

This table shows that the death rate of livery stable keepers and hostlers (12.1) was less than the average rate in this class (15.8), and that the rates were less than the average at 15 to 24 years and at 65 years and over. Between the ages of 25 and 65 the death rates of males in these occupations were higher than the average.

The following table shows, for the registration states, the number of deaths of livery stable keepers and hostlers during the census year from certain specified causes, and the death rates per 100,000 of population:

DEATH RATES FROM CERTAIN CAUSES.

CAUSE OF DEATH.	Deaths.	Death rate.
Malarial fever.....		
Typhoid fever.....	11	33.8
Rheumatism.....	2	6.1
Consumption.....	87	267.5
Diabetes.....	4	12.3
Diseases of nervous system.....	47	144.5
Heart disease.....	47	144.5
Other diseases, circulatory system.....	3	9.2
Pneumonia.....	35	107.6
Other diseases, respiratory system.....	11	33.8
Diseases of liver.....	6	18.4
Other diseases, digestive system.....	12	36.9
Diseases of urinary system.....	35	107.6
Diseases of bones and joints.....	2	6.1
Suicide.....	7	21.5
Other accidents and injuries.....	18	55.3
Cancer.....	15	46.1

The highest death rate among livery stable keepers and hostlers was due to consumption (267.5), and this was very much higher than the average rate in this class (147.2). The death rates of males in these occupations were also above the average rates from typhoid fever (33.8), diseases of the bones and joints (6.1), and suicide (21.5). The rates from all other specified causes were less than the average rates, being particularly low from diseases of the nervous system, heart disease, pneumonia, and diseases of the urinary organs.

LUMBERMEN AND RAFTSMEN.

The number of lumbermen and raftsmen reported in the registration states was 13,078, the number of deaths of lumbermen and raftsmen in the same area during

the census year being 216, and the death rate 16.5 per 1,000. The death rates per 1,000 of population by age groups were as follows: At 15 to 24 years, 6.6; at 25 to 44 years, 8.7; at 45 to 64 years, 24.2; and at 65 years and over, 163.7.

The death rates of lumbermen and raftsmen per 100,000 of population were above the average of the agricultural, transportation, and other outdoor class, from accidents and injuries exclusive of suicide (lumbermen and raftsmen, 351.7; agricultural, transportation, and other outdoor class, 139.6), diseases of the urinary organs (lumbermen and raftsmen, 221.7; agricultural, transportation, and other outdoor class, 145.5), diseases of the nervous system (lumbermen and raftsmen, 260; agricultural, transportation, and other outdoor class, 221.3), and were below the average from heart disease (lumbermen and raftsmen, 137.6; agricultural, transportation, and other outdoor class, 211.1), consumption (lumbermen and raftsmen, 107.1; agricultural, transportation, and other outdoor class, 147.2), and pneumonia (lumbermen and raftsmen, 122.3; agricultural, transportation, and other outdoor class, 140).

MINERS AND QUARRYMEN.

The number of miners and quarrymen reported in the registration states was 38,890, and the number of deaths of miners and quarrymen during the census year was 373, the death rate being 9.6 per 1,000. In 1890 the rate was 7.8.

The following table shows, for the registration states, the number of miners and quarrymen at all ages, and in each of four age groups, the deaths at corresponding ages during the census year, with the per cent of both population and deaths at each age, and the death rates per 1,000 of population:

POPULATION, DEATHS, AND DEATH RATES, BY AGES.

POPULATION, DEATHS, AND DEATH RATES.	All ages.	15 to 24.	25 to 44.	45 to 64.	65 and over.
Population	38,890	9,606	22,215	6,196	566
Per cent at each age.....		24.7	57.1	15.9	1.5
Deaths.....	373	52	173	81	66
Per cent at each age.....		13.9	46.4	21.7	17.7
Death rate.....	9.6	5.4	7.8	13.1	116.6
Average rate in this class....	15.8	4.6	6.6	14.7	96.7

This table shows that the death rate of miners and quarrymen (9.6) was much less than the average rate in this class (15.8). Over 80 per cent of the miners and quarrymen reported in the registration states were under 45 years, about 25 per cent being 15 to 24 years, and about 57 per cent 25 to 44 years of age. At 15 to 24 years the death rate of miners and quarrymen (5.4) was higher than the average rate at this age (4.6), and at 25 to 44 years the rate (7.8) was also higher than the average rate at this age (6.6).

The following table shows, for the registration states, the number of deaths of miners and quarrymen during the census year from certain specified causes, and the death rates per 100,000 of population:

DEATH RATES FROM CERTAIN CAUSES.

CAUSE OF DEATH.	Deaths.	Death rate.
Malarial fever.....		
Typhoid fever.....	15	38.6
Rheumatism.....		
Consumption.....	47	120.9
Diabetes.....		
Diseases of nervous system.....	15	38.6
Heart disease.....	22	56.6
Other diseases, circulatory system.....	5	12.9
Pneumonia.....	30	77.1
Other diseases, respiratory system.....	10	25.7
Diseases of liver.....	2	5.1
Other diseases, digestive system.....	15	38.6
Diseases of urinary system.....	19	48.9
Diseases of bones and joints.....	2	5.1
Suicide.....	1	2.6
Other accidents and injuries.....	147	378.0
Cancer.....	13	33.4

The death rate of miners and quarrymen from accidents and injuries other than suicide was excessively high, being 378 per 100,000, while the average rate in this class was 139.6. The rate due to typhoid fever (38.6) was slightly higher than the average rate in this class (32.8), but the rates due to all other specified causes were generally very much lower than the average rates, being particularly low from diseases of the nervous system, heart disease, pneumonia, and other diseases of the respiratory system.

SAILORS, PILOTS, FISHERMEN, AND OYSTERMEN.

The number of sailors, pilots, fishermen, and oystermen reported in the registration states was 47,747, and the number of deaths of sailors, pilots, fishermen, and oystermen during the census year was 1,321, the death rate being 27.7 per 1,000. In 1890 the rate was 22.

The following table shows, for the registration states, the number of sailors, pilots, fishermen, and oystermen at all ages, and in each of four age groups, the deaths at corresponding ages during the census year, with the per cent of both population and deaths at each age, and the death rates per 1,000 of population:

POPULATION, DEATHS, AND DEATH RATES, BY AGES.

POPULATION, DEATHS, AND DEATH RATES.	All ages.	15 to 24.	25 to 44.	45 to 64.	65 and over.
Population	47,747	8,315	22,928	13,087	2,965
Per cent at each age.....		17.4	48.0	27.4	6.2
Deaths.....	1,321	100	320	409	486
Per cent at each age.....		7.6	24.2	31.0	36.8
Death rate.....	27.7	12.0	14.0	31.3	163.9
Average rate in this class....	15.8	4.6	6.6	14.7	96.7

This table shows that the death rate of sailors, pilots, fishermen, and oystermen (27.7) was very much higher than the average rate in this class (15.8), and that the rates were higher than the average in each age group. The greatest number of deaths occurred in the age group 65 years and over, or in about 6 per cent of the population. In this age group the death rate of sailors, pilots, fishermen, and oystermen was 163.9, and the average rate in this class was 96.7.

The following table shows, for the registration states, the number of deaths of sailors, pilots, fishermen, and oystermen during the census year from certain specified causes, and the death rates per 100,000 of population:

DEATH RATES FROM CERTAIN CAUSES.

CAUSE OF DEATH.	Deaths.	Death rate.
Malarial fever.....	6	12.6
Typhoid fever.....	32	67.0
Rheumatism.....	3	6.3
Consumption.....	159	333.0
Diabetes.....	8	16.8
Diseases of nervous system.....	177	370.7
Heart disease.....	151	316.3
Other diseases, circulatory system.....	19	39.8
Pneumonia.....	122	255.5
Other diseases, respiratory system.....	26	54.5
Diseases of liver.....	15	31.4
Other diseases, digestive system.....	33	69.1
Diseases of urinary system.....	119	249.2
Diseases of bones and joints.....	2	4.2
Suicide.....	19	39.8
Other accidents and injuries.....	176	368.6
Cancer.....	54	113.1

The death rate of sailors, pilots, fishermen, and oystermen from rheumatism (6.3) was lower than the average rate in this class (9), but the rates from all other specified causes were generally very much higher than the average. The rates due to consumption, diseases of the nervous system, heart disease, pneumonia, diseases of the urinary organs, suicide, cancer, accidents and injuries other than suicide, and malarial fever were all excessively high.

STEAM RAILROAD EMPLOYEES.

This title includes engineers and firemen, switchmen, conductors, section hands, and all other railroad employees except clerks, telegraph operators, and officials.

The number of steam railroad employees reported in the registration states was 129,472, and the number of deaths of steam railroad employees during the census year was 1,395, the death rate being 10.8 per 1,000. In 1890 the rate was 9.

The following table shows, for the registration states, the number of steam railroad employees at all ages, and in each of four age groups, the deaths at corresponding ages during the census year, with the per cent of

both population and deaths at each age, and the death rates per 1,000 of population:

POPULATION, DEATHS, AND DEATH RATES, BY AGES.

POPULATION, DEATHS, AND DEATH RATES.	All ages.	15 to 24.	25 to 44.	45 to 64.	65 and over.
Population.....	129,472	22,045	79,210	24,971	2,476
Per cent at each age.....		17.0	61.2	19.3	1.9
Deaths.....	1,395	197	628	392	161
Per cent at each age.....		14.1	45.0	28.1	11.5
Death rate.....	10.8	8.9	7.9	15.7	65.0
Average rate in this class.....	15.8	4.6	6.6	14.7	96.7

This table shows that the death rate of steam railroad employees (10.8) was much less than the average rate in this class (15.8). The death rates of males in these occupations, however, were higher than the average in each age group up to 65 years. Over 60 per cent of the persons reported in these occupations in the registration states were between 25 and 45 years of age, and the greatest number of deaths occurred also in this age group, the death rate being 7.9. The average rate for the class at these ages was 6.6.

The following table shows, for the registration states, the number of deaths of steam railroad employees during the census year from certain specified causes, and the death rates per 100,000 of population:

DEATH RATES FROM CERTAIN CAUSES.

CAUSE OF DEATH.	Deaths.	Death rate.
Malarial fever.....	3	2.3
Typhoid fever.....	46	35.5
Rheumatism.....	3	2.3
Consumption.....	168	129.8
Diabetes.....	8	6.2
Diseases of nervous system.....	124	95.8
Heart disease.....	115	88.8
Other diseases, circulatory system.....	13	10.0
Pneumonia.....	78	60.2
Other diseases, respiratory system.....	25	19.3
Diseases of liver.....	11	8.5
Other diseases, digestive system.....	37	28.6
Diseases of urinary system.....	84	64.9
Diseases of bones and joints.....	3	2.3
Suicide.....	11	8.5
Other accidents and injuries.....	531	410.1
Cancer.....	40	30.9

The general death rate of steam railroad employees is raised greatly by the excessive death rate due to accidents and injuries other than suicide (410.1), the average rate in this class being 139.6, and the average rate from similar causes among all occupied males being 113.2. The rate due to typhoid fever (35.5) was slightly higher than the average rate in this class, but the rates due to all other specified causes were very much lower than the average, particularly those due to diseases of the nervous system, heart disease, pneumonia, diseases of the liver, rheumatism, and diabetes.

OCCUPATIONS IN RELATION TO DEATHS.

CCXCV

STOCK RAISERS, HERDERS, AND DROVERS.

The number of stock raisers, herders, and drovers reported in the registration states was 966, the number of deaths of stock raisers, herders, and drovers in the same area being 31, and the death rate 32.1 per 1,000

of population. The death rates per 1,000 of population by age groups were as follows: At 25 to 44 years, 20.6; at 45 to 64 years, 32.9; at 65 years and over, 148.1.

The number of persons and deaths in these occupations was so small that the rates have no significance.

OCCUPATIONS OF FEMALES.

The number of females reported as engaged in gainful occupations in the registration states was 1,587,874, and the number of deaths during the census year was 13,203, giving a death rate of 8.3 per 1,000. The death rate of females in the registration states from the selected occupations compiled in 1890 was 10.5 per 1,000.

The following table shows, for the registration states, the number of females reported as engaged in certain principal occupations, in the aggregate, and in each of four age groups, with the deaths of females in the same occupations during the census year, and the percentage of both population and deaths in each age group:

POPULATION AND DEATHS, BY AGES.

POPULATION AND DEATHS, OCCUPATIONS.	NUMBER.					PER CENT.			
	All ages.	15 to 24.	25 to 44.	45 to 64.	65 and over.	15 to 24.	25 to 44.	45 to 64.	65 and over.
POPULATION.									
All occupations.....	1,587,874	725,291	601,200	187,957	33,771	45.7	37.9	11.8	2.1
Musicians and teachers of music.....	16,566	6,263	8,454	1,684	108	37.8	51.0	10.2	0.7
Teachers in schools.....	91,964	36,765	46,776	7,595	526	40.0	50.9	8.3	0.6
Stenographers and typewriters.....	33,780	21,798	11,430	382	15	64.5	33.8	1.1	
Bookkeepers, clerks, and copyists.....	72,713	38,550	29,490	3,566	231	53.0	40.6	4.9	0.3
Hotel and boarding house keepers.....	19,755	395	8,255	9,354	1,726	2.0	41.8	47.4	8.7
Laundresses.....	59,300	11,604	27,996	16,842	2,289	19.6	47.2	28.4	3.9
Nurses and midwives.....	41,912	9,097	19,562	10,950	2,138	21.7	46.7	26.1	5.1
Servants.....	403,801	201,533	147,934	36,748	5,776	49.9	36.6	9.1	1.4
Artificial flower and paper box makers.....	12,624	8,605	3,049	293	17	68.2	24.2	2.3	0.1
Cigarmakers and tobacco workers.....	12,838	7,756	3,699	655	32	60.4	28.8	5.1	0.2
Mill and factory operatives (textiles).....	162,392	94,544	51,174	7,639	458	58.2	31.5	4.7	0.3
Milliners.....	29,122	15,050	10,892	2,373	237	51.7	37.4	8.1	0.8
Dressmakers and seamstresses.....	195,176	75,832	86,538	26,330	3,292	38.9	44.3	13.5	1.7
Telegraph and telephone operators.....	7,801	5,535	2,049	155	7	71.0	26.3	2.0	0.1
All other occupations.....	428,130	191,964	143,902	63,391	16,919	44.8	33.6	14.8	4.0
DEATHS.									
All occupations.....	13,203	2,456	4,301	3,425	2,948	18.6	32.6	25.9	22.3
Musicians and teachers of music.....	83	18	36	25	4	21.7	43.4	30.1	4.8
Teachers in schools.....	541	140	236	106	57	25.9	43.6	19.6	10.5
Stenographers and typewriters.....	92	41	47	4		44.6	51.1	4.3	
Bookkeepers, clerks, and copyists.....	409	154	186	51	17	37.7	45.5	12.5	4.2
Hotel and boarding house keepers.....	89	2	17	43	27	2.2	19.1	48.3	30.3
Laundresses.....	302	24	105	121	52	7.9	34.8	40.1	17.2
Nurses and midwives.....	397	41	92	122	140	10.3	23.2	30.7	35.3
Servants.....	6,920	1,062	2,097	1,961	1,763	15.3	30.3	28.3	25.5
Artificial flower and paper box makers.....	17	6	9	1		35.3	52.9	5.9	
Cigarmakers and tobacco workers.....	52	23	19	9		44.2	36.5	17.3	
Mill and factory operatives (textiles).....	644	268	236	92	39	41.6	36.6	14.3	6.1
Milliners.....	171	34	62	44	31	19.9	36.3	25.7	18.1
Dressmakers and seamstresses.....	1,021	161	419	268	168	15.8	41.0	26.2	16.5
Telegraph and telephone operators.....	42	28	12	1	1	66.7	28.6	2.4	2.4
All other occupations.....	2,423	454	728	577	649	18.7	30.0	23.8	26.8

The following table shows the percentage of females engaged in each specified occupation, in the aggregate, and for each of the age groups given in the preceding table:

PER CENT OF POPULATION IN EACH OCCUPATION.

OCCUPATION.	AGES.				
	All ages.	15 to 24.	25 to 44.	45 to 64.	65 and over.
All occupations.....	100.0	100.0	100.0	100.0	100.0
Musicians and teachers of music.....	1.1	0.9	1.4	0.9	0.3
Teachers in schools.....	5.8	5.1	7.8	4.0	1.6
Stenographers and typewriters.....	2.1	3.0	1.9	0.2	
Bookkeepers, clerks, and copyists.....	4.6	5.3	4.9	1.9	0.7
Hotel and boarding house keepers.....	1.3	0.1	1.4	5.0	5.1
Laundresses.....	3.7	1.6	4.7	9.0	6.8
Nurses and midwives.....	2.6	1.2	3.3	5.8	6.3
Servants.....	25.4	27.8	24.6	19.5	17.1
Artificial flower and paper-box makers.....	0.8	1.2	0.5	0.2	0.1
Cigarmakers and tobacco workers.....	0.8	1.1	0.6	0.3	0.1
Mill and factory operatives (textiles).....	10.2	13.0	8.5	4.1	1.4
Milliners.....	1.8	2.1	1.8	1.3	0.7
Dressmakers and seamstresses.....	12.3	10.4	14.4	14.0	9.7
Telegraph and telephone operators.....	0.5	0.8	0.3	0.1	
All other occupations.....	27.0	26.4	23.9	33.7	50.1

The following table shows, for the registration states, the number of occupied females at all ages and in each of four age groups, the deaths at corresponding ages during the census year, with the per cent of both population and deaths at each age, and the death rates per 1,000 of population:

POPULATION, DEATHS, AND DEATH RATES, BY AGES.

POPULATION, DEATHS, AND DEATH RATES.	All ages.	15 to 24.	25 to 44.	45 to 64.	65 and over.
Population.....	1,587,874	725,291	601,200	187,957	33,771
Per cent at each age.....		45.7	37.9	11.8	2.1
Deaths.....	13,203	2,456	4,301	3,425	2,948
Per cent at each age.....		18.6	32.6	25.9	22.3
Death rate.....	8.3	3.4	7.2	18.2	87.3

This table shows that 45.7 per cent of the occupied females in the registration states were between 15 and 25 years of age, and in this age group the death rate of females was 3.4 per 1,000. The death rate of occupied males at the same ages was 5.1.

In the age group 25 to 44 years the percentage of occupied females was 37.9, and the death rate was 7.2. For males in this age group the rate was 8.8. The largest number of deaths of occupied females occurred in this age group.

At 45 to 64 years the percentage of occupied females was 11.8, and the death rate was 18.2 per 1,000, the corresponding rate for males being 19.9 per 1,000.

In the age group 65 years and over the death rate of females was 87.3, and that of males was 98.4.

The low death rate of females engaged in gainful occupations (8.3), as compared with that of occupied males (15), is largely due to the fact that a much larger number of occupied females are comparatively young,

the percentage of females between 15 and 24 years of age being 45.7, and that of males 22.6. The large number of females engaged in housekeeping for their own families, without any fixed compensation, is not included among those having gainful occupations.

The following table shows, for the registration states, the deaths of occupied females from certain diseases and classes of diseases during the census year, and the death rates per 100,000 of population, in comparison with 1890:

DEATH RATES FROM CERTAIN CAUSES.

CAUSE OF DEATH.	Deaths, 1900.	RATE.	
		1900	1890
Malarial fever.....	48	3.0	9.3
Typhoid fever.....	386	24.3	35.7
Rheumatism.....	80	5.0	6.5
Consumption.....	2,744	172.8	251.2
Diabetes.....	107	6.7	3.9
Diseases of nervous system.....	1,408	88.7	114.9
Heart disease.....	1,344	84.6	99.7
Other diseases, circulatory system.....	123	7.7	
Pneumonia.....	1,203	75.8	152.9
Other diseases, respiratory system.....	421	26.5	
Diseases of liver.....	159	10.0	15.4
Other diseases, digestive system.....	732	46.1	41.7
Diseases of urinary system.....	948	59.7	51.4
Diseases of bones and joints.....	22	1.4	2.4
Suicide.....	110	6.9	4.1
Other accidents and injuries.....	389	24.5	24.2
Cancer.....	789	49.7	

It will be seen from this table that the death rates of occupied females from the specified diseases were generally lower than the rates for the same diseases in 1890, particularly those due to consumption, heart disease, diseases of the nervous system, and diseases of the respiratory system.

The following table shows, for the registration states, the death rates of females in all occupations, and in each specified occupation, at all ages and in each of four age groups, per 1,000 of corresponding population:

DEATH RATES IN EACH OCCUPATION.

OCCUPATION.	AGE.				
	All ages.	15 to 24 years.	25 to 44 years.	45 to 64 years.	65 years and over.
All occupations.....	8.3	3.4	7.2	18.2	87.3
Musicians and teachers of music.....	5.0	2.9	4.3	14.8	37.0
Teachers in schools.....	5.9	3.8	5.0	14.0	108.4
Stenographers and typewriters.....	2.7	1.9	4.1	10.5	
Bookkeepers, clerks, and copyists.....	5.6	4.0	6.3	14.3	73.6
Hotel and boarding house keepers.....	4.5	5.1	2.1	4.6	15.6
Laundresses.....	5.1	2.1	3.8	7.2	22.7
Nurses and midwives.....	9.5	4.5	4.7	11.1	65.5
Servants.....	17.1	5.3	14.2	53.4	305.2
Artificial flower and paper box makers.....	1.3	0.7	3.0	3.4	
Cigarmakers and tobacco workers.....	4.1	3.0	5.1	13.7	
Mill and factory operatives (textiles).....	4.0	2.8	4.6	12.0	85.2
Milliners.....	5.9	2.3	5.7	18.5	130.8
Dressmakers and seamstresses.....	5.2	2.1	4.8	10.2	51.0
Telegraph and telephone operators.....	5.4	5.1	5.9	6.5	142.9
All other occupations.....	5.7	2.4	5.1	9.1	38.4

This table shows that in the aggregate and also in each age group the death rates of female servants were very much the highest. The average death rate of females in all occupations is greatly increased by the excessive death rate of servants, as these constitute a large proportion of the total number of occupied females.

Excluding servants, the highest rates among females in specific occupations were those of nurses and midwives (9.5), school-teachers (5.9), milliners (5.9), and bookkeepers, clerks, and copyists (5.6). The rates from the principal occupations were lowest for mill and factory operatives (4), cigarmakers and tobacco workers (4.1), and hotel and boarding house keepers (4.5). There was but little difference in the death rates of females in the other occupations.

SCHOOL-TEACHERS.

The number of female school-teachers reported in the registration states was 91,964, and the number of deaths of school-teachers during the census year was 541, the death rate being 5.9 per 1,000. In 1890 the rate was 4.3.

The following table shows, for the registration states, the number of school-teachers at all ages, and in each of four age groups, the deaths at corresponding ages during the census year, with the per cent of both population and deaths at each age, and the death rates per 1,000 of population:

POPULATION, DEATHS, AND DEATH RATES, BY AGES.

POPULATION, DEATHS, AND DEATH RATES.	All ages.	15 to 24.	25 to 44.	45 to 64.	65 and over.
Population	91,964	36,765	46,776	7,595	526
Per cent at each age.....		40.0	50.9	8.3	0.6
Deaths.....	541	140	236	106	57
Per cent at each age.....		25.9	48.6	19.6	10.5
Death rate.....	5.9	3.8	5.0	14.0	108.4
Average rate in all occupations.....	8.3	3.4	7.2	18.2	87.3

This table shows that 40 per cent of the female school-teachers were between 15 and 25 years of age, and in this age group the death rate (3.8) was slightly higher than the rate for all females (3.4). The greatest number of school-teachers was between 25 and 45 years of age, 50.9 per cent of the total number being in this age group, in which the death rate (5) was considerably lower than the average rate (7.2).

At 45 to 64 years the death rate of school-teachers (14) was much lower than the average rate at these ages (18.2), but at 65 years and over the rate (108.4) was much higher than the average rate (87.3).

The following table shows, for the registration states, the number of deaths of school-teachers during the census year from certain specified causes, and the death rates per 100,000 of population:

DEATH RATES FROM CERTAIN CAUSES.

CAUSE OF DEATH.	Deaths.	Death rate.
Malarial fever	4	4.3
Typhoid fever	34	37.0
Rheumatism	2	2.2
Consumption	116	126.1
Diabetes	9	9.8
Diseases of nervous system	52	56.5
Heart disease	29	31.5
Other diseases, circulatory system.....	4	4.3
Pneumonia	44	47.8
Other diseases, respiratory system.....	13	14.1
Diseases of liver	4	4.3
Other diseases, digestive system.....	38	41.3
Diseases of urinary system	29	31.5
Diseases of bones and joints	2	2.2
Suicide	5	5.4
Other accidents and injuries	22	23.9
Cancer	44	47.8

The highest death rates of female school-teachers were due to consumption (126.1), diseases of the nervous system (56.5), and pneumonia and cancer, from each of which the rate was 47.8. The death rates of school-teachers from these diseases were, however, lower than the average rates from the same diseases of all occupied females.

The death rates from malarial fever, typhoid fever, diabetes, and diseases of the bones and joints were higher than the average rates from these diseases, but the rates for all other specified causes were lower than the average.

BOOKKEEPERS, CLERKS, AND COPYISTS.

The number of female bookkeepers, clerks, and copyists reported in the registration states was 72,713, and the number of deaths of bookkeepers, clerks, and copyists during the census year was 409, the death rate being 5.6 per 1,000. In 1890 the rate was 3.2.

The following table shows, for the registration states, the number of female bookkeepers, clerks, and copyists at all ages, and in each of four age groups, the deaths at corresponding ages during the census year, with the per cent of both population and deaths at each age, and the death rates per 1,000 of population:

POPULATION, DEATHS, AND DEATH RATES, BY AGES.

POPULATION, DEATHS, AND DEATH RATES.	All ages.	15 to 24.	25 to 44.	45 to 64.	65 and over.
Population	72,713	38,550	29,490	3,566	231
Per cent at each age		53.0	40.6	4.9	.3
Deaths	409	154	186	51	17
Per cent at each age		37.7	45.5	12.5	4.2
Death rate.....	5.6	4.0	6.3	14.3	73.6
Average rate in all occupations.....	8.3	3.4	7.2	18.2	87.3

It will be seen from this table that 53 per cent of the female bookkeepers, clerks, and copyists in the registration states were between 15 and 25 years of age, and that in this age group the death rate of bookkeepers, clerks, and copyists was higher than the average rate of all occupied females. Above 25 years the rates were lower than the average.

The following table shows, for the registration states, the number of deaths of female bookkeepers, clerks, and copyists during the census year from certain specified causes, and the death rates per 100,000 of population:

DEATH RATES FROM CERTAIN CAUSES.

CAUSE OF DEATH.	Deaths.	Death rate.
Malarial fever	3	4.1
Typhoid fever	20	27.5
Rheumatism	3	4.1
Consumption	144	198.0
Diabetes	2	2.8
Diseases of nervous system	17	23.4
Heart disease	36	49.5
Other diseases, circulatory system	4	5.5
Pneumonia	41	56.4
Other diseases, respiratory system	6	8.3
Diseases of liver	3	4.1
Other diseases, digestive system	28	38.5
Diseases of urinary system	18	24.8
Diseases of bones and joints	1	1.4
Suicide	4	5.5
Other accidents and injuries	11	15.1
Cancer	11	15.1

The death rate of female bookkeepers, clerks, and copyists from consumption (198) was considerably higher than the average rate from this disease in all occupied females (172.8), and the rates due to malarial fever (4.1) and typhoid fever (27.5) were slightly higher than the average rates, but those due to the other specified causes were lower than the average rates.

LAUNDRESSES.

The number of laundresses reported in the registration states was 59,300, and the number of deaths of laundresses during the census year was 302, the death rate being 5.1 per 1,000. In 1890 the rate was 6.7.

The following table shows, for the registration states, the number of laundresses at all ages, and in each of four age groups, the deaths at corresponding ages during the census year, with the per cent of both population and deaths at each age, and the death rates per 1,000 of population:

POPULATION, DEATHS, AND DEATH RATES, BY AGES.

POPULATION, DEATHS, AND DEATH RATES.	All ages.	15 to 24.	25 to 44.	45 to 64.	65 and over.
Population	59,300	11,604	27,996	16,842	2,289
Per cent at each age		19.6	47.2	28.4	3.9
Deaths	302	24	105	121	52
Per cent at each age		7.9	34.8	40.1	17.2
Death rate	5.1	2.1	3.8	7.2	22.7
Average rate in all occupations	8.3	3.4	7.2	18.2	87.3

This table shows that the death rates of laundresses (5.1) was considerably lower than the average rate for all occupied females (8.3), and that the rates were lower than the average in each age group. Over 75 per cent of the laundresses reported in the registration states were between 25 and 65 years of age, 28.4 per cent being in the age group 45 to 64 years, and in this age group the death rate of laundresses (7.2) was very much lower than the average rate at these ages (18.2).

The following table shows, for the registration states, the number of deaths of laundresses during the census year from certain specified causes, and the death rates per 100,000 of population:

DEATH RATES FROM CERTAIN CAUSES.

CAUSE OF DEATH.	Deaths.	Death rate.
Malarial fever		
Typhoid fever	4	6.7
Rheumatism	2	3.4
Consumption	56	94.4
Diabetes	1	1.7
Diseases of nervous system	38	64.1
Heart disease	41	69.1
Other diseases, circulatory system	6	10.1
Pneumonia	24	40.5
Other diseases, respiratory system	9	15.2
Diseases of liver	5	8.4
Other diseases, digestive system	17	28.7
Diseases of urinary system	22	37.1
Diseases of bones and joints	2	3.4
Suicide		
Other accidents and injuries	9	15.2
Cancer	15	25.3

The highest death rates of laundresses were due to consumption (94.4), heart disease (69.1), and diseases of the nervous system (64.1), but the rates from these diseases were all much lower than the average rates of all occupied females. The death rate from diseases of the circulatory system other than heart disease (10.1) was the only rate that was higher than the average.

NURSES AND MIDWIVES.

The number of nurses and midwives reported in the registration states was 41,912, and the number of deaths of nurses and midwives during the census year was 397, the death rate being 9.5 per 1,000. In 1890 the rate was 11.2.

The following table shows, for the registration states, the number of nurses and midwives at all ages and in each of four age groups, the deaths at corresponding ages during the census year, with the per cent of both population and deaths at each age, and the death rates per 1,000 of population.

POPULATION, DEATHS, AND DEATH RATES, BY AGES.

POPULATION, DEATHS, AND DEATH RATES.	All ages.	15 to 24.	25 to 44.	45 to 64.	65 and over.
Population	41,912	9,097	19,562	10,950	2,138
Per cent at each age		21.7	46.7	26.1	5.1
Deaths	397	41	92	122	140
Per cent at each age		10.3	23.2	30.7	35.3
Death rate	9.5	4.5	4.7	11.1	65.5
Average rate in all occupations	8.3	3.4	7.2	18.2	87.3

This table shows that the death rate of nurses and midwives at 15 to 24 years (4.5) was higher than the average rate of all occupied females (3.4), and that the rates at ages above 25 years were lower than the average. The greatest number of deaths occurred in the age group 65 years and over, and in this age group the death rate of nurses and midwives was 65.5 while the average rate was 87.3.

The following table shows, for the registration states, the number of deaths of nurses and midwives during the census year from certain specified causes, and the death rates per 100,000 of population:

DEATH RATES FROM CERTAIN CAUSES.

CAUSE OF DEATH.	Deaths.	Death rate.
Malarial fever.....		
Typhoid fever.....	20	47.7
Rheumatism.....	3	7.2
Consumption.....	42	100.2
Diabetes.....	3	7.2
Diseases of nervous system.....	46	109.8
Heart disease.....	50	119.3
Other diseases, circulatory system.....	3	7.2
Pneumonia.....	39	93.1
Other diseases, respiratory system.....	12	28.6
Diseases of liver.....	8	19.1
Other diseases, digestive system.....	29	69.2
Diseases of urinary system.....	31	74.0
Diseases of bones and joints.....	1	2.4
Suicide.....	3	7.2
Other accidents and injuries.....	5	11.9
Cancer.....	44	105.0

The highest death rates of nurses and midwives were due to heart disease (119.3), diseases of the nervous system (109.8), and cancer (105), and the rates from these diseases were much higher than the average rates for all occupied females. The death rate from cancer in particular was excessively high, being more than twice the average rate (49.7).

The death rate due to consumption (100.2) was much lower than the average rate from this disease (172.8).

SERVANTS.

The number of female servants reported in the registration states was 403,801, and the number of deaths of female servants during the census year was 6,920, the death rate being 17.1 per 1,000. In 1890 the rate was 18.2.

The following table shows, for the registration states, the number of female servants at all ages, and in each of four age groups, the deaths at corresponding ages during the census year, with the per cent of both popu-

lation and deaths at each age, and the death rates per 1,000 of population:

POPULATION, DEATHS, AND DEATH RATES, BY AGES.

POPULATION, DEATHS, AND DEATH RATES.	All ages.	15 to 24.	25 to 44.	45 to 64.	65 and over.
Population.....	403,801	201,533	147,934	36,748	5,776
Per cent at each age.....		49.9	36.6	9.1	1.4
Deaths.....	6,920	1,062	2,097	1,961	1,763
Per cent at each age.....		15.3	30.3	28.3	25.5
Death rate.....	17.1	5.3	14.2	53.4	305.2
Average rate in all occupations.....	8.3	3.4	7.2	18.2	87.3

This table shows that the death rates of female servants, in the aggregate and at the different ages, were excessively high, in comparison with the average rates for all occupied females.

About 50 per cent of the female servants were between 15 and 25 years of age, and in this age group there was the least difference in the rates, that of servants being 5.3 and the average rate being 3.4. At 25 to 44 years the rate (14.2) was about twice the average rate (7.2). At 45 to 64 years the death rates of servants (53.4) was nearly three times the average rate (18.2) and at 65 years and over it was nearly four times the average (servants, 305.2; average, 87.3).

The following table shows, for the registration states, the number of deaths of female servants during the census year from certain specified causes, and the death rates per 100,000 of population:

DEATH RATES FROM CERTAIN CAUSES.

CAUSE OF DEATH.	Deaths.	Death rate.
Malarial fever.....	28	6.9
Typhoid fever.....	142	35.2
Rheumatism.....	45	11.1
Consumption.....	1,291	319.7
Diabetes.....	57	14.1
Diseases of nervous system.....	768	190.2
Heart disease.....	767	189.9
Other diseases, circulatory system.....	61	15.1
Pneumonia.....	651	161.2
Other diseases, respiratory system.....	248	61.4
Diseases of liver.....	79	19.6
Other diseases, digestive system.....	334	82.7
Diseases of urinary system.....	554	137.2
Diseases of bones and joints.....	12	3.0
Suicide.....	61	15.1
Other accidents and injuries.....	199	49.3
Cancer.....	402	99.6

The death rates of female servants from all of the causes specified were higher, and generally very much higher than the average rates.

The highest death rates were due to consumption

(319.7), diseases of the nervous system (190.2), heart disease (189.9), pneumonia (161.2), diseases of the urinary organs (137.2), and cancer (99.6), the rates from all of these diseases being excessively high, and very much higher than the average rates from the same diseases in all occupied females.

MILL AND FACTORY OPERATIVES (TEXTILES).

The number of female mill and factory operatives (textiles) reported in the registration states was 162,392, and the number of deaths of female mill and factory operatives (textiles) during the census year was 644, the death rate being 4 per 1,000. In 1890 the rate was 5.3.

The following table shows, for the registration states, the number of female mill and factory operatives (textiles) at all ages, and in each of four age groups, the deaths at corresponding ages during the census year, with the per cent of both population and deaths at each age, and the death rates per 1,000 of population:

POPULATION, DEATHS, AND DEATH RATES, BY AGES.

POPULATION, DEATHS, AND DEATH RATES.	All ages.	15 to 24.	25 to 44.	45 to 64.	65 and over.
Population	162,392	94,544	51,174	7,639	458
Per cent at each age		58.2	31.5	4.7	0.3
Deaths	644	268	236	92	39
Per cent at each age		41.6	36.6	14.3	6.1
Death rate	4.0	2.8	4.6	12.0	85.2
Average rate in all occupations.....	8.3	3.4	7.2	18.2	87.3

This table shows that the death rates of female mill and factory operatives were lower in every age group than the average rates for all occupied females.

Over 58 per cent of the female mill and factory operatives were between 15 and 25 years of age, and the greatest number of deaths also occurred at these ages, the death rate being 2.8 per 1,000. The average rate at these ages was 3.4.

The following table shows, for the registration states, the number of deaths of female mill and factory operatives (textiles) during the census year from certain specified causes, and the death rates per 100,000 of population:

DEATH RATES FROM CERTAIN CAUSES.

CAUSE OF DEATH.	Deaths.	Death rate.
Malarial fever	3	1.8
Typhoid fever	44	27.1
Rheumatism	7	4.3
Consumption	234	144.1
Diabetes	4	2.5
Diseases of nervous system	42	25.9
Heart disease	43	26.5
Other diseases, circulatory system	4	2.5
Pneumonia	57	35.1
Other diseases respiratory system	19	11.7
Diseases of liver	4	2.5
Other diseases, digestive system	35	21.6

DEATH RATES FROM CERTAIN CAUSES—Continued.

CAUSE OF DEATH.	Deaths.	Death rate.
Diseases of urinary system	26	16.0
Diseases of bones and joints		
Suicide	10	6.2
Other accidents and injuries	20	12.3
Cancer	16	9.9

The death rate of female mill and factory operatives from typhoid fever (27.1) was higher than the average rate from this disease in all occupied females (24.3), but the rates due to the other specified causes were lower than the average rates, being particularly low from diseases of the nervous system, heart disease, diseases of the liver, and diseases of the urinary organs.

DRESSMAKERS AND SEAMSTRESSES.

The number of dressmakers and seamstresses reported in the registration states was 195,176, and the number of deaths of dressmakers and seamstresses during the census year was 1,021, the death rate being 5.2 per 1,000.

The following table shows, for the registration states, the number of dressmakers and seamstresses, at all ages, and in each of four age groups, the deaths at corresponding ages during the census year, with the per cent of both population and deaths at each age, and the death rates per 1,000 of population:

POPULATION, DEATHS, AND DEATH RATES, BY AGES.

POPULATION, DEATHS, AND DEATH RATES.	All ages.	15 to 24.	25 to 44.	45 to 64.	65 and over.
Population	195,176	75,892	86,538	26,330	3,292
Per cent at each age		38.9	44.3	13.5	1.7
Deaths	1,021	161	419	268	168
Per cent at each age		15.8	41.0	26.2	16.5
Death rate	5.2	2.1	4.8	10.2	51.0
Average rate in all occupations.....	8.3	3.4	7.2	18.2	87.3

This table shows that the death rates of dressmakers and seamstresses were lower than the average rates for all occupied females, in the aggregate, and in each age group. The greatest number of deaths occurred in the age group 25 to 44 years, which also included the largest percentage of population. In this age group the death rate was 4.8 and the average rate was 7.2.

The following table shows, for the registration states, the number of deaths of dressmakers and seamstresses during the census year from certain specified causes, and the death rates per 100,000 of population:

DEATH RATES FROM CERTAIN CAUSES.

CAUSE OF DEATH.	Deaths.	Death rate.
Malarial fever	3	1.5
Typhoid fever	23	11.8
Rheumatism		
Consumption	254	130.1

OCCUPATIONS IN RELATION TO DEATHS.

ccci

DEATH RATES FROM CERTAIN CAUSES—Continued.

CAUSE OF DEATH.	Deaths.	Death rate.
Diabetes.....	8	4.1
Diseases of nervous system.....	102	52.3
Heart disease.....	98	50.2
Other diseases, circulatory system.....	7	3.6
Pneumonia.....	94	48.2
Other diseases, respiratory system.....	35	17.9
Diseases of liver.....	12	6.1
Other diseases, digestive system.....	65	33.3
Diseases of urinary system.....	61	31.3
Diseases of bones and joints.....		
Suicide.....	7	3.6
Other accidents and injuries.....	20	10.2
Cancer.....	75	38.4

The highest death rates among dressmakers and seamstresses were due to consumption (130.1), diseases of the nervous system (52.3), and heart disease (50.2), but the rates from these diseases were much lower than the average rates for all occupied females.

ARTIFICIAL FLOWER AND PAPER BOX MAKERS.

The number of female artificial flower and paper box makers reported in the registration states was 12,624. Of this number 8,605, or 68.2 per cent, were between 15 and 25 years of age, and 3,049, or 24.2 per cent, were between 25 and 45 years of age.

The total number of deaths reported in these occupations was only 17, and the death rates have no significance.

CIGARMAKERS AND TOBACCO WORKERS.

The number of female cigarmakers and tobacco workers reported in the registration states was 12,838, and the number of deaths of female cigarmakers and tobacco workers during the census year was 52, the death rate being 4.1 per 1,000. In 1890 the rate was 3.4.

The number of deaths in these occupations was too small to afford comparative death rates of any value.

HOTEL AND BOARDING HOUSE KEEPERS.

The number of female hotel and boarding house keepers reported in the registration states was 19,755, and the number of deaths of female hotel and boarding house keepers during the census year was 89, the death rate being 4.5 per 1,000. In 1890 the rate was 3.5.

The number of deaths in the different age groups and from the different causes was so small that the rates have no significance.

MILLINERS.

The number of milliners reported in the registration states was 29,122, and the number of deaths of milliners during the census year was 171, the death rate being 5.9 per 1,000.

Of the total number of deaths of milliners, 34 occurred at 15 to 24 years, and in this age group the death rate (2.3) was less than the average rate for all occupied females (3.4). There were 62 deaths at 25 to 44 years of age, the death rate being 5.7, which was also less

than the average rate at these ages (7.2). At 45 to 64 years, there were 44 deaths, and the death rate in this age group (15.2) was above the average rate (18.2). In the age group 65 years and over there were 31 deaths, and the death rate (130.8) was much higher than the average rate at these ages (87.3).

The number of deaths from the different causes was so small as to have no special significance.

MUSICIANS AND TEACHERS OF MUSIC.

The number of female musicians and teachers of music reported in the registration states was 16,566, and the number of deaths of musicians and teachers of music during the census year was 83, the death rate being 5 per 1,000. In 1890 the rate was 2.4.

By age periods the death rates of female musicians and teachers of music were as follows: At 15 to 24 years, 2.9; at 25 to 44 years, 4.3; at 45 to 64 years, 14.8; and at 65 years and over, 37. These rates were all lower than the average rates of all occupied females at the same ages.

The number of deaths of female musicians and teachers of music from the different causes was so small that the rates have no significance.

STENOGRAPHERS AND TYPEWRITERS.

The number of female stenographers and typewriters reported in the registration states was 33,780, of which number 21,798, or 64.5 per cent, were between 15 and 25 years of age, and 11,430, or 33.8 per cent, were between 25 and 45 years of age. The total number of deaths of female stenographers and typewriters during the census year was 92, and the death rate per 1,000 was 2.7. The number of deaths among female stenographers and typewriters was too small to afford rates of any value.

TELEGRAPH AND TELEPHONE OPERATORS.

The number of female telegraph and telephone operators reported in the registration states was 7,801, and the number of deaths of female telegraph and telephone operators during the census year was 42, the death rate being 5.4 per 1,000. In 1890 the rate was 4.1.

More than 97 per cent of the females in these occupations were under 45 years of age, 71 per cent being between 15 and 25 years, and 26.3 per cent being between 25 and 45 years. In the age group 15 to 24 years the death rate of female telegraph and telephone operators (5.1) was higher than the average rate of all occupied females (3.4). At 25 to 44 years the rate (5.9) was lower than the average (7.2). There were but two deaths of females in these occupations at ages above 45 years.

The death rates of female telegraph and telephone operators from typhoid fever (51.3), consumption (205.1), pneumonia (76.9), and accidents and injuries other than suicide (38.5) were higher than the average rates from these causes, but the rates from all other causes were lower than the average rates.

APPENDIX.

DESCRIPTION OF AREAS FOR WHICH DATA ARE GIVEN IN THIS REPORT.

(a) The registration states are as follows: Connecticut, District of Columbia, Maine, Massachusetts, Michigan, New Hampshire, New Jersey, New York, Rhode Island, and Vermont.

(b) The cities in the registration states are the following: Adams town, Mass.; Albany, N. Y.; Amesbury town, Mass.; Amsterdam, N. Y.; Ann Arbor, Mich.; Ansonia town, Conn.; Arlington town, Mass.; Atlantic City, N. J.; Attleboro town, Mass.; Auburn, N. Y.; Augusta, Me.; Bangor, Me.; Barre, Vt.; Bath, Me.; Battle Creek, Mich.; Bay City, Mich.; Bayonne, N. J.; Bennington town, Vt.; Berlin, N. H.; Beverly, Mass.; Biddeford, Me.; Binghamton, N. Y.; Boston, Mass.; Bridgeport, Conn.; Bridgeton, N. J.; Bristol town, Conn.; Brockton, Mass.; Brookline town, Mass.; Buffalo, N. Y.; Burlington, Vt.; Cambridge, Mass.; Camden, N. J.; Central Falls, R. I.; Chelsea, Mass.; Chicopee, Mass.; Clinton town, Mass.; Cohoes, N. Y.; Concord, N. H.; Corning, N. Y.; Cortland, N. Y.; Danbury town, Conn.; Danvers town, Mass.; Detroit, Mich.; District of Columbia; Dover, N. H.; Dunkirk, N. Y.; Elizabeth, N. J.; Elmira, N. Y.; Escanaba, Mich.; Everett, Mass.; Fall River, Mass.; Fitchburg, Mass.; Flint, Mich.; Framingham town, Mass.; Gardner town, Mass.; Geneva, N. Y.; Glens Falls, N. Y.; Gloucester, Mass.; Gloversville, N. Y.; Grand Rapids, Mich.; Greenwich town, Conn.; Harrison town, N. J.; Hartford town, Conn.; Haverhill, Mass.; Hoboken, N. J.; Holyoke, Mass.; Hudson, N. Y.; Hyde Park town, Mass.; Iron Mountain, Mich.; Ironwood, Mich.; Ishpeming, Mich.; Ithaca, N. Y.; Jackson, Mich.; Jamestown, N. Y.; Jersey City, N. J.; Johnstown, N. Y.; Kalamazoo, Mich.; Keene, N. H.; Kingston, N. Y.; Laconia, N. H.; Lansing, Mich.; Lansingburg, N. Y.; Lawrence, Mass.; Leominster town, Mass.; Lockport, N. Y.; Lowell, Mass.; Lynn, Mass.; Malden, Mass.; Manchester, N. H.; Manchester town, Conn.; Marlboro, Mass.; Marquette, Mich.; Medford, Mass.; Melrose, Mass.; Menominee, Mich.; Meriden town, Conn.; Middletown, N. Y.; Middletown town, Conn.; Milford town, Mass.; Millville, N. J.; Montclair town, N. J.; Morristown, N. J.; Mt. Vernon, N. Y.; Muskegon, Mich.; Nashua, N. H.; Natick town, Mass.;

Naugatuck town, Conn.; Newark, N. J.; New Bedford, Mass.; New Britain town, Conn.; New Brunswick, N. J.; Newburg, N. Y.; Newburyport, Mass.; New Haven town, Conn.; New London, Conn.; Newport, R. I.; New Rochelle, N. Y.; Newton, Mass.; New York city, N. Y.; Niagara Falls, N. Y.; North Adams, Mass.; Northampton, Mass.; Norwalk town, Conn.; Norwich town, Conn.; Ogdensburg, N. Y.; Olean, N. Y.; Orange, N. J.; Owosso, Mich.; Passaic, N. J.; Paterson, N. J.; Pawtucket, R. I.; Peabody town, Mass.; Peekskill, N. Y.; Perth Amboy, N. J.; Phillipsburg town, N. J.; Pittsfield, Mass.; Plainfield, N. J.; Plymouth town, Mass.; Pontiac, Mich.; Port Huron, Mich.; Port Jervis, N. Y.; Portland, Me.; Portsmouth, N. H.; Poughkeepsie, N. Y.; Providence, R. I.; Quincy, Mass.; Revere town, Mass.; Rochester, N. H.; Rochester, N. Y.; Rockland, Me.; Rome, N. Y.; Rutland, Vt.; Saginaw, Mich.; Salem, Mass.; Saratoga Springs, N. Y.; Sault Ste. Marie, Mich.; Schenectady, N. Y.; Somerville, Mass.; Southbridge town, Mass.; Springfield, Mass.; Stamford town, Conn.; Stonington town, Conn.; Syracuse, N. Y.; Taunton, Mass.; Torrington town, Conn.; Town of Union, N. J.; Traverse City, Mich.; Trenton, N. J.; Troy, N. Y.; Utica, N. Y.; Vernon town, Conn.; Wakefield town, Mass.; Wallingford town, Conn.; Waltham, Mass.; Ware town, Mass.; Waterbury town, Conn.; Watertown, N. Y.; Watertown town, Mass.; Watervliet, N. Y.; Webster town, Mass.; West Bay City, Mich.; Westfield town, Mass.; Weymouth town, Mass.; Windham town, Conn.; Woburn, Mass.; Woonsocket, R. I.; Worcester, Mass.; Yonkers, N. Y.

(c) The rural part of the registration states includes all of such states not included in the cities enumerated above (paragraph b).

(d) The registration cities in the other states are the following: Alameda, Cal.; Alexandria, Va.; Allegheny, Pa.; Allentown, Pa.; Altoona, Pa.; Annapolis, Md.; Appleton, Wis.; Ashtabula, Ohio; Atlanta, Ga.; Aurora, Ill.; Baltimore, Md.; Bellaire, Ohio; Belleville, Ill.; Beloit, Wis.; Burlington, Iowa; Canton, Ohio; Carbondale, Pa.; Carlisle, Pa.; Charleston, S. C.; Chicago, Ill.; Chillicothe, Ohio; Chippewa Falls, Wis.; Cincinnati, Ohio; Cleveland, Ohio; Columbia, Pa.;

Columbus, Ind.; Columbus, Ohio; Covington, Ky.; Danville, Ill.; Davenport, Iowa; Dayton, Ohio; Decatur, Ill.; Denver, Colo.; Dubois, Pa.; Duluth, Minn.; Easton, Pa.; Eau Claire, Wis.; Erie, Pa.; Evansville, Ind.; Findlay, Ohio; Frederick, Md.; Fresno, Cal.; Galesburg, Ill.; Green Bay, Wis.; Hamilton, Ohio; Harrisburg, Pa.; Hazelton, Pa.; Helena, Mont.; Hutchinson, Kans.; Indianapolis, Ind.; Ironton, Ohio; Jacksonville, Fla.; Jacksonville, Ill.; Jeffersonville, Ind.; Johnstown, Pa.; Kansas City, Mo.; Keokuk, Iowa; Key West, Fla.; Lafayette, Ind.; Lancaster, Pa.; Lawrence, Kans.; Leadville, Colo.; Lebanon, Pa.; Leavenworth, Kans.; Lima, Ohio; Lincoln, Nebr.; Los Angeles, Cal.; Louisville, Ky.; Lynchburg, Va.; McKeesport, Pa.; Madison, Wis.; Mahanoy, Pa.; Manitowoc, Wis.; Mankato, Minn.; Marietta, Ohio; Marinette, Wis.; Marshalltown, Iowa; Massillon, Ohio; Meadville, Pa.; Memphis, Tenn.; Michigan City, Ind.; Middletown, Ohio; Milwaukee, Wis.; Minneapolis, Minn.; Mobile, Ala.; Mt. Carmel, Pa.; Muncie, Ind.; Muscatine, Iowa; Nashville, Tenn.; Natchez, Miss.; Newark, Ohio; Newcastle, Pa.; New Orleans, La.; Newport, Ky.; Norfolk, Va.; Norristown, Pa.; Oakland, Cal.; Oil City, Pa.; Omaha, Nebr.; Oskaloosa, Iowa; Ottawa, Ill.; Ottumwa, Iowa; Paducah, Ky.; Peru, Ind.; Petersburg, Va.; Philadelphia, Pa.; Phoenixville, Pa.; Pittsburg, Pa.; Pittston, Pa.; Plymouth, Pa.; Portland, Oreg.; Portsmouth, Ohio; Pottstown, Pa.; Pottsville, Pa.; Pueblo, Colo.; Quincy, Ill.; Raleigh, N. C.; Reading, Pa.; Richmond, Ind.; Richmond, Va.; Sacramento, Cal.; St. Joseph, Mo.; St. Louis, Mo.; St. Paul, Minn.; Salt Lake City, Utah; San Antonio, Tex.; San Diego, Cal.; San Francisco, Cal.; San Jose, Cal.; Savannah, Ga.; Scranton, Pa.; Seattle, Wash.; Shreveport, La.; Sioux City, Iowa; South Bethlehem, Pa.; Spokane, Wash.; Springfield, Ill.; Steelton, Pa.; Superior, Wis.; Tacoma, Wash.; Terre Haute, Ind.; Tiffin, Ohio; Toledo, Ohio; Vincennes, Ind.; Warren, Ohio.; Wheeling, W. Va.; Wichita, Kans.; Wilkesbarre, Pa.; Williamsport, Pa.; Wilmington, Del.; Wilmington, N. C.; Winona, Minn.; Youngstown, Ohio.

(e) The registration area consists of the registration states (paragraph *a*), including the cities (paragraph *b*) and the registration cities in the other states (paragraph *d*).

(f) The total registration cities includes those enumerated in paragraphs *b* and *d* above.

g. The grand groups are composed of state groups, as follows:

Grand Group 1, North Atlantic coast region, includes Connecticut 1, Maine 1, Massachusetts 1, New Hampshire 1, Rhode Island.

Grand Group 2, Middle Atlantic coast region,

includes Delaware, District of Columbia, Maryland 1, New Jersey 1, New York 1, Virginia 1.

Grand Group 3, South Atlantic coast region, includes Georgia 1, North Carolina 1, South Carolina 1.

Grand Group 4, Gulf Coast region, includes Alabama 1, Florida, Louisiana 1, Mississippi 1, Texas 1.

Grand Group 5, Northeastern hills and plateaus, includes Connecticut 2, Maine 2, Massachusetts 2, New Hampshire 2, New York 2, Vermont.

Grand Group 6, Central Appalachian region, includes Maryland 2, New Jersey 2, New York 3, Pennsylvania 1.

Grand Group 7, Region of the Great Northern Lakes, includes Illinois 1, Indiana 1, Michigan 1, New York 4, Ohio 1, Wisconsin 1.

Grand Group 8, Interior plateau, includes New York 5, North Carolina 2, Pennsylvania 2, Virginia 2.

Grand Group 9, Southern Central Appalachian region, includes Alabama 2, Georgia 2, Kentucky 1, North Carolina 3, South Carolina 2, Tennessee 1, Virginia 3, West Virginia 1.

Grand Group 10, Ohio River belt, includes Indiana 2, Kentucky 2, Ohio 2, West Virginia 2.

Grand Group 11, Southern Interior plateau, includes Alabama 3, Georgia 3, Mississippi 2, South Carolina 3, Tennessee 2.

Grand Group 12, South Mississippi River belt, includes Arkansas 1, Kentucky 3, Louisiana 2, Mississippi 3, Tennessee 3.

Grand Group 13, North Mississippi River belt, includes Illinois 2, Iowa 1, Minnesota 1, Missouri 1, Wisconsin 2.

Grand Group 14, Southwest Central region, includes Arkansas 2, Louisiana 3, Missouri 2, Texas 2, Indian Territory.

Grand Group 15, Central region, plains and prairies, includes Indiana 3, Kentucky 4, Ohio 3, Tennessee 4.

Grand Group 16, Prairie region, includes Illinois 3, Iowa 2, Kansas 1, Minnesota 2, Missouri 3, Nebraska 1, North Dakota 1, South Dakota 1, Wisconsin 3.

Grand Group 17, Missouri River belt, includes Iowa 3, Missouri 4, Nebraska 2, North Dakota 2, South Dakota 2.

Grand Group 18, Region of the Western plains, includes Colorado 1, Kansas 2, Montana 1, Nebraska 3, New Mexico 1, Oklahoma, South Dakota 3, Texas 3, Wyoming 1.

Grand Group 19, Heavily timbered region of the Northwest, includes Michigan 2, Minnesota 3, Wisconsin 4.

Grand Group 20, Cordilleran region, includes Arizona, California 1, Colorado 2, Idaho, Montana 2, Nevada, New Mexico 2, Oregon 1, Utah, Washington 1, Wyoming 2.

Grand Group 21, Pacific coast region, includes California 2, Oregon 2, Washington 2.

(h) The state groups are composed of certain counties in each state, as follows:

ALABAMA.

GROUP 1.

Baldwin, Mobile.

GROUP 2.

Blount,	Etowah,	Madison,
Calhoun,	Franklin,	Marshall,
Cherokee,	Jackson,	Morgan,
Cleburne,	Jefferson,	St. Clair,
Colbert,	Lauderdale,	Shelby,
Cullman,	Lawrence,	Walker,
Dekalb,	Limestone,	Winston.

GROUP 3.

Autauga,	Dale,	Monroe,
Barbour,	Dallas,	Montgomery,
Bibb,	Elmore,	Perry,
Bullock,	Escambia,	Pickens,
Butler,	Fayette,	Pike,
Chambers,	Geneva,	Randolph,
Chilton,	Greene,	Russell,
Choctaw,	Hale,	Sumter,
Clarke,	Henry,	Talladega,
Clay,	Lamar,	Tallapoosa,
Coffee,	Lee,	Tuscaloosa,
Conecuh,	Lowndes,	Washington,
Coosa,	Macon,	Wilcox.
Covington,	Marengo,	
Crenshaw,	Marion,	

ARIZONA.

This territory forms one group.

ARKANSAS.

GROUP 1.

Chicot,	Desha,	Mississippi,
Craighead,	Jefferson,	Phillips,
Crittenden,	Lee,	Poinsett,
Cross,	Lincoln,	St. Francis.

GROUP 2.

Arkansas,	Grant,	Ouachita,
Ashley,	Greene,	Perry,
Baxter,	Hempstead,	Pike,
Benton,	Hot Spring,	Polk,
Boone,	Howard,	Pope,
Bradley,	Independence,	Prairie,
Calhoun,	Izard,	Pulaski,
Carroll,	Jackson,	Randolph,
Clark,	Johnson,	Saline,
Clay,	Lafayette,	Scott,
Cleburne,	Lawrence,	Searcy,
Cleveland,	Little River,	Sebastian,
Columbia,	Logan,	Sevier,
Conway,	Lonoke,	Sharp,
Crawford,	Madison,	Stone,
Dallas,	Marion,	Union,
Drew,	Miller,	Van Buren,
Faulkner,	Monroe,	Washington,
Franklin,	Montgomery,	White,
Fulton,	Nevada,	Woodruff,
Garland,	Newton,	Yell.

CALIFORNIA.

GROUP 1.

Alpine,	Lassen,	San Joaquin,
Amador,	Madera,	Shasta,
Butte,	Mariposa,	Sierra,
Calaveras,	Merced,	Siskiyou,
Colusa,	Modoc,	Stanislaus,
Eldorado,	Mono,	Sutter,
Fresno,	Napa,	Tehama,
Glenn,	Nevada,	Tulare,
Inyo,	Placer,	Tuolumne,
Kern,	Plumas,	Yolo,
Kings,	Sacramento,	Yuba.
Lake,	San Bernardino,	

GROUP 2.

Alameda,	Orange,	Santa Clara,
Contra Costa,	Riverside,	Santa Cruz,
Del Norte,	San Benito,	Solano,
Humboldt,	San Diego,	Sonoma,
Los Angeles,	San Francisco,	Trinity,
Marin,	San Luis Obispo,	Ventura.
Mendocino,	San Mateo,	
Monterey,	Santa Barbara,	

COLORADO.

GROUP 1.

Arapahoe,	Kit Carson,	Pueblo,
Baca,	Las Animas,	Sedgwick,
Bent,	Lincoln,	Teller,
Cheyenne,	Logan,	Washington,
Douglas,	Morgan,	Weld,
Elbert,	Otero,	Yuma.
El Paso,	Phillips,	
Kiowa,	Prowers,	

GROUP 2.

Archuleta,	Gilpin,	Montrose,
Boulder,	Grand,	Ouray,
Chaffee,	Gunnison,	Park,
Clear Creek,	Hinsdale,	Pitkin,
Conejos,	Huerfano,	Rio Blanco,
Costilla,	Jefferson,	Rio Grande,
Custer,	Lake,	Routt,
Delta,	La Plata,	Saguache,
Dolores,	Larimer,	San Juan,
Eagle,	Mesa,	San Miguel,
Fremont,	Mineral,	Summit.
Garfield,	Montezuma,	

CONNECTICUT.

GROUP 1.

Fairfield,	New Haven,	New London.
Middlesex,		

GROUP 2.

Hartford,	Tolland,	Windham.
Litchfield,		

DELAWARE.

This state forms one group.

DISTRICT OF COLUMBIA.

This district forms one group.

FLORIDA.

This state forms one group.

DESCRIPTION OF AREAS.

cccv

GEORGIA.

GROUP 1.

Appling,	Clinch,	McIntosh,
Bryan,	Echols,	Pierce,
Bulloch,	Effingham,	Screven,
Camden,	Glynn,	Tattnall,
Charlton,	Liberty,	Ware,
Chatham,	Lowndes,	Wayne.

GROUP 2.

Banks,	Franklin,	Milton,
Bartow,	Fulton,	Murray,
Catoosa,	Gilmer,	Paulding,
Chattooga,	Gordon,	Pickens,
Cherokee,	Gwinnett,	Polk,
Cobb,	Habersham,	Rabun,
Dade,	Hall,	Towns,
Dawson,	Haralson,	Union,
Dekalb,	Hart,	Walker,
Fannin,	Jackson,	White,
Floyd,	Lumpkin,	Whitfield.
Forsyth,	Madison,	

GROUP 3.

Baker,	Glascock,	Pike,
Baldwin,	Greene,	Pulaski,
Berrien,	Hancock,	Putnam,
Bibb,	Harris,	Quitman,
Brooks,	Heard,	Randolph,
Burke,	Henry,	Richmond,
Butts,	Houston,	Rockdale,
Calhoun,	Irwin,	Schley,
Campbell,	Jasper,	Spalding,
Carroll,	Jefferson,	Stewart,
Chattahoochee,	Johnson,	Sumter,
Clarke,	Jones,	Talbot,
Clay,	Laurens,	Taliaferro,
Clayton,	Lee,	Taylor,
Coffee,	Lincoln,	Telfair,
Colquitt,	McDuffie,	Terrell,
Columbia,	Macon,	Thomas,
Coweta,	Marion,	Troup,
Crawford,	Meriwether,	Twiggs,
Decatur,	Miller,	Upson,
Dodge,	Mitchell,	Walton,
Dooly,	Monroe,	Warren,
Dougherty,	Montgomery,	Washington,
Douglas,	Morgan,	Webster,
Early,	Muscogee,	Wilcox,
Elbert,	Newton,	Wilkes,
Emanuel,	Oconee,	Wilkinson,
Fayette,	Oglethorpe,	Worth.

IDAHO.

This state forms one group.

ILLINOIS.

GROUP 1.

Cook,	Lake.
-------	-------

GROUP 2.

Adams,	Jackson,	Pike,
Alexander,	Jersey,	Pope,
Calhoun,	Jo Daviess,	Pulaski.
Carroll,	Johnson,	Randolph,
Gallatin,	Madison,	Rock Island,
Hancock,	Massac,	St. Clair,
Hardin,	Mercer,	Union,
Henderson,	Monroe,	Whiteside.

ILLINOIS—Continued.

GROUP 3.

Bond,	Hamilton,	Moultrie,
Boone,	Henry,	Ogle,
Brown,	Iroquois,	Peoria,
Bureau,	Jasper,	Perry,
Cass,	Jefferson,	Piatt,
Champaign,	Kane,	Putnam,
Christian,	Kankakee,	Richland,
Clark,	Kendall,	Saline,
Clay,	Knox,	Sangamon,
Clinton,	Lasalle,	Schuyler,
Coles,	Lawrence,	Scott,
Crawford,	Lee,	Shelby,
Cumberland,	Livingston,	Stark,
Dekalb,	Logan,	Stephenson,
Dewitt,	McDonough,	Tazewell,
Douglas,	McHenry,	Vermilion,
Dupage,	McLean,	Wabash,
Edgar,	Macon,	Warren,
Edwards,	Macoupin,	Washington,
Effingham,	Marion,	Wayne,
Fayette,	Marshall,	White,
Ford,	Mason,	Will,
Franklin,	Menard,	Williamson,
Fulton,	Montgomery,	Winnebago,
Greene,	Morgan,	Woodford.
Grundy,		

INDIANA.

GROUP 1.

Lake,	Laporte,	Porter.
-------	----------	---------

GROUP 2.

Clark,	Jefferson,	Ripley,
Crawford,	Jennings,	Scott,
Dearborn,	Ohio,	Spencer,
Dubois,	Orange,	Switzerland,
Floyd,	Perry,	Vanderburg,
Gibson,	Pike,	Warrick,
Harrison,	Posey,	Washington.

GROUP 3.

Adams,	Hancock,	Owen,
Allen,	Hendricks,	Parke,
Bartholomew,	Henry,	Pulaski,
Benton,	Howard,	Putnam,
Blackford,	Huntington,	Randolph,
Boone,	Jackson,	Rush,
Brown,	Jasper,	St. Joseph,
Carroll,	Jay,	Shelby,
Cass,	Johnson,	Starke,
Clay,	Knox,	Steuben,
Clinton,	Kosciusko,	Sullivan,
Daviess,	Lagrange,	Tipecanoe,
Decatur,	Lawrence,	Tipton,
Dekalb,	Madison,	Union,
Delaware,	Marion,	Vermilion,
Elkhart,	Marshall,	Vigo,
Fayette,	Martin,	Wabash,
Fountain,	Miami,	Warren,
Franklin,	Monroe,	Wayne,
Fulton,	Montgomery,	Wells,
Grant,	Morgan,	White,
Greene,	Newton,	Whitley.
Hamilton,	Noble,	

INDIAN TERRITORY.

This territory forms one group.

IOWA.

GROUP 1.

Allamakee,	Dubuque,	Muscatine,
Clayton,	Jackson,	Scott.
Clinton,	Lee,	
Des Moines,	Louisa,	

GROUP 2.

Adair,	Fayette,	Monroe,
Adams,	Floyd,	Montgomery,
Appanoose,	Franklin,	O'Brien,
Audubon,	Greene,	Osceola,
Benton,	Grundy,	Page,
Blackhawk,	Guthrie,	Palo Alto,
Boone,	Hamilton,	Pocahontas,
Bremer,	Hancock,	Polk,
Buchanan,	Hardin,	Poweshiek,
Buena Vista,	Henry,	Ringgold,
Butler,	Howard,	Sac,
Calhoun,	Humboldt,	Shelby,
Carroll,	Ida,	Story,
Cass,	Iowa,	Tama,
Cedar,	Jasper,	Taylor,
Cerro Gordo,	Jefferson,	Union,
Cherokee,	Johnson,	Van Buren,
Chickasaw,	Jones,	Wapello,
Clarke,	Keokuk,	Warren,
Clay,	Kossuth,	Washington,
Crawford,	Linn,	Wayne,
Dallas,	Lucas,	Webster,
Davis,	Madison,	Winnebago,
Decatur,	Mahaska,	Winneshiek,
Delaware,	Marion,	Worth,
Dickinson,	Marshall,	Wright.
Emmet,	Mitchell,	

GROUP 3.

Fremont,	Mills,	Pottawattamie,
Harrison,	Monona,	Sioux,
Lyon,	Plymouth,	Woodbury.

KANSAS.

GROUP 1.

Allen,	Geary,	Morris,
Anderson,	Greenwood,	Nemaha,
Atchison,	Harper,	Neosho,
Bourbon,	Harvey,	Osage,
Brown,	Jackson,	Ottawa,
Butler,	Jefferson,	Pottawatomie,
Chase,	Jewell,	Reno,
Chautauqua,	Johnson,	Republic,
Cherokee,	Kingman,	Rice,
Clay,	Labette,	Riley,
Cloud,	Leavenworth,	Saline,
Coffey,	Lincoln,	Sedgwick,
Cowley,	Linn,	Shawnee,
Crawford,	Lyon,	Sumner,
Dickinson,	McPherson,	Wabaunsee,
Doniphan,	Marion,	Washington,
Douglas,	Marshall,	Wilson,
Elk,	Miami,	Woodson,
Ellsworth,	Mitchell,	Wyandotte.
Franklin,	Montgomery,	

KANSAS—Continued.

GROUP 2.

Barber,	Haskell,	Rush,
Barton,	Hodgeman,	Russell,
Cheyenne,	Kearny,	Scott,
Clark,	Kiowa,	Seward,
Comanche,	Lane,	Sheridan,
Decatur,	Logan,	Sherman,
Edwards,	Meade,	Smith,
Ellis,	Morton,	Stafford,
Finney,	Ness,	Stanton,
Ford,	Norton,	Stevens,
Gove,	Osborne,	Thomas,
Graham,	Pawnee,	Trego,
Grant,	Phillips,	Wallace,
Gray,	Pratt,	Wichita.
Greeley,	Rawlins,	
Hamilton,	Rooks,	

KENTUCKY.

GROUP 1.

Bell,	Johnson,	Morgan,
Boyd,	Knott,	Owsley,
Breathitt,	Knox,	Perry,
Carter,	Laurel,	Pike,
Clay,	Lawrence,	Powell,
Clinton,	Lee,	Pulaski,
Elliott,	Leslie,	Rockcastle,
Estill,	Letcher,	Wayne,
Floyd,	Magoffin,	Whitley,
Harlan,	Martin,	Wolfe.
Jackson,	Menifee,	

GROUP 2.

Boone,	Gallatin,	Livingston,
Bracken,	Greenup,	McCracken,
Breckinridge,	Hancock,	Mason,
Campbell,	Henderson,	Meade,
Carroll,	Jefferson,	Oldham,
Crittenden,	Kenton,	Trimble,
Daviess,	Lewis,	Union.

GROUP 3.

Ballard,	Fulton,	Hickman.
Carlisle,		

GROUP 4.

Adair,	Graves,	Muhlenberg,
Allen,	Grayson,	Nelson,
Anderson,	Green,	Nicholas,
Barren,	Hardin,	Ohio,
Bath,	Harrison,	Owen,
Bourbon,	Hart,	Pendleton,
Boyle,	Henry,	Robertson,
Bullitt,	Hopkins,	Rowan,
Butler,	Jessamine,	Russell,
Caldwell,	Larue,	Scott,
Calloway,	Lincoln,	Shelby,
Casey,	Logan,	Simpson,
Christian,	Lyon,	Spencer,
Clark,	McLean,	Taylor,
Cumberland,	Madison,	Todd,
Edmonson,	Marion,	Trigg,
Fayette,	Marshall,	Warren,
Fleming,	Mercer,	Washington,
Franklin,	Metcalfe,	Webster,
Garrard,	Monroe,	Woodford.
Grant,	Montgomery,	

LOUISIANA.

GROUP 1.

Acadia,	Lafourche,	St. Martin,
Ascension,	Livingston,	St. Mary,
Assumption,	Orleans,	St. Tammany,
Calcasieu,	Plaquemines,	Tangipahoa,
Cameron,	St. Bernard,	Terrebonne,
East Baton Rouge,	St. Charles,	Vermilion,
Iberia,	St. Helena,	Washington,
Iberville,	St. James,	West Baton Rouge.
Jefferson,	St. John the Baptist,	
Lafayette,	St. Landry,	

GROUP 2.

Avoyelles,	East Feliciana,	Tensas,
Concordia,	Madison,	West Carroll,
East Carroll,	Pointe Coupee,	West Feliciana.

GROUP 3.

Bienville,	Grant,	Red River,
Bossier,	Jackson,	Richland,
Caddo,	Lincoln,	Sabine,
Caldwell,	Morehouse,	Union,
Catahoula,	Natchitoches,	Vernon,
Claiborne,	Ouachita,	Webster,
De Soto,	Rapides,	Winn.
Franklin,		

MAINE.

GROUP 1.

Androscoggin,	Knox,	Waldo,
Cumberland,	Lincoln,	Washington,
Hancock,	Sagadahoc,	York.
Kennebec,		

GROUP 2.

Aroostook,	Oxford,	Piscataquis,
Franklin,	Penobscot,	Somerset.

MARYLAND.

GROUP 1.

Anne Arundel,	Charles,	Queen Anne,
Baltimore,	Dorchester,	St. Mary,
Baltimore city,	Harford,	Somerset,
Calvert,	Howard,	Talbot,
Caroline,	Kent,	Wicomico,
Carroll,	Montgomery,	Worcester.
Cecil,	Prince George,	

GROUP 2.

Allegany,	Garrett,	Washington.
Frederick,		

MASSACHUSETTS.

GROUP 1.

Barnstable,	Essex,	Norfolk,
Bristol,	Middlesex,	Plymouth,
Dukes,	Nantucket,	Suffolk.

GROUP 2.

Berkshire,	Hampden,	Worcester.
Franklin,	Hampshire,	

MICHIGAN.

GROUP 1.

Alcona,	Emmet,	Menominee,
Alger,	Gogebic,	Monroe,
Allegan,	Grand Traverse,	Muskegon,
Alpena,	Houghton,	Oceana,
Antrim,	Huron,	Ontonagon,
Arenac,	Iosco,	Ottawa,
Baraga,	Iron,	Presque Isle,
Bay,	Keweenaw,	Saginaw,
Benzie,	Leelanaw,	St. Clair,
Berrien,	Luce,	Sanilac,
Charlevoix,	Mackinac,	Schoolcraft,
Cheboygan,	Macomb,	Tuscola,
Chippewa,	Manistee,	Van Buren,
Delta,	Marquette,	Wayne.
Dickinson,	Mason,	

GROUP 2.

Barry,	Ionia,	Montcalm,
Branch,	Isabella,	Montmorency,
Calhoun,	Jackson,	Newaygo,
Cass,	Kalamazoo,	Oakland,
Clare,	Kalkaska,	Ogemaw,
Clinton,	Kent,	Osceola,
Crawford,	Lake,	Oscoda,
Eaton,	Lapeer,	Otsego,
Genesee,	Lenawee,	Roscommon,
Gladwin,	Livingston,	St. Joseph,
Gratiot,	Mecosta,	Shiawassee,
Hillsdale,	Midland,	Washtenaw,
Ingham,	Missaukee,	Wexford.

MINNESOTA.

GROUP 1.

Anoka,	Hennepin,	Stearns,
Benton,	Houston,	Wabasha,
Crow Wing,	Morrison,	Washington,
Dakota,	Ramsey,	Winona,
Goodhue,	Sherburne,	Wright.

GROUP 2.

Bigstone,	Lac qui Parle,	Redwood,
Blue Earth,	Lesueur,	Renville,
Brown,	Lincoln,	Rice,
Carver,	Lyon,	Rock,
Chippewa,	Martin,	Scott,
Cottonwood,	McLeod,	Sibley,
Dodge,	Meeker,	Steele,
Douglas,	Mower,	Stevens,
Faribault,	Murray,	Swift,
Fillmore,	Nicollet,	Todd,
Freeborn,	Nobles,	Traverse,
Grant,	Olmsted,	Waseca,
Jackson,	Pipestone,	Watsonwan,
Kandiyohi,	Pope,	Yellow Medicine

GROUP 3.

Aitkin,	Isanti,	Pine,
Becker,	Itasca,	Polk,
Beltrami,	Kanabec,	Red Lake,
Carlton,	Kittson,	Roseau,
Cass,	Lake,	St. Louis,
Chisago,	Marshall,	Wadena,
Clay,	Millelacs,	Wilkin.
Cook,	Norman,	
Hubbard,	Ottertail,	

MISSISSIPPI.

GROUP 1.

Hancock,	Harrison,	Jackson.
----------	-----------	----------

GROUP 2.

Alcorn,	Jones,	Pearl River,
Amite,	Kemper,	Perry,
Attala,	Lafayette,	Pike,
Benton,	Lauderdale,	Pontotoc,
Calhoun,	Lawrence,	Prentiss,
Carroll,	Leake,	Rankin,
Chickasaw,	Lee,	Scott,
Choctaw,	Lincoln,	Simpson,
Clarke,	Lowndes,	Smith,
Clay,	Madison,	Tate,
Copiah,	Marion,	Tippah,
Covington,	Marshall,	Tishomingo,
Franklin,	Monroe,	Union,
Greene,	Montgomery,	Wayne,
Grenada,	Neshoba,	Webster,
Hinds,	Newton,	Winston,
Holmes,	Noxubee,	Yalobusha.
Itawamba,	Oktibbeha,	
Jasper,	Panola,	

GROUP 3.

Adams,	Jefferson,	Tunica,
Bolivar,	Leflore,	Warren,
Claiborne,	Quitman,	Washington,
Coahoma,	Sharkey,	Wilkinson,
De Soto,	Sunflower,	Yazoo.
Issaquena,	Tallahatchie,	

MISSOURI.

GROUP 1.

Bollinger,	Marion,	St. Charles,
Cape Girardeau,	Mississippi,	Ste. Genevieve,
Clark,	New Madrid,	St. Louis,
Dunklin,	Pemiscot,	St. Louis city,
Jefferson,	Perry,	Scott,
Lewis,	Pike,	Stoddard.
Lincoln,	Ralls,	

GROUP 2.

Barry,	Hickory,	Polk,
Barton,	Howell,	Pulaski,
Bates,	Iron,	Reynolds,
Benton,	Jasper,	Ripley,
Butler,	Johnson,	St. Clair,
Camden,	Laclede,	St. Francois,
Carter,	Lawrence,	Shannon,
Cass,	McDonald,	Stone,
Cedar,	Madison,	Taney,
Christian,	Maries,	Texas,
Crawford,	Miller,	Vernon,
Dade,	Morgan,	Washington,
Dallas,	Newton,	Wayne,
Dent,	Oregon,	Webster,
Douglas,	Ozark,	Wright.
Greene,	Pettis,	
Henry,	Phelps,	

MISSOURI—Continued.

GROUP 3.

Adair,	Harrison,	Putnam,
Audrain,	Knox,	Randolph,
Caldwell,	Linn,	Schuyler,
Clinton,	Livingston,	Scotland,
Daviess,	Macon,	Shelby,
Dekalb,	Mercer,	Sullivan,
Gentry,	Monroe,	Worth.
Grundy,	Nodaway,	

GROUP 4.

Andrew,	Cole,	Moniteau,
Atchison,	Cooper,	Montgomery,
Boone,	Franklin,	Osage,
Buchanan,	Gasconade,	Platte,
Callaway,	Holt,	Ray,
Carroll,	Howard,	Saline,
Chariton,	Jackson,	Warren.
Clay,	Lafayette,	

MONTANA.

GROUP 1.

Carbon,	Park,	Yellowstone.
Custer,	Sweetgrass,	
Dawson,	Valley,	

GROUP 2.

Beaverhead,	Flathead,	Meagher,
Broadwater,	Gallatin,	Missoula,
Cascade,	Granite,	Ravalli,
Choteau,	Jefferson,	Silverbow,
Deerlodge,	Lewis and Clarke,	Teton.
Fergus,	Madison,	

NEBRASKA.

GROUP 1.

Adams,	Greeley,	Phelps,
Antelope,	Hall,	Pierce,
Boone,	Hamilton,	Platte,
Buffalo,	Harlan,	Polk,
Butler,	Howard,	Saline,
Clay,	Jefferson,	Saunders,
Colfax,	Johnson,	Seward.
Cuming,	Kearney,	Sherman,
Dodge,	Lancaster,	Stanton,
Fillmore,	Madison,	Thayer,
Franklin,	Merrick,	Valley,
Furnas,	Nance,	Wayne,
Gage,	Nuckolls,	Webster,
Gosper,	Pawnee,	York.

GROUP 2.

Burt,	Douglas,	Sarpy,
Cass,	Knox,	Thurston,
Cedar,	Nemaha,	Washington.
Dakota,	Otoe,	
Dixon,	Richardson.	

NEBRASKA—Continued.

GROUP 3.

Banner,	Dundy,	Logan,
Blaine,	Frontier,	Leup,
Boxbutte,	Garfield,	McPherson,
Boyd,	Grant,	Perkins,
Brown,	Hayes,	Redwillow,
Chase,	Hitchcock,	Rock,
Cherry,	Holt,	Scotts Bluff,
Cheyenne,	Hooker,	Sheridan,
Custer,	Keith,	Sioux,
Dawes,	Keyapaha,	Thomas,
Dawson,	Kimball,	Wheeler.
Deuel,	Lincoln,	

NEVADA.

This state forms one group.

NEW HAMPSHIRE.

GROUP 1.

Belknap,	Merrimack,	Strafford.
Hillsboro,	Rockingham,	

GROUP 2.

Carroll,	Coos,	Sullivan.
Cheshire,	Grafton,	

NEW JERSEY.

GROUP 1.

Atlantic,	Cumberland,	Monmouth,
Bergen,	Essex,	Ocean,
Burlington,	Gloucester,	Salem,
Camden,	Hudson,	Union.
Cape May,	Middlesex,	

GROUP 2.

Hunterdon,	Passaic,	Warren.
Mercer,	Somerset,	
Morris,	Sussex.	

NEW MEXICO.

GROUP 1.

Chaves,	Guadalupe,	San Miguel,
Colfax,	Lincoln,	Union.
Eddy,	Mora,	

GROUP 2.

Bernalillo,	Rio Arriba,	Socorro,
Donna Ana,	San Juan,	Taos,
Grant,	Santa Fe,	Valencia.
Otero,	Sierra,	

NEW YORK.

GROUP 1.

Kings,	Queens,	Suffolk,
Nassau,	Richmond,	Westchester.
New York,	Rockland,	

GROUP 2.

Clinton,	Hamilton,	St. Lawrence,
Essex,	Herkimer,	Warren.
Franklin,		

NEW YORK—Continued.

GROUP 3.

Delaware,	Orange,	Ulster.
Greene,	Sullivan,	

GROUP 4.

Chautauqua,	Jefferson,	Orleans,
Erie,	Monroe,	Oswego,
Genesee,	Niagara,	Wayne.

GROUP 5.

Albany,	Lewis,	Schenectady
Allegany,	Livingston,	Schoharie,
Broome,	Madison,	Schuyler,
Cattaraugus,	Montgomery,	Seneca,
Cayuga,	Oneida,	Steuben,
Chemung,	Onondaga,	Tioga,
Chenango,	Ontario,	Tompkins,
Columbia,	Otsego,	Washington,
Cortland,	Putnam,	Wyoming,
Dutchess,	Rensselaer,	Yates.
Fulton,	Saratoga,	

NORTH CAROLINA.

GROUP 1.

Beaufort,	Dare,	Pamlico,
Bertie,	Duplin,	Pasquotank,
Bladen,	Gates,	Pender,
Brunswick,	Greene,	Perquimans,
Camden,	Hertford,	Pitt,
Carteret,	Hyde,	Robeson,
Chowan,	Jones,	Sampson,
Columbus,	Lenoir,	Tyrrell,
Craven,	Martin,	Washington,
Cumberland,	New Hanover,	Wayne.
Currituck,	Onslow,	

GROUP 2.

Alamance,	Granville,	Randolph,
Anson,	Guilford,	Richmond,
Cabarrus,	Halifax,	Rockingham,
Caswell,	Harnett,	Rowan,
Catawba,	Iredell,	Scotland,
Chatham,	Johnston,	Stanly,
Cleveland,	Lincoln,	Stokes,
Davidson,	Mecklenburg,	Union,
Davie,	Montgomery,	Vance,
Durham,	Moore,	Wake,
Edgecomb,	Nash,	Warren,
Forsyth,	Northampton,	Wilson,
Franklin,	Orange,	Yadkin.
Gaston,	Person,	

GROUP 3.

Alexander,	Graham,	Polk,
Alleghany,	Haywood,	Rutherford,
Ashe,	Henderson,	Surry,
Buncombe,	Jackson,	Swain,
Burke,	McDowell,	Transylvania,
Caldwell,	Macon,	Watauga,
Cherokee,	Madison,	Wilkes,
Clay,	Mitchell,	Yancey.

VITAL STATISTICS.

NORTH DAKOTA.

GROUP 1.

Barnes,	Kidder,	Richland,
Benson,	Lamoure,	Rolette,
Bottineau,	Logan,	Sargent,
Cass,	McHenry,	Steele.
Cavalier,	McIntosh,	Stutsman,
Dickey,	Nelson,	Towner,
Eddy,	Pembina,	Traill,
Foster,	Pierce,	Walsh,
Grand Forks,	Ramsey,	Wells.
Griggs,	Ransom,	

GROUP 2.

Billings,	Mercer,	Ward,
Burleigh,	Morton,	Williams.
Emmons,	Oliver,	
McLean,	Stark,	

OHIO.

GROUP 1.

Ashtabula,	Lake,	Sandusky,
Cuyahoga,	Lorain,	Wood.
Erie,	Lucas,	
Geauga,	Ottawa,	

GROUP 2.

Adams,	Hamilton,	Perry,
Athens,	Highland,	Pickaway,
Belmont,	Hocking,	Pike,
Brown,	Jackson,	Preble,
Butler,	Jefferson,	Ross,
Clermont,	Lawrence,	Scioto,
Clinton,	Meigs,	Vinton,
Fairfield,	Monroe,	Warren,
Fayette,	Montgomery,	Washington.
Gallia,	Morgan,	
Greene,	Noble,	

GROUP 3.

Allen,	Hardin,	Paulding,
Ashland,	Harrison,	Portage,
Auglaize,	Henry,	Putnam,
Jarroll,	Holmes,	Richland,
Champaign,	Huron,	Seneca,
Clark,	Knox,	Shelby,
Columbiana,	Licking,	Stark,
Coshocton,	Logan,	Summit,
Crawford,	Madison,	Trumbull,
Darke,	Mahoning,	Tuscarawas,
Defiance,	Marion,	Union,
Delaware,	Medina,	Van Wert,
Franklin,	Mercer,	Wayne,
Fulton,	Miami,	Williams,
Guernsey,	Morrow,	Wyandot.
Hancock,	Muskingum,	

OKLAHOMA TERRITORY.

This territory forms one group.

OREGON.

GROUP 1.

Baker,	Klamath,	Umatilla,
Crook,	Lake,	Union,
Gilliam,	Malheur,	Wallowa,
Grant,	Morrow,	Wasco,
Harney,	Sherman,	Wheeler.

OREGON—Continued.

GROUP 2.

Benton,	Douglas,	Marion,
Clackamas,	Jackson,	Multnomah,
Clatsop,	Josephine,	Polk,
Columbia,	Lane,	Tillamook,
Coos,	Lincoln,	Washington,
Curry,	Linn,	Yamhill.

PENNSYLVANIA.

GROUP 1.

Adams,	Fayette,	Northumberland,
Bedford,	Franklin,	Perry,
Blair,	Fulton,	Pike,
Bradford,	Huntingdon,	Schuylkill,
Cambria,	Indiana,	Snyder,
Cameron,	Juniata,	Somerset,
Carbon,	Lackawanna,	Sullivan,
Center,	Lebanon,	Susquehanna,
Clearfield,	Luzerne,	Tioga,
Clinton,	Lycoming,	Union,
Columbia,	Mifflin,	Wayne,
Cumberland,	Monroe,	Westmoreland,
Dauphin,	Montour,	Wyoming.

GROUP 2.

Allegheny,	Elk,	Montgomery,
Armstrong,	Erie,	Northampton,
Beaver,	Forest,	Philadelphia,
Berks,	Greene,	Potter,
Bucks,	Jefferson,	Venango,
Butler,	Lancaster,	Warren,
Chester,	Lawrence,	Washington,
Clarion,	Lehigh,	York.
Crawford,	McKean,	
Delaware,	Mercer,	

RHODE ISLAND.

This state forms one group.

SOUTH CAROLINA.

GROUP 1.

Beaufort,	Colleton,	Hampton,
Berkeley,	Dorchester,	Horry,
Charleston,	Florence,	Marion,
Clarendon,	Georgetown,	Williamsburg.

GROUP 2.

Oconee,	Pickens.
---------	----------

GROUP 3.

Abbeville,	Edgefield,	Newberry,
Aiken,	Fairfield,	Orangeburg,
Anderson,	Greenville,	Richland,
Bamberg,	Greenwood,	Saluda,
Barnwell,	Kershaw,	Spartanburg,
Cherokee,	Lancaster,	Sumter,
Chester,	Laurens,	Union,
Chesterfield,	Lexington,	York.
Darlington,	Marlboro,	

DESCRIPTION OF AREAS.

cccxix

SOUTH DAKOTA.

GROUP 1.

Aurora,	Faulk,	McPherson,
Beadle,	Grant,	Marshall,
Brookings,	Hamlin,	Miner,
Brown,	Hand,	Minnehaha,
Clark,	Hanson,	Moody,
Codington,	Hutchinson,	Roberts,
Davison,	Jerauld,	Sanborn,
Day,	Kingsbury,	Spink,
Deuel,	Lake,	Turner.
Douglas,	Lincoln,	
Edmunds,	McCook,	

GROUP 2.

Armstrong,	Clay,	Schnasse,
Bonhomme,	Dewey,	Stanley,
Boreman,	Gregory,	Sully,
Brule,	Hughes,	Union,
Buffalo,	Hyde,	Walworth,
Campbell,	Lyman,	Yankton.
Charles Mix,	Potter,	

GROUP 3.

Butte,	Lugenbeel,	Shannon,
Custer,	Meade,	Tripp,
Fall River,	Meyer,	Washabaugh,
Lawrence,	Pennington,	Washington.

TENNESSEE.

GROUP 1.

Anderson,	Hamblen,	Pickett,
Bledsoe,	Hamilton,	Polk,
Blount,	Hancock,	Putnam,
Bradley,	Hawkins,	Rhea,
Campbell,	James,	Roane,
Carter,	Jefferson,	Scott,
Claiborne,	Johnson,	Sequatchie,
Coke,	Knox,	Sevier,
Coffee,	Loudon,	Sullivan,
Cumberland,	McMinn,	Unicoi,
Dekalb,	Marion,	Union,
Fentress,	Meigs,	Van Buren,
Franklin,	Monroe,	Warren,
Grainger,	Moore,	Washington,
Greene,	Morgan,	White.
Grundy,	Overton,	

GROUP 2.

Benton,	Fayette,	Henry,
Carroll,	Gibson,	McNairy,
Chester,	Hardeman,	Madison,
Crockett,	Haywood,	Weakley.
Decatur,	Henderson,	

GROUP 3.

Dyer,	Lauderdale,	Shelby,
Lake,	Obion,	Tipton.

TENNESSEE—Continued.

GROUP 4.

Bedford,	Humphreys,	Robertson,
Cannon,	Jackson,	Rutherford,
Cheatham,	Lawrence,	Smith,
Clay,	Lewis,	Stewart,
Davidson,	Lincoln,	Sumner,
Dickson,	Macon,	Trousdale,
Giles,	Marshall,	Wayne,
Hardin,	Maury,	Williamson,
Hickman,	Montgomery,	Wilson.
Houston,	Perry,	

TEXAS.

GROUP 1.

Aransas,	Goliad,	Matagorda,
Bee,	Hardin,	Newton,
Brazoria,	Harris,	Nueces,
Calhoun,	Hidalgo,	Orange,
Cameron,	Jackson,	Refugio,
Chambers,	Jasper,	San Patricio,
Fort Bend,	Jefferson,	Victoria,
Galveston,	Liberty,	Wharton.

GROUP 2.

Anderson,	Gillespie,	Montague,
Angelina,	Gonzales,	Montgomery,
Archer,	Grayson,	Morris,
Atascosa,	Gregg,	Nacogdoches,
Austin,	Grimes,	Navarro,
Bandera,	Guadalupe,	Palo Pinto,
Bastrop,	Hamilton,	Panola,
Bell,	Harrison,	Parker,
Bexar,	Hays,	Polk,
Blanco,	Henderson,	Rains,
Bosque,	Hill,	Red River,
Bowie,	Hood,	Robertson,
Brazos,	Hopkins,	Rockwall,
Brown,	Houston,	Rusk,
Burleson,	Hunt,	Sabine,
Burnet,	Jack,	San Augustine,
Caldwell,	Johnson,	San Jacinto,
Camp,	Karnes,	San Saba,
Cass,	Kaufman,	Shelby,
Cherokee,	Kendall,	Smith,
Clay,	Kerr,	Somervell,
Collin,	Kimble,	Starr,
Colorado,	Kinney,	Stephens,
Comal,	Lamar,	Tarrant,
Comanche,	Lampasas,	Titus,
Cooke,	Lasalle,	Travis,
Coryell,	Lavaca,	Trinity,
Dallas,	Lee,	Tyler,
Delta,	Leon,	Upshur,
Denton,	Limestone,	Uvalde,
Dewitt,	Live Oak,	Van Zandt,
Dimmit,	Llano,	Walker,
Duval,	McCulloch,	Waller,
Eastland,	McLennan,	Washington,
Edwards,	McMullen,	Webb,
Ellis,	Madison,	Wichita,
Erath,	Marion,	Williamson,
Falls,	Mason,	Wilson,
Fannin,	Maverick,	Wise,
Fayette,	Medina,	Wood,
Franklin,	Menard,	Young,
Freestone,	Milam,	Zapata,
Frio,	Mills,	Zavalla.

TEXAS—Continued.

GROUP 3.

Andrews,	Gaines,	Nolan,
Armstrong,	Garza,	Ochiltree,
Bailey,	Glasscock,	Oldham,
Baylor,	Gray,	Parmer,
Borden,	Hale,	Pecos,
Brewster,	Hall,	Potter,
Briscoe,	Hansford,	Presidio,
Callahan,	Hardeman,	Randall,
Carson,	Hartley,	Reeves,
Castro,	Haskell,	Roberts,
Childress,	Hemphill,	Runnels,
Cochran,	Hockley,	Schleicher,
Coke,	Howard,	Scurry,
Coleman,	Hutchinson,	Shackelford,
Collingsworth,	Irion,	Sherman,
Concho,	Jeff Davis,	Sterling,
Cottle,	Jones,	Stonewall,
Crane,	Kent,	Sutton,
Crockett,	King,	Swisher,
Crosby,	Knox,	Taylor,
Dallam,	Lamb,	Terry,
Dawson,	Lipscomb,	Throckmorton,
Deaf Smith,	Loving,	Tom Green,
Dickens,	Lubbock,	Upton,
Donley,	Lynn,	Valverde,
Ector,	Martin,	Ward,
El Paso,	Midland,	Wheeler,
Fisher,	Mitchell,	Wilbarger,
Floyd,	Moore,	Winkler,
Foard,	Motley,	Yoakum.

UTAH.

This state forms one group.

VERMONT.

This state forms one group.

VIRGINIA.

GROUP 1.

Accomac,	Mathews,	Prince George,
Charles city,	Middlesex,	Princess Anne,
Elizabeth city,	Nansemond,	Richmond,
Essex,	New Kent,	Southampton,
Gloucester,	Newport News city,	Surry,
Isle of Wight,	Norfolk,	Sussex,
James city,	Norfolk city,	Warwick,
King and Queen,	Northampton,	Westmoreland,
King George,	Northumberland,	Williamsburg city,
King William,	Portsmouth city,	York.
Lancaster,		

GROUP 2.

Alexandria,	Fairfax,	Manchester city,
Alexandria city,	Fauquier,	Mecklenburg,
Amelia,	Fluvanna,	Nottoway,
Appomattox,	Fredericksburg city,	Orange,
Brunswick,	Goochland,	Petersburg city,
Buckingham,	Greensville,	Pittsylvania,
Campbell,	Halifax,	Powhatan,
Caroline,	Hanover,	Prince Edward,
Charlotte,	Henrico,	Prince William,
Chesterfield,	Henry,	Richmond city,
Culpeper,	Loudoun,	Spottsylvania,
Cumberland,	Louisa,	Stafford.
Danville city,	Lunenburg,	
Dinwiddie,	Lynchburg city,	

VIRGINIA—Continued.

GROUP 3.

Albemarle,	Floyd,	Roanoke,
Alleghany,	Franklin,	Roanoke city,
Amherst,	Frederick,	Rockbridge,
Augusta,	Giles,	Rockingham,
Bath,	Grayson,	Russell,
Bedford,	Greene,	Scott,
Bland,	Highland,	Shenandoah,
Botetourt,	Lee,	Smyth,
Bristol city,	Madison,	Staunton city,
Buchanan,	Montgomery,	Tazewell,
Buena Vista city,	Nelson,	Warren,
Carroll,	Page,	Washington,
Charlottesville city,	Patrick,	Winchester city,
Clarke,	Pulaski,	Wise,
Craig,	Radford city,	Wythe.
Dickenson,	Rappahannock,	

WASHINGTON.

GROUP 1.

Adams,	Franklin,	Spokane,
Asotin,	Garfield,	Stevens,
Chelan,	Kittitas,	Wallawalla,
Columbia,	Klickitat,	Whitman,
Douglas,	Lincoln,	Yakima.
Ferry,	Okanogan,	

GROUP 2.

Chehalis,	Kitsap,	Skamania,
Clallam,	Lewis,	Snohomish,
Clarke,	Mason,	Thurston,
Cowlitz,	Pacific,	Wahkiakum,
Island,	Pierce,	Whatcom.
Jefferson,	San Juan,	
King,	Skagit,	

WEST VIRGINIA.

GROUP 1.

Barbour,	Lewis,	Pocahontas,
Berkeley,	Logan,	Preston,
Boone,	McDowell,	Raleigh,
Braxton,	Marion,	Randolph,
Clay,	Mercer,	Summers,
Fayette,	Mineral,	Taylor,
Grant,	Mingo,	Tucker,
Greenbrier,	Monongalia,	Upshur,
Hampshire,	Monroe,	Webster,
Hardy,	Morgan,	Wyoming
Harrison,	Nicholas,	
Jefferson,	Pendleton,	

GROUP 2.

Brooke,	Kanawha,	Ritchie,
Cabell,	Lincoln,	Roane,
Calhoun,	Marshall,	Tyler,
Doddridge,	Mason,	Wayne,
Gilmer,	Ohio,	Wetzel,
Hancock,	Pleasants,	Wirt,
Jackson,	Putnam,	Wood.

DESCRIPTION OF AREAS.

cccxiii

WISCONSIN.

GROUP 1.

Brown,	Kewaunee,	Ozaukee,
Door,	Manitowoc,	Racine,
Kenosha,	Milwaukee,	Sheboygan.

GROUP 2.

Buffalo,	La Crosse,	St. Croix,
Crawford,	Pepin,	Trempealeau,
Grant,	Pierce,	Vernon.

GROUP 3.

Adams,	Iowa,	Sauk,
Calumet,	Jefferson,	Walworth,
Columbia,	Juneau,	Washington,
Dane,	Lafayette,	Waukesha,
Dodge,	Marquette,	Waushara,
Fond du Lac,	Monroe,	Winnebago.
Green,	Richland,	
Green Lake,	Rock,	

WISCONSIN—Continued.

GROUP 4.

Ashland,	Forest,	Polk,
Barron,	Iron, "	Portage,
Bayfield,	Jackson,	Price,
Burnett,	Langlade,	Sawyer,
Chippewa,	Lincoln,	Shawano,
Clark,	Marathon,	Taylor,
Douglas,	Marinette,	Vilas,
Dunn,	Oconto,	Washburn,
Eau Claire,	Oneida,	Waupaca,
Florence,	Outagamie,	Wood.

WYOMING.

GROUP 1.

Laramie.

GROUP 2.

Albany,	Fremont,	Uinta,
Bighorn,	Johnson,	Weston,
Carbon,	Natrona,	Yellowstone Park.
Converse,	Sheridan,	
Crook,	Sweetwater,	

TABLE 1.

DEATHS IN THE UNITED STATES, THE REGISTRATION AREA AND ITS SUBDIVISIONS AND
THE NONREGISTRATION AREA DURING THE CENSUS YEAR ENDING MAY 31, 1900,
FROM CERTAIN DISEASES AND CLASSES OF DISEASES, BY CONJUGAL
CONDITION, COLOR, AGE, AND BIRTHPLACES OF MOTHERS,
WITH DISTINCTION OF SEX.

NOTE.—Conjugal condition was not reported in the registration returns for Dubois, Pa., Erie, Pa., Galesburg, Ill., Helena, Mont., Natchez, Miss., and Wichita, Kans., and the deaths in these cities are therefore omitted in this table.

VITAL STATISTICS.

TABLE 1.—DEATHS FROM CERTAIN DISEASES AND CLASSES OF DISEASES, BY CONJUGAL
THE UNITED STATES.

1	CAUSE AND CONJUGAL CONDITION.	White.	Colored.	AGE.									
				All ages.	Under 15	15 to 19	20 to 24	25 to 34	35 to 44	45 to 54	55 to 64	65 and over.	Un- known.
1	All causes	890,265	146,598	1,036,863	378,124	38,038	50,868	92,313	85,592	82,652	91,128	210,733	7,415
2	Single	247,295	45,180	292,475	202,690	17,957	19,490	21,462	11,269	6,765	4,913	6,952	977
3	Married	191,845	39,971	231,816	175,389	16,553	11,643	9,759	4,670	3,410	3,203	6,561	628
4	Widowed	160,437	19,186	179,623	15	268	3,660	20,109	28,281	31,574	34,216	60,637	863
5	Divorced	128,750	18,266	147,016	17	2,738	11,841	31,426	29,242	23,719	21,448	25,754	831
6	Unknown	46,433	4,221	50,654	6	17	123	949	2,115	4,097	7,226	35,892	229
7	Unknown cause	79,835	9,192	89,027	7	97	407	1,725	3,402	7,027	14,052	61,819	491
8	Single	915	97	1,012		1	16	107	154	202	186	327	19
9	Married	735	119	854		5	59	170	190	148	122	153	7
10	Widowed	20,982	5,620	26,602		52	1,886	3,772	3,782	3,680	3,620	7,529	2,281
11	Divorced	13,038	4,746	17,784		350	1,743	2,834	2,487	2,030	2,142	5,109	1,089
12	Unknown	28,124	12,358	40,482	25,727	950	1,075	1,731	1,719	1,740	1,918	4,675	947
13	Alcoholism	2,678	124	2,802	15	7	64	540	870	656	362	236	52
14	Single	891	40	931	12	4	34	265	298	159	102	50	7
15	Married	62	3	65	3	3	7	23	14	4	7	3	1
16	Widowed	900	35	935			8	123	315	280	129	76	4
17	Divorced	234	6	240			10	66	96	44	15	7	2
18	Unknown	231	7	238			1	13	46	61	57	57	3
19	Consumption	79	5	84			9	16	29	14	16		
20	Single	23	2	25			4	9	7	1	3		
21	Married	4		4			1	2	1				
22	Widowed	231	20	251			3	32	66	67	34	21	28
23	Divorced	23	6	29			1	4	8	4	3	3	6
24	Unknown	87,492	22,000	109,492	8,036	9,084	15,994	28,538	19,167	11,895	8,054	7,936	788
25	Cancer and tumor	31,014	1,803	32,817	690	205	323	1,524	4,094	6,869	7,995	10,917	200
26	Single	19,346	5,087	24,433	3,545	3,209	5,434	6,895	2,988	1,295	602	383	82
27	Married	15,135	5,356	20,491	4,488	5,094	4,699	3,874	1,182	522	306	272	54
28	Widowed	18,507	3,779	22,286		42	914	5,281	5,878	4,284	3,019	2,369	99
29	Divorced	21,942	4,740	26,682	3	594	3,730	9,635	6,318	3,198	1,810	1,245	149
30	Unknown	3,267	461	3,728		4	39	376	633	813	685	1,161	17
31	Single	4,725	969	5,694		27	163	679	873	904	1,063	1,938	47
32	Married	68	21	89			1	14	31	20	11	8	4
33	Widowed	128	34	162		1	19	55	42	19	12	11	3
34	Divorced	2,389	964	3,353		11	432	886	678	526	346	311	213
35	Unknown	1,985	989	2,974		102	563	893	544	314	200	238	120
36	Single	1,676	116	1,792	372	92	99	174	210	267	257	313	8
37	Married	2,069	161	2,230	317	92	89	182	369	409	361	400	11
38	Widowed	7,898	226	8,124	1	3	19	257	802	1,694	2,296	3,028	24
39	Divorced	10,174	698	10,872		16	85	747	2,163	3,137	2,733	1,942	49
40	Unknown	1,973	56	2,029		1	1	9	48	182	418	1,364	6
41	Single	5,653	340	5,993		1	6	53	266	825	1,522	3,300	20
42	Married	28	1	29			1	1	1	4	10	12	
43	Widowed	90	6	96			2	10	18	21	23	22	
44	Divorced	673	60	733			8	27	67	133	161	295	42
45	Unknown	780	139	919			13	64	150	197	214	241	40
46	Suicide	5,340	149	5,489	29	246	529	1,088	1,190	1,030	684	614	79
47	Single	1,178	48	1,226	17	102	256	371	238	124	60	47	11
48	Married	371	23	394	12	122	106	84	36	18	8	6	2
49	Widowed	2,218	41	2,259		4	59	347	581	608	386	260	14
50	Divorced	560	13	573		12	71	165	163	89	44	28	1
51	Unknown	420	3	423			3	24	43	71	98	179	5
52	Single	135	2	137			1	15	14	25	33	48	1
53	Married	30	1	31				5	7	10	4	5	
54	Widowed	10		10			1	1	2	4	1		
55	Divorced	352	15	367			1	18	63	90	75	36	40
56	Unknown	66	3	69			4	14	13	16	6	5	5
57	General diseases—A	175,061	34,893	209,954	128,186	9,464	9,830	13,621	10,016	8,890	8,230	20,677	1,040
58	Single	67,071	12,776	79,847	66,061	4,388	3,920	2,843	979	527	345	644	140
59	Married	59,889	11,988	71,877	62,116	4,304	2,074	1,349	505	344	339	727	119
60	Widowed	16,422	3,177	19,599	1	80	915	3,418	3,509	3,338	2,860	5,376	102
61	Divorced	15,002	2,762	17,764	5	571	2,011	4,464	3,600	4,435	1,960	2,603	115
62	Unknown	3,985	555	4,540	1	2	24	102	176	326	602	3,289	18
63	Single	8,293	1,234	9,527	2	23	56	208	352	679	1,458	6,676	73
64	Married	78	10	88			4	17	12	13	12	29	1
65	Widowed	62	16	78			11	24	14	7	7	14	1
66	Divorced	2,431	1,021	3,452		8	458	682	494	412	377	725	296
67	Unknown	1,828	854	2,682		88	357	514	375	309	270	594	175

CAUSE AND CONJUGAL CONDITION.

3

CONDITION, COLOR, AGE, BIRTHPLACES OF MOTHERS, AND SEX: CENSUS YEAR 1900.

THE UNITED STATES.

BIRTHPLACES OF MOTHERS (WHITE).														
United States.	Ireland.	Germany.	England and Wales.	Canada.	Scandinavia.	Scotland.	Italy.	France.	Hungary.	Bohemia.	Russia and Poland.	Other foreign.	Unknown.	Not stated.
436,556	73,232	69,921	23,716	21,777	16,686	6,923	10,541	2,927	2,083	2,440	11,624	16,461	71,318	124,060
130,517	15,806	14,285	4,356	7,394	5,021	1,201	4,581	564	834	715	4,900	5,438	15,382	36,301
110,015	11,076	9,611	2,993	5,672	3,541	838	3,331	301	649	510	3,551	3,802	9,657	26,298
70,223	14,666	17,797	6,377	3,125	3,098	1,825	1,238	780	278	462	1,377	2,877	13,372	22,942
60,630	12,340	12,143	4,057	3,201	2,700	1,137	844	466	182	371	1,027	1,921	9,486	18,245
17,553	6,088	5,526	2,069	728	764	656	151	270	41	106	203	696	5,621	5,961
33,595	11,055	8,146	2,870	1,227	944	972	195	382	51	198	352	923	8,047	10,878
448	41	73	39	18	11	13	-----	5	1	2	3	10	146	105
429	31	36	21	20	13	6	-----	5	-----	1	1	4	80	88
6,853	1,359	1,484	629	270	394	181	166	112	35	36	154	565	6,509	2,235
6,293	770	820	305	122	200	94	35	42	12	39	56	225	3,018	1,007
19,903	626	1,244	344	326	586	96	107	30	107	102	336	503	2,629	1,185
8,405	119	329	67	132	232	25	60	5	55	33	173	197	607	377
7,092	84	250	59	104	159	14	24	7	41	27	123	160	423	243
1,356	124	218	85	34	56	18	7	7	4	10	22	52	287	193
1,359	109	170	57	29	64	13	10	2	4	19	6	36	303	137
389	50	103	22	8	21	7	-----	3	-----	1	2	16	116	57
694	84	94	26	8	30	11	2	2	-----	6	4	14	192	78
10	-----	-----	1	-----	1	-----	-----	-----	-----	1	-----	-----	1	1
6	-----	2	2	-----	2	2	-----	-----	-----	-----	-----	-----	3	-----
287	40	47	10	6	9	2	4	3	1	4	2	18	453	66
305	16	31	15	5	15	3	-----	1	2	1	4	10	244	33
501	571	233	110	64	39	34	7	9	6	10	16	40	430	608
159	229	69	31	23	11	6	2	1	3	-----	1	11	129	216
11	13	4	1	1	-----	4	1	-----	-----	-----	-----	-----	14	13
224	152	109	42	20	12	12	3	5	3	8	8	13	94	195
29	73	17	13	8	2	3	1	1	-----	-----	2	2	28	55
33	50	21	11	3	6	5	-----	-----	-----	1	3	7	42	49
7	28	3	3	3	1	2	-----	1	-----	-----	1	-----	11	19
9	2	1	1	2	-----	-----	-----	-----	-----	-----	-----	1	3	4
1	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	2	2
27	22	9	7	3	7	2	-----	1	-----	1	1	6	93	52
1	1	-----	1	1	-----	-----	-----	-----	-----	-----	-----	-----	16	3
38,267	10,957	7,041	1,976	2,294	2,411	688	586	291	131	226	696	1,541	7,402	12,985
7,009	3,187	1,436	385	542	572	147	175	74	35	50	185	361	1,651	3,587
7,526	1,863	915	254	509	449	90	87	36	15	32	94	226	911	2,128
7,350	2,223	1,991	585	429	479	202	144	72	40	71	201	389	1,326	3,005
11,119	2,151	1,680	459	619	659	133	134	60	28	54	140	312	1,546	2,850
1,081	610	377	90	63	72	44	18	6	4	4	18	59	346	461
2,176	657	380	117	84	65	45	10	19	3	5	26	63	485	590
31	3	8	4	1	1	-----	-----	-----	-----	-----	-----	-----	8	3
79	4	5	2	4	7	-----	-----	-----	-----	1	-----	-----	11	15
800	181	143	61	31	69	14	15	9	5	4	27	82	697	251
1,096	78	106	19	12	38	13	3	3	1	5	5	49	426	131
12,693	3,067	3,733	1,159	719	648	399	142	172	33	103	260	542	2,604	4,740
639	189	167	45	39	46	22	9	9	4	1	16	36	139	325
1,029	285	110	42	29	38	26	6	4	2	5	9	17	135	332
2,980	718	1,245	332	194	204	120	45	52	6	35	114	181	485	1,187
4,489	833	1,136	393	275	195	110	53	49	12	35	76	176	736	1,606
674	235	292	81	48	44	31	7	14	-----	4	6	33	199	295
2,265	697	629	201	110	82	79	16	36	8	16	28	70	563	853
15	2	1	-----	1	2	-----	-----	-----	-----	-----	-----	-----	3	4
62	2	7	2	-----	-----	-----	-----	-----	-----	-----	-----	-----	9	-----
212	50	81	23	16	16	5	4	6	1	3	5	22	173	56
338	56	65	30	7	21	6	2	2	-----	4	6	7	162	74
1,686	241	839	178	110	122	44	29	29	9	38	54	140	646	1,175
409	57	134	31	25	35	4	13	6	1	10	20	32	121	280
153	24	31	8	12	6	3	1	-----	1	3	3	11	35	80
708	94	411	83	46	51	22	8	11	5	14	22	61	199	483
180	23	80	20	17	4	5	3	1	1	6	5	16	62	137
92	21	109	21	4	16	6	1	5	-----	3	2	6	46	88
38	10	27	3	4	2	3	-----	3	-----	-----	2	4	19	20
11	1	5	1	-----	-----	-----	-----	3	-----	-----	-----	-----	4	8
4	-----	-----	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	5	5
65	6	39	9	1	7	1	3	3	1	1	-----	9	135	72
26	5	3	2	-----	1	-----	-----	-----	-----	1	-----	1	25	2
101,555	9,052	10,170	3,315	4,779	2,914	896	2,463	396	481	437	2,956	3,561	10,873	21,213
39,317	2,827	3,570	990	2,155	1,221	257	1,220	136	230	184	1,465	1,547	3,331	8,621
36,079	2,426	2,864	880	1,872	1,026	234	1,028	93	208	172	1,268	1,295	2,711	7,733
9,229	1,110	1,351	559	264	237	138	91	51	23	31	87	256	1,323	1,672
8,654	1,041	1,123	357	283	271	95	70	47	9	30	76	221	1,125	1,600
1,818	426	393	156	43	44	39	7	18	4	7	9	66	509	446
4,208	1,015	641	283	120	76	107	23	39	2	8	21	81	829	840
38	2	8	2	2	-----	-----	-----	-----	-----	-----	1	-----	17	10
41	2	2	1	2	-----	-----	-----	-----	-----	-----	-----	-----	9	4
1,103	124	131	52	27	29	20	19	9	3	1	22	60	647	184
1,068	79	87	35	13	10	6	5	3	2	4	7	34	372	103

CAUSE AND CONJUGAL CONDITION.

5

CONDITION, COLOR, AGE, BIRTHPLACES OF MOTHERS, AND SEX: CENSUS YEAR 1900—Continued.

THE UNITED STATES—Continued.

BIRTHPLACES OF MOTHERS (WHITE).														
United States.	Ireland.	Germany.	England and Wales.	Canada.	Scandinavia.	Scotland.	Italy.	France.	Hungary.	Bohemia.	Russia and Poland.	Other foreign.	Unknown.	Not stated.
52,798	8,061	8,234	3,246	2,326	1,580	897	885	382	185	280	1,080	1,571	9,934	14,943
15,006	1,397	1,721	503	775	496	119	387	52	80	102	468	530	1,886	4,886
12,294	1,118	1,098	362	553	329	86	257	35	54	74	339	372	1,187	3,123
9,609	1,649	2,170	949	370	318	278	123	106	21	44	181	281	2,227	2,856
6,028	1,288	1,192	463	302	209	122	56	62	17	31	69	157	1,171	1,860
2,846	802	709	334	104	176	107	14	42	3	5	21	66	976	810
5,520	1,553	1,075	492	166	96	148	27	61	6	18	39	106	1,307	1,532
75	3	17	6	3	3	2	-----	1	1	-----	1	3	37	12
65	2	2	1	1	1	-----	-----	3	-----	-----	-----	1	18	11
740	153	164	88	30	36	19	18	8	2	4	8	40	721	238
615	96	86	48	21	16	16	3	12	1	2	4	15	404	115
29,663	7,193	6,640	2,526	1,475	1,085	748	402	309	88	172	518	1,032	6,254	10,145
3,949	904	631	223	215	196	70	85	48	15	19	110	179	738	1,626
3,355	710	392	141	203	120	51	50	12	16	19	93	114	353	1,135
8,817	1,650	2,147	820	392	299	225	131	104	20	40	119	287	1,588	2,842
5,652	1,381	1,317	514	331	229	150	68	48	16	43	118	162	919	1,965
2,477	786	758	317	107	91	101	24	31	4	13	27	95	801	827
4,111	1,508	1,143	391	185	96	105	29	45	10	30	39	124	992	1,392
66	3	3	4	2	-----	4	-----	-----	-----	1	1	2	18	7
25	2	6	4	2	3	1	-----	1	-----	-----	-----	1	8	4
678	148	163	70	28	31	29	13	16	1	4	8	48	577	233
503	101	80	42	10	20	12	2	4	1	3	3	20	260	114
64,181	12,227	10,211	3,444	3,229	2,379	947	3,428	352	444	356	2,376	2,712	7,984	18,894
21,836	2,594	2,376	721	1,187	849	169	1,627	77	202	130	1,133	1,063	1,879	6,239
17,665	1,937	1,698	481	981	601	118	1,323	43	159	80	827	738	1,160	4,428
9,170	2,478	2,374	887	378	376	232	267	81	41	58	163	385	1,486	3,069
7,090	1,729	1,481	496	365	263	150	111	56	21	39	131	214	952	2,100
2,021	1,082	696	272	82	84	92	34	29	10	17	30	90	595	874
4,671	2,081	1,316	477	177	128	146	41	40	7	26	73	127	1,043	1,826
47	9	5	9	4	2	-----	-----	-----	-----	-----	-----	-----	15	8
42	5	5	7	39	-----	3	-----	-----	-----	-----	-----	-----	7	11
886	203	164	76	15	54	28	18	11	4	2	13	69	609	227
753	109	89	24	22	22	7	7	4	-----	4	6	24	238	112
26,639	4,100	4,721	1,501	1,206	1,027	415	400	212	122	161	628	983	3,660	7,130
7,803	643	868	227	390	302	59	136	40	37	50	238	274	731	1,702
6,602	504	574	170	275	206	40	78	16	35	25	171	196	472	1,209
4,579	921	1,387	431	202	218	131	90	59	27	41	110	194	728	1,633
4,257	977	950	335	219	180	85	68	47	15	27	68	142	639	1,509
839	311	281	120	84	32	33	6	17	2	3	11	34	233	290
1,795	629	493	163	66	53	48	10	25	5	13	19	53	429	592
25	5	5	3	1	-----	1	-----	-----	-----	-----	-----	-----	7	6
32	2	3	1	3	-----	-----	-----	-----	-----	-----	-----	-----	2	10
380	64	99	32	9	23	12	10	6	1	-----	8	31	260	98
327	44	61	19	7	13	6	2	2	-----	2	3	8	159	81
15,909	5,219	4,237	1,541	792	644	449	279	214	62	90	359	531	3,701	7,038
1,967	694	414	150	118	103	42	78	17	11	7	68	81	483	1,071
1,477	439	189	57	68	62	23	33	7	8	9	38	38	196	622
5,998	1,443	1,588	594	247	233	166	81	90	19	31	114	199	1,128	2,357
2,718	1,066	830	303	209	116	89	55	29	16	17	77	83	519	1,415
1,693	621	553	212	72	53	69	15	32	3	7	21	63	502	590
1,392	828	514	160	56	42	48	11	23	3	16	31	46	367	768
39	1	5	4	-----	2	-----	-----	-----	-----	-----	1	-----	13	7
17	3	2	3	-----	1	-----	-----	-----	-----	-----	-----	-----	6	6
443	89	119	45	19	27	5	5	12	2	1	9	16	376	147
165	35	23	10	3	5	7	1	4	-----	2	-----	5	111	55
1,222	188	235	72	66	45	17	29	9	6	5	33	35	254	437
251	40	35	5	11	7	5	1	1	1	1	2	3	33	93
777	115	164	55	48	28	9	27	5	5	4	27	27	145	284
132	32	30	11	4	6	3	1	3	-----	-----	4	3	44	47
7	-----	-----	-----	1	-----	-----	-----	-----	-----	-----	-----	-----	2	35
55	1	6	1	2	4	-----	-----	-----	-----	-----	-----	2	32	11
18,693	3,532	3,303	1,347	1,145	986	401	684	149	174	129	765	1,109	5,021	6,326
8,130	1,273	1,042	440	532	430	124	286	41	64	47	370	433	1,510	2,440
3,242	253	270	100	137	108	30	86	7	26	17	118	109	336	641
4,324	1,075	1,218	479	308	291	140	199	59	60	32	191	359	1,184	1,771
1,045	254	98	70	60	29	40	12	6	10	35	57	250	250	528
667	269	200	72	30	35	24	12	9	3	12	12	30	244	247
668	258	135	58	23	10	25	7	6	2	3	5	12	219	209
49	5	4	4	2	1	1	-----	1	-----	-----	-----	2	9	12
9	3	-----	-----	3	-----	-----	-----	-----	-----	-----	-----	-----	2	4
543	122	123	87	35	48	23	50	11	13	6	30	104	1,142	435
116	20	19	9	5	3	5	4	3	-----	2	4	3	125	39
52,846	8,198	9,080	2,957	3,246	2,220	892	1,100	373	240	331	1,547	2,211	9,926	17,241
15,898	1,693	1,528	543	1,261	528	157	503	58	97	82	653	694	2,177	5,481
13,209	1,380	1,181	433	917	430	114	356	40	83	46	466	523	1,691	4,518
5,879	1,029	1,588	531	241	324	141	49	73	9	47	95	220	1,317	1,679
7,233	1,300	1,711	494	426	420	144	148	47	34	56	197	316	1,091	2,199
3,023	825	1,034	351	130	190	98	13	52	6	29	41	131	1,012	927
5,918	1,675	1,666	485	221	257	202	18	79	5	57	60	220	1,547	2,112
33	5	4	-----	2	-----	2	-----	3	-----	-----	-----	-----	16	9
39	2	-----	-----	1	-----	1	-----	-----	-----	-----	-----	-----	5	6
689	157	202	66	26	38	21	7	17	1	5	21	60	626	176
925	129	164	50	21	32	13	6	4	5	9	14	47	444	134

VITAL STATISTICS.

TABLE 1.—DEATHS FROM CERTAIN DISEASES AND CLASSES OF DISEASES, BY CONJUGAL
THE REGISTRATION RECORD.

	CAUSE AND CONJUGAL CONDITION.	White.	Colored.	AGE.									
				All ages.	Under 15	15 to 19	20 to 24	25 to 34	35 to 44	45 to 54	55 to 64	65 and over.	Un-known.
1	All causes	473,813	36,625	510,438	176,545	13,349	21,224	46,884	46,405	44,826	50,043	109,323	1,839
2	Single	131,647	11,561	143,208	95,713	6,514	8,932	12,965	7,582	4,417	3,004	3,766	315
	(M..	99,938	9,354	109,292	80,823	5,907	5,480	5,379	2,901	2,198	2,102	4,255	247
3	Married	86,478	5,363	91,841	2	79	1,328	10,168	15,724	17,050	18,226	29,046	218
	(F..	68,198	4,415	72,613	4	756	4,584	15,128	14,666	12,246	11,430	13,619	180
4	Widowed	27,883	1,248	29,131	2	5	47	591	1,446	2,712	4,578	19,696	54
	(F..	50,269	3,160	53,429	1	24	162	991	2,250	4,543	9,154	36,188	116
5	Divorced	471	21	492			2	43	86	106	107	147	1
	(F..	376	28	404		1	19	73	91	79	64	74	3
6	Unknown	5,994	908	6,902		26	445	1,087	1,229	1,088	937	1,567	523
	(F..	2,559	567	3,126		37	225	459	430	387	441	965	182
7	Unknown cause	4,071	721	4,792	2,146	93	115	294	392	394	428	777	153
8	Single	1,287	256	1,543	1,181	45	36	73	69	32	33	34	40
	(F..	969	231	1,200	965	43	34	33	25	22	19	28	31
9	Married	622	66	688			11	55	117	146	155	203	1
	(F..	472	46	518		5	24	90	115	94	89	97	4
10	Widowed	209	17	226				5	11	25	40	143	2
	(F..	280	53	333				6	16	36	53	220	2
11	Divorced	5		5						1	1	3	
	(F..	7		7				1			3	3	
12	Unknown	146	37	183			6	21	28	29	27	29	43
	(F..	74	15	89			4	10	11	9	8	17	30
13	Alcoholism	2,002	50	2,052	3	2	46	444	675	478	235	145	24
14	Single	692	23	715	2	1	23	231	242	119	62	32	3
	(F..	49	1	50	1	1	4	19	12	4	6	2	1
15	Married	631	12	643			7	87	230	195	76	46	2
	(F..	216	4	220			9	60	90	41	14	4	2
16	Widowed	179	2	181			1	11	37	50	41	38	3
	(F..	72	2	74				9	14	26	14	11	
17	Divorced	16	1	17				4	5	5	1	2	
	(F..	4		4				1	2	1			
18	Unknown	126	3	129			1	19	35	34	19	9	12
	(F..	17	2	19			1	3	8	3	2	1	1
19	Consumption	47,641	6,063	53,704	3,318	3,708	7,279	15,379	10,642	6,111	3,859	3,294	124
20	Single	12,461	1,735	14,196	1,533	1,486	2,955	4,565	2,172	903	358	211	13
	(F..	8,148	1,355	9,503	1,784	2,004	2,237	2,172	686	299	165	142	14
21	Married	10,684	1,137	11,821		21	403	3,037	3,527	2,362	1,503	946	22
	(F..	10,677	1,086	11,763	1	174	1,421	4,589	3,968	1,341	755	491	23
22	Widowed	2,023	168	2,191			14	256	442	537	407	528	7
	(F..	2,614	312	2,926		6	68	382	547	471	574	870	8
23	Divorced	40	4	44				5	17	12	7	3	
	(F..	47	6	53			5	18	12	9	4	4	
24	Unknown	647	156	803			107	222	182	137	70	59	21
	(F..	300	104	404		12	69	133	89	40	16	30	15
25	Cancer and tumor	18,299	579	18,878	228	78	158	829	2,464	4,167	4,800	6,109	45
26	Single	950	49	999	119	35	65	106	142	189	156	186	1
	(F..	1,331	56	1,387	109	35	45	117	259	279	260	277	6
27	Married	4,518	80	4,598		2	9	141	478	1,041	1,322	1,601	4
	(F..	6,115	208	6,323		5	31	410	1,290	1,841	1,625	1,109	12
28	Widowed	1,215	27	1,242		1		7	37	132	286	777	2
	(F..	3,737	129	3,866			4	34	202	575	1,039	2,007	5
29	Divorced	17		17						3	8	6	
	(F..	43		43			1	1	7	10	13	11	
30	Unknown	179	13	192			2	4	19	46	42	72	7
	(F..	194	17	211			1	9	30	51	49	63	8
31	Suicide	3,322	69	3,391	9	126	298	697	762	665	420	381	33
32	Single	718	23	741	3	48	141	244	149	80	45	27	4
	(F..	242	14	256	6	68	67	58	28	16	5	6	2
33	Married	1,371	18	1,389			28	212	368	390	225	168	7
	(F..	377	7	384		8	48	111	117	56	28	16	
34	Widowed	302	2	304			3	20	32	53	78	116	2
	(F..	97		97				10	12	19	19	37	
35	Divorced	14		14				2	4	5	1	2	
	(F..	9		9		1		1	2	4	1		
36	Unknown	171	4	175			5	32	46	40	18	18	16
	(F..	21	1	22			6	7	4	2		1	2
37	General diseases—A	81,569	6,293	87,862	57,543	2,301	3,013	4,914	3,765	3,180	3,581	9,371	194
38	Single	32,712	2,393	35,105	30,026	1,099	1,338	1,273	532	298	171	328	40
	(F..	28,775	2,143	30,918	27,514	1,063	718	544	247	173	204	422	33
39	Married	6,781	552	7,333	1	16	210	1,187	1,306	1,227	1,209	2,159	18
	(F..	5,905	491	6,396	1	105	578	1,554	1,255	862	797	1,220	24
40	Widowed	2,099	116	2,215	1		3	47	94	152	309	1,605	4
	(F..	4,510	310	4,820		5	16	75	164	344	779	3,426	11
41	Divorced	33		33				6	4	5	6	12	
	(F..	26	4	30			3	8	7	2	2	7	1
42	Unknown	486	175	661		5	93	152	112	81	61	111	46
	(F..	242	109	351		8	54	68	44	36	43	81	17

CAUSE AND CONJUGAL CONDITION.

7

CONDITION, COLOR, AGE, BIRTHPLACES OF MOTHERS, AND SEX: CENSUS YEAR 1900—Continued.

THE REGISTRATION RECORD.

BIRTHPLACES OF MOTHERS (WHITE).														
United States.	Ireland.	Germany.	England and Wales.	Canada.	Scandinavia.	Scotland.	Italy.	France.	Hungary.	Bohemia.	Russia and Poland.	Other foreign.	Unknown.	Not stated.
143,059	59,753	41,365	14,358	18,604	6,089	4,382	9,499	1,713	1,446	1,169	9,021	9,798	29,497	124,060
41,360	13,618	9,195	2,785	6,495	2,145	770	4,151	378	553	378	3,833	3,503	6,182	36,301
34,901	9,981	6,331	2,041	5,092	1,527	570	3,113	206	438	282	2,765	2,511	3,882	26,298
23,732	11,073	10,056	3,594	2,498	945	1,103	1,078	424	218	229	1,093	1,682	5,811	22,942
18,644	10,153	7,069	2,497	2,665	829	754	763	261	151	140	796	1,089	4,142	18,245
7,723	4,818	3,090	1,288	605	242	412	131	156	33	31	150	366	2,877	5,961
15,185	9,340	5,154	1,943	1,027	285	699	174	257	45	91	298	525	4,418	10,878
206	21	24	17	14	3	7		1		1	3	3	66	105
187	16	8	12	15	1	4		2				1	42	88
715	460	296	133	124	84	45	68	22	8	9	65	96	1,634	2,235
456	273	142	48	69	28	18	21	6		8	18	22	443	1,007
1,346	302	255	96	221	62	31	44	7	8	7	84	108	315	1,185
476	69	56	14	92	17	6	21	2	3	2	45	37	70	377
379	47	56	16	70	27	4	13		3	2	26	41	42	243
177	61	56	28	26	6	4	3	1		1	10	16	40	193
136	53	42	18	20	5	7	6	2	2	1		5	38	137
61	20	22	9	2	4	2						5	27	57
91	39	17	8	6	1	5	1	1			3	2	28	78
3					1	1							3	1
1			1		1	1								
13	10	3		2	1	1		1					1	66
9	3	2	2	3	1					1		1	19	33
233	497	163	77	49	27	27	3	7	4	4	13	22	268	608
96	198	50	21	15	10	5		1	1			8	71	216
4	13	4	1	1		3	1						9	13
79	134	75	29	16	6	8	2	4	3	4	6	6	64	195
25	68	13	12	8	2	3		1			2	1	26	55
16	44	14	7	3	3	5					3	3	32	49
4	28	3	3	2		2		1			1		9	19
4	2	1	1	2								1	1	4
1	1												2	2
4	8	3	2	1	6	1					1	3	45	52
1			1	1									11	3
11,056	9,514	4,459	1,249	1,924	837	480	528	184	105	114	540	868	2,798	12,985
2,644	2,863	1,008	276	459	204	110	159	52	29	29	144	231	716	3,537
2,368	1,622	652	166	440	127	61	82	21	14	15	70	134	348	2,128
2,207	1,922	1,310	345	368	195	139	133	45	33	39	168	242	533	3,005
2,656	1,863	1,031	295	512	239	94	123	38	20	25	114	181	636	2,850
355	535	260	61	54	35	30	17	11	5	2	12	32	153	461
688	591	238	83	65	19	35	9	13	3	1	18	27	234	590
14	2	2	2	1	1								1	17
19	3	1		3									6	15
64	84	33	19	15	13	9	3	3	1	2	10	16	124	251
41	29	24	2	7	4	2	2	1		1	4	5	47	131
5,192	2,353	2,252	724	592	171	249	115	98	27	42	215	307	1,222	4,740
217	131	94	32	31	15	13	7	4	2		9	17	53	325
478	257	75	30	26	17	22	1	4		1	7	6	74	332
1,151	489	707	209	152	47	70	37	31	5	15	102	109	207	1,187
1,882	665	723	245	233	49	68	46	24	11	14	60	109	380	1,636
282	184	171	59	45	12	17	5	9		3	6	21	106	295
1,083	590	440	138	92	24	58	16	26	8	6	27	40	336	853
7	1			1	1								3	4
27	2	1	2										3	8
29	16	21	5	7	2		1			1	2	2	37	56
36	18	20	4	5	4	1	2			2	2	3	23	74
663	171	518	96	87	53	32	24	22	9	15	43	85	329	1,175
155	37	78	18	21	13	3	12	4	1	4	16	15	61	280
66	18	23	5	10	5	2			1	1	3	8	19	80
268	65	254	39	34	18	17	7	7	5	8	15	39	112	483
80	18	52	15	15	1	3	2	1	1	1	5	13	33	137
52	16	76	13	3	12	5	1	5		1	2	5	23	83
24	9	19	2	3	1	1		2			2	2	12	20
2	1	1	1										1	8
3				1									5	5
9	4	14	3		3	1	1	3	1			3	57	72
4	3	1											11	2
27,153	7,704	6,152	2,084	4,268	1,304	566	2,191	249	338	218	2,220	2,158	3,751	21,213
11,098	2,537	2,353	657	1,953	594	164	1,094	97	160	101	1,123	997	1,163	8,621
9,994	2,217	1,897	592	1,704	499	152	941	63	143	87	942	838	973	7,733
2,079	851	1,698	328	205	79	74	66	27	18	19	67	145	453	1,672
1,720	826	563	204	237	84	65	56	19	9	6	51	98	367	1,600
627	336	219	91	41	12	28	6	9	4	2	8	26	244	446
1,484	875	384	199	98	24	81	20	30	2	2	17	40	414	840
13	1	4											5	10
13	1												5	4
82	31	25	8	18	7	1	4	3	2	1	10	12	98	184
43	29	9	4	10	5	1	4	1			2	2	29	103

VITAL STATISTICS.

TABLE 1.—DEATHS FROM CERTAIN DISEASES AND CLASSES OF DISEASES, BY CONJUGAL
THE REGISTRATION RECORD—Continued.

	CAUSE AND CONJUGAL CONDITION.	White.	Colored.	AGE.									
				All ages.	Under 15	15 to 19	20 to 24	25 to 34	35 to 44	45 to 54	55 to 64	65 and over.	Un- known.
1	Diseases of the nervous system.....	58,662	3,655	62,317	21,694	886	964	2,628	3,860	5,548	7,686	18,874	177
2	Single.....(M..)	14,825	1,189	16,014	12,181	474	419	764	664	495	399	595	23
	(F..)	11,300	932	12,232	9,512	372	285	348	283	312	352	744	24
3	Married.....(M..)	11,837	482	12,319		5	58	596	1,388	2,091	2,859	5,299	23
	(F..)	7,415	353	7,768		30	160	710	1,077	1,538	1,787	2,445	21
4	Widowed.....(M..)	4,275	136	4,411		2	37	105	294	663	3,302	8	
	(F..)	7,926	437	8,363	1	2	3	61	200	619	1,418	6,046	13
5	Divorced.....(M..)	74		74			1	4	7	16	16	29	1
	(F..)	65	5	70				11	16	15	13		
6	Unknown.....(M..)	643	70	713		1	24	70	84	112	114	258	50
	(F..)	302	51	353		2	12	27	36	56	63	143	14
7	Diseases of the circulatory system.....	40,403	2,617	43,020	4,150	829	1,054	2,760	4,090	5,484	7,818	16,686	149
8	Single.....(M..)	5,477	397	5,874	2,143	377	399	712	632	480	512	606	13
	(F..)	4,288	223	4,511	2,006	418	346	352	286	261	278	554	10
9	Married.....(M..)	11,199	673	11,872		6	47	556	1,287	1,986	2,914	5,044	32
	(F..)	7,483	530	8,013	1	22	226	952	1,399	1,680	1,722	2,036	25
10	Widowed.....(M..)	4,070	205	4,275		2	4	34	134	337	749	3,010	5
	(F..)	6,893	460	7,353			10	60	224	621	1,395	5,026	17
11	Divorced.....(M..)	69	5	74				6	9	10	22	27	
	(F..)	31	4	35			3	1	7	7	9	7	
12	Unknown.....(M..)	595	69	664		2	10	55	74	111	142	240	30
	(F..)	298	51	349		2	9	32	38	41	75	136	16
13	Diseases of the respiratory system.....	74,243	5,992	80,235	36,780	1,336	2,089	4,946	5,693	6,020	7,292	15,903	176
14	Single.....(M..)	23,512	2,214	25,726	20,041	718	1,008	1,467	940	651	394	468	39
	(F..)	18,055	1,806	19,861	16,739	539	498	488	314	273	320	659	31
15	Married.....(M..)	11,415	835	12,250		6	153	1,271	2,231	2,386	2,469	3,713	21
	(F..)	8,199	471	8,670		62	354	1,436	1,593	1,471	1,628	2,113	13
16	Widowed.....(M..)	3,864	146	4,010			8	51	186	388	699	2,677	1
	(F..)	8,181	413	8,594		3	19	103	252	682	1,590	5,923	22
17	Divorced.....(M..)	54	4	58				2	11	15	14	16	
	(F..)	40	3	43			1	8	11	10	4	9	
18	Unknown.....(M..)	614	60	674		4	32	85	110	110	114	185	34
	(F..)	309	40	349		4	16	35	45	34	60	140	15
19	Diseases of the digestive system.....	26,499	1,732	28,231	7,214	1,070	1,401	3,086	3,336	3,278	3,464	5,302	80
20	Single.....(M..)	6,086	497	6,583	3,965	526	524	610	392	239	157	159	11
	(F..)	4,724	429	5,153	3,249	474	403	367	228	135	117	169	11
21	Married.....(M..)	5,884	272	6,156		4	76	653	1,134	1,334	1,371	1,575	9
	(F..)	5,346	297	5,643		59	359	1,252	1,245	1,013	880	822	13
22	Widowed.....(M..)	1,311	47	1,358		1	1	29	76	169	294	786	2
	(F..)	2,688	140	2,828		2	15	73	181	315	555	1,676	11
23	Divorced.....(M..)	26	1	27				1	6	3	4	13	
	(F..)	26	1	27			1	9	3	1	4		
24	Unknown.....(M..)	238	27	265			12	49	42	42	50	60	10
	(F..)	170	21	191		4	10	43	23	25	35	38	13
25	Diseases of the urinary organs.....	27,416	1,920	29,336	1,819	458	908	2,605	3,660	4,515	5,570	9,714	87
26	Single.....(M..)	3,678	307	3,985	967	202	319	618	586	469	386	430	8
	(F..)	2,329	198	2,527	851	207	250	302	229	207	195	281	5
27	Married.....(M..)	8,885	534	9,419		4	55	563	1,149	1,742	2,268	3,616	22
	(F..)	5,433	341	5,774		43	253	975	1,248	1,205	1,095	940	15
28	Widowed.....(M..)	2,992	137	3,129	1	1	1	23	107	291	562	2,139	4
	(F..)	3,456	280	3,736			7	53	223	466	915	2,067	5
29	Divorced.....(M..)	46	3	49			1	3	7	13	12	13	
	(F..)	21	1	22				1	5	8	5	3	
30	Unknown.....(M..)	423	74	497		1	12	44	68	79	100	170	23
	(F..)	153	45	198			10	23	38	35	32	55	5
31	Diseases of the female organs of generation.....	1,628	175	1,803	21	68	188	512	482	293	119	116	4
32	Single.....(F..)	299	57	356	21	43	80	89	58	38	19	7	1
33	Married.....(F..)	1,081	83	1,164		24	102	390	357	192	63	35	1
34	Widowed.....(F..)	217	31	248			3	25	57	57	31	74	1
35	Divorced.....(F..)	7		7				3	1	2	1		
36	Unknown.....(F..)	24	4	28		1	3	5	9	4	5		1
37	Accidents and injuries.....	22,493	1,627	24,120	5,604	1,403	1,981	4,194	3,694	2,511	1,832	2,548	353
38	Single.....(M..)	8,591	656	9,250	3,582	1,171	1,318	1,781	758	305	178	100	57
	(F..)	2,542	258	2,800	2,021	196	142	145	85	56	37	92	26
39	Married.....(M..)	6,145	348	6,493		10	232	1,419	1,825	1,338	883	745	40
	(F..)	1,638	94	1,732		17	141	437	419	281	200	231	6
40	Widowed.....(M..)	1,109	42	1,151			6	57	136	186	224	536	6
	(F..)	1,044	53	1,097		1	4	19	54	93	163	761	2
41	Divorced.....(M..)	45	2	47				6	12	14	11	4	
	(F..)	17	3	20			4	7	6	2	1		
42	Unknown.....(M..)	1,249	151	1,400		8	122	301	377	218	118	60	196
	(F..)	110	20	130			12	22	22	18	17	19	20
43	All other causes.....	65,565	5,132	70,697	36,016	991	1,730	3,596	2,890	2,182	2,939	20,113	240
44	Single.....(M..)	20,655	1,822	22,477	19,970	332	387	521	304	157	153	500	63
	(F..)	16,887	1,651	18,538	16,045	444	371	345	161	123	125	872	52
45	Married.....(M..)	6,506	354	6,860		4	39	391	684	812	972	3,941	17
	(F..)	7,841	404	8,245	1	202	878	2,162	1,493	681	747	2,060	21
46	Widowed.....(M..)	4,235	203	4,438			4	14	49	98	226	4,039	8
	(F..)	8,554	540	9,094		5	13	81	104	219	609	8,044	19
47	Divorced.....(M..)	32	1	33				4	4	4	4	17	
	(F..)	33	1	34				3	6	6	5	13	
48	Unknown.....(M..)	477	69	546			19	33	52	49	62	296	35
	(F..)	345	87	432		4	18	42	33	33	36	241	25

CAUSE AND CONJUGAL CONDITION.

9

CONDITION, COLOR, AGE, BIRTHPLACES OF MOTHERS, AND SEX: CENSUS YEAR 1900—Continued.

THE REGISTRATION RECORD—Continued.

BIRTHPLACES OF MOTHERS (WHITE).														
United States.	Ireland.	Germany.	England and Wales.	Canada.	Scandinavia.	Scotland.	Italy.	France.	Hungary.	Bohemia.	Russia and Poland.	Other foreign.	Unknown.	Not stated.
20,340	6,361	4,776	1,952	1,966	562	570	771	222	135	152	859	997	4,056	14,943
5,133	1,155	1,017	294	689	199	78	351	36	57	57	376	358	639	4,386
4,272	978	702	220	492	152	62	227	25	35	44	272	242	454	3,133
4,012	1,185	1,239	554	288	97	176	98	56	18	22	106	177	953	2,856
2,400	1,011	693	293	251	48	78	31	31	16	13	49	97	522	1,860
1,447	635	405	209	87	25	61	53	21	3	1	16	38	500	1,810
2,824	1,320	678	348	135	32	105	12	45	6	12	33	73	763	1,532
36	1	7	2	2	1	1	1	1	1	1	1	1	11	11
38	2	1	1	1	1	1	1	1	1	1	1	1	10	11
118	46	26	24	11	6	5	8	1	1	2	2	10	144	238
60	28	8	7	10	3	4	2	1	1	1	2	1	60	115
12,425	5,758	3,868	1,532	1,216	338	477	355	177	68	67	417	580	2,980	10,145
1,631	727	406	139	174	71	44	77	28	11	11	85	111	336	1,626
1,501	645	275	94	178	48	33	46	9	15	10	76	72	151	1,135
3,611	1,252	1,189	483	317	83	147	119	60	16	19	102	155	804	2,842
2,125	1,120	742	318	274	67	97	60	25	15	14	94	93	474	1,965
1,234	630	433	209	93	28	65	21	18	1	3	22	54	432	827
2,119	1,293	780	262	160	33	75	27	32	9	8	34	81	587	1,392
39	3	2	1	2	2	2	1	1	1	1	1	1	10	7
15	1	1	3	2	1	1	1	1	1	1	1	1	3	4
89	48	28	15	12	6	9	4	4	1	1	3	9	134	233
61	39	13	8	4	2	4	1	1	1	1	1	3	49	114
20,732	10,236	6,562	2,113	2,816	1,029	613	3,278	209	342	212	2,020	1,848	3,339	18,894
6,893	2,296	1,683	470	1,070	426	108	1,556	55	153	69	975	771	748	6,239
5,782	1,800	1,234	336	897	289	77	1,286	29	124	60	702	546	465	4,428
2,684	1,887	1,357	478	306	120	146	245	46	32	40	133	251	621	3,069
2,121	1,459	908	299	295	94	104	104	34	17	18	104	119	423	2,100
904	879	416	185	67	32	64	30	19	10	6	24	54	300	874
2,162	1,802	912	325	157	51	106	38	24	5	16	69	87	601	1,826
20	6	4	3	3	1	1	1	1	1	1	1	1	8	8
21	1	1	1	1	2	2	1	1	1	1	1	1	3	11
82	62	30	12	14	14	4	14	2	1	1	9	15	127	227
63	44	17	5	6	2	1	5	1	1	2	4	5	43	112
7,804	3,266	2,678	916	970	335	248	350	133	81	81	463	531	1,513	7,130
1,991	517	490	137	306	104	28	117	26	15	24	176	163	290	1,702
1,797	436	304	116	227	75	30	70	10	22	16	114	119	179	1,209
1,524	701	795	247	161	70	76	81	37	24	23	89	102	321	1,633
1,370	800	580	215	187	53	58	64	30	14	10	57	92	307	1,509
317	244	163	82	30	6	16	5	11	2	1	9	17	118	290
732	530	311	104	51	16	38	8	17	4	7	14	34	230	592
9	1	2	3	1	1	1	1	1	1	1	1	1	4	6
11	2	2	2	2	2	2	2	2	2	2	2	2	1	10
30	19	20	7	4	8	1	4	1	1	1	3	2	41	98
23	18	11	5	1	3	1	1	1	1	1	1	2	22	81
7,561	4,499	2,841	1,052	664	246	309	259	144	56	50	323	384	1,990	7,038
937	613	298	109	99	50	28	70	12	8	4	56	60	263	1,071
768	410	145	52	64	29	12	33	7	8	8	38	31	102	622
2,610	1,144	1,015	386	204	61	109	75	56	19	11	100	145	598	2,357
1,376	979	594	222	175	58	65	54	22	15	14	73	62	309	1,415
853	520	353	135	57	22	52	13	23	3	1	18	45	307	590
903	768	405	128	54	22	40	9	22	3	12	29	37	256	768
22	1	1	3	1	1	1	1	1	1	1	1	1	11	7
8	1	1	2	1	1	1	1	1	1	1	1	1	3	6
57	42	22	11	9	3	2	4	1	1	1	8	4	113	147
27	21	7	4	2	1	1	1	1	1	1	1	1	33	55
477	167	164	44	63	18	15	29	8	5	4	29	26	142	437
93	37	21	1	10	4	5	1	1	1	1	2	2	27	93
311	101	113	34	46	12	7	27	5	4	3	23	21	85	284
67	29	23	9	4	1	3	1	2	1	1	4	3	24	47
4	1	1	1	1	1	1	1	1	1	1	1	1	6	11
2	2	2	2	2	1	1	1	1	1	1	1	1	1	36
5,479	2,627	1,740	617	876	335	197	531	57	96	37	528	520	2,527	6,326
2,283	957	572	202	417	157	58	213	16	37	13	266	206	757	2,440
889	217	161	63	109	31	19	73	5	10	4	94	59	167	641
1,256	741	641	202	232	101	61	167	23	38	11	123	192	586	1,771
385	206	135	53	57	17	19	36	7	6	2	27	81	130	528
252	228	105	40	22	16	13	11	2	3	4	6	16	144	247
302	216	82	39	17	2	19	7	2	1	2	4	6	136	209
25	1	1	1	1	1	1	1	1	1	1	1	1	5	12
8	2	2	2	2	2	2	2	2	2	2	2	2	1	4
66	52	40	14	16	11	7	22	1	2	1	7	10	565	435
13	7	4	3	4	4	1	2	1	1	1	1	1	36	39
22,598	6,298	4,937	1,806	2,892	772	568	1,021	196	172	166	1,267	1,364	4,267	17,241
7,806	1,518	1,090	416	1,169	285	125	474	45	76	64	562	529	1,015	5,481
6,510	1,284	882	349	224	88	88	338	32	61	33	419	413	872	4,518
2,074	641	720	266	189	62	76	45	31	7	17	72	103	524	1,079
2,057	984	875	274	355	100	86	132	22	22	19	137	167	412	2,199
1,323	547	458	188	101	35	54	10	23	2	7	24	50	491	927
2,652	1,250	862	295	183	59	131	18	40	4	24	43	93	788	2,112
12	1	1	1	2	2	2	2	2	2	2	2	2	6	9
18	2	2	2	2	1	1	1	1	1	1	1	1	4	4
72	38	31	13	15	4	4	3	2	1	1	8	9	101	176
74	33	24	3	14	2	2	1	1	1	1	2	2	54	134

VITAL STATISTICS.

TABLE 1.—DEATHS FROM CERTAIN DISEASES AND CLASSES OF DISEASES, BY CONJUGAL
REGISTRATION CITIES.

	CAUSE AND CONJUGAL CONDITION.	White.	Colored.	AGE.									
				All ages.	Under 15	15 to 19	20 to 24	25 to 34	35 to 44	45 to 54	55 to 64	65 and over.	Un- known.
1	All causes	365,603	34,832	400,435	148,239	10,468	17,497	39,401	38,875	36,510	38,251	69,885	1,309
2	Single	108,296	11,033	119,329	80,293	5,094	7,381	11,121	6,619	3,738	2,381	2,463	239
3	Married	81,504	8,880	90,384	67,938	4,677	4,594	4,446	2,384	1,719	1,566	2,868	192
4	Widowed	63,396	5,109	68,505	2	60	1,077	8,641	13,217	13,960	13,730	17,687	131
5	Divorced	50,330	4,170	54,500	3	547	3,648	12,322	11,772	9,896	8,138	8,557	117
6	Unknown	18,874	1,154	20,028	2	5	40	512	1,251	2,354	3,672	12,163	29
7	Unknown cause	35,852	3,012	38,864	1	23	146	892	2,026	3,948	7,528	24,231	69
8	Single	280	20	300				33	69	73	60	62	1
9	Married	244	26	270			15	57	70	50	40	35	2
10	Widowed	4,830	878	5,708		25	399	970	1,091	942	785	1,109	387
11	Divorced	1,997	550	2,547		36	195	407	376	330	351	710	142
12	Unknown	2,663	676	3,339	1,409	61	89	241	317	315	308	474	125
13	Alcoholism	824	236	1,060	779	30	29	59	55	27	26	22	33
14	Single	593	216	809	630	31	27	24	21	19	16	15	26
15	Married	421	63	484			6	45	95	117	104	116	1
16	Widowed	329	46	375			20	75	90	71	59	56	4
17	Divorced	148	15	163				5	11	22	30	93	2
18	Unknown	175	50	225				4	13	28	41	137	2
19	Consumption	4		4						1		3	
20	Single	2		2							2		
21	Married	107	35	142			4	20	23	24	22	19	30
22	Widowed	60	15	75			3	9	9	6	8	13	27
23	Alcoholism	1,761	46	1,807	2	2	40	411	618	408	200	107	19
24	Single	620	22	642	1	1	20	210	223	106	56	22	3
25	Married	45	1	46	1	1	4	17	12	4	4	2	1
26	Widowed	544	10	554			5	79	213	162	62	32	1
27	Divorced	197	4	201			9	60	81	33	13	4	1
28	Unknown	159	2	161			1	11	35	46	35	30	3
29	Consumption	63	1	64				9	13	21	13	8	
30	Single	9	1	10				4	3	2	1		
31	Married	3		3				1	2				
32	Widowed	107	3	110			17	29	32	15	8	9	
33	Divorced	14	2	16			1	3	7	1	1	1	
34	Unknown	38,360	5,758	44,118	2,797	2,993	6,074	12,976	9,068	5,083	2,949	2,085	93
35	Single	10,518	1,652	12,170	1,308	1,217	2,511	3,954	1,919	795	294	160	12
36	Married	6,500	1,280	7,780	1,488	1,606	1,872	1,799	568	232	114	93	8
37	Widowed	8,721	1,088	9,809		18	325	2,644	3,054	1,992	1,155	606	15
38	Divorced	8,153	1,022	9,175	1	130	1,135	3,701	2,385	1,029	515	262	17
39	Unknown	1,628	156	1,784			19	221	388	471	335	353	2
40	Single	1,987	300	2,287		6	54	337	485	394	455	546	5
41	Married	34	4	38				5	16	11	5	1	
42	Widowed	35	6	41			3	14	11	7	3	3	
43	Divorced	546	151	697		5	96	192	167	123	59	36	19
44	Unknown	238	99	337		11	59	109	75	29	14	25	15
45	Cancer and tumor	13,227	551	13,778	182	56	132	694	1,977	3,297	3,564	3,846	30
46	Single	758	48	806	93	28	56	94	117	165	126	127	
47	Married	979	52	1,031	89	23	36	98	209	204	178	189	5
48	Widowed	3,237	77	3,314		1	9	122	380	830	1,006	964	2
49	Divorced	4,374	195	4,569		3	25	334	1,018	1,402	1,105	676	6
50	Unknown	855	27	882		1		6	32	116	232	494	1
51	Single	2,713	124	2,837			4	28	177	492	831	1,303	2
52	Married	11		11						3	5	3	
53	Widowed	24		24					4	5	9	5	
54	Divorced	131	12	143			2	3	16	35	33	47	7
55	Unknown	145	16	161				8	24	45	39	38	7
56	Suicide	2,681	66	2,747	5	106	261	611	649	542	311	236	26
57	Single	587	23	610	2	37	120	211	120	63	32	22	3
58	Married	200	13	213	3	60	53	53	20	11	3	3	2
59	Widowed	1,096	17	1,113		1	24	185	325	320	161	90	7
60	Divorced	305	7	312		7	47	95	96	44	16	7	
61	Unknown	233	2	235			3	20	27	46	71	68	
62	Single	73		73				10	10	14	12	27	
63	Married	12		12				1	4	4	1	2	
64	Widowed	7		7		1		1	2	3			
65	Divorced	151	3	154			4	28	41	36	15	17	13
66	Unknown	17	1	18			5	7	4	1		1	
67	General diseases—A	64,962	6,012	70,974	48,393	1,784	2,455	4,118	3,083	2,567	2,728	5,705	141
68	Single	27,032	2,288	29,320	25,233	851	1,085	1,078	461	244	126	213	29
69	Married	23,775	2,025	25,800	23,157	826	601	446	202	135	149	261	23
70	Widowed	4,819	536	5,355	1	13	164	1,002	1,055	978	905	1,227	10
71	Divorced	4,289	474	4,763	1	76	446	1,268	985	658	566	744	19
72	Unknown	1,361	105	1,466	1		3	39	82	137	254	947	3
73	Single	3,055	298	3,353		5	15	66	148	306	641	2,165	7
74	Married	19		19				5	4	2	2	6	
75	Widowed	18	4	22			3	6	5	1		6	1
76	Divorced	396	173	569		5	86	142	101	71	50	76	38
77	Unknown	198	109	307		8	52	66	40	35	35	60	11

CAUSE AND CONJUGAL CONDITION.

11

CONDITION, COLOR, AGE, BIRTHPLACES OF MOTHERS, AND SEX: CENSUS YEAR 1900—Continued.

REGISTRATION CITIES.

BIRTHPLACES OF MOTHERS (WHITE).

United States.	Ireland.	Germany.	England and Wales.	Canada.	Scandinavia.	Scotland.	Italy.	France.	Hungary.	Bohemia.	Russia and Poland.	Other foreign.	Unknown.	Not stated.	
82,399	50,000	34,990	10,442	11,652	4,857	3,211	8,721	1,433	1,322	1,122	8,327	7,784	20,277	119,066	1
27,806	11,844	7,932	2,233	4,250	1,729	602	3,822	331	499	362	3,526	2,852	5,138	35,370	2
23,379	8,778	5,486	1,646	3,363	1,217	447	2,893	180	400	268	2,547	2,052	3,271	25,577	3
11,150	8,900	8,388	2,491	1,431	751	792	942	335	197	223	1,014	1,304	3,639	21,839	4
8,861	8,363	5,862	1,726	1,547	641	554	707	218	140	135	742	799	2,707	17,328	5
3,193	3,800	2,548	806	314	195	274	124	126	33	28	137	265	1,516	5,515	6
7,246	7,737	4,899	1,401	630	233	488	160	214	45	89	286	415	2,429	10,080	7
89	13	14	11	9	1	5	1	1	1	1	1	1	31	103	8
94	11	4	8	9	1	3	1	1	1	1	1	1	27	86	9
357	352	239	89	65	68	36	58	21	8	9	58	77	1,196	2,197	10
224	202	118	31	34	21	10	15	6	1	7	16	19	323	971	11
589	223	174	67	79	41	16	33	6	7	7	53	73	200	1,095	12
200	60	33	9	31	13	3	17	2	3	2	31	26	51	343	13
163	34	36	10	23	18	2	8	2	2	2	11	27	54	223	14
76	43	37	22	8	6	3	2	1	1	1	8	9	25	180	15
59	45	34	12	10	1	3	5	1	2	1	1	5	26	125	16
31	13	19	7	2	1	2	1	1	1	1	3	3	15	55	17
45	18	11	5	4	1	1	1	1	1	1	3	1	10	75	18
2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	19
7	7	2	1	1	1	1	1	1	1	1	1	1	25	62	20
6	3	2	1	1	1	1	1	1	1	1	1	1	13	31	21
169	437	141	68	35	23	22	3	6	4	4	11	17	219	602	22
72	177	44	18	11	8	4	1	1	1	1	8	62	214	13	23
3	11	4	1	1	5	3	1	3	3	4	5	4	53	192	24
51	113	63	29	10	5	7	2	3	3	4	2	1	24	55	25
22	63	10	9	5	2	3	1	1	1	1	2	2	25	48	26
12	42	14	6	2	2	4	1	1	1	1	1	1	6	19	27
4	23	3	3	2	2	1	1	1	1	1	1	1	4	15	28
2	1	1	1	1	1	1	1	1	1	1	1	1	2	12	29
1	6	3	2	1	6	1	1	1	1	1	1	2	32	52	30
2	1	1	1	1	1	1	1	1	1	1	1	1	9	3	31
6,339	8,201	3,854	968	1,242	698	388	484	165	99	110	494	680	2,101	12,587	32
1,710	2,481	896	234	323	178	84	146	45	27	29	128	187	593	3,457	33
1,471	1,385	460	129	286	100	50	76	18	13	12	63	99	284	2,054	34
1,236	1,676	1,167	260	167	114	119	41	32	38	38	154	206	369	2,906	35
1,322	1,585	848	214	312	194	79	114	35	18	25	107	129	455	2,716	36
191	460	231	45	35	29	25	16	10	5	2	11	22	105	441	37
337	523	204	72	39	16	30	9	12	3	1	18	19	150	564	38
9	2	2	1	1	1	1	1	1	1	1	1	1	1	17	39
11	2	1	1	1	1	1	1	1	1	1	1	1	5	15	40
35	67	26	13	6	11	6	3	3	1	2	9	13	102	249	41
17	20	19	3	3	2	2	1	1	1	1	4	5	37	128	42
2,412	1,859	1,895	513	326	138	170	101	79	24	41	196	230	776	4,467	43
119	106	78	26	18	11	9	7	3	1	1	7	14	45	314	44
246	212	64	25	12	16	19	1	4	1	1	7	6	50	315	45
481	361	579	135	87	39	46	31	21	5	15	94	85	127	1,131	46
869	519	612	174	127	36	51	40	22	9	14	54	72	257	1,518	47
123	148	145	41	23	12	9	5	6	2	2	5	14	54	268	48
530	483	384	106	54	20	35	15	23	8	6	26	35	201	787	49
4	1	1	1	1	1	1	1	1	1	1	1	1	2	4	50
11	2	1	1	1	1	1	1	1	1	1	1	1	2	7	51
12	12	18	2	3	1	1	1	1	1	1	1	1	24	56	52
17	15	14	3	2	3	1	2	1	1	2	2	3	14	67	53
334	138	447	78	51	42	26	18	18	9	15	41	64	254	1,146	54
91	30	67	17	9	10	3	9	3	1	4	14	10	52	267	55
43	14	22	4	5	5	2	1	1	1	1	3	6	16	78	56
123	53	219	34	21	16	12	6	4	5	8	15	27	79	474	57
35	16	46	8	11	1	3	2	1	1	1	5	11	29	135	58
22	11	66	10	3	7	4	1	5	1	1	2	5	10	86	59
10	9	15	2	1	1	1	1	2	1	1	2	2	8	20	60
1	1	1	1	1	1	1	1	1	1	1	1	1	1	8	61
1	1	1	1	1	1	1	1	1	1	1	1	1	1	5	62
7	2	10	3	1	2	1	1	3	1	1	3	3	48	71	63
1	2	1	1	1	1	1	1	1	1	1	1	1	11	2	64
17,363	6,551	5,244	1,601	2,788	1,041	413	2,025	214	307	206	2,060	1,770	2,764	20,615	65
7,605	2,287	2,043	531	1,305	477	126	1,013	81	149	98	1,046	835	971	8,465	66
6,924	1,959	1,673	478	1,105	394	121	863	66	127	79	869	695	835	7,592	67
980	649	554	240	127	65	48	59	25	14	19	62	107	288	1,582	68
851	638	458	138	138	63	40	53	15	9	5	47	75	237	1,522	69
246	261	174	61	19	12	22	6	8	4	2	7	18	122	399	70
683	711	310	143	71	20	54	19	26	2	2	17	29	208	760	71
6	1	2	1	1	1	1	1	1	1	1	1	1	1	10	72
8	1	1	1	1	1	1	1	1	1	1	1	1	1	4	73
39	25	22	7	13	5	1	2	2	2	1	10	9	77	179	74
21	20	8	3	8	6	1	3	1	1	1	2	2	22	102	75

VITAL STATISTICS.

TABLE 1.—DEATHS FROM CERTAIN DISEASES AND CLASSES OF DISEASES, BY CONJUGAL
REGISTRATION CITIES—Continued.

	CAUSE AND CONJUGAL CONDITION.	White.	Colored.	AGE.									
				All ages.	Under 15	15 to 19	20 to 24	25 to 34	35 to 44	45 to 54	55 to 64	65 and over.	Un- known.
1	Diseases of the nervous system.....	42,976	3,451	46,427	18,189	688	778	2,109	3,134	4,360	5,638	11,408	123
2	Single.....	M.. 11,954 F.. 9,105	1,122	13,076 10,169	8,019	366	347	622	545	393	284	336	14
3	Married.....	M.. 8,137 F.. 4,989	461	8,598 5,315	23	4	228	490	1,141	1,664	2,083	3,156	13
4	Widowed.....	M.. 2,669 F.. 5,380	124	2,793 5,747	1	2	1	31	84	231	505	1,937	7
5	Divorced.....	M.. 42 F.. 33	417	42	2	1	1	54	172	534	1,139	3,835	4
6	Unknown.....	M.. 486 F.. 231	67	553 281	2	21	60	74	94	96	169	38	12
7	Diseases of the circulatory system.....	28,854	2,471	31,325	3,300	675	886	2,385	3,481	4,458	5,855	10,198	87
8	Single.....	M.. 4,349 F.. 3,423	380	4,729 3,633	1,681	304	338	636	574	400	406	383	7
9	Married.....	M.. 7,597 F.. 5,342	636	8,233 5,848	1	3	38	489	1,096	1,624	2,086	2,879	18
10	Widowed.....	M.. 2,575 F.. 4,825	183	2,758 5,261	2	3	182	796	1,130	1,254	1,209	1,243	14
11	Divorced.....	M.. 34 F.. 20	5	39	2	3	3	51	116	282	588	1,732	4
12	Unknown.....	M.. 472 F.. 217	62	534 267	1	7	52	70	97	114	171	22	8
13	Diseases of the respiratory system.....	60,268	5,746	66,014	31,858	1,044	1,752	4,287	4,835	5,017	5,865	11,229	127
14	Single.....	M.. 20,074 F.. 15,232	2,136	22,210 16,968	17,382	558	853	1,321	841	574	334	317	30
15	Married.....	M.. 8,809 F.. 6,206	804	9,613 6,649	427	5	423	432	258	215	246	466	25
16	Widowed.....	M.. 2,860 F.. 6,272	136	2,996 6,661	43	291	1,177	1,305	1,143	1,256	1,430	1,862	4
17	Divorced.....	M.. 29 F.. 32	4	33	3	18	97	235	600	1,335	4,361	12	7
18	Unknown.....	M.. 510 F.. 244	57	567 283	4	27	75	104	95	94	138	30	12
19	Diseases of the digestive system.....	20,095	1,662	21,757	5,753	821	1,169	2,582	2,809	2,688	2,616	3,311	58
20	Single.....	M.. 4,818 F.. 3,657	476	5,294 4,070	3,177	400	432	513	345	195	118	106	8
21	Married.....	M.. 4,353 F.. 4,035	258	4,611 4,322	4	63	536	964	1,085	1,017	936	6	7
22	Widowed.....	M.. 916 F.. 1,940	45	961 2,074	1	1	26	66	148	234	483	2	7
23	Divorced.....	M.. 16 F.. 17	1	17	1	8	1	5	2	2	7	1	8
24	Unknown.....	M.. 197 F.. 146	27	224 166	4	11	47	39	36	41	42	13	13
25	Diseases of the urinary organs.....	21,302	1,819	23,121	1,515	364	769	2,246	3,193	3,884	4,485	6,597	68
26	Single.....	M.. 3,059 F.. 1,927	298	3,357 2,110	800	161	281	549	532	410	330	289	5
27	Married.....	M.. 6,649 F.. 4,283	507	7,156 4,589	174	2	214	487	1,000	1,492	1,778	2,336	13
28	Widowed.....	M.. 2,107 F.. 2,767	125	2,232 3,037	1	1	19	818	95	265	458	1,391	1
29	Divorced.....	M.. 26 F.. 15	2	28	7	51	214	429	792	1,539	5	4	5
30	Unknown.....	M.. 347 F.. 122	72	419 167	1	10	40	63	69	93	121	22	4
31	Diseases of the female organs of generation.....	1,328	170	1,498	18	58	163	459	416	229	77	74	4
32	Single.....	F.. 253	56	309	18	37	71	77	53	33	14	5	1
33	Married.....	F.. 874	80	954	20	88	350	300	139	38	18	1	1
34	Widowed.....	F.. 174	30	204	3	24	53	1	52	20	51	1	1
35	Divorced.....	F.. 6	4	6	1	1	5	9	4	4	1	1	1
36	Unknown.....	F.. 21	4	25	1	1	5	9	4	4	1	1	1
37	Accidents and injuries.....	17,309	1,524	18,833	4,437	1,062	1,567	3,443	3,024	2,042	1,428	1,600	230
38	Single.....	M.. 6,657 F.. 1,968	614	7,271 2,208	2,830	882	1,000	1,454	631	241	131	59	43
39	Married.....	M.. 4,722 F.. 1,289	327	5,049 1,372	1	6	193	1,154	1,459	1,090	678	445	23
40	Widowed.....	M.. 808 F.. 722	39	847	14	121	359	46	114	210	156	157	5
41	Divorced.....	M.. 26 F.. 15	2	28	1	4	19	49	82	136	479	2	2
42	Unknown.....	M.. 1,014 F.. 88	147	1,161 107	8	115	265	319	189	101	43	121	18
43	All other causes.....	49,817	4,880	54,697	30,381	754	1,362	2,839	2,271	1,670	2,227	13,015	178
44	Single.....	M.. 17,046 F.. 13,847	1,738	18,784 15,423	16,838	259	309	420	256	125	118	407	52
45	Married.....	M.. 4,291 F.. 5,665	325	4,616 6,046	3	36	307	559	609	723	2,370	9	9
46	Widowed.....	M.. 2,555 F.. 5,756	195	2,750 6,209	135	669	1,121	503	520	520	1,395	11	11
47	Divorced.....	M.. 18 F.. 17	1	19	4	13	72	85	185	510	5,389	11	3
48	Unknown.....	M.. 366 F.. 256	69	435 337	16	29	45	41	52	222	30	17	17

CAUSE AND CONJUGAL CONDITION.

13

CONDITION, COLOR, AGE, BIRTHPLACES OF MOTHERS, AND SEX: CENSUS YEAR 1900—Continued.

REGISTRATION CITIES—Continued.

BIRTHPLACES OF MOTHERS (WHITE).														
United States.	Ireland.	Germany.	England and Wales.	Canada.	Scandinavia.	Scotland.	Italy.	France.	Hungary.	Bohemia.	Russia and Poland.	Other foreign.	Unknown.	Not stated.
11,106	5,110	3,968	1,356	1,193	430	389	698	181	121	147	797	761	2,475	14,244
3,434	949	845	237	449	157	60	321	30	48	55	344	269	483	4,273
2,845	844	604	178	331	113	50	205	22	31	42	254	198	350	3,038
1,830	917	1,081	371	154	72	118	87	48	17	21	101	136	557	2,677
1,001	795	554	192	131	36	46	49	26	16	13	48	70	287	1,725
596	471	324	120	41	19	40	12	19	3	1	15	26	231	751
1,281	1,076	583	237	75	29	66	16	34	6	12	31	53	418	1,413
16		2	2	1		1					1	1	6	12
13	1		1										7	11
57	38	21	13	6	3	5	7	1		2	2	7	91	233
33	19	4	5	5	1	3	1	1		1	1	1	45	111
5,947	4,643	3,173	1,025	706	276	314	326	138	67	65	383	458	1,792	9,541
960	613	360	114	108	61	30	69	24	10	10	76	92	250	1,572
962	558	233	69	120	41	25	42	9	15	10	70	58	112	1,099
1,571	956	937	322	160	63	91	111	41	16	19	97	124	452	2,637
914	905	618	216	165	58	64	54	21	15	13	89	70	286	1,854
467	484	343	112	43	19	36	20	14	1	3	19	33	227	754
980	1,063	646	174	100	28	57	25	24	9	9	30	70	330	1,280
15	1	2	1	1		2				1			4	7
9	1		1	1		1		1					1	4
41	36	22	10	5	6	7	4	4	1		2	9	98	227
28	26	12	5	3		1	1					2	32	107
13,060	8,881	5,761	1,608	1,817	852	502	3,106	181	321	207	1,912	1,588	2,351	18,171
4,938	2,074	1,495	381	709	353	96	1,474	53	143	68	916	658	650	6,066
4,051	1,648	1,098	281	589	240	64	1,229	24	116	60	666	464	405	4,237
1,332	1,572	1,173	336	183	101	117	224	39	30	38	127	202	396	2,939
1,038	774	774	211	183	72	88	27	16	18	18	97	89	258	1,995
422	722	363	129	36	29	47	29	16	10	5	24	39	170	819
1,173	1,534	812	255	103	43	83	37	20	5	16	69	70	341	1,711
7	4	3	3	2									3	7
16	1		1	1		2							2	10
47	47	27	8	10	12	4	13	2	1	1	9	12	96	221
36	35	16	4	1	2	1	4			1	4	4	30	106
4,197	2,718	2,205	650	579	248	178	320	113	72	77	412	417	1,074	6,835
1,219	440	407	108	190	76	21	107	25	11	21	157	136	253	1,647
1,096	391	248	89	140	57	17	65	9	21	15	96	90	148	1,175
677	569	651	170	88	53	58	76	23	22	23	84	80	211	1,562
681	661	467	147	114	33	44	57	24	12	10	51	68	221	1,445
132	194	133	52	15	6	9	5	9	2	1	8	14	66	270
351	435	273	76	26	14	27	6	15	4	7	13	27	120	546
5		2	2	1									1	5
5		1	1	1										10
19	13	14	3	3	6	1	3	1			3	1	35	95
12	15	9	3	1	3	1	1	1				1	19	80
4,044	3,888	2,486	778	425	203	241	238	129	52	49	309	324	1,365	6,771
587	537	266	88	67	40	20	63	12	8	3	54	51	211	1,052
500	369	132	47	42	22	11	33	7	7	8	38	25	81	605
1,297	957	875	265	123	48	84	67	49	17	11	95	117	389	2,255
721	856	518	166	108	51	54	50	18	14	14	72	53	226	1,362
377	423	306	94	36	19	35	11	20	3	1	16	39	179	548
506	696	363	104	41	19	34	9	21	3	12	27	35	161	736
10	1		2										6	7
4	1	1	2										1	6
28	31	18	8	6	3	2	4	1			7	4	90	145
14	17	7	2	2	1	1	1	1					21	55
295	141	145	36	47	16	11	29	8	5	3	29	21	120	422
64	33	20	1	6	3	3	1	1	1	1	2	2	26	89
185	85	103	27	34	11	6	27	5	4	2	23	16	71	275
43	23	20	8	4	1	2	1	2			4	3	17	46
3			1	1										2
		2	2	2	1								6	10
3,037	2,100	1,392	438	508	245	151	433	45	80	33	468	378	1,874	6,127
1,334	757	444	142	221	109	47	179	12	33	11	231	145	617	2,375
525	181	123	49	75	25	14	65	3	8	4	90	44	146	616
663	575	526	143	144	76	48	120	19	29	9	106	138	418	1,708
212	180	104	32	35	13	13	34	6	4	2	23	26	87	518
113	178	86	33	18	12	9	10	2	3	4	6	15	86	233
134	182	72	24	7	1	14	7	1	1	2	4	3	80	190
8	1							1					4	12
7	2			1									1	4
35	40	33	13	6	9	5	18	1	2	1	7	7	405	432
6	4	4	2	1		1				1	1		30	39
13,507	5,110	4,105	1,256	1,856	604	390	907	150	154	158	1,162	1,053	2,912	16,493
5,537	1,333	954	328	869	236	99	417	40	64	61	522	421	900	5,325
4,486	1,139	769	285	183	183	66	299	27	57	33	378	338	776	4,383
833	459	576	164	90	40	46	38	15	7	17	66	69	275	1,596
951	771	716	180	174	70	60	126	16	20	17	124	114	243	2,083
461	393	344	96	41	28	32	9	17	2	6	22	35	226	843
1,169	961	703	192	103	41	83	15	32	4	22	41	68	379	1,943
4				1		1							3	9
1	1			1	1								3	6
28	28	23	7	6	3	3	2	2		1	7	8	73	175
33	25	20	3	4	2		1	1		1	2		34	130

VITAL STATISTICS.

TABLE 1.—DEATHS FROM CERTAIN DISEASES AND CLASSES OF DISEASES, BY CONJUGAL
REGISTRATION STATES.

CAUSE AND CONJUGAL CONDITION.		White.	Colored.	AGE.									
				All ages.	Under 15	15 to 19	20 to 24	25 to 34	35 to 44	45 to 54	55 to 64	65 and over.	Un- known.
1	All causes	292, 618	9, 052	301, 670	102, 225	7, 118	11, 090	25, 523	25, 284	25, 374	30, 564	73, 636	856
2	Single	M. 77, 816 F. 61, 026	2, 823 2, 506	80, 639 63, 532	55, 506 46, 716	3, 492 3, 138	4, 653 2, 906	6, 948 3, 060	3, 795 1, 710	2, 232 1, 442	1, 600 1, 428	2, 279 3, 012	134 120
3	Married	M. 53, 307 F. 42, 613	1, 285 1, 082	54, 592 43, 695	1 1	38 425	686 2, 548	5, 452 8, 659	8, 458 8, 505	9, 418 7, 400	10, 950 7, 206	19, 463 8, 860	126 91
4	Widowed	M. 19, 113 F. 34, 382	354 835	19, 467 35, 217	1 11	1 22	351 511	848 1, 230	1, 560 2, 654	2, 872 5, 819	13, 779 24, 838	33 8	
5	Divorced	M. 318 F. 252	4 9	322 261	2 2	20 9	43 36	63 48	78 53	116 49	64 775	2 200	
6	Unknown	M. 2, 629 F. 1, 162	96 58	2, 725 1, 220	3 10	121 69	349 137	507 140	411 141	359 203	775 450	200 70	
7	Unknown cause	2, 253	73	2, 326	1, 115	44	47	118	167	164	194	426	51
8	Single	M. 739 F. 580	31 21	770 601	619 496	22 17	15 15	33 14	25 11	12 8	14 7	17 22	13 11
9	Married	M. 323 F. 256	6 5	329 261	5	7	25 7	50 39	59 60	79 48	109 57	45 76	1 1
10	Widowed	M. 114 F. 159	2 5	116 164	4	1	3	1 3	7 13	18 20	76 124	1 1	
11	Divorced	M. 4 F. 6	4 3	8 6	1	1	1	1 7	1 6	2 7	3 11	3 16	2 9
12	Unknown	M. 47 F. 25	3 1	50 25	2 1	2 1	7 1	4 4	6 4	7 1	11 5	16 9	
13	Alcoholism	1, 138	16	1, 154	2	2	22	278	373	246	184	86	11
14	Single	M. 381 F. 31	8 4	389 31	1 1	1 1	12 1	144 15	124 5	55 3	34 5	18 2	2
15	Married	M. 357 F. 144	4 1	361 145	3	3	52 4	127 44	104 57	42 28	31 10	1 24	1 2
16	Widowed	M. 100 F. 39	1 2	101 41	8	8	22 5	26 9	19 9	24 11	7 7	2 2	2
17	Divorced	M. 11 F. 2	1 2	11 2	1	1	1 1	3 1	4 1	1 1	2 3	2 5	1
18	Unknown	M. 60 F. 13	6 1	60 13	1 1	8 1	20 5	13 3	10 2	3 2	5 1	1 3	1
19	Consumption	29, 131	1, 546	30, 677	1, 824	2, 082	3, 991	8, 820	5, 973	3, 458	2, 286	2, 193	50
20	Single	M. 7, 436 F. 5, 032	455 360	7, 891 5, 392	841 983	869 1, 104	1, 627 1, 250	2, 632 1, 253	1, 158 396	442 184	196 115	125 99	1 8
21	Married	M. 6, 498 F. 6, 634	296 281	6, 794 6, 915	10 94	227 789	1, 746 2, 696	1, 989 1, 730	1, 832 793	859 471	619 333	12 9	9
22	Widowed	M. 1, 350 F. 1, 742	44 71	1, 394 1, 813	6 2	161 33	282 206	338 306	240 296	361 360	6 5	6 5	5
23	Divorced	M. 20 F. 27	1 2	21 29	3 3	3 3	1 10	7 5	6 1	4 3	3 3	1 1	1
24	Unknown	M. 275 F. 117	20 16	295 133	34 3	76 22	71 39	46 29	31 16	32 13	5 3	5 3	3
25	Cancer and tumor	11, 641	161	11, 802	130	45	71	473	1, 401	2, 470	2, 938	4, 245	29
26	Single	M. 499 F. 890	8 15	507 905	71 59	18 23	30 22	53 60	71 151	85 201	70 176	108 208	1 5
27	Married	M. 2, 793 F. 3, 902	24 60	2, 817 3, 962	1 3	2 13	76 262	269 754	591 1, 116	784 1, 035	1, 090 770	4 9	9
28	Widowed	M. 810 F. 2, 533	8 43	818 2, 576	2 2	20 17	89 113	165 344	541 650	1, 445 5	5	5	5
29	Divorced	M. 11 F. 31	1 2	11 31	6 1	4 1	1 1	4 1	7 15	8 20	11 36	2 2	2
30	Unknown	M. 80 F. 92	1 2	81 94	7 1	12 2	21 12	46 21	31 24	32 32	5 3	5 3	3
31	Suicide	1, 714	14	1, 728	8	62	140	321	370	340	239	238	10
32	Single	M. 348 F. 125	2 7	350 132	3 5	29 28	64 34	110 28	69 21	40 9	22 3	12 3	1 1
33	Married	M. 713 F. 197	2 1	715 197	1 4	13 21	105 46	165 58	194 35	134 21	101 12	2 2	2
34	Widowed	M. 168 F. 65	1 4	169 65	2 1	7 5	15 7	28 15	38 13	77 25	2 2	2	2
35	Divorced	M. 4 F. 4	4 4	8 4	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1
36	Unknown	M. 73 F. 17	2 1	75 17	2 1	12 4	30 6	15 3	7 2	6 1	6 1	3 1	3
37	General diseases—A	49, 926	1, 453	51, 379	34, 242	1, 075	1, 335	2, 293	1, 826	1, 658	2, 133	6, 741	76
38	Single	M. 19, 772 F. 17, 482	596 597	20, 368 18, 079	17, 984 16, 257	510 501	599 311	593 275	227 143	143 109	86 134	211 335	15 14
39	Married	M. 4, 152 F. 3, 495	82 77	4, 234 3, 572	1 1	5 52	106 280	548 773	650 658	645 477	724 497	1, 544 826	11 9
40	Widowed	M. 1, 447 F. 3, 261	29 62	1, 476 3, 323	1 1	1 8	27 34	40 68	70 181	165 481	1, 172 2, 542	1 8	1
41	Divorced	M. 20 F. 19	2 2	20 21	3 2	3 2	3 3	2 5	3 2	5 2	7 6	7 1	7
42	Unknown	M. 182 F. 96	6 2	188 98	1 5	18 10	28 9	25 8	24 4	21 18	62 36	1 8	1

CAUSE AND CONJUGAL CONDITION.

15

CONDITION, COLOR, AGE, BIRTHPLACES OF MOTHERS, AND SEX: CENSUS YEAR 1900—Continued.

REGISTRATION STATES.

BIRTHPLACES OF MOTHERS (WHITE).														
United States.	Ireland.	Germany.	England and Wales.	Canada.	Scandinavia.	Scotland.	Italy.	France.	Hungary.	Bohemia.	Russia and Poland.	Other foreign.	Unknown.	Not stated.
118,143	53,412	29,221	11,899	17,766	4,193	3,770	8,674	1,197	1,046	561	6,906	8,096	21,930	5,804
32,499	12,255	6,621	2,294	6,239	1,494	663	3,841	291	405	191	2,906	2,906	4,069	1,142
27,725	9,151	4,508	1,725	4,924	1,089	502	2,907	166	338	142	2,121	2,142	2,697	889
20,421	9,681	7,041	2,938	2,343	667	926	912	293	129	96	833	1,339	4,462	1,226
15,831	9,143	5,065	2,065	2,538	545	656	690	174	118	68	638	918	3,100	1,064
6,939	4,243	2,212	1,094	556	153	357	109	100	23	16	120	285	2,403	503
13,486	8,328	3,534	1,630	969	179	616	151	164	32	41	242	429	3,690	891
183	16	17	14	13	2	5	-----	-----	-----	1	3	3	59	2
166	15	5	9	13	-----	3	-----	2	-----	-----	-----	1	35	3
538	359	157	93	106	47	26	47	5	1	5	37	59	1,102	47
355	221	61	37	65	17	16	17	2	-----	1	6	14	313	37
1,077	228	146	68	209	33	24	33	2	5	1	60	69	203	95
380	56	38	9	85	7	5	16	1	2	-----	32	24	49	35
306	34	36	14	67	17	3	8	-----	2	1	20	26	26	20
141	49	30	16	26	1	2	3	-----	-----	-----	7	11	23	14
104	41	21	14	18	4	7	5	1	1	-----	-----	2	25	13
49	17	8	8	2	3	-----	-----	-----	-----	-----	-----	4	20	3
76	26	10	5	6	1	5	1	-----	-----	-----	1	2	22	4
3	-----	-----	-----	-----	-----	1	-----	-----	-----	-----	-----	-----	-----	-----
1	-----	1	1	-----	-----	1	-----	-----	-----	-----	-----	-----	2	-----
9	4	2	-----	2	-----	-----	-----	-----	-----	-----	-----	-----	26	4
8	1	-----	1	3	-----	-----	-----	-----	-----	-----	-----	-----	10	2
187	443	115	62	47	18	23	3	5	2	3	8	12	199	11
77	176	35	17	13	6	3	-----	-----	-----	-----	-----	3	46	5
3	12	2	-----	1	-----	3	1	-----	-----	-----	-----	-----	9	-----
66	115	57	23	16	5	7	2	4	2	3	3	3	48	3
22	63	8	12	8	2	3	-----	1	-----	3	1	1	22	1
11	41	9	5	3	1	4	-----	-----	-----	-----	3	1	20	2
2	24	1	2	2	-----	2	-----	-----	-----	-----	-----	-----	6	-----
3	2	1	1	2	-----	-----	-----	-----	-----	-----	-----	1	1	-----
1	1	-----	-----	-----	-----	1	-----	-----	-----	-----	-----	-----	-----	-----
2	8	2	1	1	4	1	-----	-----	-----	-----	1	3	37	-----
-----	1	-----	1	1	-----	-----	-----	-----	-----	-----	-----	-----	10	-----
8,976	8,737	3,175	1,083	1,833	544	425	476	128	81	60	432	718	1,942	521
2,125	2,611	719	241	433	126	95	148	38	22	14	120	184	464	96
1,891	1,476	366	140	423	84	54	73	15	12	9	52	115	235	87
1,821	1,776	951	301	354	140	124	113	30	22	20	131	199	401	115
2,164	1,713	748	248	488	145	83	117	26	17	14	96	156	461	153
296	504	193	55	51	22	27	14	8	5	2	12	27	110	24
573	548	170	76	59	14	34	7	10	3	-----	15	24	168	41
14	2	1	2	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
18	3	-----	3	3	-----	-----	-----	-----	-----	-----	-----	-----	3	-----
43	74	15	18	15	11	6	2	1	-----	1	5	10	72	2
31	25	12	2	6	2	2	2	-----	-----	-----	1	3	28	3
4,577	2,083	1,602	595	559	108	223	99	65	23	17	179	262	941	308
180	111	65	25	28	7	11	5	4	2	-----	8	13	28	12
423	238	54	26	25	13	21	1	1	1	-----	6	5	58	18
1,006	425	507	161	146	26	57	30	27	4	5	82	91	163	63
1,658	595	514	206	222	34	63	44	14	9	6	53	97	284	103
256	167	119	50	41	7	16	4	7	-----	3	5	17	87	31
967	525	323	118	86	16	54	14	12	7	3	23	35	277	73
7	-----	-----	-----	1	1	-----	-----	-----	-----	-----	-----	-----	2	-----
24	2	-----	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	3	-----
26	8	8	5	5	2	-----	1	-----	-----	-----	1	1	23	1
30	12	12	3	5	2	1	-----	-----	-----	-----	1	3	16	7
555	153	372	77	77	35	27	18	15	7	8	36	73	227	34
131	32	55	14	19	6	1	7	3	1	3	15	12	34	15
47	18	17	3	9	4	1	1	-----	1	1	3	6	12	2
232	55	183	33	30	16	15	6	6	3	3	10	38	71	12
64	17	38	14	13	1	3	2	1	1	-----	5	9	27	2
46	15	52	10	2	7	5	1	2	-----	1	2	4	19	2
22	9	15	2	3	-----	1	-----	1	-----	-----	1	2	9	-----
1	-----	1	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	1	-----
3	-----	-----	-----	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
5	4	11	-----	-----	1	1	1	2	1	-----	-----	2	44	1
4	3	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	10	-----
21,854	6,964	4,414	1,729	4,137	936	495	2,012	182	235	128	1,654	1,815	2,654	717
8,779	2,340	1,739	532	1,909	436	144	1,023	76	111	58	806	842	773	204
7,966	2,053	1,392	507	1,653	371	131	867	56	106	53	737	720	688	182
1,718	723	464	269	193	52	62	47	15	8	11	50	107	331	102
1,380	725	372	166	227	55	61	45	12	4	2	39	78	245	84
559	294	160	79	38	4	23	5	4	4	1	6	21	197	52
1,333	786	269	166	92	11	74	19	17	2	2	11	39	354	86
11	1	3	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	5	-----
11	1	-----	1	1	-----	-----	-----	-----	-----	-----	-----	-----	5	-----
61	21	13	5	14	5	-----	2	1	-----	1	4	7	42	6
36	20	2	4	10	2	-----	4	1	-----	-----	1	1	14	1

VITAL STATISTICS.

TABLE 1.—DEATHS FROM CERTAIN DISEASES AND CLASSES OF DISEASES, BY CONJUGAL

REGISTRATION STATES—Continued.

	CAUSE AND CONJUGAL CONDITION.	White.	Colored.	AGE.									
				All ages.	Under 15	15 to 19	20 to 24	25 to 34	35 to 44	45 to 54	55 to 64	65 and over.	Un-known.
1	Diseases of the nervous system	36,402	933	37,335	11,048	463	490	1,457	2,098	3,286	4,992	13,414	87
2	Single	M.. 8,061 F.. 6,398	285 228	8,346 6,626	6,209 4,839	260 184	201 154	424 221	344 181	257 218	244 252	396 568	11 9
3	Married	M.. 7,683 F.. 4,924	129 91	7,812 5,015	7,812	3 14	29 91	315 410	733 621	1,228 963	1,816 1,192	3,674 1,712	14 12
4	Widowed	M.. 3,073 F.. 5,702	47 133	3,120 5,835	3,120		1 2	17 34	56 106	170 362	446 949	2,424 4,371	6 9
5	Divorced	M.. 58 F.. 50	 2	58 52			1	3 5	3 13	11 12	13 12	27 10	
6	Unknown	M.. 299 F.. 154	11 7	310 161			6 5	17 11	30 11	46 19	40 28	152 80	19 7
7	Diseases of the circulatory system	26,194	768	26,962	2,461	482	593	1,494	2,186	3,056	4,900	11,708	82
8	Single	M.. 3,155 F.. 2,709	111 75	3,266 2,784	1,244 1,217	208 258	221 203	387 204	288 168	246 156	288 178	376 392	8 8
9	Married	M.. 7,283 F.. 4,799	195 141	7,478 4,940	7,478	3 11	25 127	290 522	648 845	1,088 962	1,819 1,103	3,584 1,357	21 13
10	Widowed	M.. 2,900 F.. 4,885	84 141	2,984 5,026		1	3 7	24 36	65 131	195 899	489 3,593	2,206 3,593	1 11
11	Divorced	M.. 53 F.. 22		53 22				4 1	4 3	7 9	15 6	23	
12	Unknown	M.. 249 F.. 139	14 6	263 145		1	4 3	17 9	26 8	33 16	62 38	109 62	11 9
13	Diseases of the respiratory system	47,176	1,551	48,727	22,334	721	1,108	2,751	3,233	3,581	4,527	10,434	88
14	Single	M.. 14,528 F.. 11,677	565 509	15,093 12,186	12,106 10,228	396 288	580 265	758 285	456 202	345 195	193 234	290 471	19 18
15	Married	M.. 7,094 F.. 5,277	182 122	7,276 5,399	7,276	2 32	88 202	702 876	1,289 966	1,332 942	1,468 1,023	2,384 1,347	11 11
16	Widowed	M.. 2,581 F.. 5,536	42 117	2,623 5,653			3 2	33 51	120 141	224 405	457 1,057	1,786 3,977	 16
17	Divorced	M.. 40 F.. 25	 1	40 26				1 3	6 5	11 7	12 4	10 7	
18	Unknown	M.. 269 F.. 149	10 3	279 152		1	11 5	30 12	34 14	54 16	46 33	94 68	9 4
19	Diseases of the digestive system	15,810	405	16,215	4,075	587	715	1,623	1,754	1,850	2,020	3,555	36
20	Single	M.. 3,510 F.. 2,823	104 102	3,614 2,925	2,227 1,848	290 262	284 195	306 201	190 126	132 88	86 77	94 120	5 8
21	Married	M.. 3,460 F.. 3,200	73 75	3,533 3,275	3,533	2 31	39 185	363 676	586 678	726 615	777 525	1,037 558	3 7
22	Widowed	M.. 870 F.. 1,772	10 38	880 1,810				14 38	50 97	94 170	181 343	541 1,147	 9
23	Divorced	M.. 19 F.. 12		19 12				1 3	5 2	1 1	2 1	10 4	
24	Unknown	M.. 83 F.. 61	2 1	85 62				11 3	10 10	12 11	15 13	32 12	3 1
25	Diseases of the urinary organs	17,797	490	18,287	1,060	283	557	1,532	2,144	2,653	3,491	6,530	37
26	Single	M.. 2,219 F.. 1,487	57 65	2,276 1,552	581 478	124 124	192 157	344 193	318 146	246 130	204 123	263 197	4 4
27	Married	M.. 5,676 F.. 3,539	142 97	5,818 3,636	5,818	2 33	29 169	317 596	758 650	1,010 749	1,412 713	2,377 611	13 5
28	Widowed	M.. 2,152 F.. 2,397	38 77	2,190 2,474	1		1 3	19 29	65 144	156 307	399 578	1,545 1,413	4
29	Divorced	M.. 35 F.. 15	 1	37 16			1	1 5	5 3	7 6	11 4	12 3	
30	Unknown	M.. 198 F.. 79	6 5	204 84			5	25 8	30 15	28 14	32 15	80 29	4 3
31	Diseases of the female organs of generation	966	60	1,026	10	30	108	263	258	185	87	83	2
32	Single	F.. 166	18	184	10	16	39	47	28	27	13	4	
33	Married	F.. 649	33	682		14	66	202	204	122	46	27	1
34	Widowed	F.. 139	9	148			1	12	24	34	24	52	1
35	Divorced	F.. 5		5				2	1	1	1		
36	Unknown	F.. 7		7			2		1	1	3		
37	Accidents and injuries	12,531	341	12,872	3,219	692	904	2,013	1,883	1,264	997	1,706	194
38	Single	M.. 4,736 F.. 1,526	135 55	4,871 1,581	2,047 1,172	581 96	662 59	869 69	375 44	154 38	91 27	63 61	29 15
39	Married	M.. 3,289 F.. 871	72 25	3,361 896		6 8	100 45	694 216	927 214	637 164	479 101	493 146	25 2
40	Widowed	M.. 709 F.. 710	12 20	721 730		1	3 1	31 6	82 28	104 53	134 101	364 533	3 2
41	Divorced	M.. 23 F.. 11	1	24 11				3 5	5 2	8 2	5	3	
42	Unknown	M.. 600 F.. 56	18 3	618 59			27 5	111 9	196 10	50 9	50 9	29 103	106 12
43	All other causes	39,939	1,241	41,180	20,697	550	1,009	2,087	1,618	1,213	1,626	12,277	103
44	Single	M.. 12,432 F.. 10,100	466 454	12,898 10,554	11,573 9,123	184 236	216 201	295 195	150 88	75 76	72 84	306 532	27 19
45	Married	M.. 3,986 F.. 4,726	73 74	4,064 4,800	4,064	3 124	18 549	219 1,301	367 900	472 386	557 424	2,420 1,103	8 12
46	Widowed	M.. 2,839 F.. 5,442	36 117	2,875 5,559		3	2 7	7 35	24 53	58 116	121 333	2,662 4,999	6 13
47	Divorced	M.. 20 F.. 23		20 23				1 2	2 3	2 4	3	12	
48	Unknown	M.. 214 F.. 157	3 13	217 170			9 7	12 20	21 10	20 9	18 11	129 103	8 10

CAUSE AND CONJUGAL CONDITION.

17

CONDITION, COLOR, AGE, BIRTHPLACES OF MOTHERS, AND SEX: CENSUS YEAR 1900—Continued.

REGISTRATION STATES—Continued.

BIRTHPLACES OF MOTHERS (WHITE).														
United States.	Ireland.	Germany.	England and Wales.	Canada.	Scandinavia.	Scotland.	Italy.	France.	Hungary.	Bohemia.	Russia and Poland.	Other foreign.	Unknown.	Not stated.
16,773	5,653	3,251	1,628	1,879	389	506	685	148	97	47	607	823	3,122	794
3,808	1,027	628	242	666	136	66	309	26	39	20	254	294	401	145
3,220	886	444	172	476	105	53	206	16	24	10	181	196	307	102
3,520	1,014	863	465	266	68	158	88	37	14	6	87	149	752	196
2,145	918	507	244	240	33	70	47	19	14	6	39	85	412	145
1,314	546	309	179	77	17	53	19	18	2	2	13	30	442	64
2,554	1,199	476	302	180	24	97	19	31	4	4	28	59	644	131
34	1	6	2	2	1	1	1	1	1	1	1	1	10	7
85	2	1	1	1	1	1	1	1	1	1	1	1	10	7
95	37	11	18	11	3	4	5	1	1	1	3	8	96	7
48	23	6	4	10	3	4	2	1	1	1	1	1	48	4
10,823	5,127	2,781	1,279	1,159	221	412	323	118	49	29	353	464	2,378	678
1,320	631	298	108	169	46	38	65	21	7	7	72	85	224	64
1,245	595	204	80	170	32	29	42	7	13	8	64	61	115	44
3,198	1,106	855	395	300	58	125	106	41	9	4	84	124	658	220
1,847	995	534	263	264	42	83	59	19	12	6	81	79	381	134
1,126	558	318	158	90	19	60	20	11	1	1	16	43	369	80
1,924	1,174	556	227	149	19	66	27	18	7	2	32	63	501	120
34	3	1	2	2	1	1	1	1	1	1	1	1	9	7
11	1	1	2	2	1	1	1	1	1	1	1	1	3	7
71	33	13	10	9	3	6	3	1	1	1	3	5	84	9
47	31	2	6	4	2	3	1	1	1	1	2	2	34	7
17,133	9,166	4,882	1,780	2,715	718	527	3,111	167	274	114	1,617	1,557	2,647	868
5,430	2,063	1,295	387	1,028	302	95	1,496	47	124	39	797	654	557	214
4,646	1,672	930	294	882	212	70	1,231	27	104	37	563	481	359	169
2,330	1,654	995	384	288	87	119	215	36	20	20	101	199	497	149
1,846	1,316	654	237	285	60	94	96	27	15	8	81	99	334	125
807	765	301	148	60	19	56	27	12	7	3	15	41	258	62
1,934	1,601	631	267	151	31	89	30	17	4	5	55	71	516	134
19	4	2	2	2	1	1	1	1	1	1	1	1	8	1
19	1	1	1	1	1	1	1	1	1	1	1	1	2	1
60	51	16	7	12	5	1	12	1	1	1	4	10	82	7
42	40	7	4	6	1	1	4	1	1	1	1	2	34	6
6,394	2,842	1,856	738	899	239	202	239	84	48	36	350	436	1,054	343
1,571	453	346	107	284	75	20	106	19	9	11	138	130	177	64
1,432	383	215	89	209	49	26	56	9	14	9	78	102	109	43
1,300	595	539	192	150	49	66	64	23	12	9	69	82	232	78
1,134	702	416	183	174	47	44	51	17	10	3	43	76	219	81
286	215	114	66	29	5	13	3	3	1	1	7	16	91	22
621	464	208	89	49	9	32	6	12	3	4	11	27	188	49
9	1	1	2	1	1	1	1	1	1	1	1	1	4	1
9	1	1	1	1	1	1	1	1	1	1	1	1	1	1
16	16	11	6	1	3	1	2	1	1	1	3	1	21	3
16	13	5	4	1	2	1	1	1	1	1	1	2	12	2
6,647	4,139	2,174	901	628	176	261	233	96	43	32	267	324	1,569	307
784	566	239	92	92	30	24	63	6	7	2	47	53	194	20
654	385	111	45	61	20	11	33	4	6	5	26	28	77	21
2,318	1,039	751	336	189	48	88	69	35	13	6	84	118	471	111
1,201	909	476	189	168	40	57	45	15	12	8	63	54	238	64
777	478	269	118	54	19	43	12	19	3	1	16	36	259	48
820	708	308	105	53	17	36	9	17	2	10	27	31	214	40
19	1	1	3	1	1	1	1	1	1	1	1	1	10	1
7	1	1	2	1	1	1	1	1	1	1	1	1	3	1
46	33	14	7	9	1	1	1	1	1	1	3	4	77	2
21	19	4	4	2	1	1	1	1	1	1	1	1	26	1
391	149	120	33	58	9	15	28	6	3	3	22	21	91	17
77	33	16	1	9	2	5	1	1	1	1	2	1	14	4
253	91	86	25	44	7	7	27	4	2	3	17	17	55	11
55	25	18	7	3	1	3	1	1	1	1	3	3	19	1
4	1	1	1	1	1	1	1	1	1	1	1	1	8	1
2	1	1	1	1	1	1	1	1	1	1	1	1	1	1
4,234	2,215	1,159	465	806	229	155	432	41	44	14	346	382	1,780	229
1,725	802	396	156	384	107	52	172	12	18	5	186	162	486	73
689	194	117	48	102	21	16	66	5	6	1	64	50	117	30
966	610	400	146	212	74	41	133	16	18	4	72	133	392	72
235	179	99	40	52	10	16	30	4	2	1	14	4	93	15
221	197	72	31	19	9	10	9	2	1	1	3	8	112	15
264	185	49	33	17	2	15	4	2	1	1	3	5	111	19
18	1	1	1	1	1	1	1	1	1	1	1	1	4	1
6	2	1	2	2	1	1	1	1	1	1	1	1	1	1
41	39	24	7	15	6	4	1	1	1	1	4	3	435	5
9	7	2	3	3	1	1	1	1	1	1	1	1	29	1
18,522	5,513	3,224	1,511	2,760	538	475	932	140	135	69	975	1,140	3,123	882
6,189	1,387	768	364	1,129	210	109	431	38	63	32	431	450	636	195
5,126	1,172	604	306	837	159	79	322	25	48	8	325	351	571	167
1,805	520	446	217	173	43	62	36	23	4	5	53	85	423	91
1,718	874	592	224	335	65	65	122	14	19	11	106	144	304	133
1,191	446	288	157	90	21	47	5	14	1	3	22	37	419	98
2,341	1,054	500	231	169	35	108	14	26	1	10	32	68	661	193
11	1	1	2	2	1	1	1	1	1	1	1	1	5	2
17	2	1	2	12	3	2	2	1	1	1	6	5	63	1
63	31	17	9	13	2	2	1	1	1	1	1	1	39	4
61	26	9	1	13	2	2	1	1	1	1	1	1	1	1

VITAL STATISTICS.

TABLE 1.—DEATHS FROM CERTAIN DISEASES AND CLASSES OF DISEASES, BY CONJUGAL
CITIES IN REGISTRATION STATES.

				AGE.									
CAUSE AND CONJUGAL CONDITION.		White.	Colored.	All ages.	Under 15	15 to 19	20 to 24	25 to 34	35 to 44	45 to 54	55 to 64	65 and over.	Un- known.
1	All causes	184,408	7,259	191,667	73,919	4,237	7,363	18,040	17,754	17,058	18,772	34,198	326
2	Single	M 54,465 F 42,592	2,295 2,082	56,760 44,624	40,086 33,831	2,072 1,908	3,102 2,020	5,104 2,127	2,832 1,193	1,553 963	977 892	976 1,625	58 65
3	Married	M 30,225 F 24,745	1,081 887	31,256 25,582	1 216	19 216	435 1,612	3,925 5,853	5,951 5,611	6,328 4,550	6,454 3,914	8,104 3,798	39 28
4	Widowed	M 10,104 F 19,965	260 687	10,364 20,652	1 10	1 10	15 58	272 412	653 1,006	1,202 2,059	1,966 4,193	6,246 12,881	8 33
5	Divorced	M 127 F 120	3 7	130 127			2 5	10 20	26 27	30 24	31 25	81 25	 1
6	Unknown	M 1,465 F 600	66 41	1,531 641		2 9	75 39	232 85	369 86	265 84	207 113	317 195	64 30
7	Unknown cause	845	28	873	378	12	21	65	92	85	74	123	23
8	Single	M 276 F 204	11 6	287 210	217 161	7 5	8 8	19 5	11 7	7 5	7 4	5 9	6 6
9	Married	M 122 F 113	3 5	125 118			2 3	15 24	28 35	30 25	28 15	22 16	 1
10	Widowed	M 53 F 54	 2	53 56				1 1		5 8	8 41	26 41	1 1
11	Divorced	M 3 F 1		3 1									
12	Unknown	M 8 F 11	1	9 11					2 2	1 1	2 1	1 1	3 6
13	Alcoholism	897	12	909	1	2	16	245	316	176	99	48	6
14	Single	M 309 F 27	7	316 27		1 1	9 1	123 13	105 5	42 3	28 3	8	
15	Married	M 270 F 125	2 1	272 126			1 4	44 44	110 48	71 20	28 9	17 1	1
16	Widowed	M 80 F 30	1 1	81 31				8 5	20 8	22 4	13 10	16 4	2
17	Divorced	M 4 F 1		4 1				1 1	1 1	1 1	1		
18	Unknown	M 41 F 10		41 10				6 1	14 4	11 2	6 1	2	2 1
19	Consumption	19,850	1,241	21,091	1,303	1,367	2,786	6,417	4,399	2,430	1,376	994	19
20	Single	M 5,493 F 3,384	372 285	5,865 3,669	616 687	600 706	1,133 885	2,021 880	905 278	334 117	132 64	74 50	 2
21	Married	M 4,535 F 4,110	247 217	4,782 4,327		7 50	149 503	1,353 1,808	1,516 1,147	962 481	511 231	279 104	5 3
22	Widowed	M 955 F 1,115	32 59	987 1,174				126 24	228 161	272 244	168 241	186 261	1 2
23	Divorced	M 14 F 15	1 2	15 17				6 4	5 3	2 1	2	1	
24	Unknown	M 174 F 55	15 11	189 66		2	23 12	46 15	56 15	32 5	20 6	9 8	3 3
25	Cancer and tumor	6,569	133	6,702	84	23	45	338	914	1,600	1,702	1,982	14
26	Single	M 307 F 538	7 11	314 549	45 39	11 11	21 13	41 41	46 101	61 126	40 94	49 120	 4
27	Married	M 1,512 F 2,161	21 47	1,533 2,208			13 7	41 186	101 482	126 677	94 515	120 337	2 3
28	Widowed	M 450 F 1,509	8 38	458 1,547				1 11	15 88	73 261	111 442	258 741	 2
29	Divorced	M 5 F 12		5 12						1 2	3 4	1 5	
30	Unknown	M 32 F 43	 1	32 44					1 6	2 15	4 14	11 7	2 1
31	Suicide	1,073	11	1,084	4	42	103	235	257	217	130	93	3
32	Single	M 217 F 83	2 6	219 89	2 2	18 20	43 25	77 23	40 13	23 4	9 1	7	 1
33	Married	M 438 F 125	1	439 125		1 3	9 20	78 30	122 37	124 23	70 9	33 3	 2
34	Widowed	M 99 F 41	1	100 41			2	7 5	10 5	21 10	31 6	29 15	
35	Divorced	M 2 F 2		2 2				1	1 1			1	
36	Unknown	M 53 F 13	1	54 13			1 3	8 6	25 3	11 1	4	5	
37	General diseases—A	33,319	1,172	34,491	25,092	558	777	1,497	1,144	1,045	1,280	3,075	23
38	Single	M 14,092 F 12,482	491 479	14,583 12,961	13,191 11,900	262 264	346 194	398 177	156 98	89 71	41 79	96 174	4 4
39	Married	M 2,190 F 1,879	66 60	2,256 1,939	1	2 23	60 148	363 487	399 388	396 273	420 266	612 350	3 4
40	Widowed	M 709 F 1,806	18 50	727 1,856			1 7	19 25	28 52	55 143	110 343	514 1,281	 4
41	Divorced	M 6 F 11	 2	6 13				2 1	2 3		1	1 5	 1
42	Unknown	M 92 F 52	4 2	96 54		1 5	11 8	18 7	14 4	14 3	10 10	27 15	1

CAUSE AND CONJUGAL CONDITION.

19

CONDITION, COLOR, AGE, BIRTHPLACES OF MOTHERS, AND SEX: CENSUS YEAR 1900—Continued.

CITIES IN REGISTRATION STATES.

BIRTHPLACES OF MOTHERS (WHITE).														
United States.	Ireland.	Germany.	England and Wales.	Canada.	Scandinavia.	Scotland.	Italy.	France.	Hungary.	Bohemia.	Russia and Poland.	Other foreign.	Unknown.	Not stated.
57,488	43,659	22,846	7,983	10,814	2,961	2,599	7,896	917	922	514	6,212	6,082	12,710	810
18,945	10,481	5,358	1,742	3,994	1,078	495	3,512	244	351	175	2,599	2,255	3,025	211
16,203	7,948	3,663	1,330	3,195	779	379	2,687	140	300	128	1,903	1,683	2,086	168
7,839	7,508	5,373	1,885	1,276	473	615	776	204	108	90	754	961	2,290	123
6,048	7,353	3,858	1,294	1,420	357	456	634	131	107	63	584	628	1,665	147
2,409	3,225	1,670	612	265	106	219	102	70	23	18	107	184	1,042	57
5,597	6,725	2,779	1,088	572	127	405	137	121	32	39	230	319	1,701	93
66	8	7	8	8	7	3	2	1	1	1	1	1	24	1
73	10	1	5	7	31	17	37	4	1	5	30	40	664	9
180	251	100	49	47	10	8	11	2			4	11	193	1
123	150	37	20	30										
320	149	65	39	67	12	9	22	1	4	1	29	34	88	5
104	47	15	4	24	3	2	12	1	2		18	13	30	1
90	21	16	8	20	8	1	3		1	1	5	12	18	1
40	31	11	10	8	1	1	2				5	4	8	1
27	33	13	8	8		3	4		1			2	13	1
19	10	5	2	2								2	8	1
30	5	4	2	4		1	1				1	1	4	1
2						1								
3	1	1											3	
5	1			1									4	
123	383	93	53	33	14	18	3	4	2	3	6	7	150	5
53	155	29	14	9	4	2						3	87	3
2	10	2		1		3	1						8	
38	94	45	23	10	4	6	2	3	2	3	2	1	37	
19	58	5	9	5	2	3		1			1	1	20	1
7	39	9	4	2		3					2		13	1
2	19	1	2	2		1							3	
1	1			2										
1														
	6	2	1	1	4						1	2	24	
	1			1									8	
4,259	7,424	2,570	802	1,151	405	333	432	109	75	56	386	530	1,245	73
1,191	2,229	607	199	297	100	69	135	31	20	14	104	140	341	16
994	1,239	274	103	269	57	43	67	12	11	6	45	80	171	13
850	1,530	808	216	222	112	99	99	26	21	19	117	163	237	16
830	1,440	565	167	288	100	68	108	23	15	14	89	104	280	19
132	429	164	39	32	16	22	13	7	5	2	11	17	62	4
222	480	136	65	33	11	29	7	9	3		15	16	84	5
9	2	1	1	1										
10	2			1									2	
14	57	8	12	6	9	3	2	1		1	4	7	50	
7	16	7		2			1				1	3	18	
1,797	1,589	1,245	384	293	75	144	85	46	20	16	160	185	495	35
82	86	49	19	15	3	7	5	3	1		6	10	20	1
191	193	43	21	11	12	18	1	1	1		6	5	34	1
336	297	379	87	81	18	33	24	17	4	5	74	67	83	7
645	449	403	135	116	21	46	38	12	7	6	47	60	161	15
97	131	93	32	19	7	8	4	4		2	4	10	35	4
414	418	267	86	48	12	31	13	9	7	3	22	30	142	7
4													1	
8	2												2	
9	4	5	2	1	1								10	
11	9	6	2	2	1	1					1	3	7	
226	120	301	59	41	24	21	12	11	7	8	34	52	152	5
67	25	44	13	7	3	1	4	2	1	3	13	7	25	2
24	14	16	2	4	4	1			1	1	3	4	9	
87	43	148	28	17	14	10	5	3	3	3	10	26	38	3
19	15	82	7	9	1	3	2	1	1		5	7	23	
16	10	42	7	2	2	4	1	2		1	2	4	6	
8	9	11	2	1		1		1			1	2	5	
		1											1	
1				1										
3	2	7						2					35	
1	2					1			1				10	
12,064	5,811	3,506	1,246	2,657	673	342	1,846	147	204	116	1,494	1,427	1,667	119
5,286	2,090	1,429	406	1,261	319	106	942	60	100	55	729	680	581	48
4,896	1,795	1,168	393	1,054	266	100	794	49	90	45	664	577	550	41
619	521	320	181	115	88	36	40	13	4	11	45	69	166	12
511	537	267	100	128	34	36	42	8	4	1	35	55	115	5
178	219	115	49	16	4	17	5	3	4	1	5	13	75	6
532	622	195	110	65	7	47	18	13	2	2	11	28	148	6
4	1													
6													4	
18	15	10	4	9	3		2			1	4	4	21	1
14	11	1	3	8	2		3	1			1	1	7	

VITAL STATISTICS.

TABLE 1.—DEATHS FROM CERTAIN DISEASES AND CLASSES OF DISEASES, BY CONJUGAL CITIES IN REGISTRATION STATES—Continued.

	CAUSE AND CONJUGAL CONDITION.	White.	Colored.	AGE.									
				All ages.	Under 15	15 to 19	20 to 24	25 to 34	35 to 44	45 to 54	55 to 64	65 and over.	Un-known.
1	Diseases of the nervous system.....	20,716	729	21,445	7,543	265	304	938	1,372	2,098	2,944	5,948	33
2	Single.....	5,190	218	5,408	4,197	152	129	282	225	155	129	137	2
	F.....	4,203	175	4,378	3,346	102	97	130	116	141	162	280	4
3	Married.....	3,983	108	4,091			18	209	486	801	1,040	1,531	7
	F.....	2,498	64	2,562		7	52	258	396	564	607	672	6
4	Widowed.....	1,467	35	1,502			11	35	107	288	288	1,059	2
	F.....	3,106	113	3,219		2	2	27	78	277	670	2,160	3
5	Divorced.....	26		26			1	2	2	8	6	7	
	F.....	18	2	20			3	3	6	3	7	1	
6	Unknown.....	142	8	150			3	7	20	28	22	63	7
	F.....	83	6	89			2	9	8	14	13	38	5
7	Diseases of the circulatory system.....	14,645	622	15,267	1,611	328	425	1,119	1,577	2,030	2,937	5,220	20
8	Single.....	2,027	94	2,121	782	135	160	311	230	166	182	153	2
	F.....	1,844	62	1,906	829	184	157	146	125	115	126	221	3
9	Married.....	3,681	158	3,839			16	223	457	726	991	1,419	7
	F.....	2,658	117	2,775		8	83	366	576	586	590	564	2
10	Widowed.....	1,405	62	1,467		1	2	21	47	140	328	928	
	F.....	2,817	117	2,934			4	31	111	263	657	1,866	2
11	Divorced.....	18		18				1	3	4	4	6	
	F.....	11		11					1	3	5	2	
12	Unknown.....	126	7	133			1	14	22	19	34	40	3
	F.....	58	5	63			2	6	5	8	20	21	1
13	Diseases of the respiratory system.....	33,201	1,305	34,506	17,412	429	771	2,092	2,375	2,528	3,100	5,760	39
14	Single.....	11,090	487	11,577	9,447	236	375	612	357	268	133	139	10
	F.....	8,854	439	9,293	7,965	176	190	229	146	137	160	278	12
15	Married.....	4,488	151	4,639		1	54	532	934	943	971	1,201	3
	F.....	3,284	94	3,378		13	139	617	678	614	651	664	2
16	Widowed.....	1,577	32	1,609			1	27	95	184	331	971	
	F.....	3,627	93	3,720		2	3	45	124	323	802	2,415	6
17	Divorced.....	15		15				1	2	6	5	1	
	F.....	17		17				2	4	4	2	5	
18	Unknown.....	165	7	172		1	6	20	28	39	26	47	5
	F.....	84	2	86			3	7	7	10	19	39	1
19	Diseases of the digestive system.....	9,406	335	9,741	2,614	338	483	1,119	1,227	1,210	1,172	1,564	14
20	Single.....	2,242	83	2,325	1,439	164	192	209	143	88	47	41	2
	F.....	1,756	86	1,842	1,175	146	137	140	80	51	44	65	4
21	Married.....	1,929	59	1,988		2	26	246	416	477	423	398	
	F.....	1,889	65	1,954		24	123	463	446	376	287	234	1
22	Widowed.....	475	8	483				11	40	73	121	238	
	F.....	1,024	32	1,056			4	31	84	131	238	563	6
23	Divorced.....	9		9				1	4			4	
	F.....	3		3				2				1	
24	Unknown.....	42	2	44			1	9	7	6	6	14	1
	F.....	37		37		2		7	7	8	6	6	1
25	Diseases of the urinary organs.....	11,683	389	12,072	756	189	418	1,173	1,677	2,022	2,406	3,413	18
26	Single.....	1,600	48	1,648	414	83	154	275	264	187	148	122	1
	F.....	1,085	50	1,135	341	91	121	149	116	100	85	128	4
27	Married.....	3,440	115	3,555		15	22	241	509	760	922	1,097	
	F.....	2,389	72	2,461			113	439	558	541	459	333	3
28	Widowed.....	1,287	26	1,293	1		1	15	53	130	295	797	1
	F.....	1,708	67	1,775			3	27	135	270	455	885	
29	Divorced.....	15	1	16			1		4	2	2	3	
	F.....	9		10					1	5	2	1	
30	Unknown.....	122	4	126			3	21	25	18	25	31	3
	F.....	48	5	53			6	11	9	9	9	16	2
31	Diseases of the female organs of generation.	666	55	721	7	20	83	210	192	121	45	41	2
32	Single.....	120	17	137	7	10	30	35	23	22	8	2	
33	Married.....	442	30	472		10	52	162	147	69	21	10	1
34	Widowed.....	96	8	104			1	11	20	29	13	29	1
35	Divorced.....	4		4				2	1		1		
36	Unknown.....	4		4					1	1	2		
37	Accidents and injuries.....	7,347	238	7,585	2,052	351	490	1,262	1,213	795	593	758	71
38	Single.....	2,799	93	2,892	1,295	292	344	542	248	90	44	22	15
	F.....	952	37	989	757	51	32	42	27	29	14	28	9
39	Married.....	1,866	51	1,917		2	61	429	561	389	274	193	8
	F.....	522	14	536		5	25	138	145	93	57	72	1
40	Widowed.....	408	9	417			1	26	60	77	88	171	
	F.....	388	17	405		1	1	6	23	42	74	256	2
41	Divorced.....	4	1	5					1	1	2	1	
	F.....	9		9			2	3	2	2			
42	Unknown.....	365	14	379			20	75	138	70	33	12	31
	F.....	34	2	36			4	7	8	2	7	3	5
43	All other causes.....	24,191	989	25,180	15,062	313	641	1,330	999	701	914	5,179	41
44	Single.....	8,823	382	9,205	8,441	111	138	194	102	43	37	123	16
	F.....	7,060	379	7,439	6,621	141	130	117	58	42	48	270	12
45	Married.....	1,771	49	1,820		2	15	135	242	269	308	849	
	F.....	2,550	51	2,601		57	340	831	528	208	197	438	2
46	Widowed.....	1,159	28	1,187			1	5	15	38	74	1,053	1
	F.....	2,644	90	2,734		2	7	26	34	82	234	2,344	5
47	Divorced.....	6		6				1		1	1	3	
	F.....	7		7					1	1	2		
48	Unknown.....	103	3	106			6	8	14	12	8	55	3
	F.....	68	7	75			4	13	5	5	5	41	2

21

CITIES IN REGISTRATION STATES—Continued.

BIRTHPLACES OF MOTHERS (WHITE).														
United States.	Ireland.	Germany.	England and Wales.	Canada.	Scandinavia.	Scotland.	Italy.	France.	Hungary.	Bohemia.	Russia and Poland.	Other foreign.	Unknown.	Not stated.
7,539	4,402	2,443	1,032	1,106	257	325	612	107	83	42	545	587	1,541	95
2,109	821	456	185	426	94	48	279	20	30	18	222	205	245	32
1,793	752	346	130	315	66	41	184	13	20	8	163	152	203	17
1,338	746	655	282	132	43	100	77	29	13	5	82	108	356	17
746	702	368	143	120	21	38	43	14	14	6	38	58	177	10
463	382	228	90	31	11	32	9	11	2	-----	12	18	173	5
1,011	955	381	191	70	21	58	15	20	4	4	26	39	299	12
14	-----	1	2	1	-----	1	-----	-----	-----	-----	1	1	5	-----
10	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	7	-----
84	29	6	7	6	-----	4	4	-----	-----	1	1	5	43	2
21	14	2	2	5	1	3	1	-----	-----	-----	-----	1	33	-----
4,345	4,012	2,086	772	649	159	249	294	79	48	27	319	342	1,190	74
649	517	252	83	103	36	24	57	17	6	6	63	66	132	10
706	508	162	55	112	25	21	38	7	13	8	58	47	76	8
1,158	810	603	234	143	38	69	98	22	9	4	79	93	306	15
636	780	410	161	155	33	50	53	15	12	5	76	56	193	23
359	412	228	91	40	10	31	19	7	1	1	13	22	164	7
785	944	422	139	89	14	48	25	10	7	2	28	52	244	8
10	1	1	-----	1	-----	1	-----	-----	-----	1	-----	-----	3	-----
5	1	-----	1	1	-----	-----	-----	1	-----	-----	-----	-----	1	-----
23	21	7	5	2	3	4	3	-----	-----	-----	2	5	48	3
14	18	1	3	3	-----	-----	1	-----	-----	-----	-----	1	17	-----
9,461	7,811	4,031	1,225	1,716	541	416	2,939	139	253	109	1,509	1,247	1,659	145
3,475	1,841	1,107	298	667	229	83	1,414	45	114	38	738	541	459	41
2,915	1,520	794	239	574	163	57	1,174	22	96	37	527	399	299	38
978	1,339	811	242	165	68	90	194	29	18	18	95	150	272	19
763	1,101	520	149	173	38	78	88	20	14	8	74	69	160	20
325	608	248	92	29	16	39	26	9	7	2	15	26	128	7
945	1,333	531	197	97	23	66	29	13	4	5	55	54	256	19
6	2	1	2	1	-----	-----	-----	-----	-----	-----	-----	-----	3	-----
14	-----	-----	1	1	-----	1	-----	-----	-----	-----	-----	-----	1	-----
25	36	13	3	8	3	-----	11	1	-----	1	4	7	51	1
15	31	6	3	1	1	1	3	-----	-----	-----	1	1	21	-----
2,787	2,294	1,383	472	508	152	132	259	64	39	32	299	322	615	48
799	376	263	78	168	47	13	96	18	5	8	119	103	140	9
731	338	159	62	122	31	13	51	8	13	8	73	73	78	9
453	463	395	115	77	32	48	59	15	10	9	64	60	122	7
445	563	303	115	101	27	30	44	11	8	3	37	52	133	17
101	165	84	36	14	5	6	3	1	-----	-----	6	13	39	2
240	369	170	61	24	7	21	4	10	3	4	10	20	78	3
5	-----	1	1	1	-----	-----	-----	-----	-----	-----	-----	-----	1	-----
3	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
5	10	5	2	1	1	1	1	-----	-----	-----	3	-----	15	-----
5	10	3	2	1	2	1	1	1	-----	-----	-----	1	9	1
3,130	3,528	1,819	627	389	133	193	212	81	39	31	253	264	944	40
434	490	207	71	60	20	16	56	6	7	1	45	44	142	1
386	344	98	40	39	13	10	33	4	5	5	26	22	56	4
1,005	852	611	215	108	35	63	61	28	11	6	79	90	267	9
546	786	400	133	101	33	46	41	11	11	8	62	45	155	11
301	381	222	77	33	16	26	10	16	3	1	14	30	131	6
423	636	266	81	40	14	30	9	16	2	10	25	29	119	8
7	1	-----	2	-----	-----	-----	-----	-----	-----	-----	-----	-----	5	-----
3	1	1	2	-----	-----	-----	-----	-----	-----	-----	-----	-----	1	-----
17	22	10	4	6	1	1	1	-----	-----	-----	2	4	54	1
8	15	4	2	2	1	1	1	-----	-----	-----	-----	-----	14	-----
209	123	101	25	42	7	11	28	6	3	2	22	16	69	2
48	29	15	1	5	1	3	-----	1	1	-----	2	1	13	-----
127	75	71	18	32	6	6	27	4	2	2	17	12	41	2
31	19	15	6	3	-----	2	1	1	-----	-----	3	3	12	-----
3	-----	-----	-----	1	-----	-----	-----	-----	-----	-----	-----	-----	3	-----
1,792	1,688	811	286	438	139	109	334	29	28	10	286	240	1,127	30
776	602	268	96	188	59	41	138	8	14	3	151	101	346	8
325	158	79	34	68	15	11	58	3	4	1	60	35	96	5
373	444	285	87	124	49	28	86	12	9	2	55	79	224	9
122	153	68	19	30	6	10	28	3	1	1	10	16	50	5
82	147	53	24	15	5	6	8	2	-----	1	3	7	54	1
96	151	39	18	7	1	10	4	1	-----	1	3	2	55	-----
1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	3	-----
5	2	-----	-----	1	-----	-----	-----	-----	-----	-----	-----	-----	1	-----
10	27	17	6	5	4	2	12	-----	-----	1	4	-----	275	2
2	4	2	2	6	-----	-----	1	-----	-----	-----	-----	-----	23	-----
9,431	4,325	2,392	961	1,724	370	297	818	94	117	61	870	829	1,768	134
3,920	1,202	632	276	769	161	83	374	33	51	29	391	342	521	39
3,102	1,027	491	242	601	118	57	283	20	44	8	284	276	475	32
564	338	302	115	74	21	32	29	7	4	5	47	51	174	8
612	661	433	130	154	35	39	116	8	17	9	93	91	135	17
329	292	179	65	30	14	25	4	8	1	2	20	22	154	14
858	765	341	128	89	17	60	11	18	-----	8	30	43	252	24
3	-----	-----	-----	1	-----	-----	-----	-----	-----	-----	-----	-----	2	-----
4	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	1	-----
19	21	9	3	3	2	1	-----	-----	-----	-----	5	4	35	-----
20	18	5	1	3	2	-----	-----	-----	-----	-----	-----	-----	19	-----

VITAL STATISTICS.

TABLE 1.—DEATHS FROM CERTAIN DISEASES AND CLASSES OF DISEASES, BY CONJUGAL
RURAL PART OF REGISTRATION STATES.

	CAUSE AND CONJUGAL CONDITION.	White.	Colored.	AGE.									
				All ages.	Under 15	15 to 19	20 to 24	25 to 34	35 to 44	45 to 54	55 to 64	65 and over.	Un- known.
1	All causes	108,210	1,793	110,003	28,306	2,881	3,727	7,483	7,530	8,316	11,792	39,438	530
2	Single	M.. 23,351	528	23,879	15,420	1,420	1,551	1,844	963	679	623	1,303	76
		F.. 18,434	474	18,908	12,885	1,230	886	933	517	479	536	1,387	55
3	Married	M.. 23,082	254	23,336		19	251	1,527	2,507	3,090	4,496	11,359	87
		F.. 17,868	245	18,113	1	209	936	2,806	2,894	2,850	3,292	5,062	63
4	Widowed	M.. 9,009	94	9,103			7	79	195	358	906	7,533	25
		F.. 14,417	148	14,565		1	16	99	224	595	1,626	11,957	47
5	Divorced	M.. 191	1	192				10	17	33	47	85	
		F.. 132	2	134			4	16	21	29	24	39	1
6	Unknown	M.. 1,164	30	1,194		1	46	117	138	146	152	458	136
		F.. 562	17	579		1	30	52	54	57	90	255	40
7	Unknown cause.....	1,408	45	1,453	737	32	26	53	75	79	120	303	28
8	Single	M.. 463	20	483	402	15	7	14	14	5	7	12	7
		F.. 376	15	391	335	12	7	9	4	3	3	13	5
9	Married	M.. 201	3	204			5	10	22	29	51	87	
		F.. 143		143		5	4	15	25	23	30	41	
10	Widowed	M.. 61	2	63						3	10	50	
		F.. 105	3	108				2	3	8	12	83	
11	Divorced	M.. 1		1				1			1		
		F.. 5		5							1	3	
12	Unknown	M.. 39	2	41			2	1	5	5	5	10	13
		F.. 14		14			1	1	2	3		4	3
13	Alcoholism	241	4	245	1		6	33	57	70	35	38	5
14	Single	M.. 72	1	73	1		3	21	19	13	6	10	
		F.. 4		4				2			2		
15	Married	M.. 87	2	89			2	8	17	33	14	14	1
		F.. 19		19					9	8	1		
16	Widowed	M.. 20		20					2	4	6	8	
		F.. 9	1	10					1	5	1	3	
17	Divorced	M.. 7		7					2	3		2	
		F.. 1		1									
18	Unknown	M.. 19		19			1	2	6	2	4	1	3
		F.. 3		3					1	1	1		
19	Consumption	9,281	305	9,586	521	715	1,205	2,403	1,574	1,028	910	1,199	31
20	Single	M.. 1,943	83	2,026	225	269	444	611	253	108	64	51	1
		F.. 1,648	75	1,723	296	398	373	118	67	51	49	6	
21	Married	M.. 1,963	49	2,012		8	78	393	473	370	348	340	7
		F.. 2,524	64	2,588		44	286	888	583	312	240	229	6
22	Widowed	M.. 395	12	407				35	54	66	72	175	5
		F.. 627	12	639			9	45	62	77	119	324	3
23	Divorced	M.. 6		6					1	1	2	2	
		F.. 12		12			2	4	1	2	1	1	
24	Unknown	M.. 101	5	106			11	30	15	14	11	23	2
		F.. 62	5	67		1	10	24	14	11	2	5	
25	Cancer and tumor.....	5,072	28	5,100	46	22	26	135	487	870	1,236	2,263	15
26	Single	M.. 192	1	193	26	7	9	12	25	24	30	59	1
		F.. 352	4	356	20	12	9	19	50	75	82	88	1
27	Married	M.. 1,281	3	1,284		1		19	98	211	316	637	2
		F.. 1,741	13	1,754		2	6	76	272	439	520	433	6
28	Widowed	M.. 360		360				1	5	16	54	283	1
		F.. 1,024	5	1,029				6	25	83	208	704	3
29	Divorced	M.. 6		6							3	3	
		F.. 19		19			1		3	5	4	6	
30	Unknown	M.. 48	1	49				1	3	11	9	25	
		F.. 49	1	50			1	1	6	6	10	25	1
31	Suicide	641	3	644	4	20	37	86	113	123	109	145	7
32	Single	M.. 131		131	1	11	21	33	29	17	13	5	1
		F.. 42	1	43	3	8	9	5	8	5	2	3	
33	Married	M.. 275	1	276			4	27	43	70	64	68	
		F.. 72		72		1	1	16	21	12	12	9	
34	Widowed	M.. 69		69					5	7	7	48	2
		F.. 24		24				1	2	5	7	10	
35	Divorced	M.. 2		2									
		F.. 2		2						1	1		
36	Unknown	M.. 20	1	21			1	4	5	4	3	1	3
		F.. 4		4			1			1		1	1
37	General diseases—A	16,607	281	16,888	9,150	517	558	796	682	613	853	3,666	53
38	Single	M.. 5,680	105	5,785	4,793	243	253	195	71	54	45	115	11
		F.. 5,000	118	5,118	4,357	237	117	98	45	38	55	161	10
39	Married	M.. 1,962	16	1,978		3	46	185	251	249	304	932	8
		F.. 1,616	17	1,633		29	132	286	270	204	231	476	5
40	Widowed	M.. 738	11	749				8	12	15	55	658	1
		F.. 1,455	12	1,467			1	9	16	38	138	1,261	4
41	Divorced	M.. 14		14				1		3	4	6	
		F.. 8		8				2	2	1	2	1	
42	Unknown	M.. 90	2	92			7	10	11	10	11	35	8
		F.. 44		44			2	2	4	1	8	21	6

23

RURAL PART OF REGISTRATION STATES.

BIRTHPLACES OF MOTHERS (WHITE).															
United States.	Ireland.	Germany.	England and Wales.	Canada.	Scandinavia.	Scotland.	Italy.	France.	Hungary.	Bohemia.	Russia and Poland.	Other foreign.	Unknown.	Not stated.	
60,660	9,753	6,375	3,916	6,952	1,232	1,171	778	280	124	47	694	2,014	9,220	4,994	1
13,554	1,774	1,263	552	2,245	416	168	329	47	54	16	307	651	1,044	931	2
11,522	1,203	845	395	1,729	310	123	220	26	38	14	218	459	611	721	
12,582	2,173	1,668	1,103	1,067	194	311	136	89	21	6	79	378	2,172	1,103	3
9,783	1,790	1,207	771	1,118	188	200	56	43	11	5	54	290	1,435	917	
4,530	1,018	542	482	291	47	138	7	30		3	13	101	1,361	446	4
7,889	1,603	755	542	3,607	52	211	14	43		2	12	110	1,989	798	
117	8	10	6	5	2	2					2	2	35	2	5
93	5	4	4	6		1	1	1				1	15	2	
358	108	57	44	59	16	9	10	1			7	19	438	38	6
232	71	24	17	35	7	8	6			1	2	3	120	36	
757	79	81	29	142	21	15	11	1	1		31	35	115	90	7
276	9	23	5	61	4	3	4				14	11	19	34	8
216	13	20	6	47	9	2	5		1		15	14	8	20	
101	18	19	6	18		1	1				2	7	15	13	9
77	8	8	6	10	4	4	1	1					12	12	
30	7	3	2		3							2	12	2	10
46	21	6	3	2	1	4						1	18	3	
1															11
1		1				1							2		
6	3			2									23	4	12
3			1	2									6	2	
64	60	22	9	14	4	5		1			2	5	49	6	13
24	21	6	3	4	2	1							9	2	14
1	2												1		
28	21	12		6	1	1		1			1	2	11	3	15
3	5	3	3	3									2		
4	2		1	1	1	1					1	1	7	1	16
.....	5												3		
2	1	1	1									1	1		17
1	1														
2	2					1						1	13		18
.....			1										2		
4,717	1,313	605	281	682	139	92	44	19	6	4	46	188	697	448	19
934	382	112	42	136	26	26	13	7	2		16	44	123	80	20
897	237	92	37	154	27	11	6	3	1	3	7	35	64	74	
971	246	143	85	132	28	25	14	4	1	1	14	36	164	99	21
1,334	278	183	81	200	45	15	9	3	2		7	52	181	134	
164	75	29	16	19	6	5	1	1			1	10	48	20	22
351	68	34	11	26	3	5		1				8	84	36	
5			1												23
8	1			2											
29	17	7	6	9	2	3							22		24
24	9	5	2	4	2	2	1				1	3	10	3	
2,780	494	357	211	266	33	79	14	19	3	1	19	77	446	273	25
98	25	16	6	13	4	4		1	1		2	3	8	11	26
232	45	11	5	14	1	3							24	17	
670	128	128	74	65	8	24	6	10			8	24	80	56	27
1,013	146	111	71	106	13	17	6	2	2		6	37	123	88	
159	36	26	18	22		8		3			1	7	52	27	28
553	107	56	32	38	4	23	1	3			1	5	135	66	
3				1	1								1		29
16			1										1	1	
17	4	3	3	4	1		1				1	1	13		30
19	3	6	1	3	1								9	7	
329	33	71	18	36	11	6	6	4			2	21	75	29	31
64	7	11	1	12	3		3	1			2	5	9	13	32
23	4	1		5			1						3		
145	12	35	5	13	2	5	1	3				12	33	9	33
45	2	6	7	4								2	4	2	
30	5	10	3		6	1							13	2	34
14		4		2									4		
1			1												35
2															
2	2	4			1		1						9	1	36
3	1														
9,790	1,153	908	483	1,480	263	153	166	35	31	12	160	338	987	598	37
3,493	250	310	126	648	117	38	81	16	11	3	77	162	192	156	38
3,070	258	224	114	599	105	31	73	7	16	8	73	143	138	141	
1,099	202	144	88	78	14	26	7	2	4		5	38	165	90	39
869	188	105	66	99	21	25	3	4		1	4	23	130	78	
381	75	45	30	22		6		1			1	8	122	47	40
801	164	74	56	27	4	27	1	4				11	206	80	
7		2											5		41
5	1		1										1		
43	6	3	1	5	2			1				3	21	5	42
22	9	1	1	2			1						7	1	

CAUSE AND CONJUGAL CONDITION.

25

CONDITION, COLOR, AGE, BIRTHPLACES OF MOTHERS, AND SEX: CENSUS YEAR 1900—Continued.

RURAL PART OF REGISTRATION STATES—Continued.

BIRTHPLACES OF MOTHERS (WHITE).														
United States.	Ireland.	Germany.	England and Wales.	Canada.	Scandinavia.	Scotland.	Italy.	France.	Hungary.	Bohemia.	Russia and Poland.	Other foreign.	Unknown.	Not stated.
9,234	1,251	808	596	773	132	181	73	41	14	5	62	236	1,581	699
1,699	206	172	57	240	42	18	30	6	9	2	32	89	156	113
1,427	134	98	42	161	39	12	22	3	4	2	18	44	104	85
2,182	268	208	183	134	25	58	11	8	1	1	5	41	396	179
1,399	216	139	101	120	12	32	4	5			1	27	235	135
851	164	81	89	46	6	21		7			1	12	269	59
1,543	244	95	111	60	3	39	4	11			2	20	345	119
20	1	5		1									5	
25	1	1		1				1					3	
61	8	5	11	5	3		1				2	3	53	5
27	9	4	2	5	2	1	1				1		15	4
6,478	1,115	695	507	510	62	163	29	39	1	2	34	122	1,188	604
671	114	46	25	66	10	14	8	4	1	1	9	19	86	54
539	87	42	25	58	7	8	4				6	14	39	36
2,040	296	252	161	157	20	56	8	19			5	31	352	205
1,211	215	124	102	109	9	33	6	4		1	5	23	188	111
767	146	90	97	50	9	29	1	4			3	21	205	73
1,139	230	134	88	60	5	18	2	8			4	11	257	112
24	2			1							1	1	6	
6			1	1								1	2	
48	12	6	5	7		2					1		36	6
33	13	1	3	1	2	3						1	17	7
7,672	1,355	801	505	999	177	111	172	28	21	5	108	310	988	723
1,955	222	188	89	361	73	12	82	2	10	1	59	113	98	173
1,731	152	136	55	308	49	13	57	5	8		36	82	60	131
1,352	315	184	142	123	19	29	21	7	2	2	6	49	225	130
1,083	215	134	88	112	22	16	8	7	1		7	30	165	105
482	157	53	56	31	3	17	1	3		1	15	130	55	
989	268	100	70	54	8	23	1	4			17	260	115	
13	2	1		1	1	1							5	1
5		1											1	1
35	15	3	4	4	2		1					6	31	6
27	9	1	1	5			1			1		1	13	6
3,607	548	473	266	391	87	70	30	20	9	4	51	114	439	295
772	77	83	29	116	28	7	10	1	4	3	19	27	37	55
701	45	56	27	87	18	13	5	1	1	1	18	29	31	34
847	132	144	77	73	17	18	5	8	2		5	22	110	71
689	139	113	68	73	20	14	7	6	2		6	24	86	64
185	50	30	30	15	7	7		2			1	3	52	20
381	95	38	28	25	2	11	2	2			1	7	110	46
4	1		1										3	1
6		1		1									1	
11	6	6	4	1	2		1					1	6	3
11	3	2	2								1		3	1
3,517	611	355	274	239	43	68	21	15	4	1	14	60	625	267
350	76	32	21	32	10	8	7			1	2	9	52	19
268	41	13	5	22	7	1			1			6	21	17
1,313	187	140	121	81	13	25	8	7	2		5	28	204	102
655	123	76	56	67	7	11	4	4	1		1	9	83	53
476	97	47	41	21	3	17	2	3			2	6	128	42
397	72	42	24	13	3	6		1			2	2	95	32
12		1									1		5	
4													2	
29	11	4	3	3							1		23	2
13	4		2										12	
182	26	19	8	16	2	4				1		5	22	15
29	4	1		4	1	2							1	4
126	16	15	7	12	1	1	1			1		5	14	9
24	6	3	1			1							7	1
1														
2														1
2,442	527	348	179	368	90	46	98	12	16	4	60	142	653	199
949	200	128	60	196	48	11	34	4	4	2	35	61	140	65
364	36	38	14	34	6	5	8	2	2		4	15	21	25
593	166	115	59	88	25	13	47	4	9	2	17	54	168	63
173	26	31	21	22	4	6	2	1	1		4	5	43	10
139	50	19	7	4	4	4	1					1	58	14
168	34	10	15	10	1	5		1				3	56	19
17			1										1	
1				1										
31	12	7	1	10	2	2	4					3	160	3
7	3		1	3			2						6	
9,091	1,188	832	550	1,036	168	178	114	46	18	8	105	311	1,355	748
2,269	185	136	88	360	49	26	57	5	12	3	40	108	115	156
2,024	145	113	64	236	41	22	39	5	4		41	75	96	135
1,241	182	144	102	99	22	30	7	16			6	34	249	83
1,106	213	159	94	181	30	26	6	6	2	2	13	53	169	116
862	154	109	92	60	7	22	1	6		1	2	15	265	84
1,483	289	159	103	80	18	48	3	8		2	2	25	409	169
8	1			1		1							3	
13	1		1				1						1	
44	10	8	6	9	1	1	1				1	1	28	1
41	8	4		10		2							20	4

VITAL STATISTICS.

TABLE 1.—DEATHS FROM CERTAIN DISEASES AND CLASSES OF DISEASES, BY CONJUGAL

REGISTRATION CITIES IN OTHER STATES.

CAUSE AND CONJUGAL CONDITION.		White.	Colored.	AGE.									
				All ages.	Under 15	15 to 19	20 to 24	25 to 34	35 to 44	45 to 54	55 to 64	65 and over.	Un-known.
1	All causes	181,195	27,573	208,768	74,320	6,231	10,134	21,361	21,121	19,452	19,479	35,687	983
2	Single	M. 53,831	8,738	62,569	40,207	3,022	4,279	6,017	3,787	2,185	1,404	1,487	181
		F. 38,912	6,848	45,760	34,107	2,769	2,574	2,319	1,191	756	674	1,243	127
3	Married	M. 33,171	4,078	37,249	1	41	642	4,716	7,266	7,632	7,276	9,583	92
		F. 25,585	3,333	28,918	3	331	2,036	6,469	6,161	4,846	4,224	4,759	89
4	Widowed	M. 8,770	894	9,664	1	4	25	240	598	1,152	1,706	5,917	21
		F. 15,587	2,325	18,212	1	13	88	480	1,020	1,889	3,335	11,350	36
5	Divorced	M. 153	17	170				23	43	43	29	31	1
		F. 124	19	143		1	10	37	43	26	15	10	1
6	Unknown	M. 3,365	812	4,177		23	324	738	722	677	578	792	323
		F. 1,397	509	1,906		27	156	322	290	246	238	515	112
7	Unknown cause	1,818	648	2,466	1,031	49	68	176	225	230	234	351	102
8	Single	M. 548	225	773	562	23	21	40	44	20	19	17	27
		F. 389	210	599	469	26	19	19	14	14	12	6	20
9	Married	M. 299	60	359			4	30	67	87	76	94	1
		F. 216	41	257			17	51	55	46	44	40	4
10	Widowed	M. 95	15	110				4	4	12	22	67	1
		F. 121	48	169				3	13	23	33	96	1
11	Divorced	M. 1		1								1	
		F. 1		1							1		
12	Unknown	M. 99	34	133			4	20	21	23	20	18	27
		F. 49	15	64			3	9	7	5	7	12	21
13	Alcoholism	864	34	898	1		24	166	302	232	101	59	13
14	Single	M. 311	15	326	1		11	87	118	64	28	14	3
		F. 18	1	19			3	4	7	1	1	2	1
15	Married	M. 274	8	282			4	35	103	91	34	15	
		F. 72	3	75			5	16	33	13	4	3	1
16	Widowed	M. 79	1	80			1	3	15	24	22	14	1
		F. 33		33				4	5	17	3	4	
17	Divorced	M. 5	1	6				3	2	1			
		F. 2		2			1	1	1				
18	Unknown	M. 66	3	69				11	15	21	9	6	7
		F. 4	2	6				2	3			1	
19	Consumption	18,510	4,517	23,027	1,494	1,626	3,288	6,559	4,669	2,653	1,573	1,091	74
20	Single	M. 5,025	1,280	6,305	692	617	1,328	1,933	1,014	461	162	86	12
		F. 3,116	995	4,111	801	900	987	919	290	115	50	43	6
21	Married	M. 4,186	841	5,027		11	176	1,291	1,538	1,030	644	327	10
		F. 4,043	805	4,848	1	80	632	1,893	1,238	548	284	158	14
22	Widowed	M. 673	124	797			8	95	160	199	167	167	1
		F. 872	241	1,113		4	35	176	241	175	214	265	3
23	Divorced	M. 20	3	23				4	10	6	3		
		F. 20	4	24		2	2	8	7	4	2	1	
24	Unknown	M. 372	136	508		5	73	146	111	91	39	27	16
		F. 183	88	271		9	47	94	60	24	8	17	12
25	Cancer and tumor	6,658	418	7,076	98	33	87	356	1,063	1,697	1,862	1,864	16
26	Single	M. 451	41	492	48	17	35	53	71	104	86	78	
		F. 441	41	482	50	12	23	57	108	78	84	69	1
27	Married	M. 1,725	56	1,781		1	7	65	209	450	538	511	
		F. 2,213	148	2,361		2	18	148	536	725	590	339	3
28	Widowed	M. 405	19	424		1		5	17	43	121	236	1
		F. 1,204	86	1,290			2	17	89	231	389	562	
29	Divorced	M. 6		6						2	2	2	
		F. 12		12				1	3	3	5		
30	Unknown	M. 99	12	111			2	3	12	31	22	36	5
		F. 102	15	117				7	18	30	25	31	6
31	Suicide	1,608	55	1,663	1	64	158	376	392	325	181	143	23
32	Single	M. 370	21	391		19	77	134	80	40	23	15	3
		F. 117	7	124	1	40	33	30	7	7	2	3	1
33	Married	M. 658	16	674			15	107	203	196	91	57	5
		F. 180	7	187		4	27	65	59	21	7	4	
34	Widowed	M. 134	1	135			1	13	17	25	40	39	
		F. 32		32				5	5	4	6	12	
35	Divorced	M. 10		10				1	3	4	1	1	
		F. 5		5		1			1	3			
36	Unknown	M. 98	2	100			3	20	16	25	11	12	13
		F. 4	1	5			2	1	1				1
37	General diseases—A	31,643	4,840	36,483	23,301	1,226	1,678	2,621	1,939	1,522	1,448	2,630	118
38	Single	M. 12,940	1,797	14,737	12,042	589	739	680	305	155	85	117	25
		F. 11,293	1,546	12,839	11,257	562	407	269	104	64	70	87	19
39	Married	M. 2,629	470	3,099		11	104	639	656	582	485	615	7
		F. 2,410	414	2,824	1	53	298	781	597	385	300	394	15
40	Widowed	M. 652	87	739			2	20	54	82	144	433	3
		F. 1,249	248	1,497		4	8	41	96	163	298	884	3
41	Divorced	M. 13		13				3	2	2	1	5	
		F. 7	2	9			1	5	2			1	
42	Unknown	M. 304	169	473		4	75	124	87	57	40	49	37
		F. 146	107	253		3	44	59	36	32	25	45	9

27

REGISTRATION CITIES IN OTHER STATES.

BIRTHPLACES OF MOTHERS (WHITE).														
United States.	Ireland.	Germany.	England and Wales.	Canada.	Scandinavia.	Scotland.	Italy.	France.	Hungary.	Bohemia.	Russia and Poland.	Other foreign.	Unknown.	Not stated.
24, 916	6, 341	12, 144	2, 459	838	1, 896	612	825	516	400	608	2, 115	1, 702	7, 567	118, 256
8, 861	1, 363	2, 574	491	256	651	107	310	87	148	187	927	597	2, 113	35, 159
7, 176	830	1, 823	316	168	438	68	206	40	100	140	644	369	1, 185	25, 409
3, 311	1, 392	3, 015	656	155	278	177	166	131	89	133	260	343	1, 349	21, 716
2, 813	1, 010	2, 004	432	127	284	98	73	87	33	72	158	171	1, 042	17, 181
784	575	878	194	49	89	55	22	56	10	15	30	81	474	5, 458
1, 649	1, 012	1, 620	313	58	106	83	23	93	13	50	56	96	728	9, 987
23	5	7	3	1	1	2		1					7	103
21	1	3	3	2	1	1							7	85
177	101	139	40	18	37	19	21	17	7	4	28	37	532	2, 188
101	52	81	11	4	11	2	4	4		7	12	8	130	970
269	74	109	28	12	29	7	11	5	3	6	24	39	112	1, 090
96	13	18	5	7	10	1	5	1	1	2	13	13	21	342
73	13	20	2	3	10	1	5		1	1	6	15	16	223
36	12	26	12		5	2		1		1	3	5	17	179
32	12	21	4	2	1		1	1	1	1		3	13	124
12	3	14	1		1	2						1	7	54
15	13	7	3					1			2		6	74
													1	1
4	6	1			1	1		1				1	22	62
1	2	2	1		1					1		1	9	31
46	54	48	15	2	9	4		2	2	1	5	10	69	597
19	22	15	4	2	4	2		1	1			5	25	211
1	1	2	1										13	13
13	19	18	6		1	1			1	1	3	3	16	192
3	5	5									1		4	54
5	3	5	2		2	1						2	12	47
2	4	2	1					1			1		3	19
1														4
2		1	1		2								8	52
													1	3
2, 080	777	1, 284	166	91	293	55	52	56	24	54	108	150	856	12, 464
519	252	289	35	26	78	15	11	14	7	15	24	47	252	3, 441
477	146	186	26	17	43	7	9	6	2	6	18	19	113	2, 041
386	146	359	44	14	55	15	20	15	11	19	37	43	132	2, 890
492	145	283	47	24	94	11	6	12	8	11	18	25	175	2, 697
59	31	67	6	3	13	3	3	3				5	43	437
115	43	68	7	6	5	1	2	3		1	3	3	66	549
		1			1								1	17
		1											3	15
21	10	18	1		2	3	1	2	1	1	5	6	52	249
10	4	12		1	1			1		1	3	2	19	128
615	270	650	129	33	63	26	16	33	4	25	36	45	281	4, 432
37	20	29	7	3	8	2	2				1	4	25	313
55	19	21	4	1	4			3			1	1	16	314
145	64	200	48	6	21	13	7	4	1	10	20	18	44	1, 124
224	70	209	39	11	15	5	2	10	2	8	7	12	96	1, 503
26	17	52	9	4	5	1	1	2			1	4	19	264
116	65	117	20	6	8	4	2	14	1	3	4	5	59	780
	1												1	4
3		1	1											7
3	8	13		2						1	1	1	14	56
6	6	8	1		2		2			2	1		7	67
108	18	146	19	10	18	5	6	7	2	7	7	12	102	1, 141
24	5	23	4	2	7	2	5	1		1	1	3	27	265
19		6	2	1	1	1						2	7	78
86	10	71	6	4	2	2	1	1	2	5	5	1	41	471
16	1	14	1	2						1		4	6	135
6	1	24	3	1	5			3				1	4	86
2		4			1	1		1			1		3	20
1	1													8
														5
4		3	3		2			1				1	13	71
		1											1	2
5, 299	740	1, 738	355	131	368	71	179	67	103	90	566	343	1, 097	20, 496
2, 319	197	614	125	44	158	20	71	21	49	43	317	155	390	8, 417
2, 028	164	505	85	51	128	21	74	7	37	34	205	118	285	7, 551
361	128	234	59	12	27	12	19	12	10	8	17	38	122	1, 570
340	101	191	38	10	29	4	11	7	5	4	12	20	122	1, 516
68	42	59	12	3	8	5	1	5		1	2	5	47	394
151	89	115	33	6	13	7	1	13			6	1	60	754
2		1												10
2				1										4
21	10	12	3	4	2	1	2	2	2		6	5	56	178
7	9	7			3	1					1	1	15	102

VITAL STATISTICS.

TABLE 1.—DEATHS FROM CERTAIN DISEASES AND CLASSES OF DISEASES, BY CONJUGAL

REGISTRATION CITIES IN OTHER STATES—Continued.

CAUSE AND CONJUGAL CONDITION.			White.	Colored.	AGE.									
					All ages.	Under 15	15 to 19	20 to 24	25 to 34	35 to 44	45 to 54	55 to 64	65 and over.	Un-known.
1	Diseases of the nervous system.....		22,260	2,722	24,982	10,646	423	474	1,171	1,762	2,262	2,694	5,460	90
2	Single.....	M.....	6,764	904	7,668	5,972	214	218	340	320	238	155	199	12
		F.....	4,902	704	5,606	4,673	183	131	127	102	94	100	176	15
3	Married.....	M.....	4,154	353	4,507		2	29	281	655	863	1,043	1,625	9
		F.....	2,491	262	2,753		16	69	300	466	575	595	733	9
4	Widowed.....	M.....	1,202	89	1,291			1	20	49	124	217	878	2
		F.....	2,224	304	2,528	1		1	27	94	257	469	1,675	4
5	Divorced.....	M.....	16		16				1	4	5	3	2	1
		F.....	15	3	18				6	3	3	3	3	
6	Unknown.....	M.....	344	59	403		1	18	53	54	66	74	106	31
		F.....	148	44	192		2	7	16	25	37	85	63	7
7	Diseases of the circulatory system...		14,209	1,849	16,058	1,689	347	461	1,266	1,904	2,428	2,918	4,978	67
8	Single.....	M.....	2,322	286	2,608	899	169	178	325	344	234	224	230	5
		F.....	1,579	148	1,727	789	160	143	148	118	105	100	162	2
9	Married.....	M.....	3,916	478	4,394		3	22	266	639	898	1,095	1,460	11
		F.....	2,684	389	3,073		1	99	430	554	668	619	679	12
10	Widowed.....	M.....	1,170	121	1,291		1	1	10	69	142	260	804	4
		F.....	2,008	319	2,327		3	24	93	272	496	1,433	6	
11	Divorced.....	M.....	16	5	21				2	5	3	7	4	
		F.....	9	3	12				3	4	3	1	1	
12	Unknown.....	M.....	346	55	401		1	6	38	48	78	80	131	19
		F.....	159	45	204		2	6	23	30	25	37	74	7
13	Diseases of the respiratory system.....		27,067	4,441	31,508	14,446	615	981	2,195	2,460	2,489	2,765	5,469	88
14	Single.....	M.....	8,984	1,649	10,633	7,935	322	478	709	484	306	201	178	20
		F.....	6,378	1,297	7,675	6,511	251	233	203	112	78	86	188	13
15	Married.....	M.....	4,321	653	4,974		4	65	569	942	1,054	1,001	1,329	10
		F.....	2,922	349	3,271		30	152	560	627	529	605	766	2
16	Widowed.....	M.....	1,283	104	1,387			5	18	66	164	242	891	1
		F.....	2,645	296	2,941		1	15	52	111	277	533	1,946	6
17	Divorced.....	M.....	14	4	18				1	5	4	2	6	
		F.....	15	2	17				5	6	3	2	2	
18	Unknown.....	M.....	345	50	395		3	21	55	76	56	68	91	25
		F.....	160	37	197		4	11	23	31	18	27	72	11
19	Diseases of the digestive system.....		10,689	1,327	12,016	3,139	483	686	1,463	1,582	1,428	1,444	1,747	44
20	Single.....	M.....	2,576	393	2,969	1,738	286	240	304	202	107	71	65	6
		F.....	1,901	327	2,228	1,401	212	208	166	102	47	40	49	3
21	Married.....	M.....	2,424	199	2,623		2	37	290	548	608	594	588	6
		F.....	2,146	222	2,368		28	174	576	567	398	355	264	6
22	Widowed.....	M.....	441	37	478		1	1	15	26	75	113	245	2
		F.....	916	102	1,018		2	9	35	84	145	212	529	2
23	Divorced.....	M.....	7	1	8					1	2	2	3	
		F.....	14	1	15				6	7	2			
24	Unknown.....	M.....	155	25	180			10	38	32	30	35	28	7
		F.....	109	20	129		2	7	33	13	14	22	26	12
25	Diseases of the urinary organs.....		9,619	1,430	11,049	759	175	351	1,073	1,516	1,862	2,079	3,184	50
26	Single.....	M.....	1,459	250	1,709	386	78	127	274	268	223	182	167	4
		F.....	842	133	975	373	83	93	109	83	77	72	84	1
27	Married.....	M.....	3,209	392	3,601		2	26	246	491	732	856	1,239	9
		F.....	1,894	244	2,138		10	84	379	488	456	382	329	10
28	Widowed.....	M.....	840	99	939		1		4	42	135	163	594	
		F.....	1,059	203	1,262			4	24	79	159	337	654	5
29	Divorced.....	M.....	11	1	12				2	2	6	1	1	
		F.....	6		6				1	2	2	1		
30	Unknown.....	M.....	225	68	293		1	7	19	38	51	68	90	19
		F.....	74	40	114			10	15	23	21	17	26	2
31	Diseases of the female organs of generation.....		662	115	777	11	38	80	249	224	108	32	33	2
32	Single.....	F.....	133	39	172	11	27	41	42	30	11	6	3	1
33	Married.....	F.....	432	50	482		10	36	188	153	70	17	8	
34	Widowed.....	F.....	78	22	100			2	13	33	23	7	22	
35	Divorced.....	F.....	2		2				1		1			
36	Unknown.....	F.....	17	4	21		1	1	5	8	3	2		1
37	Accidents and injuries.....		9,962	1,286	11,248	2,385	711	1,077	2,181	1,811	1,247	835	842	159
38	Single.....	M.....	3,858	521	4,379	1,535	590	656	912	883	151	87	37	28
		F.....	1,016	203	1,219	849	100	83	76	41	18	10	31	11
39	Married.....	M.....	2,856	276	3,132	1	4	132	725	898	701	404	252	15
		F.....	767	69	836		9	96	221	205	117	99	85	4
40	Widowed.....	M.....	400	30	430			3	26	54	82	90	172	3
		F.....	334	33	367			3	13	26	40	62	223	
41	Divorced.....	M.....	22	1	23				3	7	6	6	1	
		F.....	6	3	9				2	4		1		
42	Unknown.....	M.....	649	133	782		8	95	190	181	119	68	31	90
		F.....	54	17	71			7	13	12	13	8	10	8
43	All other causes.....		25,626	3,891	29,517	15,319	441	721	1,509	1,272	969	1,313	7,886	137
44	Single.....	M.....	8,223	1,356	9,579	8,397	148	171	226	154	82	81	284	36
		F.....	6,787	1,197	7,984	6,922	208	170	150	73	47	41	340	33
45	Married.....	M.....	2,520	276	2,796		1	21	172	317	340	415	1,521	9
		F.....	3,115	330	3,445		78	329	861	593	295	323	957	9
46	Widowed.....	M.....	1,396	167	1,563			2	7	25	45	105	1,377	2
		F.....	3,112	423	3,535		2	6	46	51	103	276	3,045	6
47	Divorced.....	M.....	12	1	13				3	2	2	1	5	
		F.....	10		11				1	2	2	2	2	
48	Unknown.....	M.....	263	66	329			10	21	31	29	44	167	27
		F.....	188	74	262		4	11	22	23	24	25	138	15

CAUSE AND CONJUGAL CONDITION.

29

CONDITION, COLOR, AGE, BIRTHPLACES OF MOTHERS, AND SEX: CENSUS YEAR 1900—Continued.

REGISTRATION CITIES IN OTHER STATES—Continued.

BIRTHPLACES OF MOTHERS (WHITE).														
United States.	Ireland.	Germany.	England and Wales.	Canada.	Scandinavia.	Scotland.	Italy.	France.	Hungary.	Bohemia.	Russia and Poland.	Other foreign.	Unknown.	Not stated.
3,567	708	1,525	324	87	173	64	86	74	38	105	252	174	934	14,149
1,325	128	389	52	23	63	12	42	10	18	37	122	64	238	4,241
1,052	92	258	48	16	47	9	21	9	11	34	91	46	147	3,021
492	171	376	89	22	29	18	10	19	4	16	19	28	201	2,660
255	93	186	49	11	15	8	6	12	2	7	10	12	110	1,715
133	89	96	30	10	8	8	3	8	1	1	3	8	58	746
270	121	202	46	5	8	8	1	14	2	8	5	14	119	1,401
2		1											1	12
3			1											11
23	9	15	6		3	1	3	1		1	1	2	48	231
12	5	2	3					1		1	1		12	111
1,602	631	1,087	253	57	117	65	32	59	19	38	64	116	602	9,467
311	96	108	31	5	25	6	12	7	4	4	13	26	112	1,562
256	50	71	14	8	16	4	4	2	2	2	12	11	36	1,091
413	146	334	83	17	25	22	13	19	7	15	18	31	146	2,622
278	125	208	65	10	25	14	1	6	3	8	13	14	93	1,831
108	72	115	21	3	9	5	1	7		2	6	11	63	747
195	119	224	35	11	14	9		14	2	7	2	18	86	1,272
6		1	1			1							1	7
4			1											4
18	15	15	5	3	3	3	1	4	1			4	50	224
14	8	11	2			1						1	15	107
3,599	1,070	1,730	383	101	311	86	167	42	68	98	403	291	692	18,026
1,463	233	388	83	42	124	13	60	8	29	30	178	117	191	6,025
1,136	128	304	42	15	77	7	55	2	20	23	139	65	106	4,259
354	233	362	94	18	33	27	30	10	12	20	32	52	124	2,920
275	143	254	62	10	34	10	8	7	2	10	23	20	89	1,975
97	114	215	37	7	13	8	3	7	3	3	9	13	42	812
228	201	281	58	6	20	17	8	7	1	11	14	16	85	1,692
1	2	2	1	1										7
2	1					1							1	10
22	11	14	5	2	9	3	2	1	1		5	5	45	220
21	4	10	1		1					1	3	3	9	106
1,410	424	822	178	71	96	46	61	49	33	45	113	95	459	6,787
420	64	144	30	22	29	8	11	7	6	13	38	33	113	1,638
365	53	89	27	18	26	4	14	1	8	7	36	17	70	1,166
224	106	256	55	11	21	10	17	14	12	14	20	20	89	1,555
236	98	164	32	13	6	14	13	13	4	7	14	16	88	1,428
31	29	49	16	1	1	3	2	8	2	1	2	1	27	268
111	66	103	15	2	7	6	2	5	1	3	3	7	42	543
		1	1											5
2		1	1	1										10
14	3	9	1	3	5	1	2	1				1	20	95
7	5	6	1		1								10	79
914	360	667	151	36	70	48	26	48	13	18	56	60	421	6,731
153	47	59	17	7	20	4	7	6	1	2	9	7	69	1,051
114	25	34	7	3	9	1		3	2	3	12	3	25	601
292	105	264	50	15	13	21	6	21	6	5	16	27	122	2,246
175	70	118	33	7	18	8	9	7	3	6	10	8	71	1,351
76	42	84	17	3	3	9	1	4			2	9	48	542
83	60	97	23	1	5	4		5	1	2	2	6	42	728
3													1	7
1														5
11	9	3	4		2	1	3	1			5		36	145
6	2	3						1					7	55
86	18	44	11	5	9		1	2	2	1	7	5	51	420
16	4	5		1	2		1			1		1	13	89
58	10	32	9	2	5			1	2		6	4	30	273
12	4	5	2	1	1			1			1		5	46
														2
		2		1	1								3	10
1,245	412	581	152	70	106	42	99	16	52	23	182	138	747	6,097
558	155	176	46	33	50	6	41	4	19	8	80	44	271	2,367
200	23	44	15	7	10	3	7		4	3	30	9	50	611
290	131	241	56	20	27	20	34	7	20	7	51	59	194	1,699
90	27	36	13	5	7	3	6	3	3	1	13	10	37	513
31	31	33	9	3	7	3	2		3	3	3	8	32	232
38	31	33	6			4	3		1	1	1	1	25	190
7	1							1					1	12
2														4
25	13	16	7	1	5	3	6	1	2		3	7	130	430
4		2		1							1		7	39
4,076	785	1,713	295	132	234	93	89	56	37	97	292	224	1,144	16,359
1,617	131	322	52	40	75	16	43	7	13	32	131	79	379	5,286
1,384	112	278	43	27	65	9	16	7	13	25	94	62	301	4,351
269	121	274	49	16	19	14	9	8	3	12	19	18	101	1,588
339	110	283	50	20	35	21	10	8	3	8	31	23	108	2,066
132	101	165	31	11	14	7	5	9	1	4	2	13	72	829
311	196	362	64	14	24	23	4	14	4	14	11	25	127	1,919
1						1							1	2
1					1								2	6
9	7	14	4	3	1	2	1	2		1	2	4	38	175
13	7	15	2	1			1	1		1	2		15	130

VITAL STATISTICS.

TABLE 1.—DEATHS FROM CERTAIN DISEASES AND CLASSES OF DISEASES, BY CONJUGAL
NONREGISTRATION RECORD.

	CAUSE AND CONJUGAL CONDITION.	White.	Colored.	AGE.									
				All ages.	Under 15	15 to 19	20 to 24	25 to 34	35 to 44	45 to 54	55 to 64	65 and over.	Un- known.
1	All causes	416,452	109,973	526,425	201,579	24,689	29,644	45,429	39,187	37,826	41,085	101,410	5,576
2	Single	115,648	33,619	149,267	106,977	11,443	10,558	8,497	3,687	2,348	1,909	3,186	662
3	Married	91,907	30,617	122,524	94,566	10,646	6,163	4,380	1,769	1,212	1,101	2,306	381
4	Widowed	73,959	13,823	87,782	13	189	2,332	9,941	12,557	14,524	15,990	31,591	645
5	Divorced	60,552	13,851	74,403	13	1,982	7,257	16,298	14,576	11,473	10,018	12,135	651
6	Unknown	18,550	2,973	21,523	4	12	76	358	669	1,385	2,648	16,196	175
7	Unknown cause	29,566	6,032	35,598	6	73	245	734	1,152	2,484	4,898	25,631	375
8	Single	444	76	520	1	14	64	68	96	79	180	18	4
9	Married	359	91	450	4	40	97	99	69	58	79	4	4
10	Widowed	14,988	4,712	19,700	26	1,441	2,685	2,553	2,592	2,683	5,962	1,758	907
11	Divorced	10,479	4,179	14,658	313	1,518	2,375	2,057	1,643	1,701	4,144	907	907
12	Unknown	24,053	11,637	35,690	23,581	857	960	1,437	1,327	1,346	1,490	3,898	794
13	Single	9,529	4,528	14,057	12,725	389	274	205	126	66	59	114	99
14	Married	7,841	4,067	11,908	10,855	358	197	142	61	49	50	113	83
15	Widowed	1,851	760	2,611	1	6	72	250	316	404	494	1,016	52
16	Divorced	1,846	831	2,677	77	269	526	513	406	334	473	79	79
17	Unknown	586	201	787	1	11	10	48	82	617	18	18	18
18	Single	965	470	1,435	3	10	27	52	117	227	964	35	35
19	Married	10	3	13	1	1	1	2	3	3	4	1	1
20	Widowed	8	3	11	1	1	1	3	5	1	1	1	1
21	Divorced	806	367	1,173	67	114	123	141	138	348	242	242	242
22	Unknown	611	407	1,018	24	69	161	121	107	103	248	185	185
23	Alcoholism	676	74	750	12	5	18	96	195	178	127	91	28
24	Single	199	17	216	10	3	11	34	56	40	40	18	4
25	Married	13	2	15	2	2	3	4	2	1	1	1	1
26	Widowed	269	23	292	1	1	36	85	85	53	30	2	2
27	Divorced	18	2	20	1	1	6	6	3	1	3	3	3
28	Unknown	52	5	57	2	2	9	11	16	19	19	19	19
29	Single	7	3	10	1	1	2	3	3	5	5	5	5
30	Married	7	1	8	1	1	4	2	2	1	1	1	1
31	Widowed	105	17	122	2	13	31	33	15	12	16	16	16
32	Divorced	6	4	10	1	1	1	1	1	2	2	2	2
33	Unknown	39,851	15,937	55,788	4,718	5,376	8,715	13,159	8,525	5,784	4,195	4,652	664
34	Single	6,885	3,352	10,237	2,012	1,723	2,479	2,330	816	392	244	172	69
35	Married	6,987	4,001	10,988	2,704	3,090	2,462	1,702	496	223	141	130	40
36	Widowed	7,823	2,242	10,065	21	511	2,244	2,351	1,922	1,516	1,423	77	77
37	Divorced	11,265	3,654	14,919	2	420	2,309	5,046	3,350	1,857	1,055	754	126
38	Unknown	1,244	293	1,537	4	25	120	191	276	278	633	10	10
39	Single	2,111	657	2,768	21	95	297	326	433	489	1,068	39	39
40	Married	28	17	45	1	14	37	30	10	8	7	4	4
41	Widowed	81	28	109	6	325	614	496	389	276	252	192	192
42	Divorced	1,742	808	2,550	90	494	760	455	274	184	208	105	105
43	Unknown	1,685	885	2,570	90	494	760	455	274	184	208	105	105
44	Cancer and tumor	12,715	1,224	13,939	462	127	165	695	1,630	2,702	3,195	4,808	155
45	Single	726	67	793	253	57	34	68	68	78	101	127	7
46	Married	738	105	843	208	57	44	65	110	130	101	123	5
47	Widowed	3,880	146	3,526	1	1	10	116	324	653	974	1,427	20
48	Divorced	4,059	490	4,549	11	54	337	873	1,296	1,108	833	37	37
49	Unknown	758	29	787	1	2	19	64	250	483	1,293	15	15
50	Single	1,916	211	2,127	1	1	1	1	1	2	6	6	6
51	Married	11	1	12	1	1	1	1	1	1	1	1	1
52	Widowed	47	6	53	1	9	11	11	10	11	11	11	11
53	Divorced	494	47	541	6	23	48	87	119	223	35	35	35
54	Unknown	586	122	708	12	55	120	146	165	178	178	178	178
55	Suicide	2,018	80	2,098	20	120	231	391	428	365	264	233	46
56	Single	460	25	485	14	54	115	127	89	44	15	20	7
57	Married	129	9	138	6	54	39	26	8	2	3	3	3
58	Widowed	847	23	870	3	31	135	213	218	161	102	7	7
59	Divorced	183	6	189	4	23	54	46	33	16	12	1	1
60	Unknown	118	1	119	1	1	4	11	18	20	63	3	3
61	Single	38	2	40	1	1	1	5	2	6	14	11	11
62	Married	16	1	17	1	1	1	3	3	5	3	3	3
63	Widowed	1	1	1	1	1	1	1	1	1	1	1	1
64	Divorced	181	11	192	1	13	31	44	35	26	18	24	24
65	Unknown	45	2	47	4	8	6	12	4	6	4	4	4
66	General diseases—A	93,492	28,100	121,592	70,643	7,163	6,817	8,707	6,251	5,210	4,649	11,306	846
67	Single	34,359	10,383	44,742	36,035	3,289	2,582	1,570	447	229	174	316	100
68	Married	31,114	9,845	40,959	34,602	3,241	1,356	805	258	171	135	305	86
69	Widowed	9,641	2,625	12,266	64	705	2,231	2,203	2,111	2,111	1,651	3,217	84
70	Divorced	9,097	2,271	11,368	4	466	1,433	2,910	2,345	1,573	1,163	1,383	91
71	Unknown	1,886	439	2,325	2	21	55	82	174	293	1,684	14	14
72	Single	3,783	924	4,707	2	18	40	133	188	335	679	3,250	62
73	Married	45	10	55	4	4	4	11	8	8	6	17	1
74	Widowed	36	12	48	3	8	16	7	5	5	7	7	7
75	Divorced	1,945	846	2,791	3	365	530	382	331	316	614	260	260
76	Unknown	1,586	745	2,331	80	303	446	331	273	227	513	158	158

CAUSE AND CONJUGAL CONDITION.

31

CONDITION, COLOR, AGE, BIRTHPLACES OF MOTHERS, AND SEX: CENSUS YEAR 1900—Continued.

NONREGISTRATION RECORD.

BIRTHPLACES OF MOTHERS (WHITE.)

United States.	Ireland.	Germany.	England and Wales.	Canada.	Scandinavia.	Scotland.	Italy.	France.	Hungary.	Bohemia.	Russia and Poland.	Other foreign.	Unknown.	Not stated.	
293,497	13,479	25,566	9,358	3,173	10,597	2,541	1,042	1,214	637	1,271	2,603	6,663	41,821		1
89,157	2,188	5,090	1,571	899	2,876	431	430	186	281	337	1,067	1,935	9,200		2
75,114	1,095	3,280	952	580	2,014	268	218	95	211	228	786	1,291	5,775		3
46,491	3,593	7,741	2,783	627	2,153	722	160	356	60	233	284	1,195	7,561		4
41,986	2,187	5,074	1,560	536	1,871	383	81	205	31	231	281	832	5,344		5
9,880	1,270	2,436	781	123	522	244	20	114	8	75	53	330	2,744		6
18,460	1,715	2,992	927	200	656	273	21	125	6	107	54	398	3,629		7
242	20	49	22	4	8	6		4	1	1		7	80		8
242	15	28	9	5	12	2		3		1	1	3	38		9
6,138	899	1,188	496	146	310	136	98	90	27	27	89	469	4,875		10
5,837	497	678	257	53	172	76	14	36	12	31	38	203	2,575		11
18,557	324	989	248	105	524	65	63	23	99	95	252	395	2,314		12
7,929	50	273	53	40	215	19	39	3	52	31	128	160	537		13
6,713	37	194	43	34	132	10	11	7	38	25	97	119	381		14
1,179	63	162	57	8	50	14	4	6	4	9	12	36	247		15
1,223	56	128	39	9	59	6	4		2	18	6	31	265		16
328	30	81	13	6	17	5		3		1	2	11	89		17
603	45	77	18	2	29	6	1	1		6	1	12	164		18
7			1							1			1		19
5		1	1			1									20
274	30	44	10	4	8	1	4	2	1	4	2	17	405		21
296	13	29	13	2	14	3		1	2		4	9	225		22
268	74	70	33	15	12	7	4	2	2	6	3	18	162		23
63	31	19	10	8	1	1	2		2		1	3	58		24
7						1							5		25
145	18	34	13	4	6	4	1	1		4	2	7	30		26
4	5	4	1				1					1	2		27
17	6	7	4		3					1		4	10		28
3				1	1								2		29
5													2		30
23	14	6	5	2	1	1		1		1		3	48		31
1													5		32
27,211	1,443	2,582	727	370	1,574	208	58	107	26	112	156	673	4,604		33
4,365	324	428	109	83	368	37	16	22	6	21	41	130	935		34
5,158	241	363	88	69	322	29	5	15	1	17	24	92	563		35
5,143	301	681	240	61	284	63	11	27	7	32	33	147	793		36
8,463	288	649	164	107	420	39	11	22	6	29	26	131	910		37
726	75	117	29	9	37	14	1	7	1	2	6	27	193		38
1,488	66	142	34	19	46	10	1	6		4	8	36	251		39
17	1	6	2										2		40
60	1	4	2	1	7					1			5		41
736	97	110	42	16	56	5	12	6	4	2	17	66	573		42
1,055	49	82	17	5	34	11	1	2	1	4	1	44	379		43
7,501	714	1,481	435	127	477	150	27	74	6	61	45	235	1,382		44
412	58	73	13	8	31	9	2	5	2	1	7	19	86		45
551	28	35	12	3	21	4	5		1	4	2	11	61		46
1,829	229	538	123	42	157	50	8	21	1	20	12	72	278		47
2,607	168	413	148	42	146	42	7	25	1	21	16	67	356		48
392	51	121	32	8	32	14	2	5		1		12	93		49
1,182	107	189	63	18	58	21		10		10	1	30	227		50
8	1				1								6		51
35		6													52
183	34	60	18	9	14	5	3	6	1	2	3	20	136		53
302	38	45	26	2	17	5		2		2	4	4	139		54
1,023	70	321	82	23	69	12	5	7		23	11	55	317		55
254	20	56	13	4	22	1	1	2		6	4	17	60		56
87	6	8	3	2	1	1				2		3	16		57
440	29	157	44	12	33	5	1	4		6	7	22	87		58
100	5	28	5	2	3	2	1			5		3	29		59
40	5	33	1	1	4	1				2		1	23		60
14	1	8	1	1	1	2		1				2	7		61
9		4											3		62
1															63
56	2	25	6	1	4		2			1		6	78		64
22	2	2	2		1					1		1	14		65
74,402	1,348	4,018	1,231	511	1,610	380	272	147	143	219	736	1,403	7,122		66
28,219	290	1,217	333	202	627	93	126	39	70	83	342	550	2,168		67
26,085	209	967	288	168	527	82	87	30	65	85	326	457	1,738		68
7,150	259	653	231	59	158	64	25	24	5	12	20	111	870		69
6,934	215	560	153	46	187	30	14	28		24	25	123	758		70
1,191	90	174	65	2	32	11	1	9		5	1	40	265		71
2,724	140	257	84	22	52	26	3	9		6	4	41	415		72
25	1	4										1	12		73
28	1	2											4		74
1,021	93	106	44	9	22	19	15	6	1		12	48	549		75
1,025	50	78	31	3	5	5	1	2	2	4	5	32	343		76

VITAL STATISTICS.

TABLE 1.—DEATHS FROM CERTAIN DISEASES AND CLASSES OF DISEASES, BY CONJUGAL NONREGISTRATION RECORD—Continued.

CAUSE AND CONJUGAL CONDITION.	White.	Colored.	AGE.									
			All ages.	Under 15	15 to 19	20 to 24	25 to 34	35 to 44	45 to 54	55 to 64	65 and over.	Un-known.
1 Diseases of the nervous system.....	47,740	7,276	55,016	21,495	1,614	1,402	2,423	2,993	4,068	5,406	15,117	498
2 Single.....	M.. 13,083 F.. 9,981	2,322 1,929	15,405 11,910	11,818 9,674	831 660	591 356	594 313	416 177	343 172	269 153	480 362	63 43
3 Married.....	M.. 9,295 F.. 5,612	870 773	10,165 6,385	11 1	11 92	90 210	509 676	990 893	1,476 1,202	2,078 1,357	4,955 1,910	56 44
4 Widowed.....	M.. 2,640 F.. 4,220	255 553	2,895 4,773	2 2	2 10	3 41	22 77	54 138	77 285	138 622	2,276 3,725	24 29
5 Divorced.....	M.. 90 F.. 41	6 3	96 44			1 8	9 11	11 10	7 7	18 7	35 7	3
6 Unknown.....	M.. 1,626 F.. 1,152	322 243	1,948 1,395		3 15	60 81	135 116	218 146	267 175	307 217	791 576	167 69
7 Diseases of the circulatory system....	27,842	4,716	32,558	3,455	703	943	1,964	2,706	3,607	5,501	13,321	353
8 Single.....	M.. 3,531 F.. 2,506	467 400	3,998 2,906	1,888 1,566	301 324	271 228	325 197	232 108	201 104	270 118	477 247	33 14
9 Married.....	M.. 8,282 F.. 5,430	1,159 1,176	9,441 6,606	1	5 57	50 278	376 822	720 1,197	1,369 1,173	2,174 1,374	4,687 1,659	59 46
10 Widowed.....	M.. 2,389 F.. 3,307	276 624	2,665 3,931			3 12	11 29	44 86	139 226	370 604	2,085 2,942	13 29
11 Divorced.....	M.. 42 F.. 26	5 8	47 34		1 2		4 2	4 8	10 5	5 12	22 5	2
12 Unknown.....	M.. 1,452 F.. 877	317 284	1,769 1,161		2 10	42 63	86 112	163 139	234 146	374 200	755 442	108 49
13 Diseases of the respiratory system....	58,921	14,610	73,531	34,280	2,726	3,004	4,689	4,928	5,228	5,697	12,398	581
14 Single.....	M.. 18,570 F.. 14,184	5,148 4,106	23,718 18,290	18,562 15,713	1,502 1,015	1,327 494	939 302	439 176	321 128	231 144	319 284	78 34
15 Married.....	M.. 10,040 F.. 6,999	2,084 1,262	12,124 8,261	3 1	31 148	261 583	1,243 1,539	1,970 1,550	2,330 1,393	2,361 1,309	3,846 1,676	79 62
16 Widowed.....	M.. 2,144 F.. 3,998	385 650	2,529 4,648	1		11 25	48 70	98 130	212 317	335 702	1,799 3,356	25 39
17 Divorced.....	M.. 55 F.. 37	11 12	66 49		1	2 3	7 7	6 7	11 7	13 7	26 17	
18 Unknown.....	M.. 1,789 F.. 1,105	574 378	2,363 1,483		4 16	161 137	338 196	337 215	340 169	361 234	632 443	190 73
19 Diseases of the digestive system.....	26,356	5,494	31,850	13,453	1,226	1,382	2,281	2,303	2,539	3,031	5,441	194
20 Single.....	M.. 7,414 F.. 5,849	1,965 1,705	9,379 7,554	7,234 6,215	630 476	523 283	366 211	189 111	143 60	108 72	158 114	28 12
21 Married.....	M.. 4,867 F.. 4,172	673 492	5,540 4,664	3 1	7 89	95 343	533 890	779 892	1,027 817	1,232 811	1,841 790	23 31
22 Widowed.....	M.. 935 F.. 1,705	128 210	1,063 1,915		2 3	2 7	19 27	27 68	76 172	183 329	746 1,296	8 13
23 Divorced.....	M.. 27 F.. 28	2 4	29 32		1 1	2 2	3 3	3 5	4 8	5 5	14 8	
24 Unknown.....	M.. 795 F.. 564	192 123	987 687		1 17	67 59	139 91	123 106	145 87	183 108	275 199	54 25
25 Diseases of the urinary organs.....	13,649	1,845	15,494	1,220	345	528	1,066	1,312	1,737	2,522	6,604	160
26 Single.....	M.. 1,626 F.. 937	247 165	1,873 1,102	678 541	154 139	187 85	217 111	125 44	100 44	148 50	251 83	13 5
27 Married.....	M.. 5,403 F.. 2,109	637 241	6,040 2,350		2 41	34 146	234 386	460 475	806 466	1,279 405	3,189 416	36 15
28 Widowed.....	M.. 1,514 F.. 849	159 99	1,673 948	1	2 1	4 1	5 11	23 20	60 71	188 182	1,382 647	11 12
29 Divorced.....	M.. 26 F.. 17	4	30 17									
30 Unknown.....	M.. 895 F.. 273	199 94	1,094 367		1 5	33 36	58 43	98 57	132 53	219 42	505 111	48 20
31 Diseases of the female organs of generation.	1,025	416	1,441	34	106	140	290	334	275	132	114	16
32 Single.....	M.. 190 F.. 639	80 232	270 871	34	96 7	42 74	43 200	24 250	16 199	5 86	9 51	1 4
33 Married.....	M.. 103 F.. 3	50 1	153 4		1 1	4	8 2	21 1	38	32	47	2
34 Widowed.....	M.. 90 F.. 90	53	143		1	20	37	38	22	9	7	9
35 Divorced.....	M.. 8,568 F.. 2,938	2,656 1,661	11,224 4,599	5,227 3,779	1,933 382	1,736 163	1,856 107	493 58	201 20	98 25	87 55	93 10
36 Unknown.....	M.. 5,545 F.. 1,148	1,114 267	6,659 1,415		30 53	396 190	1,656 336	1,568 280	1,255 171	849 132	827 229	78 23
37 Married.....	M.. 1,148 F.. 657	104 124	761 720	1	1 1	5 10	49 17	71 20	93 46	140 69	395 547	6 10
38 Widowed.....	M.. 596 F.. 45	124 8	720 53									
39 Divorced.....	M.. 4 F.. 4	8	53 8									
40 Unknown.....	M.. 1,523 F.. 247	444 113	1,967 360		4 8	235 38	495 57	368 55	267 29	141 39	162 97	295 37
41 All other causes.....	46,843	12,069	58,912	19,198	1,909	2,556	4,141	3,333	2,691	3,376	21,023	685
42 Single.....	M.. 10,698 F.. 8,500	2,442 2,542	13,140 11,042	10,521 8,667	577 752	428 411	366 352	191 136	190 93	152 103	647 480	68 48
43 Married.....	M.. 6,716 F.. 7,975	1,467 2,154	8,183 10,129	4 3	8 517	76 1,344	378 2,570	578 1,906	868 884	1,168 867	5,031 1,946	72 92
44 Widowed.....	M.. 3,627 F.. 5,968	698 1,455	4,325 7,423	1 2	1 10	3 25	10 50	38 96	90 205	233 466	3,910 6,480	39 89
45 Divorced.....	M.. 42 F.. 30	10	49 40									
46 Unknown.....	M.. 1,635 F.. 1,682	568 726	2,203 2,378		1 43	65 198	109 294	117 262	191 157	208 171	1,375 1,116	137 137

CAUSE AND CONJUGAL CONDITION.

33

CONDITION, COLOR, AGE, BIRTHPLACES OF MOTHERS, AND SEX: CENSUS YEAR 1900—Continued.

NONREGISTRATION RECORD—Continued.

BIRTHPLACES OF MOTHERS (WHITE).														
United States.	Ireland.	Germany.	England and Wales.	Canada.	Scandinavia.	Scotland.	Italy.	France.	Hungary.	Bohemia.	Russia and Poland.	Other foreign.	Unknown.	Not stated.
32,458	1,700	3,458	1,294	360	1,018	327	114	160	50	128	221	574	5,878	
9,873	242	704	209	86	297	41	36	16	23	45	92	172	1,247	
8,022	140	396	142	61	177	24	30	10	19	30	67	130	733	
5,597	464	931	395	82	221	102	25	50	3	22	25	104	1,274	
3,628	277	499	170	51	161	44	3	31	1	18	20	60	649	
1,399	167	304	125	17	51	46	2	16		4	5	28	476	
2,696	233	397	144	31	64	43	7	16		6	6	33	544	
39	2	10	4	1	3	1		1	1			2	26	
27		1		1	1			2				1	8	
622	107	138	64	19	30	14	10	7	2	2	4	30	577	
555	68	78	41	11	13	12	1	11	1	1	2	14	344	
17,238	1,435	2,772	994	259	747	271	47	132	15	105	101	452	3,274	
2,318	177	225	84	41	125	26	8	20	4	8	25	68	402	
1,884	65	117	47	25	72	18	4	3	1	9	17	42	202	
5,206	398	958	337	75	216	78	12	44	4	21	17	132	784	
3,527	261	575	196	57	162	53	8	23	1	29	24	69	445	
1,243	156	325	108	14	63	36	3	13	3	10	5	41	369	
1,992	215	363	129	25	63	30	2	13	1	21	5	43	405	
27		1	3			2						1	8	
10	1	6	1		3								5	
589	100	135	55	16	25	20	9	12		4	5	39	443	
442	62	67	34	6	18	8	1	4	1	3	3	17	211	
43,449	1,991	3,649	1,331	413	1,350	334	150	143	102	144	356	864	4,645	
14,943	298	693	251	117	423	61	71	22	49	61	158	292	1,131	
11,883	137	464	145	84	312	41	37	14	35	20	125	192	695	
6,486	591	1,017	409	72	256	86	22	45	9	18	30	134	865	
4,969	270	573	197	70	169	46	7	22	4	21	27	95	529	
1,117	203	280	87	15	52	28	4	10		11	6	36	295	
2,509	279	404	152	20	77	40	3	16	2	10	4	40	442	
27	3	8	6	1	1	1		1				1	7	
21	4	4	1			1						1	4	
804	141	134	64	25	40	24	4	9	3	1	4	54	482	
690	65	72	19	9	20	6	2	4		2	2	19	195	
18,835	834	2,043	585	236	692	167	50	79	41	80	165	402	2,147	
5,812	126	378	90	84	198	31	19	14	22	26	62	111	441	
4,805	68	270	54	48	131	10	8	6	13	9	57	77	293	
3,055	220	592	184	41	148	55	9	22	3	18	21	92	407	
2,887	177	370	120	32	127	27	4	17	1	17	11	50	332	
522	67	118	38	4	26	17	1	6		2	2	17	115	
1,063	99	182	59	15	37	10	2	8	1	6	5	19	199	
16	4	3				1							3	
21	2	1	1		15	11	6	5	1		5	29	219	
350	45	79	25	6	10	5	1	1		2	2	6	137	
304	26	50	14	6										
8,348	720	1,396	489	128	398	140	20	70	6	40	36	147	1,711	
1,030	81	116	41	19	53	14	8	5	3	3	12	21	220	
709	29	44	5	4	33	11				1		7	94	
3,388	299	573	208	43	172	57	6	34		20	14	54	535	
1,342	87	236	81	34	58	24	1	7	1	3	4	21	210	
840	101	200	77	15	31	17	2	9		6	3	18	195	
489	60	109	32	2	20	8	2	1		4	2	9	111	
17		4	1		2								2	
9	2	1	1		1	3							3	
386	47	97	37	10	24	3	1	11	2	1	1	12	263	
138	14	16	6	1	4	6		3		2		5	78	
745	21	71	28	3	27	2		1	1	1	4	9	112	
158	3	14	4	1	3							1	6	
466	14	46	21	2	16	2			1	1	4	6	60	
65	3	7	2		5			1					20	
3														
53	1	4	1		3							2	26	
13,214	905	1,563	730	269	651	204	153	92	78	92	237	589	2,494	
5,847	316	470	238	115	273	66	73	25	27	34	104	227	753	
2,353	36	109	37	28	77	11	13	2	16	13	24	50	169	
3,068	334	577	277	76	190	79	32	36	22	21	68	167	598	
660	48	157	45	13	43	10	4	5		8	8	26	120	
315	41	95	32	8	19	11	1	7		8	6	14	100	
366	42	53	19	6	8	6		4	1	1	1	6	83	
24	4	4	3	2	1	1						2	4	
1	1			1									1	
477	70	83	73	19	37	16	28	10	11	5	23	94	577	
103	13	15	6	1	3	4	2	3		2	3	3	89	
30,248	1,900	4,143	1,151	354	1,448	324	79	177	68	165	280	847	5,659	
8,092	175	438	127	92	243	32	29	13	21	18	91	165	1,162	
6,699	96	299	84	53	206	26	18	8	22	13	47	110	819	
3,805	388	868	265	52	262	65	4	42	2	30	23	117	793	
5,176	316	836	220	71	320	58	16	25	12	37	60	149	679	
1,700	278	581	163	29	155	44	3	29	4	22	17	81	521	
3,266	425	804	190	38	198	71		39	1	33	17	127	759	
21	4	4						3					10	
21	3	2	2										1	
617	119	171	53	11	84	17	4	15	1	4	13	51	525	
851	96	140	47	7	30	11	5	3	5	8	12	47	390	

VITAL STATISTICS.

TABLE 1.—DEATHS FROM CERTAIN DISEASES AND CLASSES OF DISEASES, BY CONJUGAL
CONNECTICUT.

	CAUSE AND CONJUGAL CONDITION.	White.	Colored.	AGE.									
				All ages.	Under 15	15 to 19	20 to 24	25 to 34	35 to 44	45 to 54	55 to 64	65 and over.	Un- known.
1	All causes	15,048	374	15,422	4,849	348	539	1,210	1,192	1,304	1,598	4,262	120
2	Single	(M. 3,669 F. 2,970)	106 111	3,775 3,081	2,606 2,243	172 152	225 157	314 143	177 70	96 67	64 66	113 173	8 10
3	Married	(M. 2,668 F. 2,180)	46 40	2,714 2,220	1 21	19 108	157 394	262 388	393 401	476 401	527 389	1,019 501	17 18
4	Widowed	(M. 928 F. 1,996)	22 33	950 2,029			3	14 17	32 61	67 123	136 332	694 1,478	7 15
5	Divorced	(M. 25 F. 26)	 1	25 27				1 4	4 1	6 6	4 7	10 8	
6	Unknown	(M. 427 F. 159)	11 4	438 163		2	14 12	47 14	53 13	49 13	46 27	198 68	31 14
7	Unknown cause	54		54	25		3	1	4	4	4	10	3
8	Single	(M. 19 F. 13)		19 13	15 10				1	1		2	
9	Married	(M. 3 F. 5)		3 5			1	1	1	2		1	
10	Widowed	(M. 3 F. 3)		3 3							1	2	
11	Divorced	(M. 1 F. 1)		1 1							1	1	
12	Unknown	(M. 6 F. 1)		6 1			1				1	1	3
13	Alcoholism	66	2	68			3	15	24	16	4	3	3
14	Single	(M. 26 F. 1)		26 1			1	9	11	3	2		
15	Married	(M. 14 F. 7)	1	15 7				3 2	4 3	7 1		1	
16	Widowed	(M. 6 F. 3)	 1	6 4				2 1	2 1	2 1		1	1
17	Divorced	(M. 6 F. 3)		6 3			1		2	1	1		1
18	Unknown	(M. 6 F. 3)		6 3			1		1	1		1	1
19	Consumption	1,474	55	1,529	107	103	200	428	286	156	117	123	9
20	Single	(M. 356 F. 271)	12 22	368 293	46 61	46 50	83 74	121 62	45 28	18 5	5 6	4 5	
21	Married	(M. 322 F. 322)	8 8	329 330		5	7 23	77 135	91 77	64 42	49 25	39 19	2 4
22	Widowed	(M. 52 F. 82)	3 1	55 83			1	7 6	11 17	14 7	7 19	15 33	1
23	Divorced	(M. 2 F. 1)		2 1					2				
24	Unknown	(M. 48 F. 18)	1	49 19		2	6 6	18 2	11 4	3 2	4 2	7 1	
25	Cancer and tumor	591	9	600	2	2	5	21	49	135	157	222	7
26	Single	(M. 21 F. 39)		21 39	1 1	2	2	3 3	1 3	6 14	3 8	5 6	
27	Married	(M. 136 F. 206)	4 3	140 209			1	4 10	11 29	32 57	42 63	50 47	1
28	Widowed	(M. 27 F. 140)	 2	27 142				1	3	3	4	20	1
29	Divorced	(M. 3 F. 10)		3 10					1	1	2		
30	Unknown	(M. 9 F. 9)		9 9			1		1	3	4	2	1
31	Suicide	95		95	2	4	7	18	19	14	9	18	4
32	Single	(M. 22 F. 8)		22 8	1 1	2	3	7	6	1		2	
33	Married	(M. 34 F. 12)		34 12	2		2	7	5	10	3	7	2
34	Widowed	(M. 10 F. 4)		10 4			1	2	4	2	3	5	1
35	Divorced	(M. 1 F. 2)		1 2			1		1				
36	Unknown	(M. 2 F. 2)		2 2			1		1			1	1
37	General diseases—A	3,067	71	3,138	1,749	58	79	159	128	127	166	662	10
38	Single	(M. 1,014 F. 946)	21 37	1,035 983	887 862	25 27	39 17	33 22	11 6	12 7	7 9	20 31	1
39	Married	(M. 327 F. 273)	1 3	328 276	1 5	1	3	41 53	42 53	52 30	49 30	140 87	1
40	Widowed	(M. 114 F. 323)	2 5	116 328			1	1 3	1 7	3 15	12 50	99 250	2
41	Divorced	(M. 1 F. 4)		1 4			1	1				2	2
42	Unknown	(M. 44 F. 21)	1	45 22			1	1	6	7	6	22	2

35

CONNECTICUT.

BIRTHPLACES OF MOTHERS (WHITE).														
United States.	Ireland.	Germany.	England and Wales.	Canada.	Scandinavia.	Scotland.	Italy.	France.	Hungary.	Bohemia.	Russia and Poland.	Other foreign.	Unknown.	Not stated.
5,706	3,452	911	662	580	362	163	396	60	83	4	376	377	1,916	
1,336	787	210	119	188	139	39	169	13	38	2	163	163	303	
1,243	547	155	103	161	102	18	124	11	31	1	141	119	214	
988	604	204	162	76	53	36	48	17	5		31	45	399	
787	598	161	127	79	35	27	34	9	9		28	27	259	
318	238	56	42	29	10	16	6	3		1	3	6	200	
817	538	102	90	30	15	24	7	7			4	9	353	
14	1	1	1										8	
16	2		2										5	
133	90	20	9	15	4	2	6				5	5	138	
54	47	2	7	2	4	1	2				1	2	37	
18	10	2	4	4	2		1	1	1		4		7	
6	2	1	1	2	1		1	1			3		1	
4	4		1	1	1				1		1			
2														
1	2			1									1	
1	1	1											1	
3														
1	1		1										4	
			1											
13	24		3	4		1							21	
6	12			1									7	
1	5		2	1		1							4	
3	2			1									1	
1			1										4	
	3													
2	1												3	
			1										2	
407	551	94	57	78	47	10	25	7	6		18	29	145	
85	158	15	14	12	8	1	9	2	2		6	9	35	
93	98	13	7	21	8		4		1		1	3	22	
78	120	29	15	13	12	6	3	3	1		2	11	29	
90	102	24	15	21	13	3	9	1	2		9	2	31	
10	23	5	4	2	3			1				1	8	
35	22	4	1	5	2								13	
2														
7	20	4	1	4	1							2	1	
7	8											1	9	
215	138	60	37	19	4	10	6	2			4	5	91	
8	7	2	1			1						1	1	
20	10	2	1	1		1						4	4	
39	32	14	10	8	2	4	3	2			3	2	17	
87	41	25	16	6		2	2					2	25	
6	7	2	1		1	1							9	
46	38	12	8	3	1	1					1		30	
2														
2	3	1		1			1						1	
5		2											2	
39	14	16	5		3	2			1		2	3	10	
12	4	1	1		1						2		1	
6	1	1												
11	3	8	2		2	1			1			2	4	
6	2	1	1										2	
1	2	2	1			1						1	2	
2		1											1	
1														
		2												
	2													
1,274	546	194	130	129	111	26	113	10	24	1	123	102	284	
399	164	71	33	54	52	10	47	4	13		59	48	60	
416	114	55	39	49	43	6	52	3	11	1	56	43	58	
132	71	24	24	7	7	4	6	1			4	5	42	
106	72	18	15	8	7	1	4	2			4	4	32	
40	29	5	3	7		2	2						26	
150	81	18	15	1	2	3							53	
1														
3													1	
18	7	3	1	3			1					1	10	
9	8						1					1	2	

VITAL STATISTICS.

TABLE 1.—DEATHS FROM CERTAIN DISEASES AND CLASSES OF DISEASES, BY CONJUGAL
CONNECTICUT—Continued.

	CAUSE AND CONJUGAL CONDITION.	White.	Colored.	AGE.									Un- known.
				All ages.	Under 15	15 to 19	20 to 24	25 to 34	35 to 44	45 to 54	55 to 64	65 and over.	
1	Diseases of the nervous system.....	1,921	37	1,958	539	22	29	55	86	167	260	787	13
2	Single.....	M.. 373 F.. 330	11 8	384 338	293 246	14 8	12 9	14 7	14 8	9 15	11 10	15 34	2 1
3	Married.....	M.. 386 F.. 253	4 2	390 255				11 19	34 23	55 45	92 66	198 94	3
4	Widowed.....	M.. 159 F.. 315	4 5	163 320					1 4	12 19	15 54	133 241	2
5	Divorced.....	M.. 8 F.. 4		8 5				1			1	7	
6	Unknown.....	M.. 66 F.. 27	1 1	67 28			2 1		2	6 4	6 4	49 15	2 3
7	Diseases of the circulatory system.....	1,259	34	1,293	86	21	22	53	90	149	216	643	13
8	Single.....	M.. 108 F.. 111	5 7	113 118	86 50	10 11	11 7	13 9	13 8	10 7	5 8	14 17	1 1
9	Married.....	M.. 319 F.. 228	4 6	323 234				12 13	22 39	49 52	76 42	161 83	3
10	Widowed.....	M.. 141 F.. 279	5 1	146 280			1	1		11 14	30 37	104 218	2
11	Divorced.....	M.. 2 F.. 4		2 4							2	2	
12	Unknown.....	M.. 45 F.. 22	5 1	50 23			1	2 1		4 2	10 6	32 10	2 1
13	Diseases of the respiratory system.....	2,154	58	2,212	915	28	41	114	139	176	240	551	8
14	Single.....	M.. 600 F.. 493	22 11	622 504	497 418	14 14	19 10	33 14	26 7	17 7	5 11	11 22	
15	Married.....	M.. 333 F.. 242	7 8	340 250			2 9	29 31	61 29	65 47	67 63	114 71	2
16	Widowed.....	M.. 122 F.. 302	3 6	125 308				1 1	5 7	9 18	32 53	78 225	4
17	Divorced.....	M.. 2 F.. 2		2 2						2			
18	Unknown.....	M.. 39 F.. 19	1	40 19			1	2 3	3 1	9 1	5 3	19 11	1
19	Diseases of the digestive system.....	803	14	817	226	29	27	59	78	90	99	205	4
20	Single.....	M.. 178 F.. 137	4 4	182 141	132 94	15 14	8 8	5 8	8 4	4 3	4 2	6 8	
21	Married.....	M.. 152 F.. 163	1 3	153 166			2 9	18 22	26 34	31 39	38 27	38 34	1
22	Widowed.....	M.. 38 F.. 104	1 1	39 105				1 1	1 3	1 8	7 17	29 74	2
23	Divorced.....	M.. 3 F.. 2		3 2					1	1		1	
24	Unknown.....	M.. 19 F.. 7		19 7				3 1	1 1	2 1	3 1	9 4	1
25	Diseases of the urinary organs.....	956	29	985	52	18	38	64	96	139	170	399	9
26	Single.....	M.. 117 F.. 65	3 5	120 70	31 21	9 7	13 12	15 5	14 4	9 2	14 8	14 11	1
27	Married.....	M.. 290 F.. 182	12 2	302 184			1 11	18 23	34 31	53 47	57 40	138 28	1
28	Widowed.....	M.. 104 F.. 139	2 5	106 144					2 6	8 13	12 31	83 94	1
29	Divorced.....	M.. 3 F.. 2		3 2					1	2			
30	Unknown.....	M.. 45 F.. 9		45 9			1	3	4	3	5 3	27 3	2
31	Diseases of the female organs of generation.....	50		50		3	4	9	11	8	7	8	
32	Single.....	F.. 7		7		2	1	1		2	1		
33	Married.....	F.. 31		31		1	3	8	9	4	4	2	
34	Widowed.....	F.. 11		11					1	2	2	6	
35	Divorced.....	F.. 1		1									
36	Unknown.....	F.. 1		1					1				
37	Accidents and injuries.....	754	21	775	204	34	44	110	97	67	66	126	27
38	Single.....	M.. 247 F.. 109	10 4	257 113	113 91	27 6	32 4	46 3	18 4	5 2	6	8 7	2
39	Married.....	M.. 187 F.. 50	4 1	191 51		1	2	33 12	44 11	39 11	32 6	33 8	6
40	Widowed.....	M.. 32 F.. 61		32 61				2 2	5 2	1 1	7 9	17 47	2
41	Divorced.....	M.. 2 F.. 1		2 1							2		
42	Unknown.....	M.. 60 F.. 5	2	62 5			1 1	13	17	8	3 1	5 1	15 2
43	All other causes.....	1,804	44	1,848	942	26	37	104	85	56	83	505	10
44	Single.....	M.. 588 F.. 440	18 13	606 453	554 388	10 9	2 11	15 9	9 1	1 1	2 2	12 30	1 2
45	Married.....	M.. 165 F.. 206	1 4	166 210		7	24	8 64	18 43	19 22	22 20	99 28	2
46	Widowed.....	M.. 120 F.. 230	2 6	122 236					2 4	3 6	8 27	108 197	1 2
47	Divorced.....	M.. 2 F.. 1		2 1					1	1	1		
48	Unknown.....	M.. 37 F.. 15		37 15				5 3	5 2	3	1	22 9	1 1

37

CONNECTICUT—Continued.

BIRTHPLACES OF MOTHERS (WHITE).														
United States.	Ireland.	Germany.	England and Wales.	Canada.	Scandinavia.	Scotland.	Italy.	France.	Hungary.	Bohemia.	Russia and Poland.	Other foreign.	Unknown.	Not stated.
813	372	112	92	66	31	18	37	8	8		39	38	287	
155	64	24	7	24	9	2	19		5		17	15	32	
127	60	22	8	20	15	1	11	3	3		12	17	31	
179	59	30	28	5	1	6	1	1			6	3	67	
92	71	17	15	8	3	2	2	2			2	1	38	
66	27	7	11	2		1							45	
149	73	11	22	6	3	5	2	2			1		41	
5		1											2	
3													1	
28	13		1			1	2					2	20	
9	5			1							1		10	
531	259	60	72	35	11	20	19	5	5	1	6	18	217	
50	17	4	4	6	1		2	1	1	1	2	4	15	
55	21	4	5	3	1	3	1		2		2	2	11	
135	46	18	20	11	5	4	8	2			1	2	67	
87	59	14	14	8	1	4	2		2		1	5	31	
61	33	6	5	2		4	3	1				2	24	
115	64	13	17	5	2	5	3	1				1	53	
1													1	
1	1		1											
23	10	1	2									1	9	
3	8		4		1								6	
736	544	117	80	84	59	20	102	13	13		73	84	229	
183	121	34	18	29	27	5	52	3	6		36	45	41	
187	91	19	15	28	17	2	34	3	6		32	29	30	
110	87	25	20	9	7	3	12	6	1		3	4	46	
89	77	14	13	10	3	6	2				1	1	27	
32	49	7	6	3	3	2	3				1	1	18	
114	100	16	7	3	1	3	1	1				4	52	
2	1												1	
11	12	2	1	2	1								10	
8	6						1						4	
275	221	61	36	20	21	4	9	2	6	1	24	18	105	
70	37	16	7	8	8		4		2	1	3	7	15	
55	34	9	3	4	2						11	5	12	
43	48	14	9	3	6	1	3	1	2		3	2	19	
59	54	11	9	1	2		1	1			4	3	15	
6	11	6	2	2	1				2		1		9	
38	27	4	4	1		2						1	27	
			1										2	
3	5	1	1	1	1		1				2		1	
	5												4	
													1	
364	252	61	41	25	11	16	7	6	5		12	9	147	
33	48	3	4	3	1	3	2	1	1		3	1	14	
27	19	4	4	1	2		1				1	3	3	
132	53	19	14	8	2	2	1	1	1		5	4	48	
68	50	18	11	4	1	5	3	1	3		2		16	
31	28	6	3	5	1	2		1					27	
51	44	8	2	3	3	4		2			1	1	20	
2													1	
1	1													
18	7	3	2	1									14	
1	2		1		1								4	
19	10	4	2	4			1						10	
4	1	1		1										
13	8	2		2			1						5	
2	1	1	2										5	
				1										
214	185	31	37	33	16	12	25		1		21	17	162	
68	72	8	12	13	7	6	7				13	4	37	
47	24	6	3	4	2	1	6				2	3	11	
47	49	12	10	9	5	2	8		1		3	9	32	
13	7	4	7	2	1	1	2				1	1	11	
11	8		2	2			1				1		9	
18	18	1	5	1		1							17	
1													1	
1														
6	6			2	1	1	1				1		42	
2	1												2	
788	326	99	66	79	46	24	51	6	13	1	50	54	201	
261	81	31	17	36	24	11	26	1	8		19	29	44	
202	69	19	17	28	11	4	15	2	5		23	13	32	
79	31	11	8	2	4	2	3				1	1	23	
73	51	13	11	7	4	3	6	2			4	8	24	
52	20	9	6	3	1	3				1		1	24	
94	67	13	7	2	1		1	1			1	2	41	
2														
1														
14	5	3		1		1					2		11	
10	2				1								2	

VITAL STATISTICS.

TABLE 1.—DEATHS FROM CERTAIN DISEASES AND CLASSES OF DISEASES, BY CONJUGAL
DISTRICT OF COLUMBIA.

CAUSE AND CONJUGAL CONDITION.		White.	Colored.	AGE.									
				All ages.	Under 15	15 to 19	20 to 24	25 to 34	35 to 44	45 to 54	55 to 64	65 and over.	Un- known.
1	All causes	3,660	2,704	6,364	2,199	189	358	611	519	564	705	1,212	7
2	Single	M 973 F 712	M 837 F 814	M 1,810 F 1,526	M 1,128 F 1,071	M 77 F 101	M 153 F 97	M 171 F 81	M 82 F 60	M 57 F 40	M 67 F 24	M 74 F 52	1
3	Married	M 709 F 444	M 353 F 309	M 1,062 F 753		M 23 F 7	M 23 F 71	M 140 F 176	M 149 F 149	M 197 F 129	M 245 F 126	M 308 F 95	
4	Widowed	M 236 F 515	M 101 F 258	M 837 F 773		M 1 F 1	M 6 F 6	M 15 F 13	M 15 F 49	M 88 F 85	M 63 F 166	M 204 F 453	
5	Divorced	M 2 F 1	M 3 F 2	M 2 F 3				M 3 F 3					
6	Unknown	M 47 F 21	M 16 F 14	M 63 F 35		M 1 F 2	M 5 F 1	M 8 F 4	M 8 F 6	M 11 F 7	M 5 F 8	M 19 F 7	6
7	Unknown cause	15	11	26	15			2	2	3	2	2	
8	Single	M 5 F 3	M 7 F 2	M 12 F 5	M 11 F 4			M 1 F 1		M 1 F 2			
9	Married	M 2 F 2	M 2 F 2	M 4 F 4				M 1 F 1	M 1 F 1		M 2 F 2		
10	Widowed	M 1 F 1	M 1 F 1	M 1 F 1								M 1 F 1	
11	Divorced	M 1 F 1	M 1 F 1	M 1 F 1								M 1 F 1	
12	Unknown	M 1 F 1	M 1 F 1	M 1 F 1				M 1 F 1					
13	Alcoholism	18	2	20		1		3	4	4	5	3	
14	Single	M 7 F 1	M 1 F 1	M 8 F 1		M 1 F 1		M 1 F 1	M 2 F 2	M 2 F 2	M 3 F 3		
15	Married	M 6 F 2	M 1 F 1	M 7 F 2				M 1 F 1	M 2 F 2	M 2 F 2	M 2 F 2		
16	Widowed	M 2 F 1	M 1 F 1	M 2 F 1								M 2 F 1	
17	Divorced	M 1 F 1	M 1 F 1	M 1 F 1									
18	Unknown	M 1 F 1	M 1 F 1	M 1 F 1				M 1 F 1					
19	Consumption	403	448	851	111	69	141	219	122	85	54	49	1
20	Single	M 107 F 77	M 132 F 128	M 239 F 205	M 55 F 56	M 25 F 39	M 56 F 45	M 56 F 44	M 28 F 13	M 8 F 6	M 8 F 2	M 3 F 2	
21	Married	M 92 F 73	M 74 F 78	M 166 F 151		M 5 F 5	M 9 F 24	M 44 F 62	M 39 F 32	M 37 F 15	M 21 F 8	M 16 F 5	
22	Widowed	M 18 F 33	M 13 F 17	M 31 F 50			M 1 F 4	M 6 F 5	M 2 F 8	M 8 F 9	M 4 F 10	M 11 F 14	
23	Divorced	M 1 F 1	M 1 F 1	M 1 F 1				M 1 F 1					
24	Unknown	M 3 F 3	M 2 F 3	M 5 F 3			M 1 F 1	M 1 F 1		M 1 F 1	M 1 F 1		1
25	Cancer and tumor	160	56	216	1		2	15	29	53	65	51	
26	Single	M 13 F 14	M 4 F 3	M 17 F 17		M 1 F 1		M 3 F 1	M 1 F 6	M 4 F 5	M 4 F 3	M 3 F 1	
27	Married	M 26 F 51	M 5 F 27	M 31 F 78				M 1 F 8	M 2 F 14	M 6 F 23	M 8 F 24	M 14 F 9	
28	Widowed	M 13 F 39	M 4 F 12	M 17 F 51					M 4 F 6	M 9 F 19	M 6 F 15	M 7 F 15	
29	Divorced	M 1 F 1	M 1 F 1	M 1 F 1									
30	Unknown	M 3 F 1	M 1 F 1	M 3 F 2						M 1 F 1	M 1 F 1	M 2 F 2	
31	Suicide	23	5	28	1	1	4	6	8	3	3	2	
32	Single	M 2 F 4	M 4 F 4	M 2 F 8		M 1 F 1	M 3 F 3	M 2 F 1	M 1 F 1	M 1 F 1			
33	Married	M 9 F 3	M 9 F 3	M 9 F 3				M 2 F 1	M 4 F 1	M 3 F 2	M 3 F 2		
34	Widowed	M 3 F 3	M 1 F 1	M 4 F 4			M 1 F 1		M 1 F 1			M 2 F 2	
35	Divorced	M 1 F 1	M 1 F 1	M 1 F 1									
36	Unknown	M 2 F 2	M 2 F 2	M 2 F 2				M 1 F 1	M 1 F 1				
37	General diseases—A	746	524	1,270	783	44	55	105	45	54	68	115	1
38	Single	M 272 F 246	M 212 F 216	M 484 F 462	M 382 F 401	M 21 F 20	M 27 F 8	M 32 F 12	M 10 F 7	M 6 F 1	M 5 F 7	M 1 F 6	
39	Married	M 82 F 61	M 28 F 30	M 110 F 91		M 20 F 26	M 4 F 13	M 30 F 24	M 11 F 14	M 22 F 11	M 19 F 16	M 24 F 13	
40	Widowed	M 18 F 56	M 8 F 27	M 26 F 83			M 1 F 1	M 2 F 3	M 2 F 1	M 3 F 9	M 4 F 15	M 15 F 54	
41	Divorced	M 1 F 1	M 1 F 1	M 1 F 1									
42	Unknown	M 7 F 3	M 2 F 1	M 9 F 4		M 1 F 2	M 2 F 2	M 1 F 1		M 2 F 2	M 2 F 2	M 2 F 2	1

CAUSE AND CONJUGAL CONDITION.

39

CONDITION, COLOR, AGE, BIRTHPLACES OF MOTHERS, AND SEX: CENSUS YEAR 1900—Continued.

DISTRICT OF COLUMBIA.

BIRTHPLACES OF MOTHERS (WHITE).														
United States.	Ireland.	Germany.	England and Wales.	Canada.	Scandinavia.	Scotland.	Italy.	France.	Hungary.	Bohemia.	Russia and Poland.	Other foreign.	Unknown.	Not stated.
2,370	428	287	105	20	6	36	28	18	1	1	20	32	308	1
687	90	58	14	5	3	4	10	5	1	1	8	11	76	2
560	53	29	10	3	1	2	10				5	2	37	3
412	80	84	35	5	2	10	2	4			3	9	63	3
281	58	44	7	3		1	2	4			1	6	37	4
110	48	27	15			3		1			2	1	29	5
300	89	39	20	3		16	2	3			1	3	39	6
1		1												7
1														8
13	7	3	1				1						22	9
5	3	2	3	1			1	1					5	10
15														11
5														12
3														13
2														14
2														15
1														16
1														17
1														18
5	6	3	1	1									2	19
2	3	1	1											20
3	1	2		1										21
	2													22
													1	23
														24
														25
														26
246	67	30	9	5	1	2	1	2			1	9	30	27
63	20	7		1			1	1				4	10	28
55	11	2	1	2								1	5	29
54	14	8	6	1	1	1						2	5	30
45	12	5	1	1				1				2	6	31
8	5	3									1			32
21	3	5	1										3	33
														34
	2												1	35
														36
91	29	17	4	1		1		1				1	15	37
3	7	1											2	38
9	1	1	2										1	39
12	4	5	1	1									3	40
34	4	5										1	7	41
6	5	1	1											42
24	8	4				1		1					1	43
														44
2														45
1														46
8	3	6	1									1	4	47
														48
	1												1	49
2	1	1												50
3	1	3										1	1	51
1		1	1										1	52
1		1	1											53
														54
														55
														56
1													1	57
566	53	43	15	2	1	4	11	2		1	4	5	39	58
220	11	10	3	2		1	3	1			2	3	15	59
204	10	12	3		1		5			1	2	1	8	60
55	8	6	5									1	7	61
41	9	6	1				2						2	62
10	4	3											1	63
34	11	3	2			3							3	64
		1												65
2		2												66
			1				1	1					3	67

VITAL STATISTICS.

TABLE 1.—DEATHS FROM CERTAIN DISEASES AND CLASSES OF DISEASES, BY CONJUGAL
DISTRICT OF COLUMBIA—Continued.

	CAUSE AND CONJUGAL CONDITION.	White.	Colored.	AGE.									Un- known.
				All ages.	Under 15	15 to 19	20 to 24	25 to 34	35 to 44	45 to 54	55 to 64	65 and over.	
1	Diseases of the nervous system.....	493	293	786	227	8	9	36	57	79	143	227	
2	Single.....	M.. 117	83	200	127	5	6	17	5	9	14	17	
		F.. 68	69	137	100	3	1	5	8	2	4	14	
3	Married.....	M.. 128	49	177			1	6	22	27	59	62	
		F.. 38	23	61			1	4	12	16	18	10	
4	Widowed.....	M.. 47	14	61				2	1	7	17	34	
		F.. 88	49	137					8	15	30	84	
5	Divorced.....	M..											
		F..						1					
6	Unknown.....	M.. 5	3	8						3	1	4	
		F.. 2	2	4				1	1			2	
7	Diseases of the circulatory system.....	352	252	604	25	5	19	31	72	89	124	239	
8	Single.....	M.. 47	22	69	12		4	9	7	9	13	15	
		F.. 28	24	52	13	5	8	3	6	7	2	8	
9	Married.....	M.. 104	70	174			2	7	22	32	42	69	
		F.. 43	49	92			5	8	21	18	18	22	
10	Widowed.....	M.. 39	25	64				3	3	8	17	33	
		F.. 81	59	140				1	8	15	28	88	
11	Divorced.....	M.. 1		1					1				
		F..											
12	Unknown.....	M.. 6		6					4			2	
		F.. 3	3	6							4	2	
13	Diseases of the respiratory system.....	398	402	800	381	14	31	50	42	51	86	145	
14	Single.....	M.. 110	147	257	194	5	17	13	6	5	7	10	
		F.. 70	155	225	187	7	6	5	2	6	4	8	
15	Married.....	M.. 57	41	98			2	15	15	20	22	24	
		F.. 47	27	74		1	6	17	12	11	18	9	
16	Widowed.....	M.. 23	6	29					1	1	6	21	
		F.. 86	24	110		1			4	5	29	71	
17	Divorced.....	M..											
		F..											
18	Unknown.....	M.. 3	1	4					2	1		1	
		F.. 2	1	3						2		1	
19	Diseases of the digestive system.....	201	129	330	101	14	18	39	34	34	40	50	
20	Single.....	M.. 53	32	85	49	4	8	9	7	4	3	1	
		F.. 42	38	80	52	9	5	3	5	2	1	3	
21	Married.....	M.. 41	19	60				3	10	8	15	18	
		F.. 27	23	50		1	5	12	5	12	8	7	
22	Widowed.....	M.. 11	4	15				3	4	1	3	4	
		F.. 22	12	34				2	3	5	9	15	
23	Divorced.....	M.. 1		1									
		F..											
24	Unknown.....	M.. 3	1	4						1	1	2	
		F.. 1		1						1			
25	Diseases of the urinary organs.....	233	115	348	25	7	15	28	48	57	66	102	
26	Single.....	M.. 35	14	49	9	3	2	9	9	5	5	7	
		F.. 18	19	37	16	4	5	1	4	5		2	
27	Married.....	M.. 79	34	113				10	10	23	32	38	
		F.. 34	19	53			7	7	14	9	10	6	
28	Widowed.....	M.. 27	8	35						3	4	28	
		F.. 35	18	53			1		10	9	13	20	
29	Divorced.....	M..											
		F..											
30	Unknown.....	M.. 4	1	5				1		2	1	1	
		F.. 1	2	3					1	1			
31	Diseases of the female organs of generation.....	21	18	39		1	8	15	7	6	1	1	
32	Single.....	F.. 6	6	12		1	5	4	2				
33	Married.....	F.. 13	9	22			3	11	4	4			
34	Widowed.....	F.. 1	3	4					1	2		1	
35	Divorced.....	F..											
36	Unknown.....	F.. 1		1							1		
37	Accidents and injuries.....	142	89	231	66	11	26	34	22	21	17	30	4
38	Single.....	M.. 61	34	95	37	10	22	13	4	4	2	2	1
		F.. 16	19	35	29	1		3				2	
39	Married.....	M.. 33	17	50			2	14	9	9	9	7	
		F.. 9	3	12			1	3	3	4		1	
40	Widowed.....	M.. 3	5	8						1		7	
		F.. 12	6	18						2	6	10	
41	Divorced.....	M..											
		F..											
42	Unknown.....	M.. 7	4	11			1	4	2			1	3
		F.. 1	1	2					1	1			
43	All other causes.....	455	360	815	463	14	30	28	27	25	31	196	1
44	Single.....	M.. 144	149	293	252	4	9	6	3	1	3	15	
		F.. 119	131	250	211	10	11	2	3	4	1	8	
45	Married.....	M.. 50	15	65			3	1	3	9	13	36	
		F.. 43	19	62			6	19	16	4	4	13	
46	Widowed.....	M.. 32	13	45					1	2	2	40	
		F.. 60	31	91						5	7	79	
47	Divorced.....	M..											
		F..											
48	Unknown.....	M.. 4	2	6			1				1	3	1
		F.. 3		3					1			2	

VITAL STATISTICS.

TABLE 1.—DEATHS FROM CERTAIN DISEASES AND CLASSES OF DISEASES, BY CONJUGAL
MAINE.

	CAUSE AND CONJUGAL CONDITION.	White.	Colored.	AGE.									
				All ages.	Under 15	15 to 19	20 to 24	25 to 34	35 to 44	45 to 54	55 to 64	65 and over.	Un- known.
1	All causes	12, 112	36	12, 148	3, 181	364	445	832	777	855	1, 346	4, 303	45
2	Single	(M.. 2, 649	12	2, 661	1, 722	183	179	197	93	65	86	130	6
		(F.. 2, 177	7	2, 184	1, 458	149	107	104	56	60	86	157	7
3	Married	(M.. 2, 470	6	2, 476		3	23	154	245	288	489	1, 271	3
		(F.. 1, 972	3	1, 975	1	28	121	335	311	317	333	525	4
4	Widowed	(M.. 1, 009	5	1, 014				13	26	36	103	833	3
		(F.. 1, 594		1, 594		1	4	10	24	63	194	1, 294	4
5	Divorced	(M.. 34		34						4	14	16	
		(F.. 26	2	28			2	3	8	6	3	6	
6	Unknown	(M.. 106	1	107			7	8	11	9	19	43	10
		(F.. 75		75			2	8	3	7	19	28	8
7	Unknown cause.....	219	1	220	123	10	2	9	9	12	15	34	6
8	Single	(M.. 86	1	87	71	8		3	1	3			1
		(F.. 56		56	52	1				1		1	1
9	Married	(M.. 28		28			1	3	4	4	7	9	
		(F.. 16		16		1	1	3	3	1	3	4	
10	Widowed	(M.. 10		10							3	7	
		(F.. 13		13						1		12	
11	Divorced	(M.. ..											
		(F.. ..											
12	Unknown	(M.. 6		6							2	1	3
		(F.. 4		4					1	2			1
13	Alcoholism	15		15			1	1	4	2	4	2	1
14	Single	(M.. 5		5			1		1		2	1	
		(F.. 1		1							1		
15	Married	(M.. 7		7				1	3	2	1		
		(F.. 1		1									1
16	Widowed	(M.. ..											
		(F.. 1		1								1	
17	Divorced	(M.. ..											
		(F.. ..											
18	Unknown	(M.. ..											
		(F.. ..											
19	Consumption	1, 140	5	1, 145	70	115	172	295	157	123	91	118	4
20	Single	(M.. 248		248	25	48	56	63	25	16	7	7	1
		(F.. 236		236	45	58	54	40	14	8	9	7	1
21	Married	(M.. 209	2	211		1	12	47	43	38	33	37	
		(F.. 300	1	301		8	43	125	54	39	17	15	
22	Widowed	(M.. 54		54				3	9	10	15	17	
		(F.. 73		73			2	8	11	9	10	32	1
23	Divorced	(M.. 2		2								2	
		(F.. 2	1	3			1			2			
24	Unknown	(M.. 8	1	9			1	3	1	1		1	1
		(F.. 8		8			2	6					
25	Cancer and tumor.....	614		614	8	4	3	19	57	107	164	252	
26	Single	(M.. 25		25	4	1	1	2	2		7	8	
		(F.. 44		44	4	2		3	7		13	7	
27	Married	(M.. 152		152				1	11	20	35	85	
		(F.. 219		219		1	2	12	34	63	65	42	
28	Widowed	(M.. 43		43						1	6	36	
		(F.. 117		117				1		12	32	72	
29	Divorced	(M.. 3		3						1	1	1	
		(F.. 2		2							1	1	
30	Unknown	(M.. 4		4					3		1		
		(F.. 5		5						2	3		
31	Suicide	75		75		1	6	9	13	19	12	14	1
32	Single	(M.. 15		15			6	2	2	4		1	
		(F.. 4		4		1		1		2			
33	Married	(M.. 30		30				3	8	8	7	4	
		(F.. 11		11				3	2	2	3	1	
34	Widowed	(M.. 8		8						1		6	1
		(F.. 4		4							2	2	
35	Divorced	(M.. ..											
		(F.. ..											
36	Unknown	(M.. 3		3					1	2			
		(F.. ..											
37	General diseases—A.....	1, 782	6	1, 788	1, 080	56	59	69	58	57	69	334	6
38	Single	(M.. 701	1	702	592	34	28	23	7	4	4	10	
		(F.. 552	3	555	488	21	10	7	2	2	5	18	2
39	Married	(M.. 179		179			2	19	17	27	26	88	
		(F.. 122	1	123		1	13	18	26	17	13	35	
40	Widowed	(M.. 78		78				1	2	1	5	68	1
		(F.. 131		131			1			4	14	111	1
41	Divorced	(M.. 3		3						1	1	1	
		(F.. 2	1	3			1		2				
42	Unknown	(M.. 11		11			4	1	2	1		1	2
		(F.. 3		3						1	2		

43

MAINE.

BIRTHPLACES OF MOTHERS (WHITE).														
United States.	Ireland.	Germany.	England and Wales.	Canada.	Scandinavia.	Scotland.	Italy.	France.	Hungary.	Bohemia.	Russia and Poland.	Other foreign.	Unknown.	Not stated.
8,525	652	36	175	1,898	52	81	10	4	2		27	29	621	
1,670	137	11	34	677	17	12	3				16	11	61	
1,445	95	7	20	530	11	10	4		1		6	7	41	
1,857	142	6	34	246	11	18	1	2	1		1	6	145	
1,446	113	4	34	268	4	12	2				1	4	84	
760	65	6	26	41	2	10						1	98	
1,204	92	2	21	99	7	18		2			1		148	
27				2									5	
22				2									2	
51	2		6	17		1					2		27	
43	6			16									10	
139	6		3	50	1	2					2		16	
59	3		1	19							1		3	
39				15							1		1	
16	3		1	7									1	
7			1	5		2							1	
7					1								2	
10													3	
1				1									4	
				3									1	
5	5	1		1									3	
3	1	1												
2	3			1									2	
													1	

VITAL STATISTICS.

TABLE 1.—DEATHS FROM CERTAIN DISEASES AND CLASSES OF DISEASES, BY CONJUGAL

MAINE—Continued.

	CAUSE AND CONJUGAL CONDITION.	White.	Colored.	AGE.									
				All ages.	Under 15	15 to 19	20 to 24	25 to 34	35 to 44	45 to 54	55 to 64	65 and over.	Un-known.
1	Diseases of the nervous system	1,825	2	1,827	398	21	29	73	85	141	253	822	5
2	Single	M. 345 F. 280	1	345 281	225 173	11 9	11 9	18 15	14 8	16 14	25 15	25 37	1
3	Married	M. 404 F. 284		404 284		1	2	12 5	23 24	43 31	92 47	231 120	1
4	Widowed	M. 165 F. 307	1	166 307				1 1	4 3	6 11	17 37	138 254	1
5	Divorced	M. 6 F. 6		6 6							3 3	3 3	
6	Unknown	M. 18 F. 10		18 10			1	1 1	1 1	2 1	5 3	9 4	1
7	Diseases of the circulatory system ..	1,263	4	1,267	76	17	20	26	71	96	258	702	1
8	Single	M. 112 F. 85		112 85	44 32	6 9	4 6	7 3	8 5	10 3	13 7	20 20	
9	Married	M. 407 F. 233	2	409 233		1	1	4 9	19 35	32 41	119 53	233 83	
10	Widowed	M. 164 F. 226	2	166 226				1 1	2 1	5 4	17 36	141 185	
11	Divorced	M. 6 F. 2		6 2							3 1	3 1	
12	Unknown	M. 15 F. 13		15 13						1 1	6 3	8 9	1
13	Diseases of the respiratory system....	1,598	6	1,604	580	36	38	66	97	81	168	534	4
14	Single	M. 369 F. 370	3	372 372	288 292	15 17	23 8	17 3	8 5	1 5	7 17	11 24	2
15	Married	M. 312 F. 220	1	313 220			3	15 28	44 35	32 28	52 37	167 84	
16	Widowed	M. 103 F. 202		103 202				2 1	2 2	4 10	15 28	80 161	
17	Divorced	M. 5 F. 1		5 1						1 1	3 3	1 3	
18	Unknown	M. 7 F. 9		7 9							4 5	3 3	1
19	Diseases of the digestive system.....	585	3	588	131	19	22	44	46	54	76	195	1
20	Single	M. 108 F. 113	1	109 113	66 65	10 8	11 5	8 8	2 6	5 4	4 7	3 9	
21	Married	M. 122 F. 133	1	123 133				8 20	14 20	19 22	26 28	56 36	1
22	Widowed	M. 43 F. 57	1	44 57		1	6			1 2	5 5	38 50	
23	Divorced	M. 2 F. 2		2 2								2 2	
24	Unknown	M. 3 F. 2		3 2					2 2			1 1	
25	Diseases of the urinary organs.....	703	1	704	30	11	13	42	57	71	127	349	4
26	Single	M. 71 F. 48	1	72 48	17 13	7 4	3 4	7 6	5 4	1 5	10 6	22 6	
27	Married	M. 246 F. 135		246 135				7 20	10 32	31 25	47 25	149 27	2
28	Widowed	M. 108 F. 80		108 80				2 3	2 3	4 3	17 20	82 54	1
29	Divorced	M. 2 F. 2		2 2							1 1	1 1	
30	Unknown	M. 9 F. 2		9 2					1 1	1 1		7 1	1
31	Diseases of the female organs of generation.	31		31		1	4	7	3	6	6	4	
32	Single	F. 6		6			2	2			2		
33	Married	F. 19		19		1	2	5	1	5	4	1	
34	Widowed	F. 6		6					2	1		3	
35	Divorced	F. 6		6									
36	Unknown	F. 6		6									
37	Accidents and injuries	482	3	485	107	38	32	70	62	33	37	102	4
38	Single	M. 186 F. 52	3	189 52	79 28	31 7	25 2	31 4	14 1	2 4	3 3	4 3	
39	Married	M. 104 F. 50		104 50				1 4	17 11	30 10	16 5	24 12	
40	Widowed	M. 34 F. 41		34 41				3 1	4 1	2 2	2 3	23 35	
41	Divorced	M. 2 F. 1		2 1						1 1			
42	Unknown	M. 9 F. 3		9 3				3 3	2 2		1 1	1 1	2
43	All other causes	1,780	5	1,785	578	35	44	102	58	53	66	841	8
44	Single	M. 378 F. 330	2	380 331	311 266	12 12	10 7	16 12	4 4	3 4	4 1	18 25	2
45	Married	M. 270 F. 229	1	270 230		1	1	17 26	19 55	16 28	28 22	188 65	2
46	Widowed	M. 199 F. 336	1	200 336		9			1 1	1 4	1 7	197 322	1
47	Divorced	M. 3 F. 6		3 6							1 1	2 4	
48	Unknown	M. 13 F. 16		13 16				1 1		2 1		11 9	3

45

MAINE—Continued.

BIRTHPLACES OF MOTHERS (WHITE).														
United States.	Ireland.	Germany.	England and Wales.	Canada.	Scandinavia.	Scotland.	Italy.	France.	Hungary.	Bohemia.	Russia and Poland.	Other foreign.	Unknown.	Not stated.
1,331	98	5	29	220	4	14		1	1		3	2	117	1
221	22	2	5	78		1					1		15	2
197	15	1	1	54							1		11	3
321	22	1	8	25	1	3							21	4
219	14		2	28	1	2			1			1	18	5
128	6		4	5	1	2							18	6
223	19	1	6	24	1	6		1					26	7
4													2	8
4													2	9
8			3	3									3	10
6				3							1		3	11
.....													1	12
942	76	5	25	111	4	11	1				1	1	86	13
84	8	1	1	14							1		3	14
65	4		1	13									2	15
309	18		9	32	3	3	1						32	16
170	16	2	6	26	1	3						1	8	17
119	13	2	5	6		3							16	18
174	15		3	15		2							17	19
4				1									1	20
2														21
5	1			4										22
10	1												5	23
1,106	79	7	23	294	6	13	2				5	3	60	24
222	17	3	6	110	2	2	1				3	1	2	25
226	12		3	117	4						2		4	26
236	17	1	3	31		3						2	19	27
173	12	1	3	23		3	1						4	28
82	7		6	1									6	29
150	14	1	2	11		3							21	30
4													1	31
1														32
6														33
6				1									1	34
.....													2	35
416	33		5	88	7	3	1	1			1	6	24	36
72	7		1	23			1					2		37
80	3			24	3								1	38
89	8		1	15	1	1							5	39
95	9		3	21		1		1				1	3	40
34	3			1		1							4	41
39	3			4	1								10	42
1													1	43
2														44
2														45
2														46
2														47
.....														48
548	36	1	14	57	1	3					2		41	49
49	5		2	9	1	1							4	50
41	1		1	3									2	51
195	14		4	20									13	52
107	6			14							1		7	53
87	5		4	2		2							7	54
59	5	1	2	8									5	55
2											1			56
2														57
5			1	1									2	58
1													1	59
25	1			5										60
5				1										61
14	1			4										62
6														63
.....														64
.....														65
299	43	1	6	86	5	3					3	3	33	66
104	16		2	47	2	1					3	1	10	67
36	4	1	1	6		1						2	7	68
71	8		1	14	2	1								69
31	3		2	11	1								2	70
25	6												3	71
26	6			4									5	72
2														73
.....														74
3				1									5	75
1				2										76
1,253	80	10	23	278	10	9	1				3	3	110	77
229	14	1	3	112	3	1					2	2	11	78
218	15	4	8	76		1					1	1	5	79
211	9		1	21	2	2	1						21	80
155	13	3	4	42									14	81
148	11	1	2	10		2							25	82
271	15		5	8	5	3							29	83
2				1										84
6														85
5	1			4									3	86
8	2			4									2	87

VITAL STATISTICS.

TABLE 1.—DEATHS FROM CERTAIN DISEASES AND CLASSES OF DISEASES, BY CONJUGAL MASSACHUSETTS.

CAUSE AND CONJUGAL CONDITION.		White.	Colored.	AGE.									
				All ages.	Under 15	15 to 19	20 to 24	25 to 34	35 to 44	45 to 54	55 to 64	65 and over.	Un-known.
1	All causes	49,061	695	49,756	17,214	1,100	1,779	4,129	3,860	4,158	5,051	12,346	119
2	Single	(M.. 13,198	230	13,428	9,361	528	801	1,149	589	334	243	382	41
		(F.. 10,915	174	11,089	7,852	519	528	585	336	304	279	655	31
3	Married	(M.. 8,451	117	8,568	1	5	109	883	1,226	1,621	1,766	3,044	13
		(F.. 6,810	94	6,904		45	306	1,332	1,332	1,235	1,225	1,433	5
4	Widowed	(M.. 2,990	14	3,004			3	49	102	231	470	2,146	3
		(F.. 6,132	57	6,189		2	6	74	171	441	986	4,501	8
5	Divorced	(M.. 57		57				4	10	13	15	15	
		(F.. 73		73			1	8	15	11	13	25	
6	Unknown	(M.. 289	6	295			17	37	60	49	32	87	13
		(F.. 146	3	149		1	8	17	19	19	22	58	5
7	Unknown cause	346	4	350	140	4	5	26	43	34	32	52	14
8	Single	(M.. 111		111	77	1	4	8	8	2	1	5	5
		(F.. 82		82	63	3		3	4	3	2	2	2
9	Married	(M.. 52	1	53				5	13	9	14	12	
		(F.. 45	1	46			1	8	12	11	5	9	
10	Widowed	(M.. 20		20					4	3	7	6	
		(F.. 20	1	21				1		4	2	13	1
11	Divorced	(M.. 2		2						1		1	
		(F.. 3		3				1				2	
12	Unknown	(M.. 2	1	3					1		1		1
		(F.. 9		9					1	1		2	5
13	Alcoholism	191		191	1		3	45	65	37	24	15	1
14	Single	(M.. 63		63	1		1	24	18	12	4	3	
		(F.. 6		6				3	2	1			
15	Married	(M.. 58		58			1	11	21	11	6	8	
		(F.. 29		29				6	14	5	5		
16	Widowed	(M.. 13		13				1	3	3	5		1
		(F.. 7		7					2	2	1	2	
17	Divorced	(M.. 3		3								1	
		(F.. 1		1					1			1	
18	Unknown	(M.. 8		8				1			2	1	
		(F.. 3		3			1		4	1	1	2	
19	Consumption	5,067	157	5,224	354	402	734	1,562	950	574	342	303	3
20	Single	(M.. 1,354	54	1,408	161	171	324	473	170	71	25	13	
		(F.. 1,035	32	1,067	193	220	238	248	91	42	17	18	
21	Married	(M.. 1,118	30	1,148		1	39	321	314	233	143	96	1
		(F.. 1,051	32	1,083		10	113	441	287	129	69	34	
22	Widowed	(M.. 177		177			2	28	32	40	28	46	1
		(F.. 276	7	283			3	38	49	48	55	90	
23	Divorced	(M.. 3		3						1	2		
		(F.. 8		8				4	2			2	
24	Unknown	(M.. 31	2	33			10	5	5	8	2	2	1
		(F.. 14		14			5	4	4	2	1	2	
25	Cancer and tumor	2,021	10	2,031	18	7	8	61	236	446	506	746	3
26	Single	(M.. 84		84	9	4	6	8	14	11	11	20	1
		(F.. 167	2	169	9	2	2	8	28	38	34	48	
27	Married	(M.. 419	2	421				9	44	95	113	160	
		(F.. 707	4	711		1		34	133	208	192	142	1
28	Widowed	(M.. 152		152				1	2	21	34	94	
		(F.. 454	2	456				1	13	66	113	263	
29	Divorced	(M.. 2		2							1	1	
		(F.. 8		8						1	1	6	
30	Unknown	(M.. 15		15						1	3	10	1
		(F.. 13		13					2	5	4	2	
31	Suicide	262		262	1	5	19	56	59	46	39	36	1
32	Single	(M.. 63		63	1	3	11	24	11	6	5	2	
		(F.. 18		18		1	6	4	5	1	1		
33	Married	(M.. 109		109				18	30	26	20	15	
		(F.. 24		24		1	1	9	6	2	3	2	
34	Widowed	(M.. 23		23					2	6	8	7	
		(F.. 13		13				1		2	2	8	
35	Divorced	(M.. 1		1								1	
		(F.. 1		1					1				
36	Unknown	(M.. 8		8					3	3		1	1
		(F.. 2		2			1					3	
37	General diseases—A	8,622	93	8,715	5,893	154	190	368	285	271	351	1,199	4
38	Single	(M.. 3,395	42	3,437	3,083	65	88	93	35	21	11	39	2
		(F.. 3,122	32	3,154	2,809	77	55	60	27	23	30	67	1
39	Married	(M.. 656	12	668	1		20	79	99	91	114	264	
		(F.. 570	5	575		10	27	119	101	95	88	134	1
40	Widowed	(M.. 213		213				4	8	8	22	171	
		(F.. 629	2	631		1		5	10	26	78	511	
41	Divorced	(M.. 4		4						2			
		(F.. 6		6				1	1	1	1	2	
42	Unknown	(M.. 19		19				6	1	1	3	8	
		(F.. 8		8		1		1	1		2	3	

CAUSE AND CONJUGAL CONDITION.

47

CONDITION, COLOR, AGE, BIRTHPLACES OF MOTHERS, AND SEX: CENSUS YEAR 1900—Continued.

MASSACHUSETTS.

BIRTHPLACES OF MOTHERS (WHITE).

United States.	Ireland.	Germany.	England and Wales.	Canada.	Scandinavia.	Scotland.	Italy.	France.	Hungary.	Bohemia.	Russia and Poland.	Other foreign.	Unknown.	Not stated.	
18,114	12,924	911	2,254	7,038	697	808	759	84	14	17	785	1,364	3,292		1
4,598	3,141	208	514	2,705	250	164	351	21	6	7	344	557	337		2
4,118	2,490	172	454	2,127	202	124	234	7	4	6	250	461	266		3
3,332	2,251	231	476	761	97	165	95	20	2	1	80	163	777		4
2,270	2,105	133	374	882	96	151	58	11	2	3	77	115	533		5
1,135	938	63	158	170	22	58	6	6			7	19	408		6
2,509	1,886	107	259	350	26	131	13	17			21	36	777		7
32	3	1	4	4		2	2						11		8
43	4	1	3			3		2					15		9
52	63		8	22	3	6	2				5	10	118		10
25	43		4	15	1	4					1	3	50		11
148	86	5	11	31	6	5	7				5	11	31		12
51	25	1	2	7	2		4				4	6	9		13
43	9	1	2	11	2	1	2				1	3	7		14
20	20	1	3	6	1								1		15
11	20	1	3	4	1	2	1						2		16
9	5		1			1						2	3		17
10	5			2									2		18
2		1				1							1		19
2	1	1		1		1							6		20
24	106	2	13	16	2	6	1						21		21
12	39		2	6		1							3		22
6	4					1							1		23
2	30	2	5	6	1	1	1						6		24
2	17		4	2		2	2						2		25
2	7		2			1	1						1		26
1	5			1									1		27
1	1			1									1		28
.....	3				1								4		29
.....													3		30
1,246	2,068	112	195	752	109	104	41	6	2	2	50	140	240		31
307	614	26	45	206	26	27	13	1			16	33	40		32
278	419	18	33	178	19	18	3			1	9	35	24		33
279	410	40	55	141	30	30	18	1	2		13	33	66		34
253	400	18	40	179	30	17	5	4		1	9	31	64		35
36	90	8	6	18	3	3	1				1	1	10		36
77	121	2	14	22	1	8	1				1	3	26		37
1			1	1									1		38
5	2												1		39
7	9		1	5		1					1	2	6		40
3	3			2								2	3		41
822	519	55	93	210	22	36	13	5	1		25	22	198		42
37	27		4	8	2	1					1		4		43
79	61		5	5	4	3						1	9		44
157	95	17	18	56	7	4	5	1			11	9	39		45
287	169	20	38	87	4	13	7		1		10	11	60		46
52	47	6	6	17	3	4		1			1		15		47
192	112	12	21	34	2	11	1	3			2	1	63		48
1													1		49
6	1		1	1									1		50
7	1			1									5		51
4	6			2									1		52
98	38	13	18	23	9	5	3	3			4	11	37		53
22	12	2	3	11	2	1	2	1			1	1	5		54
7	5	1	1	2											55
44	10	7	7	5	5	3		2			2	9	15		56
11	2		2	3			1				1	1	3		57
9	6	1	4			1							2		58
5	2	1	1	1									3		59
.....		1													60
.....	1			1									7		61
.....													2		62
3,056	1,801	154	391	1,792	158	125	200	13	2	5	212	371	342		63
1,143	640	51	129	861	69	45	107	4		3	105	175	63		64
1,088	595	62	142	729	65	37	82	3	2	2	96	163	56		65
257	158	19	36	75	9	12	2				4	18	64		66
190	179	8	34	75	12	12	6				6	7	41		67
92	59	4	12	36		2		1					33		68
277	163	10	34	36	2	17	3	5			1	6	75		69
3													1		70
4													2		71
2	5		2	5	1								4		72
.....	2			3									3		73

VITAL STATISTICS.

TABLE 1.—DEATHS FROM CERTAIN DISEASES AND CLASSES OF DISEASES, BY CONJUGAL
MASSACHUSETTS—Continued.

	CAUSE AND CONJUGAL CONDITION.	White.	Colored.	AGE.									
				All ages.	Under 15	15 to 19	20 to 24	25 to 34	35 to 44	45 to 54	55 to 64	65 and over.	Un- known.
1	Diseases of the nervous system.....	6,091	65	6,156	1,910	67	78	243	331	512	807	2,203	5
2	Single.....(M..)	1,394	20	1,414	1,083	40	31	65	60	36	41	57	1
	(F..)	1,153	20	1,173	827	26	31	45	35	46	44	119	
3	Married.....(M..)	1,206	8	1,214			2	63	99	210	295	544	1
	(F..)	775	4	779			11	60	100	135	199	273	1
4	Widowed.....(M..)	478	1	479				3	8	19	61	387	1
	(F..)	1,023	10	1,033		1		4	18	57	155	797	1
5	Divorced.....(M..)	5		5						3		2	
	(F..)	10							3		5	2	
6	Unknown.....(M..)	25	2	27			2	3	5	5	2	10	
	(F..)	22		22			1		3	1	5	12	
7	Diseases of the circulatory system.....	4,717	67	4,784	382	73	112	269	400	571	908	2,060	9
8	Single.....(M..)	561	15	576	199	24	40	69	61	43	63	76	1
	(F..)	534	5	539	183	47	48	50	32	37	42	99	1
9	Married.....(M..)	1,282	14	1,296		1	5	44	115	197	329	599	6
	(F..)	852	14	866		1	18	96	152	180	189	230	
10	Widowed.....(M..)	502	5	507				2	7	36	91	371	
	(F..)	919	14	933			1	6	24	63	177	662	
11	Divorced.....(M..)	15		15					1	3	6	5	
	(F..)	9		9					2	3	2	2	
12	Unknown.....(M..)	32		32				1	4	7	8	11	1
	(F..)	11		11				1	2	2	1	5	
13	Diseases of the respiratory system.....	7,484	112	7,596	3,036	82	152	423	515	646	851	1,870	21
14	Single.....(M..)	2,042	35	2,077	1,634	53	71	106	64	50	35	57	7
	(F..)	1,744	38	1,782	1,402	26	41	52	45	39	57	111	9
15	Married.....(M..)	1,226	18	1,244		1	17	119	187	246	275	397	2
	(F..)	912	9	921		2	19	133	157	184	193	232	1
16	Widowed.....(M..)	459	4	463				5	23	39	87	309	
	(F..)	1,027	7	1,034		2	3	23	72	195	738		1
17	Divorced.....(M..)	5		5				1	2	1	1		
	(F..)	12		12				1	3	3	1	5	
18	Unknown.....(M..)	37	1	38			2	2	7	9	4	13	1
	(F..)	20		20				1	5	3	3	8	
19	Diseases of the digestive system.....	2,276	29	2,305	551	82	124	252	241	260	292	496	7
20	Single.....(M..)	530	10	540	304	46	57	53	34	20	7	18	1
	(F..)	419	5	424	247	34	39	37	20	14	12	18	3
21	Married.....(M..)	445	7	452			7	48	74	88	96	139	
	(F..)	459	7	466		2	21	101	93	96	79	74	
22	Widowed.....(M..)	126		126					2	18	28	78	
	(F..)	275		275				8	12	22	67	163	3
23	Divorced.....(M..)	4		4				1	2		1		
	(F..)	1		1								1	
24	Unknown.....(M..)	9		9				2	3	1	3	2	
	(F..)	8		8				2	1	1	2	2	
25	Diseases of the urinary organs.....	2,371	30	2,401	117	47	88	207	223	335	458	921	5
26	Single.....(M..)	264	3	267	64	24	37	34	31	28	19	29	1
	(F..)	220	3	223	53	21	27	26	18	26	20	30	2
27	Married.....(M..)	824	10	834			5	47	67	138	196	379	2
	(F..)	478	8	486		2	19	90	88	86	107	94	
28	Widowed.....(M..)	268	2	270				2	6	9	48	205	
	(F..)	281	4	285				2	7	41	65	170	
29	Divorced.....(M..)	5		5				1	1	1	1	1	
	(F..)	6		6					2	2	1	2	
30	Unknown.....(M..)	13		13				2	2	2	1	6	
	(F..)	12		12				3	2	2		5	
31	Diseases of the female organs of generation.....	133	6	139	2	7	10	37	33	28	10	12	
32	Single.....(F..)	24	3	27	2	4	2	6	5	6	1	1	
33	Married.....(F..)	91	3	94		3	8	30	23	18	7	5	
34	Widowed.....(F..)	15		15					4	4	1	6	
35	Divorced.....(F..)	2		2				1	1				
36	Unknown.....(F..)	1		1							1		
37	Accidents and injuries.....	1,813	24	1,837	452	97	118	281	241	201	161	266	20
38	Single.....(M..)	697	10	707	298	78	90	132	56	22	15	9	7
	(F..)	216	3	219	154	14	4	12	7	5	6	14	4
39	Married.....(M..)	453	7	460		1	12	82	115	107	78	64	1
	(F..)	147	1	148		4	7	34	33	27	17	25	
40	Widowed.....(M..)	97		97			1	3	4	22	21	46	
	(F..)	134	3	137				2	1	9	21	102	
41	Divorced.....(M..)	4		4					1		1	2	
	(F..)	3		3			1		1				
42	Unknown.....(M..)	58		58			3	14	20	8	3	3	7
	(F..)	4		4				2	1		1		
43	All other causes.....	7,667	93	7,765	4,357	73	138	299	238	197	270	2,167	26
44	Single.....(M..)	2,640	41	2,681	2,447	19	41	60	27	12	6	54	15
	(F..)	2,175	31	2,206	1,910	44	35	31	17	18	14	128	9
45	Married.....(M..)	603	8	611		1	1	37	48	70	87	367	
	(F..)	670	6	676		9	61	163	133	69	72	179	
46	Widowed.....(M..)	462	2	464					1	7	30	426	
	(F..)	1,059	7	1,066				3	6	25	54	976	2
47	Divorced.....(M..)	4		4				1	1	1		1	
	(F..)	3		3								1	
48	Unknown.....(M..)	32		32				1	5	4	3	19	
	(F..)	19	3	22				3		1	2	16	

CAUSE AND CONJUGAL CONDITION.

49

CONDITION, COLOR, AGE, BIRTHPLACES OF MOTHERS, AND SEX: CENSUS YEAR 1900—Continued.

MASSACHUSETTS—Continued.

BIRTHPLACES OF MOTHERS (WHITE).													
United States.	Ireland.	Germany.	England and Wales.	Canada.	Scandinavia.	Scotland.	Italy.	France.	Hungary.	Bohemia.	Russia and Poland.	Other foreign.	Unknown.
2,596	1,421	107	323	718	81	109	59	12		1	59	132	473
552	278	24	68	276	33	15	27	3			24	59	35
480	262	15	49	201	28	11	15	1			23	35	33
590	228	27	77	86	9	29	13	4		1	5	19	118
307	213	13	49	82	4	20	3				4	10	70
198	120	12	29	27	4	10		2			1	2	73
451	306	16	49	42	3	20	1	1			2	5	127
2						1		1					2
6													3
8	8		1	1		1						1	5
2	6		1	3		2						1	7
1,962	1,270	94	242	406	48	86	35	7		1	46	71	449
226	166	11	12	68	12	9	8			1	8	15	25
228	156	9	16	72	9	6	6				7	9	16
600	284	30	80	85	7	20	10	2			12	17	135
290	249	13	58	103	11	20	9	2			10	15	72
204	122	10	32	27	5	12	1	1				6	82
390	282	21	43	49	4	16	1	1			7	7	98
10	1					1							3
5			1					1					1
5	6			1		1					2		15
4	4			1								2	2
2,503	2,156	135	331	1,080	101	114	215	14	6	1	147	242	439
666	445	33	78	430	42	14	108	3	4		79	110	30
574	409	24	78	362	32	17	74	3	1	1	49	95	25
425	413	31	67	97	12	23	20	5			9	19	105
286	319	20	49	107	9	25	7	3	1		4	7	75
149	190	9	25	20	1	9	2				2	2	50
382	357	18	32	61	5	24	2				3	6	137
3	1		1										
10						1							1
7	13					1	2				1	3	9
1	9		1	2									7
853	661	49	113	302	27	32	23	2			29	48	137
199	129	8	22	105	11	3	11				11	21	10
177	109	9	18	66	3	4	4				3	14	12
183	125	13	28	44	2	9	2	1			8	4	26
148	138	7	26	61	7	10	6				5	8	43
42	47	4	7	6	2	3							15
97	108	8	10	19	1	2		1			2	1	26
3				1									
1													
2	2		2										3
1	3				1	1							2
999	637	47	123	210	23	36	14	4		2	16	21	239
111	77	7	11	35	3	2	3			1		4	10
102	62		11	27	3	1	1			1	2	3	7
381	194	19	40	55	5	14	5	2			2	7	100
172	140	12	26	57	8	8	2	1			10	4	38
110	76	2	16	15	1	7	1	1			1	1	37
114	84	7	16	18	3	3	2					1	33
2			1										2
2	1			2		1					1	1	3
3	3		1	1									5
45	32	5	6	20	1	3	1			1	3	5	11
10	8	1		3	1							1	
30	18	4	5	15		2	1			1	3	3	9
4	6		1	1		1		1				1	1
1				1									
525	535	27	82	261	21	32	46	5		2	51	63	163
208	197	5	27	123	8	14	21	3		2	29	28	32
81	39	3	10	43	1	5	7				9	7	11
111	139	11	27	66	8	7	16	2			10	22	34
51	53	5	6	11	3	1	2				2	4	9
25	46	1	6	11							1	1	6
42	54	2	4	5		4							23
2			1										1
1	1												1
4	6			2	1							1	44
.....				1		1							2
3,237	1,594	106	313	1,217	89	115	101	13	3	2	138	227	512
1,064	492	35	111	569	40	32	47	6	2		66	105	71
971	352	29	89	428	33	20	40		1		51	95	65
279	145	14	31	39	1	13	3		1		4	6	68
232	188	12	34	96	7	19	8			1	13	14	45
207	123	6	12	21	3	6	1					2	81
468	281	10	34	59	5	24	2	6			3	5	162
2				1									1
1													1
8	7		1	3		1					1		11
5	6			1									7

VITAL STATISTICS.

TABLE 1.—DEATHS FROM CERTAIN DISEASES AND CLASSES OF DISEASES, BY CONJUGAL
MICHIGAN.

CAUSE AND CONJUGAL CONDITION.		White.	Colored.	AGE.									
				All ages.	Under 15	15 to 19	20 to 24	25 to 34	35 to 44	45 to 54	55 to 64	65 and over.	Un- known.
1	All causes	33,205	367	33,572	10,995	1,083	1,347	2,627	2,507	2,575	3,320	9,023	95
2	Single	(M.. 8,602	100	8,702	6,059	539	525	594	318	202	165	277	23
	(F.. 6,372	83	6,455	4,936	462	319	295	122	94	67	150	10	
3	Married	(M.. 6,803	58	6,861	3	80	525	853	1,057	1,440	2,889	14	
	(F.. 5,564	55	5,619	77	382	1,084	1,022	857	934	1,261	2		
4	Widowed	(M.. 2,019	20	2,039	1	14	45	94	203	1,676	6		
	(F.. 3,156	34	3,190	3	41	59	159	382	2,541	5			
5	Divorced	(M.. 130	3	133	2	9	19	23	31	49			
	(F.. 76	1	77	2	11	13	19	16	15				
6	Unknown	(M.. 339	10	349	1	19	29	44	56	62	110	28	
	(F.. 144	3	147	1	14	25	12	14	20	55	6		
7	Unknown cause	614	18	632	396	11	12	29	28	25	37	90	4
8	Single	(M.. 239	7	246	211	5	4	9	5	3	5	4	
	(F.. 200	5	205	185	5	3	6	1	1	1	2	1	
9	Married	(M.. 59	2	61			1	4	5	9	15	27	
	(F.. 54		54	1	3	9	11	7	7	11	12		
10	Widowed	(M.. 14	1	15					1	1	1	13	
	(F.. 33	3	36				1	2	2	2	29		
11	Divorced	(M.. 1		1							1		
	(F.. 1		1							1			
12	Unknown	(M.. 12		12				4	2	1	2	3	
	(F.. 1		1	1	1								
13	Alcoholism	83	2	85				14	34	20	9	5	3
14	Single	(M.. 34	1	35				12	15	3	3	2	
	(F.. 25		25				2	9	9	4	1		
15	Married	(M.. 3		3				1	2	3		1	
	(F.. 6		6					2	3				
16	Widowed	(M.. 1	1	2					3	1		1	
	(F.. 5		5						1				
17	Divorced	(M.. 9		9				4			2		3
	(F.. 9												
19	Consumption	2,377	61	2,438	125	233	375	674	401	245	185	195	5
20	Single	(M.. 466	15	481	46	77	121	146	55	19	7	10	
	(F.. 452	12	464	79	139	119	90	20	6	6	5		
21	Married	(M.. 464	7	471	1	18	105	112	105	71	59		
	(F.. 769	14	783	15	108	298	173	84	69	46			
22	Widowed	(M.. 61	3	64			4	9	13	10	27	1	
	(F.. 99	2	101				13	13	9	22	44		
23	Divorced	(M.. 6	1	7			3	3	2	2	1		
	(F.. 10		10				1	3	1	2			
24	Unknown	(M.. 31	5	36			5	7	8	7	5	2	
	(F.. 19	2	21	1	3	7	6	1	1	1	1	1	
25	Cancer and tumor	1,518	12	1,530	24	11	11	60	167	321	373	562	1
26	Single	(M.. 73	3	76	19	3	3	5	10	14	14	10	
	(F.. 69	1	70	5	7	7	3	6	17	8	15		
27	Married	(M.. 445	2	447			14	39	97	119	178		
	(F.. 548	3	551	1	1	35	102	151	156	105			
28	Widowed	(M.. 93	1	94				3	6	11	73	1	
	(F.. 244	2	246			2	5	29	51	159			
29	Divorced	(M.. 4		4				1	3	2	2		
	(F.. 8		8					1	3	5	13		
30	Unknown	(M.. 21		21				1	1	3	7		
	(F.. 13		13										
31	Suicide	209	2	211	1	14	16	20	39	40	37	42	2
32	Single	(M.. 33		33		6	7	6	9	3		1	1
	(F.. 19	1	20	1	8	5	2	2	2			1	1
33	Married	(M.. 83	1	84			1	5	12	22	21	23	
	(F.. 27		27			1	5	11	6	3	1		
34	Widowed	(M.. 29		29			1	1	1	5	8	14	
	(F.. 4		4				1			2	1		
35	Divorced	(M.. 2		2				1	1				
	(F.. 1		1						1				
36	Unknown	(M.. 10		10			1		3	2	3	1	
	(F.. 1		1				1						
37	General diseases—A	5,831	53	5,884	3,717	203	218	332	232	184	223	768	7
38	Single	(M.. 2,290	18	2,308	1,967	90	96	78	25	10	12	28	2
	(F.. 1,947	24	1,971	1,750	99	49	34	11	7	3	17	1	
39	Married	(M.. 589	3	592			14	83	85	93	91	224	2
	(F.. 526	1	527	14	55	122	97	51	66	66	122		
40	Widowed	(M.. 153	4	157				4	5	14	134		
	(F.. 281	3	284				7	4	12	31	229	1	
41	Divorced	(M.. 8		8			1		2		5		
	(F.. 4		4					2	1		1		
42	Unknown	(M.. 23		23			3	5	3	3	4	5	
	(F.. 10		10				1	2	1		2	3	1

CAUSE AND CONJUGAL CONDITION.

51

CONDITION, COLOR, AGE, BIRTHPLACES OF MOTHERS, AND SEX: CENSUS YEAR 1900—Continued.

MICHIGAN.

BIRTHPLACES OF MOTHERS (WHITE).														
United States.	Ireland.	Germany.	England and Wales.	Canada.	Scandinavia.	Scotland.	Italy.	France.	Hungary.	Bohemia.	Russia and Poland.	Other foreign.	Unknown.	Not stated.
15,369	2,001	4,532	1,658	3,241	883	574	125	146	13	64	569	1,695	2,335	1
4,190	295	1,078	232	1,029	319	64	64	26	6	19	236	552	492	2
3,317	186	759	154	778	214	43	27	17	3	13	170	382	329	3
2,943	565	1,015	515	514	143	193	19	40	2	8	76	309	461	4
2,493	412	872	330	571	126	111	10	24		12	48	254	301	5
737	184	297	183	137	28	58	1	17		5	14	88	270	6
1,429	329	435	231	168	33	85	1	19	2	4	12	97	311	7
72	2	13	6	4	2	3					3	2	23	8
51	3	4	2	6									10	9
79	14	41	19	27	13	11	1	2		2	8	9	113	10
58	11	18	6	7	5	6	2	1		1	2	2	25	11
279	18	68	15	78	22	9	4		1	1	33	38	48	12
132	3	21	2	31	4	2	3		1		15	12	13	13
85	3	23	3	28	12	1	1			1	15	17	11	14
19	4	8	5	7		2					3	7	4	15
26	2	10	2	7	3	2							2	16
5	1			2	2	1						1	3	17
9	5	5	3	3	1	1						1	5	18
1														19
1		1											10	20
1														21
17	16	16	4	5	4	2					2	5	12	22
9	7	7	2	2	2	1						1	3	23
4	6	7	1	2	2	1					1	2		24
1	2	1									1		1	25
1			1											26
2		1										1		27
													7	28
	1													29
998	194	339	103	303	77	50	8	9	1	4	27	110	154	30
177	54	62	12	68	15	13	1	1	1	1	11	25	25	31
199	35	59	11	73	15	8	2	4		2	4	21	19	32
189	43	60	35	49	14	10	3	2		1	6	20	32	33
342	50	122	36	96	24	11	1	1			5	36	45	34
24	5	8	2	5	3	2						3	9	35
47	5	17	3	7	2	1		1				5	11	36
4		1	1											37
7				2									1	38
3	1	5	2	3	3	3					1		10	39
6	1	5	1		1	2	1						2	40
661	101	288	99	116	25	38	3	10		2	13	72	90	41
27	6	16	3	7	4	1					1	4	4	42
37	3	9	1	9	2	4							4	43
184	27	100	39	25	6	11	2	5			6	23	17	44
260	32	93	32	45	10	8	1	2			3	31	30	45
25	5	19	8	10		5		1		1	1	6	12	46
112	25	42	14	15	1	9		2			1	6	17	47
2				1	1									48
8														49
4	1	5	1	2	1						1	1	5	50
2	2	4	1	2								1	1	51
85	10	39	10	24	8	5		3		3	2	11	9	52
14	1	4		3	3					1	1	4	2	53
6	1		1	6								3	1	54
35	7	19	3	8	1	4		1		1	1	2	1	55
14		4	1	5		1						2		56
9	1	8	4	1	3			1		1			1	57
3				1										58
1			1											59
2					1			1					3	60
1		3												61
2,944	196	777	221	592	177	53	23	21	5	10	122	361	329	62
1,175	31	321	62	252	87	5	18	10	2	3	60	154	110	63
1,039	33	243	38	214	70	7	5	5	2	4	52	132	103	64
282	52	86	51	38	4	13		2	1		3	27	30	65
246	36	67	32	61	14	13		2		2	3	28	22	66
56	20	25	10	8		3					3	10	18	67
129	22	32	26	16	1	12		1				8	34	68
3		2											3	69
2			1										1	70
8	1	1		2	1			1		1		2	6	71
4	1		1	1							1		2	72

VITAL STATISTICS.

TABLE 1.—DEATHS FROM CERTAIN DISEASES AND CLASSES OF DISEASES, BY CONJUGAL
MICHIGAN—Continued.

	CAUSE AND CONJUGAL CONDITION.	White.	Colored.	AGE.										Un- known.
				All ages.	Under 15	15 to 19	20 to 24	25 to 34	35 to 44	45 to 54	55 to 64	65 and over.		
1	Diseases of the nervous system.....	4,272	36	4,308	1,248	67	52	175	255	352	546	1,600	13	
2	Single.....	956	11	967	716	42	16	39	43	34	25	49	3	
		668	5	673	532	24	18	28	12	14	15	28	2	
3	Married.....	997	4	1,001	689		4	34	97	134	213	518	1	
		681	8	689		1	12	64	86	125	164	235	2	
4	Widowed.....	337	2	339				1	3	7	35	292	1	
		533	5	538				2	4	19	74	438	1	
5	Divorced.....	25		25			1	2	1	6	6	9		
		19		19					5	6	3	5		
6	Unknown.....	37	1	38				2	4	4	6	20	2	
		19		19			1	3		3	5	6	1	
7	Diseases of the circulatory system.....	3,091	33	3,124	293	47	48	123	203	304	546	1,553	7	
8	Single.....	349	6	355	159	18	18	25	26	27	33	48	1	
		232	3	235	134	28	12	14	15	7	7	18		
9	Married.....	1,029	5	1,034	835		3	31	68	114	245	571	2	
		581	7	588			12	45	79	106	151	195		
10	Widowed.....	360	4	364				2	6	16	34	305	1	
		470	7	477			1	2	7	23	58	385	1	
11	Divorced.....	21		21				2	1	4	5	9		
		3		3					1	2				
12	Unknown.....	33	1	34		1	1		1	4	10	15	2	
		13		13			1	2		2	1	7		
13	Diseases of the respiratory system.....	4,123	57	4,180	1,875	98	128	217	261	274	364	958	5	
14	Single.....	1,299	15	1,314	1,040	60	64	51	27	27	16	27	2	
		948	14	962	835	35	29	17	10	13	5	17	1	
15	Married.....	697	13	710			5	59	105	111	157	270		
		515	7	522		3	28	80	94	82	91	144		
16	Widowed.....	189	2	191				1	6	7	21	156		
		394	4	398				2	7	17	56	316		
17	Divorced.....	20		20					3	4	8	5		
		6	1	7				1	2		2	2		
18	Unknown.....	41	1	42			2	4	4	12	6	13	1	
		14		14				2		1	2	8	1	
19	Diseases of the digestive system.....	2,415	17	2,432	661	107	95	236	210	237	311	572	3	
20	Single.....	566	6	572	381	54	37	44	17	12	14	12	1	
		416	3	419	280	45	22	26	19	11	11	5		
21	Married.....	597	3	600		1	5	53	74	104	149	214		
		494	3	497		7	26	101	91	87	83	102		
22	Widowed.....	108	1	109				1	2	7	19	80		
		198	1	199			2	4	5	13	26	149		
23	Divorced.....	6		6					1		1	4		
		5		5				2		1	1	1		
24	Unknown.....	13		13				3	2	1	4	3	2	
		12		12				3		1	3	2		
25	Diseases of the urinary organs.....	1,557	16	1,573	123	26	32	93	137	201	298	660	3	
26	Single.....	176	1	177	69	9	7	16	17	15	15	28	1	
		117	3	120	54	11	6	20	6	6	6	10	1	
27	Married.....	611	8	619			5	15	40	94	163	301	1	
		305	3	308		6	13	39	64	63	62	61		
28	Widowed.....	190		190					3	6	24	157		
		114	1	114				1	1	10	18	84		
29	Divorced.....	14		15					2	2	3	7		
		2		2			1				2			
30	Unknown.....	21		21				1	2	4	4	10		
		7		7				1	2	1	1	2		
31	Diseases of the female organs of gen- eration.....	164		164	1	5	21	39	44	28	12	14		
32	Single.....	26		26	1	5	5	9	3	1	1	1		
33	Married.....	111		111			15	28	39	20	4	5		
34	Widowed.....	23		23				1	2	6	6	8		
35	Divorced.....	3		3				1		1	1			
36	Unknown.....	1		1			1							
37	Accidents and injuries.....	1,850	18	1,868	444	154	171	298	257	151	139	221	33	
38	Single.....	778	8	786	289	137	123	129	54	22	13	9	10	
		203	1	204	155	15	12	7	5	3	2	2	3	
39	Married.....	522	3	525		1	22	102	155	80	86	73	6	
		120	2	122		1	8	42	23	15	15	18		
40	Widowed.....	79	1	80			1	3	5	11	13	47		
		76	1	77					2	7	3	65		
41	Divorced.....	11		12					4	3	1	1		
		5		5			1	3		1				
42	Unknown.....	54	1	55			4	8	9	9	6	6	13	
		2		2				1					1	
43	All other causes.....	5,101	42	5,143	2,087	107	168	317	239	193	240	1,783	9	
44	Single.....	1,343	9	1,352	1,162	38	29	36	15	13	8	49	2	
		1,075	11	1,086	925	41	32	37	12	8	2	29		
45	Married.....	685	7	692			2	18	49	85	106	430	2	
		830	7	837		28	100	216	151	68	69	215		
46	Widowed.....	400	1	401				1	1	7	13	377	2	
		686	5	691				5	7	10	33	634	2	
47	Divorced.....	7		7							1	6		
		9		9				1	1	3		4		
48	Unknown.....	34	1	35			3		1	5	6	20		
		32	1	33			2	3	2	4	2	19	1	

CAUSE AND CONJUGAL CONDITION.

53

CONDITION, COLOR, AGE, BIRTHPLACES OF MOTHERS, AND SEX: CENSUS YEAR 1900—Continued.

MICHIGAN—Continued.

BIRTHPLACES OF MOTHERS (WHITE).														
United States.	Ireland.	Germany.	England and Wales.	Canada.	Scandinavia.	Scotland.	Italy.	France.	Hungary.	Bohemia.	Russia and Poland.	Other foreign.	Unknown.	
2,165	228	502	228	324	95	83	8	18	1	9	62	200	349	1
494	27	102	17	107	31	7	5	2		6	24	74	60	2
368	17	87	9	74	24	3				2	21	38	25	3
494	62	116	72	62	19	38	2	7	1		7	36	81	4
351	46	86	48	48	10	13		4			4	25	46	5
144	21	50	27	15	4	7		2			2	9	56	6
270	51	53	48	13	4	11	1	3		1	3	17	58	7
15		5	1	1							1		2	8
12	1	1		1									4	9
11	1	1	6	3		3						1	11	10
6	2	1			3	1							6	11
1,407	254	423	211	259	45	81	3	18	1	5	25	89	270	12
165	29	41	17	29	9	4	1	3		1	7	11	32	13
118	17	23	6	37	5	2		1			3	7	13	14
473	85	144	71	78	17	30		6		2	8	32	83	15
203	48	88	35	62	7	17	2	3		2	3	15	36	16
137	26	48	42	25	4	18		3				12	45	17
217	46	73	37	23	2	6		2	1		2	11	50	18
14		1		1							1	1	3	19
13	2	4	3	3		2					1		2	20
7	1	1		1	1	2							5	21
1,757	261	612	183	442	139	67	26	13	1	9	85	284	244	22
593	33	169	33	164	61	10	13	1		2	44	108	68	23
471	25	131	21	116	30	5	10	1		2	27	74	35	24
251	72	130	56	56	19	21	1	4		1	4	43	39	25
187	57	91	27	57	16	12	1	3		1	8	30	25	26
67	21	26	18	10	1	4	1	3		1	1	14	22	27
161	49	60	26	29	7	14		1	1		1	13	32	28
8	1	2	1	1	1	1							5	29
4		1											1	30
9	2	1	1	8	4					1		2	13	31
6	1	1		1						1			4	32
1,133	151	342	133	244	60	40	5	17		5	51	113	121	33
280	22	70	12	81	19	1	3	4		2	23	29	20	34
229	8	45	9	59	14	4		1		1	16	18	12	35
267	44	94	47	37	12	19	2	5			8	23	39	36
220	40	88	31	40	12	8		2		1	2	28	22	37
28	14	15	17	16		2		1				6	9	38
95	21	24	14	9	2	6		3		1	1	7	15	39
4	1												1	40
3		1		1										41
3	1	3	2	1	1			1			1	1	2	42
4		2	1										1	43
726	133	201	103	118	28	34	8	7		2	10	51	136	44
79	12	25	6	17	5	5	3	1			2	7	14	45
56	11	12	1	17	3	1		2				5	9	46
291	56	86	52	31	14	15	2	1			4	23	35	47
140	23	42	23	34	4	4	3	2		1	1	7	21	48
80	18	19	13	10	2	8					1	8	31	49
62	12	14	5	5		1		1				1	13	50
7		1	1								1		4	51
1		1												52
5	1	1		4							1		8	53
5			1										1	54
90	8	17	5	14	3	4				1		4	18	55
14	3	3			1	1								56
61	4	11	5	14	2	2				1		4	7	57
11	1	3				1							7	58
3														59
1														60
715	120	248	89	242	71	30	14	6	1	3	45	108	158	61
307	45	102	30	122	38	3	6	1	1	1	17	54	51	62
104	6	28	7	28	6	2	1	1			8	7	5	63
165	46	71	37	67	18	12	6	3		1	14	39	43	64
48	5	21	5	13	3	3		1			4	5	12	65
36	5	8	4	6		2				1		2	11	66
34	11	10	5	3	1	5						1	6	67
9													2	68
4				1										69
8	2	8	1	2	1	3					2		27	70
							1						1	71
2,392	311	660	254	480	129	78	23	24	2	10	92	249	397	72
738	25	138	36	146	41	12	11	3	1	2	31	69	90	73
591	24	95	27	117	32	5	8	2	1	1	24	50	88	74
289	61	94	47	54	17	17	1	4		1	11	32	57	75
335	69	149	52	88	21	17	2	4		3	15	43	32	76
125	45	70	38	29	5	7		6		1	5	17	52	77
278	81	102	50	44	12	18		5		2	4	27	63	78
4						1							2	79
5	2		1										1	80
12	1	8	2		1		1				2		6	81
15	3	4	1	2		1						1	6	82

VITAL STATISTICS.

TABLE 1.—DEATHS FROM CERTAIN DISEASES AND CLASSES OF DISEASES, BY CONJUGAL
NEW HAMPSHIRE.

	CAUSE AND CONJUGAL CONDITION.	White.	Colored.	AGE.									
				All ages.	Under 15	15 to 19	20 to 24	25 to 34	35 to 44	45 to 54	55 to 64	65 and over.	Un- known.
1	All causes	7,388	12	7,400	2,245	156	238	425	453	524	703	2,563	93
2	Single	(M. 1,611 F. 1,516)	1 5	1,612 1,521	1,186 1,059	62 78	81 57	88 57	48 39	33 32	22 43	79 138	13 18
3	Married	(M. 1,330 F. 1,097)	1 3	1,331 1,100	1 14	1 63	22 152	93 175	136 188	165 193	257 193	645 302	12 13
4	Widowed	(M. 561 F. 999)	1 1	562 999	1 1	1 5	1 4	6 16	14 42	26 105	56 821	455 821	4 9
5	Divorced	(M. 35 F. 14)	1 1	35 14	1 1	1 2	2 2	2 3	11 2	4 2	1 1	14 4	1 1
6	Unknown	(M. 123 F. 102)	1 1	123 103	1 1	1 4	7 8	10 8	12 8	15 10	9 13	53 52	17 7
7	Unknown cause	122	1	122	52	3	4	7	4	10	35	7	7
8	Single	(M. 37 F. 35)	1 1	37 35	28 24	1	2 1	1 1	1 1	1 1	1 1	4 5	2 4
9	Married	(M. 12 F. 15)	1 1	12 15	1	1	1 1	1 5	1 1	1 1	1 1	8 10	1 1
10	Widowed	(M. 12 F. 6)	1 1	12 6	1	1	1	1	1	1	1	6	1
11	Divorced	(M. 1 F. 1)	1 1	1 1	1	1	1	1	1	1	1	1	1
12	Unknown	(M. 3 F. 3)	1 1	3 3	1	1	1	1	1	1	1	1	1
13	Alcoholism	9	1	9	1	1	1	3	1	3	2	1	1
14	Single	(M. 2 F. 1)	1 1	2 1	1	1	1	1	1	1	1	1	1
15	Married	(M. 2 F. 2)	1 1	2 2	1	1	1	1	1	1	1	1	1
16	Widowed	(M. 2 F. 2)	1 1	2 2	1	1	1	1	1	1	1	1	1
17	Divorced	(M. 2 F. 2)	1 1	2 2	1	1	1	1	1	1	1	1	1
18	Unknown	(M. 2 F. 2)	1 1	2 2	1	1	1	1	1	1	1	1	1
19	Consumption	626	1	627	48	57	82	143	104	59	56	72	6
20	Single	(M. 127 F. 124)	1 1	127 124	19 29	22 29	32 22	25 26	19 6	3 6	4 3	3 2	3 1
21	Married	(M. 134 F. 163)	1 1	135 163	1	6	8 17	29 55	35 34	17 17	25 15	18 18	3 1
22	Widowed	(M. 20 F. 38)	1 1	20 38	1	1	1 1	1 2	3 4	4 6	4 8	11 17	1 1
23	Divorced	(M. 3 F. 1)	1 1	3 1	1	1	1	1	1	1	1	1	1
24	Unknown	(M. 7 F. 9)	1 1	7 9	1	1	1	2 3	1 1	1 3	1 1	2 1	1 1
25	Cancer and tumor	300	1	300	2	2	1	4	27	56	66	136	6
26	Single	(M. 8 F. 32)	1 1	8 32	1 1	1	1	1	2	2	2	3	1
27	Married	(M. 54 F. 93)	1 1	54 93	1	1	1	3	5 19	6 26	17 19	25 23	1 3
28	Widowed	(M. 18 F. 74)	1 1	18 74	1	1	1	1	2 3	2 14	3 14	18 54	2
29	Divorced	(M. 2 F. 4)	1 1	2 4	1	1	1	1	1	1	1	1	1
30	Unknown	(M. 7 F. 8)	1 1	7 8	1	1	1	1	1	1	1	1	1
31	Suicide	41	1	41	1	1	1	6	7	12	3	12	1
32	Single	(M. 4 F. 2)	1 1	4 2	1	1	1	1	2	1	1	1	1
33	Married	(M. 22 F. 3)	1 1	22 3	1	1	1	3	3	6	3	7	1
34	Widowed	(M. 6 F. 1)	1 1	6 1	1	1	1	1	1	1	1	1	1
35	Divorced	(M. 1 F. 1)	1 1	1 1	1	1	1	1	1	1	1	1	1
36	Unknown	(M. 1 F. 1)	1 1	1 1	1	1	1	1	1	1	1	1	1
37	General diseases—A	1,143	3	1,146	708	24	30	39	28	22	53	229	13
38	Single	(M. 396 F. 397)	2 2	396 399	357 351	7 14	11 2	6 2	4 2	2 3	1 5	4 16	4 4
39	Married	(M. 98 F. 96)	1 1	98 96	1	2	1 12	14 13	7 11	8 8	16 16	49 33	3 1
40	Widowed	(M. 43 F. 89)	1 1	44 89	1	1	1	2	1	1	5	36	1
41	Divorced	(M. 1 F. 1)	1 1	1 1	1	1	1	1	1	1	1	1	1
42	Unknown	(M. 9 F. 14)	1 1	9 14	1	1	1	1	2	1	1	4	1

55

NEW HAMPSHIRE.

BIRTHPLACES OF MOTHERS (WHITE).														
United States.	Ireland.	Ger- many.	England and Wales.	Canada.	Scan- dinavia.	Scotland.	Italy.	France.	Hungary.	Bohemia.	Russia and Poland.	Other foreign.	Unknown.	Not stated.
3,503	636	50	154	1,556	34	52	11	7			13	35	1,337	
664	139	11	27	604	13	9	5	1			6	15	117	
659	134	17	23	536	9	11	2	1			6	11	107	
711	113	11	39	149	6	12	3	3				1	282	
557	101	6	27	175	2	7						4	218	
290	34	1	18	24	1	5	1				1	1	185	
524	80	2	18	48	1	6		2				1	317	
22	1			2									10	
12	1												1	
37	15	1	1	7	1	1						2	58	
27	18	1	1	11	1	1							42	
54	11	3	1	24								1	28	
12	3	1	1	13								1	6	
18	5	2		8									2	
7	1			2									6	
7	1			1									7	
5													2	
3	1												1	
1													2	
1													1	
3				1									5	
2													1	
1													1	
				1									1	
													2	
244	104	10	14	142	1	6	1					4	100	
39	26	2	4	37			1						18	
52	21	1	2	36		1	2					1	10	
56	23	4	3	26	1	2							19	
64	26	2	1	39		2						3	26	
8	2		2	1									7	
15	2	1	1	2		1							16	
3														
1													1	
4	2		1	1									3	
2	2													
172	19	1	7	28	2	2		1					68	
4				1									3	
21	4	1		1									5	
35	4		3	3	1	2		1					5	
49	6		3	16									19	
11	1			1									5	
42	4		1	5	1								21	
1													1	
4														
2													5	
3				1									4	
20			2	3		2							14	
2			1										1	
2														
9			1	2		2							8	
2													1	
2				1									3	
1														
1														
1														
1														
1														
1														
1														
1														
1														
1														
1														
1														
1														
1														
1														
1														
1														
1														
1														
1														
1														
1														
1														
1														
1														
1														
1														
1														
1														
1														
1														
1														
1														
1														
1														
1														
1														
1														
1														
1														
1														
1														

VITAL STATISTICS

TABLE 1.—DEATHS FROM CERTAIN DISEASES AND CLASSES OF DISEASES, BY CONJUGAL
NEW HAMPSHIRE—Continued.

	CAUSE AND CONJUGAL CONDITION.	White.	Colored.	AGE.									
				All ages.	Under 15	15 to 19	20 to 24	25 to 34	35 to 44	45 to 54	55 to 64	65 and over.	Un- known.
1	Diseases of the nervous system.....	1,060	2	1,062	273	6	15	30	52	72	120	478	16
2	Single.....	202	1	202	154	3	6	5	4	3	5	21	1
	F.....	180	1	181	119	3	3	6	10	3	6	29	2
3	Married.....	206	1	206			1	8	12	19	43	121	2
	F.....	156	1	157			5	7	16	33	32	63	1
4	Widowed.....	85		85					3		10	71	1
	F.....	187		187					4	8	21	152	2
5	Divorced.....	5		5					1	2	1	3	
	F.....	4		4					1	1	1		
6	Unknown.....	26		26				2	1	2	1	13	7
	F.....	9		9				1	1	1	1	5	
7	Diseases of the circulatory system....	797	2	799	67	6	12	31	37	71	114	453	8
8	Single.....	70	1	71	30	2	3	7	3	5	1	19	1
	F.....	80		80	37	4	5	5	3		4	22	
9	Married.....	242	1	242				3	13	30	44	150	2
	F.....	131	1	132			4	11	14	23	34	45	1
10	Widowed.....	99		99					2	5	12	80	
	F.....	137		137					1	4	15	116	1
11	Divorced.....	5		5				2			1	2	
	F.....	3		3				1				2	
12	Unknown.....	17		17				1	1	2	1	10	2
	F.....	13		13				1		2	2	7	1
13	Diseases of the respiratory system....	1,235	1	1,236	495	17	24	52	73	99	108	353	15
14	Single.....	308		308	262	8	6	11	6	5		8	2
	F.....	280	1	281	233	7	6	6	4	2	6	14	3
15	Married.....	192		192			2	11	30	32	39	78	
	F.....	170		170		2	7	22	25	38	28	43	5
16	Widowed.....	83		83			1	1		7	9	65	
	F.....	162		162				1	2	10	21	126	2
17	Divorced.....	6		6					1	2		3	
	F.....												
18	Unknown.....	20		20			2		4	2	1	9	2
	F.....	14		14					1	1	4	7	1
19	Diseases of the digestive system.....	334		334	77	13	20	23	28	29	49	94	1
20	Single.....	62		62	42	3	6	4	1	3	2	1	
	F.....	69		69	35	10	7	5	4	2	3	3	
21	Married.....	65		65			2	6	10	9	19	19	
	F.....	63		63			4	7	9	11	10	22	
22	Widowed.....	28		28					1	1	6	20	
	F.....	39		39					1	3	9	26	
23	Divorced.....	1		1								1	
	F.....												
24	Unknown.....	4		4			1	1				2	
	F.....	3		3					2				1
25	Diseases of the urinary organs.....	317		317	18	7	9	18	21	33	50	160	1
26	Single.....	35		35	11	2	4	5	2	2		9	
	F.....	24		24	7	4	2		1	1	3	6	
27	Married.....	108		108			1	4	3	14	24	62	
	F.....	58		58		1	2	7	13	12	12	11	
28	Widowed.....	40		40				2			3	34	1
	F.....	41		41					1	1	7	32	
29	Divorced.....	2		2						1	1		
	F.....												
30	Unknown.....	3		3					1	1		2	
	F.....	6		6								4	
31	Diseases of the female organs of gen- eration.....	14	1	15	1	1	1	4	1	2	3	2	
32	Single.....	4		4	1	1	1					1	
33	Married.....	7	1	8				4	1	1	2		
34	Widowed.....	3		3						1	1	1	
35	Divorced.....												
36	Unknown.....												
37	Accidents and injuries.....	262	1	263	59	14	15	35	26	26	20	60	8
38	Single.....	84		84	37	12	7	16	4	4	1	1	2
	F.....	33	1	34	22	2	1	3	3			2	1
39	Married.....	59		59			5	10	9	9	8	17	1
	F.....	16		16				2	3	4	5	2	
40	Widowed.....	30		30					3	3	4	19	1
	F.....	18		18						1	1	16	
41	Divorced.....	3		3						3			
	F.....	1		1					1				
42	Unknown.....	14		14			2	3	3	2		1	3
	F.....	4		4				1			1	2	
43	All other causes.....	1,128	1	1,129	445	9	25	33	41	36	49	479	12
44	Single.....	276		276	246	2	4	5	1	2	5	10	1
	F.....	255		255	199	3	6	2	3	5	5	29	3
45	Married.....	136		136		1	2	4	8	12	15	94	
	F.....	126		126		3	12	20	25	13	19	33	1
46	Widowed.....	97		97					1	1	3	93	
	F.....	204		204				1		4	2	194	2
47	Divorced.....	3		3								3	
	F.....												
48	Unknown.....	10		10								8	2
	F.....	21	1	22			1	1	2			15	3

57

NEW HAMPSHIRE—Continued.

BIRTHPLACES OF MOTHERS (WHITE).														
United States.	Ireland.	Germany.	England and Wales.	Canada.	Scandinavia.	Scotland.	Italy.	France.	Hungary.	Bohemia.	Russia and Poland.	Other foreign.	Unknown.	Not stated.
525	64	8	27	175	9	8		1			2	3	238	1
87	15	3	3	69	4	1						1	19	2
87	11	1	6	52	1	1					1	1	19	3
114	11	2	5	20	1	2							51	3
90	7		5	20	1	3							30	4
41	4	1	2	5	1						1		30	6
92	14	1	6	5		1		1					67	6
3													2	
4													14	
6	2			2	1							1	6	
1				2										
462	63	2	25	69	2	4	1	2				1	166	7
40	7		2	8	1	1							11	8
51	7		1	16									5	9
145	15	1	8	19	1	1		1				1	32	10
68	12		6	12		1							22	11
58	7		4	7			1						32	12
83	10		4	7				1					1	
3	1												8	
3													5	
7		1				1								
4	4													
571	124	7	23	326	4	4	1				4	5	166	13
131	23	2	3	133	2	2					3	2	7	14
106	29	4	2	120							1	2	16	15
102	24		8	26	1		1						30	16
87	18	1	4	29								1	30	17
41	6		2	4		2							28	18
87	18		4	12									41	19
4				1									1	20
10	1												9	21
3	5			1	1								4	22
175	29	3	5	60	2	8							52	23
35	7	1		15		1							3	24
32	4	1	1	22	1								6	25
33	3		1	13	1	3							11	26
37	6			7									12	27
13	2	1	2	1		1							9	28
21	4		1	2		1							10	29
1														30
1	2												1	31
2	1													32
177	21	2	8	31	1		1	1				1	74	33
14	7			10			1						3	34
16	1		1	2	1								3	35
61	6	1	3	7				1					29	36
34	4		3	8									9	37
23	1		1									1	14	38
26				4									11	39
1													1	40
1														41
1	1												1	42
1	1	1											3	43
10	2			1									1	44
2	1			1										45
7														46
1														47
107	80	3	3	41	1	3	2					1	71	48
31	11		1	21	1	1						1	17	49
18	2	1	1	8		1							2	50
26	3	1	1	7			2						19	51
4	3	1		2									6	52
13	3					1							13	53
12													6	54
3														55
	1													56
	5			3									6	57
	2												2	58
557	87	3	20	229	6	8	3				3	11	201	59
136	16		7	97		2	1				2	7	8	60
123	23	1	5	72	5	4	2				1	3	16	61
71	11	2	3	18									31	62
61	11		2	27	1								24	63
57	5			4			1					1	29	64
100	18			7									77	65
1													2	66
3	1		1	1									4	67
5	2			3		1							10	68

VITAL STATISTICS.

TABLE 1.—DEATHS FROM CERTAIN DISEASES AND CLASSES OF DISEASES, BY CONJUGAL
NEW JERSEY.

CAUSE AND CONJUGAL CONDITION.		White.	Colored.	AGE.									
				All ages.	Under 15	15 to 19	20 to 24	25 to 34	35 to 44	45 to 54	55 to 64	65 and over.	Un- known.
1	All causes	31,069	1,666	32,735	12,422	745	1,150	2,784	2,858	2,677	3,222	6,804	73
2	Single.....M..	8,804	573	9,377	6,861	387	491	730	376	222	134	165	11
	F..	6,696	454	7,150	5,561	310	287	287	154	132	129	282	8
3	Married.....M..	5,561	199	5,760		6	81	645	1,033	1,051	1,177	1,752	15
	F..	4,326	207	4,533		41	265	990	961	740	726	805	5
4	Widowed.....M..	1,971	69	2,030		1	1	33	102	184	364	1,346	
	F..	3,313	142	3,455		1	4	53	133	299	616	2,340	9
5	Divorced.....M..	1	1	2							1		1
	F..	280	14	294			15	34	69	34	52	70	20
6	Unknown.....M..	116	17	133			5	12	30	15	23	44	4
	F..												
7	Unknown cause.....	178	8	186	81	2	4	13	16	14	13	37	6
8	Single.....M..	49	3	52	42	1		4			1	1	3
	F..	43	3	46	39	1	1		1			4	
9	Married.....M..	30	1	31			2	4	6	6	5	8	
	F..	28		28				5	7	6	3	7	
10	Widowed.....M..	5	1	6								6	
	F..	15		15						1	4	10	
11	Divorced.....M..												
	F..												
12	Unknown.....M..	6		6			1		1	1		1	2
	F..	2		2					1				1
13	Alcoholism.....	100	1	101			1	20	36	25	13	6	
14	Single.....M..	31		31			1	11	9	9	1		
	F..	1		1					1				
15	Married.....M..	39		39				4	17	10	6	2	
	F..	12		12				3	6	2	1		
16	Widowed.....M..	7	1	8				1	2	2	1	2	
	F..	4		1						1	2	1	
17	Divorced.....M..												
	F..												
18	Unknown.....M..	6		6				1	1	1	2	1	
	F..												
19	Consumption.....	3,153	239	3,392	177	211	419	958	698	392	281	253	3
20	Single.....M..	755	66	821	84	91	170	293	103	48	19	13	
	F..	488	50	538	93	107	125	124	38	19	16	16	
21	Married.....M..	775	39	814		2	34	193	261	161	98	63	2
	F..	724	57	781		10	82	301	207	80	59	41	1
22	Widowed.....M..	153	10	163			1	15	30	37	43	37	
	F..	205	12	217		1	2	22	41	39	40	72	
23	Divorced.....M..												
	F..												
24	Unknown.....M..	31	1	32			2	4	10	4	5	7	
	F..	22	4	26			3	6	8	4	1	4	
25	Cancer and tumor.....	1,037	26	1,063	19	3	7	45	130	231	275	351	2
26	Single.....M..	45		45	12	1	2	5	9	4	4	8	
	F..	78	3	81	7	1	1	6	11	19	17	18	1
27	Married.....M..	252	2	254		1		5	25	51	79	92	1
	F..	343	9	352			4	26	64	115	85	58	
28	Widowed.....M..	95		95					3	12	21	59	
	F..	207	10	217				3	12	29	63	110	
29	Divorced.....M..												
	F..												
30	Unknown.....M..	5	1	6					1		4	1	
	F..	12	1	13					5	1	2	5	
31	Suicide.....	168	4	172		9	25	34	31	30	25	18	
32	Single.....M..	30		30		4	13	6	5		2		
	F..	14	2	16		4	4	5	2	1			
33	Married.....M..	87	1	88		1	5	16	20	22	15	9	
	F..	12		12			2	5	1	3	1		
34	Widowed.....M..	16		16				1	1	2	5	7	
	F..	4		4						1	1	2	
35	Divorced.....M..												
	F..												
36	Unknown.....M..	5	1	6			1	1	2	1	1		
	F..												
37	General diseases—A.....	5,228	266	5,494	3,813	89	134	226	201	167	226	632	6
38	Single.....M..	2,145	116	2,261	2,035	48	66	56	23	12	3	18	
	F..	1,811	115	1,926	1,778	38	30	21	14	9	9	26	1
39	Married.....M..	430	11	441		1	9	61	78	67	81	143	1
	F..	340	13	353		2	27	79	72	47	52	74	
40	Widowed.....M..	164	4	168				3	2	11	24	128	
	F..	314	5	319			1	4	7	18	54	234	1
41	Divorced.....M..												
	F..		1	1									
42	Unknown.....M..	12	1	13			1	2	1	2	2	3	2
	F..	12		12					4	1	1	6	

CAUSE AND CONJUGAL CONDITION.

59

CONDITION, COLOR, AGE, BIRTHPLACES OF MOTHERS, AND SEX: CENSUS YEAR 1900—Continued.

NEW JERSEY.

BIRTHPLACES OF MOTHERS (WHITE).														
United States.	Ireland.	Germany.	England and Wales.	Canada.	Scandinavia.	Scotland.	Italy.	France.	Hungary.	Bohemia.	Russia and Poland.	Other foreign.	Unknown.	Not stated.
13,594	5,113	4,218	1,414	124	301	418	1,211	140	246	26	672	1,119	2,473	1
4,190	1,190	991	286	28	101	79	529	30	102	9	312	397	560	2
3,493	867	637	192	30	68	72	375	15	88	6	221	304	328	3
2,138	894	1,018	333	23	57	102	145	42	32	7	77	171	522	4
1,634	915	696	240	17	50	69	111	19	18	4	45	130	378	5
702	435	316	137	7	12	36	8	12	4		3	39	260	6
1,351	747	515	204	18	8	56	25	22	2		11	69	285	7
1	1													8
51	43	27	18	1	4	1	15				2	7	111	9
34	21	18	4		1	3	3				1	2	29	10
86	16	23	10	2	1	2	10		1		1	6	20	11
27	5	4	1	1			3					2	6	12
24	1	5	1	1	1		3				1	3	2	13
12	1	7	3				2		1				5	14
12	6	2	3			1	1					1	2	15
2		2	1											16
7	2	2	1			1	1						1	17
			1											18
1	1	1											3	19
1													1	20
20	23	13	14		1	4		2		1		2	20	21
6	9	4	3		1	1						1	6	22
						1								23
12	5	7	6					2			1		6	24
2	4	1	2										3	25
	1	1	1			1						1	2	26
	3		1											27
	1		1			1							3	28
														29
1,138	770	467	128	13	36	44	57	16	10	1	41	92	340	30
249	211	102	28	3	8	4	15	5	2		10	25	93	31
245	121	35	14	2	2	1	7	2	1		8	11	39	32
250	165	159	31	4	16	22	17	7	3		13	24	63	33
273	163	111	26	2	9	10	15		3	1	7	20	85	34
34	53	26	7			3	1	1	1		1	6	20	35
80	42	28	17	1		4	2	1			2	5	23	36
														37
2	12	2	5	1								1	8	38
5	3	4			1								9	39
411	177	196	66	4	10	26	16	6	4		9	25	87	40
16	8	10	2			2		1	1			2	3	41
50	15	4	2		2				2				5	42
87	35	64	17	1	1	5	5	3			5	11	18	43
142	55	61	24	2		11	7		3		2	6	25	44
32	20	19	9		5	1	1	1				2	10	45
81	44	33	11	1	1	6	4	1			1	3	21	46
														47
2		1	1										1	48
1		4				1					1	1	4	49
26	16	70	8		1	3	8	4	1		3	9	19	50
														51
4	5	11	1				4				2	1	2	52
6	1	2				1					1	2	1	53
13	8	41	6		1	1	2	3	1			5	6	54
	1	6	1									1	3	55
2	1	7				1	1	1					3	56
1		3												57
							1						4	58
														59
2,507	712	602	221	15	70	64	266	18	58	8	154	251	282	60
1,078	240	239	72	5	26	22	143	9	22	2	83	112	92	61
941	200	175	64	3	26	16	101	3	31	4	66	102	79	62
169	77	64	36	1	8	7	10	3	2	2	3	20	28	63
137	75	54	15	1	7	7	6	2	1		1	8	26	64
57	40	24	11	2	1	3	1		1			1	23	65
118	77	44	21	3	1	9	3	1	1		1	6	29	66
														67
2	1	1	1		1							2	4	68
5	2	1	1				2						1	69

VITAL STATISTICS.

TABLE 1.—DEATHS FROM CERTAIN DISEASES AND CLASSES OF DISEASES, BY CONJUGAL

NEW JERSEY—Continued.

CAUSE AND CONJUGAL CONDITION.		White.	Colored.	AGE.									
				All ages.	Under 15	15 to 19	20 to 24	25 to 34	35 to 44	45 to 54	55 to 64	65 and over.	Un-known.
1	Diseases of the nervous system.....	4,589	212	4,801	1,872	54	48	178	219	390	581	1,449	10
2	Single.....	1,197	77	1,274	1,046	29	20	51	33	32	27	35	1
	Female.....	947	58	1,005	826	24	16	22	19	19	24	54	1
3	Married.....	850	20	870			1	42	80	150	203	390	4
	Female.....	530	18	548		1	10	56	66	99	131	183	2
4	Widowed.....	369	7	376				1	6	27	67	275	
	Female.....	646	28	674				3	8	54	115	493	1
5	Divorced.....	1		1							1		
	Female.....												
6	Unknown.....	88	1	39				3	5	6	10	14	
	Female.....	11	3	14			1		2	3	3	5	
7	Diseases of the circulatory system.....	2,676	135	2,811	335	62	65	171	256	334	495	1,085	8
8	Single.....	343	22	365	170	34	24	39	26	29	24	19	
	Female.....	316	12	328	165	27	18	21	16	20	18	42	1
9	Married.....	708	34	742			3	36	77	117	175	332	2
	Female.....	487	27	514		1	19	64	115	102	106	107	
10	Widowed.....	290	13	303				3	6	21	62	211	
	Female.....	503	25	528			1	6	13	40	102	363	3
11	Divorced.....												
	Female.....												
12	Unknown.....	22	1	23				1	3	4	5	8	2
	Female.....	7	1	8				1		1	3	3	
13	Diseases of the respiratory system.....	5,118	263	5,381	2,671	81	87	307	375	364	479	1,010	7
14	Single.....	1,653	110	1,763	1,461	45	46	80	58	24	18	30	1
	Female.....	1,293	73	1,366	1,210	30	16	20	17	13	19	40	1
15	Married.....	753	30	783			9	83	160	151	167	211	2
	Female.....	541	18	559		6	14	113	106	93	104	123	
16	Widowed.....	275	8	283				3	13	22	50	195	
	Female.....	548	22	570				1	18	56	106	388	1
17	Divorced.....												
	Female.....												
18	Unknown.....	35		35			1	5	3	3	10	12	1
	Female.....	20	2	22			1	2		2	5	11	1
19	Diseases of the digestive system.....	1,605	80	1,685	415	64	68	189	213	177	211	344	4
20	Single.....	335	19	354	235	25	25	22	19	12	8	7	1
	Female.....	278	21	299	180	34	19	21	10	11	6	18	
21	Married.....	358	12	370			1	41	65	76	87	100	
	Female.....	354	16	370		5	22	97	92	47	59	48	
22	Widowed.....	86	1	87				1	10	14	20	42	
	Female.....	177	10	187				4	12	16	27	125	3
23	Divorced.....												
	Female.....												
24	Unknown.....	1		1			1						
	Female.....	7	1	8				2	1		2	3	
	Female.....	9		9				1	4	1	2	1	
25	Diseases of the urinary organs.....	1,878	85	1,963	135	39	63	175	284	271	365	629	2
26	Single.....	234	16	250	78	18	18	47	34	19	14	21	1
	Female.....	159	9	168	57	17	24	19	16	6	7	22	
27	Married.....	592	22	614			1	36	102	114	151	210	
	Female.....	384	20	404		4	18	66	98	82	80	56	
28	Widowed.....	230	6	236				1	11	19	46	159	
	Female.....	247	10	257				3	13	28	62	151	
29	Divorced.....												
	Female.....												
30	Unknown.....	20	1	21			2	2	6	2	2	7	
	Female.....	12	1	13				1	4	1	3	3	1
31	Diseases of the female organs of generation.	61	4	65	1	1	8	17	17	11	5	5	
32	Single.....	8		8	1		1	1	3	1	1		
33	Married.....	43	4	47		1	7	16	14	6	2	1	
34	Widowed.....	10		10						4	2	4	
35	Divorced.....												
36	Unknown.....												
37	Accidents and injuries.....	1,471	77	1,548	399	86	125	258	237	162	107	154	20
38	Single.....	561	31	592	256	72	91	93	46	24	8	1	
	Female.....	185	9	194	143	12	12	10	7	7	3	4	2
39	Married.....	397	13	410			1	101	113	81	54	44	3
	Female.....	98	13	111		1	3	36	26	23	8	13	1
40	Widowed.....	85	2	87				4	17	13	14	39	
	Female.....	64	2	66				1		5	12	48	
41	Divorced.....												
	Female.....												
42	Unknown.....	76	6	82			6	13	32	9	7	3	12
	Female.....	5	1	6					2	1	1	2	
43	All other causes.....	3,807	266	4,073	2,504	44	96	193	145	109	146	331	5
44	Single.....	1,426	113	1,539	1,442	19	15	23	11	9	5	12	3
	Female.....	1,075	99	1,174	1,062	15	20	17	5	7	9	38	1
45	Married.....	290	14	304			3	23	29	45	56	148	
	Female.....	430	12	442		10	57	123	87	35	35	94	1
46	Widowed.....	196	6	202					1	4	11	186	
	Female.....	369	18	387				6	9	4	26	339	
47	Divorced.....												
	Female.....												
48	Unknown.....	17		17			1		3	1	2	10	
	Female.....	4	4	8				1		1	2	4	

61

NEW JERSEY—Continued.

[illegible]

VITAL STATISTICS.

TABLE 1.—DEATHS FROM CERTAIN DISEASES AND CLASSES OF DISEASES, BY CONJUGAL
NEW YORK.

CAUSE AND CONJUGAL CONDITION.		White.	Colored.	AGE.									
				All ages.	Under 15	15 to 19	20 to 24	25 to 34	35 to 44	45 to 54	55 to 64	65 and over.	Un- known.
1	All causes	127,332	2,936	130,268	44,715	2,786	4,735	11,894	12,078	11,606	13,136	29,075	243
2	Single	M. 34,945	895	35,840	24,171	1,370	1,996	3,450	1,987	1,150	757	933	26
	F. 26,958	794	27,752	20,543	1,219	1,222	1,877	808	647	662	1,246	28	
3	Married	M. 22,817	459	23,276	14	293	2,547	4,090	4,278	4,525	7,490	39	
	F. 18,038	330	18,368	172	1,113	3,831	3,763	3,136	2,878	3,440	35		
4	Widowed	M. 8,437	121	8,558	1	13	199	462	829	1,352	5,692	9	
	F. 14,864	284	15,148	6	43	282	681	1,339	2,780	9,994	23		
5	Divorced	M. 12		12			1	3			8		
	F. 13		13				2	3			2		
6	Unknown	M. 924	38	962	1	34	163	238	176	120	165	65	
	F. 324	15	339	3	21	42	43	48	59	105	18		
7	Unknown cause	551	29	580	206	14	16	24	48	57	70	139	6
8	Single	M. 138	12	150	113	7	5	5	6	2	5	5	2
	F. 111	10	121	93	5	7	1	3	1	2	8	1	
9	Married	M. 115	2	117			3	4	16	25	29	40	
	F. 74		76		2	1	11	18	16	16	12		
10	Widowed	M. 43		43			1	3	6	5	27	1	
	F. 60	1	61				1	1	5	11	43		
11	Divorced	M. 7		7									
	F. 3	2	3				1	1	2	1	2	2	
12	Unknown	M. 7		7									
	F. 3		3										
13	Alcoholism	602	7	609	1	1	12	166	191	123	65	47	3
14	Single	M. 198	4	202		1	7	80	63	24	17	10	
	F. 18		18	1		1	10	2	2	2	2		
15	Married	M. 186	2	188			2	27	67	52	21	17	2
	F. 82	1	83			2	33	29	15	3	3		
16	Widowed	M. 63		63			4	11	16	13	17		
	F. 20		20				6	6	2	7	1		
17	Divorced	M. 1		1									
	F. 1		1										
18	Unknown	M. 27		27			5	9	10	1	1	1	
	F. 7		7				1	4	1	1			
19	Consumption	13,577	533	14,110	744	781	1,686	4,198	2,985	1,685	1,045	972	14
20	Single	M. 3,715	163	3,878	360	343	708	1,356	675	250	116	70	
	F. 2,105	104	2,209	384	403	510	560	173	83	54	39	3	
21	Married	M. 3,110	123	3,233		5	86	879	1,002	630	370	260	1
	F. 2,891	84	2,975		29	355	1,164	769	332	185	138	3	
22	Widowed	M. 760	14	774		2	95	165	206	124	180	2	
	F. 866	31	897		1	17	107	157	162	180	270	3	
23	Divorced	M. 1		1									
	F. 1		1										
24	Unknown	M. 107	8	115			6	31	34	20	14	10	
	F. 21	6	27				2	6	9	2	2	4	2
25	Cancer and tumor	4,812	40	4,852	53	16	30	219	650	1,004	1,198	1,674	8
26	Single	M. 205	1	206	25	8	12	24	32	37	22	46	
	F. 401	5	406	28	8	9	28	85	78	77	90	3	
27	Married	M. 1,197	7	1,204			2	39	118	270	342	432	1
	F. 1,537	10	1,547			5	120	330	408	380	302	2	
28	Widowed	M. 318	3	321			1	10	37	71	202		
	F. 1,118	14	1,132			2	6	71	165	299	588	1	
29	Divorced	M. 13		13									
	F. 23		23										
30	Unknown	M. 13		13				1	2	2	4	4	
	F. 23		23					2	2	7	3	10	1
31	Suicide	768	3	771	2	26	55	163	172	161	101	89	2
32	Single	M. 156	2	158		12	20	56	28	23	14	5	
	F. 50		50	2	11	11	15	7	2	1	1		
33	Married	M. 312		312			6	50	75	92	56	33	
	F. 96		96		3	16	20	29	14	7	7		
34	Widowed	M. 66		66			1	4	5	11	15	30	
	F. 35		35				3	7	11	4	10		
35	Divorced	M. 1		1									
	F. 43	1	44				10	20	6	3	3		
36	Unknown	M. 9		9			1	5	1	2			
	F. 9		9										
37	General diseases—A	21,043	401	21,444	14,972	411	498	904	762	686	837	2,357	17
38	Single	M. 8,688	176	8,864	7,895	203	218	252	106	71	40	75	4
	F. 7,633	154	7,787	7,077	187	127	104	62	45	54	130	1	
39	Married	M. 1,559	24	1,583		3	46	200	279	254	285	514	2
	F. 1,319	20	1,339		17	93	311	253	188	186	287	4	
40	Widowed	M. 566	9	575			1	14	19	31	67	443	
	F. 1,206	16	1,222				4	11	34	87	196	888	2
41	Divorced	M. 1		1									
	F. 2		2										
42	Unknown	M. 49	2	51			5	10	8	8	5	14	1
	F. 20		20		1		4	1	1	2	4	4	3

63

NEW YORK.

BIRTHPLACES OF MOTHERS (WHITE).														
United States.	Ireland.	Germany.	England and Wales.	Canada.	Scandinavia.	Scotland.	Italy.	France.	Hungary.	Bohemia.	Russia and Poland.	Other foreign.	Unknown.	Not stated.
47,922	26,236	18,160	4,843	2,298	1,695	1,457	5,856	616	684	449	4,379	3,278	9,459	1
14,415	6,018	4,026	896	612	603	248	2,580	135	249	153	1,793	1,132	2,085	2
12,224	4,428	2,715	656	439	430	188	2,036	72	211	116	1,300	802	1,341	3
7,507	4,689	4,447	1,232	476	275	353	570	155	87	80	559	611	1,776	3
5,977	4,486	3,130	820	412	210	242	454	103	89	49	430	367	1,269	4
2,671	2,171	1,437	476	129	72	165	84	59	19	10	90	126	928	5
4,914	4,259	2,320	725	212	79	257	101	89	28	37	191	208	1,444	6
6	3		1							1		1		7
8	4			1										8
112	113	65	27	10	21	3	22	3	1	3	15	26	503	9
88	65	20	10	7	5	1	9				1	5	113	10
312	66	45	21	16	1	4	11	1	2		15	9	48	11
76	12	10	1	10		1	5		1		9	2	11	12
85	8	5	4	1	1	1	2				1	1	2	13
57	19	14	4	4			1				4	3	9	14
37	9	8	5				3	1	1			1	9	15
19	7	5	6									1	5	16
32	10	3	1	1		2					1	1	9	17
3	1												3	18
3														19
93	244	78	24	11	11	9	2	3	2	2	6	5	112	20
36	98	21	9	3	3							1	27	21
2	5	2				1	1						7	22
34	60	38	9	3	2	3	1	2	2	2		1	27	23
13	36	7	4	1	2			1			1	1	15	24
7	28	7	2	2	1	2					2		12	25
1	13	1		1		2							2	26
														27
	1													28
	2													29
	1	2		1	3						1	2	17	30
													5	31
3,690	4,590	2,103	511	263	245	181	332	76	62	53	288	313	870	32
967	1,414	501	124	54	65	43	104	25	17	13	74	82	232	33
759	699	237	59	50	34	19	53	6	10	6	30	39	104	34
736	924	614	140	69	62	43	71	16	16	18	95	104	172	35
839	879	462	114	60	58	37	85	16	12	13	65	58	193	36
138	305	141	31	14	12	18	12	6	4		9	14	54	37
235	337	111	37	14	8	19	4	6	3	2	11	11	70	38
	1													39
	1													40
13	26	4	6	1	6	2	2	1			1	4	5	41
3	4	3		1			1						3	42
													9	43
1,630	987	981	248	93	36	93	59	38	18	15	127	132	355	44
64	49	35	13	7	1	4	5	3	1		6	6	11	45
164	129	87	15	5	3	8	1	1	1		6	4	27	46
360	208	306	63	27	8	28	15	14	4	5	56	44	59	47
582	254	309	79	34	11	26	26	12	5	5	38	45	105	48
90	70	71	20	7	2	5	3	4		2	3	8	33	49
350	271	220	55	13	8	22	9	4	7	3	18	24	114	50
														51
4	3	1	1		1								3	52
10	3	2	2		2								3	53
209	62	224	29	20	10	7	6	5	5	5	24	38	124	54
59	7	36	7	4			1	2	1	2	9	6	22	55
14	7	11	1		1				1	1	2	1	10	56
90	23	103	13	12	6	2	3		1	2	6	19	32	57
21	10	26	7	3	1	2	1	1			4	5	14	58
13	4	32			2	2					2	3	8	59
7	7	10	1	1		1		1			1	2	4	60
														61
1														62
3	3	6						1	1					63
1	1											2	27	64
													7	65
9,321	3,160	2,616	585	391	367	173	1,289	73	145	103	1,011	659	1,150	66
3,994	1,100	1,036	176	162	176	49	648	26	74	49	483	316	399	67
3,610	956	832	163	132	148	46	574	21	59	42	452	252	346	68
588	292	264	97	33	19	23	26	9	5	9	36	34	124	69
486	308	218	60	37	13	19	26	5	3		24	29	91	70
199	126	98	31	8	3	12	2	3	3	1	3	8	69	71
414	367	161	57	18	4	24	12	9	1	2	9	19	109	72
1														73
1	1													74
18	5	6		1	2		1				4	1	11	75
10	5	1	1		2								1	76

VITAL STATISTICS.

TABLE 1.—DEATHS FROM CERTAIN DISEASES AND CLASSES OF DISEASES, BY CONJUGAL

NEW YORK—Continued.

CAUSE AND CONJUGAL CONDITION.		White.	Colored.	AGE.									
				All ages.	Under 15	15 to 19	20 to 24	25 to 34	35 to 44	45 to 54	55 to 64	65 and over.	Un-known.
1	Diseases of the nervous system.....	14,547	268	14,815	4,177	196	201	622	931	1,427	2,074	5,165	22
2	Single.....	(M.. 3,162	78	3,240	2,330	108	86	206	163	107	90	148	2
		(F.. 2,529	63	2,592	1,847	76	60	88	76	92	123	228	2
3	Married.....	(M.. 3,139	39	3,178	1	15	15	128	336	542	744	1,408	4
		(F.. 1,940	34	1,974	10	37	159	256	412	467	631	983	2
4	Widowed.....	(M.. 1,297	17	1,314	1	9	29	84	207	207	207	983	1
		(F.. 2,354	34	2,388	1	1	22	51	165	430	1,715	2	3
5	Divorced.....	(M.. 4	4	4	1	1	1	1	1	1	1	1	1
		(F.. 5	5	5	1	1	1	1	1	1	1	1	1
6	Unknown.....	(M.. 73	3	76	1	1	1	1	1	1	1	1	1
		(F.. 44	44	44	4	4	4	4	4	4	4	4	4
7	Diseases of the circulatory system.....	10,728	218	10,946	1,089	232	271	735	984	1,301	1,977	4,333	24
8	Single.....	(M.. 1,434	36	1,470	528	105	110	209	135	108	124	148	3
		(F.. 1,220	23	1,243	561	118	94	93	75	69	77	152	4
9	Married.....	(M.. 2,803	58	2,861	1	1	11	144	296	466	681	1,260	3
		(F.. 1,984	35	2,019	8	49	249	357	384	448	517	7	7
10	Widowed.....	(M.. 1,158	28	1,186	1	2	11	39	88	205	840	1,385	2
		(F.. 2,019	30	2,049	1	2	17	66	171	406	1,385	1	1
11	Divorced.....	(M.. 1	1	1	1	1	1	1	1	1	1	1	1
		(F.. 66	7	73	2	9	13	10	20	17	2	2	2
12	Unknown.....	(M.. 43	1	44	1	3	3	5	16	13	3	3	3
		(F.. 43	1	44	4	4	4	5	6	9	20	11	11
13	Diseases of the respiratory system.....	22,910	605	23,515	11,446	318	568	1,419	1,598	1,676	2,032	4,435	23
14	Single.....	(M.. 7,505	216	7,721	6,205	165	264	414	242	201	99	126	5
		(F.. 5,994	201	6,195	5,241	138	136	162	103	105	107	201	2
15	Married.....	(M.. 3,204	65	3,269	1	1	46	343	637	609	629	1,001	4
		(F.. 2,355	48	2,403	13	111	418	461	412	426	559	5	5
16	Widowed.....	(M.. 1,207	17	1,224	2	19	65	122	218	798	1,718	7	7
		(F.. 2,526	52	2,578	1	2	41	74	204	531	1,718	1	1
17	Divorced.....	(M.. 1	1	1	1	1	1	1	1	1	1	1	1
		(F.. 2	2	2	1	3	17	11	16	13	20	2	2
18	Unknown.....	(M.. 77	6	83	3	4	4	5	6	9	20	11	11
		(F.. 39	39	39	4	4	4	5	6	9	20	11	11
19	Diseases of the digestive system.....	6,866	118	6,984	1,696	228	315	709	836	900	842	1,443	15
20	Single.....	(M.. 1,501	28	1,529	897	113	123	146	95	70	42	41	2
		(F.. 1,219	29	1,248	799	98	83	82	55	41	34	53	3
21	Married.....	(M.. 1,525	28	1,553	1	20	161	294	360	301	413	3	3
		(F.. 1,374	20	1,394	14	84	293	303	279	204	211	6	6
22	Widowed.....	(M.. 396	2	398	8	28	8	28	47	87	228	1	1
		(F.. 812	10	822	4	15	57	93	165	487	1	1	1
23	Divorced.....	(M.. 1	1	1	1	1	1	1	1	1	1	1	1
		(F.. 21	21	21	1	1	1	1	5	5	8	8	8
24	Unknown.....	(M.. 17	1	18	2	3	3	3	5	4	1	1	1
		(F.. 17	1	18	2	3	3	3	5	4	1	1	1
25	Diseases of the urinary organs.....	8,942	190	9,132	521	115	275	842	1,204	1,445	1,791	2,927	12
26	Single.....	(M.. 1,202	17	1,219	283	46	100	199	199	160	116	116	1
		(F.. 771	23	794	237	51	71	106	89	71	64	104	1
27	Married.....	(M.. 2,652	52	2,704	1	15	165	372	515	681	949	6	6
		(F.. 1,801	36	1,837	17	84	319	389	392	344	289	3	3
28	Widowed.....	(M.. 1,074	18	1,092	1	12	34	103	229	711	1	1	1
		(F.. 1,338	38	1,376	2	23	101	186	336	728	2	2	2
29	Divorced.....	(M.. 2	2	2	2	2	2	2	2	2	2	2	2
		(F.. 75	4	79	2	15	15	12	16	18	1	1	1
30	Unknown.....	(M.. 27	2	29	3	3	3	5	6	5	10	10	10
		(F.. 27	2	29	3	3	3	5	6	5	10	10	10
31	Diseases of the female organs of generation.....	439	29	468	4	10	47	129	126	87	35	28	2
32	Single.....	(F.. 74	8	82	4	2	20	22	13	14	6	1	1
33	Married.....	(F.. 300	15	315	8	25	96	99	60	18	18	1	1
34	Widowed.....	(F.. 63	6	69	1	11	14	14	12	11	19	1	1
35	Divorced.....	(F.. 2	2	2	1	1	1	1	1	1	1	1	1
36	Unknown.....	(F.. 2	2	2	1	1	1	1	1	1	1	1	1
37	Accidents and injuries.....	5,234	96	5,330	1,342	234	344	855	874	561	403	645	72
38	Single.....	(M.. 1,938	34	1,972	852	192	250	380	164	66	38	24	6
		(F.. 647	15	662	490	38	24	28	24	16	14	23	5
39	Married.....	(M.. 1,387	27	1,414	3	3	35	306	419	266	178	200	7
		(F.. 344	3	347	19	19	67	98	73	31	59	59	2
40	Widowed.....	(M.. 315	3	318	1	1	14	41	49	66	145	182	2
		(F.. 268	8	276	1	1	3	19	26	44	182	1	1
41	Divorced.....	(M.. 1	1	1	1	1	1	1	1	1	1	1	1
		(F.. 304	5	309	10	52	104	62	26	9	46	46	46
42	Unknown.....	(M.. 31	1	32	4	5	5	5	3	6	3	3	3
		(F.. 31	1	32	4	5	5	5	3	6	3	3	3
43	All other causes.....	16,313	399	16,712	8,462	204	417	909	717	493	666	4,821	23
44	Single.....	(M.. 5,103	128	5,231	4,683	67	93	123	79	31	34	119	2
		(F.. 4,186	159	4,345	3,779	84	69	78	41	28	47	216	3
45	Married.....	(M.. 1,628	32	1,660	1	51	6	101	179	197	208	963	6
		(F.. 1,941	22	1,963	232	571	372	372	151	163	419	4	4
46	Widowed.....	(M.. 1,174	10	1,184	2	5	2	13	29	45	1,088	2	2
		(F.. 2,179	44	2,223	7	18	23	50	160	1,960	1,960	3	3
47	Divorced.....	(M.. 1	1	1	1	1	1	1	1	1	1	1	1
		(F.. 62	62	62	4	6	7	5	6	3	32	3	3
48	Unknown.....	(M.. 38	4	42	4	7	7	2	2	3	24	24	24
		(F.. 38	4	42	4	7	7	2	2	3	24	24	24

CAUSE AND CONJUGAL CONDITION.

65

CONDITION, COLOR, AGE, BIRTHPLACES OF MOTHERS, AND SEX: CENSUS YEAR 1900—Continued.

NEW YORK—Continued.

BIRTHPLACES OF MOTHERS (WHITE).														Not stated.
United States.	Ireland.	Germany.	England and Wales.	Canada.	Scandinavia.	Scotland.	Italy.	France.	Hungary.	Bohemia.	Russia and Poland.	Other foreign.	Unknown.	
6,492	2,561	1,903	644	269	124	171	426	69	53	31	352	275	1,177	1
1,560	439	326	86	70	44	22	189	10	13	11	148	84	160	2
1,350	363	241	66	47	28	16	126	3	9	6	89	56	129	3
1,274	487	527	212	54	27	54	55	20	11	5	58	67	288	4
790	421	306	87	46	10	18	35	9	14	5	26	27	146	5
525	280	184	69	18	5	25	9	12	2	3	9	11	143	6
956	556	310	121	32	10	36	10	15	4	3	21	26	254	7
3	1	...	...	...	...	...	...	...	...	...	...	1	...	8
4	7	6	3	1	...	...	...	...	...	1	1	3	35	9
16	7	3	...	1	...	...	2	...	...	...	...	...	17	10
14	502	1,745	497	206	95	163	213	71	36	20	236	210	912	11
3,822	2,502	1,745	497	206	95	163	213	71	36	20	236	210	912	12
555	311	191	48	33	20	21	45	14	4	4	44	39	105	13
508	314	142	35	16	15	14	29	5	9	8	42	33	50	14
1,050	520	522	145	57	24	52	73	24	7	1	54	55	219	15
695	471	334	101	36	16	26	31	12	10	3	60	32	157	16
372	281	203	73	19	7	19	13	5	...	1	16	19	130	17
622	586	349	92	43	10	29	20	11	6	2	20	28	201	18
...	...	...	...	...	...	...	...	...	...	1	...	...	...	19
8	9	4	2	1	3	1	1	...	...	...	...	3	34	20
12	10	...	1	1	...	1	1	...	...	...	...	1	16	21
7,653	4,727	3,172	777	296	326	217	2,327	86	200	102	1,140	712	1,175	22
2,688	1,132	836	167	72	134	38	1,120	25	91	36	552	297	317	23
2,301	898	589	127	75	99	31	947	11	73	34	387	218	204	24
875	811	662	171	56	40	48	141	14	16	18	75	97	180	25
727	645	436	96	47	25	35	66	16	11	7	62	44	138	26
323	379	205	73	18	12	30	21	6	6	2	11	20	101	27
724	837	432	136	25	16	35	23	13	3	5	50	32	195	28
1	...	...	...	...	...	...	...	...	...	...	...	...	...	29
7	13	10	4	1	...	...	6	1	...	...	2	2	31	30
7	11	2	3	1	...	...	3	...	...	...	1	2	9	31
2,597	1,357	1,119	319	137	93	78	193	41	26	29	212	179	486	32
678	197	205	38	35	26	12	63	6	1	7	87	48	98	33
619	168	122	44	23	22	10	45	7	9	8	40	49	53	34
506	277	335	79	30	18	20	43	10	8	9	44	40	106	35
421	357	244	82	35	20	16	32	11	6	2	28	23	97	36
123	116	69	27	3	2	5	3	2	...	...	5	4	37	37
244	235	140	44	11	5	15	5	5	2	3	8	14	81	38
...	...	...	1	...	...	...	...	...	...	...	...	...	...	39
3	4	4	1	...	...	...	1	...	...	...	...	...	8	40
3	3	3	3	...	...	...	1	...	...	...	...	1	6	41
2,691	2,522	1,561	441	156	93	126	163	59	29	28	202	195	676	42
357	349	170	54	17	18	8	44	4	4	1	36	32	108	43
291	246	80	24	8	8	6	30	2	6	4	22	10	34	44
868	579	529	153	60	24	41	48	21	7	5	64	72	181	45
499	559	332	89	43	23	34	24	8	7	7	43	32	101	46
309	291	209	54	19	11	15	9	12	3	1	13	23	105	47
354	472	231	64	9	8	22	7	12	2	10	23	23	101	48
2	...	...	...	...	...	...	...	...	...	...	...	...	...	49
7	16	7	3	...	1	...	1	...	...	...	1	3	36	50
4	10	3	...	...	...	...	...	...	...	...	...	...	10	51
154	79	76	11	10	5	7	22	6	3	1	16	8	41	52
29	17	9	1	2	...	3	...	1	1	...	2	...	9	53
103	49	55	7	6	5	3	22	4	2	...	11	6	26	54
21	13	12	3	2	...	1	...	1	...	1	3	2	5	55
1	...	...	...	...	...	...	...	...	...	...	...	...	1	56
1,707	952	646	170	113	88	48	244	23	21	7	170	136	909	57
704	333	221	57	44	38	16	106	5	11	1	96	53	253	58
301	85	52	19	12	10	3	35	4	3	1	33	26	63	59
397	270	237	47	39	31	13	68	10	6	2	31	44	192	60
110	79	54	13	11	1	7	14	2	1	1	5	6	40	61
84	98	42	14	...	4	6	8	...	...	...	1	3	53	62
90	71	26	15	4	1	3	3	...	...	1	3	3	48	63
...	...	...	...	...	...	...	...	...	...	...	...	...	...	64
16	13	12	5	3	3	...	9	...	...	1	1	1	240	65
5	3	2	...	...	...	...	1	...	...	...	...	...	20	66
7,551	2,427	1,891	566	317	201	180	569	65	82	53	580	407	1,424	67
2,677	577	438	116	101	78	34	250	15	31	29	249	166	342	68
2,191	533	356	98	68	61	30	192	11	30	6	194	113	303	69
672	219	266	99	32	14	26	25	15	4	4	34	31	187	70
648	409	339	76	53	25	18	89	5	16	5	63	58	137	71
469	186	171	76	21	11	26	4	7	1	1	16	12	173	72
864	484	314	99	38	9	46	8	12	...	8	23	23	251	73
1	1	...	...	...	...	...	...	...	...	...	...	...	...	74
14	11	3	2	2	2	...	1	...	...	...	1	4	22	75
15	7	4	...	2	1	...	...	...	...	...	...	...	9	76

VITAL STATISTICS.

TABLE 1.—DEATHS FROM CERTAIN DISEASES AND CLASSES OF DISEASES, BY CONJUGAL
RHODE ISLAND.

CAUSE AND CONJUGAL CONDITION.		White.	Colored.	AGE.									
				All ages.	Under 15	15 to 19	20 to 24	25 to 34	35 to 44	45 to 54	55 to 64	65 and over.	Un-known.
1	All causes	7,939	237	8,176	3,061	197	288	622	626	709	830	1,816	27
2	Single	M. 2,223 F. 1,821	61 60	2,284 1,881	1,664 1,397	90 97	121 90	181 81	87 41	46 46	35 38	57 88	3 3
3	Married	M. 1,272 F. 1,118	38 38	1,310 1,156		4 6	17 57	124 215	196 227	247 221	285 208	429 216	8 6
4	Widowed	M. 459 F. 922	11 25	470 947			 2	3 4	34 21	46 82	77 160	310 676	
5	Divorced	M. 20 F. 19	1 2	21 21				1 3	3 4	5 4	8 6	4 4	
6	Unknown	M. 47 F. 38	 1	47 39			 1	7 3	9 4	7 5	7 6	14 18	3 2
7	Unknown cause	59	2	61	31	1	1	4	7	5	2	9	1
8	Single	M. 20 F. 17	1 1	21 18	20 11	 1	 1	1 1	 2	 4	 1	 1	 1
9	Married	M. 8 F. 4		8 4				 1	 1	 2	 1	 2	 2
10	Widowed	M. 4 F. 4		4 4								 4	
11	Divorced	M. F.											
12	Unknown	M. F. 2		 2				 1		 1			
13	Alcoholism	43	2	45			2	7	13	14	5	4	
14	Single	M. 10 F. 2	2	12			1	3	4	2		2	
15	Married	M. 17 F. 9		17 9				2 1	7 4	7 3	2	2	
16	Widowed	M. 1 F. 2		1 2				1	 1				
17	Divorced	M. 1 F.		1						1	1		
18	Unknown	M. 1 F.		1						1			
19	Consumption	793	44	837	57	72	121	231	171	91	54	38	2
20	Single	M. 212 F. 157	11 12	223 169	31 26	28 41	52 47	73 39	28 8	8 6	3 1	 1	
21	Married	M. 169 F. 188	12 7	171 195			8 13	37 71	56 57	32 31	24 14	12 6	2
22	Widowed	M. 81 F. 29	1 1	32 30				1 2	15 4	5 4	5 7	6 12	
23	Divorced	M. 3 F. 4		3 4					3 1				
24	Unknown	M. 7 F. 3		7 3				4 2	1 1	1		1	
25	Cancer and tumor	280	6	286	2		3	16	32	70	63	100	
26	Single	M. 13 F. 28	 1	13 29			1 2	3 2	1 2	3 7	1 6	4 8	
27	Married	M. 49 F. 95	 4	49 99				2 9	8 17	8 37	14 19	17 17	
28	Widowed	M. 20 F. 67	 1	20 68					1 2	2 10	7 14	10 42	
29	Divorced	M. F. 5		 5						1	1 2	1	
30	Unknown	M. 2 F. 1		2 1						1 1	1	1	
31	Suicide	39		39			3	6	9	10	7	4	
32	Single	M. 8 F. 4		8 4			1 2	4	1 1	1		1	
33	Married	M. 15 F. 7		15 7				1 1	2 3	4 3	6	2	
34	Widowed	M. 5 F.		5					2	1	1	1	
35	Divorced	M. F.											
36	Unknown	M. F.											
37	General diseases—A	1,747	33	1,780	1,211	20	37	55	52	60	85	252	8
38	Single	M. 667 F. 646	10 12	677 658	618 593	9 11	13 7	14 8	4 5	3 5	2 8	13 19	1 2
39	Married	M. 130 F. 104	3 4	133 108				4 12	20 20	18 17	27 15	51 24	1 2
40	Widowed	M. 46 F. 146	1 3	47 149					2 2	7 10	6 25	32 111	
41	Divorced	M. 1 F. 1		1									
42	Unknown	M. 2 F. 4		2 4								1 1	

67

RHODE ISLAND.

[illegible]

VITAL STATISTICS.

TABLE 1.—DEATHS FROM CERTAIN DISEASES AND CLASSES OF DISEASES, BY CONJUGAL

RHODE ISLAND—Continued.

	CAUSE AND CONJUGAL CONDITION.	White.	Colored.	AGE.									
				All ages.	Under 15	15 to 19	20 to 24	25 to 34	35 to 44	45 to 54	55 to 64	65 and over.	Un-known.
1	Diseases of the nervous system.....	810	12	822	220	12	16	18	41	87	120	307	1
2	Single.....	M. 170 F. 141	1 1	171 142	125 95	5 5	9 4	6 2	6 3	6 11	3 5	10 17	1
3	Married.....	M. 171 F. 122	5 1	176 123	7 2	2 1	1 2	3 6	13 16	30 21	41 35	86 43	
4	Widowed.....	M. 72 F. 118	1 2	73 120						7 12	13 19	53 87	
5	Divorced.....	M. 4 F. 2		4 2				1				1 1	
6	Unknown.....	M. 4 F. 6		4 7							1 1	3 6	
7	Diseases of the circulatory system.....	683	19	652	54	14	8	27	45	86	153	261	4
8	Single.....	M. 67 F. 59	3 1	70 60	32 22	6 7	3 3	6 4	6 5	4 4	7 7	6 8	
9	Married.....	M. 169 F. 126	7 1	176 127		1		2 14	9 18	33 28	57 37	72 28	2
10	Widowed.....	M. 67 F. 131	2 4	69 135			1		5	4 11	15 26	50 92	1
11	Divorced.....	M. 2 F. 1		2					1		2	1	
12	Unknown.....	M. 4 F. 7		4 7				1		1 1	1 1	3	1
13	Diseases of the respiratory system.....	1,288	44	1,332	648	21	15	72	81	107	124	260	4
14	Single.....	M. 428 F. 316	16 14	444 330	366 282	12 8	8 7	28 3	15 7	10 1	5 3	19 48	
15	Married.....	M. 171 F. 150	5 6	176 155		1		20 21	28 24	41 29	37 41	48 38	1
16	Widowed.....	M. 58 F. 155	2 2	60 157					4 2	13 10	8 28	35 116	1
17	Divorced.....	M. 1 F. 1		1									
18	Unknown.....	M. 3 F. 6		3 6					1	2		1 3	
19	Diseases of the digestive system.....	382	14	396	155	20	16	33	31	38	49	54	
20	Single.....	M. 113 F. 87	4 2	117 89	88 67	10 9	7 6	7 3	4 3		1	1	
21	Married.....	M. 77 F. 52	1 3	78 55			1 2	10 12	11 11	21 9	18 13	17 7	
22	Widowed.....	M. 12 F. 39		12 43						2 6	4 13	6 21	
23	Divorced.....	M. 1 F. 1		1								1	
24	Unknown.....	M. 1 F. 1		1								1	
25	Diseases of the urinary organs.....	533	23	556	28	8	14	43	52	76	107	227	1
26	Single.....	M. 65 F. 44	2 3	67 47	15 13	4 4	6 3	12 9	5 3	5 7	9 4	11 4	
27	Married.....	M. 163 F. 98	3 9	166 107			1 4	9 12	16 20	21 24	37 18	81 29	1
28	Widowed.....	M. 63 F. 82	2 2	65 84					4 1	2 14	12 17	47 52	
29	Divorced.....	M. 7 F. 2	1 1	8 3					1 1	1 1	5 1	1	
30	Unknown.....	M. 6 F. 3		6 3				1	1		3 1	1	
31	Diseases of the female organs of generation.....	36	2	38		1	4	6	11	7	4	5	
32	Single.....	M. 7 F. 23	1 1	8 24		1	2 2	2 4	1 10	2 3		2 3	
33	Married.....	M. 6 F. 6		6									
34	Widowed.....	M. 1 F. 1		1									
35	Divorced.....	M. 1 F. 1		1									
36	Unknown.....	M. 1 F. 1		1									
37	Accidents and injuries.....	294	11	305	94	9	13	44	42	28	21	50	4
38	Single.....	M. 111 F. 35	5 3	116 38	60 34	8	10	19 1	12	3 1	2	2	
39	Married.....	M. 75 F. 22	1 1	76 23			2 1	16 6	17 3	19 2	9 4	12 6	1
40	Widowed.....	M. 19 F. 17	1	20 17				1	3	1	4	11 17	
41	Divorced.....	M. 1 F. 1		1						1			
42	Unknown.....	M. 13 F. 1		13 1				1	6 1	1	2		3
43	All other causes.....	1,002	25	1,027	561	19	35	60	39	30	36	245	2
44	Single.....	M. 339 F. 278	6 9	345 287	309 252	8 10	10 6	5 6	1 1	1 1	3 1	7 10	1
45	Married.....	M. 68 F. 118	1 2	69 120		1		9 38	8 25	12 13	12 9	28 14	1
46	Widowed.....	M. 61 F. 126	1 6	62 122				1 1	2 1	2 9	57 119		
47	Divorced.....	M. 3 F. 4		3 4					1			2 4	
48	Unknown.....	M. 4 F. 5		4 5						1		4 4	

69

RHODE ISLAND—Continued.

BIRTHPLACES OF MOTHERS (WHITE).														
United States.	Ireland.	Ger-many.	England and Wales.	Canada.	Scan-dinavia.	Scotland.	Italy.	France.	Hungary.	Bohemia.	Russia and Poland.	Other foreign.	Unknown.	Not stated.
385	178	7	54	87	12	20	17	13	1		4	10	22	
67	30		11	39	4	2	3	5	1		3	3	2	
55	28	1	7	23	4	3	6	5			1	3	4	
92	30	5	9	11	3	7	6	2				1	5	
53	41	1	12	5		5	1					2	2	
35	18		7	4	1			1					6	
71	31		6	3		3	1					1	2	
2			1	1										
2													1	
2														
5			1											
277	189	14	55	52	1	13	12				4	5	11	
23	19	2	8	9			1					2	3	
27	15		5	9			2						1	
83	49	2	15	11	1	2	3				2	1		
43	40	3	13	13		5	5						2	
38	10	3	7	2		1	1						5	
57	52	4	6	6		4						2		
1	1													
1	2			1		1								
4	1		1											
484	308	22	99	169	28	18	69	24	1		14	33	19	
127	83	10	29	84	11	9	32	14	1		6	16	6	
124	44	2	24	57	12		24	7			8	12	1	
58	63	4	16	10		1	7					4	3	
63	47	2	15	10	2	3	5	3					3	
26	20	2	1	3	1		1						4	
79	50	2	13	5	2	2						1	1	
1														
1			1										1	
5	1													
125	103	7	42	39	11	12	16	9			3	10	5	
35	17	2	15	16	3		11	8				5	1	
35	24	2	6	8	3	2	1	1			2	2	1	
23	20		7	6	3	6	3					3		
13	15	1	8	7	2	2	1				1		2	
4	6		1			1								
9	20	1	5	2		1							1	
		1												
	1													
239	159	5	44	26	5	19	6	3			3	5	19	
29	22		5		1	3	2				1		2	
16	17	1	2			1						2	2	
91	27	2	17	6	1	5	3				1	2	5	
34	41	1	9	8		3	1	3			1			
32	14		5	2	1	4						1	4	
29	35	1	4	5	2	3							3	
3	1		1										2	
1			1											
2	2			1									1	
2				1										
14	9	3	3	3		1	1				1		1	
3	2			1		1								
7	5	3	3	2			1				1		1	
4	2													
94	73	4	27	28	8	12	5	3			3	5	32	
34	24	2	12	13	4	8	3	2			1	1	7	
12	12		2	1	1	1	1				1		4	
22	19	1	7	9	3			1				3	9	
7	6	1	2	2		2					1	1		
6	7		4										2	
12	3					1							1	
1														
	2			2									9	
				1										
438	182	10	93	141	25	15	35	15	1		7	22	18	
132	44	4	36	61	8	6	20	7	1		6	8	6	
131	36	3	22	43	10	2	12	7			1	8	3	
34	16		4	5	3		1					2	3	
33	33	2	19	20	2	3	2					3	1	
36	18		2	2				1					2	
66	31	1	10	8	2	4						1	3	
3														
1	2			1										
2	2			1										

VITAL STATISTICS.

TABLE 1.—DEATHS FROM CERTAIN DISEASES AND CLASSES OF DISEASES, BY CONJUGAL
VERMONT.

CAUSE AND CONJUGAL CONDITION.		White.	Colored.	AGE.									
				All ages.	Under 15	15 to 19	20 to 24	25 to 34	35 to 44	45 to 54	55 to 64	65 and over.	Un- known.
1	All causes	5,804	25	5,829	1,344	150	211	389	414	402	653	2,232	34
2	Single	(M.. 1,142	8	1,150	748	84	81	74	38	27	27	69	2
	(F.. 889	4	893	596	51	42	42	50	24	20	34	71	5
3	Married	(M.. 1,226	8	1,234		1	19	79	137	138	239	616	5
	(F.. 1,064	3	1,067		14	62	159	177	176	176	194	282	3
4	Widowed	(M.. 503		503			1	5	16	9	48	423	1
	(F.. 891	2	893			2	12	15	21	98	740		5
5	Divorced	(M.. 2		2					1	1			
	(F.. 3		3						1	2			
6	Unknown	(M.. 47		47			3	6	3	5	7	16	7
	(F.. 37		37				1	4	2	3	6	15	6
7	Unknown cause	95		95	46	2	1	6	3	6	9	18	4
8	Single	(M.. 35		35	31				3		1		
	(F.. 20		20	15	1	1	2						1
9	Married	(M.. 14		14				2				6	
	(F.. 13		13		1			2		3	4	3	
10	Widowed	(M.. 3		3									
	(F.. 4		4									4	
11	Divorced	(M.. 4		4									
	(F.. 2		2							1		2	1
12	Unknown	(M.. 4		4									
	(F.. 2		2										2
13	Alcoholism	11		11				4	1	2	3	1	
14	Single	(M.. 5		5				3			2		
	(F.. 3		3					1		2			
15	Married	(M.. 1		1							1		
	(F.. 2		2						1			1	
16	Widowed	(M.. 2		2									
	(F.. 1		1										
17	Divorced	(M.. 1		1									
	(F.. 1		1										
18	Unknown	(M.. 1		1									
	(F.. 1		1										
19	Consumption	521	3	524	31	39	61	112	99	48	61	70	3
20	Single	(M.. 96	2	98	14	18	25	26	10	1	2	2	
	(F.. 87		87	17	18	16	20	5	3	1	1	6	1
21	Married	(M.. 115	1	116		6	14	36	15	25	19	1	
	(F.. 153		153		3	11	44	40	24	20	11		
22	Widowed	(M.. 24		24			2	6	1	4	11		
	(F.. 41		41			2	3	2	3	9	21	1	
23	Divorced	(M.. 1		1									
	(F.. 1		1										
24	Unknown	(M.. 2		2			1	1					
	(F.. 3		3				2		1				
25	Cancer and tumor	308	2	310	1		1	13	24	47	71	151	2
26	Single	(M.. 12		12	1		1	2	1	4	2	1	
	(F.. 18		18					4	1	5	3	5	
27	Married	(M.. 63	2	65				1	6	6	15	37	
	(F.. 103		103					5	12	28	32	25	1
28	Widowed	(M.. 31		31					1	1	2	27	
	(F.. 73		73						1	2	15	54	1
29	Divorced	(M.. 1		1									
	(F.. 1		1						1				
30	Unknown	(M.. 7		7									
	(F.. 7		7					1	1	1	2	2	
31	Suicide	34		34	1	2	4	3	13	5	3	3	
32	Single	(M.. 15		15	1	2	3	2	5	1	1		
	(F.. 2		2						1				
33	Married	(M.. 12		12			1		6	4		1	
	(F.. 2		2						1		1		
34	Widowed	(M.. 2		2								2	
	(F.. 2		2										
35	Divorced	(M.. 1		1									
	(F.. 1		1										
36	Unknown	(M.. 1		1									
	(F.. 1		1										
37	General diseases—A	717	3	720	316	16	35	36	35	30	55	198	4
38	Single	(M.. 204		204	168	8	13	6	2	2	1	3	1
	(F.. 182	2	184	143	7	6	5	7	2	4	5		
39	Married	(M.. 102		102			3	9	12	13	16	47	2
	(F.. 84		84		1	12	14	12	13	15	17		
40	Widowed	(M.. 52		52						6	46		
	(F.. 86	1	87					1	1	12	73		
41	Divorced	(M.. 6		6									
	(F.. 1		1										
42	Unknown	(M.. 6		6			1	1	1			2	1
	(F.. 1		1							1			

CAUSE AND CONJUGAL CONDITION.

71

CONDITION, COLOR, AGE, BIRTHPLACES OF MOTHERS, AND SEX: CENSUS YEAR 1900—Continued.

VERMONT.

BIRTHPLACES OF MOTHERS (WHITE).															
United States.	Ireland.	Germany.	England and Wales.	Canada.	Scandinavia.	Scotland.	Italy.	France.	Hungary.	Bohemia.	Russia and Poland.	Other foreign.	Unknown.	Not stated.	
														5,804	1
														1,142	2
														889	
														1,226	3
														1,064	
														503	4
														891	
														2	5
														3	
														47	6
														37	
														95	7
														35	8
														20	
														14	9
														13	
														3	10
														4	
															11
														4	
														2	12
														11	13
														5	14
														3	
														1	15
														2	
															16
															17
															18
														521	19
														96	20
														87	
														115	21
														153	
														24	22
														41	
														2	23
														3	
														308	24
														12	25
														18	
														63	26
														103	
														31	27
														73	
														1	28
														7	29
														34	30
														15	31
														2	
														12	32
														2	
														2	33
														2	
															34
															35
														1	36
														717	37
														204	38
														182	
														102	39
														84	
														52	40
														86	
															41
														6	42
														1	

VITAL STATISTICS.

TABLE 1.—DEATHS FROM CERTAIN DISEASES AND CLASSES OF DISEASES, BY CONJUGAL
VERMONT—Continued.

CAUSE AND CONJUGAL CONDITION.			White.	Colored.	AGE.									
					All ages.	Under 15	15 to 19	20 to 24	25 to 34	35 to 44	45 to 54	55 to 64	65 and over.	Un- known.
1	Diseases of the nervous system.....		794	6	800	184	10	13	27	41	59	88	376	2
2	Single.....	(M.)	145	4	149	110	3	4	3	2	5	3	19	
		(F.)	102	2	104	74	6	3	3	2	2	6	8	
3	Married.....	(M.)	196		196			2	8	17	18	34	116	1
		(F.)	145		145		1	3	11	15	30	25	60	
4	Widowed.....	(M.)	64		64					1	1	4	58	
		(F.)	131		131				1	4	2	14	110	
5	Divorced.....	(M.)												
		(F.)												
6	Unknown.....	(M.)	7		7				1		1	1	3	1
		(F.)	4		4			1				1	2	
7	Diseases of the circulatory system.....		678	4	682	54	5	16	28	28	55	109	379	8
8	Single.....	(M.)	64	1	65	34	3	4	3	3	1	5	11	1
		(F.)	44		44	20	2	2	2	3	2	6	6	1
9	Married.....	(M.)	220	1	221				7	7	18	51	137	1
		(F.)	134	1	135			8	11	15	28	25	47	1
10	Widowed.....	(M.)	80		80			1			1	6	71	
		(F.)	120	1	121				2		4	14	99	2
11	Divorced.....	(M.)												
		(F.)												
12	Unknown.....	(M.)	9		9			1	2			1	5	
		(F.)	7		7						1	1	3	2
13	Diseases of the respiratory system.....		868	3	871	287	26	24	31	52	57	75	318	1
14	Single.....	(M.)	214	1	215	159	19	12	5	4	5	1	10	
		(F.)	169		169	128	6	6	3	2	4	5	15	
15	Married.....	(M.)	149	2	151			2	8	19	25	23	74	
		(F.)	125		125		1	4	13	23	18	22	44	
16	Widowed.....	(M.)	62		62				1			3	11	49
		(F.)	134		134				1	2		10	118	
17	Divorced.....	(M.)	1		1						1			
		(F.)	1		1									
18	Unknown.....	(M.)	7		7							3	3	1
		(F.)	6		6					1			5	
19	Diseases of the digestive system.....		343	1	344	62	11	10	39	37	31	51	102	1
20	Single.....	(M.)	64		64	33	10	2	8	3	2	2	4	
		(F.)	43		43	29	1	1	8				3	1
21	Married.....	(M.)	78	1	79				9	8	10	28	23	
		(F.)	81		81			1	11	20	13	14	17	
22	Widowed.....	(M.)	22		22					2	2	2	16	
		(F.)	49		49				3	2	2	5	37	
23	Divorced.....	(M.)	1		1					1				
		(F.)												
24	Unknown.....	(M.)	3		3					1	2			
		(F.)	2		2								2	
25	Diseases of the urinary organs.....		307	1	308	11	5	10	20	22	25	59	156	
26	Single.....	(M.)	20		20	4	2	2		2	2	2	6	
		(F.)	21		21	7	1	3	1	1	1	5	2	
27	Married.....	(M.)	111	1	112				6	4	7	24	70	
		(F.)	64		64		1	5	13	11	9	15	10	
28	Widowed.....	(M.)	48		48					3	2	4	39	
		(F.)	40		40					1	2	9	28	
29	Divorced.....	(M.)												
		(F.)												
30	Unknown.....	(M.)	1		1						1		1	
		(F.)	2		2						1			
31	Diseases of the female organs of generation.		17		17	1		1		5	2	4	4	
32	Single.....	(F.)	4		4	1				1	1	1		
33		(F.)	11		11			1		4	1	2	3	
34	Married.....	(F.)												
		(F.)	1		1								1	
35	Widowed.....	(F.)												
		(F.)												
36	Divorced.....	(F.)												
		(F.)												
37	Accidents and injuries.....		229	1	230	52	15	16	28	25	14	26	52	2
38	Single.....	(M.)	73		73	26	14	12	10	3	2	3	3	
		(F.)	30		30	26	1		1				2	
39	Married.....	(M.)	72		72			4	13	16	11	9	19	
		(F.)	15	1	16				3	4		7	2	
40	Widowed.....	(M.)	15		15				1		1	3	10	
		(F.)	19		19							2	16	
41	Divorced.....	(M.)												
		(F.)												
42	Unknown.....	(M.)	5		5					1		2		2
		(F.)												
43	All other causes.....		882	1	883	298	19	19	42	29	21	39	409	7
44	Single.....	(M.)	195		195	167	5	3	6		2	2	10	
		(F.)	167		167	131	8	4	1	1		2	19	1
45	Married.....	(M.)	91		91				1	6	7	10	67	
		(F.)	133	1	134		6	12	32	20	9	11	43	1
46	Widowed.....	(M.)	98		98					1		6	90	1
		(F.)	193		193				1	1	3	8	179	1
47	Divorced.....	(M.)												
		(F.)												
48	Unknown.....	(M.)	1		1									1
		(F.)	4		4				1				1	2

73

VERMONT—Continued.

TABLE 2.

DEATHS IN THE UNITED STATES, THE REGISTRATION AREA AND ITS SUBDIVISIONS AND
THE NONREGISTRATION AREA, DURING THE CENSUS YEAR ENDING MAY 31, 1900,
OF MALES ENGAGED IN EACH OCCUPATION AND CLASS OF OCCUPA-
TIONS, BY COLOR, AGE, AND BIRTHPLACES OF MOTHERS.

NOTE.—Occupation was not reported in the registration returns for the following cities: Allentown, Pa.; Easton, Pa.; Erie, Pa.; Galesburg, Ill.; Jacksonville, Fla.; Johnstown, Pa.; Keokuk, Iowa; Key West, Fla.; Lancaster, Pa.; Leavenworth, Kans.; Lebanon, Pa.; Louisville, Ky.; Memphis, Tenn.; Newark, Ohio; Newport, Ky.; Oskaloosa, Iowa; Plymouth, Pa.; Reading, Pa.; San Antonio, Tex.; Wichita, Kans., and Wilkesbarre, Pa., and the deaths in these cities are therefore omitted in all tables showing the relation of occupation.

VITAL STATISTICS.

TABLE 2.—DEATHS OF MALES ENGAGED IN EACH OCCUPATION, BY COLOR,
THE UNITED STATES.

	OCCUPATIONS.	Total.	COLOR.		AGE.								
			White.	Colored.	Under 15	15 to 19	20 to 24	25 to 34	35 to 44	45 to 54	55 to 64	65 and over.	Un-known.
1	All occupations.....	278,147	243,478	34,669	2,834	11,984	20,330	39,006	38,629	39,276	41,481	82,837	1,770
2	Professional.....	10,123	9,599	524		95	571	1,461	1,403	1,476	1,635	3,423	59
3	Architects, artists and teachers of art, etc....	452	449	3		12	30	66	75	78	58	133	
4	Clergymen.....	2,062	1,771	291		2	23	157	211	269	378	1,007	15
5	Engineers and surveyors.....	761	760	1		25	110	210	119	92	67	134	4
6	Journalists.....	375	371	4		4	22	58	42	70	82	75	2
7	Lawyers.....	1,508	1,496	12		1	35	144	204	261	317	537	9
8	Musicians and teachers of music.....	597	543	54		14	60	117	120	81	79	125	1
9	Physicians and surgeons.....	2,322	2,285	37		8	29	242	330	366	388	947	17
10	Teachers (school).....	1,256	1,156	100		24	224	327	140	129	151	252	9
11	Others of this class.....	790	768	22		10	38	140	142	130	115	213	2
12	Clerical and official.....	13,703	13,538	165	18	616	1,405	2,619	2,290	1,936	2,058	2,712	49
13	Bookkeepers, clerks, and copyists.....	7,824	7,715	109	14	570	1,238	2,003	1,445	958	852	724	20
14	Bankers, brokers, and officials of companies.....	1,711	1,703	8	1	5	27	117	152	227	338	837	7
15	Collectors, auctioneers, and agents.....	2,595	2,573	22	2	21	77	289	450	486	538	720	12
16	Others of this class.....	1,573	1,547	26	1	20	63	210	243	265	330	431	10
17	Mercantile and trading.....	16,239	15,495	744	10	270	786	2,365	2,788	2,898	3,054	4,016	52
18	Apothecaries, pharmacists, etc.....	800	790	10		21	69	186	138	132	115	139	
19	Commercial travelers.....	585	585			5	25	118	135	132	108	56	6
20	Merchants and dealers.....	9,955	9,814	141	4	57	206	994	1,562	1,732	2,129	3,237	34
21	Hucksters and peddlers.....	919	875	44	1	13	48	136	173	177	184	185	2
22	Others of this class.....	3,980	3,431	549	5	174	438	931	780	725	518	399	10
23	Public entertainment.....	4,343	4,247	96	1	20	114	730	986	816	669	993	14
24	Hotel and boarding-house keepers.....	1,626	1,608	18		2	14	69	168	248	321	799	5
25	Saloon keepers, liquor dealers, bartenders, and restaurant keepers.....	2,717	2,639	78	1	18	100	661	818	568	348	194	9
26	Personal service, police, and military.....	5,071	4,177	894	3	144	463	946	900	905	811	856	43
27	Barbers and hairdressers.....	1,371	990	381	1	46	138	387	335	255	125	92	12
28	Janitors and sextons.....	702	524	178		1	17	54	93	136	193	205	3
29	Policemen, watchmen, and detectives.....	1,480	1,430	50		4	20	150	261	326	349	364	6
30	Soldiers, sailors, and marines (United States).....	737	703	34		78	221	203	53	45	51	68	18
31	Others of this class.....	781	530	251	2	15	67	152	158	163	93	127	4
32	Laboring and servant.....	47,165	35,879	11,286	350	2,641	4,515	8,198	7,738	7,290	6,652	9,400	381
33	Laborers (not agricultural).....	44,206	34,209	9,997	313	2,510	4,178	7,495	7,104	6,813	6,328	9,106	359
34	Servants.....	2,959	1,670	1,289	37	131	337	703	634	477	324	294	22
35	Manufacturing and mechanical industry.....	57,031	55,039	1,992	137	1,364	3,200	7,985	8,786	8,966	9,398	16,983	212
36	Bakers and confectioners.....	1,072	1,042	30		41	83	190	191	167	159	237	4
37	Blacksmiths.....	3,386	3,147	239	4	48	119	335	419	473	587	1,385	16
38	Boot and shoe makers.....	2,348	2,228	120		34	81	160	206	260	429	1,169	9
39	Brewers, distillers, and rectifiers.....	346	346		1	3	8	33	100	82	64	55	
40	Butchers.....	1,620	1,565	55	2	35	79	286	313	288	272	341	4
41	Cabinetmakers and upholsterers.....	1,016	996	20		15	39	112	150	123	177	394	6
42	Carpenters and joiners.....	8,852	8,414	438	2	56	203	718	1,071	1,341	1,639	3,784	38
43	Cigar makers and tobacco workers.....	1,106	997	109	10	41	89	211	254	173	159	164	5
44	Clock and watch repairers, jewelers, etc.....	475	472	3		8	28	70	84	96	113	1	
45	Compositors, printers, and pressmen.....	1,451	1,435	16	4	75	171	413	276	194	129	186	3
46	Coopers.....	843	791	52	2	11	22	50	93	110	143	411	1
47	Engineers and firemen (not locomotive).....	2,868	2,729	139		33	161	530	628	543	514	448	11
48	Glass blowers and glass workers.....	333	329	4	4	27	45	74	57	58	35	31	2
49	Hat and cap makers.....	263	261	2		3	19	44	60	30	53	54	
50	Iron and steel workers.....	1,941	1,907	34	3	63	161	422	370	358	255	302	7
51	Leather makers.....	363	360	3	1	6	19	52	55	56	59	113	2
52	Leather workers.....	593	586	7	2	14	30	50	64	86	123	222	2
53	Machinists.....	2,718	2,696	22	3	119	230	480	431	486	422	541	6
54	Marble and stone cutters.....	736	726	10		5	18	91	163	164	138	155	2
55	Masons (brick and stone).....	2,670	2,499	171		11	77	228	335	468	496	1,025	30
56	Mill and factory operatives (textiles).....	2,172	2,141	31	55	197	268	405	353	248	262	378	6
57	Millers (flour and grist).....	687	678	9	2	7	21	53	78	85	119	317	5
58	Painters, glaziers, and varnishers.....	3,641	3,552	89	2	50	232	607	768	712	603	655	12
59	Plasterers and whitewashers.....	585	438	97	1	3	20	58	66	120	103	161	3
60	Plumbers, and gas and steam fitters.....	893	822	11		33	125	265	182	99	81	47	1
61	Tailors.....	2,143	2,119	24	7	27	76	248	304	289	335	854	3
62	Tinners and tinware makers.....	706	688	18	1	20	53	130	116	112	115	159	
63	Others of this class.....	11,314	11,075	239	30	379	723	1,670	1,609	1,757	1,831	3,282	33
64	Agriculture, transportation, and other outdoor.....	123,015	104,230	18,785	2,258	6,675	9,166	14,443	13,510	14,772	17,004	44,236	951
65	Boatmen and canalmen.....	230	215	15	3	9	14	30	37	44	35	58	
66	Draymen, hackmen, teamsters, etc.....	4,953	4,250	703	15	199	456	1,082	1,016	809	674	671	31
67	Farmers, planters, and farm laborers.....	96,592	80,602	15,990	2,137	5,653	6,511	8,978	8,546	10,706	13,621	39,832	608
68	Gardeners, florists, nurserymen, and vine growers.....	1,378	1,218	160	2	17	33	106	124	158	288	649	1
69	Livery stable keepers and hostlers.....	902	750	152		19	58	148	200	163	159	148	7
70	Lumbermen and raftsmen.....	629	589	40	1	13	45	96	119	96	96	150	13
71	Miners and quarrymen.....	5,895	5,467	428	72	323	592	1,136	1,116	961	782	791	122
72	Sailors, pilots, fishermen, and oystermen.....	2,867	2,566	301	10	96	229	393	430	471	436	775	27
73	Steam railroad employees.....	6,217	5,514	703	7	212	895	1,743	1,320	857	553	537	93
74	Stock raisers, herders, and drovers.....	784	740	44	8	30	57	122	128	127	117	177	18
75	Others of this class.....	2,568	2,319	249	3	104	276	609	474	380	243	448	31
76	All other occupations.....	1,457	1,274	183	57	159	110	259	228	217	200	218	9

OCCUPATIONS—MALES.

77

AGE, AND BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900.

THE UNITED STATES.

BIRTHPLACES OF MOTHERS (WHITE).													
United States.	Ireland.	Germany.	England and Wales.	Canada.	Scandinavia.	Scotland.	Italy.	France.	Hungary and Bohemia.	Russia and Poland.	Other foreign.	Unknown.	Not stated.
107,808	26,155	25,446	9,052	5,014	5,165	2,767	1,911	1,154	1,037	1,977	4,653	20,545	30,794
5,077	448	613	363	152	72	97	40	44	13	56	129	1,035	1,460
137	15	63	36	13	9	7	6	5	2	2	13	37	104
990	105	112	74	21	18	23	7	8	2	9	31	208	203
329	70	41	15	15	8	10	2	2	2	3	6	64	164
161	25	26	16	3	2	4	1	1	1	1	10	39	82
885	69	40	43	20	1	15	3	1	4	10	10	181	224
128	25	126	27	7	4	15	17	6	4	4	17	51	127
1,371	66	88	63	36	8	15	2	10	5	24	291	306	9
759	35	63	27	20	16	11	2	5	2	27	10	75	104
357	38	49	36	17	6	12	5	4	1	8	8	89	146
5,632	1,484	1,009	568	280	103	203	25	75	19	60	149	1,098	2,833
2,813	1,060	608	318	200	66	101	17	33	14	36	92	581	1,776
859	82	121	84	25	7	44	1	14	1	3	14	148	300
1,120	191	208	106	46	15	32	6	19	4	20	27	253	526
840	151	72	60	9	15	26	1	9	1	1	16	116	231
6,168	1,324	1,775	572	215	166	190	114	81	54	284	284	1,215	3,053
392	33	71	35	18	11	15	5	2	2	7	10	68	123
283	28	31	18	15	4	11	2	1	1	1	4	87	94
4,080	788	1,303	363	127	111	109	81	55	39	146	185	687	1,790
155	85	87	22	11	5	7	23	2	6	102	53	91	226
1,302	390	283	134	44	35	48	10	17	6	28	32	282	820
1,205	610	853	158	69	82	47	29	43	13	26	77	320	715
777	150	217	94	31	27	23	10	13	2	4	17	116	127
428	460	636	64	38	55	24	19	30	11	22	60	204	588
1,202	639	485	142	74	65	35	70	23	6	25	66	366	979
267	58	177	22	28	15	2	63	8	1	7	21	101	220
119	68	102	33	16	15	8	1	3	2	5	9	35	108
336	378	133	47	15	14	16	4	2	2	10	12	105	351
272	59	26	20	6	13	5	2	2	1	1	6	85	207
208	76	47	20	9	8	4	2	3	1	2	18	40	93
8,568	7,728	3,854	817	1,107	978	206	1,026	197	302	577	1,104	3,203	6,212
8,298	7,371	3,644	729	1,073	938	185	999	154	298	568	1,045	3,043	5,864
270	357	210	88	34	40	21	27	43	4	9	59	160	348
17,425	6,653	7,938	2,825	1,454	992	887	290	310	275	505	1,069	4,593	9,823
154	79	350	28	26	17	15	11	8	5	14	35	50	250
1,276	364	394	132	93	68	51	7	18	12	12	36	280	404
645	221	375	82	56	50	20	28	7	16	20	41	187	480
22	13	172	10	1	1	1	2	3	3	1	10	10	98
370	125	414	63	20	14	9	8	20	11	21	41	118	331
211	50	286	35	13	19	11	6	10	4	6	19	63	263
3,901	491	869	299	328	196	110	21	33	14	24	121	851	1,156
184	53	295	16	17	8	3	5	5	37	19	93	58	204
169	34	83	27	11	13	5	2	8	1	7	16	37	69
418	235	128	65	30	14	20	4	4	4	6	15	148	344
226	70	191	21	13	3	6	4	13	5	1	10	66	162
831	444	212	164	53	48	56	5	6	1	10	27	284	588
93	50	63	18	5	2	4	10	10	1	15	15	15	54
45	63	45	21	5	2	1	5	2	3	10	5	27	49
407	453	243	164	33	30	37	5	9	14	20	25	131	336
67	120	37	12	5	4	7	7	3	3	1	4	25	75
237	50	94	24	7	9	7	6	3	3	1	4	61	85
806	323	318	207	49	47	72	21	21	7	8	37	240	555
131	170	82	42	9	15	37	15	4	5	1	16	53	146
780	442	345	166	49	47	42	23	12	11	7	37	206	332
538	428	182	225	155	21	49	20	11	4	10	74	111	313
410	20	65	34	10	7	11	1	1	1	11	57	60	57
1,182	393	426	185	84	81	44	15	20	12	33	53	382	642
151	89	32	26	3	1	12	2	1	2	1	1	34	83
166	227	71	39	25	10	23	4	1	3	3	7	45	198
192	142	640	60	14	83	28	41	11	53	158	102	67	528
216	81	113	34	13	6	10	5	5	3	9	10	48	140
3,597	1,423	1,413	626	328	176	196	50	61	42	101	203	939	1,920
62,134	7,092	8,800	3,559	1,630	2,690	1,087	289	380	353	427	1,752	8,603	5,434
84	52	10	5	4	2	1	1	1	1	3	3	34	18
1,230	1,001	406	103	99	45	30	16	15	4	12	46	387	856
54,222	3,644	7,143	2,041	1,029	2,178	654	77	241	257	210	1,020	5,971	1,915
260	236	234	105	11	15	36	11	17	3	2	30	73	185
256	150	63	32	21	8	8	1	1	1	1	4	104	101
300	28	24	17	58	25	13	1	2	2	2	13	61	45
1,353	683	326	889	55	139	208	133	49	69	169	401	543	450
906	188	134	96	100	140	38	17	15	4	10	91	352	475
2,221	832	296	167	132	82	57	28	11	8	11	54	701	914
336	36	38	9	11	10	3	7	7	7	3	52	122	75
966	242	126	66	112	45	32	2	21	7	7	38	255	400
397	177	119	48	33	17	15	28	1	2	17	23	112	285

TABLE 2.—DEATHS OF MALES ENGAGED IN EACH OCCUPATION, BY COLOR,
THE REGISTRATION RECORD.

	OCCUPATIONS.	Total.	COLOR.		AGE.								
			White.	Colored.	Under 15	15 to 19	20 to 24	25 to 34	35 to 44	45 to 54	55 to 64	65 and over.	Un-known.
1	All occupations.....	136,917	127,830	9,087	302	3,684	8,328	20,598	21,860	21,197	21,775	38,823	350
2	Professional.....	5,393	5,214	179		51	254	747	806	807	935	1,785	8
3	Architects, artists and teachers of art, etc...	376	375	1		6	24	57	63	64	53	109	
4	Clergymen.....	934	852	82		1	5	67	87	116	195	462	1
5	Engineers and surveyors.....	543	543			19	83	153	87	67	47	86	1
6	Journalists.....	258	256	2		2	18	36	42	53	56	51	
7	Lawyers.....	856	852	4		1	15	76	115	134	194	319	2
8	Musicians and teachers of music.....	454	415	39		8	44	84	95	59	65	98	1
9	Physicians and surgeons.....	1,037	1,018	19		1	12	114	162	162	166	418	2
10	Teachers (school).....	416	399	17		5	30	75	49	59	85	112	1
11	Others of this class.....	519	504	15		8	23	85	106	93	74	130	
12	Clerical and official.....	10,001	9,914	87	9	480	1,109	2,026	1,756	1,436	1,481	1,689	15
13	Bookkeepers, clerks, and copyists.....	6,457	6,391	66	9	454	1,017	1,650	1,223	805	705	590	4
14	Bankers, brokers, and officials of companies.....	941	939	2		3	14	69	95	153	216	389	2
15	Collectors, auctioneers, and agents.....	1,821	1,806	15		11	46	201	318	345	385	510	5
16	Others of this class.....	782	778	4		12	32	106	120	133	175	200	4
17	Mercantile and trading.....	10,833	10,330	503	5	129	432	1,501	1,863	2,016	2,058	2,812	17
18	Apothecaries, pharmacists, etc.....	454	446	8		8	39	112	75	80	57	83	
19	Commercial travelers.....	328	328			2	8	63	75	74	68	35	3
20	Merchants and dealers.....	6,522	6,440	82	1	31	125	604	983	1,154	1,375	2,238	11
21	Hucksters and peddlers.....	743	715	28	1	11	39	117	139	142	153	140	1
22	Others of this class.....	2,786	2,401	385	3	77	221	605	591	566	405	316	2
23	Public entertainment.....	2,516	2,469	47		12	80	516	669	536	387	315	1
24	Hotel and boarding-house keepers.....	626	624	2		1	7	45	104	144	139	186	
25	Saloon keepers, liquor dealers, bartenders, and restaurant keepers.....	1,890	1,845	45		11	73	471	565	392	248	129	1
26	Personal service, police, and military.....	3,651	3,084	567	1	77	261	631	680	708	640	639	14
27	Barbers and hairdressers.....	888	696	192	1	28	79	241	219	167	81	71	1
28	Janitors and sextons.....	555	429	126		1	11	46	84	111	159	143	
29	Policemen, watchmen, and detectives.....	1,193	1,173	20		1	10	103	213	271	296	297	2
30	Soldiers, sailors, and marines (United States).....	450	430	20		35	117	121	35	35	44	52	11
31	Others of this class.....	565	356	209		12	44	120	129	124	60	76	
32	Laboring and servant.....	30,975	25,178	5,797	101	1,187	2,359	5,467	5,495	5,229	4,741	6,284	112
33	Laborers (not agricultural).....	28,745	23,771	4,974	89	1,124	2,150	4,916	4,967	4,846	4,480	6,066	107
34	Servants.....	2,230	1,407	823	12	63	209	551	528	383	261	218	5
35	Manufacturing and mechanical industry.....	40,123	39,363	760	68	934	2,166	5,884	6,649	6,576	6,731	11,051	64
36	Bakers and confectioners.....	869	851	18		33	63	143	164	145	143	177	1
37	Blacksmiths.....	1,659	1,622	37	1	13	45	196	220	240	300	640	4
38	Boot and shoe makers.....	1,627	1,565	62		32	70	131	160	187	297	749	1
39	Brewers, distillers, and rectifiers.....	277	277			1	3	27	82	69	48	41	
40	Butchers.....	1,141	1,118	23		23	56	203	228	202	197	232	
41	Cabinetmakers and upholsterers.....	813	800	13		10	34	94	139	102	148	284	2
42	Carpenters and joiners.....	4,963	4,842	121		26	98	397	639	792	929	2,077	5
43	Cigar makers and tobacco workers.....	822	777	45		16	47	146	202	142	132	134	3
44	Clock and watch repairers, jewelers, etc.....	321	321			5	17	52	48	61	64	74	
45	Compositors, printers, and pressmen.....	1,141	1,131	10	2	60	124	319	234	154	102	146	
46	Coopers.....	562	538	24	1	8	13	36	74	91	92	247	
47	Engineers and firemen (not locomotive).....	2,077	2,023	54		15	80	368	455	405	397	352	5
48	Glass blowers and glass workers.....	224	222	2	3	14	24	52	40	40	23	26	2
49	Hat and cap makers.....	258	256	2		3	18	44	59	80	52	52	
50	Iron and steel workers.....	1,500	1,481	19	3	46	112	325	294	292	210	212	6
51	Leather makers.....	306	305	1	1	5	15	46	53	51	50	85	
52	Leather workers.....	342	340	2		8	12	25	49	54	72	122	
53	Machinists.....	2,084	2,074	10		86	161	357	349	378	334	417	2
54	Marble and stone cutters.....	586	583	3		5	10	77	129	128	113	123	1
55	Masons (brick and stone).....	1,671	1,612	59		6	48	151	246	315	308	589	8
56	Mill and factory operatives (textiles).....	1,700	1,687	13	24	128	183	327	286	200	232	316	4
57	Millers (flour and grist).....	251	251			3	7	18	34	28	41	120	
58	Painters, glaziers, and varnishers.....	2,790	2,742	48	2	35	163	450	614	561	470	491	4
59	Plasterers and whitewashers.....	319	265	54	1	3	11	38	41	86	59	79	1
60	Plumbers, and gas and steam fitters.....	730	727	3		26	107	229	168	86	70	43	1
61	Tailors.....	1,747	1,731	16	7	21	65	216	263	258	283	633	1
62	Tinners and tinware makers.....	493	488	5	1	14	35	89	81	80	84	109	
63	Others of this class.....	8,550	8,734	116	21	287	542	1,328	1,298	1,399	1,481	2,481	13
64	Agriculture, transportation, and other outdoor..	32,366	31,326	1,040	80	692	1,585	3,637	3,773	3,730	4,665	14,088	116
65	Boatmen and canalmen.....	186	178	8		8	13	25	27	35	28	50	
66	Draymen, hackmen, teamsters, etc.....	3,542	3,206	336	3	113	307	857	771	556	457	470	8
67	Farmers, planters, and farm laborers.....	18,962	18,676	286	67	361	490	885	1,132	1,605	2,836	11,534	52
68	Gardeners, florists, nurserymen, and vine growers.....	901	853	48	1	9	26	85	93	112	182	393	
69	Livery stable keepers and hostlers.....	578	493	85		10	25	99	133	109	103	95	4
70	Lumbermen and raftsmen.....	318	314	4		5	19	34	54	48	65	90	3
71	Miners and quarrymen.....	1,184	1,157	27	6	34	84	219	261	199	177	198	6
72	Sailors, pilots, fishermen, and oystermen.....	2,101	1,985	116		53	139	286	309	345	336	621	12
73	Steam railroad employees.....	3,025	2,929	96	3	60	357	793	694	485	308	301	24
74	Stock raisers, herders, and drovers.....	140	135	5		3	7	19	21	25	30	24	1
75	Others of this class.....	1,429	1,400	29		36	118	335	278	211	143	302	6
76	All other occupations.....	1,059	952	107	38	122	82	189	169	159	137	160	3

OCCUPATION—MALES.

79

AGE, AND BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

THE REGISTRATION RECORD.

BIRTHPLACES OF MOTHERS (WHITE).

United States.	Ireland.	Germany.	England and Wales.	Canada.	Scandinavia.	Scotland.	Italy.	France.	Hungary and Bohemia.	Russia and Poland.	Other foreign.	Unknown.	Not stated.	
34,372	20,128	14,034	4,999	3,946	1,678	1,617	1,581	631	566	1,500	2,498	9,486	30,794	1
1,939	336	378	237	104	32	51	35	31	12	53	96	450	1,460	2
102	12	51	32	11	7	4	5	5	2	2	12	26	104	3
333	74	44	44	14	5	13	6	4	2	9	22	79	203	4
187	59	36	28	11	8	5	2	2	3	3	8	33	164	5
87	19	20	8	2	2	2	1	1	1	1	8	23	82	6
401	48	27	29	11	2	8	3	3	1	3	6	91	224	7
76	24	88	21	7	4	14	5	5	3	3	13	30	127	8
413	49	51	36	25	4	7	2	4	2	4	16	101	306	9
161	19	24	15	11	3	3	2	4	2	27	7	20	104	10
179	32	37	24	12	2	9	5	3	3	1	7	47	146	11
3,274	1,309	780	408	240	55	152	17	51	16	56	109	614	2,833	12
2,004	991	527	256	183	45	91	12	29	11	34	72	360	1,776	13
382	46	44	47	14	1	23	1	7	1	2	8	63	300	14
613	159	164	71	37	7	24	3	10	4	20	23	145	526	15
275	113	45	34	6	2	14	1	5	3	6	6	46	231	16
2,867	1,125	1,261	387	171	59	125	93	53	38	256	206	636	3,053	17
161	22	48	20	14	3	9	3	3	1	5	7	30	123	18
131	20	18	9	8	2	7	1	1	1	1	4	33	94	19
1,911	646	915	241	105	39	65	64	38	27	127	130	342	1,790	20
66	79	71	18	10	3	6	20	2	6	98	44	66	226	21
598	358	209	99	34	12	38	9	9	4	25	21	165	820	22
380	442	513	61	47	38	23	18	24	5	17	49	137	715	23
205	80	88	29	20	8	7	6	6	1	1	11	36	127	24
175	362	425	32	27	30	16	12	18	5	16	38	101	588	25
578	541	378	101	63	34	28	67	14	4	22	48	227	979	26
108	46	130	11	25	5	1	60	5	1	6	15	63	220	27
83	56	83	25	12	10	8	1	2	2	3	9	27	108	28
209	331	113	43	14	10	14	4	5	1	10	9	59	351	29
81	39	16	12	6	6	3	2	2	1	1	2	57	207	30
97	69	36	10	6	3	2	2	2	2	2	13	21	93	31
3,381	6,713	2,569	531	945	498	153	939	145	215	484	688	1,705	6,212	32
3,212	6,374	2,385	458	920	467	134	914	105	212	475	638	1,613	5,864	33
169	339	184	73	25	31	19	25	40	3	9	50	92	348	34
8,758	5,806	5,777	2,064	1,258	557	680	275	208	234	472	784	2,667	9,823	35
90	75	276	27	24	11	12	10	5	4	14	27	32	250	36
381	288	195	63	73	17	33	7	7	10	7	15	122	404	37
335	177	225	49	49	27	15	28	5	15	17	26	117	480	38
9	12	132	9	1	1	1	1	2	3	1	6	2	98	39
183	103	307	37	13	5	4	6	17	7	19	25	61	331	40
128	50	212	27	12	16	8	6	7	4	5	17	45	263	41
1,542	383	542	195	267	99	83	20	19	14	21	75	426	1,156	42
75	48	246	16	16	6	2	5	3	35	19	67	35	204	43
85	33	65	21	10	5	2	2	2	2	9	20	59	44	44
248	219	112	49	22	8	17	4	3	3	3	13	86	344	45
104	61	119	18	11	3	5	4	9	4	1	7	30	162	46
438	393	163	118	15	30	44	5	5	1	9	20	174	588	47
52	42	38	8	5	1	3	3	4	3	6	9	54	48	48
44	63	44	21	5	2	1	5	1	3	10	5	25	27	49
229	378	198	114	31	20	31	5	7	13	18	19	82	336	50
34	113	34	8	5	3	5	3	3	1	1	4	20	75	51
92	38	53	20	7	2	2	1	1	2	1	2	35	85	52
516	260	242	164	37	35	55	6	16	6	8	30	144	555	53
86	151	58	31	9	10	29	13	4	4	1	13	28	146	54
344	363	207	106	41	18	28	19	6	7	5	22	114	332	55
211	411	146	214	155	13	48	19	8	2	10	68	69	313	56
109	10	28	14	4	4	6	1	1	1	4	19	50	57	57
721	354	354	151	75	54	31	13	13	8	31	43	252	642	58
35	84	21	10	3	3	9	2	1	2	1	1	13	83	59
119	211	61	35	25	8	23	4	1	3	3	6	30	198	60
87	118	505	42	13	45	20	41	6	45	154	86	41	528	61
105	70	86	18	10	4	9	2	2	2	7	7	26	140	62
2,356	1,298	1,118	485	291	110	152	49	50	37	97	161	610	1,920	63
12,991	3,699	2,286	1,177	1,088	395	393	109	104	40	123	501	2,986	5,434	64
59	51	8	4	4	2	19	1	11	3	10	2	29	18	65
603	934	315	65	81	27	236	23	51	16	40	238	1,799	856	66
10,120	1,352	1,404	676	648	158	29	6	9	3	2	19	43	1,915	67
124	208	137	69	10	9	29	29	29	29	29	29	29	185	68
111	137	45	16	14	4	6	1	1	1	1	2	56	101	69
129	17	12	13	40	13	7	1	1	1	1	8	28	45	70
103	114	55	122	17	38	17	35	2	9	48	94	53	450	71
580	165	99	79	89	99	30	11	10	4	8	63	273	475	72
752	508	131	91	93	22	31	16	5	2	7	29	328	914	73
19	7	4	8	1	1	1	1	1	1	3	3	14	75	74
391	206	76	34	91	22	17	1	15	3	6	16	122	400	75
204	157	92	33	30	10	12	28	1	2	17	17	64	285	76

TABLE 2.—DEATHS OF MALES ENGAGED IN EACH OCCUPATION, BY COLOR.

REGISTRATION CITIES.

	OCCUPATIONS.	Total.	COLOR.		AGE.								
			White.	Colored.	Under 15	15 to 19	20 to 24	25 to 34	35 to 44	45 to 54	55 to 64	65 and over.	Un-known.
1	All occupations.....	100,800	92,172	8,628	195	2,820	6,763	17,408	18,420	17,269	16,239	21,486	200
2	Professional	4,223	4,060	163		42	210	610	677	683	736	1,260	5
3	Architects, artists and teachers of art, etc....	325	324	1		5	22	45	54	56	46	97	
4	Clergymen.....	659	584	75			4	50	68	96	142	298	1
5	Engineers and surveyors.....	451	451			17	72	137	76	61	37	51	
6	Journalists.....	223	221	2		2	16	32	38	48	48	39	
7	Lawyers.....	678	674	4		1	11	61	100	116	158	230	1
8	Musicians and teachers of music.....	412	376	36		8	40	78	86	54	60	85	1
9	Physicians and surgeons.....	770	753	17		1	8	94	129	129	121	286	2
10	Teachers (school).....	296	282	14		1	16	44	38	44	70	83	
11	Others of this class.....	409	395	14		7	21	69	88	79	54	91	
12	Clerical and official.....	8,858	8,773	85	9	439	1,002	1,797	1,592	1,285	1,327	1,395	12
13	Bookkeepers, clerks, and copyists.....	5,840	5,776	64	9	416	920	1,481	1,121	731	639	520	3
14	Bankers, brokers, and officials of companies.....	759	757	2		3	12	51	79	127	178	307	2
15	Collectors, auctioneers, and agents.....	1,615	1,600	15		11	42	172	290	315	359	422	4
16	Others of this class.....	644	640	4		9	28	93	102	112	151	146	3
17	Mercantile and trading.....	9,169	8,668	501	4	119	389	1,328	1,667	1,733	1,737	2,178	14
18	Apothecaries, pharmacists, etc.....	349	341	8		6	31	93	65	57	42	55	
19	Commercial travelers.....	277	277			2	6	55	62	66	60	23	3
20	Merchants and dealers.....	5,295	5,213	82	1	28	108	509	861	950	1,125	1,704	9
21	Hucksters and peddlers.....	666	638	28	1	10	37	108	125	133	139	112	1
22	Others of this class.....	2,582	2,199	383	2	73	207	563	554	527	371	284	1
23	Public entertainment.....	2,139	2,094	45		10	71	471	596	451	313	226	1
24	Hotel and boarding-house keepers.....	384	382	2			4	28	71	89	85	107	
25	Saloon keepers, liquor dealers, bartenders, and restaurant keepers.....	1,755	1,712	43		10	67	443	525	362	228	119	1
26	Personal service, police, and military.....	3,297	2,749	548	1	72	227	573	636	663	574	539	12
27	Barbers and hairdressers.....	787	610	177	1	25	67	216	197	156	72	53	
28	Janitors and sextons.....	509	384	125		1	11	46	79	107	143	122	
29	Policemen, watchmen, and detectives.....	1,100	1,081	19		1	9	92	200	255	271	271	1
30	Soldiers, sailors, and marines (United States).....	398	379	19		33	101	112	35	29	38	39	11
31	Others of this class.....	503	295	208		12	39	107	125	116	50	54	
32	Laboring and servant.....	25,267	19,719	5,548	71	904	1,953	4,715	4,792	4,483	3,880	4,408	61
33	Laborers (not agricultural).....	23,217	18,456	4,761	61	847	1,764	4,202	4,290	4,134	3,645	4,218	56
34	Servants.....	2,050	1,263	787	10	57	189	513	502	349	235	190	5
35	Manufacturing and mechanical industry.....	32,466	31,738	728	56	772	1,833	5,078	5,778	5,636	5,490	7,777	46
36	Bakers and confectioners.....	790	772	18		30	54	133	151	135	133	154	
37	Blacksmiths.....	1,181	1,148	33	1	8	33	170	181	197	226	363	2
38	Boot and shoe makers.....	1,152	1,091	61		22	54	100	134	150	223	468	1
39	Brewers, distillers, and rectifiers.....	262	262		1	3	6	26	80	67	45	34	
40	Butchers.....	972	949	23		19	50	184	198	175	173	173	
41	Cabinetmakers and upholsterers.....	722	709	13		8	33	87	127	90	138	237	2
42	Carpenters and joiners.....	3,605	3,488	117		21	72	311	528	648	696	1,326	3
43	Cigar makers and tobacco workers.....	753	708	45		15	43	134	187	128	122	122	2
44	Clock and watch repairers, jewelers, etc.....	262	262		4	14	48	44	50	50	50	52	
45	Compositors, printers, and pressmen.....	1,033	1,024	9	2	55	109	289	219	138	96	125	
46	Coopers.....	456	433	23	1	8	13	33	67	82	79	173	
47	Engineers and firemen (not locomotive).....	1,798	1,746	52		8	67	324	402	363	346	284	4
48	Glass blowers and glass workers.....	196	196		1	11	20	46	32	39	21	24	2
49	Hat and cap makers.....	238	237	1		3	16	43	55	30	48	43	
50	Iron and steel workers.....	1,348	1,329	19	3	43	108	296	275	268	191	158	6
51	Leather makers.....	274	273	1	1	5	15	42	46	46	45	74	
52	Leather workers.....	246	244	2		8	11	23	40	38	50	76	
53	Machinists.....	1,761	1,751	10		78	140	311	303	333	277	319	
54	Marble and stone cutters.....	440	438	2		3	7	64	101	94	83	87	1
55	Masons (brick and stone).....	1,247	1,191	56		4	45	133	214	254	232	359	6
56	Mill and factory operatives (textiles).....	1,233	1,221	12	17	93	135	235	206	152	173	220	2
57	Millers (flour and grist).....	135	135			2	5	8	22	23	28	47	
58	Painters, glaziers, and varnishers.....	2,326	2,280	46	2	28	144	384	546	492	331	345	4
59	Plasterers and whitewashers.....	308	257	51	1	3	11	37	40	85	58	72	1
60	Plumbers, and gas and steam fitters.....	670	667	3		25	97	202	156	80	67	42	1
61	Tailors.....	1,614	1,598	16	7	20	61	208	253	243	268	554	
62	Tinners and tinware makers.....	420	415	5	1	14	32	83	69	73	69	79	
63	Others of this class.....	7,024	6,914	110	18	231	438	1,124	1,102	1,163	1,172	1,767	9
64	Agriculture, transportation, and other outdoor..	14,433	13,528	905	18	347	1,006	2,665	2,532	2,193	2,058	3,568	46
65	Boatmen and canalmen.....	116	110	6		3	7	15	19	29	18	25	
66	Draymen, hackmen, teamsters, etc.....	3,216	2,889	327	3	106	277	803	713	521	418	372	3
67	Farmers, planters, and farm laborers.....	3,489	3,300	189	6	74	121	252	287	391	577	1,766	15
68	Gardeners, florists, nurserymen, and vine growers.....	697	652	45	1	6	20	76	77	88	143	286	
69	Livery stable keepers and hostlers.....	478	402	76		8	22	83	121	91	81	71	1
70	Lumbermen and raftsmen.....	180	177	3		2	8	21	26	31	43	48	1
71	Miners and quarrymen.....	928	902	26	5	21	54	162	204	179	149	148	6
72	Sailors, pilots, fishermen, and oystermen.....	1,555	1,446	109		45	106	256	258	266	235	383	6
73	Steam railroad employees.....	2,475	2,382	93	3	52	290	681	570	391	251	227	10
74	Stock raisers, herders, and drovers.....	128	123	5		3	7	19	19	23	28	28	1
75	Others of this class.....	1,171	1,145	26		27	94	297	238	183	115	214	3
76	All other occupations.....	948	843	105	36	115	72	171	150	142	124	135	3

OCCUPATION—MALES.

81

AGE, AND BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

REGISTRATION CITIES.

BIRTHPLACES OF MOTHERS (WHITE).													
United States.	Ireland.	Germany.	England and Wales.	Canada.	Scandinavia.	Scotland.	Italy.	France.	Hungary and Bohemia.	Russia and Poland.	Other foreign.	Unknown.	Not stated.
15,647	16,250	11,555	3,389	2,199	1,335	1,124	1,383	509	531	1,359	1,886	5,879	29,126
1,208	281	331	178	74	27	35	32	27	12	52	83	333	1,387
80	11	42	27	11	6	3	5	5	2	2	12	17	101
167	57	40	24	9	4	7	4	3	2	8	17	51	191
129	54	34	23	9	7	3	1	1	2	3	4	25	157
67	17	19	7	1	1	1	1	1	1	1	7	20	79
277	44	21	24	8	1	6	2	2	1	3	6	67	215
55	22	83	20	5	4	14	4	3	3	13	24	126	7
245	36	42	27	15	4	5	2	4	4	11	76	282	9
71	18	18	7	6	1	3	2	4	2	27	6	15	103
117	22	32	19	10	1	8	4	3	1	7	38	133	11
2,535	1,208	743	354	199	50	136	16	48	16	55	93	532	2,788
1,626	915	506	224	152	42	84	11	28	11	34	64	321	1,758
254	41	37	39	10	1	18	1	6	1	2	7	51	290
478	150	157	63	32	6	21	3	9	4	19	17	124	517
177	102	43	28	5	2	13	1	5	1	5	5	36	223
1,861	991	1,162	309	121	48	107	87	45	37	248	187	481	2,984
94	18	41	15	11	3	6	2	2	1	4	6	21	119
97	17	17	6	6	2	6	1	1	1	1	3	27	94
1,147	549	837	188	72	31	53	59	33	26	122	115	244	1,737
39	69	65	14	2	3	6	20	2	6	96	44	51	221
484	333	202	86	30	9	36	8	7	4	25	19	138	813
221	376	460	47	32	32	17	18	22	4	17	37	111	700
83	47	58	18	10	6	5	6	5	1	8	18	117	24
138	329	402	29	22	26	12	12	17	4	16	29	93	583
404	504	352	89	41	28	25	66	12	4	19	43	192	970
67	42	122	8	13	3	1	59	4	1	5	13	55	217
57	54	81	22	7	9	8	1	2	2	8	8	23	107
167	307	106	40	12	9	12	4	4	1	9	9	50	351
55	34	13	10	4	4	2	2	2	1	2	2	50	205
58	67	30	9	5	3	2	2	2	2	11	14	90	31
1,502	5,522	2,161	367	490	392	109	819	120	196	416	531	1,094	6,000
1,382	5,220	1,986	304	473	367	92	796	83	193	407	486	1,014	5,653
120	302	175	63	17	25	17	23	37	3	9	45	80	347
5,048	4,951	5,129	1,580	848	497	516	240	178	229	452	668	1,834	9,568
64	71	255	15	15	9	11	9	5	4	13	26	29	246
132	242	165	45	42	16	22	4	7	10	6	14	60	383
112	127	184	21	26	23	7	25	3	15	17	18	47	466
7	9	129	4	1	1	1	2	2	3	1	5	1	98
101	92	278	24	9	4	3	6	17	7	19	20	41	328
83	47	195	23	12	16	5	5	5	4	5	16	33	260
742	323	461	140	188	89	58	18	15	14	21	53	260	1,106
50	47	223	14	10	6	2	5	3	35	18	63	28	204
54	31	55	15	8	3	4	2	1	1	6	8	16	59
198	203	108	43	20	6	16	4	3	3	12	68	337	45
56	52	106	9	8	3	3	4	5	4	1	5	18	159
312	347	130	97	32	28	37	5	4	1	7	17	143	586
42	38	32	7	5	1	2	2	2	1	5	8	54	48
38	59	43	20	4	2	1	5	1	3	9	5	20	27
172	343	183	108	21	20	28	4	7	10	15	72	333	50
24	99	32	8	5	3	5	1	3	1	3	16	74	51
44	30	45	13	3	2	1	1	1	2	1	2	19	82
355	223	221	130	30	33	41	5	14	6	7	29	114	543
80	121	49	22	4	9	23	8	4	4	10	16	138	54
154	300	169	84	27	12	17	15	6	7	5	62	318	55
114	299	106	148	83	11	34	12	5	2	9	57	41	300
34	9	22	4	2	4	4	1	1	1	1	9	43	57
461	321	327	126	51	50	29	11	13	8	30	36	195	622
32	80	21	10	3	1	9	2	1	2	1	1	12	83
97	193	55	31	21	7	23	4	1	2	3	6	27	197
52	104	490	34	12	41	16	39	4	45	151	82	33	525
60	63	80	17	8	3	7	2	2	2	9	6	21	137
1,428	1,078	995	373	199	95	107	46	44	36	93	135	425	1,860
2,722	2,274	1,130	437	372	252	169	78	56	31	84	230	1,244	4,449
24	36	7	3	2	2	18	14	11	3	10	21	17	17
452	882	302	55	64	26	38	9	8	11	17	49	337	835
988	262	343	77	76	58	23	6	8	3	2	15	26	1,027
59	162	113	43	4	8	1	1	1	1	1	1	1	180
60	129	42	14	9	2	5	1	1	1	1	2	40	98
63	11	6	5	20	9	6	1	1	1	1	7	16	34
67	75	44	76	10	19	15	26	2	6	36	51	46	429
226	137	86	66	66	87	22	10	9	4	8	41	210	474
526	393	114	68	60	19	26	11	4	1	5	26	242	887
16	5	4	6	1	1	1	1	1	1	2	2	13	73
241	182	69	24	61	21	15	1	13	3	5	14	101	395
146	143	87	28	22	9	10	27	1	2	16	14	58	280

VITAL STATISTICS.

TABLE 2.—DEATHS OF MALES ENGAGED IN EACH OCCUPATION, BY COLOR,
REGISTRATION STATES.

	OCCUPATIONS.	Total.	COLOR.		AGE.								
			White.	Colored.	Under 15	15 to 19	20 to 24	25 to 34	35 to 44	45 to 54	55 to 64	65 and over.	Unknown
1	All occupations.....	83,815	81,549	2,266	157	1,989	4,497	11,508	12,033	12,035	13,497	27,888	211
2	Professional	3,109	3,049	60		27	126	425	432	438	536	1,121	4
3	Architects, artists and teachers of art, etc....	229	228	1		4	11	33	40	40	31	70	
4	Clergymen.....	553	527	26		1	2	33	42	50	121	304	
5	Engineers and surveyors	300	300			9	36	86	41	38	27	62	1
6	Journalists.....	135	135			1	6	19	16	33	29	31	
7	Lawyers	493	493			1	8	43	64	67	108	201	1
8	Musicians and teachers of music	243	225	18		4	26	54	47	28	31	53	
9	Physicians and surgeons	589	585	4		1	8	60	90	89	97	243	1
10	Teachers (school).....	246	239	7		4	18	45	31	33	47	67	1
11	Others of this class.....	321	317	4		2	11	52	61	60	45	90	
12	Clerical and official.....	5,716	5,678	38	3	268	638	1,198	967	805	847	984	6
13	Bookkeepers, clerks, and copyists.....	3,788	3,757	31	3	255	592	988	691	456	427	375	1
14	Bankers, brokers, and officials of companies.....	514	512	2			7	42	56	94	123	191	1
15	Collectors, auctioneers, and agents.....	972	967	5		5	24	113	161	178	198	291	2
16	Others of this class	442	442			8	15	55	59	77	99	127	2
17	Mercantile and trading.....	6,000	5,865	135	2	60	206	752	948	1,137	1,183	1,707	5
18	Apothecaries, pharmacists, etc	270	266	4		5	25	57	42	55	37	49	
19	Commercial travelers.....	147	147			1	2	26	33	33	31	20	1
20	Merchants and dealers	3,764	3,755	9		19	68	305	502	671	818	1,378	3
21	Hucksters and peddlers	401	394	7		7	22	63	80	78	72	79	
22	Others of this class	1,418	1,303	115	2	28	89	301	291	300	225	181	1
23	Public entertainment.....	1,350	1,335	15		5	50	279	342	292	214	168	
24	Hotel and boarding-house keepers	445	444	1		1	5	33	76	106	104	120	
25	Saloon keepers, liquor dealers, bartenders, and restaurant keepers.....	905	891	14		4	45	246	266	186	110	48	
26	Personal service, police, and military.....	1,931	1,706	225	1	36	120	302	347	378	357	381	9
27	Barbers and hairdressers	416	365	51	1	18	40	104	99	73	38	42	1
28	Janitors and sextons.....	324	277	47			4	27	47	64	96	86	
29	Policemen, watchmen, and detectives.....	665	656	9			3	48	112	157	166	178	1
30	Soldiers, sailors, and marines (United States).....	180	172	8		10	39	45	11	18	21	29	7
31	Others of this class.....	346	236	110		8	34	78	78	66	36	46	
32	Laboring and servant.....	16,158	14,871	1,287	37	539	1,067	2,705	2,677	2,652	2,601	3,812	68
33	Laborers (not agricultural).....	14,895	13,945	950	33	515	952	2,390	2,386	2,435	2,431	3,686	67
34	Servants	1,263	926	337	4	24	115	315	291	217	170	126	1
35	Manufacturing and mechanical industry.....	24,769	24,607	162	33	537	1,268	3,584	3,930	3,815	4,224	7,339	39
36	Bakers and confectioners.....	483	481	2		11	30	82	88	82	84	105	1
37	Blacksmiths	1,041	1,032	9		9	22	107	112	135	192	460	4
38	Boot and shoe makers	609	593	16		25	37	69	84	85	162	447	
39	Brewers, distillers, and rectifiers.....	115	115				1	11	33	28	22	20	
40	Butchers	614	610	4		12	34	96	126	100	116	130	
41	Cabinetmakers and upholsterers.....	446	440	6		5	14	52	76	58	77	164	
42	Carpenters and joiners.....	3,090	3,071	19		12	60	252	340	449	562	1,412	3
43	Cigar makers and tobacco workers	479	472	7		7	27	72	121	86	86	79	1
44	Clock and watch repairers, jewelers, etc.....	225	225			5	12	31	33	42	50	52	
45	Compositors, printers, and pressmen.....	658	653	5		26	68	191	142	83	59	89	
46	Coopers	262	258	4		3	3	15	31	38	43	129	
47	Engineers and firemen (not locomotive).....	1,119	1,107	12		11	40	192	242	204	227	200	3
48	Glass blowers and glass workers.....	110	108	2		3	7	10	25	23	17	13	
49	Hat and cap makers	228	227	1			3	14	40	52	27	45	
50	Iron and steel workers.....	748	747	1		19	40	173	123	146	110	134	3
51	Leather makers.....	206	206			1	12	33	34	34	38	54	
52	Leather workers	216	216			3	5	14	25	38	50	81	
53	Machinists	1,222	1,218	4		48	81	192	194	221	211	273	2
54	Marble and stone cutters	392	391	1		4	9	57	86	84	71	81	
55	Masons (brick and stone).....	1,097	1,083	14		4	28	98	147	196	198	421	5
56	Mill and factory operatives (textiles)	1,332	1,330	2	18	95	143	267	227	166	180	232	4
57	Millers (flour and grist)	161	161			1	2	11	18	10	24	95	
58	Painters, glaziers, and varnishers.....	1,769	1,760	9		19	88	294	366	331	314	355	2
59	Plasterers and whitewashers	146	130	16		2	7	25	26	32	22	32	
60	Plumbers, and gas and steam fitters.....	442	442			13	69	145	112	47	39	16	1
61	Tailors	991	988	3		2	12	37	115	145	159	386	1
62	Tinners and tinware makers	285	283	2		3	21	43	52	42	51	73	
63	Others of this class.....	5,983	5,960	23	10	177	354	882	872	900	1,018	1,761	9
64	Agriculture, transportation, and other outdoor..	24,196	23,887	309	67	453	979	2,141	2,300	2,436	3,459	12,281	80
65	Boatmen and canalmen	154	150	4		7	10	21	20	26	25	45	
66	Draymen, hackmen, teamsters, etc	2,044	1,976	68		45	172	534	471	300	248	269	5
67	Farmers, planters, and farm laborers.....	16,899	16,766	133	65	303	412	707	932	1,338	2,459	10,642	41
68	Gardeners, florists, nurserymen, and vine growers.....	591	572	19	1	5	14	52	55	73	121	270	
69	Livery stable keepers and hostlers	395	353	42		7	15	69	86	76	72	67	3
70	Lumbermen and raftsmen	216	215	1		4	15	19	40	30	41	64	3
71	Miners and quarrymen	373	368	5		15	37	91	82	41	40	66	
72	Sailors, pilots, fishermen, and oystermen.....	1,321	1,298	23		21	79	146	174	205	204	486	6
73	Steam railroad employees	1,395	1,386	9		29	168	330	298	231	161	161	17
74	Stock raisers, herders, and drovers	31	31					2	6	6	5	12	
75	Others of this class.....	777	772	5		17	57	170	136	110	83	199	5
76	All other occupations.....	586	551	35	14	64	43	122	90	82	76	95	

OCCUPATION—MALES.

83

AGE, AND BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

REGISTRATION STATES.

BIRTHPLACES OF MOTHERS (WHITE).														
United States.	Ireland.	Germany.	England and Wales.	Canada.	Scandinavia.	Scotland.	Italy.	France.	Hungary and Bohemia.	Russia and Poland.	Other foreign.	Unknown.	Not stated.	
29,515	17,700	9,851	4,106	3,670	1,080	1,372	1,289	419	297	1,118	1,932	7,330	1,870	1
1,550	291	252	185	95	23	43	28	25	11	47	80	334	85	2
84	11	40	25	9	4	4	5	4	2	2	11	23	4	3
274	61	21	35	14	4	12	3	3	2	7	19	59	13	4
143	52	24	21	11	4	3	2	1	2	3	5	24	7	5
72	16	10	6	2	2	2	1	1	1	1	7	11	4	6
307	40	21	19	10	6	6	3	3	1	3	3	67	13	8
60	24	56	19	7	4	7	11	4	2	3	8	24	3	8
328	44	35	29	24	3	6	2	3	3	3	14	69	25	9
138	14	15	9	7	3	1	1	3	2	24	7	17	1	10
144	29	30	22	11	2	9	5	3	3	1	6	40	15	11
2,626	1,122	548	332	215	31	121	14	34	13	49	84	427	62	12
1,622	871	369	221	167	26	78	9	20	10	30	53	256	25	13
319	32	32	30	13	1	15	1	5	4	2	7	41	14	14
454	132	114	59	30	3	18	3	7	3	17	19	97	11	15
231	87	33	22	5	1	10	1	2	2	5	5	33	12	16
2,355	984	861	314	153	31	100	74	23	28	208	163	483	88	17
135	19	32	19	11	1	9	2	2	1	5	7	20	5	18
84	14	7	8	6	4	4	55	13	19	98	103	265	68	20
1,603	555	620	190	97	18	51	6	13	2	84	31	49	6	21
61	74	51	12	9	2	6	13	2	4	21	20	127	9	22
482	322	151	85	30	10	30	6	6	4	4	20	127	9	22
304	378	351	49	37	20	19	11	15	4	9	29	91	18	23
186	67	78	24	17	3	7	4	6	1	8	8	32	11	24
118	311	273	25	20	17	12	7	9	4	8	21	59	7	25
469	468	263	79	60	24	23	64	11	4	19	40	166	16	26
79	41	85	7	24	4	1	60	3	1	6	13	38	3	27
75	51	63	20	11	7	8	2	2	2	9	9	25	2	28
171	281	73	34	14	7	11	2	4	1	8	5	43	2	29
61	32	9	9	6	3	2	2	2	1	1	43	6	30	30
83	63	33	9	5	3	1	2	2	2	13	17	3	31	31
2,685	5,860	1,603	396	884	268	129	749	84	66	278	445	1,163	261	32
2,538	5,538	1,450	334	861	245	111	726	52	63	269	405	1,094	259	33
147	322	153	62	23	23	18	23	32	3	9	40	69	2	34
7,344	5,185	4,141	1,717	1,176	393	585	252	147	146	412	668	2,114	327	35
72	65	208	18	24	7	10	10	3	4	12	23	20	5	36
330	249	126	56	66	11	30	7	3	6	6	13	106	23	37
297	162	139	41	47	13	11	20	3	6	12	23	97	22	38
5	10	79	8	12	4	1	1	1	1	1	6	2	39	39
148	96	230	31	12	4	3	5	4	4	15	18	37	3	40
106	45	160	21	10	15	7	6	7	3	5	14	37	4	41
1,314	337	356	158	247	64	71	19	15	10	16	65	341	58	42
59	43	193	15	15	5	1	5	3	35	14	59	24	1	43
72	28	47	21	9	5	3	1	2	3	6	9	20	2	44
192	198	89	46	20	3	16	4	3	3	2	10	57	10	45
72	56	60	14	10	1	5	4	4	4	1	5	23	3	46
330	332	108	91	39	20	33	4	5	6	14	122	3	47	47
35	30	18	5	5	3	3	2	2	3	3	7	48	4	48
44	63	43	21	5	2	1	5	1	3	10	4	25	49	49
158	282	109	54	28	14	21	3	3	4	8	10	50	3	50
30	110	20	7	5	2	5	1	3	1	1	4	18	1	51
79	33	39	19	7	2	2	2	1	1	1	2	29	3	52
422	215	166	134	33	25	48	3	15	3	7	23	109	15	53
79	141	38	23	8	8	22	12	3	2	1	9	22	23	54
298	327	152	81	39	11	20	17	4	1	3	14	97	19	55
195	400	132	206	155	11	47	19	8	2	10	68	62	15	56
89	8	17	12	3	1	5	1	5	6	27	40	14	7	57
602	330	248	128	73	41	27	12	5	6	27	40	196	25	58
18	73	5	8	3	3	9	2	1	2	1	8	8	59	59
86	189	48	31	22	6	17	4	1	3	3	6	24	2	60
74	105	394	36	12	27	20	41	6	21	145	77	27	3	61
82	66	64	9	10	4	8	8	1	2	9	6	17	5	62
2,056	1,192	853	423	269	93	139	47	40	24	90	139	523	72	63
12,018	3,270	1,769	1,009	1,021	282	342	71	79	23	79	407	2,509	1,008	64
57	49	6	2	4	2	1	1	8	1	2	26	1	65	65
504	842	202	54	76	14	18	12	4	13	9	21	192	23	66
9,767	1,282	1,208	637	631	115	225	19	49	13	34	214	1,668	904	67
112	198	93	62	10	6	27	4	4	2	12	36	6	68	68
95	127	36	12	14	4	6	1	1	1	1	54	3	69	69
99	13	7	10	31	10	4	15	8	3	16	63	11	21	71
44	56	15	77	10	30	6	6	1	1	6	56	214	2	72
536	147	70	65	82	78	27	12	4	1	7	20	208	29	73
490	374	78	60	80	10	13	12	4	1	5	10	74	5	74
9	6	2	3	1	13	15	1	5	2	5	74	5	75	75
305	176	52	27	82	8	10	26	1	2	17	16	43	5	76
164	142	63	25	29	8	10	26	1	2	17	16	43	5	76

VITAL STATISTICS.

TABLE 2.—DEATHS OF MALES ENGAGED IN EACH OCCUPATION, BY COLOR,
CITIES IN REGISTRATION STATES.

	OCCUPATIONS.	Total.	COLOR.		AGE.								
			White.	Colored.	Under 15	15 to 19	20 to 24	25 to 34	35 to 44	45 to 54	55 to 64	65 and over.	Un-known.
1	All occupations.....	47,698	45,891	1,807	50	1,125	2,932	8,318	8,593	8,107	7,961	10,551	61
2	Professional	1,939	1,895	44		18	82	288	303	314	337	596	1
3	Architects, artists and teachers of art, etc....	178	177	1		3	9	21	31	32	24	58	
4	Clergymen.....	278	259	19			1	16	23	30	68	140	
5	Engineers and surveyors	208	208			7	25	70	30	32	17	27	
6	Journalists.....	100	100			1	4	15	12	28	21	19	
7	Lawyers.....	315	315			1	4	28	49	49	72	112	
8	Musicians and teachers of music	201	186	15		4	22	48	38	23	26	40	
9	Physicians and surgeons.....	322	320	2		1	4	40	57	56	52	111	1
10	Teachers (school).....	126	122	4			4	14	20	18	32	38	
11	Others of this class.....	211	208	3		1	9	36	43	46	25	51	
12	Clerical and official.....	4,573	4,537	36	3	227	531	969	803	654	693	690	3
13	Bookkeepers, clerks, and copyists	3,171	3,142	29	3	217	495	819	589	382	361	305	
14	Bankers, brokers, and officials of companies..	332	330	2			5	24	40	68	85	109	1
15	Collectors, auctioneers, and agents.....	766	761	5		5	20	84	133	148	172	203	1
16	Others of this class.....	304	304			5	11	42	41	56	75	73	1
17	Mercantile and trading.....	4,336	4,203	133	1	50	163	579	752	854	862	1,073	2
18	Apothecaries, pharmacists, etc.....	165	161	4		3	17	38	32	32	22	21	
19	Commercial travelers.....	96	96			1		18	20	25	23	8	1
20	Merchants and dealers	2,537	2,528	9		16	51	210	380	467	568	844	1
21	Hucksters and peddlers.....	324	317	7		6	20	54	66	69	58	51	
22	Others of this class.....	1,214	1,101	113	1	24	75	259	254	261	191	149	
23	Public entertainment	973	960	13		3	41	234	269	207	140	79	
24	Hotel and boarding-house keepers	203	202	1			2	16	43	51	50	41	
25	Saloon keepers, liquor dealers, bartenders, and restaurant keepers.	770	758	12		3	39	218	226	156	90	38	
26	Personal service, police, and military	1,577	1,371	206	1	31	86	244	303	333	291	281	7
27	Barbers and hairdressers.....	315	279	36	1	15	28	79	77	62	29	24	
28	Janitors and sextons.....	278	232	46			4	27	42	60	80	65	
29	Policemen, watchmen, and detectives.....	572	564	8			2	37	99	141	141	152	
30	Soldiers, sailors, and marines (United States).	128	121	7		8	23	36	11	12	15	16	7
31	Others of this class.....	284	175	109		8	29	65	74	58	26	24	
32	Laboring and servant.....	10,450	9,412	1,038	7	256	661	1,953	1,974	1,906	1,740	1,936	17
33	Laborers (not agricultural).....	9,367	8,630	737	5	238	566	1,676	1,709	1,723	1,596	1,838	16
34	Servants	1,083	782	301	2	18	95	277	265	183	144	98	1
35	Manufacturing and mechanical industry.....	17,112	16,982	130	21	375	935	2,778	3,059	2,875	2,983	4,065	21
36	Bakers and confectioners.....	404	402	2		8	21	72	75	72	74	82	
37	Blacksmiths.....	563	558	5		4	10	81	73	92	118	183	2
38	Boot and shoe makers	434	419	15		15	21	38	58	48	88	166	
39	Brewers, distillers, and rectifiers	100	100				1	10	31	26	19	13	
40	Butchers.....	445	441	4		8	28	77	96	73	92	71	
41	Cabinetmakers and upholsterers.....	355	349	6		3	13	45	64	46	67	117	
42	Carpenters and joiners.....	1,732	1,717	15		7	34	166	229	305	329	661	1
43	Cigar makers and tobacco workers	410	403	7		6	23	60	106	72	76	67	
44	Clock and watch repairers, jewelers, etc.	166	166			4	9	27	29	31	36	30	
45	Compositors, printers, and pressmen.....	550	546	4		21	53	161	127	67	53	68	
46	Coopers	156	153	3		3	3	12	24	29	30	55	
47	Engineers and firemen (not locomotive)	840	830	10		4	27	148	189	162	176	132	2
48	Glass blowers and glass workers.....	82	82		1	4	6	19	15	16	10	11	
49	Hat and cap makers	208	208			3	12	39	48	27	43	36	
50	Iron and steel workers.....	596	595	1		16	36	144	104	122	91	80	3
51	Leather makers.....	174	174			1	12	29	27	29	33	43	
52	Leather workers.....	120	120			3	4	12	16	22	28	35	
53	Machinists.....	899	895	4		40	60	146	148	176	154	175	
54	Marble and stone cutters	246	246			2	6	44	58	50	41	45	
55	Masons (brick and stone).....	673	662	11		2	25	80	115	135	122	191	3
56	Mill and factory operatives (textiles).....	865	864	1	11	60	95	175	147	118	121	136	2
57	Millers (flour and grist).....	45	45					1	6	5	11	22	
58	Painters, glaziers, and varnishers.....	1,305	1,298	7		12	69	228	298	262	225	209	2
59	Plasterers and whitewashers	135	122	13		2	7	24	25	31	21	25	
60	Plumbers, and gas and steam fitters.....	382	382			12	59	118	100	41	36	15	1
61	Tailors.....	858	855	3	2	11	33	107	135	119	144	307	
62	Tinners and tinware makers	212	210	2		3	18	37	40	35	36	43	
63	Others of this class.....	4,157	4,140	17	7	121	250	678	676	664	709	1,047	5
64	Agriculture, transportation, and other outdoor..	6,263	6,089	174	5	108	400	1,169	1,059	899	852	1,761	10
65	Boatmen and canalmen.....	84	82	2		2	4	11	12	20	15	20	
66	Draymen, hackmen, teamsters, etc.....	1,718	1,659	59		38	142	480	413	265	209	171	
67	Farmers, planters, and farm laborers.....	1,426	1,390	36	4	16	43	74	87	124	200	874	4
68	Gardeners, florists, nurserymen, and vine growers.	387	371	16	1	2	8	43	39	49	82	163	
69	Livery stable keepers and hostlers.....	295	262	33		5	12	53	74	58	50	43	
70	Lumbermen and raftsmen.....	78	78			1	4	6	12	13	19	22	1
71	Miners and quarrymen.....	117	113	4		2	7	34	25	21	12	16	
72	Sailors, pilots, fishermen, and oystermen....	775	759	16		13	46	116	123	126	103	248	
73	Steam railroad employees	845	839	6		21	101	218	174	137	104	87	3
74	Stock raisers, herders, and drovers	19	19					2	4	4	3	6	
75	Others of this class.....	519	517	2		8	33	132	96	82	55	111	2
76	All other occupations.....	475	442	33	12	57	33	104	71	65	63	70	

AGE, AND BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

CITIES IN REGISTRATION STATES.

BIRTHPLACES OF MOTHERS (WHITE).													
United States.	Ireland.	Germany.	England and Wales.	Canada.	Scandinavia.	Scotland.	Italy.	France.	Hungary and Bohemia.	Russia and Poland.	Other foreign.	Un-known.	Not stated.
10,790	13,822	7,372	2,496	1,923	737	879	1,091	297	262	977	1,320	3,723	202
819	236	205	126	65	18	27	25	21	11	46	67	217	12
62	10	31	20	9	3	3	5	4	2	2	11	14	1
108	44	17	15	9	3	6	1	2	2	6	14	31	1
85	47	22	16	9	3	1	1	1	2	3	4	16	5
52	14	9	5	1	1	1	1	1	1	1	6	8	1
183	36	15	14	7	7	4	2	2	1	3	3	43	4
39	22	51	18	5	4	11	3	2	3	8	18	2	8
160	31	26	20	14	3	4	2	3	2	3	9	44	1
48	13	9	1	2	1	1	1	3	2	24	6	12	10
82	19	25	17	9	1	8	4	3	1	1	6	31	2
1,887	1,021	511	278	174	26	105	13	31	13	48	68	345	17
1,244	795	348	189	136	23	71	8	19	10	30	45	217	7
191	27	25	22	9	2	10	1	4	2	2	6	29	4
319	123	107	51	25	2	15	3	6	3	16	13	76	2
133	76	31	16	4	1	9	1	2	1	4	23	4	16
1,349	850	762	236	103	20	82	68	15	27	200	144	328	19
68	15	25	14	8	1	6	1	1	1	4	6	11	1
50	11	6	5	4	3	3	50	8	18	93	88	167	15
839	458	542	137	64	10	39	6	13	2	82	31	34	1
24	64	45	8	2	2	6	5	4	4	21	18	100	2
368	302	144	72	26	7	28	11	13	3	9	17	65	3
145	312	298	35	22	14	13	11	13	3	9	17	65	3
64	34	48	13	7	1	5	4	5	1	5	14	1	24
81	278	250	22	15	13	8	7	8	3	8	12	51	2
295	431	237	67	38	18	20	63	9	4	16	35	131	7
38	37	77	4	12	2	1	59	2	1	5	11	30	27
49	49	61	17	6	6	8	2	2	2	2	8	21	1
129	257	66	31	12	6	9	2	3	1	7	5	34	2
35	27	6	7	4	1	1	1	2	2	2	11	36	4
44	61	27	8	4	3	1	2	2	2	2	11	10	31
806	4,669	1,195	232	429	162	85	629	59	47	210	288	552	49
708	4,384	1,051	180	414	145	69	608	30	44	201	253	495	48
98	285	144	52	15	17	16	21	29	3	9	35	57	1
3,634	4,330	3,493	1,233	766	333	421	217	117	141	392	552	1,281	72
46	61	187	12	15	5	9	9	3	4	11	22	17	1
81	203	96	38	35	10	19	4	3	6	5	12	44	2
74	112	98	13	24	9	3	17	1	6	12	15	27	8
3	7	76	3	1	1	1	1	1	1	1	5	1	39
66	85	201	18	8	3	2	5	4	4	15	13	17	40
61	42	143	17	10	15	4	5	5	3	5	13	25	1
514	277	275	103	168	54	46	17	11	10	16	43	175	8
34	42	170	13	9	5	1	5	3	35	13	55	17	1
41	26	37	15	7	3	3	1	1	1	6	8	16	2
142	182	85	40	18	1	15	4	3	3	2	9	39	3
24	47	47	5	7	1	3	4	4	1	1	3	11	46
204	286	85	70	26	18	26	4	4	4	4	11	91	1
25	26	12	4	5	2	2	5	1	3	9	2	6	48
38	59	42	20	4	2	1	5	3	3	9	4	20	49
101	247	94	43	18	14	18	2	3	1	5	9	40	50
20	96	18	7	5	2	5	18	3	3	1	3	14	51
31	25	31	12	3	3	1	2	13	1	1	2	13	52
261	178	145	100	26	23	34	7	3	2	6	22	79	3
23	111	29	14	3	7	16	9	4	1	3	6	10	15
108	264	114	59	25	5	9	13	4	2	3	7	45	54
98	288	92	140	83	9	33	12	5	2	9	57	34	2
14	7	11	2	1	1	3	1	1	2	4	1	4	57
342	297	221	103	49	37	25	10	5	6	26	33	139	5
15	69	5	8	3	3	9	2	1	2	1	7	7	59
64	171	42	27	18	5	17	4	1	2	3	6	21	1
39	91	349	28	11	23	16	39	4	21	142	73	19	60
37	59	58	8	8	3	6	1	1	2	9	5	12	2
1,128	972	730	311	177	78	94	44	34	23	86	113	338	12
1,749	1,845	613	269	305	139	118	40	31	14	40	136	767	23
22	34	5	1	2	2	17	12	8	1	9	2	14	65
353	790	189	44	59	13	27	5	6	8	11	15	147	2
635	192	147	38	59	15	21	4	3	2	8	25	206	16
47	152	69	36	4	5	21	4	3	2	8	8	19	68
44	119	33	10	9	2	5	6	1	1	1	1	38	69
33	7	1	2	11	6	3	4	1	1	4	6	8	1
8	17	4	31	3	11	4	6	7	1	6	20	4	71
182	119	57	52	59	66	19	5	7	1	4	34	151	1
264	259	61	37	47	7	8	7	3	1	5	17	122	2
6	4	2	1	1	1	1	1	1	1	1	5	74	73
155	152	45	17	52	12	13	1	3	2	4	8	53	75
106	128	58	20	21	7	8	25	1	2	16	13	37	76

VITAL STATISTICS.

TABLE 2.—DEATHS OF MALES ENGAGED IN EACH OCCUPATION, BY COLOR,
RURAL PART OF REGISTRATION STATES.

	OCCUPATIONS.	Total.	COLOR.		AGE.									
			White.	Colored.	Under 15	15 to 19	20 to 24	25 to 34	35 to 44	45 to 54	55 to 64	65 and over.	Un-known.	
1	All occupations	36,117	35,658	459	107	864	1,565	3,190	3,440	3,928	5,536	17,337	150	
2	Professional	1,170	1,154	16		9	44	137	129	124	199	525	3	
3	Architects, artists and teachers of art, etc.	51	51			1	2	12	9	8	7	12		
4	Clergymen	275	268	7		1	1	17	19	20	53	164		
5	Engineers and surveyors	92	92			2	11	16	11	6	10	35	1	
6	Journalists	35	35				2	4	4	5	8	12		
7	Lawyers	178	178				4	15	15	18	36	89		
8	Musicians and teachers of music	42	39	3			4	6	9	5	5	13		
9	Physicians and surgeons	267	265	2			4	20	33	33	45	132		
10	Teachers (school)	120	117	3		4	14	31	11	15	15	29	1	
11	Others of this class	110	109	1		1	2	16	18	14	20	39		
12	Clerical and official	1,143	1,141	2		41	107	229	164	151	154	294	3	
13	Bookkeepers, clerks, and copyists	617	615	2		38	97	169	102	74	66	70	1	
14	Bankers, brokers, and officials of companies	182	182				2	13	16	26	38	82		
15	Collectors, auctioneers, and agents	206	206				4	29	28	30	26	88	1	
16	Others of this class	138	138			3	4	13	18	21	24	54	1	
17	Mercantile and trading	1,664	1,662	2	1	10	43	173	196	283	321	634	3	
18	Apothecaries, pharmacists, etc.	105	105			2	8	19	10	23	15	28		
19	Commercial travelers	51	51				2	8	13	8	8	12		
20	Merchants and dealers	1,227	1,227			3	17	95	122	204	250	534	2	
21	Hucksters and peddlers	77	77			1	2	9	14	9	14	28		
22	Others of this class	204	202	2	1	4	14	42	37	39	34	32	1	
23	Public entertainment	377	375	2		2	9	45	73	85	74	89		
24	Hotel and boarding-house keepers	242	242			1	3	17	33	55	54	79		
25	Saloon keepers, liquor dealers, bartenders, and restaurant keepers	135	133	2		1	6	28	40	30	20	10		
26	Personal service, police, and military	354	335	19		5	34	58	44	45	66	100	2	
27	Barbers and hairdressers	101	86	15		3	12	25	22	11	9	18	1	
28	Janitors and sextons	46	45	1					5	4	16	21		
29	Policemen, watchmen, and detectives	93	92	1			1	11	13	16	25	26	1	
30	Soldiers, sailors, and marines (United States)	52	51	1		2	16	9		6	6	13		
31	Others of this class	62	61	1			5	13	4	8	10	22		
32	Laboring and servant	5,708	5,459	249	30	283	406	752	703	746	861	1,876	51	
33	Laborers (not agricultural)	5,528	5,315	213	28	277	386	714	677	712	835	1,848	51	
34	Servants	180	144	36	2	6	20	38	26	34	26	28		
35	Manufacturing and mechanical industry	7,657	7,625	32	12	162	333	806	871	940	1,241	3,274	18	
36	Bakers and confectioners	79	79			3	9	10	13	10	10	23	1	
37	Blacksmiths	478	474	4		5	12	26	39	43	74	277	2	
38	Boot and shoe makers	475	474	1		10	16	31	26	37	74	281		
39	Brewers, distillers, and rectifiers	15	15					1	2	2	3	7		
40	Butchers	169	169			4	6	19	30	27	24	59		
41	Cabinetmakers and upholsterers	91	91			2	1	7	12	12	10	47		
42	Carpenters and joiners	1,358	1,354	4		5	26	86	111	144	233	751	2	
43	Cigar makers and tobacco workers	69	69			1	4	12	15	14	10	12	1	
44	Clock and watch repairers, jewelers, etc.	59	59			1	3	4	4	11	14	22		
45	Compositors, printers, and pressmen	108	107	1		5	15	30	15	16	6	21		
46	Coopers	106	105	1				3	7	9	13	74		
47	Engineers and firemen (not locomotive)	279	277	2		7	13	44	53	42	51	68	1	
48	Glass blowers and glass workers	28	26	2	2	3	4	6	8	1	2	2		
49	Hat and cap makers	20	19	1			2	1	4		4	9		
50	Iron and steel workers	152	152			3	4	29	19	24	19	54		
51	Leather makers	32	32					4	7	5	5	11		
52	Leather workers	96	96				1	2	9	16	22	46		
53	Machinists	323	323			8	21	46	46	45	57	98	2	
54	Marble and stone cutters	146	145	1		2	3	13	28	34	30	36		
55	Masons (brick and stone)	424	421	3		2	3	18	32	61	76	230	2	
56	Mill and factory operatives (textiles)	467	466	1	7	35	48	92	80	48	59	96	2	
57	Millers (flour and grist)	116	116			1	2	10	12	5	13	73		
58	Painters, glaziers, and varnishers	464	462	2		7	19	66	68	69	89	146		
59	Plasterers and whitewashers	11	8	3				1	1	1	1	7		
60	Plumbers, and gas and steam fitters	60	60			1	10	27	12	6	3	1		
61	Tailors	133	133			1	4	8	10	15	15	79	1	
62	Tinners and tinware makers	73	73				3	6	12	7	15	30		
63	Others of this class	1,826	1,820	6	3	56	104	204	196	236	309	714	4	
64	Agriculture, transportation, and other outdoor	17,933	17,798	135	62	345	579	972	1,241	1,537	2,607	10,520	70	
65	Boatmen and canalmen	70	68	2		5	6	10	8	6	10	25		
66	Draymen, hackmen, teamsters, etc.	326	317	9		7	30	54	58	35	39	98	5	
67	Farmers, planters, and farm laborers	15,473	15,376	97	61	287	369	633	845	1,214	2,259	9,768	87	
68	Gardeners, florists, nurserymen, and vine growers	204	201	3		3	6	9	16	24	39	107		
69	Livery stable keepers and hostlers	100	91	9		2	3	16	12	18	22	24	3	
70	Lumbermen and raftsmen	138	137	1		3	11	13	28	17	22	42	2	
71	Miners and quarrymen	256	255	1	1	13	30	57	57	20	28	50		
72	Sailors, pilots, fishermen, and oystermen	546	539	7		8	33	30	51	79	101	238	6	
73	Steam railroad employees	550	547	3		8	67	112	124	94	57	74	14	
74	Stock raisers, herders, and drovers	12	12						2	2	2	6		
75	Others of this class	258	255	3		9	24	38	40	28	28	88	3	
76	All other occupations	111	109	2	2	7	10	18	19	17	13	25		

OCCUPATION—MALES.

87

AGE, AND BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

RURAL PART OF REGISTRATION STATES.

BIRTHPLACES OF MOTHERS (WHITE).													
United States.	Ireland.	Germany.	England and Wales.	Canada.	Scandinavia.	Scotland.	Italy.	France.	Hungary and Bohemia.	Russia and Poland.	Other foreign.	Unknown.	Not stated.
18,725	3,878	2,479	1,610	1,747	343	493	198	122	35	141	612	3,607	1,668
731	55	47	59	30	5	16	3	4		1	13	117	73
22	1	9	5		1	1						9	3
166	17	4	20	5	1	6	2	1		1	5	28	12
58	5	2	5	2	1	2		1			1	8	7
20	2	1	1	1	1	2					1	3	6
124	4	6	5	3		2		1				24	9
21	2	5	1	2				1				6	1
168	13	9	9	10		2					5	25	24
90	1	6	8	5							1	5	1
62	10	5	5	2	1	1	1					9	13
739	101	37	54	41	5	16	1	3		1	16	82	45
378	76	21	32	31	3	7	1	1				39	18
128	5	7	8	4	1	5		1				12	10
135	9	7	8	5	1	3		1		1	6	21	9
98	11	2	6	1		1					1	10	8
1,006	134	99	78	50	11	18	6	8	1	8	19	155	69
67	4	7	5	3		3		1		1	1	9	4
34	3	1	8	2		1					1	6	1
764	97	78	58	33	8	12	5	5	1	5	15	98	53
27	10	6	4	8						2		15	5
114	20	7	13	4	3	2	1	2			2	27	7
159	66	53	14	15	6	6		2	1		12	26	15
122	33	30	11	10	2	2		1			3	18	10
37	33	23	3	5	4	4		1	1		9	8	5
174	37	26	12	22	6	3	1	2		3	5	35	9
41	4	8	3	12	2		1	1		1	2	8	3
26	2	2	3	5	1						1	4	1
42	24	7	3	2	1	2		1		1		9	2
26	5	3	2	2	2	1				1		7	2
39	2	6	1	1							2	7	3
1,879	1,191	408	164	455	106	44	120	25	19	68	157	611	212
1,830	1,154	399	154	447	100	42	118	22	19	68	152	599	211
49	37	9	10	8	6	2	2	3			5	12	1
3,710	855	648	484	410	60	164	35	30	5	20	116	833	255
26	4	21	6	9	2	1	1			1	1	3	4
249	46	30	18	31	1	11	3			1	1	62	21
223	50	41	28	23	4	8	3	2			8	70	14
2	3	3	5								1	1	3
82	11	29	13	4	1	1					5	20	3
45	3	17	4			3	1	2			1	12	3
800	60	81	55	79	10	25	2	4			22	166	50
25	1	23	2	6						1	4	7	4
31	2	10	6	2	2			1			1	4	4
50	16	4	6	2	2	1					1	18	7
48	9	13	9	3		2		4			2	12	3
126	46	23	21	12	2	7		1		2	3	31	2
10	4	6	1			1		2			1	1	4
6	4	1	1	1						1		5	4
57	35	15	11	10		3	1		3	3		10	3
10	14	2						1			1	4	1
48	8	8	7	4		1		2				16	3
161	37	21	34	7	2	14	1	1		1	1	30	12
56	30	9	9	5	1	6	5			1	8	12	8
190	63	38	22	14	6	11	4				7	52	14
97	112	40	66	72	2	14	7	3		1	11	28	13
75	1	6	10	2		2					3	10	7
260	33	27	25	24	4	2	2			1	7	57	20
3	4											1	59
22	18	6	4	4	1				1			3	1
35	14	45	8	1	4	4	2	2		3	4	8	3
45	7	6	1	2	1	2					1	5	3
928	220	123	112	92	15	45	3	6	1	4	26	185	60
10,269	1,425	1,156	740	716	143	224	31	48	9	39	271	1,742	985
35	15	1	1	2			1					12	1
151	52	13	10	17	1	1					6	45	21
9,132	1,090	1,061	599	572	100	198	14	43	5	23	189	1,462	888
65	46	24	26	6	1	6		1			4	17	5
51	8	3	2	5	2	1						16	3
66	6	6	8	20	4	1				1	1	12	11
36	39	11	46	7	19	2	9		3	12	43	7	21
354	28	13	13	23	12	8	1	1			22	63	1
226	115	17	23	33	3	5	5	1	1	2	3	86	27
3	2		2	1							1	1	2
150	24	7	10	30	1	2		2		1	2	21	5
58	14	5	5	8	1	2	1			1	3	6	5

TABLE 2.—DEATHS OF MALES ENGAGED IN EACH OCCUPATION, BY COLOR,
REGISTRATION CITIES IN OTHER STATES.

	OCCUPATIONS.	Total.	COLOR.		AGE.									
			White.	Colored.	Under 15	15 to 19	20 to 24	25 to 34	35 to 44	45 to 54	55 to 64	65 and over.	Un-known.	
1	All occupations.....	53,102	46,281	6,821	145	1,695	3,831	9,090	9,827	9,162	8,278	10,935	139	
2	Professional.....	2,284	2,165	119		24	128	322	374	369	399	664	4	
3	Architects, artists and teachers of art, etc.....	147	147			2	13	24	23	24	22	39		
4	Clergymen.....	381	325	56			3	34	45	66	74	158	1	
5	Engineers and surveyors.....	243	243			10	47	67	46	29	20	24		
6	Journalists.....	123	121	2		1	12	17	26	20	27	20		
7	Lawyers.....	363	359	4			7	33	51	67	86	118		
8	Musicians and teachers of music.....	211	190	21		4	18	30	48	31	34	45		
9	Physicians and surgeons.....	448	433	15			4	54	72	73	69	175	1	
10	Teachers (school).....	170	160	10		1	12	30	18	26	38	45		
11	Others of this class.....	198	187	11		6	12	33	45	33	29	40		
12	Clerical and official.....	4,285	4,236	49	6	212	471	828	789	631	634	705	9	
13	Bookkeepers, clerks, and copyists.....	2,669	2,634	35	6	199	425	662	532	349	278	215	8	
14	Bankers, brokers, and officials of companies.....	427	427			3	7	27	39	59	93	198	1	
15	Collectors, auctioneers, and agents.....	849	839	10		6	22	88	157	167	187	219	3	
16	Others of this class.....	340	336	4		4	17	51	61	56	76	73	2	
17	Mercantile and trading.....	4,833	4,465	368	3	69	226	749	915	879	875	1,105	12	
18	Apothecaries, pharmacists, etc.....	184	180	4		3	14	55	33	25	20	34		
19	Commercial travelers.....	181	181			1	6	37	42	41	37	15	2	
20	Merchants and dealers.....	2,758	2,685	73	1	12	57	299	481	483	557	860	8	
21	Hucksters and peddlers.....	342	321	21	1	4	17	54	59	64	81	61	1	
22	Others of this class.....	1,368	1,098	270	1	49	132	304	300	266	180	135	1	
23	Public entertainment.....	1,166	1,134	32		7	30	237	327	244	173	147	1	
24	Hotel and boarding-house keepers.....	181	180	1			2	12	28	38	35	66		
25	Saloon keepers, liquor dealers, bartenders, and restaurant keepers.....	985	954	31		7	28	225	299	206	138	81	1	
26	Personal service, police, and military.....	1,720	1,378	342		41	141	329	333	330	283	258	5	
27	Barbers and hairdressers.....	472	331	141		10	39	137	120	94	43	29		
28	Janitors and sextons.....	231	152	79		1	7	19	37	47	63	57		
29	Policemen, watchmen, and detectives.....	528	517	11		1	7	55	101	114	130	119	1	
30	Soldiers, sailors, and marines (United States).....	270	258	12		25	78	76	24	17	23	23	4	
31	Others of this class.....	219	120	99		4	10	42	51	58	24	30		
32	Laboring and servant.....	14,817	10,307	4,510	64	648	1,292	2,762	2,818	2,577	2,140	2,472	44	
33	Laborers (not agricultural).....	13,850	9,826	4,024	56	609	1,198	2,526	2,581	2,411	2,049	2,380	40	
34	Servants.....	967	481	486	8	39	94	236	237	166	91	92	4	
35	Manufacturing and mechanical industry.....	15,354	14,756	598	35	397	898	2,300	2,719	2,761	2,507	3,712	25	
36	Bakers and confectioners.....	386	370	16		22	33	61	76	63	59	72		
37	Blacksmiths.....	618	590	28	1	4	23	89	108	105	108	180		
38	Boot and shoe makers.....	718	672	46		7	33	62	76	102	135	302	1	
39	Brewers, distillers, and rectifiers.....	162	162		1	3	5	16	49	41	26	21		
40	Butchers.....	527	508	19		11	22	107	102	102	81	102		
41	Cabinetmakers and upholsterers.....	367	360	7		5	20	42	63	44	71	120	2	
42	Carpenters and joiners.....	1,873	1,771	102		14	38	145	299	343	367	665	2	
43	Cigar makers and tobacco workers.....	343	305	38		9	20	74	81	56	46	55	2	
44	Clock and watch repairers, jewelers, etc.....	96	96				5	21	15	19	14	22		
45	Compositors, printers, and pressmen.....	483	478	5	2	34	56	128	92	71	43	57		
46	Coopers.....	300	280	20	1	5	10	21	43	53	49	118		
47	Engineers and firemen (not locomotive).....	958	916	42		4	40	176	213	201	170	152	2	
48	Glass blowers and glass workers.....	114	114			7	14	27	17	23	11	13	2	
49	Hat and cap makers.....	30	29	1			4	4	7	3	5	7		
50	Iron and steel workers.....	752	734	18	3	27	72	152	171	146	100	78	3	
51	Leather makers.....	100	99	1	1	4	3	13	19	17	12	31		
52	Leather workers.....	126	124	2		5	7	11	24	16	22	41		
53	Machinists.....	862	856	6		38	80	165	155	157	123	144		
54	Marble and stone cutters.....	194	192	2		1	1	20	43	44	42	42	1	
55	Masons (brick and stone).....	574	529	45		2	20	53	99	119	110	168	3	
56	Mill and factory operatives (textiles).....	368	357	11	6	33	40	60	59	34	52	84		
57	Millers (flour and grist).....	90	90			2	5	7	16	18	17	25		
58	Painters, glaziers, and varnishers.....	1,021	982	39	2	16	75	156	248	230	156	136	2	
59	Plasterers and whitewashers.....	173	135	38	1	4	13	15	54	37	47	1		
60	Plumbers, and gas and steam fitters.....	288	285	3		13	38	84	56	39	31	27		
61	Tailors.....	756	743	13	5	9	28	101	118	124	124	247		
62	Tinners and tinware makers.....	208	205	3	1	11	14	46	29	38	33	36		
63	Others of this class.....	2,867	2,774	93	11	110	188	446	426	499	463	720	4	
64	Agriculture, transportation, and other outdoor.....	8,170	7,439	731	13	239	606	1,496	1,473	1,294	1,206	1,807	36	
65	Boatmen and canalmen.....	32	28	4		1	3	4	7	9	3	5		
66	Draymen, hackmen, teamsters, etc.....	1,498	1,230	268	3	68	135	323	300	256	209	201	3	
67	Farmers, planters, and farm laborers.....	2,063	1,910	153	2	58	78	178	200	267	377	892	11	
68	Gardeners, florists, nurserymen, and vine growers.....	310	281	29		4	12	33	38	39	61	123		
69	Livery stable keepers and hostlers.....	183	140	43		3	10	30	47	33	31	28	1	
70	Lumbermen and raftsmen.....	102	99	3		1	4	15	14	18	24	26		
71	Miners and quarrymen.....	811	789	22	5	19	47	128	179	158	137	132	6	
72	Sailors, pilots, fishermen, and oystermen.....	780	687	93		32	60	140	135	140	132	135	6	
73	Steam railroad employees.....	1,630	1,543	87	3	31	189	463	396	254	147	140	7	
74	Stock raisers, herders, and drovers.....	109	104	5		3	7	17	15	19	25	22	1	
75	Others of this class.....	652	628	24		19	61	165	142	101	60	103	1	
76	All other occupations.....	473	401	72	24	58	39	67	79	77	61	65	3	

OCCUPATION—MALES.

89

AGE, AND BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

REGISTRATION CITIES IN OTHER STATES.

BIRTHPLACES OF MOTHERS (WHITE).													
United States.	Ireland.	Germany.	England and Wales.	Canada.	Scandinavia.	Scotland.	Italy.	France.	Hungary and Bohemia.	Russia and Poland.	Other foreign.	Unknown.	Not stated.
4,857	2,428	4,183	893	276	598	245	292	212	269	382	566	2,156	28,924
389	45	126	52	9	9	8	7	6	1	6	16	116	1,375
18	1	11	7	2	3	1	1	1	1	1	1	3	100
59	13	23	9	2	1	1	3	1	1	2	1	3	190
44	7	12	7	1	4	2	1	1	1	1	1	9	157
15	3	10	2	1	1	1	1	1	1	1	1	12	78
94	8	6	10	1	1	2	1	1	1	1	1	24	211
16	32	2	2	1	1	1	3	1	1	1	5	6	124
85	5	16	7	1	1	1	1	1	1	1	2	32	281
23	5	9	6	4	1	2	1	1	1	1	3	3	103
35	3	7	2	1	1	1	1	1	1	1	1	7	131
648	187	232	76	25	24	31	3	17	3	7	25	187	2,771
382	120	158	35	16	19	13	3	9	1	4	19	104	1,751
63	14	12	17	1	1	8	1	2	1	1	1	22	286
159	27	50	12	7	4	6	1	3	1	3	4	48	515
44	26	12	12	1	1	4	1	3	1	1	1	13	219
512	141	400	73	18	28	25	19	30	10	48	43	153	2,965
26	3	16	1	3	2	1	1	1	1	1	1	10	118
47	6	11	1	2	2	3	1	1	1	1	2	11	94
308	91	295	51	8	21	14	9	25	8	29	27	77	1,722
15	5	20	6	1	1	1	7	2	2	14	13	17	220
116	36	58	14	4	2	8	3	3	3	4	1	38	811
76	64	162	12	10	18	4	7	9	1	8	20	46	697
19	13	10	5	3	5	1	2	2	1	1	3	4	116
57	51	152	7	7	13	4	5	9	1	8	17	42	581
109	73	115	22	3	10	5	3	3	1	3	8	61	963
29	5	45	4	1	1	1	1	2	1	1	2	25	217
8	5	20	5	1	3	3	1	1	1	1	1	2	106
38	50	40	9	3	3	3	2	1	1	2	4	16	349
20	7	7	3	1	3	1	1	1	1	1	2	14	201
14	6	3	1	1	1	1	1	1	1	1	1	4	90
696	853	966	135	61	230	24	190	61	149	206	243	542	5,951
674	836	935	124	59	222	23	188	53	149	206	233	519	5,605
22	17	31	11	2	8	1	2	8	1	1	10	23	346
1,414	621	1,636	347	82	164	95	23	61	88	60	116	553	9,496
18	10	68	3	1	4	2	2	2	1	2	4	12	245
51	39	69	7	7	6	3	4	4	4	1	2	16	381
38	15	86	8	2	14	4	8	2	9	5	3	20	458
4	2	53	1	1	1	1	1	1	2	1	1	98	39
35	7	77	6	1	1	1	1	13	3	4	7	24	323
22	5	52	6	2	1	1	1	1	1	1	3	8	259
228	46	186	37	20	35	12	1	4	4	5	10	85	1,098
16	5	53	1	1	1	1	1	1	1	5	8	11	203
13	5	18	1	1	1	1	1	1	1	1	1	1	57
56	21	23	3	2	5	1	1	1	1	1	3	29	334
32	5	59	4	1	2	1	5	1	4	1	2	7	159
108	61	45	27	6	10	11	1	1	1	3	6	52	585
17	12	20	3	1	1	1	2	2	1	1	3	2	54
71	96	89	60	3	6	10	2	4	9	10	9	32	333
4	3	14	1	1	1	1	1	1	1	1	1	2	74
13	5	14	1	1	2	1	1	1	1	1	1	6	82
94	45	76	30	4	10	7	3	1	3	1	7	35	540
7	10	20	8	1	2	7	1	1	1	1	4	6	123
46	36	55	25	2	2	8	2	2	6	2	8	17	313
16	11	14	8	1	7	1	1	1	1	1	1	7	298
20	2	11	2	1	3	1	1	1	1	1	1	5	43
119	24	106	23	2	13	4	1	8	2	4	3	56	617
17	11	16	2	1	1	1	1	1	1	1	1	5	83
33	22	13	4	3	2	6	1	1	1	1	1	6	196
13	13	111	6	1	18	1	1	1	24	9	9	14	525
23	4	22	9	1	1	1	1	1	1	1	1	9	135
300	106	265	62	22	17	13	2	10	13	7	22	87	1,848
973	429	517	168	67	113	51	38	25	17	44	94	477	4,426
2	2	2	2	1	1	1	2	3	1	1	1	3	17
99	92	113	11	5	13	1	2	2	2	1	6	49	833
353	70	196	39	17	43	11	4	2	3	6	24	131	1,011
12	10	44	7	1	3	2	2	5	1	2	7	7	179
16	10	9	4	1	1	1	1	1	1	1	1	2	98
30	4	5	3	9	3	3	1	1	1	1	1	8	33
59	58	40	45	7	8	11	20	1	6	32	31	42	429
44	18	29	14	7	21	3	5	2	3	2	7	59	473
262	134	53	31	13	12	18	4	1	1	1	9	120	885
10	1	2	5	1	1	1	1	1	1	1	2	8	73
86	30	24	7	9	9	2	1	10	1	1	6	48	395
40	15	29	8	1	2	2	2	2	1	1	1	21	280

VITAL STATISTICS.

TABLE 2.—DEATHS OF MALES ENGAGED IN EACH OCCUPATION, BY COLOR,
NONREGISTRATION RECORD.

	OCCUPATIONS.	Total.	COLOR.		AGE.									
			White.	Colored.	Under 15	15 to 19	20 to 24	25 to 34	35 to 44	45 to 54	55 to 64	65 and over.	Un-known.	
1	All occupations.....	141,230	115,648	25,582	2,532	8,300	12,002	18,408	16,769	18,079	19,706	44,014	1,420	
2	Professional.....	4,730	4,385	345		44	317	714	597	669	700	1,638	51	
3	Architects, artists and teachers of art, etc....	76	74	2		6	6	9	12	14	5	24		
4	Clergymen.....	1,128	919	209		1	18	90	124	153	183	545	14	
5	Engineers and surveyors.....	218	217	1		6	27	57	32	25	20	48	3	
6	Journalists.....	117	115	2		2	4	22	20	17	26	24	2	
7	Lawyers.....	652	644	8			20	68	89	127	123	218	7	
8	Musicians and teachers of music.....	143	128	15		6	16	33	25	22	14	27		
9	Physicians and surgeons.....	1,285	1,267	18		2	17	128	168	204	222	529	15	
10	Teachers (school).....	840	757	83		19	194	252	91	70	66	140	8	
11	Others of this class.....	271	264	7		2	15	55	36	37	41	83	2	
12	Clerical and official.....	3,702	3,624	78	9	136	296	593	534	500	577	1,023	34	
13	Bookkeepers, clerks, and copyists.....	1,367	1,324	43	5	116	221	353	222	153	147	154	16	
14	Bankers, brokers, and officials of companies.....	770	764	6	1	2	13	48	57	74	122	448	5	
15	Collectors, auctioneers, and agents.....	774	767	7	2	10	31	88	132	141	153	210	7	
16	Others of this class.....	791	769	22	1	8	31	104	123	132	155	231	6	
17	Mercantile and trading.....	5,406	5,165	241	5	141	354	864	925	882	996	1,204	35	
18	Apothecaries, pharmacists, etc.....	346	344	2		13	30	74	63	52	58	56		
19	Commercial travelers.....	257	257			3	17	55	60	58	40	21	3	
20	Merchants and dealers.....	3,433	3,374	59	3	26	81	390	579	578	754	999	23	
21	Hucksters and peddlers.....	176	160	16		2	9	19	34	35	31	45	1	
22	Others of this class.....	1,194	1,030	164	2	97	217	326	189	159	113	83	8	
23	Public entertainment.....	1,827	1,778	49	1	8	34	214	317	280	282	678	13	
24	Hotel and boarding-house keepers.....	1,000	984	16		1	7	24	64	104	182	613	5	
25	Saloon keepers, liquor dealers, bartenders, and restaurant keepers.....	827	794	33	1	7	27	190	253	176	100	65	8	
26	Personal service, police, and military.....	1,420	1,093	327	2	67	202	315	220	197	171	217	29	
27	Barbers and hairdressers.....	483	294	189		18	59	146	116	68	44	21	11	
28	Janitors and sextons.....	147	95	52			6	8	9	25	34	62	3	
29	Policemen, watchmen, and detectives.....	287	257	30		3	10	47	48	55	53	67	4	
30	Soldiers, sailors, and marines (United States).....	287	273	14		43	104	82	18	10	7	16	7	
31	Others of this class.....	216	174	42	2	3	23	32	29	39	33	51	4	
32	Laboring and servant.....	16,190	10,701	5,489	249	1,454	2,156	2,731	2,243	2,061	1,911	3,116	269	
33	Laborers (not agricultural).....	15,461	10,438	5,023	224	1,386	2,028	2,579	2,137	1,967	1,848	3,040	252	
34	Servants.....	729	263	466	25	68	128	152	106	94	63	76	17	
35	Manufacturing and mechanical industry.....	16,908	15,676	1,232	69	430	1,034	2,101	2,137	2,390	2,667	5,932	148	
36	Bakers and confectioners.....	203	191	12		8	20	47	27	22	16	60	3	
37	Blacksmiths.....	1,727	1,525	202	3	35	74	139	199	233	287	745	12	
38	Boot and shoe makers.....	721	663	58		2	11	29	46	73	132	420	8	
39	Brewers, distillers, and rectifiers.....	69	69				2	6	18	13	16	14		
40	Butchers.....	479	447	32	2	12	23	83	85	86	75	109	4	
41	Cabinetmakers and upholsterers.....	203	196	7		5	5	18	11	21	29	110	4	
42	Carpenters and joiners.....	3,889	3,572	317	2	30	105	321	432	549	710	1,707	33	
43	Cigar makers and tobacco workers.....	284	220	64	10	25	42	65	52	31	27	30	2	
44	Clock and watch repairers, jewelers, etc.....	154	151	3	1	3	11	18	26	23	32	39	1	
45	Compositors, printers, and pressmen.....	310	304	6	2	15	47	94	42	40	27	40	3	
46	Coopers.....	281	253	28	1	3	9	14	19	19	51	164	1	
47	Engineers and firemen (not locomotive).....	791	706	85		18	81	162	173	138	117	96	6	
48	Glass blowers and glass workers.....	109	107	2	1	13	21	22	17	18	12	5		
49	Hat and cap makers.....	5	5				1		1		1	2		
50	Iron and steel workers.....	441	426	15		17	49	97	76	66	45	90	1	
51	Leather makers.....	57	55	2		1	4	6	2	5	9	28	2	
52	Leather workers.....	251	246	5	2	6	18	25	15	32	51	100	2	
53	Machinists.....	634	622	12	3	33	69	123	82	108	88	124	4	
54	Marble and stone cutters.....	150	143	7			8	14	34	36	25	32	1	
55	Masons (brick and stone).....	999	887	112		5	29	77	89	153	188	436	22	
56	Mill and factory operatives (textiles).....	472	454	18	31	69	85	78	67	48	30	62	2	
57	Millers (flour and grist).....	436	427	9	2	4	14	35	44	57	78	197	5	
58	Painters, glaziers, and varnishers.....	851	810	41		15	69	157	154	151	133	164	8	
59	Plasterers and whitewashers.....	216	173	43			9	20	25	34	44	82	2	
60	Plumbers, and gas and steam fitters.....	103	95	8		7	18	36	14	13	11	4		
61	Tailors.....	396	388	8		6	11	32	41	31	52	221	2	
62	Tinners and tinware makers.....	213	200	13		6	18	41	35	32	31	50		
63	Others of this class.....	2,464	2,341	123	9	92	181	342	311	358	350	801	20	
64	Agriculture, transportation, and other outdoor.....	90,649	72,904	17,745	2,178	5,983	7,581	10,806	9,737	11,042	12,339	30,148	835	
65	Boatmen and canalmen.....	44	37	7	3	1	1	5	10	9	7	8		
66	Draymen, hackmen, teamsters, etc.....	1,411	1,044	367	12	86	149	225	245	253	217	201	23	
67	Farmers, planters, and farm laborers.....	77,630	61,926	15,704	2,070	5,292	6,021	8,093	7,414	9,101	10,785	28,298	556	
68	Gardeners, florists, nurserymen, and vine growers.....	477	365	112	1	8	7	21	31	46	106	256	1	
69	Livery stable keepers and hostlers.....	324	257	67		9	33	49	67	54	56	53	3	
70	Lumbermen and raftsmen.....	311	275	36	1	8	26	62	65	48	31	60	10	
71	Miners and quarrymen.....	4,711	4,310	401	66	289	508	917	855	762	605	593	116	
72	Sailors, pilots, fishermen, and oystermen.....	766	581	185	10	43	90	107	121	126	100	154	15	
73	Steam railroad employees.....	3,192	2,585	607	4	152	538	950	626	372	245	236	69	
74	Stock raisers, herders, and drovers.....	644	605	39	8	27	50	103	107	102	87	143	17	
75	Others of this class.....	1,139	919	220	3	68	158	274	196	169	100	146	25	
76	All other occupations.....	398	322	76	19	37	28	70	59	58	63	58	6	

OCCUPATION—MALES.

91

AGE, AND BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

NONREGISTRATION RECORD.

BIRTHPLACES OF MOTHERS (WHITE).													
United States.	Ireland.	Germany.	England and Wales.	Canada.	Scandinavia.	Scotland.	Italy.	France.	Hungary and Bohemia.	Russia and Poland.	Other foreign.	Unknown.	Not stated.
73,436	6,027	11,412	4,053	1,068	3,487	1,150	330	523	471	477	2,155	11,059	1
3,138	112	235	126	48	40	46	5	13	1	3	33	585	2
35	3	12	4	2	2	3	1				1	11	3
617	31	68	30	7	13	10	1	4			9	129	4
142	11	10	13	4		5					1	31	5
74	6	6	8	1		2					2	16	6
484	21	13	14	9	1	7				1	4	90	7
52	1	38	6				3	1	1	1	4	21	8
958	17	37	27	11	4	8		6		1	8	190	9
598	16	39	12	9	16	8		1			3	55	10
178	6	12	12	5	4	3		1			1	42	11
2,358	175	229	160	40	48	51	8	24	3	4	40	484	12
809	69	81	62	17	21	10	5	4	3	2	20	221	13
477	36	77	37	11	6	21		7		1	6	85	14
507	32	44	35	9	8	8		3			4	108	15
565	38	27	26	3	13	12		4		1	10	70	16
3,301	199	514	135	41	107	65	21	28	16	28	78	579	17
231	11	23	15	4	8	6		2	1		3	38	18
158	8	13	9	7	2	4		1	1	2		54	19
2,119	142	388	122	22	72	44	17	17	12	19	55	345	20
89	6	16	4	1	2	1	3				9	25	21
704	32	74	35	10	23	10	1	8	2	3	11	117	22
825	168	340	97	22	44	24	11	19	8	9	28	183	23
572	70	129	65	11	19	16	4	7		3	6	80	24
253	98	211	32	11	25	8	7	12	6	6	22	103	25
624	98	107	41	11	31	7	3	9	2	3	18	139	26
159	12	47	11	3	10	1	3	3		1	6	38	27
36	12	19	8	4	5			1		2		8	28
127	47	20	4	1	4	2		2	1		3	46	29
191	20	10	8		7	2		2			4	28	30
111	7	11	10	3	5	2		1			5	19	31
5,187	1,015	1,285	286	162	480	53	87	52	87	93	416	1,498	32
5,086	997	1,259	271	153	471	51	85	49	86	93	407	1,430	33
101	18	26	15	9	9	2	2	3	1		9	68	34
8,667	847	2,161	761	196	435	207	15	102	41	33	285	1,926	35
64	4	74	7	2	6	3	1	3	1		8	18	36
895	76	199	69	20	51	18		11	2	5	21	158	37
310	44	150	33	7	23	5		2	1	3	15	70	38
13	1	40	1				1	1			4	8	39
187	22	107	26	7	9	5	2	3	4	2	16	57	40
83		74	8	1	3	3		3		1	2	18	41
2,359	108	327	104	61	97	27	1	14		2	46	425	42
109	5	49		1	2	1		2	2		26	23	43
84	1	18	6	1	8	1		6	1	1	7	17	44
170	16	16	16	8	6	3		1	1	3	2	62	45
122	9	72	3	2		1		4	1		3	36	46
393	51	59	46	8	18	12		1		1	7	110	47
41	8	25	10		1	1		6			9	6	48
1		1						1	1		2	2	49
178	75	45	50	2	10	6		2	1	2	6	49	50
33	7	3	4		1	2					5		51
145	12	41	4		7	5		2	1		3	26	52
290	63	76	43	12	12	17		5	1		7	96	53
45	19	24	11		5	8	2		1		3	25	54
436	79	138	60	8	29	14	4	6	4	2	15	92	55
327	17	36	11		8	1	1	3	2		6	42	56
301	10	37	20	6	3	5					7	38	57
461	39	72	34	9	27	13	2	7	4	2	10	130	58
116	5	11	16		1	3					21		59
47	16	10	4		2						1	15	60
105	24	135	18		38	8		5	8	4	16	26	61
111	11	27	16	3	2	1		3	1		3	22	62
1,241	125	295	141	37	66	44	1	11	5	4	42	329	63
49,143	3,393	6,514	2,382	542	2,295	694	180	276	313	304	1,251	5,617	64
25	1	2	1			1		1			1	5	65
627	67	91	38	18	18	11	2	4	1		19	146	66
44,102	2,292	5,739	1,365	381	2,020	418	54	190	241	170	782	4,172	67
136	28	97	36	1	6	7	5	8			11	30	68
145	13	18	16	7	4	2		1	1		2	48	69
171	11	12	4	18	12	6		2		1	5	33	70
1,250	569	271	767	38	101	191	98	47	60	121	307	490	71
326	23	35	17	11	41	8	6	5		2	28	79	72
1,469	324	165	76	39	60	26	12	6	6	4	25	373	73
317	29	34	30	8	10	9	2	6		3	49	108	74
575	36	50	32	21	23	15	1	6	4	1	22	133	75
193	20	27	15	3	7	3					6	48	76

VITAL STATISTICS.

TABLE 2.—DEATHS OF MALES ENGAGED IN EACH OCCUPATION, BY COLOR,
CONNECTICUT.

	OCCUPATIONS.	Total.	COLOR.		AGE.								
			White.	Colored.	Under 15	15 to 19	20 to 24	25 to 34	35 to 44	45 to 54	55 to 64	65 and over.	Unknown.
1	All occupations.....	3,970	3,892	78	6	89	183	508	541	569	631	1,414	29
2	Professional.....	133	131	2		1	1	18	24	19	17	53	
3	Architects, artists and teachers of art, etc.....	10	10			1		1	1	2	1	4	
4	Clergymen.....	29	28	1				1	3	3	5	17	
5	Engineers and surveyors.....	13	13				1	3	2	3	2	2	
6	Journalists.....	8	8					2		1	1	4	
7	Lawyers.....	17	17					3	2	1	4	7	
8	Musicians and teachers of music.....	14	14					1	4	3	2	4	
9	Physicians and surgeons.....	25	25					3	6	4	1	11	
10	Teachers (school).....	8	7	1				2	2	1		3	
11	Others of this class.....	9	9					2	4	1	1	1	
12	Clerical and official.....	203	202	1	1	10	19	53	38	24	27	31	
13	Bookkeepers, clerks, and copyists.....	141	141		1	10	17	48	29	15	12	9	
14	Bankers, brokers, and officials of companies.....	7	7					1		1	1	4	
15	Collectors, auctioneers, and agents.....	41	40	1			1	3	7	8	10	12	
16	Others of this class.....	14	14				1	1	2		4	6	
17	Mercantile and trading.....	220	220				5	23	29	43	46	74	
18	Apothecaries, pharmacists, etc.....	17	17				2	4		4	2	5	
19	Commercial travelers.....	7	7					1	2	1	1	2	
20	Merchants and dealers.....	141	141				2	9	19	29	34	48	
21	Hucksters and peddlers.....	11	11				1	1	2	1	2	4	
22	Others of this class.....	44	44					8	6	8	7	15	
23	Public entertainment.....	45	45					7	11	12	8	7	
24	Hotel and boarding-house keepers.....	11	11							3	5	3	
25	Saloon keepers, liquor dealers, bartenders, and restaurant keepers.....	34	34					7	11	9	3	4	
26	Personal service, police, and military.....	83	77	6			4	12	8	12	26	21	
27	Barbers and hairdressers.....	16	16				2	6	5	2	1		
28	Janitors and sextons.....	19	14	5				1		2	11	5	
29	Policemen, watchmen, and detectives.....	29	29					1	2	5	9	12	
30	Soldiers, sailors, and marines (United States).....	6	6					2		1	3		
31	Others of this class.....	13	12	1			2	2	1	2	2	4	
32	Laboring and servant.....	772	729	43	2	20	47	115	125	139	135	179	10
33	Laborers (not agricultural).....	741	709	32	2	19	46	106	116	133	131	178	10
34	Servants.....	31	20	11		1	1	9	9	6	4	1	
35	Manufacturing and mechanical industry.....	1,446	1,437	9	2	45	68	195	217	214	237	460	8
36	Bakers and confectioners.....	20	20					3	3	5	5	4	
37	Blacksmiths.....	73	73				3	3	14	8	14	29	2
38	Boot and shoe makers.....	45	44	1		1	1		5	3	8	27	
39	Brewers, distillers, and rectifiers.....	5	5						2	2	1		
40	Butchers.....	24	24			1		5	8	4	2	4	
41	Cabinetmakers and upholsterers.....	15	15					2	3	1	1	8	
42	Carpenters and joiners.....	142	142				2	11	17	20	19	73	
43	Cigar makers and tobacco workers.....	21	21				1	1	3	3	7	6	
44	Clock and watch repairers, jewelers, etc.....	6	6							1	3	2	
45	Compositors, printers, and pressmen.....	18	17	1		1	3	3	3	2	3	3	
46	Coopers.....	7	6	1							2	5	
47	Engineers and firemen (not locomotive).....	31	31			1	1	6	3	2	6	10	2
48	Glass blowers and glass workers.....	3	3						1	1	1		
49	Hat and cap makers.....	53	52	1			4	12	9	7	10	11	
50	Iron and steel workers.....	45	45			2	2	7	6	17	5	5	1
51	Leather makers.....	5	5					1		1	3		
52	Leather workers.....	8	8					2		1	2	3	
53	Machinists.....	85	85			2	8	11	13	17	10	23	1
54	Marble and stone cutters.....	15	15					5	2	1	2	5	
55	Masons (brick and stone).....	58	58				2	6	6	8	12	24	
56	Mill and factory operatives (textiles).....	116	115	1	2	17	11	17	22	9	15	23	
57	Millers (flour and grist).....	4	4							1	1	2	
58	Painters, glaziers, and varnishers.....	93	93			1	2	13	18	17	16	26	
59	Plasterers and whitewashers.....	1		1								1	
60	Plumbers, and gas and steam fitters.....	14	14			1	2	5	5			1	
61	Tailors.....	27	27					1	4	2	3	17	
62	Tinners and tinware makers.....	16	15	1		1		3	2	4	5	1	
63	Others of this class.....	496	494	2		17	26	78	68	77	81	147	2
64	Agriculture, transportation, and other outdoor..	1,054	1,038	16	1	10	39	83	86	105	133	586	11
65	Boatmen and canalmen.....	1	1					1					
66	Draymen, hackmen, teamsters, etc.....	67	65	2			4	9	13	7	16	18	
67	Farmers, planters, and farm laborers.....	755	749	6	1	7	14	27	36	69	92	504	5
68	Gardeners, florists, nurserymen, and vine growers.....	31	30	1			1	2	3	4	7	14	
69	Livery stable keepers and hostlers.....	33	28	5		1	4	3	5	8	4	8	
70	Lumbermen and raftsmen.....	3	3				1	1				1	
71	Miners and quarrymen.....	13	13					3	4		4	2	
72	Sailors, pilots, fishermen, and oystermen.....	52	51	1			3	3	7	6	7	26	
73	Steam railroad employees.....	72	71	1			9	28	15	7	2	6	5
74	Stock raisers, herders, and drovers.....	1	1									1	
75	Others of this class.....	26	26			2	3	6	3	4	1	6	1
76	All other occupations.....	14	13	1		3		2	3	1	2	3	

OCCUPATION—MALES.

93

AGE, AND BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

CONNECTICUT.

BIRTHPLACES OF MOTHERS (WHITE).													
United States.	Ireland.	Germany.	England and Wales.	Canada.	Scandinavia.	Scotland.	Italy.	France.	Hungary and Bohemia.	Russia and Poland.	Other foreign.	Unknown.	Not stated.
1,322	1,050	267	199	120	71	49	74	19	8	44	56	613	1
75	12	9	4		2	2	1	1		2	3	20	2
5		2			1							2	3
17	5	1				2				1	1	1	4
5	2	1	1									4	5
4		1	1		1						1	1	6
15								1			1		7
3	2	3	2					1				3	8
18	2	1										4	9
5										1		1	10
3	1						1					4	11
94	49	5	11	3		4	2			1	3	30	12
60	38	4	11	3		4	2			1	3	15	13
5												2	14
21	9	1										9	15
8	2											4	16
99	40	15	13	8	2	1	1	1	1	8	2	29	17
8	3		1			1		1			1	2	18
7													19
61	28	13	5	6	1		1		1	5	1	19	20
3	3		1	1	1					2			21
20	6	2	6	1						1		8	22
9	18	4	2	2	1	3	1				1	4	23
5	1		1	1		1						2	24
4	17	4	1	1	1	2	1				1	2	25
22	19	7	7			1	5				2	14	26
1	3	1	1				5				2	3	27
5	2	1	3									3	28
9	9	3	3			1						4	29
1	4											1	30
6	1	2										3	31
84	392	31	15	29	14	4	41	9	5	18	16	71	32
82	383	30	15	29	13	4	41	9	5	18	16	64	33
2	9	1			1							7	34
422	331	160	115	62	32	27	13	6	2	14	17	236	35
2	2	12								1	1	2	36
16	21	6	4	5		3		2		2		14	37
15	9	7		2	2		2					7	38
		3	1										39
9	1	4	2	1	1	1					1	2	40
7	3	2	1									2	41
61	15	6	4	7	2	1		1		1	1	43	42
5	2	7	3		1					1			43
3		2	1										44
5	4		1			1						6	45
2	1	2				1							46
10	7	3	2	1		2	1					5	47
	1	1	1										48
14	14	2	4	3	1		1		1		1	11	49
3	26	8	3	2						1	2		50
		1										1	51
1	3	2		1								1	52
32	15	9	8		1	2		1		1		16	53
5	4	2	1		1	1						1	54
15	23	3	3	2			2		1			9	55
13	26	15	18	21	1	5	2	1		1		12	56
39	14	4	6	3	2	1	1				1	4	57
												22	58
													59
2	7	2								1		2	60
2	1	9	5		7							3	61
1	7	3			2	1						1	62
160	122	45	47	14	11	8	4	1		5	6	71	63
511	188	36	31	16	19	7	9	2		1	11	207	64
													65
17	33	2	5	2	1						1	4	66
434	98	25	14	7	8	2	3				5	153	67
5	10	7	3	1		1						3	68
													69
6	9			2	2	1						8	70
1	1											1	71
2	3		2		2	1	2			1			72
22	3	2	3	1	4	2					4	10	73
14	26		2	1	2		4				1	21	74
1													75
9	4		2	2				2				7	76
6	1		1		1		1				1	2	77

VITAL STATISTICS.

TABLE 2.—DEATHS OF MALES ENGAGED IN EACH OCCUPATION, BY COLOR,
DISTRICT OF COLUMBIA.

	OCCUPATIONS.	Total.	COLOR.		AGE.									
			White.	Colored.	Under 15	15 to 19	20 to 24	25 to 34	35 to 44	45 to 54	55 to 64	65 and over.	Un-known.	
1	All occupations.....	1,785	1,124	661	4	47	157	306	240	264	315	447	5	
2	Professional.....	106	94	12			9	13	6	14	28	36		
3	Architects, artists and teachers of art, etc.....	12	11	1			3		1	2		6		
4	Clergymen.....	14	6	8				2	1	1	4	6		
5	Engineers and surveyors.....	6	6				2	3		1				
6	Journalists.....													
7	Lawyers.....	31	31					1	1	5	13	11		
8	Musicians and teachers of music.....	6	5	1			2	2		1	1			
9	Physicians and surgeons.....	20	20				1	2	2	3	3	9		
10	Teachers (school).....	5	3	2			1	1			2	1		
11	Others of this class.....	12	12					2	1	1	5	3		
12	Clerical and official.....	283	270	13		7	26	41	43	34	63	69		
13	Bookkeepers, clerks, and copyists.....	236	225	11		7	25	35	35	25	54	55		
14	Bankers, brokers, and officials of companies.....	12	11	1				1	1	3	2	5		
15	Collectors, auctioneers, and agents.....	21	20	1				3	6	4	3	5		
16	Others of this class.....	14	14				1	2	1	2	4	4		
17	Mercantile and trading.....	123	92	31		3	8	24	18	26	15	29		
18	Apothecaries, pharmacists, etc.....	7	7					3		2	1	1		
19	Commercial travelers.....	1	1					1						
20	Merchants and peddlers.....	68	66	2			1	8	8	14	10	27		
21	Hucksters and peddlers.....	5	2	3			1		2	2				
22	Others of this class.....	42	16	26		3	6	12	8	8	4	1		
23	Public entertainment.....	22	18	4			1	7	6	3	3	2		
24	Hotel and boarding-house keepers.....	3	2	1						1	1	1		
25	Saloon keepers, liquor dealers, bartenders, and restaurant keepers.....	19	16	3			1	7	6	2	2	1		
26	Personal service, police, and military.....	93	63	30		2	3	19	12	16	19	17	5	
27	Barbers and hairdressers.....	13	1	12		1		4	4	2	2			
28	Janitors and sextons.....	10	2	8				1	1	1	3	4		
29	Policemen, watchmen, and detectives.....	27	25	2				2	1	7	10	7		
30	Soldiers, sailors, and marines (United States).....	36	31	5		1	3	9	5	3	4	6	5	
31	Others of this class.....	7	4	3				3	1	3				
32	Laboring and servant.....	603	125	478	2	23	75	120	89	85	93	116		
33	Laborers (not agricultural).....	533	121	412	1	21	57	104	75	79	87	109		
34	Servants.....	70	4	66	1	2	18	16	14	6	6	7		
35	Manufacturing and mechanical industry.....	361	322	39	1	4	20	53	41	65	60	117		
36	Bakers and confectioners.....	15	14	1		1	2	2	2	1	1	6		
37	Blacksmiths.....	20	18	2		1	1	1	1	3	4	9		
38	Boot and shoe makers.....	21	11	10				2	2	2	6	9		
39	Brewers, distillers, and rectifiers.....						2		5	3	2	3		
40	Butchers.....	16	14	2				1						
41	Cabinetmakers and upholsterers.....	11	10	1				1		2	2	6		
42	Carpenters and joiners.....	47	40	7		1		5	1	9	11	20		
43	Cigar makers and tobacco workers.....	1	1						1					
44	Clock and watch repairers, jewelers, etc.....	2	2					1				1		
45	Compositors, printers, and pressmen.....	33	31	2			2	6	6	6	4	9		
46	Coopers.....	1	1									1		
47	Engineers and firemen (not locomotive).....	15	11	4			4	1	1	3	1	5		
48	Glass blowers and glass workers.....													
49	Hat and cap makers.....													
50	Iron and steel workers.....	3	3				1				2			
51	Leather makers.....	1	1									1		
52	Leather workers.....	4	4							1	1	2		
53	Machinists.....	13	12	1		1		2	2	1	5	2		
54	Marble and stone cutters.....	9	9					1	4		1	3		
55	Masons (brick and stone).....	14	12	2				1	4	5	3	1		
56	Mill and factory operatives (textiles).....													
57	Millers (flour and grist).....	2	2									2		
58	Painters, glaziers, and varnishers.....	32	30	2			2	7	4	10	6	3		
59	Plasterers and whitewashers.....	7	5	2				3	1	1		2		
60	Plumbers, and gas and steam fitters.....	11	11				2	6	1	2				
61	Tailors.....	15	13	2				1	1		2	11		
62	Tinners and tinware makers.....	8	8				2	2	1	1	1	1		
63	Others of this class.....	60	59	1	1		2	10	4	15	8	20		
64	Agriculture, transportation, and other outdoor.....	168	124	44		6	12	27	23	19	28	53		
65	Boatmen and canalmen.....	1	1									1		
66	Draymen, hackmen, teamsters, etc.....	27	9	18		3	2	8	6	3	2	3		
67	Farmers, planters, and farm laborers.....	58	41	17		1	4	5	7	7	13	24		
68	Gardeners, florists, nurserymen, and vine growers.....	21	17	4			1		2	2	6	10		
69	Livery stable keepers and hostlers.....	9	5	4			1		2	1	1	3		
70	Lumbermen and raftsmen.....	1	1					1						
71	Miners and quarrymen.....	2	2									2		
72	Sailors, pilots, fishermen, and oystermen.....	6	6					1	1	1	1	2		
73	Steam railroad employees.....	23	22	1		2	3	6	3	3	2	4		
74	Stock raisers, herders, and drovers.....	1	1					1						
75	Others of this class.....	19	19				1	7	2	2	3	4		
76	All other occupations.....	26	16	10	1	2	3	2	2	2	6	8		

OCCUPATION—MALES.

95

AGE, AND BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

DISTRICT OF COLUMBIA.

BIRTHPLACES OF MOTHERS (WHITE).													
United States.	Ireland.	Germany.	England and Wales.	Canada.	Scandinavia.	Scotland.	Italy.	France.	Hungary and Bohemia.	Russia and Poland.	Other foreign.	Unknown.	Not stated.
607	157	133	49	7	4	13	3	5	1	3	15	127	1
67	5	4	2		1		1	1	1		6	6	2
7		1	1								2		3
3		1									1	1	4
4											2		5
27	1	1	1					1	1	1			6
1	1	1					1				1	1	7
16	1				1							2	8
2	1		1										9
8	1		1									2	10
182	21	18	14	1	2	3		1				28	11
152	17	15	10	1	2	3		1				24	12
7	1	2										1	13
13	3		3									1	14
10		1	1									2	15
53	11	12	6							1		9	16
6												1	17
1													18
35	10	12	4									5	19
2			2										20
9	1									1		3	21
5	8	4									1		22
1		1											23
4	8	3									1		24
26	10	6	3	1	1								25
2		1											26
12	6	3	2										27
11	3	1	1	1	1							2	28
1	1	1										13	29
43	34	17	5	3			1	1			1	20	30
42	33	17	4	3			1						31
1	1		1					1			1	20	32
149	50	61	11	1		8		2		1	4	35	33
4		7						1		1	1		34
6	3	6	1									3	35
4		5										1	36
4	1	7										2	37
3	1	6											38
23	3	5	2			1					1	5	39
		1											40
18	5	2	2			1		1				4	41
	1												42
7	2											2	43
													44
2	1												45
3	1												46
7													47
													48
													49
													50
													51
3												1	52
7												3	53
2	3						1				1	2	54
5	4	2	1				2						55
													56
													57
17	6	1	1	1		1						1	58
2	3	2										2	59
3	6	1											60
2	2	7	1			1							61
6	1	1											62
31	7	8	3			1					1	8	63
71	15	11	7	1		2				1	2	14	64
1													65
5	2	2											66
22	2	2	1	1							1	12	67
4	2	5	4			2							68
2	2											1	69
1													70
	2												71
3		1	1								1		72
17	4											1	73
1													74
15	1	1	1							1			75
11	3		1				1						76

VITAL STATISTICS.

TABLE 2.—DEATHS OF MALES ENGAGED IN EACH OCCUPATION, BY COLOR.

MAINE.

	OCCUPATIONS.	Total.	COLOR.		AGE.									
			White.	Colored.	Under 15	15 to 19	20 to 24	25 to 34	35 to 44	45 to 54	55 to 64	65 and over.	Un-known.	
1	All occupations	4,032	4,018	14	9	95	177	347	348	379	645	2,022	10	
2	Professional	104	104					15	10	9	18	52		
3	Architects, artists and teachers of art, etc.	2	2					1	1					
4	Clergymen	24	24					1	1	1	6	15		
5	Engineers and surveyors	8	8					3	1		1	3		
6	Journalists	5	5					1	1	1	1	1		
7	Lawyers	20	20					2	2	2	3	11		
8	Musicians and teachers of music	1	1					1						
9	Physicians and surgeons	25	25					3	2	2	5	13		
10	Teachers (school)	12	12					3	2		1	5		
11	Others of this class	7	7							2	1	4		
12	Clerical and official	123	123			4	19	27	15	10	19	29		
13	Bookkeepers, clerks, and copyists	74	74			4	18	19	11	4	8	10		
14	Bankers, brokers, and officials of companies	17	17					3		3	5	6		
15	Collectors, auctioneers, and agents	18	18					3	4	1	3	7		
16	Others of this class	14	14				1	2		2	3	6		
17	Mercantile and trading	258	258		1	2	6	21	27	36	57	108		
18	Apothecaries, pharmacists, etc.	13	13					3	3	3	1	3		
19	Commercial travelers	11	11			1				1	3	4		
20	Merchants and dealers	196	196				3	11	18	25	47	92		
21	Hucksters and peddlers	8	8					2		1	3	2		
22	Others of this class	30	30		1	1	3	5	4	6	3	7		
23	Public entertainment	33	33					1	5	7	11	9		
24	Hotel and boarding-house keepers	20	20					1	1	5	7	6		
25	Saloon keepers, liquor dealers, bartenders, and restaurant keepers.	13	13						4	2	4	3		
26	Personal service, police, and military	42	40	2		1	4	7	5	8	7	10		
27	Barbers and hairdressers	12	11	1					5	3		1		
28	Janitors and sextons	2	2								1	1		
29	Policemen, watchmen, and detectives	11	11						1	5	3	2		
30	Soldiers, sailors, and marines (United States)	6	6			1	1				1	3		
31	Others of this class	11	10	1			3	2	1		2	3		
32	Laboring and servant	526	523	3	4	33	53	70	69	60	89	142	6	
33	Laborers (not agricultural)	504	501	3	3	33	50	66	65	56	87	138	6	
34	Servants	22	22		1		3	4	4	4	2	4		
35	Manufacturing and mechanical industry	853	850	3	1	26	45	101	104	91	116	368	1	
36	Bakers and confectioners	7	7			1		1	2	1		2		
37	Blacksmiths	65	64	1		2	1	7	5	7	12	30	1	
38	Boot and shoe makers	60	60			3	4	9	5	6	8	25		
39	Brewers, distillers, and rectifiers													
40	Butchers	12	12						2	2	4	4		
41	Cabinetmakers and upholsterers	8	8					1	2	1	2	2		
42	Carpenters and joiners	170	170			1	1	15	15	12	21	105		
43	Cigar makers and tobacco workers	4	4					1	1		1	1		
44	Clock and watch repairers, jewelers, etc.	5	5				1					4		
45	Compositors, printers, and pressmen	15	15			2		5	1	3	1	3		
46	Coopers	16	16						2	1	1	12		
47	Engineers and firemen (not locomotive)	29	29			2	2	3	10	1	4	7		
48	Glass blowers and glass workers	2	1	1			1		1					
49	Hat and cap makers													
50	Iron and steel workers	12	12				2	3		4	1	2		
51	Leather makers													
52	Leather workers	9	9						1	2	2	4		
53	Machinists	29	29			2	1	6	6	1	4	9		
54	Marble and stone cutters	30	30			1	1	3	5	8	5	7		
55	Masons (brick and stone)	34	34						2	2	5	25		
56	Mill and factory operatives (textiles)	84	84		1	8	10	12	18	10	9	16		
57	Millers (flour and grist)	3	3						2			1		
58	Painters, glaziers, and varnishers	63	63			1	2	9	7	9	14	21		
59	Plasterers and whitewashers	2	2					1			1			
60	Plumbers, and gas and steam fitters	4	4				1	1		1		1		
61	Tailors	11	11						2	1		8		
62	Tinners and tinware makers	6	6					1	1		2	2		
63	Others of this class	173	172	1		3	18	23	14	19	19	77		
64	Agriculture, transportation, and other outdoor ..	2,078	2,072	6	3	29	49	102	108	157	327	1,300	3	
65	Boatmen and canalmen													
66	Draymen, hackmen, teamsters, etc.	66	65	1			6		13			21		
67	Farmers, planters, and farm laborers	1,609	1,606	3	3	22	28	53	62	102	251	1,085	3	
68	Gardeners, florists, nurserymen, and vine growers.	10	10					1			2	7		
69	Livery stable keepers and hostlers	14	14					4	3	2	3	2		
70	Lumbermen and raftsmen	24	24			1	1	2	1	5	4	10		
71	Miners and quarrymen	11	11					1		2		7		
72	Sailors, pilots, fishermen, and oystermen	228	227	1		3	7	15	14	24	47	118		
73	Steam railroad employees	47	47				7	11	7	7	5	8		
74	Stock raisers, herders, and drovers	6	6					1	1	1	1	2		
75	Others of this class	63	62	1				6	7	5	5	40		
76	All other occupations	15	15				1	3	5	1	1	4		

OCCUPATION—MALES.

97

AGE, AND BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

MAINE.

BIRTHPLACES OF MOTHERS (WHITE).													
United States.	Ireland.	Germany.	England and Wales.	Canada.	Scandinavia.	Scotland.	Italy.	France.	Hungary and Bohemia.	Russia and Poland.	Other foreign.	Unknown.	Not stated.
2,967	254	9	63	382	19	32	1	2	1	6	7	275	1
86	2		1	4		1						10	2
2													3
20	2											2	4
6			1									1	5
4												1	6
18												2	7
												1	8
18				3		1						3	9
11				1									10
7													11
98	9		1	8	1	1						5	12
52	8		1	8	1							4	13
16	1												14
16						1						1	15
14													16
205	15	2	5	17	1					1		12	17
11	2												18
8				2								1	19
169	8	2	4	13						1		9	20
5				1								1	21
22	4		1	1	1							1	22
21	4		1	2								5	23
14	2			2								2	24
7	2		1									3	25
28	3		1	4							1	3	26
6	1			2							1	1	27
2													28
8	1			1								1	29
4			1									1	30
8	1			1									31
247	93		7	116	5	6		1		3	2	43	32
235	88		7	114	5	6		1		3	2	40	33
12	5			2								3	34
586	67	5	22	88	3	13			1	2	2	61	35
4		1		2									36
48	4		1	7								4	37
37	6		1	7	1							8	38
11	1												39
5	1					1				1			40
129	4		2	17	1	1					1	15	41
2				1									42
3	1			1									43
12				2			1						44
14													45
22	1		1	3			2					2	46
1													47
5	4		3										48
													49
													50
7			1									1	51
25	2											2	52
24	3			2		1							53
26	5		1	1								1	54
25	15	1	7	24		1			1			10	55
3													56
41	6			9								7	57
2	2												58
2													59
2	1		1										60
8											1	2	61
6													62
126	11	3	4	12		6				1		9	63
1,686	59	2	25	140	9	11	1	1			2	136	64
37	8		3	7								9	65
1,358	30	1	14	99	8	7		1			1	87	66
5	3											2	67
													68
9				3								2	69
18			2	3								1	70
9	2												71
177	5	1	6	8		3	1					26	72
26	8			9	1	1						2	73
2	2											2	74
45	1			11								5	75
10	2			3									76

VITAL STATISTICS.

TABLE 2.—DEATHS OF MALES ENGAGED IN EACH OCCUPATION, BY COLOR,
MASSACHUSETTS.

	OCCUPATIONS.	Total.	COLOR.		AGE.										Un- known.
			White.	Colored.	Under 15	15 to 19	20 to 24	25 to 34	35 to 44	45 to 54	55 to 64	65 and over.			
1	All occupations	12,900	12,692	208	6	276	757	1,881	1,769	1,924	2,171	4,096	20		
2	Professional	457	451	6		3	21	66	62	80	78	147			
3	Architects, artists and teachers of art, etc. . .	35	35					6	5	9	5	10			
4	Clergymen	86	84	2				7	4	9	19	47			
5	Engineers and surveyors	53	53			3	6	15	8	7	6	8			
6	Journalists	21	21				3	3	1	6	3	5			
7	Lawyers	57	57					3	9	14	15	16			
8	Musicians and teachers of music	36	33	3			6	6	7	5	6	6			
9	Physicians and sur. cons.	82	82				2	7	10	15	15	33			
10	Teachers (school)	34	34				1	7	7	5	3	11			
11	Others of this class	53	52	1			3	12	11	10	6	11			
12	Clerical and official	1,070	1,068	2		55	138	227	148	152	171	178	1		
13	Bookkeepers, clerks, and copyists	724	724			53	132	197	109	88	84	61			
14	Bankers, brokers, and officials of companies.	63	63					5	10	11	15	22			
15	Collectors, auctioneers, and agents	180	178	2			5	16	23	32	44	60			
16	Others of this class	103	103			2	1	9	6	21	28	35	1		
17	Mercantile and trading	1,014	994	20		5	32	121	141	194	207	314			
18	Apothecaries, pharmacists, etc.	49	47	2		2	11	6	9	9	5	7			
19	Commercial travelers	28	28					5	8	6	6	3			
20	Merchants and dealers	598	596	2		1	6	40	77	109	187	238			
21	Hucksters and peddlers	61	61				2	9	11	5	12	22			
22	Others of this class	278	262	16		2	13	61	36	65	57	44			
23	Public entertainment	124	121	3			1	35	34	27	11	16			
24	Hotel and boarding-house keepers	42	42					5	6	10	8	13			
25	Saloon keepers, liquor dealers, bartenders, and restaurant keepers.	82	79	3			1	30	28	17	3	3			
26	Personal service, police, and military	293	249	44		9	20	51	30	59	51	72	1		
27	Barbers and hairdressers	71	63	8		3	7	21	12	11	9	8			
28	Janitors and sextons	62	54	8			1	10	3	13	18	17			
29	Policemen, watchmen, and detectives	83	81	2				1	8	17	20	37			
30	Soldiers, sailors, and marines (United States).	22	22			2	4	8	1	2	3	1	1		
31	Others of this class	55	29	26		4	8	11	6	16	1	9			
32	Laboring and servant	2,388	2,303	85		56	133	393	398	340	416	648	4		
33	Laborers (not agricultural)	2,234	2,185	49		54	122	349	365	316	392	632	4		
34	Servants	154	118	36		2	11	44	33	24	24	16			
35	Manufacturing and mechanical industry	4,993	4,972	21	5	119	306	701	690	779	882	1,505	6		
36	Bakers and confectioners	69	69				4	19	9	10	12	15			
37	Blacksmiths	152	150	2		1	5	13	12	18	30	73			
38	Boot and shoe makers	225	222	3		6	15	23	21	27	41	92			
39	Brewers, distillers, and rectifiers	9	9					1	3	1	2	2			
40	Butchers	48	48			2	3	10	10	6	6	11			
41	Cabinetmakers and upholsterers	83	81	2			3	12	11	13	14	30			
42	Carpenters and joiners	544	541	3		1	4	41	56	77	99	266			
43	Cigar makers and tobacco workers	41	41				3	6	8	7	8	9			
44	Clock and watch repairers, jewelers, etc.	50	50			1	4	5	12	7	11	10			
45	Compositors, printers, and pressmen	90	90			4	13	21	13	13	11	15			
46	Coopers	23	23				1	3	1	2	7	9			
47	Engineers and firemen (not locomotive)	187	186	1			8	30	35	33	38	43			
48	Glass blowers and glass workers	19	19			2	1	1	3	6	2	4			
49	Hat and cap makers	22	22				2	4	4		7	5			
50	Iron and steel workers	140	140			6	6	30	17	24	26	31			
51	Leather makers	98	98			1	8	19	14	15	23	18			
52	Leather workers	24	24				2	2	3	5	2	10			
53	Machinists	284	283	1		9	18	47	37	44	47	82			
54	Marble and stone cutters	61	61				4	5	11	16	10	15			
55	Masons (brick and stone)	203	203			1	4	17	28	41	30	80	2		
56	Mill and factory operatives (textiles)	542	542		4	35	63	104	90	77	86	82	1		
57	Millers (flour and grist)	12	12						2	1	3	6			
58	Painters, glaziers, and varnishers	341	341			4	18	48	65	64	62	80			
59	Plasterers and whitewashers	23	21	2			1	3	2	5	5	7			
60	Plumbers, and gas and steam fitters	74	74			1	18	21	16	8	8	2			
61	Tailors	98	97	1		1	3	13	10	17	23	31			
62	Tinners and tinware makers	36	35	1			1	4	5	6	5	15			
63	Others of this class	1,495	1,490	5	1	44	94	199	192	236	264	462	3		
64	Agriculture, transportation, and other outdoor..	2,498	2,472	26	1	24	104	274	259	286	344	1,198	8		
65	Boatmen and canalmen	3	3							1	2				
66	Draymen, hackmen, teamsters, etc.	418	411	7		3	24	107	85	78	51	70			
67	Farmers, planters, and farm laborers	1,271	1,266	5	1	10	30	45	52	73	179	878	3		
68	Gardeners, florists, nurserymen, and vine growers.	121	120	1			3	8	11	16	30	53			
69	Livery stable keepers and hostlers	73	67	6		1	3	13	14	12	14	15	1		
70	Lumbermen and raftsmen	3	3					1		1	1				
71	Miners and quarrymen	22	21	1				7	5	4	2	4			
72	Sailors, pilots, fishermen, and oystermen	253	250	3		3	15	24	34	39	36	100	2		
73	Steam railroad employees	173	172	1		2	22	40	38	33	14	23	1		
74	Stock raisers, herders, and drovers	4	4						1	2	1				
75	Others of this class	157	155	2		5	7	29	19	27	14	55	1		
76	All other occupations	63	62	1		5	2	13	7	7	11	18			

OCCUPATION—MALES.

99

AGE, AND BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

MASSACHUSETTS.

BIRTHPLACES OF MOTHERS (WHITE).													
United States.	Ireland.	Germany.	England and Wales.	Canada.	Scandinavia.	Scotland.	Italy.	France.	Hungary and Bohemia.	Russia and Poland.	Other foreign.	Unknown.	Not stated.
4,494	4,164	319	610	1,151	154	245	132	29	3	116	231	1,044	
244	64	9	27	31	1	7		3		10	8	47	
21	3	3	4	2								2	
45	15		6	5		3				2	1	7	
26	10	1	6	5		1				1		3	
10	5	2		1								3	
34	11		2	2		1						7	
11	4	2	2	4	1			1		1	3	4	
48	8	1	3	7		1					1	13	
19	3			1		1		1		6		2	
30	5		4	4				1			2	6	
527	255	26	42	101	5	18	1	1		7	11	74	
305	213	21	27	82	5	14	1	1		4	9	42	
49	2		2	4							1	5	
104	19	3	9	14		3				3	1	22	
69	21	2	4	1		1						5	
530	184	22	39	50	4	20	5	1		30	19	90	
26	7		2	6		3						3	
14	6		1	1		1						5	
338	98	14	25	32	1	9		1		13	12	49	
11	14	1	1	2		2	4			17	5	7	
141	59	7	10	9	3	5					2	26	
38	49	7	4	10	1		1	1		1		9	
26	4	4	2	2			1	1				2	
12	45	3	2	8	1					1		7	
89	60	10	17	17	5	7	9				9	26	
14	16	5	1	8			8				5	6	
14	9	4	6	5	3	2					1	10	
36	22	1	7	3		5					1	6	
8	10		2									2	
17	3		1	1	2		1				2	2	
218	1,461	35	44	240	18	24	85	11	1	25	57	84	
200	1,410	34	35	232	14	20	83	6	1	25	55	70	
18	51	1	9	8	4	4	2	5			2	14	
1,613	1,499	176	370	513	96	137	29	6		35	88	410	
14	15	11	3	11	3	3	3				1	5	
40	50	3	6	21	4	6	2				3	15	
91	73	4	8	15	1	2	1	1		3	5	18	
	2	3	2								2		
18	18	5		4	1					1		1	
31	13	5	6	6	4	1	1				3	11	
230	69	10	27	114	4	10	2	1		1	1	72	
8	9	8	4	3	1	1				1	5	1	
16	9	2	4	6	1	2		1				9	
31	36	5	6	7			1					3	
4	10	1	2	4		1						1	
61	63	3	14	15	4	4	1				1	20	
4	7		1	3							3	1	
7	8	3	3	1									
39	52		13	12	6	5				3		10	
9	74	1	1	4	2	2		1				4	
11	5	2	2	1								3	
113	62	7	38	19	8	13						1	
7	29	2	3	2	5	4	4					3	
46	88	6	15	14	3	5	2				2	3	
43	238	35	85	65	5	21	3			3	30	14	
7	2			1		1						1	
125	92	8	21	27	11	7	2			2	4	42	
4	12		1	2		1						1	
20	37	1	5	7		2						2	
14	37	9	2	6	1	4	2			15	3	4	
12	12		2	3		1	3						
608	377	42	96	140	31	38	5	2		2	21	126	
1,213	569	29	66	187	22	32	2	6	2	7	38	299	
1			1	1									
114	202	8	7	36	1	5	1	3		1	2	31	
796	162	14	25	46	6	10		2		4	11	190	
24	63	4	10	4	3	5			2		1	4	
26	24		1	5		3						8	
2	1												
2	9			3	3		1				2	1	
116	32		7	32	9	3				1	18	32	
67	49	1	7	21		1		1			2	23	
	1		1			1							
65	26	2	7	39		4				1	1	10	
22	23	5	1	2	2					1	1	5	

TABLE 2.—DEATHS OF MALES ENGAGED IN EACH OCCUPATION, BY COLOR.

MICHIGAN.

	OCCUPATIONS.	Total.	COLOR.		AGE.									
			White.	Colored.	Under 15	15 to 19	20 to 24	25 to 34	35 to 44	45 to 54	55 to 64	65 and over.	Un-known.	
1	All occupations	10,787	10,665	122	63	353	560	1,087	1,190	1,333	1,767	4,399	35	
2	Professional.....	394	390	4		3	18	44	34	52	67	175	1	
3	Architects, artists and teachers of art, etc....	17	17					4	1	3	2	7		
4	Clergymen.....	86	84	2			1	4	3	7	15	56		
5	Engineers and surveyors.....	40	40			1	4	7	2	1	8	16	1	
6	Journalists.....	17	17					1	1	6	5	4		
7	Lawyers.....	51	51				1	2	6	10	6	26		
8	Musicians and teachers of music	19	19				2	6	3	2	1	5		
9	Physicians and surgeons.....	90	89	1				8	9	13	20	40		
10	Teachers (school).....	43	43			2	9	9	5	5	6	7		
11	Others of this class.....	31	30	1			1	3	4	5	4	14		
12	Clerical and official.....	410	407	3		17	48	66	63	56	71	88	1	
13	Bookkeepers, clerks, and copyists	214	212	2		15	41	47	36	30	27	18		
14	Bankers, brokers, and officials of companies.....	61	60	1			2	4	7	8	16	24		
15	Collectors, auctioneers, and agents.....	95	95				1	2	12	16	10	18	1	
16	Others of this class.....	40	40				1	3	3	4	8	10		
17	Mercantile and trading.....	508	506	2		6	14	51	69	101	108	158	1	
18	Apothecaries, pharmacists, etc	30	30				1	4	5	7	5	2		
19	Commercial travelers.....	42	42						13	9	10	6	1	
20	Merchants and dealers	344	344				2	4	28	39	63	77		
21	Hucksters and peddlers.....	25	25				1		3	4	6	5		
22	Others of this class.....	67	65	2		2	6	12	7	16	10	14		
23	Public entertainment.....	135	135				3	23	31	34	20	24		
24	Hotel and boarding-house keepers	50	50					4	6	12	9	19		
25	Saloon keepers, liquor dealers, bartenders, and restaurant keepers.....	85	85				3	19	25	22	11	5		
26	Personal service, police, and military	134	125	9		3	11	25	21	19	22	33		
27	Barbers and hairdressers	49	42	7		1	1	12	12	9	7	7		
28	Janitors and sextons.....	23	21	2			1	1	2	2	6	11		
29	Policemen, watchmen, and detectives	32	32				1	2	6	7	5	11		
30	Soldiers, sailors, and marines (United States).....	19	19			2	7	6				4		
31	Others of this class	11	11				1	4	1	1	4			
32	Laboring and servant.....	1,803	1,757	46	13	116	158	267	218	279	263	477	12	
33	Laborers (not agricultural).....	1,749	1,715	34	11	116	150	254	210	266	259	471	12	
34	Servants.....	54	42	12	2		8	13	8	13	4	6		
35	Manufacturing and mechanical industry	1,992	1,975	17		36	78	222	278	270	356	749	3	
36	Bakers and confectioners.....	33	32	1		3	1	6	4	7	2	10		
37	Blacksmiths.....	116	113	3		1	2	6	11	9	20	67		
38	Boot and shoe makers.....	83	82	1				2	8	7	12	54		
39	Brewers, distillers, and rectifiers	5	5					1	1	2		1		
40	Butchers.....	55	55			1	4	1	5	9	12	23		
41	Cabinetmakers and upholsterers	50	50				1	5	8	10	3	8	15	
42	Carpenters and joiners.....	385	383	2		1	1	23	30	41	84	203	2	
43	Cigar makers and tobacco workers	37	37				1	3	9	12	5	5	2	
44	Clock and watch repairers, jewelers, etc	15	15				1	2	1	3	3	5		
45	Compositors, printers, and pressmen.....	29	29			2	3	10	4	3	5	2		
46	Coopers.....	52	51	1				3	3	3	8	35		
47	Engineers and firemen (not locomotive)	121	121			2	5	23	29	16	26	20		
48	Glass blowers and glass workers.....	5	5			1	1	1		1		1		
49	Hat and cap makers.....	1	1											
50	Iron and steel workers.....	67	67			4	3	19	13	13	7	8		
51	Leather makers.....	5	5						1		1	3		
52	Leather workers.....	32	32					2	3	4	12	11		
53	Machinists.....	98	98				7	4	16	12	14	16	29	
54	Marble and stone cutters.....	11	11					1	3	4	2	1		
55	Masons (brick and stone).....	99	96	3			2	6	11	22	18	39	1	
56	Mill and factory operatives (textiles)	20	20					1	4	3	3	9		
57	Millers (flour and grist).....	47	47				1	7	5	1	5	28		
58	Painters, glaziers, and varnishers	124	123	1		1	11	16	27	26	22	21		
59	Plasterers and whitewashers	9	6	3				3		3	1	2		
60	Plumbers, and gas and steam fitters.....	25	25			2	3	6	8	2	4			
61	Tailors.....	57	57			2	2	5	7	4	11	26		
62	Tinners and tinware makers	17	17				2	2	3	2	1	7		
63	Others of this class.....	394	392	2		7	24	43	63	63	68	126		
64	Agriculture, transportation, and other outdoor.....	5,372	5,331	41	48	170	227	382	473	517	851	2,687	17	
65	Boatmen and canalmen.....	1	1									1		
66	Draymen, hackmen, teamsters, etc	95	93	2		5	8	18	13	14	18	19		
67	Farmers, planters, and farm laborers.....	4,475	4,446	29	47	136	143	222	303	377	736	2,501	10	
68	Gardeners, florists, nurserymen, and vine growers.....	46	46			2		1		9	9	25		
69	Livery stable keepers and hostlers.....	24	23	1					3	6	10	5		
70	Lumbermen and raftsmen.....	120	120			3	8	9	27	21	19	30	3	
71	Miners and quarrymen.....	205	203	2	1	13	28	59	46	22	13	23		
72	Sailors, pilots, fishermen, and oystermen.....	101	97	4		2	13	10	15	17	7	36	1	
73	Steam railroad employees.....	209	208	1		7	18	48	46	37	25	25	3	
74	Stock raisers, herders, and drovers	8	8								1	5		
75	Others of this class.....	88	86	2		2	9	15	20	12	13	17		
76	All other occupations.....	39	39		2	2	3	7	3	5	9	8		

101

MICHIGAN.

BIRTHPLACES OF MOTHERS (WHITE).													
United States.	Ireland.	Germany.	England and Wales.	Canada.	Scandinavia.	Scotland.	Italy.	France.	Hungary and Bohemia.	Russia and Poland.	Other foreign.	Unknown.	Not stated.
4,372	880	1,549	770	938	256	294	25	54	24	123	498	882	1
209	17	27	35	28	2	9	1	3	1	2	17	39	2
9	2	3	1	1	1	2	2	2	1	1	1	2	3
44	5	3	7	4	1	1	1	1	1	1	7	9	4
21	1	1	1	1	1	2	1	1	1	1	2	1	5
10	1	1	1	1	1	2	1	1	1	1	1	3	6
30	2	2	8	6	6	1	1	1	1	1	1	2	7
6	1	4	3	2	2	1	1	1	1	1	3	3	8
45	5	3	9	7	1	1	1	1	1	1	5	13	9
28	3	3	3	4	4	1	1	1	1	1	1	3	10
16	1	2	3	2	2	2	1	1	1	1	1	6	11
192	43	36	36	38	2	17	1	2	2	1	9	29	12
90	22	20	20	28	1	10	1	1	2	1	4	15	13
33	5	5	4	3	1	5	1	1	1	1	1	2	14
48	8	7	9	6	1	1	1	1	1	1	3	11	15
21	8	4	3	1	1	1	1	1	1	1	1	1	16
225	40	71	47	35	7	14	1	2	1	13	20	30	17
13	1	3	6	3	3	1	1	1	1	1	2	1	18
26	1	2	3	3	3	1	1	1	1	1	6	6	19
147	34	58	30	21	6	10	1	1	1	8	15	13	20
5	1	3	4	1	1	1	1	1	1	5	1	4	21
34	4	5	4	7	1	2	1	1	1	1	2	6	22
36	15	33	6	14	6	4	1	1	1	1	6	13	23
23	4	6	2	6	2	1	1	1	1	1	5	8	24
13	11	27	4	8	4	3	3	1	1	1	6	8	25
47	20	13	7	17	2	8	1	1	1	1	5	10	26
16	5	6	1	6	1	1	1	1	1	1	1	6	27
6	2	2	4	3	3	1	1	1	1	1	4	4	28
11	10	3	1	4	1	1	1	1	1	1	1	1	29
8	1	2	1	2	1	2	2	2	2	2	2	2	30
6	2	2	1	2	2	2	2	2	2	2	1	1	31
438	175	346	81	218	79	29	10	8	4	65	133	171	32
427	168	343	77	210	77	27	10	7	4	65	132	168	33
11	7	3	4	8	2	2	2	1	1	1	1	3	34
725	159	352	155	164	38	77	2	14	7	9	87	186	35
9	9	9	3	6	1	1	1	1	1	1	1	1	36
44	9	16	6	12	5	5	1	1	1	1	2	18	37
18	7	19	6	8	3	4	1	1	1	1	6	11	38
15	4	5	6	3	1	1	1	1	1	1	4	6	39
15	1	16	2	1	1	3	1	1	1	1	6	3	40
156	18	51	28	42	10	13	3	3	3	2	21	39	41
6	1	22	1	3	1	1	1	1	1	1	2	2	42
8	1	2	1	2	1	2	1	1	1	1	1	1	43
9	5	3	4	4	2	2	2	1	1	1	1	2	44
17	5	7	7	4	2	5	2	2	2	1	1	8	45
37	28	9	8	11	2	5	2	2	2	1	3	16	46
1	3	3	1	1	1	1	1	1	1	1	1	1	47
1	1	1	1	1	1	1	1	1	1	1	1	1	48
15	13	20	4	7	1	1	1	1	2	1	2	2	49
2	1	1	7	2	1	1	1	1	1	1	1	2	50
13	1	5	7	2	1	1	1	1	1	1	1	2	51
50	5	17	8	5	1	8	1	1	1	1	1	4	52
3	2	2	2	1	1	1	1	1	1	1	1	1	53
40	7	13	10	6	1	4	1	1	1	1	3	12	54
3	3	3	5	1	1	1	1	1	1	1	2	2	55
24	2	2	7	1	1	3	1	1	1	1	3	6	56
48	12	18	8	8	3	4	4	1	1	1	7	13	57
3	3	3	1	1	1	1	1	1	1	1	1	1	58
6	5	3	2	3	3	3	1	1	1	1	1	1	59
6	2	31	3	2	2	1	1	1	1	1	7	7	60
9	2	1	1	1	1	1	1	1	1	1	1	2	61
167	26	59	31	33	9	16	2	2	1	1	14	34	62
2,481	410	665	400	418	120	140	11	24	9	31	221	401	63
31	13	1	9	8	1	4	1	1	1	1	9	9	64
2,244	316	602	283	323	70	113	3	20	8	15	129	320	65
17	2	8	11	1	1	2	1	1	1	1	4	1	66
13	2	2	1	1	2	1	1	1	1	1	1	3	67
42	8	4	5	25	10	4	1	1	1	1	7	13	68
8	12	9	59	5	25	3	6	1	1	12	61	3	69
22	7	6	8	19	5	6	1	1	1	1	3	21	70
66	42	16	18	22	4	6	1	2	1	1	7	22	71
3	2	1	1	1	1	1	1	1	1	1	1	2	72
35	8	9	5	13	3	2	1	1	1	1	1	8	73
19	1	6	3	6	1	1	1	1	1	1	1	3	74
													75
													76

VITAL STATISTICS.

TABLE 2.—DEATHS OF MALES ENGAGED IN EACH OCCUPATION, BY COLOR,
NEW HAMPSHIRE.

	OCCUPATIONS.	Total.	COLOR.		AGE.									
			White.	Colored.	Under 15	15 to 19	20 to 24	25 to 34	35 to 44	45 to 54	55 to 64	65 and over.	Un-known.	
1	All occupations.....	2,090	2,087	3	3	36	82	183	189	224	307	1,052	14	
2	Professional	66	66				1	6	5	7	13	34		
3	Architects, artists and teachers of art, etc.....	1	1									1		
4	Clergymen.....	14	14							1	3	10		
5	Engineers and surveyors	9	9				1	2	1			5		
6	Journalists.....	3	3					1			1	1		
7	Lawyers.....	14	14					1	1		2	10		
8	Musicians and teachers of music	5	5					2		1	1			
9	Physicians and surgeons.....	13	13						1	2	5	5		
10	Teachers (school).....	3	3							1		2		
11	Others of this class.....	4	4						1	2	1			
12	Clerical and official.....	76	76			3	6	16	13	12	7	19		
13	Bookkeepers, clerks, and copyists.....	43	43						8	7	2	5		
14	Bankers, brokers, and officials of companies.....	5	5			3	6	12		1	1	2		
15	Collectors, auctioneers, and agents.....	16	16					1	1	4	2	8		
16	Others of this class.....	12	12					2	4		2	4		
17	Mercantile and trading.....	116	116				4	8	15	18	23	48		
18	Apothecaries, pharmacists, etc.....	3	3				1				1	1		
19	Commercial travelers.....	3	3					2			1			
20	Merchants and dealers.....	90	90				2	5	10	16	15	42		
21	Hucksters and peddlers.....	4	4						1	1	1	1		
22	Others of this class.....	16	16				1	1	4	1	5	4		
23	Public entertainment.....	21	21			1			4	6	4	6		
24	Hotel and boarding-house keepers.....	19	19			1			3	5	4	6		
25	Saloon keepers, liquor dealers, bartenders, and restaurant keepers.....	2	2						1	1				
26	Personal service, police, and military	26	26					2	6	2	11	5		
27	Barbers and hairdressers	8	8					1	5		2			
28	Janitors and sextons.....	3	3								1	2		
29	Policemen, watchmen, and detectives.....	14	14					1		2	8	3		
30	Soldiers, sailors, and marines (U. S.)													
31	Others of this class.....	1	1						1					
32	Laboring and servant.....	259	257	2		11	15	45	36	30	40	75	7	
33	Laborers (not agricultural).....	252	251	1		11	14	45	35	29	38	73	7	
34	Servants	7	6	1			1		1	1	2	2		
35	Manufacturing and mechanical industry.....	622	621	1	3	16	33	67	56	74	107	265	1	
36	Bakers and confectioners.....	3	3				1	1				1		
37	Blacksmiths.....	30	30					3		5	5	17		
38	Boot and shoe makers	75	75			3	6	7	5	5	11	38		
39	Brewers, distillers, and rectifiers	1	1								1			
40	Butchers.....	9	9					1	1	1	3	3		
41	Cabinetmakers and upholsterers	8	8						1	1	2	4		
42	Carpenters and joiners.....	90	89	1			1		6	6	16	61		
43	Cigar makers and tobacco workers	3	3				1		1			1		
44	Clock and watch repairers, jewelers, etc.....	7	7							1	1	5		
45	Compositors, printers, and pressmen.....	9	9				2	2	1	1	1	2		
46	Coopers.....	5	5			1						1		
47	Engineers and firemen (not locomotive)	13	13				1	1	1	3	4	3		
48	Glass blowers and glass workers.....													
49	Hat and cap makers	2	2					2						
50	Iron and steel workers.....	1	1					1						
51	Leather makers.....	6	6					1			1	4		
52	Leather workers.....	5	5				1				1	3		
53	Machinists.....	26	26				2	2	6	4	5	7		
54	Marble and stone cutters	17	17				1	2	2	2	5	5		
55	Masons (brick and stone).....	24	24				1	2		5	4	12		
56	Mill and factory operatives (textiles)	80	80		3	7	8	23	10	7	7	15		
57	Millers (flour and grist).....	2	2									2		
58	Painters, glaziers, and varnishers.....	42	42					4	6	7	11	14		
59	Plasterers and whitewashers													
60	Plumbers, and gas and steam fitters.....	4	4				1	1		1		1		
61	Tailors.....	4	4									4		
62	Tinners and tinware makers	3	3									3		
63	Others of this class	153	153			5	7	14	16	23	28	59	1	
64	Agriculture, transportation, and other outdoor	901	901			5	23	38	54	73	102	600	6	
65	Boatmen and canalmen													
66	Draymen, hackmen, teamsters, etc.....	46	46			1	4	8	11	2	10	9	1	
67	Farmers, planters, and farm laborers.....	792	792			3	10	21	31	61	86	577	3	
68	Gardeners, florists, nurserymen, and vine growers.....	5	5								1	4		
69	Livery stable keepers and hostlers	3	3						1	1		1		
70	Lumbermen and raftsmen.....	5	5				1		2		2			
71	Miners and quarrymen.....	1	1									1		
72	Sailors, pilots, fishermen, and oystermen.....	9	9				1		1		1	5	1	
73	Steam railroad employees	33	33			1	7	7	6	9	2		1	
74	Stock raisers, herders, and drovers	1	1									1		
75	Others of this class.....	6	6					2	2			2		
76	All other occupations	3	3					1		2				

OCCUPATION—MALES.

103

AGE, AND BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

NEW HAMPSHIRE.

BIRTHPLACES OF MOTHERS (WHITE).													
United States.	Ireland.	Germany.	England and Wales.	Canada.	Scandinavia.	Scotland.	Italy.	France.	Hungary and Bohemia.	Russia and Poland.	Other foreign.	Unknown.	Not stated.
1,104	194	13	55	215	8	19	4	3		1	5	466	1
40		1	1	5		2						17	2
			1										3
9				2								3	4
5						1						3	5
2												1	6
7				1								6	9
3						1						1	10
10				1								2	10
2		1											11
2						1						1	
47	8	2	4	4		1		1			1	8	12
22	8	2	3	4									13
3								1			1	3	14
12			1			1						1	15
10												2	16
64	12		3	6		1	1					29	17
2	1												18
1												2	19
53	9		1	5		1	1					20	20
			1									3	21
8	2		1	1								4	22
13	1		1	2									23
													24
13	1		1	2								3	25
												1	
11	4			3	1							7	26
2				1								5	27
1				1								1	28
8	3			1	1							1	29
	1												30
													31
57	67	1	6	75	1	1	2				1	46	32
53	66	1	6	74	1	1	2						33
4	1			1							1	46	34
306	72	8	28	67	2	8		1		1	3	125	35
1	1											1	36
12	3			5		1						9	37
40	5		2	7		1						20	38
1													39
5				1								3	40
2	1			1								4	41
53	2		4	9				1				20	42
	2			1									43
5													44
3	2		1	1						1		1	45
												2	46
2	1			1								1	47
9	3			1									48
			1	1									49
	1												50
2	1		1									2	51
2	1	1										1	52
17	2		1	1	1							4	53
6	5					1						4	54
11	5		1	1								6	55
14	19	5	8	26			3				3	2	56
2													57
20	2	1	2	4								13	58
													59
3			1										60
3						1							61
3													62
90	16	1	5	7		2						32	63
565	30	1	11	52	4	6	1	1				230	64
													65
22	4			8	1	2	1					8	66
518	18	1	10	29	3	3		1				209	67
1				2								2	68
													69
1				1								2	70
3												1	71
				1		1						1	72
6													73
9	6		1	11								6	74
1													75
4	2												
1			1	1									76

VITAL STATISTICS.

TABLE 2.—DEATHS OF MALES ENGAGED IN EACH OCCUPATION, BY COLOR,
NEW JERSEY.

	OCCUPATIONS.	Total.	COLOR.		AGE.									
			White.	Colored.	Under 15	15 to 19	20 to 24	25 to 34	35 to 44	45 to 54	55 to 64	65 and over.	Un-known.	
1	All occupations	8,192	7,861	331	19	208	460	1,198	1,332	1,268	1,407	2,282	18	
2	Professional	272	262	10		4	10	35	38	40	45	100		
3	Architects, artists and teachers of art, etc ..	32	32			1	1	5	6	5	5	9		
4	Clergymen	55	49	6				4	2	7	10	32		
5	Engineers and surveyors	26	26	5		2	6	5	3	5	1	4		
6	Journalists	8	8					1	1		4	2		
7	Lawyers	34	34					6	1	6	8	13		
8	Musicians and teachers of music	22	22				1	1	6	1	3	10		
9	Physicians and surgeons	50	49	1			1	3	11	11	9	15		
10	Teachers (school)	24	22	2				4	4	3	4	9		
11	Others of this class	21	20	1		1	1	6	4	2	1	6		
12	Clerical and official	545	542	3		29	53	112	89	77	85	98	2	
13	Bookkeepers, clerks, and copyists	360	357	3		28	46	92	65	44	49	36		
14	Bankers, brokers, and officials of companies ..	67	67				1	2	6	9	14	34	1	
15	Collectors, auctioneers, and agents	81	81				5	13	10	18	16	18	1	
16	Others of this class	37	37			1	1	5	8	6	6	10		
17	Mercantile and trading	589	577	12		8	15	69	90	99	132	174	2	
18	Apothecaries, pharmacists, etc	19	19			1		3	3	6	2	4		
19	Commercial travelers	5	5				1			2		2		
20	Merchants and dealers	402	400	2		4	7	26	50	64	98	151	2	
21	Hucksters and peddlers	31	31			1	1	5	6	4	9	5		
22	Others of this class	132	122	10		2	6	35	31	23	23	12		
23	Public entertainment	197	195	2		1	8	30	50	47	32	29		
24	Hotel and boarding-house keepers	68	68					5	13	13	18	19		
25	Saloon keepers, liquor dealers, bartenders, and restaurant keepers ..	129	127	2		1	8	25	37	34	14	10		
26	Personal service, police, and military	193	179	14		5	9	33	42	28	35	41		
27	Barbers and hairdressers	51	43	8		4	7	16	10	6	2	6		
28	Janitors and sextons	29	28	1					6	6	8	9		
29	Policemen, watchmen, and detectives	79	77	2				9	17	13	22	18		
30	Soldiers, sailors, and marines (United States) ..	10	10					2	3	1	2	2		
31	Others of this class	24	21	3		1		5	8	1	3	6		
32	Laboring and servant	1,861	1,653	208	8	53	122	299	315	340	317	402	5	
33	Laborers (not agricultural)	1,725	1,563	162	8	48	109	268	283	318	298	388	5	
34	Servants	136	90	46		5	13	31	32	22	19	14		
35	Manufacturing and mechanical industry	2,846	2,830	16	8	75	146	417	499	452	500	744	5	
36	Bakers and confectioners	60	60				4	11	10	11	9	14	1	
37	Blacksmiths	93	93			1	3	6	11	14	24	34		
38	Boot and shoe makers	82	82				3	7	6	7	20	39		
39	Brewers, distillers, and rectifiers	15	15					1	2	5	3	4		
40	Butchers	93	93			3	6	7	33	12	17	15		
41	Cabinetmakers and upholsterers	37	36	1			1	3	7	4	4	18		
42	Carpenters and joiners	356	354	2		2	10	33	44	56	77	134		
43	Cigar makers and tobacco workers	37	37			1	1	5	7	7	11	5		
44	Clock and watch repairers, jewelers, etc ..	29	29			1	1	5	2	5	9	6		
45	Compositors, printers, and pressmen	52	51	1		1	6	15	9	9	2	10		
46	Coopers	16	16					1	2	5		8		
47	Engineers and firemen (not locomotive)	143	142	1		2	6	24	29	26	29	27		
48	Glass blowers and glass workers	26	25	1	3	2	2	7	5	1	2	4		
49	Hat and cap makers	74	74			1	3	9	24	11	15	11		
50	Iron and steel workers	117	116	1		4	9	25	24	22	13	20		
51	Leather makers	43	43					9	12	10	6	5		
52	Leather workers	22	22			1	1		1	4	8	8		
53	Machinists	163	163			11	6	27	33	31	30	24	1	
54	Marble and stone cutters	27	27					4	5	5	7	6		
55	Masons (brick and stone)	130	128	2			4	11	19	21	34	40	1	
56	Mill and factory operatives (textiles)	174	173	1	4	17	22	37	31	18	15	30		
57	Millers (flour and grist)	21	21			1	1	1	1	3	1	14		
58	Painters, glaziers, and varnishers	215	214	1		3	9	42	51	36	30	44		
59	Plasterers and whitewashers	7	5	2						3	1	3		
60	Plumbers, and gas and steam fitters	57	57			3	7	21	14	6	4	2		
61	Tailors	86	86			2	2	7	10	10	14	40	1	
62	Tinners and tinware makers	33	33				2	7	6	6	6	6		
63	Others of this class	638	635	3	1	19	38	92	101	104	109	173	1	
64	Agriculture, transportation, and other outdoor ..	1,655	1,593	62	2	29	95	190	207	182	258	688	4	
65	Boatmen and canalmen	51	50	1		2	3	5	5	14	9	13		
66	Draymen, hackmen, teamsters, etc	176	162	14		6	17	46	46	22	21	18		
67	Farmers, planters, and farm laborers	872	846	26	2	10	24	43	53	66	138	535	1	
68	Gardeners, florists, nurserymen, and vine growers ..	82	77	5		1	4	7	17	7	19	27		
69	Livery-stable keepers and hostlers	40	29	11		1	1	7	11	5	5	9	1	
70	Lumbermen and raftsmen	3	3								1	2		
71	Miners and quarrymen	34	33	1		1	3	10	7	2	8	3		
72	Sailors, pilots, fishermen, and oystermen	132	130	2		1	8	13	17	22	23	47	1	
73	Steam-railroad employees	197	195	2		5	29	46	40	29	23	24	1	
74	Stock raisers, herders, and drovers	2	2						1		1			
75	Others of this class	66	66			2	6	13	10	15	10	10		
76	All other occupations	34	30	4	1	4	2	13	2	3	3	6		

OCCUPATION—MALES.

105

AGE, AND BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

NEW JERSEY.

BIRTHPLACES OF MOTHERS (WHITE).													
United States.	Ireland.	Germany.	England and Wales.	Canada.	Scandinavia.	Scotland.	Italy.	France.	Hungary and Bohemia.	Russia and Poland.	Other foreign.	Unknown.	Not stated.
2,906	1,512	1,310	439	35	86	129	184	52	45	106	232	825	1
145	19	30	24	5	3	2	3	2	1	2	3	23	2
5	1	11	6	4	1	1					2	1	3
28	4	2	6		1	1	1	1		1		4	4
15	3	3										5	5
8													6
22	1	1	4									6	7
8		5	4				1		1			3	8
31	6	5	1	1			1	1			1	2	9
15	2	2	1							1		1	10
13	2	1	2		1							1	11
286	66	70	41	5	2	13		3		1	10	45	12
184	51	45	28	2	2	7		3		1	6	28	13
43	3	7	5	1		3						5	14
39	6	15	5			2						11	15
20	6	3	3	2		1					1	1	16
236	94	104	34		3	8	8	5	1	11	15	58	17
13	1	3										2	18
3			1									1	19
164	59	88	24		1	3	7	3	1	7	10	33	20
6	3	2	2			1	1			4		4	21
50	31	11	7		2	4		2			1	14	22
42	43	65	13		3	2	2	1			11	13	23
23	8	19	7			1	1				5	4	24
19	35	46	6		3	1	1	1			6	9	25
60	45	31	6	1	3	2	9	4		1	2	15	26
12	4	10	1		2		9	2		1		2	27
12	6	5			1	1						3	28
22	27	15	5	1		1		2				4	29
3	3											4	30
11	5	1									2	2	31
362	578	203	35	4	32	11	109	7	31	53	64	164	32
350	552	187	28	3	30	8	106	5	31	50	60	153	33
12	26	16	7	1	2	3	3	2		3	4	11	34
870	434	657	235	14	31	75	44	26	8	30	92	314	35
8	4	36	3				1				2	6	36
28	12	12	7			3	2		1	1	3	12	37
24	10	16	10	1	2	1	5			2	2	9	38
2	2	10				1							39
25	19	34	1		1		1			2	5	5	40
7	1	17	3				1	2				5	41
166	34	58	18	3	9	9	2	2			9	44	42
8	1	19									2	7	43
7	1	11	4		1		1				1	3	44
21	9	7	6	1			1					6	45
6	3	5	1									1	46
48	26	24	10		1	7				1	3	22	47
16	1	4		1				2				1	48
7	23	24	3				2	1		3		10	49
29	32	13	13	2	1	5	1	1		1	3	15	50
4	17	9	2			1		1		1	1	7	51
4	1	9	1	1					1			5	52
39	30	35	18		1	5	1	5	1	2	6	20	53
6	6	5	2	1		2	1				3	1	54
46	23	28	8		2	5	2				3	11	55
32	24	28	32		2	9	11	5		1	20	9	56
15	1	4									1		57
81	27	41	16		4	2				2	5	36	58
3	2												59
15	22	8	2			4						5	60
7	4	48	4		1	3	3	1	1	4	4	7	61
7	6	10	1		1							8	62
209	81	142	70	4	6	18	9	6	4	10	17	59	63
896	230	148	48	5	9	15	8	4	4	7	31	188	64
15	19	2	1								1	12	65
52	48	29	2								1	28	66
617	48	69	22	1	2	4	5	1	1	2	20	54	67
13	22	17	3		1	8	1				2	10	68
7	7	4	1							1	1	8	69
2												1	70
7	9	1	7					1	3	2		3	71
68	14	7	5	2	4	1		1			3	25	72
92	50	10	5							2	2	34	73
			1									1	74
23	13	9	1	2	2	2		1			1	12	75
9	3	2	3	1		1	1			1	4	5	76

TABLE 2.—DEATHS OF MALES ENGAGED IN EACH OCCUPATION, BY COLOR,

NEW YORK.

	OCCUPATIONS.	Total.	COLOR.		AGE.								
			White.	Colored.	Under 15	15 to 19	20 to 24	25 to 34	35 to 44	45 to 54	55 to 64	65 and over.	Unknown.
1	All occupations.....	36,246	35,460	786	42	792	1,925	5,581	5,962	5,619	5,612	10,651	62
2	Professional.....	1,424	1,400	24		16	59	215	235	201	235	460	3
3	Architects, artists and teachers of art, etc.....	111	111			2	7	16	22	18	17	29	
4	Clergymen.....	215	209	6		1	1	13	27	18	50	105	
5	Engineers and surveyors.....	132	132			3	13	44	22	21	7	22	
6	Journalists.....	65	65			1	2	9	12	17	12	12	
7	Lawyers.....	246	246			1	7	24	40	26	50	97	1
8	Musicians and teachers of music.....	134	120	14		4	14	34	25	15	16	26	
9	Physicians and surgeons.....	246	245	1		1	2	32	41	37	33	99	1
10	Teachers (school).....	111	109	2		2	7	19	11	16	29	26	1
11	Others of this class.....	164	163	1		1	6	24	35	33	21	44	
12	Clerical and official.....	2,816	2,802	14	2	137	302	615	524	412	385	437	2
13	Bookkeepers, clerks, and copyists.....	1,881	1,868	13	2	129	281	507	374	232	185	170	1
14	Bankers, brokers, and officials of companies.....	256	256				4	21	28	62	66	85	
15	Collectors, auctioneers, and agents.....	492	491	1			11	58	92	95	97	135	
16	Others of this class.....	187	187			4	6	29	30	33	37	47	1
17	Mercantile and trading.....	2,930	2,864	66	1	30	113	411	523	580	543	728	1
18	Apothecaries, pharmacists, etc.....	120	118	2		1	7	30	20	21	15	26	
19	Commercial travelers.....	49	49				1	13	8	14	10	3	
20	Merchants and dealers.....	1,738	1,735	3		10	38	162	257	317	365	588	1
21	Hucksters and peddlers.....	242	239	3		3	17	42	52	57	39	32	
22	Others of this class.....	781	723	58	1	16	50	164	186	171	114	79	
23	Public entertainment.....	737	731	6		3	35	172	194	150	114	69	
24	Hotel and boarding-house keepers.....	214	214				3	18	44	54	47	48	
25	Saloon keepers, liquor dealers, bartenders, and restaurant keepers.....	523	517	6		3	32	154	150	96	67	21	
26	Personal service, police, and military.....	996	882	114	1	15	62	146	214	220	174	163	1
27	Barbers and hairdressers.....	178	164	14	1	9	19	38	44	37	15	15	
28	Janitors and sextons.....	165	145	20			1	14	35	37	45	33	
29	Policemen, watchmen, and detectives.....	370	363	7			2	31	75	98	83	80	1
30	Soldiers, sailors, and marines (United States).....	69	66	3		3	20	14	4	8	8	12	
31	Others of this class.....	214	139	75		3	20	49	56	40	23	23	
32	Laboring and servant.....	7,272	6,882	390	6	196	422	1,296	1,340	1,272	1,137	1,584	19
33	Laborers (not agricultural).....	6,509	6,278	231	6	183	365	1,103	1,153	1,136	1,034	1,511	18
34	Servants.....	763	604	159		13	57	193	187	136	103	73	1
35	Manufacturing and mechanical industry.....	10,548	10,500	48	11	189	514	1,693	1,885	1,734	1,764	2,749	9
36	Bakers and confectioners.....	259	259			6	16	39	56	41	55	46	
37	Blacksmiths.....	442	441	1		2	7	63	53	70	73	173	1
38	Boot and shoe makers.....	280	279	1		11	6	18	26	27	45	147	
39	Brewers, distillers, and rectifiers.....	79	79				1	7	25	18	15	13	
40	Butchers.....	343	341	2		5	19	69	57	60	67	66	
41	Cabinetmakers and upholsterers.....	226	224	2		4	5	25	42	32	44	74	
42	Carpenters and joiners.....	1,195	1,194	1		5	34	117	158	208	201	471	1
43	Cigar makers and tobacco workers.....	331	324	7		5	18	49	87	64	54	53	1
44	Clock and watch repairers, jewelers, etc.....	83	83			3	3	11	15	20	18	13	
45	Compositors, printers, and pressmen.....	394	393	1		16	39	123	101	45	31	39	
46	Coopers.....	137	135	2		2	2	8	23	25	23	54	
47	Engineers and firemen (not locomotive).....	546	541	5		4	11	99	131	113	112	76	
48	Glass blowers and glass workers.....	55	55			2	5	16	13	8	7	4	
49	Hat and cap makers.....	76	76			2	5	13	15	9	15	17	
50	Iron and steel workers.....	337	337			3	14	86	59	62	50	61	2
51	Leather makers.....	44	44				3	3	7	7	3	21	
52	Leather workers.....	106	106			2	2	8	17	20	20	37	
53	Machinists.....	432	430	2		15	34	73	66	98	78	68	
54	Marble and stone cutters.....	189	188	1		2	1	29	44	45	34	34	
55	Masons (brick and stone).....	478	474	4		2	14	51	68	84	88	170	1
56	Mill and factory operatives (textile).....	185	185			3	5	22	46	32	25	30	1
57	Millers (flour and grist).....	63	63				1	2	6	4	14	36	
58	Painters, glaziers, and varnishers.....	780	776	4		7	41	143	176	151	137	123	2
59	Plasterers and whitewashers.....	95	89	6		2	6	15	23	20	14	15	
60	Plumbers, and gas and steam fitters.....	238	238			6	34	78	64	25	22	9	
61	Tailors.....	678	678			2	7	30	88	110	97	104	
62	Tinners and tinware makers.....	152				2	12	23	33	20	30	32	
63	Others of this class.....	2,325	2,316	9	6	69	129	391	378	336	389	627	
64	Agriculture, transportation, and other outdoor.....	9,152	9,047	105	11	161	387	955	983	991	1,219	4,418	27
65	Boatmen and canalmen.....	95	92	3		5	7	15	14	10	14	30	
66	Draymen, hackmen, teamsters, etc.....	1,083	1,061	22		26	103	314	272	159	112	94	3
67	Farmers, planters, and farm laborers.....	6,007	5,963	44	10	97	134	255	327	508	813	3,850	13
68	Gardeners, florists, nurserymen, and vine growers.....	251	243	8	1	2	4	31	20	31	42	120	
69	Livery stable keepers and hostlers.....	184	170	14		4	6	35	46	38	33	21	1
70	Lumbermen and raftsmen.....	42	42				3	5	7	1	10	16	
71	Miners and quarrymen.....	59	58	1			4	9	13	8	6	19	
72	Sailors, pilots, fishermen, and oystermen.....	511	500	11		11	30	78	80	93	77	141	1
73	Steam railroad employees.....	579	577	2		10	65	127	132	98	75	66	6
74	Stock raisers, herders, and drovers.....	6	6						3	1	1	1	
75	Others of this class.....	335	335			6	31	86	69	44	36	60	3
76	All other occupations.....	371	352	19	10	45	31	78	64	59	41	43	

OCCUPATION—MALES.

107

AGE, AND BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

NEW YORK.

BIRTHPLACES OF MOTHERS (WHITE).													
United States.	Ireland.	Germany.	England and Wales.	Canada.	Scandinavia.	Scotland.	Italy.	France.	Hungary and Bohemia.	Russia and Poland.	Other foreign.	Unknown.	Notstated.
10,999	8,890	6,217	1,755	715	450	538	827	240	215	709	858	3,047	1
638	168	172	89	18	12	18	22	13	8	31	42	169	2
33	7	20	10	2	2	2	5	4	2	2	6	16	3
97	32	11	16	2	1	4	2	2	1	3	8	32	4
58	31	16	10	3	3	1	1	1	2	1	7	6	5
31	10	6	4	1	1	1	1	1	1	1	5	6	6
145	25	17	5	1	1	4	2	2	3	2	42	7	7
26	16	41	8	3	3	9	2	1	2	4	8	8	8
135	21	25	16	4	1	2	1	1	3	7	29	9	9
51	8	9	5	1	1	1	2	2	2	15	5	10	10
62	18	27	15	5	1	6	3	2	1	4	19	11	11
1,132	634	389	176	51	19	58	11	26	11	38	50	207	12
715	482	260	115	37	15	37	6	15	8	23	30	125	13
152	20	18	19	5	3	7	1	3	2	5	24	14	14
193	84	88	31	8	3	7	3	6	3	13	40	15	15
72	48	23	11	1	1	7	1	2	3	3	18	16	16
874	548	635	150	32	14	50	58	14	25	138	104	222	17
51	5	26	9	2	1	4	1	1	5	4	10	18	18
24	7	5	3	1	1	1	1	1	2	7	19	19	19
588	277	433	85	18	9	23	42	8	16	60	62	114	20
19	49	45	1	3	1	3	10	2	4	55	21	26	21
192	210	126	52	9	3	19	6	4	4	18	15	65	22
136	231	237	21	6	8	9	7	12	4	7	10	43	23
78	45	47	12	3	1	4	2	4	1	3	14	24	24
58	186	190	9	3	7	5	5	8	4	6	7	29	25
166	292	195	35	15	10	10	39	7	4	17	20	72	26
23	8	61	3	6	1	1	36	1	1	5	4	14	27
31	29	51	7	2	2	5	2	2	2	2	4	8	28
55	199	48	15	3	5	3	2	2	1	7	4	24	29
25	9	6	3	3	3	1	1	1	1	1	18	30	30
32	47	29	7	1	1	1	1	2	2	8	8	31	31
1,182	2,853	966	188	163	112	50	469	42	25	113	163	556	32
1,101	2,638	835	147	160	99	41	451	19	22	107	131	527	33
81	215	131	41	3	13	9	18	23	3	6	32	29	34
2,385	2,356	2,701	671	222	175	211	160	84	128	318	360	729	35
29	42	130	8	4	3	4	5	2	4	8	15	5	36
126	128	83	26	14	6	11	3	1	4	3	5	31	37
63	48	87	12	4	4	3	12	2	6	10	22	38	38
2	6	58	5	1	1	1	1	1	1	2	2	39	39
57	50	161	21	1	1	2	4	4	4	12	7	17	40
34	24	112	9	2	10	2	4	4	2	4	5	12	41
446	176	226	66	41	35	33	15	5	10	12	30	99	42
29	27	136	7	7	2	2	5	3	35	11	48	14	43
18	6	27	9	2	1	1	2	2	2	5	7	7	44
92	133	74	23	9	1	10	2	2	2	2	9	34	45
26	35	45	4	1	1	2	4	2	1	4	10	46	46
123	194	69	52	8	12	12	2	3	5	6	55	47	47
13	21	10	3	1	1	3	3	3	2	4	4	48	48
15	18	14	10	1	1	1	2	2	2	7	4	49	49
58	139	68	17	5	7	9	2	2	2	2	23	50	50
12	12	9	2	2	2	2	1	1	1	2	4	51	51
37	21	20	7	2	12	15	2	9	2	1	15	52	52
107	79	97	46	6	2	8	6	3	2	4	14	37	53
23	87	27	13	2	2	3	10	4	3	4	10	54	54
97	160	99	38	14	3	6	2	2	1	5	11	9	55
41	39	41	23	8	1	2	1	1	1	2	2	56	56
38	5	10	5	1	1	1	1	1	1	1	2	57	57
201	161	174	72	18	19	12	8	4	5	22	58	58	58
5	51	5	7	1	1	7	2	1	2	1	7	59	59
34	103	33	18	12	5	7	4	4	3	1	5	13	60
31	55	288	19	3	15	10	36	4	19	125	62	11	61
35	34	50	3	6	34	4	1	1	2	7	5	6	62
593	502	548	146	50	34	44	28	24	20	69	76	182	63
4,405	1,706	872	412	193	95	124	38	41	8	32	99	1,022	64
39	29	3	8	3	2	1	1	1	1	1	14	65	65
212	507	153	27	14	10	7	8	5	1	7	103	66	66
3,652	600	492	264	124	15	86	7	24	4	13	45	637	67
40	83	52	30	2	2	8	3	3	3	5	15	68	68
26	81	29	8	3	1	1	1	1	1	1	22	69	69
28	3	3	3	2	1	1	1	1	1	1	3	70	70
15	18	5	8	2	1	1	6	1	1	1	3	71	71
107	83	51	35	17	55	10	5	7	1	5	27	97	72
183	182	51	25	12	3	5	7	1	1	4	8	96	73
1	1	2	1	1	1	1	1	1	2	2	6	1	74
102	119	31	11	14	8	7	1	1	2	2	6	31	75
81	102	50	13	15	5	8	23	1	2	15	10	27	76

VITAL STATISTICS.

TABLE 2.—DEATHS OF MALES ENGAGED IN EACH OCCUPATION, BY COLOR,
RHODE ISLAND.

	OCCUPATIONS.	Total.	COLOR.		AGE.								
			White.	Colored.	Under 15	15 to 19	20 to 24	25 to 34	35 to 44	45 to 54	55 to 64	65 and over.	Un- known.
1	All occupations	1,982	1,880	52	2	41	104	271	286	292	348	578	10
2	Professional	67	66	1			1	8	10	7	18	23	
3	Architects, artists and teachers of art, etc.	5	5						3		1	1	
4	Clergymen	17	16	1				1	1	2	3	10	
5	Engineers and surveyors	6	6					3	1		2		
6	Journalists	4	4					1		1	2		
7	Lawyers	10	10					1		1	5	3	
8	Musicians and teachers of music	3	3			1					1	1	
9	Physicians and surgeons	12	12				1	5		1	1	4	
10	Teachers (school)	5	5							1	1	3	
11	Others of this class	5	5					1		1	2	1	
12	Clerical and official	128	126	2		3	21	29	24	20	11	20	
13	Bookkeepers, clerks, and copyists	90	88	2		3	20	25	18	9	5	10	
14	Bankers, brokers, and officials of companies	12	12					1	2	5	1	3	
15	Collectors, auctioneers, and agents	17	17					3	2	4	3	5	
16	Others of this class	9	9				1		2	2	2	2	
17	Mercantile and trading	154	150	4		3	4	16	25	30	29	47	
18	Apothecaries, pharmacists, etc.	7	7						1	2	4		
19	Commercial travelers	1	1					1					
20	Merchants and dealers	119	119		1	3	11	16	25	23	40		
21	Hucksters and peddlers	8	7	1	1		1	1	1	1	4		
22	Others of this class	19	16	3	1	1	3	7	2	2	3		
23	Public entertainment	18	18					3	4	3	5	3	
24	Hotel and boarding-house keepers	7	7						1	2	1	3	
25	Saloon keepers, liquor dealers, bartenders, and restaurant keepers	11	11					3	3	1	4		
26	Personal service, police, and military	54	49	5		1	5	6	7	11	8	15	1
27	Barbers and hairdressers	14	14				3	1	3	3		4	
28	Janitors and sextons	9	6	3			1			3	2	3	
29	Policemen, watchmen, and detectives	18	17	1					2	3	5	7	
30	Soldiers, sailors, and marines (United States)	6	6		1	1	2			1	1	1	
31	Others of this class	7	6	1			2	2	2	1	1	1	
32	Laboring and servant	407	381	26		10	26	61	62	81	69	94	4
33	Laborers (not agricultural)	383	363	20		10	24	56	59	76	63	91	4
34	Servants	24	18	6			2	5	3	5	6	3	
35	Manufacturing and mechanical industry	780	773	7	2	19	37	107	117	101	161	231	5
36	Bakers and confectioners	12	12						2	6		4	
37	Blacksmiths	27	27					4	2	1	7	13	
38	Boot and shoe makers	16	16			1		1	3		6	5	
39	Brewers, distillers, and rectifiers	1	1					1					
40	Butchers	11	11					1	4	3	2	1	
41	Cabinetmakers and upholsterers	4	4									4	
42	Carpenters and joiners	103	100	3		4	5	9	15	27	43		
43	Cigar makers and tobacco workers	3	3					1			2		
44	Clock and watch repairers, jewelers, etc.	26	26			2	7	2	5	4	6		
45	Compositors, printers, and pressmen	8	8				4	3		1			
46	Coopers	2	2								1	1	
47	Engineers and firemen (not locomotive)	30	30			1	4	2	7	7	8	1	
48	Glass blowers and glass workers												
49	Hat and cap makers												
50	Iron and steel workers	23	23			3	2	4	3	6	5		
51	Leather makers	3	3						1	1	1	1	
52	Leather workers	3	3							2	1		
53	Machinists	77	77		1	5	7	17	10	13	24		
54	Marble and stone cutters	10	10				2	2	2	2	2	2	
55	Masons (brick and stone)	38	35	3	1		3	8	4	3	19		
56	Mill and factory operatives (textiles)	116	116		1	6	6	27	15	16	21	22	2
57	Millers (flour and grist)												
58	Painters, glaziers, and varnishers	54	53	1			3	10	7	4	16	14	
59	Plasterers and whitewashers	2	2									2	
60	Plumbers, and gas and steam fitters	13	13					5	4	2	1		1
61	Tailors	12	12						1	3	2	6	
62	Tinners and tinware makers	9	9			1		1	1	2		5	
63	Others of this class	177	177		1	11	11	24	30	17	39	43	1
64	Agriculture, transportation, and other outdoor ..	308	301	7		2	9	38	34	37	45	143	
65	Boatmen and canal men	1	1						1				
66	Draymen, hackmen, teamsters, etc.	43	41	2			2	11	10	5	6	9	
67	Farmers, planters, and farm laborers	155	153	2		1		6	7	16	19	106	
68	Gardeners, florists, nurserymen, and vine growers	18	18				1	2	1	3	4	7	
69	Livery stable keepers and hostlers	12	11	1				4	1	3	1	3	
70	Lumbermen and raftsmen	2	2						1				
71	Miners and quarrymen	5	5							1	2	2	
72	Sailors, pilots, fishermen, and oystermen	27	26	1		1	2	2	3	3	5	11	
73	Steam railroad employees	33	32	1				4	10	6	7	2	
74	Stock raisers, herders, and drovers												
75	Others of this class	12	12					3	4	1	1	3	
76	All other occupations	16	16			3	1	3	3	2	2	2	

109

RHODE ISLAND.

VITAL STATISTICS.

TABLE 2.—DEATHS OF MALES ENGAGED IN EACH OCCUPATION, BY COLOR,
VERMONT.

	OCCUPATIONS.	Total.	COLOR.		AGE.									Un- known.
			White.	Colored.	Under 15	15 to 19	20 to 24	25 to 34	35 to 44	45 to 54	55 to 64	65 and over.		
1	All occupations	1,881	1,870	11	3	52	92	146	176	163	294	947	8	
2	Professional	86	85	1			6	5	8	9	17	41		
3	Architects, artists and teachers of art, etc.	4	4							1		3		
4	Clergymen	13	13							1	6	6		
5	Engineers and surveyors	7	7				3	1	1			2		
6	Journalists	4	4				1			1		2		
7	Lawyers	13	13						2	2	2	7		
8	Musicians and teachers of music	3	3				1	1	1			1		
9	Physicians and surgeons	26	25	1			2	1	3	1	5	14		
10	Teachers (school)	1	1								1			
11	Others of this class	15	15					2	1	3	3	6		
12	Clerical and official	62	62			3	6	12	10	8	8	15		
13	Bookkeepers, clerks, and copyists	25	25			3	6	6	6	2	1	1		
14	Bankers, brokers, and officials of companies.	14	14					3	2	1	2	6		
15	Collectors, auctioneers, and agents	11	11					1		2	2	6		
16	Others of this class	12	12					2	2	3	3	2		
17	Mercantile and trading	88	88			3	5	8	11	10	23	27	1	
18	Apothecaries, pharmacists, etc.	5	5					3		1	1			
19	Commercial travelers													
20	Merchants and dealers	68	68			1	2	5	8	9	22	21		
21	Hucksters and peddlers	6	6			1			1			4		
22	Others of this class	9	9			1	3		2			2	1	
23	Public entertainment	18	18				2	1	3	3	6	3		
24	Hotel and boarding-house keepers	11	11				2		2	1	4	2		
25	Saloon keepers, liquor dealers, bartenders, and restaurant keepers.	7	7					1	1	2	2	1		
26	Personal service, police, and military	17	16	1			2	1	2	3	4	4	1	
27	Barbers and hairdressers	4	3	1			1		1			1	1	
28	Janitors and sextons	2	2								1	1		
29	Policemen, watchmen, and detectives	2	2								1	1		
30	Soldiers, sailors, and marines (United States) ..	6	6				1	1		1	2	1		
31	Others of this class	3	3						1	2				
32	Laboring and servant	267	261	6	2	21	16	39	25	26	42	95	1	
33	Laborers (not agricultural)	265	259	6	2	20	15	39	25	26	42	95	1	
34	Servants	2	2			1	1							
35	Manufacturing and mechanical industry	328	327	1		8	21	28	43	35	41	151	1	
36	Bakers and confectioners	5	5				2					3		
37	Blacksmiths	23	23			1		1	3		3	15		
38	Boot and shoe makers	22	22			1	1		3	1	5	11		
39	Brewers, distillers, and rectifiers													
40	Butchers	3	3					1	1		1			
41	Cabinetmakers and upholsterers	4	4							1		3		
42	Carpenters and joiners	58	58			1	3	2	4	5	7	36		
43	Cigar makers and tobacco workers	1	1					1						
44	Clock and watch repairers, jewelers, etc.	2	2						1		1			
45	Compositors, printers, and pressmen	10	10				2	1	1	1		6		
46	Coopers	3	3									3		
47	Engineers and firemen (not locomotive)	4	3	1			1	1	1			1		
48	Glass blowers and glass workers													
49	Hat and cap makers													
50	Iron and steel workers	3	3							1		2		
51	Leather makers	1	1									1		
52	Leather workers	3	3							1		2		
53	Machinists	15	15				3	1	2	1	3	5		
54	Marble and stone cutters	23	23			1	2	5	8	1	3	3		
55	Masons (brick and stone)	19	19				1	1	1	4	1	11		
56	Mill and factory operatives (textiles)	15	15				1		5	1	3	5		
57	Millers (flour and grist)	7	7					1	2			4		
58	Painters, glaziers, and varnishers	25	25			2		2	5	7		9		
59	Plasterers and whitewashers													
60	Plumbers, and gas and steam fitters	2	2				1	1						
61	Tailors	3	3									3		
62	Tinners and tinware makers	5	5				1	1		1	1	1		
63	Others of this class	72	72			2	5	8	6	10	13	27	1	
64	Agriculture, transportation, and other outdoor..	1,010	1,008	2	1	17	34	52	73	69	152	608	4	
65	Boatmen and canalmen	1	1							1				
66	Draymen, hackmen, teamsters, etc.	23	23			1	2	5	2	1	3	8	1	
67	Farmers, planters, and farm laborers	905	904	1	1	16	25	33	54	59	132	582	3	
68	Gardeners, florists, nurserymen, and vine growers.	6	6						1	1	1	3		
69	Livery stable keepers and hostlers	3	3					2			1			
70	Lumbermen and raftsmen	13	12	1			1		2	1	4	5		
71	Miners and quarrymen	21	21				2	2	7	2	5	3		
72	Sailors, pilots, fishermen, and oystermen	2	2						2					
73	Steam railroad employees	29	29				4	7	5	4	6	3		
74	Stock raisers, herders, and drovers	2	2									2		
75	Others of this class	5	5					3				2		
76	All other occupations	5	5						1		1	3		

111

VERMONT.

TABLE 3.

DEATHS IN THE UNITED STATES, THE REGISTRATION AREA AND ITS SUBDIVISIONS
AND THE NONREGISTRATION AREA, DURING THE CENSUS YEAR ENDING
MAY 31, 1900, AT THE SPECIFIED AGES, OF WHITE MALES
ENGAGED IN EACH OCCUPATION AND
CLASS OF OCCUPATIONS.

NOTE.—Occupation not reported in the registration returns for certain cities. See note on page 75.

OCCUPATIONS—MALES.

115

TABLE 3.—DEATHS, AT EACH AGE, OF WHITE MALES ENGAGED IN EACH OCCUPATION: CENSUS YEAR 1900.

THE UNITED STATES.

OCCUPATIONS.	AGE.									
	All ages.	Under 15	15 to 19	20 to 24	25 to 34	35 to 44	45 to 54	55 to 64	65 and over.	Un- known.
All occupations.....	243,478	1,927	8,906	15,808	33,059	33,929	34,611	37,519	76,437	1,282
Professional.....	9,599		91	528	1,368	1,302	1,384	1,567	3,308	51
Architects, artists and teachers of art, etc.....	449		11	30	66	75	76	58	133	
Clergymen.....	1,771		1	16	132	150	216	327	918	11
Engineers and surveyors.....	760		25	110	210	119	92	66	134	4
Journalists.....	371		4	22	58	60	69	82	74	2
Lawyers.....	1,496		1	34	141	203	259	314	535	9
Musicians and teachers of music.....	543		14	50	99	108	75	76	120	1
Physicians and surgeons.....	2,285		3	28	239	324	353	383	938	17
Teachers (school).....	1,156		23	204	288	126	116	148	246	5
Others of this class.....	768		9	34	135	137	128	113	210	2
Clerical and official.....	13,538	17	605	1,383	2,583	2,251	1,913	2,046	2,691	49
Bookkeepers, clerks, and copyists.....	7,715	13	560	1,219	1,975	1,418	951	844	715	20
Bankers, brokers, and officials of companies.....	1,703	1	5	26	117	152	224	337	834	
Collectors, auctioneers, and agents.....	2,573	2	21	75	285	447	480	537	714	12
Others of this class.....	1,547	1	19	63	206	234	258	328	428	10
Mercantile and trading.....	15,495	9	220	679	2,179	2,653	2,779	2,972	3,954	50
Apothecaries, pharmacists, etc.....	790		21	69	185	137	129	112	137	
Commercial travelers.....	585		5	25	118	135	132	108	56	6
Merchants and dealers.....	9,814	4	50	200	969	1,634	1,700	2,100	3,223	34
Hucksters and peddlers.....	875	1	13	45	130	164	167	177	176	2
Others of this class.....	3,431	4	131	340	777	683	651	475	362	8
Public entertainment.....	4,247	1	18	110	704	963	795	657	985	14
Hotel and boarding-house keepers.....	1,603		2	13	68	162	245	318	795	5
Saloon keepers, liquor dealers, bartenders, and restaurant keepers.....	2,639	1	16	97	636	801	550	339	190	9
Personal service, police, and military.....	4,177	2	126	397	763	704	695	683	774	33
Barbers and hairdressers.....	990	1	36	113	290	249	154	73	68	6
Janitors and sextons.....	524		1	9	38	63	95	151	165	2
Policemen, watchmen, and detectives.....	1,430		4	16	141	252	315	342	355	5
Soldiers, sailors, and marines (United States).....	703		75	211	193	48	41	49	68	18
Others of this class.....	530	1	10	48	101	92	90	68	118	2
Laboring and servant.....	35,879	198	1,732	2,889	5,942	5,932	5,693	5,424	7,832	237
Laborers (not agricultural).....	34,209	185	1,675	2,746	5,539	5,547	5,412	5,216	7,663	226
Servants.....	1,670	13	57	143	403	385	281	208	169	11
Manufacturing and mechanical industry.....	55,039	123	1,304	3,049	7,680	8,491	8,635	9,091	16,484	182
Bakers and confectioners.....	1,042		38	78	182	181	164	159	236	4
Blacksmiths.....	3,147	4	44	108	319	402	442	545	1,271	12
Boot and shoe makers.....	2,228		33	76	145	191	241	403	1,131	8
Brewers, distillers, and rectifiers.....	346	1	3	8	33	100	82	64	55	
Butchers.....	1,565	2	33	70	271	301	282	270	332	4
Cabinetmakers and upholsterers.....	996		15	38	106	148	118	174	391	6
Carpenters and joiners.....	8,414	1	51	186	683	1,011	1,272	1,551	3,631	28
Cigar makers and tobacco workers.....	497	5	30	66	193	238	155	150	156	4
Clock and watch repairers, jewelers, etc.....	472	1	8	28	69	73	84	96	112	1
Compositors, printers, and pressmen.....	1,435	4	73	169	408	276	193	127	182	3
Coopers.....	791	2	10	15	42	85	101	136	399	1
Engineers and firemen (not locomotive).....	2,729		32	153	495	599	513	496	433	8
Glass blowers and glass workers.....	329	4	26	45	73	55	58	35	31	2
Hat and cap makers.....	267		3	19	44	59	30	53	53	
Iron and steel workers.....	1,907	2	63	153	417	356	355	255	299	7
Leather makers.....	360	1	6	19	50	55	56	59	112	2
Leather workers.....	586	1	14	30	49	64	85	121	221	1
Machinists.....	2,696	3	117	227	477	428	480	420	540	4
Marble and stone cutters.....	726		5	18	89	161	159	137	155	2
Masons (brick and stone).....	2,499		9	70	201	318	438	467	970	26
Mill and factory operatives (textiles).....	2,141	53	194	265	394	346	246	260	377	6
Millers (flour and grist).....	678	2	7	21	51	78	83	116	315	5
Painters, glaziers, and varnishers.....	3,552	2	48	227	588	750	688	590	647	12
Plasterers and whitewashers.....	438		3	18	51	56	96	83	129	2
Plumbers and gas and steam fitters.....	822		33	124	262	180	99	77	46	1
Tailors.....	2,119	7	26	73	238	300	286	334	853	2
Tinners and tinware makers.....	688	1	18	51	126	115	110	113	154	
Others of this class.....	11,075	27	362	694	1,624	1,565	1,719	1,800	3,253	31
Agriculture, transportation, and other outdoor.....	104,230	1,526	4,670	6,686	11,616	11,435	12,525	14,898	40,214	660
Boatmen and canalmen.....	215	3	8	12	27	32	42	34	57	
Draymen, hackmen, teamsters, etc.....	4,250	12	152	368	969	882	690	570	589	18
Farmers, planters, and farm laborers.....	80,602	1,425	3,850	4,513	6,779	6,952	8,818	11,768	36,117	380
Gardeners, florists, nurserymen, and vine growers.....	1,218	2	15	28	98	113	141	249	671	1
Livery stable keepers and hostlers.....	750		11	36	114	176	133	141	133	6
Lumbermen and raftsmen.....	589	1	12	37	85	111	90	93	147	13
Miners and quarrymen.....	5,467	68	286	491	1,028	1,048	916	757	766	107
Sailors, pilots, fishermen, and oystermen.....	2,566	3	70	182	340	376	425	411	737	22
Steam railroad employees.....	5,514	5	151	732	1,511	1,191	803	534	519	68
Stock raisers, herders, and drovers.....	740	7	29	53	108	121	121	113	170	18
Others of this class.....	2,319		86	234	557	433	346	228	408	27
All other occupations.....	1,274	51	140	87	224	198	192	181	195	6

TABLE 3.—DEATHS, AT EACH AGE, OF WHITE MALES ENGAGED IN EACH OCCUPATION: CENSUS YEAR 1900—Continued.

THE REGISTRATION RECORD.

OCCUPATIONS	AGE.									
	All ages.	Under 15	15 to 19	20 to 24	25 to 34	35 to 44	45 to 54	55 to 64	65 and over.	Un-known.
All occupations.....	127,830	261	3,244	7,296	18,737	20,124	19,603	20,652	37,591	322
Professional.....	5,214		50	239	717	770	774	909	1,747	8
Architects, artists and teachers of art, etc.....	375		6	24	57	63	63	53	109	
Clergymen.....	852		1	4	60	73	100	177	436	1
Engineers and surveyors.....	543		19	83	153	87	67	47	86	1
Journalists.....	256		2	18	36	41	53	56	50	
Lawyers.....	852		1	15	75	115	133	192	319	2
Musicians and teachers of music.....	415		8	38	71	86	54	63	94	1
Physicians and surgeons.....	1,018		1	11	112	157	157	164	414	2
Teachers (school).....	399		5	24	72	46	56	84	111	1
Others of this class.....	504		7	22	81	102	91	73	128	
Clerical and official.....	9,914	9	475	1,098	2,004	1,731	1,426	1,476	1,680	15
Bookkeepers, clerks, and copyists.....	6,391	9	449	1,007	1,630	1,202	803	701	586	4
Bankers, brokers, and officials of companies.....	939		3	14	69	95	152	216	388	2
Collectors, auctioneers, and agents.....	1,806		11	45	199	316	340	384	506	5
Others of this class.....	778		12	32	106	118	131	175	200	4
Mercantile and trading.....	10,330	4	104	363	1,379	1,768	1,923	2,004	2,769	16
Apothecaries, pharmacists, etc.....	446		8	39	112	74	77	54	82	
Commercial travelers.....	328		2	8	63	75	74	68	35	3
Merchants and dealers.....	6,440	1	30	122	592	967	1,131	1,357	2,229	11
Hucksters and peddlers.....	715	1	11	37	113	135	134	149	134	1
Others of this class.....	2,401	2	53	157	499	517	507	376	289	1
Public entertainment.....	2,469		11	78	503	660	523	381	312	1
Hotel and boarding-house keepers.....	624		1	7	45	104	142	139	186	
Saloon keepers, liquor dealers, bartenders, and restaurant keepers.....	1,845		10	71	458	556	381	242	126	1
Personal service, police, and military.....	3,084	1	72	227	517	536	561	564	594	12
Barbers and hairdressers.....	696	1	26	74	195	168	123	52	57	
Janitors and sextons.....	429		1	5	33	59	80	130	120	
Policemen, watchmen, and detectives.....	1,173		1	10	100	208	265	293	295	1
Soldiers, sailors, and marines (United States).....	430		34	110	115	33	32	43	52	11
Others of this class.....	356		10	27	74	68	61	46	70	
Laboring and servant.....	25,178	70	883	1,648	4,232	4,404	4,259	4,050	5,538	94
Laborers (not agricultural).....	23,771	65	849	1,540	3,881	4,068	4,011	3,870	5,398	89
Servants.....	1,407	5	34	108	351	336	248	180	140	5
Manufacturing and mechanical industry.....	39,363	65	912	2,112	5,771	6,505	6,432	6,605	10,899	62
Bakers and confectioners.....	851		30	59	140	157	145	143	176	1
Blacksmiths.....	1,622	1	12	41	195	218	236	294	621	4
Boot and shoe makers.....	1,565		31	67	120	152	177	280	737	1
Brewers, distillers, and rectifiers.....	277	1	3	6	27	82	69	48	41	
Butchers.....	1,118		23	53	198	222	200	196	226	
Cabinetmakers and upholsterers.....	800		10	33	91	137	99	145	283	2
Carpenters and joiners.....	4,842		26	97	389	619	769	896	2,041	5
Cigar makers and tobacco workers.....	777		15	40	139	194	131	128	128	2
Clock and watch repairers, jewelers, etc.....	321		5	17	52	48	61	64	74	
Compositors, printers, and pressmen.....	1,131	2	58	123	317	234	153	101	143	
Coopers.....	538	1	7	11	32	70	85	89	243	
Engineers and firemen (not locomotive).....	2,023		15	77	355	442	393	390	346	5
Glass blowers and glass workers.....	222	3	13	24	52	39	40	23	26	2
Hat and cap makers.....	256		3	18	44	58	30	52	51	
Iron and steel workers.....	1,481	2	46	108	323	284	290	210	212	6
Leather makers.....	305	1	5	15	46	53	51	50	84	
Leather workers.....	340		8	12	25	49	53	72	121	
Machinists.....	2,074		84	160	357	347	375	333	416	2
Marble and stone cutters.....	583		5	10	77	127	127	113	123	1
Masons (brick and stone).....	1,612		4	47	144	238	308	292	571	8
Mill and factory operatives (textiles).....	1,687	24	127	181	322	283	200	231	315	4
Millers (flour and grist).....	251		3	7	18	34	28	41	120	
Painters, glaziers, and varnishers.....	2,742	2	34	159	441	603	543	466	490	4
Plasterers and whitewashers.....	265		3	10	36	36	71	48	61	
Plumbers, and gas and steam fitters.....	727		26	107	228	168	86	69	42	1
Tailors.....	1,731	7	21	64	209	260	255	282	632	1
Tinners and tinware makers.....	488		1	13	33	88	79	84	109	
Others of this class.....	8,734	20	282	533	1,306	1,270	1,378	1,465	2,467	13
Agriculture, transportation and other outdoor.....	31,326	77	628	1,465	3,449	3,598	3,558	4,534	13,905	112
Boatmen and canalmen.....	178		7	11	24	25	34	28	49	
Draymen, hackmen, teamsters, etc.....	3,206	2	88	268	793	706	495	410	438	6
Farmers, planters, and farm laborers.....	18,676	65	341	471	854	1,098	1,568	2,795	11,433	51
Gardeners, florists, nurserymen, and vine growers.....	853	1	8	24	81	84	106	172	377	
Livery stable keepers and hostlers.....	493		6	16	78	118	92	91	88	4
Lumbermen and raftsmen.....	314		5	19	33	53	47	64	90	3
Miners and quarrymen.....	1,157	6	32	80	212	256	195	174	197	5
Sailors, pilots, fishermen, and oystermen.....	1,985		46	116	257	289	323	327	615	12
Steam railroad employees.....	2,929	3	58	338	765	672	469	305	295	24
Stock raisers, herders, and drovers.....	135		3	7	19	21	23	28	33	1
Others of this class.....	1,400		34	115	333	276	206	140	290	6
All other occupations.....	952	35	109	66	165	152	147	129	147	2

OCCUPATIONS—MALES.

117

TABLE 3.—DEATHS, AT EACH AGE, OF WHITE MALES ENGAGED IN EACH OCCUPATION: CENSUS YEAR 1900—Continued.

REGISTRATION CITIES.

OCCUPATIONS.	AGE.									
	All ages.	Under 15	15 to 19	20 to 24	25 to 34	35 to 44	45 to 54	55 to 64	65 and over.	Un-known.
All occupations.....	92,172	159	2,397	5,765	15,606	16,740	15,733	15,195	20,400	177
Professional.....	4,060		41	198	582	642	651	714	1,227	5
Architects, artists and teachers of art, etc.....	324		5	22	45	54	55	46	97	
Clergymen.....	584			3	44	54	80	126	276	1
Engineers and surveyors.....	451		17	72	137	76	61	37	51	
Journalists.....	221		2	16	32	37	48	48	38	
Lawyers.....	674		1	11	60	100	115	156	280	1
Musicians and teachers of music.....	376		8	36	66	77	49	58	81	1
Physicians and surgeons.....	753		1	7	92	125	124	120	282	2
Teachers (school).....	282		1	11	41	35	42	70	82	
Others of this class.....	395		6	20	65	84	77	53	90	
Clerical and official.....	8,773	9	435	991	1,775	1,568	1,275	1,322	1,386	12
Bookkeepers, clerks, and copyists.....	5,776	9	412	910	1,461	1,101	729	635	516	3
Bankers, brokers, and officials of companies.....	757		3	12	51	79	126	178	306	2
Collectors, auctioneers, and agents.....	1,600		11	41	170	288	310	358	418	4
Others of this class.....	640		9	28	93	100	110	151	146	3
Mercantile and trading.....	8,668	3	94	320	1,207	1,572	1,641	1,683	2,135	13
Apothecaries, pharmacists, etc.....	341		6	31	93	64	54	39	54	
Commercial travelers.....	277		2	6	55	62	66	60	23	3
Merchants and dealers.....	5,213	1	27	105	497	845	927	1,107	1,695	9
Hucksters and peddlers.....	638	1	10	35	104	121	125	135	106	1
Others of this class.....	2,199	1	49	143	458	480	469	342	257	
Public entertainment.....	2,094		9	69	458	589	438	307	223	1
Hotel and boarding-house keepers.....	382			4	28	71	87	85	107	
Saloonkeepers, liquor dealers, bartenders, and restaurant keepers.....	1,712		9	65	430	518	351	222	116	1
Personal service, police, and military.....	2,749	1	67	194	461	495	520	501	499	11
Barbers and hairdressers.....	610	1	23	63	171	148	114	46	44	
Janitors and sextons.....	384		1	6	33	55	76	114	99	
Policemen, watchmen, and detectives.....	1,081		1	9	90	195	249	268	269	
Soldiers, sailors, and marines (United States).....	379		32	94	106	33	27	37	39	11
Others of this class.....	295		10	22	61	64	54	36	48	
Laboring and servant.....	19,719	42	608	1,264	3,519	3,728	3,546	3,231	3,735	46
Laborers (not agricultural).....	18,456	89	579	1,171	3,197	3,411	3,329	3,072	3,617	41
Servants.....	1,263	3	29	93	322	317	217	159	118	5
Manufacturing and mechanical industry.....	31,738	54	751	1,779	4,968	5,642	5,495	5,367	7,638	44
Bakers and confectioners.....	772		27	50	130	144	135	133	153	
Blacksmiths.....	1,148	1	7	29	169	179	193	220	348	2
Boot and shoe makers.....	1,091		21	51	89	126	140	206	457	1
Brewers, distillers, and rectifiers.....	262	1	3	6	26	80	67	45	34	
Butchers.....	949		19	47	179	192	173	172	167	
Cabinetmakers and upholsterers.....	709		8	32	84	125	87	135	236	2
Carpenters and joiners.....	3,488		21	71	303	508	626	663	1,293	3
Cigar makers and tobacco workers.....	708		14	36	127	179	117	118	116	1
Clock and watch repairers, jewelers, etc.....	262		4	14	48	44	50	50	52	
Compositors, printers, and pressmen.....	1,024	2	53	108	287	219	138	95	122	
Coopers.....	433	1	7	11	29	63	76	76	170	
Engineers and firemen (not locomotive).....	1,746		8	64	312	390	351	339	278	4
Glass blowers and glass workers.....	196	1	11	20	46	32	39	21	24	2
Hat and cap makers.....	237		3	16	43	55	30	48	42	
Iron and steel workers.....	1,329	2	43	104	294	265	266	191	158	6
Leather makers.....	273	1	5	15	42	46	46	45	73	
Leather workers.....	244		8	11	23	40	37	50	75	
Machinists.....	1,751		76	139	311	301	330	276	318	
Marble and stone cutters.....	438		3	7	64	100	93	83	87	1
Masons (brick and stone).....	1,191		2	44	126	207	247	217	342	6
Mill and factory operatives (textiles).....	1,221	17	92	133	230	204	152	172	219	2
Millers (flour and grist).....	135		2	5	8	22	23	28	47	
Painters, glaziers, and varnishers.....	2,280	2	27	140	376	535	474	378	344	4
Plasterers and whitewashers.....	257		3	10	35	35	70	47	57	
Plumbers, and gas and steam fitters.....	667		25	97	201	156	80	66	41	1
Tailors.....	1,598	7	20	60	201	250	240	267	553	
Tinners and tinware makers.....	415	1	13	30	82	69	72	69	79	
Others of this class.....	6,914	18	226	429	1,103	1,076	1,143	1,157	1,753	9
Agriculture, transportation, and other outdoor.....	13,528	17	290	893	2,488	2,371	2,037	1,954	3,435	43
Boatmen and canalmen.....	110		3	5	15	17	28	18	24	
Draymen, hackmen, teamsters, etc.....	2,889	2	82	239	739	649	463	373	341	1
Farmers, planters, and farm laborers.....	3,300	6	58	104	228	261	364	554	1,710	15
Gardeners, florists, nurserymen, and vine growers.....	652	1	5	18	72	68	82	135	271	
Livery stable keepers and hostlers.....	402		5	14	64	108	76	70	64	1
Lumbermen and raftsmen.....	177		2	8	20	25	30	43	48	1
Miners and quarrymen.....	902	5	19	50	155	200	175	146	147	5
Sailors, pilots, fishermen, and oystermen.....	1,446		38	86	227	239	244	228	378	6
Steam railroad employees.....	2,382	3	50	271	654	549	376	248	221	10
Stock raisers, herders, and drovers.....	123		3	7	19	19	21	26	27	1
Others of this class.....	1,145		25	91	295	236	178	113	204	3
All other occupations.....	843	33	102	57	148	133	130	116	122	2

TABLE 3.—DEATHS, AT EACH AGE, OF WHITE MALES ENGAGED IN EACH OCCUPATION: CENSUS YEAR 1900—Continued.

REGISTRATION STATES.

OCCUPATIONS.	AGE.									
	All ages.	Under 15	15 to 19	20 to 24	25 to 34	35 to 44	45 to 54	55 to 64	65 and over.	Un- known.
All occupations.....	81,549	147	1,908	4,269	11,065	11,637	11,665	13,177	27,476	205
Professional.....	3,049		27	120	409	425	433	524	1,107	4
Architects, artists and teachers of art, etc.....	228		4	11	33	40	39	31	70	
Clergymen.....	527		1	2	29	39	49	113	294	
Engineers and surveyors.....	300		9	36	86	41	38	27	62	1
Journalists.....	135		1	6	19	16	33	29	31	
Lawyers.....	493		1	8	43	64	67	108	201	1
Musicians and teachers of music.....	225		4	22	44	47	27	30	51	
Physicians and surgeons.....	585		1	8	60	89	88	95	243	1
Teachers (school).....	239		4	16	44	30	32	46	66	1
Others of this class.....	317		2	11	51	59	60	45	89	
Clerical and official.....	5,678	3	265	632	1,191	957	798	846	980	6
Bookkeepers, clerks, and copyists.....	3,757	3	252	586	981	681	454	426	373	1
Bankers, brokers, and officials of companies.....	512			7	42	56	93	123	190	1
Collectors, auctioneers, and agents.....	967		5	24	113	161	174	198	290	2
Others of this class.....	442		8	15	55	59	77	99	127	2
Mercantile and trading.....	5,865	1	55	193	718	918	1,111	1,171	1,693	5
Apothecaries, pharmacists, etc.....	266		5	25	57	41	53	36	49	
Commercial travelers.....	147		1	2	26	33	33	31	20	1
Merchants and dealers.....	3,755		19	68	305	501	670	815	1,374	3
Hucksters and peddlers.....	394		7	22	62	79	75	71	78	
Others of this class.....	1,303	1	23	76	268	264	280	218	172	1
Public entertainment.....	1,335		5	50	273	338	288	213	168	
Hotel and boarding-house keepers.....	444		1	5	33	76	105	104	120	
Saloon keepers, liquor dealers, bartenders, and restaurant keepers.....	891		4	45	240	262	183	109	48	
Personal service, police, and military.....	1,706	1	33	103	255	295	321	329	361	8
Barbers and hairdressers.....	365	1	17	39	94	89	65	26	34	
Janitors and sextons.....	277			3	23	41	51	83	76	
Policemen, watchmen, and detectives.....	656			3	47	109	154	165	177	1
Soldiers, sailors, and marines (United States).....	172		10	36	43	9	17	21	29	7
Others of this class.....	236		6	22	48	47	34	34	45	
Laboring and servant.....	14,871	32	493	926	2,447	2,464	2,453	2,409	3,583	64
Laborers (not agricultural).....	13,945	29	477	855	2,210	2,250	2,285	2,284	3,492	63
Servants.....	926	3	16	71	237	214	168	125	91	1
Manufacturing and mechanical industry.....	24,607	32	533	1,256	3,562	3,899	3,786	4,197	7,303	39
Bakers and confectioners.....	481		11	29	82	87	82	84	105	1
Blacksmiths.....	1,032		9	21	107	112	133	191	455	4
Boot and shoe makers.....	893		25	37	67	82	84	156	442	
Brewers, distillers, and rectifiers.....	115			1	11	33	28	22	20	
Butchers.....	610		12	33	96	124	100	116	129	
Cabinetmakers and upholsterers.....	440		5	13	49	75	58	76	164	
Carpenters and joiners.....	3,071		12	60	250	339	445	558	1,404	3
Cigar makers and tobacco workers.....	472		7	25	72	119	85	85	78	1
Clock and watch repairers, jewelers, etc.....	225		5	12	31	33	42	50	52	
Compositors, printers, and pressmen.....	653		25	67	190	142	82	58	89	
Coopers.....	258		3	3	13	31	38	43	127	
Engineers and firemen (not locomotive).....	1,107		11	39	189	239	201	226	199	3
Glass blowers and glass workers.....	108	3	6	10	25	22	17	12	13	
Hat and cap makers.....	227		3	14	40	51	27	47	45	
Iron and steel workers.....	747		19	40	173	122	146	110	134	3
Leather makers.....	206		1	12	33	34	34	38	54	
Leather workers.....	216		3	5	14	25	38	50	81	
Machinists.....	1,218		47	81	192	193	219	211	273	2
Marble and stone cutters.....	391		4	9	57	85	84	71	81	
Masons (brick and stone).....	1,083		4	27	98	145	194	194	416	5
Mill and factory operatives (textiles).....	1,330	18	95	143	266	226	166	180	232	4
Millers (flour and grist).....	161		1	2	11	18	10	24	95	
Painters, glaziers, and varnishers.....	1,760		18	87	293	365	327	313	355	2
Plasterers and whitewashers.....	130		2	7	25	24	28	18	26	
Plumbers, and gas and steam fitters.....	442		13	69	145	112	47	39	16	1
Tailors.....	988		2	12	37	114	134	158	386	1
Tinners and tinware makers.....	283		3	21	42	52	41	51	73	
Others of this class.....	5,960	9	177	352	877	865	896	1,016	1,759	9
Agriculture, transportation, and other outdoor.....	23,887	65	436	950	2,097	2,255	2,396	3,415	12,194	79
Boatmen and canalmen.....	150		6	9	20	20	26	25	44	
Draymen, hackmen, teamsters, etc.....	1,976		39	165	520	457	292	238	260	5
Farmers, planters, and farm laborers.....	16,766	63	297	403	697	918	1,325	2,439	10,584	40
Gardeners, florists, nurserymen, and vine growers.....	572	1	5	13	49	53	71	116	264	
Livery stable keepers and hostlers.....	353		4	10	61	81	66	68	60	3
Lumbermen and raftsmen.....	215		4	15	19	40	30	40	64	3
Miners and quarrymen.....	368	1	15	37	88	81	40	40	66	
Sailors, pilots, fishermen, and oystermen.....	1,298		21	73	143	168	201	202	484	6
Steam railroad employees.....	1,386		28	168	328	295	229	160	161	17
Stock raisers, herders, and drovers.....	31				2	6	6	5	12	
Others of this class.....	772		17	57	170	136	110	82	195	5
All other occupations.....	551	13	61	39	113	86	79	73	87	

OCCUPATIONS—MALES.

119

TABLE 3.—DEATHS, AT EACH AGE, OF WHITE MALES ENGAGED IN EACH OCCUPATION: CENSUS YEAR 1900—Continued.

CITIES IN REGISTRATION STATES.

OCCUPATIONS.	AGE.									
	All ages.	Under 15	15 to 19	20 to 24	25 to 34	35 to 44	45 to 54	55 to 64	65 and over.	Un-known.
All occupations.....	45,891	45	1,061	2,738	7,934	8,253	7,795	7,720	10,285	60
Professional.....	1,895		18	79	274	297	310	329	587	1
Architects, artists and teachers of art, etc.....	177		3	9	21	31	31	24	58	
Clergymen.....	259			1	13	20	29	62	134	
Engineers and surveyors.....	208		7	25	70	30	32	17	27	
Journalists.....	100		1	4	15	12	28	21	19	
Lawyers.....	315		1	4	28	49	49	72	112	
Musicians and teachers of music.....	186		4	20	39	38	22	25	38	
Physicians and surgeons.....	320		1	4	40	57	55	51	111	1
Teachers (school).....	122			3	13	19	18	32	37	
Others of this class.....	208		1	9	35	41	46	25	51	
Clerical and official.....	4,537	3	225	525	962	794	647	692	686	3
Bookkeepers, clerks, and copyists.....	3,142	3	215	489	812	580	380	360	303	
Bankers, brokers, and officials of companies.....	330			5	24	40	67	85	108	1
Collectors, auctioneers, and agents.....	761		5	20	84	133	144	172	202	1
Others of this class.....	304		5	11	42	41	56	75	73	1
Mercantile and trading.....	4,203		45	150	546	722	829	850	1,059	2
Apothecaries, pharmacists, etc.....	161		3	17	38	31	30	21	21	
Commercial travelers.....	96		1		18	20	25	23	8	1
Merchants and dealers.....	2,528		16	51	210	379	466	565	840	1
Hucksters and peddlers.....	317		6	20	53	65	66	57	50	
Others of this class.....	1,101		19	62	227	227	242	184	140	
Public entertainment.....	960		3	41	228	267	203	139	79	
Hotel and boarding-house keepers.....	202			2	16	43	50	50	41	
Saloon keepers, liquordealers, bartenders, and restaurant keepers.....	758		3	39	212	224	153	89	38	
Personal service, police, and military.....	1,371	1	28	70	199	254	280	266	266	7
Barbers and hairdressers.....	279	1	14	28	70	69	56	20	21	
Janitors and sextons.....	232			3	23	37	47	67	55	
Policemen, watchmen, and detectives.....	564			2	37	96	138	140	151	
Soldiers, sailors, and marines (United States).....	121		8	20	34	9	12	15	16	7
Others of this class.....	175		6	17	35	43	27	24	23	
Laboring and servant.....	9,412	4	218	542	1,734	1,788	1,740	1,590	1,780	16
Laborers (not agricultural).....	8,630	3	207	486	1,526	1,593	1,603	1,486	1,711	15
Servants.....	782	1	11	56	208	195	137	104	69	1
Manufacturing and mechanical industry.....	16,982	21	372	923	2,759	3,036	2,849	2,959	4,042	21
Bakers and confectioners.....	402		8	20	72	74	72	74	82	
Blacksmiths.....	558		4	9	81	73	90	117	182	2
Boot and shoe makers.....	419		15	21	36	56	47	82	162	
Brewers, distillers, and rectifiers.....	100			1	10	31	26	19	13	
Butchers.....	441		8	27	77	94	73	92	70	
Cabinetmakers and upholsterers.....	349		3	12	42	63	46	66	117	
Carpenters and joiners.....	1,717		7	34	164	228	302	325	656	1
Cigar makers and tobacco workers.....	403		6	21	60	104	71	75	66	
Clock and watch repairers, jewelers, etc.....	166		4	9	27	29	31	36	30	
Compositors, printers, and pressmen.....	546		20	52	160	127	67	52	68	
Coopers.....	153		3	3	10	24	29	30	54	
Engineers and firemen (not locomotive).....	830		4	26	146	187	159	175	131	2
Glass blowers and glass workers.....	82	1	4	6	19	15	16	10	11	
Hat and cap makers.....	208		3	12	39	48	27	43	36	
Iron and steel workers.....	595		16	36	144	103	122	91	80	3
Leather makers.....	174		1	12	29	27	29	33	43	
Leather workers.....	120		3	4	12	16	22	28	35	
Machinists.....	895		39	60	146	147	174	154	175	
Marble and stone cutters.....	246		2	6	44	58	50	41	45	
Masons (brick and stone).....	662		2	24	80	114	133	119	187	3
Mill and factory operatives (textiles).....	864	11	60	95	174	147	118	121	136	2
Millers (flour and grist).....	45				1	6	5	11	22	
Painters, glaziers, and varnishers.....	1,298		11	68	228	297	258	225	209	2
Plasterers and whitewashers.....	122		2	7	24	23	27	17	22	
Plumbers, and gas and steam fitters.....	382		12	59	118	100	41	36	15	1
Tailors.....	855	2	11	33	106	134	119	143	307	
Tinners and tinware makers.....	210		3	18	36	40	34	36	43	
Others of this class.....	4,140	7	121	248	674	671	661	708	1,045	5
Agriculture, transportation, and other outdoor.....	6,089	5	98	378	1,136	1,028	875	835	1,724	10
Boatmen and canalmen.....	82		2	3	11	12	20	15	19	
Draymen, hackmen, teamsters, etc.....	1,659		33	136	466	400	260	201	163	
Farmers, planters, and farm laborers.....	1,390	4	14	36	71	81	121	198	861	4
Gardeners, florists, nurserymen, and vine growers.....	371	1	2	7	40	37	47	79	158	
Livery stable keepers and hostlers.....	262		3	8	47	71	50	47	36	
Lumbermen and raftsmen.....	78		1	4	6	12	13	19	22	1
Miners and quarrymen.....	113		2	7	31	25	20	12	16	
Sailors, pilots, fishermen, and oystermen.....	759		13	43	113	118	122	103	247	
Steam railroad employees.....	839		20	101	217	172	136	103	87	3
Stock raisers, herders, and drovers.....	19				2	4	4	3	6	
Others of this class.....	517		8	33	132	96	82	55	109	2
All other occupations.....	442	11	54	30	96	67	62	60	62	

TABLE 3.—DEATHS, AT EACH AGE, OF WHITE MALES ENGAGED IN EACH OCCUPATION: CENSUS YEAR 1900—Continued.

RURAL PART OF REGISTRATION STATES.

OCCUPATIONS.	AGE.									
	All ages.	Under 15	15 to 19	20 to 24	25 to 34	35 to 44	45 to 54	55 to 64	65 and over.	Un-known.
All occupations.....	35,658	102	847	1,531	3,131	3,384	3,870	5,457	17,191	145
Professional.....	1,154		9	41	135	128	123	195	520	3
Architects, artists and teachers of art, etc.....	51		1	2	12	9	8	7	12	
Clergymen.....	268		1	1	16	19	20	51	160	
Engineers and surveyors.....	92		2	11	16	11	6	10	35	1
Journalists.....	35			2	4	4	5	8	12	
Lawyers.....	178			4	15	15	18	36	89	1
Musicians and teachers of music.....	39			2	5	9	5	5	13	
Physicians and surgeons.....	265			4	20	32	33	44	132	
Teachers (school).....	117		4	13	31	11	14	14	29	1
Others of this class.....	109		1	2	16	18	14	20	38	
Clerical and official.....	1,141		40	107	229	163	151	154	294	3
Bookkeepers, clerks, and copyists.....	615		37	97	169	101	74	66	70	1
Bankers, brokers, and officials of companies.....	182			2	18	16	26	38	82	
Collectors, auctioneers, and agents.....	206			4	29	28	30	26	88	1
Others of this class.....	138		3	4	13	18	21	24	54	1
Mercantile and trading.....	1,662	1	10	43	172	196	282	321	634	3
Apothecaries, pharmacists, etc.....	105		2	8	19	10	23	15	28	
Commercial travelers.....	51			2	8	13	8	8	12	
Merchants and dealers.....	1,227		3	17	95	122	204	250	534	2
Hucksters and peddlers.....	77		1	2	9	14	9	14	28	
Others of this class.....	202	1	4	14	41	37	38	34	32	1
Public entertainment.....	375		2	9	45	71	85	74	89	
Hotel and boarding-house keepers.....	242		1	3	17	33	55	54	79	
Saloon keepers, liquor dealers, bartenders, and restaurant keepers.....	133		1	6	28	38	30	20	10	
Personal service, police, and military.....	335		5	33	56	41	41	63	95	1
Barbers and hairdressers.....	86		3	11	24	20	9	6	13	
Janitors and sextons.....	45					4	4	16	21	
Policemen, watchmen and detectives.....	92			1	10	13	16	25	26	
Soldiers, sailors, and marines (United States).....	51		2	16	9		5	6	13	
Others of this class.....	61			5	13	4	7	10	22	
Laboring and servant.....	5,459	28	275	384	713	676	713	819	1,803	48
Laborers (not agricultural).....	5,315	26	270	369	684	657	682	798	1,781	48
Servants.....	144	2	5	15	29	19	31	21	22	
Manufacturing and mechanical industry.....	7,625	11	161	333	803	863	937	1,238	3,261	18
Bakers and confectioners.....	79		3	9	10	13	10	10	23	1
Blacksmiths.....	474		5	12	26	39	43	74	273	2
Boot and shoe makers.....	474		10	16	31	26	37	74	280	
Brewers, distillers, and rectifiers.....	15				1	2	2	3	7	
Butchers.....	169		4	6	19	30	27	24	59	
Cabinetmakers and upholsterers.....	91		2	1	7	12	12	10	47	
Carpenters and joiners.....	1,354		5	26	86	111	143	233	748	2
Cigar makers and tobacco workers.....	69		1	4	12	15	14	10	12	1
Clock and watch repairers, jewelers, etc.....	59		1	3	4	4	11	14	22	
Compositors, printers, and pressmen.....	107		5	15	30	15	15	6	21	
Coopers.....	105				3	7	9	13	73	
Engineers and firemen (not locomotive).....	277		7	13	43	52	42	51	68	1
Glass blowers and glass workers.....	26	2	2	4	6	7	1	2	2	
Hat and cap makers.....	19			2	1	3		4	9	
Iron and steel workers.....	152		3	4	29	19	24	19	54	
Leather makers.....	32				4	7	5	5	11	
Leather workers.....	96				1	2	9	16	22	
Machinists.....	323		8	21	46	46	45	57	98	2
Marble and stone cutters.....	145		2	3	13	27	34	30	36	
Masons (brick and stone).....	421		2	3	18	31	61	75	229	2
Mill and factory operatives (textiles).....	466	7	35	48	92	79	48	59	96	2
Millers (flour and grist).....	116		1	2	10	12	5	13	73	
Painters, glaziers, and varnishers.....	462		7	19	65	68	69	88	146	
Plasterers and whitewashers.....	8				1	1	1	1	4	
Plumbers, and gas and steam fitters.....	60		1	10	27	12	6	3	1	
Tailors.....	133		1	4	8	10	15	15	79	1
Tinners and tinware makers.....	73			3	6	12	7	15	30	
Others of this class.....	1,820	2	56	104	203	194	235	308	714	4
Agriculture, transportation, and other outdoor.....	17,798	60	338	572	961	1,227	1,521	2,580	10,470	69
Boatmen and canalmen.....	68		4	6	9	8	6	10	25	
Draymen, hackmen, teamsters, etc.....	317		6	29	54	57	32	37	97	5
Farmers, planters, and farm laborers.....	15,376	59	283	367	626	837	1,204	2,241	9,723	36
Gardeners, florists, nurserymen, and vine growers.....	201		3	6	9	16	24	37	106	
Livery stable keepers and hostlers.....	91		1	2	14	10	16	21	24	3
Lumbermen and raftsmen.....	137		3	11	13	28	17	21	42	2
Miners and quarrymen.....	255	1	13	30	57	56	20	28	50	
Sailors, pilots, fishermen, and oystermen.....	539		8	30	30	50	79	99	237	6
Steam railroad employees.....	547		8	67	111	123	93	57	74	14
Stock raisers, herders, and drovers.....	12					2	2	2	6	
Others of this class.....	255		9	24	38	40	28	27	86	3
All other occupations.....	109	2	7	9	17	19	17	13	25	

OCCUPATIONS—MALES.

121

TABLE 3.—DEATHS, AT EACH AGE, OF WHITE MALES ENGAGED IN EACH OCCUPATION: CENSUS YEAR 1900—Continued.

REGISTRATION CITIES IN OTHER STATES.

OCCUPATIONS.	AGE.									
	All ages.	Under 15	15 to 19	20 to 24	25 to 34	35 to 44	45 to 54	55 to 64	65 and over.	Un- known.
All occupations	46,281	114	1,336	3,027	7,672	8,487	7,938	7,475	10,115	117
Professional.....	2,165		23	119	308	345	341	385	640	4
Architects, artists and teachers of art, etc.....	147		2	13	24	23	24	22	89	
Clergymen.....	325		2	2	31	34	51	64	142	1
Engineers and surveyors.....	243		10	47	67	46	29	20	24	
Journalists.....	121		1	12	17	25	20	27	19	
Lawyers.....	359			7	32	51	66	84	118	1
Musicians and teachers of music.....	190		4	16	27	39	27	33	43	1
Physicians and surgeons.....	433			3	52	68	69	69	171	1
Teachers (school).....	160		1	8	28	16	24	38	45	
Others of this class.....	187		5	11	30	43	31	28	39	
Clerical and official.....	4,236	6	210	466	813	774	628	630	700	9
Bookkeepers, clerks, and copyists.....	2,634	6	197	421	649	521	349	275	213	3
Bankers, brokers, and officials of companies.....	427		3	7	27	39	59	93	198	1
Collectors, auctioneers, and agents.....	839		6	21	86	155	166	186	216	3
Others of this class.....	336		4	17	51	59	54	76	73	2
Mercantile and trading.....	4,465	3	49	170	661	850	812	833	1,076	11
Apothecaries, pharmacists, etc.....	180		3	14	55	33	24	18	33	
Commercial travelers.....	181		15	6	37	42	41	37	15	2
Merchants and dealers.....	2,685	1	11	54	287	466	461	542	855	8
Hucksters and peddlers.....	321	1	4	15	51	56	59	78	66	1
Others of this class.....	1,098	1	30	81	231	253	227	158	117	
Public entertainment.....	1,134		6	28	230	322	235	168	144	1
Hotel and boarding-house keepers.....	180			2	12	28	37	35	66	
Saloon keepers, liquor dealers, bartenders, and restaurant keepers.....	954		6	26	218	294	198	133	78	1
Personal service, police, and military.....	1,378		39	124	262	241	240	235	233	4
Barbers and hairdressers.....	331		9	35	101	79	58	26	23	
Janitors and sextons.....	152		1	3	10	18	29	47	44	
Policemen, watchmen, and detectives.....	517		1	7	53	99	111	128	118	
Soldiers, sailors, and marines (United States).....	258		24	74	72	24	15	22	23	4
Others of this class.....	120		4	5	26	21	27	12	25	
Laboring and servant.....	10,307	38	390	722	1,785	1,940	1,806	1,641	1,955	30
Laborers (not agricultural).....	9,826	36	372	685	1,671	1,818	1,726	1,586	1,906	26
Servants.....	481	2	18	37	114	122	80	55	49	4
Manufacturing and mechanical industry.....	14,756	33	379	856	2,209	2,666	2,646	2,408	3,596	23
Bakers and confectioners.....	370		19	30	58	70	63	59	71	
Blacksmiths.....	590	1	3	20	88	106	103	103	166	
Boot and shoe makers.....	672		6	30	53	70	93	124	295	1
Brewers, distillers, and rectifiers.....	162	1	3	5	16	49	41	26	21	
Butchers.....	508		11	20	102	98	100	80	97	
Cabinetmakers and upholsterers.....	360		5	20	42	62	41	69	119	2
Carpenters and joiners.....	1,771		14	37	139	280	324	338	637	2
Cigar makers and tobacco workers.....	305		8	15	67	75	46	43	50	1
Clock and watch repairers, jewelers, etc.....	96			5	21	15	19	14	22	
Compositors, printers, and pressmen.....	478	2	33	56	127	92	71	43	54	
Coopers.....	280	1	4	8	19	39	47	46	116	
Engineers and firemen (not locomotive).....	916		4	38	166	203	192	164	147	2
Glass blowers and glass workers.....	114		7	14	27	17	23	11	13	2
Hat and cap makers.....	29			4	4	7	3	5	6	
Iron and steel workers.....	734	2	27	68	150	162	144	100	78	3
Leather makers.....	99	1	4	3	13	19	17	12	30	
Leather workers.....	124		5	7	11	24	15	22	40	
Machinists.....	856		37	79	165	154	156	122	143	
Marble and stone cutters.....	192		1	1	20	42	43	42	42	1
Masons (brick and stone).....	529			20	46	93	114	98	155	3
Mill and factory operatives (textiles).....	357	6	32	38	56	57	34	51	83	
Millers (flour and grist).....	90		2	5	7	16	18	17	25	
Painters, glaziers, and varnishers.....	982	2	16	72	148	238	216	153	135	2
Plasterers and whitewashers.....	135		1	3	11	12	43	30	35	
Plumbers, and gas and steam fitters.....	285		13	38	83	56	39	30	26	
Tailors.....	743	5	9	27	95	116	121	124	246	
Tinners and tinware makers.....	205	1	10	12	46	29	38	33	36	
Others of this class.....	2,774	11	105	181	429	405	482	449	708	4
Agriculture, transportation, and other outdoor.....	7,439	12	192	515	1,352	1,343	1,162	1,119	1,711	33
Boatmen and canalmen.....	28		1	2	4	5	8	3	5	
Draymen, hackmen, teamsters, etc.....	1,230	2	49	103	273	249	203	172	178	1
Farmers, planters, and farm laborers.....	1,910	2	44	68	157	180	243	356	849	11
Gardeners, florists, nurserymen, and vine growers.....	281		3	11	32	31	35	56	113	
Livery stable keepers and hostlers.....	140		2	6	17	37	26	23	28	1
Lumbermen and raftsmen.....	99		1	4	14	13	17	24	26	
Miners and quarrymen.....	789	5	17	43	124	175	155	134	131	5
Sailors, pilots, fishermen, and oystermen.....	687		25	43	114	121	122	125	131	6
Steam railroad employees.....	1,543	3	30	170	437	377	240	145	134	7
Stock raisers, herders, and drovers.....	104		3	7	17	15	17	23	21	1
Others of this class.....	628		17	58	163	140	96	58	95	1
All other occupations.....	401	22	48	27	52	66	68	56	60	2

TABLE 3.—DEATHS, AT EACH AGE, OF WHITE MALES ENGAGED IN EACH OCCUPATION: CENSUS YEAR 1900—Continued.

NONREGISTRATION RECORD.

OCCUPATIONS.	AGE.									
	All ages.	Under 15	15 to 19	20 to 24	25 to 34	35 to 44	45 to 54	55 to 64	65 and over.	Un-known.
All occupations.....	115,648	1,666	5,662	8,512	14,322	13,805	15,008	16,867	38,846	960
Professional.....	4,385		41	289	651	532	610	658	1,561	43
Architects, artists and teachers of art, etc.....	74		5	6	9	12	13	5	24	
Clergymen.....	919			12	72	77	116	150	482	10
Engineers and surveyors.....	217		6	27	57	32	25	19	48	3
Journalists.....	115		2	4	22	19	16	26	24	2
Lawyers.....	644			19	66	88	126	122	216	7
Musicians and teachers of music.....	128		6	12	28	22	21	13	26	
Physicians and surgeons.....	1,267		2	17	127	167	196	219	524	15
Teachers (school).....	757		18	180	216	80	60	64	135	4
Others of this class.....	264		2	12	54	35	37	40	82	2
Clerical and official.....	3,624	8	130	285	579	520	487	570	1,011	34
Bookkeepers, clerks, and copyists.....	1,324	4	111	212	345	216	148	143	129	16
Bankers, brokers, and officials of companies.....	764	1	2	12	48	57	72	121	446	5
Collectors, auctioneers, and agents.....	767	2	10	30	86	131	140	153	208	7
Others of this class.....	769	1	7	31	100	116	127	153	228	6
Mercantile and trading.....	5,165	5	116	316	800	885	856	968	1,185	34
Apothecaries, pharmacists, etc.....	344		13	30	73	63	52	58	55	
Commercial travelers.....	257		3	17	55	60	58	40	21	3
Merchants and dealers.....	3,374	3	20	78	377	567	569	743	994	23
Hucksters and peddlers.....	160		2	8	17	29	33	28	42	1
Others of this class.....	1,030	2	78	183	278	166	144	99	73	7
Public entertainment.....	1,778	1	7	32	201	303	272	276	673	13
Hotel and boarding-house keepers.....	984		1	6	23	58	103	179	609	5
Saloon keepers, liquor dealers, bartenders, and restaurant keepers.....	794	1	6	26	178	245	169	97	64	8
Personal service, police, and military.....	1,093	1	54	170	246	168	134	119	180	21
Barbers and hairdressers.....	294		10	39	95	81	31	21	11	6
Janitors and sextons.....	95			3	5	4	15	21	45	2
Policemen, watchmen, and detectives.....	257		3	6	41	44	50	49	60	4
Soldiers, sailors, and marines (United States).....	273		41	101	78	15	9	6	16	7
Others of this class.....	174	1		21	27	24	29	22	48	2
Laboring and servant.....	10,701	128	849	1,241	1,710	1,528	1,434	1,374	2,294	143
Laborers (not agricultural).....	10,438	120	826	1,206	1,658	1,479	1,401	1,346	2,265	137
Servants.....	263	8	23	35	52	49	33	28	29	6
Manufacturing and mechanical industry.....	15,676	58	392	937	1,909	1,986	2,203	2,486	5,585	120
Bakers and confectioners.....	191		8	19	42	24	19	16	60	3
Blacksmiths.....	1,525	3	32	67	124	184	206	251	650	8
Boot and shoe makers.....	663		2	9	25	39	64	123	394	7
Brewers, distillers, and rectifiers.....	69			2	6	18	13	16	14	
Butchers.....	447	2	10	17	73	79	82	74	106	4
Cabinetmakers and upholsterers.....	196		5	5	15	11	19	29	108	4
Carpenters and joiners.....	3,572	1	25	89	294	392	503	655	1,590	23
Cigar makers and tobacco workers.....	220	5	15	26	54	44	24	22	28	2
Clock and watch repairers, jewelers, etc.....	151	1	3	11	17	25	23	32	38	1
Compositors, printers, and pressmen.....	304	2	15	46	91	42	40	32	39	3
Coopers.....	253	1	3	4	10	15	16	47	156	1
Engineers and firemen (not locomotive).....	706		17	76	140	157	120	106	87	3
Glass blowers and glass workers.....	107	1	13	21	21	16	18	12	5	
Hat and cap makers.....	5			1		1		1	2	
Iron and steel workers.....	426		17	45	94	72	65	45	87	1
Leather makers.....	55		1	4	4	2	5	9	28	2
Leather workers.....	246	1	6	18	24	15	32	49	100	1
Machinists.....	622	3	33	67	120	81	105	87	124	2
Marble and stone cutters.....	143			8	12	34	32	24	32	1
Masons (brick and stone).....	887		5	23	57	80	130	175	399	18
Mill and factory operatives (textiles).....	454	29	67	84	72	63	46	29	62	2
Millers (flour and grist).....	427	2	4	14	33	44	55	75	195	5
Painters, glaziers, and varnishers.....	810		14	68	147	147	145	124	137	8
Plasterers and whitewashers.....	173			8	15	20	25	35	68	2
Plumbers, and gas and steam fitters.....	95		7	17	34	12	13	8	4	
Tailors.....	388		5	9	29	40	31	52	221	1
Tinners and tinware makers.....	200		5	18	38	34	31	29	45	
Others of this class.....	2,341	7	80	161	318	295	341	335	786	18
Agriculture, transportation, and other outdoor.....	72,904	1,449	4,042	5,221	8,167	7,837	8,967	10,364	26,309	548
Boatmen and canalmen.....	37	3	1	1	3	7	8	6	8	
Draymen, hackmen, teamsters, etc.....	1,044	10	64	100	176	176	195	160	151	12
Farmers, planters, and farm laborers.....	61,926	1,360	3,509	4,042	5,925	5,854	7,250	8,973	24,684	329
Gardeners, florists, nurserymen, and vine growers.....	365	1	7	4	17	29	35	77	194	1
Livery stable keepers and hostlers.....	257		5	20	36	58	41	50	45	2
Lumbermen and raftsmen.....	275	1	7	18	52	58	43	29	57	10
Miners and quarrymen.....	4,310	62	254	411	816	792	721	583	569	102
Sailors, pilots, fishermen, and oystermen.....	581	3	24	66	83	87	102	84	122	10
Steam railroad employees.....	2,585	2	93	394	746	519	334	229	224	44
Stock raisers, herders, and drovers.....	605	7	26	46	89	100	98	85	137	17
Others of this class.....	919		52	119	224	157	140	88	118	21
All other occupations.....	322	16	31	21	59	46	45	52	48	4

TABLE 4.

DEATHS IN THE UNITED STATES, THE REGISTRATION AREA AND ITS SUBDIVISIONS
AND THE NONREGISTRATION AREA, DURING THE CENSUS YEAR ENDING
MAY 31, 1900, AT THE SPECIFIED AGES, OF COLORED MALES
ENGAGED IN EACH OCCUPATION AND
CLASS OF OCCUPATIONS.

NORE.—Occupation not reported in the registration returns for certain cities. See note on page 75.

OCCUPATIONS—MALES.

125

TABLE 4.—DEATHS, AT EACH AGE, OF COLORED MALES ENGAGED IN EACH OCCUPATION: CENSUS YEAR 1900.

THE UNITED STATES.

OCCUPATIONS.	AGE.									
	All ages.	Under 15	15 to 19	20 to 24	25 to 34	35 to 44	45 to 54	55 to 64	65 and over.	Un- known.
All occupations.....	34,669	907	3,078	4,522	5,947	4,700	4,665	3,962	6,400	489
Professional.....	524		4	43	93	101	92	68	115	8
Architects, artists and teachers of art, etc.....	3		1				2			
Clergymen.....	291		1	7	25	61	53	51	89	4
Engineers and surveyors.....	1							1		
Journalists.....	4					2	1		1	
Lawyers.....	12			1	3	1	2	3	2	
Musicians and teachers of music.....	54			10	18	12	6	3	5	
Physicians and surgeons.....	37			1	3	6	13	5	9	
Teachers (school).....	100		1	20	39	14	13	3	6	4
Others of this class.....	22		1	4	5	5	2	2	3	
Clerical and official.....	165	1	11	22	36	39	23	12	21	
Bookkeepers, clerks, and copyists.....	109	1	10	19	28	27	7	8	9	
Bankers, brokers, and officials of companies.....	8			1			3	1	3	
Collectors, auctioneers, and agents.....	22			2	4	3	6	1	6	
Others of this class.....	26		1		4	9	7	2	3	
Mercantile and trading.....	744	1	50	107	186	135	119	82	62	2
Apothecaries, pharmacists, etc.....	10				1	1	3	3	2	
Commercial travelers.....										
Merchants and dealers.....	141		7	6	25	28	32	29	14	
Hucksters and peddlers.....	44			3	6	9	10	7	9	
Others of this class.....	549	1	43	98	154	97	74	43	37	2
Public entertainment.....	96		2	4	26	23	21	12	8	
Hotel and boarding-house keepers.....	18			1	1	6	3	3	4	
Saloonkeepers, liquordealers, bartenders, and restaurant keepers.....	78		2	3	25	17	18	9	4	
Personal service, police, and military.....	894	1	18	66	183	196	210	128	82	10
Barbers and hairdressers.....	381		10	25	97	86	81	52	24	6
Janitors and sextons.....	178			8	16	30	41	42	40	1
Policemen, watchmen, and detectives.....	50			4	9	9	11	7	9	1
Soldiers, sailors, and marines (United States).....	34		3	10	10	5	4	2		
Others of this class.....	251	1	5	19	51	66	73	25	9	2
Laboring and servant.....	11,286	152	909	1,626	2,256	1,806	1,597	1,228	1,568	144
Laborers (not agricultural).....	9,997	128	835	1,432	1,956	1,557	1,401	1,112	1,443	133
Servants.....	1,289	24	74	194	300	249	196	116	125	11
Manufacturing and mechanical industry.....	1,992	14	60	151	305	295	331	307	499	30
Bakers and confectioners.....	30		3	5	8	10	3		1	
Blacksmiths.....	239		4	11	16	17	31	42	114	4
Boot and shoe makers.....	120		1	5	15	15	19	26	38	1
Brewers, distillers, and rectifiers.....										
Butchers.....	55		2	9	15	12	6	2	9	
Cabinetmakers and upholsterers.....	20			1	6	2	5	3	3	
Carpenters and joiners.....	438	1	5	17	35	60	69	88	153	10
Cigar makers and tobacco workers.....	109	5	11	23	18	16	18	9	8	1
Clock and watch repairers, jewelers, etc.....	3				1	1			1	
Compositors, printers, and pressmen.....	16		2	2	5		1	2	4	
Coopers.....	52		1	7	8	8	9	7	12	
Engineers and firemen (not locomotive).....	12		1	8	35	29	30	18	15	3
Glass blowers and glass workers.....	4		1		1	2				
Hat and cap makers.....	2					1			1	
Iron and steel workers.....	34	1		8	5	14	3		3	
Leather makers.....	3				2				1	
Leather workers.....	7	1			1		1	2	1	1
Machinists.....	22		2	3	3	3	6	2	1	2
Marble and stone cutters.....	10				2	2	5	1		
Masons (brick and stone).....	171		2	7	27	17	30	29	55	4
Mill and factory operatives (textiles).....	31	2	3	3	11	7	2	2	1	
Millers (flour and grist).....	9				2		2	3		
Painters, glaziers, and varnishers.....	89		2	5	19	18	24	13	8	
Plasterers and whitewashers.....	97	1		2	7	10	24	20	32	1
Plumbers, and gas and steam fitters.....	11			1	3	2		4	1	
Tailors.....	24		1	3	10	4	3	1	1	1
Tinners and tinware makers.....	18		2	2	4	1	2	2	5	
Others of this class.....	239	3	17	29	46	44	38	31	29	2
Agriculture, transportation, and other outdoor.....	18,785	732	2,005	2,480	2,827	2,075	2,247	2,106	4,022	291
Boatmen and canalmen.....	15		1	2	3	5	2	1	1	
Draymen, hackmen, teamsters, etc.....	703	3	47	88	113	134	119	104	82	13
Farmers, planters, and farm laborers.....	15,990	712	1,803	1,998	2,199	1,594	1,888	1,853	3,715	228
Gardeners, florists, nurserymen, and vine growers.....	160		2	5	8	11	17	39	78	
Livery stable keepers and hostlers.....	152		8	22	34	24	30	18	15	1
Lumbermen and raftsmen.....	40		1	8	11	8	6	3	3	
Miners and quarrymen.....	428	4	37	101	108	68	45	25	25	15
Sailors, pilots, fishermen, and oystermen.....	301	7	26	47	53	54	46	25	38	5
Steam railroad employees.....	703	2	61	163	232	129	54	19	18	25
Stock raisers, herders, and drovers.....	44	1	1	4	14	7	6	4	7	
Others of this class.....	249	3	18	42	52	41	34	15	40	4
All other occupations.....	183	6	19	23	35	30	25	19	23	3

TABLE 4.—DEATHS, AT EACH AGE, OF COLORED MALES ENGAGED IN EACH OCCUPATION: CENSUS YEAR 1900—Con.

THE REGISTRATION RECORD.

OCCUPATIONS.	AGE.									
	All ages.	Under 15	15 to 19	20 to 24	25 to 34	35 to 44	45 to 54	55 to 64	65 and over.	Un-known.
All occupations	9,087	41	440	1,032	1,861	1,736	1,594	1,123	1,232	28
Professional	179		1	15	30	36	33	26	38	
Architects, artists and teachers of art, etc.	1						1			
Clergymen	82			1	7	14	16	18	26	
Engineers and surveyors										
Journalists	2					1			1	
Lawyers	4				1		1	2		
Musicians and teachers of music	39			6	13	9	5	2	4	
Physicians and surgeons	19			1	2	5	5	2	4	
Teachers (school)	17			6	3	3	3	1	1	
Others of this class	15		1	1	4	4	2	1	2	
Clerical and official	87		5	11	22	25	10	5	9	
Bookkeepers, clerks, and copyists	66		5	10	20	21	2	4	4	
Bankers, brokers, and officials of companies	2						1		1	
Collectors, auctioneers, and agents	15			1	2	2	5	1	4	
Others of this class	4					2	2			
Mercantile and trading	503	1	25	69	122	95	93	54	43	1
Apothecaries, pharmacists, etc.	8					1	3	3	1	
Commercial travelers										
Merchants and dealers	82		1	3	12	16	23	18	9	
Hucksters and peddlers	23			2	4	4	8	4	6	
Others of this class	385	1	24	64	106	74	59	29	27	1
Public entertainment	47		1	2	13	9	13	6	3	
Hotel and boarding-house keepers	2						2			
Saloon keepers, liquor dealers, bartenders, and restaurant keepers	45		1	2	13	9	11	6	3	
Personal service, police, and military	567		5	34	114	144	147	76	45	2
Barbers and hairdressers	192		2	5	46	51	44	29	14	1
Janitors and sextons	126			5	13	25	31	29	23	
Policemen, watchmen, and detectives	20				3	5	6	3	2	1
Soldiers, sailors, and marines (United States)	20		1	7	6	2	3	1		
Others of this class	209		2	17	46	61	63	14	6	
Laboring and servant	5,797	31	304	711	1,235	1,091	970	691	746	18
Laborers (not agricultural)	4,974	24	275	610	1,035	899	835	610	668	18
Servants	823	7	29	101	200	192	135	81	78	
Manufacturing and mechanical industry	760	3	22	54	113	144	144	126	152	2
Bakers and confectioners	18		3	4	3	7			1	
Blacksmiths	37		1	4	1	2	4	6	19	
Boot and shoe makers	62		1	3	11	8	10	17	12	
Brewers, distillers, and rectifiers										
Butchers	23			3	5	6	2	1	6	
Cabinetmakers and upholsterers	13			1	3	2	3	3	1	
Carpenters and joiners	121			1	8	20	23	33	36	
Cigarmakers and tobacco workers	45		1	7	7	8	11	4	6	1
Clock and watch repairers, jewelers, etc.										
Compositors, printers, and pressmen	10		2	1	2		1	1	3	
Coopers	24		1	2	4	4	6	3	4	
Engineers and firemen (not locomotive)	54			3	13	13	12	7	6	
Glass blowers and glass workers	2		1			1				
Hat and cap makers	2					1			1	
Iron and steel workers	19	1		4	2	10	2			
Leather makers	1								1	
Leather workers	2						1		1	
Machinists	10		2	1		2	3	1	1	
Marble and stone cutters	3					2	1			
Masons (brick and stone)	59		2	1	7	8	7	16	18	
Mill and factory operatives (textiles)	13		1	2	5	3		1	1	
Millers (flour and grist)							18			
Painters, glaziers, and varnishers	48		1	4	9	11	18	4	1	
Plasterers and whitewashers	54	1		1	2	5	15	11	18	1
Plumbers, and gas and steam fitters	3				1			1	1	
Tailors	16			1	7	3	3	1	1	
Tinners and tinware makers	5		1	2			1			
Others of this class	116	1	5	9	22	28	21	16	14	
Agriculture, transportation, and other outdoor	1,040	3	64	120	188	175	172	131	183	4
Boatmen and canalmen	8		1	2	1	2	1		1	
Draymen, hackmen, teamsters, etc.	336	1	25	39	64	65	61	47	32	2
Farmers, planters, and farm laborers	286	2	20	19	31	34	37	41	101	1
Gardeners, florists, nurserymen, and vine growers	48		1	2	4	9	6	10	16	
Livery stable keepers and hostlers	85		4	9	21	15	17	12	7	
Lumbermen and raftsmen	4				1	1	1	1		
Miners and quarrymen	27		2	4	7	5	4	3	1	1
Sailors, pilots, fishermen, and oystermen	116		7	23	29	20	22	9	6	
Steam railroad employees	96		2	19	28	22	16	3	6	
Stock raisers, herders, and drovers	5						2	2	1	
Others of this class	29		2	3	2	2	5	3	12	
All other occupations	107	3	13	16	24	17	12	8	13	1

OCCUPATIONS—MALES.

127

TABLE 4.—DEATHS, AT EACH AGE, OF COLORED MALES ENGAGED IN EACH OCCUPATION: CENSUS YEAR 1900—Con.

REGISTRATION CITIES.

OCCUPATIONS.	AGE.									
	All ages.	Under 15	15 to 19	20 to 24	25 to 34	35 to 44	45 to 54	55 to 64	65 and over.	Un-known.
All occupations.....	8,628	36	423	998	1,802	1,680	1,586	1,044	1,086	23
Professional.....	163		1	12	28	35	32	22	33	
Architects, artists and teachers of art, etc.....	1						1			
Clergymen.....	75			1	6	14	16	16	22	
Engineers and surveyors.....	2									
Journalists.....	2					1			1	
Lawyers.....	4				1		1	2		
Musicians and teachers of music.....	36			4	12	9	5	2	4	
Physicians and surgeons.....	17			1	2	4	5	1	4	
Teachers (school).....	14			5	3	3	2		1	
Others of this class.....	14		1	1	4	4	2	1	1	
Clerical and official.....	85		4	11	22	24	10	5	9	
Bookkeepers, clerks, and copyists.....	64		4	10	20	20	2	4	4	
Bankers, brokers, and officials of companies.....	2						1		1	
Collectors, auctioneers, and agents.....	15			1	2	2	5	1	4	
Others of this class.....	4					2	2			
Mercantile and trading.....	501	1	25	69	121	95	92	54	43	1
Apothecaries, pharmacists, etc.....	8					1	3	3	1	
Commercial travelers.....										
Merchants and dealers.....	82		1	3	12	16	23	18	9	
Hucksters and peddlers.....	28			2	4	4	8	4	6	
Others of this class.....	383	1	24	64	105	74	58	29	27	1
Public entertainment.....	45		1	2	13	7	13	6	3	
Hotel and boarding-house keepers.....	2						2			
Saloonkeepers, liquordealers, bartenders, and restaurantkeepers.....	43		1	2	13	7	11	6	3	
Personal service, police, and military.....	548		5	33	112	141	143	73	40	1
Barbers and hairdressers.....	177		2	4	45	49	42	26	9	
Janitors and sextons.....	125			5	13	24	31	29	23	
Policemen, watchmen, and detectives.....	19				2	5	6	3	2	1
Soldiers, sailors, and marines (United States).....	19		1	7	6	2	2	1		
Others of this class.....	208		2	17	46	61	62	14	6	
Laboring and servant.....	5,548	29	296	689	1,196	1,064	937	649	673	15
Laborers (not agricultural).....	4,761	22	268	593	1,005	879	805	573	601	15
Servants.....	787	7	28	96	191	185	132	76	72	
Manufacturing and mechanical industry.....	728	2	21	54	110	136	141	123	139	2
Bakers and confectioners.....	18		3	4	3	7			1	
Blacksmiths.....	33		1	4	1	2	4	6	15	
Boot and shoe makers.....	61		1	3	11	8	10	17	11	
Brewers, distillers, and rectifiers.....										
Butchers.....	23			3	5	6	2	1	6	
Cabinetmakers and upholsterers.....	13			1	3	2	3	3	1	
Carpenters and joiners.....	117			1	8	20	22	33	33	
Cigar makers and tobacco workers.....	45		1	7	7	8	11	4	6	1
Clock and watch repairers, jewelers, etc.....										
Compositors, printers, and pressmen.....	9		2	1	2			1	3	
Coopers.....	23		1	2	4	4	6	3	3	
Engineers and firemen (not locomotive).....	52			3	12	12	12	7	6	
Glass blowers and glass workers.....										
Hat and cap makers.....	1								1	
Iron and steel workers.....	19	1		4	2	10	2			
Leather makers.....	1								1	
Leather workers.....	2						1		1	
Machinists.....	10		2	1		2	3	1	1	
Marble and stone cutters.....	2					1	1			
Masons (brick and stone).....	56		2	1	7	7	7	15	17	
Mill and factory operatives (textiles).....	12		1	2	5	2		1	1	
Millers (flour and grist).....										
Painters, glaziers, and varnishers.....	46		1	4	8	11	18	3	1	
Plasterers and whitewashers.....	51	1		1	2	5	15	11	15	1
Plumbers, and gas and steam fitters.....	3				1			1	1	
Tailors.....	16			1	7	3	3	1	1	
Tinners and tinware makers.....	5		1	2	1		1			
Others of this class.....	110		5	9	21	26	20	15	14	
Agriculture, transportation, and other outdoor.....	905	1	57	113	177	161	156	104	133	3
Boatmen and canalmen.....	6			2		2	1		1	
Draymen, hackmen, teamsters, etc.....	327	1	24	38	64	64	58	45	31	2
Farmers, planters, and farm laborers.....	189		16	17	24	26	27	23	56	
Gardeners, florists, nurserymen, and vine growers.....	45		1	2	4	9	6	8	15	
Livery stable keepers and hostlers.....	76		3	8	19	13	15	11	7	
Lumbermen and raftsmen.....	3				1	1	1			
Miners and quarrymen.....	26		2	4	7	4	4	3	1	1
Sailors, pilots, fishermen, and oystermen.....	109		7	20	29	19	22	7	5	
Steam railroad employees.....	93		2	19	27	21	15	3	6	
Stock raisers, herders, and drovers.....	5						2	2	1	
Others of this class.....	26		2	3	2	2	5	2	10	
All other occupations.....	105	3	13	15	23	17	12	8	13	1

TABLE 4.—DEATHS, AT EACH AGE, OF COLORED MALES ENGAGED IN EACH OCCUPATION: CENSUS YEAR 1900—Con.
REGISTRATION STATES.

OCCUPATIONS.	AGE.									
	All ages.	Under 15	15 to 19	20 to 24	25 to 34	35 to 44	45 to 54	55 to 64	65 and over.	Un-known.
All occupations.....	2,266	10	81	228	443	396	370	320	412	6
Professional.....	60			6	16	7	5	12	14	
Architects, artists and teachers of art, etc.....	1						1			
Clergymen.....	26				4	3	1	8	10	
Engineers and surveyors.....										
Journalists.....										
Lawyers.....										
Musicians and teachers of music.....	18			4	10		1	1	2	
Physicians and surgeons.....	4					1	1	2		
Teachers (school).....	7			2	1	1	1	1	1	
Others of this class.....	4				1	2			1	
Clerical and official.....	38		3	6	7	10	7	1	4	
Bookkeepers, clerks, and copyists.....	31		3	6	7	10	2	1	2	
Bankers, brokers, and officials of companies.....	2						1		1	
Collectors, auctioneers, and agents.....	5						4		1	
Others of this class.....										
Mercantile and trading.....	135	1	5	13	34	30	26	12	14	
Apothecaries, pharmacists, etc.....	4					1	2	1		
Commercial travelers.....										
Merchants and dealers.....	9									
Hucksters and peddlers.....	7				1	1	3	3	4	
Others of this class.....	115	1	5	13	33	27	20	7	9	
Public entertainment.....	15				6	4	4	1		
Hotel and boarding-house keepers.....	1						1			
Saloon keepers, liquor dealers, bartenders, and restaurant keepers.....	14				6	4	3	1		
Personal service, police, and military.....	225		3	17	47	52	57	28	20	1
Barbers and hairdressers.....	51		1	1	10	10	8	12	8	1
Janitors and sextons.....	47			1	4	6	13	13	10	
Policemen, watchmen, and detectives.....	9				1	3	3	1	1	
Soldiers, sailors, and marines (United States).....	8			3	2	2	1			
Others of this class.....	110		2	12	30	31	32	2	1	
Laboring and servant.....	1,287	5	46	141	258	213	199	192	229	4
Laborers (not agricultural).....	950	4	38	97	180	136	150	147	194	4
Servants.....	337	1	8	44	78	77	49	45	35	
Manufacturing and mechanical industry.....	162	1	4	12	22	31	29	27	36	
Bakers and confectioners.....	2			1		1				
Blacksmiths.....	9			1			2	1	5	
Boot and shoe makers.....	16				2	2	1	6	5	
Brewers, distillers, and rectifiers.....										
Butchers.....	4			1		2			1	
Cabinetmakers and upholsterers.....	6			1	3	1		1		
Carpenters and joiners.....	19				2	1	4	4	8	
Cigar makers and tobacco workers.....	7			2		2	1	1	1	
Clock and watch repairers, jewelers, etc.....										
Compositors, printers, and pressmen.....	5		1	1	1		1	1		
Coopers.....	4				2				2	
Engineers and firemen (not locomotive).....	12			1	3	3	3	1	1	
Glass blowers and glass workers.....	2		1			1				
Hat and cap makers.....	1					1				
Iron and steel workers.....	1					1				
Leather makers.....										
Leather workers.....						1				
Machinists.....	4		1			1	2			
Marble and stone cutters.....	1					1				
Masons (brick and stone).....	14			1		2	2	4	5	
Mill and factory operatives (textiles).....	2				1	1				
Millers (flour and grist).....										
Painters, glaziers, and varnishers.....	9		1	1	1	1	4	1		
Plasterers and whitewashers.....	16					2	4	4	6	
Plumbers, and gas and steam fitters.....										
Tailors.....	3				1	1		1		
Tinners and tinware makers.....	2				1					
Others of this class.....	23	1		2	5	7	1	2	2	
Agriculture, transportation, and other outdoor.....	309	2	17	29	44	45	40	44	87	1
Boatmen and canalmen.....	4		1	1	1				1	
Draymen, hackmen, teamsters, etc.....	68		6	7	14	14	8	10	9	
Farmers, planters, and farm laborers.....	133	2	6	9	10	14	13	20	58	1
Gardeners, florists, nurserymen, and vine growers.....	19			1	3	2	2	5	6	
Livery stable keepers and hostlers.....	42		3	5	8	5	10	4	7	
Lumbermen and raftsmen.....	1							1		
Miners and quarrymen.....	5				3	1	1			
Sailors, pilots, fishermen, and oystermen.....	23			6	3	6	4	2	2	
Steam railroad employees.....	9		1		2	3	2	1		
Stock raisers, herders, and drovers.....										
Others of this class.....	5							1	4	
All other occupations.....	35	1	3	4	9	4	3	3	8	

OCCUPATIONS—MALES.

129

TABLE 4.—DEATHS, AT EACH AGE, OF COLORED MALES ENGAGED IN EACH OCCUPATION: CENSUS YEAR 1900—Con.

CITIES IN REGISTRATION STATES.

OCCUPATIONS.	AGE.									
	All ages.	Under 15	15 to 19	20 to 24	25 to 34	35 to 44	45 to 54	55 to 64	65 and over.	Un-known.
All occupations.....	1,807	5	64	194	384	340	312	241	266	1
Professional.....	44			3	14	6	4	8	9	
Architects, artists and teachers of art, etc.....	1						1			
Clergymen.....	19				3	3	1	6	6	
Engineers and surveyors.....										
Journalists.....										
Lawyers.....										
Musicians and teachers of music.....	15			2	9		1	1	2	
Physicians and surgeons.....	2						1	1		
Teachers (school).....	4			1	1	1			1	
Others of this class.....	3				1	2				
Clerical and official.....	36		2	6	7	9	7	1	4	
Bookkeepers, clerks, and copyists.....	29		2	6	7	9	2	1	2	
Bankers, brokers, and officials of companies.....	2						1		1	
Collectors, auctioneers, and agents.....	5						4		1	
Others of this class.....										
Mercantile and trading.....	133	1	5	13	33	30	25	12	14	
Apothecaries, pharmacists, etc.....	4					1	2	1		
Commercial travelers.....						1				
Merchants and dealers.....	9					1	1	3	4	
Hucksters and peddlers.....	7				1	1	3	1	1	
Others of this class.....	113	1	5	13	32	27	19	7	9	
Public entertainment.....	13				6	2	4	1		
Hotel and boarding-house keepers.....	1						1			
Saloon keepers, liquor dealers, bartenders, and restaurant keepers.....	12				6	2	3	1		
Personal service, police, and military.....	206		3	16	45	49	53	25	15	
Barbers and hairdressers.....	36		1		9	8	6	9	3	
Janitors and sextons.....	46			1	4	5	13	13	10	
Policemen, watchmen, and detectives.....	8					3	3	1	1	
Soldiers, sailors, and marines (United States).....	7			3	2	2				
Others of this class.....	109		2	12	30	31	31	2	1	
Laboring and servant.....	1,038	3	38	119	219	186	166	150	156	1
Laborers (not agricultural).....	737	2	31	80	150	116	120	110	127	1
Servants.....	301	1	7	39	69	70	46	40	29	
Manufacturing and mechanical industry.....	130		3	12	19	23	26	24	23	
Bakers and confectioners.....	2			1		1				
Blacksmiths.....	5			1			2	1	1	
Boot and shoe makers.....	15				2	2	1	6	4	
Brewers, distillers, and rectifiers.....										
Butchers.....	4			1		2			1	
Cabinetmakers and upholsterers.....	6			1	3	1		1		
Carpenters and joiners.....	15				2	1	3	4	5	
Cigar makers and tobacco workers.....	7			2		2	1	1	1	
Clock and watch repairers, jewelers, etc.....										
Compositors, printers, and pressmen.....	4		1	1	1			1		
Coopers.....	3				2				1	
Engineers and firemen (not locomotive).....	10			1	2	2	3	1	1	
Glass blowers and glass workers.....										
Hat and cap makers.....										
Iron and steel workers.....	1					1				
Leather makers.....										
Leather workers.....										
Machinists.....	4		1			1	2			
Marble and stone cutters.....										
Masons (brick and stone).....	11			1		1	2	3	4	
Mill and factory operatives (textiles).....	1				1					
Millers (flour and grist).....										
Painters, glaziers, and varnishers.....	7		1	1		1	4			
Plasterers and whitewashers.....	13					2	4	4	3	
Plumbers, and gas and steam fitters.....										
Tailors.....	3				1	1		1		
Tinners and tinware makers.....	2				1		1			
Others of this class.....	17			2	4	5	3	1	2	
Agriculture, transportation, and other outdoor.....	174		10	22	33	31	24	17	37	
Boatmen and canalmen.....	2			1					1	
Draymen, hackmen, teamsters, etc.....	59		5	6	14	13	5	8	8	
Farmers, planters, and farm laborers.....	36		2	7	3	6	3	2	13	
Gardeners, florists, nurserymen, and vine growers.....	16			1	3	2	2	3	5	
Livery stable keepers and hostlers.....	33		2	4	6	3	8	3	7	
Lumbermen and raftsmen.....										
Miners and quarrymen.....	4				3		1			
Sailors, pilots, fishermen, and oystermen.....	16			3	3	5	4		1	
Steam railroad employees.....	6		1		1	2	1	1		
Stock raisers, herders, and drovers.....										
Others of this class.....	2								2	
All other occupations.....	33	1	3	3	8	4	3	3	8	

TABLE 4.—DEATHS, AT EACH AGE, OF COLORED MALES ENGAGED IN EACH OCCUPATION: CENSUS YEAR 1900—Con.
RURAL PART OF REGISTRATION STATES.

OCCUPATIONS.	AGE.									
	All ages.	Under 15	15 to 19	20 to 24	25 to 34	35 to 44	45 to 54	55 to 64	65 and over.	Un-known.
All occupations.....	459	5	17	34	59	56	58	79	146	5
Professional.....	16			3	2	1	1	4	5	
Architects, artists and teachers of art, etc.....										
Clergymen.....	7				1			2	4	
Engineers and surveyors.....										
Journalists.....										
Lawyers.....										
Musicians and teachers of music.....	3			2	1					
Physicians and surgeons.....	2					1		1		
Teachers (school).....	3			1			1	1		
Others of this class.....	1								1	
Clerical and official.....	2		1			1				
Bookkeepers, clerks, and copyists.....	2		1			1				
Bankers, brokers, and officials of companies.....										
Collectors, auctioneers, and agents.....										
Others of this class.....										
Mercantile and trading.....	2				1		1			
Apothecaries, pharmacists, etc.....										
Commercial travelers.....										
Merchants and dealers.....										
Hucksters and peddlers.....										
Others of this class.....	2				1		1			
Public entertainment.....	2					2				
Hotel and boarding-house keepers.....										
Saloon keepers, liquor dealers, bartenders, and restaurant keepers.....	2					2				
Personal service, police, and military.....	19			1	2	3	4	3	5	1
Barbers and hairdressers.....	15			1	1	2	2	3	5	1
Janitors and sextons.....	1					1				
Policemen, watchmen, and detectives.....	1				1					
Soldiers, sailors, and marines (United States).....	1						1			
Others of this class.....	1						1			
Laboring and servant.....	249	2	8	22	39	27	33	42	73	3
Laborers (not agricultural).....	213	2	7	17	30	20	30	37	67	3
Servants.....	36		1	5	9	7	3	5	6	
Manufacturing and mechanical industry.....	32	1	1		3	8	3	3	13	
Bakers and confectioners.....										
Blacksmiths.....	4								4	
Boot and shoe makers.....	1								1	
Brewers, distillers, and rectifiers.....										
Butchers.....										
Cabinetmakers and upholsterers.....										
Carpenters and joiners.....	4						1		3	
Cigar makers and tobacco workers.....										
Clock and watch repairers, jewelers, etc.....										
Compositors, printers, and pressmen.....	1						1			
Coopers.....	1								1	
Engineers and firemen (not locomotive).....	2				1	1				
Glass blowers and glass workers.....	2		1			1				
Hat and cap makers.....	1					1				
Iron and steel workers.....										
Leather makers.....										
Leather workers.....										
Machinists.....										
Marble and stone cutters.....	1					1				
Masons (brick and stone).....	3					1		1	1	
Mill and factory operatives (textiles).....	1					1				
Millers (flour and grist).....										
Painters, glaziers, and varnishers.....	2				1			1		
Plasterers and whitewashers.....	3								3	
Plumbers, and gas and steam fitters.....										
Tailors.....										
Tinners and tinware makers.....										
Others of this class.....	6	1			1	2	1	1		
Agriculture, transportation, and other outdoor.....	135	2	7	7	11	14	16	27	50	1
Boatmen and canalmen.....	2		1		1					
Draymen, hackmen, teamsters, etc.....	9		1	1		1	3	2	1	
Farmers, planters, and farm laborers.....	97	2	4	2	7	8	10	18	45	1
Gardeners, florists, nurserymen, and vine growers.....	3							2	1	
Livery stable keepers and hostlers.....	9		1	1	2	2	2	1		
Lumbermen and raftsmen.....	1							1		
Miners and quarrymen.....	1									
Sailors, pilots, fishermen, and oystermen.....	7			3		1		2	1	
Steam railroad employees.....	3				1	1	1			
Stock raisers, herders, and drovers.....										
Others of this class.....	3							1	2	
All other occupations.....	2			1	1					

OCCUPATIONS—MALES.

131

TABLE 4.—DEATHS, AT EACH AGE, OF COLORED MALES ENGAGED IN EACH OCCUPATION: CENSUS YEAR 1900—Con.

REGISTRATION CITIES IN OTHER STATES.

OCCUPATIONS.	AGE.									
	All ages.	Under 15	15 to 19	20 to 24	25 to 34	35 to 44	45 to 54	55 to 64	65 and over.	Un- known.
All occupations	6,821	31	359	804	1,418	1,340	1,224	803	820	22
Professional.....	119		1	9	14	29	28	14	24	
Architects, artists and teachers of art, etc.....										
Clergymen.....	56			1	3	11	15	10	16	
Engineers and surveyors.....										
Journalists.....	2					1			1	
Lawyers.....	4				1		1	2		
Musicians and teachers of music.....	21			2	3	9	4	1	2	
Physicians and surgeons.....	15			1	2	4	4		4	
Teachers (school).....	10			4	2	2	2			
Others of this class.....	11		1	1	3	2	2	1	1	
Clerical and official.....	49		2	5	15	15	3	4	5	
Bookkeepers, clerks, and copyists.....	35		2	4	13	11		3	2	
Bankers, brokers, and officials of companies.....										
Collectors, auctioneers, and agents.....	10			1	2	2	1	1	3	
Others of this class.....	4					2	2			
Mercantile and trading.....	368		20	56	88	65	67	42	29	1
Apothecaries, pharmacists, etc.....	4						1	2	1	
Commercial travelers.....										
Merchants and dealers.....	73		1	3	12	15	22	15	5	
Hucksters and peddlers.....	21			2	3	3	5	3	5	
Others of this class.....	270		19	51	73	47	39	22	18	1
Public entertainment.....	32		1	2	7	5	9	5	3	
Hotel and boarding-house keepers.....	1						1			
Saloon keepers, liquor dealers, bartenders, and restaurant keepers.....	31		1	2	7	5	8	5	3	
Personal service, police, and military.....	342		2	17	67	92	90	48	25	1
Barbers and hairdressers.....	141		1	4	36	41	36	17	6	
Janitors and sextons.....	79			4	9	19	18	16	13	
Policemen, watchmen, and detectives.....	11				2	2	3	2	1	1
Soldiers, sailors, and marines (United States).....	12		1	4	4		2	1		
Others of this class.....	99			5	16	30	31	12	5	
Laboring and servant.....	4,510	26	258	570	977	878	771	499	517	14
Laborers (not agricultural).....	4,024	20	237	513	855	763	685	463	474	14
Servants.....	486	6	21	57	122	115	86	36	43	
Manufacturing and mechanical industry.....	598	2	18	42	91	113	115	99	116	2
Bakers and confectioners.....	16		3	3	3	6			1	
Blacksmiths.....	28		1	3	1	2	2	5	14	
Boot and shoe makers.....	46		1	3	9	6	9	11	7	
Brewers, distillers, and rectifiers.....										
Butchers.....	19			2	5	4	2	1	5	
Cabinetmakers and upholsterers.....	7					1	3	2	1	
Carpenters and joiners.....	102			1	6	19	19	29	28	
Cigar makers and tobacco workers.....	38		1	5	7	6	10	3	5	1
Clock and watch repairers, jewelers, etc.....										
Compositors, printers, and pressmen.....	5		1		1				3	
Coopers.....	20		1	2	2	4	6	3	2	
Engineers and firemen (not locomotive).....	42			2	10	10	9	6	5	
Glass blowers and glass workers.....										
Hat and cap makers.....	1								1	
Iron and steel workers.....	18	1		4	2	9	2			
Leather makers.....	1								1	
Leather workers.....	2						1		1	
Machinists.....	6		1	1		1	1	1	1	
Marble and stone cutters.....	2					1	1			
Masons (brick and stone).....	45		2		7	6	5	12	13	
Mill and factory operatives (textiles).....	11		1	2	4	2		1	1	
Millers (flour and grist).....										
Painters, glaziers, and varnishers.....	39			3	8	10	14	3	1	
Plasterers and whitewashers.....	38	1		1	2	3	11	7	12	1
Plumbers, and gas and steam fitters.....	3				1			1	1	
Tailors.....	13			1	6	2	3		1	
Tinners and tinware makers.....	3		1	2						
Others of this class.....	93		5	7	17	21	17	14	12	
Agriculture, transportation, and other outdoor.....	731	1	47	91	144	130	132	87	96	3
Boatmen and canalmen.....	4			1		2	1			
Draymen, hackmen, teamsters, etc.....	268	1	19	32	50	51	53	37	23	2
Farmers, planters, and farm laborers.....	153		14	10	21	20	24	21	43	
Gardeners, florists, nurserymen, and vine growers.....	29		1	1	1	7	4	5	10	
Livery stable keepers and hostlers.....	43		1	4	13	10	7	8		
Lumbermen and raftsmen.....	3				1	1	1			
Miners and quarrymen.....	22		2	4	4	4	3	3	1	1
Sailors, pilots, fishermen, and oystermen.....	93		7	17	26	14	18	7	4	
Steam railroad employees.....	87		1	19	26	19	14	2	6	
Stock raisers, herders, and drovers.....	5						2	2	1	
Others of this class.....	24		2	3	2	2		2	8	
All other occupations.....	72	2	10	12	15	13	9	5	5	1

TABLE 4.—DEATHS, AT EACH AGE, OF COLORED MALES ENGAGED IN EACH OCCUPATION: CENSUS YEAR 1900—Con
NONREGISTRATION RECORD.

OCCUPATIONS.	AGE.									
	All ages.	Under 15	15 to 19	20 to 24	25 to 34	35 to 44	45 to 54	55 to 64	65 and over.	Un-known.
All occupations.....	25,582	866	2,638	3,490	4,086	2,964	3,071	2,839	5,168	460
Professional.....	345		3	28	63	65	59	42	77	8
Architects, artists and teachers of art, etc.....	2		1				1			
Clergymen.....	209		1	6	18	47	37	33	63	4
Engineers and surveyors.....	2							1		
Journalists.....	2									
La-vyers.....	8			1	2	1	1	1	2	
Musicians and teachers of music.....	15			4	5	3	1	1	1	
Physicians and surgeons.....	18				1	1	8	3	5	
Teachers (school).....	83		1	14	36	11	10	2	5	4
Others of this class.....	7			3	1	1		1	1	
Clerical and official.....	78	1	6	11	14	14	13	7	12	
Bookkeepers, clerks, and copyists.....	43	1	5	9	8	6	5	4	5	
Bankers, brokers, and officials of companies.....	6			1			2	1	2	
Collectors, auctioneers, and agents.....	7			1	2	1	1		2	
Others of this class.....	22		1		4	7	5	2	3	
Mercantile and trading.....	241		25	38	64	40	26	28	19	1
Apothecaries, pharmacists, etc.....	2				1				1	
Commercial travelers.....	59		6	3	13	12	9	11	5	
Merchants and dealers.....	16			1	2	5	2	3	3	
Hucksters and peddlers.....	164		19	34	48	23	15	14	10	1
Others of this class.....	49		1	2	13	14	8	6	5	
Public entertainment.....										
Hotel and boarding-house keepers.....	16			1	1	6	1	3	4	
Saloon keepers, liquordealers, bartenders, and restaurant keepers.....	33		1	1	12	8	7	3	1	
Personal service, police, and military.....	327	1	13	32	69	52	63	52	37	8
Barbers and hairdressers.....	189		8	20	51	35	37	23	10	5
Janitors and sextons.....	52			3	3	5	10	13	17	1
Policemen, watchmen, and detectives.....	30			4	6	4	5	4	7	
Soldiers, sailors, and marines (United States).....	14		2	3	4	3	1	1		
Others of this class.....	42	1	3	2	5	5	10	11	3	2
Laboring and servant.....	5,489	121	605	915	1,021	715	627	537	822	126
Laborers (not agricultural).....	5,023	104	560	822	921	658	566	502	775	115
Servants.....	466	17	45	93	100	57	61	35	47	11
Manufacturing and mechanical industry.....	1,232	11	38	97	192	151	187	181	347	28
Bakers and confectioners.....	12			1	5	3	3			
Blacksmiths.....	202		3	7	15	15	27	36	95	4
Boot and shoe makers.....	58			2	4	7	9	9	26	1
Brewers, distillers, and rectifiers.....	32		2	6	10	6	4	1	3	
Butchers.....	7				3		2		2	
Cabinetmakers and upholsterers.....	317	1	5	16	27	40	46	55	117	10
Carpenters and joiners.....	64	5	10	16	11	8	7	5	2	
Cigar makers and tobacco workers.....	3				1	1			1	
Clock and watch repairers, jewelers, etc.....	6			1	3			1	1	
Compositors, printers, and pressmen.....	28			5	4	4	3	4	8	
Coopers.....	85		1	5	22	16	18	11	9	3
Engineers and firemen (not locomotive).....	2				1	1				
Glass blowers and glass workers.....	15			4	3	4	1		3	
Hat and cap makers.....	2				2					
Iron and steel workers.....	5				1					
Leather makers.....	12	1			3			2		
Leather workers.....	12			2	3	1	3	1		2
Machinists.....	7				2		4	1		
Marble and stone cutters.....	112			6	20	9	23	13	37	4
Masons (brick and stone).....	18	2	2	1	6	4	2	1		
Mill and factory operatives (textiles).....	9				2		2	3	2	
Millers (flour and grist).....	41		1	1	10	7	6	9	7	
Painters, glaziers, and varnishers.....	43			1	5	5	9	9	14	
Plasterers and whitewashers.....	8			1	2	2		3		
Plumbers, and gas and steam fitters.....	8		1	2	3	1				1
Tailors.....	13				3		1	2	5	
Tinners and tinware makers.....	123	2	12	20	24	16	17	15	15	2
Others of this class.....										
Agriculture, transportation, and other outdoor.....	17,745	729	1,941	2,360	2,639	1,900	2,075	1,975	3,839	287
Boatmen and canalmen.....	7				2	3	1	1		
Draymen, hackmen, teamsters, etc.....	367	2	22	49	49	69	58	57	50	11
Farmers, planters, and farm laborers.....	15,704	710	1,783	1,979	2,168	1,560	1,851	1,812	3,614	227
Gardeners, florists, nurserymen, and vine growers.....	112		1	3	4	2	11	29	62	
Livery stable keepers and hostlers.....	67		4	13	13	9	13	6	8	1
Lumbermen and raftsmen.....	36		1	8	10	7	5	2	3	
Miners and quarrymen.....	401	4	35	97	101	63	41	22	24	14
Sailors, pilots, fishermen, and oystermen.....	185	7	19	24	24	34	24	16	32	5
Steam railroad employees.....	607	2	59	144	204	107	38	16	12	25
Stock raisers, herders, and drovers.....	39	1	1	4	14	7	4	2	6	
Others of this class.....	220	3	16	39	50	39	29	12	28	4
All other occupations.....	76	3	6	7	11	13	13	11	10	2

TABLE 5.

DEATHS IN THE UNITED STATES, THE REGISTRATION AREA AND ITS SUBDIVISIONS
AND THE NONREGISTRATION AREA, DURING THE CENSUS YEAR ENDING
MAY 31, 1900, OF FEMALES ENGAGED IN EACH SPECI-
FIED OCCUPATION, BY COLOR, AGE, AND
BIRTHPLACES OF MOTHERS.

NOTE.—Occupation not reported in the registration returns for certain cities. See note on page 75.

TABLE 5.—DEATHS OF FEMALES ENGAGED IN EACH OCCUPATION,

OCCUPATIONS.		Total.	COLOR.		AGE.								
			White.	Colored.	Under 15	15 to 19	20 to 24	25 to 34	35 to 44	45 to 54	55 to 64	65 and over.	Un-known.
THE UNITED STATES.													
1	All occupations.....	45,491	29,140	16,351	981	4,654	6,496	8,215	5,847	5,200	4,986	8,815	297
2	Musicians and teachers of music.....	279	266	13		20	66	93	39	21	26	14	
3	Teachers in schools.....	1,890	1,731	159	4	106	507	597	235	149	124	161	7
4	Stenographers and typewriters.....	248	248			34	96	84	21	8	2	3	
5	Bookkeepers, clerks, and copyists.....	788	781	7	4	126	220	246	98	38	31	24	
6	Hotel and boarding-house keepers.....	522	497	25		3	5	16	50	88	109	250	1
7	Laundresses.....	2,398	481	1,917	14	163	236	452	461	443	283	323	23
8	Nurses and midwives.....	1,330	861	469	34	82	121	132	105	154	208	482	12
9	Servants.....	17,484	12,127	5,357	209	1,590	2,305	2,992	2,238	2,086	2,194	3,755	115
10	Artificial-flower and paper-box makers.....	26	26		1	2	10	7	5		1		
11	Cigar makers and tobacco workers.....	163	130	33	9	39	39	42	13	11	4	5	1
12	Mill and factory operatives (textiles).....	1,138	1,119	19	40	246	265	231	116	68	66	98	8
13	Milliners.....	461	458	3		41	77	108	62	52	55	66	
14	Dressmakers and seamstresses.....	2,965	2,718	247	10	181	446	698	525	394	293	412	6
15	Telegraph and telephone operators.....	81	81			19	27	27	4	2	1	1	
16	All other occupations.....	15,718	7,616	8,102	656	2,002	2,076	2,490	1,875	1,686	1,589	3,221	123
THE REGISTRATION RECORD.													
17	All occupations.....	21,984	18,112	3,872	94	1,633	2,866	4,019	3,213	2,804	2,811	4,501	43
18	Musicians and teachers of music.....	146	137	9		10	25	34	30	16	21	10	
19	Teachers in schools.....	841	811	30		25	182	242	127	98	75	90	2
20	Stenographers and typewriters.....	193	193			22	78	66	19	5	1	2	
21	Bookkeepers, clerks, and copyists.....	657	650	7	3	101	183	202	87	32	29	20	
22	Hotel and boarding-house keepers.....	156	152	4			2	6	23	37	39	49	
23	Laundresses.....	920	303	617	2	41	63	162	205	188	121	134	4
24	Nurses and midwives.....	725	582	143	1	25	80	97	70	89	128	233	2
25	Servants.....	11,698	9,100	2,598	47	767	1,261	1,905	1,656	1,559	1,689	2,791	23
26	Artificial-flower and paper-box makers.....	24	24		1	2	9	6	5		1		
27	Cigar makers and tobacco workers.....	91	88	3	3	26	23	19	6	10	2	2	
28	Mill and factory operatives (textiles).....	786	775	11	7	152	193	183	99	55	50	42	5
29	Milliners.....	256	256			30	39	54	35	29	31	38	
30	Dressmakers and seamstresses.....	1,742	1,631	111	6	101	234	376	344	247	195	237	2
31	Telegraph and telephone operators.....	61	61			15	22	18	3	1	1	1	
32	All other occupations.....	3,688	3,349	339	24	316	472	649	504	438	428	852	5
REGISTRATION CITIES.													
33	All occupations.....	17,405	13,678	3,727	71	1,337	2,375	3,373	2,704	2,337	2,211	2,968	29
34	Musicians and teachers of music.....	113	105	8		6	19	25	25	11	18	9	
35	Teachers in schools.....	568	538	30		16	103	155	98	75	54	66	1
36	Stenographers and typewriters.....	171	171			21	69	57	17	4	1	2	
37	Bookkeepers, clerks, and copyists.....	593	586	7	3	94	163	187	77	29	23	17	
38	Hotel and boarding-house keepers.....	120	116	4			2	5	17	31	27	38	
39	Laundresses.....	881	274	607	2	40	62	160	198	180	111	124	4
40	Nurses and midwives.....	578	410	138	1	23	70	86	56	72	101	168	1
41	Servants.....	9,531	7,043	2,488	32	602	1,039	1,641	1,424	1,349	1,413	2,017	14
42	Artificial-flower and paper-box makers.....	24	24		1	2	9	6	5		1		
43	Cigar makers and tobacco workers.....	89	86	3	3	26	22	19	6	9	2	2	
44	Mill and factory operatives (textiles).....	608	597	11	4	113	156	155	81	35	37	23	4
45	Milliners.....	174	174			29	30	41	23	19	19	13	
46	Dressmakers and seamstresses.....	1,411	1,302	109	5	92	210	320	294	194	144	150	2
47	Telegraph and telephone operators.....	57	57			14	21	17	3	1	1	1	
48	All other occupations.....	2,487	2,165	322	20	259	400	499	380	328	259	339	3
REGISTRATION STATES.													
49	All occupations.....	13,203	12,145	1,058	49	853	1,603	2,369	1,932	1,632	1,793	2,948	24
50	Musicians and teachers of music.....	83	77	6		7	11	19	17	10	15	4	
51	Teachers in schools.....	541	536	5		17	123	159	77	66	40	57	2
52	Stenographers and typewriters.....	92	92			9	32	36	11	3	1		
53	Bookkeepers, clerks, and copyists.....	409	407	2	1	46	108	124	62	24	27	17	
54	Hotel and boarding-house keepers.....	89	88	1			2	2	15	18	25	27	
55	Laundresses.....	302	188	114		9	15	43	62	68	53	52	
56	Nurses and midwives.....	397	378	19		4	37	50	42	45	77	140	2
57	Servants.....	6,920	6,086	834	25	395	667	1,110	987	898	1,063	1,763	12
58	Artificial-flower and paper-box makers.....	17	17		1	1	5	5	4		1		
59	Cigar makers and tobacco workers.....	52	52		1	8	15	13	6	7	2		
60	Mill and factory operatives (textiles).....	644	643	1	5	112	156	151	85	48	44	39	4
61	Milliners.....	171	171			11	23	40	22	20	24	31	
62	Dressmakers and seamstresses.....	1,021	988	33	4	41	120	201	218	148	120	168	1
63	Telegraph and telephone operators.....	42	42			13	15	11	1		1	1	
64	All other occupations.....	2,423	2,380	43	12	180	274	405	323	277	300	649	3

OCCUPATIONS—FEMALES.

135

BY COLOR, AGE, AND BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900.

BIRTHPLACES OF MOTHERS (WHITE).													
United States.	Ireland.	Germany.	England and Wales.	Canada/	Scandina- via.	Scotland.	Italy.	France.	Hungary and Bohemia.	Russia and Poland.	Other foreign.	Un- known.	Not stated.
11,936	4,823	2,680	817	791	672	258	152	127	162	256	480	1,915	4,071
173	8	11	10	6	2	1	1	1	1	2	12	39	2
1,098	136	70	44	43	32	17	8	1	5	14	94	170	3
102	30	11	14	7	2	2	1	1	1	1	2	13	4
303	137	33	24	36	12	10	1	1	2	7	14	46	5
290	47	46	18	7	6	6	1	1	1	1	1	39	6
147	139	35	9	7	11	5	2	5	3	18	35	65	7
350	117	62	56	23	20	13	3	2	4	9	64	137	8
3,513	2,714	1,361	285	277	322	90	93	44	85	117	195	906	2,125
9	8	3	3	1	1	1	1	1	1	1	1	1	3
44	13	13	5	5	3	3	1	1	14	3	8	6	20
374	302	34	45	120	6	14	5	5	3	9	29	51	122
259	45	24	10	16	5	4	1	1	1	4	4	33	53
1,240	371	194	84	70	58	18	12	26	11	16	39	156	423
27	25	5	3	6	1	1	1	1	1	1	1	2	10
4,007	731	778	210	173	195	76	33	31	42	88	144	457	651
4,480	4,269	1,699	547	693	231	185	144	81	102	212	297	1,101	4,071
66	5	6	9	2	1	1	1	1	1	1	1	6	39
388	88	30	28	32	8	9	6	6	4	7	41	170	9
65	28	6	11	7	1	1	1	1	1	2	8	63	20
224	126	32	19	32	8	8	1	1	2	6	11	25	156
46	21	15	6	6	1	5	1	1	1	1	1	15	34
29	129	25	7	5	5	4	2	3	3	5	21	65	23
190	90	37	34	16	8	11	3	1	4	7	43	137	24
1,684	2,548	1,026	219	251	150	74	91	34	61	102	149	586	2,125
7	8	3	3	1	1	1	1	1	1	1	1	1	3
13	11	10	3	3	2	2	2	14	3	7	5	20	27
91	287	27	41	118	2	13	5	2	3	9	28	27	122
110	36	14	3	14	1	2	2	1	1	4	1	17	53
476	311	122	54	57	18	12	12	18	9	14	19	86	423
13	24	4	2	5	1	1	1	1	1	1	1	1	10
1,078	557	342	111	148	27	44	28	13	8	63	60	219	651
2,073	3,639	1,390	396	401	182	127	131	68	94	196	241	758	3,982
39	4	6	7	1	1	1	1	1	1	1	1	5	39
196	71	26	13	18	5	5	5	5	3	4	32	160	35
51	26	6	10	5	1	1	1	1	1	2	7	62	36
184	120	29	17	28	7	8	1	1	2	5	9	24	152
25	17	14	4	6	2	2	1	1	1	1	1	12	33
21	115	23	7	4	5	3	2	3	2	5	21	63	39
98	75	29	26	11	8	10	3	1	4	7	36	132	40
645	2,177	850	163	141	120	54	83	27	54	95	121	399	2,114
7	8	3	3	1	1	1	1	1	1	1	1	1	3
11	11	10	3	3	2	2	2	14	3	7	5	20	43
51	233	19	33	77	1	10	5	1	3	9	21	16	118
46	33	14	9	9	1	2	2	1	1	4	1	13	51
275	280	110	43	37	15	10	12	16	9	12	16	59	408
10	24	4	1	5	1	1	1	1	1	1	1	1	10
414	445	247	69	59	17	20	23	12	7	60	48	127	617
3,812	3,938	1,243	475	667	157	168	140	65	83	182	261	855	99
50	4	6	9	2	1	1	1	1	1	1	1	4	50
321	71	21	21	30	8	8	8	4	2	6	34	10	51
42	23	2	9	7	1	1	1	1	1	1	1	4	2
183	111	22	18	26	3	7	7	1	5	9	19	4	53
36	16	7	4	6	1	5	1	1	1	1	1	10	1
21	119	12	2	3	2	4	2	3	1	4	13	2	55
165	82	27	28	14	4	8	3	1	4	5	31	5	56
1,455	2,385	770	193	245	104	70	88	30	53	95	134	451	13
6	8	2	2	1	1	1	1	1	1	1	1	1	58
9	10	3	2	2	2	2	2	14	1	7	4	59	59
87	281	25	41	118	2	13	5	2	3	9	27	26	4
94	30	7	3	14	2	2	2	2	4	4	1	12	4
387	268	74	45	53	10	10	12	16	5	10	18	62	18
9	20	3	2	5	1	1	1	1	1	1	1	1	63
947	510	262	98	144	22	38	27	7	4	53	48	184	36

TABLE 5.—DEATHS OF FEMALES ENGAGED IN EACH OCCUPATION, BY COLOR,

OCCUPATIONS.		Total.	COLOR.		AGE.									
			White.	Colored.	Under 15	15 to 19	20 to 24	25 to 34	35 to 44	45 to 54	55 to 64	65 and over.	Un-known.	
CITIES IN REGISTRATION STATES.														
1	All occupations.....	8,624	7,711	913	26	557	1,112	1,723	1,423	1,165	1,193	1,415	10	
2	Musicians and teachers of music.....	50	45	5		3	5	10	12	5	12	3		
3	Teachers in schools.....	268	263	5		8	44	72	48	43	19	33	1	
4	Stenographers and typewriters.....	70	70			8	23	27	9	2	1			
5	Bookkeepers, clerks, and copyists.....	345	343	2	1	39	88	109	52	21	21	14		
6	Hotel and boarding-house keepers.....	53	52	1			2	1	9	12	13	16		
7	Laundresses.....	263	159	104		8	14	41	55	69	43	42		
8	Nurses and midwives.....	250	236	14		2	27	39	28	28	50	75	1	
9	Servants.....	4,753	4,029	724	10	230	445	846	755	688	787	989	3	
10	Artificial-flower and paper-box makers.....	17	17		1	1	5	5	4		1			
11	Cigar makers and tobacco workers.....	50	50		1	8	14	13	6	6	2			
12	Mill and factory operatives (textiles).....	466	465	1	2	73	119	123	67	28	31	20	3	
13	Milliners.....	89	89			10	14	27	10	10	12	6		
14	Dressmakers and seamstresses.....	690	659	31	3	32	96	145	168	95	69	81	1	
15	Telegraph and telephone operators.....	38	38			12	14	10	1		1			
16	All other occupations.....	1,222	1,196	26	8	123	202	255	199	167	131	136	1	
RURAL PART OF REGISTRATION STATES.														
17	All occupations.....	4,579	4,434	145	23	296	491	646	509	467	600	1,533	14	
18	Musicians and teachers of music.....	33	32	1		4	6	9	5	5	3	1		
19	Teachers in schools.....	273	273			9	79	87	29	23	21	24	1	
20	Stenographers and typewriters.....	22	22			1	9	9	2	1				
21	Bookkeepers, clerks, and copyists.....	64	64			7	20	15	10	3	6	3		
22	Hotel and boarding-house keepers.....	36	36					1	6	6	12	11		
23	Laundresses.....	39	29	10		1	1	2	7	8	10	10		
24	Nurses and midwives.....	147	142	5		2	10	11	14	17	27	65	1	
25	Servants.....	2,167	2,057	110	15	165	222	264	232	210	276	774	9	
26	Artificial-flower and paper-box makers.....													
27	Cigar makers and tobacco workers.....	2	2				1			1				
28	Mill and factory operatives (textiles).....	178	178		3	39	37	28	18	20	13	19	1	
29	Milliners.....	82	82			1	9	13	12	10	12	25		
30	Dressmakers and seamstresses.....	331	329	2	1	9	24	56	50	53	51	87		
31	Telegraph and telephone operators.....	4	4			1	1	1				1		
32	All other occupations.....	1,201	1,184	17	4	57	72	150	124	110	169	513	2	
REGISTRATION CITIES IN OTHER STATES.														
33	All occupations.....	8,781	5,967	2,814	45	780	1,263	1,650	1,281	1,172	1,018	1,553	19	
34	Musicians and teachers of music.....	63	60	3		3	14	15	13	6	6	6		
35	Teachers in schools.....	300	275	25		8	59	83	50	32	35	33		
36	Stenographers and typewriters.....	101	101			13	46	30	8	2		2		
37	Bookkeepers, clerks, and copyists.....	248	243	5	2	55	75	78	25	8	2	3		
38	Hotel and boarding-house keepers.....	67	64	3				4	8	19	14	22		
39	Laundresses.....	618	115	503	2	32	48	119	143	120	68	82	4	
40	Nurses and midwives.....	328	204	124	1	21	43	47	28	44	51	93		
41	Servants.....	4,778	3,014	1,764	22	372	594	795	669	661	626	1,028	11	
42	Artificial-flower and paper-box makers.....	7	7		1	1	4	1	1					
43	Cigar makers and tobacco workers.....	39	36	3	2	18	8	6		3		2		
44	Mill and factory operatives (textiles).....	142	132	10	2	40	37	32	14	7	6	3	1	
45	Milliners.....	85	85			19	16	14	13	9	7	7		
46	Dressmakers and seamstresses.....	721	643	78	2	60	114	175	126	99	75	69	1	
47	Telegraph and telephone operators.....	19	19			2	7	7	2	1				
48	All other occupations.....	1,265	969	296	12	136	198	244	181	161	128	203	2	
NONREGISTRATION RECORD.														
49	All occupations.....	23,507	11,028	12,479	887	3,021	3,630	4,196	2,634	2,396	2,175	4,314	254	
50	Musicians and teachers of music.....	133	129	4		10	41	59	9	5	5	4		
51	Teachers in schools.....	1,049	920	129	4	81	325	355	108	51	49	71	5	
52	Stenographers and typewriters.....	55	55			12	18	13	2	3	1	1		
53	Bookkeepers, clerks, and copyists.....	131	131		1	25	37	44	11	6	2	4	1	
54	Hotel and boarding-house keepers.....	366	345	21		3	3	10	27	51	70	201	1	
55	Laundresses.....	1,478	178	1,300	12	122	173	290	256	255	162	189	19	
56	Nurses and midwives.....	605	279	326	33	57	41	35	35	65	80	249	10	
57	Servants.....	5,786	3,027	2,759	162	823	1,044	1,087	582	527	505	964	92	
58	Artificial-flower and paper-box makers.....	2	2			1	1	1						
59	Cigar makers and tobacco workers.....	72	42	30	6	13	16	23	7	1	2	3	1	
60	Mill and factory operatives (textiles).....	352	344	8	33	94	72	48	17	13	16	56	3	
61	Milliners.....	205	202	3		11	38	54	27	23	24	28		
62	Dressmakers and seamstresses.....	1,223	1,087	136	4	80	212	322	181	147	98	175	4	
63	Telegraph and telephone operators.....	20	20			4	5	9	1	1				
64	All other occupations.....	12,030	4,267	7,763	632	1,686	1,604	1,841	1,371	1,248	1,161	2,369	118	

OCCUPATIONS—FEMALES.

137

AGE, AND BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

BIRTHPLACES OF MOTHERS (WHITE).													
United States.	Ireland.	Germany.	England and Wales.	Canada.	Scandinavia.	Scotland.	Italy.	France.	Hungary and Bohemia.	Russia and Poland.	Other foreign.	Unknown.	Not stated.
1,405	3,308	934	324	375	108	110	127	52	75	166	205	512	10
23	3	6	7	1	1	1	1	1	1	1	1	3	2
129	54	17	6	16	5	4	3	3	1	1	3	25	3
28	21	2	8	5	1	1	1	1	1	1	1	3	4
143	105	19	16	22	2	2	1	1	1	4	7	18	5
15	12	6	2	6	1	2	1	1	1	1	1	7	6
13	105	10	2	2	2	3	2	3	1	1	4	13	7
73	67	19	20	9	4	7	3	1	4	1	5	24	8
416	2,014	594	137	135	74	50	80	23	46	88	106	264	2
6	8	2	2	1	1	1	1	1	1	1	1	1	10
7	10	3	3	1	1	1	2	1	14	1	7	4	11
47	227	17	33	77	1	10	5	1	3	9	20	15	12
30	27	7	7	9	1	2	5	1	3	4	15	8	13
186	237	62	34	33	7	8	12	14	5	8	15	35	14
6	20	3	1	5	1	1	1	14	1	1	1	1	15
283	398	167	56	55	12	14	22	6	3	50	36	92	2
2,407	630	309	151	292	49	58	13	13	8	16	56	343	89
27	1	1	2	1	1	1	1	1	1	1	1	1	18
192	17	4	15	14	3	4	1	1	1	1	3	9	10
14	2	1	1	2	1	1	1	1	1	1	1	1	20
40	6	3	2	4	1	1	1	1	1	1	2	1	21
21	4	1	2	1	1	3	1	1	1	1	1	3	22
8	14	2	1	1	1	1	1	1	1	1	1	1	23
92	15	6	8	5	1	1	1	1	1	1	1	7	5
1,039	371	176	56	110	30	20	8	7	7	7	28	187	11
2	1	1	1	1	1	1	1	1	1	1	1	1	26
40	54	8	8	41	1	3	1	1	1	1	7	11	4
64	3	1	3	5	1	1	1	1	1	1	1	4	2
201	31	12	11	20	3	2	2	2	2	2	3	27	15
3	1	1	1	1	1	1	1	1	1	1	1	1	31
664	112	95	42	89	10	24	5	1	1	3	12	92	34
668	331	456	72	26	74	17	4	16	19	30	36	246	3,972
16	1	1	1	1	1	1	1	1	1	1	1	2	39
67	17	9	7	2	1	1	1	2	1	2	1	7	160
23	5	4	2	6	5	1	1	1	1	1	1	4	61
41	15	10	1	1	1	1	1	1	2	1	2	6	152
10	5	8	2	1	1	1	1	1	1	1	1	5	33
8	10	13	5	2	3	1	1	1	1	2	1	8	63
25	8	10	6	2	4	3	1	1	1	2	2	12	132
229	163	266	26	6	46	4	3	4	8	7	15	135	2,112
1	1	1	1	1	1	1	1	1	1	1	1	1	3
4	1	7	1	1	1	1	1	1	1	2	1	1	20
4	6	2	1	1	1	1	1	1	1	1	1	1	118
16	6	7	1	1	1	1	1	1	1	1	1	5	49
89	43	48	9	4	8	2	2	2	4	4	1	24	405
4	4	1	1	1	1	1	1	1	1	1	1	1	10
131	47	80	13	4	5	6	1	6	4	10	12	35	615
7,456	554	981	270	98	441	73	8	46	60	44	183	814	49
107	3	5	1	4	1	1	1	1	1	1	1	6	50
710	48	40	16	11	24	8	2	2	1	1	7	53	51
37	2	5	3	1	1	2	1	1	1	1	1	5	52
79	11	1	5	4	4	2	1	1	1	1	3	21	53
244	26	31	12	1	5	1	1	1	1	1	1	24	54
118	10	10	2	2	6	1	1	2	1	1	13	14	55
160	27	25	22	7	12	2	2	1	1	1	2	21	56
1,829	166	335	66	26	172	16	2	10	24	15	46	320	57
2	1	1	1	1	1	1	1	1	1	1	1	1	58
31	2	3	2	1	1	1	1	1	1	1	1	1	59
283	15	7	4	2	4	1	1	3	1	1	1	24	60
149	9	10	7	2	4	2	1	1	1	1	3	16	61
764	60	72	30	13	40	6	1	8	2	2	20	70	62
14	1	1	1	1	1	1	1	1	1	1	1	1	63
2,929	174	436	99	25	168	32	5	18	34	25	84	238	64

TABLE 5.—DEATHS OF FEMALES ENGAGED IN EACH OCCUPATION, BY COLOR,

OCCUPATIONS.		Total.	COLOR.		AGE.								
			White.	Colored.	Under 15	15 to 19	20 to 24	25 to 34	35 to 44	45 to 54	55 to 64	65 and over.	Un-known.
CONNECTICUT.													
1	All occupations.....	574	542	32	1	48	90	78	63	78	90	121	5
2	Musicians and teachers of music.....	3	2	1		1				1	1		
3	Teachers in schools.....	27	27			2	9	6	1	5	3	1	
4	Stenographers and typewriters.....	5	5			1	1	2		1			
5	Bookkeepers, clerks, and copyists.....	14	14			2	4	4	2	2	2		
6	Hotel and boarding-house keepers.....	2	2							1	1		
7	Laundresses.....	9	5	4				1	2	5	1		
8	Nurses and midwives.....	21	18	3					5	2	6	8	
9	Servants.....	309	287	22	1	12	30	37	28	45	61	91	4
10	Artificial-flower and paper-box makers.....												
11	Cigar makers and tobacco workers.....												
12	Mill and factory operatives (textiles).....	59	59			16	21	11	4	2	4		1
13	Milliners.....	11	11				5	2	2	1	1		
14	Dressmakers and seamstresses.....	28	28			2	1	2	7	6	3	7	
15	Telegraph and telephone operators.....	1	1				1						
16	All other occupations.....	85	83	2		12	18	13	12	7	9	14	
DISTRICT OF COLUMBIA.													
17	All occupations.....	681	180	501	5	40	89	109	116	106	101	115	
18	Musicians and teachers of music.....	1	1					1					
19	Teachers in schools.....	16	12	4			4	3	5	2	1	1	
20	Stenographers and typewriters.....	3	3			1		1			1		
21	Bookkeepers, clerks, and copyists.....	54	54			1	7	8	8	7	15	8	
22	Hotel and boarding-house keepers.....	4	3	1					1		1	2	
23	Laundresses.....	62	1	61		1	4	6	8	16	10	17	
24	Nurses and midwives.....	17	9	8		1	2	3	1	2	2	6	
25	Servants.....	463	57	406	5	33	67	74	80	71	57	76	
26	Artificial-flower and paper-box makers.....	1	1					1					
27	Cigar makers and tobacco workers.....												
28	Mill and factory operatives (textiles).....												
29	Milliners.....												
30	Dressmakers and seamstresses.....	26	15	11		1	3	6	6	5	2	3	
31	Telegraph and telephone operators.....												
32	All other occupations.....	34	24	10		2	2	6	7	3	12	2	
MAINE.													
33	All occupations.....	689	685	4	4	56	82	98	65	51	84	247	2
34	Musicians and teachers of music.....	8	8			1	1	2	1	2	1		
35	Teachers in schools.....	50	50				14	16	6	2	3	8	1
36	Stenographers and typewriters.....	1	1			1							
37	Bookkeepers, clerks, and copyists.....	16	16				6	4	3	1	1	1	
38	Hotel and boarding-house keepers.....	6	6						1	2	2	1	
39	Laundresses.....	3	3				1		2				
40	Nurses and midwives.....	31	31			1	1		2		6	20	1
41	Servants.....	350	349	1	2	35	36	34	24	25	40	154	
42	Artificial-flower and paper-box makers.....												
43	Cigar makers and tobacco workers.....												
44	Mill and factory operators (textiles).....	48	48		1	11	12	7	3	5	7	2	
45	Milliners.....	17	17				1	4	5		2	5	
46	Dressmakers and seamstresses.....	44	44		1		4	11	5	3	6	14	
47	Telegraph and telephone operators.....	1	1									1	
48	All other occupations.....	114	111	3		7	6	20	13	11	16	41	
MASSACHUSETTS.													
49	All occupations.....	1,987	1,929	58	3	118	269	427	296	257	260	356	1
50	Musicians and teachers of music.....	9	9				2	1	2		1	3	
51	Teachers in schools.....	78	78				10	25	15	12	5	10	1
52	Stenographers and typewriters.....	16	16				5	8	2	1			
53	Bookkeepers, clerks, and copyists.....	100	100		1	15	22	39	18	2	1	2	
54	Hotel and boarding-house keepers.....	24	24				1		2	4	7	10	
55	Laundresses.....	32	25	7		1	2	5	10	6	4	4	
56	Nurses and midwives.....	73	71	2			10	8	6	11	18	20	
57	Servants.....	844	803	41	1	34	83	151	111	119	138	207	
58	Artificial-flower and paper-box makers.....	5	5				2				1		
59	Cigar makers and tobacco workers.....	4	4					1	2	1			
60	Mill and factory operatives (textiles).....	298	297	1	1	41	70	77	51	20	23	15	
61	Milliners.....	19	19			3	1	3	1	6	3	2	
62	Dressmakers and seamstresses.....	151	146	5		4	15	31	33	23	19	26	
63	Telegraph and telephone operators.....	2	2				2						
64	All other occupations.....	332	330	2		20	44	76	43	52	40	57	

OCCUPATIONS—FEMALES.

139

AGE, AND BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

BIRTHPLACES OF MOTHERS (WHITE).													
United States.	Ireland.	Germany.	England and Wales.	Canada.	Scandinavia.	Scotland.	Italy.	France.	Hungary and Bohemia.	Russia and Poland.	Other foreign.	Unknown.	Not stated.
137	219	34	26	34	13	4	5	2	2	7	4	55	1
1			1										2
18	3	2	1									3	3
2	3												4
7	3	2								1		1	5
	1							1					6
1			1		1							1	7
9	2		3									4	8
50	137	21	12	9	10	2	5	1	2	2	3	33	9
													10
													11
6	28	2	1	14	2	1				1	1	3	12
4	5											2	13
10	7	4	1	3								3	14
1													15
28	29	3	6	8		1				3		5	16
106	28	17	4			1	1	2			2	19	17
													18
7	1											3	19
3	2												20
42	6	3									1	2	21
1		1										1	22
1													23
4	2	1										2	24
31	9	9	1			1					1	5	25
1													26
													27
													28
9	3		1					2					29
													30
7	5	3	2				1					6	31
													32
488	45	1	10	99	5	6				1	1	29	33
8													34
39	1	1	2	5		1						1	35
1													36
13	1			2									37
4												2	38
1	1					1							39
30				1									40
250	24		5	46	4	1				1	1	17	41
													42
													43
12	5			28								3	44
13	2			1								1	45
37	2		1	3	1								46
1													47
79	9		2	13		3						5	48
462	930	31	74	203	20	23	9	5	3	14	47	108	49
8				1									50
52	14	1		4		1				1	1	4	51
7	5		2	1								1	52
38	43	2	3	10	1	1						2	53
10	5			3		1						5	54
5	14					1	1					3	55
32	17	1	7	1		2					1	5	56
105	490	12	19	77	16	8	3	3		1	16	51	57
2	3												58
2	1											1	59
27	165	5	24	46		3	1			4	16	6	60
8	5			4		1						1	61
49	46		8	20	2	4	1	1		1	3	11	62
1				1									63
116	122	10	11	29	1	1	3	1	1	7	10	18	64

TABLE 5.—DEATHS OF FEMALES ENGAGED IN EACH OCCUPATION, BY COLOR,

	OCCUPATIONS.	Total.	COLOR.		AGE.								
			White.	Colored.	Under 15	15 to 19	20 to 24	25 to 34	35 to 44	45 to 54	55 to 64	65 and over.	Un-known.
MICHIGAN.													
1	All occupations.....	1,391	1,372	19	12	138	195	237	157	116	138	398	
2	Musicians and teachers of music.....	15	15			2	5	4	3	1			
3	Teachers in schools.....	89	89			6	31	25	9	3	2	7	
4	Stenographers and typewriters.....	11	11				5	3	2	1			
5	Bookkeepers, clerks, and copyists.....	41	41			7	10	18	3	3			
6	Hotel and boarding-house keepers.....	14	14				1		3	3	6	1	
7	Laundresses.....	7	7				1			2	1	2	
8	Nurses and midwives.....	25	25				1	5	1	2	4	12	
9	Servants.....	499	487	12	7	85	89	84	48	31	33	122	
10	Artificial-flower and paper-box makers.....												
11	Cigar makers and tobacco workers.....	3	3			2	1						
12	Mill and factory operatives (textiles).....	6	6						1	1	1	3	
13	Milliners.....	34	34			2	4	10	3	6	5	4	
14	Dressmakers and seamstresses.....	95	94	1		8	13	24	20	10	9	11	
15	Telegraph and telephone operators.....	8	8			4	4						
16	All other occupations.....	544	538	6	5	21	30	64	64	47	77	236	
NEW HAMPSHIRE.													
17	All occupations.....	257	257		3	16	29	36	22	29	27	94	1
18	Musicians and teachers of music.....	1	1						1				
19	Teachers in schools.....	13	13				3	3	1	2	1	3	
20	Stenographers and typewriters.....												
21	Bookkeepers, clerks, and copyists.....	5	5				2	2	1				
22	Hotel and boarding-house keepers.....	3	3							1	1	1	
23	Laundresses.....	1	1					1					
24	Nurses and midwives.....	13	13				3		2	4	1	3	
25	Servants.....	105	105		1	5	4	12	5	10	12	55	1
26	Artificial-flower and paper-box makers.....												
27	Cigar makers and tobacco workers.....												
28	Mill and factory operatives (textiles).....	41	41		2	9	7	11	4	3	2	3	
29	Milliners.....	10	10				1	1	1		3	4	
30	Dressmakers and seamstresses.....	22	22				2	1	1	5	4	9	
31	Telegraph and telephone operators.....												
32	All other occupations.....	43	43			2	7	5	6	4	3	16	
NEW JERSEY.													
33	All occupations.....	1,315	1,172	143	8	63	147	241	186	179	177	311	3
34	Musicians and teachers of music.....	6	5	1			1	1	1	1	2		
35	Teachers in schools.....	25	25				7	5	3	3	4	3	
36	Stenographers and typewriters.....	6	6				2	3	1				
37	Bookkeepers, clerks, and copyists.....	14	14			2	4	5	1		1	1	
38	Hotel and boarding-house keepers.....	7	7						1	1	2	3	
39	Laundresses.....	31	20	11		1		6	3	7	9	5	
40	Nurses and midwives.....	33	31	2			4	4	5	5	3	11	
41	Servants.....	892	772	120	3	37	81	158	136	122	133	221	1
42	Artificial-flower and paper-box makers.....												
43	Cigar makers and tobacco workers.....	2	2		1				1				
44	Mill and factory operatives (textiles).....	55	55		1	8	18	14	8	3	1	1	1
45	Milliners.....	9	9				3	1	1			4	
46	Dressmakers and seamstresses.....	60	59	1	1	2	10	8	8	12	7	12	
47	Telegraph and telephone operators.....	6	6			2	1	3					
48	All other occupations.....	169	161	8	2	10	16	33	17	25	15	50	1
NEW YORK.													
49	All occupations.....	6,052	5,756	296	12	350	658	1,090	1,002	789	890	1,249	12
50	Musicians and teachers of music.....	37	33	4		3	2	8	9	5	9	1	
51	Teachers in schools.....	230	229	1		9	41	70	36	30	21	23	
52	Stenographers and typewriters.....	48	48			6	18	18	6				
53	Bookkeepers, clerks, and copyists.....	154	152	2		18	46	42	26	9	8	5	
54	Hotel and boarding-house keepers.....	28	28					2	7	6	5	8	
55	Laundresses.....	152	123	29		5	5	24	37	32	27	22	
56	Nurses and midwives.....	175	171	4		1	16	28	19	17	36	57	1
57	Servants.....	3,418	3,189	229	5	151	268	552	550	473	586	827	6
58	Artificial-flower and paper-box makers.....	11	11		1	1	3	2	4				
59	Cigar makers and tobacco workers.....	43	43			6	14	12	3	6	2		
60	Mill and factory operatives (textiles).....	102	102			20	19	25	13	7	5	11	2
61	Milliners.....	63	63			5	6	17	7	7	10	11	
62	Dressmakers and seamstresses.....	566	551	15	2	23	71	112	132	80	65	80	1
63	Telegraph and telephone operators.....	23	23			7	7	7	1		1		
64	All other occupations.....	1,002	990	12	4	95	142	171	152	117	115	204	2

OCCUPATIONS—FEMALES.

141

AGE, AND BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

BIRTHPLACES OF MOTHERS (WHITE).													
United States.	Ireland.	Germany.	England and Wales.	Canada.	Scandinavia.	Scotland.	Italy.	France.	Hungary and Bohemia.	Russia and Poland.	Other foreign.	Unknown.	Not stated.
645	115	172	71	150	28	35		8	3	9	44	92	
12		2										1	
49	5	4	7	10	2	4		2				4	
5			1	4								1	
11	5	4	4	8	1	3				1		2	
8	2		1		1	2							
2	2	1		1							1		
9	3	2	3	1		2					2	3	
212	40	74	18	54	15	6		4	3	3	19	39	
.....		2										1	
3	1	1										1	
21	1	2	1	7							1		
50	10	10	7	7	3	1		1		1	2	2	
2	2			3		1							
261	44	70	29	55	6	16		1		4	15	37	
.....													
122	39	3	7	43	2	2					1	38	
.....												1	
9	1			1								2	
.....													
1	3			2								1	
.....													
9	1												
60	12	1	2	10	1							2	
.....												19	
.....													
5	13	2	2	17							1	1	
6			1	1								2	
11	4		2	2		1						2	
.....													
21	5			7	1	1						8	
.....													
403	306	179	54	5	16	15	19	8	8	18	37	104	
2			2									1	
15	4		2							1		3	
4	2												
9	1	2	1			1							
5	2		1										
3	14	1								1			
12	8	5	2								1	3	
230	220	142	36	4	14	9	12	5	5	9	20	66	
.....													
1	1												
.....													
12	13	3	3			4	3	2	3	2	6	4	
5	1	1				1						1	
35	11				1			1		2	2	7	
1	1	2	1	1									
69	28	23	7		1		4			3	7	19	
.....													
1,412	2,190	804	213	121	67	77	105	38	67	132	125	405	
17	2	4	6	1		1					1	1	
131	41	13	9	9	5	2		2			3	14	
20	13	2	6	2	1			1			1	2	
58	46	9	10	5	1	2				3	6	12	
8	6	6	3	1		2	1					1	
.....													
8	85	10	1	1	1	2	1	3			2	9	
60	48	18	13	4	3	3	3	1	4	1	1	12	
513	1,441	509	99	45	41	43	68	17	41	79	74	219	
3	5	2				1							
6	8	1	2					2	14	1	7	2	
.....													
19	41	12	6	10		3	1			1	3	6	
36	14	4	1							4		4	
182	181	60	25	15	3	4	11	11	5	6	11	37	
3	16	1	1							1		1	
348	243	153	31	28	12	14	18	3	3	36	16	85	

TABLE 5.—DEATHS OF FEMALES ENGAGED IN EACH OCCUPATION, BY COLOR,

OCCUPATIONS.	Total.	COLOR.		AGE.								
		White.	Colored.	Under 15	15 to 19	20 to 24	25 to 34	35 to 44	45 to 54	55 to 64	65 and over.	Un-known.
RHODE ISLAND.												
1 All occupations.....	158	153	5	1	22	28	37	11	21	11	27	
2 Musicians and teachers of music.....	3	3					2			1		
3 Teachers in schools.....	3	3					1	1	1			
4 Stenographers and typewriters.....												
5 Bookkeepers, clerks, and copyists.....	7	7			1	5	1					
6 Hotel and boarding-house keepers.....												
7 Laundresses.....	3	1	2			1				1	1	
8 Nurses and midwives.....	4	4					1		1			
9 Servants.....	27	24	3		2	6	7	1	1	2	8	
10 Artificial-flower and paper-box makers.....												
11 Cigar makers and tobacco workers.....												
12 Mill and factory operatives (textiles).....	31	31			7	7	6	1	6	1	3	
13 Milliners.....	4	4			1	1	2					
14 Dressmakers and seamstresses.....	11	11			1	1	2	2	3	2		
15 Telegraph and telephone operators.....	1	1					1					
16 All other occupations.....	64	64		1	10	7	14	6	9	4	13	
VERMONT.												
17 All occupations.....	99	99			2	16	16	14	6	15	30	
18 Musicians and teachers of music.....												
19 Teachers in schools.....	10	10				4	5				1	
20 Stenographers and typewriters.....	2	2				1	1					
21 Bookkeepers, clerks, and copyists.....	4	4				2	1			1		
22 Hotel and boarding-house keepers.....	1	1									1	
23 Laundresses.....	2	2				1					1	
24 Nurses and midwives.....	5	5					1	1	1	1	1	
25 Servants.....	13	13			1	3	1	4	1	1	2	
26 Artificial-flower and paper-box makers.....												
27 Cigar makers and tobacco workers.....												
28 Mill and factory operatives (textiles).....	4	4				2			1		1	
29 Milliners.....	4	4				1		2			1	
30 Dressmakers and seamstresses.....	18	18					4	4	1	3	6	
31 Telegraph and telephone operators.....												
32 All other occupations.....	36	36			1	2	3	3	2	9	16	

143

TABLE 6.

DEATHS IN THE UNITED STATES, THE REGISTRATION AREA AND ITS SUBDIVISIONS
AND THE NONREGISTRATION AREA, DURING THE CENSUS YEAR ENDING
MAY 31, 1900, AT THE SPECIFIED AGES, OF WHITE FEMALES
ENGAGED IN EACH SPECIFIED OCCUPATION.

NOTE.—Occupation not reported in the registration returns for certain cities. See note on page 75.

OCCUPATIONS—FEMALES.

147

TABLE 6.—DEATHS, AT EACH AGE, OF WHITE FEMALES ENGAGED IN EACH OCCUPATION: CENSUS YEAR 1900.

OCCUPATIONS.	AGE.									
	All ages.	Under 15	15 to 19	20 to 24	25 to 34	35 to 44	45 to 54	55 to 64	65 and over.	Un- known.
THE UNITED STATES.										
All occupations.....	29,140	356	2,465	3,927	5,133	3,637	3,253	3,519	6,746	104
Musicians and teachers of music.....	266		17	64	90	35	21	25	14	
Teachers in schools.....	1,731	2	79	457	539	220	146	123	159	6
Stenographers and typewriters.....	248		34	96	84	21	8	2	3	
Bookkeepers, clerks, and copyists.....	781	4	125	219	243	97	38	31	23	1
Hotel and boarding-house keepers.....	497		2	4	12	48	81	103	246	1
Laundresses.....	481	2	40	34	82	95	93	66	67	2
Nurses and midwives.....	861	3	12	78	106	88	105	149	316	4
Servants.....	12,127	129	1,045	1,401	1,923	1,502	1,428	1,676	2,979	44
Artificial-flower and paper-box makers.....	26	1	2	10	7	5		1		
Cigar makers and tobacco workers.....	130	6	34	31	34		11	3	3	1
Mill and factory operatives (textiles).....	1,119	40	243	264	227	115	63	65	95	7
Milliners.....	458		41	76	107	61	52	55	66	
Dressmakers and seamstresses.....	2,718	10	166	413	634	470	361	271	389	4
Telegraph and telephone operators.....	81		19	27	27	4	2	1	1	
All other occupations.....	7,616	159	606	753	1,018	869	844	948	2,385	34
THE REGISTRATION RECORD.										
All occupations.....	18,112	70	1,347	2,338	3,293	2,513	2,207	2,365	3,946	33
Musicians and teachers of music.....	137		8	24	32	27	16	20	10	
Teachers in schools.....	811		21	174	230	123	96	75	90	2
Stenographers and typewriters.....	193		22	78	66	19	5	1	2	
Bookkeepers, clerks, and copyists.....	650	3	100	182	199	86	32	29	19	
Hotel and boarding-house keepers.....	152			2	5	23	36	38	48	
Laundresses.....	303		23	21	48	68	60	44	39	
Nurses and midwives.....	582		7	63	80	58	72	104	196	2
Servants.....	9,100	29	559	872	1,419	1,204	1,181	1,399	2,420	17
Artificial-flower and paper-box makers.....	24	1	2	9	6	5		1		
Cigar makers and tobacco workers.....	88	3	24	22	19	6	10	2	2	
Mill and factory operatives (textiles).....	775	7	150	193	180	98	50	50	42	5
Milliners.....	256		30	39	54	35	29	31	38	
Dressmakers and seamstresses.....	1,631	6	94	221	355	311	226	185	231	2
Telegraph and telephone operators.....	61		15	22	18	3	1	1	1	
All other occupations.....	3,349	21	292	416	582	447	393	385	808	5
REGISTRATION CITIES.										
All occupations.....	13,678	48	1,063	1,867	2,667	2,025	1,753	1,790	2,446	19
Musicians and teachers of music.....	105		5	18	23	22	11	17	9	
Teachers in schools.....	538		12	95	143	94	73	54	66	1
Stenographers and typewriters.....	171		21	69	57	17	4	1	2	
Bookkeepers, clerks, and copyists.....	586	3	93	162	184	76	29	23	16	
Hotel and boarding-house keepers.....	116			2	4	17	30	26	37	
Laundresses.....	274		22	20	47	63	53	39	30	
Nurses and midwives.....	440		5	53	69	44	56	78	134	1
Servants.....	7,043	15	400	669	1,172	990	980	1,139	1,670	8
Artificial-flower and paper-box makers.....	24	1	2	9	6	5		1		
Cigar makers and tobacco workers.....	86	3	24	21	19	6	9	2	2	
Mill and factory operatives (textiles).....	597	4	111	156	152	80	30	37	23	4
Milliners.....	174		29	30	41	23	19	19	13	
Dressmakers and seamstresses.....	1,302	5	85	197	300	261	173	134	145	2
Telegraph and telephone operators.....	57		14	21	17	3	1	1	1	
All other occupations.....	2,165	17	240	345	433	324	285	219	299	3
REGISTRATION STATES.										
All occupations.....	12,145	43	778	1,462	2,183	1,742	1,471	1,655	2,788	23
Musicians and teachers of music.....	77		6	11	18	14	10	14	4	
Teachers in schools.....	536		16	120	158	77	66	40	57	2
Stenographers and typewriters.....	92		9	32	36	11	3	1		
Bookkeepers, clerks, and copyists.....	407	1	46	108	123	61	24	27	17	
Hotel and boarding-house keepers.....	88			2	2	15	18	25	26	
Laundresses.....	188		7	9	28	41	43	32	28	
Nurses and midwives.....	378		2	36	49	41	42	73	133	2
Servants.....	6,086	19	333	543	954	839	782	962	1,643	11
Artificial-flower and paper-box makers.....	17	1	1	5	5	4		1		
Cigar makers and tobacco workers.....	52	1	8	15	13	6	7	2		
Mill and factory operatives (textiles).....	643	5	112	156	151	85	47	44	39	4
Milliners.....	171		11	23	40	22	20	24	31	
Dressmakers and seamstresses.....	988	4	40	117	195	209	138	118	166	1
Telegraph and telephone operators.....	42		13	15	11	1		1	1	
All other occupations.....	2,380	12	174	270	400	316	271	291	643	3

TABLE 6.—DEATHS, AT EACH AGE, OF WHITE FEMALES ENGAGED IN EACH OCCUPATION: CENSUS YEAR 1900—Con.

OCCUPATIONS.	AGE.									
	All ages.	Under 15	15 to 19	20 to 24	25 to 34	35 to 44	45 to 54	55 to 64	65 and over.	Un-known.
CITIES IN REGISTRATION STATES.										
All occupations	7,711	21	494	991	1,557	1,254	1,017	1,080	1,288	9
Musicians and teachers of music	45		3	5	9	9	5	11	3	
Teachers in schools	263		7	41	71	48	43	19	33	1
Stenographers and typewriters	70		8	23	27	9	2	1		
Bookkeepers, clerks, and copyists	343	1	39	88	108	51	21	21	14	
Hotel and boarding-house keepers	52			2	1	9	12	13	15	
Laundresses	159		6		27	36	36	27	19	
Nurses and midwives	236			26	38	27	26	47	71	1
Servants	4,029	5	174	340	707	625	581	702	893	2
Artificial-flower and paper-box makers	17	1	1	5	5	4		1		
Cigar makers and tobacco workers	50	1	8	14	13	6	6	2		
Mill and factory operatives (textiles)	465	2	73	119	123	67	27	31	20	3
Milliners	89		10	14	27	10	10	12	6	
Dressmakers and seamstresses	659	3	31	93	140	159	85	67	80	1
Telegraph and telephone operators	38		12	14	10	1		1		
All other occupations	1,196	8	122	199	251	193	163	125	134	1
RURAL PART OF REGISTRATION STATES.										
All occupations	4,434	22	284	471	626	488	454	575	1,500	14
Musicians and teachers of music	32		3	6	9	5	5	3	1	
Teachers in schools	273		9	79	87	29	23	21	24	1
Stenographers and typewriters	22		1	9	9	2	1			
Bookkeepers, clerks, and copyists	64		7	20	15	10	3	6	3	
Hotel and boarding-house keepers	36				1	6	6	12	11	
Laundresses	29		1	1	1	5	7	5	9	
Nurses and midwives	142		2	10	11	14	16	26	62	1
Servants	2,057	14	159	203	247	214	201	260	750	9
Artificial-flower and paper-box makers										
Cigar makers and tobacco workers	2			1			1			
Mill and factory operatives (textiles)	178	3	39	37	28	18	20	13	19	1
Milliners	82		1	9	13	12	10	12	25	
Dressmakers and seamstresses	329	1	9	24	55	50	53	51	86	
Telegraph and telephone operators	4		1	1	1			1		
All other occupations	1,184	4	52	71	149	123	108	166	509	2
REGISTRATION CITIES IN OTHER STATES.										
All occupations	5,967	27	569	876	1,110	771	736	710	1,158	10
Musicians and teachers of music	60		2	13	14	13	6	6	6	
Teachers in schools	275		5	54	72	46	30	35	33	
Stenographers and typewriters	101		13	46	30	8	2		2	
Bookkeepers, clerks, and copyists	243	2	54	74	76	25	8	2	2	
Hotel and boarding-house keepers	64				3	8	18	13	22	
Laundresses	115		16	12	20	27	17	12	11	
Nurses and midwives	204		5	27	31	17	30	31	63	
Servants	3,014	10	226	329	465	365	399	437	777	6
Artificial-flower and paper-box makers	7		1	4	1	1				
Cigar makers and tobacco workers	36	2	16	7	6		3		2	
Mill and factory operatives (textiles)	132	2	38	37	29	13	3	6	3	1
Milliners	85		19	16	14	13	9	7	7	
Dressmakers and seamstresses	643	2	54	104	160	102	88	67	65	1
Telegraph and telephone operators	19		2	7	2	1				
All other occupations	969	9	118	146	182	131	122	94	165	
NONREGISTRATION RECORD.										
All occupations	11,028	286	1,118	1,589	1,840	1,124	1,046	1,154	2,800	71
Musicians and teachers of music	129		9	40	58	8	5	5	4	
Teachers in schools	920	2	58	283	309	97	50	48	69	4
Stenographers and typewriters	55		12	18	18	2	3	1	1	
Bookkeepers, clerks, and copyists	131	1	25	37	44	11	6	2	4	1
Hotel and boarding-house keepers	345		2	2	7	25	45	65	198	1
Laundresses	178	2	17	13	34	27	33	22	28	2
Nurses and midwives	279	3	5	15	26	30	33	45	120	2
Servants	3,027	100	486	529	504	298	247	277	559	27
Artificial-flower and paper-box makers	2		1	1	1					
Cigar makers and tobacco workers	42	3	10	9	15	1	1	1	1	1
Mill and factory operatives (textiles)	344	33	93	71	47	17	13	15	53	2
Milliners	202		11	37	53	26	23	24	28	
Dressmakers and seamstresses	1,087	4	72	192	279	159	135	86	158	2
Telegraph and telephone operators	20		4	5	9	1	1			
All other occupations	4,267	138	314	337	436	422	451	563	1,577	29

TABLE 7.

DEATHS IN THE UNITED STATES, THE REGISTRATION AREA AND ITS SUBDIVISIONS
AND THE NONREGISTRATION AREA, DURING THE CENSUS YEAR ENDING
MAY 31, 1900, AT THE SPECIFIED AGES, OF COLORED FEMALES
ENGAGED IN EACH SPECIFIED OCCUPATION.

NOTE.—Occupation not reported in the registration returns for certain cities. See note on page 75.

OCCUPATIONS—FEMALES.

151

TABLE 7.—DEATHS, AT EACH AGE, OF COLORED FEMALES ENGAGED IN EACH OCCUPATION: CENSUS YEAR 1900.

OCCUPATIONS.	AGE.									
	All ages.	Under 15	15 to 19	20 to 24	25 to 34	35 to 44	45 to 54	55 to 64	65 and over.	Un-known.
THE UNITED STATES.										
All occupations.....	16,351	625	2,189	2,569	3,082	2,210	1,947	1,467	2,069	193
Musicians and teachers of music.....	13		3	2	3	4		1		
Teachers in schools.....	159	2	27	50	58	15	3	1	2	1
Stenographers and typewriters.....										
Bookkeepers, clerks, and copyists.....	7		1	1	3	1			1	
Hotel and boarding-house keepers.....	25		1	1	4	2	7	6	4	
Laundresses.....	1,917	12	123	202	370	366	350	217	256	21
Nurses and midwives.....	469	31	70	43	26	17	49	59	166	8
Servants.....	5,357	80	545	904	1,069	736	658	518	776	71
Artificial-flower and paper-box makers.....										
Cigar makers and tobacco workers.....	33	3	5	8	8	6		1	2	
Mill and factory operatives (textiles).....	19		3	1	4	1	5	1	3	1
Milliners.....	3			1	1	1				
Dressmakers and seamstresses.....	247		15	33	64	55	33	22	23	2
Telegraph and telephone operators.....										
All other occupations.....	8,102	497	1,396	1,323	1,472	1,006	842	641	836	89
THE REGISTRATION RECORD.										
All occupations.....	3,872	24	286	523	726	700	597	446	555	10
Musicians and teachers of music.....	9		2	1	2	3		1		
Teachers in schools.....	30		4	8	12	4	2			
Stenographers and typewriters.....										
Bookkeepers, clerks, and copyists.....	7		1	1	3	1			1	
Hotel and boarding-house keepers.....	4				1		1	1	1	
Laundresses.....	617	2	18	42	114	137	128	77	95	4
Nurses and midwives.....	143	1	18	17	17	12	17	24	37	
Servants.....	2,598	18	208	389	486	452	378	290	371	6
Artificial-flower and paper-box makers.....										
Cigar makers and tobacco workers.....	3		2	1						
Mill and factory operatives (textiles).....	11		2		3	1	5			
Milliners.....										
Dressmakers and seamstresses.....	111		7	13	21	33	21	10	6	
Telegraph and telephone operators.....										
All other occupations.....	339	3	24	56	67	57	45	43	44	
REGISTRATION CITIES.										
All occupations.....	3,727	23	274	508	706	679	584	421	522	10
Musicians and teachers of music.....	8		1	1	2	3		1		
Teachers in schools.....	30		4	8	12	4	2			
Stenographers and typewriters.....										
Bookkeepers, clerks, and copyists.....	7		1	1	3	1			1	
Hotel and boarding-house keepers.....	4				1		1	1	1	
Laundresses.....	607	2	18	42	113	135	127	72	94	4
Nurses and midwives.....	138	1	18	17	17	12	16	23	34	
Servants.....	2,488	17	202	370	469	434	369	274	347	6
Artificial-flower and paper-box makers.....										
Cigar makers and tobacco workers.....	3		2	1						
Mill and factory operatives (textiles).....	11		2		3	1	5			
Milliners.....										
Dressmakers and seamstresses.....	109		7	13	20	33	21	10	5	
Telegraph and telephone operators.....										
All other occupations.....	322	3	19	55	66	56	43	40	40	
REGISTRATION STATES.										
All occupations.....	1,058	6	75	141	186	190	161	138	160	1
Musicians and teachers of music.....	6		1		1	3		1		
Teachers in schools.....	5		1	3	1					
Stenographers and typewriters.....										
Bookkeepers, clerks, and copyists.....	2				1	1				
Hotel and boarding-house keepers.....	1								1	
Laundresses.....	114		2	6	15	21	25	21	24	
Nurses and midwives.....	19		2	1	1	1	3	4	7	
Servants.....	834	6	62	124	156	148	116	101	120	1
Artificial-flower and paper-box makers.....										
Cigar makers and tobacco workers.....										
Mill and factory operatives (textiles).....	1						1			
Milliners.....										
Dressmakers and seamstresses.....	33		1	3	6	9	10	2	2	
Telegraph and telephone operators.....										
All other occupations.....	43		6	4	5	7	6	9	6	

TABLE 7.—DEATHS, AT EACH AGE, OF COLORED FEMALES ENGAGED IN EACH OCCUPATION: CENSUS YEAR 1900—Continued.

OCCUPATIONS.	AGE.									
	All ages.	Under 15	15 to 19	20 to 24	25 to 34	35 to 44	45 to 54	55 to 64	65 and over.	Un-known.
CITIES IN REGISTRATION STATES.										
All occupations.....	913	5	63	121	166	169	148	113	127	1
Musicians and teachers of music.....	5				1	3		1		
Teachers in schools.....	5		1	3	1					
Stenographers and typewriters.....					1	1				
Bookkeepers, clerks, and copyists.....	2									
Hotel and boarding-house keepers.....	1								1	
Laundresses.....	104		2	6	14	19	24	16	23	
Nurses and midwives.....	14		2	1	1	1	2	3	4	
Servants.....	724	5	56	105	139	130	107	85	96	1
Artificial-flower and paper-box makers.....										
Cigar makers and tobacco workers.....										
Mill and factory operatives (textiles).....	1						1			
Milliners.....										
Dressmakers and seamstresses.....	31		1	3	5	9	10	2	1	
Telegraph and telephone operators.....										
All other occupations.....	26		1	3	4	6	4	6	2	
RURAL PART OF REGISTRATION STATES.										
All occupations.....	145	1	12	20	20	21	13	25	33	
Musicians and teachers of music.....	1		1							
Teachers in schools.....										
Stenographers and typewriters.....										
Bookkeepers, clerks, and copyists.....										
Hotel and boarding-house keepers.....										
Laundresses.....	10				1	2	1	5	1	
Nurses and midwives.....	5						1	1	3	
Servants.....	110	1	6	19	17	18	9	16	24	
Artificial-flower and paper-box makers.....										
Cigar makers and tobacco workers.....										
Mill and factory operatives (textiles).....										
Milliners.....										
Dressmakers and seamstresses.....	2				1				1	
Telegraph and telephone operators.....										
All other occupations.....	17		5	1	1	1	2	3	4	
REGISTRATION CITIES IN OTHER STATES.										
All occupations.....	2,814	18	211	387	540	510	436	308	395	9
Musicians and teachers of music.....	3		1	1	1					
Teachers in schools.....	25		3	5	11	4	2			
Stenographers and typewriters.....										
Bookkeepers, clerks, and copyists.....	5		1	1	2				1	
Hotel and boarding-house keepers.....	3				1		1	1		
Laundresses.....	503	2	16	36	99	116	103	56	71	4
Nurses and midwives.....	124	1	16	16	16	11	14	20	30	
Servants.....	1,764	12	146	265	330	304	262	189	251	5
Artificial-flower and paper-box makers.....										
Cigar makers and tobacco workers.....	3		2	1						
Mill and factory operatives (textiles).....	10		2		3	1	4			
Milliners.....										
Dressmakers and seamstresses.....	78		6	10	15	24	11	8	4	
Telegraph and telephone operators.....										
All other occupations.....	296	3	18	32	62	50	39	34	38	
NONREGISTRATION RECORD.										
All occupations.....	12,479	601	1,903	2,041	2,356	1,510	1,350	1,021	1,514	183
Musicians and teachers of music.....	4		1	1	1	1				
Teachers in schools.....	129	2	23	42	46	11	1	1	2	1
Stenographers and typewriters.....										
Bookkeepers, clerks, and copyists.....										
Hotel and boarding-house keepers.....	21		1	1	3	2	6	5	3	
Laundresses.....	1,300	10	105	160	256	229	222	140	161	17
Nurses and midwives.....	326	30	52	26	9	5	32	35	129	8
Servants.....	2,759	62	337	515	583	284	280	228	405	65
Artificial-flower and paper-box makers.....										
Cigar makers and tobacco workers.....	30	3	3	7	8	6		1	2	
Mill and factory operatives (textiles).....	8		1	1	1			1	3	1
Milliners.....	3			1						
Dressmakers and seamstresses.....	136		8	20	43	22	12	12	17	2
Telegraph and telephone operators.....										
All other occupations.....	7,763	494	1,372	1,267	1,405	949	797	598	792	89

TABLE 8.

DEATHS IN THE UNITED STATES, THE REGISTRATION AREA AND ITS SUBDIVISIONS
AND THE NONREGISTRATION AREA, DURING THE CENSUS YEAR ENDING
MAY 31, 1900, FROM EACH SPECIFIED DISEASE AND CLASS
OF DISEASES, OF MALES ENGAGED IN EACH
OCCUPATION AND CLASS OF
OCCUPATIONS.

NOTE.—Occupation not reported in the registration returns for certain cities. See note on page 75.

TABLE 8.—DEATHS, FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES,
THE UNITED STATES.

	OCCUPATIONS.	All causes.	Malarial fever.	Typhoid fever.	Rheumatism.	Consumption.	Diabetes.	Diseases of the nervous system.	Diseases of the heart.	Other diseases of the circulatory system.	Pneumonia.
1	All occupations	278,147	3,506	12,578	1,844	40,466	1,933	30,151	26,759	2,415	29,689
2	Professional	10,123	98	421	54	1,353	124	1,483	1,053	149	898
3	Architects, artists and teachers of art, etc.....	452	1	17	4	74	3	63	52	8	43
4	Clergymen	2,062	29	77	8	204	27	305	240	30	197
5	Engineers and surveyors	761	6	54	3	119	11	87	63	8	61
6	Journalists	375	6	18	1	57	7	59	42	8	29
7	Lawyers	1,508	8	35	9	153	25	275	165	36	109
8	Musicians and teachers of music.....	597	1	21	5	132	4	75	61	6	51
9	Physicians and surgeons	2,322	23	54	16	216	22	378	254	34	203
10	Teachers (school)	1,256	22	123	8	264	15	131	78	16	120
11	Others of this class	790	2	22		134	10	110	98	3	85
12	Clerical and official	13,703	74	590	71	2,777	149	1,650	1,354	204	1,269
13	Bookkeepers, clerks, and copyists.....	7,824	47	399	38	2,175	78	754	660	76	753
14	Bankers, brokers, and officials of companies.....	1,711	5	46	10	131	23	309	204	57	141
15	Collectors, auctioneers, and agents	2,595	12	86	16	283	32	393	320	52	217
16	Others of this class	1,573	10	59	7	188	16	194	170	19	158
17	Mercantile and trading	16,239	119	629	89	2,335	196	2,220	1,758	255	1,559
18	Apothecaries, pharmacists, etc.....	800	5	20	4	154	8	96	85	12	74
19	Commercial travelers	585	5	37	2	67	7	99	63	12	49
20	Merchants and dealers	9,955	79	345	60	1,073	141	1,508	1,168	175	896
21	Hucksters and peddlers	919	5	17	1	185	4	101	95	8	84
22	Others of this class	3,980	25	210	22	856	36	416	347	48	456
23	Public entertainment	4,343	17	92	22	643	45	535	429	46	441
24	Hotel and boarding-house keepers.....	1,626	1	24	7	113	24	253	229	20	139
25	Saloon keepers, liquor dealers, bartenders, and restaurant keepers.....	2,717	16	68	15	530	21	282	200	26	302
26	Personal service, police, and military.....	5,071	49	209	28	954	36	517	468	46	524
27	Barbers and hairdressers	1,371	9	69	6	401	8	112	130	9	107
28	Janitors and sextons	702	3	9	4	100	2	80	82	12	120
29	Policemen, watchmen, and detectives	1,480	6	30	10	147	16	201	167	18	167
30	Soldiers, sailors, and marines (United States).....	737	26	64	7	83	4	45	29	2	49
31	Others of this class	781	5	37	1	218	6	79	60	6	81
32	Laboring and servant	47,165	497	1,955	216	8,571	159	4,144	3,997	322	5,572
33	Laborers (not agricultural).....	44,206	471	1,851	203	7,736	149	3,947	3,726	297	5,232
34	Servants.....	2,959	26	104	13	835	10	197	271	25	340
35	Manufacturing and mechanical industry.....	57,031	349	1,850	353	9,774	408	6,942	5,902	635	5,521
36	Bakers and confectioners	1,072	5	37	4	213	12	117	100	10	99
37	Blacksmiths	3,386	23	140	29	358	21	454	373	32	326
38	Boot and shoe makers	2,348	13	28	18	311	14	360	316	25	227
39	Brewers, distillers, and rectifiers.....	346	2	10	3	45	5	44	44	2	27
40	Butchers	1,620	7	60	22	250	9	185	189	18	162
41	Cabinetmakers and upholsterers.....	1,016	2	30	6	176	11	120	95	11	82
42	Carpenters and joiners	8,852	70	243	64	1,177	46	1,190	1,027	118	807
43	Cigar makers and tobacco workers.....	1,106	2	28	7	315	7	117	99	10	95
44	Clock and watch repairers, jewelers, etc.....	475	1	9	2	79	8	67	66	7	40
45	Compositors, printers, and pressmen.....	1,451	8	54	8	491	9	143	111	16	128
46	Coopers	843	5	16	3	96	7	105	111	11	85
47	Engineers and firemen (not locomotive).....	2,868	29	118	14	402	21	358	294	31	295
48	Glass blowers and glass workers.....	333		20		85	2	25	25	3	31
49	Hat and cap makers	263	2	2		57	2	25	29	6	32
50	Iron and steel workers	1,941	13	119	6	361	11	187	171	13	280
51	Leather makers	363	2	6	3	75	3	40	40	8	33
52	Leather workers	593	5	11	1	86	6	87	61	6	49
53	Machinists	2,718	14	128	14	483	16	318	251	33	279
54	Marble and stone cutters.....	736		13	6	241		57	75	4	69
55	Masons (brick and stone).....	2,670	16	60	14	381	20	313	295	20	277
56	Mill and factory operatives (textiles).....	2,172	18	125	13	478	9	196	194	15	216
57	Millers (flour and grist)	687	4	26	5	72	5	99	80	10	72
58	Painters, glaziers, and varnishers.....	3,641	19	104	16	684	27	429	351	38	330
59	Plasterers and whitewashers.....	535	2	14	7	93	1	66	54	6	60
60	Plumbers, and gas and steam fitters.....	833	7	42	10	233	6	78	54	1	87
61	Tailors	2,143	8	33	13	377	18	266	216	40	190
62	Tinners and tinware makers.....	706	5	25	2	129	5	89	60	4	58
63	Others of this class	11,314	67	344	63	2,026	107	1,407	1,121	138	1,085
64	Agriculture, transportation, and other outdoor.....	123,015	2,294	6,771	1,004	13,782	804	12,500	11,652	743	13,776
65	Boatmen and canalmen	230	2	8	1	31		28	25		15
66	Draymen, hackmen, teamsters, etc.....	4,953	42	219	29	947	23	419	419	41	642
67	Farmers, planters, and farm laborers.....	96,592	2,070	5,665	872	10,310	689	10,325	9,578	559	11,003
68	Gardeners, florists, nurserymen, and vine growers.....	1,378	10	24	18	132	10	182	183	13	129
69	Livery stable keepers and hostlers.....	902	7	31	5	168	4	103	91	6	90
70	Lumbermen and raftsmen	629	9	27	1	64	6	70	53	6	59
71	Miners and quarrymen	5,895	30	256	27	574	17	326	348	29	751
72	Sailors, pilots, fishermen, and oystermen.....	2,867	37	83	11	395	15	309	292	36	263
73	Steam railroad employees	6,217	55	286	17	697	23	425	371	33	473
74	Stock raisers, herders, and drovers.....	784	7	25	6	75	4	75	72	1	95
75	Others of this class	2,568	25	147	17	389	13	238	220	19	256
76	All other occupations.....	1,457	9	61	7	277	12	160	146	15	129

OCCUPATIONS—MALES.

155

OF MALES ENGAGED IN EACH OCCUPATION: CENSUS YEAR 1900.

THE UNITED STATES.

Other diseases of the respiratory system.	Diseases of the liver.	Other diseases of the digestive system.	Diseases of the urinary organs.	Diseases of the bones and joints.	Burns and scalds.	Suicide.	Other accidents and injuries.	CANCER.						All other causes.	Unknown cause.	
								Total.	Of stomach.	Of liver.	Of abdomen.	Of mouth, tongue, and throat.	Of other organs.			
7,568	4,785	11,902	20,821	653	612	3,555	24,696	9,133	3,276	875	555	592	3,835	39,886	5,195	1
273	183	472	925	24	12	124	489	298	106	25	26	14	127	1,527	163	2
13	13	17	45	3	3	7	17	11	3	7	5	3	3	54	4	3
70	26	107	202	5	5	5	44	69	30	7	4	3	25	373	42	4
19	10	30	45	2	13	14	121	15	3	1	1	2	9	83	7	5
10	6	12	40			7	16	14	4		1		41	2	6	
38	34	80	171	4		14	71	51	14	8	3	5	21	199	31	7
14	10	19	47	1	2	9	25	17	7	2		2	6	92	5	8
63	46	114	234	6	1	37	93	67	24	4	6	1	32	412	49	9
31	19	54	68	1	1	19	60	33	12	1	6	1	13	177	16	10
15	19	39	78	2		12	42	21	9	2	1		9	96	7	11
346	294	632	1,295	34	17	299	719	391	108	56	40	29	158	1,421	117	12
187	146	360	619	14	9	167	395	150	33	22	23	10	62	748	49	13
48	42	78	222	4	1	29	61	77	22	8	6	6	35	200	23	14
78	66	120	276	10	4	71	138	100	35	14	4	12	35	294	27	15
33	40	74	178	6	3	32	125	64	18	12	7	1	26	179	18	16
459	383	804	1,557	28	22	303	811	624	191	72	58	46	257	1,881	207	17
19	22	35	80	1	1	20	33	16	6	3	1	2	4	93	22	18
15	11	33	51		2	18	39	12	5	1	3		3	51	12	19
299	248	503	1,039	20	11	159	375	460	138	53	36	35	198	1,271	125	20
34	18	37	86			18	72	38	15	4	3	1	15	108	8	21
92	84	196	301	7	8	88	292	98	27	11	15	8	37	358	40	22
91	210	227	458	6	8	97	205	144	50	15	7	10	62	563	64	23
33	44	87	214	1	2	23	55	84	31	8	2	5	38	241	32	24
58	166	140	244	5	6	74	150	60	19	7	5	5	24	322	32	25
128	99	206	416	8	5	104	405	158	56	26	7	15	54	645	66	26
31	27	60	98	4	3	38	74	34	8	6	1	4	15	133	18	27
17	8	39	80		1	12	31	23	11	3	2	1	6	75	4	28
52	34	51	151	1	1	29	168	70	29	11	2	8	20	143	18	29
6	16	23	25	1		13	104	9	4			1	4	209	17	30
22	14	33	62	2		12	28	22	4	6	2	1	9	85	9	31
1,397	712	1,739	3,146	117	145	516	5,433	1,338	544	127	61	103	503	6,423	766	32
1,331	664	1,617	2,911	111	132	470	5,251	1,274	526	120	58	97	473	6,101	732	33
66	48	122	235	6	13	46	182	64	18	7	3	6	30	322	34	34
1,740	1,054	2,294	4,934	122	173	894	4,099	2,086	735	237	143	172	799	7,321	580	35
34	30	61	93	5	4	20	58	39	16	4	1	2	16	126	5	36
95	59	157	309	2	5	53	206	139	44	26	7	17	45	554	51	37
79	40	79	211	5	5	35	79	81	20	8	1	10	42	390	32	38
12	13	13	34	1	1	7	22	21	5	3		4	9	36	4	39
42	45	85	116	8	2	39	109	63	29	9	1	4	20	203	6	40
46	23	43	98		1	23	44	45	16	5	3	5	16	144	16	41
250	141	310	763	25	12	101	646	366	128	40	22	21	155	1,379	112	42
46	26	33	80	3		30	48	34	10	3	4	4	13	117	9	43
10	16	17	40	2	1	18	24	13	5		2		6	51	4	44
42	21	54	108	4	2	26	74	22	8	1	2	4	7	122	8	45
28	23	36	83			9	42	31	11	1	3	6	10	144	9	46
62	45	110	243	5	48	30	383	83	34	10	7	3	29	276	21	47
9	4	18	25	1	1	6	29	7	2		1		4	37	5	48
10	8	9	25		1	6	9	11	7		1		3	27	2	49
61	31	75	119	3	10	30	200	61	20	8	3	6	24	177	13	50
13	8	16	21		1	5	19	13	9	1		1	2	53	4	51
18	15	35	61	2		13	29	18	2	3		1	4	82	8	52
79	49	130	235	6	3	48	222	105	41	10	4	6	44	277	28	53
33	12	13	43	2	5	3	52	29	8	6	2	3	10	75	4	54
95	52	79	235	6	6	37	214	129	44	10	7	13	55	384	37	55
58	43	105	130	5	7	25	187	74	25	11	8	5	25	246	28	56
27	11	28	54	1	1	6	51	27	5	4	2	2	14	97	11	57
95	61	147	354	6	9	56	337	107	28	14	11	15	39	431	40	58
20	12	18	48	1	1	6	24	20	9	2	2	2	5	76	6	59
15	10	35	69	1	3	12	73	18	9	2		2	5	76	3	60
55	26	97	209	1	6	55	81	96	42	9	7	7	31	311	15	61
18	9	30	62	3	4	12	69	26	12	2	3	1	8	92	4	62
358	221	461	1,066	24	34	183	768	408	146	45	38	25	154	1,338	95	63
3,099	1,815	5,471	7,965	309	224	1,201	12,356	4,056	1,470	312	211	201	1,862	19,977	3,216	64
119	5	5	18		1	3	48	9	3			1	5	19	3	65
91	91	190	335	13	10	66	639	110	36	12		6	48	548	51	66
2,447	1,452	4,579	6,380	250	142	897	5,897	3,386	1,235	254	170	157	1,570	17,244	2,847	67
52	33	45	128	2	1	17	76	62	24	6	6	4	22	235	26	68
20	12	40	76	4	1	20	68	27	7	2	3	4	11	115	14	69
11	12	29	51		3	5	125	17	6	3		4	4	75	6	70
233	60	177	223	13	22	48	2,035	142	65	10	5	5	57	490	94	71
60	43	67	250	5	7	36	451	90	32	5	6	8	38	381	36	72
89	57	185	292	15	27	55	2,447	120	34	15	9	6	56	470	80	73
19	14	41	58	2	2	7	132	28	8		1	3	16	103	13	74
40	36	113	154	5	8	47	438	65	19	5	3	3	35	297	41	75
35	35	57	125	5	6	17	179	38	16	5	2	2	13	128	16	76

TABLE 8.—DEATHS, FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES.

THE REGISTRATION RECORD.

	OCCUPATIONS.	All causes.	Malarial fever.	Typhoid fever.	Rheumatism.	Consumption.	Diabetes.	Diseases of the nervous system.	Diseases of the heart.	Other diseases of the circulatory system.	Pneumonia.
1	All occupations	136,917	634	3,884	647	22,250	1,025	15,906	14,379	1,706	13,961
2	Professional	5,393	29	161	26	668	69	849	586	106	500
3	Architects, artists and teachers of art, etc.	376		11	3	60	3	54	46	6	38
4	Clergymen	934	7	25	1	73	14	165	103	23	100
5	Engineers and surveyors	543	3	37	2	90	8	64	41	7	23
6	Journalists	258	4	10		39	6	38	26	6	23
7	Lawyers	856	4	15	6	75	16	160	106	24	72
8	Musicians and teachers of music	454	1	14	4	98	4	54	51	6	34
9	Physicians and surgeons	1,037	7	22	7	89	9	180	110	23	83
10	Teachers (school)	416	2	16	3	57	4	60	36	9	46
11	Others of this class	519	1	11		87	5	74	67	2	55
12	Clerical and official	10,001	43	387	47	2,198	120	1,102	976	159	965
13	Bookkeepers, clerks, and copyists	6,457	29	282	26	1,847	67	589	559	71	639
14	Bankers, brokers, and officials of companies	941	3	25	6	74	15	157	114	39	81
15	Collectors, auctioneers, and agents	1,821	7	52	12	187	26	262	222	36	158
16	Others of this class	782	4	28	3	90	12	94	81	13	87
17	Mercantile and trading	10,833	46	298	53	1,550	140	1,490	1,214	205	1,100
18	Apothecaries, pharmacists, etc.	454	1	13	1	89	4	59	46	8	50
19	Commercial travelers	328		23	1	32	3	46	34	12	29
20	Merchants and dealers	6,522	33	161	34	680	108	1,002	799	135	604
21	Hucksters and peddlers	743	1	11	1	155	3	77	71	7	70
22	Others of this class	2,786	11	90	16	594	27	306	264	43	347
23	Public entertainment	2,516	8	51	15	449	23	288	210	32	260
24	Hotel and boarding-house keepers	626		11	6	55	7	87	83	11	63
25	Saloon keepers, liquor dealers, bartenders, and restaurant keepers	1,890	8	40	9	394	16	201	127	21	197
26	Personal service, police, and military	3,651	17	126	18	689	30	380	358	43	400
27	Barbers and hairdressers	888	1	40	4	258	5	66	96	8	72
28	Janitors and sextons	555	1	7	2	85	2	61	61	11	92
29	Policemen, watchmen, and detectives	1,193	2	23	8	120	15	168	136	18	135
30	Soldiers, sailors, and marines (United States)	460	12	33	4	52	4	36	23	2	36
31	Others of this class	565	1	23		174	4	49	42	4	65
32	Laboring and servant	30,975	191	1,014	108	5,751	99	2,755	2,789	263	3,782
33	Laborers (not agricultural)	28,745	178	944	102	5,126	91	2,602	2,569	239	3,514
34	Servants	2,230	13	70	6	625	8	153	220	24	268
35	Manufacturing and mechanical industry	40,123	165	1,041	212	7,422	294	4,801	4,217	491	3,966
36	Bakers and confectioners	869	3	26	4	170	11	98	79	9	81
37	Blacksmiths	1,659	3	50	8	208	11	228	174	20	154
38	Boot and shoe makers	1,627	9	18	12	241	7	252	225	20	158
39	Brewers, distillers, and rectifiers	277		8	2	38	4	32	36	1	21
40	Butchers	1,141	4	36	13	189	5	147	136	12	119
41	Cabinetmakers and upholsterers	813	2	26	4	144	9	90	73	8	72
42	Carpenters and joiners	4,963	26	88	20	668	25	682	606	82	428
43	Cigar makers and tobacco workers	822	2	15	6	232	5	83	74	10	74
44	Clock and watch repairers, jewelers, etc.	321		3	2	59	7	46	37	5	29
45	Compositors, printers, and pressmen	1,141	5	37	6	396	4	110	93	16	105
46	Coopers	562	4	8	2	70	3	63	73	9	63
47	Engineers and firemen (not locomotive)	2,077	12	72	11	288	17	274	227	23	227
48	Glass blowers and glass workers	224		10		62	1	13	21	2	20
49	Hat and cap makers	258	1	2		56	2	24	29	6	31
50	Iron and steel workers	1,500	10	72	4	292	8	129	138	9	233
51	Leather makers	306	1	4	1	69	2	30	34	8	33
52	Leather workers	342	2	5	1	49	3	44	33	2	28
53	Machinists	2,084	8	84	11	386	12	239	195	25	221
54	Marble and stone cutters	586		9	3	209		40	57	1	51
55	Masons (brick and stone)	1,671	6	30	6	267	10	195	185	18	177
56	Mill and factory operatives (textiles)	1,700	7	72	9	382	8	164	172	12	155
57	Millers (flour and grist)	251		10	3	23	1	40	31	4	29
58	Painters, glaziers, and varnishers	2,790	10	65	9	537	21	325	289	34	264
59	Plasterers and whitewashers	319	1	5	5	69	1	40	28	5	33
60	Plumbers, and gas and steam fitters	730	7	32	7	208	6	70	48	1	81
61	Tailors	1,747	5	25	11	325	17	201	178	38	168
62	Tinners and tinware makers	493	2	13	1	104	2	62	40	2	43
63	Others of this class	8,850	35	216	51	1,681	92	1,080	906	109	868
64	Agriculture, transportation, and other outdoor	32,366	131	762	165	3,309	241	4,132	3,918	396	2,892
65	Boatmen and canalmen	186	2	7		26		23	22		12
66	Draymen, hackmen, teamsters, etc.	3,542	13	106	13	766	18	289	319	37	448
67	Farmers, planters, and farm laborers	18,962	71	346	121	1,280	169	2,859	2,706	261	1,601
68	Gardeners, florists, nurserymen, and vine growers	901	5	17	8	93	9	131	113	11	91
69	Livery stable keepers and hostlers	578		14	2	120	4	67	68	3	54
70	Lumbermen and raftsmen	318	2	10	1	21	5	46	26	3	21
71	Miners and quarrymen	1,184	3	39	2	125	2	65	81	14	130
72	Sailors, pilots, fishermen, and oystermen	2,101	18	49	4	285	13	239	240	30	188
73	Steam railroad employees	3,025	13	110	7	334	13	234	198	25	191
74	Stock raisers, herders, and drovers	140		7		18		20	12		12
75	Others of this class	1,429	4	57	7	241	8	159	133	12	144
76	All other occupations	1,059	4	44	3	214	9	109	111	11	96

OCCUPATIONS—MALES.

157

OF MALES ENGAGED IN EACH OCCUPATION: CENSUS YEAR 1900—Continued.

THE REGISTRATION RECORD.

Other diseases of the respiratory system.	Diseases of the liver.	Other diseases of the digestive system.	Diseases of the urinary organs.	Diseases of the bones and joints.	Burns and scalds.	Suicide.	Other accidents and injuries.	CANCER.						All other causes.	Unknown cause.	
								Total.	Of stomach.	Of liver.	Of abdomen.	Of mouth, tongue, and throat.	Of other organs.			
4,105	2,726	5,544	12,573	302	333	2,137	11,427	5,058	1,809	575	373	392	1,909	17,381	939	1
154	108	213	574	15	7	68	253	179	67	16	19	9	68	756	42	2
12	12	12	38	2	1	6	13	10	2		5		3	47	2	3
34	9	44	119	2	1	3	18	40	22	4	2	1	11	145	8	4
12	8	21	38	1	2	12	78	10	2	1		2	5	56	4	5
9	2	10	33			5	8	8	1		1		6	30	1	6
20	23	42	103	4		7	35	30	8	6	2	3	11	103	11	7
9	7	14	41	1	2	7	21	15	5	2		2	6	70	1	8
32	22	53	122	3	1	15	35	33	13		4	1	15	183	8	9
14	11	19	33			5	19	18	8	1	4		5	61	3	10
12	14	28	47	2		8	26	15	6	2	1		6	61	4	11
260	217	456	996	25	14	237	475	292	83	38	31	24	116	985	47	12
155	127	289	533	11	8	145	303	136	29	19	21	10	57	611	30	13
30	21	47	137	4	1	17	34	39	13	2	3	3	18	93	4	14
61	49	85	216	8	2	56	91	77	29	9	3	10	26	203	11	15
14	20	35	110	2	3	19	47	40	12	8	4	1	15	78	2	16
322	267	488	1,179	16	16	214	505	452	139	50	49	35	179	1,205	73	17
8	10	20	55	1	1	9	18	4	2			1	1	49	8	18
9	7	17	37		1	12	24	11	5	1	3		2	26	4	19
202	171	307	760	10	8	108	226	324	100	35	29	28	132	813	42	20
30	17	27	76			15	55	45	12	4	3	1	15	86	6	21
73	62	117	251	5	6	70	182	78	20	10	14	5	29	231	13	22
55	165	127	270	5	5	61	119	70	24	9	6	3	28	281	22	23
14	27	31	91	1	1	13	21	27	8	4	1	1	13	71	6	24
41	138	96	179	4	4	48	98	43	16	5	5	2	15	210	16	25
99	80	147	339	7	4	80	254	124	45	22	7	13	37	433	23	26
25	21	37	71	3	2	27	43	22	5	4	1	3	9	83	4	27
13	7	36	65		1	9	34	20	10	3	2	1	4	57	1	28
4	31	40	134	1	1	26	113	56	23	10	2	7	14	116	8	29
4	10	13	18	1		8	54	7	3			1	3	126	7	30
15	11	21	51	2		10	20	19	4	5	2	1	7	51	3	31
1,021	529	1,164	2,488	77	94	362	3,331	986	398	104	49	89	346	3,931	240	32
970	487	1,076	2,282	73	86	325	3,208	933	388	98	47	84	321	3,713	227	33
51	42	88	206	4	8	37	123	53	15	6	2	5	25	218	13	34
1,283	800	1,538	3,758	83	124	689	2,737	1,551	549	193	113	141	555	4,720	231	35
27	26	45	83	3	4	16	48	36	16	4	1	2	13	98	2	36
52	33	65	179	1	2	25	108	90	26	21	6	13	24	238	10	37
52	28	53	139	4	1	28	60	64	19	8	1	6	30	242	14	33
9	12	11	31	1	1	5	16	18	4	3		4	7	3	39	3
33	33	61	88	6	1	27	62	40	19	7	1	3	10	126	3	40
39	21	30	78		1	22	36	37	16	5		4	12	110	11	41
140	92	173	467	15	8	70	371	229	80	26	17	18	88	739	34	42
39	22	22	67	3		24	37	32	9	3	3	4	13	74	1	43
7	11	7	32	2		15	17	11	4		2		5	30	1	44
35	17	42	91	3	2	18	53	18	6	1	1	4	6	87	3	45
17	17	20	61			6	33	24	9	1	2	5	7	86	3	46
45	37	81	197	3	36	25	246	59	24	8	5	3	19	191	6	47
5	2	11	21		1	4	19	6	1		1		4	23	3	48
10	8	8	25		1	6	9	11	7		1		3	27	2	49
53	26	55	105	2	7	25	152	43	14	7	2	4	16	133	4	50
12	8	11	17		1	4	14	11	8	1		1	1	44	2	51
11	12	21	44			8	20	10	1	1	1	3	4	44	5	52
62	35	94	199	6	3	38	149	82	30	8	4	6	34	217	18	53
30	9	12	37	1	5	3	38	22	5	5	1	3	8	56	3	54
72	40	42	152	4	5	28	125	86	26	9	4	11	36	215	8	55
47	39	81	119	4	6	22	140	68	23	11	8	5	21	179	14	56
12	5	4	21			3	21	13	3	4		1	5	29	2	57
74	51	101	300	2	7	44	251	82	21	11	9	12	29	305	19	58
10	9	6	34	1	1	4	18	13	6	1	1	2	3	34	2	59
12	10	28	59	1	2	10	63	13	6	1		2	4	70	2	60
74	22	75	179	1	5	54	65	74	34	9	5	5	21	219	11	61
12	7	19	45	2	2	11	45	16	7	2	2	1	4	63	2	62
292	168	360	888	18	22	144	521	343	125	36	35	19	128	1,013	43	63
885	531	1,339	2,871	71	64	411	3,635	1,373	491	138	97	76	571	4,983	257	64
8	3	4	17		1	3	37	5	2				3	15	1	65
92	59	126	277	9	10	52	457	74	27	10	6	2	29	360	17	66
546	334	881	1,846	41	24	229	908	970	348	100	67	49	406	3,607	159	67
32	21	28	96	1		11	54	39	14	4	4	4	13	134	7	68
16	7	22	51	2		12	31	23	5	2	3	4	9	75	7	69
8	10	15	39		1	5	54	12	6	1		3	2	37	2	70
58	16	46	59	2	5	10	373	43	16	6	1	1	19	95	16	71
42	33	46	200	5	5	31	299	80	30	5	5	7	33	281	13	72
52	28	94	168	6	16	34	1,216	75	25	7	9	2	32	189	22	73
5	1	8	17			3	13	8	3			1	4	15	1	74
26	19	69	101	2	2	21	193	44	15	3	2	3	21	175	12	75
26	29	42	98	3	5	15	118	31	13	5	2	2	9	87	4	76

TABLE 8.—DEATHS, FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES,
REGISTRATION CITIES.

	OCCUPATIONS.	All causes.	Malarial fever.	Typhoid fever.	Rheumatism.	Consumption.	Diabetes.	Diseases of the nervous system.	Diseases of the heart.	Other diseases of the circulatory system.	Pneumonia.
1	All occupations	100,800	499	3,083	438	18,568	679	10,559	9,707	1,200	10,877
2	Professional	4,223	21	132	18	542	53	626	440	87	408
3	Architects, artists and teachers of art, etc.	325		9	1	45	3	50	38	6	36
4	Clergymen	659	4	18	1	59	12	105	70	20	73
5	Engineers and surveyors	451	2	32	2	78	4	53	30	7	40
6	Journalists	223	3	10		33	4	34	21	4	20
7	Lawyers	678	2	11	4	64	13	118	85	18	64
8	Musicians and teachers of music	412	1	14	3	87	3	47	47	6	30
9	Physicians and surgeons	770	7	19	5	72	7	123	73	18	58
10	Teachers (school)	296	1	10	2	39	4	45	26	8	35
11	Others of this class	409	1	9		65	3	51	50		52
12	Clerical and official	8,858	36	348	38	1,978	102	946	865	146	869
13	Bookkeepers, clerks, and copyists	5,840	24	256	22	1,679	59	520	512	66	587
14	Bankers, brokers, and officials of companies	759	3	20	6	60	11	122	91	34	68
15	Collectors, auctioneers, and agents	1,615	6	49	8	164	22	230	193	34	141
16	Others of this class	644	3	23	2	75	10	74	69	12	73
17	Mercantile and trading	9,169	38	259	46	1,377	110	1,209	998	165	955
18	Apothecaries, pharmacists, etc.	349	1	11	1	75	2	44	32	7	33
19	Commercial travelers	277		19	1	24	3	38	31	10	23
20	Merchants and dealers	5,295	26	137	29	575	78	793	631	101	504
21	Hucksters and peddlers	666	1	10	1	147	3	61	61	6	67
22	Others of this class	2,582	10	82	14	556	24	273	243	41	328
23	Public entertainment	2,139	6	43	11	408	17	225	161	26	233
24	Hotel and boarding-house keepers	384		6	3	35	3	49	43	6	47
25	Saloon keepers, liquor dealers, bartenders, and restaurant keepers.	1,755	6	37	8	373	14	176	118	20	186
26	Personal service, police, and military	3,297	13	113	17	629	26	347	320	37	364
27	Barbers and hairdressers	787		35	4	228	3	62	88	8	70
28	Janitors and sextons	509		7	2	80	2	59	54	9	79
29	Policemen, watchmen, and detectives	1,100		23	7	111	15	153	126	15	124
30	Soldiers, sailors, and marines (United States)	398	10	29	4	48	2	30	17	2	34
31	Others of this class	503	1	19		162	4	43	35	3	57
32	Laboring and servant	25,267	172	854	88	4,972	65	2,053	2,200	213	3,214
33	Laborers (not agricultural)	23,217	160	788	84	4,386	57	1,918	1,999	190	2,965
34	Servants	2,050	12	66	4	586	8	135	201	23	249
35	Manufacturing and mechanical industry	32,466	134	882	163	6,370	224	3,602	3,279	373	3,342
36	Bakers and confectioners	790	3	22	4	156	8	79	77	6	75
37	Blacksmiths	1,181	3	39	5	173	8	141	119	11	117
38	Boot and shoe makers	1,152	6	14	6	184	5	168	153	16	111
39	Brewers, distillers, and rectifiers	262		6	2	38	4	28	36	1	20
40	Butchers	972	4	33	13	165	3	125	116	10	105
41	Cabinetmakers and upholsterers	722	2	23	3	135	9	73	62	5	66
42	Carpenters and joiners	3,605	17	73	15	532	18	452	411	47	337
43	Cigar makers and tobacco workers	753	2	12	5	220	3	72	67	9	69
44	Clock and watch repairers, jewelers, etc.	262		2	2	53	5	33	30	4	25
45	Compositors, printers, and pressmen	1,033	5	34	6	364	4	92	82	15	101
46	Coopers	456	4	7	1	61	2	47	62	5	54
47	Engineers and firemen (not locomotive)	1,798	12	64	8	245	16	224	197	21	201
48	Glass blowers and glass workers	196		9		56	1	12	16	2	19
49	Hat and cap makers	238	1	2		54	2	24	24	5	31
50	Iron and steel workers	1,348	6	68	3	271	7	106	127	9	208
51	Leather makers	274	1	4		64	2	26	28	7	31
52	Leather workers	246	2	5		43	1	26	18	1	24
53	Machinists	1,761	7	74	9	334	11	193	159	24	200
54	Marble and stone cutters	440		8	1	159		26	44		39
55	Masons (brick and stone)	1,247	5	27	5	224	4	134	134	11	142
56	Mill and factory operatives (textiles)	1,233	5	55	7	283	3	117	130	8	110
57	Millers (flour and grist)	135		7	2	16	1	20	17	2	15
58	Painters, glaziers, and varnishers	2,326	9	51	8	468	16	239	228	27	227
59	Plasterers and whitewashers	308	1	5	5	67	1	39	27	4	33
60	Plumbers, and gas and steam fitters	670	6	29	7	194	6	60	45	1	74
61	Tailors	1,614	5	24	10	312	17	178	158	36	167
62	Tinners and tinware makers	420	1	13	1	93	1	51	34	1	41
63	Others of this class	7,024	27	172	35	1,406	66	817	678	85	700
64	Agriculture, transportation, and other outdoor	14,433	77	412	54	2,095	74	1,456	1,341	144	1,403
65	Boatmen and canalmen	116		5		15		13	12		11
66	Draymen, hackmen, teamsters, etc.	3,216	12	92	12	724	17	250	285	34	409
67	Farmers, planters, and farm laborers	3,489	24	74	19	323	20	501	375	39	293
68	Gardeners, florists, nurserymen, and vine growers.	697	4	16	6	71	6	97	89	9	67
69	Livery stable keepers and hostlers	478		9	2	101	1	49	57	3	50
70	Lumbermen and raftsmen	180	2	6		12	3	24	16		15
71	Miners and quarrymen	928	3	30	2	104	2	52	69	10	108
72	Sailors, pilots, fishermen, and oystermen	1,555	17	32	3	235	9	154	175	17	153
73	Steam railroad employees	2,475	11	95	4	279	10	181	142	21	168
74	Stock raisers, herders, and drovers	128		7		17		17	10		11
75	Others of this class	1,171	4	46	6	214	6	118	111	11	118
76	All other occupations	948	2	40	3	197	8	95	103	9	89

OCCUPATIONS—MALES.

159

OF MALES ENGAGED IN EACH OCCUPATION: CENSUS YEAR 1900—Continued.

REGISTRATION CITIES.

Other diseases of the respiratory system.	Diseases of the liver.	Other diseases of the digestive system.	Diseases of the urinary organs.	Diseases of the bones and joints.	Burns and scalds.	Suicide.	Other accidents and injuries.	CANCER.						All other causes.	Unknown cause.	
								Total.	Of stomach.	Of liver.	Of abdomen.	Of mouth, tongue, and throat.	Of other organs.			
3,141	2,100	3,977	9,392	218	264	1,694	8,693	3,542	1,282	410	256	310	1,284	11,538	631	1
117	89	191	471	13	6	64	204	145	51	15	16	7	56	561	35	2
11	12	9	35	2	1	6	11	7	2	4	4	1	1	41	2	3
23	7	31	87	1	1	2	12	34	17	4	2	1	10	92	7	4
10	7	18	29	1	2	11	69	8	1	1	1	2	4	44	4	5
7	2	10	26	1	1	5	8	8	1	1	1	1	6	27	1	6
13	20	30	92	4	1	6	29	24	6	6	2	2	8	71	10	7
9	6	11	38	1	2	7	21	15	5	2	1	2	6	63	1	8
22	16	41	100	3	1	14	26	25	8	1	4	1	13	136	5	9
11	7	17	24	1	1	5	8	13	6	1	3	1	3	39	2	10
11	12	24	40	1	1	8	20	11	5	1	1	1	5	48	3	11
232	197	387	881	22	10	223	422	259	71	34	29	24	101	857	40	12
139	116	255	486	10	6	137	269	123	26	16	20	10	51	547	27	13
25	19	36	112	4	1	16	26	32	11	2	3	3	13	72	2	14
56	43	68	196	7	1	52	84	70	24	9	3	10	24	181	10	15
12	19	28	87	1	3	18	43	34	10	7	3	1	13	57	1	16
276	228	414	984	12	15	187	443	397	126	44	46	33	148	990	66	17
7	8	18	43	1	1	8	12	3	1	1	1	1	1	36	6	18
9	6	15	26	1	1	11	22	11	5	1	3	2	2	22	4	19
165	140	249	616	7	7	92	194	275	90	30	26	26	103	639	37	20
26	17	23	66	1	1	13	49	34	11	4	3	1	15	75	6	21
69	57	109	233	4	6	62	166	74	19	9	14	5	27	218	13	22
50	149	101	227	4	5	58	103	60	22	7	6	3	22	234	18	23
10	19	10	60	1	1	12	14	19	6	3	1	1	8	43	4	24
40	180	91	167	4	4	46	89	41	16	4	5	2	14	191	14	25
87	72	135	309	6	4	73	223	111	39	19	6	13	34	391	20	26
19	17	31	61	3	2	24	38	22	5	4	1	3	9	69	3	27
12	6	34	60	1	1	8	24	16	8	2	1	1	4	55	1	28
39	30	39	125	1	1	25	96	52	20	9	2	7	14	109	7	29
4	9	12	16	1	1	8	47	5	2	1	1	1	2	114	7	30
13	10	19	47	2	1	8	18	16	4	4	2	1	5	44	2	31
883	437	923	2,107	63	79	282	2,589	776	317	85	39	78	257	3,117	180	32
835	399	844	1,915	59	71	247	2,488	727	304	79	37	73	234	2,917	168	33
48	38	79	192	4	8	35	101	49	13	6	2	5	23	200	12	34
1,068	679	1,235	3,103	64	102	595	2,224	1,254	463	146	83	118	444	3,612	161	35
27	22	42	79	3	4	14	48	31	12	4	1	1	13	89	1	36
38	24	46	140	1	1	16	82	63	20	14	3	9	17	146	9	37
40	23	40	98	4	1	23	43	53	16	8	1	5	23	159	5	38
9	11	9	30	1	1	5	15	16	4	3	3	3	6	27	3	39
26	30	44	78	5	1	27	49	36	19	5	1	3	8	100	2	40
33	18	28	75	1	1	22	33	33	15	5	1	3	10	90	11	41
113	72	126	341	11	6	57	281	168	56	16	12	16	68	506	22	42
36	20	21	61	3	1	18	34	30	9	3	2	4	12	70	1	43
6	10	7	25	1	1	13	15	7	3	1	1	1	3	23	1	44
32	15	38	82	3	2	15	47	17	5	1	1	4	6	76	3	45
15	13	16	48	1	1	6	29	20	7	1	1	4	7	63	3	46
40	32	66	178	3	31	20	219	51	21	8	3	3	16	166	4	47
5	2	8	19	1	1	4	16	6	1	1	1	1	4	18	2	48
10	8	6	23	1	1	5	8	10	6	1	1	1	3	22	2	49
46	25	52	93	1	7	24	140	37	13	5	2	4	13	114	4	50
11	8	9	14	1	1	4	12	10	7	1	1	1	1	40	2	51
9	7	16	40	1	1	4	12	7	1	1	1	3	2	28	3	52
51	34	80	167	4	1	34	121	68	26	6	4	6	26	176	14	53
23	9	10	31	1	3	8	28	18	5	2	1	2	8	36	1	54
58	32	31	102	2	4	22	96	57	20	5	2	9	21	152	5	55
31	29	65	94	2	4	16	90	51	22	6	6	3	14	125	8	56
7	2	2	13	1	1	2	9	6	2	1	1	1	2	14	1	57
60	44	84	255	1	6	42	228	71	19	10	5	11	26	250	12	58
10	8	5	33	1	1	4	17	13	6	1	1	2	3	32	2	59
12	8	25	67	1	2	10	55	12	5	1	1	2	4	64	2	60
66	22	70	168	1	4	53	50	68	31	8	5	4	20	195	10	61
10	5	13	38	2	2	10	41	14	5	2	2	1	4	47	2	62
244	146	276	721	14	17	122	406	281	107	30	26	14	104	784	27	63
407	224	555	1,221	31	38	198	2,377	513	183	55	29	32	214	1,706	107	64
4	3	3	11	1	1	1	23	2	1	1	1	1	1	11	1	65
89	57	112	256	7	8	47	410	62	21	9	4	2	26	319	14	66
118	49	170	367	10	4	44	200	199	73	26	9	9	82	625	35	67
27	19	23	79	1	1	9	40	33	12	3	3	3	12	96	5	68
13	6	19	42	2	1	12	26	19	3	2	2	4	8	63	4	69
4	7	12	25	1	1	1	17	9	4	1	1	3	2	25	2	70
51	14	35	47	5	5	9	261	37	14	6	1	1	16	168	13	71
33	26	32	153	6	5	24	234	52	21	1	2	5	23	188	8	72
44	25	81	145	5	13	30	995	54	17	6	6	2	23	155	17	73
3	1	8	15	1	1	3	12	8	3	1	1	1	4	15	1	74
21	17	60	81	1	2	18	159	38	14	2	2	3	17	133	7	75
21	25	36	89	3	5	14	108	27	10	5	2	2	8	70	4	76

TABLE 8.—DEATHS, FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES,

REGISTRATION STATES.

	OCCUPATIONS.	All causes.	Malarial fever.	Typhoid fever.	Rheumatism.	Consumption.	Diabetes.	Diseases of the nervous system.	Diseases of the heart.	Other diseases of the circulatory system.	Pneumonia.
1	All occupations	83,815	261	1,962	409	13,197	719	10,569	9,484	1,023	8,592
2	Professional	3,109	14	77	15	370	45	535	359	51	292
3	Architects, artists and teachers of art, etc.....	229		7	3	37	3	37	33	3	20
4	Clergymen	553	4	11		29	8	103	64	13	60
5	Engineers and surveyors	300	1	16	1	53	6	35	24	2	32
6	Journalists	135	3	3		17	6	20	13	3	13
7	Lawyers	493	3	9	3	40	9	102	67	12	38
8	Musicians and teachers of music	243		6	3	56	2	30	30	3	17
9	Physicians and surgeons	589	1	10	3	50	5	120	64	9	53
10	Teachers (school)	246	1	10	2	29	3	41	22	4	29
11	Others of this class	321	1	5		59	3	47	42	2	30
12	Clerical and official	5,716	16	198	32	1,292	77	654	572	82	589
13	Bookkeepers, clerks, and copyists	3,788	12	141	21	1,107	44	347	332	38	403
14	Bankers, brokers, and officials of companies	514	1	16	2	40	9	84	60	20	50
15	Collectors, auctioneers, and agents	972	2	28	7	97	16	162	133	17	84
16	Others of this class	442	1	13	2	48	8	61	47	7	52
17	Mercantile and trading	6,000	17	140	27	819	96	847	719	114	659
18	Apothecaries, pharmacists, etc.....	270		7	1	45	2	40	31	5	34
19	Commercial travelers	147		8	1	17	2	24	14	6	12
20	Merchants and dealers	3,764	13	77	18	375	71	573	492	74	382
21	Hucksters and peddlers	401		5		84	2	43	45	3	36
22	Others of this class	1,418	4	43	7	298	19	167	137	26	195
23	Public entertainment	1,350	3	24	9	236	14	169	126	18	146
24	Hotel and boarding-house keepers	445		7	5	42	5	68	64	10	43
25	Saloon keepers, liquor dealers, bartenders, and restaurant keepers.....	905	3	17	4	194	9	101	62	8	103
26	Personal service, police, and military	1,931	13	57	10	380	13	216	188	26	221
27	Barbers and hairdressers	416	1	16	1	134	2	30	41	7	31
28	Janitors and sextons	324	1	5		49		37	30	5	62
29	Policemen, watchmen, and detectives	665	2	9	6	59	4	105	77	10	75
30	Soldiers, sailors, and marines (United States).....	180	8	12	3	20	3	18	16	1	19
31	Others of this class	346	1	15		118	4	26	24	3	34
32	Laboring and servant	16,158	43	409	53	3,018	63	1,601	1,542	128	1,996
33	Laborers (not agricultural)	14,895	39	373	50	2,668	57	1,507	1,423	115	1,840
34	Servants	1,263	4	36	3	350	6	94	119	13	156
35	Manufacturing and mechanical industry	24,769	84	529	123	4,710	202	3,102	2,696	295	2,496
36	Bakers and confectioners	483		14	1	98	5	63	40	4	46
37	Blacksmiths	1,041	2	24	5	121	7	170	108	14	96
38	Boot and shoe makers	909	6	9	7	131	6	145	141	7	92
39	Brewers, distillers, and rectifiers	115		3	1	15	2	16	13		14
40	Butchers	614	1	16	6	110	3	88	68	5	66
41	Cabinetmakers and upholsterers	446	2	14	2	89	5	55	40	5	43
42	Carpenters and joiners	3,090	14	43	10	416	15	442	403	49	263
43	Cigar makers and tobacco workers	479		9	4	122	4	46	45	7	55
44	Clock and watch repairers, jewelers, etc.....	225		2		42	7	33	26	3	20
45	Compositors, printers, and pressmen	658	2	13	5	237	2	71	51	10	63
46	Coopers	262		3	1	33	3	32	30	8	23
47	Engineers and firemen (not locomotive)	1,119	4	30	10	164	7	149	129	12	127
48	Glass blowers and glass workers	110		3		35		6	13		9
49	Hat and cap makers	228	1	1		53	2	18	29	4	24
50	Iron and steel workers	748	6	29	2	165	2	64	71	3	127
51	Leather makers	206	1	3	1	52	2	17	21	2	22
52	Leather workers	216		2	1	28	2	33	26	2	12
53	Machinists	1,222	5	41	5	229	6	145	121	12	129
54	Marble and stone cutters	392		4	3	142		29	42	1	36
55	Masons (brick and stone)	1,097	3	17	3	162	10	125	128	13	127
56	Mill and factory operatives (textiles)	1,332	5	55	7	313	6	127	137	10	122
57	Millers (flour and grist)	161		3	2	12	1	27	23	2	18
58	Painters, glaziers, and varnishers	1,769	6	39	4	348	11	233	185	30	168
59	Plasterers and whitewashers	146		3		39		15	8	1	22
60	Plumbers, and gas and steam fitters	442	3	10	2	143	3	44	29		55
61	Tailors	991	1	12	9	183	12	120	108	21	95
62	Tinners and tinware makers	285	1	2		72	1	35	25	1	27
63	Others of this class	5,983	21	125	32	1,156	78	754	636	69	595
64	Agriculture, transportation, and other outdoor.....	24,196	69	501	138	2,250	204	3,382	3,226	302	2,139
65	Boatmen and canalmen	154	2	4		21		20	20		9
66	Draymen, hackmen, teamsters, etc.....	2,044	3	59	8	485	11	166	177	13	274
67	Farmers, planters, and farm laborers	16,899	51	293	111	1,071	158	2,595	2,520	236	1,430
68	Gardeners, florists, nurserymen, and vine growers.....	591	1	8	6	64	7	99	80	8	59
69	Livery stable keepers and hostlers	395		11	2	87	4	47	47	3	35
70	Lumbermen and raftsmen	216	1	6	1	14	2	34	18	3	16
71	Miners and quarrymen	373		15		47		15	22	5	30
72	Sailors, pilots, fishermen, and oystermen	1,321	6	32	3	159	8	177	151	19	122
73	Steam railroad employees	1,395	3	46	3	168	8	124	115	13	78
74	Stock raisers, herders, and drovers	31		1		4		5	4		1
75	Others of this class	777	2	26	4	130	6	100	72	2	85
76	All other occupations	586	2	27	2	122	5	63	56	7	54

OCCUPATIONS—MALES.

161

OF MALES ENGAGED IN EACH OCCUPATION: CENSUS YEAR 1900—Continued.

REGISTRATION STATES.

Other diseases of the respiratory system.	Diseases of the liver.	Other diseases of the digestive system.	Diseases of the urinary organs.	Diseases of the bones and joints.	Burns and scalds.	Suicide.	Other accidents and injuries.	CANCER.						All other causes.	Unknown cause.	
								Total.	Of stomach.	Of liver.	Of abdomen.	Of mouth, tongue, and throat.	Of other organs.			
2,372	1,640	3,323	8,031	203	182	1,124	6,130	3,181	1,104	369	252	233	1,223	10,912	501	1
88	59	132	342	10	5	33	119	105	36	10	13	4	42	435	23	2
4	6	11	21	1	1	2	5	8	1		4		3	27		3
20	5	25	77	1	1	2	11	24	13	2	1	1	7	92	3	4
7	4	13	24	1		8	31	4	1	1		1	1	35	3	5
8		2	21			1	3	6			1		4	16		6
13	13	25	56	2		4	16	15	4	3	1	1	6	60	6	7
3	6	7	24	1	2		11	8	1	2			5	33	1	8
19	11	27	69	2	1	7	13	20	8		3	1	8	100	5	9
5	5	10	21			2	14	10	5		2		3	36	2	10
9	9	12	29	2		7	15	10	2	2	1		5	36	3	11
123	133	267	586	15	4	104	231	160	46	24	16	13	61	563	18	12
79	78	181	334	5	2	59	157	78	14	13	13	6	32	360	10	13
12	13	25	76	4	1	9	20	18	7				11	51	3	14
23	28	43	108	4	1	32	37	43	16	5	2	7	13	103	4	15
9	14	18	68	2		4	17	21	9	6	1		5	49	1	16
166	155	269	696	11	4	100	223	257	75	27	28	19	108	651	30	17
4	6	11	35	1		6	11	1	1					27	3	18
2	2	7	21			3	7	7	4					11	3	19
114	97	180	469	7	3	56	106	186	53	18	3	13	88	451	20	20
12	9	17	40			5	22	21	8	2	14	1	8	55	2	21
34	41	54	131	3	1	30	77	42	9	7	9	5	12	107	2	22
25	98	64	152	2	5	21	52	31	10	6	3	1	11	146	9	23
8	19	23	66	1	1	7	14	12	3	2			7	48	2	24
17	79	41	86	1	4	14	33	19	7	4	3	1	4	98	7	25
47	42	72	217	4	2	41	123	64	22	10	3	9	20	186	9	26
12	13	16	36	1		12	18	11	3	1		3	4	32	2	27
8	2	16	47		1	8	12	13	6	1	2	1	3	28		28
17	17	23	94		1	13	59	26	11	6		4	5	65	3	29
2	2	5	6	1		4	21	5	1			1	3	31	3	30
8	8	12	34	2		4	13	9	1	2	1		5	30	1	31
513	256	626	1,340	48	40	165	1,724	533	207	56	30	42	198	1,953	107	32
488	235	576	1,201	45	37	153	1,655	497	199	51	30	39	178	1,833	103	33
25	21	50	139	3	3	12	69	36	8	5		3	20	120	4	34
760	479	877	2,419	57	76	366	1,513	957	325	132	75	87	338	2,908	120	35
15	18	23	57	3	2	6	22	20	11	2		2	5	44	2	36
33	21	36	108	1	2	19	55	61	17	14	4	10	16	156	2	37
24	14	28	76	1		11	32	33	8	3		4	18	136	10	38
2	5	3	15	1	1	2	7	8	2				3	7		39
15	19	36	52	3		8	31	17	7	3		1	6	68	2	40
20	9	18	39			10	16	18	5	3		1	9	60	1	41
82	47	98	313	11	4	36	209	140	49	18	10	9	54	478	17	42
25	13	12	43	3		17	18	19	5	1	2	1	10	37		43
4	8	4	23	1		8	12	10	4		2		4	21	1	44
21	12	23	51	2	2	10	25	12	3	1	1	3	4	46		45
11	9	10	34			1	15	11	5		1	2	3	38		46
25	20	37	119	2	21	13	110	34	16	3	2	2	11	102	4	47
1		4	13			2	13	1					1	8	2	48
9	8	20		1		6	8	11	7		1		3	24	1	49
30	11	21	54	2	1	10	54	22	7	4	1	3	7	73	1	50
9	7	7	14		1	1	10	7	5	1		1		28		51
8	8	12	28			4	12	5	1			1	2	30	3	52
37	21	52	115	4	3	17	80	61	24	7	3	4	23	129	10	53
17	5	8	22		3	2	23	12	1	5		3	3	41	2	54
50	27	25	101	4	4	17	83	54	14	5	2	7	26	140	4	55
40	31	55	86	4	6	18	108	52	15	10	6	4	17	141	9	56
7	3	3	15			2	12	8	1	3			4	21	2	57
40	31	62	199	2	3	18	137	49	13	11	6	5	14	193	11	58
3	3	2	16		1	3	11	4	2	1	1			15		59
5	7	13	43			5	37	4	1	1		2		39		60
39	11	38	116		5	24	38	49	24	6	4	4	11	106	4	61
7	4	13	26	1	1	5	18	7	5	1	1			39	1	62
181	107	226	621	12	16	91	317	228	73	28	28	15	84	688	30	63
634	399	992	2,223	55	44	291	2,089	1,058	376	101	83	58	440	4,017	183	64
7	2	3	11			2	33	5	2				3	14	1	65
42	33	62	167	7	7	30	241	42	15	4	6	1	16	209	8	66
469	306	773	1,635	37	23	201	785	841	301	85	62	44	349	3,229	135	67
20	9	19	55			5	34	25	9	2	4	2	8	86	6	68
11	6	12	35	2		7	18	15	4	1	1	3	6	47	6	69
6	6	4	29		1	4	45	4	3	1				22		70
10	2	15	19	2		1	147	13	6			1	6	27	3	71
26	15	33	119	2	2	19	174	54	17	4	5	4	24	191	9	72
25	11	37	84	3	9	11	522	40	12	3	5	1	19	86	9	73
3			8			2								3		74
15	9	34	61	2	2	11	88	19	7	1		2	9	103	6	75
16	19	24	56	1	2	3	56	16	7	3	1		5	53	2	76

TABLE 8.—DEATHS, FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES,
CITIES IN REGISTRATION STATES.

	OCCUPATIONS.	All causes.	Malarial fever.	Typhoid fever.	Rheumatism.	Consumption.	Diabetes.	Diseases of the nervous system.	Diseases of the heart.	Other diseases of the circulatory system.	Pneumonia.
1	All occupations	47,698	126	1,161	200	9,515	373	5,222	4,812	517	5,508
2	Professional	1,939	6	48	7	244	29	312	213	32	200
3	Architects, artists and teachers of art, etc.	178		5	1	22	3	33	25	3	18
4	Clergymen	278	1	4		15	6	43	31	10	33
5	Engineers and surveyors	208		11	1	41	2	24	13	2	23
6	Journalists	100	2	3		11	4	16	8	1	10
7	Lawyers	315	1	5	1	29	6	60	46	6	30
8	Musicians and teachers of music	201		6	2	45	1	23	26	3	13
9	Physicians and surgeons	322	1	7	1	33	3	63	27	4	28
10	Teachers (school)	126		4	1	11	3	26	12	3	18
11	Others of this class	211	1	3		37	1	24	25		27
12	Clerical and official	4,573	9	159	23	1,072	59	498	461	69	493
13	Bookkeepers, clerks, and copyists	3,171	7	115	17	939	36	278	285	33	351
14	Bankers, brokers, and officials of companies	332	1	11	2	26	5	49	37	15	37
15	Collectors, auctioneers, and agents	766	1	25	3	74	12	130	104	15	67
16	Others of this class	304		8	1	33	6	41	35	6	38
17	Mercantile and trading	4,336	9	101	20	646	66	566	503	74	514
18	Apothecaries, pharmacists, etc.	165		5	1	31		25	17	4	17
19	Commercial travelers	96		4	1	9	2	16	11	4	6
20	Merchants and dealers	2,637	6	53	13	270	46	364	324	40	282
21	Hucksters and peddlers	324		4		76	2	27	35	2	33
22	Others of this class	1,214	3	35	5	260	16	134	116	24	176
23	Public entertainment	973	1	16	5	195	8	106	77	12	119
24	Hotel and boarding-house keepers	203		2	2	22	1	30	24	5	27
25	Saloon keepers, liquor dealers, bartenders, and restaurant keepers	770	1	14	3	173	7	76	53	7	92
26	Personal service, police, and military	1,577	9	44	9	320	9	183	150	20	185
27	Barbers and hairdressers	315		11	1	104		26	33	7	29
28	Janitors and sextons	278		5		44		35	23	3	49
29	Policemen, watchmen, and detectives	572	2	9	5	50	4	90	67	7	64
30	Soldiers, sailors, and marines (United States) ..	128	6	8	3	16	1	12	10	1	17
31	Others of this class	284	1	11		106	4	20	17	2	26
32	Laboring and servant	10,450	24	249	33	2,239	29	899	953	78	1,428
33	Laborers (not agricultural)	9,367	21	217	32	1,928	23	823	853	66	1,291
34	Servants	1,083	3	32	1	311	6	76	100	12	137
35	Manufacturing and mechanical industry	17,112	53	370	74	3,658	132	1,903	1,758	177	1,872
36	Bakers and confectioners	404		10	1	84	2	44	38	1	40
37	Blacksmiths	563	2	13	2	86	4	83	53	5	59
38	Boot and shoe makers	434	3	5	1	74	4	61	69	3	45
39	Brewers, distillers, and rectifiers	100		1	1	15	2	12	13		13
40	Butchers	445	1	13	6	86	1	66	48	3	52
41	Cabinetmakers and upholsterers	355	2	11	1	80	5	38	29	2	37
42	Carpenters and joiners	1,732	5	28	5	280	8	212	208	14	172
43	Cigar makers and tobacco workers	410		6	3	110	2	35	38	6	50
44	Clock and watch repairers, jewelers, etc.	166		1		36	5	20	19	2	16
45	Compositors, printers, and pressmen	550	2	10	5	205	2	53	40	9	59
46	Coopers	156		2		24	2	16	19	4	14
47	Engineers and firemen (not locomotive)	840	4	22	7	121	6	99	99	10	101
48	Glass blowers and glass workers	82		2		29		5	8		8
49	Hat and cap makers	208	1	1		51	2	18	24	3	24
50	Iron and steel workers	596	2	25	1	144	1	41	60	3	102
51	Leather makers	174	1	3		47	2	13	15	1	20
52	Leather workers	120		2		22		15	11	1	8
53	Machinists	899	4	31	3	177	5	99	85	11	108
54	Marble and stone cutters	246		3	1	92		15	29		24
55	Masons (brick and stone)	673	2	14	2	119	4	64	77	6	92
56	Mill and factory operatives (textiles)	865	3	38	5	214	1	80	95	6	77
57	Millers (flour and grist)	45			1	5	1	7	9		4
58	Painters, glaziers, and varnishers	1,305	5	25	3	279	6	147	124	23	131
59	Plasterers and whitewashers	136		3		37		14	7		22
60	Plumbers, and gas and steam fitters	382	2	7	2	129	3	34	26		48
61	Tailors	858	1	11	8	170	12	97	88	19	94
62	Tinners and tinware makers	212		2		61		24	19		25
63	Others of this class	4,157	13	81	16	881	52	491	408	45	427
64	Agriculture, transportation, and other outdoor ..	6,263	15	151	27	1,036	37	706	649	50	650
65	Boatmen and canalmen	84		2		10		10	10		8
66	Draymen, hackmen, teamsters, etc.	1,718	2	45	7	443	10	127	143	10	235
67	Farmers, planters, and farm laborers	1,426	4	21	9	114	9	237	189	14	122
68	Gardeners, florists, nurserymen, and vine growers.	387		7	4	42	4	65	56	6	35
69	Livery stable keepers and hostlers	295		6	2	68		29	36	3	31
70	Lumbermen and raftsmen	78		2		5	1	12	8		10
71	Miners and quarrymen	117		6		26		2	10		8
72	Sailors, pilots, fishermen, and oystermen	775	5	15	2	109	4	92	86	6	87
73	Steam railroad employees	845	1	31		113	5	71	59	9	55
74	Stock raisers, herders, and drovers	19		1		3		2	2		
75	Others of this class	519	2	15	3	103	4	59	50	1	59
76	All other occupations	475		23	2	105	4	49	48	5	47

OCCUPATIONS—MALES.

163

OF MALES ENGAGED IN EACH OCCUPATION: CENSUS YEAR 1900—Continued.

CITIES IN REGISTRATION STATES.

Other diseases of the respiratory system.	Diseases of the liver.	Other diseases of the digestive system.	Diseases of the urinary organs.	Diseases of the bones and joints.	Burns and scalds.	Suicide.	Other accidents and injuries.	CANCER.						All other causes.	Unknown cause.	
								Total.	Of stomach.	Of liver.	Of abdomen.	Of mouth, tongue, and throat.	Of other organs.			
1,408	1,014	1,756	4,850	119	113	681	3,396	1,665	577	204	135	151	598	5,069	193	1
51	40	80	239	8	4	29	70	71	20	9	10	2	30	240	16	2
3	6	8	18	1	1	2	3	5	1		3		1	21		3
9	3	12	45		1	1	5	18	8	2	1	1	6	39	2	4
5	3	10	15	1		7	22	2		1		1		23	3	5
6		2	14			1	3	6	1		1			13		6
6	10	13	45	2		3	10	9	2	3	1		4	28	5	7
3	5	4	21	1	2		11	8		2			5	26	1	8
9	5	15	47	2		6	4	12	3		3		6	53	2	9
2	1	8	12			2	3	5	3		1		1	14	1	10
8	7	8	22	1		7	9	6	1	1			4	28	2	11
95	113	198	471	12		90	178	127	34	20	14	13	46	435	11	12
63	67	147	287	4		51	123	65	11	10	12	6	26	296	7	13
7	11	14	51			8	12	11	5				6	30	1	14
18	22	26	88	4		28	30	36	11	5	2	7	11	81	3	15
7	13	11	45	1		3	13	15	7	5			3	28		16
120	116	195	501	7	3	73	161	202	62	21	25	17	77	436	23	17
3	4	9	23	1		5	5							14	1	18
2	1	5	10			3	5	7	4		3			7	3	19
77	66	122	325	4	2	40	74	137	43	13	11	11	59	277	15	20
8	9	13	30			3	16	20	7	2	2	1	8	44	2	21
30	36	46	113	2	1	22	61	38	8	6	9	5	10	94	2	22
20	82	38	109	1	5	18	36	21	8	4	3	1	5	99	5	23
4	11	2	35		1	6	7	4	1	1			2	20		24
16	71	36	74	1	4	12	29	17	7	3	3	1	3	79	5	25
85	34	60	187	3	2	34	92	51	16	7	2	9	17	144	6	26
6	9	10	26	1		9	13	11	3	1		3	4	18	1	27
7	1	14	42		1	7	12	9	4		1	1	3	26		28
14	16	22	85		1	12	42	22	8	5		4	5	58	2	29
2	1	4	4			4	14	3				1	2	19	3	30
6	7	10	30	2		2	11	6	1	1	1		3	23		31
375	164	385	959	34	25	85	982	323	126	37	20	31	109	1,139	47	32
353	147	344	834	31	22	75	935	291	120	32	20	28	91	1,037	44	33
22	17	41	125	3	3	10	47	32	6	5		3	18	102	3	34
545	358	574	1,764	38	54	272	1,000	660	239	85	45	64	227	1,800	50	35
15	14	20	53	3	2	4	22	15	7	2		1	5	35	1	36
19	12	17	69		1	10	29	34	11	7	1	6	9	64	1	37
12	9	15	35	1		6	15	22	5	3		3	11	53	1	38
2	4	6	14		1	2	6	6	2		2	2	2	6		39
8	16	19	42	2		8	18	13	7	1		1	4	42	1	40
14	6	16	36			10	13	14	4	3			7	40	1	41
55	27	51	187	7	2	23	119	79	25	8	5	7	34	245	5	42
22	11	11	37	3		11	15	17	5	1	1	1	9	33		43
3	7	4	16			6	10	6	3		1		2	14	1	44
18	10	19	42	2	2	7	19	11	2	1	1	3	4	35		45
9	5	6	21			1	11	7	3			1	3	15		46
20	15	22	100	2	16	8	83	26	13	3		2	8	77	2	47
1		1	11			2	10	1					1	3		48
9	8	6	18		1	5	7	10	6		1		3	19	1	49
23	10	18	42	1		9	42	16	6	2	1		4	54	1	50
8	7	5	11		1	1	8	6	4	1				24	1	51
6	3	7	24			4	4	2	1			1		14	1	52
26	20	38	83	2	1	13	52	47	20	5	3		15	88	6	53
10	5	6	16		1	2	13	8	1	2		2	3	21		54
36	19	14	51	2	3	11	54	25	8	1		5	11	77	1	55
24	21	39	61	2	4	12	58	35	14	5	4	2	10	87	3	56
2		1	7			1		1					1	6		57
26	24	45	154	1	2	16	114	38	11	10	2	4	11	138	4	58
3	2	1	15		1	3	10	4	2		1			13		59
5	5	10	41			5	29	3		1		2		33		60
31	11	33	105		4	23	23	43	21	5	4	3	10	82	3	61
5	2	7	19	1		4	14	5	3	1	1			23	1	62
133	85	142	454	8	11	69	202	166	55	22	19	10	60	459	14	63
156	92	208	573	15	18	78	831	198	68	18	15	14	83	740	33	64
3	2	2	5				19	2	1				1	10	1	65
39	31	48	146	5	5	25	194	30	9	3	4	1	13	168	5	66
41	21	62	156	3	3	16	77	70	26	11	4	4	25	247	11	67
15	7	14	38			3	20	19	7	1	3	1	7	48	4	68
8	5	9	26	2		7	13	11	2	1		3	5	35	3	69
2	3	1	15				8	1	1					10		70
3		4	7				35	7					3	8		71
17	8	19	72	2	2	12	109	26	8		2	2	14	98	4	72
17	8	24	61	2	6	7	301	19	4	2	2	1	10	52	4	73
1			6				1							3		74
10	7	25	41	1	2	8	54	13	6			2	5	61	1	75
11	15	18	47	1	2	2	46	12	4	3	1		4	36	2	76

TABLE 8.—DEATHS, FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES,
RURAL PART OF REGISTRATION STATES.

	OCCUPATIONS.	All causes.	Malarial fever.	Typhoid fever.	Rheumatism.	Consumption.	Diabetes.	Diseases of the nervous system.	Diseases of the heart.	Other diseases of the circulatory system.	Pneumonia.
1	All occupations	36,117	135	801	209	3,682	346	5,347	4,672	506	3,084
2	Professional	1,170	8	29	8	126	16	223	146	19	92
3	Architects, artists and teachers of art, etc.	51		2	2	15		4	8		2
4	Clergymen	275	3	7		14	2	60	33	3	27
5	Engineers and surveyors	92	1	5		12	4	11	11		9
6	Journalists	35	1			6	2	4	5	2	3
7	Lawyers	178	2	4	2	11	3	42	21	6	8
8	Musicians and teachers of music	42			1	11	1	7	4		4
9	Physicians and surgeons	267		3	2	17	2	57	37	5	25
10	Teachers (school)	120	1	6	1	18		15	10	1	11
11	Others of this class	110		2		22	2	23	17	2	3
12	Clerical and official	1,143	7	39	9	220	18	156	111	13	96
13	Bookkeepers, clerks, and copyists	617	5	26	4	168	8	69	47	5	52
14	Bankers, brokers, and officials of companies	182		5		14	4	35	23	5	13
15	Collectors, auctioneers, and agents	206	1	3	4	23	4	32	29	2	17
16	Others of this class	138	1	5	1	15	2	20	12	1	14
17	Mercantile and trading	1,664	8	39	7	173	30	281	216	40	145
18	Apothecaries, pharmacists, etc.	105		2		14	2	15	14	1	17
19	Commercial travelers	51				8		8	3	2	6
20	Merchants and dealers	1,227	7	24	5	105	25	209	168	34	100
21	Hucksters and peddlers	77		1		8		16	10	1	3
22	Others of this class	204	1	8	2	38	3	33	21	2	19
23	Public entertainment	377	2	8	4	41	6	63	49	6	27
24	Hotel and boarding-house keepers	242		5	3	20	4	38	40	5	16
25	Saloon keepers, liquor dealers, bartenders, and restaurant keepers	135	2	3	1	21	2	25	9	1	11
26	Personal service, police, and military	354	4	13	1	60	4	33	38	6	36
27	Barbers and hairdressers	101	1	5		30	2	4	8		2
28	Janitors and sextons	46	1			5		2	7	2	13
29	Policemen, watchmen, and detectives	93			1	9		15	10	3	11
30	Soldiers, sailors, and marines (United States)	52	2	4		4	2	6	6		2
31	Others of this class	62		4		12		6	7	1	8
32	Laboring and servant	5,708	19	160	20	779	34	702	589	50	568
33	Laborers (not agricultural)	5,528	18	156	18	740	34	684	570	49	549
34	Servants	180	1	4	2	39		18	19	1	19
35	Manufacturing and mechanical industry	7,657	31	159	49	1,052	70	1,199	938	118	624
36	Bakers and confectioners	79		4		14	3	19	2	3	6
37	Blacksmiths	478		11	3	35	3	87	55	9	37
38	Boot and shoe makers	475	3	4	6	57	2	84	72	4	47
39	Brewers, distillers, and rectifiers	15		2				4			1
40	Butchers	169		3		24	2	22	20	2	14
41	Cabinetmakers and upholsterers	91		3	1	9		17	11	3	6
42	Carpenters and joiners	1,358	9	15	5	136	7	230	195	35	91
43	Cigar makers and tobacco workers	69		3	1	12	2	11	7	1	5
44	Clock and watch repairers, jewelers, etc.	59		1		6	2	13	7	1	4
45	Compositors, printers, and pressmen	108		3		32		18	11	1	4
46	Coopers	106		1	1	9	1	16	11	4	9
47	Engineers and firemen (not locomotive)	279		8	3	43	1	50	30	2	26
48	Glass blowers and glass workers	28		1		6		1	5		1
49	Hat and cap makers	20				2			5	1	
50	Iron and steel workers	152	4	4	1	21	1	23	11		25
51	Leather makers	32			1	5		4	6	1	2
52	Leather workers	96			1	6	2	18	15	1	4
53	Machinists	323	1	10	2	52	1	46	36	1	21
54	Marble and stone cutters	146		1	2	50		14	13	1	12
55	Masons (brick and stone)	424	1	3	1	43	6	61	51	7	35
56	Mill and factory operatives (textiles)	467	2	17	2	99	5	47	42	4	45
57	Millers (flour and grist)	116		3	1	7		20	14	2	14
58	Painters, glaziers, and varnishers	464	1	14	1	69	5	86	61	7	37
59	Plasterers and whitewashers	11				2		1	1	1	
60	Plumbers, and gas and steam fitters	60	1	3		14		10	3		7
61	Tailors	133		1	1	13		23	20	2	1
62	Tinners and tinware makers	73	1			11	1	11	6	1	2
63	Others of this class	1,826	8	44	16	275	26	263	228	24	168
64	Agriculture, transportation, and other outdoor	17,933	54	350	111	1,214	167	2,676	2,577	252	1,489
65	Boatmen and canalmen	70	2	2		11		10	10		1
66	Draymen, hackmen, teamsters, etc.	326	1	14	1	42	1	39	34	3	39
67	Farmers, planters, and farm laborers	15,473	47	272	102	957	149	2,358	2,331	222	1,308
68	Gardeners, florists, nurserymen, and vine growers	204	1	1	2	22	3	34	24	2	24
69	Livery stable keepers and hostlers	100		5		19	3	18	11		4
70	Lumbermen and raftsmen	138		4	1	9	2	22	10	3	6
71	Miners and quarrymen	256		9		21		13	12	4	22
72	Sailors, pilots, fishermen, and oystermen	546	1	17	1	50	4	85	65	13	35
73	Steam railroad employees	550	2	15	3	55	3	53	56	4	23
74	Stock raisers, herders, and drovers	12				1		3	2		1
75	Others of this class	258		11	1	27	2	41	22	1	26
76	All other occupations	111	2	4		17	1	14	8	2	7

OCCUPATIONS—MALES.

165

OF MALES ENGAGED IN EACH OCCUPATION: CENSUS YEAR 1900—Continued.

RURAL PART OF REGISTRATION STATES.

Other diseases of the respiratory system.	Diseases of the liver.	Other diseases of the digestive system.	Diseases of the urinary organs.	Diseases of the bones and joints.	Burns and scalds.	Suicide.	Other accidents and injuries.	CANCER.						All other causes.	Unknown cause.	
								Total.	Of stomach.	Of liver.	Of abdomen.	Of mouth, tongue, and throat.	Of other organs.			
964	626	1,567	3,181	84	69	443	2,734	1,516	527	165	117	82	625	5,843	308	1
37	19	52	103	2	1	4	49	34	16	1	3	2	12	195	7	2
1		3	3				2	3			1		2	6		3
11	2	13	32	1		1	6	6	5				1	53	1	4
2	1	3	9			1	9	2	1				1	12		5
2			7											3		6
7	3	12	11			1	6	6	2			1	3	32	1	7
	1	3	3											7		8
10	6	12	22		1	1	9	8	5			1	2	47	3	9
3	4	2	9				11	5	2		1		2	22	1	10
1	2	4	7	1			6	4	1	1	1		1	13	1	11
28	20	69	115	3	4	14	53	33	12	4	2		15	128	7	12
16	11	34	47	1	2	8	34	13	3	3	1		6	64	3	13
5	2	11	25		1	1	8	7					5	21	2	14
5	6	17	20	1		4	7	7	5				2	22	1	15
2	1	7	23	1		1	4	6	2	1	1		2	21	1	16
46	39	74	195	4	1	27	62	55	13	6	3	2	31	215	7	17
1	2	2	12			1	6	1	1					13	2	18
	1	2	11				2							4		19
37	31	58	144	3	1	16	32	49	10	5	3	2	29	174	5	20
4		4	10			2	6	1	1					11		21
4	5	8	18	1		8	16	4	1	1			2	13		22
5	16	26	43	1		3	16	10	2	2			6	47	4	23
4	8	21	31	1		1	7	8	2	1			5	28	2	24
1	8	5	12			2	9	2		1			1	19	2	25
12	8	12	30	1		7	31	13	6	3	1		3	42	3	26
6	4	6	10			3	5							14	1	27
1	1	2	5			1		4	2	1	1			2		28
3	1	1	9			1	17	4	3	1				7	1	29
	1	1	2	1			7	2	1				1	12		30
2	1	2	4			2	2	3		1			2	7	1	31
138	92	241	381	14	15	80	742	210	81	19	10	11	89	814	60	32
135	88	232	367	14	15	78	720	206	79	19	10	11	87	796	59	33
3	4	9	14			2	22	4	2				2	18	1	34
215	121	303	655	19	22	94	513	297	86	47	30	23	111	1,108	70	35
	4	3	4			2		5	4			1		9	1	36
14	9	19	39	1	1	9	26	27	6	7	3		7	92	1	37
12	5	13	41			5	17	11	3			1	7	83	9	38
	1	2	1				1	2				1	1	1		39
7	3	17	10	1			13	4		2			2	26	1	40
6	3	2	3				3	3	1			1	2	20		41
27	20	47	126	4	2	13	90	61	24	10	5	2	20	233	12	42
3	2	1	6			6	3	2			1		1	4		43
1	1	7	7	1		2	2	4	1		1		2	7		44
3	2	4	9			3	6	1	1					11		45
2	4	13					4	4	2		1	1		23		46
5	5	15	19		5	5	27	8	3		2		3	25	2	47
		3	2				3							5	1	48
	2	2	2			1	1	1	1					5		49
7	1	3	12	1		1	12	6	1	2			3	19		50
1		2	3				2	1	1					4		51
2	5	5	4			4	8	3		1			2	16	2	52
11	1	14	32	2	2	4	28	14	4				8	41	4	53
7		2	6		2		10	4		3				20	2	54
14	8	11	50	2	1	6	29	29	6	4	2		15	63	3	55
16	10	16	25	2	2	6	50	17	1	5	2	2	7	54	6	56
5	3	2	8			1	12	7	1	3			3	15	2	57
14	7	17	45	1	1	2	23	11	2	1	4	1	3	55	7	58
	1	1	1				1							2		59
							8	1	1					6		60
8		5	11		1	1	15	6	3	1		1	1	24	1	61
2	2	6	7			1	4	2	2					16		62
48	22	84	167	4	5	22	115	62	18	6	9	5	24	229	16	63
478	307	784	1,650	40	26	213	1,258	860	308	83	68	44	357	3,277	150	64
4		1	6			2	14	3	1				2	4		65
3	2	14	21	2	2	5	47	12	6	1	2		3	41	3	66
428	285	711	1,479	34	20	185	708	771	275	74	58	40	324	2,982	124	67
5	2	5				2	14	6	2	1		1	1	38		68
							5	4	2		1		1	12	3	69
3	1	3	9				37	3	2	1				12		70
4	3	3	14		1	4	112	6	2			1	3	19	3	71
7	2	11	12	2		7	65	28	9	4	3	2	10	93	5	72
9	7	14	47					21	8	1	3		9	34	5	73
8	3	13	23	1	3	4	221	1								74
2		2	2			3	34	6	1	1			4	42	5	75
5	2	9	20	1												
5	4	6	9			1	10	4	3				1	17		76

TABLE 8.—DEATHS, FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES,
REGISTRATION CITIES IN OTHER STATES.

	OCCUPATIONS.	All causes.	Malarial fever.	Typhoid fever.	Rheumatism.	Consumption.	Diabetes.	Diseases of the nervous system.	Diseases of the heart.	Other diseases of the circulatory system.	Pneumonia.
1	All occupations	53,102	373	1,922	238	9,053	306	5,337	4,895	683	5,369
2	Professional	2,284	15	84	11	298	24	314	227	55	208
3	Architects, artists and teachers of art, etc.	147		4		23		17	13	3	18
4	Clergymen	381	3	14	1	44	6	62	39	10	40
5	Engineers and surveyors	243	2	21	1	37	2	29	17	5	17
6	Journalists	123	1	7		22		18	13	3	10
7	Lawyers	363	1	6	3	35	7	58	39	12	34
8	Musicians and teachers of music	211	1	8	1	42	2	24	21	3	17
9	Physicians and surgeons	448	6	12	4	39	4	60	46	14	30
10	Teachers (school)	170	1	6	1	28	1	19	14	5	17
11	Others of this class	198		6		28	2	27	25		25
12	Clerical and official	4,285	27	189	15	906	43	448	404	77	376
13	Bookkeepers, clerks, and copyists	2,669	17	141	5	740	23	242	227	33	236
14	Bankers, brokers, and officials of companies	427	2	9	4	34	6	73	54	19	31
15	Collectors, auctioneers, and agents	849	5	24	5	90	10	100	89	19	74
16	Others of this class	340	3	15	1	42	4	33	34	6	35
17	Mercantile and trading	4,833	29	158	26	731	44	643	495	91	441
18	Apothecaries, pharmacists, etc.	184	1	6		44	2	19	15	3	16
19	Commercial travelers	181		15		15	1	22	20	6	17
20	Merchants and dealers	2,758	20	84	16	305	32	429	307	61	232
21	Hucksters and peddlers	342	1	6	1	71	1	34	26	4	34
22	Others of this class	1,368	7	47	9	296	8	139	127	17	152
23	Public entertainment	1,166	5	27	6	213	9	119	84	14	114
24	Hotel and boarding-house keepers	181		4	1	13	2	19	19	1	20
25	Saloon keepers, liquor dealers, bartenders, and restaurant keepers	985	5	23	5	200	7	100	65	13	94
26	Personal service, police, and military	1,720	4	69	8	309	17	164	170	17	179
27	Barbers and hairdressers	472		24	3	124	3	36	56	1	41
28	Janitors and sextons	231		2	2	36	2	24	31	6	30
29	Policemen, watchmen, and detectives	528		14	2	61	11	63	59	8	60
30	Soldiers, sailors, and marines (United States)	270	4	21	1	32	1	18	7	1	17
31	Others of this class	219		8		56		23	18	1	31
32	Laboring and servant	14,817	148	605	55	2,733	36	1,154	1,247	135	1,786
33	Laborers (not agricultural)	13,850	139	571	52	2,458	34	1,095	1,146	124	1,674
34	Servants	967	9	34	3	275	2	59	101	11	112
35	Manufacturing and mechanical industry	15,354	81	512	89	2,712	92	1,699	1,521	196	1,470
36	Bakers and confectioners	386	3	12	3	72	6	35	39	5	35
37	Blacksmiths	618	1	26	3	87	4	58	66	6	58
38	Boot and shoe makers	718	3	9	5	110	1	107	84	13	66
39	Brewers, distillers, and rectifiers	162	5	1	1	23	2	16	23	1	7
40	Butchers	527	3	20	7	79	2	59	68	7	53
41	Cabinetmakers and upholsterers	367		12	2	55	4	35	33	3	29
42	Carpenters and joiners	1,873	12	45	10	252	10	240	203	33	165
43	Cigar makers and tobacco workers	343	2	6	2	110	1	37	29	3	19
44	Clock and watch repairers, jewelers, etc.	96		1	2	17		13	11	2	9
45	Compositors, printers, and pressmen	483	3	24	1	159	2	39	42	6	42
46	Coopers	300	4	5	1	37		31	43	1	40
47	Engineers and firemen (not locomotive)	958	8	42	1	124	10	125	98	11	100
48	Glass blowers and glass workers	114		7		27	1	7	8	2	11
49	Hat and cap makers	30		1		3		6		2	7
50	Iron and steel workers	752	4	43	2	127	6	65	67	6	106
51	Leather makers	100		1		17		13	13	6	11
52	Leather workers	126	2	3		21	1	11	7		16
53	Machinists	862	3	43	6	157	6	94	74	13	92
54	Marble and stone cutters	194		5		67		11	15		15
55	Masons (brick and stone)	574	3	13	3	105		70	57	5	50
56	Mill and factory operatives (textiles)	368	2	17	2	69	2	37	35	2	33
57	Millers (flour and grist)	90		7	1	11		13	8	2	11
58	Painters, glaziers, and varnishers	1,021	4	26	5	189	10	92	104	4	96
59	Plasterers and whitewashers	173	1	2	5	30	1	25	20	4	11
60	Plumbers, and gas and steam fitters	288	4	22	5	65	3	26	19	1	26
61	Tailors	756	4	18	2	142	5	81	70	17	73
62	Tinners and tinware makers	208	1	11	1	32	1	27	15	1	16
63	Others of this class	2,867	14	91	19	525	14	326	270	40	273
64	Agriculture, transportation, and other outdoor	8,170	62	261	27	1,059	37	750	692	94	753
65	Boatmen and canalmen	32		3		5		3	2		3
66	Draymen, hackmen, teamsters, etc.	1,498	10	47	5	281	7	123	142	24	174
67	Farmers, planters, and farm laborers	2,063	20	53	10	209	11	264	186	25	171
68	Gardeners, florists, nurserymen, and vine growers	310	4	9	2	29	2	32	33	3	32
69	Livery stable keepers and hostlers	183		3		33		20	21		19
70	Lumbermen and raftsmen	102	1	4		7	3	12	8		5
71	Miners and quarrymen	811	3	24	2	78	2	50	59	9	100
72	Sailors, pilots, fishermen, and oystermen	780	12	17	1	126	5	62	89	11	66
73	Steam railroad employees	1,630	10	64	4	166	5	110	83	12	113
74	Stock raisers, herders, and drovers	109		6		14		15	8		11
75	Others of this class	652	2	31	3	111	2	59	61	10	59
76	All other occupations	473	2	17	1	92	4	46	55	4	42

OCCUPATIONS—MALES.

167

OF MALES ENGAGED IN EACH OCCUPATION: CENSUS YEAR 1900—Continued.

REGISTRATION CITIES IN OTHER STATES.

Other diseases of the respiratory system.	Diseases of the liver.	Other diseases of the digestive system.	Diseases of the urinary organs.	Diseases of the bones and joints.	Burns and scalds.	Suicide.	Other accidents and injuries.	CANCER.						All other causes.	Un-known cause.	
								Total.	Of stomach.	Of liver.	Of abdomen.	Of mouth, tongue, and throat.	Of other organs.			
1,733	1,086	2,221	4,542	99	151	1,013	5,297	1,877	705	206	121	159	686	6,469	438	1
66	49	111	232	5	2	35	134	74	31	6	6	5	26	321	19	2
8	6	1	17	1		4	8	2	1		1			20	2	3
14	4	19	42	1		1	7	16	9	2	1		4	53	5	4
5	4	8	14		2	4	47	6	1			1	4	21	1	5
1	2	8	12			4	5	2					2	14	1	6
7	10	17	47	2		3	19	15	4	3	1	2	5	43	5	7
6	1	7	17			7	10	7	4			2	1	37		8
13	11	26	53	1		8	22	13	5		1		7	83	3	9
9	6	9	12			3	5	8	3	1	2		2	25	1	10
3	5	16	18			1	11	5	4				1	25	1	11
137	84	189	410	10	10	133	244	132	37	14	15	11	55	422	29	12
76	49	108	199	6	6	86	146	58	15	6	8	4	25	251	20	13
18	8	22	61			8	14	21	6	2	3	3	7	42	1	14
38	21	42	108	4	1	24	54	34	13	4	1	3	13	100	7	15
5	6	17	42		3	15	30	19	3	2	3	1	10	29	1	16
156	112	219	483	5	12	114	282	195	64	23	21	16	71	554	43	17
4	4	9	20		1	3	7	3	1			1	1	22	5	18
7	5	10	16		1	9	17	4	1	1		2	2	15	1	19
88	74	127	291	3	5	52	120	138	47	17	15	15	44	362	22	20
18	8	10	36			10	33	14	4	2	1		7	31	4	21
39	21	63	120	2	5	40	105	36	11	3	5		17	124	11	22
30	67	63	118	3		40	67	39	14	3	3	2	17	135	13	23
6	8	8	25			6	7	15	5	2	1	1	6	23	4	24
24	59	55	93	3		34	60	24	9	1	2	1	11	112	9	25
52	38	75	122	3	2	39	131	60	23	12	4	4	17	247	14	26
13	8	21	35	2	2	15	25	11	2	3	1		5	51	2	27
5	5	20	18			1	12	7	4	2			1	29	1	28
25	14	17	40	1		13	54	30	12	4	2	3	9	51	5	29
2	8	8	12			4	33	2	2					95	4	30
7	3	9	17			6	7	10	3	3	1	1	2	21	2	31
508	273	538	1,148	29	54	197	1,607	453	191	48	19	47	148	1,978	133	32
482	252	500	1,081	28	49	172	1,553	436	184	47	17	45	143	1,880	124	33
26	21	38	67	1	5	25	54	17	7	1	2	2	5	98	9	34
523	321	661	1,339	26	48	323	1,224	594	224	61	38	54	217	1,812	111	35
12	8	22	26		2	10	26	16	5	2	1		8	54		36
19	12	29	71			6	53	29	9	7	2	3	8	82	8	37
28	14	25	63	3	1	17	28	31	11	5	1	2	12	106	4	38
7	7	8	16			3	9	10	2	3		1	4	21	3	39
18	14	25	36	3	1	19	31	23	12	4	1	2	4	58	1	40
19	12	12	39		1	12	20	19	11	2		3	3	50	10	41
58	45	75	154	4	4	34	162	89	31	8	7	9	34	261	17	42
14	9	10	24			7	19	13	4	2	1	3	3	37	1	43
3	3	3	9	1		1	5							9		44
14	5	19	40	1		8	28	6	3			1	2	41	3	45
6	8	10	27			5	18	13	4	1	1	3	4	48	3	46
20	17	44	78	1	15	12	136	25	5	5	3	1	8	89	2	47
4	2	7	8		1	2	6	5	1		1		3	15	1	48
1			5				1							3	1	49
23	15	34	51		6	15	98	21	7	3	1	1	9	60	3	50
3	1	4	3			3	4	4	3				1	16	1	51
3	4	9	16			4	8	5			1	2	2	14	2	52
25	14	42	84	2		21	69	21	6	1	1	2	11	88	8	53
13	4	4	15	1	2	1	15	10	4		1		5	15	1	54
22	13	17	51		1	11	42	32	12	4	2	4	10	75	4	55
7	8	26	33			4	32	16	8	1	2	1	4	38	5	56
5	2	1	6			1	9	5	2	1		1	1	8		57
34	20	39	101		4	26	114	33	8		3	7	15	112	8	58
7	6	4	18	1		1	7	9	4			2	3	19	2	59
7	3	15	16	1	2	5	26	9	5				4	31	2	60
35	11	37	63	1		30	27	25	10	3	1	1	10	113	7	61
5	3	6	19	1	2	6	27	9	2	1	1	1	4	24	1	62
111	61	134	267	6	6	53	204	115	52	8	7	4	44	825	13	63
251	132	347	648	16	20	120	1,546	315	115	37	14	18	131	966	74	64
1	1	1	6		1	1	4	32	12	6		1	13	151	9	65
50	26	64	110	2	3	22	216	47	15	5	5	5	57	378	24	66
77	28	108	211	7	1	28	123	129	5				2	48	1	67
12	12	9	41	1		6	20	14					5	1		68
5	1	10	16			5	13	8	1	1	2	1	3	28	1	69
2	4	11	10			1	9	8	3			3	2	15	2	70
48	14	31	40		5	9	226	30	10	6	1		13	63	13	71
16	18	13	81	3	3	12	125	26	13	1		3	9	90	4	72
27	17	57	84	3	7	23	694	35	13	4	4	1	13	103	13	73
2	1	8	9			3	11	8	3			1	4	12	1	74
11	10	35	40			10	105	25	8	2	2	1	12	72	6	75
10	10	18	42	2	3	12	62	15	6	2	1	2	4	34	2	76

TABLE 8.—DEATHS, FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES,
NONREGISTRATION RECORD.

	OCCUPATIONS.	All causes.	Malarial fever.	Typhoid fever.	Rheumatism.	Consumption.	Diabetes.	Diseases of the nervous system.	Diseases of the heart.	Other diseases of the circulatory system.	Pneumonia.
1	All occupations	141,230	2,872	8,694	1,197	18,216	908	14,245	12,380	709	15,728
2	Professional	4,730	69	260	28	685	55	634	467	43	398
3	Architects, artists and teachers of art, etc.	76	1	6	1	14		9	6	2	5
4	Clergymen	1,128	22	52	7	131	13	140	137	7	97
5	Engineers and surveyors	218	3	17	1	29	3	23	22	1	12
6	Journalists	117	2	8	1	18	1	21	16	2	6
7	Lawyers	652	4	20	3	78	9	115	59	12	37
8	Musicians and teachers of music	143		7	1	34		21	10		17
9	Physicians and surgeons	1,285	16	32	9	127	13	198	144	11	120
10	Teachers (school)	840	20	107	5	207	11	71	42	7	74
11	Others of this class	271	1	11		47	5	36	31	1	30
12	Clerical and official	3,702	31	203	24	579	29	548	378	45	304
13	Bookkeepers, clerks, and copyists	1,367	18	117	12	328	11	165	101	5	114
14	Bankers, brokers, and officials of companies	770	2	21	4	57	8	152	90	18	60
15	Collectors, auctioneers, and agents	774	5	34	4	96	6	131	98	16	59
16	Others of this class	791	6	31	4	98	4	100	89	6	71
17	Mercantile and trading	5,406	73	331	36	785	56	730	544	50	459
18	Apothecaries, pharmacists, etc.	346	4	7	3	65	4	37	39	4	24
19	Commercial travelers	257	5	14	1	35	4	53	29		20
20	Merchants and dealers	3,433	46	184	26	393	38	506	369	40	292
21	Hucksters and peddlers	176	4	6		30	1	24	24	1	14
22	Others of this class	1,194	14	120	6	262	9	110	83	5	109
23	Public entertainment	1,827	9	41	7	194	22	247	219	14	181
24	Hotel and boarding-house keepers	1,000	1	13	1	58	17	166	146	9	76
25	Saloon keepers, liquor dealers, bartenders, and restaurant keepers	827	8	28	6	136	5	81	73	5	105
26	Personal service, police, and military	1,420	32	83	10	265	6	137	110	3	124
27	Barbers and hairdressers	483	8	29	2	143	3	46	34	1	35
28	Janitors and sextons	147	2	2	2	15		19	21	1	28
29	Policemen, watchmen, and detectives	287	4	7	2	27	1	33	31		32
30	Soldiers, sailors, and marines (United States)	287	14	31	3	36		9	6		13
31	Others of this class	216	4	14	1	44	2	30	18	1	16
32	Laboring and servant	16,190	306	941	108	2,820	60	1,389	1,208	59	1,790
33	Laborers (not agricultural)	15,461	293	907	101	2,610	58	1,345	1,157	58	1,718
34	Servants	729	13	34	7	210	2	44	51	1	72
35	Manufacturing and mechanical industry	16,908	184	809	141	2,352	114	2,141	1,685	144	1,555
36	Bakers and confectioners	203	2	11		43	1	19	21	1	18
37	Blacksmiths	1,727	20	90	21	150	10	226	199	12	172
38	Boot and shoe makers	721	4	10	6	70	7	108	91	5	69
39	Brewers, distillers, and rectifiers	69	2	2	1	7	1	12	8	1	6
40	Butchers	479	3	24	9	61	4	38	53	6	43
41	Cabinetmakers and upholsterers	203		4	2	32	2	30	22	3	10
42	Carpenters and joiners	3,889	44	160	44	509	21	508	421	36	379
43	Cigar makers and tobacco workers	284		13	1	83	2	34	25		21
44	Clock and watch repairers, jewelers, etc.	154	1	6		20	1	21	29	2	21
45	Compositors, printers, and pressmen	310	3	17	2	95	5	33	18		23
46	Coopers	281	1	8	1	26	4	42	38	1	22
47	Engineers and firemen (not locomotive)	791	17	46	3	114	4	84	67	8	68
48	Glass blowers and glass workers	109		10		23	1	12	4	1	11
49	Hat and cap makers	5	1			1		1			1
50	Iron and steel workers	441	3	47	2	69	3	58	33	4	47
51	Leather makers	57	1	2	2	6	1	10	6		
52	Leather workers	251	3	6		37	3	43	28	4	21
53	Machinists	634	6	44	3	97	4	79	56	8	58
54	Marble and stone cutters	150		4	3	32		17	18	3	18
55	Masons (brick and stone)	999	10	30	8	114	10	118	110	2	100
56	Mill and factory operatives (textiles)	472	11	53	4	96	1	32	22	3	61
57	Millers (flour and grist)	436	4	16	2	49	4	59	49	6	43
58	Painters, glaziers, and varnishers	851	9	39	7	147	6	104	62	4	66
59	Plasterers and whitewashers	216	1	9	2	24		26	26	1	27
60	Plumbers, and gas and steam fitters	103		10	3	25		8	6		6
61	Tailors	396	3	8	2	52	1	65	38	2	22
62	Tinners and tinware makers	213	3	12	1	25	3	27	20	2	15
63	Others of this class	2,464	32	128	12	345	15	327	215	29	217
64	Agriculture, transportation, and other outdoor	90,649	2,163	6,009	839	10,473	563	8,368	7,734	347	10,884
65	Boatmen and canalmen	44		1	1	5		5	3		3
66	Draymen, hackmen, teamsters, etc.	1,411	29	113	16	181	5	130	100	4	194
67	Farmers, planters, and farm laborers	77,630	1,999	5,319	751	9,030	520	7,466	6,872	298	9,402
68	Gardeners, florists, nurserymen, and vine growers	477	5	7	10	39	1	51	70	2	38
69	Livery stable keepers and hostlers	324	7	17	3	48		36	23	3	36
70	Lumbermen and raftsmen	311	7	17		43	1	24	27	3	38
71	Miners and quarrymen	4,711	27	217	25	449	15	261	267	15	621
72	Sailors, pilots, fishermen, and oystermen	766	19	34	7	110	2	70	52	6	75
73	Steam railroad employees	3,192	42	176	10	363	10	191	173	8	282
74	Stock raisers, herders, and drovers	644	7	18	6	57	4	55	60	1	88
75	Others of this class	1,139	21	90	10	148	5	79	87	7	112
76	All other occupations	398	5	17	4	63	3	51	35	4	33

OCCUPATIONS—MALES.

169

OF MALES ENGAGED IN EACH OCCUPATION: CENSUS YEAR 1900—Continued.

NONREGISTRATION RECORD.

Other diseases of the respiratory system.	Diseases of the liver.	Other diseases of the digestive system.	Diseases of the urinary organs.	Diseases of the bones and joints.	Burns and scalds.	Suicide.	Other accidents and injuries.	CANCER.						All other causes.	Unknown cause.	
								Total.	Of stomach.	Of liver.	Of abdomen.	Of mouth, tongue, and throat.	Of other organs.			
3,463	2,059	6,358	8,248	351	279	1,418	13,269	4,075	1,467	300	182	200	1,926	22,505	4,256	1
119	75	229	351	9	5	56	236	119	39	9	7	5	59	771	121	2
1	1	5	7	1	2	1	4	1	1					7	2	3
36	17	63	88	3	1	2	26	29	8	3	2	2	14	228	34	4
7	2	9	7	1	1	2	43	5	1				4	27	3	5
1	4	2	7			2	8	6	3				3	11	1	6
18	11	38	68			7	36	21	6	2	1	2	10	96	20	7
5	3	5	6			2	4	2	2					22	4	8
31	24	61	112	3		22	58	34	11	4	2		17	229	41	9
17	8	35	35	1	1	14	41	15	4		2	1	8	116	13	10
3	5	11	26			4	16	6	3				3	35	3	11
86	77	176	299	9	3	62	244	99	25	18	9	5	42	436	70	12
32	19	71	86	3	1	22	92	14	4	3	2		5	137	19	13
18	21	31	85			12	27	38	9	6	3	3	17	107	19	14
17	17	35	60	2	2	15	47	23	6	5	1	2	9	91	16	15
19	20	39	68	4		13	78	24	6	4	3		11	101	16	16
137	116	316	378	12	6	89	306	172	52	22	9	11	78	676	134	17
11	12	15	25			11	15	12	4	3	1	1	3	44	14	18
6	4	16	14		1	6	15	1					1	25	8	19
97	77	196	279	10	3	51	149	136	38	18	7	7	66	458	83	20
4	1	10	10			3	17	3	3					22	2	21
19	22	79	50	2	2	18	110	20	7	1	1	3	8	127	27	22
36	45	100	188	1	3	36	86	74	26	6	1	7	34	282	42	23
19	17	56	123		1	10	34	57	23	4	1	4	25	170	26	24
17	28	44	65	1	2	26	52	17	3	2		3	9	112	16	25
29	19	59	77	1	1	24	151	34	11	4		2	17	212	43	26
6	6	23	27	1	1	11	31	12	3	2		1	6	50	14	27
4	3	3	15			3	7	3	1				2	18	3	28
10	3	11	17			3	55	14	6	1		1	6	27	10	29
2	6	10	7			5	50	2	1				1	83	10	30
7	3	12	11			2	8	3		1			2	34	6	31
376	183	575	658	40	51	154	2,102	352	146	23	12	14	157	2,492	526	32
361	177	541	629	38	46	145	2,043	341	143	22	11	13	152	2,388	505	33
15	6	34	29	2	5	9	59	11	3	1	1	1	5	104	21	34
457	254	756	1,176	39	49	205	1,362	535	186	44	30	31	244	2,601	349	35
7	4	16	10	2		4	10	3					3	28	3	36
43	26	92	130	1	3	28	98	49	18	5	1	4	21	316	41	37
27	12	26	72	1	4	7	19	17	1			4	12	148	18	38
3	1	2	3			2	6	3	1				2	7	1	39
9	12	24	28	2	1	12	47	23	10	2		1	10	77	3	40
7	2	13	20			1	8	8			3	1	4	34	5	41
110	49	137	296	10	4	31	275	137	48	14	5	3	67	640	78	42
7	4	11	13			6	11	2	1		1			43	8	43
3	5	10	8		1	3	7	2	1				1	21	3	44
7	4	12	17	1		8	21	4	2		1		1	35	5	45
11	6	16	22			3	9	7	2		1	1	3	58	6	46
17	8	29	46	2	12	5	137	24	10	2	2		10	85	15	47
4	2	7	4	1		2	10	1	1					14	2	48
8	5	20	14	1	3	5	48	18	6	1	1	2	8	44	9	49
1		5	4			1	5	2	1					9	2	51
7	3	14	17	2		5	9	8	1	2		1	4	38	3	52
17	14	36	36			10	73	23	11	2			10	60	10	53
3	3	1	6	1		14	7	7	3	1	1		2	19	1	54
23	12	37	83	2	1	9	89	43	18	1	3	2	19	169	29	55
11	4	24	11	1	1	3	47	6	2				4	67	14	56
15	6	24	33	1	1	3	30	14	2		2	1	9	68	9	57
21	10	46	54	4	2	12	86	25	7	3	2	3	10	126	21	58
10	3	12	14			2	6	7	3	1	1		2	42	4	59
3		7	10		1	2	10	5	3	1			1	6	1	60
11	4	22	30		1	1	16	22	8		2	2	10	92	4	61
6	2	11	17	1	2	1	24	10	5		1		4	29	2	62
66	53	101	178	6	12	39	247	65	21	9	3	6	26	325	52	63
2,214	1,284	4,132	5,094	238	160	790	8,721	2,683	979	174	114	125	1,291	14,994	2,959	64
1	2	1	1				11	4	1			1	2	4		65
27	32	64	58	4		14	182	36	9	2	2	4	19	188	2	66
1,901	1,118	3,698	4,534	206	118	668	4,989	2,416	887	154	103	108	1,164	13,637	2,688	67
20	12	17	32	1	1	6	22	23	10	2	2		9	101	19	68
4	5	18	25	2	1	8	37	4	2				2	40	7	69
3	2	14	12			7	71	5		2		1	2	38	4	70
175	44	131	164	11	17	38	1,662	99	49	4	4	4	38	395	78	71
18	10	21	50		2	5	152	10	3		1	1	5	100	23	72
37	29	91	124	9	11	21	1,211	45	9	8		4	24	281	58	73
14	13	33	41	2	2	4	119	20	5		1	2	12	88	17	74
14	17	44	53	3	6	26	245	21	4	2	1		14	122	29	75
9	6	15	27	2	1	2	61	7	3				4	41	12	76

TABLE 8.—DEATHS, FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES,
CONNECTICUT.

	OCCUPATIONS.	All causes.	Malarial fever.	Typhoid fever.	Rheumatism.	Consumption.	Diabetes.	Diseases of the nervous system.	Diseases of the heart.	Other diseases of the circulatory system.	Pneumonia.
1	All occupations	3,970	21	106	27	585	48	511	391	48	390
2	Professional	133	1	3		21	4	23	6	2	14
3	Architects, artists and teachers of art, etc	10				2		2		1	
4	Clergymen	29				3	1	2	2		4
5	Engineers and surveyors	13				1		5			3
6	Journalists	8	1			1	1	1			
7	Lawyers	17		1		1		2	1	1	2
8	Musicians and teachers of music	14				3	1	2	2		2
9	Physicians and surgeons	25		1		4		7			2
10	Teachers (school)	8		1		4	1	1			
11	Others of this class	9				2		1	1		1
12	Clerical and official	203		7	1	53	6	22	15	1	16
13	Bookkeepers, clerks, and copyists	141		6	1	47	1	13	7	1	10
14	Bankers, brokers, and officials of companies	7						2			
15	Collectors, auctioneers, and agents	41		1		5	3	7	5		3
16	Others of this class	14				1	2		3		3
17	Mercantile and trading	220	1	4		25	4	37	16	6	21
18	Apothecaries, pharmacists, etc	17				4		1	2	1	4
19	Commercial travelers	7						2			
20	Merchants and dealers	141	1	2		15	3	23	12	3	10
21	Hucksters and peddlers	11						3	1		
22	Others of this class	44		2		6	1	8	1	2	7
23	Public entertainment	45	1	3		9		7	5	1	3
24	Hotel and boarding-house keepers	11				1		3	4		
25	Saloon keepers, liquor dealers, bartenders, and restaurant keepers	34	1	3		8		4	1	1	3
26	Personal service, police, and military	83		4	1	14	1	12	10		8
27	Barbers and hairdressers	16		1		7		1	2		
28	Janitors and sextons	19		2		1		1	3		4
29	Policemen, watchmen, and detectives	29		1	1	3		6	4		4
30	Soldiers, sailors, and marines (United States)	6				1	1	2	1		
31	Others of this class	13				2		2			
32	Laboring and servant	772	4	18	3	130	2	83	60	7	92
33	Laborers (not agricultural)	741	4	16	2	122	2	81	59	7	88
34	Servants	31		2	1	8		2	1		4
35	Manufacturing and mechanical industry	1,446	13	42	13	241	17	178	142	15	142
36	Bakers and confectioners	20				3	2	1	2		
37	Blacksmiths	73	1	1		7	1	16	4	1	10
38	Boot and shoe makers	45	1	1		6	1	6	6		2
39	Brewers, distillers, and rectifiers	5		1		1					1
40	Butchers	24		1		4	1	4	3		
41	Cabinetmakers and upholsterers	15		1		1		4	1		3
42	Carpenters and joiners	142	2	3	1	17	1	19	19	1	10
43	Cigar makers and tobacco workers	21		1	1	2		3	4		2
44	Clock and watch repairers, jewelers, etc	6				2			2		
45	Compositors, printers, and pressmen	18	1	1		4		1	2	2	
46	Coopers	7				1		1			
47	Engineers and firemen (not locomotive)	31		1	1	4		1	4	1	3
48	Glass blowers and glass workers	3				2					
49	Hat and cap makers	53				16	1	3	8		4
50	Iron and steel workers	45	1	2		12		4	1		9
51	Leather makers	5		1		1					
52	Leather workers	8				3		2			1
53	Machinists	85		3	2	18		9	11		7
54	Marble and stone cutters	15				4		1	1		1
55	Masons (brick and stone)	58	1	2		7	1	9	3		5
56	Mill and factory operatives (textiles)	116	1	6	2	25		9	9		4
57	Millers (flour and grist)	4						2			1
58	Painters, glaziers, and varnishers	93	1	5	1	6		12	9	3	12
59	Plasterers and whitewashers	1									
60	Plumbers, and gas and steam fitters	14		1		3		1			4
61	Tailors	27			1	4		3	2	1	2
62	Tinners and tinware makers	16				3		1	2		2
63	Others of this class	496	4	11	4	87	8	63	49	6	58
64	Agriculture, transportation, and other outdoor	1,054	1	24	9	90	12	147	135	16	93
65	Boatmen and canalmen	1									
66	Draymen, hackmen, teamsters, etc	67		3		13	1	3	7	1	12
67	Farmers, planters, and farm laborers	755	1	13	7	43	11	126	105	14	66
68	Gardeners, florists, nurserymen, and vine growers	31				6		4	3		5
69	Livery stable keepers and hostlers	33		2		9			1		3
70	Lumbermen and raftsmen	3						1			
71	Miners and quarrymen	13		1		2					
72	Sailors, pilots, fishermen, and oystermen	52			1	5		5	10	1	4
73	Steam railroad employees	72		4		6		4	7		1
74	Stock raisers, herders, and drovers	1				1					
75	Others of this class	26		1	1	5			2		2
76	All other occupations	14		1		2	2	2	2		1

171

CONNECTICUT.

TABLE 8.—DEATHS, FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES,
DISTRICT OF COLUMBIA.

	OCCUPATIONS.	All causes.	Malarial fever.	Typhoid fever.	Rheumatism.	Consumption.	Diabetes.	Diseases of the nervous system.	Diseases of the heart.	Other diseases of the circulatory system.	Pneumonia.
1	All occupations	1,785	18	110	11	340	7	261	231	16	114
2	Professional	106	1	4	1	15	2	17	16	1	4
3	Architects, artists and teachers of art, etc	12				2		2	2		1
4	Clergymen	14				2		3	2		
5	Engineers and surveyors	6		2	1	1					
6	Journalists										
7	Lawyers	31	1			3	1	5	8	1	
8	Musicians and teachers of music	6		1		3			1		
9	Physicians and surgeons	20				3		5	1		1
10	Teachers (school)	5				1	1				2
11	Others of this class	12		1				2	2		
12	Clerical and official	288	3	22	6	51	2	45	31	3	14
13	Bookkeepers, clerks, and copyists	236	3	20	4	44	2	36	24	3	11
14	Bankers, brokers, and officials of companies	12		1	1	2		2	3		
15	Collectors, auctioneers, and agents	21		1		4		5	2		1
16	Others of this class	14			1	1		2	2		2
17	Mercantile and trading	123	1	7		26		21	17	2	7
18	Apothecaries, pharmacists, etc	7		1		2		1			1
19	Commercial travelers	1		1							
20	Merchants and dealers	68		4		10		13	12	2	3
21	Hucksters and peddlers	5				1		1			1
22	Others of this class	42	1	1		14		6	5		2
23	Public entertainment	22				6		2	2	1	2
24	Hotel and boarding-house keepers	3				1				1	
25	Saloon keepers, liquor dealers, bartenders, and restaurant keepers	19				5		2	2		2
26	Personal service, police, and military	93	1	9	1	10	1	16	14	1	8
27	Barbers and hairdressers	13		1		1		4	1	1	2
28	Janitors and sextons	10		1				4	2		2
29	Policemen, watchmen, and detectives	27		3		2		6	6		1
30	Soldiers, sailors, and marines (United States)	36	1	4	1	4	1	2	3	3	2
31	Others of this class	7				3			2		1
32	Laboring and servant	603	6	35	1	134	1	71	87	1	43
33	Laborers (not agricultural)	533	5	26	1	110	1	65	78	1	42
34	Servants	70	1	9		24		6	9		1
35	Manufacturing and mechanical industry	361	6	19	1	72	1	56	40	1	23
36	Bakers and confectioners	15				3			3		2
37	Blacksmiths	20		3		2		5	2		
38	Boot and shoe makers	21		1		2		2	3		1
39	Brewers, distillers, and rectifiers										
40	Butchers	16	1			2		3	2		2
41	Cabinetmakers and upholsterers	11				4		1	1		1
42	Carpenters and joiners	47		3		13		7	8		3
43	Cigar makers and tobacco workers	1				1					
44	Clock and watch repairers, jewelers, etc.	2				1					
45	Compositors, printers, and pressmen	33		2	1	5		5	5		2
46	Coopers	1				1					
47	Engineers and firemen (not locomotive)	15	1	1		4		1	1		1
48	Glass blowers and glass workers										
49	Hat and cap makers										
50	Iron and steel workers	3						2			
51	Leather makers	1					1				
52	Leather workers	4						1	1		
53	Machinists	13		3		2		2	1		
54	Marble and stone cutters	9				5		2			
55	Masons (brick and stone)	14				4		1	1	1	1
56	Mill and factory operatives (textiles)										
57	Millers (flour and grist)	2							1		
58	Painters, glaziers, and varnishers	32				5		3	5		5
59	Plasterers and whitewashers	7		1		1		2			
60	Plumbers, and gas and steam fitters	11	1	1		6		1			
61	Tailors	15				3		1	3		1
62	Tinners and tinware makers	8				2		1			1
63	Others of this class	60	3	4		6		15	3		3
64	Agriculture, transportation, and other outdoor	168		9	1	26		27	22	4	13
65	Boatmen and canalmen	1									
66	Draymen, hackmen, teamsters, etc	27		3		8		3	6	2	1
67	Farmers, planters, and farm laborers	53		2		10		14	4		3
68	Gardeners, florists, nurserymen, and vine growers	21		1				4	7		2
69	Livery stable keepers and hostlers	9			1			2	3		1
70	Lumbermen and raftsmen	1				1					
71	Miners and quarrymen	2									2
72	Sailors, pilots, fishermen, and oystermen	6				3		1	1		
73	Steam railroad employees	23				1				2	3
74	Stock raisers, herders, and drovers	1									
75	Others of this class	19		3		3		3	1		1
76	All other occupations	26		5				6	2	2	

173

DISTRICT OF COLUMBIA.

TABLE 8.—DEATHS, FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES,

MAINE.

	OCCUPATIONS.	All causes.	Malarial fever.	Typhoid fever.	Rheumatism.	Consumption.	Diabetes.	Diseases of the nervous system.	Diseases of the heart.	Other diseases of the circulatory system.	Pneumonia.
1	All occupations	4,032	9	97	14	427	41	632	557	56	358
2	Professional	104	2	3		6	5	15	14		5
3	Architects, artists and teachers of art, etc.	2				1					
4	Clergymen	24	1	2			2	2	4		1
5	Engineers and surveyors	8				1	2		2		
6	Journalists	5						1	1		
7	Lawyers	20	1			1	1	5	2		1
8	Musicians and teachers of music	1									
9	Physicians and surgeons	25						5	2		1
10	Teachers (school)	12		1		2		2	1		1
11	Others of this class	7				1			2		1
12	Clerical and official	123		6		27	4	20	9	2	15
13	Bookkeepers, clerks, and copyists	74		4		22	2	14	3	1	9
14	Bankers, brokers, and officials of companies	17				1	1	4	2	1	3
15	Collectors, auctioneers, and agents	18		1		3	1	2	3		2
16	Others of this class	14		1		1			1		1
17	Mercantile and trading	258		7		24	6	37	39	6	24
18	Apothecaries, pharmacists, etc.	13				2		5			1
19	Commercial travelers	11		1				1		1	1
20	Merchants and dealers	196		4		14	6	29	35	3	15
21	Hucksters and peddlers	8		1		1				1	1
22	Others of this class	30		1		7		2	4	1	7
23	Public entertainment	33				4	1	6	8		1
24	Hotel and boarding-house keepers	20				1	1	4	6		1
25	Saloon keepers, liquor dealers, bartenders, and restaurant keepers	13				3		2	2		
26	Personal service, police, and military	42		2		10		6	6		2
27	Barbers and hairdressers	12				5		2			
28	Janitors and sextons	2				1					
29	Policemen, watchmen, and detectives	11				1		3	3		
30	Soldiers, sailors, and marines (United States)	6						1	2		
31	Others of this class	11		2		3			1		2
32	Laboring and servant	526		23		81	6	81	43	6	42
33	Laborers (not agricultural)	504		22		78	6	80	41	6	40
34	Servants	22		1		3		1	2		2
35	Manufacturing and mechanical industry	853	3	25	5	117	7	139	127	7	86
36	Bakers and confectioners	7				2		1			2
37	Blacksmiths	65		3		6	1	5	12	1	4
38	Boot and shoe makers	60	1		1	7		11	8	1	6
39	Brewers, distillers, and rectifiers										
40	Butchers	12						4	2		1
41	Cabinetmakers and upholsterers	8				1		2			
42	Carpenters and joiners	170		4		22		32	25	3	19
43	Cigar makers and tobacco workers	4				2		1			
44	Clock and watch repairers, jewelers, etc.	5				1		1	1		1
45	Compositors, printers, and pressmen	15				4		5	1		
46	Coopers	16						4	4		1
47	Engineers and firemen (not locomotive)	29		4		3	1	7	3		2
48	Glass blowers and glass workers	2									
49	Hat and cap makers										
50	Iron and steel workers	12				2		2	3		2
51	Leather makers										
52	Leather workers	9				1		2	2		1
53	Machinists	29		1		9		3	4		4
54	Marble and stone cutters	30		1	1	9		5	7		1
55	Masons (brick and stone)	34				1		10	3		5
56	Mill and factory operatives (textiles)	84		4		14	1	12	12		9
57	Millers (flour and grist)	3									1
58	Painters, glaziers, and varnishers	63		2	1	4		12	11	1	8
59	Plasterers and whitewashers	2									1
60	Plumbers, and gas and steam fitters	4				1		1			1
61	Tailors	11		1		1		4	1		
62	Tinners and tinware makers	6									1
63	Others of this class	173	1	5	2	27	4	15	28	1	16
64	Agriculture, transportation, and other outdoor	2,078	4	31	9	156	12	325	310	34	181
65	Boatmen and canalmen										
66	Draymen, hackmen, teamsters, etc.	66		5		8	1	10	8	1	5
67	Farmers, planters, and farm laborers	1,609	4	17	9	119	6	252	247	26	150
68	Gardeners, florists, nurserymen, and vine growers	10						2	1		3
69	Livery stable keepers and hostlers	14		2		1	2	2	3		
70	Lumbermen and raftsmen	24				3		4	4		2
71	Miners and quarrymen	11						1	1		1
72	Sailors, pilots, fishermen, and oystermen	238		4		18	2	33	33	6	14
73	Steam railroad employees	47		1		4	1	7	2		2
74	Stock raisers, herders, and drovers	6		1				1			1
75	Others of this class	63		1		3		13	11	1	3
76	All other occupations	15				2		3	1	1	2

175.

MAINE.

TABLE 8.—DEATHS, FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES,
MASSACHUSETTS.

	OCCUPATIONS.	All causes.	Malarial fever.	Typhoid fever.	Rheumatism.	Consumption.	Diabetes.	Diseases of the nervous system.	Diseases of the heart.	Other diseases of the circulatory system.	Pneumonia.
1	All occupations	12,900	30	306	51	2,217	108	1,584	1,583	175	1,443
2	Professional	457	2	16	1	55	10	72	54	7	50
3	Architects, artists and teachers of art, etc.	35		1		5	2	8	7		2
4	Clergymen	86		4		3	2	14	8	3	16
5	Engineers and surveyors	53		1		10	1	5	6		9
6	Journalists	21	2			3	1	4	1		4
7	Lawyers	57		3	1	4	2	14	5	2	4
8	Musicians and teachers of music	36				9		4	3		2
9	Physicians and surgeons	82		4		8	1	13	13	1	5
10	Teachers (school)	34		1		4		4	3	1	5
11	Others of this class	53		2		9	1	6	8		3
12	Clerical and official	1,070	1	45	8	230	17	117	137	16	108
13	Bookkeepers, clerks, and copyists	724	1	32	4	211	11	71	75	7	73
14	Bankers, brokers, and officials of companies	63		3		4	3	1	13	4	8
15	Collectors, auctioneers, and agents	180		9	4	9		30	28	4	16
16	Others of this class	103		1		6	2	15	21	1	11
17	Mercantile and trading	1,014	2	28	5	109	19	163	129	24	112
18	Apothecaries, pharmacists, etc.	49		1	1	8		7	9	1	6
19	Commercial travelers	28		1		4	2	4	1	2	3
20	Merchants and dealers	598	1	15	4	47	9	106	78	11	62
21	Hucksters and peddlers	61		2		7	1	6	10	1	9
22	Others of this class	278	1	9		43	7	40	31	9	32
23	Public entertainment	124	1			22	1	14	14	1	18
24	Hotel and boarding-house keepers	42				2		4	10	1	5
25	Saloon keepers, liquor dealers, bartenders, and restaurant keepers.	82	1			20	1	10	4		13
26	Personal service, police, and military	293		6	1	58	1	41	35	4	36
27	Barbers and hairdressers	71		2		24		6	9	2	6
28	Janitors and sextons	62				8		12	5		12
29	Policemen, watchmen, and detectives	83			1	3		15	16	2	10
30	Soldiers, sailors, and marines (United States)	22				4		3	2		3
31	Others of this class	55		4		19	1	5	3		5
32	Laboring and servant	2,388	2	52	7	449	5	215	243	27	316
33	Laborers (not agricultural)	2,234	2	48	6	406	4	205	229	22	298
34	Servants	154		4	1	43	1	10	14	5	18
35	Manufacturing and mechanical industry	4,993	17	118	20	1,013	35	619	621	67	529
36	Bakers and confectioners	69		2		12	1	14	5		9
37	Blacksmiths	152			2	17	1	18	20	2	14
38	Boot and shoe makers	225	2	1	2	47	2	83	41	2	30
39	Brewers, distillers, and rectifiers	9		1		2		3	3		
40	Butchers	48		1		10		5	6	1	6
41	Cabinetmakers and upholsterers	83		5		19	1	9	8	1	7
42	Carpenters and joiners	544	3	12	3	71	1	71	80	10	50
43	Cigar makers and tobacco workers	41		1		7	1	4	3	2	6
44	Clock and watch repairers, jewelers, etc.	50		1		11	2	10	2		6
45	Compositors, printers, and pressmen	90		3		36		11	8	1	4
46	Coopers	23				3		2	2	1	3
47	Engineers and firemen (not locomotive)	187	1	10	3	22	1	27	28	3	18
48	Glass blowers and glass workers	19				6			2		2
49	Hat and cap makers	22				6		4	4		2
50	Iron and steel workers	140	1	3		28		10	18		30
51	Leather makers	98	1	2		29		5	13		11
52	Leather workers	24		2		5		4	2	1	
53	Machinists	284	2	6		57	2	36	29	3	30
54	Marble and stone cutters	61		1	2	20		2	6		10
55	Masons (brick and stone)	203		3		41	2	19	26	1	27
56	Mill and factory operatives (textiles)	542	1	24	1	135	2	61	62	6	47
57	Millers (flour and grist)	12				1		1	6		1
58	Painters, glaziers, and varnishers	341		5	1	67	1	48	55	8	28
59	Plasterers and whitewashers	23		1		4		5	4	1	1
60	Plumbers, and gas and steam fitters	74	1	2	1	24		7	5		5
61	Tailors	98		1		16	1	9	11	6	10
62	Tinners and tinware makers	36				10		3	5		4
63	Others of this class	1,495	5	31	5	307	17	198	167	18	168
64	Agriculture, transportation, and other outdoor	2,498	5	38	9	267	20	339	342	28	271
65	Boatmen and canalmen	3				1			1		
66	Draymen, hackmen, teamsters, etc.	418		11	2	102	1	42	44	2	57
67	Farmers, planters, and farm laborers	1,271	3	11	4	64	13	172	201	14	140
68	Gardeners, florists, nurserymen, and vine growers.	121		1	1	14	1	22	13	1	11
69	Livery stable keepers and hostlers	73		2		15	1	10	12	1	7
70	Lumbermen and raftsmen	3						2			
71	Miners and quarrymen	22		3		7			2		2
72	Sailors, pilots, fishermen, and oystermen	253	1	3		16	2	48	29	6	22
73	Steam railroad employees	173		3		24	1	18	15	4	16
74	Stock raisers, herders, and drovers	4				1		1	1		
75	Others of this class	157	1	4	2	23	1	24	19		16
76	All other occupations	63		3		14		4	8	1	3

177

MASSACHUSETTS.

PART I—VITAL STAT—12

TABLE 8.—DEATHS, FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES,

MICHIGAN.

	OCCUPATIONS.	All causes.	Malarial fever.	Typhoid fever.	Rheumatism.	Consumption.	Diabetes.	Diseases of the nervous system.	Diseases of the heart.	Other diseases of the circulatory system.	Pneumonia.
1	All occupations	10,787	58	296	79	900	117	1,443	1,318	170	806
2	Professional	394	3	7	6	32	5	80	37	11	26
3	Architects, artists and teachers of art, etc.	17			1	2		2	1		1
4	Clergymen	86	2	2		5		19	9	3	7
5	Engineers and surveyors	40		2		2	1	5	5	1	2
6	Journalists	17				2	1	2	2	2	1
7	Lawyers	51			2	3		12	3	1	4
8	Musicians and teachers of music	19			1	3	1	6			1
9	Physicians and surgeons	90		1	1	7	1	17	8	2	6
10	Teachers (school)	43	1	2	1	5		8	5	1	2
11	Others of this class	31				3	1	9	4	1	2
12	Clerical and official	410	3	15	2	61	2	57	38	14	30
13	Bookkeepers, clerks, and copyists	214	2	9	1	44	1	20	15	3	19
14	Bankers, brokers, and officials of companies	61		4		3		11	5	5	4
15	Collectors, auctioneers, and agents	95	1	1	1	9	1	18	17	1	4
16	Others of this class	40		1		5		8	1	5	3
17	Mercantile and trading	508	4	10	4	41	9	88	70	15	45
18	Apothecaries, pharmacists, etc.	30				6	2	5	3	1	5
19	Commercial travelers	42		1	1	3		8	2	3	1
20	Merchants and dealers	344	4	9	2	16	7	59	55	7	29
21	Hucksters and peddlers	25				3		6	4		
22	Others of this class	67			1	13		10	6	4	10
23	Public entertainment	135		3	3	9	3	18	16	4	11
24	Hotel and boarding-house keepers	50		1		3	1	10	9	3	5
25	Saloon keepers, liquor dealers, bartenders, and restaurant keepers	85		2	3	6	2	8	7	1	6
26	Personal service, police, and military	134	1	3	1	20	2	10	14	1	8
27	Barbers and hairdressers	49		1		12	1	2	7		
28	Janitors and sextons	23				4		1	4	1	4
29	Policemen, watchmen, and detectives	32						7			1
30	Soldiers, sailors, and marines (United States)	19	1	1	1	2	1		1		1
31	Others of this class	11		1		2			2		2
32	Laboring and servant	1,803	5	61	13	207	14	182	174	13	163
33	Laborers (not agricultural)	1,749	5	59	13	199	13	175	170	13	160
34	Servants	54		2		8	1	7	4		3
35	Manufacturing and mechanical industry	1,992	13	56	10	196	22	279	253	32	146
36	Bakers and confectioners	33				2	1	9	3		1
37	Blacksmiths	116		1		6	1	28	12	1	5
38	Boot and shoe makers	83	1			1	1	14	14	1	8
39	Brewers, distillers, and rectifiers	5						1	1		
40	Butchers	55			1	3	1	6	8	1	7
41	Cabinetmakers and upholsterers	50	2	2	1	7		6	3		3
42	Carpenters and joiners	385	3	3		25	1	50	65	7	25
43	Cigar makers and tobacco workers	37		1	1	7	1	4	3	2	2
44	Clock and watch repairers, jewelers, etc.	15				2		3	2	1	
45	Compositors, printers, and pressmen	29	1	1		7		5	2		3
46	Coopers	52		1		4	1	5	9	2	1
47	Engineers and firemen (not locomotive)	121		4	1	20		11	13		10
48	Glass blowers and glass workers	5		1		1					
49	Hat and cap makers	1									
50	Iron and steel workers	67		9	1	9		1	3	1	9
51	Leather makers	5				1					
52	Leather workers	32				1	2	8	7	1	
53	Machinists	98	2	6		6		12	10		3
54	Marble and stone cutters	11				5			1		
55	Masons (brick and stone)	99	1	3	1	9	2	16	6	1	10
56	Mill and factory operatives (textiles)	20				1		2	4	1	2
57	Millers (flour and grist)	47				2		9	5		6
58	Painters, glaziers, and varnishers	124	1	5		16	2	22	12	1	10
59	Plasterers and whitewashers	9				2					1
60	Plumbers, and gas and steam fitters	25	1	2		4	1	7	1		2
61	Tailors	57		1	1	5	1	9	11	3	2
62	Tinners and tinware makers	17				3		3	1	1	
63	Others of this class	394	1	16	3	47	7	48	55	8	36
64	Agriculture, transportation, and other outdoor	5,372	29	140	40	326	60	723	713	80	375
65	Boatmen and canalmen	1						1			
66	Draymen, hackmen, teamsters, etc.	95		9		9		10	8		8
67	Farmers, planters, and farm laborers	4,475	26	107	36	257	55	643	635	71	314
68	Gardeners, florists, nurserymen, and vine growers	46				1	1	6	8	1	5
69	Livery stable keepers and hostlers	24				2		6	6		
70	Lumbermen and raftsmen	120	1	3	1	5	2	18	9	3	9
71	Miners and quarrymen	205		6		17		6	11	4	16
72	Sailors, pilots, fishermen, and oystermen	101	1	2		12		8	8		10
73	Steam railroad employees	209	1	7	3	12	2	15	23	1	7
74	Stock raisers, herders, and drovers	8							2		
75	Others of this class	88		6		11		10	3		6
76	All other occupations	39		1		8		6	3		2

OCCUPATIONS—MALES.

179

OF MALES ENGAGED IN EACH OCCUPATION: CENSUS YEAR 1900—Continued.

MICHIGAN.

Other diseases of the respiratory system.	Diseases of the liver.	Other diseases of the digestive system.	Diseases of the urinary organs.	Diseases of the bones and joints.	Burns and scalds.	Suicide.	Other accidents and injuries.	CANCER.						All other causes.	Unknown cause.	
								Total.	Of stomach.	Of liver.	Of abdomen.	Of mouth, tongue, and throat.	Of other organs.			
309	262	578	863	38	26	138	1,045	540	216	44	47	36	197	1,694	107	1
13	6	29	40	2	1	2	18	12	6		1		5	61	3	2
1		3	2	1		1								2		3
2		6	10				2	3	2				1	15	1	4
1		2	4	1			5	5						9		5
1		4	4					1	1					1		6
1	3	5	6			1	2	2	1				1	6		7
		2	2											3		8
4	1	7	6		1		5	4	2		1		1	18	1	9
2	2	1	2				3	2					2	6		10
1		3	4				1							1	1	11
11	14	28	43	2		8	22	9	2	1	1		5	48	3	12
7	9	19	15			6	14	3	1		1		1	25	2	13
2	1	1	10	1			3	3					3	7	1	14
2	3	5	11	1		2	5	3	1	1			1	10		15
	1	3	7											6		16
12	20	25	50		1	3	16	25	7	2	2	3	11	67	3	17
	2	1					2							3		18
	1	3	7			1	2	3	1					3	3	19
9	15	18	34		1	2	7	19	4	2	2	3	10	51		20
1	1	1	3				2							4		21
2	1	2	6				3	3	2				1	6		22
	12	8	11	1		3	6	6	2	2			2	21		23
	1	3	4			1	1	3	1				2	5		24
	11	5	7	1		2	5	3	1	2				16		25
4	4	8	14			1	19	5	2	2			1	17	2	26
2	3	6	7			1	3	2	2					1	1	27
	1	1	3				1							3		28
2			1				10	2		2				8	1	29
		1	1				3	1					1	5		30
		2	2				2									31
54	37	92	98	8	3	21	281	77	41	4	9	4	19	270	30	32
54	33	88	94	7	3	20	276	76	41	4	9	3	19	262	29	33
	4	4	4	1		1	5	1				1		8	1	34
58	53	99	145	7	6	31	150	112	34	13	6	8	51	315	9	35
	2	3	2	1		1		1					1	7		36
	8	5	7		1	2	3	8	3	1	1		3	28		37
3	3	3	7			1	1	9	2				7	16		38
	1		1					1				1		1		39
	2	5	2				4	2	1	1				12	1	40
5		2	2			3	3	3						8		41
13	7	19	33	2	1	2	25	30	12	2	1	3	12	73	1	42
3	1		2			3	4							3		43
		1	1			1	1	1					1	3		44
		2	2			2	2							3		45
2	3	3	5				4	1	1					11		46
2	3	9	7		1	3	18	3	3					15	1	47
		1												1	1	48
																49
1	3	4	3			2	7	5	3				2	9		50
	1		1					1						2		51
	3		1			1		5	1	1				6		52
2	1	7	5	1	1	2	15	1	1				4	19	1	53
1	1	2	2					1	1							54
1	4	1	10	1			8	10	1	3	1	1	4	15		55
		2	2				4	1						1	3	56
3	1	6	11			1	9	3	1	1			1	6		57
3	5	3	2			2	2	6	2	1	1	1	1	15	1	58
	1	1	1					1						1		59
	1	2	2				2	2						1		60
3	4	2	7		1	2	5	1		1				5	1	61
1		3	1				1							4		62
15	4	22	28	2	1	5	26	20	3	2	2	1	12	48	2	63
154	114	287	457	18	15	69	531	292	121	20	27	21	103	892	57	64
							19	3	1	1			1	12		65
130	102	252	402	15	9	58	256	264	105	19	24	19	97	795	48	66
1		6	3			1	4	3	1		1		1	6		67
		1	1					1								68
2		1	1				1	2						2	2	69
3	3	2	16		1		30	1	2					10		70
5		10	7	1		1	98	6	3			1	2	15	2	71
2	2	3	3			2	24	4	3		1			20		72
3	3	4	11	1	3	2	85	7	4		1	1	1	15	4	73
3		2	7											1		74
4	1	4	7	1		3	14	2	2					16		75
3	2	2	5				2	2	1		1			3		76

TABLE 8.—DEATHS, FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES,
NEW HAMPSHIRE.

	OCCUPATIONS.	All causes.	Malarial fever.	Typhoid fever.	Rheumatism.	Consumption.	Diabetes.	Diseases of the nervous system.	Diseases of the heart.	Other diseases of the circulatory system.	Pneumonia.
1	All occupations	2,090	5	33	8	231	22	297	320	24	233
2	Professional	66		1		5	1	16	16	1	2
3	Architects, artists and teachers of art, etc.	1							1		
4	Clergymen	14					1	5	2		
5	Engineers and surveyors	9		1		1		1	2		
6	Journalists	3						1	2		
7	Lawyers	14				1		3	2	1	1
8	Musicians and teachers of music	5				3					
9	Physicians and surgeons	13						4	5		
10	Teachers (school)	3						1			
11	Others of this class	4						1	2		1
12	Clerical and official	76		6		11	3	9	13		8
13	Bookkeepers, clerks, and copyists	43		5		11	2	3	8		4
14	Bankers, brokers, and officials of companies	5							1		1
15	Collectors, auctioneers, and agents	16					1	4	2		1
16	Others of this class	12		1				2	2		2
17	Mercantile and trading	116	1	4		10	2	15	17	2	14
18	Apothecaries, pharmacists, etc.	3									
19	Commercial travelers	3				1					
20	Merchants and dealers	90	1	2		6	2	11	15	2	9
21	Hucksters and peddlers	4						1			1
22	Others of this class	16		2		3		3	2		4
23	Public entertainment	21				4		4	3		2
24	Hotel and boarding-house keepers	19				3		4	2		2
25	Saloon keepers, liquor dealers, bartenders, and restaurant keepers.	2				1			1		
26	Personal service, police, and military	26				7		2	4	1	4
27	Barbers and hairdressers	8				2		1	1		
28	Janitors and sextons	3							1		
29	Policemen, watchmen, and detectives	14				4		1	2	1	4
30	Soldiers, sailors, and marines (United States)										
31	Others of this class	1				1					
32	Laboring and servant	259		4	1	41	3	27	24	3	34
33	Laborers (not agricultural)	252		4	1	40	3	26	24	3	33
34	Servants	7				1		1			1
35	Manufacturing and mechanical industry	622	3	12	1	93	5	99	82	7	66
36	Bakers and confectioners	3		1		1					
37	Blacksmiths	30				3		4	8		3
38	Boot and shoe makers	75		1		15	1	15	5		9
39	Brewers, distillers, and rectifiers	1							1		
40	Butchers	9				1		2	2		
41	Cabinetmakers and upholsterers	8				2	1	1			2
42	Carpenters and joiners	90	2			7		15	12	3	13
43	Cigar makers and tobacco workers	3				1			1		
44	Clock and watch repairers, jewelers, etc.	7					2	1			1
45	Compositors, printers, and pressmen	9				3		1	1		
46	Coopers	5						1	1	1	1
47	Engineers and firemen (not locomotive)	13				2		2	2		4
48	Glass blowers and glass workers										
49	Hat and cap makers	2									
50	Iron and steel workers	1									
51	Leather makers	6						1	3		
52	Leather workers	5				1					
53	Machinists	26		1		4		6	1		3
54	Marble and stone cutters	17				7		2	1		1
55	Masons (brick and stone)	24			1	1		1	3	1	1
56	Mill and factory operatives (textiles)	80	1	4		17		8	9	1	10
57	Millers (flour and grist)	2						1			
58	Painters, glaziers, and varnishers	42				5		8	7	1	2
59	Plasterers and whitewashers										
60	Plumbers, and gas and steam fitters	4				1		1			
61	Tailors	4							1		
62	Tinners and tinware makers	3						1			1
63	Others of this class	153		5		22	1	27	24		15
64	Agriculture, transportation, and other outdoor	901	1	6	6	60	8	124	161	10	103
65	Boatmen and canalmen										
66	Draymen, hackmen, teamsters, etc.	46			1	6		8	4		5
67	Farmers, planters, and farm laborers	792	1	6	5	44	6	111	153	10	88
68	Gardeners, florists, nurserymen, and vine growers.	5				1			1		2
69	Livery stable keepers and hostlers	3				2			1		
70	Lumbermen and raftsmen	5				1		2			2
71	Miners and quarrymen	1									
72	Sailors, pilots, fishermen, and oystermen	9				2					3
73	Steam railroad employees	33				4	2	2	1		2
74	Stock raisers, herders, and drovers	1									
75	Others of this class	6						1	1		1
76	All other occupations	3						1			

OCCUPATIONS—MALES.

181

OF MALES ENGAGED IN EACH OCCUPATION: CENSUS YEAR 1900—Continued.

NEW HAMPSHIRE.

Other diseases of the respiratory system.	Diseases of the liver.	Other diseases of the digestive system.	Diseases of the urinary organs.	Diseases of the bones and joints.	Burns and scalds.	Suicide.	Other accidents and injuries.	CANCER.						All other causes.	Unknown cause.	
								Total.	Of stomach.	Of liver.	Of abdomen.	Of mouth, tongue, and throat.	Of other organs.			
65	37	69	152	4	4	30	126	72	13	6	8	4	41	336	22	1
1	1	3	4				3	2		1			1	9	1	2
1	1	1	2				2	1		1				1		3
														1		4
		2	1											2	1	5
			1				1	1					1	2		6
														1		7
														2		8
														1		9
														2		10
																11
5	3	2	4			1	2	2					2	7		12
5			2				1							2		13
	1						1	1					1	1		14
	2	2	1				1	1						2		15
			1			1		1					1	2		16
1	1	6	10			3	3	6			1		5	20	1	17
		1					1							2		18
1	1	5	9			3	2	5			1		4	16		19
								1					1	2		20
															1	21
	1	1	3	1		1	1									22
	1	1	3	1		1	1									23
																24
																25
	2	1	1			1								3		26
	1					1								2		27
	1	1	1											1		28
																29
																30
																31
10	4	13	23	2		2	21	11	2	1	1	1	6	34	2	32
10	4	12	21	2		2	20	11	2	1	1	1	6	34	2	33
		1	2				1									34
16	12	19	33	1	2	10	39	15	5	1	4	1	4	97	10	35
							1									36
2			4			2								4		37
2	1	1	7				7							9	2	38
																39
			1											2	1	40
		1												1		41
	1	2	4				5	3	1			1	1	21	2	42
														1		43
			1				1							1		44
1			2				1									45
							1									46
			1					1					1	1		47
																48
		1												2		49
																50
							1							1		51
	1	1	1				2	1							1	52
			4				1				1			2		53
3							1							2		54
2							3	1					1	8		55
1	3	3	2		1	2	7	2			2			7	2	56
			1													57
1		1	2				4							11		58
																59
						1		1						1		60
									1					2		61
4	5	8	4		1	4	5	6	3	1	1		1	20	2	62
																63
32	13	24	74		2	11	57	35	6	3	2	2	22	166	8	64
																65
1			3			1	8	1					1	7	1	66
28	12	21	66		2	10	32	33	6	3	2	2	20	157	7	67
														1		68
																69
			1					1								70
1			1											1		71
2	1	1	1				17									72
			1													73
		2	1													74
			1													75
						1		1					1			76

TABLE 8.—DEATHS, FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES,
NEW JERSEY.

	OCCUPATIONS.	All causes.	Malarial fever.	Typhoid fever.	Rheumatism.	Consumption.	Diabetes.	Diseases of the nervous system.	Diseases of the heart.	Other diseases of the circulatory system.	Pneumonia.
1	All occupations.....	8,192	34	170	27	1,389	56	1,132	878	98	858
2	Professional.....	272		3	1	32	2	53	32	3	26
3	Architects, artists and teachers of art, etc.....	32		1		6	1	6	5		2
4	Clergymen.....	55				2		15	10	1	7
5	Engineers and surveyors.....	26		1		6	1	2	1		2
6	Journalists.....	8						1			1
7	Lawyers.....	34				2		8	5		2
8	Musicians and teachers of music.....	22				2		4	1		
9	Physicians and surgeons.....	50			1	4		10	8	1	7
10	Teachers (school).....	24		1		2		5	2	1	3
11	Others of this class.....	21				8		2			2
12	Clerical and official.....	545	2	13	5	121	2	79	61	8	57
13	Bookkeepers, clerks, and copyists.....	360	1	9	3	98	1	45	40	3	39
14	Bankers, brokers, and officials of companies.....	67	1	1	1	7		14	11	2	6
15	Collectors, auctioneers, and agents.....	81		2	1	8	1	16	6	2	9
16	Others of this class.....	37		1		8		4	4	1	3
17	Mercantile and trading.....	589	5	9	3	89	5	94	75	13	66
18	Apothecaries, pharmacists, etc.....	19				5		3			2
19	Commercial travelers.....	5		1					1		
20	Merchants and dealers.....	402	4	5	1	48	4	68	60	8	48
21	Hucksters and peddlers.....	31				6		6	4	1	1
22	Others of this class.....	132	1	3	2	30	1	17	10	4	15
23	Public entertainment.....	197	1	3	1	30	3	27	23	1	20
24	Hotel and boarding-house keepers.....	68		1	1	6	2	11	9	1	8
25	Saloon keepers, liquor dealers, bartenders, and restaurant keepers.....	129	1	2		24	1	16	14		12
26	Personal service, police, and military.....	193	3	5		32	2	22	18	2	24
27	Barbers and hairdressers.....	51	1	2		14	1	3	3	1	6
28	Janitors and sextons.....	29	1			4		2	4		8
29	Policemen, watchmen, and detectives.....	79		1		8	1	15	7		6
30	Soldiers, sailors, and marines (United States).....	10	1	1		2		1	1		2
31	Others of this class.....	24		1		4		1	3	1	2
32	Laboring and servant.....	1,861	7	36	4	336	7	204	190	15	241
33	Laborers (not agricultural).....	1,725	6	34	4	308	7	198	175	15	214
34	Servants.....	136	1	2		28		6	15		27
35	Manufacturing and mechanical industry.....	2,846	6	61	8	556	26	389	266	38	271
36	Bakers and confectioners.....	60		2		12		9	4	3	4
37	Blacksmiths.....	93		3		16		19	8		8
38	Boot and shoe makers.....	82		2		11		19	10	2	9
39	Brewers, distillers, and rectifiers.....	15		1		4	1	1	2		
40	Butchers.....	93		3		23		12	9		10
41	Cabinetmakers and upholsterers.....	37		1		10		7	4	1	
42	Carpenters and joiners.....	356	1	1		55	2	61	47	6	26
43	Cigar makers and tobacco workers.....	37		1		8	1	4	4		3
44	Clock and watch repairers, jewelers, etc.....	29				3	1	5	4		3
45	Compositors, printers, and pressmen.....	52		2		14		5	3	1	4
46	Coopers.....	16				1	1	2	2		3
47	Engineers and firemen (not locomotive).....	143		2		18		20	14	1	17
48	Glass blowers and glass workers.....	26		1		8		2	3		1
49	Hat and cap makers.....	74				16	1	7	8	1	8
50	Iron and steel workers.....	117	3	8		25	2	14	5	2	17
51	Leather makers.....	43				14	1	2	1	1	8
52	Leather workers.....	22				3		5	3		
53	Machinists.....	163		6		32	3	22	11	4	21
54	Marble and stone cutters.....	27				9		2	4		2
55	Masons (brick and stone).....	130		1		23	1	12	13	4	11
56	Mill and factory operatives (textiles).....	174		8	1	39		16	9	1	16
57	Millers (flour and grist).....	21		1		1		1	3	2	2
58	Painters, glaziers, and varnishers.....	215	1	6		47	3	33	16	1	17
59	Plasterers and whitewashers.....	7				1		1	1		
60	Plumbers, and gas and steam fitters.....	57		1		16		8	4		7
61	Tailors.....	86		1	1	18	1	11	11		10
62	Tinners and tinware makers.....	33		1		7		2	1		6
63	Others of this class.....	638	1	9	6	122	8	87	62	8	58
64	Agriculture, transportation, and other outdoor.....	1,655	9	38	5	186	9	262	205	17	149
65	Boatmen and canalmen.....	51		1		4		8	11		3
66	Draymen, hackmen, teamsters, etc.....	176	1	5		40		15	18		26
67	Farmers, planters, and farm laborers.....	872	6	14	5	72	7	164	131	11	80
68	Gardeners, florists, nurserymen, and vine growers.....	82		1		13	1	13	10	1	5
69	Livery stable keepers and hostlers.....	40		4		8		5	4	1	1
70	Lumbermen and raftsmen.....	3				1			1		
71	Miners and quarrymen.....	34				4		1	2		4
72	Sailors, pilots, fishermen, and oystermen.....	132	2	7		11		25	13	3	8
73	Steam railroad employees.....	197		4		22		22	9	1	11
74	Stock raisers, herders, and drovers.....	2				1					
75	Others of this class.....	66		2		10	1	9	6		11
76	All other occupations.....	34	1	2		7		2	8	1	4

TABLE 8.—DEATHS, FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES,
NEW YORK.

	OCCUPATIONS.	All causes.	Malarial fever.	Typhoid fever.	Rheumatism.	Consumption.	Diabetes.	Diseases of the nervous system.	Diseases of the heart.	Other diseases of the circulatory system.	Pneumonia.
1	All occupations	36,246	78	769	178	6,586	294	4,215	3,726	388	3,981
2	Professional	1,424	4	36	6	185	14	234	163	22	152
3	Architects, artists and teachers of art, etc.	111		4	2	18		16	15	2	14
4	Clergymen	215	1	3		14	1	33	23	4	24
5	Engineers and surveyors	132	1	7		28	1	16	6	1	15
6	Journalists	65		3		8	3	9	6	1	6
7	Lawyers	246		4		23	4	50	39	6	23
8	Musicians and teachers of music	134		5	2	30		14	23	2	12
9	Physicians and surgeons	246	1	4	1	22	3	53	23	4	26
10	Teachers (school)	111		4	1	11	1	20	8	1	16
11	Others of this class	164	1	2		31	1	23	20	1	16
12	Clerical and official	2,816	7	78	9	687	41	281	252	37	323
13	Bookkeepers, clerks, and copyists	1,881	5	50	7	586	24	137	152	19	227
14	Bankers, brokers, and officials of companies	256		7		20	5	46	23	8	26
15	Collectors, auctioneers, and agents	492	1	13	1	57	8	71	66	10	46
16	Others of this class	187	1	8	1	24	4	27	11		24
17	Mercantile and trading	2,930	3	63	13	473	47	358	322	41	341
18	Apothecaries, pharmacists, etc.	120		4		17		17	16	2	14
19	Commercial travelers	49		3		9		9	10		7
20	Merchants and dealers	1,738	2	30	10	206	36	239	195	34	182
21	Hucksters and peddlers	242		2		63	1	18	25		24
22	Others of this class	781	1	24	3	178	10	75	76	5	114
23	Public entertainment	737		13	5	145	6	85	51	10	86
24	Hotel and boarding-house keepers	214		3	4	23	1	30	22	4	21
25	Saloon keepers, liquor dealers, bartenders, and restaurant keepers	523		10	1	122	5	55	29	6	65
26	Personal service, police, and military	996	7	24	6	218	5	99	80	17	123
27	Barbers and hairdressers	178		7	1	63		10	16	3	16
28	Janitors and sextons	165		1		30		17	9	4	30
29	Policemen, watchmen, and detectives	370	2	4	4	38	2	47	36	7	48
30	Soldiers, sailors, and marines (United States)	69	4	5	1	6		7	6	1	8
31	Others of this class	214	1	7		81	3	18	13	2	21
32	Laboring and servant	7,272	16	167	23	1,527	24	665	657	47	971
33	Laborers (not agricultural)	6,509	14	152	22	1,296	20	608	586	40	873
34	Servants	763	2	15	1	231	4	57	71	7	98
35	Manufacturing and mechanical industry	10,548	21	179	57	2,237	79	1,200	1,040	117	1,130
36	Bakers and confectioners	259		9	1	58	1	25	23	1	27
37	Blacksmiths	442	1	12	3	55	2	66	39	9	43
38	Boot and shoe makers	280	1	3	4	36	1	41	44	1	26
39	Brewers, distillers, and rectifiers	79			1	8	1	11	6		13
40	Butchers	343		11	4	66	1	49	36	3	35
41	Cabinetmakers and upholsterers	226		5	1	45	3	25	21	3	26
42	Carpenters and joiners	1,195	3	15	5	188	10	153	129	16	99
43	Cigar makers and tobacco workers	331		5	2	94	1	29	29	3	42
44	Clock and watch repairers, jewelers, etc.	83		1		16	2	10	11		7
45	Compositors, printers, and pressmen	394		4	4	160	2	36	26	4	43
46	Coopers	137		2	1	23	1	17	12	4	14
47	Engineers and firemen (not locomotive)	546	2	7	3	85	4	73	61	6	68
48	Glass blowers and glass workers	59		1		18		4	8		6
49	Hat and cap makers	76	1	1		15		4	8	3	10
50	Iron and steel workers	337		7	1	83		28	39		57
51	Leather makers	44			1	7		8	4	1	3
52	Leather workers	106			1	13		10	11		10
53	Machinists	432	1	11	2	85	1	43	43	5	51
54	Marble and stone cutters	189		2		74		11	19	1	16
55	Masons (brick and stone)	478	1	7	1	73	3	55	63	5	61
56	Mill and factory operatives (textiles)	185	1	5	2	56	1	12	14	1	24
57	Millers (flour and grist)	63		2	2	8	1	11	8		7
58	Painters, glaziers, and varnishers	780	3	16	1	188	3	78	62	15	79
59	Plasterers and whitewashers	95		1		31		7	2		19
60	Plumbers, and gas and steam fitters	238		3	1	85	2	17	19		32
61	Tailors	678	1	8	6	135	9	78	66	11	68
62	Tinners and tinware makers	152				46	1	23	11		10
63	Others of this class	2,325	5	41	10	486	29	276	226	25	224
64	Agriculture, transportation, and other outdoor	9,152	19	194	57	1,033	75	1,256	1,129	96	817
65	Boatmen and canalmen	95	2	2		16		11	7		6
66	Draymen, hackmen, teamsters, etc.	1,083		21	5	290	8	72	78	6	147
67	Farmers, planters, and farm laborers	6,007	10	115	43	392	55	963	858	77	480
68	Gardeners, florists, nurserymen, and vine growers	251	1	4	5	25	2	45	27	4	26
69	Livery stable keepers and hostlers	184			1	44	1	16	17		21
70	Lumbermen and raftsmen	42		1		3		5	3		3
71	Miners and quarrymen	59		2		17		6	4	1	1
72	Sailors, pilots, fishermen, and oystermen	511	2	16	2	89	3	51	54	3	58
73	Steam railroad employees	579	1	25		84	2	49	53	4	31
74	Stock raisers, herders and drovers	6				1		2			
75	Others of this class	335	1	8	1	72	4	36	28	1	44
76	All other occupations	371	1	15	2	81	3	37	32	1	38

OCCUPATIONS—MALES.

185

OF MALES ENGAGED IN EACH OCCUPATION: CENSUS YEAR 1900—Continued.

NEW YORK.

Other diseases of the respiratory system.	Diseases of the liver.	Other diseases of the digestive system.	Diseases of the urinary organs.	Diseases of the bones and joints.	Burns and scalds.	Suicide.	Other accidents and injuries.	CANCER.						All other causes.	Unknown cause.	
								Total.	Of stomach.	Of liver.	Of abdomen.	Of mouth, tongue, and throat.	Of other organs.			
1,031	740	1,399	3,903	75	66	487	2,502	1,288	461	157	80	91	499	4,382	158	1
39	35	56	164	3	3	19	50	43	18	4	3		18	186	10	2
2	4	6	10		1	1	2	1					1	13		3
10	3	11	34		1	1	6	11	8				3	34	1	4
3	3	7	12				1	1		1				15		5
3	2	8	8				1	1						10		6
6	8	8	24	1		2	8	7	2	2	1		2	28	5	7
1	3	4	13		1		5	5	1				4	14		8
8	4	10	33	1		2	4	6	2		1		3	39	2	9
1	3	5	14			1	4	5	4		1			19	2	10
5	7	3	16	1		7	8	3	1	1			1	14		11
55	67	129	309	8	3	52	121	83	22	13	5	10	33	264	10	12
33	40	91	184	3	2	31	81	41	8	7	4	4	18	164	4	13
6	9	13	41	2		4	9	9	4				5	26	2	14
11	13	19	53	2	1	15	20	25	6	3	1	6	9	56	4	15
5	5	6	31	1		2	11	8	4	3			1	18		16
88	76	127	362	3	2	50	120	128	41	17	10	11	49	300	13	17
3	2	6	15			5	4	1	1					12	2	18
1		2	3				2	1	1					2		19
59	48	84	237	3	1	26	59	92	32	11	6	6	37	187	8	20
5	7	9	27			2	11	11	3	2			5	35	2	21
20	19	26	80		1	17	44	23	4	4	4	4	7	64	1	22
19	50	30	88		3	10	32	15	5	2	2		6	83	6	23
6	11	8	34		1	2	8	6	1	1			4	28	2	24
13	39	22	54		2	8	24	9	4	1	2		2	55	4	25
24	20	35	131	3	1	14	60	38	12	5	1	6	14	91		26
1	7	5	19			1	8	7				3	4	14		27
5		6	30		1	6	7	5	2		1		2	14		28
12	9	14	58			5	31	17	8	4		2	3	36		29
1	1	1	2	1		1	6	2	1			1		16		30
5	3	9	22	2		1	8	7	1	1			5	11		31
209	112	266	736	19	15	70	706	216	80	19	8	15	94	803	23	32
199	102	239	635	17	14	66	675	192	76	16	8	14	78	737	22	33
10	10	27	101	2	1	4	31	24	4	3		1	16	66	1	34
344	216	353	1,174	19	27	164	626	398	149	56	33	34	126	1,126	41	35
10	13	8	33	1	1	3	11	12	6	2		1	3	21	1	36
14	7	15	46		1	8	26	27	8	5	3	7	4	61	2	37
11	5	7	26	1		4	10	15	3	2		2	8	43	1	38
1	3	2	14	1	1	2	4	5	1			2	2	6		39
12	14	23	29			6	19	10	4	2		1	3	25		40
8	6	10	23			4	9	13	4	3			6	24		41
33	17	38	145	6	3	18	88	47	17	5	5	1	19	172	10	42
14	7	9	30	2		12	10	17	5	1	2	1	8	25		43
3	4	3	12			3	2	2	2					6	1	44
10	7	10	29		2	4	14	7	2			2	3	17		45
5	4	6	20			1	7	6	3			2	1	24		46
13	11	15	68		6	5	50	14	7	2		1	4	53	2	47
1			9			1	4							2	1	48
2	4	4	8			1	2	3	3					10		49
16	4	7	29	1		3	27	5	2	1	1		1	28	1	50
4		1	3				2	1	1					9		51
5	3	8	15			2	8	4	1			1	2	15		52
17	8	20	42	3	1	5	26	27	14	4		1	8	36	5	53
6	2	6	13		1	2	12	4		3		1		19	1	54
21	13	16	49	1	2	8	29	20	7	2		2	9	49	1	55
5	2	6	17				12	9	2	2	2	1	2	18		56
1	1	2	7			2	1	2						7	1	57
17	16	31	98		1	11	64	20	7	4	2	1	6	74	3	58
2	2	1	9			3	7	3	1	1	1			8		59
2	2	6	27			4	16	2		1		1		20		60
23	8	29	85		2	15	23	34	15	5	3	1	10	17	2	61
6	4	4	15	1		2	8	4	3					75		62
82	49	66	273	2	6	35	135	85	31	11	13	5	25	262	8	63
244	155	389	904	19	12	107	740	354	128	38	18	15	155	1,498	54	64
7	1	2	7			1	20	3	1				2	9	1	65
26	25	33	108	3	3	16	120	18	10	1	2		5	101	1	66
166	105	293	595	13	3	66	272	271	104	31	13	10	113	1,187	43	67
6	3	7	27			3	13	13	5	1		1	5	36	4	68
6	3	6	23	1		5	10	6		1		2	3	23	1	69
2	1	1	7			1	9	1						5		70
4	1	1	4				12	2	1				1	3	1	71
13	7	12	58	1	1	6	53	16	3			1	12	64	2	72
8	5	18	46	1	3	6	192	13	2	3	2		6	38		73
6	4	16	1			3	1	11	2			1	8	31	1	74
9	9	14	35	1		1	47	13	6	3			4	31	1	75

TABLE 8.—DEATHS, FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES,
RHODE ISLAND.

	OCCUPATIONS.	All causes.	Malarial fever.	Typhoid fever.	Rheumatism.	Consumption.	Diabetes.	Diseases of the nervous system.	Diseases of the heart.	Other diseases of the circulatory system.	Pneumonia.
1	All occupations	1,932	4	39	9	330	13	225	206	21	211
2	Professional	67	1	2		6	1	10	9	2	4
3	Architects, artists and teachers of art, etc.	5		1					2		
4	Clergymen	17					1	5	3	1	
5	Engineers and surveyors	6		1		1			1		1
6	Journalists	4				1		1			1
7	Lawyers	10	1			1		1			1
8	Musicians and teachers of music	3				1				1	
9	Physicians and surgeons	12				1		2			
10	Teachers (school)	5							3		
11	Others of this class	5				1		1			1
12	Clerical and official	128		6		39		14	11	1	10
13	Bookkeepers, clerks, and copyists	90		6		34		5	6	1	7
14	Bankers, brokers, and officials of companies	12				2		2	1		1
15	Collectors, auctioneers, and agents	17				2		6	3		1
16	Others of this class	9				1		1	1		1
17	Mercantile and trading	154		4	1	13	2	21	17	4	20
18	Apothecaries, pharmacists, etc.	7						1	1		1
19	Commercial travelers	1									
20	Merchants and dealers	119		3	1	7	2	15	15	3	16
21	Hucksters and peddlers	8				3			1		
22	Others of this class	19		1		3		5		1	3
23	Public entertainment	18				5		3	3		1
24	Hotel and boarding-house keepers	7				1		2	2		
25	Saloon keepers, liquor dealers, bartenders, and restaurant keepers	11				4		1	1		1
26	Personal service, police, and military	54	1	3		6	1	6	5		5
27	Barbers and hairdressers	14		1		5		1	1		1
28	Janitors and sextons	9		1					2		1
29	Policemen, watchmen, and detectives	18					1	5	2		
30	Soldiers, sailors, and marines (United States)	6	1	1							2
31	Others of this class	7				1					1
32	Laboring and servant	407	1	5	1	78	1	39	38	7	62
33	Laborers (not agricultural)	383	1	4	1	75	1	35	35	6	60
34	Servants	24		1		3		4	3	1	2
35	Manufacturing and mechanical industry	780	1	12	6	141	6	90	84	5	76
36	Bakers and confectioners	12				3		3			1
37	Blacksmiths	27				6	1	3	1		2
38	Boot and shoe makers	16				3		1	4		1
39	Brewers, distillers, and rectifiers	1									
40	Butchers	11			1	1		2			3
41	Cabinetmakers and upholsterers	4							1		1
42	Carpenters and joiners	103		2	1	13		20	9	2	14
43	Cigar makers and tobacco workers	3				1		1			
44	Clock and watch repairers, jewelers, etc.	26				8		3	4	1	2
45	Compositors, printers, and pressmen	8				2					2
46	Coopers	2									
47	Engineers and firemen (not locomotive)	30		1	2	5		3	3	1	3
48	Glass blowers and glass workers										
49	Hat and cap makers										
50	Iron and steel workers	23				6		2	1		2
51	Leather makers	3									
52	Leather workers	3									
53	Machinists	77		3		14		9	10		9
54	Marble and stone cutters	10				2		1	3		1
55	Masons (brick and stone)	38		1		3		1	6		5
56	Mill and factory operatives (textiles)	116	1	3	1	23	2	6	16		8
57	Millers (flour and grist)										
58	Painters, glaziers, and varnishers	54				6	1	10	5		6
59	Plasterers and whitewashers	2							1		
60	Plumbers, and gas and steam fitters	13				3		1			4
61	Tailors	12						3	2		2
62	Tinners and tinware makers	9				1		1	3		1
63	Others of this class	177		2	1	42	2	20	15	1	9
64	Agriculture, transportation, and other outdoor	308		7	1	35	2	40	39	2	31
65	Boatmen and canalmen	1		1					1		
66	Draymen, hackmen, teamsters, etc.	43		1		8		2	1		7
67	Farmers, planters, and farm laborers	155		1	1	7		24	29	1	15
68	Gardeners, florists, nurserymen, and vine growers	18		1		3	1	2	4		
69	Livery stable keepers and hostlers	12				6		2		1	2
70	Lumbermen and raftsmen	2		1					1		
71	Miners and quarrymen	5						1			
72	Sailors, pilots, fishermen, and oystermen	27				3	1	6	3		3
73	Steam railroad employees	33		1		6		1	1		3
74	Stock raisers, herders, and drovers										
75	Others of this class	12		1		2		2			1
76	All other occupations	16				7		2			2

187

RHODE ISLAND.

Other diseases of the respiratory system.	Diseases of the liver.	Other diseases of the digestive system.	Diseases of the urinary organs.	Diseases of the bones and joints.	Burns and scalds.	Suicide.	Other accidents and injuries.	CANCER.						All other causes.	Un-known cause.	
								Total.	Of stomach.	Of liver.	Of abdomen.	Of mouth, tongue, and throat.	Of other organs.			
48	38	58	228	2	8	26	127	62	20	6	7	4	25	266	11	1
1	1	2	14			1	1	4					4	8		2
	1							1					1			3
			2				1	1					1	3		4
			1											1		5
			1													6
1		1	3											1		7
			1													8
			4			1		1								9
			1					1					1	3		9
		1	1													10
			1													11
4	5	2	14			3	4	1			1			13	1	12
3	3	2	8			1	1	1			1			11	1	13
1			2				2							1		14
	1		2			2										15
	1		2				1							1		16
4	2	6	26			1	4	9	3	1	3		2	19	1	17
			2				1							2		18
3	2	6	20			1	2	7	3		2		2	15	1	19
1			2				1							1		20
			2					2		1	1			1		21
														1		22
	3													3		23
														2		24
	3													1		25
1	1	4	7			1	6	1					1	6		26
						1								3		27
		1					1									28
		1	2				3	1								29
		1	4				1							2		30
		1	1				1							1		31
1	1		1				1									
12	8	14	41		3	1	30	10	1	1		1	7	51	5	32
11	8	13	39		2	1	28	8		1		1	6	50	5	33
1		1	2		1		2	2	1				1	1		34
23	15	25	94	1	4	12	42	26	11	3	2	3	7	115	2	35
	1		1			1		1	1					1		36
	1		6				1	1		1	1			6		37
			2											3		38
							1									39
2			1											1		40
1			1													41
2	2	4	11				2	5	2				3	16		42
	1	1												1		43
			2			2	1							2		44
			1				2							1		45
	1															
2			4		1	1	1							1		46
														3		47
																48
			2				1	3				2	1	6		49
																50
			2											1		51
1			1											1		52
1			10			1	2	5						1		53
1																54
2			3	1		1	6	1			1			2		55
5	4	5	11		1	3	9	3	1	2				15		56
																57
		2	7				4	1	1					11	1	58
		1	1													59
	1	1					1							2		60
			2											1		61
4	4	10	26		2	3	11	5	1		1	1	2	3		62
														19	1	63
3	1	4	31	1	1	7	40	11	5	1	1		4	50	2	64
																65
1		2		1	1	2	6	1								66
1	1	1	3			2	12	10	5	1	1		1	7		67
			19				1							30	1	68
			3											3		69
																70
														1		71
																72
			2			2	4							2		73
1		1	3			1	13							3		74
														2		75
			1				2								1	76
	2	1	1											1		

VITAL STATISTICS.

TABLE 8.—DEATHS, FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES,
VERMONT.

	OCCUPATIONS.	All causes.	Malarial fever.	Typhoid fever.	Rheumatism.	Consumption.	Diabetes.	Diseases of the nervous system.	Diseases of the heart.	Other diseases of the circulatory system.	Pneumonia.
1	All occupations	1,881	4	36	5	192	13	269	274	27	198
2	Professional	86		2		13	1	15	12	2	9
3	Architects, artists and teachers of art, etc.	4				1		1			
4	Clergymen	13						5	1	1	1
5	Engineers and surveyors	7		1		2		1	1		
6	Journalists	4				2			1		
7	Lawyers	13		1		1	1	2	2		
8	Musicians and teachers of music	3				2					
9	Physicians and surgeons	26				1		4	4	1	5
10	Teachers (school)	1									
11	Others of this class	15				4		2	3		3
12	Clerical and official	62			1	12		10	5		8
13	Bookkeepers, clerks, and copyists	25			1	10		3	2		4
14	Bankers, brokers, and officials of companies	14				1		2	1		1
15	Collectors, auctioneers, and agents	11						3	1		1
16	Others of this class	12				1		2	1		2
17	Mercantile and trading	88		4	1	9	2	13	17	1	9
18	Apothecaries, pharmacists, etc.	5		1		1					
19	Commercial travelers										
20	Merchants and dealers	68		3		6	2	10	15	1	8
21	Hucksters and peddlers	6				1		2			
22	Others of this class	9			1	1		1	2		1
23	Public entertainment	18		2		2		3	1		2
24	Hotel and boarding-house keepers	11		2		1					1
25	Saloon keepers, liquor dealers, bartenders, and restaurant keepers.	7				1		3	1		1
26	Personal service, police, and military	17		1		5		2	2		3
27	Barbers and hairdressers	4		1		1			1		
28	Janitors and sextons	2				1					1
29	Policemen, watchmen, and detectives	2							1		1
30	Soldiers, sailors, and marines (United States)	6						2			1
31	Others of this class	3				2					
32	Laboring and servant	267	2	8		35		34	26	2	32
33	Laborers (not agricultural)	265	2	8		34		34	26	2	32
34	Servants	2				1					
35	Manufacturing and mechanical industry	328	1	5	2	44	4	53	41	6	27
36	Bakers and confectioners	5				2		1			
37	Blacksmiths	23		1		3		6	2		2
38	Boot and shoe makers	22				3		3	6		
39	Brewers, distillers, and rectifiers										
40	Butchers	3						1			1
41	Cabinetmakers and upholsterers	4							1		
42	Carpenters and joiners	58				5		14	9	1	4
43	Cigar makers and tobacco workers	1							1		
44	Clock and watch repairers, jewelers, etc.	2								1	
45	Compositors, printers, and pressmen	10				2		2	3	2	
46	Coopers	3									
47	Engineers and firemen (not locomotive)	4				1		1			1
48	Glass blowers and glass workers										
49	Hat and cap makers										
50	Iron and steel workers	3						1	1		1
51	Leather makers	1						1			
52	Leather workers	3				1					
53	Machinists	15		1	1	2		3	1		1
54	Marble and stone cutters	23				7		3			4
55	Masons (brick and stone)	19					1	1	4		1
56	Mill and factory operatives (textiles)	15		1		3		1	2		2
57	Millers (flour and grist)	7						1			
58	Painters, glaziers, and varnishers	25				4	1	7	2		1
59	Plasterers and whitewashers										
60	Plumbers, and gas and steam fitters	2									
61	Tailors	3				1		2			
62	Tinners and tinware makers	5		1							
63	Others of this class	72	1	1	1	10	2	5	2	2	1
64	Agriculture, transportation, and other outdoor	1,010	1	14	1	71	6	139	170	15	106
65	Boatmen and canalmen	1							1		
66	Draymen, hackmen, teamsters, etc.	23		1		1		1	3	1	6
67	Farmers, planters, and farm laborers	905		7	1	63	5	126	157	12	94
68	Gardeners, florists, nurserymen, and vine growers.	6				1	1	1	1	1	
69	Livery stable keepers and hostlers	3		1							
70	Lumbermen and raftsmen	13		1				2			
71	Miners and quarrymen	21		3					2		4
72	Sailors, pilots, fishermen, and oystermen	2									
73	Steam railroad employees	29	1	1		5		6	4	1	2
74	Stock raisers, herders, and drovers	2						1	1		
75	Others of this class	5				1		2	1		
76	All other occupations	5				1				1	2

TABLE 9.

DEATHS IN THE UNITED STATES, THE REGISTRATION AREA AND ITS SUBDIVISIONS
AND THE NONREGISTRATION AREA, DURING THE CENSUS YEAR ENDING
MAY 31, 1900, FROM EACH SPECIFIED DISEASE AND CLASS
OF DISEASES, OF WHITE MALES ENGAGED IN
EACH OCCUPATION AND CLASS
OF OCCUPATIONS.

NOTE.—Occupation not reported in the registration returns for certain cities. See note on page 75.

TABLE 9.—DEATHS, FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES,
THE UNITED STATES.

	OCCUPATIONS.	All causes.	Malarial fever.	Typhoid fever.	Rheumatism.	Consumption.	Diabetes.	Diseases of the nervous system.	Diseases of the heart.	Other diseases of the circulatory system.	Pneumonia.
1	All occupations.....	243,478	2,324	10,705	1,547	33,606	1,874	28,053	24,142	2,277	25,275
2	Professional.....	9,599	75	406	51	1,221	124	1,446	996	148	836
3	Architects, artists and teachers of art, etc.....	449	1	17	4	74	3	63	52	8	42
4	Clergymen.....	1,771	16	68	6	148	27	280	204	29	166
5	Engineers and surveyors.....	760	6	54	3	119	11	87	62	8	61
6	Journalists.....	371	6	18	1	56	7	58	42	8	28
7	Lawyers.....	1,496	8	35	9	149	25	274	164	36	108
8	Musicians and teachers of music.....	543	1	20	4	109	4	73	54	6	44
9	Physicians and surgeons.....	2,285	22	52	16	212	22	375	251	34	196
10	Teachers (school).....	1,156	14	121	8	227	15	126	73	16	110
11	Others of this class.....	768	1	21		127	10	110	94	3	81
12	Clerical and official.....	13,538	70	584	70	2,734	149	1,641	1,346	202	1,258
13	Bookkeepers, clerks, and copyists.....	7,715	44	395	37	2,142	78	748	656	74	747
14	Bankers, brokers, and officials of companies.....	1,703	5	46	10	130	23	308	204	57	139
15	Collectors, auctioneers, and agents.....	2,573	11	86	16	280	32	391	318	52	216
16	Others of this class.....	1,547	10	57	7	182	16	194	168	19	156
17	Mercantile and trading.....	15,495	107	603	83	2,124	194	2,164	1,696	244	1,458
18	Apothecaries, pharmacists, etc.....	790	5	20	4	149	8	95	85	11	74
19	Commercial travelers.....	585	5	37	2	67	7	99	63	12	49
20	Merchants and dealers.....	9,814	75	338	59	1,046	140	1,492	1,151	174	881
21	Hucksters and peddlers.....	875	5	17	1	173	3	97	88	8	78
22	Others of this class.....	3,431	17	191	17	689	36	381	309	39	376
23	Public entertainment.....	4,247	14	92	21	621	45	529	424	43	423
24	Hotel and boarding-house keepers.....	1,608	1	24	7	107	24	253	228	20	137
25	Saloon keepers, liquor dealers, bartenders, and restaurant keepers.....	2,639	13	68	14	514	21	276	196	23	286
26	Personal service, police, and military.....	4,177	41	189	24	716	31	438	373	38	417
27	Barbers and hairdressers.....	990	6	59	5	301	5	72	91	4	69
28	Janitors and sextons.....	524	1	6	2	76	2	60	54	10	89
29	Policemen, watchmen, and detectives.....	1,430	6	30	10	142	16	198	159	17	159
30	Soldiers, sailors, and marines (United States).....	703	26	62	7	80	4	45	28	2	46
31	Others of this class.....	530	2	32		117	4	63	41	5	54
32	Laboring and servant.....	35,879	240	1,476	143	6,007	144	3,431	3,045	254	4,245
33	Laborers (not agricultural).....	34,209	230	1,414	136	5,583	137	3,307	2,907	240	4,048
34	Servants.....	1,670	10	62	7	424	7	124	138	14	197
35	Manufacturing and mechanical industry.....	55,039	307	1,780	328	9,411	405	6,764	5,700	624	5,318
36	Bakers and confectioners.....	1,042	4	36	4	204	12	115	98	10	99
37	Blacksmiths.....	3,147	20	128	26	332	20	426	342	30	297
38	Boot and shoe makers.....	2,228	13	27	15	288	14	344	300	25	216
39	Brewers, distillers, and rectifiers.....	346	2	10	3	45	5	44	44	2	27
40	Butchers.....	1,565	5	57	22	244	9	182	183	18	152
41	Cabinetmakers and upholsterers.....	996	2	29	6	168	11	117	94	11	81
42	Carpenters and joiners.....	8,414	60	234	58	1,110	45	1,149	984	116	766
43	Cigar makers and tobacco workers.....	997	1	25	5	233	7	107	89	10	83
44	Clock and watch repairers, jewelers, etc.....	472	1	8	2	79	8	67	66	7	40
45	Compositors, printers, and pressmen.....	1,435	7	53	8	487	9	143	111	16	128
46	Coopers.....	791	5	15	3	88	7	97	105	10	82
47	Engineers and firemen (not locomotive).....	2,729	21	115	13	371	21	350	282	31	279
48	Glass blowers and glass workers.....	329		19		84	2	25	25	3	30
49	Hat and cap makers.....	261	2	2		57	2	24	29	6	32
50	Iron and steel workers.....	1,907	13	116	6	355	11	187	168	12	271
51	Leather makers.....	360	2	5	3	74	3	40	39	8	33
52	Leather workers.....	586	4	11	1	85	6	86	61	6	49
53	Machinists.....	2,696	14	127	14	481	16	315	249	33	277
54	Marble and stone cutters.....	726		12	5	237		57	74	4	68
55	Masons (brick and stone).....	2,499	9	58	14	349	20	297	270	19	265
56	Mill and factory operatives (textiles).....	2,141	18	123	12	470	9	194	191	15	215
57	Millers (flour and grist).....	678	4	25	5	70	5	99	80	10	71
58	Painters, glaziers, and varnishers.....	3,552	17	99	14	663	26	424	347	37	318
59	Plasterers and whitewashers.....	438	1	13	2	82	1	57	44	6	50
60	Plumbers, and gas and steam fitters.....	822	7	41	10	231	6	74	54	1	86
61	Tailors.....	2,119	7	32	13	371	18	264	216	40	187
62	Tinners and tinware makers.....	688	4	23	2	128	5	89	58	4	56
63	Others of this class.....	11,075	64	337	62	1,975	107	1,391	1,097	134	1,060
64	Agriculture, transportation, and other outdoor.....	104,230	1,463	5,516	821	10,550	770	11,496	10,436	711	11,214
65	Boatmen and canalmen.....	215	2	7	1	28		26	25		13
66	Draymen, hackmen, teamsters, etc.....	4,250	25	180	24	804	22	370	360	35	540
67	Farmers, planters, and farm laborers.....	80,602	1,296	4,527	706	7,625	656	9,480	8,567	541	8,793
68	Gardeners, florists, nurserymen, and vine growers.....	1,218	8	23	11	112	10	168	164	12	113
69	Livery stable keepers and hostlers.....	750	4	28	4	122	4	90	75	6	76
70	Lumbermen and raftsmen.....	589	7	25	1	55	6	69	53	6	54
71	Miners and quarrymen.....	5,467	27	235	25	498	17	313	323	27	699
72	Sailors, pilots, fishermen, and oystermen.....	2,566	32	75	9	325	15	283	269	34	234
73	Steam railroad employees.....	5,514	42	259	17	558	23	401	337	31	369
74	Stock raisers, herders, and drovers.....	740	7	23	6	68	4	73	65	1	89
75	Others of this class.....	2,319	13	134	17	355	13	223	198	18	234
76	All other occupations.....	1,274	7	59	6	222	12	144	126	13	106

OF WHITE MALES ENGAGED IN EACH OCCUPATION: CENSUS YEAR 1900.

THE UNITED STATES.

Other diseases of the respiratory system.	Diseases of the liver.	Other diseases of the digestive system.	Diseases of the urinary organs.	Diseases of the bones and joints.	Burns and scalds.	Suicide.	Other accidents and injuries.	CANCER.						All other causes.	Unknown cause.	
								Total.	Of stomach.	Of liver.	Of abdomen.	Of mouth, tongue, and throat.	Of other organs.			
6,791	4,411	10,750	19,109	590	516	3,476	21,604	8,860	3,194	845	544	577	3,700	33,776	3,792	1
263	180	446	897	22	11	123	466	292	104	24	26	13	125	1,446	150	2
13	13	17	44	2	3	7	17	11	3	—	5	—	3	54	4	3
63	23	86	187	5	2	5	38	65	28	6	4	3	24	319	34	4
19	10	30	45	2	3	14	121	15	3	1	—	2	9	83	7	5
10	6	12	39	—	—	7	16	14	4	—	1	—	9	41	2	6
37	34	79	170	4	—	14	71	51	14	8	3	5	21	198	30	7
13	10	18	46	1	2	9	22	17	7	2	—	2	6	85	5	8
62	46	113	232	6	1	37	88	66	24	4	6	—	32	405	49	9
31	19	52	63	—	—	18	53	32	12	1	6	—	12	165	13	10
15	19	39	71	2	—	12	40	21	9	2	1	—	9	96	6	11
342	291	619	1,286	32	17	297	708	388	107	56	39	28	158	1,390	114	12
183	144	352	612	13	9	167	386	149	32	22	23	10	62	732	47	13
48	42	78	222	4	1	29	61	77	22	8	6	6	35	196	23	14
78	65	118	275	10	4	70	138	98	35	14	3	11	35	289	26	15
33	40	71	177	5	3	31	123	64	18	12	7	1	26	173	18	16
429	374	790	1,504	28	21	297	753	617	189	70	58	46	254	1,808	201	17
19	22	35	78	1	1	20	33	16	6	3	1	2	4	98	21	18
15	11	33	51	—	2	18	39	12	5	1	3	—	3	51	12	19
292	245	500	1,027	20	11	158	367	457	138	52	36	35	196	1,258	123	20
33	18	35	82	—	—	17	69	38	15	4	3	1	15	105	8	21
70	78	187	266	7	7	84	245	94	25	10	15	8	36	301	37	22
88	209	226	455	6	8	96	196	143	50	15	6	10	62	549	59	23
33	44	86	214	1	2	23	55	84	31	8	2	5	38	235	30	24
55	165	140	241	5	6	73	141	59	19	7	4	5	24	314	29	25
102	84	175	342	5	4	99	363	145	52	22	7	14	50	545	46	26
20	20	46	67	2	2	37	56	28	7	4	1	3	13	88	12	27
12	6	30	61	—	1	11	27	21	10	3	2	1	5	52	3	28
49	34	51	147	1	1	29	161	70	29	11	2	8	20	136	14	29
6	14	22	23	1	—	13	96	8	3	—	—	1	4	205	15	30
15	10	26	44	1	—	9	23	18	4	4	2	1	8	64	2	31
1,126	577	1,363	2,444	91	115	489	4,369	1,231	503	115	59	97	457	4,673	416	32
1,089	539	1,285	2,294	87	110	453	4,261	1,184	490	110	57	93	434	4,501	404	33
37	38	78	150	4	5	36	108	47	13	5	2	4	23	172	12	34
1,683	1,035	2,227	4,791	121	166	889	3,963	2,067	730	235	142	170	790	6,941	519	35
34	30	58	91	4	4	20	56	39	16	4	1	2	16	120	4	36
91	56	150	298	2	5	53	194	138	44	26	6	17	45	500	39	37
74	39	73	204	5	5	35	76	78	19	8	1	9	41	367	30	38
12	13	13	34	1	1	7	22	21	5	3	—	4	9	36	4	39
41	45	84	115	8	2	39	98	63	29	9	1	4	20	192	6	40
44	23	43	97	—	1	23	44	45	16	5	3	5	16	142	15	41
244	137	293	725	25	11	100	630	362	127	40	22	21	152	1,265	100	42
39	25	28	76	3	—	30	43	34	10	3	4	4	13	104	5	43
10	16	17	40	2	1	18	24	13	5	—	2	—	6	49	4	44
39	21	52	107	4	2	26	73	22	8	1	2	4	7	119	8	45
23	22	35	79	—	—	9	38	31	11	1	3	6	10	135	7	46
61	44	104	235	5	44	30	365	80	34	9	7	3	27	261	17	47
9	4	18	25	1	1	6	28	7	2	—	1	—	4	37	5	48
10	8	8	25	—	1	6	9	11	7	—	1	—	3	27	2	49
60	31	75	117	3	10	29	194	60	20	8	3	6	23	177	12	50
13	8	16	21	—	1	5	19	13	9	1	—	1	2	53	4	51
18	15	34	59	2	—	13	29	18	2	3	1	4	8	81	8	52
76	49	130	233	6	3	47	219	104	41	10	4	5	44	275	28	53
33	12	13	43	2	5	3	52	29	8	6	2	3	10	74	3	54
91	51	77	220	6	6	37	201	127	43	10	7	13	54	354	28	55
58	43	103	130	5	7	25	180	74	25	11	8	5	25	242	27	56
27	11	28	53	1	1	6	51	27	5	4	2	2	14	94	10	57
93	58	144	350	6	9	55	328	107	28	14	11	15	39	419	38	58
16	11	16	32	1	—	6	22	19	9	1	2	2	5	55	4	59
15	10	34	67	1	3	12	73	18	9	2	—	2	5	76	3	60
85	25	96	206	1	6	55	78	96	42	9	7	7	31	308	15	61
17	9	29	60	3	4	12	67	26	12	2	3	1	8	89	3	62
350	219	456	1,049	24	33	182	750	405	144	45	38	25	153	1,290	90	63
2,730	1,627	4,854	7,276	280	169	1,169	10,624	3,940	1,443	303	205	198	1,791	16,309	2,275	64
9	4	5	18	—	1	3	44	9	3	—	—	1	5	18	2	65
99	79	161	297	12	9	65	585	101	32	11	8	6	44	446	36	66
2,137	1,291	4,055	5,802	227	94	870	4,724	3,289	1,215	247	165	154	1,508	13,934	1,988	67
44	31	38	118	1	1	17	70	60	24	5	6	4	21	199	18	68
16	10	35	64	4	1	20	57	25	6	2	2	4	11	97	12	69
11	12	29	50	—	3	5	110	17	6	3	—	4	4	71	5	70
227	56	168	216	12	21	46	1,880	139	64	10	5	5	55	455	83	71
52	40	57	235	4	6	36	391	87	32	5	6	8	36	354	28	72
80	56	161	271	15	23	54	2,251	120	34	15	9	6	56	888	58	73
18	13	40	56	2	2	7	130	28	8	—	1	3	16	93	15	74
37	35	105	149	3	8	46	382	65	19	5	3	3	35	254	30	75
28	34	50	114	5	5	17	162	37	16	5	2	1	13	115	12	76

TABLE 9.—DEATHS, FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, OF
THE REGISTRATION RECORD.

	OCCUPATIONS.	All causes.	Malarial fever.	Typhoid fever.	Rheumatism.	Consumption.	Diabetes.	Diseases of the nervous system.	Diseases of the heart.	Other diseases of the circulatory system.	Pneumonia.
1	All occupations.....	127,830	496	3,595	600	20,003	1,009	15,229	13,439	1,602	12,918
2	Professional.....	5,214	25	157	25	622	69	830	564	106	478
3	Architects, artists and teachers of art, etc.....	375		11	3	60	3	54	46	6	38
4	Clergymen.....	852	5	23	1	56	14	152	92	23	95
5	Engineers and surveyors.....	543	3	37	2	90	8	64	41	7	49
6	Journalists.....	256	4	10		39	6	37	26	6	22
7	Lawyers.....	852	4	15	6	74	16	160	106	24	71
8	Musicians and teachers of music.....	415	1	13	3	84	4	53	45	6	29
9	Physicians and surgeons.....	1,018	6	22	7	86	9	178	109	23	79
10	Teachers (school).....	399	1	16	3	51	4	58	35	9	42
11	Others of this class.....	504	1	10		82	5	74	64	2	53
12	Clerical and official.....	9,914	40	385	47	2,171	120	1,096	972	157	963
13	Bookkeepers, clerks, and copyists.....	6,391	27	280	26	1,824	67	585	557	69	637
14	Bankers, brokers, and officials of companies.....	939	3	25	6	74	15	157	114	39	81
15	Collectors, auctioneers, and agents.....	1,806	6	52	12	186	26	260	221	36	158
16	Others of this class.....	778	4	28	3	87	12	94	80	13	87
17	Mercantile and trading.....	10,330	39	287	50	1,405	139	1,455	1,174	194	1,032
18	Apothecaries, pharmacists, etc.....	446	1	13	1	85	4	59	46	7	50
19	Commercial travelers.....	328		23	1	32	3	46	34	12	29
20	Merchants and dealers.....	6,440	31	159	34	667	102	994	791	134	593
21	Hucksters and peddlers.....	715	1	11	1	144	3	74	68	7	68
22	Others of this class.....	2,401	6	81	13	477	27	282	235	34	292
22	Public entertainment.....	2,469	6	51	15	438	23	284	208	29	250
24	Hotel and boarding-house keepers.....	624		11	6	54	7	87	83	11	63
25	Saloon keepers, liquor dealers, bartenders, and restaurant keepers.....	1,845	6	40	9	384	16	197	125	18	187
26	Personal service, police, and military.....	3,084	17	114	16	520	26	328	293	36	334
27	Barbers and hairdressers.....	696	1	35	3	208	3	44	73	4	55
28	Janitors and sextons.....	429	1	4	1	66	2	46	42	9	71
29	Policemen, watchmen, and detectives.....	1,173	2	23	8	120	15	166	132	17	133
30	Soldiers, sailors, and marines (United States).....	430	12	31	4	47	4	36	22	2	33
31	Others of this class.....	356	1	21		79	2	36	24	4	42
32	Laboring and servant.....	25,178	101	812	81	4,344	91	2,369	2,179	200	3,107
33	Laborers (not agricultural).....	23,771	95	769	78	3,985	85	2,265	2,056	187	2,934
34	Servants.....	1,407	6	43	3	359	6	104	123	13	173
35	Manufacturing and mechanical industry.....	39,363	148	1,024	204	7,264	292	4,722	4,139	483	3,892
36	Bakers and confectioners.....	851	3	25	4	164	11	97	77	9	81
37	Blacksmiths.....	1,622	3	49	5	204	11	223	171	19	147
38	Boot and shoe makers.....	1,565	9	18	11	225	7	245	215	20	151
39	Brewers, distillers, and rectifiers.....	277		8	2	38	4	32	36	1	21
40	Butchers.....	1,118	2	34	13	187	5	144	134	12	114
41	Cabinetmakers and upholsterers.....	800	2	25	4	138	9	89	72	8	72
42	Carpenters and joiners.....	4,842	23	85	19	649	24	667	592	82	421
43	Cigar makers and tobacco workers.....	777	1	13	5	218	5	79	71	10	68
44	Clock and watch repairers, jewelers, etc.....	321		3	2	59	7	46	37	5	29
45	Compositors, printers, and pressmen.....	1,131	4	37	6	393	4	110	93	16	105
46	Coopers.....	538	4	8	2	68	3	56	71	9	62
47	Engineers and firemen (not locomotive).....	2,023	10	71	11	272	17	270	220	23	219
48	Glass blowers and glass workers.....	222		10		61	1	13	21	2	20
49	Hat and cap makers.....	256	1	2		56	2	23	29	6	31
50	Iron and steel workers.....	1,481	10	71	4	288	8	129	138	8	227
51	Leather makers.....	305	1	4	1	69	2	30	33	8	33
52	Leather workers.....	340	2	5	1	49	3	43	33	2	28
53	Machinists.....	2,074	8	83	11	384	12	238	194	25	221
54	Marble and stone cutters.....	583		9	3	207		40	57	1	51
55	Masons (brick and stone).....	1,612	4	29	6	258	10	189	174	17	173
56	Mill and factory operatives (textiles).....	1,687	7	72	9	379	8	164	171	12	154
57	Millers (flour and grist).....	251		10	3	23	1	40	31	4	29
58	Painters, glaziers, and varnishers.....	2,742	8	65	9	526	20	322	287	33	256
59	Plasterers and whitewashers.....	265		5	1	60	1	34	24	5	30
60	Plumbers, and gas and steam fitters.....	727	7	32	7	207	6	68	48	1	81
61	Tailors.....	1,731	4	25	11	320	17	199	178	38	167
62	Tinners and tinware makers.....	488	2	12	1	104	2	62	38	2	43
63	Others of this class.....	8,734	33	214	50	1,658	92	1,070	894	105	858
64	Agriculture, transportation, and other outdoor.....	31,326	116	723	159	3,059	240	4,048	3,815	387	2,778
65	Boatmen and canalmen.....	178	2	6		23		23	22		10
66	Draymen, hackmen, teamsters, etc.....	3,206	7	89	13	680	17	266	285	32	405
67	Farmers, planters, and farm laborers.....	18,676	67	337	116	1,220	169	2,837	2,682	259	1,576
68	Gardeners, florists, nurserymen, and vine growers.....	853	4	17	7	80	9	126	103	11	86
69	Livery stable keepers and hostlers.....	493		11	2	91	4	59	57	3	49
70	Lumbermen and raftsmen.....	314		10	1	20	5	46	26	3	21
71	Miners and quarrymen.....	1,157	3	38	2	119	2	64	78	14	126
72	Sailors, pilots, fishermen, and oystermen.....	1,985	17	46	4	251	13	227	231	29	175
73	Steam railroad employees.....	2,929	12	109	7	319	13	228	190	24	178
74	Stock raisers, herders, and drovers.....	135		7		18		19	10		11
75	Others of this class.....	1,400	3	53	7	238	8	153	131	12	141
76	All other occupations.....	952	4	42	3	180	9	97	95	10	84

WHITE MALES ENGAGED IN EACH OCCUPATION: CENSUS YEAR 1900—Continued.

THE REGISTRATION RECORD.

Other diseases of the respiratory system.	Diseases of the liver.	Other diseases of the digestive system.	Diseases of the urinary organs.	Diseases of the bones and joints.	Burns and scalds.	Suicide.	Other accidents and injuries.	CANCER.						All other causes.	Unknown cause.	
								Total.	Of stomach.	Of liver.	Of abdomen.	Of mouth, tongue, and throat.	Of other organs.			
3,847	2,616	5,234	11,768	275	310	2,100	10,756	4,939	1,764	557	368	382	1,868	16,251	843	1
152	108	235	558	15	7	68	248	176	67	15	19	8	67	733	38	2
12	12	12	37	2	1	6	13	10	2	3	5	3	47	2	3	3
34	9	37	111	2	1	3	18	38	22	3	2	1	10	132	6	4
12	8	21	38	1	1	12	78	10	2	1	1	2	5	66	4	5
9	2	10	33	1	1	5	8	8	1	1	1	2	6	30	1	6
20	23	42	102	4	1	7	35	30	8	6	2	3	11	103	10	7
8	7	13	40	1	2	7	19	15	5	2	2	2	6	64	1	8
31	22	53	121	3	1	15	33	32	13	4	4	15	180	8	9	9
14	11	19	31	1	1	5	19	18	8	1	4	5	60	3	10	10
12	14	28	45	2	1	8	25	15	6	2	1	6	61	3	11	11
259	214	450	989	24	14	236	470	290	82	38	31	23	116	971	46	12
154	125	285	527	10	8	145	298	135	28	19	21	10	57	603	29	13
30	21	47	137	4	1	17	34	39	13	2	3	3	18	91	4	14
61	48	83	215	8	2	55	91	76	29	9	3	9	26	199	11	15
14	20	35	110	2	3	19	47	40	12	8	4	1	15	78	2	16
299	262	479	1,132	16	15	208	468	445	137	48	49	35	176	1,161	70	17
8	10	20	53	1	1	9	18	4	2	1	1	1	49	7	18	18
9	7	17	37	1	1	12	24	11	5	1	3	2	26	4	19	19
196	170	305	750	10	8	107	223	321	100	34	29	28	130	804	41	20
29	17	26	72	1	1	14	54	35	12	4	3	1	15	85	6	21
57	58	111	220	5	5	66	149	74	18	9	14	5	28	197	12	22
53	164	127	268	5	5	60	116	69	24	9	5	3	28	278	20	23
14	27	31	91	1	1	13	21	27	8	4	1	1	13	71	5	24
39	137	96	177	4	4	47	95	42	16	5	4	2	15	207	15	25
83	73	128	283	4	3	77	237	115	42	19	7	13	34	378	19	26
18	19	31	50	1	1	26	40	20	5	3	1	3	8	61	3	27
10	6	27	51	1	1	9	21	18	9	3	2	1	3	43	1	28
41	31	40	131	1	1	26	110	56	23	10	2	7	14	113	7	29
4	10	13	16	1	1	8	51	6	2	1	1	1	3	123	7	30
10	7	17	35	1	1	8	15	15	3	3	2	1	6	38	1	31
863	453	965	1,987	58	80	342	2,881	916	370	93	47	84	322	3,167	182	32
832	418	906	1,846	56	77	313	2,795	875	359	89	46	81	300	3,026	173	33
31	35	59	141	2	3	29	86	41	11	4	1	3	22	141	9	34
1,258	793	1,511	3,681	82	123	686	2,688	1,540	545	193	112	139	551	4,608	225	35
27	26	44	81	2	4	16	46	36	16	4	1	2	13	96	2	36
52	33	65	178	1	2	25	104	89	26	21	5	13	24	228	10	37
48	27	52	134	4	1	28	59	61	18	8	1	5	29	237	13	38
9	12	11	31	1	1	5	16	18	4	3	1	4	7	28	3	39
33	33	60	87	6	1	27	60	40	19	7	1	3	10	123	3	40
37	21	30	77	1	1	22	36	37	16	5	1	4	12	110	10	41
139	91	167	451	15	8	70	367	228	80	26	17	18	87	710	34	42
38	22	19	64	3	1	24	35	32	9	3	3	4	13	70	1	43
7	11	7	32	2	2	15	17	11	4	1	2	1	5	30	1	44
33	17	40	91	3	2	18	53	18	6	1	1	4	6	85	3	45
13	17	19	59	1	1	6	31	24	9	1	2	5	7	84	2	46
45	37	81	193	3	36	25	240	59	24	8	5	3	19	186	5	47
5	2	11	21	1	4	4	18	6	1	1	1	1	4	23	3	48
10	8	7	25	1	6	9	11	7	7	1	1	1	3	27	2	49
52	26	55	104	2	7	24	148	43	14	7	2	4	16	133	4	50
12	8	11	17	1	1	4	14	11	8	1	1	1	1	44	2	51
11	12	21	43	1	1	8	20	10	1	1	1	3	4	44	5	52
60	35	94	198	6	3	37	149	81	30	8	4	5	34	217	18	53
30	9	12	37	1	5	3	38	22	5	5	1	3	8	55	3	54
71	40	41	143	4	5	28	122	84	25	9	4	11	35	206	8	55
47	39	79	119	4	6	22	136	68	23	11	8	5	21	177	14	56
12	5	4	21	1	1	3	21	13	3	4	1	1	5	29	2	57
74	49	99	296	2	7	43	247	82	21	11	9	12	29	298	19	58
10	8	5	20	1	1	4	16	13	6	1	1	2	3	26	2	59
12	10	28	59	1	2	10	63	13	6	1	1	2	4	70	2	60
74	21	74	177	1	5	54	64	74	34	9	5	5	21	217	11	61
12	7	19	45	2	2	11	44	16	7	2	2	1	4	62	2	62
285	167	356	878	18	22	144	515	340	123	36	35	19	127	993	42	63
858	520	1,302	2,781	68	58	408	3,537	1,358	484	137	96	76	565	4,872	239	64
8	3	4	17	1	1	3	36	5	2	1	1	1	3	14	1	65
80	64	114	254	9	9	51	431	69	25	9	6	2	27	326	15	66
542	330	872	1,810	43	23	227	894	964	345	100	67	49	403	3,559	149	67
28	21	28	93	1	1	11	54	39	14	4	4	4	13	130	6	68
12	7	18	44	2	1	12	28	21	4	2	2	4	9	66	7	69
8	10	15	38	1	1	5	54	12	6	1	1	3	2	37	1	70
58	16	45	58	2	5	10	364	43	16	6	1	1	19	95	15	71
41	31	43	187	4	4	31	285	78	29	5	5	7	32	275	13	72
50	28	89	163	6	13	34	1,186	75	25	7	9	2	32	185	20	73
5	1	8	17	1	1	3	13	8	3	1	1	1	4	15	1	74
26	19	66	100	2	2	21	192	44	15	3	2	3	21	170	12	75
22	29	37	89	3	5	15	111	30	13	5	2	1	9	83	4	76

TABLE 9.—DEATHS, FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, OF
REGISTRATION CITIES.

	OCCUPATIONS.	All causes.	Malarial fever.	Typhoid fever.	Rheumatism.	Consumption.	Diabetes.	Diseases of the nervous system.	Diseases of the heart.	Other diseases of the circulatory system.	Pneumonia.
1	All occupations.....	92,172	365	2,800	397	16,429	664	9,920	8,833	1,098	9,876
2	Professional.....	4,060	17	128	17	501	53	608	420	87	387
3	Architects, artists and teachers of art, etc.....	324		9	1	45	3	50	38	6	36
4	Clergymen.....	584	2	16	1	43	12	93	60	20	68
5	Engineers and surveyors.....	451	2	32	2	78	4	53	30	7	40
6	Journalists.....	221	3	10		33	4	33	21	4	19
7	Lawyers.....	674	2	11	4	63	13	118	85	18	63
8	Musicians and teachers of music.....	376	1	13	2	75	3	46	42	6	25
9	Physicians and surgeons.....	753	6	19	5	69	7	121	72	18	54
10	Teachers (school).....	282		10	2	34	4	43	25	8	32
11	Others of this class.....	395	1	8		61	3	51	47		50
12	Clerical and official.....	8,773	33	346	38	1,951	102	940	861	144	867
13	Bookkeepers, clerks, and copyists.....	5,776	22	254	22	1,656	59	516	510	64	585
14	Bankers, brokers, and officials of companies.....	757	3	20	6	60	11	122	91	34	68
15	Collectors, auctioneers, and agents.....	1,600	5	49	8	163	22	228	192	34	141
16	Others of this class.....	640	3	23	2	72	10	74	68	12	73
17	Mercantile and trading.....	8,668	31	248	43	1,233	109	1,174	958	154	887
18	Apothecaries, pharmacists, etc.....	341	1	11	1	71	2	44	32	6	33
19	Commercial travelers.....	277		19	1	24	3	38	31	10	23
20	Merchants and dealers.....	5,213	24	135	29	562	77	785	623	100	493
21	Hucksters and peddlers.....	638	1	10	1	136	3	58	58	6	65
22	Others of this class.....	2,199	5	73	11	440	24	249	214	32	273
23	Public entertainment.....	2,094	4	43	11	398	17	221	159	23	223
24	Hotel and boarding-house keepers.....	382		6	3	34	3	49	43	6	47
25	Saloon keepers, liquor dealers, bartenders, and restaurant keepers.....	1,712	4	37	8	364	14	172	116	17	176
26	Personal service, police, and military.....	2,749	13	101	15	464	23	296	260	30	298
27	Barbers and hairdressers.....	610		30	3	180	2	40	70	4	53
28	Janitors and sextons.....	384		4	1	61	2	45	35	7	58
29	Policemen, watchmen, and detectives.....	1,081	2	23	7	111	15	151	122	14	122
30	Soldiers, sailors, and marines (United States).....	379	10	27	4	44	2	30	16	2	31
31	Others of this class.....	295	1	17		68	2	30	17	3	34
32	Laboring and servant.....	19,719	84	655	62	3,624	57	1,685	1,627	151	2,572
33	Laborers (not agricultural).....	18,456	79	616	61	3,292	51	1,596	1,519	139	2,410
34	Servants.....	1,263	5	39	1	332	6	89	108	12	162
35	Manufacturing and mechanical industry.....	31,738	117	865	156	6,220	222	3,525	3,206	365	3,269
36	Bakers and confectioners.....	772	3	21	4	150	8	78	75	6	75
37	Blacksmiths.....	1,148	3	38	5	169	8	137	117	10	110
38	Boot and shoe makers.....	1,091	6	14	5	168	5	161	143	16	104
39	Brewers, distillers, and rectifiers.....	262		6	2	38	4	28	36	1	20
40	Butchers.....	949	2	31	13	163	3	122	114	10	100
41	Cabinetmakers and upholsterers.....	709	2	22	3	129	9	72	61	5	66
42	Carpenters and joiners.....	3,488	14	70	15	513	17	437	398	47	330
43	Cigar makers and tobacco workers.....	708	1	10	4	206	3	63	64	9	63
44	Clock and watch repairers, jewelers, etc.....	262		2	2	53	5	33	30	4	25
45	Compositors, printers, and pressmen.....	1,024	4	34	6	361	4	92	82	15	101
46	Coopers.....	433	4	7	1	59	2	40	61	5	53
47	Engineers and firemen (not locomotive).....	1,746	10	63	8	230	16	220	190	21	193
48	Glass blowers and glass workers.....	196		9		56	1	12	16	2	19
49	Hat and cap makers.....	237	1	2		54	2	23	24	5	31
50	Iron and steel workers.....	1,329	6	67	3	267	7	106	127	8	202
51	Leather makers.....	273	1	4		64	2	26	27	7	31
52	Leather workers.....	244	2	5		43	1	25	18	1	24
53	Machinists.....	1,751	7	73	9	332	11	192	158	24	260
54	Marble and stone cutters.....	438		8	1	158		26	44		39
55	Masons (brick and stone).....	1,191	3	26	5	216	4	128	124	10	138
56	Mill and factory operatives (textiles).....	1,221	5	55	7	280	3	117	129	8	109
57	Millers (flour and grist).....	135		7	2	16	1	20	17	2	15
58	Painters, glaziers, and varnishers.....	2,280	7	51	8	458	15	236	226	26	219
59	Plasterers and whitewashers.....	257		5	1	58	1	33	24	4	30
60	Plumbers, and gas and steam fitters.....	667	6	29	7	193	6	58	45	1	74
61	Tailors.....	1,598	4	24	10	307	17	176	158	36	166
62	Tinners and tinware makers.....	415	1	12	1	93	1	51	32	1	41
63	Others of this class.....	6,914	25	170	34	1,386	66	808	666	81	691
64	Agriculture, transportation, and other outdoor.....	13,528	64	376	52	1,874	73	1,387	1,255	136	1,296
65	Boatmen and canalmen.....	110		4		13		13	12		9
66	Draymen, hackmen, teamsters, etc.....	2,889	7	75	12	640	16	227	251	29	267
67	Farmers, planters, and farm laborers.....	3,300	20	68	18	284	20	489	364	38	373
68	Gardeners, florists, nurserymen, and vine growers.....	652	4	16	5	58	6	92	81	9	62
69	Livery stable keepers and hostlers.....	402		6	2	76	1	42	47	3	45
70	Lumbermen and raftsmen.....	177	1	6		11	3	24	16		15
71	Miners and quarrymen.....	902	3	29	2	98	2	51	66	10	104
72	Sailors, pilots, fishermen, and oystermen.....	1,446	16	29	3	201	9	145	166	16	140
73	Steam railroad employees.....	2,382	10	94	4	264	10	176	134	20	155
74	Stock raisers, herders, and drovers.....	123		7		17		16	8		10
75	Others of this class.....	1,145	3	42	6	212	6	112	110	11	116
76	All other occupations.....	843	2	38	3	164	8	84	87	8	77

OCCUPATIONS—MALES.

197

WHITE MALES ENGAGED IN EACH OCCUPATION: CENSUS YEAR 1900—Continued.

REGISTRATION CITIES.

Other diseases of the respiratory system.	Diseases of the liver.	Other diseases of the digestive system.	Diseases of the urinary organs.	Diseases of the bones and joints.	Burns and scalds.	Suicide.	Other accidents and injuries.	CANCER.						All other causes.	Unknown cause.	
								Total.	Of stomach.	Of liver.	Of abdomen.	Of mouth, tongue, and throat.	Of other organs.			
2,894	1,993	3,683	8,635	191	242	1,658	8,067	3,426	1,238	392	251	301	1,244	10,460	541	1
116	89	184	457	13	6	64	199	143	51	14	16	7	55	540	31	2
11	12	9	34	2	1	6	11	7	2	4	1	1	41	2	3	
23	7	25	80	1	1	2	12	32	17	3	2	1	9	81	5	4
10	7	18	29	1	2	11	69	8	1	1	2	4	44	4	5	
7	2	10	26	1	5	8	8	8	1	1	1	6	27	1	6	
13	20	30	91	4	6	29	24	24	6	6	2	8	71	9	7	
8	6	10	37	1	2	7	19	15	5	2	2	6	57	1	8	
22	16	41	99	3	1	14	24	25	8	4	4	13	133	5	9	
11	7	17	23	1	5	8	13	6	1	3	3	3	38	2	10	
11	12	24	38	1	8	19	11	5	1	1	5	5	48	2	11	
231	194	381	875	21	10	222	418	257	70	34	29	23	101	843	39	12
138	114	251	481	9	6	137	265	122	25	16	20	10	51	539	26	13
25	19	36	112	4	1	16	26	32	11	2	3	3	13	70	2	14
56	42	66	195	7	1	51	84	69	24	9	3	9	24	177	10	15
12	19	28	87	1	3	18	43	34	10	7	3	1	13	57	1	16
254	223	405	937	12	14	181	406	390	124	42	46	33	145	946	63	17
7	8	18	41	1	1	8	12	3	1	1	1	1	36	5	18	
9	6	15	26	1	1	12	22	11	5	1	3	2	22	4	19	
159	139	247	606	7	7	91	191	272	90	29	26	26	101	630	36	20
25	17	22	62	4	5	12	48	34	11	4	3	1	15	74	6	21
54	53	103	202	4	5	58	133	70	17	8	14	5	26	184	12	22
48	149	101	225	4	5	57	100	59	22	7	5	3	22	231	16	23
10	19	10	60	1	1	12	14	19	6	3	1	1	8	43	3	24
38	130	91	165	4	4	45	86	40	16	4	4	2	14	188	13	25
71	65	117	257	3	3	70	207	102	36	16	6	13	31	338	16	26
12	15	26	44	1	1	23	35	20	5	3	1	3	8	49	2	27
9	5	25	46	1	1	8	21	14	7	2	1	1	3	41	1	28
38	30	39	122	1	1	25	94	52	20	9	2	7	14	106	6	29
4	9	12	14	1	1	8	44	4	1	1	2	1	2	111	7	30
8	6	15	31	1	1	6	13	12	3	2	2	1	4	31	1	31
733	362	732	1,627	44	66	262	2,161	708	290	74	37	73	234	2,382	125	32
704	331	681	1,497	42	63	235	2,094	671	281	70	36	70	214	2,258	117	33
29	31	51	130	2	3	27	67	37	9	4	1	3	20	124	8	34
1,043	672	1,210	3,029	63	101	592	2,180	1,243	459	146	82	116	440	3,505	155	35
27	22	41	77	2	4	14	46	31	12	4	1	1	13	87	1	36
38	24	46	139	1	1	16	78	62	20	14	2	9	17	138	9	37
36	22	39	93	4	1	23	42	50	15	8	1	4	22	155	4	38
9	11	9	30	1	1	5	15	16	4	3	1	3	6	27	3	39
26	30	43	77	5	1	27	47	36	19	5	1	3	8	97	2	40
31	18	28	74	1	1	22	33	33	15	5	1	3	10	90	10	41
112	71	120	326	11	6	57	277	167	56	16	12	16	67	478	22	42
35	20	18	58	3	1	18	32	30	3	3	2	4	12	66	1	43
6	10	7	25	1	1	13	15	7	3	1	1	1	3	23	1	44
30	15	37	82	3	2	15	47	17	5	1	1	4	6	74	3	45
11	13	15	46	1	1	6	27	20	7	1	1	4	7	61	2	46
40	32	66	174	3	31	20	214	51	21	8	3	3	16	161	3	47
5	2	8	19	1	1	4	16	6	1	1	1	1	4	18	2	48
10	8	6	23	1	1	5	8	10	6	1	1	1	3	22	2	49
45	25	52	92	1	7	23	136	37	13	5	2	4	13	114	4	50
11	8	9	14	1	1	4	12	10	7	1	1	1	4	40	2	51
9	7	16	39	1	1	4	12	7	1	1	1	3	2	28	3	52
49	34	80	166	4	1	33	121	67	26	6	4	5	26	176	14	53
23	9	10	31	1	3	3	28	18	5	2	1	2	8	35	1	54
57	32	30	93	2	4	22	94	55	19	5	2	9	20	143	5	55
31	29	63	94	2	4	16	87	51	22	6	6	3	14	123	8	56
7	2	2	13	1	1	2	9	6	2	1	1	2	14	14	1	57
60	42	82	252	1	6	41	224	71	19	10	5	11	26	243	12	58
10	7	4	20	1	1	4	15	13	6	1	1	2	3	25	2	59
12	8	25	57	1	2	10	55	12	5	1	1	2	4	64	2	60
66	21	69	166	1	4	53	49	68	31	8	5	4	20	193	10	61
10	5	13	38	2	2	10	40	14	5	2	2	1	4	46	2	62
237	145	272	711	14	17	122	401	278	105	30	26	14	103	764	26	63
381	214	522	1,148	28	32	196	2,295	498	176	54	28	32	208	1,609	92	64
4	3	3	11	1	1	1	23	2	1	1	1	1	1	10	1	65
77	52	101	234	7	7	46	386	57	19	8	4	2	24	286	12	66
115	46	164	344	9	3	43	193	193	70	26	9	9	79	588	28	67
23	19	23	76	1	1	9	40	33	12	3	3	3	12	92	4	68
9	6	15	36	2	1	12	24	17	2	2	1	4	8	55	4	69
4	7	12	25	1	1	17	9	9	4	1	1	3	2	25	1	70
51	14	34	46	5	5	9	253	37	14	6	1	1	16	76	12	71
32	24	29	140	4	4	24	223	50	20	1	2	5	22	183	8	72
42	25	76	141	5	10	30	966	54	17	6	6	2	23	151	15	73
3	1	8	15	1	1	3	12	8	3	1	1	1	4	15	1	74
21	17	57	80	1	2	18	158	38	14	2	2	3	17	128	7	75
17	25	31	80	3	5	14	101	26	10	5	2	1	8	66	4	76

TABLE 9.—DEATHS, FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, OF
REGISTRATION STATES.

	OCCUPATIONS.	All causes.	Malarial fever.	Typhoid fever.	Rheumatism.	Consumption.	Diabetes.	Diseases of the nervous system.	Diseases of the heart.	Other diseases of the circulatory system.	Pneumonia.
1	All occupations.....	81,549	250	1,894	398	12,592	714	10,369	9,184	997	8,356
2	Professional	3,049	14	77	15	352	45	528	349	51	287
3	Architects, artists and teachers of art, etc	228		7	3	37	3	37	33	3	20
4	Clergymen	527	4	11		24	8	98	59	13	60
5	Engineers and surveyors.....	300	1	16	1	53	6	35	24	2	32
6	Journalists	135	3	3		17	6	20	13	3	13
7	Lawyers	493	3	9	3	40	9	102	67	12	38
8	Musicians and teachers of music.....	225		6	3	48	2	30	26	3	14
9	Physicians and surgeons.....	585	1	10	3	50	5	119	63	9	53
10	Teachers (school).....	239	1	10	2	27	3	40	22	4	27
11	Others of this class.....	317	1	5		56	3	47	42	2	30
12	Clerical and official.....	5,678	14	196	32	1,284	77	651	570	81	588
13	Bookkeepers, clerks, and copyists.....	3,757	10	139	21	1,100	44	345	330	37	402
14	Bankers, brokers, and officials of companies.....	512	1	16	2	40	9	84	60	20	50
15	Collectors, auctioneers, and agents.....	967	2	23	7	96	16	161	133	17	84
16	Others of this class.....	442	1	13	2	43	8	61	47	7	52
17	Mercantile and trading.....	5,865	17	138	27	776	96	838	704	109	641
18	Apothecaries, pharmacists, etc	266		7	1	44	2	40	31	4	34
19	Commercial travelers.....	147		8	1	17	2	24	14	6	12
20	Merchants and dealers.....	3,755	13	77	18	373	71	573	491	74	381
21	Hucksters and peddlers.....	394		5		81	2	42	44	3	36
22	Others of this class.....	1,303	4	41	7	261	19	159	124	22	178
23	Public entertainment.....	1,335	3	24	9	229	14	169	124	18	143
24	Hotel and boarding-house keepers.....	444		7	5	41	5	68	64	10	43
25	Saloon keepers, liquor dealers, bartenders, and restaurant keepers.....	891	3	17	4	183	9	101	60	8	100
26	Personal service, police, and military.....	1,706	13	52	10	310	10	193	165	21	193
27	Barbers and hairdressers.....	365	1	14	1	127	1	23	34	4	27
28	Janitors and sextons.....	277	1	2		45		28	26	4	50
29	Policemen, watchmen, and detectives.....	656	2	9	6	59	4	105	74	9	75
30	Soldiers, sailors, and marines (United States)	172	8	12	3	18	3	18	15	1	17
31	Others of this class.....	236	1	15		61	2	19	16	3	24
32	Laboring and servant.....	14,871	36	365	48	2,696	61	1,494	1,360	116	1,862
33	Laborers (not agricultural).....	13,945	34	343	45	2,450	56	1,423	1,281	108	1,747
34	Servants.....	926	2	22	3	246	5	71	79	8	115
35	Manufacturing and mechanical industry.....	24,607	84	525	122	4,670	202	3,087	2,678	294	2,477
36	Bakers and confectioners.....	481		14	1	97	5	63	40	4	46
37	Blacksmiths.....	1,032	2	24	5	120	7	168	105	14	96
38	Boot and shoe makers.....	893	6	9	7	128	6	143	139	7	90
39	Brewers, distillers, and rectifiers.....	115		3	1	15	2	16	18		14
40	Butchers	610	1	15	6	110	3	88	67	5	65
41	Cabinetmakers and upholsterers.....	440	2	14	2	84	5	54	40	5	43
42	Carpenters and joiners.....	3,071	14	42	9	412	15	439	401	49	262
43	Cigar makers and tobacco workers.....	472		9	4	120	4	46	45	7	52
44	Clock and watch repairers, jewelers, etc.....	225		2		42	7	33	26	3	20
45	Compositors, printers, and pressmen.....	653	2	13	5	235	2	71	51	10	63
46	Coopers.....	258		3	1	32	3	32	29	8	23
47	Engineers and firemen (not locomotive).....	1,107	4	30	10	159	7	149	126	12	126
48	Glass blowers and glass workers.....	103		3		34		6	13		9
49	Hat and cap makers.....	227	1	1		53	2	18	29	4	24
50	Iron and steel workers.....	747	6	29	2	164	2	64	71	3	127
51	Leather makers.....	206	1	3	1	52	2	17	21	2	22
52	Leather workers.....	216		2	1	28	2	33	26	2	12
53	Machinists	1,218	5	40	5	228	6	145	120	12	129
54	Marble and stone cutters.....	391		4	3	141		29	42	1	36
55	Masons (brick and stone).....	1,083	3	16	3	159	10	124	126	13	124
56	Mill and factory operatives (textiles).....	1,330	5	55	7	313	6	127	137	10	122
57	Millers (flour and grist).....	161		3	2	12	1	27	23	2	18
58	Painters, glaziers, and varnishers.....	1,760	6	39	4	347	11	232	185	29	166
59	Plasterers and whitewashers.....	130		3		38		14	7	1	21
60	Plumbers, and gas and steam fitters.....	442	3	10	2	143	3	44	29		55
61	Tailors	988	1	12	9	182	12	119	108	21	94
62	Tinners and tinware makers.....	283	1	2		72	1	35	23	1	27
63	Others of this class.....	5,960	21	125	32	1,150	73	751	636	69	591
64	Agriculture, transportation, and other outdoor.....	23,887	67	491	133	2,164	204	3,351	3,185	300	2,113
65	Boatmen and canalmen.....	150	2	4		19		20	20		9
66	Draymen, hackmen, teamsters, etc.....	1,976	2	55	8	462	11	164	167	12	264
67	Farmers, planters, and farm laborers.....	16,766	51	289	107	1,041	158	2,582	2,504	235	1,422
68	Gardeners, florists, nurserymen, and vine growers.....	572		8	5	59	7	98	75	8	57
69	Livery stable keepers and hostlers.....	353		9	2	71	4	42	40	3	33
70	Lumbermen and raftsmen.....	215	1	6	1	14	2	34	18	3	16
71	Miners and quarrymen.....	368		15		45		15	22	5	30
72	Sailors, pilots, fishermen, and oystermen.....	1,298	6	32	3	153	8	171	150	19	120
73	Steam railroad employees.....	1,386	3	46	3	167	8	122	114	13	77
74	Stock raisers, herders, and drovers.....	31		1		4		5	4		1
75	Others of this class.....	772	2	26	4	129	6	98	71	2	84
76	All other occupations.....	551	2	26	2	111	5	58	49	7	52

OCCUPATIONS—MALES.

199

WHITE MALES ENGAGED IN EACH OCCUPATION: CENSUS YEAR 1900—Continued.

REGISTRATION STATES.

Other diseases of the respiratory system.	Diseases of the liver.	Other diseases of the digestive system.	Diseases of the urinary organs.	Diseases of the bones and joints.	Burns and scalds.	Suicide.	Other accidents and injuries.	CANCER.						All other causes.	Unknown cause.	
								Total.	Of stomach.	Of liver.	Of abdomen.	Of mouth, tongue, and throat.	Of other organs.			
2,307	1,621	3,235	7,822	191	175	1,119	5,978	3,150	1,091	363	252	228	1,216	10,705	492	1
86	59	129	338	10	5	33	117	103	36	10	13	3	41	428	23	2
4	6	11	20	1	1	2	5	8	1		4		3	27		3
20	5	22	75	1	1	2	11	23	13	2	1	1	6	87	3	4
7	4	13	24			8	31	4	1	1			1	35	3	5
8		2	21			1	3	6	1		1		4	16		6
13	13	25	56	2		4	16	15	4	3	1	1	6	60	6	7
2	6	7	24	1	2		10	8	1	2			5	32	1	8
18	11	27	69	2	1	7	13	19	8		3		8	100	5	9
5	5	10	20			2	14	10	5		2		3	35	2	10
9	9	12	29	2		7	14	10	2	2	1		5	36	3	11
123	131	264	584	14	4	104	229	159	46	24	16	12	61	555	18	12
79	76	179	332	4	2	59	155	78	14	13	13	6	32	355	10	13
12	13	25	76	4	1	9	20	18	7				11	49	3	14
23	28	42	108	4	1	32	37	42	16	5	2	6	13	102	4	15
9	14	18	68	2		4	17	21	9	6	1		5	49	1	16
156	153	266	685	11	4	99	216	257	75	27	28	19	108	642	30	17
4	6	11	33	1		6	11	7	1					27	3	18
2	2	7	21			3	7	4	4		3			11		19
111	97	179	468	7	3	56	106	186	53	18	14	13	88	451	20	20
11	9	17	40			4	22	21	8	2	2	8	8	55	2	21
28	39	52	123	3	1	30	70	42	9	7	9	5	12	98	2	22
25	97	64	151	2	5	20	52	31	10	6	3	1	11	146	9	23
8	19	23	66	1	1	7	14	12	3	2			7	48	2	24
17	78	41	85	1	4	13	38	19	7	4	3	1	4	98	7	25
43	39	65	189	2	2	41	118	63	21	10	3	9	20	169	8	26
12	13	13	26			12	17	11	3	1		3	4	27	2	27
7	2	13	41		1	8	12	13	6	1	2	1	3	24		28
17	17	23	92		1	13	57	26	11	6		4	5	65	2	29
2	2	5	5	1		4	20	5	1			1	3	30	3	30
5	5	11	25	1		4	12	8		2	1		5	23	1	31
477	247	570	1,229	40	35	163	1,626	512	198	50	30	40	194	1,832	102	32
461	229	533	1,120	38	35	152	1,569	483	192	47	30	39	175	1,739	99	33
16	18	37	109	2		11	57	29	6	3		1	19	93	3	34
756	478	870	2,402	56	75	366	1,501	953	324	132	75	86	336	2,891	120	35
15	18	23	57	2	2	6	22	20	11	2		2	5	44	2	36
33	21	36	108	1	2	19	54	61	17	14	4	10	16	154	2	37
24	14	28	74	1		11	32	31	8	3		3	17	133	10	38
2	5	3	15		1	2	7	8	2	2		3	7	7		39
15	19	36	52	3		8	30	17	7	3		1	6	68	2	40
20	9	18	39			10	16	18	5	3		1	9	60	1	41
82	47	97	312	11	4	36	208	139	49	18	10	9	53	475	17	42
25	13	11	42	3		17	18	19	5	1	2	1	10	37		43
4	8	4	23	1		8	12	10	4		2		4	21	1	44
20	12	21	51	2	2	10	25	12	3	1	1	3	4	46		45
10	9	9	34			1	15	11	5		1	2	3	38		46
25	20	37	119	2	21	13	108	34	16	3	2	2	11	101	4	47
1		4	13			2	12	1					1	8	2	48
9	8	7	20		1	6	8	11	7		1		3	24	1	49
30	11	21	54	2	1	10	54	22	7	4	1	3	7	73	1	50
9	7	7	14		1	1	10	7	5	1		1		28	1	51
8	8	12	28			4	12	5	1	1		1		30	3	52
36	21	52	115	4	3	17	80	61	24	7	3	4	23	129	10	53
17	6	8	22		3	2	23	12	1	5		3	3	41	2	54
50	27	25	100	4	4	17	82	53	13	5	2	7	26	139	4	55
40	31	55	86	4	6	18	106	52	15	10	6	4	17	141	9	56
7	3	3	15			2	12	8	1	3			4	21	2	57
40	30	62	198	2	3	18	136	49	13	11	6	5	14	192	11	58
3	3	1	8			3	11	4	2	1	1			13		59
5	7	13	43			5	37	4	1	1		2		39		60
39	11	38	116		5	24	38	49	24	6	4	4	11	106	4	61
7	4	13	26	1		5	18	7	5	1	1			39	1	62
180	107	226	618	12	16	91	315	228	73	28	28	15	84	684	30	63
627	398	994	2,192	55	43	290	2,063	1,056	374	101	83	58	440	3,991	180	64
7	2	3	11			2	32	5	2				3	13	1	65
41	33	61	163	7	6	30	237	41	14	4	6	1	6	204	8	66
467	305	767	1,616	27	23	200	776	841	301	85	62	44	349	3,213	132	67
17	9	19	54			5	34	25	9	2	4	2	8	86	6	68
10	6	12	31	2		7	17	14	3	1	1	3	6	44	6	69
6	6	4	28		1	4	45	4	3	1				22		70
10	2	15	19	2		1	144	13	6			1	6	27	3	71
26	15	32	118	2	2	19	169	54	17	4	5	4	24	190	9	72
25	11	37	83	3	9	11	519	40	12	3	5	1	19	86	9	73
3			8				2							3		74
15	9	34	61	2	2	11	88	19	7	1		2	9	103	6	75
14	19	23	52	1	2	3	56	16	7	3	1		5	51	2	76

TABLE 9.—DEATHS, FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, OF CITIES IN REGISTRATION STATES.

	OCCUPATIONS.	All causes.	Malarial fever.	Typhoid fever.	Rheumatism.	Consumption.	Diabetes.	Diseases of the nervous system.	Diseases of the heart.	Other diseases of the circulatory system.	Pneumonia.
1	All occupations.....	45,891	119	1,099	195	9,018	369	5,060	4,578	493	5,314
2	Professional.....	1,895	6	48	7	231	29	306	205	32	196
3	Architects, artists and teachers of art, etc.....	177		5	1	22	3	33	25	3	18
4	Clergymen.....	259	1	4		11	6	39	27	10	33
5	Engineers and surveyors.....	208		11	1	41	2	24	13	2	23
6	Journalists.....	100	2	3		11	4	16	8	1	10
7	Lawyers.....	315	1	5	1	29	6	60	46	6	30
8	Musicians and teachers of music.....	186		6	2	39	1	23	23	3	10
9	Physicians and surgeons.....	320	1	7	1	33	3	62	26	4	28
10	Teachers (school).....	122		4	1	10	3	25	12	3	17
11	Others of this class.....	208	1	3		35	1	24	25		27
12	Clerical and official.....	4,537	7	157	23	1,064	59	495	459	68	492
13	Bookkeepers, clerks, and copyists.....	3,142	5	113	17	932	36	276	283	32	350
14	Bankers, brokers, and officials of companies.....	330	1	11	2	26	5	49	37	15	37
15	Collectors, auctioneers, and agents.....	761	1	25	3	73	12	129	104	15	67
16	Others of this class.....	304		8	1	33	6	41	35	6	38
17	Mercantile and trading.....	4,203	9	99	20	604	66	557	488	69	496
18	Apothecaries, pharmacists, etc.....	161		5	1	30		25	17	3	17
19	Commercial travelers.....	96		4	1	9	2	16	11	4	6
20	Merchants and dealers.....	2,528	6	53	13	268	46	364	323	40	281
21	Hucksters and peddlers.....	317		4		73	2	26	34	2	33
22	Others of this class.....	1,101	3	33	5	224	16	126	103	20	159
23	Public entertainment.....	960	1	16	5	189	8	106	75	12	116
24	Hotel and boarding-house keepers.....	202		2	2	21	1	30	24	5	27
25	Saloon keepers, liquor dealers, bartenders, and restaurant keepers.....	758	1	14	3	168	7	76	51	7	89
26	Personal service, police, and military.....	1,371	9	39	9	254	7	161	132	15	157
27	Barbers and hairdressers.....	279		9	1	99		19	31	4	25
28	Janitors and sextons.....	232		2		40		27	19	2	37
29	Policemen, watchmen, and detectives.....	564	2	9	5	50	4	90	64	6	64
30	Soldiers, sailors, and marines (United States).....	121	6	8	3	15	1	12	9	1	16
31	Others of this class.....	175	1	11		50	2	13	9	2	16
32	Laboring and servant.....	9,412	19	208	29	1,976	27	810	808	67	1,327
33	Laborers (not agricultural).....	8,630	18	190	28	1,757	22	754	744	60	1,223
34	Servants.....	782	1	18	1	219	5	56	64	7	104
35	Manufacturing and mechanical industry.....	16,982	53	366	74	3,626	132	1,890	1,745	176	1,854
36	Bakers and confectioners.....	402		10	1	83	2	44	38	1	40
37	Blacksmiths.....	558	2	13	2	85	4	82	51	5	59
38	Boot and shoe makers.....	419	3	5	1	71	4	59	67	3	43
39	Brewers, distillers, and rectifiers.....	100		1	1	15	2	12	13		13
40	Butchers.....	441	1	12	6	86	1	66	47	3	51
41	Cabinetmakers and upholsterers.....	349	2	11	1	75	5	37	29	2	37
42	Carpenters and joiners.....	1,717	5	27	5	276	8	209	207	14	171
43	Cigar makers and tobacco workers.....	403		6	3	108	2	35	38	6	47
44	Clock and watch repairers, jewelers, etc.....	166		1		36	5	20	19	2	16
45	Compositors, printers, and pressmen.....	546	2	10	5	203	2	53	40	9	59
46	Coopers.....	153		2		23	2	16	19	4	14
47	Engineers and firemen (not locomotive).....	830	4	22	7	117	6	99	96	10	100
48	Glass blowers and glass workers.....	82		2		29		5	8		8
49	Hat and cap makers.....	208	1	1		51	2	18	24	3	24
50	Iron and steel workers.....	595	2	25	1	143	1	41	60	3	102
51	Leather makers.....	174	1	3		47	2	13	15	1	20
52	Leather workers.....	120		2		22		15	11	1	8
53	Machinists.....	895	4	30	3	176	5	99	84	11	108
54	Marble and stone cutters.....	246		3	1	92		15	29		24
55	Masons (brick and stone).....	662	2	13	2	117	4	63	76	6	89
56	Mill and factory operatives (textiles).....	864	3	38	5	214	1	80	95	6	77
57	Millers (flour and grist).....	45			1	5	1	7	9		4
58	Painters, glaziers, and varnishers.....	1,298	5	25	3	279	6	146	124	22	129
59	Plasterers and whitewashers.....	122		3		36		13	7		21
60	Plumbers, and gas and steam fitters.....	382	2	7	2	129	3	34	26		48
61	Tailors.....	855	1	11	8	169	12	96	88	19	93
62	Tinners and tinware makers.....	210		2		61		24	17		25
63	Others of this class.....	4,140	13	81	16	878	52	489	408	45	424
64	Agriculture, transportation, and other outdoor.....	6,089	15	144	26	979	37	690	625	49	631
65	Boatmen and canalmen.....	82		2		9		10	10		8
66	Draymen, hackmen, teamsters, etc.....	1,659	2	41	7	422	10	125	133	9	226
67	Farmers, planters, and farm laborers.....	1,390	4	20	9	105	9	234	186	14	119
68	Gardeners, florists, nurserymen, and vine growers.....	371		7	3	37	4	64	53	6	33
69	Livery stable keepers and hostlers.....	262		4	2	56	1	25	30	3	29
70	Lumbermen and raftsmen.....	78	1	2		5		12	8		10
71	Miners and quarrymen.....	113		6		24		2	10	1	8
72	Sailors, pilots, fishermen, and oystermen.....	759	5	15	2	103	4	89	85	6	85
73	Steam railroad employees.....	839	1	31		112	5	70	58	9	54
74	Stock raisers, herders, and drovers.....	19		1		3		2	2		
75	Others of this class.....	517	2	15	3	103	4	57	50	1	59
76	All other occupations.....	442		22	2	95	4	45	41	5	45

OCCUPATIONS—MALES.

201

WHITE MALES ENGAGED IN EACH OCCUPATION: CENSUS YEAR 1900—Continued.

CITIES IN REGISTRATION STATES.

Other diseases of the respiratory system.	Diseases of the liver.	Other diseases of the digestive system.	Diseases of the urinary organs.	Diseases of the bones and joints.	Burns and scalds.	Suicide.	Other accidents and injuries.	CANCER.						All other causes.	Unknown cause.	
								Total.	Of stomach.	Of liver.	Of abdomen.	Of mouth, tongue, and throat.	Of other organs.			
1,354	998	1,684	4,689	107	107	677	3,289	1,637	565	198	135	147	592	4,914	190	1
50	40	78	237	8	4	29	68	70	20	9	10	2	29	235	16	2
3	6	8	17	1	1	2	3	5	1	3	1	1	1	21	3	3
9	3	10	44	1	1	1	5	17	8	2	1	1	5	36	2	4
5	3	10	15	1	1	7	22	2	1	1	1	1	4	23	3	5
6	2	14	14	2	1	1	3	6	1	1	1	1	4	13	5	6
6	10	13	45	2	1	3	10	9	2	3	1	1	3	28	5	7
2	5	4	21	1	2	10	10	8	1	2	1	1	5	25	1	8
2	5	15	47	2	1	6	4	12	3	1	3	1	6	53	2	9
2	1	8	12	1	1	2	3	5	3	1	1	1	1	13	1	10
8	7	8	22	1	1	7	8	6	1	1	1	1	4	23	2	11
95	111	195	470	11	1	90	177	126	34	20	14	12	46	427	11	12
63	65	145	286	3	1	51	122	65	11	10	12	6	26	291	7	13
7	11	14	51	4	1	8	12	11	5	1	1	1	6	28	1	14
18	22	25	88	3	1	28	30	35	11	5	2	6	11	80	3	15
7	13	11	45	1	1	3	13	15	7	5	1	1	3	28	1	16
111	114	192	490	7	3	72	154	202	62	21	25	17	77	427	23	17
3	4	9	21	1	1	5	5	7	4	1	3	1	1	14	1	18
2	1	5	10	1	1	3	5	7	4	1	3	1	1	7	3	19
74	66	121	324	4	2	40	74	137	43	13	11	11	59	277	15	20
7	9	13	30	1	1	2	16	20	7	2	2	1	8	44	2	21
25	34	44	105	2	1	22	54	38	8	6	9	5	10	85	2	22
20	82	38	108	1	5	17	36	21	8	4	3	1	5	99	5	23
4	11	2	35	1	1	6	7	4	1	1	3	1	2	20	1	24
16	71	36	73	1	4	11	29	17	7	3	3	1	3	79	5	25
31	31	54	163	1	2	34	88	50	15	7	2	9	17	129	5	26
6	9	8	20	1	1	9	12	11	3	1	1	3	4	15	1	27
6	1	11	36	1	1	7	12	9	4	1	1	1	3	22	1	28
14	16	22	83	1	1	12	41	22	8	5	1	4	5	58	1	29
2	1	4	3	1	1	4	13	3	1	1	1	1	2	18	3	30
3	4	9	21	1	1	2	10	5	1	1	1	1	3	16	1	31
347	156	337	869	26	21	83	906	304	118	31	20	29	106	1,047	45	32
333	142	308	771	24	21	74	868	279	114	28	20	28	89	971	43	33
14	14	29	98	2	1	9	38	25	4	3	1	1	17	76	2	34
541	357	569	1,750	37	53	272	993	656	238	85	45	63	225	1,788	50	35
15	14	20	53	2	2	4	22	15	7	2	1	1	5	35	1	36
19	12	17	69	1	1	10	28	34	11	7	1	6	9	64	1	37
12	9	15	33	1	1	6	15	20	5	3	1	2	10	51	1	38
2	4	1	14	1	1	2	6	6	2	2	1	2	2	6	1	39
8	16	19	42	2	1	8	17	13	7	1	1	1	4	42	1	40
14	6	16	36	1	1	10	13	14	4	3	1	1	7	40	1	41
55	27	50	187	7	2	23	118	78	25	8	5	7	33	243	5	42
22	11	10	36	3	1	11	15	17	5	1	1	1	9	33	1	43
3	7	4	16	1	1	6	10	6	3	1	1	1	2	14	1	44
17	10	18	42	2	2	7	19	11	2	1	1	3	4	35	1	45
8	5	5	21	1	1	1	11	7	3	1	1	1	3	15	1	46
20	15	22	100	2	16	8	82	26	13	3	1	2	8	76	2	47
1	1	1	11	1	1	2	10	1	1	1	1	1	1	3	1	48
9	8	6	18	1	1	5	7	10	6	1	1	1	3	19	1	49
23	10	18	42	1	1	9	42	16	6	2	1	3	4	54	1	50
8	7	5	11	1	1	1	8	6	4	1	1	1	1	24	1	51
6	3	7	24	1	1	4	10	2	1	1	1	1	1	14	1	52
25	20	38	83	2	1	13	52	47	20	5	3	4	15	88	6	53
10	5	6	16	1	1	2	13	8	1	2	1	2	3	21	1	54
36	19	14	50	2	3	11	54	24	7	1	1	5	11	76	1	55
24	21	39	61	2	4	12	57	35	14	5	4	2	10	87	3	56
2	2	1	7	1	1	1	1	1	1	1	1	1	1	6	1	57
26	23	45	154	1	2	16	113	38	11	10	2	4	11	137	4	58
3	2	8	8	1	1	3	10	4	2	1	1	1	1	12	1	59
5	5	10	41	1	1	5	29	3	1	1	1	2	10	33	1	60
31	11	33	105	4	4	23	23	43	21	5	4	3	10	82	3	61
5	2	7	19	1	1	4	14	5	3	1	1	1	1	23	1	62
132	85	142	451	8	11	69	201	166	55	22	19	10	60	455	14	63
150	92	204	559	15	17	78	821	196	66	18	15	14	83	728	33	64
3	2	2	5	1	1	19	19	2	1	1	1	1	1	9	1	65
38	31	48	143	5	4	25	192	29	8	3	4	1	13	164	5	66
40	21	59	150	3	3	16	75	70	26	11	4	4	25	242	11	67
12	7	14	37	1	1	3	20	19	7	1	3	1	7	48	4	68
7	5	9	23	2	1	7	13	10	1	1	1	3	5	33	3	69
2	3	1	15	1	1	8	8	1	1	1	1	1	1	10	1	70
3	4	7	7	1	1	33	7	7	4	1	1	2	3	8	1	71
17	8	18	71	2	2	12	107	26	8	1	2	2	14	98	4	72
17	8	24	61	2	6	7	299	19	4	2	2	1	10	52	4	73
1	7	25	41	1	2	8	54	13	6	1	1	2	5	61	1	74
10	15	17	43	1	2	2	46	12	4	3	11	1	4	34	2	75

TABLE 9.—DEATHS, FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, OF
RURAL PART OF REGISTRATION STATES.

	OCCUPATIONS.	All causes.	Malarial fever.	Typhoid fever.	Rheumatism.	Consumption.	Diabetes.	Diseases of the nervous system.	Diseases of the heart.	Other diseases of the circulatory system.	Pneumonia.
1	All occupations.....	35,658	131	795	203	3,574	345	5,309	4,606	504	3,042
2	Professional.....	1,154	8	29	8	121	16	222	144	19	91
3	Architects, artists and teachers of art, etc.....	51		2	2	15		4	8		2
4	Clergymen.....	268	3	7		13	2	59	32	3	27
5	Engineers and surveyors.....	92	1	5		12	4	11	11		9
6	Journalists.....	35	1			6	2	4	5	2	3
7	Lawyers.....	178	2	4	2	11	3	42	21	6	8
8	Musicians and teachers of music.....	39			1	9	1	7	3		4
9	Physicians and surgeons.....	265		3	2	17	2	57	37	5	25
10	Teachers (school).....	117	1	6	1	17		15	10	1	10
11	Others of this class.....	109		2		21	2	23	17	2	3
12	Clerical and official.....	1,141	7	39	9	220	18	156	111	13	96
13	Bookkeepers, clerks, and copyists.....	615	5	26	4	168	8	69	47	5	52
14	Bankers, brokers, and officials of companies.....	182		5		14	4	35	23	5	13
15	Collectors, auctioneers, and agents.....	206	1	3	4	23	4	32	29	2	17
16	Others of this class.....	138	1	5	1	15	2	20	12	1	14
17	Mercantile and trading.....	1,662	8	39	7	172	30	281	216	40	145
18	Apothecaries, pharmacists, etc.....	105		2		14	2	15	14	1	17
19	Commercial travelers.....	51		4		8		8	3	2	6
20	Merchants and dealers.....	1,227	7	24	5	105	25	209	168	34	100
21	Hucksters and peddlers.....	77		1		8		16	10	1	3
22	Others of this class.....	202	1	8	2	37	3	33	21	2	19
23	Public entertainment.....	375	2	8	4	40	6	63	49	6	27
24	Hotel and boarding-house keepers.....	242		5	3	20	4	38	40	5	16
25	Saloon keepers, liquor dealers, bartenders, and restaurant keepers.....	133	2	3	1	20	2	25	9	1	11
26	Personal service, police, and military.....	335	4	13	1	56	3	32	33	6	36
27	Barbers and hairdressers.....	86	1	5		28	1	4	3		2
28	Janitors and sextons.....	45	1			5		1	7	2	13
29	Policemen, watchmen, and detectives.....	92			1	9		15	10	3	11
30	Soldiers, sailors, and marines (United States).....	51	2	4		3	2	6	6		2
31	Others of this class.....	61		4		11		6	7	1	8
32	Laboring and servant.....	5,459	17	157	19	720	34	684	552	49	535
33	Laborers (not agricultural).....	5,315	16	153	17	693	34	669	537	48	524
34	Servants.....	144	1	4	2	27		15	15	1	11
35	Manufacturing and mechanical industry.....	7,625	31	159	48	1,044	70	1,197	933	118	623
36	Bakers and confectioners.....	79		4		14	3	19	2	3	6
37	Blacksmiths.....	474		11	3	35	3	86	54	9	37
38	Boot and shoe makers.....	474	3	4	6	57	2	84	72	4	47
39	Brewers, distillers, and rectifiers.....	15		2				4			1
40	Butchers.....	169		3		24	2	22	20	2	14
41	Cabinetmakers and upholsterers.....	91		3	1	9		17	11	3	6
42	Carpenters and joiners.....	1,354	9	15	4	136	7	230	194	35	91
43	Cigar makers and tobacco workers.....	69		3	1	12	2	11	7	1	5
44	Clock and watch repairers, jewelers, etc.....	59		1		6	2	13	7	1	4
45	Compositors, printers, and pressmen.....	107		3		32		18	11	1	4
46	Coopers.....	105		1	1	9	1	16	10	4	9
47	Engineers and firemen (not locomotive).....	277		8	3	42	1	50	30	2	26
48	Glass blowers and glass workers.....	26		1		5		1	5		1
49	Hat and cap makers.....	19				2			5	1	
50	Iron and steel workers.....	152	4	4	1	21	1	23	11		25
51	Leather makers.....	32			1	5		4	6	1	2
52	Leather workers.....	96			1	6	2	18	15	1	4
53	Machinists.....	323	1	10	2	52	1	46	36	1	21
54	Marble and stone cutters.....	145		1	2	49		14	13	1	12
55	Masons (brick and stone).....	421	1	3	1	42	6	61	50	7	35
56	Mill and factory operatives (textiles).....	466	2	17	2	99	5	47	42	4	45
57	Millers (flour and grist).....	116		3	1	7		20	14	2	14
58	Painters, glaziers, and varnishers.....	462	1	14	1	68	5	86	61	7	37
59	Plasterers and whitewashers.....	8				2		1		1	
60	Plumbers, and gas and steam fitters.....	60	1	3		14		10	3		7
61	Tailors.....	133		1	1	13		23	20	2	1
62	Tinners and tinware makers.....	73	1			11	1	11	6	1	2
63	Others of this class.....	1,820	8	44	16	272	26	262	228	24	167
64	Agriculture, transportation, and other outdoor.....	17,798	52	347	107	1,185	167	2,661	2,560	251	1,482
65	Boatmen and canalmen.....	68	2	2		10		10	10		1
66	Draymen, hackmen, teamsters, etc.....	317		14	1	40	1	39	34	3	38
67	Farmers, planters, and farm laborers.....	15,376	47	269	98	936	149	2,348	2,318	221	1,803
68	Gardeners, florists, nurserymen, and vine growers.....	201		1	2	22	3	34	22	2	24
69	Livery stable keepers and hostlers.....	91		5		15	3	17	10		4
70	Lumbermen and raftsmen.....	137		4	1	9	2	22	10	3	6
71	Miners and quarrymen.....	255		9		21		13	12	4	22
72	Sailors, pilots, fishermen, and oystermen.....	539	1	17	1	50	4	82	65	13	35
73	Steam railroad employees.....	547	2	15	3	55	3	52	56	4	23
74	Stock raisers, herders, and drovers.....	12				1		3	2		1
75	Others of this class.....	255		11	1	26	2	41	21	1	25
76	All other occupations.....	109	2	4		16	1	13	8	2	7

WHITE MALES ENGAGED IN EACH OCCUPATION: CENSUS YEAR 1900—Continued.

RURAL PART OF REGISTRATION STATES.

Other diseases of the respiratory system.	Diseases of the liver.	Other diseases of the digestive system.	Diseases of the urinary organs.	Diseases of the bones and joints.	Burns and scalds.	Suicide.	Other accidents and injuries.	CANCER.						All other causes.	Unknown cause.	
								Total.	Of stomach.	Of liver.	Of abdomen.	Of mouth, tongue, and throat.	Of other organs.			
953	623	1,551	3,133	84	68	442	2,689	1,513	526	165	117	81	624	5,791	302	1
36	19	51	101	2	1	4	49	33	16	1	3	1	12	193	7	2
1		3	3				2	3			1		2	6		3
11	2	12	31	1		1	6	6	5				1	51	1	4
2	1	3	9			1	9	2	1				1	12		5
2			7											3		6
7	3	12	11			1	6	6	2			1	3	32	1	7
	1	3	3											7		8
9	6	12	22		1	1	9	7	5				2	47		9
3	4	2	8				11	5	2		1		2	22		10
1	2	4	7	1			6	4	1	1	1		1	13	1	11
28	20	69	114	3	4	14	52	33	12	4	2		15	128	7	12
16	11	34	46	1	2	8	33	13	3	3	1		6	64	3	13
5	2	11	25		1	1	8	7	2				5	21	2	14
5	6	17	20	1	1	4	7	7	5				2	22	1	15
2	1	7	23	1		1	4	6	2	1	1		2	21	1	16
45	39	74	195	4	1	27	62	55	13	6	3	2	31	215	7	17
1	2	2	12			1	6	1	1					13	2	18
	1	2	11				2							4		19
37	31	58	144	3	1	16	32	49	10	5	3	2	29	174	5	20
4		4	10			2	6	1	1					11		21
3	5	8	18	1		8	16	4	1	1			2	13		22
5	15	26	43	1		3	16	10	2	2			6	47	4	23
4	8	21	31	1		1	7	8	2	1			5	28	2	24
1	7	5	12			2	9	2		1			1	19	2	25
12	8	11	26	1		7	30	13	6	3	1		3	40	3	26
6	4	5	6			3	5							12	1	27
1	1	2	5			1		4	2	1	1			2		28
3	1	1	9			1	16	4	3	1				7	1	29
	1	1	2	1			7	2	1					12		30
2	1	2	4			2	2	3		1			2	7	1	31
130	91	233	360	14	14	80	720	208	80	19	10	11	88	785	57	32
128	87	225	349	14	14	78	701	204	78	19	10	11	86	768	56	33
2	4	8	11			2	19	4	2				2	17	1	34
215	121	301	652	19	22	94	508	297	86	47	30	23	111	1,103	70	35
	4	3	4			2		5	4			1		9	1	36
14	9	19	39	1	1	9	26	27	6	7	3	4	7	90	1	37
12	5	13	41			5	17	11	3			1	7	82	9	38
	1	2	1				1	2				1		1		39
7	3	17	10	1			13	4		2				26	1	40
6	3	2	3				3	4	1			1	2	20		41
27	20	47	125	4	2	13	90	61	24	10	5	2	20	232	12	42
3	2	1	6			6	3	2			1		1	4		43
1	1		7	1		2	2	4	1					7		44
3	2	3	9			3	6	1	1					11		45
2	4	4	13				4	4	2		1	1		23		46
5	5	15	19		5	5	26	8	3		2		3	25	2	47
		3	2				2							5	1	48
		1	2			1	1	1	1					5		49
7	1	3	12	1		1	12	6	1	2			3	19		50
		2	3				2	1	1					4		51
2	5	5	4				4	3		1				16	2	52
11	1	14	32	2	2	4	28	14	4				2	41	4	53
7		2	6		2		10	4		3		1		20	2	54
14	8	11	50	2	1	6	28	29	6	4	2	2	15	63	3	55
16	10	16	25	2	2	6	49	17	1	5	2	2	7	54	6	56
5	3	2	8			1	12	7	1	3				15	2	57
14	7	17	44	1	1	2	23	11	2	1	4	1	3	55	7	58
	1	1					1							1		59
	2	3	2				8	1	1					6		60
8		5	11		1	1	15	6	3	1		1	1	24	1	61
2	2	6	7			1	4	2	2					16		62
48	22	84	167	4	5	22	114	62	18	6	9	5	24	229	16	63
477	306	780	1,633	40	26	212	1,242	860	308	83	68	44	357	3,263	147	64
4		1	6			2	13	3	1				2	4		65
3		13	20	2	2	5	45	12	6	1	2		3	40	3	66
427	284	708	1,466	34	20	184	701	771	275	74	58	40	324	2,971	121	67
5	2	5	17			2	14	6	2	1	1	1	1	38	2	68
3	1	3	8				4	4	2		1		1	11	3	69
4	3	3	13		1	4	37	3	2	1				12		70
7	2	11	12	2		1	111	6	2			1	3	19	3	71
9	7	14	47			7	62	28	9	4	3	2	10	92	5	72
8	3	13	22	1	3	4	220	21	8	1	3		9	34	5	73
2		2	2				1									74
5	2	9	20	1		3	34	6	1	1			4	42	5	75
5	4	6	9			1	10	4	3				1	17		76

TABLE 9.—DEATHS, FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, OF
REGISTRATION CITIES IN OTHER STATES.

	OCCUPATIONS.	All causes.	Malarial fever.	Typhoid fever.	Rheumatism.	Consumption.	Diabetes.	Diseases of the nervous system.	Diseases of the heart.	Other diseases of the circulatory system.	Pneumonia.
1	All occupations.....	46,281	246	1,701	202	7,411	295	4,860	4,255	605	4,562
2	Professional.....	2,165	11	80	10	270	24	302	215	55	191
3	Architects, artists and teachers of art, etc.....	147		4		23		17	13	3	18
4	Clergymen.....	325	1	12	1	32	6	54	33	10	35
5	Engineers and surveyors.....	243	2	21	1	37	2	29	17	5	17
6	Journalists.....	121	1	7		22		17	13	3	9
7	Lawyers.....	359	1	6	3	34	7	58	39	12	33
8	Musicians and teachers of music.....	190	1	7		36	2	23	19	3	15
9	Physicians and surgeons.....	433	5	12	4	36	4	59	46	14	26
10	Teachers (school).....	160		6	1	24	1	18	13	5	15
11	Others of this class.....	187		5		26	2	27	22		23
12	Clerical and official.....	4,236	26	189	15	887	43	445	402	76	375
13	Bookkeepers, clerks, and copyists.....	2,634	17	141	5	724	23	240	227	32	235
14	Bankers, brokers, and officials of companies.....	427	2	9	4	34	6	73	54	19	31
15	Collectors, auctioneers, and agents.....	839	4	24	5	90	10	99	88	19	74
16	Others of this class.....	336	3	15	1	39	4	33	33	6	35
17	Mercantile and trading.....	4,465	22	149	23	629	43	617	470	85	391
18	Apothecaries, pharmacists, etc.....	180	1	6		41	2	19	15	3	16
19	Commercial travelers.....	181		15		15	1	22	20	6	17
20	Merchants and dealers.....	2,685	18	82	16	294	31	421	300	60	212
21	Hucksters and peddlers.....	321	1	6	1	63	1	32	24	4	32
22	Others of this class.....	1,098	2	40	6	216	8	123	111	12	114
23	Public entertainment.....	1,134	3	27	6	209	9	115	84	11	107
24	Hotel and boarding-house keepers.....	180		4	1	13	2	19	19	1	20
25	Saloon keepers, liquor dealers, bartenders, and restaurant keepers.....	954	3	23	5	196	7	96	65	10	87
26	Personal service, police, and military.....	1,378	4	62	6	210	16	135	128	15	141
27	Barbers and hairdressers.....	331		21	2	81	2	21	39		28
28	Janitors and sextons.....	152		2	1	21	2	18	16	5	21
29	Policemen, watchmen, and detectives.....	517		14	2	61	11	61	58	8	58
30	Soldiers, sailors, and marines (United States).....	258	4	19	1	29	1	18	7	1	16
31	Others of this class.....	120		6		18		17	8	1	18
32	Laboring and servant.....	10,307	65	447	33	1,648	30	875	819	84	1,245
33	Laborers (not agricultural).....	9,826	61	426	33	1,535	29	842	775	79	1,187
34	Servants.....	481	4	21		113	1	33	44	5	58
35	Manufacturing and mechanical industry.....	14,756	64	499	82	2,594	90	1,635	1,461	189	1,415
36	Bakers and confectioners.....	370	3	11	3	67	6	34	37	5	35
37	Blacksmiths.....	590	1	25	3	84	4	55	66	5	51
38	Boot and shoe makers.....	672	3	9	4	97	1	102	76	13	61
39	Brewers, distillers, and rectifiers.....	162	5	1		23	2	16	23	1	7
40	Butchers.....	508	1	19	7	77	2	56	67	7	49
41	Cabinetmakers and upholsterers.....	360		11	2	54	4	35	32	3	29
42	Carpenters and joiners.....	1,771	9	43	10	287	9	228	191	33	159
43	Cigar makers and tobacco workers.....	305	1	4	1	98	1	33	26	3	16
44	Clock and watch repairers, jewelers, etc.....	96		1	2	17		13	11	2	9
45	Compositors, printers, and pressmen.....	478	2	24	1	158	2	39	42	6	42
46	Coopers.....	280	4	5	1	36		24	42	1	39
47	Engineers and firemen (not locomotive).....	916	6	41	1	113	10	121	94	11	93
48	Glass blowers and glass workers.....	114		7		27	1	7	8	2	11
49	Hat and cap makers.....	29		1		3		5		2	7
50	Iron and steel workers.....	734	4	42	2	124	6	65	67	5	100
51	Leather makers.....	99		1		17		13	12	6	11
52	Leather workers.....	124	2	3		21	1	10	7		16
53	Machinists.....	856	3	43	6	156	6	93	74	13	92
54	Marble and stone cutters.....	192		5		66		11	15		15
55	Masons (brick and stone).....	529	1	13	3	99		65	48	4	49
56	Mill and factory operatives (textiles).....	357	2	17	2	66	2	37	34	2	32
57	Millers (flour and grist).....	90		7		11		13	8	2	11
58	Painters, glaziers, and varnishers.....	982	2	26	5	179	9	90	102	4	90
59	Plasterers and whitewashers.....	135		2	1	22	1	20	17	4	9
60	Plumbers, and gas and steam fitters.....	285	4	22	5	64	3	24	19	1	26
61	Tailors.....	743	3	13	2	138	5	80	70	17	73
62	Tinners and tinware makers.....	205	1	10	1	32	1	27	15	1	16
63	Others of this class.....	2,774	12	89	18	508	14	319	258	36	267
64	Agriculture, transportation, and other outdoor.....	7,439	49	232	26	895	36	697	630	87	665
65	Boatmen and canalmen.....	28		2		4		3	2		1
66	Draymen, hackmen, teamsters, etc.....	1,230	5	34	5	218	6	102	118	20	141
67	Farmers, planters, and farm laborers.....	1,910	16	48	9	179	11	255	178	24	154
68	Gardeners, florists, nurserymen, and vine growers.....	281	4	9	2	21	2	28	28	3	29
69	Livery stable keepers and hostlers.....	140		2		20		17	17		16
70	Lumbermen and raftsmen.....	99		4		6	3	12	8		5
71	Miners and quarrymen.....	789	3	23	2	74	2	49	56	9	96
72	Sailors, pilots, fishermen, and oystermen.....	687	11	14	1	98	5	56	81	10	55
73	Steam railroad employees.....	1,543	9	63	4	152	5	106	76	11	101
74	Stock raisers, herders, and drovers.....	104		6		14		14	6		10
75	Others of this class.....	628	1	27	3	109	2	55	60	10	57
76	All other occupations.....	401	2	16	1	69	4	39	46	3	32

WHITE MALES ENGAGED IN EACH OCCUPATION: CENSUS YEAR 1900—Continued.

REGISTRATION CITIES IN OTHER STATES.

Other diseases of the respiratory system.	Diseases of the liver.	Other diseases of the digestive system.	Diseases of the urinary organs.	Diseases of the bones and joints.	Burns and scalds.	Suicide.	Other accidents and injuries.	CANCER.						All other causes.	Un-known cause.	
								Total.	Of stomach.	Of liver.	Of abdomen.	Of mouth, tongue, and throat.	Of other organs.			
1,540	995	1,999	3,946	84	135	981	4,778	1,789	673	194	116	154	652	5,546	351	1
66	49	106	220	5	2	35	131	73	31	5	6	5	26	305	15	2
8	6	1	17	1	1	4	8	2	1	1	1	1	4	20	2	3
14	4	15	36	1	1	1	7	15	9	1	1	1	4	45	3	4
5	4	8	14	1	2	4	47	6	1	1	1	1	4	21	1	5
1	2	8	12	1	1	4	5	2	1	1	1	1	2	14	1	6
7	10	17	46	2	1	3	19	15	4	3	1	2	5	43	4	7
6	1	6	16	1	1	7	9	7	4	1	1	2	1	32	1	8
13	11	26	52	1	1	8	20	13	5	1	1	1	7	80	3	9
9	6	9	11	1	1	3	5	8	3	1	1	1	2	25	1	10
3	5	16	16	1	1	1	11	5	4	1	1	1	1	25	1	11
136	83	186	405	10	10	132	241	131	36	14	15	11	55	416	28	12
75	49	106	195	6	6	86	143	57	14	6	8	4	25	248	19	13
18	8	22	61	1	1	8	14	21	6	2	3	3	7	42	1	14
38	20	41	107	4	1	23	54	34	13	4	1	3	13	97	7	15
5	6	17	42	1	3	15	30	19	3	2	3	1	10	29	1	16
143	109	213	447	5	11	109	252	188	62	21	21	16	68	519	40	17
4	4	9	20	1	1	3	7	3	1	1	1	1	2	22	4	18
7	5	10	16	1	1	9	17	4	1	1	1	1	1	15	1	19
85	73	126	282	3	5	51	117	135	47	16	15	15	42	353	21	20
18	8	9	32	1	1	10	32	14	4	2	1	1	7	30	4	21
29	19	59	97	2	4	36	79	32	9	2	5	1	16	99	10	22
28	67	63	117	3	1	40	64	38	14	3	2	2	17	132	11	23
6	8	8	25	1	1	6	7	15	5	2	1	1	6	23	3	24
22	59	55	92	3	1	34	57	23	9	1	1	1	11	109	8	25
40	34	63	94	2	1	36	119	52	21	9	4	4	14	209	11	26
6	6	18	24	1	1	14	23	9	2	2	1	1	4	34	1	27
3	4	14	10	1	1	1	9	5	3	2	1	1	1	19	1	28
24	14	17	39	1	1	13	53	30	12	4	2	3	9	48	5	29
2	8	8	11	1	1	4	31	1	1	1	1	1	1	93	4	30
5	2	6	10	1	1	4	3	7	3	1	1	1	1	15	1	31
386	206	395	758	18	45	179	1,255	404	172	43	17	44	128	1,335	80	32
371	189	373	726	18	42	161	1,226	392	167	42	16	42	125	1,287	74	33
15	17	22	32	3	3	18	29	12	5	1	1	2	3	48	6	34
502	315	641	1,279	26	48	320	1,187	587	221	61	37	53	215	1,717	105	35
12	8	21	24	2	2	10	24	16	5	2	1	1	8	52	1	36
19	12	29	70	1	1	6	50	28	9	7	1	3	8	74	8	37
24	13	24	60	3	1	17	27	30	10	5	1	2	12	104	3	38
7	7	8	16	1	1	3	9	10	2	3	1	1	4	21	3	39
18	14	24	35	3	1	19	30	23	12	4	1	2	4	55	1	40
17	12	38	12	1	1	12	20	19	11	2	1	3	3	50	9	41
57	44	70	139	4	4	34	159	89	31	8	7	9	34	235	17	42
13	9	8	22	1	1	7	17	13	4	2	1	3	3	33	1	43
3	3	3	9	1	1	7	5	1	1	1	1	1	1	9	1	44
13	5	19	40	1	1	8	28	6	3	1	1	1	2	39	3	45
3	8	10	25	1	1	5	16	13	4	1	1	3	4	46	2	46
20	17	44	74	1	15	12	132	25	8	5	3	1	8	85	1	47
4	2	7	8	1	1	2	6	5	1	1	1	1	3	15	1	48
1	1	1	1	1	1	1	1	1	1	1	1	1	1	3	1	49
22	15	34	50	6	14	94	21	21	7	3	1	1	9	60	3	50
3	1	4	3	1	3	4	4	4	3	1	1	1	1	16	1	51
3	4	9	15	1	4	8	5	5	1	1	1	2	2	14	2	52
24	14	42	83	2	20	69	20	20	6	1	1	1	11	88	8	53
13	4	4	15	1	1	15	10	10	4	1	1	1	5	14	1	54
21	13	16	43	1	11	40	31	12	12	4	2	4	9	67	4	55
7	8	24	33	1	4	30	16	8	8	1	2	1	4	36	5	56
5	2	1	6	1	1	9	5	5	2	1	1	1	1	8	1	57
84	19	37	98	4	25	111	33	8	8	3	3	7	15	106	8	58
7	5	4	12	1	1	5	9	9	4	1	1	2	3	13	2	59
7	3	15	16	1	2	5	26	9	5	1	1	1	4	31	2	60
35	10	36	61	1	30	26	25	10	10	3	1	1	10	111	7	61
5	3	6	19	1	2	6	26	9	2	1	1	1	4	23	1	62
105	60	130	260	6	53	200	112	50	50	8	7	4	43	309	12	63
231	122	318	589	13	15	118	1,474	302	110	36	13	18	125	881	59	64
1	1	1	6	1	1	1	4	1	1	1	1	1	1	1	1	65
39	21	53	91	2	3	21	194	28	11	5	1	1	11	122	7	66
75	25	105	194	6	27	27	118	123	44	15	5	5	54	346	17	67
11	12	9	39	1	6	20	20	14	5	2	2	2	5	44	1	68
2	1	6	13	1	5	11	9	7	1	1	1	1	3	22	1	69
2	4	11	10	1	9	220	8	8	3	1	1	3	2	15	1	70
48	14	30	39	2	5	12	116	30	10	6	1	1	13	68	12	71
15	16	11	69	2	2	9	116	24	12	1	1	3	8	85	4	72
25	17	52	80	3	4	23	667	35	13	4	4	1	13	99	11	73
2	1	8	9	1	3	3	11	8	3	1	1	1	4	12	1	74
11	10	32	39	1	10	104	104	25	8	2	2	1	12	67	6	75
8	10	14	37	2	3	12	55	14	6	2	1	1	4	32	2	76

TABLE 9.—DEATHS, FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, OF
NONREGISTRATION RECORD.

	OCCUPATIONS.	All causes.	Malarial fever.	Typhoid fever.	Rheumatism.	Consumption.	Diabetes.	Diseases of the nervous system.	Diseases of the heart.	Other diseases of the circulatory system.	Pneumonia.
1	All occupations.....	115,648	1,828	7,110	947	13,603	865	12,824	10,708	675	12,357
2	Professional.....	4,385	50	249	26	599	55	616	432	42	358
3	Architects, artists and teachers of art, etc.....	74	1	6	1	14		9	6	2	4
4	Clergymen.....	919	11	45	5	92	13	128	112	6	71
5	Engineers and surveyors.....	217	3	17	1	29	3	23	21	1	12
6	Journalists.....	115	2	8	1	17	1	21	16	2	6
7	Lawyers.....	644	4	20	3	75	9	114	58	12	37
8	Musicians and teachers of music.....	128		7	1	25		20	9		15
9	Physicians and surgeons.....	1,267	16	30	9	126	13	197	142	11	117
10	Teachers (school).....	757	13	105	5	176	11	68	38	7	68
11	Others of this class.....	264		11		45	5	36	30	1	28
12	Clerical and official.....	3,624	30	199	23	563	29	545	374	45	295
13	Bookkeepers, clerks, and copyists.....	1,324	17	115	11	318	11	163	99	5	110
14	Bankers, brokers, and officials of companies.....	764	2	21	4	56	8	151	90	18	58
15	Collectors, auctioneers, and agents.....	767	5	34	4	94	6	131	97	16	58
16	Others of this class.....	769	6	29	4	95	4	100	88	6	69
17	Mercantile and trading.....	5,165	68	316	33	719	55	709	522	50	426
18	Apothecaries, pharmacists, etc.....	344	4	7	3	64	4	36	39	4	24
19	Commercial travelers.....	257	5	14	1	35	4	53	29		20
20	Merchants and dealers.....	3,374	44	179	25	379	38	498	360	40	288
21	Hucksters and peddlers.....	160	4	6		29		23	20	1	10
22	Others of this class.....	1,030	11	110	4	212	9	99	74	5	84
23	Public entertainment.....	1,778	8	41	6	183	22	245	216	14	173
24	Hotel and boarding-house keepers.....	984	1	13	1	53	17	166	145	9	74
25	Saloon keepers, liquor dealers, bartenders, and restaurant keepers.....	794	7	28	5	130	5	79	71	5	99
26	Personal service, police, and military.....	1,093	24	75	8	196	5	110	80	2	83
27	Barbers and hairdressers.....	294	5	24	2	93	2	28	18		14
28	Janitors and sextons.....	95		2		10		14	12		18
29	Policemen, watchmen, and detectives.....	257	4	7	2	22	1	32	27		26
30	Soldiers, sailors, and marines (United States).....	273	14	31	3	33		9	6		13
31	Others of this class.....	174	1	11		38	2	27	17	1	12
32	Laboring and servant.....	10,701	139	664	62	1,663	53	1,062	866	54	1,138
33	Laborers (not agricultural).....	10,438	135	645	58	1,598	52	1,042	851	53	1,114
34	Servants.....	263	4	19	4	65	1	20	15	1	24
35	Manufacturing and mechanical industry.....	15,676	159	756	124	2,147	113	2,042	1,561	141	1,426
36	Bakers and confectioners.....	191	1	11		40	1	18	21	1	18
37	Blacksmiths.....	1,525	17	79	18	128	9	203	171	11	150
38	Boot and shoe makers.....	663	4	9	4	63	7	99	85	5	65
39	Brewers, distillers, and rectifiers.....	69	2	2	1	7	1	12	8	1	6
40	Butchers.....	447	3	23	9	57	4	38	49	6	38
41	Cabinetmakers and upholsterers.....	196		4	2	30	2	28	22	3	9
42	Carpenters and joiners.....	3,572	37	149	39	461	21	482	392	34	345
43	Cigar makers and tobacco workers.....	220		12		65	2	28	18		15
44	Clock and watch repairers, jewelers, etc.....	151		5		20	1	21	29	2	11
45	Compositors, printers, and pressmen.....	304	3	16	2	94	5	33	18		23
46	Coopers.....	253	1	7	1	20	4	41	34	1	20
47	Engineers and firemen (not locomotive).....	706	11	44	2	99	4	80	62	8	60
48	Glass blowers and glass workers.....	107		9		23	1	12	4	1	10
49	Hat and cap makers.....	5	1			1		1			1
50	Iron and steel workers.....	426	3	45	2	67	3	58	30	4	44
51	Leather makers.....	55	1	1	2	5	1	10	6		
52	Leather workers.....	246	2	6		36	3	43	28	4	21
53	Machinists.....	622	6	44	3	97	4	77	55	8	56
54	Marble and stone cutters.....	143		3	2	30		17	17	3	17
55	Masons (brick and stone).....	887	5	29	8	91	10	108	96	2	92
56	Mill and factory operatives (textiles).....	454	11	51	3	91	1	30	20	3	61
57	Millers (flour and grist).....	427	4	15	2	47	4	59	49	6	42
58	Painters, glaziers, and varnishers.....	810	9	34	5	137	6	102	60	4	62
59	Plasterers and whitewashers.....	173	1	8	1	22		23	20	1	20
60	Plumbers, and gas and steam fitters.....	95		9	3	24		6	6		5
61	Tailors.....	388	3	7	2	51	1	65	38	2	20
62	Tinners and tinware makers.....	200	2	11	1	24	3	27	20	2	13
63	Others of this class.....	2,341	31	123	12	317	15	321	203	29	202
64	Agriculture, transportation, and other outdoor.....	72,904	1,347	4,793	662	7,491	530	7,448	6,621	324	8,436
65	Boatmen and canalmen.....	37		1	1	5		3	3		3
66	Draymen, hackmen, teamsters, etc.....	1,044	18	91	11	124	5	104	75	3	136
67	Farmers, planters, and farm laborers.....	61,926	1,229	4,190	590	6,405	487	6,643	5,885	282	7,217
68	Gardeners, florists, nurserymen, and vine growers.....	365	4	6	4	32	1	42	61	1	27
69	Livery stable keepers and hostlers.....	257	4	17	2	31		31	18	3	27
70	Lumbermen and raftsmen.....	275	6	15		35	1	23	27	3	33
71	Miners and quarrymen.....	4,310	24	197	23	379	15	249	245	13	573
72	Sailors, pilots, fishermen, and oystermen.....	581	15	29	5	74	2	56	38	5	59
73	Steam railroad employees.....	2,585	30	150	10	239	10	173	147	7	191
74	Stock raisers, herders, and drovers.....	605	7	16	6	50	4	54	55	1	78
75	Others of this class.....	919	10	81	10	117	5	70	67	6	93
76	All other occupations.....	322	3	17	3	42	3	47	31	3	22

WHITE MALES ENGAGED IN EACH OCCUPATION: CENSUS YEAR 1900—Continued.

NONREGISTRATION RECORD.

Other diseases of the respiratory system.	Diseases of the liver.	Other diseases of the digestive system.	Diseases of the urinary organs.	Diseases of the bones and joints.	Burns and scalds.	Suicide.	Other accidents and injuries.	CANCER.						All other causes.	Unknown cause.	
								Total.	Of stomach.	Of liver.	Of abdomen.	Of mouth, tongue, and throat.	Of other organs.			
2,944	1,295	5,516	7,341	315	206	1,376	10,848	3,921	1,430	288	176	195	1,832	17,525	2,949	1
111	72	211	339	7	4	55	218	116	37	9	7	5	58	713	112	2
1	1	5	7		2	1	4	1	1					7	2	3
29	14	49	76	3	1	2	20	27	6	3	2	2	14	187	28	5
7	2	9	7	1	1	2	43	5	1				4	27	3	5
1	4	2	6			2	8	6	3				3	11	1	6
17	11	37	68			7	36	21	6	2	1	2	10	95	20	7
5	3	5	6			2	3	2	2					21	4	8
31	24	60	111	3		22	55	34	11	4	2		17	225	41	9
17	8	33	32			13	34	14	4		2	1	7	105	10	10
3	5	11	26			4	15	6	3				3	35	3	11
83	77	169	297	8	3	61	238	98	25	18	8	5	42	419	68	12
29	19	67	85	3	1	22	88	14	4	3	2		5	129	18	13
18	21	31	85			12	27	38	9	6	3	3	17	105	19	14
17	17	35	60	2	2	15	47	22	6	5		2	9	90	15	15
19	20	36	67	3		12	76	24	6	4	3		11	95	16	16
130	112	311	372	12	6	89	285	172	52	22	9	11	78	647	131	17
11	12	15	25			11	15	12	4	3	1	1	3	44	14	18
6	4	16	14		1	6	15	1					1	25	8	19
96	75	195	277	10	3	51	144	136	38	18	7	7	66	454	82	20
4	1	9	10			3	15	3	3					20	2	21
13	20	76	46	2	2	18	96	20	7	1	1	3	8	104	25	22
35	45	99	187	1	3	36	80	74	26	6	1	7	34	271	39	23
19	17	55	123		1	10	34	57	23	4	1	4	25	164	25	24
16	28	44	64	1	2	26	46	17	3	2		3	9	107	14	25
19	11	47	59	1	1	22	126	30	10	3		1	16	167	27	26
2	1	15	17	1	1	11	16	8	2	1			5	27	9	27
2		3	10			2	6	3	1				2	9	2	28
8	3	11	16			3	51	14	6	1		1	6	23	7	29
2	4	9	7			5	45	2	1				1	82	8	30
5	3	9	9			1	8	3		1			2	26	1	31
263	124	398	457	33	35	147	1,488	815	133	22	12	13	135	1,506	234	32
257	121	379	448	31	33	140	1,466	309	131	21	11	12	134	1,475	231	33
6	3	19	9	2	2	7	22	6	2	1	1	1	1	31	3	34
425	242	716	1,110	39	43	203	1,275	527	185	42	30	31	239	2,333	294	35
7	4	14	10	2		4	10	3					3	24	2	36
39	23	85	120	1	3	28	90	49	18	5	1	4	21	272	29	37
26	12	21	70	1	4	7	17	17	1			4	12	130	17	38
3	1	2	3			2	6	3	1					8	1	39
8	12	24	28	2	1	12	38	23	10	2		1	10	69	3	40
7	2	13	20			1	8	8			3	1	4	32	5	41
105	46	126	274	10	3	30	263	134	47	14	5	3	65	555	66	42
1	3	9	12			6	8	2	1		1			34	5	43
3	5	10	8		1	3	7	2	1				1	39	3	44
6	4	12	16	1		8	20	4	2		1		1	34	5	45
10	5	16	20			3	7	7	2		1	1		51	5	46
16	7	23	42	2	8	5	125	21	10	1	2		3	75	12	47
4	2	7	4	1		2	10	1	1					14	2	48
.....																49
8	5	20	13	1	3	5	46	17	6	1	1	2	7	44	8	50
1		5	4			1	5	2	1				1	9	2	51
7	3	13	16	2		5	9	8	1	2		1	4	37	3	52
16	14	36	35			10	70	23	11	2			10	58	10	53
3	3	1	6				14	7	3	1	1		2	19		54
20	11	36	77	2	1	9	79	43	18	1	3	2	19	148	20	55
11	4	24	11	1	1	3	44	6	2				4	65	13	56
15	6	24	32	1	1	3	30	14	2		2	1	9	65	8	57
19	9	45	54	4	2	12	81	25	7	3	2	3	10	121	19	58
6	3	11	12			2	6	6	3		1		2	29	2	59
3		6	8		1	2	10	5	3	1			1	6	1	60
11	4	22	29		1	1	14	22	8		2	2	10	91	4	61
6	2	10	15	1	2	1	23	22	5		1		4	27	1	62
65	52	100	171	6	11	38	235	65	21	9	3	6	26	297	48	63
1,872	1,107	3,552	4,495	212	111	761	7,087	2,582	959	166	109	122	1,226	11,437	2,036	64
1	1	1	1				8	4	1			1	2	4	1	65
19	25	47	43	3		14	154	32	7	2	2	4	17	120	21	66
1,595	961	3,183	3,992	184	71	643	3,830	2,325	870	147	98	105	1,105	10,375	1,839	67
16	10	25	25	1	1	6	16	21	10	1	2		8	69	12	68
4	3	17	20	2	1	8	29	4	2				2	31	5	69
3	2	14	12		2		56	5		2			1	34	4	70
169	40	123	158	10		36	1,516	96	48	4	4	4	36	360	68	71
11	9	14	48		2	5	106	9	3		1	1	4	79	15	72
30	28	72	108	9	10	20	1,065	45	9	8		4	24	203	38	73
13	12	32	39	2	2	4	117	20	5		1	2	12	78	15	74
11	16	39	49	1	6	25	190	21	4	2	1		14	84	18	75
6	5	13	25	2		2	51	7	3				4	32	8	76

TABLE 10.

DEATHS IN THE UNITED STATES, THE REGISTRATION AREA AND ITS SUBDIVISIONS
AND THE NONREGISTRATION AREA, DURING THE CENSUS YEAR ENDING
MAY 31, 1900, FROM EACH SPECIFIED DISEASE AND CLASS OF
DISEASES, OF COLORED MALES ENGAGED IN
EACH OCCUPATION AND CLASS
OF OCCUPATIONS.

NOTE.—Occupation not reported in the registration returns for certain cities. See note on page 75.

TABLE 10.—DEATHS, FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES,

THE UNITED STATES.

	OCCUPATIONS.	All causes.	Malarial fever.	Typhoid fever.	Rheumatism.	Consumption.	Diabetes.	Diseases of the nervous system.	Diseases of the heart.	Other diseases of the circulatory system.	Pneumonia.
1	All occupations.....	34,669	1,182	1,873	297	6,860	59	2,098	2,617	138	4,414
2	Professional.....	524	23	15	3	132		37	57	1	62
3	Architects, artists and teachers of art, etc.....	3									1
4	Clergymen.....	291	13	9	2	56		25	36	1	31
5	Engineers and surveyors.....	1							1		
6	Journalists.....	4				1		1			1
7	Lawyers.....	12				4		1	1		1
8	Musicians and teachers of music.....	54		1	1	23		2	7		7
9	Physicians and surgeons.....	37	1	2		4		3	3		7
10	Teachers (school).....	100	8	2		37		5	5		10
11	Others of this class.....	22	1	1		7			4		4
12	Clerical and official.....	165	4	6	1	43		9	8	2	11
13	Bookkeepers, clerks, and copyists.....	109	3	4	1	33		6	4	2	6
14	Bankers, brokers, and officials of companies.....	8				1					2
15	Collectors, auctioneers, and agents.....	22	1			3		2	2		1
16	Others of this class.....	26		2		6			2		2
17	Mercantile and trading.....	744	12	26	6	211	2	56	62	11	101
18	Apothecaries, pharmacists, etc.....	10				5		1		1	
19	Commercial travelers.....										
20	Merchants and dealers.....	141	4	7	1	27	1	16	17	1	15
21	Hucksters and peddlers.....	44				12		4	7		6
22	Others of this class.....	549	8	19	5	167		35	38	9	80
23	Public entertainment.....	96	3		1	22		6	5	3	18
24	Hotel and boarding-house keepers.....	18				6			1		2
25	Saloon keepers, liquor dealers, bartenders, and restaurant keepers.....	78	3		1	16		6	4	3	16
26	Personal service, police, and military.....	894	8	20	4	238	5	79	96	8	107
27	Barbers and hairdressers.....	381	3	10	1	100	3	40	39	5	38
28	Janitors and sextons.....	178	2	3	2	24		20	28	2	31
29	Policemen, watchmen, and detectives.....	50				5		3	8	1	8
30	Soldiers, sailors, and marines (United States).....	34		2		8			1		
31	Others of this class.....	251	3	5	1	101	2	16	19		27
32	Laboring and servant.....	11,286	257	479	73	2,564	15	713	952	68	1,327
33	Laborers (not agricultural).....	9,997	241	437	67	2,153	12	640	819	57	1,184
34	Servants.....	1,289	16	42	6	411	3	73	133	11	143
35	Manufacturing and mechanical industry.....	1,992	42	70	25	363	3	178	202	11	203
36	Bakers and confectioners.....	30	1	1		9		2	2		
37	Blacksmiths.....	239	3	12	3	26	1	28	31	2	29
38	Boot and shoe makers.....	120		1	3	23		16	16		11
39	Brewers, distillers, and rectifiers.....										
40	Butchers.....	55	2	3		6		3	6		10
41	Cabinetmakers and upholsterers.....	20		1		8		3	1		1
42	Carpenters and joiners.....	438	10	14	6	67	1	41	43	2	41
43	Cigar makers and tobacco workers.....	109	1	3	2	32		10	10		12
44	Clock and watch repairers, jewelers, etc.....	3		1							
45	Compositors, printers, and pressmen.....	16	1	1		4					
46	Coopers.....	52		1		8		8	6		3
47	Engineers and firemen (not locomotive).....	139	8	3	1	31		8	12		16
48	Glass blowers and glass workers.....	4		1		1					1
49	Hat and cap makers.....	2						1			
50	Iron and steel workers.....	34		3		6			3	1	9
51	Leather makers.....	3		1		1			1		
52	Leather workers.....	7	1			1		1			
53	Machinists.....	22		1		2		3	2		2
54	Marble and stone cutters.....	10		1	1	4			1		1
55	Masons (brick and stone).....	171	7	2		32		16	25	1	12
56	Mill and factory operatives (textiles).....	31		2	1	8		2	3		1
57	Millers (flour and grist).....	9		1		2					1
58	Painters, glaziers, and varnishers.....	89	2	5	2	21	1	5	4	1	12
59	Plasterers and whitewashers.....	97	1	1	5	11		9	10		10
60	Plumbers, and gas and steam fitters.....	11		1		2		4			1
61	Tailors.....	24	1	1		6		2			3
62	Tinners and tinware makers.....	18	1	2		1			2		2
63	Others of this class.....	239	3	7	1	51		16	24	4	25
64	Agriculture, transportation, and other outdoor.....	18,785	831	1,255	183	3,232	34	1,004	1,216	32	2,562
65	Boatmen and canalmen.....	15		1		3		2			2
66	Draymen, hackmen, teamsters, etc.....	703	17	39	5	143	1	49	59	6	102
67	Farmers, planters, and farm laborers.....	15,990	774	1,138	166	2,685	33	845	1,011	18	2,210
68	Gardeners, florists, nurserymen, and vine growers.....	160	2	1	7	20		14	19	1	16
69	Livery stable keepers and hostlers.....	152	3	3	1	46		13	16		14
70	Lumbermen and raftsmen.....	40	2	2		9		1			5
71	Miners and quarrymen.....	428	3	21	2	76		13	25	2	52
72	Sailors, pilots, fishermen, and oystermen.....	301	5	8	2	70		26	23	2	29
73	Steam railroad employees.....	703	13	27		139		24	34	2	104
74	Stock raisers, herders, and drovers.....	44		2		7		2	7		6
75	Others of this class.....	249	12	13		34		15	22	1	22
76	All other occupations.....	183	2	2	1	55		16	20	2	23

OF COLORED MALES ENGAGED IN EACH OCCUPATION: CENSUS YEAR 1900.

THE UNITED STATES.

Other diseases of the respiratory system.	Diseases of the liver.	Other diseases of the digestive system.	Diseases of the urinary organs.	Diseases of the bones and joints.	Burns and scalds.	Suicide.	Other accidents and injuries.	CANCER.						All other causes.	Unknown cause.	
								Total.	Of stomach.	Of liver.	Of abdomen.	Of mouth, tongue, and throat.	Of other organs.			
777	374	1,152	1,712	63	96	79	3,092	273	82	30	11	15	135	6,110	1,403	1
10	3	26	28	2	1	1	23	6	2	1		1	2	81	13	2
7	3	21	15	1			6	4	2	1			1	54	8	3
1		1	1	1												4
1		1	1	1			3									5
1		1	2	1			5	1				1		7		6
		2	5	1	1	1	7	1					1	12	3	7
			2	2			2								1	8
4	3	13	9	2		2	11	3	1		1	1		31	3	9
4	2	8	7	1			9	1	1					16	2	10
	1	2	1			1		2				1		4		11
		3	1	1		1	2							5	1	12
														6		13
30	9	14	53		1	6	58	7	2	2			3	73	6	14
			2												1	15
7	3	3	12			1	8	3		1			2	13	2	16
1		2	4				3							3		17
22	6	9	35		1	4	47	4	2	1			1	57	3	18
3	1	1	3			1	9	1			1			14	5	19
		1														20
3	1		3			1	9	1			1			6	2	21
														8	3	22
26	15	31	74	3	1	5	42	13	4	4		1	4	100	20	23
11	7	14	81	2	1	1	18	6	1	2		1	2	45	6	24
5	2	9	19			1	4	2	1				1	23	1	25
3			4				7							7	4	26
	2	1	2				8	1	1					4	2	27
7	4	7	18	1		3	5	4	1	2			1	21	7	28
271	135	376	702	26	30	27	1,064	107	41	12	2	6	46	1,750	350	29
242	125	332	617	24	22	17	990	90	36	10	1	4	39	1,600	328	30
29	10	44	85	2	8	10	74	17	5	2	1	2	7	150	22	31
57	19	67	143	1	7	5	136	19	5	2	1	2	9	380	61	32
		3	2	1			2							6	1	33
4	3	7	11				12	1			1			54	12	34
5	1	6	7				3	3	1			1	1	23	2	35
																36
1		1	1				11							11		37
2			1												1	38
6	4	17	38		1	1	16	4	1				3	114	12	39
7	1	5	4				5							13	4	40
		2	1				1							2		41
3																42
5	1	1	4				4							3		43
1	1	6	8		4		18	3		1				9	2	44
							1							15	4	45
1		1	2			1	6	1					1			46
																47
																48
																49
																50
																51
																52
3			2			1	3	1				1		1	2	53
																54
4	1	2	15				13	2	1				1	30	9	55
		2					7							4	1	56
			1											3		57
2	3	3	4			1	9							12	2	58
4	1	2	16		1		2	1		1				21	2	59
																60
																61
1	1	1	3				3							3		62
8	2	5	17		1	1	18	3	2				1	48	5	63
369	188	617	689	29	55	32	1,732	116	27	9	6	3	71	3,668	941	64
																65
20	1	29	38	1	1	1	4	9	4	1			4	1	1	66
310	161	524	578	23	48	27	1,173	97	20	7	5	3	62	3,310	859	67
8	2	7	10	1			6	2		1			1	36	8	68
4		5	12				11		1		1			18	2	69
			1				15							4		70
6	4	9	7	1	1	2	155	3	1				2	35	11	71
8	3	10	15	1			60	3	1				2	27	8	72
9	1	24	21		4	1	196							82	22	73
1	1	2	2				2							10	3	74
3	1	8	5	2		1	56							43	11	75
7	1	7	11		1		17	1				1		13	4	76

TABLE 10.—DEATHS, FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, OF THE REGISTRATION RECORD.

	OCCUPATIONS.	All causes.	Malarial fever.	Typhoid fever.	Rheumatism.	Consumption.	Diabetes.	Diseases of the nervous system.	Diseases of the heart.	Other diseases of the circulatory system.	Pneumonia.
1	All occupations.....	9,087	138	289	47	2,247	16	677	940	104	1,043
2	Professional.....	179	4	4	1	46		19	22		22
3	Architects, artists and teachers of art, etc.....	1									
4	Clergymen.....	82	2	2		17		13	11		5
5	Engineers and surveyors.....	2									
6	Journalists.....	4				1		1			1
7	Lawyers.....	39		1	1	14		1	6		5
8	Musicians and teachers of music.....	19	1			3		2	1		4
9	Physicians and surgeons.....	17	1			6		2	1		4
10	Teachers (school).....	15		1		5			3		2
11	Others of this class.....										
12	Clerical and official.....	87	3	2		27		6	4	2	2
13	Bookkeepers, clerks, and copyists.....	66	2	2		23		4	2	2	2
14	Bankers, brokers, and officials of companies.....	2									
15	Collectors, auctioneers, and agents.....	15	1			1		2	1		
16	Others of this class.....	4				3			1		
17	Mercantile and trading.....	503	7	11	3	145	1	35	40	11	68
18	Apothecaries, pharmacists, etc.....	8				4				1	
19	Commercial travelers.....										
20	Merchants and dealers.....	82	2	2		13	1	8	8	1	11
21	Hucksters and peddlers.....	28				11		3	3		2
22	Others of this class.....	385	5	9	3	117		24	29	9	55
23	Public entertainment.....	47	2			11		4	2	3	10
24	Hotel and boarding-house keepers.....	2				1					
25	Saloon keepers, liquor dealers, bartenders, and restaurant keepers.....	45	2			10		4	2	3	10
26	Personal service, police, and military.....	567		12	2	169	4	52	65	7	66
27	Barbers and hairdressers.....	192		5	1	50	2	22	23	4	17
28	Janitors and sextons.....	126		3	1	19		15	19	2	21
29	Policemen, watchmen, and detectives.....	20						2	4	1	2
30	Soldiers, sailors, and marines (United States).....	20		2		5			1		3
31	Others of this class.....	209		2		95	2	13	18		23
32	Laboring and servant.....	5,797	90	202	27	1,407	8	386	610	63	675
33	Laborers (not agricultural).....	4,974	83	175	24	1,141	6	337	513	52	580
34	Servants.....	823	7	27	3	266	2	49	97	11	95
35	Manufacturing and mechanical industry.....	760	17	17	8	158	2	79	78	8	74
36	Bakers and confectioners.....	18		1		6		1	2		
37	Blacksmiths.....	37		1		4		5	3	1	7
38	Boot and shoe makers.....	62			1	16		7	10		7
39	Brewers, distillers, and rectifiers.....										
40	Butchers.....	23	2	2		2		3	2		5
41	Cabinetmakers and upholsterers.....	13		1		6		1	1		
42	Carpenters and joiners.....	121	3	3	1	19	1	15	14		7
43	Cigar makers and tobacco workers.....	45	1	2	1	14		4	3		6
44	Clock and watch repairers, jewelers, etc.....										
45	Compositors, printers, and pressmen.....	10	1			3					
46	Coopers.....	24				2		7	2		1
47	Engineers and firemen (not locomotive).....	54	2	1		16		4	7		8
48	Glass blowers and glass workers.....	2				1					
49	Hat and cap makers.....	2						1			
50	Iron and steel workers.....	19		1		4				1	6
51	Leather makers.....	1							1		
52	Leather workers.....	2						1			
53	Machinists.....	10		1		2		1	1		
54	Marble and stone cutters.....	3				2					
55	Masons (brick and stone).....	59	2	1		9		6	11	1	4
56	Mill and factory operatives (textiles).....	13				3			1		1
57	Millers (flour and grist).....										
58	Painters, glaziers, and varnishers.....	48	2			11	1	3	2	1	8
59	Plasterers and whitewashers.....	54	1		4	9		6	4		3
60	Plumbers, and gas and steam fitters.....	3				1		2			
61	Tailors.....	16	1			5		2			1
62	Tinners and tinware makers.....	5		1					2		
63	Others of this class.....	116	2	2	1	23		10	12	4	10
64	Agriculture, transportation, and other outdoor.....	1,040	15	39	6	250	1	84	103	9	114
65	Boatmen and canalmen.....	8		1		3					2
66	Draymen, hackmen, teamsters, etc.....	336	6	17		86	1	23	34	5	43
67	Farmers, planters, and farm laborers.....	286	4	9	5	60		22	24	2	25
68	Gardeners, florists, nurserymen, and vine growers.....	48	1		1	13		5	10		5
69	Livery stable keepers and hostlers.....	85		3		29		8	11		5
70	Lumbermen and raftsmen.....	4	1			1					
71	Miners and quarrymen.....	27		1		6		1	3		4
72	Sailors, pilots, fishermen, and oystermen.....	116	1	3		34		12	9	1	13
73	Steam railroad employees.....	96	1	1		15		6	8	1	13
74	Stock raisers, herders, and drovers.....	5						1	2		1
75	Others of this class.....	29	1	4		3		6	2		3
76	All other occupations.....	107		2		34		12	16	1	12

OCCUPATIONS—MALES.

213

COLORED MALES ENGAGED IN EACH OCCUPATION: CENSUS YEAR 1900—Continued.

THE REGISTRATION RECORD.

Other diseases of the respiratory system.	Diseases of the liver.	Other diseases of the digestive system.	Diseases of the urinary organs.	Diseases of the bones and joints.	Burns and scalds.	Suicide.	Other accidents and injuries.	CANCER.						All other causes.	Unknown cause.	
								Total.	Of stomach.	Of liver.	Of abdomen.	Of mouth, tongue, and throat.	Of other organs.			
258	110	310	805	27	23	37	671	119	45	18	5	10	41	1,130	96	1
2		8	16				5	3		1		1	1	23	4	2
			7	1				2		1			1	13	2	3
			1	1											1	4
			1	1			2									5
			1	1			2									6
1		1	1	1			2							6		7
1			2	1			2	1				1		3		8
			2	2			1							1		9
			2	2											1	10
1	3	6	7	1		1	5	2	1			1		14	1	11
1	2	4	6	1			5	1	1					8	1	12
	1	2	1			1	1	1				1		2		13
														4		14
																15
23	5	9	47		1	6	37	7	2	2			3	44	3	16
			2													17
															1	18
6	1	2	10			1	3	3		1			2	9	1	19
1		1	4			1	1							1		20
16	4	6	31		1	4	33	4	2	1			1	34	1	21
																22
2	1		2			1	3	1			1			3	2	23
																24
2	1		2			1	3	1			1			3	1	25
																26
16	7	19	56	3	1	3	17	9	3	3			3	55	4	27
																28
7	2	6	21	2	1	1	3	2		1			1	22	1	29
3	1	9	14				3	2	1					14		30
1			3				3							3		31
			2				2	1	1	2			1	13	2	32
5	4	4	16	1		2	5	4								33
																34
158	76	199	501	19	14	20	450	70	28	11	2	5	24	764	58	35
																36
138	69	170	436	17	9	12	413	58	24	9	1	3	21	687	54	37
20	7	29	65	2	5	8	37	12	4	2	1	2	3	77	4	38
																39
25	7	27	77	1	1	3	49	11	4		1	2	4	112	6	40
																41
		1	2	1			2				1			2		42
		1	1	5			1	3	1			1	1	10	1	43
4	1	1												5		44
																45
		1	1				2							3		46
2			1													47
1	1	6	16				4	1					1	29		48
1		3	3				2							4	1	49
																50
2		2												2		51
4		1	2				6							2		52
			4				1							5		53
																54
		1	1													55
																56
		2					4							2		57
		2	4			1	4							2		58
	1	1	14		1		2							8		59
																60
		1	2				1							2		61
7	1	4	10				1							1		62
							6	3	2				1	20	1	63
27	11	37	90	3	6	3	98	15	7	1	1		6	111	18	64
																65
																66
12	5	12	23		1	1	26	5	2	1			2	34	2	67
4	4	9	36	1	1	2	14	6	3				3	48	10	68
4			3											4		69
																70
4		4	7				3	2	1		1			9		71
			1													72
1	2	3	13	1	1		9	2	1				1	6		73
																74
2		5	5		3		30							4	2	75
																76
			1				1							5		77
																78
4		5	9				7	1				1		4		79

TABLE 10.—DEATHS, FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, OF
REGISTRATION CITIES.

	OCCUPATIONS.	All causes.	Malarial fever.	Typhoid fever.	Rheumatism.	Consumption.	Diabetes.	Diseases of the nervous system.	Diseases of the heart.	Other diseases of the circulatory system.	Pneumonia.
1	All occupations.....	8,628	134	283	41	2,139	15	639	874	102	1,001
2	Professional.....	163	4	4	1	41		18	20		21
3	Architects, artists and teachers of art, etc.....	7									
4	Clergymen.....	75	2	2		16		12	10		5
5	Engineers and surveyors.....	1									
6	Journalists.....	2						1			1
7	Lawyers.....	4				1					1
8	Musicians and teachers of music.....	36		1	1	12		1	5		5
9	Physicians and surgeons.....	17	1			3		2	1		4
10	Teachers (school).....	14	1			5		2	1		3
11	Others of this class.....	14		1		4			3		2
12	Clerical and official.....	85	3	2		27		6	4	2	2
13	Bookkeepers, clerks, and copyists.....	64	2	2		23		4	2	2	2
14	Bankers, brokers, and officials of companies.....	2									
15	Collectors, auctioneers, and agents.....	15	1			1		2	1		
16	Others of this class.....	4				3			1		
17	Mercantile and trading.....	501	7	11	3	144	1	35	40	11	68
18	Apothecaries, pharmacists, etc.....	8				4				1	
19	Commercial travelers.....										
20	Merchants and dealers.....	82	2	2		13	1	8	8	1	11
21	Hucksters and peddlers.....	28				11		3	3		2
22	Others of this class.....	383	5	9	3	116		24	29	9	55
23	Public entertainment.....	45	2			10		4	2	3	10
24	Hotel and boarding-house keepers.....	2				1					
25	Saloon keepers, liquor dealers, bartenders, and restaurant keepers.....	43	2			9		4	2	3	10
26	Personal service, police, and military.....	548		12	2	165	3	51	60	7	66
27	Barbers and hairdressers.....	177		5	1	48	1	22	18	4	17
28	Janitors and sextons.....	125		3	1	19		14	19	2	21
29	Policemen, watchmen, and detectives.....	19						2	4	1	2
30	Soldiers, sailors, and marines (United States).....	19		2		4			1		3
31	Others of this class.....	208		2		94	2	13	18		23
32	Laboring and servant.....	5,548	88	199	26	1,348	8	368	573	62	642
33	Laborers (not agricultural).....	4,761	81	172	23	1,094	6	322	480	51	555
34	Servants.....	787	7	27	3	254	2	46	93	11	87
35	Manufacturing and mechanical industry.....	728	17	17	7	150	2	77	73	8	73
36	Bakers and confectioners.....	18		1		6		1	2		
37	Blacksmiths.....	33		1		4		4	2	1	7
38	Boot and shoe makers.....	61			1	16		7	10		7
39	Brewers, distillers, and rectifiers.....										
40	Butchers.....	23	2	2		2		3	2		5
41	Cabinetmakers and upholsterers.....	13		1		6		1	1		
42	Carpenters and joiners.....	117	3	3		19	1	15	13		7
43	Cigar makers and tobacco workers.....	45	1	2	1	14		4	3		6
44	Clock and watch repairers, jewelers, etc.....										
45	Compositors, printers, and pressmen.....	9	1			3					
46	Coopers.....	23				2		7	1		1
47	Engineers and firemen (not locomotive).....	52	2	1		15		4	7		8
48	Glass blowers and glass workers.....										
49	Hat and cap makers.....	1						1			
50	Iron and steel workers.....	19		1		4				1	6
51	Leather makers.....	1							1		
52	Leather workers.....	2						1			
53	Machinists.....	10		1		2		1	1		
54	Marble and stone cutters.....	2				1					
55	Masons (brick and stone).....	56	2	1		8		6	10	1	4
56	Mill and factory operatives (textiles).....	12				3			1		1
57	Millers (flour and grist).....										
58	Painters, glaziers, and varnishers.....	46	2			10	1	3	2	1	8
59	Plasterers and whitewashers.....	51	1		4	9		6	3		3
60	Plumbers, and gas and steam fitters.....	3				1		2			
61	Tailors.....	16	1			5		2			1
62	Tinners and tinware makers.....	5		1					2		
63	Others of this class.....	110	2	2	1	20		9	12	4	9
64	Agriculture, transportation, and other outdoor.....	905	13	36	2	221	1	69	86	8	107
65	Boatmen and canalmen.....	6		1		2					2
66	Draymen, hackmen, teamsters, etc.....	327	5	17		84	1	23	34	5	42
67	Farmers, planters, and farm laborers.....	189	4	6		39		12	11	1	20
68	Gardeners, florists, nurserymen, and vine growers.....	45			1	13		5	8		5
69	Livery stable keepers and hostlers.....	76		3		25		7	10		5
70	Lumbermen and raftsmen.....	3	1			1					
71	Miners and quarrymen.....	26		1		6		1	3		4
72	Sailors, pilots, fishermen, and oystermen.....	109	1	3		34		9	9	1	13
73	Steam railroad employees.....	93	1	1		15		5	8	1	13
74	Stock raisers, herders, and drovers.....	5						1	2		1
75	Others of this class.....	26	1	4		2		6	1		2
76	All other occupations.....	105		2		33		11	16	1	12

OCCUPATIONS—MALES.

215

COLORED MALES ENGAGED IN EACH OCCUPATION: CENSUS YEAR 1900—Continued.

REGISTRATION CITIES.

Other diseases of the respiratory system.	Diseases of the liver.	Other diseases of the digestive system.	Diseases of the urinary organs.	Diseases of the bones and joints.	Burns and scalds.	Suicide.	Other accidents and injuries.	CANCER.						All other causes.	Unknown cause.	
								Total.	Of stomach.	Of liver.	Of abdomen.	Of mouth, tongue, and throat.	Of other organs.			
247	107	294	757	27	22	36	626	116	44	18	5	9	40	1,078	90	1
1		7	14				5	2		1			1	21	4	2
		6	17					2		1			1	11	2	3
			1													4
			1													5
			1													6
1		1	1				2							6		7
			1				2							3		8
			1											1		9
			2				1								1	10
1	3	6	6	1		1	4	2	1			1		14	1	11
1	2	4	5	1			4	1	1					8	1	12
	1	2	1			1		1				1		2		13
														4		14
																15
22	5	9	47		1	6	37	7	2	2			3	44	3	16
			2													17
															1	18
6	1	2	10			1	3	3		1			2	9	1	19
1		1	4			1	1							1		20
15	4	6	31		1	4	33	4	2	1			1	34	1	21
																22
2			2			1	3	1			1			3	2	23
																24
2			2			1	3	1			1			3	1	25
																26
16	7	18	52	3	1	3	16	9	3	3			3	53	4	27
7	2	5	17	2	1	1	3	2		1			1	20	1	28
3	1	9	14				3	2	1					14		29
1			3				2							3	1	30
			2				3	1	1					3		31
5	4	4	16	1		2	5	4	1	2			1	13	2	32
150	75	191	480	19	13	20	428	68	27	11	2	5	23	735	55	33
131	68	163	418	17	8	12	394	56	23	9	1	3	20	659	51	34
19	7	28	62	2	5	8	34	12	4	2	1	2	3	76	4	35
25	7	26	74	1	1	3	44	11	4		1	2	4	107	6	36
		1	2	1			2							2		37
			1				4	1			1			8		38
4	1	1	5				1	3	1			1	1	4	1	39
																40
		1	1				2							3		41
2			1												1	42
1	1	6	15				4	1					1	28		43
1		3	3				2							4	1	44
																45
2		1												2		46
4		1	2				2							2	1	47
			4				5							5	1	48
																49
1			1			1	4									50
																51
			1													52
2			1			1		1				1				53
														1		54
1		1	9				2	2	1				1	9		55
		2					3							2		56
																57
	2	2	3			1								7		58
	1	1	13		1		2							7		59
																60
	1	1	2				1							2		61
7	1	4	10				5	3	2				1	1		62
														20	1	63
26	10	33	73	3	6	2	82	15	7	1	1		6	97	15	64
														1		65
12	5	11	22		1	1	24	5	2	1			2	33	2	66
3	3	6	23	1	1	1	7	6	3				3	37	1	67
4			3	1										4		68
																69
4		4	6				2	2	1		1			8		70
		1	1				8								1	71
1	2	3	13	1	1		11	2	1				1	5		72
2		5	4		3		29							4	2	73
														1		74
		3	1				1							5		75
4		5	9				7	1				1		4		76

TABLE 10.—DEATHS, FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, OF
REGISTRATION STATES.

	OCCUPATIONS.	All causes.	Malarial fever.	Typhoid fever.	Rheumatism.	Consumption.	Diabetes.	Diseases of the nervous system.	Diseases of the heart.	Other diseases of the circulatory system.	Pneumonia.
1	All occupations.....	2,266	11	68	11	605	5	200	300	26	236
2	Professional.....	60				18		7	10		5
3	Architects, artists and teachers of art, etc.....	1									
4	Clergymen.....	26				5		5	5		
5	Engineers and surveyors.....										
6	Journalists.....										
7	Lawyers.....										
8	Musicians and teachers of music.....	18				8			4		3
9	Physicians and surgeons.....	4						1	1		
10	Teachers (school).....	7				2		1			2
11	Others of this class.....	4				3					
12	Clerical and official.....	38	2	2		8		3	2	1	1
13	Bookkeepers, clerks, and copyists.....	31	2	2		7		2	2	1	1
14	Bankers, brokers, and officials of companies.....	2									
15	Collectors, auctioneers, and agents.....	5				1		1			
16	Others of this class.....										
17	Mercantile and trading.....	135		2		43		9	15	5	18
18	Apothecaries, pharmacists, etc.....	4				1				1	
19	Commercial travelers.....										
20	Merchants and dealers.....	9				2			1		1
21	Hucksters and peddlers.....	7				3		1	1		
22	Others of this class.....	115		2		37		8	13	4	17
23	Public entertainment.....	15				7			2		3
24	Hotel and boardinghouse keepers.....	1				1					
25	Saloon keepers, liquor dealers, bartenders, and restaurant keepers.....	14				6			2		3
26	Personal service, police, and military.....	225		5		70	3	23	23	5	28
27	Barbers and hairdressers.....	51		2		7	1	7	7	3	4
28	Janitors and sextons.....	47		3		4		9	4	1	12
29	Policemen, watchmen, and detectives.....	9							3	1	
30	Soldiers, sailors, and marines (United States).....	8				2			1		2
31	Others of this class.....	110				57	2	7	8		10
32	Laboring and servant.....	1,287	7	44	5	322	2	107	182	12	134
33	Laborers (not agricultural).....	950	5	30	5	218	1	84	142	7	93
34	Servants.....	337	2	14		104	1	23	40	5	41
35	Manufacturing and mechanical industry.....	162		4	1	40		15	18	1	19
36	Bakers and confectioners.....	2				1					
37	Blacksmiths.....	9				1		2	3		
38	Boot and shoe makers.....	16				3		2	2		2
39	Brewers, distillers, and rectifiers.....										
40	Butchers.....	4		1					1		1
41	Cabinetmakers and upholsterers.....	6				5		1			
42	Carpenters and joiners.....	19		1	1	4		3	2		1
43	Cigar makers and tobacco workers.....	7				2		3			3
44	Clock and watch repairers, jewelers, etc.....										
45	Compositors, printers, and pressmen.....	5				2					
46	Coopers.....	4				1			1		
47	Engineers and firemen (not locomotive).....	12				5			3		1
48	Glass blowers and glass workers.....	2				1					
49	Hat and cap makers.....	1									
50	Iron and steel workers.....	1				1					
51	Leather makers.....										
52	Leather workers.....										
53	Machinists.....	4		1		1			1		
54	Marble and stone cutters.....	1				1					
55	Masons (brick and stone).....	14		1		3		1	2		3
56	Mill and factory operatives (textiles).....	2									
57	Millers (flour and grist).....										
58	Painters, glaziers, and varnishers.....	9				1		1		1	2
59	Plasterers and whitewashers.....	16				1		1	1		1
60	Plumbers, and gas and steam fitters.....										
61	Tailors.....	3				1		1			1
62	Tinners and tinware makers.....	2							2		
63	Others of this class.....	23				6		3			4
64	Agriculture, transportation, and other outdoor.....	309	2	10	5	86		31	41	2	26
65	Boatmen and canalmen.....	4				2					
66	Draymen, hackmen, teamsters, etc.....	68	1	4		23		2	10	1	10
67	Farmers, planters, and farm laborers.....	133		4	4	30		13	16	1	8
68	Gardeners, florists, nurserymen, and vine growers.....	19	1		1	5		1	5		2
69	Livery stable keepers and hostlers.....	42		2		16		5	7		2
70	Lumbermen and raftsmen.....	1									
71	Miners and quarrymen.....	5				2					
72	Sailors, pilots, fishermen, and oystermen.....	23				6		6	1		2
73	Steam railroad employees.....	9				1		2	1		1
74	Stock raisers, herders, and drovers.....										
75	Others of this class.....	5				1		2	1		1
76	All other occupations.....	35		1		11		5	7		2

217

REGISTRATION STATES.

[illegible]

TABLE 10.—DEATHS, FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, OF
CITIES IN REGISTRATION STATES.

	OCCUPATIONS.	All causes.	Malarial fever.	Typhoid fever.	Rheumatism.	Consumption.	Diabetes.	Diseases of the nervous system.	Diseases of the heart.	Other diseases of the circulatory system.	Pneumonia.
1	All occupations.....	1,807	7	62	5	497	4	162	234	24	194
2	Professional.....	44				13		6	8		4
3	Architects, artists and teachers of art, etc.....	1									
4	Clergymen.....	19				4		4	4		
5	Engineers and surveyors.....										
6	Journalists.....										
7	Lawyers.....										
8	Musicians and teachers of music.....	15				6			3		3
9	Physicians and surgeons.....	2						1	1		
10	Teachers (school).....	4				1		1			1
11	Others of this class.....	3				2					
12	Clerical and official.....	36	2	2		8		3	2	1	1
13	Bookkeepers, clerks, and copyists.....	29	2	2		7		2	2	1	1
14	Bankers, brokers, and officials of companies.....	2									
15	Collectors, auctioneers, and agents.....	5				1		1			
16	Others of this class.....										
17	Mercantile and trading.....	133		2		42		9	15	5	18
18	Apothecaries, pharmacists, etc.....	4				1				1	
19	Commercial travelers.....										
20	Merchants and dealers.....	9				2			1		1
21	Hucksters and peddlers.....	7				3		1	1		
22	Others of this class.....	113		2		36		8	13	4	17
23	Public entertainment.....	13				6			2		3
24	Hotel and boarding-house keepers.....	1				1					
25	Saloon keepers, liquor dealers, bartenders, and restaurant keepers.....	12				5			2		3
26	Personal service, police, and military.....	206		5		66	2	22	18	5	28
27	Barbers and hairdressers.....	36		2		5		7	2	3	4
28	Janitors and sextons.....	46		3		4		8	4	1	12
29	Policemen, watchmen, and detectives.....	8							3	1	
30	Soldiers, sailors, and marines (United States).....	7		1		1		1			2
31	Others of this class.....	109				56	2	7	8		10
32	Laboring and servant.....	1,038	5	41	4	263	2	89	145	11	101
33	Laborers (not agricultural).....	737	3	27	4	171	1	69	109	6	68
34	Servants.....	301	2	14		92	1	20	36	5	33
35	Manufacturing and mechanical industry.....	130		4		32		13	13	1	18
36	Bakers and confectioners.....	2				1					
37	Blacksmiths.....	5				1		1	2		
38	Boot and shoe makers.....	15				3		2	2		2
39	Brewers, distillers, and rectifiers.....										
40	Butchers.....	4		1					1		1
41	Cabinetmakers and upholsterers.....	6				5		1			
42	Carpenters and joiners.....	15		1		4		3	1		1
43	Cigar makers and tobacco workers.....	7				2					3
44	Clock and watch repairers, jewelers, etc.....										
45	Compositors, printers, and pressmen.....	4				2					
46	Coopers.....	3				1					
47	Engineers and firemen (not locomotive).....	10				4			3		1
48	Glass blowers and glass workers.....										
49	Hat and cap makers.....										
50	Iron and steel workers.....	1				1					
51	Leather makers.....										
52	Leather workers.....										
53	Machinists.....	4		1		1			1		
54	Marble and stone cutters.....										
55	Masons (brick and stone).....	11		1		2		1	1		3
56	Mill and factory operatives (textiles).....	1									
57	Millers (flour and grist).....										
58	Painters, glaziers, and varnishers.....	7								1	2
59	Plasterers and whitewashers.....	13				1		1			1
60	Plumbers, and gas and steam fitters.....										
61	Tailors.....	3				1		1			1
62	Tinners and tinware makers.....	2							2		
63	Others of this class.....	17				3		2			3
64	Agriculture, transportation, and other outdoor.....	174		7	1	57		16	24	1	19
65	Boatmen and canalmen.....	2				1					
66	Draymen, hackmen, teamsters, etc.....	59		4		21		2	10	1	9
67	Farmers, planters, and farm laborers.....	36		1		9		3	3		3
68	Gardeners, florists, nurserymen, and vine growers.....	16			1	5		1	3		2
69	Livery stable keepers and hostlers.....	33		2		12		4	6		2
70	Lumbermen and raftsmen.....										
71	Miners and quarrymen.....	4				2					
72	Sailors, pilots, fishermen, and oystermen.....	16				6		3	1		2
73	Steam railroad employees.....	6				1		1	1		1
74	Stock raisers, herders, and drovers.....										
75	Others of this class.....	2						2			
76	All other occupations.....	33		1		10		4	7		2

OCCUPATIONS—MALES.

219

COLORED MALES ENGAGED IN EACH OCCUPATION: CENSUS YEAR 1900—Continued.

CITIES IN REGISTRATION STATES.

[illegible]

TABLE 10.—DEATHS, FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, OF
RURAL PART OF REGISTRATION STATES.

	OCCUPATIONS.	All causes.	Malarial fever.	Typhoid fever.	Rheumatism.	Consumption.	Diabetes.	Diseases of the nervous system.	Diseases of the heart.	Other diseases of the circulatory system.	Pneumonia.
1	All occupations.....	459	4	6	6	108	1	38	66	2	42
2	Professional.....	16				5		1	2		1
3	Architects, artists and teachers of art, etc.....										
4	Clergymen.....	7				1		1	1		
5	Engineers and surveyors.....										
6	Journalists.....										
7	Lawyers.....										
8	Musicians and teachers of music.....	3				2			1		
9	Physicians and surgeons.....	2									
10	Teachers (school).....	3				1					1
11	Others of this class.....	1				1					
12	Clerical and official.....	2									
13	Bookkeepers, clerks, and copyists.....	2									
14	Bankers, brokers, and officials of companies.....										
15	Collectors, auctioneers, and agents.....										
16	Others of this class.....										
17	Mercantile and trading.....	2				1					
18	Apothecaries, pharmacists, etc.....										
19	Commercial travelers.....										
20	Merchants and dealers.....										
21	Hucksters and peddlers.....										
22	Others of this class.....	2				1					
23	Public entertainment.....	2				1					
24	Hotel and boarding-house keepers.....										
25	Saloon keepers, liquor dealers, bartenders, and restaurant keepers.....	2				1					
26	Personal service, police, and military.....	19				4	1	1	5		
27	Barbers and hairdressers.....	15				2	1		5		
28	Janitors and sextons.....	1						1			
29	Policemen, watchmen, and detectives.....	1									
30	Soldiers, sailors, and marines (United States).....	1				1					
31	Others of this class.....	1				1					
32	Laboring and servant.....	249	2	3	1	59		18	37	1	33
33	Laborers (not agricultural).....	213	2	3	1	47		15	33	1	25
34	Servants.....	36				12		3	4		8
35	Manufacturing and mechanical industry.....	32			1	8		2	5		1
36	Bakers and confectioners.....										
37	Blacksmiths.....	4						1	1		
38	Boot and shoe makers.....	1									
39	Brewers, distillers, and rectifiers.....										
40	Butchers.....										
41	Cabinetmakers and upholsterers.....										
42	Carpenters and joiners.....	4			1				1		
43	Cigar makers and tobacco workers.....										
44	Clock and watch repairers, jewelers, etc.....										
45	Compositors, printers, and pressmen.....	1									
46	Coopers.....	1							1		
47	Engineers and firemen (not locomotive).....	2				1					
48	Glass blowers and glassworkers.....	2				1					
49	Hat and cap makers.....	1									
50	Iron and steel workers.....										
51	Leather makers.....										
52	Leather workers.....										
53	Machinists.....										
54	Marble and stone cutters.....	1				1					
55	Masons (brick and stone).....	3				1			1		
56	Mill and factory operatives (textiles).....	1									
57	Millers (flour and grist).....										
58	Painters, glaziers, and varnishers.....	2				1					
59	Plasterers and whitewashers.....	3							1		
60	Plumbers, and gas and steam fitters.....										
61	Tailors.....										
62	Tinners and tinware makers.....										
63	Others of this class.....	6				3		1			1
64	Agriculture, transportation, and other outdoor.....	135	2	3	4	29		15	17	1	7
65	Boatmen and canalmen.....	2				1					
66	Draymen, hackmen, teamsters, etc.....	9	1			2					1
67	Farmers, planters, and farm laborers.....	97		3	4	21		10	13	1	5
68	Gardeners, florists, nurserymen, and vine growers.....	3	1						2		
69	Livery stable keepers and hostlers.....	9				4		1	1		
70	Lumbermen and raftsmen.....	1									
71	Miners and quarrymen.....	1									
72	Sailors, pilots, fishermen, and oystermen.....	7						3			
73	Steam railroad employees.....	3						1			
74	Stock raisers, herders, and drovers.....										
75	Others of this class.....	3				1			1		1
76	All other occupations.....	2				1		1			

221

RURAL PART OF REGISTRATION STATES.

TABLE 10.—DEATHS, FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, OF
REGISTRATION CITIES IN OTHER STATES.

	OCCUPATIONS.	All causes.	Malarial fever.	Typhoid fever.	Rheumatism.	Consumption.	Diabetes.	Diseases of the nervous system.	Diseases of the heart.	Other diseases of the circulatory system.	Pneumonia.
1	All occupations.....	6,821	127	221	36	1,642	11	477	640	78	807
2	Professional.....	119	4	4	1	28		12	12		17
3	Architects, artists and teachers of art, etc.....	56	2	2		12		8	6		5
4	Clergymen.....	2						1			1
5	Engineers and surveyors.....	4				1					1
6	Journalists.....	21		1	1	6		1	2		2
7	Lawyers.....	15	1			3		1			4
8	Musicians and teachers of music.....	10	1			4		1	1		2
9	Physicians and surgeons.....	11		1		2		3			2
10	Teachers (school).....										
11	Others of this class.....	49	1			19		3	2	1	1
12	Clerical and official.....	35				16		2		1	1
13	Bookkeepers, clerks, and copyists.....	10	1					1	1		
14	Bankers, brokers, and officials of companies.....	4				3			1		
15	Collectors, auctioneers, and agents.....										
16	Others of this class.....	368	7	9	3	102	1	26	25	6	50
17	Mercantile and trading.....	4				3					
18	Apothecaries, pharmacists, etc.....	73	2	2		11	1	8	7	1	10
19	Commercial travelers.....	21				8		2	2		2
20	Merchants and dealers.....	270	5	7	3	80		16	16	5	38
21	Hucksters and peddlers.....										
22	Others of this class.....	32	2			4		4		3	7
23	Public entertainment.....	1									
24	Hotel and boarding-house keepers.....	31	2			4		4		3	7
25	Saloon keepers, liquor dealers, bartenders, and restaurant keepers.....										
26	Personal service, police, and military.....	342		7	2	99	1	29	42	2	38
27	Barbers and hairdressers.....	141		3	1	43	1	15	16	1	13
28	Janitors and sextons.....	79			1	15		6	15	1	9
29	Policemen, watchmen, and detectives.....	11						2	1		2
30	Soldiers, sailors, and marines (United States).....	12		2		3					1
31	Others of this class.....	99		2	2	38		6	10		13
32	Laboring and servant.....	4,510	83	158	22	1,085	6	279	428	51	541
33	Laborers (not agricultural).....	4,024	78	145	19	923	5	253	371	45	487
34	Servants.....	486	5	13	3	162	1	26	57	6	54
35	Manufacturing and mechanical industry.....	598	17	13	7	118	2	64	60	7	55
36	Bakers and confectioners.....	16		1		5		1	2		
37	Blacksmiths.....	28		1		3		3		1	7
38	Boot and shoe makers.....	46			1	13		5	8		5
39	Brewers, distillers, and rectifiers.....										
40	Butchers.....	19	2	1		2		3	1		4
41	Cabinetmakers and upholsterers.....	7		1		1			1		
42	Carpenters and joiners.....	102	3	2		15	1	12	12		6
43	Cigar makers and tobacco workers.....	38	1	2	1	12		4	3		3
44	Clock and watch repairers, jewelers, etc.....										
45	Compositors, printers, and pressmen.....	5	1			1					
46	Coopers.....	20				1		7	1		1
47	Engineers and firemen (not locomotive).....	42	2	1		11		4	4		7
48	Glass blowers and glass workers.....										
49	Hat and cap makers.....	1						1			
50	Iron and steel workers.....	18		1		3				1	6
51	Leather makers.....	1							1		
52	Leather workers.....	2						1			
53	Machinists.....	6				1		1			
54	Marble and stone cutters.....	2				1					
55	Masons (brick and stone).....	45	2			6		5	9	1	1
56	Mill and factory operatives (textiles).....	11				3			1		1
57	Millers (flour and grist).....							2			
58	Painters, glaziers, and varnishers.....	39	2			10	1	2	2		6
59	Plasterers and whitewashers.....	38	1		4	8	1	5	3		2
60	Plumbers, and gas and steam fitters.....	3				1		2			
61	Tailors.....	13	1			4		1			
62	Tinners and tinware makers.....	3		1							
63	Others of this class.....	93	2	2	1	17		7	12	4	6
64	Agriculture, transportation, and other outdoor.....	731	13	29	1	164	1	53	62	7	88
65	Boatmen and canalmen.....	4		1		1					2
66	Draymen, hackmen, teamsters, etc.....	268	5	13		63	1	21	24	4	33
67	Farmers, planters, and farm laborers.....	153	4	5	1	30		9	8	1	17
68	Gardeners, florists, nurserymen, and vine growers.....	29				8		4	5		3
69	Livery stable keepers and hostlers.....	43		1		13		3	4		3
70	Lumbermen and raftsmen.....	3	1			1					
71	Miners and quarrymen.....	22		1		4		1	3		4
72	Sailors, pilots, fishermen, and oystermen.....	93	1	3		28		6	8	1	11
73	Steam railroad employees.....	87	1	1		14		4	7	1	12
74	Stock raisers, herders, and drovers.....	5						1	2		1
75	Others of this class.....	24	1	4		2		4	1		2
76	All other occupations.....	72		1		23		7	9	1	10

OCCUPATIONS—MALES.

223

COLORED MALES ENGAGED IN EACH OCCUPATION: CENSUS YEAR 1900—Continued.

REGISTRATION CITIES IN OTHER STATES.

Other diseases of the respiratory system.	Diseases of the liver.	Other diseases of the digestive system.	Diseases of the urinary organs.	Diseases of the bones and joints.	Burns and scalds.	Suicide.	Other accidents and injuries.	CANCER.						All other causes.	Unknown cause.	
								Total.	Of stomach.	Of liver.	Of abdomen.	Of mouth, tongue, and throat.	Of other organs.			
193	91	222	596	15	16	32	519	88	32	12	5	5	34	923	87	1
		5	12				3	1		1				16	4	2
		4	6					1		1				8	2	3
			1													4
			1													5
		1	1				1							5		6
			1				2							3		7
			1													8
			2												1	9
1	1	3	5			1	3	1	1					6	1	10
1		2	4				3	1	1					3	1	11
	1	1	1			1								3		12
																13
13	3	6	36		1	5	30	7	2	2			3	35	3	14
																15
8	1	1	9			1	3	3		1			2	9	1	16
10	2	4	23		1	4	26	4	2	1			1	25	1	17
2			1				3	1			1			3	2	18
																19
2			1				3	1			1			3	1	20
																21
12	4	12	28	1	1	3	12	8	2	3			3	38	3	22
7	2	3	11	1	1	1	2	2		1			1	17	1	23
2	1	6	8				3	2	1					10		24
1			1				1							3		25
2	1	8	7			2	4	3		2			1	6	2	26
122	67	143	390	11	9	18	352	49	19	5	2	3	20	643	53	27
111	63	127	355	10	7	11	327	44	17	5	1	3	18	593	50	28
11	4	16	35	1	2	7	25	5	2		1		2	50	3	29
21	6	20	60			3	37	7	3		1	1	2	95	6	30
		1	2				2							2		31
			1				3	1			1			8		32
4	1	1	3				1	1	1					2	1	33
																34
		1	1				1							3		35
2			1													36
1	1	5	15				3	5						26	1	37
1		2	2				2	2						4		38
																39
1														2		40
3			2				2							4		41
			4				4							2		42
																43
																44
																45
																46
																47
																48
1			1			1	4									49
																50
			1				1					1				51
1			1			1		1						1		52
																53
1		1	8				2	1					1	8		54
		2	2				2							2		55
	1	2	3			1	3							6		56
	1		6				2							6		57
																58
	1															59
																60
	1	1	2				1							2		61
6	1	4	7				1	3	2				1	16	1	62
																63
20	10	29	59	3	5	2	72	13	5	1	1		6	85	15	64
																65
11	5	11	19			1	22	4	1	1			2	29	2	66
2	3	3	17	1	1	1	5	6	3				3	32	7	67
1			2	1										4	1	68
3		4	3				2	1			1			6		69
																70
		1	1				6								1	71
1	2	2	12	1	1		9	2	1				1	5		72
2		5	4		3		27							4		73
																74
		3	1				1							5		75
2		4	5				7	1				1		2		76

TABLE 10.—DEATHS, FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, OF
NONREGISTRATION RECORD.

	OCCUPATIONS.	All causes.	Malarial fever.	Typhoid fever.	Rheumatism.	Consumption.	Diabetes.	Diseases of the nervous system.	Diseases of the heart.	Other diseases of the circulatory system.	Pneumonia.
1	All occupations.....	25,582	1,044	1,584	250	4,613	43	1,421	1,677	34	3,371
2	Professional.....	345	19	11	2	86		18	35	1	40
3	Architects, artists and teachers of art, etc.....	2									1
4	Clergymen.....	209	11	7	2	39		12	25	1	26
5	Engineers and surveyors.....	1							1		
6	Journalists.....	2				1					
7	Lawyers.....	8				3		1	1		
8	Musicians and teachers of music.....	15				9		1	1		2
9	Physicians and surgeons.....	18		2		1		1	2		3
10	Teachers (school).....	83	7	2		31		3	4		6
11	Others of this class.....	7	1			2			1		2
12	Clerical and official.....	78	1	4	1	16		3	4		9
13	Bookkeepers, clerks, and copyists.....	43	1	2	1	10		2	2		4
14	Bankers, brokers, and officials of companies.....	6				1		1			2
15	Collectors, auctioneers, and agents.....	7				2			1		1
16	Others of this class.....	22		2		3			1		2
17	Mercantile and trading.....	241	5	15	3	66	1	21	22		33
18	Apothecaries, pharmacists, etc.....	2				1		1			
19	Commercial travelers.....										
20	Merchants and dealers.....	59	2	5	1	14		8	9		4
21	Hucksters and peddlers.....	16				1	1	1	4		4
22	Others of this class.....	164	3	10	2	50		11	9		25
23	Public entertainment.....	49	1		1	11		2	3		8
24	Hotel and boarding-house keepers.....	16				5			1		2
25	Saloon keepers, liquor dealers, bartenders, and restaurant keepers.....	33	1		1	6		2	2		6
26	Personal service, police, and military.....	327	8	8	2	69	1	27	30	1	41
27	Barbers and hairdressers.....	189	3	5		50	1	18	16	1	21
28	Janitors and sextons.....	52	2		1	5		5	9		10
29	Policemen, watchmen, and detectives.....	30				5		1	4		6
30	Soldiers, sailors, and marines (United States).....	14				3					
31	Others of this class.....	42	3	3	1	6		3	1		4
32	Laboring and servant.....	5,489	167	277	46	1,157	7	327	342	5	652
33	Laborers (not agricultural).....	5,023	158	262	43	1,012	6	303	306	5	604
34	Servants.....	466	9	15	3	145	1	24	36		48
35	Manufacturing and mechanical industry.....	1,232	25	53	17	205	1	99	124	3	129
36	Bakers and confectioners.....	12	1			3		1			
37	Blacksmiths.....	202	3	11	3	22	1	23	28	1	22
38	Boot and shoe makers.....	58		1	2	7		9	6		4
39	Brewers, distillers, and rectifiers.....										
40	Butchers.....	32		1		4			4		5
41	Cabinetmakers and upholsterers.....	7				2		2			1
42	Carpenters and joiners.....	317	7	11	5	48		26	29	2	34
43	Cigar makers and tobacco workers.....	64		1	1	18		6	7		6
44	Clock and watch repairers, jewelers, etc.....	3		1							
45	Compositors, printers, and pressmen.....	6		1		1					
46	Coopers.....	28		1		6		1	4		2
47	Engineers and firemen (not locomotive).....	85	6	2	1	15		4	5		8
48	Glass blowers and glass workers.....	2		1							1
49	Hat and cap makers.....										
50	Iron and steel workers.....	15		2		2			3		3
51	Leather makers.....	2		1		1					
52	Leather workers.....	5	1			1					
53	Machinists.....	12						2	1		2
54	Marble and stone cutters.....	7		1	1	2			1		1
55	Masons (brick and stone).....	112	5	1		23		10	14		8
56	Mill and factory operatives (textiles).....	18		2	1	5		2	2		
57	Millers (flour and grist).....	9		1		2					1
58	Painters, glaziers, and varnishers.....	41		5	2	10		2	2		4
59	Plasterers and whitewashers.....	43		1	1	2		3	6		7
60	Plumbers, and gas and steam fitters.....	8		1		1		2			1
61	Tailors.....	8		1		1					2
62	Tinners and tinware makers.....	13	1	1		1					2
63	Others of this class.....	123	1	5		28		6	12		15
64	Agriculture, transportation, and other outdoor.....	17,745	816	1,216	177	2,982	33	920	1,113	23	2,448
65	Boatmen and canalmen.....	7						2			
66	Draymen, hackmen, teamsters, etc.....	367	11	22	5	57		26	25	1	59
67	Farmers, planters, and farm laborers.....	15,704	770	1,129	161	2,625	33	823	987	16	2,185
68	Gardeners, florists, nurserymen, and vine growers.....	112	1	1	6	7		9	9	1	11
69	Livery stable keepers and hostlers.....	67	3		1	17		5	5		9
70	Lumbermen and raftsmen.....	36		2		8		1			5
71	Miners and quarrymen.....	401	3	20	2	70		12	22	2	48
72	Sailors, pilots, fishermen, and oystermen.....	185	4	5	2	36		14	14	1	16
73	Steam railroad employees.....	607	12	26		124		18	26	1	91
74	Stock raisers, herders, and drovers.....	39		2		7		1	5		5
75	Others of this class.....	220	11	9		31		9	20	1	19
76	All other occupations.....	76	2		1	21		4	4	1	11

OCCUPATIONS—MALES.

225

COLORED MALES ENGAGED IN EACH OCCUPATION: CENSUS YEAR 1900—Continued.

NONREGISTRATION RECORD.

Other diseases of the respiratory system.	Diseases of the liver.	Other diseases of the digestive system.	Diseases of the urinary organs.	Diseases of the bones and joints.	Burns and scalds.	Suicide.	Other accidents and injuries.	CANCER.						All other causes.	Unknown cause.	
								Total.	Of stomach.	Of liver.	Of abdomen.	Of mouth, tongue, and throat.	Of other organs.			
519	264	842	907	36	73	42	2,421	154	37	12	6	5	94	4,980	1,307	1
8	3	18	12	2	1	1	18	3	2				1	58	9	2
7	3	14	7	1			6	2	2					41	6	3
1		1	1													4
																5
																6
																7
																8
																9
																10
																11
																12
																13
																14
																15
																16
																17
																18
																19
																20
																21
																22
																23
																24
																25
																26
																27
																28
																29
																30
																31
																32
																33
																34
																35
																36
																37
																38
																39
																40
																41
																42
																43
																44
																45
																46
																47
																48
																49
																50
																51
																52
																53
																54
																55
																56
																57
																58
																59
																60
																61
																62
																63
																64
																65
																66
																67
																68
																69
																70
																71
																72
																73
																74
																75
																76

TABLE 11.

DEATHS IN THE UNITED STATES, THE REGISTRATION AREA AND ITS SUBDIVISIONS
AND THE NONREGISTRATION AREA, DURING THE CENSUS YEAR ENDING
MAY 31, 1900, FROM EACH SPECIFIED DISEASE AND CLASS
OF DISEASES, OF FEMALES ENGAGED
IN EACH OCCUPATION.

NOTE.—Occupation not reported in the registration returns for certain cities. See note on page 75.

TABLE 11.—DEATHS, FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES,

	OCCUPATIONS.	All causes.	Malarial fever.	Typhoid fever.	Rheumatism.	Consumption.	Diabetes.	Diseases of the nervous system.	Diseases of the heart.	Other diseases of the circulatory system.	Pneumonia.
THE UNITED STATES.											
1	All occupations.....	45,491	896	2,457	294	9,948	198	3,874	3,839	267	4,067
2	Musicians and teachers of music.....	279	2	24		87		27	16	2	14
3	Teachers in schools.....	1,890	29	189	7	532	14	160	88	15	143
4	Stenographers and typewriters.....	248	1	18	1	84	4	11	14	1	17
5	Bookkeepers, clerks, and copyists.....	788	6	60	9	265	4	37	61	7	65
6	Hotel and boarding-house keepers.....	522	4	11	6	28	4	73	71	6	53
7	Laundresses.....	2,398	50	91	17	522	2	206	235	19	207
8	Nurses and midwives.....	1,330	16	70	11	177	9	145	141	8	112
9	Servants.....	17,484	208	674	113	3,669	95	1,691	1,638	130	1,606
10	Artificial-flower and paper-box makers.....	26		1		11		4			
11	Cigar makers and tobacco workers.....	163		11		55		7	10		18
12	Mill and factory operatives (textiles).....	1,138	11	119	8	356	8	69	70	5	110
13	Milliners.....	461	1	26	1	115	3	41	40	4	26
14	Dressmakers and seamstresses.....	2,965	31	142	8	787	15	241	255	14	247
15	Telegraph and telephone operators.....	81	1	10		31		5	2		7
16	All other occupations.....	15,718	536	1,011	113	3,229	40	1,161	1,194	56	1,442
THE REGISTRATION RECORD.											
17	All occupations.....	21,984	137	740	136	4,550	146	2,175	2,126	195	2,025
18	Musicians and teachers of music.....	146	1	9		45		16	10	2	5
19	Teachers in schools.....	841	7	59	3	189	11	82	47	8	71
20	Stenographers and typewriters.....	193		13	1	65	4	7	11	1	14
21	Bookkeepers, clerks, and copyists.....	657	5	44	7	222	2	28	50	6	60
22	Hotel and boarding-house keepers.....	156	1	2	1	5	3	20	25	6	12
23	Laundresses.....	920	13	13	5	176	1	91	104	12	78
24	Nurses and midwives.....	725	3	37	7	87	8	76	82	7	63
25	Servants.....	11,698	71	302	72	2,164	79	1,224	1,203	107	1,143
26	Artificial-flower and paper-box makers.....	24		1		10					
27	Cigar makers and tobacco workers.....	91		8		28		3	3		13
28	Mill and factory operatives (textiles).....	786	6	54	8	279	4	48	50	4	70
29	Milliners.....	256		11		56		25	26	4	16
30	Dressmakers and seamstresses.....	1,742	8	57	4	445	11	151	164	10	157
31	Telegraph and telephone operators.....	61		5		25		4	1		6
32	All other occupations.....	3,688	22	125	28	754	23	400	346	28	317
REGISTRATION CITIES.											
33	All occupations.....	17,405	118	582	109	3,771	97	1,604	1,673	147	1,652
34	Musicians and teachers of music.....	113		7		32		14	8	1	4
35	Teachers in schools.....	568	6	37	3	118	3	56	36	7	54
36	Stenographers and typewriters.....	171		11	1	58	3	6	11	1	12
37	Bookkeepers, clerks, and copyists.....	593	5	41	7	197	1	27	43	6	56
38	Hotel and boarding-house keepers.....	120	1		1	5	3	14	21	6	12
39	Laundresses.....	881	13	12	5	171		83	99	11	76
40	Nurses and midwives.....	578	3	31	5	74	5	60	63	5	53
41	Servants.....	9,531	57	246	60	1,808	61	955	982	88	937
42	Artificial-flower and paper-box makers.....	24		1		10			4		
43	Cigar makers and tobacco workers.....	89		8		28		2	3		13
44	Mill and factory operatives (textiles).....	608	6	40	7	221	4	39	41	3	57
45	Milliners.....	174		9		42		17	19	2	11
46	Dressmakers and seamstresses.....	1,411	7	47	4	381	10	112	127	5	129
47	Telegraph and telephone operators.....	57		5		25		3	1		5
48	All other occupations.....	2,487	20	87	16	601	7	216	215	12	233
REGISTRATION STATES.											
49	All occupations.....	13,203	48	386	80	2,744	107	1,408	1,344	123	1,203
50	Musicians and teachers of music.....	83	1	4		28		8	3	1	3
51	Teachers in schools.....	541	4	34	2	116	9	52	29	4	44
52	Stenographers and typewriters.....	92		4		31	2	4	2		9
53	Bookkeepers, clerks, and copyists.....	409	3	20	3	144	2	17	36	4	41
54	Hotel and boarding-house keepers.....	89		2		3	1	11	13	6	8
55	Laundresses.....	302		4	2	56	1	38	41	6	24
56	Nurses and midwives.....	397		20	3	42	3	46	50	3	39
57	Servants.....	6,920	28	142	45	1,291	57	768	767	61	651
58	Artificial-flower and paper-box makers.....	17		1		6			3		
59	Cigar makers and tobacco workers.....	52		1		17		3	2		7
60	Mill and factory operatives (textiles).....	644	3	44	7	234	4	42	43	4	57
61	Milliners.....	171		4		40		13	16	3	10
62	Dressmakers and seamstresses.....	1,021	3	23		254	8	102	98	7	94
63	Telegraph and telephone operators.....	42		4		16		3	1		6
64	All other occupations.....	2,423	6	79	18	466	20	301	240	24	210

OCCUPATIONS—FEMALES.

229

OF FEMALES ENGAGED IN EACH OCCUPATION: CENSUS YEAR 1900.

Other diseases of the respiratory system.	Diseases of the liver.	Other diseases of the digestive system.	Diseases of the urinary organs.	Diseases of the bones and joints.	Burns and scalds.	Suicide.	Other accidents and injuries.	CANCER.						All other causes.	Unknown cause.	
								Total.	Of stomach.	Of liver.	Of uterus.	Of breast.	Of other organs.			
1,197	497	2,173	2,083	83	286	258	1,089	2,006	371	189	501	262	752	8,808	1,171	1
6	3	18	22	4	1	2	11	11	2	1	3	3	2	38	2	2
39	16	121	75	5	8	10	56	97	16	4	13	19	45	260	26	3
3	1	29	11	1	1	3	7	8	2	1	2	2	3	32	2	4
12	7	65	40	2	3	12	24	12	1	1	5	2	3	89	8	5
20	10	28	23	1	1	4	14	37	9	5	3	4	16	117	12	6
78	20	109	106	4	16	4	41	95	8	4	39	10	34	504	72	7
31	22	79	70	1	7	4	28	98	20	7	20	14	37	263	38	8
546	198	827	1,012	36	121	134	402	831	167	66	210	88	300	3,290	263	9
3	1	12	7	1	1	1	7	5	1	1	2	1	1	22	3	10
30	4	60	48	1	7	10	24	26	2	2	7	4	11	160	12	12
12	8	43	31	1	3	3	7	22	2	3	7	4	6	73	5	13
85	37	170	133	3	19	18	60	209	37	11	55	28	78	445	46	14
3	3	3	3	3	2	2	4	2	2	2	2	2	2	8	1	15
329	170	608	500	26	103	52	412	553	104	26	134	73	216	3,502	681	16
727	257	1,274	1,565	42	128	194	552	1,238	232	100	312	159	435	3,619	158	17
3	1	10	10	1	1	1	1	11	2	1	3	3	2	22	1	18
16	7	59	41	3	5	7	30	62	4	3	10	9	36	122	12	19
3	1	25	10	1	1	2	5	6	1	1	1	2	2	24	1	20
11	7	56	34	2	2	9	19	12	1	1	5	2	3	76	5	21
8	4	6	13	1	4	4	5	18	5	2	2	2	7	22	1	22
42	6	49	71	2	4	2	21	41	3	4	17	5	12	180	9	23
20	11	51	60	1	3	3	13	68	10	6	17	10	25	114	11	24
433	132	606	897	26	83	106	260	647	136	59	169	69	214	2,077	66	25
2	1	8	6	1	1	1	5	3	1	1	1	1	1	4	1	26
25	4	47	35	1	5	10	20	19	2	1	4	3	9	93	5	27
8	3	26	23	1	2	2	5	15	2	2	5	3	5	35	1	29
51	24	109	96	1	12	13	34	138	27	8	33	18	52	244	13	30
2	2	2	3	3	2	2	4	2	2	2	2	2	2	5	1	31
103	56	219	264	7	13	33	129	196	41	13	43	32	67	591	34	32
598	187	1,018	1,351	33	112	163	422	935	183	83	254	108	307	2,714	119	33
3	1	9	7	1	3	4	1	10	1	1	3	3	2	16	1	34
8	6	44	29	1	1	2	15	41	3	3	9	4	22	88	9	35
2	1	21	9	1	1	2	5	4	1	1	1	1	2	23	1	36
11	7	53	33	2	1	8	16	7	1	1	4	1	1	68	4	37
8	2	4	7	1	4	4	5	13	5	2	1	1	4	13	1	38
41	4	47	67	2	4	2	20	40	3	4	17	5	11	175	9	39
16	5	37	53	1	3	2	11	51	7	5	12	6	21	93	7	40
369	101	497	802	21	74	89	214	520	109	49	149	52	161	1,592	58	41
2	1	8	6	1	1	1	5	2	1	1	1	1	1	4	1	42
21	2	33	29	1	5	8	10	12	2	1	2	2	5	67	3	44
6	2	17	17	1	2	2	2	9	2	2	2	2	3	19	1	45
39	20	91	89	1	10	10	27	106	26	6	26	13	35	187	9	46
1	1	1	3	3	2	2	4	2	2	2	2	2	2	5	1	47
71	35	155	198	5	11	29	86	118	25	9	26	18	40	354	18	48
421	159	732	948	22	67	110	322	789	146	57	188	110	293	2,118	72	49
1	4	5	8	2	4	5	18	6	1	1	1	2	2	15	1	50
13	1	38	29	1	1	1	3	44	4	1	5	7	28	84	6	51
3	3	10	4	1	1	4	10	3	1	1	1	1	1	16	1	52
6	3	28	18	1	1	4	11	11	1	1	5	2	2	54	3	53
1	4	2	8	1	3	3	1	14	3	1	2	2	6	12	1	54
9	5	17	22	2	1	1	8	15	1	3	4	2	5	49	2	55
12	8	29	31	1	1	3	5	44	6	3	11	7	17	52	6	56
248	79	334	554	12	43	61	156	402	89	32	100	44	137	1,201	20	57
2	1	4	6	1	1	1	3	2	1	1	1	1	1	3	1	58
19	4	35	26	4	10	16	16	16	1	3	3	3	9	71	5	60
5	2	17	18	1	1	4	4	10	1	4	4	3	3	27	1	61
35	12	65	61	7	7	13	75	12	4	15	15	12	32	150	7	62
1	1	1	2	2	2	3	3	1	1	1	1	1	1	4	4	63
66	36	146	160	4	7	16	81	146	28	12	30	25	51	376	21	64

TABLE 11.—DEATHS, FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES,

OCCUPATIONS.		All causes.	Malarial fever.	Typhoid fever.	Rheumatism.	Consumption.	Diabetes.	Diseases of the nervous system.	Diseases of the heart.	Other diseases of the circulatory system.	Pneumonia.
CITIES IN REGISTRATION STATES.											
1	All occupations.....	8,624	29	228	58	1,965	58	837	891	75	830
2	Musicians and teachers of music.....	50		2		15		6	1		2
3	Teachers in schools.....	268	3	12	2	45	1	26	18	3	27
4	Stenographers and typewriters.....	70		2		24	1	3			7
5	Bookkeepers, clerks, and copyists.....	345	3	17	3	119	1	16	29	4	37
6	Hotel and boarding-house keepers.....	53				3	1	5	9	6	8
7	Laundresses.....	263		3	2	51		30	36	5	22
8	Nurses and midwives.....	250		14	1	29		30	31	1	29
9	Servants.....	4,753	14	86	33	935	39	499	546	42	445
10	Artificial-flower and paper-box makers.....	17		1		6			3		
11	Cigar makers and tobacco workers.....	50		1		17		2	2		7
12	Mill and factory operatives (textiles).....	466	3	30	6	176	4	33	34	3	44
13	Milliners.....	89		2		26		5	9	1	5
14	Dressmakers and seamstresses.....	690	2	13		190	7	63	61	2	66
15	Telegraph and telephone operators.....	38		4		16		2	1		5
16	All other occupations.....	1,222	4	41	6	313	4	117	109	8	126
RURAL PART OF REGISTRATION STATES.											
17	All occupations.....	4,579	19	158	27	779	49	571	453	48	373
18	Musicians and teachers of music.....	33	1	2		13		2	2	1	1
19	Teachers in schools.....	273	1	22		71	8	26	11	1	17
20	Stenographers and typewriters.....	22		2		7	1	1			2
21	Bookkeepers, clerks, and copyists.....	64		3		25	1	1	7		4
22	Hotel and boarding-house keepers.....	36		2				6	4		
23	Laundresses.....	39		1		5	1	8	5	1	2
24	Nurses and midwives.....	147		6	2	13	3	16	19	2	10
25	Servants.....	2,167	14	56	12	356	18	269	221	19	206
26	Artificial-flower and paper-box makers.....										
27	Cigar makers and tobacco workers.....	2						1			
28	Mill and factory operatives (textiles).....	178		14	1	58		9	9	1	13
29	Milliners.....	82		2		14		8	7	2	5
30	Dressmakers and seamstresses.....	331	1	10		64	1	39	37	5	28
31	Telegraph and telephone operators.....	4						1			1
32	All other occupations.....	1,201	2	38	12	153	16	184	131	16	84
REGISTRATION CITIES IN OTHER STATES.											
33	All occupations.....	8,781	89	354	56	1,806	39	767	782	72	822
34	Musicians and teachers of music.....	63		5		17		8	7	1	2
35	Teachers in schools.....	300	3	25	1	73	2	30	18	4	27
36	Stenographers and typewriters.....	101		9	1	34	2	3	9	1	5
37	Bookkeepers, clerks, and copyists.....	243	2	24	4	78		11	14	2	19
38	Hotel and boarding-house keepers.....	67	1		1	2	2	9	12		4
39	Laundresses.....	618	13	9	3	120		53	63	6	54
40	Nurses and midwives.....	328	3	17	4	45	5	30	32	4	24
41	Servants.....	4,778	43	160	27	873	22	456	436	46	492
42	Artificial-flower and paper-box makers.....	7				4			1		
43	Cigar makers and tobacco workers.....	39		7		11			1		6
44	Mill and factory operatives (textiles).....	142	3	10	1	45		6	7		13
45	Milliners.....	85		7		16		12	10	1	6
46	Dressmakers and seamstresses.....	721	5	34	4	191	3	49	66	3	63
47	Telegraph and telephone operators.....	19		1		9		1			
48	All other occupations.....	1,265	16	46	10	288	3	99	106	4	107
NONREGISTRATION RECORD.											
49	All occupations.....	23,507	759	1,717	158	5,398	52	1,699	1,713	72	2,042
50	Musicians and teachers of music.....	133	1	15		42		11	6		9
51	Teachers in schools.....	1,049	22	130	4	343	3	78	41	7	72
52	Stenographers and typewriters.....	55	1	5		19		4	3		3
53	Bookkeepers, clerks, and copyists.....	131	1	16	2	43	2	9	11	1	5
54	Hotel and boarding-house keepers.....	366	3	9	5	23	1	53	46		41
55	Laundresses.....	1,478	37	78	12	346	1	115	131	7	129
56	Nurses and midwives.....	605	13	33	4	90	1	69	59	1	49
57	Servants.....	5,786	137	372	41	1,505	16	467	435	23	463
58	Artificial-flower and paper-box makers.....	2				1					
59	Cigar makers and tobacco workers.....	72		3		27		4	7		5
60	Mill and factory operatives (textiles).....	352	5	65		77	4	21	20	1	40
61	Milliners.....	205	1	15	1	59	3	16	14		10
62	Dressmakers and seamstresses.....	1,223	23	85	4	342	4	90	91	4	90
63	Telegraph and telephone operators.....	20	1	5		6		1	1		1
64	All other occupations.....	12,030	514	886	85	2,475	17	761	848	28	1,125

OF FEMALES ENGAGED IN EACH OCCUPATION: CENSUS YEAR 1900—Continued.

Other diseases of the respiratory system.	Diseases of the liver.	Other diseases of the digestive system.	Diseases of the urinary organs.	Diseases of the bones and joints.	Burns and scalds.	Suicide.	Other accidents and injuries.	CANCER.						All other causes.	Unknown cause.	
								Total.	Of stomach.	Of liver.	Of uterus.	Of breast.	Of other organs.			
292	89	476	734	13	51	79	192	486	97	40	125	59	165	1,213	33	1
1		4	5					5			1	2	2	9		2
5	3	23	17		2	2	3	23	3		4	2	14	50	3	3
2	1	6	3				3	1	1					15		4
6	3	25	17	1		3	7	6	1	1	4			46	2	5
1	2		2			3	1	9	3	1	1	1	3	3		5
8	3	15	18	2	1		7	14	1	3	4	2	4	44	2	7
8	2	15	24	1		2	3	27	3	2	6	3	13	31	2	8
184	48	225	459	7	34	44	110	275	62	22	80	27	84	716	12	9
		1	1				1	1						3	1	10
2	1	4	6				3	1			1			4		11
15	2	21	20		4	8	6	9		1	1	2	5	45	3	12
3	1	8	12			1	1	4			1	2	1	11		13
23	8	47	54		5	4	6	43	11	2	8	7	15	93	3	14
		2	2				3	1			1			4		15
34	15	82	94	2	5	12	38	68	12	8	13	11	24	139	5	16
129	70	256	214	9	16	31	130	303	49	17	58	51	128	905	39	17
		1	3					1	1					6		18
8	1	15	12	2	2	3	15	21	1		1	5	14	34	3	19
1		4	1					2			1			1		20
		3	1		1	1	3	5			1	2	2	8	1	21
	2	2	6					5			1	1	3	9		22
1	2	2	4				1	1					1	5		23
4	6	14	7			1	2	17	3	1	5	4	4	21	4	24
64	31	109	95	5	9	17	46	127	27	10	20	17	53	485	8	25
								1					1			26
						2	10	7			2	1	4	26	2	28
4	2	14	6				3	6			3	1	2	16	1	29
12	4	18	7		2	3	7	32	1	2	7	5	17	57	4	30
1		1														31
32	21	64	66	2	2	4	43	78	16	4	17	14	27	237	16	32
306	98	542	617	20	61	84	230	449	86	43	129	49	142	1,501	86	33
2	1	5	2				1	5	1	1	2	1		7		34
3	3	21	12	1	1	2	12	18		3	5	2	8	38	6	35
		15	6			2	2	3				1	2	8		36
5	4	28	16	1	1	5	9	1					1	22	2	37
7		4	5			1	4	4	2	1			1	10	1	38
33	1	32	49		3	2	13	26	2	1	13	3	7	131	7	39
8	3	22	29		3		8	24	4	3	6	3	8	62	5	40
185	53	272	343	14	40	45	104	245	47	27	69	25	77	876	46	41
		1												1		42
		4				1	2	1				1		6		43
6		12	9		1		4	3	2		1			22		44
3	1	9	5			1	1	5		2	1		2	8		45
16	12	44	35	1	5	6	21	63	15	4	18	6	20	94	6	46
1		1	1			2	1	1			1			1		47
37	20	73	104	3	6	17	48	50	13	1	13	7	16	215	13	48
470	240	899	518	41	158	64	537	768	139	30	189	93	317	5,189	1,013	49
3	2	8	12	4		1	1							16	2	50
23	9	62	34	2	3	3	26	35	12	1	3	10	9	138	14	51
		4	1			1	2	2					1	8		52
1		9	6		1	3	5							13	3	53
12	6	22	10		1		9	19	4	3	1	2	9	95	11	54
36	14	60	35	2	12	2	20	54	5		22	5	22	324	63	55
11	11	28	10		4	1	15	30	10	1	3	4	12	149	27	56
113	66	221	115	10	33	23	142	184	31	7	41	19	86	1,213	197	57
														1		58
1		4	1	1			2	2	1		1			12	3	59
5		13	13	1	2		4	7		1	3	1	2	67	7	60
4	5	17	8			1	2	7	2	1	2	1	1	38	4	61
34	13	61	37	2	7	5	26	71	10	3	22	10	26	201	33	62
1		1												3		63
226	114	389	236	19	90	19	283	357	63	13	91	41	149	2,911	647	64

TABLE 11.—DEATHS, FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES,

OCCUPATIONS.		All causes.	Malarial fever.	Typhoid fever.	Rheumatism.	Consumption.	Diabetes.	Diseases of the nervous system.	Diseases of the heart.	Other diseases of the circulatory system.	Pneumonia.
CONNECTICUT.											
1	All occupations.....	574	6	21	5	126	6	61	58	6	46
2	Musicians and teachers of music.....	3				1					
3	Teachers in schools.....	27		3		5		2	2		2
4	Stenographers and typewriters.....	5				3					
5	Bookkeepers, clerks, and copyists.....	14		2		5					1
6	Hotel and boarding-house keepers.....	2									
7	Laundresses.....	9						3	1		
8	Nurses and midwives.....	21				2		1	5	1	3
9	Servants.....	309	2	9	5	48	4	39	38	1	29
10	Artificial-flower and paper-box makers.....										
11	Cigar makers and tobacco workers.....										
12	Mill and factory operatives (textiles).....	59		2		30		4	2	2	4
13	Milliners.....	11		1		3		2	1		2
14	Dressmakers and seamstresses.....	28	1	1		7	1	3	4	2	
15	Telegraph and telephone operators.....	1									
16	All other occupations.....	85	3	3		22	1	7	5		5
DISTRICT OF COLUMBIA.											
17	All occupations.....	681	8	26	3	160	2	65	95	4	49
18	Musicians and teachers of music.....	1				1					
19	Teachers in schools.....	16				4		2	1		
20	Stenographers and typewriters.....	3				1					
21	Bookkeepers, clerks, and copyists.....	54		4	2	12		3	8	1	8
22	Hotel and boarding-house keepers.....	4							1		1
23	Laundresses.....	62		1		8		9	15	1	3
24	Nurses and midwives.....	17		1		2		2	2		
25	Servants.....	463	7	17	1	117	2	47	63	2	30
26	Artificial-flower and paper-box makers.....	1				1					
27	Cigar makers and tobacco workers.....										
28	Mill and factory operatives (textiles).....										
29	Milliners.....										
30	Dressmakers and seamstresses.....	26	1	1		7		1	2		3
31	Telegraph and telephone operators.....										
32	All other occupations.....	34		2		7		1	3		4
MAINE.											
33	All occupations.....	689	1	21	1	137	9	87	67	12	52
34	Musicians and teachers of music.....	8				3		1	1		
35	Teachers in schools.....	50		2		13		7	2		2
36	Stenographers and typewriters.....	1									
37	Bookkeepers, clerks, and copyists.....	16		2		7			1	1	
38	Hotel and boarding-house keepers.....	6							2		
39	Laundresses.....	3				2				1	
40	Nurses and midwives.....	31				2		5	3	1	3
41	Servants.....	350	1	7	1	61	4	51	33	6	28
42	Artificial-flower and paper-box makers.....										
43	Cigar makers and tobacco workers.....										
44	Mill and factory operatives (textiles).....	48		6		12		2	2	1	7
45	Milliners.....	17		1		6		2	2		1
46	Dressmakers and seamstresses.....	44				11		2	8		6
47	Telegraph and telephone operators.....	1						1			
48	All other occupations.....	114		3		20	5	16	13	2	5
MASSACHUSETTS.											
49	All occupations.....	1,987	3	62	15	463	14	209	219	23	206
50	Musicians and teachers of music.....	9				6		1			
51	Teachers in schools.....	78	1	4		12		5	6	2	11
52	Stenographers and typewriters.....	16				6					4
53	Bookkeepers, clerks, and copyists.....	100	1	3	1	38		6	10	2	10
54	Hotel and boarding-house keepers.....	24					1	4	2	5	2
55	Laundresses.....	32				7	1	3	4		2
56	Nurses and midwives.....	73		6	1	6		8	8		11
57	Servants.....	844	1	19	7	167	4	97	117	8	93
58	Artificial-flower and paper-box makers.....	5									
59	Cigar makers and tobacco workers.....	4				1		1			
60	Mill and factory operatives (textiles).....	298		23	2	100	4	25	21	1	28
61	Milliners.....	19				6		2			1
62	Dressmakers and seamstresses.....	151		2		34	1	16	15	2	15
63	Telegraph and telephone operators.....	2				2					
64	All other occupations.....	332		5	4	78	2	41	36	3	29

OCCUPATIONS—FEMALES.

233

OF FEMALES ENGAGED IN EACH OCCUPATION: CENSUS YEAR 1900—Continued.

Other diseases of the respiratory system.	Diseases of the liver.	Other diseases of the digestive system.	Diseases of the urinary organs.	Diseases of the bones and joints.	Burns and scalds.	Suicides.	Other accidents and injuries.	CANCER.						All other causes.	Unknown causes.	
								Total.	Of stomach.	Of liver.	Of uterus.	Of breast.	Of other organs.			
31	6	19	29	2		6	19	29	8		10	4	7	96	2	1
1		2	1			1	2	1				1		1		2
1		1	1			1	1	1	1					6		3
.....			1					1			1			1		4
.....		2						1			1					5
.....																6
.....																7
.....	1													3		8
24	4	7	19	2		2	10	18	6		6	2	5	48		9
.....																10
.....																11
1							2							12		12
1		1	1					2				1	1	1		13
.....														3		14
3	1	6	5			2	4	2			1		1	1		15
.....														16	1	16
28	2	34	39	1	5	4	11	35	8	4	15	4	4	112	3	17
.....	1		1			1		2			1		1	3		18
.....																19
2		3	1	1			2	3		1	2			2		20
1														3		21
.....																22
1		3	2		1		2	2			1		1	14		23
2			3			1								4		24
15	1	23	26		4	2	5	24	7	2	10	4	1	76	1	25
.....																26
.....																27
.....																28
.....																29
2		1	3				1							4		30
.....																31
.....		4	2				1	4	1	1	1		1	6		32
.....																33
23	5	40	29	2	3	4	15	47	10	4	7	12	14	120	5	38
.....																34
3		1					2	3	1			2		2		35
.....		6	2											8		36
.....		1						2				2		3		37
.....			2											2		38
.....																39
3		2	2			1	2	5	1		4			1		40
11	2	14	12	2	2	2	6	23	7	2	2	4	8	82	2	41
.....																42
.....																43
1		4	2			1	1	3				2	1	6		44
.....		1						2				1	1	2		45
1	1	4	1		1		1	3	1	1	1		1	5		46
.....																47
4	2	7	8				3	6	1	1		1	3	18	2	48
.....																49
72	25	110	103	3	11	11	33	120	19	11	18	15	57	273	12	40
.....																50
1	1	6	6				1	8					8	14		51
1		3						1			1			14		52
1		6	5				1	3	1		1		1	12		53
.....	1		1			2	1	3	1				2	2		54
.....																55
.....	1	2	1	1				3		1	1	1		6	1	56
.....	1	4	2	1			2	13	1	3	2	2	5	9	1	57
33	11	34	49	1	5	3	13	43	7	2	6	6	22	135	4	58
.....		1												3	1	59
.....								1					1			60
10	4	14	12		4	4	7	5			2		3	32	2	61
3		2	2			1		1				1		1		62
10	1	9	5		1		1	18	5	1	2	2	8	20	1	63
.....																64
13	6	28	20		1	1	7	21	4	4	3	3	7	36	2	64

TABLE 11.—DEATHS, FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES,

	OCCUPATIONS.	All causes.	Malarial fever.	Typhoid fever.	Rheumatism.	Consumption.	Diabetes.	Diseases of the nervous system.	Diseases of the heart.	Other diseases of the circulatory system.	Pneumonia.
MICHIGAN.											
1	All occupations.....	1,391	8	63	10	226	11	137	124	14	88
2	Musicians and teachers of music.....	15		2		3		1	2		
3	Teachers in schools.....	89	2	4		20	3	5	4		7
4	Stenographers and typewriters.....	11		1		2			1		
5	Bookkeepers, clerks, and copyists.....	41		2		13		2	5		4
6	Hotel and boarding-house keepers.....	14		1		2		2	2		
7	Laundresses.....	7				1		2	1		1
8	Nurses and midwives.....	25		1		1		2	2		1
9	Servants.....	499	3	23	3	94	3	44	40	4	32
10	Artificial-flower and paper-box makers.....										
11	Cigar makers and tobacco workers.....	3		1		1					
12	Mill and factory operatives (textiles).....	6			1				1		
13	Milliners.....	34		1		6		1	1	2	2
14	Dressmakers and seamstresses.....	95		6		24	2	6	5	1	5
15	Telegraph and telephone operators.....	8		3		2					
16	All other occupations.....	544	3	19	6	57	3	72	60	7	36
NEW HAMPSHIRE.											
17	All occupations.....	257	2	4	3	41	3	35	29	3	23
18	Musicians and teachers of music.....	1									
19	Teachers in schools.....	13				3		2	1		2
20	Stenographers and typewriters.....										
21	Bookkeepers, clerks, and copyists.....	5				1			1		
22	Hotel and boarding-house keepers.....	3								1	
23	Laundresses.....	1				1					
24	Nurses and midwives.....	13		1				1	3		
25	Servants.....	105			2	14	3	15	12	1	12
26	Artificial-flower and paper-box makers.....										
27	Cigar makers and tobacco workers.....										
28	Mill and factory operatives (textiles).....	41	2	2	1	13		1	4		4
29	Milliners.....	10				1		2			
30	Dressmakers and seamstresses.....	22				2		5	2	1	1
31	Telegraph and telephone operators.....										
32	All other occupations.....	43		1		6		9	6		4
NEW JERSEY.											
33	All occupations.....	1,315	5	32	12	258	10	166	144	7	128
34	Musicians and teachers of music.....	6				3					1
35	Teachers in schools.....	25		1		3		4	4		3
36	Stenographers and typewriters.....	6		1		3					
37	Bookkeepers, clerks, and copyists.....	14		1		2		1	2		1
38	Hotel and boarding-house keepers.....	7						2			1
39	Laundresses.....	31			1	5		8	4	1	1
40	Nurses and midwives.....	33		1	1	6	1	5	4		3
41	Servants.....	892	5	17	5	162	8	116	94	3	89
42	Artificial-flower and paper-box makers.....										
43	Cigar makers and tobacco workers.....	2							1		
44	Mill and factory operatives (textiles).....	55		3	1	23		3	4		5
45	Milliners.....	9				1		4	2		
46	Dressmakers and seamstresses.....	60		2		20		4	8		4
47	Telegraph and telephone operators.....	6						1			2
48	All other occupations.....	169		6	4	30	1	22	21	3	18
NEW YORK.											
49	All occupations.....	6,052	15	143	29	1,260	48	623	589	53	602
50	Musicians and teachers of music.....	37	1	2		9		5		1	2
51	Teachers in schools.....	230	1	18	2	52	4	24	9	2	17
52	Stenographers and typewriters.....	48		1		16	2	4	1		5
53	Bookkeepers, clerks, and copyists.....	154	2	5		60	1	5	8		17
54	Hotel and boarding-house keepers.....	28		1		1		3	6		4
55	Laundresses.....	152		3		30		13	15	3	17
56	Nurses and midwives.....	175		10	1	21	1	22	21	1	18
57	Servants.....	3,418	9	47	21	623	28	354	366	36	337
58	Artificial-flower and paper-box makers.....	11		1		5			3		
59	Cigar makers and tobacco workers.....	43				15		2	1		7
60	Mill and factory operatives (textiles).....	102	1	7	1	40		6	9		8
61	Milliners.....	63		1		14		4	7	1	3
62	Dressmakers and seamstresses.....	566	1	10		140	4	62	53	1	60
63	Telegraph and telephone operators.....	23		1		11		1	1		4
64	All other occupations.....	1,002		36	4	223	8	118	89	8	103

OCCUPATIONS—FEMALES.

235

OF FEMALES ENGAGED IN EACH OCCUPATION: CENSUS YEAR 1900—Continued.

Other diseases of the respiratory system.	Diseases of the liver.	Other diseases of the digestive system.	Diseases of the urinary organs.	Diseases of the bones and joints.	Burns and scalds.	Suicide.	Other accidents and injuries.	CANCER.						All other causes.	Unknown cause.	
								Total.	Of stomach.	Of liver.	Of uterus.	Of breast.	Of other organs.			
34	25	95	54	4	6	17	47	91	13	2	23	18	35	322	15	1
3	1	2	1					3				1	2	4		2
		6	2			2	7							16	4	3
		2												5		4
		7	2			1	1							4		5
		1	1			1		1			1			3		6
		1	1				1	1					1			7
15	3	32	16	1	1	11	13	25			1	2	10	6		8
	7								4		6	5		128	4	9
							1									10
																11
			1					2			1		1	1		12
1		5	3					3			2			9		13
2	1	12			3	1	2	9	1	1	2	1	4	16	1	14
							2							1		15
12	13	25	27	3	2	1	20	43	8	1	10	9	15	129	6	16
10	3	17	6		1	1	7	23	4	1	1	1	16	41	5	17
			1													18
								2					2	3		19
	1	2														20
								2				1	1			21
																22
		2				1		3			1					23
5	1	5	3		1		3	8	2	1			2	2		24
													5	18	2	25
																26
																27
3		5	1				2	1					1	2		28
1	1	2					1	3	1				2	5	1	29
																30
1			1				1	4	1				3	9	1	31
																32
41	16	77	98	1	5	9	42	77	19	6	15	7	30	182	5	33
			1					1	1			1	2			34
		1	1				1	4			1	1		3		35
			1				2	1			1			2		36
		1	1					2	1				1	1	1	37
																38
	1	3	2				1							4		39
32	10	48	69	1	4	5	25	58	15	6	11	5	21	138	3	40
																41
		1														42
																43
2		2				2	1	2					2	7		44
	1	1	3											1		45
2	2	2	3		1	2	2	5	1		1	1	2	3		46
		1	1				1									47
4	2	13	11				9	3	1		1		1	21	1	48
183	76	325	574	8	36	53	143	350	61	29	90	49	121	921	21	49
1		2	5					4			1	1	2	5		50
5	1	15	16	2	4	1	5	21	2		3	3	13	30	1	51
2	1	3	3				3	1				1		6		52
2	2	8	10		1	2	3	1						26	1	53
	3	1						5	1	1			2	4		54
8	3	5	17	1			5	9	1	2	2	1	3	22		55
5	3	15	15					13	2		2	3	6	25	4	56
111	43	169	356	4	26	34	80	201	41	19	59	18	64	569	4	57
		1					1									58
2	1	2	6				2	1			1			4		59
2		8	6			2	2	3		1		1	1	5	2	60
		5	10				3	4			2	1	1	11		61
17	7	33	46		1	3	6	32	4	1	8	7	12	88	2	62
								1			1			2		63
27	12	59	82	1	4	11	33	54	10	5	11	12	16	124	6	64

TABLE 11.—DEATHS, FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES,

OCCUPATIONS.		All causes.	Malarial fever.	Typhoid fever.	Rheumatism.	Consumption.	Diabetes.	Diseases of the nervous system.	Diseases of the heart.	Other diseases of the circulatory system.	Pneumonia.
RHODE ISLAND.											
1	All occupations.....	158		5	2	51	1	13	10		5
2	Musicians and teachers of music.....	3				2					
3	Teachers in schools.....	3				2		1			
4	Stenographers and typewriters.....										
5	Bookkeepers, clerks, and copyists.....	7				4			1		
6	Hotel and boarding-house keepers.....										
7	Laundresses.....	3			1	1					
8	Nurses and midwives.....	4									
9	Servants.....	27		1		3	1	2	1	3	
10	Artificial-flower and paper-box makers.....										
11	Cigar makers and tobacco workers.....										
12	Mill and factory operatives (textiles).....	31		1	1	15		1			
13	Milliners.....	4				3			1		
14	Dressmakers and seamstresses.....	11		1		4			1		
15	Telegraph and telephone operators.....	1				1					
16	All other occupations.....	64		2		16		9	3		5
VERMONT.											
17	All occupations.....	99		9		22	3	12	9	1	4
18	Musicians and teachers of music.....										
19	Teachers in schools.....	10		2		2	2				
20	Stenographers and typewriters.....	2		1							
21	Bookkeepers, clerks, and copyists.....	4		1		2					
22	Hotel and boarding-house keepers.....	1									
23	Laundresses.....	2				1			1		
24	Nurses and midwives.....	5				2	1		1		
25	Servants.....	13		2		2		3	1		1
26	Artificial-flower and paper-box makers.....										
27	Cigar makers and tobacco workers.....										
28	Mill and factory operatives (textiles).....	4				1					1
29	Milliners.....	4							2		1
30	Dressmakers and seamstresses.....	18		1		5		3			
31	Telegraph and telephone operators.....										
32	All other occupations.....	36		2		7		6	4	1	1

OCCUPATIONS—FEMALES.

237

OF FEMALES ENGAGED IN EACH OCCUPATION: CENSUS YEAR 1900—Continued.

Other diseases of the respiratory system.	Diseases of the liver.	Other diseases of the digestive system.	Diseases of the urinary organs.	Diseases of the bones and joints.	Burns and scalds.	Suicide.	Other accidents and injuries.	CANCER.						All other causes.	Unknown cause.	
								Total.	Of stomach.	Of liver.	Of uterus.	Of breast.	Of other organs.			
4		9	13	1		4	4	9	1		2		6	26	1	1
														1		2
																3
																4
														2		5
																6
		1														7
2		2	1	1		2	1	2					2			8
			3					1					1	5		9
																10
		2	3			1	1									11
			2											5	1	12
														3		13
2		4	4			1	2	6	1		2		3	10		14
																15
	1	6	3			1	1	8	3		2		3	16	3	17
		2						1	1					1		18
		1														19
			1											1		20
																21
																22
																23
			1					1	1					1		24
														2		25
																26
																27
			1													28
		1												1		29
		1				1		3			1		2	3	1	30
							1									31
1		1					1	3	1		1		1	7	2	32

TABLE 12.

DEATHS IN THE UNITED STATES, THE REGISTRATION AREA AND ITS SUBDIVISIONS
AND THE NONREGISTRATION AREA, DURING THE CENSUS YEAR ENDING
MAY 31, 1900, FROM EACH SPECIFIED DISEASE AND CLASS OF
DISEASES, OF WHITE FEMALES ENGAGED
IN EACH OCCUPATION.

NOTE.—Occupation not reported in the registration returns for certain cities. See note on page 75.

TABLE 12.—DEATHS, FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES,

	OCCUPATIONS.	All causes.	Malarial fever.	Typhoid fever.	Rheumatism.	Consumption.	Diabetes.	Diseases of the nervous system.	Diseases of the heart.	Other diseases of the circulatory system.	Pneumonia.
THE UNITED STATES.											
1	All occupations.....	29,140	254	1,503	174	5,319	185	2,868	2,557	205	2,687
2	Musicians and teachers of music.....	266	2	24		79		27	15	2	14
3	Teachers in schools.....	1,731	21	173	6	471	14	156	81	14	129
4	Stenographers and typewriters.....	248	1	18	1	84	4	11	14	1	17
5	Bookkeepers, clerks, and copyists.....	781	6	59	9	263	4	36	61	7	65
6	Hotel and boarding-house keepers.....	497	4	10	6	24	4	68	70	6	51
7	Laundresses.....	481	3	18	1	103	1	54	34	3	50
8	Nurses and midwives.....	861	2	44	5	96	8	104	88	6	87
9	Servants.....	12,127	82	466	75	2,266	86	1,266	1,143	97	1,161
10	Artificial-flower and paper-box makers.....	26		1		11			4		
11	Cigar makers and tobacco workers.....	130		10		43		5	7		16
12	Mill and factory operatives (textiles).....	1,119	10	119	7	850	8	67	70	5	109
13	Milliners.....	458		26	1	114	3	41	39	4	26
14	Dressmakers and seamstresses.....	2,718	26	132	6	708	14	222	241	12	229
15	Telegraph and telephone operators.....	81	1	10		31		5	2		7
16	All other occupations.....	7,616	96	393	57	1,276	39	806	688	48	726
THE REGISTRATION RECORD.											
17	All occupations.....	18,112	72	652	109	3,679	136	1,819	1,698	157	1,698
18	Musicians and teachers of music.....	137	1	9		39		16	10	2	5
19	Teachers in schools.....	811	6	58	3	178	11	80	43	8	71
20	Stenographers and typewriters.....	193		13	1	65	4	7	11	1	14
21	Bookkeepers, clerks, and copyists.....	650	5	43	7	220	2	27	50	6	60
22	Hotel and boarding-house keepers.....	152	1	2	1	4	3	18	25	6	12
23	Laundresses.....	303		9	1	68	1	32	25	2	30
24	Nurses and midwives.....	582		33	4	60	7	66	64	6	53
25	Servants.....	9,100	33	237	54	1,554	71	980	921	82	906
26	Artificial-flower and paper-box makers.....	24		1		10			4		
27	Cigar makers and tobacco workers.....	88		8		27		3	3		12
28	Mill and factory operatives (textiles).....	775	5	54	7	276	4	46	50	4	69
29	Milliners.....	256		11		56		25	26	4	16
30	Dressmakers and seamstresses.....	1,631	6	57	4	413	10	143	154	9	148
31	Telegraph and telephone operators.....	61		5		25		4	1		6
32	All other occupations.....	3,349	15	112	27	684	23	372	311	27	296
REGISTRATION CITIES.											
33	All occupations.....	13,678	53	497	84	2,937	88	1,264	1,259	109	1,332
34	Musicians and teachers of music.....	105		7		27		14	8	1	4
35	Teachers in schools.....	538	5	36	3	107	3	54	32	7	54
36	Stenographers and typewriters.....	171		11	1	58	3	6	11	1	12
37	Bookkeepers, clerks, and copyists.....	586	5	40	7	195	1	26	43	6	56
38	Hotel and boarding-house keepers.....	116	1		1	4	3	12	21	6	12
39	Laundresses.....	274		8	1	64		26	21	1	29
40	Nurses and midwives.....	440		27	2	47	4	51	46	4	43
41	Servants.....	7,043	19	184	44	1,229	54	722	710	63	705
42	Artificial-flower and paper-box makers.....	24		1		10			4		
43	Cigar makers and tobacco workers.....	86		8		27		2	3		12
44	Mill and factory operatives (textiles).....	597	5	40	6	218	4	37	41	3	56
45	Milliners.....	174		9		42		17	19	2	11
46	Dressmakers and seamstresses.....	1,302	5	47	4	349	9	105	117	4	121
47	Telegraph and telephone operators.....	57		5		25		3	1		5
48	All other occupations.....	2,165	13	74	15	535	7	189	182	11	212
REGISTRATION STATES.											
49	All occupations.....	12,145	40	360	71	2,481	101	1,295	1,206	114	1,133
50	Musicians and teachers of music.....	77	1	4		23		8	3	1	3
51	Teachers in schools.....	536	4	34	2	115	9	52	28	4	44
52	Stenographers and typewriters.....	92		4		81	2	4	2		9
53	Bookkeepers, clerks, and copyists.....	407	3	20	3	143	2	17	36	4	41
54	Hotel and boarding-house keepers.....	88		2		3	1	11	13	6	8
55	Laundresses.....	188		3	1	39	1	20	17	2	18
56	Nurses and midwives.....	378		20	3	40	3	43	46	3	38
57	Servants.....	6,086	21	118	37	1,075	52	682	666	56	594
58	Artificial-flower and paper-box makers.....	17		1		6			3		
59	Cigar makers and tobacco workers.....	52		1		17		3	2		7
60	Mill and factory operatives (textiles).....	643	3	44	7	234	4	42	43	4	57
61	Milliners.....	171		4		40		13	16	3	10
62	Dressmakers and seamstresses.....	988	2	23		243	7	99	95	7	92
63	Telegraph and telephone operators.....	42		4		16		3	1		6
64	All other occupations.....	2,380	6	78	18	456	20	298	235	24	206

OCCUPATIONS—FEMALES.

241

OF WHITE FEMALES ENGAGED IN EACH OCCUPATION: CENSUS YEAR 1900.

Other diseases of the respiratory system.	Diseases of the liver.	Other diseases of the digestive system.	Diseases of the urinary organs.	Diseases of the bones and joints.	Burns and scalds.	Suicide.	Other accidents and injuries.	CANCER.						All other causes.	Unknown cause.	
								Total.	Of stomach.	Of liver.	Of uterus.	Of breast.	Of other organs.			
857	392	1,656	1,647	57	159	242	770	1,593	316	119	328	203	627	5,028	387	1
6	3	16	21	4	7	1	2	11	2	1	3	3	2	37	2	2
36	15	116	73	4	7	10	53	95	16	4	12	18	45	235	22	3
3	1	29	11	2	1	3	7	8	2	1	2	2	3	32	2	4
12	7	65	40	2	3	12	24	12	1	1	5	2	3	86	8	5
19	9	27	22	1	1	4	14	37	9	5	3	4	16	110	11	6
15	8	21	31	2	4	4	10	29	2	4	8	4	11	82	8	7
21	18	63	52	1	4	4	14	86	16	7	18	13	32	144	14	8
415	168	611	801	26	80	122	303	678	143	59	146	70	260	2,177	104	9
3	1	10	7	1	1	1	5	4	1	1	2	1	1	17	1	11
29	4	59	47	1	7	10	24	26	2	2	7	4	11	156	11	12
12	8	43	31	3	3	3	7	22	2	3	7	4	6	73	5	13
80	35	159	123	3	18	18	56	194	35	9	49	28	73	404	38	14
3	3	3	3	2	2	2	4	2	2	2	2	2	2	8	1	15
203	115	433	383	14	34	48	246	389	86	24	65	50	164	1,462	160	16
596	241	1,062	1,297	32	100	185	489	1,097	207	94	255	141	400	2,888	105	17
3	1	8	10	3	5	7	1	11	2	1	3	3	2	21	18	18
15	7	57	41	3	1	30	7	62	4	3	10	9	36	116	10	19
3	1	25	10	1	2	5	6	1	1	1	1	2	2	24	20	20
11	7	56	34	2	2	9	19	12	1	1	5	2	3	73	5	21
8	4	6	12	1	4	5	6	18	5	2	2	2	7	22	1	22
13	5	14	27	2	2	2	8	14	4	4	4	2	4	47	1	23
17	11	44	47	1	3	3	7	64	10	6	15	10	23	84	8	24
349	122	459	728	19	61	97	224	562	122	54	132	57	197	1,609	32	25
2	1	8	6	2	1	1	5	3	1	1	1	1	1	4	1	26
25	4	46	34	5	10	20	19	19	2	1	4	3	9	92	5	28
8	3	26	23	2	2	5	15	15	2	2	5	3	5	35	1	29
48	22	103	89	1	11	13	32	130	25	7	30	18	50	227	11	30
2	2	2	3	2	2	4	2	2	2	2	2	2	2	5	31	31
92	53	207	231	4	10	33	123	179	35	13	41	29	61	520	30	32
472	172	812	1,094	24	85	155	362	799	160	77	197	90	275	2,014	66	33
3	1	7	7	1	3	4	1	10	1	1	3	3	2	15	34	34
7	6	42	29	1	1	2	15	41	3	3	9	4	22	82	7	35
2	1	21	9	1	1	4	5	4	1	1	1	1	2	23	1	36
11	7	53	33	2	1	6	16	7	1	1	4	1	1	65	4	37
8	2	4	6	1	4	5	13	13	5	2	1	1	4	13	1	38
12	3	13	25	2	2	2	7	13	4	4	4	2	3	44	1	39
13	5	30	40	1	3	2	5	47	7	5	10	6	19	66	4	40
289	92	354	642	15	53	81	180	439	96	44	112	40	147	1,144	24	41
2	1	1	2	1	1	1	5	2	1	1	1	1	1	4	1	42
21	2	32	28	5	8	10	12	12	2	1	2	2	5	66	3	44
6	2	17	17	2	2	2	9	9	2	2	2	2	3	19	7	45
36	18	85	82	1	9	10	25	98	24	5	23	13	33	170	14	46
1	1	1	3	2	2	4	2	2	2	2	2	2	2	5	47	47
61	32	144	165	2	8	29	81	102	20	9	24	15	34	289	14	48
393	156	672	874	20	60	107	307	743	135	56	168	104	280	1,944	68	49
1	4	4	8	2	4	5	18	6	1	1	1	2	2	15	50	50
13	1	37	29	1	1	3	3	44	4	1	5	7	28	82	6	51
3	1	10	4	1	1	4	10	11	1	1	1	1	1	16	3	52
6	3	28	18	1	1	4	10	11	1	1	5	2	2	53	3	53
1	4	2	7	1	1	3	1	14	3	1	2	2	6	12	54	54
8	5	9	17	2	1	5	10	10	3	3	3	2	2	30	1	55
11	8	28	29	1	3	5	44	366	6	3	11	7	17	47	6	56
224	77	290	492	10	37	58	145	366	82	31	87	38	128	1,069	17	57
2	1	1	1	1	1	1	3	2	1	1	1	1	1	4	1	59
19	4	35	25	4	10	16	16	16	1	3	3	3	9	71	5	60
5	2	17	18	1	7	7	13	10	12	4	14	12	32	145	7	61
34	12	63	58	2	7	3	8	1	1	1	1	1	1	4	62	62
1	35	143	160	4	7	16	80	142	25	12	30	25	50	366	21	63

TABLE 12.—DEATHS, FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, OF

	OCCUPATIONS.	All causes.	Malarial fever.	Typhoid fever.	Rheumatism.	Consumption.	Diabetes.	Diseases of the nervous system.	Diseases of the heart.	Other diseases of the circulatory system.	Pneumonia.
CITIES IN REGISTRATION STATES.											
1	All occupations.....	7,711	21	205	46	1,739	53	740	767	66	767
2	Musicians and teachers of music.....	45		2		11		6	1		2
3	Teachers in schools.....	263	3	12	2	44	1	26	17	3	27
4	Stenographers and typewriters.....	70		2		24	1	3	2		7
5	Bookkeepers, clerks, and copyists.....	343	3	17	3	118	1	16	29	4	37
6	Hotel and boarding-house keepers.....	52				3	1	5	9	6	8
7	Laundresses.....	159		2	1	35		14	13	1	17
8	Nurses and midwives.....	236		14	1	27		28	28	1	28
9	Servants.....	4,029	7	65	27	750	35	424	455	37	393
10	Artificial-flower and paper-box makers.....	17		1		6			3		
11	Cigar makers and tobacco workers.....	50		1		17		2	2		7
12	Mill and factory operatives (textiles).....	465	3	30	6	176	4	33	34	3	44
13	Milliners.....	89		2		26		5	9	1	5
14	Dressmakers and seamstresses.....	659	1	13		179	6	61	58	2	65
15	Telegraph and telephone operators.....	38		4		16		2	1		5
16	All other occupations.....	1,196	4	40	6	307	4	115	106	8	122
RURAL PART OF REGISTRATION STATES.											
17	All occupations.....	4,434	19	155	25	742	48	555	439	48	366
18	Musicians and teachers of music.....	32	1	2		12		2	2	1	1
19	Teachers in schools.....	273	1	22		71	8	26	11	1	17
20	Stenographers and typewriters.....	22		2		7	1	1			2
21	Bookkeepers, clerks, and copyists.....	64		3		25	1	1	7		4
22	Hotel and boarding-house keepers.....	36		2				6	4		
23	Laundresses.....	29		1		4	1	6	4	1	1
24	Nurses and midwives.....	142		6	2	13	3	15	18	2	10
25	Servants.....	2,057	14	53	10	325	17	258	211	19	201
26	Artificial-flower and paper-box makers.....										
27	Cigar makers and tobacco workers.....	2						1			
28	Mill and factory operatives (textiles).....	178		14	1	58		9	9	1	13
29	Milliners.....	82		2		14		8	7	2	5
30	Dressmakers and seamstresses.....	329	1	19		64	1	38	37	5	27
31	Telegraph and telephone operators.....	4						1			1
32	All other occupations.....	1,184	2	38	12	149	16	183	129	16	84
REGISTRATION CITIES IN OTHER STATES.											
33	All occupations.....	5,967	32	292	38	1,198	35	524	492	43	565
34	Musicians and teachers of music.....	60		5		16		8	7	1	2
35	Teachers in schools.....	275	2	24	1	63	2	28	15	4	27
36	Stenographers and typewriters.....	101		9	1	34	2	3	9	1	5
37	Bookkeepers, clerks, and copyists.....	243	2	23	4	77		10	14	2	19
38	Hotel and boarding-house keepers.....	64	1		1	1	2	7	12		4
39	Laundresses.....	115		6		29		12	8		12
40	Nurses and midwives.....	204		13	1	20	4	23	18	3	15
41	Servants.....	3,014	12	119	17	479	19	298	255	26	312
42	Artificial-flower and paper-box makers.....	7				4			1		
43	Cigar makers and tobacco workers.....	36		7		10			1		5
44	Mill and factory operatives (textiles).....	132	2	10		42		4	7		12
45	Milliners.....	85		7		16		12	10	1	6
46	Dressmakers and seamstresses.....	643	4	34	4	170	3	44	59	2	56
47	Telegraph and telephone operators.....	19		1		9		1			
48	All other occupations.....	969	9	34	9	228	3	74	76	3	90
NONREGISTRATION RECORD.											
49	All occupations.....	11,028	182	851	65	2,240	49	1,049	859	48	989
50	Musicians and teachers of music.....	129	1	15		40		11	5		9
51	Teachers in schools.....	920	15	115	3	293	3	76	38	6	58
52	Stenographers and typewriters.....	55	1	5		19		4	3		3
53	Bookkeepers, clerks, and copyists.....	131	1	16	2	43	2	9	11	1	5
54	Hotel and boarding-house keepers.....	345	3	8	5	20	1	50	45		39
55	Laundresses.....	178	3	9		35		22	9	1	20
56	Nurses and midwives.....	279	2	11	1	36	1	38	24		34
57	Servants.....	3,027	49	229	21	712	15	286	222	15	255
58	Artificial-flower and paper-box makers.....	2				1					
59	Cigar makers and tobacco workers.....	42		2		16		2	4		4
60	Mill and factory operatives (textiles).....	344	5	65		74	4	21	20	1	40
61	Milliners.....	202		15	1	58	3	16	13		10
62	Dressmakers and seamstresses.....	1,087	20	75	2	295	4	79	87	3	81
63	Telegraph and telephone operators.....	20	1	5		6		1			1
64	All other occupations.....	4,267	81	281	30	592	16	434	377	21	430

OCCUPATIONS—FEMALES.

243

WHITE FEMALES ENGAGED IN EACH OCCUPATION: CENSUS YEAR 1900—Continued.

Other diseases of the respiratory system.	Diseases of the liver.	Other diseases of the digestive system.	Diseases of the urinary organs.	Diseases of the bones and joints.	Burns and scalds.	Suicide.	Other accidents and injuries.	CANCER.						All other causes.	Unknown cause.	
								Total.	Of stomach.	Of liver.	Of uterus.	Of breast.	Of other organs.			
269	87	422	671	12	45	77	180	445	88	39	110	53	155	1,070	29	1
1	3	3	5					5			1	2	2	9		2
5	3	22	17		2	2	3	23	3		4	2	14	48	3	3
2	1	6	3				3	1	1					15		4
6	3	25	17	1			7	6	1	1	4			45	2	5
1	2		1			3	1	9	3	1	1	1	3	3		6
7	3	8	15	2			4	9		3	3	2	1	27	1	7
7	2	14	22	1		2	3	27	3	2	6	3	13	29	2	8
164	47	185	406	6	29	42	101	243	56	21	67	21	78	604	9	9
		1	1				1	1						3	1	10
2	1	4	6				3	1			1			4		11
15	2	21	19		4	8	6	9		1	1	2	5	45	3	12
3	1	8	12			1	1	4			1	2	1	11		13
22	8	45	51		5	4	6	42	11	2	7	7	15	88	3	14
		2	2				3	1			1			4		15
34	14	80	94	2	5	12	38	65	10	8	13	11	23	135	5	16
124	69	250	203	8	15	30	127	298	47	17	58	51	125	874	39	17
		1	3					1	1					6		18
8	1	15	12	2	2	3	15	21	1		1	5	14	34	3	19
1		4	1					2			1			1		20
		3	1		1	1	3	5			1	2	2	8	1	21
	2	2	6					5			1	1	3	9		22
1	2	1	2				1	1					1	3		23
4	6	14	7			1	2	17	3	1	5	4	4	18	4	24
60	30	105	86	4	8	16	44	123	26	10	20	17	50	465	8	25
								1					1			26
																27
4	2	14	6			2	10	7			2	1	4	26	2	28
2	1	9	6				3	3			3	1	2	16	1	29
12	4	18	7		2	3	7	32	1	2	7	5	17	57	4	30
1		1														31
31	21	63	66	2	2	4	42	77	15	4	17	14	27	231	16	32
203	85	390	423	12	40	78	182	354	72	38	87	37	120	944	37	33
2	1	4	2				1	5	1	1	2	1		6		34
2	3	20	12	1	1	2	12	18		3	5	2	8	34	4	35
		15	6		1	2	2	3				1		8		36
5	4	28	16	1	1	5	9	1					1	20	2	37
7		4	5			1	4	4	2	1			1	10	1	38
5		5	10		2	2	3	4		1	1		2	17		39
6	3	16	18		3		2	20	4	3	4	3	6	37	2	40
125	45	169	236	9	24	39	79	196	40	23	45	19	69	540	15	41
		1												1		42
		4				1	2	1				1		5		43
6		11	9		1		4	3	2		1			21		44
3	1	9	5			1	1	5		2	1		2	8		45
14	10	40	31	1	4	6	19	56	13	3	16	6	18	82	4	46
1		1	1			2	1	1			1			1		47
27	18	64	71		3	17	43	37	10	1	11	4	11	154	9	48
261	151	594	350	25	59	57	281	496	109	25	73	62	227	2,140	282	49
3	2	8	11	4		1	1							16	2	50
21	8	59	32	1	2	3	23	33	12	1	2	9	9	119	12	51
		4	1			1	2	2		1			1	8	2	52
1		9	6		1	3	5	5						13	3	53
11	5	21	10			1	9	19	4	3	1	2	9	88	10	54
2	3	7	4		2	2	2	15	2		4	2	7	35	7	55
4	7	19	5		1	1	7	22	6	1	3	3	9	60	6	56
66	46	152	73	7	19	25	79	116	21	5	14	13	63	568	72	57
														1		58
1		2	1					1			1			8	1	59
4		13	13	1	2		4	7		1	3	1	2	64	6	60
4	5	17	8			1	2	7		1	2	1	1	38	4	61
32	13	56	34	2	7	5	24	64	10	2	19	10	23	177	27	62
1		1												3		63
111	62	226	152	10	24	15	123	210	51	11	24	21	103	942	130	64

TABLE 13.

DEATHS IN THE UNITED STATES, THE REGISTRATION AREA AND ITS SUBDIVISIONS
AND THE NONREGISTRATION AREA, DURING THE CENSUS YEAR ENDING
MAY 31, 1900, FROM EACH SPECIFIED DISEASE AND CLASS OF
DISEASES, OF COLORED FEMALES ENGAGED
IN EACH OCCUPATION.

NOTE.—Occupation not reported in the registration returns for certain cities. See note on page 75.

VITAL STATISTICS.

TABLE 13.—DEATHS, FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES,

	OCCUPATIONS.	All causes.	Malarial fever.	Typhoid fever.	Rheumatism.	Consumption.	Diabetes.	Diseases of the nervous system.	Diseases of the heart.	Other diseases of the circulatory system.	Pneumonia.
THE UNITED STATES.											
1	All occupations.....	16,351	642	954	120	4,029	13	1,006	1,282	62	1,380
2	Musicians and teachers of music.....	13				8			1		
3	Teachers in schools.....	159	8	16	1	61		4	7	1	14
4	Stenographers and typewriters.....										
5	Bookkeepers, clerks, and copyists.....	7		1		2		1			
6	Hotel and boarding-house keepers.....	25		1		4		5	1		2
7	Laundresses.....	1,917	47	73	16	419	1	152	201	16	157
8	Nurses and midwives.....	469	14	26	6	81	1	41	53	2	25
9	Servants.....	5,357	126	208	38	1,403	9	425	495	33	445
10	Artificial-flower and paper-box makers.....										
11	Cigar makers and tobacco workers.....	33		1		12		2	3		2
12	Mill and factory operatives (textiles).....	19	1		1	6		2			1
13	Milliners.....	3	1			1					
14	Dressmakers and seamstresses.....	247	5	10	2	79	1	19	14	2	18
15	Telegraph and telephone operators.....										
16	All other occupations.....	8,102	440	618	56	1,953	1	355	506	8	716
THE REGISTRATION RECORD.											
17	All occupations.....	3,872	65	88	27	871	10	356	428	38	327
18	Musicians and teachers of music.....	9				6					
19	Teachers in schools.....	30	1	1		11		2	4		
20	Stenographers and typewriters.....										
21	Bookkeepers, clerks, and copyists.....	7		1		2		1			
22	Hotel and boarding-house keepers.....	4				1		2			
23	Laundresses.....	617	13	4	4	108		59	79	10	48
24	Nurses and midwives.....	143	3	4	3	27	1	10	18	1	10
25	Servants.....	2,598	38	65	18	610	8	244	282	25	237
26	Artificial-flower and paper-box makers.....										
27	Cigar makers and tobacco workers.....	3				1					1
28	Mill and factory operatives (textiles).....	11	1		1	3		2			1
29	Milliners.....										
30	Dressmakers and seamstresses.....	111	2			32	1	8	10	1	9
31	Telegraph and telephone operators.....										
32	All other occupations.....	339	7	13	1	70		28	35	1	21
REGISTRATION CITIES.											
33	All occupations.....	3,727	65	85	25	834	9	340	414	38	320
34	Musicians and teachers of music.....	8				5					
35	Teachers in schools.....	30	1	1		11		2	4		
36	Stenographers and typewriters.....										
37	Bookkeepers, clerks, and copyists.....	7		1		2		1			
38	Hotel and boarding-house keepers.....	4				1		2			
39	Laundresses.....	607	13	4	4	107		57	78	10	47
40	Nurses and midwives.....	138	3	4	3	27	1	9	17	1	10
41	Servants.....	2,488	38	62	16	579	7	233	272	25	232
42	Artificial-flower and paper-box makers.....										
43	Cigar makers and tobacco workers.....	3				1					1
44	Mill and factory operatives (textiles).....	11	1		1	3		2			1
45	Milliners.....										
46	Dressmakers and seamstresses.....	109	2			32	1	7	10	1	8
47	Telegraph and telephone operators.....										
48	All other occupations.....	322	7	13	1	66		27	33	1	21
REGISTRATION STATES.											
49	All occupations.....	1,058	8	26	9	263	6	113	138	9	70
50	Musicians and teachers of music.....	6				5					
51	Teachers in schools.....	5				1			1		
52	Stenographers and typewriters.....										
53	Bookkeepers, clerks, and copyists.....	2				1					
54	Hotel and boarding-house keepers.....	1									
55	Laundresses.....	114		1	1	17		18	24	4	6
56	Nurses and midwives.....	19				2		3	4		1
57	Servants.....	834	7	24	8	216	5	86	101	5	57
58	Artificial-flower and paper-box makers.....										
59	Cigar makers and tobacco workers.....										
60	Mill and factory operatives (textiles).....	1									
61	Milliners.....										
62	Dressmakers and seamstresses.....	33	1			11	1	3	3		2
63	Telegraph and telephone operators.....										
64	All other occupations.....	43		1		10		3	5		4

247

Other diseases of the respiratory system.	Diseases of the liver.	Other diseases of the digestive system.	Diseases of the urinary organs.	Diseases of the bones and joints.	Burns and scalds.	Suicide.	Other accidents and injuries.	CANCER.						All other causes.	Un-known cause.	
								Total.	Of stomach.	Of liver.	Of uterus.	Of breast.	Of other organs.			
340	105	517	436	26	127	16	319	413	55	11	173	49	125	3,780	784	1
3	1	25	12	1	1		3	2			1	1		125	4	23
1	1	1	1											37	1	56
63	12	88	75	2	12		31	66	6		31	6	23	422	64	7
10	4	16	18		3		14	12	4		2	1	5	119	24	8
131	30	216	211	10	41	12	99	153	24	7	64	18	40	1,113	159	9
		2		1			2	1	1					5	2	11
1		1	1											4	1	12
5	2	11	10		1		4	15	2	2	6		5	41	8	14
126	55	175	117	12	69	4	166	164	18	2	69	23	52	2,040	521	16
131	16	212	268	10	28		9	141	25	6	57	18	35	731	53	17
1		2												16	2	18
														3		20
			1													21
29	1	35	44		2		13	27	3		13	3	8	133	8	23
3		7	13				6	4			2		2	30	3	24
84	10	147	169	7	22	9	36	85	14	5	37	12	17	468	34	25
														1		27
		1	1											1		28
3	2	6	7		1		2	8	2	1	3		2	17	2	29
11	3	12	33	3	3		6	17	6		2	3	6	71	4	30
																31
126	15	206	257	9	27		8	136	23	6	57	18	32	700	53	32
1		2												16	2	33
														3		34
			1													35
29	1	34	42		2		13	27	3		13	3	8	131	8	36
3		7	13				6	4			2		2	27	3	37
80	9	143	160	6	21	8	34	81	13	5	37	12	14	448	34	38
														1		39
		1	1											1		40
3	2	6	7		1		2	8	2	1	3		2	17	2	41
10	3	11	33	3	3		5	16	5		2	3	6	65	4	42
28	3	60	74	2	7	3	15	46	11	1	15	6	13	174	4	43
1		1												2		44
														1		45
			1													46
1		8	5		1		3	5	1		1		3	19	1	47
1		1	2											5		48
24	2	44	62	2	6	3	11	36	7	1	13	6	9			

VITAL STATISTICS.

TABLE 13.—DEATHS, FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, OF

	OCCUPATIONS.	All causes.	Malarial fever.	Typhoid fever.	Rheumatism.	Consumption.	Diabetes.	Diseases of the nervous system.	Diseases of the heart.	Other diseases of the circulatory system.	Pneumonia.
CITIES IN REGISTRATION STATES.											
1	All occupations.....	913	8	23	7	226	5	97	124	9	63
2	Musicians and teachers of music.....	5				4					
3	Teachers in schools.....	5				1			1		
4	Stenographers and typewriters.....										
5	Bookkeepers, clerks, and copyists.....	2				1					
6	Hotel and boarding-house keepers.....	1									
7	Laundresses.....	104		1	1	16		16	23	4	5
8	Nurses and midwives.....	14				2		2	3		1
9	Servants.....	724	7	21	6	185	4	75	91	5	52
10	Artificial-flower and paper-box makers.....										
11	Cigar makers and tobacco workers.....										
12	Mill and factory operatives (textiles).....	1									
13	Milliners.....										
14	Dressmakers and seamstresses.....	31	1			11	1	2	3		1
15	Telegraph and telephone operators.....										
16	All other occupations.....	26		1		6		2	3		4
RURAL PART OF REGISTRATION STATES.											
17	All occupations.....	145		3	2	37	1	16	14		7
18	Musicians and teachers of music.....	1				1					
19	Teachers in schools.....										
20	Stenographers and typewriters.....										
21	Bookkeepers, clerks, and copyists.....										
22	Hotel and boarding-house keepers.....										
23	Laundresses.....	10				1		2	1		1
24	Nurses and midwives.....	5						1	1		
25	Servants.....	110		3	2	31	1	11	10		5
26	Artificial-flower and paper-box makers.....										
27	Cigar makers and tobacco workers.....										
28	Mill and factory operatives (textiles).....										
29	Milliners.....										
30	Dressmakers and seamstresses.....	2						1			1
31	Telegraph and telephone operators.....										
32	All other occupations.....	17				4		1	2		
REGISTRATION CITIES IN OTHER STATES.											
33	All occupations.....	2,814	57	62	18	608	4	243	290	29	257
34	Musicians and teachers of music.....	3				1					
35	Teachers in schools.....	25	1	1		10		2	3		
36	Stenographers and typewriters.....										
37	Bookkeepers, clerks, and copyists.....	5		1		1		1			
38	Hotel and boarding-house keepers.....	3				1		2			
39	Laundresses.....	503	13	3	3	91		41	55	6	42
40	Nurses and midwives.....	124	3	4	3	25	1	7	14	1	9
41	Servants.....	1,764	31	41	10	394	3	158	181	20	180
42	Artificial-flower and paper-box makers.....										
43	Cigar makers and tobacco workers.....	3				1					1
44	Mill and factory operatives (textiles).....	10	1		1	3		2			1
45	Milliners.....										
46	Dressmakers and seamstresses.....	78	1			21		5	7	1	7
47	Telegraph and telephone operators.....										
48	All other occupations.....	296	7	12	1	60		25	30	1	17
NONREGISTRATION RECORD.											
49	All occupations.....	12,479	577	866	93	3,158	3	650	854	24	1,053
50	Musicians and teachers of music.....	4				2			1		
51	Teachers in schools.....	129	7	15	1	50		2	3	1	14
52	Stenographers and typewriters.....										
53	Bookkeepers, clerks, and copyists.....										
54	Hotel and boarding-house keepers.....	21		1		3		3	1		2
55	Laundresses.....	1,300	34	69	12	311	1	93	122	6	109
56	Nurses and midwives.....	326	11	22	3	54		31	35	1	15
57	Servants.....	2,759	88	143	20	793	1	181	213	8	208
58	Artificial-flower and paper-box makers.....										
59	Cigar makers and tobacco workers.....	30		1		11		2	3		1
60	Mill and factory operatives (textiles).....	8				3					
61	Milliners.....	3	1			1			1		
62	Dressmakers and seamstresses.....	136	3	10	2	47		11	4	1	9
63	Telegraph and telephone operators.....										
64	All other occupations.....	7,763	433	605	55	1,883	1	327	471	7	695

OCCUPATIONS—FEMALES.

249

COLORED FEMALES ENGAGED IN EACH OCCUPATION: CENSUS YEAR 1900—Continued.

Other diseases of the respiratory system.	Diseases of the liver.	Other diseases of the digestive system.	Diseases of the urinary organs.	Diseases of the bones and joints.	Burns and scalds.	Suicide.	Other accidents and injuries.	CANCER.						All other causes.	Unknown cause.	
								Total.	Of stomach.	Of liver.	Of uterus.	Of breast.	Of other organs.			
23	2	54	63	1	6	2	12	41	9	1	15	6	10	143	4	1
		1														2
		1												2		3
																4
			1											1		5
																6
1		7	3		1		3	5	1		1		3	17	1	7
1		1	2											2		8
20	1	40	53	1	5	2	9	32	6	1	13	6	6	112	3	9
																10
			1													11
																12
1		2	3					1			1			5		13
																14
	1	2						3	2				1	4		15
																16
5	1	6	11	1	1	1	3	5	2				3	31		17
																18
																19
																20
																21
																22
		1	2											2		23
														3		24
4	1	4	9	1	1	1	2	4	1					20		25
																26
																27
																28
																29
																30
1		1					1	1	1					6		31
																32
103	13	152	194	8	21	6	48	95	14	5	42	12	22	557	49	33
		1												1		34
1		1												4		35
																36
														2		37
																38
28	1	27	39		1		10	22	2		12	3	5	114	7	39
2		6	11				6	4			2		2	25	3	40
60	8	103	107	5	16	6	25	49	7	4	24	6	8	336	31	41
																42
														1		43
		1												1		44
																45
2	2	4	4		1		2	7	2	1	2		2	12	2	46
																47
10	2	9	33	3	3		5	13	3		2	3	5	61	4	48
209	89	305	168	16	99	7	256	272	30	5	116	31	90	3,049	731	49
			1								1					50
2	1	3	2	1	1		3	2				1		19	2	51
																52
																53
1	1	1												7	1	54
34	11	53	31	2	10		18	39	3		18	3	15	289	56	55
7	4	9	5		3		8	8	4			1	3	89	21	56
47	20	69	42	3	19	3	63	68	10	2	27	6	23	645	125	57
																58
		2		1			2	1	1					4	2	59
1														3	1	60
																61
2		5	3				2	7		1	3		3	24	6	62
																63
115	52	163	84	9	66	4	160	147	12	2	67	20	46	1,969	517	64

TABLE 14.

DEATHS FROM CANCER IN THE UNITED STATES, THE REGISTRATION AREA AND ITS SUB-DIVISIONS AND THE NONREGISTRATION AREA, DURING THE CENSUS YEAR
ENDING MAY 31, 1900, BY COLOR, GENERAL NATIVITY, PARENT
NATIVITY, AND BIRTHPLACES OF MOTHERS, WITH
DISTINCTION OF SEX AND AGE.

NOTE.—Nativity, parent nativity, and birthplaces of mothers not supplied in the registration record for certain areas.

DEATHS FROM CANCER.

253

TABLE 14.—DEATHS FROM CANCER, AT EACH AGE, BY SEX, COLOR, GENERAL NATIVITY, AND BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900.

COLOR, GENERAL NATIVITY, AND BIRTHPLACES OF MOTHERS.	All ages.	Under 20	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 and over.	Un-known.
THE UNITED STATES.															
Aggregate	29,475	400	202	406	802	1,416	2,174	2,943	3,368	3,652	3,746	3,580	2,912	3,696	178
Males	11,436	200	82	134	229	361	615	897	1,188	1,364	1,572	1,607	1,388	1,725	74
Females	18,039	200	120	272	573	1,055	1,559	2,046	2,180	2,288	2,174	1,973	1,524	1,971	104
White.....	27,973	353	156	358	719	1,285	2,018	2,732	3,175	3,515	3,607	3,487	2,839	3,581	148
Males	11,072	179	69	126	212	342	591	859	1,147	1,325	1,538	1,570	1,364	1,683	62
Females	16,901	174	87	232	507	943	1,427	1,873	2,028	2,190	2,069	1,917	1,475	1,893	86
Native	16,866	325	122	260	520	844	1,342	1,714	1,819	1,924	2,004	1,946	1,640	2,337	69
Both parents na- tive. (M.....)	3,804	106	32	51	69	88	171	237	311	374	507	546	533	766	13
One or both par- ents foreign. (F.....)	6,869	110	41	88	193	345	518	742	818	833	840	823	628	864	26
One or both par- ents foreign. (M.....)	738	49	9	14	31	53	97	78	74	81	62	61	46	83	
One or both par- ents foreign. (F.....)	1,335	31	16	49	76	129	220	201	155	157	99	76	47	76	3
Foreign	10,400	18	31	87	183	400	623	952	1,280	1,516	1,521	1,459	1,142	1,157	31
Males	4,848	7	14	39	70	136	236	384	587	690	757	734	586	593	15
Females	5,552	11	17	48	113	264	387	568	693	826	764	725	556	564	16
Colored.....	1,502	47	46	48	83	131	156	211	193	137	139	93	73	115	30
Males	364	21	13	8	17	19	24	38	41	39	34	37	24	37	12
Females	1,138	26	33	40	66	112	132	173	152	98	105	56	49	78	18
Birthplaces of mothers (white):															
United States..... (M.....)	4,012	117	34	53	77	99	182	251	326	397	525	577	551	809	14
United States..... (F.....)	7,249	114	43	93	203	365	550	783	868	898	871	864	659	912	26
Ireland..... (M.....)	1,096	4	2	11	13	34	60	83	135	159	173	149	125	141	7
Ireland..... (F.....)	1,700	3	4	28	51	95	160	183	225	231	207	197	152	156	8
Germany..... (M.....)	1,646	14	8	10	27	44	96	146	190	214	236	264	212	181	4
Germany..... (F.....)	1,774	10	8	26	48	83	142	186	214	270	215	219	173	174	6
England and Wales..... (M.....)	444	6		4	9	13	15	32	37	63	71	71	49	74	
England and Wales..... (F.....)	613	4	1	5	16	34	60	84	69	85	77	63	53	61	1
Canada..... (M.....)	273	4	2	6	7	7	25	18	34	30	38	38	28	36	
Canada..... (F.....)	383	4	3	3	13	34	39	50	59	55	39	36	27	21	
Scandinavia..... (M.....)	281	6	1	4	2	13	26	28	38	42	38	26	29	27	1
Scandinavia..... (F.....)	295	4	4	4	4	26	27	28	37	35	33	32	29	32	
Scotland..... (M.....)	162	1		2	1	5	13	8	14	17	21	21	25	33	1
Scotland..... (F.....)	202	2	1	4	1	11	14	19	19	22	30	23	23	33	
Italy..... (M.....)	57	2		2	5	3	4	13	10	6	4	4	1	3	
Italy..... (F.....)	70	2	2	3	6	5	7	13	8	9	5	2	6	2	
France..... (M.....)	76				5	4	7	10	5	13	10	8	14		
France..... (F.....)	85			4	3	5	4	16	4	15	17	5	5	7	
Russia and Poland..... (M.....)	123	3	2	2	3	12	16	14	20	17	15	8	4	7	
Russia and Poland..... (F.....)	107	6	1	1	5	10	19	10	8	15	10	13	2	6	1
Other foreign coun- tries. (M.....)	291	4	2	4	6	10	21	28	41	36	48	41	22	26	2
Other foreign coun- tries. (F.....)	303	3	5	7	11	22	31	28	35	43	38	42	18	20	
Unknown..... (M.....)	919	11	3	9	18	24	39	68	82	109	121	125	117	162	81
Unknown..... (F.....)	1,470	6	5	22	57	82	131	158	141	154	174	148	131	227	34
THE REGISTRATION RECORD.															
Aggregate	17,296	115	95	212	462	876	1,342	1,794	2,086	2,285	2,230	2,114	1,626	2,017	42
Males	6,388	57	48	67	127	220	370	536	749	836	871	889	721	883	14
Females	10,908	58	47	145	335	656	972	1,258	1,337	1,449	1,359	1,225	905	1,134	28
White.....	16,758	106	80	200	425	819	1,271	1,720	2,014	2,221	2,187	2,076	1,600	1,989	40
Males	6,233	51	41	63	120	209	355	524	726	813	858	872	711	877	13
Females	10,525	55	39	137	315	610	916	1,196	1,288	1,408	1,329	1,204	889	1,112	27
Native	8,769	96	56	128	275	490	754	950	965	1,039	1,049	978	815	1,160	14
Both parents na- tive. (M.....)	1,416	20	14	12	20	27	58	83	119	147	190	218	216	292	
One or both par- ents foreign. (F.....)	2,988	20	8	31	70	140	202	322	337	389	406	372	285	403	3
One or both par- ents foreign. (M.....)	365	20	3	8	14	32	59	47	41	37	29	24	14	37	
One or both par- ents foreign. (F.....)	874	14	10	30	55	92	162	139	110	95	62	51	24	28	2
Foreign	7,572	7	23	65	151	308	483	732	993	1,131	1,086	1,047	755	774	17
Males	3,326	3	11	26	56	100	171	277	440	510	504	485	354	383	6
Females	4,246	4	12	39	95	208	312	455	553	621	582	562	401	391	11
Colored.....	538	9	15	12	27	57	71	74	72	64	43	38	26	28	2
Males	155	6	7	4	7	11	15	12	23	23	13	17	10	6	1
Females	383	3	8	8	20	46	56	62	49	41	30	21	16	22	1
Birthplaces of mothers (white):															
United States..... (M.....)	1,506	23	14	12	22	32	62	90	126	156	197	232	226	313	1
United States..... (F.....)	3,229	21	8	34	76	155	225	353	368	427	423	400	304	432	3
Ireland..... (M.....)	747	3	1	9	8	28	40	65	106	113	119	98	67	85	5
Ireland..... (F.....)	1,396	2	4	22	43	78	133	156	200	191	175	168	113	104	7
Germany..... (M.....)	913	5	4	7	20	25	60	81	120	123	127	140	103	97	1
Germany..... (F.....)	1,174	4	5	19	36	60	96	136	144	171	141	154	108	98	2
England and Wales..... (M.....)	274	3		5	10	12	21	22	45	44	45	44	24	43	
England and Wales..... (F.....)	392	2	1	1	10	22	42	60	45	51	40	44	34	39	1
Canada..... (M.....)	215	4	2	5	5	7	19	14	29	26	32	26	19	27	
Canada..... (F.....)	327	3	3	2	10	30	39	43	51	47	32	26	23	18	
Scandinavia..... (M.....)	71	1			4	11	13	12	13	5	2	6	4		
Scandinavia..... (F.....)	82		2	3	4	8	10	6	11	9	8	6	10	5	
Scotland..... (M.....)	90			2	1	3	10	7	8	7	8	11	10	23	
Scotland..... (F.....)	137	2	1	2	1	7	12	12	16	13	21	15	14	21	
Italy..... (M.....)	46	2		2	4	3	3	11	7	5	1	4	1	3	
Italy..... (F.....)	60		2	3	5	5	7	12	6	6	4	2	6	2	
France..... (M.....)	42				2	2	2	4	5	4	8	7	4	6	
France..... (F.....)	51			2	1	3	3	8	9	9	10	4	4	4	
Russia and Poland..... (M.....)	105	1	2	2	2	9	14	12	19	15	13	5	4	7	
Russia and Poland..... (F.....)	88	4	1	1	5	9	15	7	8	11	9	11	2	5	
Other foreign coun- tries. (M.....)	159		1	1	2	4	14	18	26	28	24	20	9	12	
Other foreign coun- tries. (F.....)	179		1	4	7	14	21	15	21	28	24	26	8	10	
Unknown..... (M.....)	373	2	2	4	7	9	18	25	36	48	45	46	45	82	4
Unknown..... (F.....)	760	1	1	12	28	48	70	73	74	87	89	75	66	132	4

VITAL STATISTICS.

TABLE 14.—DEATHS FROM CANCER, AT EACH AGE, BY SEX, COLOR, GENERAL NATIVITY, AND BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

COLOR, GENERAL NATIVITY, AND BIRTHPLACES OF MOTHERS.	All ages.	Under 20	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 and over.	Un-known.
REGISTRATION CITIES.															
Aggregate	12,680	82	84	179	391	718	1,077	1,428	1,653	1,726	1,627	1,419	1,083	1,186	27
Males	4,647	38	46	58	112	185	292	429	618	664	649	614	464	468	10
Females	7,983	44	38	121	279	533	785	999	1,035	1,062	978	805	619	668	17
White	12,116	74	69	167	364	663	1,008	1,359	1,583	1,666	1,589	1,381	1,058	1,110	25
Males	4,497	33	39	54	105	174	277	417	595	642	638	597	455	462	9
Females	7,619	41	30	113	259	489	731	942	988	1,024	951	784	603	648	16
Native	5,450	64	48	102	218	370	563	690	665	662	632	500	421	507	8
Both parents na- tive. (M.)	593	6	13	6	11	13	30	38	67	70	90	78	79	92	
One or both par- ents foreign. (F.)	1,435	9	3	19	38	76	120	192	179	182	192	144	122	159	
Foreign	6,316	7	20	58	137	273	414	635	865	962	913	839	615	567	11
Males	2,740	3	10	23	53	89	144	236	384	441	418	393	281	262	3
Females	3,576	4	10	35	84	184	270	399	481	521	495	446	334	305	8
Colored	514	8	15	12	27	55	69	69	70	60	38	38	25	26	2
Males	150	5	7	4	7	11	15	12	23	22	11	17	9	6	1
Females	364	3	8	8	20	44	54	57	47	38	27	21	16	20	1
Birthplaces of mothers (white):															
United States	1,567	10	3	19	42	84	132	211	194	202	198	156	134	172	
Ireland	1,125	2	4	22	40	67	106	136	170	151	141	118	95	69	4
Germany	1,005	4	5	17	32	55	83	122	129	144	118	118	90	86	2
England and Wales	181	3	1	1	5	9	9	13	14	32	31	24	16	25	
Canada	286	2	1	1	8	17	33	40	34	40	30	31	27	21	1
Scandinavia	116	2	1	1	3	5	10	10	15	16	18	14	7	12	
Scotland	98	1	1	2	1	7	10	10	11	10	16	9	8	12	
Italy	39	2	1	2	4	3	3	7	7	5	1	3	1	1	
France	53	1	1	2	5	5	7	11	6	4	3	2	5	2	
Russia and Poland	29	1	1	2	2	2	1	3	3	4	7	4	1	4	
Other foreign coun- tries. (M.)	95	2	2	2	2	9	12	11	19	13	10	5	4	6	
Unknown	142	2	2	3	7	12	17	12	15	23	19	21	3	9	
REGISTRATION STATES.	10,824	74	44	125	255	472	793	1,040	1,252	1,393	1,371	1,414	1,069	1,495	27
Aggregate	3,847	39	19	35	59	106	214	292	418	466	521	575	438	657	8
Males	6,977	35	25	90	196	366	579	748	834	927	850	839	631	838	19
White	10,676	71	41	121	250	461	778	1,013	1,233	1,373	1,355	1,404	1,061	1,488	27
Males	3,809	36	17	34	59	104	214	288	413	461	517	570	434	654	8
Females	6,867	35	24	87	191	357	564	725	820	912	838	834	627	834	19
Native	5,949	64	27	73	155	270	454	569	621	692	712	735	602	966	9
Both parents na- tive. (M.)	1,254	19	9	9	15	19	47	70	97	128	167	203	195	276	
One or both par- ents foreign. (F.)	2,642	18	6	27	57	112	160	273	289	347	354	345	265	386	3
Foreign	4,624	6	14	48	94	189	317	439	607	665	627	659	447	499	13
Males	1,906	2	5	17	28	56	105	162	244	269	289	296	180	248	5
Females	2,718	4	9	31	66	133	212	277	363	396	338	363	267	251	8
Colored	148	3	3	4	5	11	15	27	19	20	16	10	8	7	
Males	38	3	2	1	2	2	4	5	5	4	5	4	4	3	
Females	110	1	1	3	5	9	15	23	14	15	12	5	4	4	
Birthplaces of mothers (white):															
United States	1,326	21	9	9	17	23	50	74	103	135	173	216	203	292	1
Ireland	1,256	2	3	18	39	72	125	134	183	171	156	157	103	92	4
Germany	644	5	2	6	17	18	45	57	81	82	87	107	65	71	1
England and Wales	330	1	1	1	10	15	35	51	39	41	33	37	31	35	
Canada	201	4	2	3	5	6	18	12	27	25	31	24	18	26	
Scandinavia	54	2	3	2	9	29	37	40	48	45	30	24	23	18	
Scotland	77	1	1	1	3	5	7	8	6	8	2	3	1	2	
Italy	129	2	1	2	1	7	11	15	12	12	19	15	13	20	
France	38	1	2	3	3	3	7	10	5	6	4	2	6	2	
Russia and Poland	85	1	2	2	2	2	7	11	13	13	12	5	3	5	
Other foreign coun- tries. (M.)	146	1	1	3	5	12	18	15	18	22	17	19	7	9	
Unknown	283	1	1	8	19	28	47	53	55	68	74	59	53	123	4

DEATHS FROM CANCER.

255

TABLE 14.—DEATHS FROM CANCER, AT EACH AGE, BY SEX, COLOR, GENERAL NATIVITY, AND BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

COLOR, GENERAL NATIVITY, AND BIRTHPLACES OF MOTHERS.	All ages.	Under 20	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 and over.	Un-known.
CITIES IN REGISTRATION STATES.															
Aggregate	6,158	41	33	92	184	314	528	674	819	834	768	719	526	614	12
Males	2,106	20	17	26	44	71	136	185	287	294	299	300	181	242	4
Females	4,052	21	16	66	140	243	392	489	532	540	469	419	345	372	8
White	6,034	39	30	88	179	305	515	652	802	818	757	709	519	609	12
Males	2,073	18	15	25	44	69	136	181	282	290	297	295	178	239	4
Females	3,961	21	15	63	135	236	379	471	520	528	460	414	341	370	8
Native	2,630	32	19	47	98	150	263	309	321	315	295	257	208	313	3
Both parents na- tive. (M.)	431	5	8	3	6	5	19	25	45	51	67	63	58	76	
One or both par- ents foreign. (M.)	1,089	7	1	15	25	48	78	143	131	140	140	117	102	142	
Foreign. (F.)	177	11	3	5	11	15	31	25	30	17	11	5	3	10	
Foreign. (F.)	471	9	7	15	38	62	98	72	59	45	27	18	10	9	2
Foreign	3,368	6	11	41	80	154	248	342	479	496	454	451	307	292	7
Males	1,320	2	4	14	25	45	78	121	188	200	203	204	107	127	2
Females	2,048	4	7	27	55	109	170	221	291	296	251	247	200	165	5
Colored	124	2	3	4	5	9	13	22	17	16	11	10	7	5	
Males	33	2	2	1		2		4	5	4		5	3	3	
Females	91		1	3	5	7	13	18	12	12	2	5	4	2	
Birthplaces of mothers (white):															
United States	460	7	8	3	7	8	20	27	48	54	72	66	59	81	
Ireland	1,185	8	1	15	27	53	90	157	143	154	144	127	114	152	
Germany	463	3	1	8	6	12	28	44	80	73	65	68	32	41	2
England and Wales	985	2	3	18	36	61	98	114	153	131	122	101	85	57	4
Canada	486	4	2	5	16	17	31	45	65	67	69	83	46	36	
Scandinavia	679	4	4	12	27	39	57	70	89	99	72	83	64	57	2
Scotland	122	1			2	5	7	9	7	23	24	17	10	17	
Italy	224	1		1	8	10	26	31	28	30	23	24	24	17	1
France	102	2	1	1	3	4	9	8	13	15	17	12	6	11	
Russia and Poland	166		1	1	4	19	23	21	30	24	14	12	9	8	
Other foreign coun- tries. (M.)	27		2	1	2	4	7	4	4	7	5	1	3	1	
Unknown	41														
United States	43														
Ireland	90	1	1	2	1	7	9	9	10	9	14	9	7	11	
Germany	31	1		1	2	3	3	6	5	4	1	3	1	1	
England and Wales	47		1	2	3	5	7	8	5	4	3	2	5	2	
Canada	23														
Scandinavia	21														
Scotland	75		2	2	2	7	9	8	13	11	9	5	3	2	
Italy	69	4	1	1	3	7	11	7	6	9	6	8	1	5	
France	93		1		2	4	8	13	19	14	15	8	2	7	
Russia and Poland	109		1	2	5	10	14	12	12	17	12	14	2	8	
Other foreign coun- tries. (F.)	137			3	2	5	8	8	18	21	16	21	11	22	2
Unknown	323	1		6	17	18	33	33	36	38	40	30	22	48	1
RURAL PART OF REGISTRATION STATES.															
Aggregate	4,666	33	11	33	71	158	265	366	433	559	603	695	543	881	15
Males	1,741	19	2	9	15	35	78	107	131	172	222	275	257	415	4
Females	2,925	14	9	24	56	123	187	259	302	387	381	420	286	466	11
White	4,642	32	11	33	71	156	263	361	431	555	598	695	542	879	15
Males	1,736	18	2	9	15	35	78	107	131	171	220	275	256	415	4
Females	2,906	14	9	24	56	121	185	254	300	384	378	420	286	464	11
Native	3,319	32	8	26	57	120	191	260	300	377	417	478	394	653	6
Both parents na- tive. (M.)	823	14	1	6	9	14	28	45	52	77	100	140	137	200	
One or both par- ents foreign. (M.)	1,553	11	5	12	32	64	82	130	158	207	214	228	163	244	3
Foreign. (F.)	108	4		2	7	14	11	5	10	8	15	11	21	13	
Foreign	244	3	1	4	8	18	41	34	35	28	21	26	12	13	
Foreign	1,256		3	7	14	35	69	97	128	169	173	208	140	207	6
Males	586		1	3	3	11	27	41	56	69	86	92	73	121	3
Females	670		2	4	11	24	42	56	72	100	87	116	67	86	3
Colored	24	1				2	2	5	2	4	5		1	2	
Males	5	1								1	2		1		
Females	19					2	2	5	2	3	3			2	
Birthplaces of mothers (white):															
United States	866	14	1	6	10	15	30	47	55	81	101	150	144	211	1
Ireland	1,672	11	5	15	34	71	93	142	174	225	244	244	170	260	3
Germany	183					11	5	13	13	21	35	23	37	37	2
England and Wales	271					11	27	20	30	40	34	50	18	35	3
Canada	158	1		1	1	1	14	12	16	15	18	24	19	35	1
Scandinavia	169			2	4	5	13	14	15	27	23	36	18	12	
Scotland	93					1	3	8	8	13	13	21	8	18	
Italy	106					2	5	9	20	11	10	13	7	18	
France	99	2	1	2	2	2	9	4	14	10	14	12	12	15	
Russia and Poland	146	2	2	1	5	10	14	19	18	21	16	14	14	10	
Other foreign coun- tries. (M.)	12					1	2	2	1	4	1			1	
Unknown	16					1	1	1	3	1	2	2	3	1	
United States	34					1	1	1	3	3	1	5	5	13	
Ireland	39	1					2	2	5	3	5	6	6	9	
Germany	7		1	1				4			1	1	2	2	
England and Wales	13						1	1	2	1	1	3	3	2	
Canada	4					1	1	1	1	1	1	1	1	1	
Scandinavia	10	1					2	1	2	3	1	1	1	1	
Scotland	7						1	1	1	1	1	1	1	1	
Italy	37						2	3	2	6	5	4	5	4	
France	31						2	3	2	6	5	5	5	1	
Russia and Poland	146						7	8	10	10	17	20	23	50	
Other foreign coun- tries. (F.)	270		1	2	2	10	14	20	19	30	34	29	31	75	3

COLOR, GENERAL NATIVITY, AND BIRTHPLACES OF MOTHERS.		All ages.	Under 20	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 and over.	Un-known.
REGISTRATION CITIES IN OTHER STATES.																
Aggregate.....		6,472	41	51	87	207	404	549	754	834	892	859	700	557	522	15
Males.....		2,541	18	29	32	68	114	156	244	331	370	350	314	283	226	6
Females.....		3,931	23	22	55	139	290	393	510	503	522	509	386	274	296	9
White.....		6,082	35	39	79	185	358	493	707	781	848	832	672	539	501	13
Males.....		2,424	15	24	29	61	105	141	236	313	352	341	302	277	223	5
Females.....		3,658	20	15	50	124	253	352	471	468	496	491	370	262	278	8
Native.....		2,820	32	29	55	120	220	300	381	344	347	337	243	213	194	5
Both parents native.....		162	1	5	3	5	8	11	13	22	19	23	15	21	16	
One or both parents foreign.....		346	2	2	4	13	28	42	49	48	42	52	27	20	17	
Foreign.....		80	5		3	1	10	14	11	6	10	10	4		6	
Males.....		159	2	2	11	9	12	23	33	16	22	14	7	2	6	
Females.....		2,948	1	9	17	57	119	166	293	386	466	459	388	308	275	4
Males.....		1,420	1	6	9	28	44	66	115	196	241	215	189	174	135	1
Females.....		1,528		3	8	29	75	100	178	190	225	244	199	134	140	3
Colored.....		390	6	12	8	22	46	56	47	53	44	27	28	18	21	2
Males.....		117	3	5	3	7	9	15	8	18	18	9	12	6	3	1
Females.....		273	3	7	5	15	37	41	39	35	26	18	16	12	18	1
Birthplaces of mothers (white):																
United States.....		180	2	5	3	5	9	12	16	23	21	24	16	23	21	
Ireland.....		372	2	2	4	15	31	42	54	51	48	54	29	20	20	
Germany.....		101		1	2	5	5	7	8	13	19	19	7	12	7	1
England and Wales.....		140		1	4	4	6	8	22	17	20	19	17	10	12	
Canada.....		269		2	1	3	7	15	24	39	41	40	33	38	26	
Scandinavia.....		326		1	5	16	26	52	40	45	46	35	26	29		
Scotland.....		59	2		3	4	2	4	7	9	7	7	6	8		
Italy.....		62	1	1		7	7	9	6	10	7	7	3	4		
France.....		14			2	1	1	2	2	1	1	2	1	1		
Russia and Poland.....		15	1			1	2	3	3	2	2	2				
Other foreign countries.....		32	1			1	1	4	5	6	5	3	2	5		
Unknown.....		25		2	1	3	2	1	4	1	1	3		4	3	
NONREGISTRATION RECORD.																
Aggregate.....		12,179	285	107	194	340	540	832	1,149	1,282	1,367	1,516	1,466	1,286	1,679	136
Males.....		5,048	143	34	67	102	141	245	361	439	528	701	718	667	842	

TABLE 15.

DEATHS FROM CANCER, IN THE REGISTRATION AREA, OF THE SINGLE, MARRIED,
WIDOWED, AND DIVORCED, DURING THE CENSUS YEAR ENDING MAY 31, 1900,
BY COLOR, GENERAL NATIVITY, PARENT NATIVITY, AND
BIRTHPLACES OF MOTHERS, WITH DISTINC-
TION OF SEX AND AGE.

NOTE.—Nativity, parent nativity, and birthplaces of mothers not supplied in the registration record for certain areas.

DEATHS FROM CANCER.

259

TABLE 15.—DEATHS FROM CANCER, AT EACH AGE, BY SEX, COLOR, GENERAL NATIVITY, AND BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900.

THE REGISTRATION RECORD.

COLOR, GENERAL NATIVITY, AND BIRTHPLACES OF MOTHERS.	All ages.	Under 20	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 and over.	Un- known.
SINGLE.															
Aggregate	1,935	108	63	63	110	151	196	193	223	209	182	164	125	141	7
Males	788	58	37	31	49	64	57	81	87	75	74	65	51	63	1
Females	1,147	55	26	32	61	87	139	112	136	134	108	99	74	78	6
White	1,851	99	52	59	106	139	189	181	219	199	178	161	123	139	7
Males	750	47	32	28	46	59	53	77	87	70	73	65	50	62	1
Females	1,101	52	20	31	60	80	136	104	132	129	105	96	73	77	6
Native	1,130	91	37	42	71	84	126	96	125	111	94	97	67	86	3
Both parents na- tive. (M.)	156	19	10	6	10	6	12	3	10	14	10	23	13	20	
One or both par- ents foreign. (F.)	370	18	5	9	11	18	36	36	46	42	49	38	28	34	
Foreign	76	19	3	5	9	10	9	6	7	3	3		2	3	
Foreign	142	14	3	8	12	17	31	17	9	13	4	7	3	3	1
Foreign	682	6	15	16	32	52	59	80	92	81	79	61	55	50	4
Males	351	2	9	11	14	26	21	50	47	39	49	25	27	30	1
Females	331	4	6	5	18	26	38	30	45	42	30	36	28	20	3
Colored	84	9	11	4	4	12	7	12	4	10	4	3	2	2	
Males	38	6	5	3	3	5	4	4		5	1		1	1	
Females	46	3	6	1	1	7	3	8	4	5	3		1	1	
Birthplaces of mothers (white):															
United States	165	22	10	6	11	7	12	5	11	14	11	23	13	20	
Ireland	406	19	5	9	12	19	41	43	51	47	52	41	29	38	
Germany	108	3	1	6	3	13	10	12	14	12	11	5	7	10	1
England and Wales	221	2	3	6	11	18	31	19	32	30	18	21	14	12	4
Canada	72	5	3	1	4	4	7	13	9	5	12	4	3	2	
Scandinavia	60	4		4	4	6	11	8	3	4	5	5	4	2	
Scotland	26	3		1	1	4	1	1		3	4	2	3	4	
Italy	27	2		1	2	2	5	2	3	4	4	2	2		
France	25	4	2	3	2	1	2	2	2		2	2	2	1	
Russia and Poland	17	3	1		2	3	1	2	3	1		2	1		
Other foreign coun- tries. (M.)	15	1			1	1	2	1	1	1		1	1		
Unknown	12	2		2	1	2	2	2	1	1	1		2	2	
Italy	20	1		1	1	2	3	3	2	2	1	2	4	1	
France	6					1		1							
Russia and Poland	3					1		1		1					
Other foreign coun- tries. (F.)	4	1	2			1									
Unknown	6	4	1		1	1		2	2	3	1	3		1	
Unknown	45	2		1	3	3	4	5	5	7	4	3	2	6	
Unknown	64	1	1	3	3	2	8	5	13	4	9	4	2	8	1
MARRIED.															
Aggregate	10,046	5	24	137	311	622	959	1,276	1,401	1,455	1,305	1,134	745	657	15
Males	4,212	2	8	33	71	137	275	388	558	617	616	610	451	442	4
Females	5,834	3	16	104	240	485	684	888	843	838	689	524	294	215	11
White	9,784	5	22	131	296	592	918	1,232	1,362	1,426	1,286	1,114	735	650	15
Males	4,137	2	6	32	67	133	268	381	548	605	608	600	447	441	4
Females	5,647	3	16	99	229	459	650	851	819	821	678	514	288	209	11
Native	5,067	5	15	82	182	350	534	690	649	666	618	526	390	353	7
Both parents na- tive. (M.)	981	1	4	6	9	19	43	75	95	115	147	164	149	154	
One or both par- ents foreign. (F.)	1,610	2	2	20	53	111	150	240	230	252	212	162	99	74	3
Foreign	233	1		3	5	18	46	31	29	27	22	20	10	21	
Foreign	494		6	21	37	64	102	88	70	48	28	20	5	4	1
Foreign	4,539		7	46	109	229	364	525	688	739	648	563	334	283	4
Males	2,253		2	14	38	67	134	198	337	386	343	327	204	201	2
Females	2,286		5	32	71	162	230	327	351	353	305	236	130	82	2
Colored	262		2	6	15	30	41	44	39	29	19	20	10	7	
Males	75		2	1	4	4	7	7	15	12	8	10	4	1	
Females	187		5	11	26	34	37	37	24	17	11	10	6	6	
Birthplaces of mothers (white):															
United States	1,047	1	4	6	10	23	47	80	101	128	151	176	156	168	1
Ireland	1,739	2	2	23	58	122	167	261	251	274	220	174	104	78	3
Germany	452		3	4	14	28	39	72	75	73	57	37	48	2	
England and Wales	611		1	16	28	49	76	95	100	77	69	58	27	15	
Canada	659		1	6	16	19	49	63	98	102	94	100	58	53	
Scandinavia	677		4	14	31	51	63	98	108	108	77	65	34	23	1
Scotland	189			3	4	9	18	18	36	28	39	13	21		
Italy	226		1	7	18	30	43	43	30	28	21	21	15	11	1
France	138		2	2	4	12	7	22	23	24	16	11	15		
Russia and Poland	219		2	7	24	36	34	33	38	20	11	8	4		
Other foreign coun- tries. (M.)	41					8	6	8	10	3	1	4	1		
Unknown	45		2	3	7	7	8	4	5	4	3	4	1		
Italy	62			1	2	2	4	6	3	6	11	4	18		
France	64		2	1	5	9	8	13	6	10	2	3	5		
Russia and Poland	35	1		3	3	3	9	4	4	1	3	1	2		
Other foreign coun- tries. (F.)	41	2	3	4	4	3	7	8	4	4	3	2	1		
Unknown	30					2	1	3	4	3	6	5	3		
United States	22		2	1	1	1	6	2	2	4	2	2	1		
Ireland	93		2	2	8	14	11	19	15	10	4	3	5		
Germany	55			4	7	13	5	8	5	7	4	1	1		
England and Wales	119		1	1	4	14	14	18	24	21	12	6	4		
Canada	124		1	4	6	13	19	10	15	16	16	6	3		
Scandinavia	190		2	3	5	11	11	20	23	28	29	28	29		
Scotland	355		9	24	39	48	49	36	46	33	33	17	19		

TABLE 15.—DEATHS FROM CANCER, AT EACH AGE, BY SEX, COLOR, GENERAL NATIVITY, AND BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

THE REGISTRATION RECORD.

COLOR, GENERAL NATIVITY, AND BIRTHPLACES OF MOTHERS.	All ages.	Under 20	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 and over.	Un-known.
WIDOWED.															
Aggregate	4,819	1	3	7	33	71	155	271	396	559	686	756	710	1,165	6
Males	1,168	1		2	5	7	28	44	78	111	156	184	197	353	2
Females	3,651		3	5	28	64	127	227	318	448	530	572	513	812	4
White	4,671	1	2	6	26	62	138	259	373	540	668	743	699	1,148	6
Males	1,144	1		2	5	7	26	43	74	108	153	179	194	350	2
Females	3,527		2	4	21	55	112	216	299	432	515	564	505	798	4
Native	2,374		1	3	16	44	82	143	170	237	315	330	337	694	2
Both parents na- tive. (M).....	252					1	1	5	11	14	30	29	49	112	
One or both par- ents foreign. (F).....	958			2	6	7	15	39	54	89	140	166	151	289	
Foreign. (M).....	48					2	4	7	5	6	4	3	2	15	
Foreign. (F).....	222		1	1	5	10	25	33	30	31	29	21	15	21	
Foreign	2,200	1	1	2	10	18	53	113	194	291	337	402	349	425	4
Males	645	1		1	4	3	13	22	47	72	101	120	115	145	1
Females	1,555		1	1	6	15	40	91	147	219	236	282	234	280	3
Colored	148		1	1	7	9	17	12	23	19	18	13	11	17	
Males	24						2	1	4	3	3	5	3	3	
Females	124		1	1	7	9	15	11	19	16	15	8	8	14	
Birthplaces of mothers (white):															
United States. (M).....	264				1	1	5	11	15	32	30	52	117		
United States. (F).....	1,028			2	6	10	16	42	59	99	144	178	163	309	
Ireland. (M).....	172				1	1	1	11	19	24	34	34	21	26	
Ireland. (F).....	547				4	10	25	42	67	82	83	87	69	75	3
Germany. (M).....	163						4	4	12	13	18	32	39	40	1
Germany. (F).....	416		1	1	1	1	19	29	31	56	57	81	68	71	
England and Wales. (M).....	55				1	2	2	1	4	5	11	3	8	18	
England and Wales. (F).....	133				1	2	5	14	12	18	15	20	19	27	
Canada. (M).....	44				1	1	4	3	5	2	5	7	5	11	
Canada. (F).....	86				1	2	2	7	13	8	11	15	13	14	
Scandinavia. (M).....	12					1	1	4	1	1	1	1	1	2	
Scandinavia. (F).....	22								1	3	4	3	8	3	
Scotland. (M).....	16						1	1	1	3	1		6	3	
Scotland. (F).....	52		1						3	5	9	11	7	15	
Italy. (M).....	4								1			1		1	
Italy. (F).....	16					1		4	1	2	1	2	4	1	
France. (M).....	9						1			2	2	2	1	3	
France. (F).....	25					1	2	1	1	5	7	2	3	3	
Russia and Poland. (M).....	6						2	1			2	1	1	1	
Russia and Poland. (F).....	25			1	1		2			6	2	6	1	4	
Other foreign coun- tries. (M).....	23						2	2	4	1	1	5	3	7	
Other foreign coun- tries. (F).....	47					1	2	3	6	11	7	8	2	7	
Unknown. (M).....	98				1		3	5	7	12	7	10	14	39	
Unknown. (F).....	316					6	12	18	21	32	45	36	44	102	
DIVORCED.															
Aggregate	54		1		1	5	2	7	5	11	8	6	4	4	
Males	15							1	2	5	3	2	1	1	
Females	39		1		1	5	2	6	3	6	5	4	3	3	
White	54		1		1	5	2	7	5	11	8	6	4	4	
Males	15							1	2	5	3	2	1	1	
Females	39		1		1	5	2	6	3	6	5	4	3	3	
Native	46		1		1	5	2	5	4	10	6	5	3	4	
Both parents na- tive. (M).....	5								1	2	1	1			
One or both par- ents foreign. (F).....	22		1			4	1	3	2	2	1	2	3	3	
Foreign. (M).....	6						1			2	1	1			
Foreign. (F).....	7						2	1	1	2	1				
Males	6							1	1	1	2	1			
Females	1							1							
Colored															
Males															
Females															
Birthplaces of mothers (white):															
United States. (M).....	5								1	2	1	1			
United States. (F).....	25		1			4	1	3	2	3	2	3	3	3	
Ireland. (M).....	1								1						
Ireland. (F).....	1									1					
Germany. (M).....	1										1				
Germany. (F).....	1														
England and Wales. (M).....	2						1	1							
England and Wales. (F).....	1										1				
Canada. (M).....	1														
Canada. (F).....	1														
Scandinavia. (M).....	1										1				
Scandinavia. (F).....	1														
Scotland. (M).....	39														
Scotland. (F).....	1														
Italy. (M).....															
Italy. (F).....															
France. (M).....															
France. (F).....															
Russia and Poland. (M).....															
Russia and Poland. (F).....															
Other foreign coun- tries. (M).....															
Other foreign coun- tries. (F).....															
Unknown. (M).....	3												1	1	
Unknown. (F).....	3									1	1	1			

TABLE 16.

DEATHS FROM CANCER OF CERTAIN SPECIFIED ORGANS, IN THE REGISTRATION AREA,
DURING THE CENSUS YEAR ENDING MAY 31, 1900, BY COLOR, GENERAL
NATIVITY, PARENT NATIVITY, AND BIRTHPLACES OF MOTHERS,
WITH DISTINCTION OF SEX AND AGE.

NOTE.—Nativity, parent nativity, and birthplaces of mothers not supplied in the registration record for certain areas.

DEATHS FROM CANCER.

263

TABLE 16.—DEATHS FROM CANCER, AT EACH AGE, BY SEX, COLOR, GENERAL NATIVITY, AND BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900.

THE REGISTRATION RECORD.

COLOR, GENERAL NATIVITY, AND BIRTHPLACES OF MOTHERS.	All ages.	Under 20	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 and over.	Un- known.
CANCER OF ABDOMEN.															
Aggregate	1,107	14	9	18	28	45	77	81	145	141	156	142	116	132	3
Males	471	5	7	8	10	19	32	40	55	58	73	62	49	52	1
Females	636	9	2	10	18	26	45	41	90	83	83	80	67	80	2
White	1,094	13	9	18	28	44	73	81	144	140	155	140	115	131	3
Males	463	4	7	8	10	18	30	40	54	58	72	60	49	52	1
Females	631	9	2	10	18	26	43	41	90	82	83	80	66	79	2
Native	614	10	7	11	20	27	47	48	74	69	88	62	65	86	
Both parents na- tive. (M.....)	123	1	2	3	2	2	4	8	10	11	29	15	19	17	
(F.....)	203	4	1	4	5	7	12	14	28	20	28	22	23	35	
One or both par- ents foreign. (M.....)	34	2			2		8	4	2	6	2	2		4	
(F.....)	57	3		1	4	4	8	5	9	11	2	4	2	4	
Foreign	459	2	2	7	8	16	25	30	68	66	64	75	49	44	3
Males	207		1	4	3	7	14	17	32	28	30	30	16	24	1
Females	252	2	1	3	5	9	11	13	36	38	34	45	33	20	2
Colored	13	1				1	4		1	1	1	2	1	1	
Males	8	1				1	2		1		1	2			
Females	5						2			1			1	1	
Birthplaces of mothers (white):															
United States	130	1	2	3	2	2	5	9	11	12	29	15	19	20	
(M.....)	214	4	1	4	6	8	12	15	29	20	29	23	24	39	
(F.....)	49			1	1	1	3	5	13	7	3	4	3	7	1
Ireland	87			1	3	4	3	9	18	11	6	14	7	9	2
(M.....)	54	1		2	2	1	9	4	2	5	10	8	4	6	
(F.....)	71	2		1	4	3	3	4	10	14	7	10	7	6	
Germany	16					1	1	3	2	2	2	4	1		
(M.....)	26						3	1	3	3	3	6	5	2	
(F.....)	18	1	1	1			1	1	5	2	2	2	1	2	
England and Wales	13	1				1			1	3	2	2	2	1	
(M.....)	1												1		
(F.....)	3					1	1		1						
Scandinavia	9				1			1			1	2		4	
(M.....)	13			1					1	2	5	2	1	1	
(F.....)	1								1						
Italy	8								1						
(M.....)	5			1		1			1	1	1	3		2	
(F.....)	4						2		1						
Russia and Poland	10	2	1				2		1	1		2		1	
(M.....)	12						1	3	2	3	2	3	1	1	
(F.....)	13						1	1		3	3	3		1	
Other foreign coun- tries. (M.....)	30		1		1	1		3	2	4	3	5	5	5	
(F.....)	35				1		3	2	9	4	2	4	1	9	
CANCER OF BLADDER.															
Aggregate	180	1		1	2	4	6	9	20	25	27	32	20	33	
Males	129	1		1		2	1	6	10	16	24	26	17	25	
Females	51				2	2	5	3	10	9	3	6	3	8	
White	174			1	2	4	6	9	19	24	25	31	20	33	
Males	125			1		2	1	6	10	15	23	25	17	25	
Females	49				2	2	5	3	9	9	2	6	3	8	
Native	79				2	3	2	4	8	9	14	13	8	16	
Both parents na- tive. (M.....)	32							1	3	1	7	9	4	7	
(F.....)	14				1	1	1	2	2	2	1	1	1	2	
One or both par- ents foreign. (M.....)	1													1	
(F.....)	1						1								
Foreign	91			1		1	4	5	11	14	9	18	12	16	
Males	70			1			1	4	7	9	9	15	11	13	
Females	21					1	3	1	4	5		3	1	3	
Colored	6	1							1	1	2	1			
Males	4	1								1	1	1			
Females	2								1		1				
Birthplaces of mothers (white):															
United States	32				1	1	2	2	3	1	7	9	4	7	
(M.....)	16								2	2	1	1	1	3	
(F.....)	11								1	1	3	3	1	2	
Ireland	5					1			2	1		1			
(M.....)	16							2	3	1	4	1	3	2	
(F.....)	4									2		1		1	
Germany	5											2	1	2	
(M.....)	1								1						
(F.....)	1														
England and Wales	2								1						
(M.....)	1														
(F.....)	1														
Canada	1														
(M.....)	1														
(F.....)	1														
Scandinavia	6			1				1				1	2	1	
(M.....)	1														
(F.....)	1														
Scotland	3							1		1				1	
(M.....)	1														
(F.....)	1														
Italy	1														
(M.....)	1														
(F.....)	1														
France	4						1		1	1				1	
(M.....)	1														
(F.....)	1														
Russia and Poland	4								1	1					
(M.....)	1														
(F.....)	1														
Other foreign coun- tries. (M.....)	4									2		1		1	
(F.....)	3									1					
Unknown	3				1				1		2		1		

VITAL STATISTICS.

TABLE 16.—DEATHS FROM CANCER, AT EACH AGE, BY SEX, COLOR, GENERAL NATIVITY, AND BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

THE REGISTRATION RECORD—Continued.

COLOR, GENERAL NATIVITY, AND BIRTHPLACES OF MOTHERS.	All ages.	Under 20	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 and over.	Un- known.
CANCER OF BRAIN.															
Aggregate.....	27	3	1	1	1	3	4	3	1		3	3		3	1
Males.....	13	2	1			1	1	3			1	2		2	
Females.....	14	1		1	1	2	3		1		2	1		1	1
White.....	26	3		1	1	3	4	3	1		3	3		3	1
Males.....	12	2				1	1	3			1	2		2	
Females.....	14	1		1	1	2	3		1		2	1		1	1
Native.....	16	3			1	1	1	3	1		1	1		3	1
Both parents na- tive.....(M..)	5	2				1		1						1	
One or both par- ents foreign..(F..)	4	1			1						1			1	
One or both par- ents foreign..(M..)	3						2							1	
One or both par- ents foreign..(F..)	2						1		1						
Foreign.....	10			1		2	3				2	2			
Males.....	3						1				1	1			
Females.....	7			1		2	2				1	1			
Colored.....	1		1												
Males.....	1		1												
Females.....															
Birthplaces of mothers (white):															
United States.....(M..)	5	2				1		1						1	
United States.....(F..)	4	1			1						1			1	
Ireland.....(M..)							1	1							
Ireland.....(F..)	4										1	1			
Germany.....(M..)	3							2				1			
Germany.....(F..)	2			1			1								
England and Wales.....(M..)															
England and Wales.....(F..)															
Canada.....(M..)	1													1	
Canada.....(F..)	1								1						
Scandinavia.....(M..)															
Scandinavia.....(F..)															
Scotland.....(M..)															
Scotland.....(F..)															
Italy.....(M..)															
Italy.....(F..)															
France.....(M..)															
France.....(F..)															
Russia and Poland.....(M..)															
Russia and Poland.....(F..)															
Other foreign coun- tries.....(M..)															
Other foreign coun- tries.....(F..)															
Unknown.....(M..)															
Unknown.....(F..)															
CANCER OF BREAST.															
Aggregate.....	1,344	2	4	8	42	76	122	156	170	180	168	150	91	170	5
Males.....	38		1		1	1	4	4	5	6	4	5	4	3	
Females.....	1,306	2	3	8	41	75	118	152	165	174	164	145	87	167	5
White.....	1,292	2	4	8	36	70	111	148	164	173	165	149	89	168	5
Males.....	36		1		1	1	4	3	5	6	4	5	4	2	
Females.....	1,256	2	3	8	35	69	107	145	159	167	161	144	85	166	5
Native.....	788	2	3	4	22	47	78	93	87	99	95	91	49	117	1
Both parents na- tive.....(M..)	8		1						1	1	1	2	2		
One or both par- ents foreign..(F..)	386			1	4	15	26	44	46	53	55	53	23	66	
One or both par- ents foreign..(M..)	3							2	1						
One or both par- ents foreign..(F..)	131		2	2	9	10	29	16	10	15	15	12	2	9	
Foreign.....	483		1	3	13	23	32	54	76	72	65	54	40	46	4
Males.....	19				1	4		3		4	2	3	1	1	
Females.....	464		1	3	12	23	28	54	73	68	63	51	39	45	4
Colored.....	52				6	6	11	8	6	7	3	1	2	2	
Males.....	2							1						1	
Females.....	50				6	6	11	7	6	7	3	1	2	1	
Birthplaces of mothers (white):															
United States.....(M..)	9		1						2	1		2	2		
United States.....(F..)	428			2	5	17	28	47	49	60	62	63	25	70	
Ireland.....(M..)	3						1			1		1			
Ireland.....(F..)	195			3	7	11	17	22	29	25	22	23	16	19	1
Germany.....(M..)	5							2	2		1				
Germany.....(F..)	121		1		6	9	14	11	11	16	16	12	10	14	1
England and Wales.....(M..)	1												1		
England and Wales.....(F..)	57				2	2	9	9	11	5	5	6	2	6	
Canada.....(M..)	1						1								
Canada.....(F..)	25		1		1		2	2	3	5	4	4	2	1	
Scandinavia.....(M..)	1						1								
Scandinavia.....(F..)	4								1	3					
Scotland.....(M..)	2						1			1					
Scotland.....(F..)	15		1				3	3	3		3			2	
Italy.....(M..)	1													1	
Italy.....(F..)	2											1	1		
France.....(M..)															
France.....(F..)	8							1	1	1	3	1	1		
Russia and Poland.....(M..)															
Russia and Poland.....(F..)	9			1	1	2	1		2		1			1	
Other foreign coun- tries.....(M..)	1				1										
Other foreign coun- tries.....(F..)	16				1		3	3	3		1	2	3		
Unknown.....(M..)	4					1				1	1			1	
Unknown.....(F..)	99			1	5	5	7	7	8	10	13	7	10	26	

265

THE REGISTRATION RECORD—Continued.

COLOR, GENERAL NATIVITY, AND BIRTHPLACES OF MOTHERS.	All ages.	Under 20	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 and over.	Un-known.
CANCER OF EYE.															
Aggregate.....	18	5									2	3	5	3	
Males.....	12	2									1	2	5	2	
Females.....	6	3									1	1		1	
White.....	18	5									2	3	5	3	
Males.....	12	2									1	2	5	2	
Females.....	6	3									1	1		1	
Native.....	12	5										1	3	3	
Both parents native.....	6	1											3	2	
One or both parents foreign.....	2	2													
Foreign.....	1	1												1	
Males.....	6										2	2	2		
Females.....	4										1	1	2		
Colored.....	2										1	1			
Males.....															
Females.....															
Birthplaces of mothers (white):															
United States.....	7	2											3	2	
Ireland.....	3	2												1	
Germany.....	1										1		1		
England and Wales.....	1										1				
Canada.....	1											1			
Scandinavia.....															
Scotland.....															
Italy.....															
France.....															
Russia and Poland.....															
Other foreign countries.....															
Unknown.....															
CANCER OF GENITALS.															
Aggregate.....	101	1	1	3	2	4	5	6	10	11	18	14	12	14	
Males.....	49	1				1	1	1	6	6	8	9	9	7	
Females.....	52		1	3	2	3	4	5	4	5	10	5	3	7	
White.....	99	1	1	3	2	3	4	6	10	11	18	14	12	14	
Males.....	48	1				1		1	6	6	8	9	9	7	
Females.....	51		1	3	2	2	4	5	4	5	10	5	3	7	
Native.....	57	1	1	1		1	1	2	7	4	10	11	8	10	
Both parents native.....	20	1							1	3	2	5	4	4	
One or both parents foreign.....	19							2	1	1	6	3	2	4	
Foreign.....	1								1						
Males.....	41			2	2	2	3	4	3	7	7	3	4	4	
Females.....	20					1		1	2						
Colored.....	21			2	2	1	3	3	1	3	5	3	1	2	
Males.....	2					1	1								
Females.....	1														
Birthplaces of mothers (white):															
United States.....	20	1							1	3	2	5	4	4	
Ireland.....	19							2	1	1	6	3	2	4	
Germany.....	6								1	1	1	1	1	1	
England and Wales.....	5				1		1	1		1				1	
Canada.....	2								1	1		1			
Scandinavia.....	8				1		1			3			1		
Scotland.....	1										1				
Italy.....	1														
France.....	1														
Russia and Poland.....	1														
Other foreign countries.....	2								1						
Unknown.....	2														
Males.....	5				1		1		1		2		1	1	

VITAL STATISTICS.

TABLE 16.—DEATHS FROM CANCER, AT EACH AGE, BY SEX, COLOR, GENERAL NATIVITY, AND BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

THE REGISTRATION RECORD—Continued.

COLOR, GENERAL NATIVITY, AND BIRTHPLACES OF MOTHERS.		All ages.	Under 20	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 and over.	Un- known.
CANCER OF HEAD, FACE, AND NECK.																
Aggregate		791	10	2	7	13	19	43	51	67	74	113	95	89	204	4
Males		531	6		4	11	14	30	43	50	61	79	57	59	115	2
Females		260	4	2	3	2	5	13	8	17	13	34	38	30	89	2
White		776	10	1	6	11	19	42	51	64	73	111	91	89	204	4
Males		521	6		3	9	14	29	43	49	60	78	54	59	115	2
Females		255	4	1	3	2	5	13	8	15	13	33	37	30	89	2
Native		371	8		5	6	12	21	29	30	33	47	31	45	104	
Both parents na- tive. (M. F.)		119 55	3		1 1	1 1	3	5 1	5 2	7 3	12 4	19 6	8 7	20 7	35 23	
One or both par- ents foreign. (M. F.)		25 18	2 1		1		3	5 1	3 2	3 3	2 3	3 2	2 1	1	2 3	
Foreign		387	1	1	1	5	7	18	21	33	40	63	57	43	94	3
Males		274			1	4	7	14	21	28	35	48	34	27	54	1
Females		113	1	1		1		4		5	5	15	23	16	40	2
Colored		15		1	1	2		1		3	1	2	4			
Males		10			1	2		1		1	1	1	3			
Females		5		1						2		1	1			
Birth places of mothers (white):																
United States (M. F.)		121 61	3		1 1	1 1	3	5 1	5 3	7 3	13 4	19 7	8 8	21 9	35 25	
Ireland (M. F.)		98 51			1 1	1	5	4 1	9 2	11 3	7 4	17 7	17 9	16 9	1 2	
Germany (M. F.)		49 21	2 1				2	2 1	2 2	4 3	4 1	7 2	8 4	2 2	7 4	
England and Wales (M. F.)		20 5						2 1	1 3	1 3	4 1	2 2	4 3		4 4	
Canada (M. F.)		23 6					1	2	1	5		2 2	3 1	3	6 3	
Scandinavia (M. F.)		3 3						1 2			1	1		1		
Scotland (M. F.)		9 4						2 1				1 1	1 2	1	4 1	
Italy (M. F.)		4 1				1		1		1		1			1	
France (M. F.)		5 1						1			1	1	1		1	
Russia and Poland (M. F.)		4 1						1		2		1				
Other foreign coun- tries. (M. F.)		4 2	1	1						1	2		1	1		
Unknown (M. F.)		38 22	1			2		1 3	3	3 2	5 1	2 2	3 2	5 2	13 11	1
CANCER OF KIDNEY.																
Aggregate		90	4	1	6	7	4	3	13	10	14	10	9	2	7	
Males		41	1		4	4	1	2	6	4	4	4	5		6	
Females		49	3	1	2	3	3	1	7	6	10	6	4	2	1	
White		87	4	1	6	7	3	3	13	9	14	9	9	2	7	
Males		40	1		4	4		2	6	4	4	4	5		6	
Females		47	3	1	2	3	3	1	7	5	10	5	4	2	1	
Native		42	2	1	4	6	1	1	4	4	4	4	5	1	5	
Both parents na- tive. (M. F.)		8 13			1 1	2 1				1 1		2 2	1 2	1	3	
One or both par- ents foreign. (M. F.)		1 2	1		1					1						
Foreign		44	2		2	1	2	1	9	5	10	5	4	1	2	
Males		23	1		1			1	5	2	4	4	3		2	
Females		21	1		1	1	2		4	3	6	1	1	1		
Colored		3					1			1		1				
Males		1					1									
Females		2								1		1				
Birth places of mothers (white):																
United States (M. F.)		8 13			1 1	2 1				1 1		2 2	1 2	1	3	
Ireland (M. F.)		6 4	1		1				2	1		1				
Germany (M. F.)		7 3	1					1	1	1	1	1	1		2	
England and Wales (M. F.)		3 3							1	1	1		1			
Canada (M. F.)		2				1							1			
Scandinavia (M. F.)																
Scotland (M. F.)		2	1								1					
Italy (M. F.)		1									1					
France (M. F.)																
Russia and Poland (M. F.)		1 1							1		1					
Other foreign coun- tries. (M. F.)		1 1							1							
Unknown (M. F.)		1 5				1			3				1		1	

267

THE REGISTRATION RECORD—Continued.

COLOR, GENERAL NATIVITY, AND BIRTHPLACES OF MOTHERS.		All ages.	Under 20	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 and over.	Un-known.
CANCER OF LARYNX.																
Aggregate.....		66			2	2	2	3	8	8	9	11	10	6	5	
Males.....		55			1	1	1	2	8	7	7	10	9	6	3	
Females.....		11			1	1	1	1		1	2	1	1		2	
White.....		66			2	2	2	3	8	8	9	11	10	6	5	
Males.....		55			1	1	1	2	8	7	7	10	9	6	3	
Females.....		11			1	1	1	1		1	2	1	1		2	
Native.....		25					1	2	5	2	3	3	4	1	4	
Both parents na- tive.....	(M. F.)	9 4					1		1	1	2	1	2	1	1	
One or both par- ents foreign.....	(M. F.)	2						1		1					2	
Foreign.....		40			2	2		1	3	6	6	8	6	5	1	
Males.....		35			1	1		1	3	5	5	7	6	5	1	
Females.....		5			1	1				1	1	1				
Colored.....																
Males.....																
Females.....																
Birthplaces of mothers (white):																
United States.....	(M. F.)	9 4					1		1	1	2	1	2	1	1	
Ireland.....	(M. F.)	10							1	1	3	2	1	1	1	
Germany.....	(M. F.)	9 5			1	1		1		2	1	1	3	2		
England and Wales.....	(M. F.)	3						1		1		1				
Canada.....	(M. F.)															
Scandinavia.....	(M. F.)	1							1							
Scotland.....	(M. F.)															
Italy.....	(M. F.)															
France.....	(M. F.)															
Russia and Poland.....	(M. F.)	2								2						
Other foreign coun- tries.....	(M. F.)	2									2					
Unknown.....	(M. F.)	3 1					1	1	1				1			
CANCER OF LIVER.																
Aggregate.....		1,784	13	6	9	40	76	122	153	227	257	246	263	182	187	3
Males.....		742	8	5	4	17	30	46	71	99	95	106	105	76	78	2
Females.....		1,042	5	1	5	23	46	76	82	128	162	140	158	106	109	1
White.....		1,744	13	5	9	37	71	119	149	222	249	242	262	179	185	2
Males.....		720	8	4	4	16	27	46	68	96	90	105	104	74	77	1
Females.....		1,024	5	1	5	21	44	73	81	126	159	137	158	105	108	1
Native.....		844	13	4	7	22	39	63	73	98	100	112	124	88	101	
Both parents na- tive.....	(M. F.)	164 266	4 2	2	2	1 5	5 5	7 15	12 18	19 33	15 31	26 34	28 49	24 31	19 43	
One or both par- ents foreign.....	(M. F.)	41 70	2 2	1		3 3	4 10	3 12	5 11	7 9	5 8	4 6	3 5	1 2	3	
Foreign.....		856		1	2	15	31	54	68	118	142	126	132	86	79	2
Males.....		383			1	9	13	25	33	54	58	55	57	36	41	1
Females.....		473		1	1	6	18	29	35	64	84	71	75	50	38	1
Colored.....		40		1		3	5	3	4	5	8	4	1	3	2	1
Males.....		22		1		1	3		3	3	5		1	2	1	1
Females.....		18				2	2	3	1	2	3	3		1	1	
Birthplaces of mothers (white):																
United States.....	(M. F.)	170 285	4 2	2	2	1 6	5 5	7 17	13 19	20 35	17 35	26 37	28 50	25 34	20 45	
Ireland.....	(M. F.)	97 153		1		2 2	3 12	7 12	9 11	19 30	14 26	15 22	9 20	4 13	1 9	1
Germany.....	(M. F.)	99 149	1		1 3	2 2	2 4	4 8	9 13	12 17	11 29	14 14	22 26	12 19	9	1
England and Wales.....	(M. F.)	43 26	1 1			2 2	1	2 4	2 4	2 2	13 5	8 5	5 4	2 3	5 3	
Canada.....	(M. F.)	19 31					2 1			1 6	2 3	2 8	3 3	2 3	1	
Scandinavia.....	(M. F.)	13 7	1				2 2	2 1	2 1	1 1				3 2		
Scotland.....	(M. F.)	9 11					1 1	1 1	1 2	1 2	1		2 3	1 1	2 3	
Italy.....	(M. F.)	5 8				1 1		2 1	1 1		1			1		
France.....	(M. F.)	5 3		1			1 1		2 1	1				1		
Russia and Poland.....	(M. F.)	11 10				1 1	1 1	4 5	2 2	2 3		1 3	1 4	1 5	2 2	
Other foreign coun- tries.....	(M. F.)	19 20					2 1	2 1	2 1	3 1	5 4	1 3	5 7	1 5	1 5	
Unknown.....	(M. F.)	45 54			1	1	2	4 2	4 1	4 2	6 12	8 7	7 8	5 7	5 12	

VITAL STATISTICS.

TABLE 16.—DEATHS FROM CANCER, AT EACH AGE, BY SEX, COLOR, GENERAL NATIVITY, AND BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

THE REGISTRATION RECORD—Continued.

COLOR, GENERAL NATIVITY, AND BIRTHPLACES OF MOTHERS.	All ages.	Under 20	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 and over.	Un-known.
CANCER OF LOWER EXTREMITIES.															
Aggregate.....	36	1					6	4	5	4		3	6	7	
Males.....	19	1					3	1	2	3		2	2	5	
Females.....	17						3	3	3	1		1	4	2	
White.....	32						4	4	5	4		3	6	6	
Males.....	16						2	1	2	3		2	2	4	
Females.....	16						2	3	3	1		1	4	2	
Native.....	15						3	2	4	2			2	2	
Both parents na-tive.....	3						1		1	1					
One or both parents foreign.....	4							1	1	1			1	1	
Foreign.....	15						1	2	1	2		2	3	4	
Males.....	9							1		2		1	2	3	
Females.....	6						1	1	1			1	1	1	
Colored.....	4	1					2							1	
Males.....	3	1					1							1	
Females.....	1						1								
Birthplaces of mothers (white):															
United States.....	3						1		1	1				1	
M.....	4							1		1			1	1	
F.....	3						1					1	1	1	
Ireland.....	3							1					2	2	
M.....	3							1						2	
F.....	1														
Germany.....	1							1							
M.....	1								1						
F.....	1														
England and Wales.....	1														
M.....	1														
F.....	1														
Canada.....	1							1					1		
M.....	1														
F.....	1														
Scandinavia.....	1									1					
M.....	1														
F.....	1														
Scotland.....	1														
M.....	1														
F.....	1														
Italy.....	1														
M.....	1														
F.....	1														
France.....	1														
M.....	1														
F.....	1														
Russia and Poland.....	1														
M.....	1														
F.....	1														
Other foreign countries.....	1														
M.....	1														
F.....	1														
Unknown.....	1						1						1		
M.....	1														
F.....	1														
CANCER OF LUNGS.															
Aggregate.....	73		1			6	4	10	16	12	11	6	2	5	
Males.....	31		1				3	5	8	4	4	3	1	2	
Females.....	42					6	1	5	8	8	7	3	1	3	
White.....	70	1				6	3	10	15	12	10	6	2	5	
Males.....	30		1				2	5	8	4	4	3	1	2	
Females.....	40					6	1	5	7	8	6	3	1	3	
Native.....	36		1			4	1	6	6	8	4	4		2	
Both parents na-tive.....	5							2	1	1		1			
One or both parents foreign.....	16					2	2	2	2	3	4	2		1	
Foreign.....	31					2	2	3	9	3	6	2	2	2	
Males.....	17						1	2	5	1	4	2	1	1	
Females.....	14					2	1	1	4	2	2		1	1	
Colored.....	3						1		1		1				
Males.....	1						1								
Females.....	2								1		1				
Birthplaces of mothers (white):															
United States.....	5							2	1	1		1		1	
M.....	18					2		2	3	4	4	2			
F.....	2								2						
Ireland.....	6												1		
M.....	5					1	1		3	1	1				
F.....	1								2		1				
Germany.....	1														
M.....	1														
F.....	1														
England and Wales.....	1														
M.....	1														
F.....	1														
Canada.....	2					1				1					
M.....	2														
F.....	1														
Scandinavia.....	1														
M.....	1														
F.....	1														
Scotland.....	1														
M.....	1														
F.....	1														
Italy.....	1							1							
M.....	1														
F.....	1														
France.....	1														
M.....	1														
F.....	1														
Russia and Poland.....	1								1						
M.....	1														
F.....	1														
Other foreign countries.....	2										1			1	
M.....	2														
F.....	2														
Unknown.....	2					1				1					

DEATHS FROM CANCER.

269

TABLE 16.—DEATHS FROM CANCER, AT EACH AGE, BY SEX, COLOR, GENERAL NATIVITY, AND BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

THE REGISTRATION RECORD—Continued.

COLOR, GENERAL NATIVITY, AND BIRTHPLACES OF MOTHERS.	All ages.	Under 20	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 and over.	Un-known.
CANCER OF MOUTH, TONGUE, AND THROAT.															
Aggregate	626	6	1	5	8	17	26	56	70	103	71	96	73	94	
Males	487	5		3	5	11	24	44	61	81	55	71	52	75	
Females	139	1	1	2	3	6	2	12	9	22	16	25	21	19	
White	610	5	1	4	7	17	25	54	67	99	70	95	72	94	
Males	477	5		2	4	11	23	43	58	79	54	71	52	75	
Females	133		1	2	3	6	2	11	9	20	16	24	20	19	
Native	223	5		3	1	7	12	22	19	31	23	31	22	47	
Both parents native. F.	65	4				1	4	1	5	13	2	12	5	18	
One or both parents foreign. F.	35			2	1	2		4	3	1	4	5	8	5	
Both parents native. M.	27	1				3	2	5	3	3	4	1	1	4	
One or both parents foreign. M.	12							4	1	2	2	1	2		
Foreign	372		1	1	6	10	12	30	46	65	46	62	49	44	
Males	304			1	4	6	10	27	42	51	39	46	41	37	
Females	68		1		2	4	2	3	4	14	7	16	8	7	
Colored	16	1		1	1		1	2	3	4	1	1	1		
Males	10			1	1		1	1	3	2	1				
Females	6	1						1		2		1	1		
Birthplaces of mothers (white):															
United States	74	5			1	4	3	5	13	3	13	7	20		
Males	39			2	1	2	6	3	1	5	5	9	5		
Females	82					3	4	7	12	16	12	8	8		
Ireland	25					1	3	2	5	2	8	3	1		
Males	60				1	3	8	12	7	4	11	10	4		
Females	10				1	2			2	1	1	1	2		
Germany	28					2	2	1	4	4	6	3	6		
Males	3					1	1				1				
Females	11				1		1	1	2	2	3	1	2		
Canada	6														
Males	1														
Females	2														
Scandinavia	14						2	1	1	2	2	3	3		
Males	3						1	1	1	1	1				
Females	4				2	1					1				
Italy	5								2	1	1	1			
Males	9			1		2	1	1	1	2	1	1			
Females	5							1	1	1	1	1			
Russia and Poland	11					1	2	2	1	1	1	1	1	2	
Males	2										1	1			
Females	32		1			3	2	3	3	2	8	2	8		
Unknown	9							1	1			3	4		
CANCER OF OVARIES.															
Aggregate	80	3	2	2	5	8	10	12	11	11	3	7	3	3	
Females	80	3	2	2	5	8	10	12	11	11	3	7	3	3	
White	76	3	1	2	5	7	10	11	11	11	3	6	3	3	
Females	76	3	1	2	5	7	10	11	11	11	3	6	3	3	
Native	52	3		1	5	4	7	8	7	7	2	5	1	2	
Both parents native. F.	14				1	2	1	2		5		3			
One or both parents foreign. F.	8	1					2	3	2						
Foreign	23		1	1		3	2	3	4	4	1	1	2	1	
Females	23		1	1		3	2	3	4	4	1	1	2	1	
Colored	4		1			1		1				1			
Females	4		1			1		1				1			
Birthplaces of mothers (white):															
United States	17				1	2	1	4	1	5		3			
Males	2					1	1	1							
Females	9					1	2	1	3		1	1			
Ireland	2														
Males	4	1				1		2							
Females	5						1			2			1	1	
Canada	2		1												
Males															
Females															
Scandinavia															
Males															
Females															
Italy															
Males															
Females															
France															
Males															
Females															
Russia and Poland															
Males															
Females															
Other foreign countries															
Males															
Females	7			1		1	1	1	2		1				

THE REGISTRATION RECORD—Continued.

COLOR, GENERAL NATIVITY, AND BIRTHPLACES OF MOTHERS.	All ages.	Under 20	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 and over.	Un-known.
CANCER OF PENIS.															
Aggregate	20	1			1		2	2	2	2	3	3		4	
Males	20	1			1		2	2	2	2	3	3		4	
White	20	1			1		2	2	2	2	3	3		4	
Males	20	1			1		2	2	2	2	3	3		4	
Native	6	1							1	2	1			1	
Both parents native. M. One or both par- M. ents foreign.	1									1					
Foreign	14				1		2	2	1		2	3		3	
Males	14				1		2	2	1		2	3		3	
Colored															
Males															
Birthplaces of mothers (white):															
United States	M. 3										1	1		1	
Ireland	M. 2				1		1								
Germany	M. 2						1			1	1	1		1	
England and Wales	M. 3											1			
Canada	M. 1														
Scandinavia	M. 1														
Scotland	M. 1														
Italy	M. 1														
France	M. 1														
Russia and Poland	M. 1							1							
Other foreign countries	M. 3								1	1				1	
Unknown	M. 3														
CANCER OF RECTUM.															
Aggregate	574		6	15	17	34	50	45	57	89	72	61	64	63	1
Males	280		2	7	8	12	22	19	28	39	38	34	33	38	
Females	294		4	8	9	22	28	26	29	50	34	27	31	25	1
White	550		5	13	16	28	47	44	55	86	71	60	62	62	1
Males	271		2	7	7	12	20	19	26	37	38	33	33	37	
Females	279		3	6	9	16	27	25	29	49	33	27	29	25	1
Native	299		3	9	9	19	27	26	29	41	33	36	30	36	1
Both parents na- (M. tive. (F.	74			1	1	2	5	5	10	6	6	9	8	21	
One or both par- (M. ents foreign. (F.	26		1	2	1	4	4	7	7	12	8	6	12	8	
Foreign	245		2	4	7	7	20	18	25	45	37	23	31	26	
Males	122		2	3	3	3	9	8	10	24	20	11	17	12	
Females	123			1	4	4	11	10	15	21	17	12	14	14	
Colored	24		1	2	1	6	3	1	2	3	1	1	2	1	
Males	9				1		2		2	2		1		1	
Females	15		1	2		6	1	1		1	1		2		
Birthplaces of mothers (white):															
United States	M. 83			1	2	3	6	5	11	6	8	11	9	21	
Ireland	M. 35		1	2	1	1	4	7	7	14	8	7	12	9	
Germany	M. 41		1	1	3	1	6	3	6	4	6	5	4	1	
England and Wales	M. 33		1	1	1		4	3	2	7	3	3	6	3	
Canada	M. 39		1	1	2	3	3	3	6	6	4	2	5	2	1
Scandinavia	M. 12					1	1	1	3	3	3	1	1	1	
Scotland	M. 14					1	3	1	1	2	1		4	1	
Italy	M. 7					2			2				1		
France	M. 8							1		4		1		2	
Russia and Poland	M. 3					1	1						1		
Other foreign countries	M. 2						1								
Unknown	M. 6														
United States	M. 11				1	1	1		1	1	3	1	2	1	
Ireland	M. 18				1	2	4			4	2	3	1	1	

271

THE REGISTRATION RECORD—Continued.

COLOR, GENERAL NATIVITY, AND BIRTHPLACES OF MOTHERS.	All ages.	Under 20	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 and over.	Un-known.
CANCER OF STOMACH.															
Aggregate.....	4,220	9	15	41	84	161	261	394	484	594	633	586	483	467	8
Males.....	2,195	6	9	21	44	69	130	185	266	322	309	330	256	241	7
Females.....	2,025	3	6	20	40	92	131	209	218	272	324	256	227	226	1
White.....	4,104	8	11	38	81	150	250	380	469	578	621	575	475	460	8
Males.....	2,140	5	7	19	43	64	125	178	258	316	303	324	251	240	7
Females.....	1,964	3	4	19	38	86	125	202	211	262	318	251	224	220	1
Native.....	1,721	7	9	25	37	75	124	164	167	208	221	224	216	242	2
Both parents native.....	422	1	5	2	8	5	17	25	31	52	54	85	65	72	
One or both parents foreign.....	448	1	1	4	6	18	29	33	44	61	67	60	56	68	
Both parents native.....	119	3		3	5	8	24	16	10	14	7	8	9	12	
One or both parents foreign.....	131	1	1	5	3	17	17	27	15	13	13	8	8	3	
Foreign.....	2,290	1	2	13	41	72	121	208	288	358	386	341	248	209	2
Males.....	1,268	1	1	11	25	42	63	106	173	212	201	189	129	113	2
Females.....	1,022		1	2	16	30	58	102	115	146	185	152	119	96	
Colored.....	116	1	4	3	3	11	11	14	15	16	12	11	8	7	
Males.....	55	1	2	2	1	5	5	7	8	6	6	6	5	1	
Females.....	61		2	1	2	6	6	7	7	10	6	5	3	6	
Birthplaces of mothers (white):															
United States.....	458	2	5	2	9	7	18	26	32	56	57	94	69	80	1
Ireland.....	484	1	1	4	8	20	31	39	48	69	68	64	61	70	
Germany.....	218			2	2	5	13	23	27	43	38	27	21	16	1
England and Wales.....	297		1	3	3	15	15	41	38	40	59	31	30	21	
Canada.....	393	1		3	10	12	23	31	52	59	58	60	42	41	1
Scandinavia.....	282			2	6	8	20	28	27	36	43	58	32	22	
Scotland.....	84				2	5	2	8	6	12	14	15	8	12	
Italy.....	64				1	3	6	2	11	7	9	6	5	12	
France.....	87		1	4	1		10	7	12	8	17	10	9	6	
Russia and Poland.....	55		1		1	4	6	2	10	4	10	7	7	3	
Other foreign countries.....	34					2	6	6	7	6	3		2	2	
Unknown.....	22			1			2	2	3	1	4	3	4	2	
United States.....	23						2	3		2	3		2	2	
Ireland.....	29	1		1	1	1	2	4	3	2	1	2	7	4	
Germany.....	15			1	1		1	5	1	4		1	1		
England and Wales.....	11				1		1	2	1		2		2		

TABLE 16.—DEATHS FROM CANCER, AT EACH AGE, BY SEX, COLOR, GENERAL NATIVITY, AND BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

THE REGISTRATION RECORD—Continued.

COLOR, GENERAL NATIVITY, AND BIRTHPLACES OF MOTHERS.	All ages.	Under 20	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 and over.	Un-known.
CANCER OF UPPER EXTREMITIES.															
Aggregate	26			1			2		2	1	3	2	3	12	
Males	17			1					1		2	2	2	9	
Females	9						2		1	1	1		1	3	
White	26			1			2		2	1	3	2	3	12	
Males	17			1					1		2	2	2	9	
Females	9						2		1	1	1		1	3	
Native	12			1			2			1		2		6	
Both parents native. (M.)	6											1		5	
One or both parents foreign. (F.)	1						1			1					
Foreign	14								2		3		3	6	
Males	8								1		2		2	3	
Females	6								1		1		1	3	
Colored															
Males															
Females															
Birthplaces of mothers (white):															
United States	6											1		5	
(M.)	2						1			1					
(F.)	1										1				
Ireland	5								1		1		1	2	
(M.)	1													1	
(F.)	1						1								
Germany	1												1	1	
(M.)	2										1				
(F.)															
England and Wales															
(M.)															
(F.)															
Canada															
(M.)															
(F.)															
Scandinavia															
(M.)															
(F.)															
Scotland															
(M.)															
(F.)															
Italy															
(M.)	1													1	
(F.)															
France															
(M.)															
(F.)															
Russia and Poland															
(M.)															
(F.)															
Other foreign countries															
(M.)															
(F.)															
Unknown															
(M.)															
(F.)															
CANCER OF UTERUS.															
Aggregate	2,291	7	6	43	103	205	288	413	344	276	230	164	121	88	3
Females	2,291	7	6	43	103	205	288	413	344	276	230	164	121	88	3
White	2,164	6	6	39	99	189	267	384	323	267	224	156	118	83	3
Females	2,164	6	6	39	99	189	267	384	323	267	224	156	118	83	3
Native	1,334	5	4	29	74	121	170	235	195	158	131	90	71	50	1
Both parents native. (F.)	592	2		9	26	42	59	98	80	68	78	55	44	31	
One or both parents foreign. (F.)	208	1	2	9	16	25	46	39	32	18	11	5	3	1	
Foreign	793		2	9	24	65	92	146	123	105	89	63	46	28	1
Females	793		2	9	24	65	92	146	123	105	89	63	46	28	1
Colored	127	1		4	4	16	21	29	21	9	6	8	3	5	
Females	127	1		4	4	16	21	29	21	9	6	8	3	5	
Birthplaces of mothers (white):															
United States	636	2		9	27	46	65	106	87	74	78	59	48	35	
(F.)	256	1	2	7	9	20	42	41	40	37	25	17	9	6	
Ireland	222		1	6	9	19	22	44	39	27	21	11	15	8	
(F.)	74				3	4	9	18	7	10	12	6	4		1
England and Wales	84				4	7	17	22	16	8	2	3	4	1	
(F.)	10				2	2	1	1		1	2	1			
Scandinavia	19				3	4	2	1	2	2	2	2	1	2	
(F.)	21		1	2	1	2	3	2	3	1	1	2			
Italy	13						2	1	3	3				1	
(F.)	9				1	2	1	2	2				1		
Russia and Poland	9				2	7	5	3	3	2	3	3	1		
(F.)	29				2	7	5	3	3	2	3	3	1		
Other foreign countries	179	1		5	9	18	28	31	19	24	14	15	7	7	1

DEATHS FROM CANCER.

273

TABLE 16.—DEATHS FROM CANCER, AT EACH AGE, BY SEX, COLOR, GENERAL NATIVITY, AND BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

THE REGISTRATION RECORD—Continued.

COLOR, GENERAL NATIVITY, AND BIRTHPLACES OF MOTHERS.	All ages.	Under 20	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 and over.	Un-known.
CANCER NOT SPECIFIED.															
Aggregate	3,834	35	39	50	107	210	308	378	437	481	449	464	346	516	14
Males	1,250	18	21	13	25	56	67	98	145	131	149	161	148	216	2
Females	2,584	17	18	37	82	154	241	280	292	350	300	303	198	300	12
White.....	3,723	32	33	49	100	201	296	363	424	467	440	457	341	507	13
Males	1,223	16	18	13	24	55	66	98	140	125	147	158	146	215	2
Females	2,500	16	15	36	76	146	230	265	284	342	293	299	195	292	11
Native	2,219	31	22	28	70	127	192	226	226	260	259	242	205	323	8
Both parents na- tive. (M..)	346	3	4	2	5	8	15	22	28	29	43	39	61	87	
One or both par- ents foreign. (F..)	841	7	5	7	17	40	54	93	37	123	112	104	76	113	3
Foreign	200	4	3	8	18	23	40	28	24	19	11	12	2	7	1
Males	543	1	7	2	5	20	25	47	75	73	74	80	60	73	1
Females	812		3	14	21	44	65	79	99	118	91	117	68	92	1
Colored	111	3	6	1	7	9	12	15	13	14	9	7	5	9	1
Males	27	2	3		1	1	1		5	6	2	3	2	1	
Females	84	1	3	1	6	8	11	15	8	8	7	4	3	8	1
Birthplaces of mothers (white):															
United States	365	3	4	2	5	10	16	24	30	30	44	41	62	94	
(M..)	907	8	5	9	17	46	63	100	99	133	115	110	78	121	3
Ireland	121	2		2	1	10	5	6	15	13	17	17	11	21	1
(M..)	263			5	15	13	32	22	30	36	24	41	19	25	1
Germany	169		4		3	5	15	16	26	20	23	21	18	18	
(M..)	220	1	2	4	4	10	19	30	23	33	28	28	16	22	
England and Wales	50	2			1	2	1	2	7	6	5	7	4	13	
(M..)	117		1	1	4	7	11	18	13	17	7	15	12	11	
Canada	43	3			1	1	3	4	6	9	4	5	1	6	
(M..)	85	1	1	2	2	15	10	9	17	10	6	4	3	5	
Scandinavia	15	1					2	3	1	3	1	2		2	
(M..)	22		1	2	2	1	3		4	3	2	1	1	2	
Scotland	15		1		1	1	1		3	2	2	1	1	3	
(M..)	34				2	2	2	3	4	4	5	4	4	6	
Italy	8	2					1	3				2			
(M..)	12			1	1		2	3	3	1	1				
France	9					1	1			1	2		2	1	
(M..)	6					3	3		2	2	1	1			
Russia and Poland	22		1				3	3	3	2	3		3	1	
(M..)	16	1			2	2	2		1	4		2		2	
Other foreign coun- tries. (M..)	23		1	1		1	1	5	3	3	4	3		1	
(M..)	43			3	4	4	6	3	4	6	6	5		2	
Unknown.....	98	1	1	2	1	1	4	5	11	8	11	13	11	28	1
(M..)	208			3	6	16	14	19	19	23	24	27	21	33	3

TABLE 17.

DEATHS FROM CANCER IN THE UNITED STATES AND IN THE REGISTRATION AND NON-
REGISTRATION AREAS, DURING THE CENSUS YEAR ENDING MAY 31, 1900,
AT EACH AGE, OF MALES ENGAGED IN EACH OCCUPATION
AND CLASS OF OCCUPATIONS.

NOTE.—Occupation not reported in the registration returns for certain cities. See note on page 75.

DEATHS FROM CANCER.

277

TABLE 17.—DEATHS FROM CANCER OF MALES ENGAGED IN EACH OCCUPATION, BY AGES: CENSUS YEAR 1900.

THE UNITED STATES.

OCCUPATIONS.	AGE.														
	All ages.	Under 20	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 and over.	Un- known.
All occupations.....	9,133	41	64	109	191	286	537	762	1,000	1,167	1,286	1,331	1,074	1,249	36
Professional.....	298	1		4	6	8	22	27	31	43	33	50	29	43	1
Architects, artists and teachers of art, etc.	11						2			1	1	2	1	4	
Clergymen.....	69			1	2	2	3	6	6	12	5	12	8	12	
Engineers and surveyors.....	15				1		1	1	2	1	1	2	1	5	
Journalists.....	14					1		3	2	3	4		1	1	
Lawyers.....	51				2	3	4	4	7	10	6	10	1	4	
Musicians and teachers of music.....	17	1					1		3	1	1	5	3	2	
Physicians and surgeons.....	67			1			6	8	8	5	10	9	11	9	
Teachers (school).....	33			2		1	3	3		8	3	6	1	6	
Others of this class.....	21				1	1	2	2	3	2	2	4	3		1
Clerical and official.....	391	1	5	4	12	18	34	37	36	50	62	50	42	40	
Bookkeepers, clerks, and copyists.....	150	1	5	3	11	12	12	18	12	17	27	15	9	8	
Bankers, brokers, and officials of companies.....	77						7	5	2	5	10	15	13	20	
Collectors, auctioneers, and agents.....	100				1	3	12	10	17	18	10	12	10	7	
Others of this class.....	64			1		3	3	4	5	10	15	8	10	5	
Mercantile and trading.....	624	1	6	6	15	22	36	56	61	114	91	112	56	46	2
Apothecaries, pharmacists, etc.	16				2	1			1	3	2	2	4	1	
Commercial travelers.....	12				1				4	3	1	1	2		
Merchants and dealers.....	460	1	4	3	8	12	23	42	39	81	69	91	44	42	1
Hucksters and peddlers.....	38		1	1		3	5	1	1	11	7	4	2	2	
Others of this class.....	98		1	2	4	6	8	13	16	16	12	14	4	1	1
Public entertainment.....	144		1		3	6	5	12	17	26	27	21	12	14	
Hotel and boarding-house keepers.....	84		1			1		5	10	9	18	17	10	14	
Saloon keepers, liquor dealers, bar tenders, and restaurant keepers.....	60				3	5	5	7	7	17	9	4	2		
Personal service, police, and military.....	158			5	6	7	11	16	29	25	23	18	9	9	
Barbers and hairdressers.....	34			3	4	2	3	4	9	3	3	1	2		
Janitors and sextons.....	23					2		2	1	5	3	6	2	2	
Policemen, watchmen, and detectives.....	70			1		1	5	8	12	12	15	8	4	4	
Soldiers, sailors, and marines (United States).....	9			1	1		1		1	2	1	1		1	
Others of this class.....	22				1	2	2	2	6	3	1	2	1	2	
Laboring and servant.....	1,338	5	13	26	42	50	96	132	180	188	207	166	120	107	6
Laborers (not agricultural).....	1,274	4	11	24	41	47	88	123	170	182	197	161	118	102	6
Servants.....	64	1	2	2	1	3	8	9	10	6	10	5	2	5	
Manufacturing and mechanical industry.....	2,086	3	19	22	34	71	128	216	267	282	278	291	231	240	4
Bakers and confectioners.....	39				1	5	3	4	6	3	3	4	5	5	
Blacksmiths.....	139		1		4	1	9	6	17	18	22	28	18	15	
Boot and shoe makers.....	81		1	1	2	1	4	5	9	10	8	11	16	13	
Brewers, distillers, and rectifiers.....	21					1	1	3	8	2	4	1	1		
Butchers.....	63		1		1		5	9	13	7	8	8	4	6	1
Cabinetmakers and upholsterers.....	45					1	3	3	4	8	8	4	6	8	
Carpenters and joiners.....	366		2	2	1	11	21	25	40	41	60	61	50	52	
Cigar makers and tobacco workers.....	34		1		1	1	1	6	5	7	6	3	1	2	
Clock and watch repairers, jewelers, etc.	13						1	1	1	4	1	2	1	2	
Compositors, printers, and pressmen.....	22	1				2		4	4	2	1	2	3	1	
Coopers.....	31			1			1	2	2	5	8	3	3	6	
Engineers and firemen (not locomotive).....	83		1	1	2	2	8	12	13	16	8	8	8	4	
Glass blowers and glass workers.....	7			1			2		1		1	1		1	
Hat and cap makers.....	11					1					6	3	1		
Iron and steel workers.....	61				3		5	10	9	12	6	8	4	3	1
Leather makers.....	13						1	2		3	2	2	2		
Leather workers.....	18					1			3	4	3	2	2	2	
Machinists.....	105		1	2	6	3	2	16	18	14	16	11	9	7	
Marble and stone cutters.....	29					4	3	3	3	4	3	3	2	4	
Masons (brick and stone).....	129		2	1		1	6	15	16	20	11	20	16	20	1
Mill and factory operatives (textiles).....	74	1	1	1	3	8	5	6	10	7	9	9	6	8	
Millers (flour and grist).....	27							3	4	5	1	7	2	5	
Painters, glaziers, and varnishers.....	107	1	2	4	4	7	9	17	16	17	14	6	2	8	
Plasterers and whitewashers.....	20					1		2	1	3	2	4	4	3	
Plumbers, and gas and steam fitters.....	18		1	2		2	1	1	4	3	1	2	1		
Tailors.....	96		1		1	3	5	10	4	11	10	18	19	14	
Tinners and tinware makers.....	26		1	1		1	4	5	3		1	3	5	2	
Others of this class.....	408		3	5	5	14	25	46	53	56	55	57	40	49	
Agriculture, transportation, and other out-door.....	4,056	30	20	42	70	102	202	263	375	431	560	616	574	748	23
Boatmen and canalmen.....	9						2	1			2	2	2		
Draymen, hackmen, teamsters, etc.	110	1	1	2	4	5	6	6	11	13	18	21	13	9	
Farmers, planters, and farm laborers.....	3,386	27	15	31	47	67	143	205	292	343	465	523	513	696	19
Gardeners, florists, nurserymen, and vine growers.....	62				2	1	2	2	6	8	12	13	3	8	
Livery stable keepers and hostlers.....	27				1		6	2	6	5	4	2			1
Lumbermen and raftsmen.....	17				1	1	1	1	1	4	2	3		3	
Miners and quarrymen.....	142		1	3	4	6	13	15	20	19	23	16	11	10	1
Sailors, pilots, fishermen, and oyster-men.....	90	1	2		3	2	5	6	10	11	17	12	9	12	
Steam railroad employees.....	120			3	5	15	19	13	17	15	8	14	8	3	
Stock raisers, herders, and drovers.....	28		1	1	3	1		2	3	5	5	1	4	2	
Others of this class.....	65	1		2		4	5	10	9	8	4	9	6	5	2
All other occupations.....	38				3	2	3	3	4	8	5	7	1	2	

TABLE 17.—DEATHS FROM CANCER OF MALES ENGAGED IN EACH OCCUPATION, BY AGES: CENSUS YEAR 1900—Con.

THE REGISTRATION RECORD.

OCCUPATIONS.	AGE.														
	All ages.	Under 20	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 and over.	Un-known.
All occupations.....	5,058	10	38	50	108	166	315	445	609	711	699	733	545	623	6
Professional.....	179			2	4	3	12	13	20	26	23	29	21	26	
Architects, artists and teachers of art, etc.	10						2			1	1	2		4	
Clergymen.....	40				1		1	3	2	7	4	8	6	8	
Engineers and surveyors.....	10				1		1	1	2	1	1	1	1	2	
Journalists.....	8							2	2	2	1	1	1	1	
Lawyers.....	30				1	2	2	1	3	8	4	4	1	4	
Musicians and teachers of music.....	15						1		3	1	1	4	3	2	
Physicians and surgeons.....	33			1			3	3	6		7	4	6	3	
Teachers (school).....	18			1			1	2		4	2	5	1	2	
Others of this class.....	15				1	1	2	1	2	2	2	1	3		
Clerical and official.....	292	1	5	4	11	13	29	32	26	32	46	40	29	24	
Bookkeepers, clerks, and copyists.....	136	1	5	3	10	10	10	18	12	14	25	13	9	6	
Bankers, brokers, and officials of companies.....	39						5	4		1	5	10	5	9	
Collectors, auctioneers, and agents.....	77				1	2	11	8	12	13	7	10	7	6	
Others of this class.....	40			1		1	3	2	2	4	9	7	8	3	
Mercantile and trading.....	452	1	5	2	10	15	25	38	49	82	70	81	38	35	1
Apothecaries, pharmacists, etc.	4				1					1	1		1		
Commercial travelers.....	11				1				3	3	1	1	2		
Merchants and dealers.....	324	1	3	1	4	6	15	26	33	55	52	63	31	33	1
Hucksters and peddlers.....	35		1	1		3	5	1	1	10	7	4	1	1	
Others of this class.....	78				4	6	5	11	12	13	9	13	3	1	
Public entertainment.....	70				1	3	3	8	12	17	9	9	4	4	
Hotel and boarding-house keepers.....	27							2	6	2	4	7	2	4	
Saloon keepers, liquor dealers, bartenders, and restaurant keepers.....	43				1	3	3	6	6	15	5	2	2		
Personal service, police, and military.....	124			2	4	6	8	13	26	20	17	15	7	6	
Barbers and hairdressers.....	22			2	2	1	1	3	8	2	1	1	1		
Janitors and sextons.....	20					2		2	1	5	3	4	1	2	
Policemen, watchmen, and detectives.....	56					1	4	7	11	8	12	8	4	1	
Soldiers, sailors, and marines (United States).....	7				1		1			2	1	1		1	
Others of this class.....	19			1	2	2	1	6	3	3	1	1	1	2	
Laboring and servant.....	986	2	8	19	30	38	73	100	142	143	151	121	77	81	1
Laborers (not agricultural).....	933	2	7	19	29	35	65	91	133	137	141	118	76	79	1
Servants.....	53		1		1	3	8	9	9	6	10	3	1	2	
Manufacturing and mechanical industry.....	1,551	2	16	15	23	56	100	162	204	220	198	210	170	174	1
Bakers and confectioners.....	36				1	5	2	4	6	3	3	4	3	5	
Blacksmiths.....	90				1	1	5	2	12	14	13	19	12	11	
Boot and shoe makers.....	64		1	1	2		4	5	6	8	6	7	16	8	
Brewers, distillers, and rectifiers.....	18					1	1	2	7	2	3	1	1		
Butchers.....	40		1			3	3	6	5	3	6	3	5		
Cabinetmakers and upholsterers.....	37				1	3	1	4	6	6	4	4	6	6	
Carpenters and joiners.....	229		1	2		8	18	14	27	26	34	35	29	2	
Cigar makers and tobacco workers.....	32		1		1	1	1	5	4	7	6	3	1	2	
Clock and watch repairers, jewelers, etc.	11					1	1	1	1	4	1	1	1	1	
Compositors, printers, and pressmen.....	18					1	2	3	4	2	1	2	2	1	
Coopers.....	24			1				2	2	4	6	2	2	5	
Engineers and firemen (not locomotive)	59		1		1	1	2	9	8	12	7	8	6	4	
Glass blowers and glass workers.....	6			1			2				1	1	1	1	
Hat and cap makers.....	11					1					6	3	1	3	
Iron and steel workers.....	43				2		4	7	6	11	5	1	3	3	1
Leather makers.....	11					1	1	2		3	2	2	1		
Leather workers.....	10					1			2	1	3	1		1	
Machinists.....	82		1	1	5	3	2	10	13	12	14	9	6	6	
Marble and stone cutters.....	22				3	3	3	3	3	1	2	2	2	3	
Masons (brick and stone).....	86		2		1	4	12	10	14	4	16	11	12		
Mill and factory operatives (textiles).....	68	1	1	1	3	7	5	5	10	7	7	8	6	7	
Millers (flour and grist).....	13							1	2	3		4		3	
Painters, glaziers, and varnishers.....	82	1	2	2	3	6	7	13	13	13	10	5	2	5	
Plasterers and whitewashers.....	13							2	1	2	1	2	2	3	
Plumbers, and gas and steam fitters.....	13			2		1	1	1	3	2		2	1		
Tailors.....	74		1		1	3	4	9	4	8	7	16	13	8	
Tinners and tinware makers.....	16		1			1	3	2	2			2	2	2	
Others of this class.....	343		3	4	3	10	21	40	46	50	47	44	32	43	
Agriculture, transportation, and other outdoor.....	1,373	4	4	6	23	30	62	76	126	165	181	223	198	272	3
Boatmen and canalmen.....	5							1			1	2	1		
Draymen, hackmen, teamsters, etc.	74	1	1	2	3	3	3	3	7	11	11	13	9	7	
Farmers, planters, and farm laborers.....	970	3	1	2	9	11	33	41	72	109	127	163	163	236	
Gardeners, florists, nurserymen, and vine growers.....	39				2	1	1	1	5	6	7	7	3	6	
Livery stable keepers and hostlers.....	23				1		4	2	6	4	3	2			1
Lumbermen and raftsmen.....	12						1	1		4	2			2	
Miners and quarrymen.....	43			1	1	3	2	6	8	5	6	7	1	3	
Sailors, pilots, fishermen, and oystermen.....	80		2		3	2	4	4	7	10	15	12	9	12	
Steam railroad employees.....	75				4	8	12	8	12	10	5	9	7		
Stock raisers, herders, and drovers.....	8			1				1	1	2	1		1	1	
Others of this class.....	44			1		1	2	8	8	4	3	6	4	5	2
All other occupations.....	31				2	2	3	3	4	6	4	5	1	1	

DEATHS FROM CANCER.

279

TABLE 17.—DEATHS FROM CANCER OF MALES ENGAGED IN EACH OCCUPATION, BY AGES: CENSUS YEAR 1900—Con.

NONREGISTRATION RECORD.

OCCUPATIONS.	AGE.														
	All ages.	Under 20.	20 to 24.	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 and over.	Un-known.
All occupations.....	4,075	31	26	59	83	120	222	317	391	456	587	598	529	626	30
Professional.....	119	1		2	2	5	10	14	11	17	10	21	8	17	1
Architects, artists and teachers of art, etc.	1												1		
Clergymen.....	29			1	1	2	2	3	4	5	1	4	2	4	
Engineers and surveyors.....	5						1					1		3	
Journalists.....	6					1		1		1	3				
Lawyers.....	21				1	1	2	3	4	2	2	6			
Musicians and teachers of music.....	2	1										1			
Physicians and surgeons.....	34					1	3	5	2	5	3	5	5	6	
Teachers (school).....	15			1		1	2	1	1	4	1	1		4	
Others of this class.....	6							1				3			1
Clerical and official.....	99				1	5	5	5	10	18	16	10	13	16	
Bookkeepers, clerks, and copyists.....	14				1	2	2			3	2	2		2	
Bankers, brokers, and officials of companies.....	38						2	1	2	4	5	5	8	11	
Collectors, auctioneers, and agents.....	23					1	1	2	5	5	3	2	3	1	
Others of this class.....	24					2		2	3	6	6	1	2	2	
Mercantile and trading.....	172		1	4	5	7	11	18	12	32	21	31	18	11	1
Apothecaries, pharmacists, etc.....	12				1	1			1	2	1	2	3	1	
Commercial travelers.....	1								1						
Merchants and dealers.....	136		1	2	4	6	8	16	6	26	17	28	13	9	
Hucksters and peddlers.....	3									1			1	1	
Others of this class.....	20			2			3	2	4	3	3	1	1		1
Public entertainment.....	74		1		2	3	2	4	5	9	18	12	8	10	
Hotel and boarding-house keepers.....	57					1		3	4	7	14	10	8	10	
Saloon keepers, liquor dealers, bartenders, and restaurant keepers.....	17		1		2	2	2	1	1	2	4	2			
Personal service, police, and military.....	34			3	2	1	3	3	3	5	6	3	2	3	
Barbers and hairdressers.....	12			1	2	1	2	1	1	1	2		1		
Janitors and sextons.....	3												2	1	
Policemen, watchmen, and detectives.....	14			1			1	1	1	4	3			3	
Soldiers, sailors, and marines (United States).....	2			1					1						
Others of this class.....	3							1			1	1			
Laboring and servant.....	352	3	5	7	12	12	23	32	38	45	56	45	43	26	5
Laborers (not agricultural).....	341	2	4	5	12	12	23	32	37	45	56	43	42	23	5
Servants.....	11	1	1	2					1			2	1	3	
Manufacturing and mechanical industry.....	535	1	3	7	11	15	28	54	63	62	80	81	61	66	3
Bakers and confectioners.....	3						1						2		
Blacksmiths.....	49		1		3		4	4	5	4	9		6	4	
Boot and shoe makers.....	17					1			3	2	2	4		5	
Brewers, distillers, and rectifiers.....	3							1	1		1				
Butchers.....	23				1		2	3	5	2	5	2	1	1	1
Cabinetmakers and upholsterers.....	8							2		2	2			2	
Carpenters and joiners.....	137		1		1	3	3	11	13	15	26	26	15	23	
Cigar makers and tobacco workers.....	2							1	1						
Clock and watch repairers, jewelers, etc.....	2											1		1	
Compositors, printers, and pressmen.....	4	1				1		1					1		
Coopers.....	7		1				1			1	2	1	1	1	
Engineers and firemen (not locomotive).....	24		1	1	1		6	3	5	4	1		2		
Glass blowers and glass workers.....	1								1						
Hat and cap makers.....															
Iron and steel workers.....	18				1		1	3	3	1	1	7	1		
Leather makers.....	2												1		1
Leather workers.....	8								1	3		2	1	1	
Machinists.....	23			1	1			6	5	2	2	1	3	1	
Marble and stone cutters.....	7					1				3	1	1		1	
Masons (brick and stone).....	43			1			2	3	6	6	7	4	5	8	1
Mill and factory operatives (textiles).....	6					1		1			2	1		1	
Millers (flour and grist).....	15							2	2	2	1	3	2	2	
Painters, glaziers, and varnishers.....	24			2	1	1	2	4	3	4	4	1		3	
Plasterers and whitewashers.....	7				1				1	1	1	2	2		
Plumbers, and gas and steam fitters.....	5		1			1			1	1	1				
Tailors.....	22						1	1	1	3	3	2	6	6	
Tinners and tinware makers.....	10						1	2	1	1	1	1	3		
Others of this class.....	65			1	2	4	4	6	7	6	8	13	8	6	
Agriculture, transportation, and other outdoor.....	2,683	26	16	36	47	72	140	187	249	266	379	393	376	476	20
Boatmen and canalmen.....	4						2				1		1		
Draymen, hackmen, teamsters, etc.....	36				1	2	3	3	4	2	7	8	4	2	
Farmers, planters, and farm laborers.....	2,416	24	14	29	38	56	110	164	220	234	338	360	350	460	19
Gardeners, florists, nurserymen, and vine growers.....	23						1	1	1	2	5	6	5	2	
Livery stable keepers and hostlers.....	4						2			1	1				
Lumbermen and raftsmen.....	5				1	1			1			1		1	
Miners and quarrymen.....	99		1	2	3	3	11	9	12	14	17	9	10	7	1
Sailors, pilots, fishermen, and oystermen.....	10	1					1	2	3	1	2				
Steam railroad employees.....	45			3	1	7	7	5	5	5	3	5	1	3	
Stock raisers, herders, and drovers.....	20		1	1	3			1	2	3	4	1	3	1	
Others of this class.....	21	1		1		3	3	2	1	4	1	3	2		
All other occupations.....	7				1					2	1	2		1	

TABLE 18.

DEATHS FROM CANCER IN THE UNITED STATES AND IN THE REGISTRATION AND
NONREGISTRATION AREAS, DURING THE CENSUS YEAR ENDING
MAY 31, 1900, AT EACH AGE, OF FEMALES ENGAGED
IN EACH OCCUPATION.

NOTE.—Occupation not reported in the registration returns for certain cities. (See note on page 75.)

DEATHS FROM CANCER.

283

TABLE 18.—DEATHS FROM CANCER OF FEMALES ENGAGED IN EACH OCCUPATION, BY AGES: CENSUS YEAR 1900.

OCCUPATIONS.	AGE.													
	All ages.	Under 20	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 and over. Un-known
THE UNITED STATES.														
All occupations.....	2,006	18	29	44	88	145	227	253	281	248	225	185	120	129 14
Musicians and teachers of music.....	11				1	2	3		1	1	1		2	
Teachers in schools.....	97		3	4	4	9	14	16	12	7	10	9	4	5
Stenographers and typewriters.....	8			1	2	3		2						
Bookkeepers, clerks, and copyists.....	12		1	2	1	1	2	2	2	1				
Hotel and boarding-house keepers.....	37					1	1	3	7	5	10	4	2	4
Laundresses.....	95		2	4	3	5	14	17	17	6	12	5	4	5 1
Nurses and midwives.....	98				2	6	8	8	14	14	15	13	9	9
Servants.....	831	7	10	17	36	61	94	109	111	115	92	74	44	55 6
Artificial-flower and paper-box makers.....														
Cigar makers and tobacco workers.....	5		1					2	1		1			
Mill and factory operatives (textiles).....	26	1			2	3	7	2	3	2		1	2	1
Milliners.....	22			1		3	2	3	5	3	2	1		2
Dressmakers and seamstresses.....	209	1	2	5	17	19	30	35	32	27	17	10	8	6
Telegraph and telephone operators.....	2				1			1						
All other occupations.....	553	9	10	10	19	32	52	53	76	67	65	68	45	41 6
THE REGISTRATION RECORD.														
All occupations.....	1,238	5	9	23	55	98	159	158	173	163	133	114	73	71 4
Musicians and teachers of music.....	11				1	2	3		1	1	1		2	
Teachers in schools.....	62		2	2	2	6	10	12	6	5	5	6	2	4
Stenographers and typewriters.....	6				2	3		1						
Bookkeepers, clerks, and copyists.....	12		1	2	1	1	2	2	2	1				
Hotel and boarding-house keepers.....	18						1	2	5	2	6	2		
Laundresses.....	41		1	3		3	7	6	7	3	2	4	4	1
Nurses and midwives.....	68				2	4	6	7	9	7	11	10	6	6
Servants.....	647	3	2	10	29	50	76	82	87	95	78	56	34	43 2
Artificial-flower and paper-box makers.....														
Cigar makers and tobacco workers.....	3							2	1					
Mill and factory operatives (textiles).....	19	1			1	1	5	2	3	2		1	1	1
Milliners.....	15			1		2	2	3	2	2		1		2
Dressmakers and seamstresses.....	138			3	9	14	24	22	19	19	11	7	7	3
Telegraph and telephone operators.....	2				1			1						
All other occupations.....	196	1	3	2	7	12	23	16	31	26	19	27	17	11 1
NONREGISTRATION RECORD.														
All occupations.....	768	13	20	21	33	47	68	95	108	85	92	71	47	58 10
Musicians and teachers of music.....														
Teachers in schools.....	35		1	2	2	3	4	4	6	2	5	3	2	1
Stenographers and typewriters.....	2			1				1						
Bookkeepers, clerks, and copyists.....														
Hotel and boarding-house keepers.....	19					1		1	2	3	4	2	2	4
Laundresses.....	54		1	1	3	2	7	11	10	3	10	1		4 1
Nurses and midwives.....	30					2	2	1	5	7	4	3	3	3
Servants.....	184	4	8	7	7	11	18	27	24	20	14	18	10	12 4
Artificial-flower and paper-box makers.....														
Cigar makers and tobacco workers.....	2		1								1			
Mill and factory operatives (textiles).....	7				1	2	2						1	1
Milliners.....	7					1			3	1	2			
Dressmakers and seamstresses.....	71	1	2	2	8	5	6	13	13	8	6	3	1	3
Telegraph and telephone operators.....														
All other occupations.....	357	8	7	8	12	20	29	37	45	41	46	41	28	30 5

TABLE 19.

POPULATION, BIRTHS, DEATHS, AND DEATH RATES AT CERTAIN AGES, AND DEATHS
FROM CERTAIN PRINCIPAL CAUSES IN THE UNITED STATES, EACH STATE AND
CITY, AND EACH GROUP AND COUNTY IN THE REGISTRATION STATES,
DURING THE CENSUS YEAR ENDING MAY 31, 1900, BY SEX,
COLOR, GENERAL NATIVITY, AND PARENT NATIVITY.

NOTE.—The details of sex, color, general nativity, and parent nativity are given in full for the summaries stated and for each state and state group, and the larger cities. For the smaller areas only the most important details are given.

VITAL STATISTICS.

TABLE 19.—POPULATION, BIRTHS, DEATHS, AND DEATH RATES AT CERTAIN AGES, AND DEATHS FROM

	AREAS.	UNDER 1 YEAR OF AGE.					UNDER 5 YEARS OF AGE.				ALL AGES.		
		Popula- tion.	Born and died in the census year.	Births during the census year.	Deaths.	Deaths under 1 per 1,000 births.	Popula- tion.	Deaths.	Death rate per 1,000 of popu- lation.	Deaths under 5 per 1,000 at all ages.	Popula- tion.	Deaths.	Death rate per 1,000 of popu- lation.
1	THE UNITED STATES.....	1,926,892	136,494	2,063,386	199,325	(*)	9,170,628	317,532	(*)	305.6	75,994,575	1,039,094	(*)
2	Males.....	979,257	77,034	1,056,291	110,673	(*)	4,633,612	172,212	(*)	312.2	38,816,451	551,611	(*)
3	Females.....	947,635	59,460	1,007,095	88,652	(*)	4,537,016	145,320	(*)	298.1	37,178,124	487,483	(*)
4	White.....	1,675,007	115,404	1,790,411	170,665	(*)	7,919,952	267,908	(*)	300.3	66,809,188	892,092	(*)
5	Males.....	854,238	65,703	919,941	95,344	(*)	4,011,455	146,113	(*)	306.3	34,201,727	477,080	(*)
6	Females.....	820,769	49,701	870,470	75,321	(*)	3,908,497	121,795	(*)	293.5	32,607,461	415,012	(*)
7	Native ¹	1,666,880	114,259	1,781,139	168,448	(*)	7,848,097	263,427	(*)	379.4	56,433,251	694,382	(*)
8	Males ¹	850,137	65,028	915,165	94,103	(*)	3,975,127	143,658	(*)	392.4	28,606,931	366,122	(*)
9	Females ¹	816,743	49,231	865,974	74,345	(*)	3,872,970	119,769	(*)	364.9	27,826,320	328,260	(*)
10	Both parents na- tive ¹	559,603	34,882	594,485	49,002	(*)	2,593,149	76,920	(*)	366.9	19,332,560	209,670	(*)
11	One or both parents foreign ¹	532,602	27,017	559,519	39,530	(*)	2,514,051	65,288	(*)	332.4	18,580,609	196,434	(*)
		218,003	18,233	236,286	27,779	(*)	1,035,451	41,279	(*)	532.8	6,668,890	77,472	(*)
		213,371	13,341	226,712	21,156	(*)	1,016,753	33,361	(*)	507.5	6,583,848	65,742	(*)
12	Foreign ¹	3,998	225	4,223	547	(*)	52,301	1,636	(*)	9.3	10,186,099	175,252	(*)
13	Males ¹	2,013	127	2,140	301	(*)	26,531	864	(*)	8.9	5,500,624	97,309	(*)
14	Females ¹	1,985	98	2,083	246	(*)	25,770	772	(*)	9.9	4,685,475	77,943	(*)
15	Colored.....	251,885	21,090	272,975	28,660	(*)	1,250,676	49,624	(*)	337.6	9,185,387	147,002	(*)
16	Males.....	125,019	11,331	136,350	15,329	(*)	622,157	26,099	(*)	350.2	4,614,724	74,531	(*)
17	Females.....	126,866	9,759	136,625	13,331	(*)	628,519	23,525	(*)	324.6	4,570,663	72,471	(*)
18	THE REGISTRATION RECORD....	617,918	66,449	684,367	102,220	149.4	2,945,368	153,571	52.1	299.6	28,807,269	512,669	17.8
19	Males.....	311,672	37,977	349,649	57,251	163.7	1,481,843	84,028	56.7	308.0	14,393,332	272,819	19.0
20	Females.....	306,246	28,472	334,718	44,969	134.3	1,463,525	69,543	47.5	289.9	14,413,937	239,850	16.6
21	White.....	596,513	61,084	657,597	94,269	143.4	2,842,960	141,431	49.7	297.3	27,555,799	475,640	17.3
22	Males.....	301,077	35,046	336,123	52,972	157.6	1,431,425	77,615	54.2	306.2	13,778,122	253,491	18.4
23	Females.....	295,436	26,038	321,474	41,297	128.5	1,411,535	63,816	45.2	287.3	13,777,677	222,149	16.1
24	Native ¹	589,478	60,312	649,790	92,789	142.8	2,785,209	138,464	49.7	411.0	20,702,576	336,934	16.3
25	Males ¹	297,537	34,591	332,128	52,154	157.0	1,402,326	76,008	54.2	425.9	10,254,225	178,482	17.4
26	Females ¹	291,941	25,721	317,662	40,635	127.9	1,382,883	62,456	45.2	394.2	10,448,351	158,452	15.2
27	Both parents native ¹	103,440	10,918	114,358	15,996	139.9	492,163	22,734	46.2	351.1	4,333,431	64,742	14.9
28	One or both parents for- eign ¹	101,527	8,297	109,824	12,706	115.7	484,101	18,554	38.9	308.9	4,356,661	61,043	14.0
		121,566	13,418	134,984	21,180	156.9	563,636	31,260	55.5	582.7	3,315,313	53,644	16.2
		119,544	9,753	129,297	16,135	124.8	556,616	25,306	45.5	558.2	3,429,827	45,331	13.2
29	Foreign ¹	2,906	162	3,068	431	140.5	38,197	1,320	34.6	10.4	6,663,385	126,465	19.0
30	Males ¹	1,452	90	1,542	233	151.1	19,302	695	36.0	10.3	3,429,725	67,546	19.7
31	Females ¹	1,454	72	1,526	198	129.8	18,895	625	33.1	10.6	3,233,660	58,919	18.2
32	Colored.....	21,405	5,365	26,770	7,951	297.0	102,408	12,140	118.5	327.9	1,251,470	37,029	29.6
33	Males.....	10,595	2,931	13,526	4,279	316.4	50,418	6,413	127.2	331.8	615,210	19,328	31.4
34	Females.....	10,810	2,434	13,244	3,672	277.3	51,990	5,727	110.2	323.5	636,260	17,701	27.8
35	REGISTRATION CITIES.....	474,549	55,000	529,549	85,384	161.2	2,248,584	129,579	57.6	321.8	21,660,631	402,666	18.6
36	Males.....	239,265	31,434	270,699	47,769	176.5	1,130,287	70,796	62.6	329.1	10,743,374	215,115	20.0
37	Females.....	235,284	23,566	258,850	37,615	145.3	1,118,297	58,783	52.6	313.4	10,917,257	187,551	17.2
38	White.....	455,127	49,933	505,060	77,867	154.2	2,155,275	118,049	54.8	321.3	20,503,665	367,430	17.9
39	Males.....	229,650	28,671	258,321	43,732	169.3	1,084,344	64,699	59.7	328.9	10,177,473	196,694	19.3
40	Females.....	225,477	21,262	246,739	34,135	138.3	1,070,931	53,350	49.8	312.5	10,326,192	170,736	16.5
41	Native ¹	448,790	49,216	498,006	76,519	153.7	2,105,576	115,380	54.8	460.6	14,789,956	250,506	16.9
42	Males ¹	226,447	28,244	254,691	42,973	168.7	1,059,266	63,239	59.7	473.2	7,272,729	133,654	18.4
43	Females ¹	222,343	20,972	243,315	33,546	137.9	1,046,310	52,141	49.8	446.2	7,517,227	116,852	15.5
44	Both parents native ¹	60,744	7,381	68,125	10,979	161.2	284,998	15,740	55.2	433.6	2,302,402	36,297	15.8
45	One or both parents for- eign ¹	59,653	5,607	65,160	8,677	133.2	281,171	13,046	46.4	383.9	2,350,707	33,984	14.5
		96,150	11,040	107,190	17,625	164.4	441,808	26,295	59.5	600.9	2,497,360	43,763	17.5
		94,604	8,095	102,699	13,516	131.6	436,707	21,415	49.0	581.4	2,633,149	36,832	14.0
46	Foreign ¹	2,208	134	2,342	351	149.9	30,145	1,102	36.6	10.3	5,523,871	106,484	19.3
47	Males ¹	1,115	76	1,191	197	165.4	15,281	587	38.4	10.4	2,810,572	56,683	20.2
48	Females ¹	1,093	58	1,151	154	133.8	14,864	515	34.6	10.3	2,713,299	49,801	18.4
49	Colored.....	19,422	5,067	24,489	7,517	307.0	93,309	11,530	123.6	327.2	1,156,966	35,236	30.5
50	Males.....	9,615	2,763	12,378	4,037	326.1	45,943	6,097	132.7	331.0	565,901	18,421	32.6
51	Females.....	9,807	2,304	12,111	3,480	287.3	47,366	5,433	114.7	323.1	591,065	16,815	28.4

¹ Population excluded for areas not reporting deaths by nativity of persons and parents.

* Data insufficient for rates.

POPULATION, BIRTHS, DEATHS, AND DEATH RATES.

287

CERTAIN CAUSES, BY SEX, COLOR, GENERAL NATIVITY, AND PARENT NATIVITY: CENSUS YEAR 1900.

CAUSE OF DEATH.																			
Measles.	Scarlet fever.	Diphtheria and croup.	Whooping cough.	Malarial fever.	Influenza.	Typhoid fever.	Diarrheal diseases.	Consumption.	Cancer and tumor.	Heart disease and dropsy.	Pneumonia.	Diseases of the liver.	Diseases of the nervous system.	Diseases of the urinary organs.	Affections connected with pregnancy.	Old age.	Unknown.	All other causes.	
12,866	6,333	28,959	9,958	14,874	16,645	35,379	72,483	109,750	32,902	80,579	105,971	12,249	117,579	44,941	9,699	29,222	40,539	258,166	1
6,231 6,635	3,135 3,198	14,878 14,081	4,601 5,357	7,497 7,377	7,718 8,927	18,881 16,498	38,444 34,039	53,626 56,124	12,741 20,161	42,557 38,022	58,340 47,631	7,134 5,115	64,189 53,390	27,869 17,072	9,699	13,362 15,860	21,318 19,221	149,090 109,076	2
10,213	6,069	26,445	7,918	9,285	13,787	28,848	64,068	87,673	31,081	70,150	90,913	11,160	106,616	41,156	7,816	26,096	28,159	224,639	4
4,946 5,267	3,008 3,061	13,576 12,869	3,657 4,261	4,749 4,536	6,283 7,504	15,606 13,242	34,014 30,054	43,670 44,003	12,275 18,806	37,478 32,672	49,727 41,186	6,482 4,678	58,522 48,094	25,552 15,604	7,816	12,008 14,088	15,068 13,091	130,459 94,180	5 6
9,956	5,865	25,719	7,786	8,350	10,703	24,968	58,244	65,838	19,041	47,255	70,772	7,492	83,712	26,717	5,752	14,416	24,644	177,152	7
4,818 5,138 3,205	2,910 2,955 1,402	13,204 12,515 7,416	3,595 4,191 2,259	4,223 4,127 3,297	4,913 5,790 3,632	13,220 11,748 9,504	31,130 27,114 16,297	30,865 34,973 15,039	6,707 12,334 4,275	25,117 22,138 15,812	38,355 32,417 21,167	4,287 3,205 2,591	45,843 37,869 26,272	16,640 10,077 9,558	6,528 7,888 4,135	13,071 11,573 9,990	100,696 76,456 53,819	8 9 10	
3,486 1,042 1,050	1,497 923 864	6,811 3,388 3,274	2,608 913 1,116	3,316 369 347	4,306 523 347	8,744 523 1,505	14,383 369 7,445	20,594 7,901 7,441	7,748 870 1,555	14,089 3,430 3,328	18,737 9,616 7,596	2,046 721 604	22,749 8,629 6,762	5,317 2,558 2,008	3,611 443 1,193	5,038 1,779 520	9,072 23,580 17,196	11	
168	143	442	66	756	2,864	3,231	4,741	19,709	11,269	20,901	18,220	3,423	20,263	13,431	1,926	10,752	2,126	40,821	12
82 86	72 71	219 223	32 34	421 335	1,259 1,605	1,988 1,243	2,295 2,446	11,636 8,073	5,246 6,023	11,197 9,704	10,172 8,048	2,049 1,374	11,122 9,141	8,242 5,189	1,926	5,021 5,731	1,204 922	25,052 15,769	13 14
2,653	264	2,514	2,040	5,589	2,858	6,531	8,415	22,077	1,821	10,429	15,058	1,089	10,963	3,785	1,883	3,126	12,380	33,527	15
1,285 1,368	127 137	1,302 1,212	944 1,096	2,748 2,841	1,435 1,423	3,275 3,256	4,430 3,985	9,956 12,121	466 1,355	5,079 5,350	8,613 6,445	652 437	5,667 5,296	2,317 1,468	1,883	1,354 1,772	6,250 6,130	18,631 14,896	16 17
3,801	3,327	13,031	3,669	2,526	6,882	9,749	38,267	53,962	18,963	40,587	55,296	6,544	62,563	29,447	3,772	15,558	4,849	139,876	18
1,872 1,929	1,688 1,639	6,549 6,482	1,718 1,951	1,303 1,223	2,950 3,932	5,620 4,129	20,127 18,140	29,192 24,770	7,082 11,881	21,066 19,521	29,898 25,398	3,887 2,657	33,680 28,883	17,159 12,288	6,673 3,772	2,677 8,885	79,678 60,198	19 20	
3,613	3,295	12,649	3,328	1,778	6,497	8,928	35,692	47,822	18,366	37,876	50,928	6,270	58,876	27,507	3,535	14,755	4,106	129,819	21
1,785 1,828	1,672 1,623	6,354 6,295	1,566 1,762	931 787	2,782 3,715	5,157 3,771	18,791 16,901	25,948 21,874	6,906 11,460	19,682 18,194	27,461 23,467	3,703 2,567	31,788 27,088	16,088 11,419	6,356 3,535	2,286 8,399	74,235 55,584	22 23	
3,441	3,148	12,175	3,255	1,289	4,287	6,408	31,664	31,607	9,768	22,320	36,098	3,470	42,875	16,161	2,093	7,569	2,962	96,344	24
1,697 1,744 453 513 772 759	1,601 1,547 443 421 636 590	6,115 6,060 1,686 1,615 2,249 2,210	1,529 1,726 551 606 632 740	667 622 220 237 144 138	1,856 2,431 1,007 1,372 329 388	3,594 2,814 1,416 1,080 895 688	16,922 14,742 5,139 4,602 7,070 5,914	16,398 15,209 4,555 5,051 5,923 4,956	3,129 6,639 1,585 3,243 445 997	11,698 10,622 5,516 5,019 2,048 2,025	19,410 16,688 6,180 6,999 7,213 5,720	2,039 1,431 787 598 520 341	23,300 19,575 9,650 8,560 5,711 4,542	9,460 6,701 4,125 2,770 1,817 1,581	3,266 4,303 1,851 2,356 140 603	1,619 1,343 635 539 441 368	54,182 42,162 18,943 15,721 16,659 12,481	25 26 27 28	
128	114	324	47	435	2,086	2,240	3,518	15,127	8,151	14,451	13,793	2,653	14,484	10,682	1,387	6,731	783	29,331	29
62 66	60 54	159 165	24 23	232 203	871 1,215	1,390 850	1,607 1,911	8,948 6,179	3,596 4,555	7,348 7,103	7,424 6,369	1,575 1,078	7,600 6,884	6,197 4,485	2,895 1,387	442 3,836	17,116 12,215	30 31	
188	32	382	341	748	385	821	2,575	6,140	597	2,711	4,368	274	3,687	1,940	237	803	743	10,057	32
87 101	16 16	195 187	152 189	372 376	168 217	463 358	1,336 1,239	3,244 2,896	176 421	1,384 1,327	2,437 1,931	184 90	1,892 1,795	1,071 869	317 486	391 352	5,443 4,614	33 34	
3,091	2,796	11,440	2,912	2,139	4,411	7,925	31,321	44,376	13,863	29,381	45,586	5,087	46,673	23,232	2,917	10,242	3,396	111,878	35
1,539 1,552	1,415 1,381	5,742 5,698	1,357 1,555	1,108 1,031	1,861 2,550	4,604 3,321	16,489 14,832	24,635 19,741	5,190 8,673	14,982 14,399	24,902 20,684	3,073 2,014	25,211 21,462	13,272 9,960	4,147 2,917	1,885 6,095	63,703 48,175	36 37	
2,922	2,766	11,075	2,601	1,396	4,056	7,129	28,870	38,541	13,294	26,816	41,385	4,819	43,190	21,393	2,691	9,486	2,698	102,302	38
1,462 1,460	1,400 1,366	5,554 5,521	1,216 1,385	740 656	1,706 2,350	4,151 2,978	15,215 13,655	21,540 17,001	5,019 8,275	13,683 13,133	22,550 18,835	2,894 1,925	23,422 19,768	12,252 9,141	3,851 2,691	1,521 5,635	58,518 43,784	39 40	
2,780	2,635	10,648	2,541	981	2,358	4,929	25,518	24,354	6,101	14,118	28,435	2,425	30,162	11,484	1,458	3,860	1,796	73,923	41
1,389 1,391 288 321 645 622	1,338 1,297 305 290 521 480	5,337 5,311 1,254 1,221 1,942 1,897	1,188 1,353 371 385 500 609	510 471 119 109 105 100	1,002 1,356 409 625 221 282	2,774 11,841 845 650 723 530	13,677 11,841 3,311 2,652 2,647 5,922	13,073 11,281 2,682 2,647 4,981 3,971	1,888 4,213 683 1,540 314 712	7,267 12,927 2,413 3,579 1,560 1,568	15,508 12,927 3,812 3,579 6,225 4,946	1,453 972 375 281 430 258	16,531 13,631 5,199 4,487 4,486 3,611	6,541 4,943 2,087 1,531 1,473 1,341	1,517 2,343 612 980 60 128	988 808 275 239 258 200	41,673 32,250 11,287 9,382 13,397 10,189	42 43 44 45	
100	101	281	36	365	1,610	1,944	2,896	13,229	6,818	11,808	12,040	2,267	11,786	9,334	1,183	5,285	597	24,804	46
48 52	52 49	140 141	17 19	198 167	665 945	1,219 725	1,306 1,590	7,938 5,291	2,978 3,540	5,901 5,907	6,484 5,556	1,363 904	6,153 5,633	5,338 3,996	2,190 1,183	344 253	14,349 10,455	47 48	
169	30	365	311	743	355	796	2,451	5,835	569	2,565	4,201	268	3,483	1,839	226	756	698	9,576	49
77 92	15 15	188 177	141 170	368 375	155 200	453 343	1,274 1,177	3,095 2,740	171 398	1,299 1,266	2,352 1,849	179 89	1,789 1,694	1,020 819	296 226	364 460	5,185 4,391	50 51	

TABLE 19.—POPULATION, BIRTHS, DEATHS, AND DEATH RATES AT CERTAIN AGES, AND DEATHS FROM CERTAIN

	AREAS.	UNDER 1 YEAR OF AGE.					UNDER 5 YEARS OF AGE.				ALL AGES.		
		Population.	Born and died in the census year.	Births during the census year.	Deaths.	Deaths under 1 per 1,000 births.	Population.	Deaths.	Death rate per 1,000 of population.	Deaths under 5 per 1,000 at all ages.	Population.	Deaths.	Death rate per 1,000 of population.
1	REGISTRATION STATES	379,951	38,370	418,321	60,524	144.7	1,797,998	89,740	49.9	297.5	17,444,280	301,670	17.3
2	Males	191,455	21,925	213,380	33,924	159.0	904,790	49,187	54.4	311.8	8,701,245	157,745	18.1
3	Females	188,496	16,445	204,941	26,600	129.8	893,208	40,553	45.4	281.8	8,743,035	143,925	16.5
4	White	373,336	36,934	410,270	58,250	142.0	1,768,063	86,387	48.9	295.2	17,086,319	292,618	17.1
5	Males	188,187	21,144	209,331	32,713	156.3	890,171	47,455	53.3	309.8	8,525,075	153,183	18.0
6	Females	185,149	15,790	200,939	25,537	127.1	877,892	38,932	44.3	279.2	8,561,244	139,435	16.3
7	Native	371,021	36,730	407,751	57,735	141.6	1,737,712	85,053	48.9	403.3	12,770,158	210,918	16.5
8	Males	187,044	21,032	208,076	32,441	155.9	874,893	46,755	53.4	421.9	6,333,509	110,823	17.5
9	Females	183,977	15,698	199,675	25,294	126.7	862,819	38,298	44.4	382.6	6,436,649	100,095	15.6
10	Both parents native ¹{M..	81,787	8,374	90,161	12,391	137.4	390,952	17,499	44.8	330.0	3,544,971	53,032	15.0
11	One or both parents for-ign. ¹{F..	80,514	6,460	86,974	9,981	114.8	384,991	14,644	38.0	289.3	3,579,031	50,627	14.1
11	One or both parents for-ign. ¹{M..	101,837	11,349	113,186	18,204	160.8	467,684	26,842	57.4	598.6	2,638,405	44,845	17.0
11	One or both parents for-ign. ¹{F..	100,192	8,216	108,408	13,766	127.0	461,799	21,588	46.7	570.9	2,709,674	37,812	14.0
12	Foreign	2,315	128	2,443	353	144.5	30,351	1,079	35.6	13.8	4,316,161	78,077	18.1
13	Males	1,143	72	1,215	189	155.6	15,278	567	37.1	14.1	2,191,566	40,088	18.3
14	Females	1,172	56	1,228	164	133.6	15,073	512	34.0	13.5	2,124,595	37,989	17.9
15	Colored	6,615	1,436	8,051	2,274	282.4	29,935	3,353	112.0	370.4	357,961	9,052	25.3
16	Males	3,268	781	4,049	1,211	299.1	14,619	1,732	118.5	379.7	176,170	4,562	25.9
17	Females	3,347	655	4,002	1,063	265.6	15,316	1,621	105.8	361.0	181,791	4,490	24.7
18	CITIES IN REGISTRATION STATES...	236,582	26,921	263,503	43,688	165.8	1,101,214	65,748	59.7	343.0	10,297,642	191,667	18.6
19	Males	119,048	15,382	134,430	24,442	181.8	553,234	35,955	65.0	359.4	5,051,287	100,041	19.8
20	Females	117,534	11,539	129,073	19,246	149.1	547,980	29,793	54.4	325.2	5,246,355	91,626	17.5
21	White	231,950	25,783	257,733	41,848	162.4	1,080,378	63,005	58.3	341.7	10,034,185	184,408	18.4
22	Males	116,760	14,769	131,529	23,473	178.5	543,090	34,539	63.6	358.3	4,924,426	96,386	19.6
23	Females	115,190	11,014	126,204	18,375	145.6	537,288	28,466	53.0	323.4	5,109,759	88,022	17.2
24	Native	230,333	25,634	255,967	41,465	162.0	1,058,079	61,969	58.6	497.8	6,857,538	124,490	18.2
25	Males	115,954	14,685	130,639	23,260	178.0	531,833	33,986	63.9	515.0	3,352,013	65,995	19.7
26	Females	114,379	10,949	125,328	18,205	145.3	526,246	27,983	53.2	478.4	3,505,525	58,495	16.7
27	Both parents native ¹{M..	39,091	4,837	43,928	7,374	167.9	183,787	10,505	57.2	427.3	1,513,942	24,587	16.2
28	One or both parents for-ign. ¹{F..	38,640	3,670	42,310	5,952	140.7	182,061	8,836	48.5	374.9	1,573,077	23,568	15.0
28	One or both parents for-ign. ¹{M..	76,421	8,971	85,392	14,649	171.6	345,856	21,877	63.3	625.7	1,820,452	34,964	19.2
28	One or both parents for-ign. ¹{F..	75,252	6,558	81,810	11,147	136.3	341,890	17,697	51.8	603.7	1,912,996	29,313	15.3
29	Foreign	1,617	100	1,717	273	159.0	22,299	861	38.6	14.8	3,176,647	58,096	18.3
30	Males	806	58	864	153	177.1	11,257	459	40.8	15.7	1,572,413	29,225	18.6
31	Females	811	42	853	120	140.7	11,042	402	36.4	13.9	1,604,234	28,871	18.0
32	Colored	4,632	1,138	5,770	1,840	318.9	20,836	2,743	131.6	377.9	263,457	7,259	27.6
33	Males	2,288	613	2,901	969	334.0	10,144	1,416	139.6	387.4	126,861	3,655	28.8
34	Females	2,344	525	2,869	871	303.6	10,692	1,327	124.1	368.2	136,596	3,604	26.4
35	RURAL PART OF REGISTRATION STATES.	143,369	11,449	154,818	16,836	108.7	696,784	23,992	34.4	218.1	7,146,638	110,003	15.4
36	Males	72,407	6,543	78,950	9,482	120.1	351,556	13,232	37.6	229.3	3,649,958	57,704	15.8
37	Females	70,962	4,906	75,868	7,354	96.9	345,228	10,760	31.2	205.7	3,496,680	52,299	15.0
38	White	141,386	11,151	152,537	16,402	107.5	687,685	23,382	34.0	216.1	7,052,134	108,210	15.3
39	Males	71,427	6,375	77,802	9,240	118.8	347,081	12,916	37.2	227.4	3,600,649	56,797	15.8
40	Females	69,959	4,776	74,735	7,162	95.8	340,604	10,466	30.7	203.6	3,451,485	51,413	14.9
41	Native	140,688	11,096	151,784	16,270	107.2	679,633	23,084	34.0	267.1	5,912,620	86,428	14.6
42	Males	71,090	6,347	77,437	9,181	118.6	343,060	12,769	37.2	284.8	2,981,496	44,828	15.0
43	Females	69,598	4,749	74,347	7,089	95.4	336,573	10,315	30.6	248.0	2,931,124	41,600	14.2
44	Both parents native ¹{M..	42,696	3,537	46,233	5,017	108.5	207,165	6,994	33.8	245.9	2,031,029	28,445	14.0
45	One or both parents for-ign. ¹{F..	41,874	2,790	44,664	4,029	90.2	202,930	5,808	28.6	214.6	2,005,954	27,059	13.5
45	One or both parents for-ign. ¹{M..	25,416	2,378	27,794	3,555	127.9	121,828	4,965	40.8	502.5	817,953	9,881	12.1
45	One or both parents for-ign. ¹{F..	24,940	1,658	26,598	2,619	98.5	119,909	3,891	32.4	457.8	796,678	8,499	10.7
46	Foreign	698	28	726	80	110.2	8,052	218	27.1	10.9	1,139,514	19,981	17.5
47	Males	337	14	351	36	102.6	4,021	108	26.9	9.9	619,153	10,863	17.5
48	Females	361	14	375	44	117.3	4,031	110	27.3	12.1	520,361	9,118	17.5
49	Colored	1,983	298	2,281	434	190.3	9,099	610	67.0	340.2	94,504	1,793	19.0
50	Males	980	168	1,148	242	210.8	4,475	316	70.6	348.4	49,309	907	18.4
51	Females	1,003	130	1,133	192	169.5	4,624	294	63.6	331.8	45,195	886	19.6

¹ Population excluded for areas not reporting deaths by nativity of persons and parents.

CAUSES, BY SEX, COLOR, GENERAL NATIVITY, AND PARENT NATIVITY: CENSUS YEAR 1900—Continued.

CAUSE OF DEATH.																		
Measles.	Scarlet fever.	Diphtheria and croup.	Whooping cough.	Malarial fever.	Influenza.	Typhoid fever.	Diarrheal diseases.	Consumption.	Cancer and tumor.	Heart disease and dropsy.	Pneumonia.	Diseases of the liver.	Diseases of the nervous system.	Diseases of the urinary organs.	Affections connected with pregnancy.	Old age.	Unknown.	All other causes.
2,583	1,866	7,027	2,448	896	5,077	4,431	23,075	30,677	11,802	25,210	33,716	3,782	37,335	18,287	2,301	9,265	2,326	79,566
1,272	967	3,554	1,140	432	2,120	2,547	12,130	16,395	4,234	12,913	17,744	2,185	19,646	10,525		4,069	1,269	44,603
1,311	899	3,473	1,308	464	2,957	1,884	10,945	14,282	7,568	12,297	15,972	1,597	17,689	7,762	2,301	5,196	1,057	34,963
2,515	1,853	6,892	2,336	853	4,966	4,260	22,396	29,131	11,641	24,481	32,635	3,730	36,402	17,797	2,249	9,113	2,253	77,115
1,242	959	3,488	1,089	415	2,079	2,455	11,789	15,579	4,193	12,536	17,178	2,152	19,174	10,280		4,009	1,227	43,339
1,273	894	3,404	1,247	438	2,887	1,805	10,607	13,552	7,448	11,945	15,457	1,578	17,228	7,517	2,249	5,104	1,026	33,776
2,382	1,773	6,650	2,291	624	3,338	3,103	20,052	19,036	6,563	15,066	23,660	2,136	26,645	10,647	1,280	5,417	1,780	58,475
1,174	915	3,370	1,065	316	1,425	1,769	10,740	9,814	2,096	7,890	12,515	1,245	14,245	6,278		2,427	973	32,566
1,208	858	3,280	1,226	308	1,913	1,334	9,312	9,222	4,467	7,176	11,145	891	12,400	4,369	1,280	2,990	807	25,909
376	356	1,337	453	171	900	1,014	4,027	3,693	1,393	4,802	5,050	670	7,881	3,637		1,682	501	15,089
428	337	1,264	517	172	1,244	739	3,671	4,092	2,866	4,394	5,023	488	7,154	2,423	622	2,102	428	12,663
714	528	1,897	561	115	294	588	6,089	4,979	347	1,690	6,240	415	4,491	1,564		110	344	13,879
685	493	1,887	669	112	337	468	5,039	4,088	812	1,642	4,999	283	3,600	1,343	525	175	277	10,378
113	76	229	41	224	1,570	1,111	2,237	9,833	4,967	9,046	8,697	1,554	9,306	6,942	957	3,534	394	17,246
57	43	111	21	99	626	655	992	5,622	2,059	4,441	4,509	886	4,678	3,869		1,512	205	9,703
56	33	118	20	125	944	456	1,245	4,211	2,908	4,605	4,188	668	4,628	3,073	957	2,022	189	7,543
68	13	135	112	43	111	171	679	1,546	161	729	1,081	52	933	490	52	152	73	2,451
30	8	66	51	17	41	92	341	816	41	377	566	33	472	245		60	42	1,264
38	5	69	61	26	70	79	338	730	120	352	515	19	461	245	52	92	31	1,187
1,873	1,335	5,436	1,691	509	2,606	2,607	16,129	21,091	6,702	14,004	24,006	2,325	21,445	12,072	1,446	3,949	873	51,568
939	694	2,747	779	237	1,031	1,531	8,492	11,838	2,342	6,829	12,748	1,371	11,177	6,638		1,543	477	28,628
934	641	2,689	912	272	1,575	1,076	7,637	9,253	4,360	7,175	11,258	954	10,268	5,434	1,446	2,406	396	22,940
1,824	1,324	5,318	1,609	471	2,525	2,461	15,574	19,850	6,569	13,421	23,092	2,279	20,716	11,683	1,405	3,844	845	49,598
919	687	2,688	739	224	1,003	1,449	8,213	11,171	2,306	6,537	12,267	1,343	10,808	6,444		1,504	462	27,622
905	637	2,630	870	247	1,522	1,012	7,361	8,679	4,263	6,884	10,825	936	9,908	5,239	1,405	2,340	383	21,976
1,721	1,260	5,123	1,577	316	1,409	1,624	13,906	11,783	2,896	6,864	15,997	1,091	13,932	5,970	645	1,708	614	36,054
866	652	2,592	724	159	571	949	7,495	6,489	855	3,459	8,613	659	7,476	3,359		678	342	20,057
855	608	2,531	853	157	838	675	6,411	5,294	2,041	3,405	7,384	432	6,456	2,611	645	1,030	272	15,997
211	218	905	273	70	302	443	2,199	1,790	491	1,699	2,682	258	3,430	1,599		443	141	7,433
236	206	870	296	74	497	309	2,026	1,688	1,163	1,735	2,603	176	3,081	1,184	246	726	128	6,324
587	413	1,590	429	76	186	416	4,941	4,037	216	1,202	5,252	325	3,266	1,220		30	161	10,617
548	383	1,574	538	74	231	310	4,081	3,103	527	1,185	4,225	200	2,669	1,103	344	73	109	8,086
85	63	186	30	154	1,094	815	1,615	7,935	3,634	6,403	6,944	1,168	6,608	5,594	753	2,088	208	12,719
43	35	92	14	65	420	484	691	4,612	1,441	2,994	3,569	674	3,231	3,010		807	107	6,936
42	28	94	16	89	674	331	924	3,323	2,193	3,409	3,375	494	3,377	2,584	753	1,281	101	5,783
49	11	118	82	38	81	146	555	1,241	133	583	914	46	729	389	41	105	28	1,970
20	7	59	40	13	28	82	279	667	36	292	481	28	369	194		39	15	1,006
29	4	59	42	25	53	64	276	574	97	291	433	18	360	195	41	66	13	964
710	531	1,591	757	387	2,471	1,824	6,946	9,586	5,100	11,206	9,710	1,457	15,890	6,215	855	5,316	1,453	27,998
333	273	807	361	195	1,089	1,016	3,638	4,557	1,892	6,084	4,996	814	8,469	3,887		2,526	792	15,975
377	258	784	396	192	1,382	808	3,308	5,029	3,208	5,122	4,714	643	7,421	2,328	855	2,790	661	12,023
691	529	1,574	727	382	2,441	1,799	6,822	9,281	5,072	11,060	9,543	1,451	15,686	6,114	844	5,269	1,408	27,517
323	272	800	350	191	1,076	1,006	3,576	4,408	1,887	5,999	4,911	809	8,366	3,836		2,505	765	15,717
368	257	774	377	191	1,365	793	3,246	4,733	3,185	5,061	4,632	642	7,320	2,278	844	2,764	643	11,800
661	513	1,527	714	308	1,929	1,479	6,146	7,253	3,667	8,202	7,663	1,045	12,713	4,677	635	3,709	1,166	22,421
308	263	778	341	157	854	820	3,245	3,325	1,241	4,431	3,902	586	6,769	2,919		1,749	631	12,509
353	250	749	373	151	1,075	659	2,901	3,928	2,426	3,771	3,761	459	5,944	1,758	635	1,960	535	9,912
165	138	432	180	101	598	571	1,828	1,903	902	3,103	2,368	412	4,451	2,038		1,239	360	7,656
192	131	394	221	98	747	430	1,645	2,404	1,703	2,659	2,420	312	4,073	1,239	376	1,376	300	6,339
127	115	307	132	39	108	172	1,148	942	131	488	988	90	1,225	344		80	133	3,262
137	110	313	131	38	106	158	1,008	985	285	457	774	83	931	240	181	102	168	2,292
28	13	43	11	70	476	296	622	1,898	1,333	2,643	1,753	386	2,698	1,348	204	1,446	186	4,527
14	8	19	7	34	206	171	301	1,010	618	1,447	940	212	1,447	859		705	98	2,767
14	5	24	4	36	270	125	321	888	715	1,196	813	174	1,251	489	204	741	88	1,760
19	2	17	30	5	30	25	124	305	28	146	167	6	204	101	11	47	45	481
10	1	7	11	4	13	10	62	149	5	85	85	5	103	51		21	27	258
9	1	10	19	1	17	15	62	156	23	61	82	1	101	50	11	26	18	223

TABLE 19.—POPULATION, BIRTHS, DEATHS, AND DEATH RATES AT CERTAIN AGES, AND DEATHS FROM CERTAIN

	AREAS.	UNDER 1 YEAR OF AGE.					UNDER 5 YEARS OF AGE.				ALL AGES.		
		Popula- tion.	Born and died in the census year.	Births during the census year.	Deaths.	Deaths under 1 per 1,000 births.	Popula- tion.	Deaths.	Death rate per 1,000 of popu- lation.	Deaths under 5 per 1,000 at all ages.	Popula- tion.	Deaths.	Death rate per 1,000 of popu- lation.
1	REGISTRATION CITIES IN NONREG- ISTRATION STATES.	237,967	28,079	266,046	41,696	156.7	1,147,370	63,831	55.6	302.5	11,362,989	210,999	18.6
2	Males	120,217	16,052	136,269	23,327	171.2	577,053	34,841	60.4	302.8	5,692,087	115,074	20.2
3	Females	117,750	12,027	129,777	18,369	141.5	570,317	28,990	50.8	302.2	5,670,902	95,925	16.9
4	White	223,177	24,150	247,327	36,019	145.6	1,074,897	55,044	51.2	300.8	10,469,480	183,022	17.5
5	Males	112,890	13,902	126,792	20,259	159.8	541,254	30,160	55.7	300.7	5,253,047	100,308	19.1
6	Females	110,287	10,248	120,535	15,760	130.8	533,643	24,884	46.6	300.8	5,216,433	82,714	15.9
7	Native ¹	218,457	23,582	242,039	35,054	144.8	1,047,497	53,411	51.0	423.8	7,932,418	126,016	15.9
8	Males ¹	110,493	13,559	124,052	19,713	158.9	527,433	29,253	55.5	432.4	3,920,716	67,659	17.3
9	Females ¹	107,964	10,023	117,987	15,341	130.0	520,064	24,158	46.5	414.0	4,011,702	58,357	14.5
10	Both parents native ¹ {M..	21,653	2,544	24,197	3,605	149.0	101,211	5,235	51.7	447.1	788,460	11,710	14.9
	{F..	21,013	1,837	22,850	2,725	119.3	99,110	4,210	42.5	404.2	777,630	10,416	13.4
11	One or both parents for- eign. ¹ {M..	19,729	2,069	21,798	2,976	136.5	95,952	4,418	46.0	502.1	676,908	8,799	13.0
	{F..	19,352	1,537	20,889	2,369	113.4	94,817	3,718	39.2	494.5	720,153	7,519	10.4
12	Foreign ¹	591	34	625	78	124.8	7,846	241	30.7	5.0	2,347,224	48,388	20.6
13	Males ¹	309	18	327	44	134.6	4,024	128	31.8	4.7	1,238,159	27,458	22.2
14	Females ¹	282	16	298	34	114.1	3,822	113	29.6	5.4	1,109,065	20,930	18.9
15	Colored	14,790	3,929	18,719	5,677	303.3	72,473	8,787	121.2	314.1	893,509	27,977	31.3
16	Males	7,327	2,150	9,477	3,068	323.7	35,799	4,681	130.8	317.0	439,040	14,766	33.6
17	Females	7,463	1,779	9,242	2,609	282.3	36,674	4,106	112.0	310.8	454,469	13,211	29.1
18	NONREGISTRATION RECORD	1,308,974	70,045	1,379,019	97,105	(*)	6,225,260	163,961	(*)	311.5	47,187,306	526,425	(*)
19	Males	667,585	39,057	706,642	53,422	(*)	3,151,769	88,184	(*)	316.3	24,423,119	278,792	(*)
20	Females	641,389	30,988	672,377	43,683	(*)	3,073,491	75,777	(*)	306.0	22,764,187	247,633	(*)
21	White	1,078,494	54,320	1,132,814	76,396	(*)	5,076,992	126,477	(*)	303.7	39,253,389	416,452	(*)
22	Males	553,161	30,657	583,818	42,372	(*)	2,580,030	68,498	(*)	306.4	20,423,605	223,589	(*)
23	Females	525,333	23,663	548,996	34,024	(*)	2,496,962	57,979	(*)	300.6	18,829,784	192,863	(*)
24	Native	1,077,402	53,947	1,131,349	75,659	(*)	5,062,888	124,963	(*)	349.6	35,730,675	357,448	(*)
25	Males	552,600	30,437	583,037	41,949	(*)	2,572,801	67,650	(*)	360.5	18,352,706	187,640	(*)
26	Females	524,802	23,510	548,312	33,710	(*)	2,490,087	57,313	(*)	337.5	17,377,969	169,808	(*)
27	Both parents native {M..	456,163	23,964	480,127	33,006	(*)	2,100,986	54,186	(*)	373.9	14,999,129	144,923	(*)
	{F..	430,975	18,720	449,695	26,824	(*)	2,029,950	46,434	(*)	343.0	14,223,948	135,391	(*)
28	One or both parents for- eign. ¹ {M..	96,437	4,865	101,302	6,599	(*)	471,815	10,019	(*)	420.5	3,353,577	23,828	(*)
	{F..	93,827	3,588	97,415	5,021	(*)	460,137	8,055	(*)	394.6	3,154,021	20,411	(*)
29	Foreign	1,092	63	1,155	116	(*)	14,104	316	(*)	6.5	3,522,714	48,787	(*)
30	Males	561	37	598	68	(*)	7,229	169	(*)	5.7	2,070,899	29,763	(*)
31	Females	531	26	557	48	(*)	6,875	147	(*)	7.7	1,451,815	19,024	(*)
32	Colored	230,480	15,725	246,205	20,709	(*)	1,148,268	37,484	(*)	340.8	7,933,917	109,973	(*)
33	Males	114,424	8,400	122,824	11,050	(*)	571,739	19,686	(*)	356.6	3,999,514	55,203	(*)
34	Females	116,056	7,325	123,381	9,659	(*)	576,529	17,798	(*)	325.0	3,934,403	54,770	(*)
35	ALABAMA	54,401	3,758	58,159	5,142	(*)	267,300	8,852	(*)	344.4	1,828,697	25,699	(*)
36	Males	27,438	2,032	29,470	2,756	(*)	135,145	4,710	(*)	363.1	916,764	12,970	(*)
37	Females	26,963	1,726	28,689	2,386	(*)	132,155	4,142	(*)	325.4	911,933	12,729	(*)
38	White	31,098	1,844	32,942	2,684	(*)	148,007	4,626	(*)	357.6	1,001,152	12,937	(*)
39	Males	15,844	1,023	16,867	1,448	(*)	75,502	2,477	(*)	378.7	507,378	6,541	(*)
40	Females	15,254	821	16,075	1,236	(*)	72,505	2,149	(*)	336.0	493,774	6,396	(*)
41	Native	31,095	1,832	32,927	2,658	(*)	147,936	4,584	(*)	372.4	986,814	12,308	(*)
42	Males	15,842	1,019	16,861	1,436	(*)	75,459	2,454	(*)	398.1	498,429	6,164	(*)
43	Females	15,253	813	16,066	1,222	(*)	72,477	2,130	(*)	346.7	488,385	6,144	(*)
44	Both parents native ¹ {M..	15,304	896	16,199	1,240	(*)	72,804	2,120	(*)	421.1	476,614	5,034	(*)
	{F..	14,725	705	15,431	1,035	(*)	69,901	1,815	(*)	362.6	466,482	5,005	(*)
45	One or both parents for- eign. ¹ {M..	356	13	369	24	(*)	1,659	41	(*)	390.5	12,616	105	(*)
	{F..	332	16	348	24	(*)	1,592	45	(*)	409.1	11,734	110	(*)
46	Foreign	3		3	1	(*)	71	2	(*)	5.9	14,338	341	(*)
47	Males	2		2	1	(*)	43	2	(*)	8.8	8,949	228	(*)
48	Females	1		1			28				5,389	113	(*)
49	Colored	23,303	1,914	25,217	2,458	(*)	119,293	4,226	(*)	331.1	827,545	12,762	(*)
50	Males	11,594	1,009	12,603	1,308	(*)	59,643	2,233	(*)	347.3	409,386	6,429	(*)
51	Females	11,709	905	12,614	1,150	(*)	59,650	1,993	(*)	314.7	418,159	6,333	(*)

¹ Population excluded for areas not reporting deaths by nativity of persons and parents.

* Data insufficient for rates.

POPULATION, BIRTHS, DEATHS, AND DEATH RATES.

291

CAUSES, BY SEX, COLOR, GENERAL NATIVITY, AND PARENT NATIVITY: CENSUS YEAR 1900—Continued.

CAUSE OF DEATH.																		
Measles.	Scarlet fever.	Diphtheria and croup.	Whooping cough.	Malarial fever.	Influenza.	Typhoid fever.	Diarrheal diseases.	Consumption.	Cancer and tumor.	Heart disease and dropsy.	Pneumonia.	Diseases of the liver.	Diseases of the nervous system.	Diseases of the urinary organs.	Affections connected with pregnancy.	Old age.	Unknown.	All other causes.
1,218	1,461	6,004	1,221	1,630	1,805	5,318	15,192	23,285	7,161	15,377	21,580	2,762	25,228	11,160	1,471	6,293	2,523	60,310
600	721	2,995	578	871	830	3,073	7,997	12,797	2,848	8,153	12,154	1,702	14,034	6,634	2,604	1,408	35,075	2
618	740	3,009	643	759	975	2,245	7,195	10,488	4,313	7,224	9,426	1,060	11,194	4,526	1,471	3,689	25,235	2
1,098	1,442	5,757	992	925	1,531	4,668	13,296	18,691	6,725	13,395	18,293	2,540	22,474	9,710	1,286	5,642	1,853	52,704
543	713	2,866	477	516	703	2,702	7,002	10,369	2,713	7,146	10,283	1,551	12,614	5,808	2,347	1,059	30,896	5
555	729	2,891	515	409	828	1,966	6,294	8,322	4,012	6,249	8,010	989	9,860	3,902	1,286	3,295	794	21,808
1,059	1,375	5,525	964	665	949	3,305	11,612	12,571	3,205	7,254	12,438	1,334	16,230	5,514	813	2,152	1,182	37,869
523	686	2,745	464	351	431	1,825	6,182	6,584	1,033	3,808	6,895	794	9,055	3,182	839	646	21,616	8
536	689	2,780	500	314	518	1,480	5,430	5,987	2,172	3,446	5,543	540	7,175	2,332	813	1,313	536	16,253
77	87	349	98	49	107	402	1,112	862	192	714	1,130	117	1,769	488	169	134	3,854	10
85	84	351	89	65	128	341	931	959	377	625	976	105	1,406	347	124	254	111	3,058
58	108	352	71	29	35	307	981	944	98	358	973	105	1,220	253	138	30	97	2,780
74	97	323	71	26	51	220	875	868	185	383	721	58	942	238	138	55	91	2,103
15	38	95	6	211	516	1,129	1,281	5,294	3,184	5,405	5,096	1,099	5,178	3,740	430	3,197	389	12,085
5	17	48	3	133	245	735	615	3,326	1,537	2,907	2,915	689	2,922	2,328	1,383	237	7,413	13
10	21	47	3	78	271	394	666	1,968	1,647	2,498	2,181	410	2,256	1,412	430	1,814	152	4,672
120	19	247	229	705	274	650	1,896	4,594	436	1,982	3,287	222	2,754	1,450	185	651	670	7,606
57	8	129	101	355	127	371	995	2,428	135	1,007	1,871	151	1,420	826	257	349	4,179	16
63	11	118	128	350	147	279	901	2,166	301	975	1,416	71	1,334	624	185	394	321	3,427
9,065	3,006	15,928	6,289	12,348	9,763	25,630	34,216	55,788	13,939	39,992	50,675	5,705	55,016	15,494	5,927	13,664	35,690	118,290
4,359	1,447	8,329	2,883	6,194	4,768	13,261	18,317	24,434	5,659	21,491	28,442	3,247	30,509	10,710	6,689	18,641	69,412	19
4,706	1,559	7,599	3,406	6,154	4,995	12,369	15,899	31,354	8,280	18,501	22,233	2,458	24,507	4,784	5,927	6,975	17,049	48,878
6,600	2,774	13,796	4,590	7,507	7,290	19,920	28,376	39,851	12,715	32,274	39,985	4,890	47,740	13,649	4,281	11,341	24,053	94,820
3,161	1,336	7,222	2,091	3,818	3,501	10,449	15,223	17,722	5,369	17,796	22,266	2,779	26,734	9,464	5,652	12,782	56,224	22
3,439	1,438	6,574	2,499	3,689	3,789	9,471	13,153	22,129	7,346	14,478	17,719	2,111	21,006	4,185	4,281	5,689	11,271	38,596
6,515	2,717	13,544	4,531	7,061	6,416	18,560	26,580	34,231	9,273	24,935	34,674	4,022	40,837	10,556	3,659	6,847	21,682	80,808
3,121	1,309	7,089	2,066	3,556	3,057	9,626	14,208	14,467	3,578	13,419	18,945	2,248	22,543	7,180	3,262	11,452	46,514	25
3,394	1,408	6,455	2,465	3,505	3,359	8,934	12,372	19,764	5,695	11,516	15,729	1,774	18,294	3,376	3,659	3,585	10,230	34,294
2,752	959	5,730	1,708	3,077	2,625	8,088	11,158	20,484	2,690	10,296	14,987	1,804	16,622	5,433	2,284	9,355	34,876	27
2,973	1,076	5,196	2,002	3,079	2,934	7,664	9,781	15,543	4,505	9,070	12,738	1,453	14,189	2,547	2,865	2,682	8,533	26,561
270	287	1,139	281	225	194	949	1,873	1,978	425	1,382	2,403	201	2,918	741	303	1,338	6,921	28
291	274	1,064	376	209	205	817	1,531	2,485	558	1,303	1,876	163	2,220	427	530	290	1,077	4,715
40	29	118	19	321	778	991	1,223	4,582	3,118	6,450	4,427	770	5,779	2,749	539	4,021	1,343	11,490
20	12	60	8	189	388	598	688	2,688	1,650	3,849	2,748	474	3,522	2,045	2,126	762	7,936	30
20	17	58	11	132	390	393	535	1,894	1,468	2,601	1,679	296	2,257	704	539	1,895	581	3,554
2,465	232	2,132	1,699	4,841	2,473	5,710	5,840	15,937	1,224	7,718	10,690	815	7,276	1,845	1,646	2,323	11,637	23,470
1,198	111	1,107	792	2,376	1,267	2,812	3,094	6,712	290	3,695	6,176	468	3,775	1,246	1,037	5,859	13,188	33
1,267	121	1,025	907	2,465	1,206	2,898	2,746	9,225	934	4,023	4,514	347	3,501	599	1,646	1,286	5,778	10,282
428	34	666	494	1,005	778	1,713	2,123	2,666	400	1,671	2,459	224	1,974	609	335	505	2,173	5,442
209	20	344	239	497	386	873	1,106	1,079	102	801	1,385	127	1,063	402	217	1,068	3,052	36
219	14	322	255	508	392	840	1,017	1,587	298	870	1,074	97	911	207	335	288	1,105	2,390
274	24	473	202	398	437	931	1,377	996	258	800	1,190	144	1,201	353	146	219	873	2,641
131	15	252	102	191	204	472	723	398	71	404	634	79	648	229	102	446	1,440	39
143	9	221	100	207	233	459	654	598	187	396	556	65	553	124	146	117	427	1,201
271	23	473	200	392	424	898	1,330	944	243	729	1,114	130	1,120	323	143	183	832	2,506
130	14	252	102	187	195	456	698	363	63	364	605	70	596	210	82	422	1,355	42
141	9	221	98	205	229	442	632	581	180	365	539	60	524	113	101	410	1,151	43
121	12	238	90	144	175	395	548	282	46	297	506	49	484	159	60	369	1,059	44
127	5	214	84	163	198	386	481	471	134	293	470	46	428	64	115	67	354	905
2		3	1	3	2	3	15	9	2	2	12	1	12	4		5	29	21
7	1	3	1	2	2	3	16	7	1	4	11	3	17	2	1	2	6	21
.....	1			2	8	8	23	33	10	49	27	9	47	23	2	17	9	73
.....	1			2	6	5	13	27	5	28	20	7	35	16		12	6	45
.....				2	2	3	10	6	5	21	7	2	12	7	2	5	3	28
154	10	193	292	607	341	782	746	1,670	142	871	1,269	80	773	256	189	286	1,300	2,801
78	5	92	137	306	182	401	383	681	31	397	751	48	415	173	115	622	1,612	50
76	5	101	155	301	159	381	363	989	111	474	518	32	358	83	189	171	678	1,189

TABLE 19.—POPULATION, BIRTHS, DEATHS, AND DEATH RATES AT CERTAIN AGES, AND DEATHS FROM CERTAIN

	AREAS.	UNDER 1 YEAR OF AGE.					UNDER 5 YEARS OF AGE.				ALL AGES.		
		Popula- tion.	Born and died in the census year.	Births during the census year.	Deaths.	Deaths under 1 per 1,000 births.	Popula- tion.	Deaths.	Death rate per 1,000 of popu- lation.	Deaths under 5 per 1,000 at all ages.	Popula- tion.	Deaths.	Death rate per 1,000 of popu- lation.
	ALABAMA—Continued.												
1	Mobile	659	178	837	227	271.2	3,421	289	84.5	290.5	38,469	995	25.9
2	Males	330	105	435	126	289.7	1,688	155	91.8	282.8	17,973	548	30.5
3	Females	329	73	402	101	251.2	1,733	134	77.3	299.8	20,496	447	21.8
4	White	378	52	430	79	183.7	1,992	103	51.7	219.6	21,402	469	21.9
5	Males	182	35	217	47	216.6	1,002	60	59.9	219.0	10,315	274	26.6
6	Females	196	17	213	32	150.2	990	43	43.4	220.5	11,087	195	17.6
7	Colored	281	126	407	148	363.6	1,429	186	130.2	353.6	17,067	526	30.8
8	Males	148	70	218	79	362.4	686	95	138.5	346.7	7,658	274	35.8
9	Females	133	56	189	69	365.1	743	91	122.5	361.1	9,409	252	26.8
10	ARIZONA	3,153	140	3,293	192	(*)	14,785	396	(*)	323.8	122,931	1,223	(*)
11	Males	1,629	79	1,708	109	(*)	7,615	221	(*)	294.7	71,795	750	(*)
12	Females	1,524	61	1,585	83	(*)	7,170	175	(*)	370.0	51,136	473	(*)
13	White	2,464	110	2,574	152	(*)	11,090	309	(*)	326.3	92,903	947	(*)
14	Males	1,270	63	1,333	88	(*)	5,685	176	(*)	285.7	55,230	616	(*)
15	Females	1,194	47	1,241	64	(*)	5,405	133	(*)	401.8	37,673	331	(*)
16	Native	2,435	108	2,543	148	(*)	10,753	298	(*)	437.6	70,508	681	(*)
17	Males	1,259	63	1,322	87	(*)	5,511	173	(*)	398.6	41,041	434	(*)
18	Females	1,176	45	1,221	61	(*)	5,242	125	(*)	506.1	29,467	247	(*)
19	Both parents native. (M..)	664	27	691	37	(*)	3,117	73	(*)	434.5	26,631	168	(*)
20	One or both parents foreign. (M..)	595	31	626	44	(*)	2,965	49	(*)	441.4	18,199	111	(*)
21	Foreign. (F..)	521	18	539	23	(*)	2,394	90	(*)	580.6	14,410	155	(*)
22	Foreign	29	2	31	4	(*)	2,277	63	(*)	45.7	11,268	95	(*)
23	Males	11		11	1	(*)	337	10	(*)		22,395	219	(*)
24	Females	18	2	20	3	(*)	174	3	(*)	20.5	14,189	146	(*)
25	Colored	689	30	719	40	(*)	163	7	(*)	(*)	8,206	73	(*)
26	Males	359	16	375	21	(*)	3,695	87	(*)	315.2	30,028	276	(*)
27	Females	330	14	344	19	(*)	1,930	45	(*)	335.8	16,565	134	(*)
28	ARKANSAS	39,281	2,858	42,139	4,076	(*)	1,765	42	(*)	295.8	13,463	142	(*)
29	Males	19,837	1,568	21,395	2,165	(*)	189,811	8,064	(*)	358.1	1,311,564	22,518	(*)
30	Females	19,444	1,300	20,744	1,911	(*)	95,935	4,210	(*)	356.4	675,312	11,813	(*)
31	White	29,055	2,083	31,138	3,027	(*)	93,876	3,854	(*)	360.0	636,252	10,705	(*)
32	Males	14,799	1,140	15,939	1,605	(*)	138,549	5,990	(*)	365.9	944,580	16,372	(*)
33	Females	14,256	943	15,199	1,422	(*)	70,514	3,114	(*)	358.4	489,870	8,689	(*)
34	Native	29,053	2,078	31,131	3,015	(*)	68,035	2,876	(*)	374.3	454,710	7,683	(*)
35	Males	14,798	1,136	15,934	1,597	(*)	138,509	5,961	(*)	377.2	930,394	15,804	(*)
36	Females	14,255	942	15,197	1,418	(*)	70,496	3,097	(*)	374.0	480,959	8,281	(*)
37	Both parents native. (M..)	14,411	1,093	15,504	1,540	(*)	68,013	2,864	(*)	380.7	449,435	7,523	(*)
38	One or both parents foreign. (M..)	13,888	910	14,798	1,369	(*)	68,616	2,990	(*)	406.0	463,334	7,364	(*)
39	Foreign. (F..)	387	21	408	28	(*)	66,213	2,774	(*)	404.4	434,334	6,860	(*)
40	Foreign	367	13	380	22	(*)	1,880	54	(*)	287.1	17,625	210	(*)
41	Males	1	1	2	1	(*)	1,800	41	(*)	262.8	15,101	156	(*)
42	Females	1		1	1	(*)	40	3	(*)	10.7	14,186	280	(*)
43	Colored	10,226	775	11,001	1,049	(*)	18	1	(*)	4.9	8,911	204	(*)
44	Males	5,038	418	5,456	560	(*)	22	2	(*)	(*)	5,275	76	(*)
45	Females	5,188	357	5,545	489	(*)	51,262	2,074	(*)	337.5	366,984	6,146	(*)
	ARIZONA	3,153	140	3,293	192	(*)	25,421	1,096	(*)	350.8	185,442	3,124	(*)
	Males	1,629	79	1,708	109	(*)	25,841	978	(*)	323.6	181,542	3,022	(*)
	Females	1,524	61	1,585	83	(*)							

* Data insufficient for rates.

POPULATION, BIRTHS, DEATHS, AND DEATH RATES.

293

CAUSES, BY SEX, COLOR, GENERAL NATIVITY, AND PARENT NATIVITY: CENSUS YEAR 1900—Continued.

CAUSE OF DEATH.																		
Measles.	Scarlet fever.	Diphtheria and croup.	Whooping cough.	Malarial fever.	Influenza.	Typhoid fever.	Diarrheal diseases.	Consumption.	Cancer and tumor.	Heart disease and dropsy.	Pneumonia.	Diseases of the liver.	Diseases of the nervous system.	Diseases of the urinary organs.	Affections connected with pregnancy.	Old age.	Unknown.	All other causes.
1		2	13	23	6	31	69	159	30	87	68	6	145	75	4	32	9	235
1		1	9	16	3	16	36	93	9	40	42	5	89	42		11	4	131
.....		1	4	7	3	15	33	66	21	47	26	1	56	33	4	21	5	104
.....		2	7	11	4	13	41	58	24	42	19	5	72	35	1	16	7	112
.....		1	5	10	2	7	22	37	9	19	13	4	49	21		6	3	66
.....		1	2	1	2	6	19	21	15	23	6	1	23	14	1	10	4	46
1			6	12	2	18	28	101	6	45	49	1	73	40	3	16	2	123
1			4	6	1	9	14	56		21	29	1	40	21		5	1	65
.....			2	6	1	9	14	45	6	24	20		33	19	3	11	1	58
69	18	25	22	17	8	41	95	152	15	48	105	17	87	33	12	9	171	279
32	9	11	12	9	4	26	52	107	6	25	73	14	57	26		6	83	198
37	9	14	10	8	4	15	43	45	9	23	32	3	30	7	12	3	88	81
43	14	22	11	15	8	38	87	123	13	44	92	15	86	32	11	6	35	252
18	7	10	6	8	4	24	50	91	6	21	67	12	57	25		4	22	184
25	7	12	5	7	4	14	37	32	7	23	25	3	29	7	11	2	13	68
42	14	19	11	10	7	32	73	79	10	27	63	9	64	20	5	5	25	166
17	7	7	6	5	4	22	40	58	5	15	44	6	45	14		4	15	120
25	7	12	5	5	3	10	33	21	5	12	19	3	19	6	5	1	10	46
3	5	3	4		2	6	17	10	3	7	17	2	16	11		3	5	54
8	3	3	1		2	4	17	12	3	9	8	3	6	3	2	1	5	20
13	2	3	2	5		8	18	9	1	5	19	1	16	1		1	6	45
13	3	6	4	4	1	5	7	2	2	2	9		11	1	3		5	17
1		2		5	1	3	13	40	3	16	27	5	16	8	5	1	3	70
1		2		3		1	10	29	1	6	21	5	8	7			3	49
.....			3		1	2	3	11	2	10	6		8	1	5	1		21
26	4	3	11	2		3	8	29	2	4	13	2	1	1	1	3	136	27
14	2	1		1		2	2	16		4	6	2		1		2	61	14
12	2	2		1		1	6	13	2		7		1		1	1	75	13
1,274	59	669		1,730	319	1,172	1,528	1,889	211	1,011	2,688	183	1,891	382	257	193	2,604	4,142
582	27	376	142	907	179	602	832	782	94	528	1,566	105	1,066	267		89	1,351	2,318
692	32	293	174	823	140	570	696	1,107	117	483	1,122	78	825	115	257	104	1,253	1,824
1,006	56	552	224	1,226	218	889	1,228	1,085	169	635	1,979	139	1,498	303	173	117	1,905	2,970
463	26	309	102	668	125	459	650	447	86	350	1,130	78	858	216		60	972	1,680
543	30	243	122	558	93	430	568	638	83	285	849	61	640	87	173	57	983	1,290
1,000	56	551	223	1,191	213	869	1,200	1,027	156	590	1,904	135	1,450	278	170	101	1,845	2,845
460	26	308	101	644	123	443	640	414	75	315	1,075	74	818	198		48	939	1,580
540	30	243	122	547	90	426	560	613	81	275	829	61	632	80	170	53	906	1,265
427	25	299	97	587	107	403	593	327	64	257	950	60	721	160		35	868	1,381
507	30	238	119	510	82	394	518	538	65	231	738	59	577	73	155	38	845	1,143
6	1	7	2	17	5	8	12	20	4	8	23	3	14	9		4	14	53
7		3	2	9		5	19	17	3	6	19		14	3	2	2	10	35
2		1		16	4	8	15	36	10	26	38	2	19	18	1	11	16	57
2		1		12	2	6	12	23	8	22	29	2	15	12		8	5	45
.....			4		2	2	3	13	2	4	9		4	6	1	3	11	12
268	3	117	92	504	101	283	300	804	42	376	709	44	393	79	84	76	699	1,172
119	1	67	40	239	54	143	172	335	8	178	436	27	208	51		29	379	638
149	2	50	52	265	47	140	128	469	34	198	273	17	185	28	84	47	320	534

TABLE 19.—POPULATION, BIRTHS, DEATHS, AND DEATH RATES AT CERTAIN AGES, AND DEATHS FROM CERTAIN

	AREAS.	UNDER 1 YEAR OF AGE.					UNDER 5 YEARS OF AGE.				ALL AGES.		
		Population.	Born and died in the census year.	Births during the census year.	Deaths.	Deaths under 1 per 1,000 births.	Population.	Deaths.	Death rate per 1,000 of population.	Deaths under 5 per 1,000 at all ages.	Population.	Deaths.	Death rate per 1,000 of population.
1	CALIFORNIA	25,137	1,868	27,005	2,514	(*)	125,937	3,788	(*)	168.3	1,485,053	22,506	(*)
2	Males	12,755	1,072	13,827	1,431	(*)	63,721	2,122	(*)	151.6	820,531	13,998	(*)
3	Females	12,382	796	13,178	1,083	(*)	62,216	1,666	(*)	195.8	664,522	8,508	(*)
4	White	24,438	1,786	26,224	2,404	(*)	122,395	3,593	(*)	170.4	1,402,727	21,081	(*)
5	Males	12,406	1,026	13,432	1,369	(*)	61,914	2,014	(*)	156.0	755,147	12,912	(*)
6	Females	12,032	760	12,792	1,035	(*)	60,481	1,579	(*)	193.3	647,580	8,169	(*)
7	Native	24,384	1,775	26,159	2,380	(*)	121,592	3,542	(*)	258.8	1,086,222	13,687	(*)
8	Males	12,377	1,020	13,397	1,355	(*)	61,523	1,982	(*)	246.2	563,335	8,049	(*)
9	Females	12,007	755	12,762	1,025	(*)	60,069	1,560	(*)	276.7	522,887	5,638	(*)
10	Both parents native ¹ M.....	4,915	185	5,100	243	(*)	24,481	390	(*)	225.4	241,379	1,730	(*)
10	One or both parents foreign ¹ F.....	4,831	148	4,979	200	(*)	23,902	332	(*)	268.2	206,344	1,238	(*)
11	Foreign ¹ M.....	2,901	121	3,022	164	(*)	15,046	252	(*)	316.2	121,764	797	(*)
11	Foreign ¹ F.....	2,901	100	3,001	142	(*)	14,768	211	(*)	332.8	110,353	634	(*)
12	Foreign	54	5	59	7	(*)	803	19	(*)	2.8	316,505	6,874	(*)
13	Males	29	2	31	3	(*)	391	9	(*)	2.0	191,812	4,480	(*)
14	Females	25	3	28	4	(*)	412	10	(*)	4.2	124,693	2,394	(*)
15	Colored	699	82	781	110	(*)	3,542	195	(*)	136.8	82,326	1,425	(*)
16	Males	349	46	395	62	(*)	1,807	108	(*)	99.4	65,384	1,086	(*)
17	Females	350	36	386	48	(*)	1,735	87	(*)	256.6	16,942	339	(*)
18	Alameda	233	14	247	19	76.9	1,336	30	22.5	133.9	16,464	224	13.6
19	Males	124	9	133	13	97.7	684	19	27.8	155.7	8,005	122	15.2
20	Females	109	5	114	6	52.6	652	11	16.9	107.8	8,459	102	12.1
21	White	228	14	242	19	78.5	1,314	30	22.8	136.4	15,950	220	13.8
22	Males	120	9	129	13	100.8	669	19	28.4	157.0	7,601	121	15.9
23	Females	108	5	113	6	53.1	645	11	17.1	(*)	8,349	99	11.9
24	Native	227	14	241	19	78.8	1,304	30	23.0	219.0	12,115	137	11.3
25	Males	120	9	129	13	100.8	664	19	28.6	(*)	5,669	76	13.4
26	Females	107	5	112	6	53.6	640	11	17.2	(*)	6,446	61	9.5
27	Foreign	1		1			10				3,835	76	19.8
28	Males						5				1,932	39	20.2
29	Females	1		1			5				1,903	37	19.4
30	Fresno	224	21	245	38	155.1	1,052	61	58.0	326.2	12,470	187	15.0
31	Males	116	12	128	19	148.4	551	32	58.1	290.9	7,066	110	15.6
32	Females	108	9	117	19	162.4	501	29	57.9	(*)	5,404	77	14.2
33	White	206	20	226	36	159.3	982	57	58.0	363.1	10,897	157	14.4
34	Males	104	12	116	19	163.8	515	31	60.2	(*)	5,775	85	14.7
35	Females	102	8	110	17	154.5	467	26	55.7	(*)	5,122	72	14.1
36	Native	204	20	224	36	160.7	949	57	60.1	425.4	8,754	134	15.3
37	Males	104	12	116	19	163.8	502	31	61.8	(*)	4,468	68	15.2
38	Females	100	8	108	17	157.4	447	26	58.2	(*)	4,286	66	15.4
39	Foreign	2		2			33				2,143	21	9.8
40	Males						13				1,307	15	11.5
41	Females	2		2			20				836	6	7.2
42	Los Angeles	1,445	197	1,642	253	154.1	7,769	354	45.6	190.6	102,479	1,857	18.1
43	Males	773	122	895	159	177.7	3,977	219	55.1	195.4	50,519	1,121	22.2
44	Females	672	75	747	94	125.8	3,792	135	35.6	183.4	51,960	736	14.2
45	White	1,394	181	1,575	231	146.7	7,534	328	43.5	187.2	98,082	1,752	17.9
46	Males	745	110	855	144	168.4	3,852	202	52.4	192.9	47,377	1,047	22.1
47	Females	649	71	720	87	120.8	3,682	126	34.2	178.7	50,705	705	13.9
48	Native	1,392	181	1,573	229	145.6	7,472	324	43.4	253.7	80,165	1,277	15.9
49	Males	743	110	853	142	166.5	3,818	199	52.1	267.1	37,999	745	19.6
50	Females	649	71	720	87	120.8	3,654	125	34.2	235.0	42,166	532	12.6
51	Foreign	2		2			62	2	(*)	4.7	17,917	423	23.6
52	Males	2		2			34	1	(*)	3.7	9,378	268	28.6
53	Females						28	1	(*)	6.5	8,539	155	18.2
54	Colored	51	16	67	22	(*)	235	26	110.6	247.6	4,397	105	23.9
55	Males	28	12	40	15	(*)	125	17	136.0	(*)	3,142	74	23.6
56	Females	23	4	27	7	(*)	110	9	81.8	(*)	1,255	31	24.7

¹ Population excluded for areas not reporting deaths by nativity of persons and parents.

* Data insufficient for rates.

CAUSES, BY SEX, COLOR, GENERAL NATIVITY, AND PARENT NATIVITY: CENSUS YEAR 1900—Continued.

CAUSE OF DEATH.																		
Measles.	Scarlet fever.	Diphtheria and croup.	Whooping cough.	Malarial fever.	Influenza.	Typhoid fever.	Diarrheal diseases.	Consumption.	Cancer and tumor.	Heart disease and dropsy.	Pneumonia.	Diseases of the liver.	Diseases of the nervous system.	Diseases of the urinary organs.	Affections connected with pregnancy.	Old age.	Unknown.	All other causes.
56	74	322	151	119	217	542	925	3,480	1,113	2,246	1,723	381	2,601	1,133	118	699	466	6,140
29	38	168	69	65	125	347	535	2,210	557	1,420	1,103	234	1,646	783		422	296	3,951
27	36	154	82	54	92	195	390	1,270	556	826	620	147	955	350	118	277	170	2,189
52	74	313	139	110	211	517	876	3,076	1,084	2,130	1,555	355	2,537	1,061	113	648	368	5,862
27	38	166	65	60	121	326	508	1,871	537	1,326	978	210	1,603	719		389	225	3,743
25	36	147	74	50	90	191	368	1,205	547	804	577	145	934	342	113	259	143	2,119
48	70	304	137	82	134	379	749	2,079	553	1,080	997	164	1,735	616	81	315	255	3,909
25	35	160	63	38	72	225	438	1,180	244	674	609	96	1,076	415		189	148	2,362
23	55	144	74	44	62	154	311	899	309	406	388	68	659	201	81	126	107	1,547
7	14	35	21	12	32	57	81	202	68	166	143	17	243	89		47	47	449
7	6	30	22	11	18	51	72	216	87	100	89	7	144	27	13	27	35	276
2	4	33	8	3	6	31	52	104	17	46	73	3	113	30		9	29	234
6	8	21	22	9	9	32	41	100	16	32	39	6	77	16	9	11	34	146
3	3	8	1	24	75	124	113	941	514	1,003	522	181	757	429	31	313	79	1,753
1	2	5	1	19	48	89	61	658	284	617	346	106	491	293		186	55	1,218
2	1	3		5	27	35	52	283	230	386	176	75	266	136	31	127	24	535
4		9	12	9	6	25	49	404	29	116	168	26	64	72	5	51	98	278
2		2	4	5	4	21	27	339	20	94	125	24	43	64		33	71	208
2		7	8	4	2	4	22	65	9	22	43	2	21	8	5	18	27	70
.....	2	2	1	3	1	5	5	28	19	23	17	2	28	19	1	10	5	53
.....	1	1	1	2	1	3	2	18	6	11	7		14	11		6	3	35
.....	1	1		1		2	3	10	13	12	10	2	14	8	1	4	2	18
.....	2	2	1	3	1	5	5	28	18	22	17	2	28	19	1	10	4	52
.....	1	1	1	2	1	3	2	18	6	11	7		14	11		6	3	34
.....	1	1		1		2	3	10	12	11	10	2	14	8	1	4	1	18
.....	2	2	1	2		3	3	22	10	14	8		19	10		7	1	33
.....	1	1	1	1		2	1	15	2	8	3		9	6		4		22
.....	1	1		1		1	2	7	8	6	5		10	4		3	1	11
.....					1	2	2	6	8	7	8	2	9	9	1	3	2	15
.....				1	1	1	1	3	4	2	3		5	5		2	2	9
.....												2	4	4	1	1		6
1		10	8	3	1	5	12	26	8	6	13		16	3	2	2	23	48
.....		4	2	2	1	4	5	13	3	5	7		12	2		1	17	32
1		6	6	1		1	7	13	5	1	6		4	1	2	1	6	16
1		9	6	2	1	3	12	20	8	6	13		15	2	2	2	8	47
.....		4	2	1	1	2	5	8	3	5	7		11	1		1	3	81
1		5	4	1		1	7	12	5	1	6		4	1	2	1	5	16
1		8	6	2	1	3	12	16	7	4	12		15	1	1	1	6	38
.....		3	2	1	1	2	5	6	2	3	6		11			1	2	23
1		5	4	1		1	7	10	5	1	6		4	1	1	4	15	38
.....		1						4	1	2	1			1	1	1	2	7
.....		1						2	1	2	1			1		1	1	6
1	5	45	10	3	17	47	74	380	80	127	128	28	201	118	9	45	18	521
.....	2	25	6	3	6	31	40	244	39	81	80	16	119	79		20	11	319
1	3	20	4		11	16	34	136	41	46	48	12	82	39	9	25	7	202
1	5	45	9	3	16	45	68	346	77	120	122	27	194	113	9	44	16	492
.....	2	25	6	3	5	29	39	217	37	76	75	15	116	74		19	10	299
1	3	20	3		11	16	29	129	40	44	47	12	78	39	9	25	6	193
.....	5	43	9	3	14	34	65	241	38	75	93	15	144	80	6	28	11	373
.....	2	24	6	3	5	20	38	142	17	46	51	6	90	52		13	7	223
.....	3	19	3		9	14	27	99	21	29	42	9	54	28	6	15	4	150
1		2			2	9	2	99	36	40	25	8	43	31	2	16	5	102
.....		1				7		73	18	26	22	5	20	22		6	3	65
1		1			2	2	2	26	18	14	3	3	23	9	2	10	2	37
.....		1			1	2	6	34	3	7	6	1	7	5		1	2	29
.....					1	2	1	27	2	5	5	1	3	5		1	1	20
.....			1			5	5	7	1	2	1		4			1	1	9

TABLE 19.—POPULATION, BIRTHS, DEATHS, AND DEATH RATES AT CERTAIN AGES, AND DEATHS FROM CERTAIN

AREAS.		UNDER 1 YEAR OF AGE.					UNDER 5 YEARS OF AGE.				ALL AGES.		
		Popula- tion.	Born and died in the census year.	Births during the census year.	Deaths.	Deaths under 1 per 1,000 births.	Popula- tion.	Deaths.	Death rate per 1,000 of popu- lation.	Deaths under 5 per 1,000 at all ages.	Popula- tion.	Deaths.	Death rate per 1,000 of popu- lation.
CALIFORNIA—Continued.													
1	Oakland	1,125	100	1,225	131	106.9	5,343	202	37.8	180.2	66,960	1,121	16.7
2	Males	551	59	610	79	129.5	2,631	109	41.4	182.6	32,921	597	18.1
3	Females	574	41	615	52	84.6	2,712	93	34.3	177.5	34,039	524	15.4
4	White	1,110	98	1,208	128	106.0	5,285	197	37.3	181.4	64,788	1,086	16.8
5	Males	544	58	602	78	129.6	2,600	108	41.5	184.9	31,299	584	18.7
6	Females	566	40	606	50	82.5	2,685	89	33.1	177.3	33,489	502	15.0
7	Native	1,108	98	1,206	128	106.1	5,246	196	37.4	282.8	48,565	693	14.3
8	Males	543	58	601	78	129.8	2,580	108	41.9	291.9	22,995	370	16.1
9	Females	565	40	605	50	82.6	2,666	88	33.0	272.4	25,570	323	12.6
10	Foreign	2		2			39				16,223	387	23.9
11	Males	1		1			20				8,304	211	25.4
12	Females	1		1			19				7,919	176	22.2
13	Sacramento	422	48	470	75	159.6	2,130	104	48.8	143.6	29,282	724	24.7
14	Males	211	30	241	45	186.7	1,083	60	55.4	130.4	15,747	460	29.2
15	Females	211	18	229	30	131.0	1,047	44	42.0	166.7	13,535	264	19.5
16	White	416	44	460	70	152.2	2,078	97	46.7	151.1	27,476	642	23.4
17	Males	209	26	235	41	174.5	1,056	54	51.1	139.2	14,231	388	27.3
18	Females	207	18	225	29	128.9	1,022	43	42.1	169.3	13,245	254	19.2
19	Native	415	44	459	70	152.5	2,074	97	46.8	219.0	22,063	443	20.1
20	Males	209	26	235	41	174.5	1,055	54	51.2	214.3	11,165	252	22.6
21	Females	206	18	224	29	129.5	1,019	43	42.2	225.1	10,898	191	17.5
22	Foreign	1		1			4				5,413	185	34.2
23	Males	1		1			1				3,066	124	40.4
24	Females	1		1			3				2,347	61	26.0
25	San Diego	221	31	252	41	162.7	1,247	60	48.1	150.4	17,700	399	22.5
26	Males	118	22	140	29	207.1	644	39	60.6	166.7	8,779	234	26.7
27	Females	103	9	112	12	107.1	603	21	34.8	127.3	8,921	165	18.5
28	White	219	29	248	38	153.2	1,226	55	44.9	144.0	17,077	382	22.4
29	Males	118	21	139	27	194.2	638	36	56.4	163.6	8,349	220	26.4
30	Females	101	8	109	11	100.9	588	19	32.3	117.3	8,728	162	18.6
31	Native	217	29	246	38	154.5	1,196	55	46.0	191.6	13,606	287	21.1
32	Males	117	21	138	27	195.7	627	36	57.4	223.6	6,416	161	25.1
33	Females	100	8	108	11	101.9	569	19	33.4	150.8	7,190	126	17.5
34	Foreign	2		2			30				3,471	94	27.1
35	Males	1		1			11				1,933	59	30.5
36	Females	1		1			19				1,538	35	22.8
37	San Francisco	5,434	637	6,071	827	136.2	26,015	1,188	45.7	168.8	342,782	7,040	20.5
38	Males	2,803	357	3,160	459	145.3	13,196	600	50.0	151.1	184,866	4,367	23.6
39	Females	2,631	280	2,911	368	126.4	12,819	528	41.2	197.5	157,916	2,673	16.9
40	White	5,287	612	5,899	795	134.8	25,380	1,131	44.6	176.3	325,378	6,416	19.7
41	Males	2,731	348	3,079	444	144.2	12,861	631	49.1	164.0	170,649	3,848	22.5
42	Females	2,556	264	2,820	351	124.5	12,519	500	39.9	194.7	154,729	2,568	16.6
43	Native	5,273	612	5,885	795	135.1	25,154	1,125	44.7	321.4	221,114	3,500	15.8
44	Males	2,725	348	3,073	444	144.5	12,750	627	49.2	315.4	111,480	1,988	17.8
45	Females	2,548	264	2,812	351	124.8	12,404	498	40.1	329.4	109,634	1,512	13.8
46	Foreign	14		14			226	4	17.7	1.4	104,264	2,825	27.1
47	Males	6		6			111	2	18.0	1.1	59,169	1,777	30.0
48	Females	8		8			115	2	17.4	1.9	45,095	1,048	23.2
49	Colored	147	25	172	32	186.0	635	57	89.8	91.3	17,404	624	35.9
50	Males	72	9	81	15	(*)	335	29	86.6	55.9	14,217	519	36.5
51	Females	75	16	91	17	(*)	300	28	93.3	266.7	3,187	105	32.0

* Data insufficient for rates.

CAUSES, BY SEX, COLOR, GENERAL NATIVITY, AND PARENT NATIVITY: CENSUS YEAR 1900—Continued.

CAUSE OF DEATH.																		
Measles.	Scarlet fever.	Diphtheria and croup.	Whooping cough.	Malarial fever.	Influenza.	Typhoid fever.	Diarrheal diseases.	Consumption.	Cancer and tumor.	Heart disease and dropsy.	Pneumonia.	Diseases of the liver.	Diseases of the nervous system.	Diseases of the urinary organs.	Affections connected with pregnancy.	Old age.	Unknown.	All other causes.
3	3	9	2	4	9	22	35	141	61	162	87	16	158	44	8	23	5	329
3	1	3	1	4	6	14	23	76	24	82	45	5	81	31	8	12	2	187
3	2	6	1		3	8	12	65	37	80	42	11	77	13		11	3	142
3	3	9	2	4	9	21	34	132	61	151	84	16	158	44	7	22	5	321
3	1	3	1	4	6	13	23	72	24	79	45	5	81	31		11	2	183
3	2	6	1		3	8	11	60	37	72	39	11	77	13	7	11	3	138
3	2	9	2	2	2	12	28	88	29	78	50	7	120	23	4	12	2	220
3	2	3	1	2		8	22	47	10	43	31	2	60	15		4	1	121
3	2	6	1		2	4	6	41	19	35	19	5	60	8	4	8	1	99
.....	1			2	7	8	6	44	32	73	34	8	38	21	3	10	2	98
.....	1			2	6	4	1	25	14	36	14	3	21	16		7	1	60
.....					1	4	5	19	18	37	20	5	17	5	3	3	1	38
1	2	9	3	6	6	15	19	108	28	57	51	14	91	34	3	33	16	228
1	1	2	2	5	2	11	12	64	13	35	32	10	60	21		21	15	154
1	1	7	1	1	4	4	7	44	15	22	19	4	31	13	3	12	1	74
1	2	9	3	4	6	11	18	82	26	53	46	12	87	30	3	30	10	209
1	1	2	2	3	2	8	11	40	12	32	29	8	56	17		18	9	138
1	1	7	1	1	4	3	7	42	14	21	17	4	31	13	3	12	1	71
1	2	9	3	3	4	10	14	67	13	28	29	5	63	17	3	12	5	155
1	1	2	2	3	2	7	9	31	5	15	17	4	36	9		8	4	98
1	1	7	1	1	2	3	5	36	8	13	12	1	27	8	3	4	1	57
.....				1	2		3	15	13	24	16	7	24	12		18	3	47
.....				1			1	9	7	16	11	4	20	8		10	3	34
.....				2			2	6	6	8	5	3	4	4		8		13
3		2	3		4	2	14	63	20	46	28	7	61	27	4	11	10	94
3		1	3		2	1	7	34	10	28	17	7	38	17		9	9	48
.....		1			2	1	7	29	10	18	11		23	10	4	2	1	46
3		2	3		4	2	13	59	19	45	26	6	60	27	4	11	9	89
3		1	5		2	1	7	31	9	27	16	6	37	17		9	8	43
.....		1			2	1	6	28	10	18	10		23	10	4	2	1	46
3		2	3		3	1	12	42	12	35	19	2	47	19	4	5	7	71
3		1	3		2	1	7	21	4	19	13	2	31	12		4	6	32
.....		1			1		5	21	8	16	6		16	7	4	1	1	39
.....					1	1	1	17	7	9	7	4	13	8		6	2	18
.....							1	10	5	8	3	4	6	5		5	2	11
.....					1	1	1	7	2	1	4		7	3		1		7
9	21	91	13	15	27	135	305	1,059	387	790	633	194	638	416	42	155	13	2,097
7	12	40	6	10	10	95	188	732	199	476	413	123	387	274		90	6	1,299
2	9	51	7	5	17	40	117	327	188	314	220	71	251	142	42	65	7	798
9	21	87	13	15	27	127	290	877	371	722	512	175	617	363	39	149	8	1,994
7	12	39	6	10	10	89	178	566	187	413	317	105	374	228		86	2	1,219
2	9	48	7	5	17	38	112	311	184	309	195	70	213	135	39	63	6	775
9	20	84	13	10	15	77	246	505	141	262	272	70	345	162	31	49	4	1,185
7	12	37	6	5	3	50	154	302	58	150	158	41	207	96		29	1	672
2	8	47	7	5	12	27	92	203	83	112	114	29	138	66	31	20	3	513
.....	1	3		5	12	48	42	366	229	452	233	104	267	200	8	99	4	752
.....		2		5	7	37	22	259	129	258	152	63	162	131		56	1	493
.....	1				5	11	20	107	100	194	81	41	105	69	8	43	3	259
.....		4				8	15	182	16	68	121	19	21	53	3	6	5	103
.....		1				6	10	166	12	63	96	18	13	46		4	4	80
.....	3				2	5	5	16	4	5	25	1	8	7	3	2	1	23

TABLE 19.—POPULATION, BIRTHS, DEATHS, AND DEATH RATES AT CERTAIN AGES, AND DEATHS FROM CERTAIN

AREAS.	UNDER 1 YEAR OF AGE.					UNDER 5 YEARS OF AGE.				ALL AGES.		
	Popula- tion.	Born and died in the census year.	Births during the census year.	Deaths.	Deaths under 1 per 1,000 births.	Popula- tion.	Deaths.	Death rate per 1,000 of popu- lation.	Deaths under 5 per 1,000 at all ages.	Popula- tion.	Deaths.	Death rate per 1,000 of popu- lation.
CALIFORNIA—Continued.												
1 San Jose	282	20	302	28	92.7	1,480	48	32.4	143.7	21,500	334	15.5
2 Males	141	14	155	18	116.1	755	33	43.7	173.7	10,215	190	18.6
3 Females	141	6	147	10	68.0	725	15	20.7	104.2	11,285	144	12.8
4 White	277	20	297	27	90.9	1,455	47	32.3	147.8	20,690	318	15.4
5 Males	141	14	155	18	116.1	740	33	44.6	186.4	9,553	177	18.5
6 Females	136	6	142	9	63.4	715	14	19.6	99.3	11,137	141	12.7
7 Native	275	20	295	27	91.5	1,437	47	32.7	195.0	16,645	241	14.5
8 Males	141	14	155	18	116.1	732	33	45.1	255.8	7,457	129	17.3
9 Females	134	6	140	9	64.3	705	14	19.9	125.0	9,188	112	12.2
10 Foreign	2		2			18				4,045	76	18.8
11 Males						8				2,096	47	22.4
12 Females	2		2			10				1,949	29	14.9
13 COLORADO	11,950	835	12,785	1,208	(*)	56,999	1,949	(*)	262.4	539,700	7,428	(*)
14 Males	6,181	472	6,653	651	(*)	28,895	1,037	(*)	231.9	295,332	4,471	(*)
15 Females	5,769	363	6,132	557	(*)	28,104	912	(*)	308.4	244,368	2,957	(*)
16 White	11,801	819	12,620	1,182	(*)	56,287	1,906	(*)	264.4	529,046	7,210	(*)
17 Males	6,108	467	6,575	642	(*)	28,534	1,022	(*)	234.9	289,490	4,351	(*)
18 Females	5,693	352	6,045	540	(*)	27,753	884	(*)	309.2	239,556	2,859	(*)
19 Native ¹	11,517	771	12,288	1,074	(*)	54,782	1,727	(*)	355.6	430,111	4,856	(*)
20 Males	5,959	444	6,403	589	(*)	27,785	932	(*)	335.4	229,289	2,779	(*)
21 Females	5,558	327	5,885	485	(*)	26,997	795	(*)	332.8	200,822	2,077	(*)
22 Both parents native ¹ (M.) ..	3,222	192	3,414	244	(*)	14,948	423	(*)	357.0	132,011	1,185	(*)
23 One or both parents (F.) ..	3,012	145	3,157	208	(*)	14,585	350	(*)	383.4	108,143	913	(*)
24 foreign ¹ (M.) ..	1,571	94	1,665	134	(*)	7,131	203	(*)	501.2	45,649	405	(*)
25 foreign ¹ (F.) ..	1,508	70	1,578	110	(*)	7,058	168	(*)	549.0	39,661	306	(*)
26 Foreign ¹	29	1	30	3	(*)	371	10	(*)	8.1	86,675	1,233	(*)
27 Males	15		15	1	(*)	188	3	(*)	3.6	53,002	842	(*)
28 Females	14	1	15	2	(*)	183	7	(*)	17.9	33,673	391	(*)
29 Colored	149	16	165	26	(*)	712	43	(*)	197.2	10,654	218	(*)
30 Males	73	5	78	9	(*)	361	15	(*)	125.0	5,842	120	(*)
31 Females	76	11	87	17	(*)	351	28	(*)	(*)	4,812	98	(*)
32 Denver	2,261	242	2,503	367	146.6	11,384	583	51.2	234.7	133,859	2,484	18.6
33 Males	1,192	138	1,330	198	148.9	5,862	303	51.7	211.7	66,592	1,431	21.5
34 Females	1,069	104	1,173	169	144.1	5,522	280	50.7	265.9	67,267	1,053	15.7
35 White	2,211	235	2,446	355	145.1	11,142	563	50.5	235.5	129,609	2,391	18.4
36 Males	1,169	135	1,304	193	148.0	5,746	295	51.3	214.2	64,406	1,377	21.4
37 Females	1,042	100	1,142	162	141.9	5,396	268	49.7	264.3	65,203	1,014	15.6
38 Native	2,204	232	2,436	327	134.2	11,060	509	46.0	327.3	104,647	1,555	14.9
39 Males	1,166	135	1,301	183	140.7	5,706	269	47.1	309.6	51,629	869	16.8
40 Females	1,038	97	1,135	144	126.9	5,354	240	44.8	349.9	53,018	686	12.9
41 Foreign	7		7	1	(*)	82	4	(*)	8.6	24,962	467	18.7
42 Males	3		3			40				12,777	300	23.5
43 Females	4		4	1	(*)	42	4	(*)	24.0	12,185	167	13.7
44 Colored	50	7	57	12	(*)	242	20	82.6	(*)	4,250	93	21.9
45 Males	23	3	26	5	(*)	116	8	69.0	(*)	2,186	54	24.7
46 Females	27	4	31	7	(*)	126	12	95.2	(*)	2,064	39	18.9
47 Leadville	256	37	293	58	198.0	1,140	86	75.4	245.0	12,455	351	28.2
48 Males	134	17	151	26	172.2	563	38	67.5	160.3	7,302	237	32.5
49 Females	122	20	142	32	225.4	577	48	83.2	421.1	5,153	114	22.1
50 White	255	37	292	58	198.6	1,134	86	75.8	245.0	12,260	351	28.6
51 Males	134	17	151	26	172.2	561	38	67.7	160.3	7,199	237	32.9
52 Females	121	20	141	32	227.0	573	48	83.8	421.1	5,061	114	22.5
53 Colored	1		1			6				195		
54 Males						2				103		
55 Females	1		1			4				92		

¹ Population excluded for areas not reporting deaths by nativity of persons and parents.

* Data insufficient for rates.

POPULATION, BIRTHS, DEATHS, AND DEATH RATES.

299

CAUSES, BY SEX, COLOR, GENERAL NATIVITY, AND PARENT NATIVITY: CENSUS YEAR 1900—Continued.

CAUSE OF DEATH.																		
Measles.	Scarlet fever.	Diphtheria and croup.	Whooping cough.	Malarial fever.	Infuenza.	Typhoid fever.	Diarrheal diseases.	Consumption.	Cancer and tumor.	Heart disease and dropsy.	Pneumonia.	Diseases of the liver.	Diseases of the nervous system.	Diseases of the urinary organs.	Affections connected with pregnancy.	Old age.	Unknown.	All other causes.
1		11	1	2	4	3	11	64	17	31	20	7	44	15	1	8	1	93
1		8		2	2	2	8	39	8	19	11	2	28	7		3		50
		3	1		2	1	3	25	9	12	9	5	16	8	1	5	1	43
1		11		2	4	3	11	55	17	31	20	7	42	15	1	8	1	89
1		8		2	2	2	8	30	8	19	11	2	27	7		3		47
		3			2	1	3	25	9	12	9	5	15	8	1	5	1	42
1		11			4	3	9	42	14	21	12	5	34	10	1	4	1	69
1		8			2	2	7	19	6	11	6	1	23	5		2		36
		3			2	1	2	23	8	10	6	4	11	5	1	2	1	33
				2			2	12	3	10	8	2	8	5		4		20
				2			1	10	2	8	5	1	4	2		1		11
							1	2	1	2	3	1	4	3		3		9
59	79	206	94	21	40	222	349	874	199	506	1,016	82	738	282	64	129	250	2,218
27	39	103	50	14	22	137	178	570	87	296	650	45	444	198		65	150	1,396
32	40	103	44	7	18	85	171	304	112	210	366	37	294	84	64	64	100	822
55	77	200	92	20	38	213	347	841	193	492	982	79	720	272	62	124	244	2,159
26	39	100	50	13	21	133	177	547	84	286	627	42	431	192		62	148	1,373
29	38	100	42	7	17	80	170	294	109	206	355	37	289	80	62	62	96	786
50	71	181	82	16	24	155	272	512	106	320	623	58	501	167	40	65	133	1,480
25	38	89	45	9	12	96	137	301	46	184	362	29	291	119		31	73	892
25	33	92	37	7	12	59	135	211	60	136	261	29	210	48	40	34	60	583
14	17	49	26	6	5	55	60	79	18	84	166	9	125	52		14	40	366
12	18	42	21	7	4	36	54	84	23	54	115	9	85	17	25	14	27	266
4	12	20	12	2	3	13	38	19	4	24	54	3	40	10		2	12	133
4	5	23	7		4	6	32	18	4	22	50	2	22	7	5	2	18	75
2	1	3	2	1	10	28	26	218	51	88	181	11	125	60	16	41	28	341
2	1	2	2	1	8	18	12	168	22	48	133	10	80	42		22	20	256
					2	10	14	50	29	40	48	1	45	18	16	19	8	85
4	2	6	2	1	2	9	2	33	6	14	34	3	18	10	2	5	6	59
1		3		1	1	4	1	23	3	10	23	3	13	6		3	2	23
3	2	3	2		1	5	1	10	3	4	11		5	4	2	2	4	36
15	17	45	18	4	15	57	104	436	96	165	257	36	269	118	13	56	21	742
8	6	21	8	4	7	31	49	296	43	88	152	18	146	78		27	15	434
7	11	24	10		8	26	55	140	53	77	105	18	123	40	13	29	6	308
15	15	45	16	4	14	54	102	417	92	159	251	35	264	112	13	53	18	712
8	6	21	8	4	7	29	48	282	41	83	147	17	142	76		24	13	421
7	9	24	8		7	25	54	135	51	76	104	18	122	36	13	29	5	291
12	14	39	14	1	7	28	77	230	42	106	158	25	185	66	7	26	13	505
7	6	17	7	1	3	13	35	147	17	57	87	12	96	44		9	9	302
5	8	22	7		4	15	42	83	25	49	71	13	89	22	7	17	4	203
2	1	1	1		5	10	8	130	26	31	51	3	44	29	5	19	3	98
2	1				4	6	4	99	15	15	30	3	29	20		11	2	61
			1		1	4	4	31	11	16	21		15	9	5	8	1	37
	2		2		1	3	2	19	4	6	6	1	5	6		3	3	30

VITAL STATISTICS.

TABLE 19.—POPULATION, BIRTHS, DEATHS, AND DEATH RATES AT CERTAIN AGES, AND DEATHS FROM CERTAIN

AREAS.	UNDER 1 YEAR OF AGE.					UNDER 5 YEARS OF AGE.				ALL AGES.		
	Popula- tion.	Born and died in the census year.	Births during the census year.	Deaths.	Deaths under 1 per 1,000 births.	Popula- tion.	Deaths.	Death rate per 1,000 of popula- tion.	Deaths under 5 per 1,000 at all ages.	Popula- tion.	Deaths.	Death rate per 1,000 of popula- tion.
COLORADO—Continued.												
1 Pueblo.....	611	68	679	109	160.5	2,851	176	61.7	271.6	28,157	648	23.0
2 Males.....	318	30	348	48	137.9	1,443	86	59.6	219.4	15,350	392	25.5
3 Females.....	293	38	331	61	184.3	1,408	90	63.9	351.6	12,807	256	20.0
4 White.....	593	64	657	105	159.8	2,748	168	61.1	272.3	26,896	617	22.9
5 Males.....	309	29	338	47	139.1	1,390	83	59.7	224.3	14,666	370	25.2
6 Females.....	284	35	319	58	181.8	1,358	85	62.6	344.1	12,230	247	20.2
7 Native.....	592	64	656	105	160.1	2,715	168	61.9	355.2	22,242	473	21.3
8 Males.....	308	29	337	47	139.5	1,378	83	60.2	304.0	11,698	273	23.3
9 Females.....	284	35	319	58	181.8	1,337	85	63.6	425.0	10,544	200	19.0
10 Foreign.....	1		1			33				4,654	112	24.1
11 Males.....	1		1			12				2,968	71	23.9
12 Females.....						21				1,686	41	24.3
13 CONNECTICUT.....	19,774	1,983	21,757	3,101	142.5	91,792	4,262	46.4	276.4	908,420	15,422	17.0
14 Males.....	9,947	1,140	11,087	1,725	155.6	45,992	2,317	50.4	293.2	454,294	7,902	17.4
15 Females.....	9,827	843	10,670	1,376	129.0	45,800	1,945	42.5	258.6	454,126	7,520	16.6
16 White.....	19,468	1,926	21,394	3,004	140.4	90,372	4,130	45.7	274.5	892,424	15,048	16.9
17 Males.....	9,779	1,108	10,887	1,675	153.9	45,270	2,249	49.7	291.4	446,353	7,717	17.3
18 Females.....	9,689	818	10,507	1,329	126.5	45,102	1,881	41.7	256.6	446,071	7,331	16.4
19 Native.....	19,360	1,916	21,276	2,978	140.0	88,876	4,063	45.7	376.2	655,028	10,800	16.5
20 Males.....	9,725	1,102	10,827	1,663	153.6	44,496	2,218	49.8	397.5	323,536	5,580	17.2
21 Females.....	9,635	814	10,449	1,315	125.8	44,380	1,845	41.6	353.4	331,492	5,220	15.7
22 Both parents native.....	3,752	368	4,120	537	130.3	17,964	724	40.3	291.7	184,425	2,482	13.5
23 One or both parents foreign.....	3,749	278	4,027	441	109.5	17,801	608	34.2	239.6	188,358	2,538	13.5
24 Foreign.....	5,973	680	6,653	1,046	157.2	26,532	1,384	52.2	632.0	139,111	2,190	15.7
25 Males.....	5,886	486	6,372	788	128.7	26,579	1,120	42.1	599.9	143,134	1,867	13.0
26 Females.....	108	6	114	16	140.4	1,496	51	34.1	12.9	237,396	3,941	16.6
27 Colored.....	54	4	58	8	(*)	774	23	29.7	11.8	122,817	1,955	15.9
28 Males.....	54	2	56	8	(*)	722	28	38.8	14.1	114,579	1,986	17.3
29 Females.....	306	57	363	97	267.2	1,420	132	93.0	352.9	15,996	374	23.4
30 Cities in Connecticut.....	13,458	1,372	14,830	2,208	148.9	61,517	3,049	49.6	304.2	589,077	10,024	17.0
31 Males.....	6,792	796	7,588	1,234	162.6	30,953	1,665	53.8	326.5	292,725	5,099	17.4
32 Females.....	6,666	576	7,242	974	134.5	30,564	1,384	45.3	281.0	296,352	4,925	16.6
33 White.....	13,259	1,337	14,596	2,138	146.5	60,595	2,951	48.7	302.7	578,198	9,748	16.9
34 Males.....	6,683	772	7,455	1,193	160.0	30,486	1,610	52.8	324.7	287,368	4,958	17.3
35 Females.....	6,576	565	7,141	945	132.3	30,109	1,341	44.5	280.0	290,830	4,790	16.5
36 Native.....	13,197	1,333	14,530	2,124	146.2	59,623	2,912	48.8	435.3	407,709	6,689	16.4
37 Males.....	6,650	769	7,419	1,185	159.7	29,992	1,590	53.0	459.0	200,591	3,464	17.3
38 Females.....	6,547	564	7,111	939	132.0	29,631	1,322	44.6	409.9	207,118	3,225	15.6
39 Both parents native.....	2,227	230	2,457	340	138.4	10,447	460	44.0	354.4	100,002	1,298	13.0
40 One or both parents foreign.....	2,224	155	2,379	260	109.3	10,300	355	34.5	271.8	102,340	1,306	12.8
41 Foreign.....	4,423	492	4,915	779	158.5	19,545	1,039	53.2	631.6	100,589	1,645	16.4
42 Males.....	4,323	363	4,686	601	128.3	19,331	864	44.7	611.5	104,778	1,413	13.5
43 Females.....	62	1	63	7	(*)	972	28	28.8	9.7	170,489	2,897	17.0
44 Colored.....	33	1	34	4	(*)	494	14	28.3	10.0	86,777	1,403	16.2
45 Males.....	29		29	3	(*)	478	14	29.3	9.4	83,712	1,494	17.8
46 Females.....	199	35	234	70	299.1	922	98	106.3	355.1	10,879	276	25.4
47 Males.....	109	24	133	41	308.3	467	55	117.8	390.1	5,357	141	26.3
48 Females.....	90	11	101	29	287.1	455	43	94.5	318.5	5,522	135	24.4

* Data insufficient for rates.

POPULATION, BIRTHS, DEATHS, AND DEATH RATES.

301

CAUSES, BY SEX, COLOR, GENERAL NATIVITY, AND PARENT NATIVITY: CENSUS YEAR 1900—Continued.

CAUSE OF DEATH.																			
Measles.	Scarlet fever.	Diphtheria and croup.	Whooping cough.	Malarial fever.	Influenza.	Typhoid fever.	Diarrheal diseases.	Consumption.	Cancer and tumor.	Heart disease and dropsy.	Pneumonia.	Diseases of the liver.	Diseases of the nervous system.	Diseases of the urinary organs.	Affections connected with pregnancy.	Old age.	Unknown.	All other causes.	
4	4	16	12			31	37	91	7	29	75	4	101	13	4	11	13	196	1
1	1	8	5			20	25	56	5	22	42	4	69	12		6	8	108	2
3	3	8	7			11	12	35	2	7	33		32	1	4	5	5	88	3
4	4	15	12			29	37	88	6	28	64	3	96	12	4	11	12	192	4
1	1	7	5			20	25	53	4	21	34	3	65	11		6	8	106	5
3	3	8	7			9	12	35	2	7	30		31	1	4	5	4	86	6
4	4	14	12			22	33	69	5	21	50	2	67	10	2	7	7	144	7
1	1	6	5			14	23	40	4	17	25	2	47	9		3	4	72	8
3	3	8	7			8	10	29	1	4	25		20	1	2	4	3	72	9
.....		1				6	4	15	1	6	14	1	21	1	1	4	3	34	10
.....						5	2	10		3	9	1	12	1		3	2	22	11
.....						1	2	5	1	3	5		9		1	1	1	12	12
161	61	326	119	110	644	249	1,272	1,529	600	1,184	1,469	187	1,958	985	115	364	54	4,035	13
79	30	155	45	45	281	140	635	803	198	577	751	116	1,012	576		161	31	2,267	14
82	31	171	74	65	363	109	637	726	402	607	718	71	943	409	115	203	23	1,768	15
157	61	321	109	106	638	244	1,241	1,474	591	1,150	1,433	186	1,921	956	113	359	54	3,934	16
78	30	153	43	45	280	138	621	780	194	558	731	115	992	559		160	31	2,209	17
79	31	168	66	61	358	106	620	694	397	592	702	71	929	397	113	199	23	1,725	18
148	58	311	107	81	444	170	1,074	939	343	733	1,024	94	1,400	620	58	230	38	2,928	19
70	28	149	41	36	194	95	545	472	95	373	519	61	759	394		99	21	1,629	20
78	30	162	66	45	250	75	529	467	248	360	505	33	641	226	58	131	17	1,299	21
25	11	55	17	17	120	50	175	159	51	224	192	33	395	205		66	7	680	22
33	14	53	24	23	170	36	196	201	144	214	237	19	323	134	33	84	6	594	23
39	17	82	21	14	41	29	329	245	16	47	252	17	212	91		1	12	725	23
40	12	98	40	15	28	32	293	204	43	61	197	9	212	54	17	3	8	501	23
8	3	10	1	24	185	71	148	517	241	384	384	86	480	318	55	120	12	894	24
7	2	4	1	9	84	41	68	299	98	171	202	51	212	155		54	6	491	25
1	1	6		15	101	30	80	218	143	213	182	35	268	163	55	66	6	403	26
4		5	10	4	6	5	31	55	9	34	35	1	37	29	2	5		101	27
1		2	2		1	2	14	23	4	19	20	1	20	17		1		58	28
3		3	8	4	5	3	17	32	5	15	16		17	12	2	4		43	29
96	39	223	82	68	334	162	857	1,076	379	706	1,036	127	1,234	628	75	216	28	2,653	30
45	23	107	26	27	152	93	424	586	117	320	536	79	614	348		95	18	1,489	31
51	16	121	56	41	182	69	433	490	202	386	500	48	620	280	75	121	10	1,164	32
94	39	223	74	64	330	158	828	1,041	371	684	1,008	126	1,205	607	73	213	28	2,582	33
45	23	105	24	27	151	91	411	570	113	309	518	78	599	335		95	18	1,446	34
49	16	118	50	37	179	67	417	471	253	375	490	48	606	272	73	118	10	1,136	35
88	36	216	72	46	193	102	729	627	194	387	691	54	828	356	33	125	19	1,893	36
39	21	102	22	21	91	59	366	331	50	177	357	39	443	213		55	13	1,065	37
49	15	114	50	25	102	43	363	296	144	210	334	15	385	143	33	70	6	828	38
10	8	30	9	7	50	24	92	87	29	99	112	18	201	91		36	4	391	39
14	5	36	17	11	59	12	111	104	76	109	134	7	169	73	14	39	2	311	40
27	13	61	11	10	26	23	252	195	8	34	198	13	165	72		8	8	529	40
33	9	70	31	10	20	24	221	153	32	50	151	7	154	47	15	3	8	380	40
5	3	7	1	17	132	54	89	405	173	280	299	69	358	240	40	82	9	634	41
5	2	3	1	6	58	31	41	236	63	125	152	38	147	115		35	5	340	42
.....	1	4		11	74	23	48	169	110	155	147	31	211	125	40	47	4	294	43
2		5	8	4	4	4	29	35	8	22	28	1	29	21	2	3		71	44
.....		2	2		1	2	13	16	4	11	18	1	15	13				43	45
2		3	6	4	3	2	16	19	4	11	10		14	8	2	3		28	46

TABLE 19.—POPULATION, BIRTHS, DEATHS, AND DEATH RATES AT CERTAIN AGES, AND DEATHS FROM CERTAIN

AREAS.		UNDER 1 YEAR OF AGE.					UNDER 5 YEARS OF AGE.				ALL AGES.		
		Popula- tion.	Born and died in the census year.	Births during the census year.	Deaths.	Deaths under 1 per 1,000 births.	Popula- tion.	Deaths.	Death rate per 1,000 of popula- tion.	Deaths under 5 per 1,000 at all ages.	Popula- tion.	Deaths.	Death rate per 1,000 of popu- lation.
CONNECTICUT—Continued.													
1	Rural part of Connecticut	6,316	611	6,927	893	128.9	30,275	1,213	40.1	224.7	319,343	5,398	16.9
2	Males	3,155	344	3,499	491	140.3	15,039	652	43.4	232.6	161,569	2,803	17.3
3	Females	3,161	267	3,428	402	117.3	15,236	561	36.8	216.2	157,774	2,595	16.4
4	White	6,209	589	6,798	866	127.4	29,777	1,179	39.6	222.5	314,226	5,300	16.9
5	Males	3,096	336	3,432	482	140.4	14,784	639	43.2	231.6	158,985	2,759	17.4
6	Females	3,113	253	3,366	384	114.1	14,993	540	36.0	212.5	155,241	2,541	16.4
7	Native	6,163	583	6,746	854	126.6	29,253	1,151	39.3	280.0	247,319	4,111	16.6
8	Males	3,075	333	3,408	478	140.3	14,504	628	43.3	296.8	122,945	2,116	17.2
9	Females	3,088	250	3,338	376	112.6	14,749	523	35.5	262.2	124,374	1,995	16.0
10	Both parents native.. {M..	1,525	138	1,663	197	118.5	7,517	264	35.1	223.0	84,423	1,184	14.0
11	{F..	1,525	123	1,648	181	109.8	7,501	253	33.7	205.4	86,018	1,282	14.3
	One or both parents {M..	1,550	188	1,738	267	153.6	6,987	345	49.4	633.0	38,522	545	14.1
	{F..	1,563	123	1,686	187	110.9	7,248	256	35.3	563.9	38,356	454	11.8
12	Foreign	46	5	51	9	(*)	524	23	43.9	22.0	66,907	1,044	15.6
13	Males	21	3	24	4	(*)	280	9	32.1	16.3	36,040	552	15.3
14	Females	25	2	27	5	(*)	244	14	57.4	28.5	30,867	492	15.9
15	Colored	107	22	129	27	209.3	498	34	68.3	(*)	5,117	98	19.2
16	Males	59	8	67	9	(*)	255	13	51.0	(*)	2,584	44	17.0
17	Females	48	14	62	18	(*)	243	21	86.4	(*)	2,533	54	21.3
18	Group 1	12,606	1,237	13,843	1,943	140.4	58,665	2,657	45.3	273.2	577,884	9,725	16.8
19	Males	6,379	715	7,094	1,092	153.9	29,451	1,472	50.0	293.2	287,320	5,021	17.5
20	Females	6,227	522	6,749	851	126.1	29,214	1,185	40.6	251.9	290,564	4,704	16.2
21	White	12,401	1,198	13,599	1,873	137.7	57,689	2,561	44.4	271.0	566,947	9,449	16.7
22	Males	6,273	691	6,964	1,052	151.1	28,974	1,421	49.0	290.5	282,000	4,891	17.3
23	Females	6,128	507	6,635	821	123.7	28,715	1,140	39.7	250.1	284,947	4,558	16.0
24	Native	12,347	1,192	13,539	1,858	137.2	56,828	2,524	44.4	375.4	416,497	6,723	16.1
25	Males	6,248	688	6,936	1,045	150.7	28,546	1,404	49.2	398.2	204,766	3,526	17.2
26	Females	6,099	504	6,603	813	123.1	28,282	1,120	39.6	350.3	211,731	3,197	15.1
27	Both parents na- {M..	2,370	234	2,604	347	133.3	11,322	470	41.5	293.4	114,425	1,602	14.0
	{F..	2,353	172	2,525	276	109.3	11,120	375	33.7	230.6	117,505	1,626	13.8
28	One or both par- {M..	3,878	434	4,312	668	154.9	17,224	893	51.8	610.0	90,341	1,464	16.2
	{F..	3,746	315	4,061	502	123.6	17,162	705	41.1	597.0	94,226	1,181	12.5
29	Foreign	54	4	58	10	(*)	861	28	32.5	10.9	150,450	2,560	17.0
30	Males	25	2	27	4	(*)	428	12	28.0	9.5	77,234	1,263	16.4
31	Females	29	2	31	6	(*)	433	16	37.0	12.3	73,216	1,297	17.7
32	Colored	205	39	244	70	286.9	976	96	98.4	347.8	10,937	276	25.2
33	Males	106	24	130	40	307.7	477	51	106.9	392.3	5,320	130	24.4
34	Females	99	15	114	30	263.2	499	45	90.2	308.2	5,617	146	26.0
35	Fairfield county, rural	801	80	881	121	137.3	3,905	156	39.9	202.1	42,790	772	18.0
36	Males	399	47	446	71	159.2	1,864	87	46.7	205.7	21,259	423	19.9
37	Females	402	33	435	50	114.9	2,041	69	33.8	197.7	21,531	349	16.2
38	Bridgeport	1,731	180	1,911	298	155.9	7,540	432	57.3	352.4	70,996	1,226	17.3
39	Males	892	109	1,001	172	171.8	3,798	244	64.2	370.8	35,381	658	18.6
40	Females	839	71	910	126	138.5	3,742	188	50.2	331.0	35,615	568	15.0
41	White	1,713	177	1,890	291	154.0	7,442	421	56.6	352.3	69,775	1,195	17.1
42	Males	882	107	989	169	170.9	3,751	240	64.0	373.3	34,793	643	18.5
43	Females	831	70	901	122	135.4	3,691	181	49.0	327.9	34,982	552	15.8
44	Native	1,706	177	1,883	291	154.5	7,321	419	57.2	516.0	47,578	812	17.1
45	Males	882	107	989	169	170.9	3,690	239	64.8	537.1	23,382	445	19.0
46	Females	824	70	894	122	136.5	3,631	180	49.6	490.5	24,196	367	15.2
47	Both parents native.. {M..	537	41	578	63	109.0	2,353	94	39.9	324.1	21,885	290	13.3
48	{F..	1,169	121	1,290	202	156.6	4,968	295	59.4	668.9	25,693	441	17.2
49	Foreign	7		7			121	2	16.5	5.6	22,197	357	16.1
50	Males						61	1	(*)	5.5	11,411	181	15.9
51	Females	7		7			60	1	(*)	5.7	10,786	176	16.3

* Data insufficient for rates.

POPULATION, BIRTHS, DEATHS, AND DEATH RATES.

303

CAUSES, BY SEX, COLOR, GENERAL NATIVITY, AND PARENT NATIVITY: CENSUS YEAR 1900—Continued.

CAUSE OF DEATH.																		
Measles.	Scarlet fever.	Diphtheria and croup.	Whooping cough.	Malarial fever.	Influenza.	Typhoid fever.	Diarrheal diseases.	Consumption.	Cancer and tumor.	Heart disease and dropsy.	Pneumonia.	Diseases of the liver.	Diseases of the nervous system.	Diseases of the urinary organs.	Affections connected with pregnancy.	Old age.	Unknown.	All other causes.
65	22	98	37	42	310	87	415	453	221	478	433	60	724	357	40	148	26	1,382
34	7	48	19	18	129	47	211	217	81	257	215	37	398	228		66	13	778
31	15	50	18	24	181	40	204	236	140	221	218	23	326	129	40	82	13	604
63	22	98	35	42	308	86	413	433	220	466	425	60	716	349	40	146	26	1,352
33	7	48	19	18	129	47	210	210	81	249	213	37	393	224		65	13	763
30	15	50	16	24	179	39	203	223	139	217	212	28	323	125	40	81	13	589
60	22	95	35	35	251	68	345	312	149	346	333	40	572	264	25	105	19	1,035
31	7	47	19	15	103	36	179	141	45	196	162	22	316	181		44	8	564
29	15	48	16	20	148	32	166	171	104	150	171	18	256	83	25	61	11	471
15	3	25	8	10	70	26	83	72	22	125	80	15	194	114		30	3	289
19	9	17	7	12	111	24	82	97	68	105	103	12	154	61	19	45	4	283
12	4	21	10	4	15	6	77	50	8	13	54	4	47	19		1	4	196
7	3	28	9	5	8	8	72	51	11	11	46	2	58	7	2		5	121
3		3		7	53	17	59	112	68	104	85	17	122	78	15	38	3	260
2		1		3	26	10	27	63	35	46	50	13	65	40		19	1	151
1		2		4	27	7	32	49	33	58	35	4	57	38	15	19	2	109
2			2		2	1	2	20	1	12	8		8	8		2		30
1							1	7		8	2		5	4		1		15
1			2		2	1	1	13	1	4	6		3	4		1		15
101	38	145	58	78	373	134	816	986	398	766	929	118	1,235	640	72	211	22	2,605
46	22	76	20	27	170	77	414	544	120	354	484	75	637	370		94	14	1,477
55	16	69	38	51	203	57	402	442	278	412	445	43	598	270	72	117	8	1,128
98	38	141	52	74	368	130	791	950	389	741	899	117	1,208	622	71	209	22	2,529
46	22	75	18	27	170	75	404	531	116	342	468	74	622	360		94	14	1,433
52	16	66	34	47	198	55	387	419	273	399	431	43	586	262	71	115	8	1,096
93	36	137	50	57	253	90	682	597	221	463	636	59	876	404	32	144	16	1,877
41	20	74	16	24	112	52	347	321	57	224	328	40	474	256		60	11	1,069
52	16	63	34	33	141	38	335	276	164	239	308	19	402	148	32	84	5	808
12	8	24	9	15	73	28	110	109	35	138	119	20	255	134		44	5	464
19	6	23	9	17	101	20	127	128	101	142	153	9	223	86	19	57	2	384
28	12	47	7	8	22	17	216	179	8	37	168	13	142	58		6	496	
32	8	40	25	11	13	15	187	123	24	42	135	8	133	42	9	3	2	329
5	2	4	1	16	113	38	99	343	162	262	253	54	308	208	39	59	4	590
5	2	1	1	3	57	21	50	205	59	112	136	32	136	99		29	1	314
.....		3		13	56	17	49	138	103	150	117	22	172	109	39	30	3	276
3		4	6	4	5	4	25	36	9	25	30	1	27	18	1	2		76
.....		1	2			2	10	13	4	12	16	1	15	10				44
3		3	4	4	5	2	15	23	5	13	14		12	8	1	2		32
7	1	9	3	6	47	13	61	68	27	86	48	11	110	47	5	21		202
3	1	4	1	5	19	6	33	35	6	55	29	6	52	34		10		124
4		5	2	1	28	7	28	33	21	31	19	5	58	13	5	11		78
29	5	18	11	9	41	11	118	144	37	74	152	23	127	89	9	12	2	315
13	5	10	2	4	21	7	60	86	7	29	82	15	68	53		5	1	190
16		8	9	5	20	4	58	58	30	45	70	8	59	36	9	7	1	125
27	5	17	10	9	40	11	114	138	35	69	151	23	123	87	9	12	2	313
13	5	9	2	4	21	7	59	84	5	26	81	15	65	52		5	1	189
14		8	8	5	19	4	55	54	30	43	70	8	58	35	9	7	1	124
26	4	17	10	6	24	5	107	77	20	36	100	9	89	46	3	8	2	223
12	4	9	2	4	12	4	55	45	3	12	54	8	48	31		2	1	139
14		8	2	2	12	1	52	32	17	24	46	1	41	15	3	6	1	84
8		3	3	4	15	3	16	27	9	21	29	4	41	21	2	5	2	77
17	4	13	7	2	8	2	85	44	3	10	61	4	43	19	1	1		117
1	1			3	16	5	7	60	13	32	49	12	31	38	6	3		80
1	1			3	9	2	4	39	2	14	25	6	14	18		2		44
.....				3	7	3	3	21	11	18	24	6	17	20	6	1		36

TABLE 19.—POPULATION, BIRTHS, DEATHS, AND DEATH RATES AT CERTAIN AGES, AND DEATHS FROM CERTAIN

AREAS.		UNDER 1 YEAR OF AGE.					UNDER 5 YEARS OF AGE.				ALL AGES.		
		Popula- tion.	Born and died in the census year.	Births during the census year.	Deaths.	Deaths under 1 per 1,000 births.	Popula- tion.	Deaths.	Death rate per 1,000 of popu- lation.	Deaths under 5 per 1,000 at all ages.	Popula- tion.	Deaths.	Death rate per 1,000 of popu- lation.
CONNECTICUT—Continued.													
1	Group 1—Continued. Danbury town.....	338	26	364	35	96.2	1,717	59	34.4	184.4	19,474	320	16.4
2	Males.....	170	18	188	26	138.3	865	37	42.8	227.0	9,371	163	17.4
3	Females.....	168	8	176	9	51.1	852	22	25.8	140.1	10,103	157	15.5
4	White.....	335	26	361	35	97.0	1,698	59	34.7	186.1	19,188	317	16.5
5	Males.....	169	18	187	26	139.0	855	37	43.3	229.8	9,249	161	17.4
6	Females.....	166	8	174	9	51.7	843	22	26.1	141.0	9,939	156	15.7
7	Native.....	335	26	361	35	97.0	1,687	58	34.4	253.3	15,052	229	15.2
8	Males.....	169	18	187	26	139.0	849	37	43.6	316.2	7,170	117	16.3
9	Females.....	166	8	174	9	51.7	838	21	25.1	187.5	7,882	112	14.2
10	Both parents native..	157	11	168	15	89.3	764	24	31.4	216.2	8,947	111	12.4
11	One or both parents foreign.....	178	13	191	18	94.2	923	28	30.3	(*)	6,105	66	10.8
12	Foreign.....						11				4,136	80	19.3
13	Males.....						6				2,079	40	19.2
14	Females.....						5				2,057	40	19.4
15	Greenwich town.....	287	29	316	51	161.4	1,337	70	52.4	339.8	12,172	206	16.9
16	Males.....	140	19	159	35	220.1	667	42	63.0	385.3	6,152	109	17.7
17	Females.....	147	10	157	16	101.9	670	28	41.8	(*)	6,020	97	16.1
18	White.....	276	26	302	48	158.9	1,297	67	51.7	335.0	11,806	200	16.9
19	Males.....	133	16	149	32	214.8	640	39	60.9	371.4	5,973	105	17.6
20	Females.....	143	10	153	16	104.6	657	28	42.6	(*)	5,833	95	16.3
21	Native.....	276	26	302	48	158.9	1,280	66	51.6	455.2	8,551	145	17.0
22	Males.....	133	16	149	32	214.8	632	39	61.7	(*)	4,212	81	19.2
23	Females.....	143	10	153	16	104.6	648	27	41.7	(*)	4,339	64	14.7
24	Both parents native..	103	13	116	17	146.6	504	23	45.6	(*)	5,098	69	13.5
25	One or both parents foreign.....	173	12	185	30	162.2	776	42	54.1	(*)	3,453	67	19.4
26	Foreign.....						17	1	(*)	(*)	3,255	52	16.0
27	Males.....						8				1,761	23	13.1
28	Females.....						9	1	(*)	(*)	1,494	29	19.4
29	Norwalk town.....	295	33	328	53	161.6	1,810	73	40.3	241.1	19,932	299	15.0
30	Males.....	149	14	163	20	122.7	906	32	35.3	223.8	9,503	143	15.0
31	Females.....	146	19	165	33	200.0	904	41	45.4	262.8	10,429	156	15.0
32	White.....	290	31	321	49	152.6	1,771	69	39.0	237.9	19,572	290	14.8
33	Males.....	146	14	160	19	118.8	885	31	35.0	223.0	9,340	139	14.9
34	Females.....	144	17	161	30	186.3	886	38	42.9	251.7	10,232	151	14.8
35	Native.....	289	31	320	49	153.1	1,757	68	38.7	302.2	15,742	225	14.3
36	Males.....	145	14	159	19	119.5	877	30	34.2	283.0	7,516	106	14.1
37	Females.....	144	17	161	30	186.3	880	38	43.2	319.3	8,226	119	14.5
38	Both parents native..	149	16	165	22	133.3	863	31	35.9	246.0	10,258	126	12.3
39	One or both parents foreign.....	140	15	155	27	174.2	894	36	40.3	(*)	5,484	71	12.9
40	Foreign.....	1		1			14				3,830	61	15.9
41	Males.....	1		1			8				1,824	31	17.0
42	Females.....						6				2,006	30	15.0
43	Stamford town.....	370	29	399	54	135.3	1,872	71	37.9	222.6	18,839	319	16.9
44	Males.....	192	22	214	34	158.9	989	43	43.5	241.6	9,157	178	19.4
45	Females.....	178	7	185	20	108.1	883	28	31.7	198.6	9,682	141	14.6
46	White.....	366	29	395	50	126.6	1,843	66	35.8	213.6	18,553	309	16.7
47	Males.....	190	22	212	31	146.2	972	40	41.2	229.9	9,032	174	19.3
48	Females.....	176	7	183	19	103.8	871	26	29.9	192.6	9,521	135	14.2
49	Native.....	365	29	394	50	126.9	1,827	66	36.1	320.4	13,989	206	14.7
50	Males.....	190	22	212	31	146.2	962	40	41.6	325.2	6,811	123	18.1
51	Females.....	175	7	182	19	104.4	865	26	30.1	(*)	7,178	83	11.6
52	Both parents native..	137	9	146	16	109.6	716	23	32.1	207.2	7,868	111	14.1
53	One or both parents foreign.....	228	20	248	33	133.1	1,111	42	37.8	(*)	6,121	71	11.6
54	Foreign.....	1		1			16				4,564	98	21.5
55	Males.....						10				2,221	49	22.1
56	Females.....	1		1			6				2,343	49	20.9

* Data insufficient for rates.

CAUSES, BY SEX, COLOR, GENERAL NATIVITY, AND PARENT NATIVITY: CENSUS YEAR 1900—Continued.

CAUSE OF DEATH.																		
Measles.	Scarlet fever.	Diphtheria and croup.	Whooping cough.	Malarial fever.	Influenza.	Typhoid fever.	Diarrheal diseases.	Consumption.	Cancer and tumor.	Heart disease and dropsy.	Pneumonia.	Diseases of the liver.	Diseases of the nervous system.	Diseases of the urinary organs.	Affections connected with pregnancy.	Old age.	Unknown.	All other causes.
	2	13		1	14	3	13	39	20	41	21	2	43	20	2	4	2	80
	2	7		1	6	2	7	24	6	16	9	2	22	11		4		45
		6			8	1	6	15	14	25	12		21	9	2		2	35
	2	13		1	13	3	13	39	20	41	20	2	43	20	2	4	2	79
	2	7			6	2	7	24	6	16	8	2	22	11		4		44
		6		1	7	1	6	15	14	25	12		21	9	2		2	35
	2	13		1	5	3	13	26	13	25	16	1	28	13	2	3	1	64
	2	7			3	2	7	16	3	11	6	1	15	7		3		34
		6			2	1	6	10	10	14	10		13	6	2		1	30
	2	5		1		1	5	10	8	11	9		14	9	2	3		31
		7			2	1	6	11	1	5	4		8	1			1	19
					8				7	14	4	1	13	7		1	1	13
					3			7	3	4	2	1	7	4		1		8
					5			4	4	10	2		6	3			1	5
1		9	1		8	3	19	17	7	8	24	6	25	19	5	3	1	50
		5			3	3	8	5	2	4	14	4	12	15		2		31
1		4	1		5		11	12	5	4	10	2	13	4	5	1		19
1		9	1		8	3	19	16	7	8	23	5	25	18	5	3	1	48
		5			3	3	8	5	2	4	13	3	12	15		2		29
1		4	1		5		11	11	5	4	10	2	13	3	5	1		19
1		8	1		3	3	18	9	3	4	15	3	17	10	4	3	1	42
		5			2	3	8	2		2	9	3	9	8		2	1	27
1		3	1		1		10	7	3	2	6		8	2	4	1		15
1		1			2		6	7	1		8	3	14	5	3	2		16
		7	1			3	11	2	2	3	7		3	3	1		1	23
		1			4		1	7	4	4	7	2	8	8	1			5
					1			3	2	2	4		3	7				1
		1			3		1	4	2	2	3	2	5	1	1			4
1	2	5		4	31	2	21	25	20	16	19	5	49	22		11		66
	2	2		1	15	2	8	13	6	7	7	3	29	11		6		31
1		3		3	16		13	12	14	9	12	2	20	11		5		35
1	2	5		4	31	2	18	25	20	16	18	5	48	21		11		63
	2	2		1	15	2	8	13	6	7	7	3	28	10		6		29
1		3		3	16		10	12	14	9	11	2	20	11		5		34
1	1	5		3	26	1	18	20	12	12	15	2	36	15		10		48
	1	2		1	10	1	8	10	2	6	5	1	24	7		6		22
1		3		2	16		10	10	10	6	10	1	12	8		4		26
1	1	2		1	19		6	10	9	8	6	1	24	7		7		25
1		3			2		11	8	2	3	8	1	7	4				21
	1			1	5	1		5	8	3	2	3	11	6		1		14
	1			1	5	1		3	4	1	1	2	3	3				7
				1				2	4	2	1	1	8	3		1		7
6			2	1	10	1	22	26	22	31	30	3	60	29	1	11		64
2				1	4	1	15	13	5	17	17	1	42	19		6		35
4			2		6		7	13	17	14	13	2	18	10	1	5		29
6			2	1	10	1	19	26	22	30	30	3	58	28	1	10		62
2				1	4	1	13	13	5	17	17	1	40	19		6		35
4			2		6		6	13	17	13	13	2	18	9	1	4		27
6			2	1	6	1	18	15	12	18	16	1	37	18		8		47
2				1	3	1	12	8	3	10	12	1	27	12		4		27
4			2		3		6	7	9	8	4		10	6		4		20
1				1	6		8	8	9	13	10	1	18	9		3		24
5			2			1	9	6	3	2	4		13	5		1		20
					4		1	11	10	12	13	2	20	10	1	1		13
					1		1	5	2	7	5		13	7		1		7
					3			6	8	5	8	2	7	3	1			6

TABLE 19.—POPULATION, BIRTHS, DEATHS, AND DEATH RATES AT CERTAIN AGES, AND DEATHS FROM CERTAIN

AREAS.	UNDER 1 YEAR OF AGE.					UNDER 5 YEARS OF AGE.				ALL AGES.		
	Popula- tion.	Born and died in the census year.	Births during the census year.	Deaths.	Deaths under 1 per 1,000 births.	Popula- tion.	Deaths.	Death rate per 1,000 of popu- lation.	Deaths under 5 per 1,000 at all ages.	Popula- tion.	Deaths.	Death rate per 1,000 of popu- lation.
CONNECTICUT—Continued.												
1 Group 1—Continued.												
2 Middlesex county, rural.....	482	24	506	41	81.0	2,230	74	33.2	180.9	24,274	409	16.8
3 Males.....	266	14	280	24	85.7	1,121	40	35.7	191.4	12,071	209	17.3
4 Females.....	216	10	226	17	75.2	1,109	34	30.7	170.0	12,203	200	16.4
5 Middletown town.....	322	27	349	36	103.2	1,469	49	33.4	169.0	17,486	290	16.6
6 Males.....	162	15	177	20	113.0	750	24	32.0	173.9	8,354	138	16.5
7 Females.....	160	12	172	16	93.0	719	25	34.8	164.5	9,132	152	16.6
8 White.....	321	26	347	35	100.9	1,456	46	31.6	163.1	17,266	282	16.3
9 Males.....	161	14	175	19	108.6	743	22	29.6	164.2	8,257	134	16.2
10 Females.....	160	12	172	16	93.0	713	24	33.7	162.2	9,009	148	16.4
11 Natives.....	321	26	347	35	100.9	1,437	44	30.6	240.4	12,687	183	14.4
12 Males.....	161	14	175	19	108.6	734	22	30.0	(*)	6,053	90	14.9
13 Females.....	160	12	172	16	93.0	703	22	31.3	(*)	6,634	93	14.0
14 Both parents native ..	139	9	148	12	81.1	589	16	27.2	148.1	7,208	108	15.0
15 One or both parents foreign.	182	15	197	21	106.6	848	26	30.7	(*)	5,479	56	10.2
16 Foreign.....						19	1	(*)	(*)	4,579	91	19.9
17 Males.....						9				2,204	42	19.1
18 Females.....						10	1	(*)	(*)	2,375	49	20.6
19 New Haven county, rural.....	959	96	1,055	138	130.8	4,762	179	37.6	229.2	49,079	781	15.9
20 Males.....	481	53	534	76	142.3	2,398	98	40.9	239.6	25,323	409	16.2
21 Females.....	478	43	521	62	119.0	2,364	81	34.3	217.7	23,756	372	15.7
22 Ansonia town.....	342	42	384	67	174.5	1,624	94	57.9	414.1	12,681	227	17.9
23 Males.....	161	25	186	39	209.7	815	57	69.9	467.2	6,483	122	18.8
24 Females.....	181	17	198	28	141.4	809	37	45.7	352.4	6,198	105	16.9
25 White.....	322	40	362	64	176.8	1,546	87	56.3	410.4	12,170	212	17.4
26 Males.....	151	23	174	36	206.9	782	52	66.5	452.2	6,235	115	18.4
27 Females.....	171	17	188	28	148.9	764	35	45.8	(*)	5,935	97	16.3
28 Native.....	321	39	360	62	172.2	1,525	85	55.7	625.0	7,886	136	17.2
29 Males.....	151	22	173	34	196.5	771	50	64.9	(*)	3,946	75	19.0
30 Females.....	170	17	187	28	149.7	754	35	46.4	(*)	3,940	61	15.5
31 Both parents native ..	81	8	89	16	(*)	381	18	47.2	(*)	2,655	37	13.9
32 One or both parents foreign.	240	31	271	46	169.7	1,144	67	58.6	(*)	5,231	90	17.2
33 Foreign.....	1		1	1	(*)	21	1	(*)	(*)	4,284	74	17.3
34 Males.....				1		11	1	(*)	(*)	2,289	39	17.0
35 Females.....	1		1			10				1,995	35	17.5
36 Meriden town.....	650	47	697	72	103.3	2,813	98	34.8	239.6	28,695	409	14.3
37 Males.....	318	26	344	37	107.6	1,366	50	36.6	234.7	14,377	213	14.8
38 Females.....	332	21	353	35	99.2	1,447	48	33.2	244.9	14,318	196	13.7
39 White.....	647	47	694	72	103.7	2,797	98	35.0	241.4	28,470	406	14.3
40 Males.....	317	26	343	37	107.9	1,359	50	36.8	235.8	14,237	212	14.9
41 Females.....	330	21	351	35	99.7	1,438	48	33.4	247.4	14,233	194	13.6
42 Native.....	647	47	694	72	103.7	2,772	98	35.4	395.2	19,936	248	12.4
43 Males.....	317	26	343	37	107.9	1,346	50	37.1	387.6	9,874	129	13.1
44 Females.....	330	21	351	35	99.7	1,426	48	33.7	403.4	10,062	119	11.8
45 Both parents native ..	207	19	226	30	132.7	868	34	39.2	(*)	8,405	96	11.4
46 One or both parents foreign.	440	27	467	41	87.8	1,904	62	32.6	590.5	11,531	105	9.1
47 Foreign.....						25				8,534	150	17.6
48 Males.....						13				4,363	79	18.1
49 Females.....						12				4,171	71	17.0

* Data insufficient for rates.

CAUSES, BY SEX, COLOR, GENERAL NATIVITY, AND PARENT NATIVITY: CENSUS YEAR 1900—Continued.

CAUSE OF DEATH.																		
Measles.	Scarlet fever.	Diphtheria and croup.	Whooping cough.	Malarial fever.	Influenza.	Typhoid fever.	Diarrheal diseases.	Consumption.	Cancer and tumor.	Heart disease and dropsy.	Pneumonia.	Diseases of the liver.	Diseases of the nervous system.	Diseases of the urinary organs.	Affections connected with pregnancy.	Old age.	Unknown.	All other causes.
7	5	9	7	7	33	6	23	28	16	41	28	2	54	23	1	27	3	89
4	2	4	4	3	12	3	11	13	2	19	11	2	31	17	1	15	2	54
3	3	5	3	4	21	3	12	15	14	22	17		23	6		12	1	35
1	1	5	3	1	9	5	22	32	8	28	28	7	36	21		5	1	77
1	1	5	2	1	2	4	10	18	3	8	11	5	10	11		5	1	42
1	1	5	1	1	7	1	12	14	5	20	17	2	26	10				35
1	1	5	3	1	9	5	22	32	8	27	26	7	36	21		5	1	72
1	1	5	2	1	2	4	10	18	3	8	10	5	10	11		5	1	39
1	1	5	1	1	7	1	12	14	5	19	16	2	26	10				33
1	1	5	3		7	4	16	22	5	13	16	3	22	15		3	1	46
1	1	5	2		1	4	8	11	2	6	6	2	6	8		3	1	24
1	1	2	1		6		8	11	3	7	10	1	16	7				22
1	1	3	3		7	3	8	13	4	7	9	1	16	10		3	1	22
.....							8	6		2	7	2	2	4				20
.....					2	1	6	9	2	13	10	3	12	6		2		21
.....					1		2	7	1	2	4	3	3	3		2		14
.....					1	1	4	2	1	11	6		9	3				11
6	2	5	2	13	36	8	75	61	31	57	65	11	111	56	6	14	2	220
3	2	5		3	17	4	44	32	12	26	32	5	62	38		5	2	119
3			2	10	19	4	31	29	19	31	33	6	49	18	6	9		101
6	4	2	8		7	2	27	22	2	9	18	3	31	12	3	4	1	66
4	3	2	4		2	2	17	10	1	2	11	3	20	7		1	1	32
2	1	1	4		5		10	12	1	7	7		11	5	3	3		34
6	4	2	6		7	2	26	18	2	9	17	3	30	12	2	4	1	61
4	3	2	3		2	2	16	10	1	2	10	3	20	7		1	1	28
2	1		3		5		10	8	1	7	7		10	5	2	3		33
6	4	2	5			1	19	12		4	11		17	8		1	1	45
4	3	2	2			1	11	6		1	7		8	6		1	1	22
2	1	1	3				8	6		3	4		9	2				23
2		1	3				6	3		1	3		5	3			1	9
4	3	1	2			1	13	8		2	7		12	3				34
.....					7	1	7	6	2	5	5	3	13	4	2	3		16
.....					2	1	5	4	1	1	3	3	12	1				6
.....					5		2	2	1	4	2		1	3	2	3		10
1	2	4	4	7	22	5	35	48	23	25	44	3	58	17	2	9		100
1	2	2	2	2	13	2	19	26	9	11	26	3	26	12		3		57
.....		2	2	5	9	3	16	22	14	14	18		32	5	2	6		43
1	2	4	4	7	22	5	34	48	23	25	44	3	57	17	2	9		99
1	2	2	2	2	13	2	19	26	9	11	26	3	26	12		3		56
.....		2	2	5	9	3	15	22	14	14	18		31	5	2	6		43
1	2	3	4	5	13	3	26	25	8	12	28	2	39	8	1	2		66
1	2	1	2	2	8		13	11	2	5	14	2	23	7				39
.....		2	2	3	5	3	13	14	6	7	12		16	1	1	2		27
1	2	3	3	3	4	1	7	9	6	6	14	1	16	5	1	1		27
1	2						16	14		4	8		12	2				44
.....		1		2	8	2	8	22	15	11	15	1	16	8	1	7		33
.....		1			4	2	6	14	7	5	12	1	2	5		3		17
.....				2	4		2	8	8	6	3		14	3	1	4		16

VITAL STATISTICS.

TABLE 19.—POPULATION, BIRTHS, DEATHS, AND DEATH RATES AT CERTAIN AGES, AND DEATHS FROM CERTAIN

AREAS.		UNDER 1 YEAR OF AGE.					UNDER 5 YEARS OF AGE.				ALL AGES.		
		Popula- tion.	Born and died in the census year.	Births during the census year.	Deaths.	Deaths under 1 per 1,000 births.	Popula- tion.	Deaths.	Death rate per 1,000 of popula- tion.	Deaths under 5 per 1,000 at all ages.	Popula- tion.	Deaths.	Death rate per 1,000 of popula- tion.
CONNECTICUT—Continued.													
1	Group 1—Continued. Naugatuck town.....	292	31	323	54	167.2	1,426	71	49.8	396.6	10,541	179	17.0
2	Males.....	143	20	163	32	196.3	716	45	62.8	(*)	5,246	86	16.4
3	Females.....	149	11	160	22	137.5	710	26	36.6	(*)	5,295	93	17.6
4	White.....	292	31	323	54	167.2	1,426	71	49.8	396.6	10,502	179	17.0
5	Males.....	143	20	163	32	196.3	716	45	62.8	(*)	5,225	86	16.5
6	Females.....	149	11	160	22	137.5	710	26	36.6	(*)	5,277	93	17.6
7	Native.....	290	31	321	54	168.2	1,413	71	50.2	563.5	7,078	126	17.8
8	Males.....	142	20	162	32	197.5	708	45	63.6	(*)	3,465	67	19.3
9	Females.....	148	11	159	22	138.4	705	26	36.9	(*)	3,613	59	16.3
10	Both parents native..	80	4	84	6	(*)	387	11	28.4	(*)	2,745	38	13.8
11	One or both parents foreign.....	210	27	237	48	202.5	1,026	60	58.5	(*)	4,333	86	19.8
12	Foreign.....	2		2			13				3,424	47	13.7
13	Males.....	1		1			8				1,760	17	9.7
14	Females.....	1		1			5				1,664	30	18.0
15	New Haven town.....	2,442	258	2,700	376	139.3	11,247	511	45.4	274.4	108,027	1,862	17.2
16	Males.....	1,261	149	1,410	215	152.5	5,716	290	50.7	304.3	53,842	953	17.7
17	Females.....	1,181	109	1,290	161	124.8	5,531	221	40.0	243.1	54,185	909	16.8
18	White.....	2,392	247	2,639	355	134.5	11,003	483	43.9	273.3	105,038	1,767	16.8
19	Males.....	1,234	143	1,377	202	146.7	5,601	273	48.7	301.0	52,388	907	17.3
20	Females.....	1,158	104	1,262	153	121.2	5,402	210	38.9	244.2	52,652	860	16.3
21	Native.....	2,382	247	2,629	353	134.3	10,815	478	44.2	410.3	74,384	1,165	15.7
22	Males.....	1,227	143	1,370	200	146.0	5,511	270	49.0	439.0	37,202	615	16.5
23	Females.....	1,155	104	1,259	153	121.5	5,304	208	39.2	378.2	37,182	550	14.8
24	Both parents na- tive.....	413	46	459	65	141.6	1,978	89	45.0	387.0	18,523	230	12.4
25	One or both par- ents foreign. {M..	395	30	425	53	124.7	1,879	71	37.8	280.6	17,862	253	14.2
	{F..	814	93	907	131	144.4	3,533	176	49.8	567.7	18,679	310	16.6
	{F..	760	69	829	91	109.8	3,425	128	37.4	554.1	19,320	231	12.0
26	Foreign.....	10		10			188	3	16.0	5.1	30,654	588	19.2
27	Males.....	7		7			90	1	(*)	3.6	15,184	281	18.5
28	Females.....	3		3			98	2	(*)	6.5	15,470	307	19.8
29	Colored.....	50	11	61	21	(*)	244	28	114.8	(*)	2,989	95	31.8
30	Males.....	27	6	33	13	(*)	115	17	147.8	(*)	1,456	46	31.6
31	Females.....	23	5	28	8	(*)	129	11	85.3	(*)	1,533	49	32.0
32	Wallingford town.....	221	30	251	42	167.3	1,033	46	44.5	333.3	9,001	138	15.3
33	Males.....	114	24	138	29	210.1	516	31	60.1	(*)	4,489	81	18.0
34	Females.....	107	6	113	13	115.0	517	15	29.0	(*)	4,512	57	12.6
35	White.....	221	29	250	41	164.0	1,032	45	43.6	328.5	8,964	137	15.3
36	Males.....	114	23	137	28	204.4	516	30	58.1	(*)	4,467	80	17.9
37	Females.....	107	6	113	13	115.0	516	15	29.1	(*)	4,497	57	12.7
38	Native.....	219	29	248	41	165.3	1,024	45	43.9	441.2	6,636	102	15.4
39	Males.....	113	23	136	28	205.9	512	30	58.6	(*)	3,312	63	19.0
40	Females.....	106	6	112	13	116.1	512	15	29.3	(*)	3,324	39	11.7
41	Both parents native..	83	12	95	12	(*)	392	15	38.3	(*)	3,391	48	14.2
42	One or both parents foreign.....	136	17	153	28	183.0	632	29	45.9	(*)	3,245	39	12.0
43	Foreign.....	2		2			8				2,328	33	14.2
44	Males.....	1		1			4				1,155	15	13.0
45	Females.....	1		1			4				1,173	18	15.3

* Data insufficient for rates.

CAUSES, BY SEX, COLOR, GENERAL NATIVITY, AND PARENT NATIVITY: CENSUS YEAR 1900—Continued.

CAUSE OF DEATH.																		
Measles.	Scarlet fever.	Diphtheria and croup.	Whooping cough.	Malarial fever.	Influenza.	Typhoid fever.	Diarrheal diseases.	Consumption.	Cancer and tumor.	Heart disease and dropsy.	Pneumonia.	Diseases of the liver.	Diseases of the nervous system.	Diseases of the urinary organs.	Affections connected with pregnancy.	Old age.	Unknown.	All other causes.
		1	4	2	6	5	23	15	3	9	28	2	25	6	1	2	1	46
		1	1	1	1	2	13	10	3	4	17	2	12	2	1	2	1	20
		3	3	1	5	3	10	5		5	11		13	4				26
		1	4	2	6	5	23	15	3	9	28	2	25	6	1	2	1	46
		1	1	1	1	2	13	10		4	17	2	12	2				20
		3	3	1	5	3	10	5	3	5	11		13	4	1	2	1	26
		1	4	2		2	20	11	1	3	19	2	23	4		2		32
		1	1	1		1	12	9		1	13	2	11	2				13
		3	3	1		1	8	2	1	2	6		12	2		2		19
		1	2	1		2	1	4	1	1	1		13	2		1		8
		2	2	1			19	7		2	17	2	10	2				24
					6	3	2	4	2	6	8		2	1	1		1	11
					1	1	1	1		3	3		1					6
					5	2	1	3	2	3	5		1	1	1		1	5
4	4	23	7	19	45	33	126	204	84	139	212	16	235	122	13	24		552
1	3	10	2	7	23	19	59	126	28	68	111	7	115	56		11		307
3	1	13	5	12	22	14	67	78	56	71	101	9	120	66	13	13		245
4	4	21	6	16	44	31	117	193	79	135	200	16	225	112	13	24		527
1	3	10	1	7	23	18	53	120	27	66	104	7	111	49		11		296
3	1	11	5	9	21	13	64	73	52	69	96	9	114	63	13	13		231
4	4	21	6	13	22	22	96	114	36	65	141	7	160	64	6	10		374
1	3	10	1	4	11	12	46	70	11	34	72	4	85	33		4		214
3	1	11	5	9	11	10	50	44	25	31	69	3	75	31	6	6		160
	2	5		2	5	8	15	15	8	16	18	1	28	11		3		93
2	1	5	3	5	3	3	21	12	13	17	39	1	37	17	2	5		70
1	1	5	1	2	4	3	29	46	2	11	47	2	44	12				100
1		6	5	5	4	7	26	29	5	9	26	2	32	8	2	1		63
				3	22	9	19	78	42	68	59	9	62	48	7	13		149
				3	12	6	5	49	16	31	32	3	24	16		6		78
				10	10	3	14	29	26	37	27	6	38	32	7	7		71
		2	1	3	1	2	9	11	5	4	12		10	10				25
			1			1	6	6	1	2	7		4	7				11
		2		3	1	1	3	5	4	2	5		6	3				14
			1		6	3	13	25	4	3	6	2	20	3	4	2	1	45
			1		4	1	8	15	1		3	1	15	2			1	29
				2	2	2	5	13	3	3	3	1	5	1	4	2		16
			1		6	3	13	24	4	3	6	2	20	3	4	2	1	45
			1		4	1	8	14	1		3	1	15	2			1	29
				2	2	2	5	10	3	3	3	1	5	1	4	2		16
			1		4	2	13	15	2	2	3	1	15	2	1	2	1	38
			1			1	5	9	1		1	1	11	1			1	25
			1		1	1	8	6	1	2	2		4	1	1	2		13
			1		4	1	2	6	1	1	1	2	10	1		2		17
						1	9	7		1			1		1		1	17
					2	1		9	2	1	3	1	5	1	3			5
					1			5			2		4	1				2
					1	1		4	2	1	1		1		3			3

TABLE 19.—POPULATION, BIRTHS, DEATHS, AND DEATH RATES AT CERTAIN AGES, AND DEATHS FROM CERTAIN

AREAS.	UNDER 1 YEAR OF AGE.					UNDER 5 YEARS OF AGE.				ALL AGES.		
	Popula- tion.	Born and died in the census year.	Births during the census year.	Deaths.	Deaths under 1 per 1,000 births.	Popula- tion.	Deaths.	Death rate per 1,000 of popula- tion.	Deaths under 5 per 1,000 at all ages.	Popula- tion.	Deaths.	Death rate per 1,000 of popula- tion.
CONNECTICUT—Continued.												
1 Group 1—Continued.												
2 Waterbury town	1,358	156	1,514	259	171.1	6,084	357	58.7	410.8	51,139	869	17.0
3 Males	691	85	776	144	185.6	3,026	196	64.8	444.4	25,719	441	17.1
4 Females	667	71	738	115	155.8	3,058	161	52.6	376.2	25,420	428	16.8
5 White	1,343	150	1,493	250	167.4	6,021	345	57.3	404.9	50,521	852	16.9
6 Males	683	82	765	139	181.7	2,994	189	63.1	439.5	25,895	430	16.9
7 Females	660	68	728	111	152.5	3,027	156	51.5	369.7	25,126	422	16.8
8 Native	1,328	150	1,478	247	167.1	5,876	337	57.4	562.6	34,099	599	17.6
9 Males	674	82	756	138	182.5	2,927	185	63.2	591.1	16,755	313	18.7
10 Females	654	68	722	109	151.0	2,949	152	51.5	531.5	17,344	286	16.5
11 Both parents native	382	37	419	58	138.4	1,823	79	43.3	438.9	14,207	180	12.7
One or both parents foreign.	946	113	1,059	188	177.5	4,053	256	63.2	668.4	19,892	383	19.3
12 Foreign	15		15	3	(*)	145	8	55.2	32.1	16,422	249	15.2
13 Males	9		9	1	(*)	67	4	(*)	34.8	8,640	115	13.3
14 Females	6		6	2	(*)	78	4	(*)	29.9	7,782	134	17.2
15 New London county, rural	673	43	716	80	111.7	3,038	106	34.9	201.9	32,033	525	16.4
16 Males	328	21	349	41	117.5	1,569	55	35.1	217.4	16,288	253	15.5
17 Females	345	22	367	39	106.3	1,469	51	34.7	187.5	15,745	272	17.3
18 New London	357	43	400	72	180.0	1,571	89	56.7	258.0	17,548	345	19.7
19 Males	183	25	208	35	168.3	814	47	57.7	262.6	8,527	179	21.0
20 Females	174	18	192	37	192.7	757	42	55.5	253.0	9,021	166	18.4
21 White	351	42	393	71	180.7	1,537	88	57.3	261.1	17,158	337	19.6
22 Males	180	24	204	34	166.7	798	46	57.6	262.9	8,334	175	21.0
23 Females	171	18	189	37	195.8	739	42	56.8	259.3	8,824	162	18.4
24 Native	351	41	392	70	178.6	1,521	85	55.9	338.6	13,454	251	18.7
25 Males	180	23	203	33	162.6	789	44	55.8	346.5	6,470	127	19.6
26 Females	171	18	189	37	195.8	732	41	56.0	330.6	6,984	124	17.8
27 Both parents native	176	14	190	31	163.2	732	37	50.5	300.8	8,484	123	14.5
28 One or both parents foreign.	175	27	202	37	183.2	789	46	58.3	(*)	4,970	92	18.5
29 Foreign	1	1	1	1	(*)	16	3	(*)	(*)	3,704	78	21.1
30 Males	1	1	1	1	(*)	9	2	(*)	(*)	1,864	41	22.0
31 Females						7	1	(*)	(*)	1,840	37	20.1
32 Norwich town	504	50	554	71	128.2	2,316	93	40.2	229.6	24,637	405	16.4
33 Males	244	22	266	31	116.5	1,127	41	36.4	216.9	11,599	189	16.3
34 Females	260	28	288	40	138.9	1,189	52	43.7	240.7	13,038	216	16.6
35 White	492	50	542	67	123.6	2,272	89	39.2	227.0	23,957	392	16.4
36 Males	240	22	262	31	118.3	1,108	41	37.0	221.6	11,281	185	16.4
37 Females	252	28	280	36	128.6	1,164	48	41.2	231.9	12,676	207	16.3
38 Native	491	50	541	67	123.8	2,215	87	39.3	333.3	16,779	261	15.6
39 Males	239	22	261	31	118.8	1,079	41	38.0	325.4	7,867	126	16.0
40 Females	252	28	280	36	128.6	1,136	46	40.5	340.7	8,912	135	15.1
41 Both parents native	172	17	189	18	95.2	751	27	36.0	206.1	8,085	131	16.2
42 One or both parents foreign.	319	33	352	49	139.2	1,464	60	41.0	566.0	8,694	106	12.2
43 Foreign	1		1			57	2	(*)	15.3	7,178	131	18.3
44 Males	1		1			29				3,414	59	17.3
45 Females						28	2	(*)	(*)	3,764	72	19.1

* Data insufficient for rates.

CAUSES, BY SEX, COLOR, GENERAL NATIVITY, AND PARENT NATIVITY: CENSUS YEAR 1900—Continued.

CAUSE OF DEATH.																		
Measles.	Scarlet fever.	Diphtheria and croup.	Whooping cough.	Malarial fever.	Influenza.	Typhoid fever.	Diarrheal diseases.	Consumption.	Cancer and tumor.	Heart disease and dropsy.	Pneumonia.	Diseases of the liver.	Diseases of the nervous system.	Diseases of the urinary organs.	Affections connected with pregnancy.	Old age.	Unknown.	All other causes.
25	7	14	2	4	16	21	105	94	20	48	101	8	79	47	11	16	1	250
14	2	8	1		9	12	52	54	8	22	55	4	32	29		3	1	135
11	5	6	1	4	7	9	53	40	12	26	46	4	47	18	11	13		115
25	7	14	2	4	16	20	104	92	20	46	99	8	79	47	11	16	1	241
14	2	8	1		9	11	52	52	8	21	54	4	32	29		3	1	129
11	5	6	1	4	7	9	52	40	12	25	45	4	47	18	11	13		112
23	7	14	1	2	12	15	91	50	6	24	74	3	48	32	4	8	1	184
12	2	8			6	9	47	31	4	10	40	1	21	20		1	1	100
11	5	6	1	2	6	5	44	19	2	14	34	2	27	12	4	7		84
6	1	5			7	5	21	12	1	9	23		16	15	1	5		52
17	6	8	1	1	5	8	69	37	3	11	49	2	27	13	2		1	123
2			1	2	4	5	12	41	14	22	25	5	30	15	7	8		56
2			1		3	2	4	21	4	11	14	3	11	9		2		28
.....			2		1	3	8	20	10	11	11	2	19	6	7	6		28
5	1	7	1	1	29	8	40	39	32	60	33	3	62	54	3	16	3	128
.....		4			13	2	22	17	10	25	12	3	35	27		4		79
5	1	3	1	1	16	6	18	22	22	35	21		27	27	3	12	3	49
2	2	10				3	35	38	12	32	31	4	39	18	4	14	4	97
2	1	3				3	13	21	4	18	18	4	20	7		5	4	56
.....	1	7					22	17	8	14	13		19	11	4	9		41
2	2	10				3	35	37	12	32	29	4	38	18	4	13	4	94
2	1	3				3	13	21	4	18	16	4	20	7		5	4	54
1	1	7					22	16	8	14	13		18	11	4	8		40
1	2	8				1	32	26	9	26	21	3	21	11	2	10	3	75
.....	1	3				1	12	15	3	14	12	3	11	4		3	3	41
.....	1	5					20	11	6	12	9		10	7	2	7		34
1	2	2				1	14	4	5	18	9	2	13	3	2	7	1	40
.....		6					13	19	1	2	9		6	7			2	26
1						2	3	11	3	5	8	1	17	7	2	3	1	12
1		2				2	1	6	1	3	4	1	9	3		2	1	7
.....							2	5	2	2	4		8	4	2			5
.....		11		1	6	1	31	41	20	43	36	4	55	25	1	9		121
.....		4			3	1	10	16	9	15	17	2	25	14		6		67
.....		7		1	3		21	25	11	28	19	2	30	11	1	3		54
.....		10		1	6	1	28	40	19	41	35	4	53	25	1	9		119
.....		4			3	1	10	16	8	15	16	2	24	14		6		66
.....		6		1	3		18	24	11	26	19	2	29	11	1	3		53
.....		10			4		24	24	13	25	19	3	35	14		6		84
.....		4			2		7	9	5	9	8	1	20	9		4		48
.....		6			2		17	15	8	16	11	2	15	5		2		36
.....		5			3		6	9	7	20	10	3	16	8		3		41
.....		5			1		18	14	3	1	7		13	5				39
.....				1	2	1	4	16	6	16	16	1	18	11	1	3		35
.....					1	1	3	7	3	6	8	1	4	5		2		18
.....				1	1		1	9	3	10	8		14	6	1	1		17

TABLE 19.—POPULATION, BIRTHS, DEATHS, AND DEATH RATES AT CERTAIN AGES, AND DEATHS FROM CERTAIN

AREAS.	UNDER 1 YEAR OF AGE.					UNDER 5 YEARS OF AGE.				ALL AGES.		
	Popula- tion.	Born and died in the census year.	Births during the census year.	Deaths.	Deaths under 1 per 1,000 births.	Popula- tion.	Deaths.	Death rate per 1,000 of popu- lation.	Deaths under 5 per 1,000 at all ages.	Popula- tion.	Deaths.	Death rate per 1,000 of popu- lation.
CONNECTICUT—Continued.												
1 Group 1—Continued. Stonington town.....	182	13	195	23	117.9	871	29	33.3	201.4	8,540	144	16.9
2 Males.....	85	7	92	11	(*)	428	13	30.4	(*)	4,179	74	17.7
3 Females.....	97	6	103	12	116.5	443	16	36.1	(*)	4,361	70	16.1
4 White.....	180	13	193	22	114.0	861	27	31.4	197.1	8,395	137	16.3
5 Males.....	83	7	90	11	(*)	423	13	30.7	(*)	4,119	71	17.2
6 Females.....	97	6	103	11	106.8	438	14	32.0	(*)	4,276	66	15.4
7 Native.....	180	13	193	22	114.0	852	27	31.7	267.3	6,430	101	15.7
8 Males.....	83	7	90	11	(*)	419	13	31.0	(*)	3,117	48	15.4
9 Females.....	97	6	103	11	106.8	433	14	32.3	(*)	3,313	53	16.0
10 Both parents native... (M)	82	5	87	8	(*)	382	9	23.6	(*)	3,953	59	14.9
11 One or both parents foreign. (F)	98	7	105	13	123.8	470	17	36.2	(*)	2,477	27	10.9
12 Foreign.....						9				1,965	33	16.8
13 Males.....						4				1,002	21	21.0
14 Females.....						5				963	12	12.5
15 Group 2.....	7,168	746	7,914	1,158	146.3	33,127	1,605	48.4	281.7	330,536	5,697	17.2
16 Males.....	3,568	425	3,993	633	158.5	16,541	845	51.1	293.3	166,974	2,881	17.3
17 Females.....	3,600	321	3,921	525	133.9	16,586	760	45.8	269.9	163,562	2,816	17.2
18 White.....	7,067	728	7,795	1,131	145.1	32,683	1,569	48.0	280.2	325,477	5,599	17.2
19 Males.....	3,506	417	3,923	623	158.8	16,296	828	50.8	293.0	164,353	2,826	17.2
20 Females.....	3,561	311	3,872	508	131.2	16,387	741	45.2	267.2	161,124	2,773	17.2
21 Native.....	7,013	724	7,737	1,120	144.8	32,048	1,539	48.0	377.5	328,531	4,077	17.1
22 Males.....	3,477	414	3,891	618	158.8	15,950	814	51.0	396.3	118,770	2,054	17.3
23 Females.....	3,536	310	3,846	502	130.5	16,098	725	45.0	358.4	119,761	2,023	16.9
24 Both parents na- (M)	1,382	134	1,516	190	125.3	6,642	254	38.2	288.6	70,000	880	12.6
25 tive. (F)	1,396	106	1,502	165	109.9	6,681	233	34.9	255.5	70,853	912	12.9
26 One or both par- (M)	2,095	246	2,341	378	161.5	9,308	491	52.8	676.3	48,770	726	14.9
27 ents foreign. (F)	2,140	171	2,311	286	123.8	9,417	415	44.1	605.0	48,908	686	14.0
28 Foreign.....	54	2	56	6	(*)	635	23	36.2	16.7	86,946	1,381	15.9
29 Males.....	29	2	31	4	(*)	346	11	31.8	15.9	45,583	692	15.2
30 Females.....	25		25	2	(*)	289	12	41.5	17.4	41,363	689	16.7
31 Colored.....	101	18	119	27	226.9	444	36	81.1	(*)	5,069	98	19.4
32 Males.....	62	8	70	10	(*)	245	17	69.4	(*)	2,621	55	21.0
33 Females.....	39	10	49	17	(*)	199	19	95.5	(*)	2,438	43	17.6
34 Hartford county, rural.....	1,413	128	1,541	182	118.1	6,610	264	39.9	242.9	67,184	1,087	16.2
35 Males.....	693	71	764	95	124.3	3,290	141	42.9	245.6	34,408	574	16.7
36 Females.....	720	57	777	87	112.0	3,320	123	37.0	239.8	32,776	513	15.7
37 Bristol town.....	203	22	225	34	151.1	997	54	54.2	362.4	9,643	149	15.5
38 Males.....	91	11	102	20	196.1	493	23	46.7	(*)	4,843	63	13.0
39 Females.....	112	11	123	14	113.8	504	31	61.5	(*)	4,800	86	17.9
40 White.....	201	22	223	34	152.5	993	53	53.4	360.5	9,598	147	15.3
41 Males.....	89	11	100	20	200.0	489	23	47.0	(*)	4,816	63	13.1
42 Females.....	112	11	123	14	113.8	504	30	59.5	(*)	4,782	84	17.6
43 Native.....	199	22	221	34	153.8	968	53	54.8	460.9	7,035	115	16.3
44 Males.....	88	11	99	20	(*)	480	23	47.9	(*)	3,448	47	13.6
45 Females.....	111	11	122	14	114.8	488	30	61.5	(*)	3,587	68	19.0
46 Both parents native... (M)	68	3	71	6	(*)	325	11	33.8	(*)	4,095	49	12.0
47 One or both parents foreign. (F)	131	19	150	28	186.7	643	39	60.7	(*)	2,940	50	17.0
48 Foreign.....	2		2			25				2,563	28	10.9
49 Males.....	1		1			9				1,368	14	10.2
50 Females.....	1		1			16				1,195	14	11.7

* Data insufficient for rates.

CAUSES, BY SEX, COLOR, GENERAL NATIVITY, AND PARENT NATIVITY: CENSUS YEAR 1900—Continued.

CAUSE OF DEATH.																			
Measles.	Scarlet fever.	Diphtheria and croup.	Whooping cough.	Malarial fever.	Influenza.	Typhoid fever.	Diarrheal diseases.	Consumption.	Cancer and tumor.	Heart disease and dropsy.	Pneumonia.	Diseases of the liver.	Diseases of the nervous system.	Diseases of the urinary organs.	Affections connected with pregnancy.	Old age.	Unknown.	All other causes.	
			2	2	7	1	7	20	10	16	5	3	16	10	1	7		37	1
			2	2	3	1	5	10	1	8	2	3	9	5		3		24	2
					4		2	10	9	8	3		7	5	1	4		13	3
			1	1	7	1	7	20	10	15	3	3	15	9	1	7		37	4
			1	1	3	1	5	10	1	7	2	3	8	4		3		24	5
					4		2	10	9	8	1		7	5	1	4		13	6
			1		4		5	11	6	11	3		15	8	1	5		31	7
			1		2		3	3	1	5	2		8	4		1		19	8
			1		2		2	8	5	6	1		7	4	1	4		12	9
			1		2		2	7	4	7	2		10	7		2		15	10
							3	3	1		1		5		1			13	11
				1	3	1	2	9	4	3		3		1		1		5	12
				1	1	1	2	7		2		3				1		4	13
					2			2	4	1				1				1	14
60	23	181	61	32	271	115	456	543	202	418	540	69	723	345	43	153	32	1,430	15
33	8	79	25	18	111	63	221	259	78	223	267	41	375	206		67	17	790	16
27	15	102	36	14	160	52	235	284	124	195	273	28	348	139	43	86	15	640	17
59	23	180	57	32	270	114	450	524	202	409	534	69	713	334	42	150	32	1,405	18
32	8	78	25	18	110	63	217	249	78	216	263	41	370	199		66	17	776	19
27	15	102	32	14	160	51	233	275	124	193	271	28	343	135	42	84	15	629	20
55	22	174	57	24	191	80	392	342	122	270	388	35	524	216	26	86	22	1,051	21
29	8	75	25	12	82	43	198	151	38	149	191	21	285	138		39	10	560	22
26	14	99	32	12	109	37	194	191	84	121	197	14	239	78	26	47	12	491	23
13	3	31	8	2	47	22	65	50	16	86	73	13	140	71		22	2	216	
14	8	30	15	6	69	16	69	73	43	72	84	10	100	48	14	27	4	210	24
11	5	35	14	6	19	12	113	66	8	10	84	4	70	33		1	6	229	
8	4	58	15	4	15	17	106	81	19	19	62	1	79	12	8		6	172	25
3	1	6		8	72	33	49	174	79	122	131	32	172	110	16	61	8	304	26
2		3		6	27	20	18	94	39	59	66	19	76	56		25	5	177	27
1	1	3		2	45	13	31	80	40	63	65	13	96	54	16	36	3	127	28
1		1	4		1	1	6	19		9	6		10	11	1	3		25	29
1		1			1		4	10		7	4		5	7		1		14	30
			4			1	2	9		2	2		5	4	1	2		11	31
12	4	39	9	6	60	25	96	88	44	87	93	7	139	68	4	26	12	268	32
6		15	6	4	28	18	42	45	21	47	47	7	73	43		13	5	154	33
6	4	24	3	2	32	7	54	43	23	40	46		66	25	4	13	7	114	34
	1	4	7		10	11	14	7	2	10	15	3	15	7	1	2	1	39	35
		1	2		3	7	5	4		3	6	3	7	3		1	1	17	36
	1	3	5		7	4	9	3	2	7	9		8	4	1	1		22	37
	1	4	6		10	11	14	7	2	10	15	3	15	6	1	2	1	39	38
		1	2		3	7	5	4		3	6	3	7	3		1	1	17	39
	1	3	4		7	4	9	3	2	7	9		8	3	1	1		22	40
	1	4	6		7	8	14	3	1	7	13	1	15	3	1	1		30	41
		1	2		2	5	5	1		2	6	1	7	2				13	42
	1	3	4		5	3	9	2	1	5	7		8	1	1	1		17	43
		3	3		7	2	4	2	1	4	3	1	6	1	1	1		13	44
	1	4	3			4	9	1			8		4	2				14	45
					2	3		4	1	3	2	2		1		1	1	8	46
					1	2		3		1		2				1	1	3	47
					1	1		1	1	2	2			1				5	48

TABLE 19.—POPULATION, BIRTHS, DEATHS, AND DEATH RATES AT CERTAIN AGES, AND DEATHS FROM CERTAIN

	AREAS.	UNDER 1 YEAR OF AGE.					UNDER 5 YEARS OF AGE.				ALL AGES.		
		Popula- tion.	Born and died in the census year.	Births during the census year.	Deaths.	Deaths under 1 per 1,000 births.	Popula- tion.	Deaths.	Death rate per 1,000 of popu- lation.	Deaths under 5 per 1,000 at all ages.	Popula- tion.	Deaths.	Death rate per 1,000 of popu- lation.
	CONNECTICUT—Continued.												
1	Group 2—Continued.												
	Hartford.....	1,790	179	1,969	319	162.0	7,796	466	59.8	301.4	79,850	1,546	19.4
2	Males.....	913	108	1,021	178	174.3	3,910	246	62.9	315.8	40,695	779	19.1
3	Females.....	877	71	948	141	145.7	3,886	220	56.6	286.8	39,155	767	19.6
4	White.....	1,751	175	1,926	310	161.0	7,640	453	59.3	300.6	77,837	1,507	19.4
5	Males.....	889	104	993	172	173.2	3,822	237	62.0	313.9	39,635	755	19.0
6	Females.....	862	71	933	138	147.9	3,818	216	56.6	287.2	38,202	752	19.7
7	Native.....	1,743	173	1,916	306	159.7	7,521	447	59.4	423.7	54,220	1,055	19.5
8	Males.....	885	103	988	170	172.1	3,756	234	62.3	433.3	27,508	540	19.6
9	Females.....	858	70	928	136	146.6	3,765	213	56.6	413.6	26,712	515	19.3
10	Both parents native..	533	41	574	76	132.4	2,603	101	38.8	350.7	27,904	288	10.3
11	One or both parents foreign.	1,210	75	1,285	146	113.6	4,918	227	46.2	611.9	26,316	371	14.1
12	Foreign.....	8		8	1	(*)	119	3	25.2	7.2	23,617	416	17.6
13	Males.....	4		4	1	(*)	66	2	(*)	10.3	12,127	195	16.1
14	Females.....	4		4			53	1	(*)	4.5	11,490	221	19.2
15	Manchester town.....	243	23	266	35	131.6	1,153	44	38.2	349.2	10,601	126	11.9
16	Males.....	116	16	132	22	166.7	576	25	43.4	(*)	5,047	68	13.5
17	Females.....	127	7	134	13	97.0	577	19	32.9	(*)	5,554	58	10.4
18	White.....	243	23	266	35	131.6	1,150	44	38.3	349.2	10,552	126	11.9
19	Males.....	116	16	132	22	166.7	574	25	43.6	(*)	5,019	68	13.5
20	Females.....	127	7	134	13	97.0	576	19	33.0	(*)	5,533	58	10.5
21	Native.....	242	23	265	35	132.1	1,138	44	38.7	(*)	6,787	86	12.7
22	Males.....	115	16	131	22	167.9	566	25	44.2	(*)	3,235	45	13.9
23	Females.....	127	7	134	13	97.0	572	19	33.2	(*)	3,552	41	11.5
24	Both parents native..	69	5	74	7	(*)	306	11	35.9	(*)	2,789	23	8.2
25	One or both parents foreign.	173	17	190	26	136.8	832	31	37.3	(*)	3,998	48	12.0
26	Foreign.....	1		1			12				3,765	35	9.3
27	Males.....	1		1			8				1,784	21	11.8
28	Females.....						4				1,981	14	7.1
29	New Britain town.....	784	89	873	145	166.1	3,480	190	54.6	393.4	28,202	483	17.1
30	Males.....	372	41	413	75	181.6	1,737	102	58.7	413.0	14,454	247	17.1
31	Females.....	412	48	460	70	152.2	1,743	88	50.5	372.9	13,748	236	17.2
32	White.....	781	89	870	145	166.7	3,470	190	54.8	393.4	28,067	483	17.2
33	Males.....	371	41	412	75	182.0	1,733	102	58.9	413.0	14,392	247	17.2
34	Females.....	410	48	458	70	152.8	1,737	88	50.7	372.9	13,675	236	17.3
35	Native.....	779	89	868	144	165.9	3,404	187	54.9	589.9	17,998	317	17.6
36	Males.....	371	41	412	75	182.0	1,696	100	59.0	628.9	8,847	159	18.0
37	Females.....	408	48	456	69	151.3	1,708	87	50.9	550.6	9,151	158	17.3
38	Both parents native..	224	26	250	36	144.0	977	43	44.0	401.9	7,169	107	14.9
39	One or both parents foreign.	555	59	614	101	164.5	2,427	137	56.4	736.6	10,829	186	17.2
40	Foreign.....	2		2			66	2	(*)	12.6	10,069	159	15.8
41	Males.....						37	2	(*)	(*)	5,545	85	15.3
42	Females.....	2		2			29				4,524	74	16.4
43	Litchfield county, rural.....	988	108	1,096	148	135.0	4,735	206	43.5	227.9	51,219	904	17.6
44	Males.....	480	67	547	87	159.0	2,310	113	48.9	236.9	25,633	477	18.6
45	Females.....	508	41	549	61	111.1	2,425	93	38.4	217.8	25,586	427	16.7

* Data insufficient for rates.

315

CAUSE OF DEATH.																			
Measles.	Scarlet fever.	Diphtheria and croup.	Whooping cough.	Malarial fever.	Influenza.	Typhoid fever.	Diarrheal diseases.	Consumption.	Cancer and tumor.	Heart disease and dropsy.	Pneumonia.	Diseases of the liver.	Diseases of the nervous system.	Diseases of the urinary organs.	Affections connected with pregnancy.	Old age.	Unknown.	All other causes.	
7	1	76	16	9	31	45	120	164	59	102	157	16	185	106	9	53	3	387	1
4	3	35	6	6	14	19	61	82	18	52	71	11	88	61	9	22	1	228	2
3	1	41	10	3	17	26	59	82	41	50	86	5	97	45	9	31	2	159	3
7	1	75	14	9	31	44	117	158	59	98	156	16	179	102	8	52	3	378	4
4	3	34	6	6	14	19	58	79	18	49	70	11	85	58	8	22	1	221	5
3	1	41	8	3	17	25	59	79	41	49	86	5	94	44	8	30	2	157	6
7	1	74	14	9	24	27	108	94	33	59	110	7	122	57	4	29	2	274	7
4	3	33	6	6	11	10	56	50	7	30	52	4	62	37	4	14	1	157	8
3	1	41	8	3	13	17	52	44	26	29	58	3	60	20	4	15	1	117	9
4	1	20	2	1	9	7	37	15	14	22	25	3	38	20	3	15	1	60	10
4	1	38	8	4	2	12	55	42	10	8	39	1	33	17	3	15	1	94	11
1		1			6	17	7	62	26	36	39	9	53	41	4	22	1	92	12
1		1			2	9	2	29	11	18	14	7	22	18	4	8	1	54	13
					4	8	5	33	15	18	25	2	31	23	4	14	1	38	14
		6	2	1	4	3	10	24	2	4	14	3	17	3		6		27	15
		6	2	1	3	2	6	12	1	4	5	2	9	2		2		19	16
		6	2		1	1	4	12	1		9	1	8	1		4		8	17
		6	2	1	4	3	10	24	2	4	14	3	17	3		6		27	18
		6	2	1	3	2	6	12	1	4	5	2	9	2		2		19	19
		6	2		1	1	4	12	1		9	1	8	1		4		8	20
		5	2		2	2	10	15	1	2	10	1	14			3		19	21
		5	2		2	2	6	6		2	3	1	7			2		15	22
		2	1				4	2	1		7		7			1		5	23
		3	1		1	1	9	8	1	2	5		5			2		3	24
											3	1	6					14	25
		1		1	1			9	1	1	4	2	3	3		3		6	26
		1		1	1			6	1	1	2	1	2	2		3		4	27
								3			2	1	1	1				2	28
1	7	21	7	7	31	1	50	42	11	25	53	3	56	19	3	13	9	124	29
1	3	9	2	4	15	1	30	23	5	9	32		25	12		6	6	65	30
1	4	12	5	3	16		20	19	6	16	21	3	31						

TABLE 19.—POPULATION, BIRTHS, DEATHS, AND DEATH RATES AT CERTAIN AGES, AND DEATHS FROM CERTAIN

	AREAS.	UNDER 1 YEAR OF AGE.					UNDER 5 YEARS OF AGE.				ALL AGES.		
		Popu- lation.	Born and died in the census year.	Births during the census year.	Deaths.	Deaths under 1 per 1,000 births.	Popu- lation.	Deaths.	Death rate per 1,000 of popu- lation.	Deaths under 5 per 1,000 at all ages.	Popu- lation.	Deaths.	Death rate per 1,000 of popu- lation.
	CONNECTICUT—Continued.												
1	Group 2—Continued. Torrington town.....	371	33	404	63	155.9	1,614	87	53.9	478.0	12,453	182	14.6
2	Males.....	195	19	214	32	149.5	815	45	55.2	(*)	6,529	88	13.5
3	Females.....	176	14	190	31	163.2	799	42	52.6	(*)	5,924	94	15.9
4	White.....	368	33	401	62	154.6	1,602	86	53.7	480.4	12,321	179	14.5
5	Males.....	194	19	213	32	150.2	809	45	55.6	(*)	6,466	87	13.5
6	Females.....	174	14	188	30	159.6	793	41	51.7	(*)	5,855	92	15.7
7	Native.....	365	33	398	61	153.3	1,570	84	53.5	613.1	8,364	137	16.4
8	Males.....	191	19	210	32	152.4	790	44	55.7	(*)	4,252	66	15.5
9	Females.....	174	14	188	29	154.3	780	40	51.3	(*)	4,112	71	17.3
10	Both parents native..	98	9	107	18	168.2	479	28	58.5	(*)	4,261	52	12.2
11	One or both parents foreign.....	267	24	291	43	147.8	1,091	56	51.3	(*)	4,103	73	17.8
12	Foreign.....	3		3	1	(*)	32	2	(*)	(*)	3,957	42	10.6
13	Males.....	3		3			19	1	(*)	(*)	2,214	21	9.5
14	Females.....				1		13	1	(*)	(*)	1,743	21	12.0
15	Tolland county, rural.....	278	35	313	46	147.0	1,483	57	38.4	211.9	16,040	269	16.8
16	Males.....	142	18	160	24	150.0	703	30	42.7	212.8	8,037	141	17.5
17	Females.....	136	17	153	22	143.8	780	27	34.6	210.9	8,003	128	16.0
18	Vernon town.....	169	15	184	21	114.1	795	31	39.0	244.1	8,483	127	15.0
19	Males.....	99	10	109	12	110.1	428	13	30.4	(*)	4,101	48	11.7
20	Females.....	70	5	75	9	(*)	367	18	49.0	(*)	4,382	79	18.0
21	White.....	167	14	181	20	110.5	790	30	38.0	240.0	8,430	125	14.8
22	Males.....	97	9	106	11	103.8	423	12	28.4	(*)	4,068	46	11.3
23	Females.....	70	5	75	9	(*)	367	18	49.0	(*)	4,362	79	18.1
24	Native.....	167	14	181	20	110.5	783	29	37.0	(*)	5,587	76	13.6
25	Males.....	97	9	106	11	103.8	417	11	26.4	(*)	2,672	30	11.2
26	Females.....	70	5	75	9	(*)	366	18	49.2	(*)	2,915	46	15.8
27	Both parents native...	54	4	58	4	(*)	255	6	23.5	(*)	2,203	19	8.6
28	One or both parents foreign.....	113	10	123	16	130.1	528	23	43.6	(*)	3,384	47	13.9
29	Foreign.....						7				2,843	46	16.2
30	Males.....						6				1,396	14	10.0
31	Females.....						1				1,447	32	22.1
32	Windham county, rural.....	722	97	819	137	167.3	3,512	171	48.7	262.7	36,724	651	17.7
33	Males.....	366	53	419	73	174.2	1,784	88	49.3	277.6	18,550	317	17.1
34	Females.....	356	44	400	64	160.0	1,728	83	48.0	248.5	18,174	334	18.4
35	Windham town.....	207	17	224	28	125.0	952	35	36.8	202.3	10,137	173	17.1
36	Males.....	101	11	112	15	133.9	495	19	38.4	(*)	4,677	79	16.9
37	Females.....	106	6	112	13	116.1	457	16	35.0	(*)	5,460	94	17.2
38	White.....	207	17	224	28	125.0	948	34	35.9	201.2	10,058	169	16.8
39	Males.....	101	11	112	15	133.9	493	18	36.5	(*)	4,649	75	16.1
40	Females.....	106	6	112	13	116.1	455	16	35.2	(*)	5,409	94	17.4
41	Native.....	201	17	218	28	128.4	917	34	37.1	298.2	7,437	114	15.3
42	Males.....	97	11	108	15	138.9	481	18	37.4	(*)	3,477	52	15.0
43	Females.....	104	6	110	13	118.2	436	16	36.7	(*)	3,960	62	15.7
44	Both parents native...	112	6	118	11	93.2	440	14	31.8	(*)	4,347	56	12.9
45	One or both parents foreign.....	89	11	100	17	170.0	477	20	41.9	(*)	3,090	42	13.6
46	Foreign.....	6		6			31				2,621	49	18.7
47	Males.....	4		4			12				1,172	20	17.1
48	Females.....	2		2			19				1,449	29	20.0

*Data insufficient for rates.

POPULATION, BIRTHS, DEATHS, AND DEATH RATES.

317

CAUSES BY SEX, COLOR, GENERAL NATIVITY, AND PARENT NATIVITY: CENSUS YEAR 1900—Continued.

CAUSE OF DEATH.																			
Measles.	Scarlet fever.	Diphtheria and croup.	Whooping cough.	Malarial fever.	Influenza.	Typhoid fever.	Diarrheal diseases.	Consumption.	Cancer and tumor.	Heart disease and dropsy.	Pneumonia.	Diseases of the liver.	Diseases of the nervous system.	Diseases of the urinary organs.	Affections connected with pregnancy.	Old age.	Unknown.	All other causes.	
10		2	3		4	2	22	14	6	5	20	4	25	12	2	1		50	1
4		1				1	10	9	1	1	11	1	13	7				29	2
6		1	3		4	1	12	5	5	4	9	3	12	5	2	1		21	3
10		2	3		4	2	21	13	6	4	20	4	25	12	2	1		50	4
4		1				1	10	8	1	1	11	1	13	7				29	5
6		1	3		4	1	11	5	5	3	9	3	12	5	2	1		21	6
9		2	3		3	1	18	7	4	3	17	1	20	9				40	7
3		1				1	8	4		1	9	1	11	4				23	8
6		1	3		3		10	3	4	2	8		9	5				17	9
4		2	2		1		5	3		1	5		8	6				15	10
5			1		2	1	13	4	1	1	12	1	7	2				23	11
1					1	1	3	6	2	1	3	3	5	3	2	1		10	12
1					1	1	2	4	1		2		2	3				6	13
.....					1		1	2	1	1	1	3	3		2	1		4	14
2		6	1	2	18	1	27	16	12	24	32	5	27	14	1	15	1	65	15
2		3			5	1	11	11	5	18	19	1	16	10		6		32	16
.....		3	1	2	13		16	5	7	6	13	4	11	4	1	9	1	33	17
2	1	2			12		11	12	6	12	11	2	22	9	1	2	1	21	18
1	1				5		2	3	2	8	7		6	3		1		9	19
1		2			7		9	9	4	4	4	2	16	6	1	1	1	12	20
2	1	2			11		11	12	6	12	10	2	22	9	1	2	1	21	21
1	1				4		2	3	2	8	6		6	3		1		9	22
1		2			7		9	9	4	4	4	2	16	6	1	1	1	12	23
1	1	2			5		9	11	3	6	7		10	4	1	1		15	24
.....	1				3		2	2	1	4	4		5	2		1		6	25
1		2			2		7	9	2	2	3		5	2	1			9	26
.....	1	1			3		2	1	1	2	2		3					4	27
1	1	1			2		7	10	1	1	5		6	2	1			9	28
.....					6		2	1	3	6	2	2	12	5		1	1	5	29
.....					2			1	1	4	1		1	1				3	30
.....					4		2		2	2	1	2	11	4		1	1	2	31
5	1	6	5	3	49	9	44	68	25	69	56	10	87	23	8	10	3	170	32
3		3	2	2	18	6	20	22	12	37	25	6	49	15		6		89	33
2	1	3	3	1	31	3	24	46	13	32	31	4	38	8	8	4	1	81	34
.....		2	2		14	1	13	23	1	26	11	5	16	12	2	6		39	35
.....		2	1		3	1	6	6		14	4	3	9	6		3		21	36
.....		1			11		7	17	1	12	7	2	7	6	2	3		18	37
.....		2	2		14	1	13	22	1	25	11	5	16	12	2	6		37	38
.....		2	1		3	1	6	5		13	4	3	9	6		3		19	39
.....		1			11		7	17	1	12	7	2	7	6	2	3		18	40
.....		2	2		8	1	10	17	1	15	6	3	11	6	2	3		27	41
.....		2	1		2	1	4	4		6	3	2	7	4		1		15	42
.....		1			6		6	13	1	9	3	1	4	2	2	2		12	43
.....		2	2		6		5	5		11	3	2	6	3		1		11	44
.....					1	1	4	8		2	2	1	4	3	2			12	45
.....					6		1	5		9	4	2	5	6		2		9	46
.....					1		1	1		6	1	1	2	2		1		4	47
.....					5			4		3	3	1	3	4		1		5	48

VITAL STATISTICS.

TABLE 19.—POPULATION, BIRTHS, DEATHS, AND DEATH RATES AT CERTAIN AGES, AND DEATHS FROM CERTAIN

	AREAS.	UNDER 1 YEAR OF AGE.					UNDER 5 YEARS OF AGE.				ALL AGES.		
		Popu- lation.	Born and died in the census year.	Births during the census year.	Deaths.	Deaths under 1 per 1,000 births.	Popu- lation.	Deaths.	Death rate per 1,000 of popu- lation.	Deaths under 5 per 1,000 at all ages.	Popu- lation.	Deaths.	Death rate per 1,000 of popu- lation.
1	DELAWARE.....	4,167	380	4,547	597	(*)	19,796	895	(*)	291.1	184,735	3,075	(*)
2	Males.....	2,095	233	2,328	346	(*)	9,889	509	(*)	309.6	94,158	1,644	(*)
3	Females.....	2,072	147	2,219	251	(*)	9,907	386	(*)	269.7	90,577	1,431	(*)
4	White.....	3,426	290	3,716	456	(*)	16,173	684	(*)	274.7	153,977	2,490	(*)
5	Males.....	1,733	179	1,912	266	(*)	8,111	396	(*)	293.8	78,486	1,348	(*)
6	Females.....	1,693	111	1,804	190	(*)	8,062	288	(*)	252.2	75,491	1,142	(*)
7	Native.....	3,423	287	3,710	451	(*)	16,106	676	(*)	316.8	140,248	2,134	(*)
8	Males.....	1,731	176	1,907	262	(*)	8,070	392	(*)	341.5	70,956	1,148	(*)
9	Females.....	1,692	111	1,803	189	(*)	8,036	284	(*)	288.0	69,292	986	(*)
10	Both parents native ¹ {M..	893	21	914	36	(*)	4,402	58	(*)	302.1	39,951	192	(*)
11	One or both parents {F..	869	18	887	27	(*)	4,319	48	(*)	300.0	38,366	160	(*)
	foreign ¹ {M..	71	4	75	5	(*)	344	5	(*)	(*)	2,943	12	(*)
	foreign ¹ {F..	62	3	66	3	(*)	299	4	(*)	(*)	2,676	17	(*)
12	Foreign.....	3		3			67	1	(*)	4.2	13,729	236	(*)
13	Males.....	2		2			41				7,530	125	(*)
14	Females.....	1		1			26	1	(*)	9.0	6,199	111	(*)
15	Colored.....	741	90	831	141	(*)	3,623	211	(*)	360.7	30,758	585	(*)
16	Males.....	362	54	416	80	(*)	1,778	113	(*)	381.8	15,672	296	(*)
17	Females.....	379	36	415	61	(*)	1,845	98	(*)	339.1	15,086	289	(*)
18	Wilmington.....	1,717	220	1,937	345	178.1	7,644	509	66.6	319.1	76,508	1,595	20.8
19	Males.....	857	135	992	200	201.6	3,762	296	78.7	346.6	38,383	854	22.2
20	Females.....	860	85	945	145	153.4	3,882	213	54.9	287.4	38,125	741	19.4
21	White.....	1,530	184	1,714	277	161.6	6,795	412	60.6	307.2	66,738	1,341	20.1
22	Males.....	769	115	884	162	183.3	3,358	241	71.8	339.4	33,678	710	21.1
23	Females.....	761	69	830	115	138.6	3,437	171	49.8	271.0	33,060	631	19.1
24	Native.....	1,528	184	1,712	277	161.8	6,742	412	61.1	367.5	56,312	1,121	19.9
25	Males.....	767	115	882	162	183.7	3,324	241	72.5	407.8	28,062	591	21.1
26	Females.....	761	69	830	115	138.6	3,418	171	50.0	322.6	28,250	530	18.8
27	Foreign.....	2		2			53				10,426	178	17.1
28	Males.....	2		2			34				5,616	91	16.2
29	Females.....						19				4,810	87	18.1
30	DISTRICT OF COLUMBIA.....	4,758	854	5,612	1,306	232.7	23,150	1,875	81.0	294.6	278,718	6,364	22.8
31	Males.....	2,425	470	2,895	687	237.3	11,683	967	82.8	295.4	132,004	3,274	24.8
32	Females.....	2,333	384	2,717	619	227.8	11,467	908	79.2	293.9	146,714	3,090	21.1
33	White.....	3,243	366	3,609	573	158.8	15,862	826	52.1	225.7	191,532	3,660	19.1
34	Males.....	1,653	218	1,871	312	166.8	8,072	446	55.3	226.7	93,197	1,967	21.1
35	Females.....	1,590	148	1,738	261	150.2	7,790	380	48.8	224.5	98,335	1,693	17.2
36	Native.....	3,241	365	3,606	571	158.3	15,809	824	52.1	275.7	172,012	2,989	17.4
37	Males.....	1,652	218	1,870	312	166.8	8,045	446	55.4	283.4	82,984	1,574	19.0
38	Females.....	1,589	147	1,736	259	149.2	7,764	378	48.7	267.1	89,028	1,415	15.9
39	Both parents native ¹ {M..	1,336	175	1,511	250	165.5	6,422	352	54.8	307.4	64,947	1,145	17.6
40	One or both parents {F..	1,310	109	1,419	197	138.8	6,206	290	46.7	275.4	69,126	1,053	15.2
	foreign ¹ {M..	316	33	349	47	134.7	1,623	76	46.8	281.5	18,087	270	15.0
	foreign ¹ {F..	279	29	308	49	159.1	1,558	71	45.6	281.7	19,902	252	12.7
41	Foreign.....	2		2			53				19,520	616	31.6
42	Males.....	1		1			27				10,213	359	35.2
43	Females.....	1		1			26				9,307	257	27.6
44	Colored.....	1,515	488	2,003	733	366.0	7,288	1,049	143.9	387.9	87,186	2,704	31.0
45	Males..... ²	772	252	1,024	375	366.2	3,611	521	144.3	398.6	38,807	1,307	33.7
46	Females.....	743	236	979	358	365.7	3,677	528	143.6	378.0	48,379	1,397	28.9

¹ Population excluded for areas not reporting deaths by nativity of persons and parents.² Data insufficient for rates.

CAUSES, BY SEX, COLOR, GENERAL NATIVITY, AND PARENT NATIVITY: CENSUS YEAR 1900—Continued.

CAUSE OF DEATH.																		
Measles.	Scarlet fever	Diphtheria and croup.	Whooping cough.	Malarial fever.	Influenza.	Typhoid fever.	Diarrheal diseases.	Consumption.	Cancer and tumor.	Heart disease and dropsy.	Pneumonia.	Diseases of the liver.	Diseases of the nervous system.	Diseases of the urinary organs.	Affections connected with pregnancy.	Old age.	Unknown.	All other causes.
9	4	144	15	19	29	90	177	382	88	275	304	23	430	127	23	93	58	785
4	1	79	4	9	16	39	87	198	41	152	172	16	238	78	23	40	31	439
5	3	65	11	10	13	51	90	184	47	123	132	7	192	49	23	53	27	346
7	4	137	9	14	26	81	136	271	83	224	235	21	363	107	15	83	37	637
3	1	76	3	8	14	36	65	144	41	129	129	14	199	67	15	34	19	366
4	3	61	6	6	12	45	71	127	42	95	106	7	164	40	15	49	18	271
7	4	131	9	11	19	74	123	240	71	185	204	17	308	83	14	59	36	539
3	1	73	3	6	12	32	60	127	32	110	107	11	167	51	14	22	18	313
4	3	58	6	5	7	42	63	113	39	75	97	6	141	32	14	37	18	226
1	1	14	1	1	1	4	9	16	9	20	18	3	32	6	5	6	8	44
2	1	10	2	1	1	6	11	16	4	13	17	1	19	2	5	10	7	34
		1				1	1	3		1	1		2			1	1	1
								4		1	3		3				2	3
		1		3	6	4	9	19	10	27	20	3	40	14		15		65
				2	2	2	4	10	7	12	14	2	21	10		6		33
		1		1	4	2	5	9	3	15	6	1	19	4		9		32
2		7	6	5	3	9	41	111	5	51	69	2	67	20	8	10	21	148
1		3	1	1	2	3	22	54		23	43	2	39	11		6	12	73
1		4	5	4	1	6	19	57	5	28	26		28	9	8	4	9	75
3	2	94	6	10	16	50	87	194	45	131	150	13	237	68	9	40	15	425
1		48	2	6	8	18	46	117	18	69	86	8	126	40		15	8	238
2	2	46	4	4	8	32	41	77	27	62	64	5	111	28	9	25	7	187
3	2	91	4	9	15	46	67	142	44	112	119	12	205	60	6	37	13	354
1		47	2	6	7	16	32	85	18	59	66	7	107	36		13	7	201
2	2	44	2	3	8	30	35	57	26	53	53	5	98	24	6	24	6	153
3	2	91	4	6	10	43	58	122	36	87	102	10	172	46	6	22	12	289
1		47	2	4	5	15	28	70	13	47	55	6	91	27		5	6	169
2	2	44	2	2	5	28	30	52	23	40	47	4	81	19	6	17	6	120
				3	4	3	8	13	8	21	14	2	29	9		10		54
				2	2	1	4	9	5	10	9	1	13	5		5		25
				1	2	2	4	4	3	11	5	1	16	4		5		29
38	25	210	38	63	115	225	489	851	216	576	518	68	786	348	43	154	26	1,575
19	15	108	22	29	41	135	233	441	68	297	255	49	446	202		77	15	822
19	10	102	16	34	74	90	256	410	148	279	263	19	340	146	43	77	11	753
27	20	153	23	37	73	132	246	403	160	332	255	48	493	233	23	108	15	879
16	12	80	14	20	28	81	115	220	55	184	129	38	297	145		57	8	468
11	8	73	9	17	45	51	131	183	105	148	126	10	196	88	23	51	7	411
25	20	152	23	25	59	118	226	341	113	225	202	40	378	185	20	72	15	750
15	12	79	14	14	23	71	103	179	35	123	99	33	226	108		40	8	392
10	8	73	9	11	36	47	123	162	78	102	103	7	152	77	20	32	7	358
11	10	68	12	9	20	55	75	122	22	83	73	21	149	78		30	6	301
8	6	57	7	10	26	34	93	108	66	79	76	6	109	57	14	22	6	269
2	2	10	2	3	2	13	18	43	7	24	18	7	33	18		4	2	62
2	2	14	2	1	8	10	23	40	5	12	20	1	25	14	5	6	1	61
1		1		12	14	12	20	58	45	99	52	8	107	43	3	33		108
		1		6	5	8	12	39	20	56	30	5	67	33		16		61
1				6	9	4	8	19	25	43	22	3	40	10	3	17		47
11	5	57	15	26	42	93	243	448	56	244	263	20	293	115	20	46	11	696
3	3	28	8	9	13	54	118	221	13	113	126	11	149	57		20	7	354
8	2	29	7	17	29	39	125	227	46	131	137	9	144	58	20	26	4	342

TABLE 19.—POPULATION, BIRTHS, DEATHS, AND DEATH RATES AT CERTAIN AGES, AND DEATHS FROM CERTAIN

	AREAS.	UNDER 1 YEAR OF AGE.					UNDER 5 YEARS OF AGE.				ALL AGES.		
		Popu- lation.	Born and died in the census year.	Births during the census year.	Deaths.	Deaths under 1 per 1,000 births.	Popu- lation.	Deaths.	Death rate per 1,000 of popu- lation.	Deaths under 5 per 1,000 at all ages.	Popu- lation.	Deaths.	Death rate per 1,000 of popu- lation.
1	FLORIDA.....	15,064	1,062	16,126	1,360	(*)	72,693	2,276	(*)	351.1	528,542	6,482	(*)
2	Males.....	7,703	585	8,288	734	(*)	36,825	1,216	(*)	345.5	275,246	3,520	(*)
3	Females.....	7,361	477	7,838	626	(*)	35,868	1,060	(*)	357.9	253,296	2,962	(*)
4	White.....	8,662	501	9,163	670	(*)	40,925	1,138	(*)	333.9	297,333	3,408	(*)
5	Males.....	4,476	273	4,749	371	(*)	20,946	628	(*)	324.9	154,728	1,933	(*)
6	Females.....	4,186	228	4,414	299	(*)	19,979	510	(*)	345.8	142,605	1,475	(*)
7	Native.....	8,643	494	9,137	658	(*)	40,724	1,120	(*)	380.6	278,076	2,943	(*)
8	Males.....	4,465	269	4,734	363	(*)	20,840	619	(*)	380.2	143,468	1,628	(*)
9	Females.....	4,178	225	4,403	295	(*)	19,884	501	(*)	381.0	134,608	1,315	(*)
10	Both parents native ¹ {M..	3,808	172	3,980	229	(*)	18,028	431	(*)	372.8	125,644	1,156	(*)
	{F..	3,566	139	3,705	191	(*)	17,136	338	(*)	350.6	117,038	964	(*)
11	One or both parents {M..	345	25	370	29	(*)	1,509	45	(*)	(*)	8,709	95	(*)
	{F..	313	27	340	36	(*)	1,496	56	(*)	(*)	8,448	83	(*)
12	Foreign.....	19	5	24	6	(*)	201	6	(*)	15.7	19,257	381	(*)
13	Males.....	11	2	13	3	(*)	106	3	(*)	12.2	11,260	245	(*)
14	Females.....	8	3	11	3	(*)	95	3	(*)	22.1	7,997	136	(*)
15	Colored.....	6,402	561	6,963	690	(*)	31,768	1,138	(*)	370.2	231,209	3,074	(*)
16	Males.....	3,227	312	3,539	363	(*)	15,879	588	(*)	370.5	120,518	1,587	(*)
17	Females.....	3,175	249	3,424	327	(*)	15,889	550	(*)	369.9	110,691	1,487	(*)
18	Jacksonville.....	598	136	734	172	234.3	2,740	274	100.0	332.1	28,429	825	29.0
19	Males.....	302	81	383	101	263.7	1,397	150	107.4	328.2	13,717	457	33.3
20	Females.....	296	55	351	71	202.3	1,343	124	92.3	337.0	14,712	368	25.0
21	White.....	287	38	325	46	141.5	1,196	82	68.6	263.7	12,158	311	25.6
22	Males.....	144	20	164	28	170.7	623	43	69.0	232.4	6,139	185	30.1
23	Females.....	143	18	161	18	111.8	573	39	68.1	309.5	6,019	126	20.9
24	Colored.....	311	98	409	126	308.1	1,544	192	124.4	373.5	16,271	514	31.6
25	Males.....	158	61	219	73	333.3	774	107	138.2	393.4	7,578	272	35.9
26	Females.....	153	37	190	53	278.9	770	85	110.4	351.2	8,693	242	27.8
27	Key West.....	510	120	630	159	252.4	2,141	206	96.2	423.9	17,114	486	28.4
28	Males.....	255	64	319	90	282.1	1,014	113	111.4	403.6	8,444	280	33.2
29	Females.....	255	56	311	69	221.9	1,127	93	82.5	451.5	8,670	206	23.8
30	White.....	333	73	406	104	256.2	1,402	134	95.6	407.3	11,526	329	28.5
31	Males.....	171	40	211	64	303.3	699	80	114.4	390.2	5,849	205	35.0
32	Females.....	162	33	195	40	205.1	703	54	76.8	435.5	5,677	124	21.8
33	Colored.....	177	47	224	55	245.5	739	72	97.4	458.6	5,588	157	28.1
34	Males.....	84	24	108	26	240.7	315	33	104.8	(*)	2,595	75	28.9
35	Females.....	93	23	116	29	250.0	424	39	92.0	(*)	2,993	82	27.4
36	GEORGIA.....	66,327	4,186	70,513	5,786	(*)	325,473	10,006	(*)	371.4	2,216,331	26,941	(*)
37	Males.....	33,437	2,213	35,650	3,035	(*)	162,999	5,216	(*)	391.6	1,103,201	13,321	(*)
38	Females.....	32,890	1,973	34,863	2,751	(*)	162,474	4,790	(*)	351.7	1,113,130	13,620	(*)
39	White.....	35,057	1,875	36,932	2,720	(*)	168,264	4,678	(*)	357.3	1,181,294	13,094	(*)
40	Males.....	17,834	1,014	18,848	1,446	(*)	85,137	2,459	(*)	375.6	593,128	6,547	(*)
41	Females.....	17,223	861	18,084	1,274	(*)	83,127	2,219	(*)	338.9	588,166	6,547	(*)
42	Native.....	35,053	1,871	36,924	2,711	(*)	168,226	4,646	(*)	367.7	1,169,273	12,637	(*)
43	Males.....	17,830	1,010	18,840	1,440	(*)	85,118	2,441	(*)	388.9	585,845	6,276	(*)
44	Females.....	17,223	861	18,084	1,271	(*)	83,108	2,205	(*)	346.6	583,428	6,361	(*)
45	Both parents native ¹ {M..	16,881	826	17,707	1,161	(*)	80,517	2,012	(*)	410.7	542,210	4,899	(*)
	{F..	16,246	724	16,970	1,036	(*)	78,431	1,832	(*)	353.9	538,254	5,176	(*)
46	One or both parents {M..	126	7	133	8	(*)	680	11	(*)	(*)	7,284	63	(*)
	{F..	171	2	173	6	(*)	739	8	(*)	(*)	7,103	45	(*)
47	Foreign.....	4		4			38				12,021	257	(*)
48	Males.....	4		4			19				7,283	160	(*)
49	Females.....						19				4,738	97	(*)
50	Colored.....	31,270	2,311	33,581	3,066	(*)	157,209	5,328	(*)	384.8	1,035,037	13,847	(*)
51	Males.....	15,603	1,199	16,802	1,589	(*)	77,862	2,757	(*)	407.0	510,073	6,774	(*)
52	Females.....	15,667	1,112	16,779	1,477	(*)	79,347	2,571	(*)	363.5	524,964	7,073	(*)

¹ Population excluded for areas not reporting deaths by nativity of persons and parents.

* Data insufficient for rates.

CAUSES, BY SEX, COLOR, GENERAL NATIVITY, AND PARENT NATIVITY: CENSUS YEAR 1900—Continued.

CAUSE OF DEATH.																			
Measles.	Scarlet fever.	Diphtheria and croup.	Whooping cough.	Malarial fever.	Influenza.	Typhoid fever.	Diarrheal diseases.	Consumption.	Cancer and tumor.	Heart disease and dropsy.	Pneumonia.	Diseases of the liver.	Diseases of the nervous system.	Diseases of the urinary organs.	Affections connected with pregnancy.	Old age.	Unknown.	All other causes.	
50	8	83	90	366	265	290	479	557	103	535	407	91	645	174	106	140	454	1,639	1
27	3	49	36	202	133	143	263	300	34	297	224	52	363	107	106	62	224	1,001	2
23	5	34	54	164	132	147	216	257	69	238	183	39	282	67	106	78	230	638	3
32	8	52	41	179	139	170	291	233	74	265	226	57	380	95	44	76	180	866	4
19	3	31	16	107	71	88	165	143	26	163	122	27	216	67	44	33	90	546	5
13	5	21	25	72	68	82	126	90	48	102	104	30	164	28	44	43	90	320	6
31	8	52	41	160	122	157	259	176	60	216	200	46	340	72	39	56	174	734	7
18	3	31	16	93	65	80	140	111	21	134	104	18	190	46	23	86	449	8	
13	5	21	25	67	57	77	119	65	39	82	96	28	150	26	39	33	88	285	9
18	3	23	15	75	60	65	94	72	16	100	87	12	116	27	14	79	280	10	
12	5	15	21	55	51	66	81	43	30	63	78	24	90	18	34	24	80	174	11
1	1	1	2	5	1	2	13	7	1	7	8	1	15	3	1	2	2	281	12
1	1	1	1	5	1	4	12	4	1	5	2	2	12	1	1	2	3	24	13
1	1	1	1	15	16	11	25	46	13	42	23	8	30	19	5	20	2	105	14
1	1	1	1	10	5	6	19	25	4	26	16	6	20	17	5	10	2	78	15
1	1	1	1	5	11	5	6	21	9	16	7	2	10	2	5	10	1	27	16
18	1	1	1	187	126	120	188	324	29	270	181	34	265	79	62	64	274	773	17
8	1	1	1	95	62	55	98	157	8	134	102	25	147	40	29	134	455	18	18
10	1	1	1	92	64	65	90	167	21	136	79	118	118	39	62	35	140	318	19
1	1	1	1	7	5	39	14	19	54	119	12	74	42	12	92	37	4	271	20
1	1	1	1	3	15	9	9	27	59	4	41	25	7	66	21	7	2	162	21
1	1	1	1	4	24	5	10	27	60	8	33	17	5	26	16	4	3	109	22
1	1	1	1	3	8	6	11	18	37	6	24	18	6	38	15	9	1	108	23
1	1	1	1	2	5	4	7	11	20	15	8	3	28	12	1	5	1	63	24
1	1	1	1	1	3	2	4	7	17	9	10	3	10	3	1	4	1	45	25
1	1	1	1	4	31	8	8	36	82	6	50	24	6	54	22	3	10	163	26
1	1	1	1	10	5	2	16	39	2	26	17	4	38	9	3	2	2	99	27
1	1	1	1	21	3	6	20	43	4	24	7	2	16	13	3	8	2	64	28
1	1	1	1	8	4	7	56	57	10	28	13	5	86	10	3	11	4	169	29
1	1	1	1	4	9	1	4	35	2	15	2	5	41	7	3	6	2	112	30
1	1	1	1	4	3	3	21	24	8	13	11	1	45	3	3	5	2	57	31
1	1	1	1	8	1	4	37	32	7	19	8	3	50	6	2	5	1	130	32
1	1	1	1	4	1	3	25	20	2	11	1	3	26	5	2	3	1	90	33
1	1	1	1	4	3	1	12	12	5	8	7	1	24	1	2	3	1	40	34
1	1	1	1	1	3	3	19	25	3	9	5	2	36	4	1	6	3	39	35
1	1	1	1	1	1	1	10	13	4	4	1	2	15	2	1	3	1	22	36
1	1	1	1	2	9	12	3	5	4	4	4	2	21	2	1	3	2	17	37
201	44	819	222	1,011	667	1,585	2,159	2,651	451	2,127	2,598	244	2,304	607	374	459	2,209	6,209	38
97	26	439	100	481	301	756	1,077	1,064	120	1,014	1,400	134	1,202	419	190	1,099	3,402	39	39
104	18	380	122	530	366	829	1,082	1,587	331	1,113	1,198	110	1,102	188	374	269	1,110	2,807	40
110	38	499	107	435	338	942	1,254	980	290	977	1,174	150	1,346	377	158	188	815	2,916	41
52	21	279	45	193	139	452	627	412	93	474	595	85	709	256	75	419	1,621	42	42
58	17	220	62	242	199	490	627	568	197	503	579	65	637	121	113	396	1,295	43	43
108	38	497	105	424	322	928	1,225	937	279	929	1,151	144	1,297	347	155	166	767	2,818	44
51	21	277	45	188	132	443	609	386	86	450	584	82	677	236	66	392	1,551	45	45
57	17	220	60	236	190	485	616	551	193	479	567	62	620	111	155	100	375	1,267	46
49	10	263	40	147	114	385	464	279	67	352	509	67	464	154	48	355	1,321	47	47
51	11	204	50	198	160	455	476	425	148	406	498	52	451	60	139	69	350	973	48
1	1	1	1	5	2	1	5	5	1	9	4	3	10	7	1	2	1	11	49
1	1	1	1	2	3	2	2	2	1	6	3	2	8	8	1	3	1	11	50
1	1	1	1	6	12	6	10	24	7	38	12	4	34	23	3	16	6	56	51
1	1	1	1	2	4	5	6	17	5	20	7	2	25	16	3	9	3	39	52
1	1	1	1	4	8	1	4	7	2	18	5	2	9	7	3	7	3	17	53
91	6	320	115	576	329	643	905	1,671	161	1,150	1,424	94	958	230	216	271	1,394	3,293	54
45	5	160	55	288	162	304	450	652	27	540	805	49	493	163	115	680	1,781	51	55
46	1	160	60	288	167	339	455	1,019	134	610	619	45	465	67	216	156	714	1,512	56

VITAL STATISTICS.

TABLE 19.—POPULATION, BIRTHS, DEATHS, AND DEATH RATES AT CERTAIN AGES, AND DEATHS FROM CERTAIN

AREAS.		UNDER 1 YEAR OF AGE.					UNDER 5 YEARS OF AGE.				ALL AGES.		
		Popula- tion.	Born and died in the census year.	Births during the census year.	Deaths.	Deaths under 1 per 1,000 births.	Popula- tion.	Deaths.	Death rate per 1,000 of popu- lation.	Deaths under 5 per 1,000 at all ages.	Popula- tion.	Deaths.	Death rate per 1,000 of popu- lation
GEORGIA—Continued.													
1	Atlanta	1,709	312	2,021	523	258.8	8,631	858	99.4	359.4	89,872	2,387	26.6
2	Males	846	163	1,009	272	269.6	4,310	465	107.9	370.5	41,377	1,255	30.3
3	Females	863	149	1,012	251	248.0	4,321	393	91.0	347.2	48,495	1,132	23.3
4	White	1,088	158	1,246	272	218.3	5,312	428	80.6	342.4	54,090	1,250	23.1
5	Males	541	82	623	139	223.1	2,655	222	83.6	332.3	26,523	668	25.2
6	Females	547	76	623	133	213.5	2,657	206	77.5	354.0	27,567	582	21.1
7	Colored	621	154	775	251	323.9	3,319	430	129.6	378.2	35,782	1,137	31.8
8	Males	305	81	386	133	344.6	1,655	243	146.8	414.0	14,854	587	39.5
9	Females	316	73	389	118	303.3	1,664	187	112.4	340.0	20,928	550	26.3
10	Savannah	1,027	301	1,328	398	299.7	4,969	616	124.0	330.8	54,244	1,862	34.3
11	Males	524	159	683	209	306.0	2,458	307	124.9	307.0	25,925	1,000	38.6
12	Females	503	142	645	189	293.0	2,511	309	123.1	358.5	28,319	862	30.4
13	White	543	79	622	109	175.2	2,570	177	68.9	274.4	26,109	645	24.7
14	Males	284	46	330	60	181.8	1,278	95	74.3	258.9	13,134	367	27.9
15	Females	259	33	292	49	167.8	1,292	82	63.5	295.0	12,975	278	21.4
16	Colored	484	222	706	289	409.3	2,399	439	183.0	360.7	28,135	1,217	43.3
17	Males	240	113	353	149	422.1	1,180	212	179.7	334.9	12,791	633	49.5
18	Females	244	109	353	140	396.6	1,219	227	186.2	388.7	15,344	584	38.1
19	IDAHO	4,653	157	4,810	214	(*)	21,560	361	(*)	290.7	161,772	1,242	(*)
20	Males	2,393	94	2,487	121	(*)	11,035	196	(*)	257.2	98,367	762	(*)
21	Females	2,260	63	2,323	93	(*)	10,525	165	(*)	343.8	68,405	480	(*)
22	White	4,558	144	4,702	194	(*)	21,030	309	(*)	287.4	154,495	1,075	(*)
23	Males	2,346	85	2,431	109	(*)	10,785	168	(*)	249.3	88,463	674	(*)
24	Females	2,212	59	2,271	85	(*)	10,245	141	(*)	351.6	66,032	401	(*)
25	Native	4,553	144	4,697	194	(*)	20,961	308	(*)	362.4	132,605	850	(*)
26	Males	2,344	85	2,429	109	(*)	10,748	168	(*)	332.7	73,938	505	(*)
27	Females	2,209	59	2,268	85	(*)	10,213	140	(*)	405.8	58,667	345	(*)
28	Both parents native ¹ (M..)	1,634	55	1,689	69	(*)	7,420	109	(*)	359.7	50,424	303	(*)
29	One or both parents foreign ¹ (F..)	1,605	46	1,651	66	(*)	7,142	107	(*)	465.2	39,427	230	(*)
30	Foreign	710	29	739	38	(*)	3,328	56	(*)	448.0	23,514	125	(*)
31	Foreign	604	12	616	18	(*)	3,071	31	(*)	(*)	19,240	94	(*)
32	Foreign	5		5			69				21,890	189	(*)
33	Males	2		2			37				14,525	138	(*)
34	Females	3		3			32				7,365	51	(*)
35	Colored	95	13	108	20	(*)	530	52	(*)	311.4	7,277	167	(*)
36	Males	47	9	56	12	(*)	250	28	(*)	(*)	4,904	88	(*)
37	Females	48	4	52	8	(*)	280	24	(*)	(*)	2,373	79	(*)
38	ILLINOIS	114,392	7,469	121,861	11,169	(*)	550,035	18,023	(*)	294.4	4,821,550	61,229	(*)
39	Males	57,788	4,252	62,040	6,284	(*)	277,251	9,751	(*)	289.9	2,472,782	33,641	(*)
40	Females	56,604	3,217	59,821	4,885	(*)	272,784	8,272	(*)	299.9	2,348,768	27,588	(*)
41	White	112,970	7,305	120,275	10,944	(*)	543,273	17,649	(*)	296.0	4,734,873	59,618	(*)
42	Males	57,100	4,157	61,257	6,167	(*)	273,939	9,550	(*)	291.6	2,426,113	32,752	(*)
43	Females	55,870	3,148	59,018	4,777	(*)	269,334	8,099	(*)	301.5	2,308,760	26,866	(*)
44	Native	112,760	7,289	120,049	10,905	(*)	540,592	17,523	(*)	411.9	3,770,238	42,545	(*)
45	Males	56,990	4,147	61,137	6,142	(*)	272,550	9,483	(*)	416.0	1,908,465	22,798	(*)
46	Females	55,770	3,142	58,912	4,763	(*)	268,042	8,040	(*)	407.2	1,861,773	19,747	(*)
47	Both parents native ¹ (M..)	27,708	1,403	29,111	1,983	(*)	130,518	3,094	(*)	350.8	952,997	8,819	(*)
48	One or both parents foreign ¹ (F..)	27,113	1,060	28,173	1,539	(*)	127,300	2,594	(*)	327.3	910,544	7,925	(*)
49	Foreign	8,731	385	9,116	564	(*)	43,969	874	(*)	359.1	375,920	2,434	(*)
50	Foreign	8,518	284	8,802	408	(*)	43,083	676	(*)	342.3	366,468	1,975	(*)
51	Foreign	210	12	222	30	(*)	2,681	90	(*)	5.6	964,635	16,052	(*)
52	Males	110	7	117	18	(*)	1,389	48	(*)	5.2	517,648	9,297	(*)
53	Females	100	5	105	12	(*)	1,292	42	(*)	6.2	446,987	6,755	(*)
54	Colored	1,422	164	1,586	225	(*)	6,762	374	(*)	232.2	86,677	1,611	(*)
55	Males	688	95	783	117	(*)	3,312	201	(*)	226.1	46,669	889	(*)
56	Females	734	69	803	108	(*)	3,450	173	(*)	239.6	40,008	722	(*)

¹ Population excluded for areas not reporting deaths by nativity of persons and parents.

* Data insufficient for rates.

CAUSES, BY SEX, COLOR, GENERAL NATIVITY, AND PARENT NATIVITY: CENSUS YEAR 1900—Continued.

CAUSE OF DEATH.																			
Measles.	Scarlet fever.	Diphtheria and croup.	Whooping cough.	Malarial fever.	Influenza.	Typhoid fever.	Diarrheal diseases.	Consumption.	Cancer and tumor.	Heart disease and dropsy.	Pneumonia.	Diseases of the liver.	Diseases of the nervous system.	Diseases of the urinary organs.	Affections connected with pregnancy.	Old age.	Unknown.	All other causes.	
9	14	40	16	39	35	98	292	300	42	178	189	31	280	104	19	24	41	636	1
4	10	16	6	18	16	55	154	152	8	90	94	19	159	67		10	20	357	2
5	4	24	10	21	19	43	138	148	34	88	95	12	121	37	19	14	21	279	3
1	14	16	11	8	13	53	158	119	32	90	66	13	181	79	10	12	17	357	4
.....	10	7	3	4	6	34	85	57	7	51	29	7	103	49		5	10	201	5
1	4	9	8	4	7	19	73	62	25	39	37	6	78	30	10	7	7	156	6
8		24	5	31	22	45	134	181	10	88	123	18	99	25	9	12	24	279	7
4		9	3	14	10	21	69	95	1	39	65	12	56	18		5	10	156	8
4		15	2	17	12	24	65	86	9	49	58	6	43	7	9	7	14	123	9
3	3	11	10	110	37	21	119	213	28	127	148	17	197	72	8	51	134	553	10
2	1	5	4	63	17	16	58	101	9	65	92	9	115	43		17	71	312	11
1	2	6	6	47	20	5	61	112	19	62	56	8	82	29	8	34	63	241	12
2	3	9	3	47	29	10	50	64	13	41	39	12	74	31	4	20	7	187	13
2	1	5	1	25	13	9	19	34	5	23	28	8	46	18		5	6	119	14
.....	2	4	2	22	16	1	31	30	8	18	11	4	28	13	4	15	1	68	15
1		2	7	63	8	11	69	149	15	86	109	5	123	41	4	31	127	366	16
.....			3	38	4	7	39	67	4	42	64	1	69	25		12	65	193	17
1		2	4	25	4	4	30	82	11	44	45	4	54	16	4	19	62	173	18
10	19	45	38	4	11	37	65	86	33	79	176	15	88	37	23	35	108	333	19
3	10	17	17	2	6	20	39	43	20	41	134	12	53	31		21	57	236	20
7	9	28	21	2	5	17	26	43	13	38	42	3	35	6	23	14	51	97	21
10	19	45	14	4	10	36	58	57	33	77	163	15	86	37	23	25	59	304	22
3	10	17	6	2	5	19	35	31	20	40	125	12	51	31		17	33	217	23
7	9	28	8	2	5	17	23	26	13	37	38	3	35	6	23	8	26	87	24
10	18	45	12	3	10	34	51	46	25	51	126	12	72	23	18	9	48	237	25
3	10	17	5	1	5	18	31	22	15	23	94	9	41	19		6	27	159	26
7	8	28	7	2	5	16	20	24	10	28	32	3	31	4	18	3	21	78	27
2	4	12	5	1	3	11	20	14	8	15	56	6	27	9		3	17	90	28
5	5	17	3	2	2	12	17	18	8	17	17		22	4	9	1	13	58	29
1	6	5			1	5	7	3	1	5	25	1	7	2		2	7	47	30
2	3	11	4		2	4	3	4	1	9	13	2	5		7		6	18	31
.....	1		1			1	6	11	8	24	30	3	13	12	4	14	7	54	32
.....																			
.....	1					1	3	9	5	15	24	3	9	10		9	3	47	31
.....							3	2	3	9	6		4	2	4	5	4	7	32
.....			24		1	1	7	29		2	13		2			10	49	29	33
.....			11		1	1	4	12		1	9		2			4	24	19	34
.....			13				3	17		1	4					6	25	10	35
481	643	2,067	497	497	454	1,897	4,489	6,786	2,374	4,469	6,942	811	7,279	2,674	581	1,586	1,345	15,357	36
225	315	1,022	228	251	218	1,052	2,389	3,607	1,059	2,388	3,931	492	4,116	1,714		732	733	9,169	37
256	328	1,045	269	246	236	845	2,100	3,179	1,315	2,081	3,011	319	3,163	960	581	854	612	6,188	38
472	642	2,041	477	474	441	1,848	4,423	6,420	2,343	4,338	6,744	801	7,156	2,614	568	1,548	1,298	14,970	39
222	315	1,006	218	238	211	1,022	2,353	3,406	1,046	2,322	3,815	484	4,054	1,681		712	713	8,934	40
250	327	1,035	259	236	230	826	2,070	3,014	1,297	2,016	2,929	317	3,102	933	568	836	585	6,036	41
461	625	2,005	473	422	262	1,467	3,985	4,274	1,162	2,473	4,719	473	5,307	1,433	369	667	1,038	10,930	42
217	308	988	215	206	125	798	2,131	2,085	445	1,322	2,635	276	2,963	895		305	555	6,329	43
244	317	1,017	258	216	137	669	1,854	2,189	717	1,151	2,084	197	2,344	538	369	362	483	4,601	44
63	54	312	104	142	72	457	613	726	217	623	971	121	1,188	373		174	383	2,226	45
77	61	321	131	163	77	383	507	953	327	544	796	83	972	164	142	204	360	1,660	46
20	28	114	24	15	10	124	158	250	56	131	270	32	333	77		24	75	693	47
17	18	98	28	20	15	101	118	277	66	140	210	21	207	41	43	23	61	471	48
8	13	32	3	48	169	340	407	2,045	1,139	1,772	1,950	315	1,716	1,133	191	836	176	3,759	49
2	6	15	2	31	82	198	208	1,255	580	944	1,126	196	1,008	755		384	102	2,403	50
6	7	17	1	17	87	142	199	790	559	828	824	119	708	378	131	452	74	1,356	51
9	1	26	20	23	13	49	66	366	31	131	198	10	123	60	13	38	47	387	52
3		16	10	13	7	30	36	201	13	66	116	8	62	33		20	20	235	53
6	1	10	10	10	6	19	30	165	18	65	82	2	61	27	13	18	27	162	54

VITAL STATISTICS.

TABLE 19.—POPULATION, BIRTHS, DEATHS, AND DEATH RATES AT CERTAIN AGES, AND DEATHS FROM CERTAIN

AREAS.		UNDER 1 YEAR OF AGE.					UNDER 5 YEARS OF AGE.				ALL AGES.		
		Popu- lation.	Born and died in the census year.	Births during the census year.	Deaths.	Deaths under 1 per 1,000 births.	Popu- lation.	Deaths.	Death rate per 1,000 of popu- lation.	Deaths under 5 per 1,000 at all ages.	Popu- lation.	Deaths.	Death rate per 1,000 of popu- lation.
ILLINOIS—Continued.													
1	Aurora	471	43	514	61	118.7	2,395	90	37.6	248.6	24,147	362	15.0
2	Males	235	27	262	36	137.4	1,187	46	38.8	233.5	11,683	197	16.9
3	Females	236	16	252	25	99.2	1,208	44	36.4	266.7	12,464	165	13.2
4	White	469	43	512	59	115.2	2,380	87	36.6	247.2	23,929	352	14.7
5	Males	235	27	262	36	137.4	1,180	45	38.1	232.0	11,569	194	16.8
6	Females	234	16	250	23	92.0	1,200	42	35.0	265.8	12,360	158	12.8
7	Native	469	43	512	59	115.2	2,377	87	36.6	353.7	18,862	246	13.0
8	Males	235	27	262	36	137.4	1,180	45	38.1	343.5	8,959	131	14.6
9	Females	234	16	250	23	92.0	1,197	42	35.1	365.2	9,903	115	11.6
10	Foreign						3				5,067	106	20.9
11	Males										2,610	63	24.1
12	Females						3				2,457	43	17.5
13	Belleville	365	29	394	51	129.4	1,835	78	42.5	290.0	17,484	269	15.4
14	Males	179	17	196	29	148.0	879	44	50.1	293.3	8,713	150	17.2
15	Females	186	12	198	22	111.1	956	34	35.6	285.7	8,771	119	13.6
16	White	358	26	384	48	125.0	1,821	75	41.2	285.2	17,252	263	15.2
17	Males	177	14	191	26	136.1	873	41	47.0	280.8	8,584	146	17.0
18	Females	181	12	193	22	114.0	948	34	35.9	290.6	8,668	117	13.5
19	Native	358	26	384	48	125.0	1,819	75	41.2	463.0	14,506	162	11.2
20	Males	177	14	191	26	136.1	873	41	47.0	(*)	7,162	89	12.4
21	Females	181	12	193	22	114.0	946	34	35.9	(*)	7,344	73	9.9
22	Foreign						2				2,746	94	34.2
23	Males										1,422	52	36.6
24	Females						2				1,324	42	31.7
25	Chicago	39,375	3,723	43,098	5,773	134.0	190,355	9,403	49.4	341.5	1,698,575	27,533	16.2
26	Males	19,894	2,115	22,009	3,237	147.1	95,463	5,031	52.7	332.4	863,408	15,135	17.5
27	Females	19,481	1,608	21,089	2,536	120.3	94,892	4,372	46.1	352.6	835,167	12,398	14.8
28	White	39,049	3,660	42,709	5,679	133.0	188,730	9,255	49.0	344.6	1,667,140	26,854	16.1
29	Males	19,746	2,077	21,823	3,183	145.9	94,655	4,945	52.2	335.2	846,093	14,752	17.4
30	Females	19,303	1,583	20,886	2,496	119.5	94,075	4,310	45.8	356.1	821,047	12,102	14.7
31	Native	38,903	3,652	42,555	5,662	133.1	186,862	9,196	49.2	541.0	1,081,720	16,997	15.7
32	Males	19,669	2,073	21,742	3,173	145.9	93,693	4,915	52.5	541.1	539,693	9,084	16.8
33	Females	19,234	1,579	20,813	2,489	119.6	93,169	4,281	45.9	541.0	542,027	7,913	14.6
34	Foreign	146	8	154	15	97.4	1,868	54	28.9	5.6	585,420	9,658	16.5
35	Males	77	4	81	8	(*)	962	26	27.0	4.7	306,400	5,513	18.0
36	Females	69	4	73	7	(*)	906	28	30.9	6.8	279,020	4,145	14.9
37	Colored	326	63	389	94	241.6	1,625	148	91.1	218.0	31,435	679	21.6
38	Males	148	38	186	54	290.3	808	86	106.4	224.5	17,315	383	22.1
39	Females	178	25	203	40	197.0	817	62	75.9	209.5	14,120	296	21.0
40	Danville	324	38	362	58	160.2	1,521	85	55.9	272.4	16,354	312	19.1
41	Males	156	23	179	35	195.5	732	49	66.9	257.9	8,026	190	23.7
42	Females	168	15	183	23	125.7	789	36	45.6	295.1	8,328	122	14.6
43	White	312	37	349	57	163.3	1,461	84	57.5	286.7	15,714	293	18.6
44	Males	150	23	173	35	202.3	708	49	69.2	276.8	7,681	177	23.0
45	Females	162	14	176	22	125.0	753	35	46.5	301.7	8,033	116	14.4
46	Native	311	37	348	57	163.8	1,459	83	56.9	395.2	14,281	210	14.7
47	Males	149	23	172	35	203.5	707	49	69.3	395.2	6,917	124	17.9
48	Females	162	14	176	22	125.0	752	34	45.2	(*)	7,364	86	11.7
49	Foreign	1		1			2				1,433	49	34.2
50	Males	1		1			1				764	31	40.6
51	Females						1				669	18	26.9

* Data insufficient for rates.

CAUSES, BY SEX, COLOR, GENERAL NATIVITY, AND PARENT NATIVITY: CENSUS YEAR 1900—Continued.

CAUSE OF DEATH.																		
Measles.	Scarlet fever.	Diphtheria and croup.	Whooping cough.	Malarial fever.	Influenza.	Typhoid fever.	Diarrheal diseases.	Consumption.	Cancer and tumor.	Heart disease and dropsy.	Pneumonia.	Diseases of the liver.	Diseases of the nervous system.	Diseases of the urinary organs.	Affections connected with pregnancy.	Old age.	Unknown.	All other causes.
.....	2	10		1	6	10	25	29	22	30	38	7	59	16	1	9	4	93
.....	2	4		1	3	4	13	18	10	9	25	4	27	13		3	4	57
.....	6			3	3	6	12	11	12	21	13	3	32	3	1	6		36
.....	2	10		1	6	10	23	28	22	28	37	7	59	16	1	9	4	89
.....	2	4		1	3	4	13	18	10	9	24	4	27	13		3	4	55
.....	6			3	3	6	10	10	12	19	13	3	32	3	1	6		34
.....	2	10			2	10	21	20	8	17	23	5	47	9	1	7	1	63
.....	2	4			2	4	12	14	3	7	15	2	19	7		2	1	37
.....	6					6	9	6	5	10	8	3	28	2	1	5		26
.....				1	4		2	8	14	11	14	2	12	7		2	3	26
.....				1	1		1	4	7	2	9	2	8	6		1	3	18
.....				3	3		1	4	7	9	5		4	1		1		8
.....		7	7	5	1	14	17	27	9	13	21	5	37	14	2	8	2	80
.....		5	1	4		10	10	14	4	6	15	2	22	11		2	1	43
.....	2	6	1	1	1	4	7	13	5	7	6	3	15	3	2	6	1	37
.....	7	7	5	1	14	17	25	9	13	20	5	36	14	2	2	7	1	80
.....		5	1	4		10	10	13	4	6	21	2	21	11		2		43
.....	2	6	1	1	1	4	7	12	5	7	6	3	15	3	2	5	1	37
.....	7	7	5			12	15	20	2	5	12	3	23	4	2		1	44
.....		5	1	4		8	8	8		3	8	1	14	3				26
.....	2	6	1			4	7	12	2	2	4	2	9	1	2		1	18
.....				1	2	2	4	7	7	6	2	13	10			7		33
.....					1	2	2	4	4	3	4	1	7	8		2		15
.....					1				3	4	2	1	6	2		5		18
276	453	1,101	153	37	149	470	2,555	3,034	1,077	1,721	3,611	363	2,893	1,410	298	464	85	7,383
127	221	531	73	25	70	265	1,333	1,748	470	918	2,052	224	1,611	806		194	49	4,418
149	232	570	80	12	79	205	1,222	1,286	607	803	1,559	139	1,282	604	298	270	36	2,965
273	453	1,094	149	35	149	459	2,526	2,865	1,064	1,669	3,508	358	2,847	1,373	292	456	84	7,200
127	221	526	71	24	70	257	1,316	1,647	466	888	1,994	219	1,589	785		191	49	4,312
146	232	568	78	11	79	202	1,210	1,218	598	781	1,514	139	1,258	588	292	265	35	2,888
271	443	1,075	149	27	70	271	2,289	1,463	343	720	2,149	163	1,956	610	149	106	49	4,694
125	216	517	71	19	35	146	1,205	788	112	388	1,210	96	1,071	315		45	28	2,697
146	227	558	78	8	35	125	1,084	675	231	332	939	67	885	295	149	61	21	1,997
.....	10	18		8	77	183	237	1,382	709	930	1,343	193	879	750	142	348	34	2,415
.....	5	8		5	33	107	111	844	346	484	770	121	514	463		144	20	1,538
.....	5	10		3	44	76	126	538	363	446	573	72	365	287	142	204	14	877
3		7	4	2		11	29	169	13	52	103	5	46	37	6	8	1	183
.....		5	2	1		8	17	101	4	30	58	5	22	21		3		106
3		2	2	1		3	12	68	9	22	45		24	16	6	5	1	77
1	2	8	1	3		17	16	36	16	13	17	2	30	14	1	16	9	110
1	1	2	1			10	7	22	6	10	10	1	17	13		6	6	77
.....	1	6		3		7	9	14	10	3	7	1	13	1	1	10	3	33
1	2	8	1	2		15	16	29	15	12	17	2	30	14	1	16	8	104
1	1	2	1			8	7	17	6	9	10	1	17	13		6	6	72
.....	1	6		2		7	9	12	9	3	7	1	13	1	1	10	2	32
1	2	7	1	2		8	15	24	10	5	13	1	18	6		10	6	81
1	1	1	1			5	7	13	3	3	7		12	6		5	4	55
.....	1	6		2		3	8	11	7	2	6	1	6			5	2	26
.....						5		2	4	4	2		6	5		4	1	16
.....						3		1	3	4	1		1	5			1	12
.....						2		1	1		1		5			4		4

VITAL STATISTICS.

TABLE 19.—POPULATION, BIRTHS, DEATHS, AND DEATH RATES AT CERTAIN AGES, AND DEATHS FROM CERTAIN

AREAS.		UNDER 1 YEAR OF AGE.					UNDER 5 YEARS OF AGE.				ALL AGES.		
		Popula- tion.	Born and died in the census year.	Births during the census year.	Deaths.	Deaths under 1 per 1,000 births.	Popula- tion.	Deaths.	Death rate per 1,000 of popu- lation.	Deaths under 5 per 1,000 at all ages.	Popula- tion.	Deaths.	Death rate per 1,000 of popu- lation.
ILLINOIS—Continued.													
1	Decatur	425	38	463	59	127.4	2,004	91	45.4	256.3	20,754	355	17.1
2	Males	211	20	231	31	134.2	996	46	46.2	240.8	10,030	191	19.0
3	Females	214	18	232	28	120.7	1,008	45	44.6	274.4	10,724	164	15.3
4	White	414	37	451	57	126.4	1,949	89	45.7	258.0	20,131	345	17.1
5	Males	205	19	224	30	133.9	974	45	46.2	241.9	9,739	186	19.1
6	Females	209	18	227	27	118.9	975	44	45.1	276.7	10,392	159	15.3
7	Native	413	37	450	57	126.7	1,946	88	45.2	315.4	18,197	279	15.3
8	Males	204	19	223	30	134.5	971	44	45.3	314.3	8,791	140	15.9
9	Females	209	18	227	27	118.9	975	44	45.1	316.5	9,406	139	14.8
10	Foreign	1		1			3				1,934	52	26.9
11	Males	1		1			3				948	36	38.0
12	Females										986	16	16.2
13	Galesburg	336	23	359	32	89.1	1,735	47	27.1	174.1	18,607	270	14.5
14	Males	161	19	180	23	127.8	901	32	35.5	214.8	8,998	149	16.6
15	Females	175	4	179	9	50.3	834	15	18.0	124.0	9,609	121	12.6
16	White	325	21	346	29	83.8	1,685	44	26.1	169.9	17,867	259	14.5
17	Males	156	17	173	21	121.4	872	30	34.4	209.8	8,619	143	16.6
18	Females	169	4	173	8	46.2	813	14	17.2	120.7	9,248	116	12.5
19	Native	325	18	343	22	64.1	1,682	33	19.6	202.5	14,270	163	11.4
20	Males	156	14	170	15	88.2	869	22	25.3	(*)	6,812	85	12.5
21	Females	169	4	173	7	40.5	813	11	13.5	(*)	7,458	78	10.5
22	Foreign		2	2	6	(*)	3	10	(*)	(*)	3,597	76	21.1
23	Males		2	2	5	(*)	3	7	(*)	(*)	1,807	46	25.5
24	Females				1			3			1,790	30	16.8
25	Jacksonville	193	23	216	31	143.5	1,026	48	46.8	145.9	15,078	329	21.8
26	Males	106	14	120	18	150.0	498	27	54.2	150.8	7,177	179	24.9
27	Females	87	9	96	13	(*)	528	21	39.8	140.0	7,901	150	19.0
28	White	184	18	202	25	123.8	959	41	42.8	132.7	14,075	309	22.0
29	Males	101	10	111	14	126.1	467	22	47.1	131.7	6,692	167	25.0
30	Females	83	8	91	11	(*)	492	19	38.6	133.8	7,383	142	19.2
31	Native	184	18	202	24	118.8	959	35	36.5	227.3	12,585	154	12.2
32	Males	101	10	111	13	117.1	467	19	40.7	(*)	5,950	80	13.4
33	Females	83	8	91	11	(*)	492	16	32.5	(*)	6,635	74	11.2
34	Foreign										1,490	64	43.0
35	Males										742	40	53.9
36	Females										748	24	32.1
37	Ottawa	197	17	214	25	116.8	998	33	33.1	220.0	10,588	150	14.2
38	Males	95	8	103	12	116.5	484	15	31.0	(*)	5,119	84	16.4
39	Females	102	9	111	13	117.1	514	18	35.0	(*)	5,469	66	12.1
40	White	197	16	213	24	112.7	996	31	31.1	210.9	10,550	147	13.9
41	Males	95	8	103	12	116.5	483	15	31.1	(*)	5,093	84	16.5
42	Females	102	8	110	12	109.1	513	16	31.2	(*)	5,457	63	11.5
43	Native	196	16	212	24	113.2	995	31	31.2	303.9	8,750	102	11.7
44	Males	95	8	103	12	116.5	483	15	31.1	(*)	4,223	54	12.8
45	Females	101	8	109	12	110.1	512	16	31.3	(*)	4,527	48	10.6
46	Foreign	1		1			1				1,800	45	25.0
47	Males										870	30	34.5
48	Females	1			1		1				930	15	16.1

* Data insufficient for rates.

CAUSES, BY SEX, COLOR, GENERAL NATIVITY, AND PARENT NATIVITY: CENSUS YEAR 1900—Continued.

CAUSE OF DEATH.																		
Measles.	Scarlet fever.	Diphtheria and croup.	Whooping cough.	Malarial fever.	Influenza.	Typhoid fever.	Diarrheal diseases.	Consumption.	Cancer and tumor.	Heart disease and dropsy.	Pneumonia.	Diseases of the liver.	Diseases of the nervous system.	Diseases of the urinary organs.	Affections connected with pregnancy.	Old age.	Unknown.	All other causes.
2	3	4	1		2	8	23	43	20	32	22	3	38	15	2	14	7	116
1	1	2	4	1		3	13	15	10	15	14	3	26	10		8	2	70
1	2	4	1		2	5	10	28	10	17	8		12	5	2	6	5	46
2	3	4	1		2	8	21	43	20	28	21	3	37	15	2	14	5	116
1	1	2	4	1		3	12	15	10	14	13	3	25	10		8	1	70
1	2	4	1		2	5	9	28	10	14	8		12	5	2	6	4	46
2	3	4	1		2	6	20	38	13	20	21	1	26	6	2	9	4	101
1	1	2	4	1		1	12	12	6	7	13	1	17	6		3	1	59
1	2	4	1		2	5	8	26	7	13	8		9		2	6	3	42
.....						2	1	5	7	6		2	6	6		5	1	11
.....						2		3	4	5		2	5	2		5		8
.....						1	1	2	3	1			1	4			1	3
7	1	11	1	1	2	4	11	28	17	24	25	8	34	23	2	5	2	64
5	1	8			1	3	5	12	8	16	16	3	19	15		3	1	33
2		3	1	1	1	1	6	16	9	8	9	5	15	8	2	2	1	31
7	1	10		1	2	4	9	28	16	23	25	8	32	23	2	4	2	62
5	1	7			1	3	5	12	7	15	16	3	18	15		2	1	32
2		3		1	1	1	4	16	9	8	9	5	14	8	2	2	1	30
5	1	8		1	1	2	3	19	6	18	11	4	19	15	2	3	2	43
4	1	6			1	1	2	6	3	11	6		10	8		2	1	23
1		2		1		1	1	13	3	7	5	4	9	7	2	1	1	20
2		2				1	5	8	7	5	11	3	11	7		1		13
1		1				1	3	5	3	4	7	2	7	6				6
1		1					2	3	4	1	4	1	4	1		1		7
.....	1	4	1		6	10	23	38	10	29	18	2	60	19	1	18	4	85
.....	1	3	1		2	3	13	16	4	15	13	1	42	13		9		45
.....	1	1	1		4	7	10	22	6	14	5	1	18	6	1	9	4	40
.....	1	3	1		5	9	21	34	10	28	17	2	58	18	1	17	4	80
.....	1	2	1		2	2	12	13	4	15	12	1	42	12		9		41
.....	1	1	1		3	7	9	21	6	13	5	1	16	6	1	8	4	39
.....	1	2	1		4	10	19	2	7	8	8	1	28	12		8	2	49
.....	1	2					6	7	1	1	6		18	7		6		26
.....	1	1	1			4	4	12	1	6	2	1	10	5		2	2	23
.....					2		6	4	4	17	5		9	1		5	1	10
.....					1		3	2	1	12	3		8	1		3		6
.....					1		3	2	3	5	2		1			2	1	4
.....	2	5				3	5	16	6	12	11	3	24	7	1	16	1	38
.....		5				2	2	9	3	8	3	1	13	6		11	1	20
.....	2					1	3	7	3	4	8	2	11	1	1	5		18
.....	1	5				3	5	16	6	12	11	3	24	7	1	16	1	36
.....		5				2	2	9	3	8	3	1	13	6		11	1	20
.....	1					1	3	7	3	4	8	2	11	1	1	5		16
.....	1	5				3	5	11	3	7	9	2	20	3	1	6	1	25
.....		5				2	2	9		8	2		13	6		3		44
.....	1					1	3	6	3	1	7	1	10	3	1	3	1	14
.....								5	3	5	2	1	4	4		10		11
.....								4	3	2	1		3	3		8		6
.....								1		3	1	1	1	1		2		5

VITAL STATISTICS.

TABLE 19.—POPULATION, BIRTHS, DEATHS, AND DEATH RATES AT CERTAIN AGES, AND DEATHS FROM CERTAIN

AREAS.		UNDER 1 YEAR OF AGE.					UNDER 5 YEARS OF AGE.				ALL AGES.		
		Popula- tion.	Born and died in the census year.	Births during the census year.	Deaths.	Deaths under 1 per 1,000 births.	Popula- tion.	Deaths.	Death rate per 1,000 of popu- lation.	Deaths under 5 per 1,000 at all ages.	Popula- tion.	Deaths.	Death rate per 1,000 of popu- lation.
ILLINOIS—Continued.													
1	Quincy.....	670	62	732	81	110.7	3,220	122	37.9	219.4	36,252	556	15.3
2	Males.....	344	33	377	45	119.4	1,622	67	41.3	225.6	17,505	297	17.0
3	Females.....	326	29	355	36	101.4	1,598	55	34.4	212.4	18,747	259	13.8
4	White.....	635	55	690	74	107.2	3,054	110	36.0	211.9	34,213	519	15.2
5	Males.....	321	31	352	43	122.2	1,535	61	39.7	217.1	16,548	281	17.0
6	Females.....	314	24	338	31	91.7	1,519	49	32.3	205.9	17,665	238	13.5
7	Native.....	634	55	689	74	107.4	3,051	108	35.4	301.7	29,265	358	12.2
8	Males.....	320	31	351	43	122.5	1,532	60	39.2	310.9	14,007	193	13.8
9	Females.....	314	24	338	31	91.7	1,519	48	31.6	290.9	15,258	165	10.8
10	Foreign.....	1		1			3	1	(*)	7.1	4,948	140	28.3
11	Males.....	1		1			3	1	(*)	(*)	2,541	77	30.3
12	Females.....										2,407	63	26.2
13	Springfield.....	675	71	746	113	151.5	3,291	172	52.3	267.9	34,159	642	18.8
14	Males.....	349	41	390	57	146.2	1,658	91	54.9	260.7	16,582	349	21.0
15	Females.....	326	30	356	56	157.3	1,633	81	49.6	276.5	17,577	293	16.7
16	White.....	644	64	708	101	142.7	3,079	158	51.3	267.8	31,925	590	18.5
17	Males.....	335	37	372	53	142.5	1,551	85	54.8	261.5	15,471	325	21.0
18	Females.....	309	27	336	48	142.9	1,528	73	47.8	275.5	16,454	265	16.1
19	Native.....	643	64	707	99	140.0	3,068	156	50.8	357.8	27,288	436	16.0
20	Males.....	335	37	372	52	139.8	1,544	84	54.4	370.0	13,118	227	17.3
21	Females.....	308	27	335	47	140.3	1,524	72	47.2	344.5	14,170	209	14.7
22	Foreign.....	1		1	2	(*)	11	2	(*)	14.0	4,637	143	30.8
23	Males.....				1		7	1	(*)	(*)	2,353	92	39.1
24	Females.....	1		1	1	(*)	4	1	(*)	(*)	2,284	51	22.3
25	INDIANA.....	57,993	4,231	62,224	5,850	(*)	274,799	8,970	(*)	267.1	2,516,462	33,586	(*)
26	Males.....	29,726	2,406	32,132	3,294	(*)	139,532	4,898	(*)	280.6	1,285,404	17,454	(*)
27	Females.....	28,267	1,825	30,092	2,556	(*)	135,267	4,072	(*)	252.4	1,231,058	16,132	(*)
28	White.....	57,009	4,075	61,084	5,635	(*)	269,711	8,649	(*)	267.7	2,458,502	32,312	(*)
29	Males.....	29,245	2,314	31,559	3,170	(*)	137,011	4,719	(*)	281.1	1,255,378	16,789	(*)
30	Females.....	27,764	1,761	29,525	2,465	(*)	132,700	3,930	(*)	253.2	1,203,124	15,523	(*)
31	Native.....	56,990	4,064	61,054	5,606	(*)	269,406	8,585	(*)	303.3	2,316,641	28,307	(*)
32	Males.....	29,231	2,306	31,537	3,152	(*)	136,864	4,680	(*)	323.2	1,176,891	14,480	(*)
33	Females.....	27,759	1,758	29,517	2,454	(*)	132,542	3,905	(*)	282.4	1,139,750	13,827	(*)
34	Both parents native ¹ {M.....	26,114	1,948	28,062	2,654	(*)	121,120	3,996	(*)	360.4	985,522	11,089	(*)
35	One or both parents foreign. ¹ {F.....	24,733	1,491	26,224	2,059	(*)	117,113	3,303	(*)	307.3	950,361	10,747	(*)
36	Foreign.....	2,870	216	3,086	300	(*)	14,558	419	(*)	258.0	180,031	1,624	(*)
37	Males.....	2,786	173	2,959	257	(*)	14,278	396	(*)	250.5	176,880	1,581	(*)
38	Females.....	19	2	21	4	(*)	305	16	(*)	4.9	141,861	3,247	(*)
39	Colored.....	984	156	1,140	215	(*)	5,088	321	(*)	252.0	57,960	1,274	(*)
40	Males.....	481	92	573	124	(*)	2,521	179	(*)	269.2	30,026	665	(*)
41	Females.....	503	64	567	91	(*)	2,567	142	(*)	233.2	27,934	609	(*)
42	Columbus.....	158	15	173	28	161.8	753	45	59.8	277.8	8,130	162	19.9
43	Males.....	74	9	83	10	(*)	367	19	51.8	(*)	3,999	76	19.0
44	Females.....	84	6	90	18	(*)	386	26	67.4	(*)	4,131	86	20.8
45	White.....	153	15	168	26	154.8	731	42	57.5	274.5	7,906	153	19.4
46	Males.....	73	9	82	10	(*)	359	19	52.9	(*)	3,897	72	18.5
47	Females.....	80	6	86	16	(*)	372	23	61.8	(*)	4,009	81	20.2
48	Native.....	153	15	168	26	154.8	731	42	57.5	300.0	7,593	140	18.4
49	Males.....	73	9	82	10	(*)	359	19	52.9	(*)	3,714	64	17.2
50	Females.....	80	6	86	16	(*)	372	23	61.8	(*)	3,879	76	19.6
51	Foreign.....										313	9	28.8
52	Males.....										183	5	27.3
53	Females.....										130	4	30.8

¹ Population excluded for areas not reporting deaths by nativity of persons and parents.

* Data insufficient for rates

329

CAUSE OF DEATH.																			
Measles.	Scarlet fever.	Diphtheria and croup.	Whooping cough.	Malarial fever.	Influenza.	Typhoid fever.	Diarrheal diseases.	Consumption.	Cancer and tumor.	Heart disease and dropsy.	Pneumonia.	Diseases of the liver.	Diseases of the nervous system.	Diseases of the urinary organs.	Affections connected with pregnancy.	Old age.	Unknown.	All other causes.	
1	4	14	1	1	2	8	32	64	22	48	50	7	72	20	3	30	7	170	1
1	1	7	1	1	2	5	16	39	9	27	25	6	38	13	3	12	5	91	2
1	3	7				3	16	25	13	21	25	1	34	7	3	18	2	79	3
1	4	14		1	2	8	32	55	21	45	47	7	69	18	3	27	7	158	4
1	1	7		1	2	5	16	35	9	26	25	6	36	12	3	11	5	85	5
1	3	7				3	16	20	12	19	22	1	33	6	3	16	2	73	6
1	4	14			1	6	26	43	8	27	31	4	49	12	3	6	5	118	7
1	1	7				3	14	26	4	14	17	3	27	9	3	3	3	61	8
1	3	7			1	3	12	17	4	13	14	1	22	3	3	3	2	57	9
				1		2	6	12	10	17	14	3	16	5		19	2	33	10
				1		2	2	9	4	11	6	3	8	2		8	2	19	11
						4	3	6	6	6	8		8	3		11		14	12
	5	30			11	19	42	73	19	55	31	9	85	28	3	18	8	206	13
	3	16			5	13	19	31	9	24	17	6	50	18		10	6	122	14
	2	14			6	6	23	42	10	31	14	3	35	10	3	8	2	84	15
	5	29			6	18	39	62	17	49	30	9	81	28	2	15	7	193	16
	3	15			2	12	17	27	8	22	17	6	49	18		8	5	116	17
	2	14			4	6	22	35	9	27	13	3	32	10	2	7	2	77	18
	5	29			4	14	34	50	8	33	24	4	62	20	1	6	4	138	19
	3	15			1	8	15	21	4	14	13	3	35	13		4	2	76	20
	2	14			3	6	19	29	4	19	11	1	27	7	1	2	2	62	21
					2	4	5	12	9	15	6	5	15	7		9	2	52	22
					1	4	2	6	4	8	4	3	12	4		4	2	38	23
					1		3	6	5	7	2	2	3	3		5		14	24
107	164	841	201	340	456	1,496	2,267	4,232	1,131	2,568	2,919	459	4,136	1,378	267	1,004	621	8,999	25
44	70	400	93	168	210	766	1,225	1,846	447	1,382	1,518	244	2,273	860		482	342	5,084	26
63	94	441	108	172	246	730	1,042	2,386	684	1,186	1,401	215	1,863	518	267	522	279	3,915	27
99	162	827	193	321	440	1,441	2,197	3,992	1,105	2,479	2,775	448	4,026	1,331	258	978	608	8,632	28
40	69	396	90	159	203	728	1,185	1,721	439	1,344	1,423	238	2,212	834					

TABLE 19.—POPULATION, BIRTHS, DEATHS, AND DEATH RATES AT CERTAIN AGES, AND DEATHS FROM CERTAIN

	AREAS.	UNDER 1 YEAR OF AGE.					UNDER 5 YEARS OF AGE.				ALL AGES.		
		Popula- tion.	Born and died in the census year.	Births during the census year.	Deaths.	Deaths under 1 per 1,000 births.	Popula- tion.	Deaths.	Death rate per 1,000 of popu- lation.	Deaths under 5 per 1,000 at all ages.	Popula- tion.	Deaths.	Death rate per 1,000 of popu- lation.
	INDIANA—Continued.												
1	Evansville	1,072	141	1,213	217	178.9	5,482	298	54.4	285.2	59,007	1,045	17.7
2	Males	541	81	622	131	210.6	2,764	178	64.4	311.2	28,787	572	19.9
3	Females	531	60	591	86	145.5	2,718	120	44.2	253.7	30,220	473	15.7
4	White	958	113	1,071	179	167.1	4,843	244	50.4	278.9	51,486	875	17.0
5	Males	493	67	560	111	198.2	2,452	148	60.4	306.4	25,026	483	19.3
6	Females	465	46	511	68	133.1	2,391	96	40.2	244.9	26,460	392	14.8
7	Native	958	113	1,071	179	167.1	4,841	244	50.4	374.2	45,865	652	14.2
8	Males	493	67	560	111	198.2	2,451	148	60.4	429.0	22,143	345	15.6
9	Females	465	46	511	68	133.1	2,390	96	40.2	312.7	23,722	307	12.9
10	Foreign						2				5,621	202	35.9
11	Males						1				2,883	125	43.4
12	Females						1				2,738	77	28.1
13	Indianapolis.....	3,066	396	3,462	532	153.7	14,563	769	52.8	273.0	169,164	2,817	16.7
14	Males	1,541	245	1,786	317	177.5	7,317	439	60.0	306.1	83,523	1,434	17.2
15	Females	1,525	151	1,676	215	128.3	7,246	330	45.5	238.6	85,641	1,383	16.1
16	White	2,814	346	3,160	456	144.3	13,396	664	49.6	272.5	153,201	* 2,437	15.9
17	Males	1,414	216	1,630	275	168.7	6,725	382	56.8	304.6	75,589	1,254	16.6
18	Females	1,400	130	1,530	181	118.3	6,671	282	42.3	238.4	77,612	1,183	15.2
19	Native	2,814	345	3,159	455	144.0	13,367	663	49.6	336.0	136,131	1,973	14.5
20	Males	1,414	215	1,629	274	168.2	6,708	381	56.8	374.6	66,649	1,017	15.3
21	Females	1,400	130	1,530	181	118.3	6,659	282	42.3	295.0	69,482	956	13.8
22	Both parents native. } M..	1,107	149	1,256	194	154.5	5,153	273	53.0	421.3	48,156	648	13.5
	Both parents native. } F..	1,076	88	1,164	116	99.7	5,007	187	37.3	323.0	49,616	579	11.7
23	One or both parents } M..	307	36	343	43	125.4	1,555	61	39.2	340.8	18,493	179	9.7
	One or both parents } F..	324	30	354	44	124.3	1,652	64	38.7	349.7	19,866	183	9.2
24	Foreign		1	1	1	(*)	29	1	(*)	2.4	17,070	410	24.0
25	Males		1	1	1	(*)	17	1	(*)	4.7	8,940	211	23.6
26	Females						12				8,130	199	24.5
27	Colored	252	50	302	76	251.7	1,167	105	90.0	276.3	15,963	380	23.8
28	Males	127	29	156	42	269.2	592	57	96.3	316.7	7,934	180	22.7
29	Females	125	21	146	34	232.9	575	48	83.5	240.0	8,029	200	24.9
30	Jeffersonville	225	18	243	27	111.1	1,063	48	45.2	211.5	10,774	227	21.1
31	Males	121	10	131	15	114.5	550	26	47.3	222.2	5,198	117	22.5
32	Females	104	8	112	12	107.1	513	22	42.9	200.0	5,576	110	19.7
33	White	198	12	210	20	95.2	889	37	41.6	218.9	8,954	169	18.9
34	Males	106	6	112	10	89.3	466	18	38.6	(*)	4,340	81	18.7
35	Females	92	6	98	10	(*)	423	19	44.9	(*)	4,614	88	19.1
36	Native	198	12	210	20	95.2	888	37	41.7	264.3	8,341	140	16.8
37	Males	106	6	112	10	89.3	465	18	38.7	(*)	4,036	65	16.1
38	Females	92	6	98	10	(*)	423	19	44.9	(*)	4,305	75	17.4
39	Foreign						1				613	29	47.3
40	Males						1				304	16	52.6
41	Females										309	13	42.1
42	Lafayette	296	32	328	45	137.2	1,483	63	42.5	212.8	18,116	296	16.3
43	Males	144	20	164	29	176.8	737	43	58.3	270.4	8,591	159	18.5
44	Females	152	12	164	16	97.6	746	20	26.8	146.0	9,525	137	14.4
45	White	289	31	320	44	137.5	1,450	62	42.8	212.3	17,765	292	16.4
46	Males	141	19	160	28	175.0	722	42	58.2	267.5	8,403	157	18.7
47	Females	148	12	160	16	100.0	728	20	27.5	148.1	9,362	135	14.4
48	Native	289	30	319	37	116.0	1,449	53	36.6	289.6	15,506	183	11.8
49	Males	141	18	159	22	138.4	721	35	48.5	324.1	7,302	108	14.8
50	Females	148	12	160	15	93.8	728	18	24.7	(*)	8,204	75	9.1
51	Foreign						1				2,259	50	22.1
52	Males						1				1,101	22	20.0
53	Females										1,158	28	24.2

*Data insufficient for rates.

331

CAUSE OF DEATH.																		
Measles.	Scarlet fever.	Diphtheria and croup.	Whooping cough.	Malarial fever.	Influenza.	Typhoid fever.	Diarrheal diseases.	Consumption.	Cancer and tumor.	Heart disease and dropsy.	Pneumonia.	Diseases of the liver.	Diseases of the nervous system.	Diseases of the urinary organs.	Affections connected with pregnancy.	Old age.	Unknown.	All other causes.
10	1	13	6	22	9	45	84	143	32	55	89	13	126	52	4	12	3	326
5	1	6	2	8	3	21	51	72	12	25	54	10	79	32	7	7	184	184
5		7	4	14	6	24	33	71	20	30	35	3	47	20	4	5	3	142
9	1	12	2	18	5	41	78	117	31	46	63	12	110	46	4	11	2	267
4	1	6	1	8	2	19	47	58	12	21	35	9	68	30	7	7	155	155
5		6	1	10	3	22	31	59	19	25	28	3	42	16	4	4	2	112
9	1	12	2	11	2	32	72	86	20	28	52	6	80	20	4	2	2	211
4	1	6	1	4	1	15	44	35	8	15	30	4	46	11	1	1	119	119
5		6	1	7	1	17	28	51	12	13	22	2	34	9	4	1	2	92
				7	3	8	6	23	11	18	9	6	27	26		9		49
				4	1	3	3	19	4	6	3	5	20	19		6		32
				3	2	5	3	4	7	12	6	1	7	7		3		17
5	24	64	7	14	47	77	176	342	112	180	234	42	369	124	12	100	20	868
3	10	29	3	4	17	43	98	176	36	99	126	22	198	64	39	11	456	456
2	14	35	4	10	30	34	78	166	76	81	108	20	171	60	61	9	412	412
4	24	56	7	14	42	69	145	271	103	155	189	41	339	108	10	94	20	746
3	10	28	3	4	15	37	84	143	33	87	96	21	186	54	38	11	401	401
1	14	28	4	10	27	32	61	128	70	68	93	20	153	54	56	9	345	345
4	24	56	7	10	35	63	135	234	73	102	156	33	270	78	9	50	16	618
3	10	28	3	3	12	34	77	119	23	60	81	16	149	32	23	9	335	335
1	14	28	4	7	23	29	58	115	50	42	75	17	121	46	27	7	283	283
3	9	19	1	1	9	22	60	70	12	41	53	12	92	20	15	4	205	205
	10	20	3	3	14	23	31	66	27	25	50	10	71	25	14	5	176	176
	1	8			4	8	7	29	5	9	18	1	24	8	1	3	57	57
1	4	5		2	4	4	13	28	5	8	15	2	15	14	2	2	1	88
				3	6	5	10	34	24	46	30	7	63	28	1	42	3	108
				1	2	2	7	22	8	23	15	4	36	20	15	1	55	55
				2	4	3	3	12	16	23	15	3	27	8	27	2	26	26
1		8		5	8	31	71	9	25	45	1	30	16	2	6		122	122
		1		2	6	14	33	3	12	30	1	12	10		1		5	

TABLE 19.—POPULATION, BIRTHS, DEATHS, AND DEATH RATES AT CERTAIN AGES, AND DEATHS FROM CERTAIN

AREAS.		UNDER 1 YEAR OF AGE.					UNDER 5 YEARS OF AGE.				ALL AGES.		
		Popula- tion.	Born and died in the census year.	Births during the census year.	Deaths.	Deaths under 1 per 1,000 births.	Popula- tion.	Deaths.	Death rate per 1,000 of popu- lation.	Deaths under 5 per 1,000 at all ages.	Popula- tion.	Deaths.	Death rate per 1,000 of popu- lation.
INDIANA—Continued.													
1	Michigan City	339	37	376	58	154.3	1,634	73	44.7	347.6	14,850	210	14.1
2	Males	170	21	191	27	141.4	817	36	44.1	305.1	8,114	118	14.5
3	Females	169	16	185	31	167.6	817	37	45.3	(*)	6,736	92	13.7
4	White	339	37	376	58	154.3	1,632	73	44.7	351.0	14,653	208	14.2
5	Males	170	21	191	27	141.4	815	36	44.2	310.3	7,940	116	14.6
6	Females	169	16	185	31	167.6	817	37	45.3	(*)	6,713	92	13.7
7	Native	339	36	375	56	149.3	1,627	70	43.0	476.2	10,994	147	13.4
8	Males	170	21	191	27	141.4	814	35	43.0	(*)	5,948	83	14.0
9	Females	169	15	184	29	157.6	813	35	43.1	(*)	5,046	64	12.7
10	Foreign		1	1	2	(*)	5	3	(*)	(*)	3,659	60	16.4
11	Males						1	1	(*)	(*)	1,992	32	16.1
12	Females		1	1	2	(*)	4	2	(*)	(*)	1,667	28	16.8
13	Muncie	477	47	524	67	127.9	2,004	88	43.9	307.7	20,942	286	13.7
14	Males	259	28	287	42	146.3	998	52	52.1	356.2	10,856	146	13.4
15	Females	218	19	237	25	105.5	1,006	36	35.8	257.1	10,086	140	13.9
16	White	467	46	513	65	126.7	1,954	84	43.0	307.7	20,195	273	13.5
17	Males	252	27	279	41	147.0	967	50	51.7	352.1	10,463	142	13.6
18	Females	215	19	234	24	102.6	987	34	34.4	259.5	9,732	131	13.5
19	Native	467	46	513	65	126.7	1,952	84	43.0	333.3	18,969	252	13.3
20	Males	252	27	279	41	147.0	966	50	51.8	406.5	9,770	123	12.6
21	Females	215	19	234	24	102.6	986	34	34.5	263.6	9,199	129	14.0
22	Foreign						2				1,226	15	12.2
23	Males						1				693	13	18.8
24	Females						1				533	2	3.8
25	Peru	184	16	200	27	135.0	765	39	51.0	286.8	8,463	136	16.1
26	Males	104	9	113	16	141.6	394	20	50.8	(*)	4,255	69	16.2
27	Females	80	7	87	11	(*)	371	19	51.2	(*)	4,208	67	15.9
28	White	183	16	199	25	125.6	761	37	48.6	276.1	8,395	134	16.0
29	Males	103	9	112	14	125.0	391	18	46.0	(*)	4,216	67	15.9
30	Females	80	7	87	11	(*)	370	19	51.4	(*)	4,179	67	16.0
31	Native	183	16	199	25	125.6	760	37	48.7	308.3	7,659	120	15.7
32	Males	103	9	112	14	125.0	390	18	46.2	(*)	3,838	57	14.9
33	Females	80	7	87	11	(*)	370	19	51.4	(*)	3,821	63	16.5
34	Foreign						1				736	13	17.7
35	Males						1				378	9	23.8
36	Females										358	4	11.2
37	Richmond	275	28	303	38	125.4	1,403	52	37.1	178.1	18,226	292	16.0
38	Males	140	11	151	16	106.0	706	22	31.2	156.0	8,823	141	16.0
39	Females	135	17	152	22	144.7	697	30	43.0	198.7	9,403	151	16.1
40	White	267	26	293	36	122.9	1,329	49	36.9	184.2	17,211	266	15.5
41	Males	138	11	149	16	107.4	682	21	30.8	162.8	8,342	129	15.5
42	Females	129	15	144	20	138.9	647	28	43.3	204.4	8,869	137	15.4
43	Native	267	25	292	34	116.4	1,327	46	34.7	211.0	15,753	218	13.8
44	Males	138	10	148	15	101.4	681	20	29.4	198.0	7,620	101	13.3
45	Females	129	15	144	19	131.9	646	26	40.2	222.2	8,133	117	14.4
46	Foreign						2				1,468	30	20.6
47	Males						1				722	19	26.3
48	Females						1				736	11	14.9

*Data insufficient for rates.

CAUSES, BY SEX, COLOR, GENERAL NATIVITY, AND PARENT NATIVITY: CENSUS YEAR 1900—Continued.

CAUSE OF DEATH.																		
Measles.	Scarlet fever.	Diphtheria and croup.	Whooping cough.	Malarial fever.	Influenza.	Typhoid fever.	Diarrheal diseases.	Consumption.	Cancer and tumor.	Heart disease and dropsy.	Pneumonia.	Diseases of the liver.	Diseases of the nervous system.	Diseases of the urinary organs.	Affections connected with pregnancy.	Old age.	Unknown.	All other causes.
	3	13		1		3	20	11	10	20	9	3	40	17		4		56
	1	10		1		2	8	5	3	13	5	1	22	11		2		34
	2	3				1	12	6	7	7	4	2	18	6		2		22
	3	13		1		3	20	11	10	20	9	3	39	17		4		55
	1	10		1		2	8	5	3	13	5	1	21	11		2		33
	2	3				1	12	6	7	7	4	2	18	6		2		22
	2	12		1		3	18	10	3	12	6	2	31	5		2		40
	2	10		1		2	6	4		9	3	1	17	3		1		26
	2	2				1	12		3	3	3	1	14	2		1		14
	1	1					2	1	7	8	3	1	8	11		2		15
	1						2	1	3	4	2		4	7		1		7
		1							4	4	1	1	4	4		1		8
	2	1	3	2	1	10	21	42	5	27	18	5	35	11	5	5	1	91
	1	1	1	1	1	6	10	18	2	15	9	2	19	8		1	1	49
	1	2	1			4	11	24	3	12	9	3	16	3	5	4		42
	2	1	3	2	1	7	18	40	5	26	18	4	35	11	5	5	1	88
	1	1	1	1	1	4	8	18	2	15	9	2	19	8		1	1	49
	1	2	1			3	10	22	3	11	9	2	16	3	5	4		39
	2	1	3	2	1	7	18	36	5	21	17	4	33	9	3	5	1	83
	1	1	1	1	1	4	8	14	2	10	8	2	17	6		1	1	44
	1	2	1			3	10	22	3	11	9	2	16	3	3	4		39
								1		5	1		2	1	2			3
								1		5	1		2	1				3
															2			2
	1	1	2	1	2	10	11	14	5	14	8	2	14	8	1	2		40
		1	2		2	4	5	8		6	4	1	9	7				20
	1		1			6	6	6	5	8	4	1	5	1	1	2		20
	1	1	2	1	2	10	11	14	5	14	8	2	12	8	1	2		40
		1	2		2	4	5	8		6	4	1	7	7				20
	1		1			6	6	6	5	8	4	1	5	1	1	2		20
	1	1	2	1	2	8	10	13	5	13	8	2	11	6	1	1		35
		1	2		2	3	4	7		5	4	1	7	5				16
	1			1		5	6	6	5	8	4	1	4	1	1	1		19
						2	1	1		1			1	2		1		4
						1	1	1		1				2				3
						1							1			1		1
	1	12	1		4	10	4	37	12	21	23	5	44	21	3	23	2	69
		4	1		3	8	2	17	2	11	6	3	23	12		13	1	35
	1	8			1	2	2	20	10	10	17	2	21	9	3	10	1	34
	1	12	1		4	7	4	33	12	18	22	3	41	18	2	21	2	65
		4	1		3	5	2	15	2	9	6	2	22	12		13	1	32
	1	8			1	2	2	18	10	9	16	1	19	6	2	8	1	33
	1	12	1		4	4	3	26	10	16	17	2	35	13	1	13	2	58
		4	1		3	3	1	11	2	8	4	1	18	8		8	1	28
	1	8			1	1	2	15	8	8	13	1	17	5	1	5	1	30
						3	1	5	1	1	4		1	4		6		4
						2	1	4			2		1	3		4		2
						1		1	1	1	2			1		2		2

TABLE 19.—POPULATION, BIRTHS, DEATHS, AND DEATH RATES AT CERTAIN AGES, AND DEATHS FROM CERTAIN

	AREAS.	UNDER 1 YEAR OF AGE.					UNDER 5 YEARS OF AGE.				ALL AGES.		
		Popula- tion.	Born and died in the census year.	Births during the census year.	Deaths.	Deaths under 1 per 1,000 births.	Popula- tion.	Deaths.	Death rate per 1,000 of popu- lation.	Deaths under 5 per 1,000 at all ages.	Popula- tion.	Deaths.	Death rate per 1,000 of popu- lation.
	INDIANA—Continued.												
1	Terre Haute	701	88	789	119	150.8	3,398	164	48.3	279.4	36,673	587	16.0
2	Males	360	38	398	57	143.2	1,721	83	48.2	276.7	17,802	300	16.9
3	Females	341	50	391	62	158.6	1,672	81	48.4	282.2	18,871	287	15.2
4	White	665	81	746	109	146.1	3,246	150	46.2	270.3	35,146	555	15.8
5	Males	342	33	375	50	133.3	1,648	74	44.9	261.5	17,031	283	16.6
6	Females	323	48	371	59	159.0	1,598	76	47.6	279.4	18,115	272	15.0
7	Native	665	81	746	109	146.1	3,245	149	45.9	343.3	32,201	434	13.5
8	Males	342	33	375	50	133.3	1,648	73	44.3	347.6	15,500	210	13.5
9	Females	323	48	371	59	159.0	1,597	76	47.6	339.3	16,701	224	13.4
10	Foreign						1				2,945	89	30.2
11	Males						1				1,531	52	34.0
12	Females										1,414	37	26.2
13	Vincennes	198	19	217	39	179.7	949	63	66.4	321.4	10,249	196	19.1
14	Males	89	8	97	19	(*)	485	33	68.0	(*)	4,987	85	17.0
15	Females	109	11	120	20	166.7	464	30	64.7	270.3	5,262	111	21.1
16	White	187	19	206	39	189.3	910	63	69.2	342.4	9,814	184	18.7
17	Males	87	8	95	19	(*)	472	33	69.9	(*)	4,777	80	16.7
18	Females	100	11	111	20	180.2	438	30	68.5	288.5	5,037	104	20.6
19	Native	187	19	206	39	189.3	908	61	67.2	401.3	9,081	152	16.7
20	Males	87	8	95	19	(*)	470	31	66.0	(*)	4,383	63	14.4
21	Females	100	11	111	20	180.2	438	30	68.5	(*)	4,698	89	18.9
22	Foreign						2				733	22	30.0
23	Males						2				394	12	30.5
24	Females										339	10	29.5
25	INDIAN TERRITORY	12,783	799	13,582	1,220	(*)	59,985	2,467	(*)	466.7	392,060	5,286	(*)
26	Males	6,455	448	6,903	668	(*)	30,256	1,298	(*)	464.4	208,952	2,795	(*)
27	Females	6,328	351	6,679	552	(*)	29,729	1,169	(*)	469.3	183,108	2,491	(*)
28	White	9,552	611	10,163	957	(*)	45,546	1,902	(*)	483.2	302,680	3,936	(*)
29	Males	4,865	341	5,206	519	(*)	23,145	1,016	(*)	479.5	163,683	2,119	(*)
30	Females	4,687	270	4,957	438	(*)	22,401	886	(*)	487.6	138,997	1,817	(*)
31	Native	9,551	611	10,162	956	(*)	45,523	1,898	(*)	491.3	297,894	3,863	(*)
32	Males	4,864	341	5,205	518	(*)	23,132	1,014	(*)	486.8	160,436	2,083	(*)
33	Females	4,687	270	4,957	438	(*)	22,391	884	(*)	496.6	137,458	1,780	(*)
34	Both parents native ¹ (M..)	4,734	325	5,059	498	(*)	22,463	976	(*)	512.9	154,706	1,903	(*)
35	One or both parents foreign ¹ (F..)	4,537	259	4,796	425	(*)	21,683	860	(*)	522.8	132,941	1,645	(*)
36	Foreign	1		1			23				4,786	37	(*)
37	Males	1		1			13				3,247	23	(*)
38	Females						10				1,539	14	(*)
39	Colored	3,231	188	3,419	263	(*)	14,439	565	(*)	418.5	89,380	1,350	(*)
40	Males	1,590	107	1,697	149	(*)	7,111	282	(*)	417.2	45,269	676	(*)
41	Females	1,641	81	1,722	114	(*)	7,328	283	(*)	419.9	44,111	674	(*)
42	IOWA	54,768	2,441	57,209	3,256	(*)	263,422	4,811	(*)	245.8	2,231,853	19,573	(*)
43	Males	27,900	1,436	29,336	1,884	(*)	133,621	2,738	(*)	258.0	1,156,849	10,612	(*)
44	Females	26,868	1,005	27,873	1,372	(*)	129,801	2,073	(*)	231.3	1,075,004	8,961	(*)
45	White	54,570	2,417	56,987	3,225	(*)	262,404	4,763	(*)	246.0	2,218,667	19,362	(*)
46	Males	27,807	1,424	29,231	1,866	(*)	133,125	2,708	(*)	258.2	1,149,667	10,490	(*)
47	Females	26,763	993	27,756	1,359	(*)	129,279	2,055	(*)	231.6	1,069,000	8,872	(*)
48	Native ¹	54,268	2,366	56,634	3,138	(*)	260,788	4,602	(*)	326.6	1,903,079	14,089	(*)
49	Males	27,656	1,392	29,048	1,813	(*)	132,307	2,613	(*)	347.9	973,963	7,511	(*)
50	Females	26,612	974	27,586	1,325	(*)	128,481	1,989	(*)	302.4	929,116	6,578	(*)
51	Both parents native ¹ (M..)	18,492	820	19,312	1,045	(*)	86,515	1,518	(*)	356.8	616,175	4,254	(*)
52	One or both parents foreign ¹ (F..)	17,930	593	18,523	790	(*)	84,069	1,185	(*)	311.2	581,491	3,802	(*)
	Foreign ¹	7,937	318	8,255	417	(*)	39,636	620	(*)	385.6	307,582	1,608	(*)
	Foreign ¹	7,479	204	7,683	286	(*)	38,500	457	(*)	322.5	296,553	1,417	(*)

¹ Population excluded for areas not reporting deaths by nativity of persons and parents.² Data insufficient for rates.

CAUSES, BY SEX, COLOR, GENERAL NATIVITY, AND PARENT NATIVITY: CENSUS YEAR 1900—Continued.

CAUSE OF DEATH.																		
Measles.	Scarlet fever.	Diphtheria and croup.	Whooping cough.	Malarial fever.	Influenza.	Typhoid fever.	Diarrheal diseases.	Consumption.	Cancer and tumor.	Heart disease and dropsy.	Pneumonia.	Diseases of the liver.	Diseases of the nervous system.	Diseases of the urinary organs.	Affections connected with pregnancy.	Old age.	Unknown.	All other causes.
2	2	16	5	4	5	22	24	70	28	38	56	4	63	32	4	18	4	190
1	1	6	2	2	2	13	11	33	13	18	29	1	40	21	4	7	2	98
1	1	10	3	2	3	9	13	37	15	20	27	3	23	11	4	11	2	92
2	2	15	5	4	5	21	24	68	27	37	50	4	61	30	3	17	3	177
1	1	5	2	2	2	12	11	33	13	18	27	1	38	19	3	6	1	91
1	1	10	3	2	3	9	13	35	14	19	23	3	23	11	3	11	2	86
2	2	14	5	1	4	14	20	57	16	25	42	4	45	20	3	11	3	146
1	1	4	2	1	1	8	10	26	6	11	23	1	25	10	3	5	1	75
1	1	10	3	1	3	6	10	31	10	14	19	3	20	10	3	6	2	71
				2	1	5	2	8	10	10	8		10	9		5		19
				1	1	3	1	5	7	5	4		7	8		1		9
				1		2	1	3	3	5	4		3	1		4		10
	2	5	1	2		8	18	28	4	9	26	5	19	3	4	2	2	58
	1	2	1			2	12	11	1	3	7	4	10	2				29
	1	3		2		6	6	17	3	6	19	1	9	1	4	2	2	29
	2	5	1	2		7	18	26	3	7	25	5	17	3	4	2	2	55
	1	2	1			1	12	9	1	3	7	4	9	2				28
	1	3		2		6	6	17	2	4	18	1	8	1	4	2	2	27
	2	4		1		7	16	24	2	7	20	4	15	1	4	1	2	42
	1	2				1	10	9	1	3	5	4	7					20
	1	2		1		6	6	15	1	4	15		8	1	4	1	2	22
				1			2	1	1		5		1	2		1		8
							2				2		1	2				5
				1				1	1		3					1		3
342	26	185	113	354	36	321	539	345	32	168	612	43	425	56	84	30	537	1,038
168	16	101	44	191	19	187	299	156	12	83	367	22	223	42		16	271	578
174	10	84	69	163	17	134	240	189	20	85	245	21	202	14	84	14	266	460
248	24	140	82	278	26	256	429	196	24	130	452	36	334	46	67	24	367	777
125	15	77	31	154	16	148	238	93	10	63	282	21	172	34		14	196	430
123	9	63	51	124	10	108	191	103	14	67	170	15	162	12	67	10	171	347
246	24	140	82	275	26	253	426	191	24	121	442	36	332	41	63	18	359	764
125	15	77	31	152	16	145	236	90	10	60	277	21	171	29		11	195	422
121	9	63	51	123	10	108	190	101	14	61	165	15	161	12	63	7	164	342
121	14	74	31	144	14	138	225	79	8	50	244	18	156	24		5	182	376
117	9	60	50	115	10	101	185	91	12	54	143	14	149	12	49	3	153	318
1	1	2		2		3	7	2	1	2	7		7			1	4	10
1		1	1	4		1	2	1		3	5		6			1	1	9
				2		2	3	1		4	6		1	4	1	4	3	6
				1		2	2	1		1	3		1	4		2		6
				1			1			3	3				1	2	3	38
94	2	45	31	76	10	65	110	149	8	38	160	7	91	10	17	6	170	261
43	1	24	13	37	3	39	61	63	2	20	85	1	51	8		2	75	148
51	1	21	18	39	7	26	49	86	6	18	75	6	40	2	17	4	95	113
45	99	417	103	84	206	549	1,099	1,805	901	1,943	1,826	271	2,566	871	185	862	720	5,021
20	45	241	42	46	107	289	607	758	407	1,089	1,004	135	1,414	600		421	408	2,979
25	54	176	61	38	99	260	492	1,047	494	854	822	136	1,152	271	185	441	312	2,042
45	99	414	102	84	205	539	1,095	1,761	899	1,927	1,807	268	2,541	868	185	859	690	4,974
20	45	239	42	46	107	285	604	733	406	1,078	989	133	1,402	599		418	394	2,950
25	54	175	60	38	98	254	491	1,028	493	849	818	135	1,139	269	185	441	296	2,024
44	96	391	101	59	136	417	943	1,370	508	1,234	1,376	175	1,821	561	142	401	570	3,744
19	44	228	42	34	70	213	523	548	221	677	752	81	990	377		194	328	2,170
25	52	163	59	25	66	204	420	822	287	557	624	94	831	184	142	207	242	1,574
12	33	116	25	22	42	102	284	286	138	401	458	50	581	229		96	195	1,234
16	33	88	39	13	47	117	249	462	181	324	378	57	489	111	64	118	144	872
5	8	78	11	6	14	49	122	136	44	119	146	14	213	60		24	94	465
4	11	45	11	6	8	43	106	213	46	111	134	19	164	37	54	21	63	331

TABLE 19.—POPULATION, BIRTHS, DEATHS, AND DEATH RATES AT CERTAIN AGES, AND DEATHS FROM CERTAIN

	AREAS.	UNDER 1 YEAR OF AGE.					UNDER 5 YEARS OF AGE.				ALL AGES.		
		Popula- tion.	Born and died in the census year.	Births during the census year.	Deaths.	Deaths under 1 per 1,000 births.	Popula- tion.	Deaths.	Death rate per 1,000 of popu- lation.	Deaths under 5 per 1,000 at all ages.	Popula- tion.	Deaths.	Death rate per 1,000 of popu- lation.
	IOWA—Continued.												
1	White—Continued.												
	Foreign ¹	46	1	47	4	(*)	447	9	(*)	2.1	304,194	4,240	(*)
2	Males.....	25	1	26	3	(*)	236	5	(*)	2.1	170,055	2,401	(*)
3	Females.....	21		21	1	(*)	211	4	(*)	2.2	134,139	1,839	(*)
4	Colored.....	198	24	222	31	(*)	1,018	48	(*)	227.5	13,186	211	(*)
5	Males.....	93	12	105	18	(*)	496	30	(*)	245.9	7,182	122	(*)
6	Females.....	105	12	117	13	(*)	522	18	(*)	(*)	6,004	89	(*)
7	Burlington.....	378	36	414	49	118.4	2,031	63	31.0	164.1	23,201	384	16.6
8	Males.....	204	21	225	31	137.8	1,031	36	34.9	162.2	11,293	222	19.7
9	Females.....	174	15	189	18	95.2	1,000	27	27.0	166.7	11,908	162	13.6
10	White.....	366	36	402	49	121.9	2,002	63	31.5	169.8	22,794	371	16.3
11	Males.....	197	21	218	31	142.2	1,018	36	35.4	169.8	11,083	212	19.1
12	Females.....	169	15	184	18	97.8	984	27	27.4	169.8	11,711	159	13.6
13	Native.....	366	36	402	49	121.9	1,997	62	31.0	261.6	18,260	237	13.0
14	Males.....	197	21	218	31	142.2	1,016	36	35.4	260.9	8,763	138	15.7
15	Females.....	169	15	184	18	97.8	981	26	26.5	(*)	9,497	99	10.4
16	Foreign.....						5				4,534	110	24.3
17	Males.....						2				2,320	62	26.7
18	Females.....						3				2,214	48	21.7
19	Davenport.....	703	64	767	91	118.6	3,315	120	36.2	213.5	35,254	562	15.9
20	Males.....	355	37	392	50	127.6	1,737	70	40.3	228.0	17,489	307	17.6
21	Females.....	348	27	375	41	109.3	1,578	50	31.7	196.1	17,765	255	14.4
22	White.....	695	63	758	90	118.7	3,273	116	35.4	209.8	34,762	553	15.9
23	Males.....	352	37	389	50	128.5	1,713	68	39.7	225.2	17,229	302	17.5
24	Females.....	343	26	369	40	108.4	1,560	48	30.8	191.2	17,533	251	14.3
25	Native.....	695	63	758	90	118.7	3,266	116	35.5	408.5	26,289	284	10.8
26	Males.....	352	37	389	50	128.5	1,708	68	39.8	427.7	12,815	159	12.4
27	Females.....	343	26	369	40	108.4	1,558	48	30.8	384.0	13,474	125	9.3
28	Foreign.....						7				8,473	234	27.6
29	Males.....						5				4,414	121	27.4
30	Females.....						2				4,059	113	27.8
31	Keokuk.....	220	14	234	34	145.3	1,155	56	48.5	200.7	14,641	279	19.1
32	Males.....	110	10	120	22	133.3	558	33	59.1	230.8	6,996	143	20.4
33	Females.....	110	4	114	12	105.3	597	23	38.5	169.1	7,645	136	17.8
34	White.....	212	13	225	33	146.7	1,074	54	50.3	210.1	13,449	257	19.1
35	Males.....	105	9	114	21	134.2	516	31	60.1	234.8	6,414	132	20.6
36	Females.....	107	4	111	12	108.1	558	23	41.2	184.0	7,035	125	17.8
37	Native.....	211	13	224	33	147.3	1,072	54	50.4	312.1	11,671	173	14.8
38	Males.....	104	9	113	21	135.8	515	31	60.2	(*)	5,565	88	15.8
39	Females.....	107	4	111	12	108.1	557	23	41.3	(*)	6,106	85	13.9
40	Foreign.....	1		1			2				1,778	62	34.9
41	Males.....	1		1			1				849	33	38.9
42	Females.....						1				929	29	31.2
43	Marshalltown.....	258	22	280	27	96.4	1,181	44	37.3	243.1	11,544	181	15.7
44	Males.....	126	13	139	15	107.9	587	26	44.3	245.3	5,718	106	18.5
45	Females.....	132	9	141	12	85.1	594	18	30.3	(*)	5,826	75	12.9
46	White.....	256	21	277	26	93.9	1,169	43	36.8	238.9	11,394	180	15.8
47	Males.....	126	13	139	15	107.9	582	26	44.7	245.3	5,649	106	18.8
48	Females.....	130	8	138	11	79.7	587	17	29.0	(*)	5,745	74	12.9
49	Colored.....	2	1	3	1	(*)	12	1	(*)	(*)	150	1	6.7
50	Males.....						5				69		
51	Females.....	2	1	3	1	(*)	7	1	(*)	(*)	81	1	(*)

¹ Population excluded for areas not reporting deaths by nativity of persons and parents.

* Data insufficient for rates.

CAUSES, BY SEX, COLOR, GENERAL NATIVITY, AND PARENT NATIVITY: CENSUS YEAR 1900—Continued.

CAUSE OF DEATH.																			
Measles.	Scarlet fever.	Diphtheria and croup.	Whooping cough.	Malarial fever.	Influenza.	Typhoid fever.	Diarrheal diseases.	Consumption.	Cancer and tumor.	Heart disease and dropsy.	Pneumonia.	Diseases of the liver.	Diseases of the nervous system.	Diseases of the urinary organs.	Affections connected with pregnancy.	Old age.	Unknown.	All other causes.	
.....	1	5		20	65	72	87	299	346	606	364	79	570	254	33	399	87	953	1
.....	1	3		9	34	45	43	147	169	350	201	47	327	190		192	50	594	2
.....		2		11	31	27	44	152	177	256	163	32	243	64	33	207	37	359	3
.....		3	1		1	10	4	44	2	16	19	3	25	3		3	30	47	4
.....		2				4	3	25	1	11	15	2	12	1		3	14	29	5
.....		1	1		1	6	1	19	1	5	4	1	13	2			16	18	6
.....	1	7	5		1	14	11	41	13	37	33	8	51	29	3	30		100	7
.....		2	3		1	10	9	23	4	21	17	3	27	21		14		67	8
.....	1	5	2			4	2	18	9	16	16	5	24	8	3	16		33	9
.....	1	7	5		1	14	11	37	13	36	31	7	50	29	3	30		96	10
.....		2	3		1	10	9	20	4	20	16	2	26	21		14		64	11
.....	1	5	2			4	2	17	9	16	15	5	24	8	3	16		32	12
.....	1	7	5		1	11	10	25	5	15	20	2	34	17	2	13		69	13
.....		2	3		1	9	8	15		7	10		22	12		6		43	14
.....	1	5	2			2	2	10	5	8	10	2	12	5	2	7		26	15
.....						2	1	11	7	17	8	4	14	11	1	15		19	16
.....						1	1	5	4	11	5	2	3	8		7		15	17
.....						1		6	3	6	3	2	11	3	1	8		4	18
.....	1	1	1	2	3	23	27	51	30	43	37	9	89	29	3	47	7	159	19
.....		1	1		2	11	18	24	13	29	22	6	56	15		21	6	81	20
.....	1				1	12	9	27	17	14	15	3	33	14	3	26	1	78	21
.....	1	1	1	2	2	23	27	49	30	42	35	9	88	29	3	47	7	157	22
.....		1	1	2	2	11	18	22	13	29	20	6	56	15		21	6	80	23
.....	1					12	9	27	17	13	15	3	32	14	3	26	1	77	24
.....	1		1	1	1	18	24	36	4	12	20	2	44	11	1	7	3	98	25
.....			1	1	1	9	16	17	1	9	10	1	31	6		3	2	51	26
.....	1					9	8	19	3	3	10	1	13	5	1	4	1	47	27
.....					1	3	3	10	22	27	13	7	40	15	2	39	4	48	28
.....					1	1	2	4	10	17	8	5	23	7		17	4	22	29
.....					2	1	1	6	12	10	5	2	17	8	2	22		26	30
.....		1	3	1		15	25	23	11	21	30	3	24	8	1	20	19	74	31
.....		1	3	1		9	14	10	5	11	17	2	14	5		6	9	40	32
.....						6	11	13	6	10	13	1	10	3	1	14	10	34	33
.....	1	3	1			12	25	20	11	20	29	3	20	7	1	20	17	67	34
.....		1	3	1		8	14	8	5	10	17	2	13	5		6	8	35	35
.....						4	11	12	6	10	12	1	7	2	1	14	9	32	36
.....		3	1			10	19	19	7	15	13		13	2		7	9	55	37
.....			1			6	13	7	2	6	8		8	2			5	30	38
.....		3				4	6	12	5	9	5		5			7	4	25	39
.....	1					1	5	1	3	4	11	3	5	3	1	10	7	7	40
.....						1	1	1	2	3	6	2	3	3		4	3	4	41
.....	1					4			1	1	5	1	2		1	6	4	3	42
.....	1			2		18	10	13	8	11	12	2	28	6	1	12	2	55	43
.....		1		1		9	8	5	2	4	5	2	16	6		7	1	39	44
.....			1			9	2	8	6	7	7		12		1	5	1	16	45
.....	1		2			18	10	13	8	11	12	2	27	6	1	12	2	55	46
.....		1		1		9	8	5	2	4	5	2	16	6		7	1	39	47
.....			1			9	2	8	6	7	7		11		1	5	1	16	48
.....													1						49
.....																			50
.....													1						51

TABLE 19.—POPULATION, BIRTHS, DEATHS, AND DEATH RATES AT CERTAIN AGES, AND DEATHS FROM CERTAIN

AREAS.		UNDER 1 YEAR OF AGE.					UNDER 5 YEARS OF AGE.				ALL AGES.		
		Popula- tion.	Born and died in the census year.	Births during the census year.	Deaths.	Deaths under 1 per 1,000 births.	Popula- tion.	Deaths.	Death rate per 1,000 of popu- lation.	Deaths under 5 per 1,000 at all ages.	Popula- tion.	Deaths.	Death rate per 1,000 of popu- lation.
IOWA—Continued.													
1	Muscatine	277	25	302	35	115.9	1,436	43	29.9	179.2	14,073	240	17.1
2	Males	128	14	142	19	133.8	698	23	33.0	156.5	7,006	147	21.0
3	Females	149	11	160	16	100.0	738	20	27.1	(*)	7,067	93	13.2
4	White	272	25	297	35	117.8	1,422	43	30.2	179.2	13,948	240	17.2
5	Males	128	14	142	19	133.8	694	23	33.1	156.5	6,945	147	21.2
6	Females	144	11	155	16	103.2	728	20	27.5	(*)	7,003	93	13.3
7	Native	271	25	296	35	118.2	1,418	43	30.3	259.0	11,596	166	14.3
8	Males	128	14	142	19	133.8	693	23	33.2	227.7	5,704	101	17.7
9	Females	143	11	154	16	103.9	725	20	27.6	(*)	5,892	65	11.0
10	Foreign	1		1			4				2,352	71	30.2
11	Males						1				1,241	46	37.1
12	Females	1		1			3				1,111	25	22.5
13	Oskaloosa	152	19	171	27	157.9	747	50	66.9	299.4	9,212	167	18.1
14	Males	81	12	93	16	(*)	395	28	70.9	(*)	4,541	86	18.9
15	Females	71	7	78	11	(*)	352	22	62.5	(*)	4,671	81	17.3
16	White	150	19	169	27	159.8	729	50	68.6	306.7	8,865	163	18.4
17	Males	80	12	92	16	(*)	386	28	72.5	(*)	4,366	83	19.0
18	Females	70	7	77	11	(*)	343	22	64.1	(*)	4,499	80	17.8
19	Native	150	18	168	24	142.9	728	45	61.8	405.4	8,220	111	13.5
20	Males	80	11	91	14	(*)	386	25	64.8	(*)	4,039	56	13.9
21	Females	70	7	77	10	(*)	342	20	58.5	(*)	4,181	55	13.2
22	Foreign						1				645	15	23.3
23	Males										327	9	27.5
24	Females						1				318	6	18.9
25	Ottumwa	361	38	399	54	135.3	1,803	85	47.1	268.1	18,197	317	17.4
26	Males	181	19	200	30	150.0	869	49	56.4	269.2	8,915	182	20.4
27	Females	180	19	199	24	120.6	934	36	38.5	266.7	9,282	135	14.5
28	White	347	36	383	52	135.8	1,747	81	46.4	271.8	17,597	298	16.9
29	Males	176	18	194	29	149.5	847	47	55.5	276.5	8,608	170	19.7
30	Females	171	18	189	23	121.7	900	34	37.8	265.6	8,989	128	14.2
31	Native	347	36	383	52	135.8	1,745	81	46.4	350.6	15,839	231	14.6
32	Males	176	18	194	29	149.5	847	47	55.5	370.1	7,673	127	16.6
33	Females	171	18	189	23	121.7	898	34	37.9	326.9	8,166	104	12.7
34	Foreign						2				1,758	55	31.3
35	Males										935	38	40.6
36	Females						2				823	17	20.7
37	Sioux City	740	74	814	97	119.2	3,621	133	36.7	305.7	33,111	435	13.1
38	Males	368	43	411	57	138.7	1,857	78	42.0	323.7	16,951	241	14.2
39	Females	372	31	403	40	99.3	1,764	55	31.2	283.5	16,160	194	12.0
40	White	738	74	812	97	119.5	3,604	131	36.3	303.2	32,826	432	13.2
41	Males	367	43	410	57	139.0	1,850	76	41.1	319.3	16,794	238	14.2
42	Females	371	31	402	40	99.5	1,754	55	31.4	283.5	16,032	194	12.1
43	Native	737	74	811	97	119.6	3,587	130	36.2	427.6	26,242	304	11.6
44	Males	366	43	409	57	139.4	1,838	76	41.3	466.3	13,320	163	12.2
45	Females	371	31	402	40	99.5	1,749	54	30.9	383.0	12,922	141	10.9
46	Foreign	1		1			17				6,584	91	13.8
47	Males	1		1			12				3,474	54	15.5
48	Females						5				3,110	37	11.9

* Data insufficient for rates.

POPULATION, BIRTHS, DEATHS, AND DEATH RATES.

339

CAUSES, BY SEX, COLOR, GENERAL NATIVITY, AND PARENT NATIVITY: CENSUS YEAR 1900—Continued.

CAUSE OF DEATH.																		
Measles.	Scarlet fever.	Diphtheria and croup.	Whooping cough.	Malarial fever.	Influenza.	Typhoid fever.	Diarrheal diseases.	Consumption.	Cancer and tumor.	Heart disease and dropsy.	Pneumonia.	Diseases of the liver.	Diseases of the nervous system.	Diseases of the urinary organs.	Affections connected with pregnancy.	Old age.	Unknown.	All other causes.
		1	1	4	5	13	10	15	9	24	34	2	26	7		30	2	57
		1	1	2	4	10	7	9	6	14	21	1	11	4		17	1	40
		1	1	4	5	13	10	15	9	24	34	2	26	7		30	2	57
		1	1	2	4	10	7	9	6	14	21	1	11	4		17	1	40
		1	1	2	1	3	3	6	3	10	13	1	15	3		13	1	17
		1	1	2	5	11	10	12	5	10	21	2	19	5		16	2	44
		1	1	1	4	8	7	6	4	5	14	1	7	2		11	1	30
		1	1	1	1	3	3	6	1	5	7	1	12	3		5	1	14
				2		2		3	4	12	13		6	2		14		13
				1		2		3	2	9	7		4	2		6		
				1					2	3	6		2			8		10
2		13	3	2	1	4	12	15	6	11	14		20	6	2	8	2	46
2		7	2	2		2	8	6	2	8	6		11	5		3	1	23
		6	1	2	1	2	4	9	4	3	8		9	1	2	5	1	23
2		13	3	2	1	4	12	14	5	10	14		20	6	2	8	2	45
2		7	2			2	8	5	2	7	6		11	5		3	1	22
		6	1	2	1	2	4	9	3	3	8		9	1	2	5	1	23
1		13	3	1	1	2	6	8	3	8	11		12	4	2	4	1	31
1		7	2			2	4	3	1	6	4		7	3		1	1	14
		6	1	1	1		2	5	2	2	7		5	1	2	3		17
								1		1	2		3			1		7
								1			1		2			1		4
										1	1		1					3
2			7	1	1	18	22	34	15	36	41	6	24	9		11	3	87
1			2			8	16	15	6	21	26	5	17	6		8	2	49
1			5	1	1	10	6	19	9	15	15	1	7	3		3	1	38
2			6	1	1	17	22	29	15	32	39	6	23	8		10	3	84
1			2			7	16	12	6	18	25	5	16	5		7	2	48
1			4	1	1	10	6	17	9	14	14	1	7	3		3	1	36
2			6			12	19	24	10	23	30	2	21	6		7	3	66
1			2			5	14	8	3	12	20	2	14	4		6	2	34
1			4			7	5	16	7	11	10		7	2		1	1	32
			1	1	3	3	5	3	3	7	8	4	1	1		3		15
						1	2	4	3	5	5	3	1	1		1		12
			1	1	1	2	1	1		2	3	1				2		3
1	3	21		1	2	13	23	39	14	35	29	9	56	19	7	11	6	146
1	1	12		1	1	10	13	18	4	20	17	5	25	16		5	4	89
	2	9			1	3	10	21	10	15	12	4	31	3	7	6	2	57
1	3	21		1	2	13	22	39	14	35	29	9	55	19	7	11	6	145
1	1	12		1	1	10	12	18	4	20	17	5	24	16		5	4	88
	2	9			1	3	10	21	10	15	12	4	31	3	7	6	2	57
1	2	20		1	1	7	21	24	6	21	23	5	39	7	5	8	6	107
1	1	12		1		6	12	11		12	13	3	17	6		4	4	61
	1	8			1	1	9	13	6	9	10	2	22	1	5	4	2	46
						4		9	8	10	5	4	10	10		2		29
						3		4	4	5	3	2	4	8		1		20
						1		5	4	5	2	2	6	2		1		9

TABLE 19.—POPULATION, BIRTHS, DEATHS, AND DEATH RATES AT CERTAIN AGES, AND DEATHS FROM CERTAIN

	AREAS.	UNDER 1 YEAR OF AGE.					UNDER 5 YEARS OF AGE.				ALL AGES.		
		Popula- tion.	Born and died in the census year.	Births during the census year.	Deaths.	Deaths under 1 per 1,000 births.	Popula- tion.	Deaths.	Death rate per 1,000 of popula- tion.	Deaths under 5 per 1,000 at all ages.	Popula- tion.	Deaths.	Death rate per 1,000 of popula- tion.
1	KANSAS	35,829	2,048	37,877	2,939	(*)	172,122	4,809	(*)	295.7	1,470,495	16,261	(*)
2	Males	18,062	1,163	19,225	1,653	(*)	87,251	2,608	(*)	290.5	768,716	8,978	(*)
3	Females	17,767	885	18,652	1,286	(*)	84,871	2,201	(*)	302.2	701,779	7,283	(*)
4	White	34,830	1,944	36,774	2,785	(*)	166,931	4,550	(*)	299.2	1,416,319	15,209	(*)
5	Males	17,558	1,116	18,674	1,592	(*)	84,645	2,492	(*)	295.1	740,922	8,444	(*)
6	Females	17,272	828	18,100	1,193	(*)	82,286	2,058	(*)	304.2	675,397	6,765	(*)
7	Native ¹	34,385	1,816	36,201	2,574	(*)	164,526	4,135	(*)	364.7	1,267,903	11,837	(*)
8	Males	17,341	1,038	18,379	1,467	(*)	83,451	2,266	(*)	367.0	657,932	6,174	(*)
9	Females	17,044	778	17,822	1,107	(*)	81,075	1,869	(*)	362.0	609,971	5,163	(*)
10	Both parents native ¹ (M)	13,638	645	14,283	926	(*)	64,618	1,467	(*)	388.5	506,748	3,776	(*)
11	One or both parents foreign ¹ (M)	13,330	508	13,838	708	(*)	62,643	1,227	(*)	368.5	466,784	3,330	(*)
12	Foreign ¹ (F)	3,360	186	3,546	260	(*)	17,177	403	(*)	439.0	136,190	918	(*)
13	Foreign ¹ (F)	3,392	120	3,512	186	(*)	16,785	332	(*)	437.4	127,197	759	(*)
14	Foreign ¹	25	4	29	6	(*)	394	17	(*)	9.9	125,136	1,720	(*)
15	Males	8	3	11	5	(*)	200	11	(*)	10.3	71,480	1,064	(*)
16	Females	17	1	18	1	(*)	194	6	(*)	9.1	53,656	656	(*)
17	Colored	999	104	1,103	154	(*)	5,191	259	(*)	246.2	54,176	1,052	(*)
18	Males	504	47	551	61	(*)	2,606	116	(*)	217.2	27,794	534	(*)
19	Females	495	57	552	93	(*)	2,585	143	(*)	276.1	26,382	518	(*)
20	Hutchinson	183	13	196	22	112.2	887	46	51.9	243.4	9,379	189	20.2
21	Males	97	6	103	11	106.8	469	24	51.2	(*)	4,743	95	20.0
22	Females	86	7	93	11	(*)	418	22	52.6	(*)	4,636	94	20.3
23	White	175	13	188	21	111.7	847	44	51.9	237.8	8,935	185	20.7
24	Males	93	6	99	11	(*)	449	24	53.5	(*)	4,492	95	21.1
25	Females	82	7	89	10	(*)	398	20	50.3	(*)	4,443	90	20.3
26	Native	175	13	188	21	111.7	847	42	49.6	233.3	8,523	180	21.1
27	Males	93	6	99	11	(*)	449	22	49.0	(*)	4,264	91	21.3
28	Females	82	7	89	10	(*)	398	20	50.3	(*)	4,259	89	20.9
29	Foreign							1	(*)		412	3	7.3
30	Males							1	(*)		228	2	8.8
31	Females										184	1	5.4
32	Lawrence	151	21	172	27	157.0	885	46	52.0	257.0	10,862	179	16.5
33	Males	73	12	85	13	(*)	436	21	48.2	(*)	5,069	85	16.8
34	Females	78	9	87	14	(*)	449	25	55.7	(*)	5,793	94	16.2
35	White	121	13	134	18	134.3	709	29	40.9	223.1	8,828	130	14.7
36	Males	58	6	64	7	(*)	346	11	31.8	(*)	4,119	64	15.5
37	Females	63	7	70	11	(*)	363	18	49.6	(*)	4,709	66	14.0
38	Native	121	13	134	18	134.3	709	28	39.5	(*)	8,049	94	11.7
39	Males	58	6	64	7	(*)	346	11	31.8	(*)	3,729	48	12.9
40	Females	63	7	70	11	(*)	363	17	46.8	(*)	4,320	46	10.6
41	Foreign										779	21	27.0
42	Males										390	12	30.8
43	Females										389	9	23.1
44	Leavenworth	423	58	481	78	162.2	1,994	118	59.2	281.6	20,735	419	20.2
45	Males	221	29	250	40	160.0	977	58	59.4	266.1	10,204	218	21.4
46	Females	202	29	231	38	164.5	1,017	60	59.0	298.5	10,531	201	19.1
47	White	369	48	417	63	151.1	1,754	90	51.3	279.5	17,807	322	18.1
48	Males	192	28	220	37	168.2	866	48	55.4	279.1	8,804	172	19.5
49	Females	177	20	197	26	132.0	888	42	47.3	280.0	9,003	150	16.7
50	Native	369	48	417	63	151.1	1,747	90	51.5	412.8	14,412	218	15.1
51	Males	192	28	220	37	168.2	861	48	55.7	417.4	7,001	115	16.4
52	Females	177	20	197	26	132.0	886	42	47.4	407.8	7,411	103	13.9
53	Foreign						7				3,395	93	27.4
54	Males						5				1,803	50	27.7
55	Females						2				1,592	43	27.0

¹ Population excluded for areas not reporting deaths by nativity of persons and parents.

* Data insufficient for rates.

CAUSES, BY SEX, COLOR, GENERAL NATIVITY, AND PARENT NATIVITY: CENSUS YEAR 1900—Continued.

CAUSE OF DEATH.																		
Measles.	Scarlet fever.	Diphtheria and croup.	Whooping cough.	Malarial fever.	Influenza.	Typhoid fever.	Diarrheal diseases.	Consumption.	Cancer and tumor.	Heart disease and dropsy.	Pneumonia.	Diseases of the liver.	Diseases of the nervous system.	Diseases of the urinary organs.	Affections connected with pregnancy.	Old age.	Unknown.	All other causes.
220	68	477	243	261	175	688	1,322	1,414	592	1,382	1,436	188	1,798	575	166	497	897	3,862
109	32	257	117	135	100	358	715	628	257	797	806	94	1,038	411		253	488	2,383
111	36	220	126	126	75	330	607	786	335	585	630	94	760	164	166	244	409	1,479
213	68	468	220	240	166	650	1,271	1,225	580	1,290	1,326	173	1,709	548	161	456	836	3,609
104	32	253	108	127	93	336	696	553	256	750	741	86	993	389		238	463	2,226
109	36	215	112	113	73	314	575	672	324	540	585	87	716	159	161	218	373	1,383
200	61	424	202	167	122	511	1,061	904	379	851	1,007	119	1,290	392	107	224	611	2,705
97	28	230	102	82	69	250	584	384	165	481	542	56	750	272		113	332	1,637
103	33	194	100	85	53	261	477	520	214	370	465	63	540	120		111	279	1,068
61	23	147	66	50	41	176	361	243	92	287	336	38	422	161	107	45	179	1,048
67	24	118	76	61	35	177	300	343	148	224	327	47	352	72	72	54	143	690
21	3	62	18	14	7	42	98	43	25	62	77	5	103	25		13	51	249
25	9	61	14	11	9	41	80	72	24	51	52	6	76	18	11	8	39	152
2		7		34	27	41	69	119	118	229	151	35	222	86	20	110	49	401
1		5		21	11	29	40	67	58	147	98	20	143	66		56	29	273
1		2		13	16	12	29	52	60	82	53	15	79	20	20	54	20	128
7		9	23	21	9	38	51	189	12	92	110	15	89	27	5	41	61	253
5		4	9	8	7	22	19	75	1	47	65	8	45	22		15	25	157
2		5	14	13	2	16	32	114	11	45	45	7	44	5	5	26	36	96
4		2	4	1		11	16	20	6	22	13	2	9	7	1	12	11	48
3		1	3		3	9	10	3	9	8		5	5	5		5	3	28
1		1	1	1		8	7	10	3	13	5	2	4	2	1	7	8	20
4		2	3	1		11	15	20	6	22	13	1	9	7	1	11	11	48
3		1	3		3	9	10	3	9	8		5	5	5		5	3	28
1		1		1		8	6	10	3	13	5	1	4	2	1	6	8	20
4		2	3	1		11	14	19	6	22	13	1	9	7	1	10	11	46
3		1	3		3	8	8	9	3	9	8		5	5		5	3	26
1		1		1		8	6	10	3	13	5	1	4	2	1	5	8	20
.....						1										1		1
.....						1										1		1
2		4	8	3	1	3	12	23	10	17	19	1	13	7	1	9	2	44
1		1	5		1	3	3	12	4	10	5	1	4	6		3	1	25
1		3	3	3			9	11	6	7	14		9	1	1	6	1	19
2		3	4	3	1	3	8	18	8	13	14	1	11	7	1	7	1	25
1			2		1	3	2	11	4	9	5	1	4	6		1		14
1		3	2	3			6	7	4	4	9		7	1	1	6	1	11
2		3	4	2	1	2	5	14	4	7	9	1	6	6	1	4	1	22
1			2		1	2	2	9	2	6	3	1	1	5		1		12
1		3	2	2			3	5	2	1	6		5	1	1	3	1	10
.....							2	3	1	3	4		3	1		1		3
.....							2	2	1	2	2		2	1				2
.....							2	1		1	2		1			1		1
.....	1	12	6	3	8	32	41	9	31	73	5	46	13			25	5	109
.....		5	3		6	15	14	3	16	44	4	24	7			11	2	64
.....	1	7	3	3	2	17	27	6	15	29	1	22	6			14	3	45
.....	1	4	5	3	3	27	23	9	25	57	4	40	11			19	3	88
.....		2	3		3	14	9	3	12	34	3	22	6			8	2	51
.....		2	2	3		13	14	6	13	23	1	18	5			11	1	37
.....	1	4	2	3	2	24	18	5	14	36	2	24	6			8	2	67
.....		2	1		2	11	7	1	7	21	2	15	3			6	1	36
.....	1	2	1	3		13	11	4	7	15		9	3	3		2	1	31
.....			3		1	3	4	4	10	19	2	15	4			10	1	17
.....			2		1	3	2	2	2	4	13	1	6	2		1	1	12
.....			1				2	2	2	6	6	1	9	2		9		5

TABLE 19.—POPULATION, BIRTHS, DEATHS, AND DEATH RATES AT CERTAIN AGES, AND DEATHS FROM CERTAIN

	AREAS.	UNDER 1 YEAR OF AGE.					UNDER 5 YEARS OF AGE.				ALL AGES.		
		Popula- tion.	Born and died in the census year.	Births during the census year.	Deaths.	Deaths under 1 per 1,000 births.	Popula- tion.	Deaths.	Death rate per 1,000 of popula- tion.	Deaths under 5 per 1,000 at all ages.	Popula- tion.	Deaths.	Death rate per 1,000 of popula- tion.
	KANSAS—Continued.												
1	Wichita	436	42	478	60	125.5	2,122	94	44.3	241.0	24,671	390	15.8
2	Males	218	27	245	37	151.0	1,052	54	51.3	254.7	12,204	212	17.4
3	Females	218	15	233	23	98.7	1,070	40	37.4	224.7	12,467	178	14.3
4	White	420	41	461	57	123.6	2,011	84	41.8	237.3	23,280	354	15.2
5	Males	209	26	235	36	153.2	994	48	48.3	248.7	11,510	193	16.8
6	Females	211	15	226	21	92.9	1,017	36	35.4	223.6	11,770	161	13.7
7	Colored	16	1	17	3	(*)	111	10	90.1	(*)	1,391	36	25.9
8	Males	9	1	10	1	(*)	58	6	(*)	(*)	694	19	27.4
9	Females	7	—	7	2	(*)	53	4	(*)	(*)	697	17	24.4
10	KENTUCKY	61,790	3,575	65,365	5,059	(*)	284,230	8,408	(*)	310.4	2,147,174	27,091	(*)
11	Males	31,294	2,018	33,312	2,809	(*)	144,349	4,538	(*)	327.8	1,090,227	13,843	(*)
12	Females	30,496	1,557	32,053	2,250	(*)	139,881	3,870	(*)	292.1	1,056,947	13,248	(*)
13	White	55,174	3,000	58,174	4,256	(*)	252,507	7,006	(*)	317.9	1,862,309	22,035	(*)
14	Males	27,976	1,688	29,664	2,365	(*)	128,536	3,799	(*)	335.1	948,048	11,337	(*)
15	Females	27,198	1,312	28,510	1,891	(*)	123,971	3,207	(*)	299.8	914,261	10,698	(*)
16	Native ¹	54,593	2,936	57,529	4,140	(*)	249,695	6,818	(*)	341.8	1,788,379	19,947	(*)
17	Males	27,674	1,641	29,315	2,292	(*)	127,103	3,685	(*)	363.0	910,131	10,151	(*)
18	Females	26,919	1,295	28,214	1,848	(*)	122,592	3,133	(*)	319.8	878,248	9,796	(*)
19	Both parents native ¹	25,526	1,389	26,915	1,899	(*)	116,474	3,098	(*)	377.8	804,594	8,206	(*)
20	One or both parents foreign ¹	24,778	1,122	25,900	1,567	(*)	112,166	2,670	(*)	329.8	768,583	8,095	(*)

¹ Population excluded for areas not reporting deaths by nativity of persons and parents.

* Data insufficient for rates.

CAUSES, BY SEX, COLOR, GENERAL NATIVITY, AND PARENT NATIVITY: CENSUS YEAR 1900—Continued.

CAUSE OF DEATH.																		
Measles.	Scarlet fever.	Diphtheria and croup.	Whooping cough.	Malarial fever.	Influenza.	Typhoid fever.	Diarrheal diseases.	Consumption.	Cancer and tumor.	Heart disease and dropsy.	Pneumonia.	Diseases of the liver.	Diseases of the nervous system.	Diseases of the urinary organs.	Affections connected with pregnancy.	Old age.	Unknown.	All other causes.
2	1	5	2		2	17	36	45	12	37	27	6	36	19	3	17	6	117
2	1	2	2		2	10	15	18	4	20	14	4	21	15		10	3	74
.....		3	3			7	21	27	8	17	13	2	15	4	3	7	3	43
.....	1	5	2		2	14	35	34	12	33	23	5	32	18	3	17	6	112
.....																		
.....	1	3	2		2	10	15	12	4	17	13	3	18	14		10	3	72
.....						4	20	22	8	16	10	2	14	4	3	7	3	40
2						3	1	11		4	4	1	4	1				5
.....																		
2						3	1	6		3	1	1	3	1				2
.....								5		1	3		1					3
335	47	990	279	344	477	1,669	1,477	3,916	628	1,742	2,427	301	2,867	896	214	699	1,733	6,050
156	21	530	135	161	238	847	775	1,615	212	877	1,314	182	1,546	590		314	906	3,424
179	26	460	144	183	239	822	702	2,301	416	865	1,113	119	1,321	306	214	385	827	2,626
303	44	898	201	274	423	1,398	1,266	2,920	557	1,368	1,868	253	2,393	742	173	560	1,452	4,942
141	20	480	97	127	207	722	670	1,168	199	703	1,007	154	1,302	497		270	765	2,508
162	24	418	104	147	216	676	596	1,752	358	665	861	99	1,091	245	173	290	687	2,134
300	44	875	198	265	405	1,350	1,179	2,742	439	1,145	1,706	218	2,120	602	171	369	1,359	4,460
139	20	468	95	121	194	694	631	1,060	150	586	900	127	1,139	411		175	708	2,533
161	24	407	103	144	211	656	548	1,682	289	559	806	91	981	191	171	194	651	1,927
121	17	445	86	105	187	611	518	829	118	478	717	103	837	302		123	651	1,952
145	19	375	83	129	190	574	454	1,436	211	465	675	74	769	124	152	150	598	1,472
3	2	6	3	8	1	16	17	44	4	16	35	3	39	23		4	13	69
3	3	6	2	4	3	20	10	53	9	18	21	1	33	5	5	2	9	57
.....				3	11	17	35	86	83	159	97	22	156	109	1	138	33	271
.....				2	8	10	16	60	38	86	66	17	94	68		71	17	146
.....				1	3	7	19	26	45	73	31	5	62	41	1	67	16	125
32	3	92	78	70	54	271	211	996	71	374	559	48	474	154	41	139	281	1,108
15	1	50	38	34	31	125	105	447	13	174	307	28	244	93		44	141	616
17	2	42	40	36	23	146	106	549	58	200	252	20	230	61	41	95	140	492
.....	1	14	2	2	5	17	58	100	21	81	57	11	130	73	1	19	19	263
.....																		
.....	1	4	1	1	2	12	31	52	8	40	39	8	69	37		12	11	150
.....		10	1	1	3	5	22	48	13	41	18	3	61	36	1	7	8	113
.....	1	14	2	1	5	16	50	94	18	73	51	10	126	68	1	19	17	248
.....																		
.....	1	4	1	1	2	11	30	48	8	36	34	8	67	36		12	10	146
.....		10	1		3	5	20	46	10	37	17	2	59	32	1	7	7	102
.....				1		1	3	6	3	8	6	1	4	5			2	15
.....						1	1	4		4	5		2	1			1	4
.....				1			2	2	3	4	1	1	2	4			1	11
26	3	47	44	16	24	150	201	478	145	246	388	55	512	198	15	209	124	1,211
14	1	17	15	9	10	80	105	247	45	117	205	34	280	111		85	67	664
12	2	30	29	7	14	70	96	231	100	129	183	21	232	87	15	124	57	547
23	3	36	24	12	15	116	152	319	126	174	247	39	376	151	13	165	88	891
13	1	12	6	6	5	64	81	166	40	89	140	27	213	85		76	47	502
10	2	24	18	6	10	52	71	153	86	85	107	12	163	66	13	89	41	389
3		11	20	4	9	34	49	159	19	72	141	16	136	47	2	44	36	320
1		5	9	3	5	16	24	81	5	28	65	7	67	26		9	20	162
2		6	11	1	4	18	25	78	14	44	76	9	69	21	2	35	16	158
3		19	3		5	15	41	52	22	33	57	11	91	22	1	30	29	138
2		10	2		3	8	18	31	9	14	34	7	54	10		14	20	76
1		9	1		2	7	23	21	13	19	23	4	37	12	1	16	9	62
3		19	3		5	15	41	51	22	33	52	10	90	21	1	30	29	134
2		10	2		3	8	18	31	9	14	32	7	53	9		14	20	75
1		9	1		2	7	23	20	13	19	20	3	37	12	1	16	9	59
.....								1			5	1	1	1				4
.....											2		1	1				1
.....								1			3	1						3

TABLE 19.—POPULATION, BIRTHS, DEATHS, AND DEATH RATES AT CERTAIN AGES, AND DEATHS FROM CERTAIN

	AREAS.	UNDER 1 YEAR OF AGE.					UNDER 5 YEARS OF AGE.				ALL AGES.		
		Popu- lation.	Born and died in the census year.	Births during the census year.	Deaths.	Deaths under 1 per 1,000 births.	Popu- lation.	Deaths.	Death rate per 1,000 of popu- lation.	Deaths under 5 per 1,000 at all ages.	Popu- lation.	Deaths.	Death rate per 1,000 of popu- lation.
	KENTUCKY—Continued.												
1	Paducah.....	433	49	482	74	153.5	1,846	167	90.5	308.7	19,446	541	27.8
2	Males.....	225	29	254	44	173.2	943	89	94.4	299.7	9,780	297	30.4
3	Females.....	208	20	228	30	131.6	903	78	86.4	319.7	9,666	244	25.2
4	White.....	336	34	370	53	143.2	1,397	111	79.5	324.6	13,621	342	25.1
5	Males.....	179	18	197	28	142.1	734	58	79.0	310.2	6,957	187	26.9
6	Females.....	157	16	173	25	144.5	663	53	79.9	341.9	6,664	155	23.3
7	Colored.....	97	15	112	21	187.5	449	56	124.7	281.4	5,825	199	34.2
8	Males.....	46	11	57	16	(*)	209	31	148.3	281.8	2,823	110	39.0
9	Females.....	51	4	55	5	(*)	240	25	104.2	(*)	3,002	89	29.6
10	LOUISIANA.....	39,084	2,685	41,769	3,785	(*)	199,406	6,530	(*)	311.6	1,381,625	20,955	(*)
11	Males.....	19,645	1,452	21,097	2,043	(*)	100,666	3,417	(*)	311.5	694,733	10,971	(*)
12	Females.....	19,439	1,233	20,672	1,742	(*)	98,740	3,113	(*)	311.8	686,892	9,984	(*)
13	White.....	21,681	1,287	22,968	1,920	(*)	106,531	3,220	(*)	314.1	729,612	10,250	(*)
14	Males.....	11,016	740	11,756	1,078	(*)	54,289	1,738	(*)	310.9	371,142	5,590	(*)
15	Females.....	10,665	547	11,212	842	(*)	52,242	1,482	(*)	318.0	358,470	4,600	(*)
16	Native.....	21,654	1,283	22,937	1,914	(*)	105,990	3,203	(*)	378.4	677,759	8,465	(*)
17	Males.....	10,998	738	11,736	1,074	(*)	54,006	1,725	(*)	378.6	342,308	4,556	(*)
18	Females.....	10,656	545	11,201	840	(*)	51,984	1,478	(*)	378.1	335,451	3,909	(*)
19	Both parents native. ¹ (M..)	9,829	631	10,460	913	(*)	48,599	1,484	(*)	467.7	287,337	3,173	(*)
20	One or both parents foreign. ¹ (M..)	9,223	476	9,999	727	(*)	46,606	1,271	(*)	443.5	277,296	2,866	(*)
21	Foreign.....	1,082	58	1,140	84	(*)	5,031	122	(*)	201.0	51,464	607	(*)
22	Males.....	1,067	32	1,099	54	(*)	4,996	107	(*)	217.9	54,912	491	(*)
23	Females.....	27	1	28	2	(*)	541	12	(*)	7.2	51,853	1,670	(*)
24	Colored.....	17,403	1,398	18,801	1,865	(*)	92,875	3,310	(*)	309.2	652,013	10,705	(*)
25	Males.....	8,629	712	9,341	965	(*)	46,377	1,679	(*)	312.0	323,591	5,381	(*)
26	Females.....	8,774	686	9,460	900	(*)	46,498	1,631	(*)	306.3	328,422	5,324	(*)
27	New Orleans.....	6,008	951	6,959	1,377	197.9	30,064	2,140	71.2	258.2	287,104	8,287	28.9
28	Males.....	3,008	538	3,546	771	217.4	15,084	1,161	77.0	256.6	136,068	4,524	33.2
29	Females.....	3,000	413	3,413	606	177.6	14,980	979	65.4	260.2	151,036	3,763	24.9
30	White.....	4,665	559	5,224	859	164.4	22,878	1,333	58.3	267.8	208,946	4,977	23.8
31	Males.....	2,332	342	2,674	509	190.4	11,474	749	65.3	267.7	100,504	2,798	27.8
32	Females.....	2,333	217	2,550	350	137.3	11,404	584	51.2	268.0	108,442	2,179	20.1
33	Native.....	4,656	557	5,213	855	164.0	22,757	1,325	58.2	382.7	179,377	3,462	19.3
34	Males.....	2,325	341	2,666	506	189.8	11,404	743	65.2	382.6	85,786	1,942	22.6
35	Females.....	2,331	216	2,547	349	137.0	11,353	582	51.3	382.9	98,591	1,520	16.2
36	Both parents native. ¹ (M..)	1,805	271	2,076	396	190.8	8,873	580	65.4	630.4	50,053	920	18.4
37	One or both parents foreign. ¹ (M..)	1,830	170	2,000	271	135.5	8,785	436	49.6	582.1	53,133	749	14.1
38	Foreign.....	520	34	554	55	99.3	2,681	81	32.0	166.7	35,733	486	13.6
39	Males.....	501	23	524	39	74.4	2,568	73	28.4	193.1	40,458	378	9.3
40	Females.....	9	1	10	2	(*)	121	6	49.6	4.1	29,569	1,449	49.0
41	Colored.....	1,343	392	1,735	518	298.6	7,186	807	112.3	243.8	78,158	3,310	42.4
42	Males.....	676	196	872	262	300.5	3,610	412	114.1	238.7	35,564	1,726	48.5
43	Females.....	667	196	863	256	296.6	3,576	395	110.5	249.4	42,594	1,584	37.2
44	Shreveport.....	310	53	363	91	290.7	1,494	168	112.4	230.8	16,013	728	45.5
45	Males.....	168	33	201	55	273.6	734	95	129.4	225.1	7,834	422	53.9
46	Females.....	142	20	162	36	222.2	760	73	96.1	238.6	8,179	306	37.4
47	White.....	153	22	175	34	194.3	759	52	68.5	213.1	7,461	244	32.7
48	Males.....	87	12	99	19	(*)	377	31	82.2	197.5	3,973	157	39.5
49	Females.....	66	10	76	15	(*)	382	21	55.0	(*)	3,488	87	24.9
50	Colored.....	157	31	188	57	303.2	735	116	157.8	239.7	8,552	484	56.6
51	Males.....	81	21	102	36	352.9	357	64	179.3	241.5	3,861	265	68.6
52	Females.....	76	10	86	21	(*)	378	52	137.6	237.4	4,691	219	46.7

¹ Population excluded for areas not reporting deaths by nativity of persons and parents.

* Data insufficient for rates.

POPULATION, BIRTHS, DEATHS, AND DEATH RATES.

345

CAUSES, BY SEX, COLOR, GENERAL NATIVITY, AND PARENT NATIVITY: CENSUS YEAR 1900—Continued.

CAUSE OF DEATH.																		
Measles.	Scarlet fever.	Diphtheria and croup.	Whooping cough.	Malarial fever.	Influenza.	Typhoid fever.	Diarrheal diseases.	Consumption.	Cancer and tumor.	Heart disease and dropsy.	Pneumonia.	Diseases of the liver.	Diseases of the nervous system.	Diseases of the urinary organs.	Affections connected with pregnancy.	Old age.	Unknown.	All other causes.
5		9	10	49	7	31	52	53	6	37	57	4	49	23		3	16	130
4		5	9	24	5	18	29	27	2	21	32	2	27	13		3	8	68
1		4	1	25	2	13	23	26	4	16	25	2	22	10		8	8	62
2		4	7	32	4	21	39	26	5	26	31	2	35	16		2	10	80
1		1	7	14	2	12	22	13	2	16	22	1	21	9		2	5	37
1		3		18	2	9	17	13	3	10	9	1	14	7		5	5	43
3		5	3	17	3	10	13	27	1	11	26	2	14	7		1	6	50
3		4	2	10	3	6	7	14		5	10	1	6	4		1	3	31
.....		1	1	7		4	6	13	1	6	16	1	8	3		3	3	19
526	97	291	180	1,030	191	1,077	1,726	2,016	357	1,435	1,945	286	1,857	794	288	522	1,281	5,056
250	44	160	90	519	87	528	949	1,000	147	724	1,111	179	987	458		219	626	2,893
276	53	131	90	511	104	549	777	1,016	210	711	834	107	870	336	288	303	655	2,163
277	77	156	77	421	99	513	1,017	819	246	673	958	195	1,064	473	140	250	471	2,324
141	36	81	40	218	48	253	559	462	108	364	532	123	603	281		108	239	1,394
136	41	75	37	203	51	260	458	357	138	309	426	72	461	192	140	142	232	930
273	76	156	76	372	73	475	893	695	162	436	847	121	886	316	130	106	452	1,920
139	86	81	39	186	37	230	486	385	66	245	465	77	499	181		47	227	1,130
134	40	75	37	186	36	245	407	310	96	191	382	44	387	135	130	59	225	790
129	33	77	37	142	29	187	379	180	41	154	361	45	328	75		28	205	743
120	38	69	35	150	27	202	321	160	57	117	307	37	281	58	92	35	208	552
4	1	3	2	18	2	18	39	109	9	34	61	19	70	46		4	13	155
6	1	4		16	6	24	38	83	16	30	42	6	47	32	22	14	11	93
1	1			47	26	31	117	116	84	228	102	73	167	150	9	142	15	361
1				31	11	17	66	73	42	113	63	46	97	97		60	10	228
.....	1			16	15	14	51	43	42	115	39	27	70	53	9	82	5	133
249	20	135	103	609	92	564	709	1,197	111	762	987	91	793	321	148	272	810	2,732
109	8	79	50	301	39	275	390	538	39	360	579	56	384	177		111	387	1,499
140	12	56	53	308	53	289	319	659	72	402	408	35	409	144	148	161	423	1,233
79	4	30	8	227	45	191	770	1,027	182	617	693	138	946	551	64	301	38	2,376
38	2	17	4	116	20	96	397	559	72	326	402	92	504	313		118	16	1,432
41	2	13	4	111	25	95	373	468	110	291	291	46	442	238	64	183	22	944
61	4	22	3	119	38	123	539	535	144	389	392	106	603	352	43	180	23	1,301
30	2	13	2	64	18	55	288	299	59	204	232	73	339	209		76	12	823
31	2	9	1	55	20	68	251	236	85	185	160	33	264	143	43	104	11	478
60	4	22	3	84	20	95	441	427	70	185	302	43	447	209	39	49	13	949
30	2	13	2	40	11	40	235	234	24	105	175	34	251	120		22	5	599
30	2	9	1	44	9	55	206	193	46	80	127	9	196	89	39	27	8	350
21	2	12	1	15	5	12	169	55	8	37	100	10	130	31		11	2	299
20	2	9	1	17	5	21	148	67	11	26	72	3	118	23	9	10	3	184
3		1	1	12	1	12	32	99	7	27	53	13	61	39		4	1	120
4				18	3	18	27	71	14	27	33	5	39	28	16	11	1	68
.....				34	18	26	98	103	74	200	86	63	152	136	4	130	6	319
.....				23	7	14	53	63	35	97	55	39	86	86		53	5	195
.....				11	11	12	45	40	39	103	31	24	66	50	4	77	1	124
18		8	5	108	7	68	231	492	38	228	301	32	343	199	21	121	15	1,075
8		4	2	52	2	41	109	260	13	122	170	19	165	104		42	4	609
10		4	3	56	5	27	122	232	25	106	131	13	178	95	21	79	11	466
3	5	3	1	56	1	30	87	83	15	58	63	1	66	30	8	15	11	192
.....	2			34	1	20	61	41	11	30	49		35	15		4	7	112
3	3	3	1	22		10	26	42	4	28	14	1	31	15	8	11	4	80
2	3	2	1	15		13	33	14	7	22	16		25	12	2	4	3	70
.....	2																	
2	2	2	1	10	5	11	25	9	6	12	13		16	8		1	3	41
.....	1																	
1	2	1		41	1	17	54	69	8	36	47	1	41	18	6	11	8	122
.....				24	1	9	36	32	5	18	36		19	7		3	4	71
1	2	1		17		8	18	37	3	18	11	1	22	11	6	8	4	51

TABLE 19.—POPULATION, BIRTHS, DEATHS, AND DEATH RATES AT CERTAIN AGES, AND DEATHS FROM CERTAIN

	AREAS.	UNDER 1 YEAR OF AGE.					UNDER 5 YEARS OF AGE.				ALL AGES.		
		Popu- lation.	Born and died in the census year.	Births during the census year.	Deaths.	Deaths under 1 per 1,000 births.	Popu- lation.	Deaths.	Death rate per 1,000 of popu- lation.	Deaths under 5 per 1,000 at all ages.	Popu- lation.	Deaths.	Death rate per 1,000 of popu- lation.
1	MAINE.....	13,503	1,213	14,716	1,946	132.2	65,690	2,754	41.9	226.7	694,466	12,148	17.5
2	Males.....	6,761	674	7,435	1,085	145.9	32,947	1,504	45.6	239.0	350,995	6,292	17.9
3	Females.....	6,742	539	7,281	861	118.3	32,743	1,250	38.2	213.5	343,471	5,856	17.0
4	White.....	13,463	1,210	14,673	1,940	132.2	65,480	2,744	41.9	226.6	692,226	12,112	17.5
5	Males.....	6,739	672	7,411	1,082	146.0	32,848	1,498	45.6	239.0	349,786	6,268	17.9
6	Females.....	6,724	538	7,262	858	118.1	32,632	1,246	38.2	213.2	342,440	5,844	17.1
7	Native.....	13,351	1,203	14,554	1,904	130.8	64,098	2,663	41.5	253.7	599,291	10,497	17.5
8	Males.....	6,691	667	7,358	1,063	144.5	32,155	1,454	45.2	267.4	301,810	5,438	18.0
9	Females.....	6,660	536	7,196	841	116.9	31,943	1,209	37.8	239.0	297,481	5,059	17.0
10	Both parents native..... (M.....)	4,329	382	4,711	564	119.7	21,671	763	35.2	187.3	248,049	4,073	16.4
11	One or both parents foreign..... (F.....)	4,307	312	4,619	462	100.0	21,372	662	31.0	170.6	245,033	3,881	15.8
12	Foreign.....	2,362	280	2,642	492	186.2	10,484	681	65.0	624.2	53,761	1,091	20.8
13	Foreign.....	2,353	221	2,574	372	144.5	10,571	537	50.8	585.0	52,448	918	17.5
14	Foreign.....	112	6	118	32	271.2	1,382	74	53.5	49.8	92,935	1,487	16.0
15	Males.....	48	4	52	16	(*)	693	38	54.8	49.9	47,976	762	15.9
16	Females.....	64	2	66	16	(*)	689	36	52.2	49.7	44,959	725	16.1
17	Colored.....	40	3	43	6	(*)	210	10	47.6	(*)	2,240	36	16.1
18	Males.....	22	2	24	3	(*)	99	6	(*)	(*)	1,209	24	19.9
19	Females.....	18	1	19	3	(*)	111	4	36.0	(*)	1,031	12	11.6
20	Cities in Maine.....	2,274	280	2,554	454	177.8	10,450	623	59.6	256.5	118,450	2,429	20.5
21	Males.....	1,114	169	1,283	275	214.3	5,150	364	70.7	284.6	56,484	1,279	22.6
22	Females.....	1,160	111	1,271	179	140.8	5,300	259	48.9	225.2	61,966	1,150	18.6
23	White.....	2,260	279	2,539	452	178.0	10,383	619	59.6	256.1	117,802	2,417	20.5
24	Males.....	1,111	168	1,279	274	214.2	5,122	362	70.7	284.8	56,143	1,271	22.6
25	Females.....	1,149	111	1,260	178	141.3	5,261	257	48.9	224.3	61,659	1,146	18.6
26	Native.....	2,236	277	2,513	438	174.3	10,001	593	59.3	309.8	92,169	1,914	20.8
27	Males.....	1,103	166	1,269	266	209.6	4,929	346	70.2	337.2	44,149	1,026	23.2
28	Females.....	1,133	111	1,244	172	138.3	5,072	247	48.7	278.2	48,020	888	18.5
29	Both parents native..... (M.....)	508	77	585	115	196.6	2,454	150	61.1	234.4	31,368	640	20.4
30	One or both parents foreign..... (F.....)	535	50	585	73	124.8	2,532	110	43.4	185.8	34,400	592	17.2
31	Foreign.....	595	87	682	148	217.0	2,475	193	78.0	643.3	12,781	300	23.5
32	Foreign.....	598	60	658	97	147.4	2,540	134	52.8	590.3	13,620	227	16.7
33	Foreign.....	24	1	25	12	(*)	382	23	60.2	48.9	25,633	470	18.3
34	Males.....	8	1	9	6	(*)	193	13	67.4	56.8	11,994	229	19.1
35	Females.....	16		16	6	(*)	189	10	52.9	41.5	13,639	241	17.7
36	Colored.....	14	1	15	2	(*)	67	4	(*)	(*)	648	12	18.5
37	Males.....	3	1	4	1	(*)	28	2	(*)	(*)	341	8	23.5
38	Females.....	11		11	1	(*)	39	2	(*)	(*)	307	4	13.0
39	Rural part of Maine.....	11,229	933	12,162	1,492	122.7	55,240	2,131	38.6	219.3	576,016	9,719	16.9
40	Males.....	5,647	505	6,152	810	131.7	27,797	1,140	41.0	227.4	294,511	5,013	17.0
41	Females.....	5,582	428	6,010	682	113.5	27,443	991	36.1	210.6	281,505	4,706	16.7
42	White.....	11,203	931	12,134	1,488	122.6	55,097	2,125	38.6	219.2	574,424	9,695	16.9
43	Males.....	5,628	504	6,132	808	131.8	27,726	1,136	41.0	227.3	293,643	4,997	17.0
44	Females.....	5,575	427	6,002	680	113.3	27,371	989	36.1	210.5	280,781	4,698	16.7
45	Native.....	11,115	926	12,041	1,466	121.8	54,097	2,070	38.3	241.2	507,122	8,583	16.9
46	Males.....	5,588	501	6,089	797	130.9	27,226	1,108	40.7	251.1	257,661	4,412	17.1
47	Females.....	5,527	425	5,952	669	112.4	26,871	962	35.8	230.6	249,461	4,171	16.7
48	Both parents native..... (M.....)	3,821	305	4,126	449	108.8	19,217	613	31.9	178.6	216,681	3,483	15.8
49	One or both parents foreign..... (F.....)	3,772	262	4,034	389	96.4	18,840	552	29.3	167.8	210,633	3,289	15.6
50	Foreign.....	1,767	193	1,960	344	175.5	8,009	488	60.9	616.9	40,980	791	19.3
51	Foreign.....	1,755	161	1,916	275	143.5	8,031	403	50.2	583.2	38,828	691	17.8
52	Foreign.....	88	5	93	20	(*)	1,000	51	51.0	50.1	67,302	1,017	15.1
53	Males.....	40	3	43	10	(*)	500	25	50.0	46.9	35,982	533	14.8
54	Females.....	48	2	50	10	(*)	500	26	52.0	53.7	31,320	484	15.5
55	Colored.....	26	2	28	4	(*)	143	6	42.0	(*)	1,592	24	15.1
56	Males.....	19	1	20	2	(*)	71	4	(*)	(*)	868	16	18.4
57	Females.....	7	1	8	2	(*)	72	2	(*)	(*)	724	8	11.0

* Data insufficient for rates.

POPULATION, BIRTHS, DEATHS, AND DEATH RATES.

347

CAUSES, BY SEX, COLOR, GENERAL NATIVITY, AND PARENT NATIVITY: CENSUS YEAR 1900—Continued.

CAUSE OF DEATH.																				
Measles.	Scarlet fever.	Diphtheria and croup.	Whooping cough.	Malarial fever.	Influenza.	Typhoid fever.	Diarrheal diseases.	Consumption.	Cancer and tumor.	Heart disease and dropsy.	Pneumonia.	Diseases of the liver.	Diseases of the nervous system.	Diseases of the urinary organs.	Affections connected with pregnancy.	Old age.	Unknown.	All other causes.		
50	54	168	97	16	245	200	791	1,145	614	1,211	1,139	137	1,827	704	88	653	220	2,789	1	
23	37	84	47	11	116	128	427	524	227	667	580	80	939	437	88	313	131	1,521	2	
27	17	84	50	5	129	72	364	621	387	544	559	57	888	267	88	340	89	1,268	3	
50	54	167	97	16	243	200	788	1,140	614	1,207	1,133	137	1,825	703	87	652	219	2,780	4	
23	37	84	47	11	116	128	426	521	227	663	576	80	938	436	87	312	130	1,513	5	
27	17	83	50	5	127	72	362	619	387	544	557	57	887	267	87	340	89	1,267	6	
46	50	156	95	15	229	164	725	950	499	1,014	986	115	1,603	602	66	555	193	2,434	7	
22	35	79	46	10	110	108	393	432	179	554	499	69	837	375	66	267	114	1,309	8	
24	15	77	49	5	119	56	332	518	320	460	487	46	766	227	66	288	79	1,125	9	
11	18	37	28	8	86	86	201	335	153	465	369	61	649	326	45	229	70	941	10	
13	8	33	27	4	95	40	185	415	276	396	370	37	611	202	45	251	48	825	11	
11	16	41	17	1	17	17	186	83	19	45	111	7	132	28	14	6	39	315	12	
10	7	44	21		12	13	138	87	25	37	93	5	103	16	14	14	25	254	13	
4	4	11	2	1	12	34	61	177	111	178	136	21	210	88	21	86	21	309	14	
1	2	5	1	1	5	19	31	83	47	98	70	10	98	56	21	40	13	182	15	
3	2	6	1		7	15	30	94	64	80	66	11	112	32	21	46	8	127	16	
.....		1			2		3	5		4	6		2	1	1	1	1	9	17	
.....							1	3		4	4		1	1		1	1	8	18	
.....		1			2		2	2			2		1	1		1		1	19	
5	7	36	25		29	53	153	227	104	212	242	25	455	141	11	84	28	592	20	
3	5	20	16		11	37	82	113	28	127	125	16	226	72		34	21	843	21	
2	2	16	9		18	16	71	114	76	85	117	9	229	69	11	50	7	249	22	
5	7	35	25		28	53	153	225	104	211	240	25	454	140	11	83	28	590	23	
3	5	20	16		11	37	82	112	28	126	124	16	225	71		33	21	841	24	
2	2	15	9		17	16	71	113	76	85	116	9	229	69	11	50	7	249	25	
4	7	33	25		27	39	131	172	64	155	190	18	381	104	7	60	26	471	26	
3	5	19	16		10	30	71	87	16	97	100	13	193	54		25	20	267	27	
1	2	14	9		17	9	60	85	48	58	90	5	188	50	7	35	6	204	28	
1	2	10	8		8	21	31	55	13	77	50	11	130	41		17	8	157	29	
.....	2	6	4		14	6	25	49	43	49	54	3	132	40	6	31	4	124	30	
2	2	9	7		2	7	38	28	1	11	44	2	39	6		9	9	93	31	
.....		8	5		1	2	34	33	4	3	29	1	30	7	1	1	2	66	32	
1		2			1	13	21	52	40	51	48	6	70	31	4	22	2	106	33	
.....		1			1	6	10	25	12	26	23	2	32	16		7	1	67	34	
1		1				7	11	27	28	25	25	4	38	15	4	15	1	39	35	
.....		1			1			2		1	2		1	1		1		2	36	
.....								1		1	1		1	1		1		2	37	
.....		1			1			1		1	1		1	1		1		2	38	
45	47	132	72	16	216	147	638	918	510	999	897	112	1,372	563	77	569	192	2,197	39	
20	32	64	31	11	105	91	345	411	199	540	455	64	713	365		279	110	1,178	40	
25	15	68	41	5	111	56	293	507	311	458	442	48	659	198	77	290	82	1,019	41	
45	47	132	72	16	215	147	635	915	510	996	893	112	1,371	563	76	569	191	2,190	42	
20	32	64	31	11	105	91	344	409	199	537	452	64	713	365		279	109	1,172	43	
25	15	68	41	5	110	56	291	506	311	459	441	48	658	198	76	290	82	1,018	44	
42	43	123	70	15	202	125	594	778	435	859	796	97	1,222	498	59	495	167	1,963	45	
19	30	60	30	10	100	78	322	345	163	457	399	56	644	321		242	94	1,042	46	
23	13	63	40	5	102	47	272	433	272	402	397	41	578	177	59	253	73	921	47	
10	16	27	20	8	78	65	170	280	140	388	319	50	519	285		212	62	784	48	
13	6	27	23	4	81	34	160	366	233	347	316	34	479	162	39	220	44	701	49	
9	14	32	10	1	15	10	148	55	18	34	67	5	93	22		6	30	222	50	
10	7	36	16		11	11	104	54	21	34	64	4	73	9	13	13	23	188	51	
3	4	9	2	1	11	21	40	125	71	127	88	15	140	57	17	64	19	203	52	
1	2	4	1	1	4	13	21	58	35	72	47	8	66	40		33	12	115	53	
2	2	5	1		7	8	19	67	36	55	41	7	74	17	17	31	7	88	54	
.....					1		3	3		3	4		1		1		1	7	49	55
.....							1	2		3	3		1				1	6	50	56
.....					1		2	1			1		1		1			1	51	57

TABLE 19.—POPULATION, BIRTHS, DEATHS, AND DEATH RATES AT CERTAIN AGES, AND DEATHS FROM CERTAIN

	AREAS.	UNDER 1 YEAR OF AGE.					UNDER 5 YEARS OF AGE.				ALL AGES.		
		Popu- lation.	Born and died in the census year.	Births during the census year.	Deaths.	Deaths under 1 per 1,000 births.	Popu- lation.	Deaths.	Death rate per 1,000 of popu- lation.	Deaths under 5 per 1,000 at all ages.	Popu- lation.	Deaths.	Death rate per 1,000 of popu- lation.
	MAINE—Continued.												
1	Group 1	8,407	810	9,217	1,310	142.1	40,815	1,855	45.4	219.8	455,996	8,439	18.5
2	Males	4,213	458	4,671	748	160.1	20,424	1,029	50.4	232.5	226,581	4,425	19.5
3	Females	4,194	352	4,546	562	123.6	20,391	826	40.5	205.8	229,415	4,014	17.5
4	White	8,387	809	9,196	1,307	142.1	40,683	1,851	45.5	219.9	454,471	8,417	18.5
5	Males	4,205	457	4,662	747	160.2	20,370	1,027	50.4	232.9	225,767	4,409	19.5
6	Females	4,182	352	4,534	560	123.5	20,313	824	40.6	205.6	228,704	4,008	17.5
7	Native	8,316	805	9,121	1,278	140.1	39,751	1,787	45.0	245.9	392,429	7,267	18.5
8	Males	4,175	453	4,628	731	158.0	19,910	992	49.8	260.2	195,477	3,812	19.5
9	Females	4,141	352	4,493	547	121.7	19,841	795	40.1	230.1	196,952	3,455	17.5
10	Both parents na- (M..	2,685	250	2,935	368	125.4	13,473	488	36.2	172.0	163,201	2,837	17.4
	tive. (F..	2,652	195	2,847	278	97.6	13,217	399	30.2	150.7	164,330	2,647	16.1
11	One or both par- (M..	1,490	200	1,690	358	211.8	6,437	496	77.1	633.5	32,276	783	24.3
	ents foreign. (F..	1,489	156	1,645	265	161.1	6,624	389	58.7	623.4	32,622	624	19.1
12	Foreign	71	3	74	26	(*)	932	60	64.4	56.4	62,042	1,064	17.1
13	Males	30	3	33	13	(*)	460	31	67.4	56.3	30,290	551	18.2
14	Females	41		41	13	(*)	472	29	61.4	56.5	31,752	513	16.2
15	Colored	20	1	21	3	(*)	132	4	30.3	(*)	1,525	22	14.4
16	Males	8	1	9	1	(*)	54	2	(*)	(*)	814	16	19.7
17	Females	12		12	2	(*)	78	2	(*)	(*)	711	6	8.4
18	Androscoggin county	1,125	107	1,232	209	169.6	5,171	353	68.3	325.3	54,242	1,085	20.0
19	Males	535	63	598	116	194.0	2,509	193	76.9	344.6	26,225	560	21.4
20	Females	590	44	634	93	146.7	2,662	160	60.1	304.8	28,017	525	18.7
21	Cumberland county, rural	928	87	1,015	118	116.3	4,511	172	38.1	214.2	50,544	803	15.9
22	Males	466	44	510	61	119.6	2,227	85	38.2	223.1	25,317	381	15.0
23	Females	462	43	505	57	112.9	2,284	87	38.1	206.2	25,227	422	16.7
24	Portland	924	113	1,037	181	174.5	4,292	254	59.2	230.9	50,145	1,100	21.9
25	Males	441	73	514	112	217.9	2,105	149	70.8	256.9	23,714	580	24.5
26	Females	483	40	523	69	131.9	2,187	105	48.0	201.9	26,431	520	19.7
27	White	917	113	1,030	180	174.8	4,261	252	59.1	230.6	49,822	1,093	21.9
28	Males	440	73	513	112	218.3	2,093	148	70.7	257.4	23,546	575	24.4
29	Females	477	40	517	68	131.5	2,168	104	48.0	200.8	26,276	518	19.7
30	Native	912	112	1,024	178	173.8	4,187	248	59.2	288.4	39,470	860	21.8
31	Males	439	72	511	110	215.3	2,052	146	71.2	313.3	18,896	466	24.7
32	Females	473	40	513	68	132.6	2,135	102	47.8	258.9	20,574	394	19.2
33	Both parents native ..	429	60	489	89	182.0	2,033	127	62.5	225.2	27,064	564	20.8
34	One or both parents foreign.	483	49	532	84	157.9	2,154	115	53.4	513.4	12,406	224	18.1
35	Foreign	5		5			74	2	(*)	9.3	10,352	214	20.7
36	Males	1		1			41				4,650	101	21.7
37	Females	4		4			33	2	(*)	17.7	5,702	113	19.8
38	Hancock county	677	46	723	59	81.6	3,450	79	22.9	144.4	37,241	547	14.7
39	Males	359	28	387	37	95.6	1,784	46	25.8	164.3	19,056	280	14.7
40	Females	318	18	336	22	65.5	1,666	33	19.8	123.6	18,185	267	14.7
41	Kennebec county, rural	765	80	845	137	162.1	3,905	171	43.8	181.0	47,434	945	19.9
42	Males	370	43	413	71	171.9	1,943	90	46.3	174.1	24,653	517	21.0
43	Females	395	37	432	66	152.8	1,962	81	41.3	189.3	22,781	428	18.8
44	Augusta	237	31	268	52	194.0	1,034	61	59.0	198.1	11,683	308	26.4
45	Males	118	8	126	18	142.9	505	23	45.5	156.5	5,552	147	26.5
46	Females	119	23	142	34	239.4	529	38	71.8	236.0	6,131	161	26.3
47	White	235	31	266	52	195.5	1,026	61	59.5	198.1	11,629	308	26.5
48	Males	117	8	125	18	144.0	504	23	45.6	156.5	5,529	147	26.6
49	Females	118	23	141	34	241.1	522	38	72.8	236.0	6,100	161	26.4

* Data insufficient for rates.

CAUSES, BY SEX, COLOR, GENERAL NATIVITY, AND PARENT NATIVITY: CENSUS YEAR 1900—Continued.

CAUSE OF DEATH.																		
Measles.	Scarlet fever.	Diphtheria and croup.	Whooping cough.	Malarial fever.	Influenza.	Typhoid fever.	Diarrheal diseases.	Consumption.	Cancer and tumor.	Heart disease and dropsy.	Pneumonia.	Diseases of the liver.	Diseases of the nervous system.	Diseases of the urinary organs.	Affections connected with pregnancy.	Old age.	Unknown.	All other causes.
17	25	141	70	9	163	126	489	811	432	846	811	103	1,330	534	46	432	119	1,935
9	19	74	35	6	78	82	265	386	167	463	429	59	696	332	46	211	71	1,043
8	6	67	35	3	85	44	224	425	265	383	382	44	634	202	46	221	48	892
17	25	140	70	9	162	126	488	807	432	842	809	103	1,329	533	46	431	118	1,930
9	19	74	35	6	78	82	265	384	167	459	427	59	695	331	46	210	70	1,039
8	6	66	35	3	84	44	223	423	265	388	382	44	634	202	46	221	48	891
15	23	133	68	9	153	102	437	659	346	698	697	88	1,173	462	34	375	105	1,690
8	18	71	34	6	73	70	238	318	128	374	367	52	616	294	46	183	61	901
7	5	62	34	3	80	32	199	341	218	324	330	36	557	168	34	192	44	789
4	10	30	17	5	58	57	107	253	110	322	265	45	470	253	26	160	37	634
1	4	22	18	3	64	22	98	274	187	287	250	30	433	148	26	174	26	580
4	7	40	16	1	10	10	128	59	12	21	85	3	104	24	6	7	19	232
5	1	40	16	1	6	8	94	55	18	19	62	3	80	14	6	7	15	175
2	2	7	2	2	9	23	49	139	82	132	104	15	148	60	12	49	11	218
1	1	3	1	1	5	11	25	62	38	76	55	7	77	33	12	23	8	125
1	1	4	1	1	4	12	24	77	44	56	49	8	71	27	12	26	8	93
.....		1			1		1	4		4	2		1	1		1	1	5
.....								2		4	2		1	1		1	1	4
.....		1			1		1	2										1
7	5	56	12	2	18	23	105	87	49	91	109	14	163	48	8	27	18	243
3	4	33	6	2	10	15	56	33	12	49	58	10	86	28	8	16	12	127
4	1	23	6		8	8	49	54	37	42	51	4	77	20	8	11	6	116
1	1	17	5	1	26	5	30	65	51	82	69	5	116	51	6	50	7	215
.....	1	7	1	1	12	3	13	17	16	42	35	3	57	34		26	4	109
1		10	4		14	2	17	48	35	40	34	2	59	17	6	24	3	106
2		23	11		11	21	51	116	49	81	106	9	194	87	4	41	8	286
.....		13	8		3	15	25	64	14	52	56	6	99	41		16	7	161
2		10	3		8	6	26	52	35	29	50	3	95	46	4	25	1	125
2		22	11		10	21	51	115	49	80	105	9	193	87	4	41	8	285
.....		13	8		3	15	25	63	14	51	55	6	98	41		16	7	160
2		9	3		7	6	26	52	35	29	50	3	95	46	4	25	1	125
1		22	11		10	17	44	84	29	55	86	5	161	62	2	28	7	236
.....		13	8		3	12	23	51	8	36	46	4	84	30		12	6	130
1		9	3		7	5	21	33	21	19	40	1	77	32	2	16	1	106
.....		13	5		7	11	17	51	22	43	47	4	121	46	1	22	2	152
.....		9	5		2	4	24	30	5	6	31		29	10	1	3	3	65
1						3	6	30	20	22	18	4	31	20	2	12	1	44
.....						2	1	12	6	13	9	2	14	10		3	1	28
1						1	5	18	14	9	9	2	17	10	2	9		16
2	2		2		10	10	27	55	41	63	36	14	70	46	2	54	11	102
1	1				6	6	15	25	26	31	15	8	32	33		28	6	47
1	1		2		4	4	12	30	15	32	21	6	38	13	2	26	5	55
.....	2	10	10	1	11	11	54	98	64	98	105	12	142	58	1	47	17	204
.....	2	6	4	1	8	6	28	56	30	55	64	7	70	45		19	9	107
.....		4	6		3	5	26	42	34	43	41	5	72	13	1	28	8	97
.....	4	1	5		4	5	23	23	10	19	23	1	112	12	1	6	7	52
.....	2		3		1	2	9	6	2	14	7	1	56	6		5	3	30
2	1		2		3	3	14	17	8	5	16		56	6	1	1	4	22
.....	4	1	5		4	5	23	23	10	19	23	1	112	12	1	6	7	52
.....	2		3		1	2	9	6	2	14	7	1	56	6		5	3	30
2	2	1	2		3	3	14	17	8	5	16		56	6	1	1	4	22

TABLE 19.—POPULATION, BIRTHS, DEATHS, AND DEATH RATES AT CERTAIN AGES, AND DEATHS FROM CERTAIN

	AREAS.	UNDER 1 YEAR OF AGE.					UNDER 5 YEARS OF AGE.				ALL AGES.		
		Popula- tion.	Born and died in the census year.	Births during the census year.	Deaths.	Deaths under 1 per 1,000 births.	Popula- tion.	Deaths.	Death rate per 1,000 of popula- tion.	Deaths under 5 per 1,000 at all ages.	Popula- tion.	Deaths.	Death rate per 1,000 of popula- tion.
	MAINE—Continued.												
	Group 1—Continued.												
	Augusta—Continued.												
1	White—Continued.												
	Native	234	31	265	51	192.5	991	60	60.5	232.6	9,502	258	27.2
2	Males	117	8	125	18	144.0	489	23	47.0	198.3	4,524	116	25.6
3	Females	117	23	140	33	235.7	502	37	73.7	260.6	4,978	142	28.5
4	Both parents native...	112	22	134	36	268.7	541	40	73.9	235.3	7,642	170	22.2
5	One or both parents foreign.	122	9	131	15	114.5	450	20	44.4	(*)	1,860	31	16.7
6	Foreign	1		1	1	(*)	35	1	(*)	(*)	2,127	46	21.6
7	Males						15				1,005	28	27.9
8	Females	1		1	1	(*)	20	1	(*)	(*)	1,122	18	16.0
9	Knox county, rural.....	333	26	359	33	91.9	1,806	47	26.0	121.1	22,256	388	17.4
10	Males	164	14	178	18	101.1	903	24	26.6	112.7	11,199	213	19.0
11	Females	169	12	181	15	82.9	903	23	25.5	131.4	11,057	175	15.8
12	Rockland	112	13	125	18	144.0	564	22	39.0	150.7	8,150	146	17.9
13	Males	52	9	61	13	(*)	282	16	56.7	(*)	3,906	88	22.5
14	Females	60	4	64	5	(*)	282	6	21.3	(*)	4,244	58	13.7
15	White	112	13	125	18	144.0	561	22	39.2	150.7	8,117	146	18.0
16	Males	52	9	61	13	(*)	280	16	57.1	(*)	3,886	88	22.6
17	Females	60	4	64	5	(*)	281	6	21.4	(*)	4,231	58	13.7
18	Native	112	13	125	18	144.0	551	22	39.9	156.0	7,512	141	18.8
19	Males	52	9	61	13	(*)	273	16	58.6	(*)	3,574	86	24.1
20	Females	60	4	64	5	(*)	278	6	21.6	(*)	3,938	55	14.0
21	Both parents native...	88	9	97	12	(*)	446	15	33.6	118.1	6,726	127	18.9
22	One or both parents foreign.	24	4	28	6	(*)	105	7	66.7	(*)	786	13	16.5
23	Foreign						10				605	5	8.3
24	Males						7				312	2	6.4
25	Females						3				293	3	10.2
26	Lincoln county	317	16	333	28	84.1	1,599	38	23.8	114.8	19,669	331	16.8
27	Males	166	7	173	14	80.9	809	16	19.8	95.2	9,911	168	17.0
28	Females	151	9	160	14	87.5	790	22	27.8	135.0	9,758	163	16.7
29	Sagadahoc county, rural.....	162	14	176	24	136.4	843	30	35.6	168.5	9,853	178	18.1
30	Males	87	6	93	13	(*)	428	17	39.7	(*)	4,888	94	19.2
31	Females	75	8	83	11	(*)	415	13	31.3	(*)	4,965	84	16.9
32	Bath	214	15	229	26	113.5	967	37	38.3	253.4	10,477	146	13.9
33	Males	101	8	109	16	146.8	491	19	38.7	(*)	5,321	70	13.2
34	Females	113	7	120	10	83.3	476	18	37.8	(*)	5,156	76	14.7
35	White	214	15	229	26	113.5	966	37	38.3	258.7	10,427	143	13.7
36	Males	101	8	109	16	146.8	490	19	38.8	(*)	5,294	68	12.8
37	Females	113	7	120	10	83.3	476	18	37.8	(*)	5,133	75	14.6
38	Native	214	15	229	26	113.5	937	37	39.5	324.6	8,679	114	13.1
39	Males	101	8	109	16	146.8	474	19	40.1	(*)	4,358	54	12.4
40	Females	113	7	120	10	83.3	463	18	38.9	(*)	4,321	60	13.9
41	Both parents native...	127	10	137	14	102.2	587	23	39.2	(*)	6,920	91	13.2
42	One or both parents foreign.	87	5	92	12	(*)	350	14	40.0	(*)	1,759	23	13.1
43	Foreign						29				1,748	29	16.6
44	Males						16				936	14	15.0
45	Females						13				812	15	18.5
46	Waldo county.....	352	23	375	31	82.7	1,828	48	26.3	101.7	24,185	472	19.5
47	Males	197	10	207	16	77.3	954	23	24.1	89.8	12,049	256	21.2
48	Females	155	13	168	15	89.3	874	25	28.6	115.7	12,136	216	17.8

* Data insufficient for rates.

351

CAUSE OF DEATH.																		
Measles.	Scarlet fever.	Diphtheria and croup.	Whooping cough.	Malarial fever.	Influenza.	Typhoid fever.	Diarrheal diseases.	Consumption.	Cancer and tumor.	Heart disease and dropsy.	Pneumonia.	Diseases of the liver.	Diseases of the nervous system.	Diseases of the urinary organs.	Affections connected with pregnancy.	Old age.	Unknown.	All other causes.
	4	1	5		4	4	19	18	7	15	22	1	96	9	1	6	7	39
	2		3		1	2	7	4	1	11	7	1	46	4		5	3	19
	2	1	2		3	2	12	14	6	4	15		50	5	1	1	4	20
	3		4		3	3	15	12	6	11	16	1	57	7	1	3	4	23
			1		1		4	4		1	3		3	1			2	11
						1		5	3	3	1		15	3				11
						1	2	2	1	2			10	2				9
						1	2	3	2	1	1		5	1				2
	1	3		2	12	3	16	41	25	46	41	2	54	17	3	37	5	80
	1	3		1	7	2	11	23	12	26	23		24	11		19	2	51
				1	5	1	5	18	13	20	18	2	30	6	3	18	3	29
					2	1	6	10	4	32	14	2	25	5	1	13	1	30
					1	1	6	5	1	21	5	1	15	5		6	1	20
					1			5	3	11	9	1	10		1	7		10
					2	1	6	10	4	32	14	2	25	5	1	13	1	30
					1	1	6	5	1	21	5	1	15	5		6	1	20
					1		5	5	3	11	9	1	10		1	7		10
					2	1	6	10	3	31	14	1	24	5	1	12	1	30
					1	1	6	5	1	21	5	1	14	5		5	1	19
					1		5	5	2	10	9		10		1	7		10
					2	1	5	9	3	30	12		21	5	1	11	1	26
							1	1			2	1	3			1		4
									1	1		1	1			1		
									1	1		1	1			1		
									1	1		1	1			1		
			1	1	6	7	10	33	14	45	24	7	46	32		35	5	65
			1	1	3	5	5	18	10	21	10	5	24	17		15	3	31
				1	3	2	5	15	4	24	14	2	22	15		20	2	28
		2	2		2	1	4	13	11	16	24	1	19	11	1	14	4	53
		2	2		1	1	1	9	5	11	11		11	7		5	3	25
					1		3	4	6	5	13	1	8	4	1	9	1	28
		1			2		12	11	8	22	11	7	23	12		3		34
		1			1		6	5	2	10	4	5	10	4		1		21
					1		6	6	6	12	7	2	13	8		2		13
		1			2		12	10	8	22								

VITAL STATISTICS.

TABLE 19.—POPULATION, BIRTHS, DEATHS, AND DEATH RATES AT CERTAIN AGES, AND DEATHS FROM CERTAIN

	AREAS.	UNDER 1 YEAR OF AGE.					UNDER 5 YEARS OF AGE.				ALL AGES.		
		Popula- tion.	Born and died in the census year.	Births during the census year.	Deaths.	Deaths under 1 per 1,000 births.	Popula- tion.	Deaths.	Death rate per 1,000 of popula- tion.	Deaths under 5 per 1,000 at all ages.	Popula- tion.	Deaths.	Death rate per 1,000 of popula- tion.
	MAINE—Continued.												
1	Group 1—Continued. Washington county.....	1,027	76	1,103	125	113.3	5,064	176	34.8	249.6	45,232	705	15.6
2	Males	516	52	568	78	137.3	2,548	105	41.2	280.7	22,762	374	16.4
3	Females.....	511	24	535	47	87.9	2,516	71	28.2	214.5	22,470	331	14.7
4	York county, rural.....	804	89	893	135	151.2	4,019	181	45.0	198.9	48,740	910	18.7
5	Males	421	49	470	79	168.1	2,067	104	50.3	211.8	24,409	491	20.1
6	Females.....	383	40	423	56	132.4	1,952	77	39.4	183.8	24,331	419	17.2
7	Biddeford.....	430	74	504	134	265.9	1,762	186	105.6	496.0	16,145	375	23.2
8	Males	220	44	264	86	325.8	869	119	136.9	577.7	7,619	206	27.0
9	Females.....	210	30	240	48	200.0	893	67	75.0	396.4	8,526	169	19.8
10	White	430	74	504	134	265.9	1,762	186	105.6	496.0	16,140	375	23.2
11	Males	220	44	264	86	325.8	869	119	136.9	577.7	7,615	206	27.1
12	Females.....	210	30	240	48	200.0	893	67	75.0	396.4	8,525	169	19.8
13	Native	413	73	486	123	253.1	1,555	165	106.1	608.9	8,995	271	30.1
14	Males	214	43	257	80	311.3	769	105	136.5	664.6	4,346	158	36.4
15	Females.....	199	30	229	43	187.8	786	60	76.3	531.0	4,649	113	24.3
16	Both parents native... (M..)	77	6	83	9	(*)	300	12	40.0	(*)	4,284	81	18.9
17	One or both parents foreign. (F..)	336	67	403	114	282.9	1,255	153	121.9	850.0	4,711	180	38.2
18	Foreign	17	1	18	11	(*)	207	20	96.6	198.0	7,145	101	14.1
19	Males	6	1	7	6	(*)	100	13	130.0	(*)	3,269	47	14.4
20	Females.....	11		11	5	(*)	107	7	65.4	(*)	3,876	54	13.9
21	Group 2.....	5,096	403	5,499	636	115.7	24,875	899	36.1	242.4	238,470	3,709	15.6
22	Males	2,548	216	2,764	337	121.9	12,523	475	37.9	254.4	124,414	1,867	15.0
23	Females.....	2,548	187	2,735	299	109.3	12,352	424	34.3	230.2	124,056	1,842	16.1
24	White	5,076	401	5,477	633	115.6	24,797	893	36.0	241.7	237,755	3,695	15.5
25	Males	2,534	215	2,749	335	121.9	12,478	471	37.7	253.4	124,019	1,859	15.0
26	Females.....	2,542	186	2,728	298	109.2	12,319	422	34.3	229.8	113,736	1,836	16.1
27	Native	5,035	398	5,433	626	115.2	24,347	876	36.0	271.2	206,862	3,230	15.6
28	Males	2,516	214	2,730	332	121.6	12,245	462	37.7	284.1	106,333	1,626	15.3
29	Females.....	2,519	184	2,703	294	108.8	12,102	414	34.2	258.1	100,529	1,604	16.0
30	Both parents na- (M..)	1,644	132	1,776	196	110.4	8,198	275	33.5	222.5	84,848	1,236	14.6
31	tive. (F..)	1,655	117	1,772	184	103.8	8,155	263	32.3	213.1	80,703	1,234	15.3
32	One or both par- (M..)	872	80	952	134	140.8	4,047	185	45.7	600.6	21,485	308	14.3
33	ents foreign. (F..)	864	65	929	107	115.2	3,947	148	37.5	503.4	19,826	294	14.8
34	Foreign	41	3	44	6	(*)	450	14	31.1	33.1	30,893	423	13.7
35	Males	18	1	19	3	(*)	233	7	30.0	33.2	17,686	211	11.9
36	Females.....	23	2	25	3	(*)	217	7	32.3	33.0	13,207	212	16.1
37	Colored	20	2	22	3	(*)	78	6	(*)	(*)	715	14	19.6
38	Males	14	1	15	2	(*)	45	4	(*)	(*)	395	8	20.3
39	Females.....	6	1	7	1	(*)	33	2	(*)	(*)	320	6	18.8
40	Aroostook county.....	1,806	157	1,963	286	145.7	8,578	385	44.9	428.7	60,744	898	14.8
41	Males	917	78	995	145	145.7	4,327	198	45.8	434.2	32,153	456	14.2
42	Females.....	889	79	968	141	145.7	4,251	187	44.0	423.1	28,591	442	15.5
43	Franklin county.....	362	36	398	47	118.1	1,760	74	42.0	229.8	18,444	322	17.5
44	Males	190	17	207	23	111.1	900	35	38.9	234.9	9,750	149	15.3
45	Females.....	172	19	191	24	125.7	860	39	45.3	225.4	8,694	173	19.9
46	Oxford county.....	531	26	557	35	62.8	2,770	50	18.1	107.8	32,238	464	14.4
47	Males	248	16	264	23	87.1	1,379	33	23.9	138.1	16,990	239	14.1
48	Females.....	283	10	293	12	41.0	1,391	17	12.2	75.6	15,248	225	14.8
49	Penobscot county, rural.....	1,072	85	1,157	130	112.4	5,373	173	32.2	197.3	54,396	877	16.1
50	Males	550	45	595	68	114.3	2,767	89	32.2	198.2	28,727	449	15.6
51	Females.....	522	40	562	62	110.3	2,606	84	32.2	196.3	25,669	428	16.7

* Data insufficient for rates.

POPULATION, BIRTHS, DEATHS, AND DEATH RATES.

353

CAUSES, BY SEX, COLOR, GENERAL NATIVITY, AND PARENT NATIVITY: CENSUS YEAR 1900—Continued.

CAUSE OF DEATH.																		
Measles.	Scarlet fever.	Diphtheria and croup.	Whooping cough.	Malarial fever.	Influenza.	Typhoid fever.	Diarrheal diseases.	Consumption.	Cancer and tumor.	Heart disease and dropsy.	Pneumonia.	Diseases of the liver.	Diseases of the nervous system.	Diseases of the urinary organs.	Affections connected with pregnancy.	Old age.	Unknown.	All other causes.
1	3	6	6		8	11	40	95	37	68	56	7	107	46	11	19	12	172
1	2	2	3		4	4	21	51	13	32	32	4	59	32		10	8	96
.....	1	4	3		4	7	19	44	24	36	24	3	48	14	11	9	4	76
1	2	10	4	1	33	9	52	73	36	84	98	16	140	64	1	57	18	211
1	1	4	2	1	14	7	31	32	12	48	51	7	87	43		29	9	112
.....	1	6	2		19	2	21	41	24	36	47	9	53	21	1	28	9	99
3	2	11	8		6	13	49	33	8	17	54	3	51	12	3	2	3	97
3	2	6	5		1	9	30	14	2	8	35		24	5		2	2	58
.....		5	3		5	4	19	19	6	9	19	3	27	7	3		1	39
3	2	11	8		6	13	49	33	8	17	54	3	51	12	3	2	3	97
3	2	6	5		1	9	30	14	2	8	35		24	5		2	2	58
.....		5	3		5	4	19	19	6	9	19	3	27	7	3		1	39
3	2	9	8		5	6	40	25	3	8	33	2	39	9	1	1	3	74
3	2	5	5			6	24	11	1	4	23		20	5		1	2	46
.....		4	3		5		16	14	2	4	10	2	19	4	1		1	28
1		2	2		4	4	1	13	3	4	8	1	9	6	1			22
2	2	7	6			2	39	12		2	24	1	28	1			3	51
.....		2			1	7	9	8	5	8	21	1	12	3	2	1		21
.....		1			1	3	6	3	1	4	12		4			1		11
.....		1				4	3	5	4	4	9	1	8	3	2			10
33	29	27	27	7	82	74	302	334	182	365	323	34	497	170	42	221	101	854
14	18	10	12	5	38	46	162	138	60	204	151	21	243	105		102	60	478
19	11	17	15	2	44	28	140	196	122	161	177	13	254	65	42	119	41	376
33	29	27	27	7	81	74	300	333	182	365	324	34	496	170	41	221	101	850
14	18	10	12	5	38	46	161	137	60	204	149	21	243	105		102	60	474
19	11	17	15	2	43	28	139	196	122	161	175	13	253	65	41	119	41	376
31	27	23	27	6	76	62	288	291	153	316	289	27	430	140	32	180	88	744
14	17	8	12	4	37	38	155	114	51	180	132	17	221	81		84	53	408
17	10	15	15	2	39	24	133	177	102	136	157	10	209	59	32	96	35	336
7	8	7	11	3	28	29	94	82	43	143	104	16	179	73		69	33	307
12	4	11	9	1	31	18	87	141	89	109	120	7	178	54	19	77	22	245
7	9	1	1		7	7	58	24	7	24	26	1	28	4		1	20	83
5	6	4	5		6	5	44	32	7	18	31	2	23	2	8	7	10	79
2	2	4		1	3	11	12	38	29	46	32	6	62	28	9	37	10	91
.....	1	2		1		8	6	21	9	22	15	3	21	23		17	5	57
2	1	2			3	3	6	17	20	24	17	3	41	5	9	20	5	34
.....					1		2	1			4		1		1			4
.....							1	1			2							4
.....					1						2		1		1			37
19	18	12	10		30	23	162	78	34	66	56	8	68	30	18	36	51	179
10	10	4	4		14	16	85	33	17	41	21	3	29	19		19	26	105
9	8	8	6		16	7	77	45	17	25	35	5	39	11	18	17	25	74
.....		8			9	3	20	27	18	30	31	3	35	10	3	22	5	98
.....		3			4	1	9	13	5	16	12	3	12	6		10	2	53
.....		5			5	2	11	14	13	14	19		23	4	3	12	3	45
.....	1	3	1	2	13	7	13	37	31	57	36	5	89	28	3	33	4	101
.....	1	2	1	2	5	5	9	11	9	27	19	3	48	19		17	4	57
.....		1			8	2	4	26	22	30	17	2	41	9	3	16		44
4	3	1	7	4	10	18	52	81	33	86	94	6	133	41	11	63	19	211
1	2	1	3	3	5	9	29	35	12	40	44	4	77	21		29	10	124
3	1		4	1	5	9	23	46	21	46	50	2	56	20	11	34	9	87

TABLE 19.—POPULATION, BIRTHS, DEATHS, AND DEATH RATES AT CERTAIN AGES, AND DEATHS FROM CERTAIN

	AREAS.	UNDER 1 YEAR OF AGE.					UNDER 5 YEARS OF AGE.				ALL AGES.		
		Popula- tion.	Born and died in the census year.	Births during the census year.	Deaths.	Deaths under 1 per 1,000 births.	Popula- tion.	Deaths.	Death rate per 1,000 of popu- lation.	Deaths under 5 per 1,000 at all ages.	Popula- tion.	Deaths.	Death rate per 1,000 of popu- lation.
	MAINE—Continued.												
1	Group 2—Continued. Bangor.....	357	34	391	43	110.0	1,831	63	34.4	178.0	21,850	354	16.2
2	Males.....	182	27	209	30	143.5	898	38	42.3	202.1	10,372	188	18.1
3	Females.....	175	7	182	13	71.4	933	25	26.8	150.6	11,478	166	14.5
4	White.....	352	33	385	42	109.1	1,807	61	33.8	173.3	21,667	352	16.2
5	Males.....	181	26	207	29	140.1	886	37	41.8	197.9	10,273	187	18.2
6	Females.....	171	7	178	13	73.0	921	24	26.1	145.5	11,394	165	14.5
7	Native.....	351	33	384	42	109.4	1,780	61	34.3	225.9	18,011	270	15.0
8	Males.....	180	26	206	29	140.8	872	37	42.4	253.4	8,451	146	17.3
9	Females.....	171	7	178	13	73.0	908	24	26.4	193.5	9,560	124	13.0
10	Both parents native.....	210	20	230	28	121.7	1,079	43	39.9	216.1	13,132	199	15.2
11	One or both parents foreign.....	141	13	154	14	90.9	701	18	25.7	(*)	4,879	56	11.5
12	Foreign.....	1		1			27				3,656	75	20.5
13	Males.....	1		1			14				1,822	37	20.3
14	Females.....						13				1,834	38	20.7
15	Piscataquis county.....	362	34	396	41	103.5	1,661	59	35.5	209.2	16,949	282	16.6
16	Males.....	184	16	200	19	95.0	834	31	37.2	226.3	8,937	137	15.3
17	Females.....	178	18	196	22	112.2	827	28	33.9	193.1	8,012	145	18.1
18	Somerset county.....	606	31	637	54	84.8	2,902	95	32.7	185.5	33,849	512	15.1
19	Males.....	277	17	294	29	98.6	1,418	51	36.0	204.8	17,485	249	14.2
20	Females.....	329	14	343	25	72.9	1,484	44	29.6	167.3	16,364	263	16.1
21	MARYLAND.....	28,398	2,657	31,055	4,227	(*)	134,584	6,249	(*)	306.0	1,188,044	20,422	(*)
22	Males.....	14,379	1,515	15,894	2,315	(*)	67,553	3,360	(*)	319.2	589,275	10,526	(*)
23	Females.....	14,019	1,142	15,161	1,912	(*)	67,031	2,889	(*)	291.9	598,769	9,896	(*)
24	White.....	22,582	1,897	24,479	3,097	(*)	106,463	4,500	(*)	293.3	952,424	15,341	(*)
25	Males.....	11,483	1,092	12,575	1,696	(*)	53,692	2,428	(*)	301.5	473,119	8,054	(*)
26	Females.....	11,099	805	11,904	1,401	(*)	52,771	2,072	(*)	284.3	479,305	7,287	(*)
27	Native.....	22,557	1,860	24,417	3,019	(*)	106,155	4,371	(*)	359.0	859,280	12,177	(*)
28	Males.....	11,471	1,068	12,539	1,654	(*)	53,550	2,357	(*)	369.3	426,114	6,383	(*)
29	Females.....	11,086	792	11,878	1,365	(*)	52,605	2,014	(*)	347.6	433,166	5,794	(*)
30	Both parents native.....	6,141	290	6,431	435	(*)	28,837	639	(*)	295.8	224,198	2,160	(*)
31	One or both parents foreign.....	5,909	237	6,146	374	(*)	28,031	579	(*)	305.4	219,798	1,896	(*)
		575	39	614	49	(*)	2,906	70	(*)	357.1	27,428	196	(*)
		567	18	585	26	(*)	2,801	52	(*)	331.2	26,578	157	(*)
32	Foreign.....	25		25	4	(*)	308	9	(*)	3.8	93,144	2,391	(*)
33	Males.....	12		12	3	(*)	142	5	(*)	4.0	47,005	1,258	(*)
34	Females.....	13		13	1	(*)	166	4	(*)	3.5	46,139	1,133	(*)
35	Colored.....	5,816	760	6,576	1,130	(*)	28,121	1,749	(*)	344.2	235,620	5,081	(*)
36	Males.....	2,896	423	3,319	619	(*)	13,861	932	(*)	377.0	116,156	2,472	(*)
37	Females.....	2,920	337	3,257	511	(*)	14,260	817	(*)	313.1	119,464	2,609	(*)
38	Annapolis.....	167	29	196	39	199.0	782	61	78.0	358.8	8,525	170	19.9
39	Males.....	88	18	106	25	235.8	395	38	96.2	(*)	4,450	87	19.6
40	Females.....	79	11	90	14	(*)	387	23	59.4	(*)	4,075	83	20.4
41	White.....	96	14	110	18	163.6	463	26	56.2	(*)	5,512	83	15.1
42	Males.....	52	9	61	13	(*)	242	18	74.4	(*)	3,037	47	15.5
43	Females.....	44	5	49	5	(*)	221	8	36.2	(*)	2,475	36	14.5
44	Colored.....	71	15	86	21	(*)	319	35	109.7	(*)	3,013	87	28.9
45	Males.....	36	9	45	12	(*)	153	20	130.7	(*)	1,413	40	28.3
46	Females.....	35	6	41	9	(*)	166	15	90.4	(*)	1,600	47	29.4
47	Baltimore.....	10,844	1,570	12,414	2,549	205.3	50,517	3,646	72.2	341.4	508,957	10,679	21.0
48	Males.....	5,492	894	6,386	1,393	218.1	25,157	1,947	77.4	359.6	243,280	5,414	22.3
49	Females.....	5,352	676	6,028	1,156	191.8	25,360	1,699	67.0	322.7	265,677	5,265	19.8

¹ Population excluded for areas not reporting deaths by nativity of persons and parents.

* Data insufficient for rates.

POPULATION, BIRTHS, DEATHS, AND DEATH RATES.

355

CAUSES, BY SEX, COLOR, GENERAL NATIVITY, AND PARENT NATIVITY: CENSUS YEAR 1900—Continued.

CAUSE OF DEATH.																		
Measles.	Scarlet fever.	Diphtheria and croup.	Whooping cough.	Malarial fever.	Influenza.	Typhoid fever.	Diarrheal diseases.	Consumption.	Cancer and tumor.	Heart disease and dropsy.	Pneumonia.	Diseases of the liver.	Diseases of the nervous system.	Diseases of the urinary organs.	Affections connected with pregnancy.	Old age.	Unknown.	All other causes.
	1		1		4	13	12	34	25	41	34	3	50	13	2	19	9	93
	1				4	10	6	19	7	22	18	3	22	11		4	8	53
			1			3	6	15	18	19	16		28	2	2	15	1	40
	1		1		4	13	12	34	25	41	33	3	50	13	2	19	9	92
	1				4	10	6	19	7	22	18	3	22	11		4	8	52
			1			3	6	15	18	19	15		28	2	2	15	1	40
	1		1		4	11	11	27	18	30	26	2	41	9	2	12	8	67
	1				4	9	6	12	5	18	15	2	20	7		2	8	37
			1			2	5	15	13	12	11		21	2	2	10		30
	1				4	8	10	14	18	22	15	2	36	8	2	11	5	42
						3	1	11		5	10		4				3	19
						2	1	7	7	11	6		8	4		7	1	21
						1		7	2	4	2		2	4		2		13
						1	1	5	5	7	4		6			5	1	8
6	3	1			9	3	15	18	13	30	33	2	37	16	2	17	5	72
2	3				4	1	9	6	3	19	14	2	17	9		9	4	35
4		1			5	2	6	12	10	11	19		20	7	2	8	1	37
4	3	2	8	1	7	7	28	39	28	55	44	7	85	32	3	31	8	100
1	1		4		2	4	15	21	7	39	23	3	38	20		14	6	51
3	2	2	4	1	5	3	13	38	21	16	21	4	47	12	3	17	2	49
102	39	713	102	131	221	510	1,558	2,318	592	1,448	2,167	182	2,480	1,195	154	744	806	4,960
48	18	351	42	69	104	288	787	1,133	219	704	1,144	105	1,331	716		278	393	2,796
54	21	362	60	62	117	222	771	1,185	373	744	1,023	77	1,149	479	154	466	413	2,164
73	33	576	53	82	164	396	1,231	1,480	510	1,109	1,494	161	1,980	953	98	612	576	3,760
35	17	277	22	43	75	231	618	773	190	559	796	89	1,076	585		235	273	2,160
38	16	299	31	39	89	165	613	707	320	550	698	72	904	368	98	377	303	1,600
73	31	557	52	60	112	335	1,116	1,229	355	826	1,188	108	1,617	676	87	373	309	3,073
35	16	263	21	32	49	200	570	620	113	424	620	65	882	421		135	158	1,759
38	15	294	31	28	63	135	546	609	242	402	568	43	735	255	87	238	151	1,314
22	6	80	8	12	27	107	141	196	44	208	214	17	315	149		71	96	447
21	3	101	13	14	31	67	132	206	71	176	207	11	239	61	36	79	102	326
2		13	1	1	1	8	6	27	3	15	24	1	27	8		4	14	41
2	6	13	2			3	5	30	5	16	14	1	14	3	2	3	9	29
	1	6		22	43	43	70	192	144	235	250	47	290	255	11	217	32	533
	1	4		11	22	20	28	120	70	107	146	23	150	149		88	18	301
		2		11	21	23	42	72	74	128	104	24	140	106	11	129	14	232
29	6	137	49	49	57	114	327	838	82	339	673	21	500	242	56	132	230	1,200
13	1	74	20	26	29	57	169	360	29	145	348	16	255	131		43	120	636
16	5	63	29	23	28	57	158	478	53	194	325	5	245	111	56	89	110	564
3		2	8	1	6	2	9	23	4	11	10	1	25	5		7	5	48
3		1	3		3	1	8	11	2	3	4		13	4		2	2	27
		1	5	1	3	1	1	12	2	8	6	1	12	1		5	3	21
2		2	1		4	1	6	4	2	6	2	1	15			4	4	29
2		1				1	6	2	1	2			9			2	2	19
		1	1			3	1	2	1	4	2	1	6			2	2	10
1			7	1	2	1	3	19	2	5	8		10	5		3	1	19
1			3		2	1	2	9	1	1	4		4	4				8
			4	1			1	10	1	4	4		6	1		3	1	11
32	17	374	35	58	95	177	945	1,121	350	639	1,221	121	1,199	729	61	416	36	3,053
13	11	188	14	27	44	93	467	574	120	287	642	71	614	418		126	19	1,686
19	6	186	21	31	51	84	478	547	230	352	579	50	585	311	61	290	17	1,367

VITAL STATISTICS.

TABLE 19.—POPULATION, BIRTHS, DEATHS, AND DEATH RATES AT CERTAIN AGES, AND DEATHS FROM CERTAIN

	AREAS.	UNDER 1 YEAR OF AGE.					UNDER 5 YEARS OF AGE.				ALL AGES.		
		Popu- lation.	Born and died in the census year.	Births during the census year.	Deaths.	Deaths under 1 per 1,000 births.	Popu- lation.	Deaths.	Death rate per 1,000 of popu- lation.	Deaths under 5 per 1,000 at all ages.	Popu- lation.	Deaths.	Death rate per 1,000 of popu- lation.
	MARYLAND—Continued:												
1	Baltimore—Continued.												
	White.....	9,381	1,108	10,489	1,863	177.6	43,807	2,647	60.4	323.1	429,218	8,193	19.1
2	Males.....	4,761	637	5,398	1,022	189.3	21,899	1,432	65.4	338.5	207,747	4,230	20.4
3	Females.....	4,620	471	5,091	841	165.2	21,908	1,215	55.5	306.6	221,471	3,963	17.9
4	Colored.....	1,463	462	1,925	686	356.4	6,710	999	148.9	401.9	79,739	2,486	31.2
5	Males.....	731	257	988	371	375.5	3,258	515	158.1	435.0	35,533	1,184	33.3
6	Females.....	732	205	937	315	336.2	3,452	484	140.2	371.7	44,206	1,302	29.5
7	Frederick.....	186	19	205	32	156.1	927	47	50.7	254.1	9,296	185	19.9
8	Males.....	100	13	113	21	185.8	461	28	60.7	(*)	4,301	91	21.2
9	Females.....	86	6	92	11	(*)	466	19	40.8	(*)	4,995	94	18.8
10	White.....	159	10	169	15	88.8	756	26	34.4	184.4	7,759	141	18.2
11	Males.....	87	6	93	8	(*)	382	14	36.6	(*)	3,640	67	18.4
12	Females.....	72	4	76	7	(*)	374	12	32.1	(*)	4,119	74	18.0
13	Colored.....	27	9	36	17	(*)	171	21	122.8	(*)	1,537	44	28.6
14	Males.....	13	7	20	13	(*)	79	14	(*)	(*)	661	24	36.3
15	Females.....	14	2	16	4	(*)	92	7	(*)	(*)	876	20	22.8
16	MASSACHUSETTS.....	60,492	6,736	67,228	10,754	160.0	282,237	15,356	54.4	308.6	2,805,346	49,756	17.7
17	Males.....	30,266	3,856	34,122	6,028	176.7	141,773	8,441	59.5	333.0	1,367,474	25,352	18.5
18	Females.....	30,226	2,880	33,106	4,726	142.8	140,464	6,915	49.2	283.4	1,437,872	24,404	17.0
19	White.....	59,812	6,655	66,467	10,623	159.8	279,203	15,134	54.2	308.5	2,769,764	49,061	17.7
20	Males.....	29,939	3,814	33,753	5,960	176.6	140,295	8,324	59.3	333.2	1,348,578	24,985	18.5
21	Females.....	29,873	2,841	32,714	4,663	142.5	138,908	6,810	49.0	282.9	1,421,186	24,076	16.9
22	Native.....	59,226	6,601	65,827	10,496	159.4	272,396	14,856	54.5	425.0	1,929,650	34,952	18.1
23	Males.....	29,627	3,779	33,406	5,884	176.1	136,865	8,171	59.7	448.8	944,577	18,207	19.3
24	Females.....	29,599	2,822	32,421	4,612	142.3	135,531	6,685	49.3	399.2	985,073	16,745	17.0
25	Both parents native.. (M..)	9,778	1,028	10,806	1,587	146.9	47,662	2,194	46.0	283.2	504,840	7,748	15.3
25	Both parents native.. (F..)	9,691	846	10,537	1,285	122.0	47,065	1,854	39.4	243.7	527,424	7,609	14.4
26	One or both parents foreign. (M..)	19,849	2,625	22,474	4,113	183.0	89,203	5,760	64.6	655.4	439,737	8,788	20.0
26	One or both parents foreign. (F..)	19,908	1,870	21,778	3,166	145.4	88,466	4,643	52.5	626.9	457,649	7,406	16.2
27	Foreign.....	586	38	624	99	158.7	6,807	237	34.8	17.4	840,114	13,645	16.2
28	Males.....	312	24	336	61	181.5	3,430	133	38.8	20.4	404,001	6,517	16.1
29	Females.....	274	14	288	38	131.9	3,377	104	30.8	14.6	436,113	7,128	16.3
30	Colored.....	680	81	761	131	172.1	3,034	222	73.2	319.4	35,582	695	19.5
31	Males.....	327	42	369	68	184.3	1,478	117	79.2	318.8	18,896	367	19.4
32	Females.....	353	39	392	63	160.7	1,556	105	67.5	320.1	16,686	328	19.7
33	Cities in Massachusetts.....	47,873	5,648	53,521	9,135	170.7	220,862	13,064	59.2	341.6	2,132,623	38,247	17.9
34	Males.....	23,929	3,232	27,161	5,120	188.5	119,875	7,185	64.8	372.0	1,033,386	19,815	18.7
35	Females.....	23,944	2,416	26,360	4,015	152.3	109,987	5,879	53.5	310.5	1,099,237	18,932	17.2
36	White.....	47,317	5,580	52,897	9,019	170.5	218,348	12,863	58.9	341.7	2,102,938	37,641	17.9
37	Males.....	23,662	3,198	26,860	5,062	188.5	109,655	7,080	64.6	372.7	1,017,698	18,999	18.7
38	Females.....	23,655	2,382	26,037	3,957	152.0	108,693	5,783	53.2	310.2	1,085,240	18,642	17.2
39	Native.....	46,830	5,536	52,366	8,911	170.2	212,668	12,619	59.3	483.8	1,403,960	26,085	18.6
40	Males.....	23,401	3,168	26,569	4,994	188.0	106,822	6,941	65.0	511.8	684,981	13,563	19.8
41	Females.....	23,429	2,368	25,797	3,917	151.8	105,846	5,678	53.6	453.4	718,979	12,522	17.4
42	Both parents native.. (M..)	6,723	777	7,500	1,215	162.0	32,342	1,683	52.0	341.0	328,596	4,935	15.0
42	Both parents native.. (F..)	6,604	631	7,235	972	134.3	31,854	1,403	44.0	280.4	345,871	5,004	14.5
43	One or both parents foreign. (M..)	16,678	2,285	18,963	3,629	191.4	74,480	5,091	68.4	675.2	356,385	7,540	21.2
43	One or both parents foreign. (F..)	16,825	1,649	18,474	2,811	152.2	73,992	4,118	55.7	645.9	373,108	6,376	17.1
44	Foreign.....	487	35	522	89	170.5	5,680	214	37.7	19.0	698,978	11,258	16.1
45	Males.....	261	23	284	57	200.7	2,833	123	43.4	23.3	332,717	5,269	15.8
46	Females.....	226	12	238	32	134.5	2,847	91	32.0	15.2	366,261	5,989	16.4
47	Colored.....	553	68	624	116	185.9	2,514	201	80.0	331.7	29,685	606	20.4
48	Males.....	267	34	301	58	192.7	1,220	105	86.1	332.3	15,688	316	20.1
49	Females.....	289	34	323	58	179.6	1,294	96	74.2	331.0	13,997	290	20.7

* Data insufficient for rates.

CAUSES, BY SEX, COLOR, GENERAL NATIVITY, AND PARENT NATIVITY: CENSUS YEAR 1900—Continued.

CAUSE OF DEATH.																		
Measles.	Scarlet fever.	Diphtheria and croup.	Whooping cough.	Malarial fever.	Influenza.	Typhoid fever.	Diarrheal diseases.	Consumption.	Cancer and tumor.	Heart disease and dropsy.	Pneumonia.	Diseases of the liver.	Diseases of the nervous system.	Diseases of the urinary organs.	Affections connected with pregnancy.	Old age.	Unknown.	All other causes.
20	16	317	18	42	76	143	761	764	300	490	787	108	983	596	49	362	31	2,330
9	11	156	8	21	36	77	377	419	103	233	420	61	506	350		110	17	1,316
11	5	161	10	21	40	66	384	345	197	257	367	47	477	246	49	252	14	1,014
12	1	57	17	16	19	34	184	357	50	149	434	13	216	133	12	54	5	723
4		32	6	6	8	16	90	155	17	54	222	10	108	68		16	2	370
8	1	25	11	10	11	18	94	202	33	95	212	3	108	65	12	38	3	353
3		7		1	2	4	12	10	6	20	8	2	37	19	1	11	2	40
1		2		1		2	8	6	1	8			24	12		6	1	16
2		5			2	2	4	4	5	12	5	2	13	7	1	5	1	24
3		6		1	2	4	10	5	5	18	6	2	23	18	1	9	1	27
1		1		1		2	6	2	1	8			15	12				
2		5			2	2	4	3	4	10	3	2	8	6	1	5	1	10
.....		1					2	5	1	2	2		14	1		2	1	13
.....		1					2	4	1	2	2		9	5	1	1	1	6
.....								1	1	2	2		5	1		1		7
311	384	1,276	375	70	1,120	625	3,899	5,224	2,031	4,378	5,268	494	6,156	2,401	270	1,703	350	13,421
167	180	624	162	41	411	374	2,050	2,769	674	2,191	2,676	271	3,139	1,389		661	189	7,384
144	204	652	213	29	709	251	1,849	2,455	1,357	2,187	2,592	223	3,017	1,612	270	1,042	161	6,037
309	384	1,260	367	70	1,114	613	3,863	5,067	2,021	4,320	5,189	491	6,091	2,371	267	1,694	346	13,224
166	180	614	158	41	407	369	2,030	2,683	672	2,163	2,636	268	3,108	1,374		657	187	7,272
143	204	646	209	29	707	244	1,833	2,384	1,349	2,157	2,553	223	2,983	997	267	1,037	159	5,952
279	367	1,196	356	49	735	358	3,503	3,059	1,138	2,620	3,579	280	4,405	1,531	139	1,037	249	10,072
150	171	584	153	32	276	220	1,883	1,606	354	1,397	1,856	156	2,343	905		403	143	5,575
129	196	612	203	17	459	138	1,620	1,453	784	1,223	1,723	124	2,062	626	139	634	106	4,497
27	53	153	42	20	171	122	487	522	239	841	755	92	1,177	547		276	71	2,153
28	61	180	50	6	290	66	462	526	504	756	728	67	1,090	340	66	450	57	1,882
117	117	424	107	8	54	84	1,325	968	52	318	947	49	923	201		9	61	3,024
95	134	422	147	11	87	61	1,088	818	124	282	814	35	737	195	66	22	41	2,227
24	16	58	11	21	367	250	354	1,971	869	1,653	1,567	208	1,625	821	128	631	80	2,991
13	8	26	5	9	125	145	144	1,056	311	738	761	112	738	457		246	39	1,584
11	8	32	6	12	242	105	210	915	558	915	806	96	887	364	128	385	41	1,407
2		16	8		6	12	36	157	10	58	79	3	65	30	3	9	4	197
1		10	4		4	5	20	86	2	28	40	3	31	15		4	2	112
1		6	4		2	7	16	71	8	30	39		34	15	3	5	2	85
272	317	1,109	324	48	795	497	3,293	4,131	1,444	3,109	4,175	364	4,492	1,766	215	1,078	235	10,583
146	148	546	142	24	271	291	1,740	2,150	472	1,482	2,123	212	2,280	997		390	126	5,775
126	169	563	182	24	524	206	1,553	1,981	972	1,627	2,052	152	2,212	769	215	688	109	4,808
270	317	1,093	318	48	789	486	3,260	3,992	1,437	3,065	4,101	361	4,440	1,741	212	1,070	232	10,409
145	148	536	138	24	267	286	1,723	2,075	470	1,463	2,085	209	2,256	986		387	125	5,676
125	169	557	180	24	522	200	1,537	1,917	967	1,602	2,016	152	2,184	755	212	683	107	4,733
241	304	1,037	307	28	474	265	2,968	2,283	741	1,698	2,752	191	3,115	1,041	104	571	163	7,802
129	141	510	133	16	165	161	1,611	1,185	226	864	1,432	120	1,665	604		206	94	4,301
112	163	527	174	12	309	104	1,357	1,098	515	894	1,320	71	1,450	437	104	365	69	3,501
17	37	118	33	10	91	84	368	311	146	460	512	63	731	347		135	48	1,434
18	49	137	38	5	193	46	339	337	320	475	486	32	678	211	48	257	41	1,294
107	103	385	98	4	41	65	1,201	790	42	258	820	46	781	154		3	51	2,591
88	113	380	131	7	70	48	967	693	95	226	720	27	618	167	53	15	22	1,936
24	13	51	11	20	309	217	288	1,684	691	1,339	1,320	168	1,290	686	108	482	60	2,497
13	7	23	5	8	100	122	110	877	243	581	640	89	575	373		177	28	1,298
11	6	28	6	12	209	95	178	807	448	758	680	79	715	313	108	305	32	1,199
2		16	6		6	11	33	139	7	44	74	3	52	25	3	8	3	174
1		10	4		4	5	17	75	2	19	38	3	24	11		3	1	99
1		6	2		2	6	16	64	5	25	36		28	14	3	5	2	75

TABLE 19.—POPULATION, BIRTHS, DEATHS, AND DEATH RATES AT CERTAIN AGES, AND DEATHS FROM CERTAIN

AREAS.		UNDER 1 YEAR OF AGE.					UNDER 5 YEARS OF AGE.				ALL AGES.		
		Popula- tion.	Born and died in the census year.	Births during the census year.	Deaths.	Deaths under 1 per 1,000 births.	Popula- tion.	Deaths.	Death rate per 1,000 of popu- lation.	Deaths under 5 per 1,000 at all ages.	Popula- tion.	Deaths.	Death rate per 1,000 of popu- lation.
MASSACHUSETTS—Continued.													
1	Rural part of Massachusetts	12,619	1,088	13,707	1,619	118.1	61,375	2,292	37.3	199.1	672,723	11,509	17.1
2	Males	6,337	624	6,961	908	130.4	30,898	1,256	40.6	208.1	334,088	6,037	18.1
3	Females	6,282	464	6,746	711	105.4	30,477	1,036	34.0	189.3	338,635	5,472	16.2
4	White	12,495	1,075	13,570	1,604	118.2	60,855	2,271	37.3	198.9	666,826	11,420	17.1
5	Males	6,277	616	6,893	898	130.3	30,640	1,244	40.6	207.8	330,880	5,986	18.1
6	Females	6,218	459	6,677	706	105.7	30,215	1,027	34.0	189.0	335,946	5,434	16.2
7	Native	12,396	1,065	13,461	1,585	117.7	59,728	2,237	37.5	252.3	525,690	8,867	16.9
8	Males	6,226	611	6,837	890	130.2	30,043	1,230	40.9	264.9	259,596	4,644	17.9
9	Females	6,170	454	6,624	695	104.9	29,685	1,007	33.9	238.5	266,094	4,223	15.9
10	Both parents native (M.	3,055	251	3,306	372	112.5	15,320	511	33.4	181.7	176,244	2,813	16.0
	One or both parents foreign. (F.	3,087	215	3,302	313	94.8	15,211	451	29.6	173.1	181,553	2,605	14.3
11	Foreign	3,171	340	3,511	484	137.9	14,723	669	45.4	536.1	83,352	1,248	15.0
	Foreign	3,083	221	3,304	355	107.4	14,474	525	36.3	509.7	84,541	1,030	12.2
12	Colored	99	3	102	10	98.0	1,127	23	20.4	9.6	141,136	2,387	16.9
13	Males	51	1	52	4	(*)	597	10	16.8	8.0	71,284	1,248	17.5
14	Females	48	2	50	6	(*)	530	13	24.5	11.4	69,852	1,139	16.3
15	Group 1	124	13	137	15	109.5	520	21	40.4	(*)	5,897	89	15.1
16	Males	60	8	68	10	(*)	258	12	46.5	(*)	3,208	51	15.9
17	Females	64	5	69	5	(*)	262	9	34.4	(*)	2,689	38	14.1
18	White	44,720	5,008	49,728	8,185	164.6	207,934	11,767	56.6	310.7	2,087,089	37,876	18.1
19	Males	22,396	2,901	25,297	4,634	183.2	104,334	6,499	62.3	337.1	1,012,005	19,282	19.1
20	Females	22,324	2,107	24,431	3,551	145.3	103,600	5,268	50.8	283.3	1,075,084	18,594	17.3
21	Native	44,141	4,935	49,076	8,067	164.4	205,343	11,566	56.3	310.4	2,056,968	37,264	18.1
22	Males	22,115	2,865	24,980	4,575	183.1	103,061	6,393	62.0	337.2	995,926	18,961	19.0
23	Females	22,026	2,070	24,096	3,492	144.9	102,282	5,173	50.6	282.6	1,061,042	18,303	17.3
24	Colored	43,731	4,890	48,621	7,965	163.8	200,480	11,337	56.5	312.2	1,413,613	26,233	18.6
25	Males	21,903	2,837	24,740	4,511	182.3	100,625	6,263	62.2	337.6	691,073	13,686	19.8
26	Females	21,828	2,053	23,881	3,454	144.6	99,855	5,074	50.8	283.3	722,540	12,547	17.4
27	Both parents native (M.	6,870	734	7,604	1,161	152.7	33,474	1,617	48.3	280.4	364,733	5,767	15.8
28	One or both parents foreign. (F.	6,802	574	7,376	892	120.9	33,101	1,320	39.9	234.2	382,374	5,637	14.7
29	Foreign	15,033	1,998	17,031	3,200	187.9	67,151	4,472	66.6	338.3	326,340	6,793	20.8
30	Foreign	15,026	1,392	16,418	2,425	147.7	66,754	3,592	53.8	310.7	340,166	5,725	16.8
31	Barnstable county	410	30	440	77	175.0	4,863	193	39.7	18.0	643,355	10,713	16.7
32	Males	212	18	230	50	217.4	2,436	112	46.0	22.0	304,853	5,094	16.7
33	Females	198	12	210	27	128.6	2,427	81	33.4	14.4	338,502	5,619	16.6
34	Bristol county, rural	579	73	652	118	181.0	2,591	201	77.6	328.4	30,121	612	20.3
35	Males	281	36	317	59	186.1	1,273	106	83.3	330.2	16,079	321	20.0
36	Females	298	37	335	59	176.1	1,318	95	72.1	326.5	14,042	291	20.7
37	Attleboro town	505	39	544	49	90.1	2,308	73	31.6	136.4	27,826	535	19.2
38	Males	240	27	267	35	131.1	1,175	51	43.4	178.9	13,232	285	21.5
39	Females	265	12	277	14	50.5	1,133	22	19.4	88.0	14,594	250	17.1
40	White	819	59	878	103	117.3	4,068	157	38.6	200.5	42,353	783	18.5
41	Males	391	36	427	58	135.8	2,033	89	43.8	230.6	21,089	386	18.3
42	Females	428	23	451	45	99.8	2,035	68	33.4	171.3	21,264	397	18.7
43	Attleboro town	208	23	231	35	151.5	1,023	59	57.7	368.8	11,335	160	14.1
44	Males	94	12	106	19	179.2	503	31	61.6	(*)	5,520	76	13.8
45	Females	114	11	125	16	128.0	520	28	53.8	(*)	5,815	84	14.4
46	White	207	23	230	35	152.2	1,015	59	58.1	375.8	11,211	157	14.0
47	Males	94	12	106	19	179.2	501	31	61.9	(*)	5,450	75	13.8
48	Females	113	11	124	16	129.0	514	28	54.5	(*)	5,761	82	14.2
49	Native	200	22	222	32	144.1	969	53	54.7	469.0	7,993	113	14.1
50	Males	89	12	101	18	178.2	479	29	60.5	(*)	3,913	59	15.1
51	Females	111	10	121	14	115.7	490	24	49.0	(*)	4,080	54	13.2
	Both parents native (M.	62	4	66	9	(*)	351	17	48.4	(*)	4,670	60	12.8
	One or both parents foreign. (F.	138	18	156	23	147.4	618	45	72.8	(*)	3,323	46	13.8
52	Foreign	7	1	8	2	(*)	46	5	(*)	(*)	3,218	43	13.4
53	Males	5	1	5	1	(*)	22	2	(*)	(*)	1,537	16	10.4
54	Females	2	1	3	1	(*)	24	3	(*)	(*)	1,681	27	16.1

* Data insufficient for rates.

CAUSES, BY SEX, COLOR, GENERAL NATIVITY, AND PARENT NATIVITY: CENSUS YEAR 1900—Continued.

CAUSE OF DEATH.																		
Measles.	Scarlet fever.	Diphtheria and croup.	Whooping cough.	Malarial fever.	Influenza.	Typhoid fever.	Diarrheal diseases.	Consumption.	Cancer and tumor.	Heart disease and dropsy.	Pneumonia.	Diseases of the liver.	Diseases of the nervous system.	Diseases of the urinary organs.	Affections connected with pregnancy.	Old age.	Unknown.	All other causes.
39	67	167	51	22	325	128	606	1,093	587	1,269	1,093	130	1,664	635	55	625	115	2,888
21	32	78	20	17	140	83	310	619	202	709	553	59	859	392		271	63	1,609
18	35	89	31	5	185	45	296	474	385	560	540	71	805	243	55	354	52	1,229
39	67	167	49	22	325	127	603	1,075	584	1,255	1,088	130	1,651	630	55	624	114	2,815
21	32	78	20	17	140	83	307	608	202	700	551	59	852	388		270	62	1,596
18	35	89	29	5	185	44	296	467	382	555	537	71	799	242	55	354	52	1,219
38	63	159	49	21	261	93	535	776	397	922	827	89	1,290	490	35	466	86	2,270
21	30	74	20	16	111	59	272	421	128	533	424	36	678	301		197	49	1,274
17	33	85	29	5	150	34	263	355	269	389	403	53	612	189	35	269	37	996
10	16	35	9	10	80	38	119	211	93	381	243	29	446	200		141	33	719
10	12	43	12	1	97	20	123	189	184	281	242	35	412	129	18	193	16	588
10	14	39	9	4	13	19	124	178	10	60	127	3	142	47		6	10	433
7	21	42	16	4	17	13	121	125	29	56	94	8	119	28	13	7	19	291
.....	3	7		1	58	33	66	287	178	314	247	40	335	135	20	149	20	494
.....	1	3		1	25	23	34	179	68	157	121	23	163	84		69	11	286
.....	2	4			33	10	32	108	110	157	126	17	172	51	20	80	9	208
.....			2			1	3	18	3	14	5		13	5		1	1	23
.....							3	11		9	2		7	4		1	1	13
.....			2			1		7	3	5	3		6	1				10
213	295	994	307	35	875	466	2,968	4,120	1,563	3,388	4,086	365	4,584	1,723	188	1,237	274	10,195
114	138	478	131	21	307	278	1,561	2,184	513	1,667	2,079	207	2,342	1,006		474	145	5,637
99	157	516	176	14	568	188	1,407	1,936	1,050	1,721	2,007	158	2,242	717	188	763	129	4,558
211	295	978	302	35	870	455	2,937	3,977	1,557	3,336	4,013	363	4,528	1,702	185	1,230	271	10,019
113	138	468	128	21	304	274	1,544	2,105	512	1,642	2,042	205	2,315	995		471	144	5,540
98	157	510	174	14	566	181	1,393	1,872	1,045	1,694	1,971	158	2,213	707	185	759	127	4,479
183	283	927	293	23	561	267	2,653	2,342	857	1,966	2,736	201	3,234	1,088	92	750	196	7,581
98	131	444	125	17	206	161	1,428	1,232	267	1,034	1,423	116	1,728	651		282	111	4,232
85	152	483	168	6	355	106	1,225	1,110	590	932	1,313	85	1,506	437	92	468	85	3,319
13	40	107	35	11	128	86	358	411	181	626	587	63	871	400		203	54	1,583
13	46	133	37	2	225	48	335	394	399	580	553	50	796	232	48	346	47	1,363
80	90	332	88	5	46	65	1,024	736	41	253	730	42	701	153		19	48	2,352
67	105	341	126	4	73	50	836	647	98	219	641	19	551	151	43	19	30	1,705
23	12	46	9	12	300	184	278	1,610	691	1,341	1,246	159	1,249	605	93	463	63	2,329
13	7	21	3	4	94	110	113	858	242	588	607	89	565	337		184	30	1,229
10	5	25	6	8	206	74	165	752	449	753	639	70	684	268	93	279	33	1,100
2		16	5		5	11	31	143	6	52	73	2	56	21	8	7	3	176
1		10	3		3	4	17	79	1	25	37	2	27	11		3	1	97
1		6	2		2	7	14	64	5	27	36		29	10	3	4	2	79
.....		9	1	1	14	2	13	45	19	65	54	7	84	16	1	45	7	152
.....		7	1	1	7	2	7	30	7	37	29	1	36	10		17	5	88
.....		2			7		6	15	12	28	25	6	48	6	1	28	2	64
5	7	6	6	2	34	13	46	83	44	89	81	8	92	46	4	47	9	161
3	5	2	3	1	14	10	25	38	14	54	42	3	43	26		19	2	82
2	2	4	3	1	20	3	21	45	30	35	39	5	49	20	4	28	7	79
2		8	2		2	3	18	14	8	8	21	2	19	7		5		41
1		2	1		1	3	8	4	3	4	10	1	9	3		1		25
1		6	1		1		10	10	5	4	11	1	10	4		4		16
2		8	2		2	3	18	13	8	8	21	2	19	7		5		39
1		2	1		1	3	8	4	3	4	10	1	9	3		1		24
1		6	1		1		10	9	5	4	11	1	10	4		4		15
1		8	2			1	17	6	6	2	13	1	17	5		2		32
1		2	1			1	7	3	3	1	6	1	8	3		1		21
.....		6	1			10	10	3	3	1	7		9	2		1		11
.....		4				4	8	4	4	2	8	1	9	2		2		15
1		3	2			9	9	2	1		4		6	2				16
1					2	2	1	7	2	6	8	1	2	2		3		6
1					1	2	1	1		3	4		1			3		3
1					1		6	2	2	3	4		1	2				3

TABLE 19.—POPULATION, BIRTHS, DEATHS, AND DEATH RATES AT CERTAIN AGES, AND DEATHS FROM CERTAIN

	AREAS.	UNDER 1 YEAR OF AGE.					UNDER 5 YEARS OF AGE.				ALL AGES.		
		Popula- tion.	Born and died in the census year.	Births during the census year.	Deaths.	Deaths under 1 per 1,000 births.	Popula- tion.	Deaths.	Death rate per 1,000 of popu- lation.	Deaths under 5 per 1,000 at all ages.	Popula- tion.	Deaths.	Death rate per 1,000 of popu- lation.
	MASSACHUSETTS—Continued.												
1	Group 1—Continued.												
	Fall River	3,006	515	3,521	916	260.2	12,569	1,235	98.3	526.7	104,863	2,345	22.4
2	Males	1,540	296	1,836	514	280.0	6,290	688	109.4	575.3	50,260	1,196	23.8
3	Females	1,466	219	1,685	402	238.6	6,279	547	87.1	476.1	54,603	1,149	21.0
4	White	3,004	514	3,518	914	259.8	12,551	1,233	98.2	526.7	104,458	2,341	22.4
5	Males	1,539	296	1,835	514	280.1	6,282	688	109.5	575.7	50,061	1,195	23.9
6	Females	1,465	218	1,683	400	237.7	6,269	545	86.9	475.6	54,397	1,146	21.1
7	Native	2,932	511	3,443	896	260.2	11,812	1,202	101.8	750.8	54,497	1,601	29.4
8	Males	1,513	293	1,806	501	277.4	5,935	667	112.4	774.7	26,555	861	32.4
9	Females	1,419	218	1,637	395	241.3	5,877	535	91.0	723.0	27,942	740	26.5
10	Both parents na- tive. {M. 261 44 305 71 232.8						1,056	97	91.9	617.8	6,913	157	22.7
	{F. 240 27 267 41 153.6						998	58	58.1	414.3	7,387	140	19.0
11	One or both par- ents foreign. {M. 1,252 249 1,501 430 286.5						4,879	570	116.8	833.3	19,642	684	34.8
	{F. 1,179 188 1,367 349 255.3						4,879	469	96.1	808.6	20,555	580	28.2
12	Foreign	72	3	75	18	(*)	739	31	41.9	42.1	49,961	737	14.8
13	Males	26	3	29	13	(*)	347	21	60.5	63.4	23,506	331	14.1
14	Females	46		46	5	(*)	392	10	25.5	24.6	26,455	406	15.3
15	Colored	2	1	3	2	(*)	18	2	(*)	(*)	405	4	9.9
16	Males	1		1			8				199	1	5.0
17	Females	1	1	2	2	(*)	10	2	(*)	(*)	206	3	14.6
18	New Bedford	1,552	228	1,780	346	194.4	6,846	457	66.8	396.0	62,442	1,154	18.5
19	Males	781	141	922	204	221.3	3,416	269	78.7	447.6	29,706	601	20.2
20	Females	771	87	858	142	165.5	3,430	188	54.8	340.0	32,736	553	16.9
21	White	1,513	225	1,738	339	195.1	6,702	448	66.8	397.5	60,633	1,127	18.6
22	Males	761	140	901	201	223.1	3,352	266	79.4	453.9	28,832	586	20.3
23	Females	752	85	837	138	164.9	3,350	182	54.3	336.4	31,801	541	17.0
24	Native	1,486	222	1,708	331	193.8	6,374	432	67.8	542.7	35,541	796	22.4
25	Males	748	138	886	195	220.1	3,183	255	80.1	594.4	16,908	429	25.4
26	Females	738	84	822	136	165.5	3,191	177	55.5	482.3	18,633	367	19.7
27	Both parents native ..	271	44	315	58	184.1	1,394	74	53.1	277.2	16,522	267	16.2
28	One or both parents foreign.	1,215	175	1,390	268	192.8	4,980	353	70.9	779.2	19,019	453	23.8
29	Foreign	27	3	30	8	(*)	328	16	48.8	49.2	25,092	325	13.0
30	Males	13	2	15	6	(*)	169	11	65.1	72.4	11,924	152	12.7
31	Females	14	1	15	2	(*)	159	5	31.4	28.9	13,168	173	13.1
32	Taunton	684	72	756	131	173.3	3,174	173	54.5	281.3	31,036	615	19.8
33	Males	349	42	391	82	209.7	1,625	106	65.2	309.0	15,317	343	22.4
34	Females	335	30	365	49	134.2	1,549	67	43.3	246.3	15,719	272	17.3
35	White	677	72	749	131	174.9	3,154	173	54.9	282.2	30,792	613	19.9
36	Males	344	42	386	82	212.4	1,614	106	65.7	309.9	15,151	342	22.6
37	Females	333	30	363	49	135.0	1,540	67	43.5	247.2	15,641	271	17.3
38	Native	670	72	742	129	173.9	3,044	170	55.8	390.8	21,765	435	20.0
39	Males	341	42	383	80	208.9	1,558	104	66.8	404.7	10,760	257	23.9
40	Females	329	30	359	49	136.5	1,486	66	44.4	370.8	11,005	178	16.2
41	Both parents native ..	212	17	229	34	148.5	1,125	44	39.1	234.0	11,588	188	16.2
42	One or both parents foreign.	458	53	511	90	176.1	1,919	121	63.1	602.0	10,177	201	19.8
43	Foreign	7		7	2	(*)	110	3	27.3	17.6	9,027	170	18.8
44	Males	3		3	2	(*)	56	2	(*)	(*)	4,391	82	18.7
45	Females	4		4			54	1	(*)	(*)	4,636	88	19.0
46	Dukes county	67	6	73	10	(*)	394	14	35.5	(*)	4,561	72	15.8
47	Males	36	5	41	8	(*)	205	11	53.7	(*)	2,186	44	20.1
48	Females	31	1	32	2	(*)	189	3	15.9	(*)	2,376	28	11.8
49	Essex county, rural	1,223	100	1,323	150	113.4	6,061	226	37.3	210.8	68,806	1,072	15.6
50	Males	607	55	662	79	119.3	3,033	117	38.6	215.9	33,511	542	16.2
51	Females	616	45	661	71	107.4	3,028	109	36.0	205.7	35,295	530	15.0

* Data insufficient for rates.

CAUSES, BY SEX, COLOR, GENERAL NATIVITY, AND PARENT NATIVITY: CENSUS YEAR 1900—Continued.

CAUSE OF DEATH.																		
Measles.	Scarlet fever.	Diphtheria and croup.	Whooping cough.	Malarial fever.	Influenza.	Typhoid fever.	Diarrheal diseases.	Consumption.	Cancer and tumor.	Heart disease and dropsy.	Pneumonia.	Diseases of the liver.	Diseases of the nervous system.	Diseases of the urinary organs.	Affections connected with pregnancy.	Old age.	Unknown.	All other causes.
17	5	26	19	3	32	23	412	206	55	150	219	20	272	80	5	44	2	755
10	2	16	15	1	12	16	220	106	19	63	111	12	139	43		16	2	393
7	3	10	4	2	20	7	192	100	36	87	108	8	133	37	5	28		362
17	5	26	19	3	32	23	412	206	55	150	219	20	272	80	5	44	2	751
10	2	16	15	1	12	16	220	106	19	63	111	12	139	43		16	2	392
7	3	10	4	2	20	7	192	100	36	87	108	8	133	37	5	28		359
17	5	26	19	2	15	6	389	95	13	48	148	10	177	38	1	11	1	580
10	2	16	15	1	6	4	213	55	2	23	77	6	91	20		3	1	316
7	3	10	4	1	9	2	176	40	11	25	71	4	86	18	1	8		264
2	1	1	2		2	1	27	7	1	10	12	1	23	8		2		57
		2	1		4	1	16	9	5	13	14	2	20	8		7		38
8	1	15	13	1	4	3	186	45		9	63	5	65	10			1	255
7	3	7	3	1	4	1	159	30	4	12	55	2	62	10	1			219
				1	17	17	23	111	42	101	71	10	94	42	4	33	1	170
				1	6	12	7	51	17	39	34	6	47	23		13	1	75
					11	5	16	60	25	62	37	4	47	19	4	20		95
																		4
																		1
																		3
2	15	15	6		11	16	120	118	50	92	112	9	167	69	5	32	10	305
	6	10	3		3	5	74	60	21	42	59	5	81	36		16	5	175
2	9	5	3		8	11	46	58	29	50	53	4	86	33	5	16	5	130
2	15	15	6		11	15	119	113	50	89	109	9	166	67	5	29	10	297
	6	10	3		3	5	74	56	21	41	57	5	81	35		14	5	170
2	9	5	3		8	10	45	57	29	48	52	4	85	32	5	15	5	127
2	14	13	5		5	8	108	65	28	48	68	6	116	41	1	22	5	241
	6	9	2		1	2	69	28	11	22	36	5	59	25		10	3	141
2	8	4	3		4	6	39	37	17	26	32	1	57	16	1	12	2	100
1	6	3	2		2	3	16	14	20	31	18	2	46	21		11	3	68
1	8	10	3		1	4	88	46	5	6	43	3	60	13	1	1	2	158
	1	2	1		6	7	11	48	22	41	41	3	49	25	4	7	5	52
		1	1		2	3	5	28	10	19	21		21	9		4	2	26
	1	1			4	4	6	20	12	22	20	3	28	16	4	3	3	26
6		5	8	2	8	3	53	66	18	52	64	3	112	28	3	35	3	146
3		3	4		5	2	31	39	3	29	38	2	60	16		15	3	90
3		2	4	2	3	1	22	27	15	23	26	1	52	12	3	20		56
6		5	8	2	8	3	53	66	18	52	64	3	111	28	3	35	3	145
3		3	4		5	2	31	39	3	29	38	2	59	16		15	3	90
3		2	4	2	3	1	22	27	15	23	26	1	52	12	3	20		55
6		5	7		4	2	50	45	7	31	45	3	78	19	2	21	3	107
3		3	3		4	1	30	29	2	19	25	2	46	10		7	3	70
3		2	4			1	20	16	5	12	20	1	32	9	2	14		37
2		1	1		2	2	17	13	3	20	19	3	37	8	1	16	1	42
4		4	5				32	27	2	5	23		31	8		2		58
			1	2	4	1	3	21	10	20	19		30	9	1	11		38
			1	2	1	1	1	10	1	9	13		12	6		7		20
					3		2	11	9	11	6		18	3	1	4		18
					2	3	1	7	4	15	5		8	2		5	1	19
					1	2		4		12	2		3	1		4	1	14
					1	1	1	3	4	3	3		5	1		1		5
5	2	22	1	2	36	10	46	85	59	103	82	9	176	50	4	71	8	301
4	1	7		2	14	9	16	45	16	52	43	4	94	32		29	4	170
1	1	15	1		22	1	30	40	43	51	39	5	82	18	4	42	4	131

VITAL STATISTICS.

TABLE 19.—POPULATION, BIRTHS, DEATHS, AND DEATH RATES AT CERTAIN AGES, AND DEATHS FROM CERTAIN

	AREAS.	UNDER 1 YEAR OF AGE.					UNDER 5 YEARS OF AGE.				ALL AGES.		
		Popula- tion.	Born and died in the census year.	Births during the census year.	Deaths.	Deaths under 1 per 1,000 births.	Popula- tion.	Deaths.	Death rate per 1,000 of popu- lation.	Deaths under 5 per 1,000 at all ages.	Popula- tion.	Deaths.	Death rate per 1,000 of popu- lation.
	MASSACHUSETTS—Continued.												
1	Group 1—Continued. Amesbury town.....	176	19	195	35	179.5	848	47	55.4	326.4	9,473	144	15.2
2	Males.....	84	13	97	20	(*)	421	28	66.5	(*)	4,573	77	16.8
3	Females.....	92	6	98	15	(*)	427	19	44.5	(*)	4,900	67	13.7
4	White.....	176	19	195	35	179.5	847	47	55.5	328.7	9,441	143	15.1
5	Males.....	84	13	97	20	(*)	421	28	66.5	(*)	4,556	77	16.9
6	Females.....	92	6	98	15	(*)	426	19	44.6	(*)	4,885	66	13.5
7	Native.....	173	18	191	34	178.0	830	46	55.4	393.2	7,001	117	16.7
8	Males.....	82	12	94	19	(*)	411	27	65.7	(*)	3,358	62	18.5
9	Females.....	91	6	97	15	(*)	419	19	45.3	(*)	3,643	55	15.1
10	Both parents native..	59	7	66	9	(*)	298	14	47.0	(*)	4,121	62	15.0
11	One or both parents foreign.	114	11	125	25	200.0	532	31	58.3	(*)	2,880	48	16.7
12	Foreign.....	3	1	4	1	(*)	17	1	(*)	(*)	2,440	26	10.7
13	Males.....	2	1	3	1	(*)	10	1	(*)	(*)	1,198	15	12.5
14	Females.....	1		1			7				1,242	11	8.9
15	Beverly.....	266	21	287	40	139.4	1,215	55	45.3	268.3	13,884	205	14.8
16	Males.....	122	6	128	15	117.2	603	22	36.5	(*)	6,610	93	14.1
17	Females.....	144	15	159	25	157.2	612	33	53.9	294.6	7,274	112	15.4
18	White.....	265	21	286	40	139.9	1,211	55	45.4	268.3	13,822	205	14.8
19	Males.....	121	6	127	15	118.1	601	22	36.6	(*)	6,575	93	14.1
20	Females.....	144	15	159	25	157.2	610	33	51.1	294.6	7,247	112	15.5
21	Native.....	264	21	285	40	140.4	1,197	55	45.9	348.1	11,029	158	14.3
22	Males.....	120	6	126	15	119.0	593	22	37.1	(*)	5,397	77	14.3
23	Females.....	144	15	159	25	157.2	604	33	54.6	(*)	5,632	81	14.4
24	Both parents native..	146	10	156	21	134.6	689	28	40.6	259.3	8,065	108	13.4
25	One or both parents foreign.	118	10	128	18	140.6	508	26	51.2	(*)	2,964	41	13.8
26	Foreign.....	1		1			14				2,793	46	16.5
27	Males.....	1		1			8				1,178	15	12.7
28	Females.....						6				1,615	31	19.2
29	Danvers town.....	147	13	160	16	100.0	706	18	25.5	118.4	8,542	152	17.8
30	Males.....	76	5	81	6	(*)	362	8	22.1	(*)	4,114	67	16.3
31	Females.....	71	8	79	10	(*)	344	10	29.1	(*)	4,428	85	19.2
32	White.....	147	12	159	15	94.3	706	17	24.1	112.6	8,526	151	17.7
33	Males.....	76	5	81	6	(*)	362	8	22.1	(*)	4,104	67	16.3
34	Females.....	71	7	78	9	(*)	344	9	26.2	(*)	4,422	84	19.0
35	Native.....	146	12	158	15	94.9	695	17	24.5	168.3	6,658	101	15.2
36	Males.....	75	5	80	6	(*)	356	8	22.5	(*)	3,260	46	14.1
37	Females.....	71	7	78	9	(*)	339	9	26.5	(*)	3,398	55	16.2
38	Both parents native..	75	5	80	7	(*)	365	7	19.2	(*)	4,255	71	16.7
39	One or both parents foreign.	71	6	77	7	(*)	330	9	27.3	(*)	2,403	17	7.1
40	Foreign.....	1		1			11				1,868	48	25.7
41	Males.....	1		1			6				844	20	23.7
42	Females.....						5				1,024	28	27.3
43	Gloucester.....	523	59	582	80	137.5	2,622	109	41.6	280.9	26,121	388	14.9
44	Males.....	251	33	284	42	147.9	1,326	56	42.2	273.2	13,942	205	14.7
45	Females.....	272	26	298	38	127.5	1,296	53	40.9	289.6	12,179	183	15.0
46	White.....	523	59	582	80	137.5	2,622	109	41.6	281.7	26,050	377	14.9
47	Males.....	251	33	284	42	147.9	1,326	56	42.2	273.2	13,889	205	14.8
48	Females.....	272	26	298	38	127.5	1,296	53	40.9	291.2	12,161	182	15.0
49	Native.....	519	59	578	80	138.4	2,585	109	42.2	381.1	17,319	286	16.5
50	Males.....	249	33	282	42	148.9	1,306	56	42.9	363.6	8,797	154	17.5
51	Females.....	270	26	296	38	128.4	1,279	53	41.4	401.5	8,522	132	15.5
52	Both parents native..	174	19	193	30	155.4	882	39	44.2	272.7	9,094	143	15.7
53	One or both parents foreign.	345	40	385	50	129.9	1,703	70	41.1	573.8	8,225	122	14.8
54	Foreign.....	4		4			37				8,731	100	11.5
55	Males.....	2		2			20				5,092	50	9.8
56	Females.....	2		2			17				3,639	50	13.7

* Data insufficient for rates.

CAUSES, BY SEX, COLOR, GENERAL NATIVITY, AND PARENT NATIVITY: CENSUS YEAR 1900—Continued.

CAUSE OF DEATH.																		
Measles.	Scarlet fever.	Diphtheria and croup.	Whooping cough.	Malarial fever.	Influenza.	Typhoid fever.	Diarrheal diseases.	Consumption.	Cancer and tumor.	Heart disease and dropsy.	Pneumonia.	Diseases of the liver.	Diseases of the nervous system.	Diseases of the urinary organs.	Affections connected with pregnancy.	Old age.	Unknown.	All other causes.
1	2	1			1	5	10	16	6	17	8		25	12		2	1	37
1	1	1			1	3	4	8		9	4		15	8		1	1	23
1	2	1			1	5	10	15	6	17	8		25	12		2	1	37
1	1	1			1	3	4	8		9	4		15	8		1	1	23
1	2	1			1	5	10	15	6	17	8		25	12		2	1	37
1	1	1			1	3	4	8		9	4		15	8		1	1	23
1	2	1			1	5	9	11	5	13	4		21	9		2		33
1	1	1			1	3	3	6		6	2		12	6		1		22
1	2	1			1	3	6	5	5	7	2		9	3		1		11
1					1	3	5	5	3	9	4		15	8		2		12
						2	8	5	1	3			5	1				19
							1	4	1	4	4		4	3			1	4
							1	2		3	2		3	2			1	1
							2	2	1	1	2		1	1				3
1	2	5			6	4	16	18	12	19	13	1	22	16		3	1	66
1	1	4			6	2	8	7	4	11	6	1	12	10		3	1	25
1	1	1			6	2	8	11	8	8	7		10	6				41
1	2	5			6	4	16	18	12	19	13	1	22	16		3	1	66
1	1	4			6	2	8	7	4	11	6	1	12	10			1	25
1	1	1			6	2	8	11	8	8	7		10	6		3		41
1	2	5			3	2	13	10	9	14	11	1	18	11		2	1	55
1	1	4			3	1	7	4	3	9	5	1	10	9		2	1	21
1	1	1			3	1	6	6	6	5	6		8	2				34
1	1	5			2	2	7	8	8	11	7	1	8	10		2	1	40
							6	1		2	3		8					14
					3	2	3	8	3	5	2		4	4		1		11
					3	1	1	3	1	2	1		2					4
					3	1	2	5	2	3	1		2	4		1		7
		1			3	1	7	14	10	16	22	1	31	4	2	4		36
		1			3	1	1	8	3	8	7	1	18	3				15
		1			3	1	6	6	7	8	15		13	1	2	3		21
		1			3	1	7	14	10	16	22	1	31	4	2	4		35
		1			3	1	1	8	3	8	7	1	18	3		3		15
		1			3	1	6	6	7	8	15		13	1	2	1		20
		1			2	1	5	10	7	12	10	1	19	3	1	2		27
		1			2	1	4	5	2	6	6	1	12	2		1		10
		1			2	1	4	9	6	9	6	1	12	1	1	1		17
		1				1	1	1		1			3	1		2		17
					1		2	4	3	4	11		12	1	1	2		9
					1			3	1	2	1		6	1		2		4
					1		2	1	2	2	10		6		1			3
	3	7	2		18	4	31	44	17	38	27	3	44	14	2	14	4	116
	1	5			4	2	14	18	6	26	19	1	22	9		5	1	72
	2	2	2		14	2	17	26	11	12	8	2	22	5	2	9	3	44
	3	7	2		18	4	31	44	17	38	27	3	43	14	2	14	4	116
	1	5			4	2	14	18	6	26	19	1	22	9		5	1	72
	2	2	2		14	2	17	26	11	12	8	2	21	5	2	9	3	44
	3	7	2		11	3	30	30	11	26	20	2	31	7	1	9	4	89
	1	5			3	1	14	12	5	19	16	1	13	6		4	1	53
	2	2	2		8	2	16	18	7	7	4	1	18	1	1	5	3	36
	1	1			7	3	13	10	6	19	5	2	19	4	1	7	3	41
	2	6	2		2		17	18	2	4	14		10	1		1	1	43
					7	1	1	14	6	12	7	1	12	7	1	5		26
					1	1		6	1	7	3		9	3		1		18
					6		1	8	5	5	4	1	3	4	1	4		8

TABLE 19.—POPULATION, BIRTHS, DEATHS, AND DEATH RATES AT CERTAIN AGES, AND DEATHS FROM CERTAIN

	AREAS.	UNDER 1 YEAR OF AGE.					UNDER 5 YEARS OF AGE.				ALL AGES.		
		Popula- tion.	Born and died in the census year.	Births during the census year.	Deaths.	Deaths under 1 per 1,000 births.	Popula- tion.	Deaths.	Death rate per 1,000 of popula- tion.	Deaths under 5 per 1,000 at all ages.	Popula- tion.	Deaths.	Death rate per 1,000 of popula- tion.
	MASSACHUSETTS—Continued.												
1	Group 1—Continued. Haverhill.....	749	64	813	104	127.9	3,648	148	40.6	263.8	37,175	561	15.1
2	Males.....	364	38	402	58	144.3	1,817	80	44.0	282.7	17,693	283	16.0
3	Females.....	385	26	411	46	111.9	1,831	68	37.1	244.6	19,482	278	14.3
4	White.....	743	63	806	102	126.6	3,609	145	40.2	260.3	36,756	557	15.2
5	Males.....	360	37	397	56	141.1	1,797	78	43.4	278.6	17,466	280	16.0
6	Females.....	383	26	409	46	112.5	1,812	67	37.0	241.9	19,290	277	14.4
7	Native.....	742	62	804	100	124.4	3,557	142	39.9	327.2	28,277	434	15.3
8	Males.....	360	36	396	54	136.4	1,772	76	42.9	351.9	13,437	216	16.1
9	Females.....	382	26	408	46	112.7	1,785	66	37.0	302.8	14,840	218	14.7
10	Both parents native..	297	29	326	40	122.7	1,518	63	41.5	251.0	18,656	251	13.5
11	One or both parents foreign.....	445	33	478	60	125.5	2,039	78	38.3	604.7	9,621	129	13.4
12	Foreign.....	1	1	2	2	(*)	52	3	(*)	25.6	8,479	117	13.8
13	Males.....	1	1	1	2	(*)	25	2	(*)	(*)	4,029	60	14.9
14	Females.....	1	1	1	2	(*)	27	1	(*)	(*)	4,450	57	12.8
15	Lawrence.....	1,562	217	1,779	385	216.4	6,873	536	78.0	424.7	62,559	1,262	20.2
16	Males.....	760	132	892	224	251.1	3,377	288	85.3	447.2	30,263	644	21.3
17	Females.....	802	85	887	161	181.5	3,496	248	70.9	401.3	32,296	618	19.1
18	White.....	1,561	217	1,778	385	216.5	6,866	536	78.1	425.1	62,414	1,261	20.2
19	Males.....	759	132	891	224	251.4	3,373	288	85.4	447.9	30,158	643	21.3
20	Females.....	802	85	887	161	181.5	3,493	248	71.0	401.3	32,256	618	19.2
21	Native.....	1,533	213	1,746	375	214.8	6,506	508	78.1	665.8	33,895	763	22.5
22	Males.....	744	130	874	218	249.4	3,194	274	85.8	671.6	16,412	408	24.9
23	Females.....	789	83	872	157	180.0	3,312	234	70.7	659.2	17,483	355	20.3
24	Both parents native..	294	26	320	49	153.1	1,249	66	52.8	388.7	10,467	172	16.4
25	One or both parents foreign.....	1,239	184	1,423	322	226.3	5,257	435	82.7	759.2	23,428	573	24.5
26	Foreign.....	28	4	32	10	(*)	360	28	77.8	57.6	28,519	486	17.0
27	Males.....	15	2	17	6	(*)	179	14	78.2	60.9	13,746	230	16.7
28	Females.....	13	2	15	4	(*)	181	14	77.3	54.7	14,773	256	17.3
29	Lynn.....	1,323	138	1,461	213	145.8	6,334	290	45.8	258.0	68,513	1,124	16.4
30	Males.....	607	84	751	125	166.4	3,170	168	53.0	288.7	33,300	582	17.5
31	Females.....	656	54	710	88	123.9	3,164	122	38.6	225.1	35,213	542	15.4
32	White.....	1,306	137	1,443	212	146.9	6,242	288	46.1	259.9	67,664	1,108	16.4
33	Males.....	659	84	743	125	168.2	3,117	167	53.6	280.9	32,854	576	17.5
34	Females.....	647	53	700	87	124.3	3,125	121	38.7	227.4	34,810	532	15.3
35	Native.....	1,295	137	1,432	212	148.0	6,134	285	46.5	343.8	50,194	829	16.5
36	Males.....	653	84	737	125	169.6	3,069	165	53.8	375.0	24,636	440	17.9
37	Females.....	642	53	695	87	125.2	3,065	120	39.2	308.5	25,558	389	15.2
38	Both parents native..	481	48	529	74	139.9	2,372	105	44.3	253.0	30,452	415	13.6
39	One or both parents foreign.....	814	87	901	134	148.7	3,762	174	46.3	595.9	19,742	292	14.8
40	Foreign.....	11	11	11	11	(*)	108	2	18.5	7.4	17,470	269	15.4
41	Males.....	6	6	6	6	(*)	48	2	(*)	15.2	8,218	132	16.1
42	Females.....	5	5	5	5	(*)	60	2	(*)	15.2	9,252	137	14.8
43	Newburyport.....	240	26	266	38	142.9	1,243	68	54.7	217.9	14,478	312	21.5
44	Males.....	119	12	131	20	152.7	619	34	54.9	231.3	6,758	147	21.8
45	Females.....	121	14	135	18	133.3	624	34	54.5	206.1	7,720	165	21.4
46	White.....	240	26	266	38	142.9	1,242	67	53.9	217.5	14,376	308	21.4
47	Males.....	119	12	131	20	152.7	619	34	54.9	236.1	6,723	144	21.4
48	Females.....	121	14	135	18	133.3	623	33	53.0	201.2	7,653	164	21.4
49	Native.....	236	23	259	35	135.1	1,216	64	52.6	263.4	11,518	243	21.1
50	Males.....	116	10	126	18	142.9	603	32	53.1	288.3	5,459	111	20.3
51	Females.....	120	13	133	17	127.8	613	32	52.2	242.4	6,069	132	21.8
52	Both parents native..	124	11	135	18	133.3	650	29	44.6	193.3	7,811	150	19.2
53	One or both parents foreign.....	112	11	123	16	130.1	566	34	60.1	(*)	3,707	73	19.7
54	Foreign.....	4	3	7	3	(*)	26	3	(*)	(*)	2,858	62	21.7
55	Males.....	3	2	5	2	(*)	16	2	(*)	(*)	1,264	32	25.3
56	Females.....	1	1	2	1	(*)	10	1	(*)	(*)	1,594	30	18.8

* Data insufficient for rates.

CAUSES, BY SEX, COLOR, GENERAL NATIVITY, AND PARENT NATIVITY: CENSUS YEAR 1900—Continued.

CAUSE OF DEATH.																			
Measles.	Scarlet fever.	Diphtheria and croup.	Whooping cough.	Malarial fever.	Influenza.	Typhoid fever.	Diarrheal diseases.	Consumption.	Cancer and tumor.	Heart disease and dropsy.	Pneumonia.	Diseases of the liver.	Diseases of the nervous system.	Diseases of the urinary organs.	Affections connected with pregnancy.	Old age.	Unknown.	All other causes.	
.....	2	13	1	1	17	4	42	53	25	59	68	3	61	29	10	14	4	155	1
.....		6	1		6	2	24	30	6	26	29	2	32	23		6	2	88	2
.....	2	7		1	11	2	18	23	19	33	39	1	29	6	10	8	2	67	3
.....	2	13	1	1	17	4	41	53	25	58	68	3	61	29	10	14	4	153	4
.....		6	1		6	2	23	30	6	25	29	2	32	23		6	2	87	5
.....	2	7		1	11	2	18	23	19	33	39	1	29	6	10	8	2	66	6
.....	2	12	1	1	13	4	39	32	15	38	58	2	54	20	5	12	4	122	7
.....		6	1		4	2	22	17	3	16	25	1	29	16		6	2	66	8
.....	2	6		1	9	2	17	15	12	22	33	1	25	4	5	6	2	56	9
.....		8		1	8	3	11	19	6	23	39		31	13	4	9	2	74	10
.....	2	4	1			1	27	11	1	10	12	1	15	3	1		2	38	11
.....		1			4		2	20	10	19	9	1	7	9	5	2		28	12
.....					2		1	13	3	8	3	1	3	7				19	13
.....	1				2		1	7	7	11	6		4	2	5	2		9	14
21	6	56	17		23	8	165	125	34	98	126	19	118	54	5	36	7	344	15
11	1	21	8		11	4	80	61	16	43	63	8	62	33		14	4	204	16
10	5	35	9		12	4	85	64	18	55	63	11	56	21	5	22	3	140	17
21	6	56	17		23	8	165	125	34	98	126	19	118	53	5	36	7	344	18
11	1	21	8		11	4	80	61	16	43	63	8	62	32		14	4	204	19
10	5	35	9		12	4	85	64	18	55	63	11	56	21	5	22	3	140	20
13	6	51	16		10	3	146	55	10	36	68	3	73	26	1*	12	4	230	21
6	1	19	8		5	3	74	25	5	18	35		43	14		4	2	146	22
7	5	32	8		5		72	30	5	18	33	3	30	12	1	8	2	84	23
.....	4	7	2		3	1	17	10	9	13	16	2	12	11	1	10	1	53	24
13	2	43	14		7	2	128	43	1	19	51	1	58	15			2	174	25
8		5	1		13	5	19	69	24	60	56	16	43	27	4	21	2	113	26
5		2			6	1	6	35	11	24	27	8	19	18		9	2	57	27
3		3	1		7	4	13	34	13	36	29	8	24	9	4	12		56	28
6	3	25	11	1	29	13	93	133	63	88	103	9	129	62	11	50	2	293	29
3	2	16	4		13	7	52	81	19	34	63	9	69	28		17	2	163	30
3	1	9	7	1	16	6	41	52	44	54	40		60	34	11	33		130	31
6	3	24	11	1	29	12	92	131	62	87	103	9	127	62	11	50	2	286	32
3	2	15	4		13	7	51	80	18	34	63	9	68	28		17	2	162	33
3	1	9	7	1	16	5	41	51	44	53	40		59	34	11	33		124	34
5	3	22	11		20	7	82	84	40	64	70	5	103	43	7	37	1	225	35
3	2	13	4		10	3	45	52	11	28	46	5	59	22		12	1	124	36
2	1	9	7		10	4	37	32	29	36	24		44	21	7	25		101	37
2	2	10	6		13	1	32	39	29	34	31	2	54	24	4	21		111	38
3	1	10	5		3	3	48	35	2	14	29	1	27	11	3	1	1	95	39
.....		2		1	9	5	10	45	22	22	33	4	22	19	4	13	1	57	40
.....		2		1	3	4	6	27	7	5	17	4	9	6		5	1	36	41
.....					6	1	4	18	15	17	16		13	13	4	8		21	42
.....		2		2	13	4	15	25	12	25	44	1	44	20	1	11	21	72	43
.....				1	5	1	8	14	3	11	20		20	10		6	9	39	44
.....		2		1	8	3	7	11	9	14	24	1	24	10	1	5	12	33	45
.....		2		2	13	4	15	24	12	25	41	1	44	20	1	11	21	72	46
.....				1	5	1	8	13	3	11	18		20	10		6	9	39	47
.....		2		1	8	3	7	11	9	14	23	1	24	10	1	5	12	33	48
.....		2		1	10	3	15	21	11	15	29		36	17		11	15	57	49
.....				1	3	1	8	13	3	6	11		17	9		6	7	26	50
.....		2			7	2	7	8	8	9	18		19	8		5	8	31	51
.....		1		1	7	1	10	9	6	14	15		23	13		10	13	27	52
.....		1				2	5	12	2	1	10		8	4			2	26	53
.....				1	3	1		3	1	10	12	1	8	3	1		4	14	54
.....				1	2			3	1	5	7		3	1			2	12	55
.....				1	1	1				5	5	1	5	2	1		2	2	56

TABLE 19.—POPULATION, BIRTHS, DEATHS, AND DEATH RATES AT CERTAIN AGES, AND DEATHS FROM CERTAIN

	AREAS.	UNDER 1 YEAR OF AGE.					UNDER 5 YEARS OF AGE.				ALL AGES.		
		Popula- tion.	Born and died in the census year.	Births during the census year.	Deaths.	Deaths under 1 per 1,000 births.	Popula- tion.	Deaths.	Death rate per 1,000 of popula- tion.	Deaths under 5 per 1,000 at all ages.	Popula- tion.	Deaths.	Death rate per 1,000 of popula- tion.
	MASSACHUSETTS—Continued.												
1	Group 1—Continued. Peabody town	240	20	260	30	115.4	1,194	42	35.2	227.0	11,523	185	16.1
2	Males	114	13	127	20	157.5	571	24	42.0	(*)	5,710	95	16.6
3	Females	126	7	133	10	75.2	623	18	28.9	(*)	5,813	90	15.5
4	White	240	20	260	30	115.4	1,191	42	35.3	232.0	11,478	181	15.8
5	Males	114	13	127	20	157.5	571	24	42.0	(*)	5,687	92	16.2
6	Females	126	7	133	10	75.2	620	18	29.0	(*)	5,791	89	15.4
7	Native	239	20	259	30	115.8	1,184	42	35.5	306.6	8,617	137	15.9
8	Males	114	13	127	20	157.5	569	24	42.2	(*)	4,266	70	16.4
9	Females	125	7	132	10	75.8	615	18	29.3	(*)	4,351	67	15.4
10	Both parents native ..	93	8	101	15	148.5	463	19	41.0	(*)	4,499	83	18.4
11	One or both parents foreign.	146	12	158	15	94.9	721	23	31.9	(*)	4,118	47	11.4
12	Foreign	1		1			7				2,861	43	15.0
13	Males						2				1,421	22	15.5
14	Females	1		1			5				1,440	21	14.6
15	Salem	852	111	963	211	219.1	3,774	307	81.3	390.1	35,956	787	21.9
16	Males	433	70	503	128	254.5	1,905	180	94.5	456.9	17,044	394	23.1
17	Females	419	41	460	83	180.4	1,869	127	68.0	323.2	18,912	393	20.8
18	White	848	109	957	209	218.4	3,762	305	81.1	390.0	35,749	782	21.9
19	Males	431	69	500	127	254.0	1,898	179	94.3	457.8	16,928	391	23.1
20	Females	417	40	457	82	179.4	1,864	126	67.6	322.3	18,821	391	20.8
21	Native	825	109	934	207	221.6	3,608	298	82.6	491.7	24,899	606	24.3
22	Males	417	69	486	126	259.3	1,814	175	96.5	555.6	11,938	315	26.4
23	Females	408	40	448	81	180.8	1,794	123	68.6	422.7	12,961	291	22.5
24	Both parents native ..	263	30	293	61	208.2	1,255	87	69.3	314.1	12,803	277	21.6
25	One or both parents foreign.	562	78	640	142	221.9	2,353	207	88.0	716.3	12,096	289	23.9
26	Foreign	23		23	2	(*)	154	7	45.5	40.2	10,850	174	16.0
27	Males	14		14	1	(*)	84	4	(*)	(*)	4,990	74	14.8
28	Females	9		9	1	(*)	70	3	(*)	30.0	5,860	100	17.1
29	Middlesex county, rural	1,744	145	1,889	224	118.6	8,342	296	35.5	166.2	94,672	1,781	18.8
30	Males	880	86	966	125	129.4	4,236	165	39.0	169.6	47,265	973	20.6
31	Females	864	59	923	99	107.3	4,106	131	31.9	162.1	47,407	808	17.0
32	Arlington town	204	20	224	23	102.7	961	34	35.4	255.6	8,603	133	15.5
33	Males	100	11	111	12	108.1	478	22	46.0	(*)	3,995	64	16.0
34	Females	104	9	113	11	97.3	483	12	24.8	(*)	4,608	69	15.0
35	White	204	20	224	23	102.7	957	34	35.5	255.6	8,521	133	15.6
36	Males	100	11	111	12	108.1	476	22	46.2	(*)	3,957	64	16.2
37	Females	104	9	113	11	97.3	481	12	24.9	(*)	4,564	69	15.1
38	Native	202	20	222	23	103.6	948	34	35.9	(*)	6,148	96	15.6
39	Males	99	11	110	12	109.1	471	22	46.7	(*)	2,851	46	16.1
40	Females	103	9	112	11	98.2	477	12	25.2	(*)	3,297	50	15.2
41	Both parents native ..	66	4	70	5	(*)	302	6	19.9	(*)	3,253	48	14.8
42	One or both parents foreign.	136	15	151	17	112.6	646	27	41.8	(*)	2,895	44	15.2
43	Foreign	2		2			9				2,373	37	15.6
44	Males	1		1			5				1,106	18	16.3
45	Females	1		1			4				1,267	19	15.0

* Data insufficient for rates.

POPULATION, BIRTHS, DEATHS, AND DEATH RATES.

367

CAUSES, BY SEX, COLOR, GENERAL NATIVITY, AND PARENT NATIVITY: CENSUS YEAR 1900—Continued.

CAUSE OF DEATH.																		
Measles.	Scarlet fever.	Diphtheria and croup.	Whooping cough.	Malarial fever.	Influenza.	Typhoid fever.	Diarrheal diseases.	Consumption.	Cancer and tumor.	Heart disease and dropsy.	Pneumonia.	Diseases of the liver.	Diseases of the nervous system.	Diseases of the urinary organs.	Affections connected with pregnancy.	Old age.	Unknown.	All other causes.
1	1	1	3		11	1	6	33	11	13	14	1	32	4		3		50
1	1	1	2		4	1	3	16	4	8	7	1	12	3		1		30
			1		7		3	17	7	5	7		20	1		2		20
1	1	1	3		11	1	6	31	11	13	14	1	30	4		3		50
1	1	1	2		4	1	3	14	4	8	7	1	11	3		1		30
			1		7		3	17	7	5	7		19	1		2		20
1		1	3		7		6	22	9	8	13	1	20	3		2		41
1		1	2		3		3	9	2	4	6	1	9	3		1		25
			1		4		3	13	7	4	7		11			1		16
1					6		5	6	6	5	11	1	12	3		2		25
			3				1	15	1	3	2		7					14
	1				3	1		9	2	5	1		10	1		1		9
	1				1	1		5	2	4	1		2					5
					2			4		1			8	1		1		4
1	7	16	4		21	7	89	56	40	57	71	8	111	34		23	3	239
1	2	11	2		6	3	51	27	16	27	38	5	49	17		5	2	132
	5	5	2		15	4	38	29	24	30	33	3	62	17		18	1	107
1	7	16	4		21	7	89	56	40	56	70	8	110	34		23	3	237
1	2	11	2		6	3	51	27	16	27	38	5	48	17		5	2	130
	5	5	2		15	4	38	29	24	29	32	3	62	17		18	1	107
1	7	16	4		15	4	81	37	24	42	54	7	89	25		17	2	181
1	2	11	2		5	2	46	18	10	20	29	5	43	12		3	1	105
	5	5	2		10	2	35	19	14	22	25	2	46	13		14	1	76
	3	5	1		9	3	32	12	14	29	17	5	49	13		11	2	72
1	4	11	3		5	1	45	22	5	8	36	2	34	10		8		99
					6	3	8	19	16	14	15	1	21	9		6	1	55
					1	1	5	9		7	8		5	5		2	1	24
					5	2	3	10	10	7	7	1	16	4		4		31
1	11	8	3	1	37	19	105	254	107	218	167	22	250	98	3	78	20	379
1	5	2		1	11	13	54	160	39	130	88	9	131	67		32	6	224
	6	6	3		26	6	51	94	68	88	79	13	119	31	3	46	14	155
1		2					4	13	8	12	15	3	24	8		6	2	35
1		1					3	7	2	4	8	3	10	4		3	2	16
		1					1	6	6	8	7		14	4		3		19
1		2					4	13	8	12	15	3	24	8		6	2	35
1		1					3	7	2	4	8	3	10	4		3	2	16
		1					1	6	6	8	7		14	4		3		19
1		2					4	6	6	8	13	2	13	6		5	2	28
1		1					3	3	2	3	6	2	5	2		3	2	13
		1					1	3	4	5	7		8	4		2		15
								5	4	8	6		8	3		5		7
1		2					4	1	1		7		4	2			1	21
								7	2	4	2	1	11	2		1		7
								4		1	2	1	5	2				3
								3	2	3			6			1		4

TABLE 19.—POPULATION, BIRTHS, DEATHS, AND DEATH RATES AT CERTAIN AGES, AND DEATHS FROM CERTAIN

AREAS.	UNDER 1 YEAR OF AGE.					UNDER 5 YEARS OF AGE.				ALL AGES.		
	Popula- tion.	Born and died in the census year.	Births during the census year.	Deaths.	Deaths under 1 per 1,000 births.	Popula- tion.	Deaths.	Death rate per 1,000 of popu- lation.	Deaths under 5 per 1,000 at all ages.	Popula- tion.	Deaths.	Death rate per 1,000 of popu- lation.
MASSACHUSETTS—Continued.												
Group 1—Continued.												
Cambridge.....	2,123	241	2,364	396	167.5	9,642	602	62.4	354.3	91,886	1,699	18.5
Males.....	1,079	127	1,206	211	175.0	4,826	325	67.3	386.4	44,477	841	18.9
Females.....	1,044	114	1,158	185	159.8	4,816	277	57.5	322.8	47,409	858	18.1
White.....	2,020	224	2,244	371	165.3	9,194	555	60.4	347.3	87,875	1,598	18.2
Males.....	1,020	119	1,139	197	173.0	4,597	298	64.8	377.2	42,513	790	18.6
Females.....	1,000	105	1,105	174	157.5	4,597	257	55.9	318.1	45,362	808	17.8
Native.....	2,005	223	2,228	367	164.7	9,028	543	60.1	505.6	57,951	1,074	18.5
Males.....	1,012	119	1,131	195	172.4	4,518	291	64.4	543.9	28,718	535	18.6
Females.....	993	104	1,097	172	156.8	4,510	252	55.9	467.5	29,233	539	18.4
Both parents native..	523	57	580	96	165.5	2,489	144	57.9	345.3	25,220	417	16.5
One or both parents foreign.....	1,482	161	1,643	263	160.1	6,539	391	59.8	649.5	32,731	602	18.4
Foreign.....	15	1	16	2	(*)	166	10	60.2	19.5	29,924	514	17.2
Males.....	8	1	8	1	(*)	79	6	(*)	24.2	13,795	248	18.0
Females.....	7	1	8	1	(*)	87	4	(*)	15.0	16,129	266	16.5
Everett.....	551	57	608	96	157.9	2,850	130	45.6	336.8	24,336	386	15.9
Males.....	272	26	298	46	154.4	1,407	64	45.5	359.6	11,980	178	14.9
Females.....	279	31	310	50	161.3	1,443	66	45.7	317.3	12,356	208	16.8
White.....	535	55	590	94	159.3	2,767	127	45.9	337.8	23,665	376	15.9
Males.....	266	25	291	45	154.6	1,360	62	45.6	358.4	11,642	173	14.9
Females.....	269	30	299	49	163.9	1,407	65	46.2	320.2	12,023	203	16.9
Native.....	534	54	588	93	158.2	2,737	126	46.0	439.0	16,867	287	17.0
Males.....	265	24	289	44	152.2	1,349	61	45.2	458.6	8,341	133	15.9
Females.....	269	30	299	49	163.9	1,388	65	46.8	422.1	8,526	154	18.1
Both parents native..	182	19	201	30	149.3	937	41	43.8	295.0	9,354	139	14.9
One or both parents foreign.....	352	33	385	60	155.8	1,800	82	45.6	640.6	7,513	128	17.0
Foreign.....	1	1	1	1	(*)	30	1	(*)	(*)	6,798	88	12.9
Males.....	1	1	1	1	(*)	11	1	(*)	(*)	3,301	39	11.8
Females.....	1	1	1	1	(*)	19	1	(*)	(*)	3,497	49	14.0
Framingham town.....	201	19	220	29	131.8	954	36	37.7	189.5	11,302	190	16.8
Males.....	104	12	116	16	137.9	489	23	47.0	(*)	5,303	95	17.9
Females.....	97	7	104	13	125.0	465	13	28.0	(*)	5,999	95	15.8
White.....	200	19	219	29	132.4	950	36	37.9	189.5	11,253	190	16.9
Males.....	103	12	115	16	139.1	486	23	47.3	(*)	5,274	95	18.0
Females.....	97	7	104	13	125.0	464	13	28.0	(*)	5,979	95	15.9
Native.....	199	18	217	28	129.0	941	35	37.2	257.4	8,878	136	15.3
Males.....	103	11	114	15	131.6	481	22	45.7	(*)	4,204	63	15.0
Females.....	96	7	103	13	126.2	460	13	28.3	(*)	4,674	73	15.6
Both parents native..	82	6	88	11	(*)	438	15	34.2	(*)	5,386	66	12.3
One or both parents foreign.....	117	10	127	15	118.1	503	18	35.8	(*)	3,492	55	15.8
Foreign.....	1	1	2	1	(*)	9	1	(*)	(*)	2,375	51	21.5
Males.....	1	1	1	1	(*)	5	1	(*)	(*)	1,070	31	29.0
Females.....	1	1	1	1	(*)	4	1	(*)	(*)	1,305	20	15.3
Lowell.....	2,076	302	2,378	572	240.5	9,299	758	81.5	404.1	94,969	1,876	19.8
Males.....	1,035	185	1,220	334	273.8	4,697	422	89.8	451.8	44,949	934	20.8
Females.....	1,041	117	1,158	238	205.5	4,602	336	73.0	356.7	50,020	942	18.8
White.....	2,073	301	2,374	570	240.1	9,290	756	81.4	403.8	94,774	1,872	19.8
Males.....	1,034	184	1,218	333	273.4	4,692	421	89.7	452.2	44,823	931	20.8
Females.....	1,039	117	1,156	237	205.0	4,598	335	72.9	356.0	49,951	941	18.8
Native.....	2,004	297	2,301	564	245.1	8,774	741	84.5	591.9	53,859	1,252	23.2
Males.....	988	182	1,170	330	282.1	4,429	414	93.5	627.3	25,646	660	25.7
Females.....	1,016	115	1,131	234	206.9	4,345	327	75.3	552.4	28,213	592	21.0
Both parents native..	337	55	392	92	234.7	1,753	117	66.7	406.3	20,828	288	13.8
One or both parents foreign.....	1,667	236	1,903	465	244.4	7,021	616	87.7	745.8	33,031	826	25.0
Foreign.....	69	3	72	5	(*)	516	14	27.1	23.6	40,915	593	14.5
Males.....	46	1	47	2	(*)	263	6	22.8	23.1	19,177	260	13.6
Females.....	23	2	25	3	(*)	253	8	31.6	24.0	21,738	333	15.3

* Data insufficient for rates.

CAUSES, BY SEX, COLOR, GENERAL NATIVITY, AND PARENT NATIVITY: CENSUS YEAR 1900—Continued.

CAUSE OF DEATH.																		
Measles.	Scarlet fever.	Diphtheria and croup.	Whooping cough.	Malarial fever.	Influenza.	Typhoid fever.	Diarrheal diseases.	Consumption.	Cancer and tumor.	Heart disease and dropsy.	Pneumonia.	Diseases of the liver.	Diseases of the nervous system.	Diseases of the urinary organs.	Affections connected with pregnancy.	Old age.	Unknown.	All other causes.
8	9	81	20	1	23	19	125	193	68	151	198	14	194	63	8	47	11	466
3	5	35	8	1	9	13	74	106	20	62	105	10	97	37	8	19	3	234
5	4	46	12		14	6	51	87	48	89	93	4	97	26		28	8	232
8	9	76	18	1	22	17	117	180	66	145	183	13	183	61	7	46	10	436
3	5	34	7	1	8	12	67	100	20	62	98	9	91	36		19	3	215
5	4	42	11		14	5	50	80	46	83	85	4	92	25	7	27	7	221
6	9	72	16		14	10	106	93	31	86	114	8	126	35	4	22	3	319
1	5	33	7		6	6	63	48	10	41	64	6	66	18		8	1	152
5	4	39	9		8	4	43	45	21	45	50	2	60	17	4	14	2	167
1	3	16	3		7	3	25	19	19	47	43	4	66	20	3	14	1	123
5	6	56	13		6	5	78	72	8	29	67	3	55	13	1		1	184
2		4	2	1	8	6	11	87	35	58	69	5	56	25	3	24	4	114
2		1		1	2	5	4	52	10	20	34	3	24	17		11	1	61
		3	2		6	1	7	35	25	38	35	2	32	8	3	13	3	53
1	6	15	1		13	6	21	42	15	32	53	3	47	18	1	8	2	102
1	5	6			2	5	8	17	7	15	27	3	20	9		2		51
	1	9	1		11	1	13	25	8	17	26		27	9	1	6	2	51
	6	15	1		13	6	21	39	15	30	51	3	47	18	1	8	2	100
	5	6			2	5	8	16	7	14	26	3	20	9		2		50
	1	9	1		11	1	13	23	8	16	25		27	9	1	6	2	50
	5	15	1		8	4	20	26	9	24	37		39	12	1	5	2	79
	4	6			2	3	8	11	4	11	21		18	7		1		37
	1	9	1		6	1	12	15	5	13	16		21	5	1	4	2	42
	1	5			5	2	7	16	7	13	21		20	7	1	4	1	29
	4	10	1		1	2	11	10		9	14		16	3			1	46
	1				5	2	1	13	6	6	14	3	8	6		3		20
	1				5	2		5	3	3	5	3	2	2		1		12
					5		1	8	3	3	9		6	4		2		8
					8	2	5	19	7	14	30	2	19	7	2	12		63
					1	2	3	6	4	8	18	1	12	4		4		32
					7		2	13	3	6	12	1	7	3	2	8		31
					8	2	5	19	7	14	30	2	19	7	2	12		63
					1	2	3	6	4	8	18	1	12	4		4		32
					7		2	13	3	6	12	1	7	3	2	8		31
					6	2	5	13	6	9	21		14	4	2	7		47
					1	2	3	3	3	4	13		11	3		1		19
					5		2	10	3	5	8		3	1	2	6		28
					1	1	3	4	4	7	8		3	3		7		20
					3	1	1	9	1	1	9		4	1	2			23
					1			6	1	5	9	2	4	3		5		15
					1			3	1	4	5	1	1	1		3		12
					1			3		1	4	1	3	2		2		3
11	7	35	13	1	33	18	268	181	52	173	201	20	242	70	9	42	10	490
7	2	16	3	1	13	8	149	80	17	79	105	14	126	34		14	7	259
4	5	19	10		20	10	119	101	35	94	96	6	116	36	9	28	3	231
11	7	35	13	1	33	18	268	180	52	173	201	20	241	70	9	42	10	488
7	2	16	3	1	13	8	149	79	17	79	105	14	126	34		14	7	257
4	5	19	10		20	10	119	101	35	94	96	6	115	36	9	28	3	231
10	7	33	13	1	18	10	249	83	25	88	129	8	147	32	3	20	10	366
6	2	14	3	1	8	4	143	35	10	41	67	5	83	16		6	7	209
4	5	19	10		10	6	106	48	15	47	62	3	64	16	3	14	3	157
1	1	3	2	1	11	2	27	19	15	31	15	5	51	13	1	8	5	77
9	6	29	11		6	6	220	54	3	25	101	2	84	13	2		4	251
1		2			13	8	19	94	27	80	69	12	88	37	6	22		115
1		2			4	4	6	44	7	35	36	9	42	17		8		45
					9	4	13	50	20	45	33	3	46	20	6	14		70

TABLE 19.—POPULATION, BIRTHS, DEATHS, AND DEATH RATES AT CERTAIN AGES, AND DEATHS FROM CERTAIN

	AREAS.	UNDER 1 YEAR OF AGE.					UNDER 5 YEARS OF AGE.				ALL AGES.		
		Popula- tion.	Born and died in the census year.	Births during the census year.	Deaths.	Deaths under 1 per 1,000 births.	Popula- tion.	Deaths.	Death rate per 1,000 of popula- tion.	Deaths under 5 per 1,000 at all ages.	Popula- tion.	Deaths.	Death rate per 1,000 of popula- tion.
	MASSACHUSETTS—Continued.												
1	Group 1—Continued.												
	Malden	726	61	787	100	127.1	3,865	135	40.1	277.8	33,664	486	14.4
2	Males	345	36	381	57	149.6	1,696	72	42.5	324.3	15,699	222	14.1
3	Females	381	25	406	43	105.9	1,669	63	37.7	238.6	17,965	264	14.7
4	White	714	61	775	98	126.5	3,291	132	40.1	275.0	33,193	480	14.5
5	Males	342	36	378	57	150.8	1,663	71	42.7	321.3	15,481	221	14.3
6	Females	372	25	397	41	103.3	1,628	61	37.5	235.5	17,712	259	14.6
7	Native	713	59	772	96	124.4	3,258	130	39.9	369.3	23,765	352	14.8
8	Males	342	35	377	56	148.5	1,642	70	42.6	421.7	11,322	166	14.7
9	Females	371	24	395	40	101.3	1,616	60	37.1	322.6	12,443	186	14.9
10	Both parents native ..	260	23	283	32	113.1	1,112	49	44.1	266.3	13,512	184	13.6
11	One or both parents foreign.	453	36	489	64	130.9	2,146	81	37.7	595.6	10,253	136	13.3
12	Foreign	1	2	3	2	(*)	33	2	(*)	16.1	9,428	124	13.2
13	Males	1	1	1	1	(*)	21	1	(*)	(*)	4,159	53	12.7
14	Females	1	1	2	1	(*)	12	1	(*)	(*)	5,269	71	13.5
15	Marlboro.	236	35	271	55	203.0	1,243	77	61.9	351.6	13,609	219	16.1
16	Males	120	23	143	37	258.7	628	45	71.7	409.1	6,572	110	16.7
17	Females	116	12	128	18	140.6	615	32	52.0	293.6	7,037	109	15.5
18	White	236	35	271	55	203.0	1,243	77	61.9	351.6	13,563	219	16.1
19	Males	120	23	143	37	258.7	628	45	71.7	409.1	6,542	110	16.8
20	Females	116	12	128	18	140.6	615	32	52.0	293.6	7,021	109	15.5
21	Native	233	35	268	55	205.2	1,222	77	63.0	472.4	10,266	163	15.9
22	Males	120	23	143	37	258.7	620	45	72.6	(*)	4,923	86	17.5
23	Females	113	12	125	18	144.0	602	32	53.2	(*)	5,343	77	14.4
24	Both parents native ..	100	17	117	23	196.6	554	34	61.4	(*)	4,866	82	16.9
25	One or both parents foreign.	133	17	160	31	206.7	668	42	62.9	(*)	5,400	72	13.3
26	Foreign	3	3	3			21				3,297	56	17.0
27	Males						8				1,619	24	14.8
28	Females	3	3	3			13				1,678	32	19.1
29	Medford	367	34	401	49	122.2	1,870	69	36.9	263.4	18,244	262	14.4
30	Males	179	20	199	28	140.7	947	35	37.0	280.0	8,764	125	14.3
31	Females	188	14	202	21	104.0	923	34	36.8	248.2	9,480	137	14.5
32	White	363	32	395	47	119.0	1,844	67	36.3	258.7	17,983	259	14.4
33	Males	178	19	197	27	137.1	930	34	36.6	274.2	8,629	124	14.4
34	Females	185	13	198	20	101.0	914	33	36.1	244.4	9,354	135	14.4
35	Native	363	32	395	47	119.0	1,813	67	37.0	325.2	13,684	206	15.1
36	Males	178	19	197	27	137.1	910	34	37.4	330.1	6,620	103	15.6
37	Females	185	13	198	20	101.0	903	33	36.5	320.4	7,064	103	14.6
38	Both parents native ..	164	16	180	19	105.6	812	26	32.0	208.0	8,549	125	14.6
39	One or both parents foreign.	199	15	214	27	126.2	1,001	40	40.0	(*)	5,135	72	14.0
40	Foreign						31				4,299	52	12.1
41	Males						20				2,009	20	10.0
42	Females						11				2,290	32	14.0
43	Melrose	248	26	274	29	105.8	1,204	40	33.2	209.4	12,962	191	14.7
44	Males	130	12	142	15	105.6	626	21	33.5	(*)	5,939	98	16.5
45	Females	118	14	132	14	106.1	578	19	32.9	(*)	7,023	93	13.2
46	White	247	26	273	29	106.2	1,195	40	33.5	212.8	12,819	188	14.7
47	Males	130	12	142	15	105.6	621	21	33.8	(*)	5,867	97	16.5
48	Females	117	14	131	14	106.9	574	19	33.1	(*)	6,952	91	13.1
49	Native	247	26	273	29	106.2	1,172	40	34.1	264.9	9,933	151	15.2
50	Males	130	12	142	15	105.6	610	21	34.4	(*)	4,667	77	16.5
51	Females	117	14	131	14	106.9	562	19	33.8	(*)	5,266	74	14.1
52	Both parents native ..	103	10	113	12	106.2	538	17	31.6	(*)	6,944	96	13.8
53	One or both parents foreign.	144	14	153	14	88.6	634	20	31.5	(*)	2,989	41	13.7
54	Foreign						23				2,886	34	11.8
55	Males						11				1,200	19	15.8
56	Females						12				1,686	15	8.9

*Data insufficient for rates.

CAUSES, BY SEX, COLOR, GENERAL NATIVITY, AND PARENT NATIVITY: CENSUS YEAR 1900—Continued.

CAUSE OF DEATH.																		
Measles.	Scarlet fever.	Diphtheria and croup.	Whooping cough.	Malarial fever.	Influenza.	Typhoid fever.	Diarrheal diseases.	Consumption.	Cancer and tumor.	Heart disease and dropsy.	Pneumonia.	Diseases of the liver.	Diseases of the nervous system.	Diseases of the urinary organs.	Affections connected with pregnancy.	Old age.	Unknown.	All other causes.
.....	2	12	2		16	5	42	56	22	45	35	7	68	33	2	16	5	118
.....	2	4	1		5	2	18	24	9	20	17	2	39	11		7	4	57
.....	8	8	1		11	3	24	32	13	25	18	5	29	22	2	9	1	61
.....	2	12	2		16	5	41	52	22	45	35	7	68	32	2	16	5	118
.....	2	4	1		5	2	18	23	9	20	17	2	39	11		7	4	57
.....	8	8	1		11	3	23	29	13	25	18	5	29	21	2	9	1	61
.....	2	11	2		12	4	32	32	12	28	27	4	55	21	2	14	5	89
.....	2	4	1		4	2	14	14	4	13	13	2	32	10		5	4	42
.....	7	1			8	2	18	18	8	15	14	2	23	11	2	9	1	47
.....	5	1			10	2	11	13	8	16	15	2	30	11	2	9	2	47
.....	2	6	1			2	21	16	1	7	9	2	21	7			3	38
.....		1			4	1	9	19	10	17	7	3	13	11		2		27
.....		1			1		4	8	5	7	4		7	1		2		14
.....					3	1	5	11	5	10	3	3	6	10				13
.....	1	4	4	1	1	1	19	21	9	18	34	2	25	11	1	13	3	51
.....		3	1	1			14	12	2	7	11	1	14	8		5	2	29
.....	1	1	3		1	1	5	9	7	11	23	1	11	3	1	8	1	22
.....	1	4	4	1	1	1	19	21	9	18	34	2	25	11	1	13	3	51
.....		3	1	1			14	12	2	7	11	1	14	8		5	2	29
.....	1	1	3		1	1	5	9	7	11	23	1	11	3	1	8	1	22
.....	1	4	4	1			15	17	6	10	27	1	18	6	1	5	3	44
.....		3	1	1			11	10	2	4	9	1	11	5		2	2	24
.....	1	1	3				7	7	4	6	18		7	1	1	3	1	20
.....	1	2	3				8	7	3	7	12	1	11	3	2	4	1	20
.....	2	2	1					9	2	3	13		5	2	1		2	23
.....					1	1	4	4	3	8	7	1	7	5		8		7
.....					1	1	3	2		3	2		3	3		3		5
.....					1	1	1	2	3	5	5	1	4	2		5		2
.....	1	12		1	13	7	18	20	11	18	21	3	31	18	3	9	1	75
.....	1	6		1	4	4	8	11	1	7	9	3	19	12		3	1	35
.....	6	6			9	3	10	9	10	11	12		12	6	3	6		40
.....	1	12		1	13	7	18	20	11	17	21	3	30	18	3	9	1	74
.....	1	6		1	4	4	8	11	1	7	9	3	18	12		3	1	35
.....	6	6			9	3	10	9	10	10	12		12	6	3	6		39
.....	1	11		1	9	5	17	14	11	7	16	3	21	15	2	9	1	63
.....	1	5		1	3	3	8	10	1	3	7	3	12	10		3	1	32
.....	6	6			6	2	9	4	10	4	9		9	5	2	6		31
.....	2	2			8	4	6	7	9	7	13	2	13	10	1	7	1	35
.....	1	9		1		1	10	7			3		7	4	1	1		27
.....		1			4	2	1	6		10	5		8	3	1			11
.....		1			1	1		1		4	2		5	2	1			3
.....					3	1	1	5		6	3		3	1				8
.....	1	4	4		1	9	6	3	17	10	25	17	2	24	14	1	5	48
.....	1	1	2		1	4	4	1	10	2	14	9	14	8		2		26
.....	3	2			5	2	2	7	8	11	8	2	10	6	1	3		22
.....	1	4	4		1	9	6	3	17	10	25	16	2	24	13	1	5	47
.....	1	1	2		1	4	4	1	10	2	14	9	14	8		2		25
.....	3	2			5	2	2	7	8	11	7	2	10	5	1	3		22
.....	1	4	4		1	5	2	3	12	9	20	13	2	17	11	2		44
.....	1	1	2		1	2	1	7	2	10	7		11	7		1		23
.....	3	2			3		2	5	7	10	6	2	6	4	1	1		21
.....	3	1			5	1	2	7	8	12	6	2	15	8	1	1		24
.....	1	3	3				1	4	1	4	5		1	1		1		18
.....					4	3		5		5	2		7	2		3		3
.....					2	2		3		4	1		3	1		1		2
.....					2	1		2		1	1		4	1		2		1

TABLE 19.—POPULATION, BIRTHS, DEATHS, AND DEATH RATES AT CERTAIN AGES, AND DEATHS FROM CERTAIN

	AREAS.	UNDER 1 YEAR OF AGE.					UNDER 5 YEARS OF AGE.				ALL AGES.		
		Popula- tion.	Born and died in the census year.	Births during the census year.	Deaths.	Deaths under 1 per 1,000 births.	Popula- tion.	Deaths.	Death rate per 1,000 of popu- lation.	Deaths under 5 per 1,000 at all ages.	Popula- tion.	Deaths.	Death rate per 1,000 of popu- lation.
	MASSACHUSETTS—Continued.												
1	Group 1—Continued.												
	Natick town	153	8	161	13	80.7	838	20	23.9	150.4	9,488	133	14.0
2	Males	82	4	86	7	(*)	430	11	25.6	(*)	4,584	80	17.5
3	Females	71	4	75	6	(*)	408	9	22.1	(*)	4,904	53	10.8
4	White	152	8	160	13	81.3	832	20	24.0	150.4	9,434	133	14.1
5	Males	81	4	85	7	(*)	426	11	25.8	(*)	4,553	80	17.6
6	Females	71	4	75	6	(*)	406	9	22.2	(*)	4,881	53	10.9
7	Native	152	8	160	12	75.0	827	19	23.0	(*)	7,661	96	12.5
8	Males	81	4	85	6	(*)	425	10	23.5	(*)	3,694	59	16.0
9	Females	71	4	75	6	(*)	402	9	22.4	(*)	3,967	37	9.3
10	Both parents native ..	81	4	85	7	(*)	451	12	26.6	(*)	4,405	63	14.3
11	One or both parents foreign.	71	4	75	5	(*)	376	7	18.6	(*)	3,256	25	7.7
12	Foreign				1		5	1	(*)	(*)	1,773	36	20.3
13	Males				1		1	1	(*)	(*)	859	21	24.4
14	Females						4				914	15	16.4
15	Newton	715	59	774	99	127.9	3,154	147	46.6	306.9	33,587	479	14.3
16	Males	367	37	404	61	151.0	1,588	93	58.6	387.5	15,034	240	16.0
17	Females	348	22	370	38	102.7	1,566	54	34.5	225.9	18,553	239	12.9
18	White	706	59	765	99	129.4	3,104	145	46.7	307.2	33,024	472	14.3
19	Males	362	37	399	61	152.9	1,559	92	59.0	388.2	14,792	237	16.0
20	Females	344	22	366	38	108.8	1,545	53	34.3	225.5	18,232	235	12.9
21	Native	702	59	761	99	130.1	3,056	143	46.8	385.4	23,019	371	16.1
22	Males	361	37	398	61	153.3	1,535	91	59.3	476.4	10,692	191	17.9
23	Females	341	22	363	38	104.7	1,521	52	34.2	288.9	12,327	180	14.6
24	Both parents native ..	220	16	236	25	105.9	1,054	39	37.0	232.1	14,107	168	11.9
25	One or both parents foreign.	482	42	524	73	139.3	2,002	102	50.9	658.1	8,912	155	17.4
26	Foreign	4		4			48	1	(*)	(*)	10,005	98	9.8
27	Males	1		1			24	1	(*)	(*)	4,100	44	10.7
28	Females	3		3			24				5,905	54	9.1
29	Somerville	1,430	121	1,551	187	120.6	6,556	277	42.3	292.8	61,643	946	15.3
30	Males	740	80	820	117	142.7	3,386	162	47.8	362.4	29,434	447	15.2
31	Females	690	41	731	70	95.8	3,170	115	36.3	230.5	32,209	499	15.5
32	White	1,425	121	1,546	187	121.0	6,537	277	42.4	292.8	61,435	946	15.4
33	Males	736	80	816	117	143.4	3,377	162	48.0	362.4	29,298	447	15.3
34	Females	689	41	730	70	95.9	3,160	115	36.4	230.5	32,137	499	15.5
35	Native	1,415	121	1,536	186	121.1	6,423	276	43.0	426.6	44,275	647	14.6
36	Males	731	80	811	117	144.3	3,318	162	48.8	501.5	21,366	323	15.1
37	Females	684	41	725	69	95.2	3,105	114	36.7	351.9	22,909	324	14.1
38	Both parents native ..	478	37	515	60	116.5	2,209	88	39.8	302.4	24,657	291	11.8
39	One or both parents foreign.	937	84	1,021	126	123.4	4,214	188	44.6	633.0	19,618	297	15.1
40	Foreign	10		10	1	(*)	114	1	8.8	3.4	17,160	293	17.1
41	Males	5		5			59				7,932	122	15.4
42	Females	5		5	1	(*)	55	1	(*)	5.8	9,228	171	18.5
43	Wakefield town	175	15	190	20	105.3	884	30	33.9	222.2	9,290	135	14.5
44	Males	91	8	99	11	(*)	450	16	35.6	(*)	4,420	72	16.3
45	Females	84	7	91	9	(*)	434	14	32.3	(*)	4,870	63	12.9
46	White	175	15	190	20	105.3	884	30	33.9	223.9	9,259	134	14.5
47	Males	91	8	99	11	(*)	450	16	35.6	(*)	4,408	71	16.1
48	Females	84	7	91	9	(*)	434	14	32.3	(*)	4,851	63	13.0
49	Native	175	15	190	20	105.3	873	29	33.2	273.6	6,919	106	15.3
50	Males	91	8	99	11	(*)	446	16	35.9	(*)	3,350	58	17.3
51	Females	84	7	91	9	(*)	427	13	30.4	(*)	3,569	48	13.4
52	Both parents native ..	62	6	68	7	(*)	321	10	31.2	(*)	4,134	58	14.0
53	One or both parents foreign.	113	7	120	11	91.7	552	17	30.8	(*)	2,785	30	10.8
54	Foreign						11				2,340	27	11.5
55	Males						4				1,058	13	12.3
56	Females						7				1,282	14	10.9

*Data insufficient for rates.

CAUSES, BY SEX, COLOR, GENERAL NATIVITY, AND PARENT NATIVITY: CENSUS YEAR 1900—Continued.

CAUSE OF DEATH.																		
Measles.	Scarlet fever.	Diphtheria and croup.	Whooping cough.	Malarial fever.	Influenza.	Typhoid fever.	Diarrheal diseases.	Consumption.	Cancer and tumor.	Heart disease and dropsy.	Pneumonia.	Diseases of the liver.	Diseases of the nervous system.	Diseases of the urinary organs.	Affections connected with pregnancy.	Old age.	Unknown.	All other causes.
		1		1	1	5	6	12	4	16	20	2	17	9		4		35
		1		1	1	3	5	5	3	12	12	2	6	8		2		20
		1		1	1	5	6	12	4	16	20	2	17	9		4		35
		1		1	1	3	5	5	3	12	12	2	6	8		2		20
		1		1	1	2	1	7	1	4	8		11	1		2		15
		1		1	1	5	5	8	2	13	13	2	13	4		3		26
		1		1	1	3	4	3	1	9	7	2	5	4		2		17
		1		1	1	2	1	5	1	4	6		8			1		9
		1		1	1	4	3	2	2	11	9	1	10	2		2		15
						1	2	6		1	3	1	3					8
				1			1	4	2	3	7		3	5		1		9
				1			1	2	2	3	5		1	4		1		3
				1				2			2		2	1				6
1	3	13	3		14	7	42	38	17	41	49	2	63	27	1	20	6	132
1	2	9	1		6	5	22	21	6	20	18	1	27	13		8	4	76
	1	4	2		8	2	20	17	11	21	31	1	36	14	1	12	2	56
1	3	13	3		14	6	41	38	17	41	49	2	63	26	1	20	5	129
1	2	9	1		6	5	22	21	6	20	18	1	27	13		8	3	74
	1	4	2		8	1	19	17	11	21	31	1	36	13	1	12	2	55
1	3	13	2		9	3	37	26	12	32	38	1	54	18		14	2	106
1	2	9			5	3	20	16	4	16	13	1	26	7		5	1	62
	1	4	2		4		17	10	8	16	25		28	11		9	1	44
	1	2			7		12	8	9	21	18	1	26	9		8	2	44
1	2	11	1		1	3	24	17	2	4	14		18	4				53
			1		5	3	3	12	5	9	11	1	9	8	1	6	3	21
			1		1	2	2	5	2	4	5		1	6		3	2	10
					4	1	1	7	3	5	6	1	8	2	1	3	1	11
2	7	26	11	1	30	17	54	110	39	90	111	4	121	42	7	39	1	234
2	4	12	4	1	5	9	26	54	9	39	52	1	55	29		15		130
	3	14	7		25	8	28	56	30	51	59	3	66	13	7	24	1	104
2	7	26	11	1	30	17	54	110	39	90	111	4	121	42	7	39	1	234
2	4	12	4	1	5	9	26	54	9	39	52	1	55	29		15		130
	3	14	7		25	8	28	56	30	51	59	3	66	13	7	24	1	104
2	7	26	11	1	23	9	46	63	19	52	84	1	84	27	5	13	1	173
2	4	12	4	1	3	5	26	31	6	24	40	1	43	18		7		96
	3	14	7		20	4	20	32	13	28	44		41	9	5	6		77
	3	6	4	1	13	7	14	20	14	34	32		36	12	3	8	1	83
2	4	20	7		9	2	31	39	2	10	46	1	35	8	2			79
					7	8	8	47	19	36	27	3	37	15	2	25		59
					2	4		23	3	14	12		12	11		8		33
					5	4	8	24	16	22	15	3	25	4	2	17		26
	1	1	2		4	1	3	20	6	20	15		25	11	2	4		20
					3	1	3	9	3	9	6		14	9		2		13
	1	1	2		1			11	3	11	9		11	2	2	2		7
					4	1	3	20	6	20	15		25	10	2	4		20
					3	1	3	9	3	9	6		14	8		2		13
	1	1	2		1			11	3	11	9		11	2	2	2		7
					2	1	3	14	3	14	14		23	6		4		18
					2	1	3	7	2	7	5		13	5		2		11
	1	1	2		1	1	1	7	1	7	9		10	1		2		7
					1		1	8	2	10	9		12	3		3		7
		1	2				1	5		3	4		7	1				6
					2			5	3	6	1		2	4	2			2
					1			2	1	2	1		1	3				2
					1			3	2	4			1	1	2			

TABLE 19.—POPULATION, BIRTHS, DEATHS, AND DEATH RATES AT CERTAIN AGES, AND DEATHS FROM CERTAIN

AREAS.	UNDER 1 YEAR OF AGE.					UNDER 5 YEARS OF AGE.				ALL AGES.		
	Popula- tion.	Born and died in the census year.	Births during the census year.	Deaths.	Deaths under 1 per 1,000 births.	Popula- tion.	Deaths.	Death rate per 1,000 of popula- tion.	Deaths under 5 per 1,000 at all ages.	Popula- tion.	Deaths.	Death rate per 1,000 of popula- tion.
MASSACHUSETTS—Continued.												
Group 1—Continued.												
1 Waltham	368	42	410	60	146.3	2,023	80	39.5	243.2	23,481	329	14.0
2 Males	173	23	196	31	158.2	999	40	40.0	270.3	10,782	148	13.7
3 Females	195	19	214	29	135.5	1,024	40	39.1	221.0	12,699	181	14.3
4 White	368	42	410	60	146.3	2,021	80	39.6	243.9	23,405	328	14.0
5 Males	173	23	196	31	158.2	998	40	40.1	270.3	10,737	148	13.8
6 Females	195	19	214	29	135.5	1,023	40	39.1	222.2	12,668	180	14.2
7 Native	367	42	409	60	146.7	1,988	79	39.7	317.3	16,740	249	14.9
8 Males	173	23	196	31	158.2	981	39	39.8	339.1	7,792	115	14.8
9 Females	194	19	213	29	136.2	1,007	40	39.7	298.5	8,948	134	15.0
10 Both parents native ..	107	5	112	11	98.2	660	16	24.2	140.4	8,997	114	12.7
11 One or both parents foreign.	260	37	297	49	165.0	1,328	63	47.4	547.8	7,743	115	14.9
12 Foreign	1		1			33	1	(*)	(*)	6,665	79	11.9
13 Males						17	1	(*)	(*)	2,945	33	11.2
14 Females	1		1			16				3,720	46	12.4
15 Watertown town	221	15	236	22	93.2	931	32	34.4	223.8	9,706	143	14.7
16 Males	102	12	114	16	140.4	480	22	45.8	(*)	4,758	77	16.2
17 Females	119	3	122	6	49.2	451	10	22.2	(*)	4,948	66	13.3
18 White	220	15	235	22	93.6	928	32	34.5	225.4	9,646	142	14.7
19 Males	102	12	114	16	140.4	480	22	45.8	(*)	4,733	77	16.3
20 Females	118	3	121	6	49.6	448	10	22.3	(*)	4,913	65	13.2
21 Native	220	15	235	22	93.6	915	32	35.0	(*)	6,770	92	13.6
22 Males	102	12	114	16	140.4	473	22	46.5	(*)	3,293	54	16.4
23 Females	118	3	121	6	49.6	442	10	22.6	(*)	3,477	38	10.9
24 Both parents native ..	78	7	85	8	(*)	335	12	35.8	(*)	3,560	44	12.4
25 One or both parents foreign.	142	8	150	14	93.3	580	20	34.5	(*)	3,210	39	12.1
26 Foreign						13				2,876	50	17.4
27 Males						7				1,440	23	16.0
28 Females						6				1,436	27	18.8
29 Woburn	335	33	368	54	146.7	1,566	79	50.4	327.8	14,254	241	16.9
30 Males	173	21	194	33	170.1	796	43	54.0	335.9	6,973	128	18.4
31 Females	162	12	174	21	120.7	770	36	46.8	318.6	7,281	113	15.5
32 White	325	31	356	49	137.6	1,520	72	47.4	310.3	13,984	232	16.6
33 Males	168	20	188	31	164.9	773	39	50.5	314.5	6,833	124	18.1
34 Females	157	11	168	18	107.1	747	33	44.2	305.6	7,151	108	15.1
35 Native	323	31	354	49	138.4	1,497	72	48.1	464.5	10,156	155	15.3
36 Males	166	20	186	31	166.7	761	39	51.2	(*)	4,924	83	16.9
37 Females	157	11	168	18	107.1	736	33	44.8	(*)	5,232	72	13.8
38 Both parents native ..	110	10	120	17	141.7	489	28	57.3	(*)	4,451	63	14.2
39 One or both parents foreign.	213	21	234	32	136.8	1,008	44	43.7	(*)	5,705	83	14.5
40 Foreign	2		2			23				3,828	75	19.6
41 Males	2		2			12				1,909	39	20.4
42 Females						11				1,919	36	18.8
43 Nantucket county	35	8	43	8	(*)	199	11	55.3	(*)	3,006	68	22.6
44 Males	17	5	22	5	(*)	90	7	(*)	(*)	1,299	33	25.4
45 Females	18	3	21	3	(*)	109	4	36.7	(*)	1,707	35	20.5
46 Norfolk county, rural	1,519	126	1,645	205	124.6	7,459	281	37.7	204.4	83,137	1,375	16.5
47 Males	758	73	831	118	142.0	3,726	154	41.3	218.1	39,983	706	17.7
48 Females	761	53	814	87	106.9	3,733	127	34.0	189.8	43,154	669	15.5

* Data insufficient for rates.

CAUSES, BY SEX, COLOR, GENERAL NATIVITY, AND PARENT NATIVITY: CENSUS YEAR 1900—Continued.

CAUSE OF DEATH.																		
Measles.	Scarlet fever.	Diphtheria and croup.	Whooping cough.	Malarial fever.	Influenza.	Typhoid fever.	Diarrheal diseases.	Consumption.	Cancer and tumor.	Heart disease and dropsy.	Pneumonia.	Diseases of the liver.	Diseases of the nervous system.	Diseases of the urinary organs.	Affections connected with pregnancy.	Old age.	Unknown.	All other causes.
2		12	2		11	8	15	38	18	23	47	3	31	16	1	10	3	89
2		7	1		5	3	5	15	5	5	22	1	12	8		3	2	52
		5	1		6	5	10	23	13	18	25	2	19	8	1	7	1	37
2		12	2		11	8	15	37	18	23	47	3	31	16	1	10	3	89
2		7	1		5	3	5	15	5	5	22	1	12	8		3	2	52
		5	1		6	5	10	22	13	18	25	2	19	8	1	7	1	37
1		12	2		9	6	13	30	13	15	32	3	22	12	1	5	2	71
1		7	1		4	1	4	11	5	4	14	1	10	6		1	2	43
		5	1		5	1	9	19	8	11	18	2	12	6	1	4		28
		5			6	4	3	9	6	12	14	2	12	8	1	5	1	26
1		7	2		2	2	10	18	2	3	14	1	8	3			1	41
1					2	2	2	7	5	8	15		9	4		5	1	18
1					1	2	1	4		1	8		2	2		2		9
					1		1	3	5	7	7		7	2		3	1	9
	2	4	1		4	3	4	11	8	15	23	2	22	8	1	5	4	26
		3	1		3	1	3	8	3	8	9	1	12	6		2	2	15
	2	1			1	2	1	3	5	7	14	1	10	2	1	3	2	11
	2	4	1		4	3	4	11	8	15	23	2	22	8	1	5	4	25
	2	3	1		3	1	3	8	3	8	9	1	12	6		2	2	15
		1			1	2	1	3	5	7	14	1	10	2	1	3	2	10
	2	4	1		2	2	3	6	3	11	13	2	14	6		3	3	17
		3	1		2	1	3	4	1	5	5	1	8	5		2	2	11
	2	1			2	1	2	2	2	6	8	1	6	1	1	1	1	6
		1			2	1	4	2	2	8	6	2	5	2		2	2	7
	2	3	1				3	2	1		7		7	3			1	9
					2	1	1	5	5	4	10		8	2	1	2	1	8
					1			4	2	3	4		4	1				4
					1	1	1	1	3	1	6		4	1	1	2	1	4
	1	2	3	2	7		20	28	9	15	18	4	28	12	1	6	1	84
	1		1	2	5		14	14	4	4	15	2	15	5		4	1	43
		2	2	2	2		6	14	5	11	3	2	13	7	1	2		41
	1	2	2	2	7		19	28	8	15	17	4	27	12	1	6	1	80
	1				5		14	14	4	4	14	2	14	5		4	1	42
		2	2	2	2		5	14	4	11	3	2	13	7	1	2		38
	1	2	2	1	5		19	17	3	8	10		21	6	1	2	1	56
	1				4		14	8	1	2	8		11	3		2	1	28
		2	2	1	1		5	9	2	6	2		10	3	1			28
		1	2	1	1		10	4	1	1	4		13	3		2		21
	1	1		1	4		9	13	1	5	3		8	2	1		1	33
				1	2			11	5	7	7	4	6	6		4		22
					1			6	3	2	6	2	3	2		2		12
				1	1			5	2	5	1	2	3	4		2		10
					4		3	3	7	5	7		13	2		4		20
					2		1	2	2	3	2		6	2		3		10
					2		2	1	5	2	5		7			1		10
1	5	16	10	2	41	22	75	124	72	159	116	11	208	80	7	67	16	343
1	1	10	3	1	17	10	40	62	26	80	51	6	106	52		26	11	203
	4	6	7	1	24	12	35	62	46	79	65	5	102	28	7	41	5	140

TABLE 19.—POPULATION, BIRTHS, DEATHS, AND DEATH RATES AT CERTAIN AGES, AND DEATHS FROM CERTAIN

AREAS.	UNDER 1 YEAR OF AGE.					UNDER 5 YEARS OF AGE.				ALL AGES.		
	Popula- tion.	Born and died in the census year.	Births during the census year.	Deaths.	Deaths under 1 per 1,000 births.	Popula- tion.	Deaths.	Death rate per 1,000 of popu- lation.	Deaths under 5 per 1,000 at all ages.	Popula- tion.	Deaths.	Death rate per 1,000 of popu- lation.
MASSACHUSETTS—Continued.												
Group 1—Continued.												
1 Brookline town	365	27	392	38	96.9	1,650	54	32.7	207.7	19,935	260	13.0
2 Males	165	19	184	26	141.3	806	38	47.1	285.7	8,304	133	16.0
3 Females	200	8	208	12	57.7	844	16	19.0	126.0	11,631	127	10.9
4 White	363	26	389	37	95.1	1,643	53	32.3	205.4	19,753	258	13.1
5 Males	164	18	182	25	137.4	801	37	46.2	280.3	8,240	132	16.0
6 Females	199	8	207	12	58.0	842	16	19.0	127.0	11,513	126	10.9
7 Native	363	25	388	36	92.8	1,629	52	31.9	275.1	13,251	189	14.3
8 Males	164	17	181	24	132.6	793	36	45.4	352.9	6,004	102	17.0
9 Females	199	8	207	12	58.0	836	16	19.1	(*)	7,247	87	12.0
10 Both parents native ..	131	9	140	12	85.7	589	16	27.2	160.0	7,830	100	12.8
11 One or both parents foreign.	232	15	247	23	93.1	1,040	35	33.7	(*)	5,421	73	13.5
12 Foreign		1	1	1	(*)	14	1	(*)	(*)	6,502	68	10.5
13 Males		1	1	1	(*)	8	1	(*)	(*)	2,236	30	13.4
14 Females						6				4,266	38	8.9
15 Hyde Park town	275	24	299	45	150.5	1,313	60	45.7	279.1	13,244	215	16.2
16 Males	134	15	149	27	181.2	654	36	55.0	318.6	6,623	113	17.1
17 Females	141	9	150	18	120.0	659	24	36.4	235.3	6,621	102	15.4
18 White	271	24	295	45	152.5	1,298	60	46.2	279.1	13,116	215	16.4
19 Males	131	15	146	27	184.9	646	36	55.7	318.6	6,544	113	17.3
20 Females	140	9	149	18	120.8	652	24	36.8	235.3	6,572	102	15.5
21 Native	270	24	294	44	149.7	1,277	57	44.6	413.0	9,336	138	14.8
22 Males	130	15	145	26	179.3	636	33	51.9	(*)	4,653	76	16.3
23 Females	140	9	149	18	120.8	641	24	37.4	(*)	4,683	62	13.2
24 Both parents native ..	89	10	99	14	(*)	425	18	42.4	(*)	4,841	70	14.5
25 One or both parents foreign.	181	14	195	29	148.7	852	37	43.4	(*)	4,495	63	14.0
26 Foreign	1		1	1	(*)	21	3	(*)	(*)	3,780	76	20.1
27 Males	1		1	1	(*)	10	3	(*)	(*)	1,891	36	19.0
28 Females						11				1,889	40	21.2
29 Quincy	590	58	648	98	151.2	2,780	141	50.7	385.2	23,899	366	15.3
30 Males	317	31	348	50	143.7	1,402	70	49.9	355.3	11,943	197	16.5
31 Females	273	27	300	48	160.0	1,378	71	51.5	420.1	11,956	169	14.1
32 White	590	58	648	98	151.2	2,780	141	50.7	385.2	23,845	366	15.3
33 Males	317	31	348	50	143.7	1,402	70	49.9	355.3	11,908	197	16.5
34 Females	273	27	300	48	160.0	1,378	71	51.5	420.1	11,937	169	14.2
35 Native	589	58	647	98	151.5	2,737	138	50.4	534.9	16,210	258	15.9
36 Males	316	31	347	50	144.1	1,386	67	48.3	519.4	8,027	129	16.1
37 Females	273	27	300	48	160.0	1,351	71	52.6	550.4	8,183	129	15.8
38 Both parents native ..	177	14	191	25	130.9	810	32	39.5	(*)	7,543	92	12.2
39 One or both parents foreign.	412	43	455	72	158.2	1,927	105	54.5	681.8	8,667	154	17.8
40 Foreign	1		1			43	3	(*)	28.6	7,635	105	13.8
41 Males	1		1			16	3	(*)	(*)	3,881	66	17.0
42 Females						27				3,754	39	10.4
43 Weymouth town	191	14	205	31	151.2	955	39	40.8	192.1	11,324	203	17.9
44 Males	100	7	107	14	130.8	499	17	34.1	166.7	5,554	102	18.4
45 Females	91	7	98	17	(*)	456	22	48.2	217.8	5,770	101	17.5
46 White	190	13	203	30	147.8	951	38	40.0	189.1	11,275	201	17.8
47 Males	99	6	105	13	123.8	498	16	32.1	160.0	5,524	100	18.1
48 Females	91	7	98	17	(*)	453	22	48.6	217.8	5,751	101	17.6
49 Native	189	13	202	30	148.5	946	38	40.2	234.6	9,440	162	17.2
50 Males	98	6	104	13	125.0	495	16	32.3	(*)	4,622	75	16.2
51 Females	91	7	98	17	(*)	451	22	48.8	(*)	4,818	87	18.1
52 Both parents native ..	99	1	100	9	90.0	524	12	22.9	(*)	6,380	97	15.2
53 One or both parents foreign.	90	11	101	20	198.0	422	25	59.2	(*)	3,060	46	15.0
54 Foreign	1		1			5				1,835	39	21.3
55 Males	1*		1			3				902	25	27.7
56 Females						2				933	14	15.0

* Data insufficient for rates.

CAUSES, BY SEX, COLOR, GENERAL NATIVITY, AND PARENT NATIVITY: CENSUS YEAR 1900—Continued.

CAUSE OF DEATH.																		
Measles.	Scarlet fever.	Diphtheria and croup.	Whooping cough.	Malarial fever.	Influenza.	Typhoid fever.	Diarrheal diseases.	Consumption.	Cancer and tumor.	Heart disease and dropsy.	Pneumonia.	Diseases of the liver.	Diseases of the nervous system.	Diseases of the urinary organs.	Affections connected with pregnancy.	Old age.	Unknown.	All other causes.
1		11	1		7	2	14	25	10	28	21	4	35	14	3	17	7	60
1		7	1		4	1	10	12	3	15	11	3	17	8		5	4	31
1		4			3	1	4	13	7	13	10	1	18	6	3	12	3	29
1		11	1		7	2	14	25	10	28	21	4	34	14	3	17	7	59
1		7	1		4	1	10	12	3	15	11	3	16	8		5	4	31
1		4			3	1	4	13	7	13	10	1	18	6	3	12	3	28
1		11	1		4	2	14	18	6	20	16	3	20	11	2	9	5	46
1		7	1		3	1	10	9	2	11	9	2	10	6		2	3	25
1		4			1	1	4	9	4	9	7	1	10	5	2	7	2	21
1		2			2	2	3	5	4	7	13	3	12	7	2	7	3	28
1		9	1		1		10	12	2	8	3		6	3		1	1	15
					3			7	4	7	5	1	14	3	1	8	2	13
					1			3	1	4	2	1	6	2		3	1	6
					2			4	3	3	3		8	1	1	5	1	7
1	2	4			9	1	14	22	12	13	30	5	27	12	1	10	3	49
1	2	3	1		2	1	8	11	3	6	15	2	16	7		4	2	32
1	2	1			7		6	11	9	7	15	3	11	5	1	6	1	17
1	2	4			9	1	14	22	12	13	30	5	27	12	1	10	3	49
1	2	3	1		2	1	8	11	3	6	15	2	16	7		4	2	32
1	2	1			7		6	11	9	7	15	3	11	5	1	6	1	17
1	2	4			5	1	13	15	5	5	14	2	20	7	1	6		37
1	2	3	1		1	1	7	6	1	4	7	1	14	3		2		25
1	2	1			2	1	6	9	4	1	7	2	6	4	1	4		12
1	2	1			2		4	5	4	5	8		9	4		6		19
1	2	2			2		8	10			6		11	2	1			18
					4		1	7	7	8	16	3	7	5		4	3	11
					1		1	5	2	2	8	1	2	4		2	2	6
					3			2	5	6	8	2	5	1		2	1	5
1		14	1		6	7	42	43	8	33	31	2	37	13	2	5	2	119
1		6			1	6	21	23	6	22	18	1	17	9		2	2	63
1		8	1		5	1	21	20	2	11	13	1	20	4	2	3		56
1		14	1		6	7	42	43	8	33	31	2	37	13	2	5	2	119
1		6			1	6	21	23	6	22	18	1	17	9		2	2	63
1		8	1		5	1	21	20	2	11	13	1	20	4	2	3		56
1		13	1		1	3	38	23	2	19	20		28	9	2	3	2	93
1		5				3	20	12	2	12	9		9	6		1	2	48
1		8	1		1		18	11		7	11		19	3	2	2		45
1		4			1	2	8	4	1	11	2		12	3	2	2		39
1		9	1			1	30	18	1	7	16		13	5			2	51
		1			5	4	4	20	5	14	11	2	9	4		2		24
		1			1	3	1	11	4	10	9	1	8	3		1		13
					4	1	3	9	1	4	2	1	1	1		1		11
		7	2		6	1	8	26	10	31	21	5	30	8	1	9		38
		2	1		2	1	5	18	3	14	14	2	17	5		2		16
		5	1		4	3	3	8	7	17	7	3	13	3	1	7		22
		7	2		6	1	7	26	10	31	20	5	30	8	1	9		38
		2	1		2	1	4	18	3	14	13	2	17	5		2		16
		5	1		4		3	8	7	17	7	3	13	3	1	7		22
		7	2		5	1	7	20	8	28	15	2	22	5	1	7		32
		2	1		2	1	4	13	2	13	9	1	11	2		1		13
		5	1		3		3	7	6	15	6	1	11	3	1	6		19
		2			4	1	4	10	5	23	7	2	14	4		4		17
		5	2		1		3	8	1	3	3		7		1			12
					1			6	2	3	5	3	8	3		2		6
								5	1	1	4	1	6	3		1		3
					1			1	1	2	1	2	2			1		3

TABLE 19.—POPULATION, BIRTHS, DEATHS, AND DEATH RATES AT CERTAIN AGES, AND DEATHS FROM CERTAIN

AREAS.		UNDER 1 YEAR OF AGE.					UNDER 5 YEARS OF AGE.				ALL AGES.		
		Popula- tion.	Born and died in the census year.	Births during the census year.	Deaths.	Deaths under 1 per 1,000 births.	Popula- tion.	Deaths.	Death rate per 1,000 of popu- lation.	Deaths under 5 per 1,000 at all ages.	Popula- tion.	Deaths.	Death rate per 1,000 of popu- tion.
MASSACHUSETTS—Continued.													
1	Group 1—Continued. Plymouth county, rural.....	1,080	76	1,156	109	94.3	5,236	147	28.1	137.3	64,330	1,071	16.6
2	Males.....	552	37	589	54	91.7	2,603	70	26.9	122.6	32,219	571	17.7
3	Females.....	528	39	567	55	97.0	2,633	77	29.2	154.0	32,111	500	15.6
4	Brockton.....	821	69	890	98	110.1	3,967	142	35.8	268.4	40,063	529	13.2
5	Males.....	441	44	485	63	129.9	2,065	84	40.7	294.7	19,933	285	14.3
6	Females.....	380	25	405	35	86.4	1,902	58	30.5	237.7	20,130	244	12.1
7	White.....	804	69	873	98	112.3	3,925	142	36.2	269.4	39,707	527	13.3
8	Males.....	433	44	477	63	132.1	2,040	84	41.2	296.8	19,733	283	14.3
9	Females.....	371	25	396	35	88.4	1,885	58	30.8	237.7	19,974	244	12.2
10	Native.....	802	69	871	98	112.5	3,879	141	36.3	335.7	30,274	420	13.9
11	Males.....	432	44	476	63	132.4	2,019	84	41.6	375.0	15,124	224	14.8
12	Females.....	370	25	395	35	88.6	1,860	57	30.6	290.8	15,150	196	12.9
13	Both parents native..	315	25	340	34	100.0	1,658	53	32.0	248.8	19,061	213	11.2
14	One or both parents foreign.	487	41	528	61	115.5	2,221	84	37.8	506.0	11,213	166	14.8
15	Foreign.....	2		2			46	1	(*)	9.5	9,433	105	11.1
16	Males.....	1		1			21				4,609	58	12.6
17	Females.....	1		1			25	1	(*)	(*)	4,824	47	9.7
18	Plymouth town.....	203	23	226	39	172.6	963	50	51.7	289.0	9,592	173	18.0
19	Males.....	101	12	113	23	203.5	489	30	61.3	(*)	4,786	83	17.3
20	Females.....	102	11	113	16	141.6	479	20	41.8	(*)	4,806	90	18.7
21	White.....	202	23	225	39	173.3	963	50	51.9	289.0	9,444	173	18.3
22	Males.....	101	12	113	23	203.5	487	30	61.6	(*)	4,717	83	17.6
23	Females.....	101	11	112	16	142.9	476	20	42.0	(*)	4,727	90	19.0
24	Native.....	201	23	224	39	174.1	923	49	53.1	355.1	7,176	138	19.2
25	Males.....	100	12	112	23	205.4	463	29	62.6	(*)	3,535	69	19.5
26	Females.....	101	11	112	16	142.9	460	20	43.5	(*)	3,641	69	19.0
27	Both parents native..	86	7	93	13	(*)	401	15	37.4	(*)	5,279	80	15.2
28	One or both parents foreign.	115	16	131	26	198.5	522	34	65.1	(*)	1,897	44	23.2
29	Foreign.....	1		1			40	1	(*)	(*)	2,268	34	15.0
30	Males.....	1		1			24	1	(*)	(*)	1,182	13	11.0
31	Females.....						16				1,086	21	19.3
32	Suffolk county, rural.....	114	5	119	8	67.2	543	12	22.1	(*)	6,058	56	9.2
33	Males.....	50	1	51	1	(*)	266	4	15.0	(*)	2,823	30	10.6
34	Females.....	64	4	68	7	(*)	277	8	28.9	(*)	3,235	26	8.0
35	Boston.....	12,473	1,518	13,991	2,421	173.0	57,361	3,714	64.7	329.3	560,892	11,277	20.1
36	Males.....	6,215	864	7,079	1,352	191.0	28,628	2,024	70.7	353.5	274,922	5,726	20.8
37	Females.....	6,258	654	6,912	1,069	154.7	28,733	1,690	58.8	304.4	285,970	5,551	19.4
38	White.....	12,260	1,491	13,751	2,371	172.4	56,415	3,616	64.1	330.2	548,083	10,950	20.0
39	Males.....	6,124	853	6,977	1,330	190.6	28,190	1,976	70.1	355.8	267,822	5,554	20.7
40	Females.....	6,136	638	6,774	1,041	153.7	28,225	1,640	58.1	303.9	280,261	5,396	19.3
41	Native.....	12,202	1,480	13,682	2,348	171.6	55,421	3,552	64.1	501.1	353,130	7,088	20.1
42	Males.....	6,093	846	6,939	1,317	189.8	27,699	1,944	70.2	520.5	175,499	3,735	21.3
43	Females.....	6,109	634	6,743	1,031	152.9	27,722	1,608	58.0	479.6	177,631	3,353	18.9
44	Both parents na- (M. tive. { F. 1,523 203 1,731 316 182.6 7,175 459 64.0 383.5 73,070 1,197 15.4	1,490	148	1,638	222	135.5	7,321	342	46.7	298.7	73,123	1,145	15.7
45	One or both par- (M. ents foreign. { F. 4,565 576 5,141 905 176.0 20,524 1,380 67.2 618.0 102,429 2,233 21.8	4,619	431	5,050	724	143.4	20,401	1,169	57.3	613.6	104,508	1,905	18.2
46	Foreign.....	58	4	62	10	(*)	994	44	44.3	11.7	194,953	3,765	19.3
47	Males.....	31	2	33	5	(*)	491	20	40.7	11.4	92,323	1,756	19.0
48	Females.....	27	2	29	5	(*)	503	24	47.7	11.9	102,630	2,009	19.6
49	Colored.....	213	27	240	50	208.3	946	98	103.6	299.7	12,809	327	25.5
50	Males.....	91	11	102	22	215.7	438	48	109.6	279.1	7,100	172	24.2
51	Females.....	122	16	138	28	202.9	508	50	98.4	322.6	5,709	155	27.2

*Data insufficient for rates.

CAUSES, BY SEX, COLOR, GENERAL NATIVITY, AND PARENT NATIVITY: CENSUS YEAR 1900—Continued.

CAUSE OF DEATH.																		
Measles.	Scarlet fever.	Diphtheria and croup.	Whooping cough.	Malarial fever.	Influenza.	Typhoid fever.	Diarrheal diseases.	Consumption.	Cancer and tumor.	Heart disease and dropsy.	Pneumonia.	Diseases of the liver.	Diseases of the nervous system.	Diseases of the urinary organs.	Affections connected with pregnancy.	Old age.	Unknown.	All other causes.
	1	13	4		35	4	48	115	55	136	105	16	161	57	2	49	19	251
	1	3	2		17	4	21	73	23	73	57	6	83	34		22	9	143
		10	2		18		27	42	32	63	48	10	78	23	2	27	10	108
1	1	20	7	2	25	16	33	63	18	38	56	1	63	35	5	18	5	122
	1	9	3	2	10	8	19	35	5	27	25	1	34	25		6	4	71
		11	4		15	8	14	28	13	11	31		29	10	5	12	1	51
1	1	20	7	2	25	16	33	63	18	37	56	1	63	35	5	18	5	121
	1	9	3	2	10	8	19	35	5	26	25	1	34	25		6	4	70
		11	4		15	8	14	28	13	11	31		29	10	5	12	1	51
1	1	19	7	2	23	10	26	48	9	21	48	1	50	26	4	15	4	105
	1	8	3	2	8	5	14	21	4	16	22	1	27	20		5	3	64
1		11	4		15	5	12	27	5	5	26		23	6	4	10	1	41
1		6	2	2	13	4	8	21	8	14	32		25	14	2	9	2	50
		12	5		3	6	18	25	1	6	13		20	7	2	1	2	45
		1			1	6	7	15	9	16	8		13	8	1	3	1	16
		1			1	3	5	14	1	10	3		7	5		1	1	6
						3	2	1	8	6	5		6	3	1	2		10
5		3			3	1	5	16	8	20	15	4	26	7		17	1	42
1		2			1	1	1	11	3	8	7	2	15	3		7		21
4		1			2		4	5	5	12	8	2	11	4		10	1	21
5		3			3	1	5	16	8	20	15	4	26	7		17	1	42
1		2			1	1	1	11	3	8	7	2	15	3		7		21
4		1			2		4	5	5	12	8	2	11	4		10	1	21
4		3			1	1	5	12	5	16	14	2	24	4		11	1	35
1		2				1	1	8	3	8	6	2	14	1		4		18
3		1			1		4	4	2	8	8		10	3		7	1	17
1		2						10	4	13	11	2	15	3		6	1	12
3		1				1	5	2		2	2		5			2		21
1					2			4	3	4	1	2	2	3		5		7
					1			3			1		1	2		2		3
1					1			1	3	4		2	1	1		3		4
					2	1	2	2	6	5	9	1	12	4		2	1	9
					1	1		1	2	4	2	1	8	2		1	1	6
					1		2	1	4	1	7		4	2		1		3
100	172	424	128	7	213	153	741	1,374	421	919	1,401	109	1,091	445	71	258	66	3,184
50	84	199	53	5	62	90	374	744	133	432	710	67	557	251		91	33	1,791
50	88	225	75	2	151	63	367	630	288	487	691	42	534	194	71	167	33	1,393
99	172	414	126	7	209	148	727	1,279	420	893	1,359	108	1,067	435	69	255	65	3,098
50	84	191	52	5	60	87	369	691	133	419	688	66	548	246		90	33	1,742
49	88	223	74	2	149	61	358	588	287	474	671	42	519	189	69	165	32	1,356
88	165	387	123	3	108	76	648	668	191	422	862	57	683	242	27	104	44	2,190
45	80	179	52	2	28	48	339	367	54	218	459	37	369	141		39	25	1,253
43	85	208	71	1	80	28	309	301	137	204	403	20	314	101	27	65	19	937
5	19	41	14	2	18	19	87	63	29	86	150	13	166	81		27	7	370
4	21	39	14	1	47	11	77	62	79	111	132	4	131	46	9	49	11	297
36	61	136	37		7	27	232	230	17	99	281	20	178	38			16	768
34	63	165	54		24	15	208	227	36	68	243	9	149	46	18	4	5	537
8	7	22	3	4	101	71	76	601	229	466	484	49	376	193	42	148	18	867
3	4	9		3	32	38	28	317	79	197	224	29	172	105		51	6	459
5	3	13	3	1	69	33	48	284	150	269	260	20	204	88	42	97	12	408
1		10	2		4	5	14	95	1	26	42	1	24	10	2	3	1	86
		8	1		2	3	5	53		13	22	1	9	5		1		49
1		2	1		2	2	9	42	1	13	20		15	5	2	2	1	37

TABLE 19.—POPULATION, BIRTHS, DEATHS, AND DEATH RATES AT CERTAIN AGES, AND DEATHS FROM CERTAIN

	AREAS.	UNDER 1 YEAR OF AGE.					UNDER 5 YEARS OF AGE.				ALL AGES.		
		Popula- tion.	Born and died in the census year.	Births during the census year.	Deaths.	Deaths under 1 per 1,000 births.	Popula- tion.	Deaths.	Death rate per 1,000 of popu- lation.	Deaths under 5 per 1,000 at all ages.	Popula- tion.	Deaths.	Death rate per 1,000 of popu- lation.
	MASSACHUSETTS—Continued.												
1	Group 1—Continued.												
	Chelsea	803	75	878	125	142.4	3,751	204	54.4	320.8	34,072	636	18.7
2	Males	402	39	441	67	151.9	1,891	107	56.6	324.2	16,758	330	19.7
3	Females	401	36	437	58	132.7	1,860	97	52.2	317.0	17,314	306	17.7
4	White	784	73	857	123	143.5	3,668	201	54.8	319.6	33,291	629	18.9
5	Males	391	37	428	65	151.9	1,846	104	56.3	320.0	16,359	325	19.9
6	Females	393	36	429	58	135.2	1,822	97	53.2	319.1	16,932	304	18.0
7	Native	778	73	851	123	144.5	3,568	200	56.1	445.4	22,262	449	20.2
8	Males	387	37	424	65	153.3	1,799	103	57.3	423.9	11,066	243	22.0
9	Females	391	36	427	58	135.8	1,769	97	54.8	470.9	11,196	206	18.4
10	Both parents native ..	190	23	213	38	178.4	919	56	60.9	307.7	10,728	182	17.0
11	One or both parents foreign.	588	48	636	82	128.9	2,649	141	53.2	677.9	11,534	208	18.0
12	Foreign	6		6			100	1	10.0	5.6	11,029	178	16.1
13	Males	4		4			47	1	(*)	(*)	5,293	82	15.5
14	Females	2		2			53				5,736	96	16.7
15	Revere town	236	22	258	40	155.0	1,170	56	47.9	345.7	10,395	162	15.6
16	Males	144	11	155	20	129.0	605	27	44.6	(*)	5,102	81	15.9
17	Females	92	11	103	20	194.2	565	29	51.3	(*)	5,293	81	15.3
18	White	236	22	258	40	155.0	1,168	56	47.9	345.7	10,336	162	15.7
19	Males	144	11	155	20	129.0	605	27	44.6	(*)	5,066	81	16.0
20	Females	92	11	103	20	194.2	563	29	51.5	(*)	5,270	81	15.4
21	Native	236	22	258	40	155.0	1,159	56	48.3	482.8	7,445	116	15.6
22	Males	144	11	155	20	129.0	599	27	45.1	(*)	3,692	57	15.4
23	Females	92	11	103	20	194.2	560	29	51.8	(*)	3,753	59	15.7
24	Both parents native ..	92	9	101	14	138.6	445	20	44.9	(*)	3,939	54	13.7
25	One or both parents foreign.	144	11	155	24	154.8	714	34	47.6	(*)	3,506	62	14.8
26	Foreign						9				2,891	45	15.6
27	Males						6				1,374	24	17.5
28	Females						3				1,517	21	13.8
29	Group 2	15,772	1,728	17,500	2,569	146.8	74,303	3,589	48.3	302.1	718,257	11,880	16.5
30	Males	7,870	955	8,825	1,394	158.0	37,439	1,942	51.9	319.9	355,469	6,070	17.1
31	Females	7,902	773	8,675	1,175	135.4	36,864	1,647	44.7	283.5	362,788	5,810	16.0
32	White	15,671	1,720	17,391	2,556	147.0	73,860	3,568	48.3	302.4	712,796	11,797	16.6
33	Males	7,824	949	8,773	1,385	157.9	37,234	1,931	51.9	320.6	352,652	6,024	17.1
34	Females	7,847	771	8,618	1,171	135.9	36,626	1,637	44.7	283.6	360,144	5,773	16.0
35	Native	15,495	1,711	17,206	2,531	147.1	71,916	3,519	48.9	403.6	516,037	8,719	16.9
36	Males	7,724	942	8,666	1,373	158.4	36,240	1,908	52.6	422.0	253,504	4,521	17.8
37	Females	7,771	769	8,540	1,158	135.6	35,676	1,611	45.2	383.8	262,533	4,198	16.0
38	Both parents na- (M..	2,908	294	3,202	426	133.0	14,188	1,577	40.7	291.3	140,107	1,981	14.1
	tive. (F..	2,889	272	3,161	393	124.3	13,964	534	38.2	270.8	145,050	1,972	13.6
39	One or both par- (M..	4,816	627	5,443	913	167.7	22,052	1,288	58.4	645.6	113,397	1,995	17.6
	ents foreign. (F..	4,882	478	5,360	741	138.2	21,712	1,051	48.4	625.2	117,483	1,681	14.3
40	Foreign	176	8	184	22	119.6	1,944	44	22.6	15.0	196,759	2,932	14.9
41	Males	100	6	106	11	103.8	994	21	21.1	14.8	99,148	1,423	14.4
42	Females	76	2	78	11	(*)	950	23	24.2	15.2	97,611	1,509	15.5
43	Colored	101	8	109	13	119.3	443	21	47.4	(*)	5,461	83	15.2
44	Males	46	6	52	9	(*)	205	11	53.7	(*)	2,817	46	16.3
45	Females	55	2	57	4	(*)	238	10	42.0	(*)	2,644	37	14.0
46	Berkshire county, rural	730	55	785	79	100.6	3,632	107	29.5	178.3	38,567	600	15.6
47	Males	349	33	382	50	130.9	1,782	67	37.6	208.1	19,471	322	16.5
48	Females	381	22	403	29	72.0	1,850	40	21.6	143.9	19,096	278	14.6

* Data insufficient for rates.

CAUSES, BY SEX, COLOR, GENERAL NATIVITY, AND PARENT NATIVITY: CENSUS YEAR 1900—Continued.

CAUSE OF DEATH.																		
Measles.	Scarlet fever.	Diphtheria and croup.	Whooping cough.	Malarial fever.	Influenza.	Typhoid fever.	Diarrheal diseases.	Consumption.	Cancer and tumor.	Heart disease and dropsy.	Pneumonia.	Diseases of the liver.	Diseases of the nervous system.	Diseases of the urinary organs.	Affections connected with pregnancy.	Old age.	Unknown.	All other causes.
3	2	25	7		15	8	39	76	31	52	76	6	82	28		10	2	174
2	1	15	2		5	6	20	29	6	33	41	6	52	20		3	1	88
1	1	10	5		10	2	19	47	25	19	35		30	8		7	1	86
3	2	25	7		15	8	39	76	31	52	75	6	80	27		10	2	171
2	1	15	2		5	6	20	29	6	33	41	6	51	19		3	1	85
1	1	10	5		10	2	19	47	25	19	34		29	8		7	1	86
3	2	25	7		9	6	37	36	14	31	56	3	57	18		7	2	136
2	1	15	2		5	4	20	14	2	21	31	3	40	13		3	1	66
1	1	10	5		4	2	17	22	12	10	25		17	5		4	1	70
3	2	9	1		6	3	9	9	9	17	25	2	28	7		5	1	51
.....		16	6		2	1	24	18	3	4	26	1	22	6			1	73
.....					6	2	2	40	17	21	19	3	22	9		2		35
.....						2		15	4	12	10	3	11	6				19
.....					6		2	25	13	9	9		11	3		2		16
3	3	7	1		4	2	7	17	8	19	10	2	21	6		3		49
1		4	1			2	5	8	2	11	5		15	5				22
2	3	3			4		2	9	6	8	5	2	6	1		3		27
3	3	7	1		4	2	7	17	8	19	10	2	21	6		3		49
1		4	1			2	5	8	2	11	5		15	5				22
2	3	3			4		2	9	6	8	5	2	6	1		3		27
2	3	7	1		2	1	7	9	4	10	6	2	17	2		2		41
2	3	4	1			1	5	3	1	6	4		12	2				18
1	2	3			2		2	6	3	4	2	2	5			2		23
1	1	2			1	1	5	5	3	5	3		5	1		2		18
.....		5	1		1		2	3	1	4	2	1	10	1				19
1					2	1		8	4	9	3		4	4		1		8
1					2	1		5	1	5	1		3	3				4
.....								3	3	4	2		1	1		1		4
98	89	282	68	35	245	159	931	1,104	468	990	1,182	129	1,572	678	82	466	76	3,226
53	42	146	31	20	104	96	489	585	161	524	597	64	797	383		187	44	1,747
45	47	136	37	15	141	63	442	519	307	466	585	65	775	295		279	32	1,479
98	89	282	65	35	244	158	926	1,090	464	984	1,176	128	1,563	669	82	464	75	3,205
53	42	146	30	20	103	95	486	578	160	521	594	63	793	379		186	43	1,732
45	47	136	35	15	141	63	440	512	304	463	582	65	770	290		278	32	1,473
96	84	269	63	26	174	91	850	717	281	654	843	79	1,171	443	47	287	53	2,491
52	40	140	28	15	70	59	455	374	87	363	433	40	615	254		121	32	1,343
44	44	129	35	11	104	32	395	343	194	291	410	39	556	189		166	21	1,148
14	13	46	7	9	43	36	129	111	58	215	168	29	306	147		73	17	560
15	15	47	13	4	65	18	127	132	115	176	175	17	294	108		104	10	519
37	27	92	19	3	8	19	301	232	11	65	217	7	222	48		2	13	672
28	29	81	21	7	14	11	252	171	26	63	173	16	186	44		3	11	522
1	4	12	2	9	67	66	76	361	178	312	321	49	376	216	35	168	17	662
.....																		
1	1	5	2	5	31	35	31	198	69	150	154	23	173	120		62	9	355
.....	3	7		4	36	31	45	163	109	162	167	26	203	96		106	8	307
.....			3		1	1	5	14	4	6	6	1	9	9		2	1	21
.....																		
.....			1		1	1	3	7	1	3	3	1	4	4		1	1	15
.....			2				2	7	3	3	3		5	5		1		6
1	6	11	3	4	16	7	37	46	26	69	50	10	71	41	3	27	4	168
.....																		
.....	4	5	2	4	10	3	26	27	13	36	23	5	37	25		11	8	88
1	2	6	1		6	4	11	19	13	33	27	5	34	16		16	1	80

TABLE 19.—POPULATION, BIRTHS, DEATHS, AND DEATH RATES AT CERTAIN AGES, AND DEATHS FROM CERTAIN

AREAS.	UNDER 1 YEAR OF AGE.					UNDER 5 YEARS OF AGE.				ALL AGES.		
	Popula- tion.	Born and died in the census year.	Births during the census year.	Deaths.	Deaths under 1 per 1,000 births.	Popula- tion.	Deaths.	Death rate per 1,000 of popu- lation.	Deaths under 5 per 1,000 at all ages.	Popula- tion.	Deaths.	Death rate per 1,000 of popu- lation.
MASSACHUSETTS—Continued.												
Group 2—Continued.												
1 Adams town	268	42	310	65	209.7	1,303	77	59.1	430.2	11,134	179	16.1
2 Males	118	21	139	34	244.6	668	41	61.4	(*)	5,452	93	17.1
3 Females	150	21	171	31	181.3	635	36	56.7	(*)	5,682	86	15.1
4 White	267	42	309	65	210.4	1,300	77	59.2	430.2	11,108	179	16.1
5 Males	118	21	139	34	244.6	667	41	61.5	(*)	5,435	93	17.1
6 Females	149	21	170	31	182.4	633	36	56.9	(*)	5,673	86	15.2
7 Native	260	42	302	65	215.2	1,228	75	61.1	590.6	6,739	127	18.8
8 Males	113	21	134	34	253.7	626	41	65.5	(*)	8,264	69	21.1
9 Females	147	21	168	31	184.5	602	34	56.5	(*)	8,475	58	16.7
10 Both parents native...	75	8	83	12	(*)	377	15	39.8	(*)	2,781	31	11.1
11 One or both parents foreign.	185	33	218	52	238.5	851	59	69.3	(*)	3,958	86	21.7
12 Foreign	7		7			72	2	(*)	(*)	4,869	50	11.4
13 Males	5		5			41				2,171	24	11.1
14 Females	2		2			31	2	(*)	(*)	2,198	26	11.8
15 North Adams	596	53	649	91	140.2	2,896	117	40.4	350.3	24,200	334	13.8
16 Males	278	31	309	50	161.8	1,392	65	46.7	398.8	11,829	163	13.8
17 Females	318	22	340	41	120.6	1,504	52	34.6	304.1	12,371	171	13.8
18 White	594	53	647	91	140.6	2,885	117	40.6	351.4	24,092	333	13.8
19 Males	277	31	308	50	162.3	1,385	65	46.9	398.8	11,778	163	13.8
20 Females	317	22	339	41	120.9	1,500	52	34.7	305.9	12,314	170	13.8
21 Native	584	51	635	89	140.2	2,774	113	40.7	457.5	17,287	247	14.3
22 Males	272	29	301	48	159.5	1,331	62	46.6	512.4	8,337	121	14.5
23 Females	312	22	334	41	122.8	1,443	51	35.3	404.8	8,950	126	14.1
24 Both parents native...	236	17	253	29	114.6	1,173	35	29.8	(*)	8,415	96	11.4
25 One or both parents foreign.	348	34	382	58	151.8	1,601	76	47.5	608.0	8,872	125	14.1
26 Foreign	10	2	12	2	(*)	111	4	36.0	(*)	6,805	82	12.0
27 Males	5	2	7	2	(*)	54	3	(*)	(*)	3,441	40	11.6
28 Females	5		5			57	1	(*)	(*)	3,364	42	12.5
29 Pittsfield	417	37	454	63	138.8	2,023	86	42.5	254.4	21,766	338	15.5
30 Males	179	15	194	26	134.0	1,024	35	34.2	213.4	10,257	164	16.0
31 Females	238	22	260	37	142.3	999	51	51.1	293.1	11,509	174	15.1
32 White	406	36	442	61	138.0	1,985	83	41.8	250.0	21,474	332	15.5
33 Males	173	14	187	25	133.7	1,005	33	32.8	207.5	10,106	159	15.7
34 Females	233	22	255	36	141.2	980	50	51.0	289.0	11,368	173	15.2
35 Native	403	36	439	61	139.0	1,971	83	42.1	351.7	17,145	236	13.8
36 Males	171	14	185	25	135.1	998	33	33.1	292.0	8,033	113	14.1
37 Females	232	22	254	36	141.7	973	50	51.4	406.5	9,112	123	13.5
38 Both parents native...	233	14	247	31	125.5	1,113	48	43.1	436.4	9,224	110	11.9
39 One or both parents foreign.	170	22	192	28	145.8	858	33	38.5	(*)	7,921	86	10.9
40 Foreign	3		3			14				4,329	84	19.4
41 Males	2		2			7				2,073	37	17.8
42 Females	1		1			7				2,256	47	20.8
43 Franklin county	787	67	854	85	99.5	3,852	117	30.4	180.8	41,209	647	15.7
44 Males	396	33	429	42	97.9	1,996	55	27.6	164.2	20,871	335	16.1
45 Females	391	34	425	43	101.2	1,856	62	33.4	198.7	20,338	312	15.3
46 Hampden county, rural	820	98	918	138	150.3	3,857	201	52.1	300.9	36,355	668	18.4
47 Males	421	60	481	82	170.5	1,946	110	56.5	296.5	18,197	371	20.4
48 Females	399	38	437	56	128.1	1,911	91	47.6	306.4	18,158	297	16.4

* Data insufficient for rates.

CAUSES, BY SEX, COLOR, GENERAL NATIVITY, AND PARENT NATIVITY: CENSUS YEAR 1900—Continued.

CAUSE OF DEATH.																		
Measles.	Scarlet fever.	Diphtheria and croup.	Whooping cough.	Malarial fever.	Influenza.	Typhoid fever.	Diarrheal diseases.	Consumption.	Cancer and tumor.	Heart disease and dropsy.	Pneumonia.	Diseases of the liver.	Diseases of the nervous system.	Diseases of the urinary organs.	Affections connected with pregnancy.	Old age.	Unknown.	All other causes.
		7				11	24	18	4	17	17	2	21	7	2		1	48
		2				4	15	12	1	6	9	1	12	5				26
		5				7	9	6	3	11	8	1	9	2	2		1	22
		7				11	24	18	4	17	17	2	21	7	2		1	48
		2				4	15	12	1	6	9	1	12	5				26
		5				7	9	6	3	11	8	1	9	2	2		1	22
		5				5	22	11	1	10	12		15	6	1		1	38
		2				3	14	6		3	6		10	4				21
		3				2	8	5	1	7	6		5	2	1		1	17
		1				2	6	2	1	1	3		6	3				6
		4				3	16	9		6	9		9		1		1	28
		2				6	2	6	3	7	5	2	6	1	1			9
		2				1	1	6	1	3	3	1	2	1				5
						5	11		2	4	2	1	4		1			4
1		2	3		4	6	35	36	11	21	37	1	50	16		1	1	109
1		2	2		1	5	11	20	3	9	17		25	5				62
			1		3	1	24	16	8	12	20	1	25	11		1	1	47
1		2	3		4	6	35	35	11	21	37	1	50	16		1	1	109
1		2	2		1	5	11	20	3	9	17		25	5				62
			1		3	1	24	15	8	12	20	1	25	11		1	1	47
1		2	2		2	4	34	24	7	9	29	1	38	10			1	83
1		2	1			3	11	14	2	4	11		20	3				49
			1		2	1	23	10	5	5	18	1	18	7			1	34
		1	1		1	2	10	8	3	3	9		20	5				33
1		1	1		1	2	23	14	2	5	15	1	11	4			1	43
			1		2	2	1	11	4	11	8		10	5		1		26
			1		1	2		6	1	5	6		4	1				13
					1		1	5	3		2		6	4		1		13
1	3	3	1	2	2	2	37	25	14	37	32	4	41	24	5	15		90
1	3	1	1	1	1	1	15	13	7	15	17		18	19		9		46
				1	1	1	22	12	7	22	15	4	23	5	5	6		44
1	3	3		2	2	2	37	25	14	36	31	4	40	24	5	15		88
1	3	1		1	1	1	15	13	7	14	16		17	19		9		45
		2		1	1	1	22	12	7	22	15	4	23	5	5	6		43
1	3	3		2	2	1	35	21	7	25	21	2	24	15	4	6		64
1	3	1		1	1		14	12	2	10	12		12	12		4		32
1	3	2		1	1	1	21	9	5	15	9	2	12	3	4	2		32
		2		2	2		18	5	5	10	8		14	6	1	1		32
		1					14	12	2	7	7	1	5	6	3	1		27
							2	4	6	10	8	2	14	9	1	8		20
						1		1	4	3	3		5	7		4		9
								3	2	7	5	2	9	2	1	4		11
1	2	9	3	1	9	10	22	61	37	73	62	6	90	39	5	44	3	170
1	2	3	1	1	4	5	9	30	13	44	32	2	49	20		26		93
		6	2		5	5	13	31	24	29	30	4	41	19	5	18	3	77
7	10	30	2	3	25	15	42	48	34	53	64	6	79	45	7	19	3	176
5	4	15	1	3	13	8	23	28	15	26	34	3	43	28		12	2	108
2	6	15	1		12	7	19	20	19	27	30	3	36	17	7	7	1	68

TABLE 19.—POPULATION, BIRTHS, DEATHS, AND DEATH RATES AT CERTAIN AGES, AND DEATHS FROM CERTAIN

	AREAS.	UNDER 1 YEAR OF AGE.					UNDER 5 YEARS OF AGE.				ALL AGES.		
		Popula- tion.	Born and died in the census year.	Births during the census year.	Deaths.	Deaths under 1 per 1,000 births.	Popula- tion.	Deaths.	Death rate per 1,000 of popula- tion.	Deaths under 5 per 1,000 at all ages.	Popula- tion.	Deaths.	Death rate per 1,000 of popu- lation.
	MASSACHUSETTS—Continued.												
1	Group 2—Continued.												
	Chicopee.....	547	97	644	151	234.5	2,481	195	78.6	488.7	19,167	399	20.8
2	Males.....	273	54	327	81	247.7	1,268	107	84.4	527.1	9,408	203	21.6
3	Females.....	274	43	317	70	220.8	1,213	88	72.5	449.0	9,759	196	20.1
4	White.....	547	97	644	151	234.5	2,479	195	78.7	488.7	19,151	399	20.8
5	Males.....	273	54	327	81	247.7	1,268	107	84.4	527.1	9,398	203	21.6
6	Females.....	274	43	317	70	220.8	1,211	88	72.7	449.0	9,753	196	20.1
7	Native.....	533	97	630	149	236.5	2,371	192	81.0	683.3	11,017	281	25.5
8	Males.....	264	54	318	80	251.6	1,201	105	87.4	700.0	5,354	150	28.0
9	Females.....	269	43	312	69	221.2	1,170	87	74.4	664.1	5,668	131	23.1
10	Both parents native..	101	8	109	14	128.4	554	22	39.7	(*)	3,805	67	15.0
11	One or both parents foreign.	432	89	521	135	259.1	1,817	170	93.6	779.8	7,212	218	30.2
12	Foreign.....	14		14	2	(*)	108	3	27.8	25.4	8,134	118	14.5
13	Males.....	9		9	1	(*)	67	2	(*)	(*)	4,044	53	13.1
14	Females.....	5		5	1	(*)	41	1	(*)	(*)	4,090	65	15.9
15	Holyoke.....	1,234	163	1,397	251	179.7	5,611	340	60.6	414.6	45,712	820	17.9
16	Males.....	607	99	706	142	201.1	2,787	185	66.4	469.5	21,744	394	18.1
17	Females.....	627	64	691	109	157.7	2,824	155	54.9	363.8	23,968	426	17.8
18	White.....	1,233	163	1,396	251	179.8	5,604	340	60.7	414.6	45,643	820	18.0
19	Males.....	606	99	705	142	201.4	2,785	185	66.4	469.5	21,700	394	18.2
20	Females.....	627	64	691	109	157.7	2,819	155	55.0	363.8	23,943	426	17.8
21	Native.....	1,213	163	1,376	248	180.2	5,407	335	62.0	646.7	26,751	518	19.4
22	Males.....	595	99	694	141	203.2	2,699	182	67.4	679.1	12,963	268	20.7
23	Females.....	618	64	682	107	156.9	2,708	153	56.5	612.0	13,788	250	18.1
24	Both parents native..	218	25	243	38	156.4	1,051	53	50.4	504.8	7,636	105	13.8
25	One or both parents foreign.	995	131	1,126	201	178.5	4,356	273	62.7	718.4	19,115	380	19.9
26	Foreign.....	20		20	3	(*)	197	4	20.3	13.6	18,892	295	15.6
27	Males.....	11		11	1	(*)	86	2	(*)	16.3	8,737	123	14.1
28	Females.....	9		9	2	(*)	111	2	18.0	11.6	10,155	172	16.9
29	Springfield.....	1,350	130	1,480	184	124.3	6,170	296	48.0	280.0	62,059	1,057	17.0
30	Males.....	687	67	754	87	115.4	3,147	141	44.8	274.9	29,616	513	17.3
31	Females.....	663	63	726	97	133.6	3,023	155	51.3	284.9	32,443	544	16.8
32	White.....	1,335	130	1,465	184	125.6	6,098	296	48.5	282.4	60,986	1,048	17.2
33	Males.....	681	67	748	87	116.3	3,118	141	45.2	278.1	29,120	507	17.4
34	Females.....	654	63	717	97	135.3	2,980	155	52.0	286.5	31,866	541	17.0
35	Native.....	1,332	129	1,461	183	125.3	6,025	294	48.8	382.3	46,675	769	16.5
36	Males.....	679	67	746	87	116.6	3,078	141	45.8	362.5	22,446	389	17.3
37	Females.....	653	62	715	96	134.3	2,947	153	51.9	402.6	24,229	380	15.7
38	Both parents native..	538	50	588	71	120.7	2,484	100	40.3	308.6	27,386	324	11.8
39	One or both parents foreign.	794	77	871	109	125.1	3,541	190	53.7	597.5	19,289	318	16.5
40	Foreign.....	3	1	4	1	(*)	73	2	(*)	7.6	14,311	264	18.4
41	Males.....	2		2		(*)	40		(*)		6,674	111	16.6
42	Females.....	1	1	2	1	(*)	33	2	(*)	13.1	7,637	153	20.0
43	Westfield town.....	274	37	311	58	186.5	1,225	80	65.3	339.0	12,310	236	19.2
44	Males.....	135	24	159	34	213.8	620	47	75.8	388.4	6,076	121	19.9
45	Females.....	139	13	152	24	157.9	605	33	54.5	287.0	6,234	115	18.4
46	White.....	272	37	309	58	187.7	1,219	79	64.8	340.5	12,219	232	19.0
47	Males.....	135	24	159	34	213.8	618	47	76.1	398.3	6,026	118	19.6
48	Females.....	137	13	150	24	160.0	601	32	53.2	280.7	6,193	114	18.4
49	Native.....	270	36	306	57	186.3	1,199	78	65.1	408.4	9,788	191	19.5
50	Males.....	133	23	156	33	211.5	607	46	75.8	(*)	4,817	98	20.3
51	Females.....	137	13	150	24	160.0	592	32	54.1	(*)	4,971	93	18.7
52	Both parents native..	125	21	146	31	212.3	585	37	63.2	333.3	6,427	111	17.3
53	One or both parents foreign.	145	14	159	25	157.2	614	39	63.5	(*)	3,361	56	16.7
54	Foreign.....	2	1	3	1	(*)	20	1	(*)	(*)	2,431	34	14.0
55	Males.....	2	1	3	1	(*)	11	1	(*)	(*)	1,209	16	13.2
56	Females.....						9				1,222	18	14.7

* Data insufficient for rates.

CAUSES, BY SEX, COLOR, GENERAL NATIVITY, AND PARENT NATIVITY: CENSUS YEAR 1900—Continued.

CAUSE OF DEATH.																		
Measles.	Scarlet fever	Diphtheria and croup.	Whooping cough.	Malarial fever.	Influenza.	Typhoid fever.	Diarrheal diseases.	Consumption.	Cancer and tumor.	Heart disease and dropsy.	Pneumonia.	Diseases of the liver.	Diseases of the nervous system.	Diseases of the urinary organs.	Affections connected with pregnancy.	Old age.	Unknown.	All other causes.
1		8	2		8	9	59	39	8	16	36	3	73	14	2	10	6	105
1		3	2		4	5	34	24	3	7	13	2	39	7		1	2	57
1		5			4	4	25	15	5	9	23	1	34	7	2	9	4	48
1		8	2		8	9	59	39	8	16	36	3	73	14	2	10	6	105
1		3	2		4	5	34	24	3	7	13	2	39	7		1	2	57
1		5			4	4	25	15	5	9	23	1	34	7	2	9	4	48
1		8	2		8	9	59	39	8	16	36	3	73	14	2	10	6	105
1		3	2		4	5	34	24	3	7	13	2	39	7		1	2	57
1		5			4	4	25	15	5	9	23	1	34	7	2	9	4	48
1		8	2		4	4	56	20	4	11	25	1	54	4		5	2	80
1		3	2		3	3	33	10	1	6	10	1	30	1		1	1	45
1		5			1	1	23	10	3	5	15		24	3		4	1	35
1		3			3		5	1	4	4	7		15	1		5	1	8
1		5	2		1	4	51	19		6	18	1	38	3			1	68
					4	5	3	19	4	5	11	2	19	10	2	5	4	25
					1	2	1	14	2	1	3	1	9	6			1	12
					3	3	2	5	2	4	8	1	10	4	2	5	3	13
																		13
19	7	27	4	3	15	13	103	83	23	38	72	13	99	30	7	6	9	249
11	2	15	1	1	7	6	59	38	11	12	26	6	42	15		4	6	132
8	5	12	3	2	8	7	44	45	12	26	46	7	57	15	7	2	3	117
19	7	27	4	3	15	13	103	83	23	38	72	13	99	30	7	6	9	249
11	2	15	1	1	7	6	59	38	11	12	26	6	42	15		4	6	132
8	5	12	3	2	8	7	44	45	12	26	46	7	57	15	7	2	3	117
18	6	24	4	3	5	4	90	43	3	14	45	3	66	11	5	2	9	163
10	2	13	1	1	3	2	55	21		3	18	1	30	5		2	6	95
8	4	11	3	2	2	2	35	22	3	11	27	2	36	6	5		3	68
3	1	5		1	2	1	10	8		2	8	2	14	2	2	2	2	40
13	5	19	4	2		3	77	31	3	11	32	1	48	6	3		6	116
	1	3			10	9	13	39	20	24	26	10	33	16	2	4		85
		2			4	4	4	16	11	9	8	5	12	9		2		37
	1	1			6	5	9	23	9	15	18	5	21	7	2	2		48
14	2	60	7	3	32	18	57	108	46	82	107	7	110	98	8	21	1	276
9	2	28		1	10	13	23	52	12	45	51	4	54	54		7		148
5		32	7	2	22	5	34	56	34	37	56	3	56	44	8	14	1	128
14	2	60	7	3	32	18	57	105	46	81	107	6	110	96	8	21	1	274
9	2	28		1	10	13	23	50	12	44	51	3	54	54		7		146
5		32	7	2	22	5	34	55	34	37	56	3	56	42	8	14	1	128
14	2	58	7	2	26	11	53	61	30	53	77	5	75	63	4	16	1	211
9	2	28		1	8	9	23	29	9	33	39	2	36	38		7		116
5		30	7	1	18	2	30	32	21	20	38	3	39	25	4	9	1	95
1	1	21	4	1	15	8	17	18	17	32	28	1	26	33	2	8	1	90
13	1	36	3				35	35	3	8	42	3	29	8	1			101
		2		1	6	7	4	43	16	25	29	1	33	31	4	5		57
					2	4		21	3	9	12	1	17	15				27
		2		1	4	3	4	22	13	16	17		16	16	4	5		30
2		3	2	1	2	2	25	24	6	14	18	4	38	20		10		65
2		3	1	1		2	10	14	3	7	14	1	17	13		4		29
			1				15	10	3	7	4	3	21	7		6		36
2		3	2	1	2	1	25	23	6	14	18	4	37	19		10		65
2		3	1	1		1	10	13	3	7	14	1	17	12		4		29
			1		2		15	10	3	7	4	3	20	7		6		36
2		3	1	1	2	1	24	20	6	13	15	2	31	12		6		52
2		3		1		1	10	12	3	6	12	1	15	7		3		22
1			1		2		14	8	3	7	3	1	16	5		3		30
1		2		1	1	1	11	10	2	7	10	2	19	8		5		31
1		1					12	10	1	1	4		7	2				17
			1				1	3		1	3	2	6	5		3		9
			1					1		1	2		2	4		1		4
							1	2			1	2	4	1		2		5

TABLE 19.—POPULATION, BIRTHS, DEATHS, AND DEATH RATES AT CERTAIN AGES, AND DEATHS FROM CERTAIN

	AREAS.	UNDER 1 YEAR OF AGE.					UNDER 5 YEARS OF AGE.				ALL AGES.		
		Popula- tion.	Born and died in the census year.	Births during the census year.	Deaths.	Deaths under 1 per 1,000 births.	Popula- tion.	Deaths.	Death rate per 1,000 of popu- lation.	Deaths under 5 per 1,000 at all ages.	Popula- tion.	Deaths.	Death rate per 1,000 of popu- lation.
	MASSACHUSETTS—Continued.												
1	Group 2—Continued. Hampshire county, rural	606	50	656	67	102.1	2,855	95	33.3	177.2	31,914	536	16.8
2	Males	302	30	332	39	117.5	1,462	56	38.3	213.7	15,894	262	16.5
3	Females	304	20	324	28	86.4	1,393	39	28.0	142.3	16,020	274	17.1
4	Northampton	347	35	382	43	112.6	1,623	66	40.7	234.9	18,643	281	15.1
5	Males	183	22	205	27	131.7	815	40	49.1	277.8	8,294	144	17.4
6	Females	164	13	177	16	90.4	808	26	32.2	189.8	10,349	137	13.2
7	White	347	35	382	43	112.6	1,618	66	40.8	235.7	18,524	280	15.1
8	Males	183	22	205	27	131.7	813	40	49.2	279.7	8,239	143	17.4
9	Females	164	13	177	16	90.4	805	26	32.3	189.8	10,285	137	13.3
10	Native	346	35	381	43	112.9	1,592	66	41.5	318.8	14,039	207	14.7
11	Males	182	22	204	27	132.4	801	40	49.9	373.8	6,055	107	17.7
12	Females	164	13	177	16	90.4	791	26	32.9	260.0	7,984	100	12.5
13	Both parents native...	127	14	141	16	113.5	608	21	34.5	184.2	7,786	114	14.6
14	One or both parents foreign.	219	21	240	27	112.5	984	45	45.7	(*)	6,253	78	12.5
15	Foreign	1		1			26				4,485	71	15.8
16	Males	1		1			12				2,184	36	16.5
17	Females						14				2,301	35	15.2
18	Ware town	193	20	213	34	159.6	890	40	44.9	357.1	8,263	112	13.6
19	Males	91	11	102	17	166.7	438	19	43.4	(*)	3,877	54	13.9
20	Females	102	9	111	17	153.2	452	21	46.5	(*)	4,386	58	13.2
21	White	193	20	213	34	159.6	890	40	44.9	357.1	8,258	112	13.6
22	Males	91	11	102	17	166.7	438	19	43.4	(*)	3,872	54	13.9
23	Females	102	9	111	17	153.2	452	21	46.5	(*)	4,386	58	13.2
24	Native	191	19	210	33	157.1	866	39	45.0	(*)	4,998	72	14.4
25	Males	91	10	101	16	158.4	426	18	42.3	(*)	2,353	31	13.2
26	Females	100	9	109	17	156.0	440	21	47.7	(*)	2,645	41	15.5
27	Both parents native...	38	4	42	9	(*)	201	11	54.7	(*)	1,928	31	16.1
28	One or both parents foreign.	153	15	168	24	142.9	665	28	42.1	(*)	3,070	41	13.4
29	Foreign	2	1	3	1	(*)	24	1	(*)	(*)	3,260	40	12.3
30	Males		1	1	1	(*)	12	1	(*)	(*)	1,519	23	15.1
31	Females	2		2			12				1,741	17	9.8
32	Worcester county, rural	2,570	254	2,824	384	136.0	12,569	555	44.2	247.2	129,929	2,245	17.3
33	Males	1,338	143	1,481	212	143.1	6,345	300	47.3	254.9	66,048	1,177	17.8
34	Females	1,232	111	1,343	172	128.1	6,224	255	41.0	238.8	63,881	1,068	16.7
35	Clinton town	317	45	362	63	174.0	1,462	89	60.9	397.3	13,667	224	16.4
36	Males	174	21	195	33	169.2	734	51	69.5	451.3	6,687	113	16.9
37	Females	143	24	167	30	179.6	728	38	52.2	342.3	6,980	111	15.9
38	White	317	45	362	63	174.0	1,462	89	60.9	397.3	13,632	224	16.4
39	Males	174	21	195	33	169.2	734	51	69.5	451.3	6,663	113	17.0
40	Females	143	24	167	30	179.6	728	38	52.2	342.3	6,969	111	15.9
41	Native	317	45	362	62	171.3	1,433	88	61.4	647.1	8,139	136	16.7
42	Males	174	21	195	33	169.2	719	51	70.9	(*)	3,954	75	19.0
43	Females	143	24	167	29	173.7	714	37	51.8	(*)	4,185	61	14.6
44	Both parents native...	66	11	77	13	(*)	323	17	52.6	(*)	2,685	37	13.8
45	One or both parents foreign.	251	32	282	46	163.1	1,110	68	61.3	(*)	5,454	93	17.1
46	Foreign						29				5,493	86	15.7
47	Males						15				2,709	37	13.7
48	Females						14				2,784	49	17.6

* Data insufficient for rates.

CAUSES, BY SEX, COLOR, GENERAL NATIVITY, AND PARENT NATIVITY: CENSUS YEAR 1900—Continued.

CAUSE OF DEATH.																		
Measles.	Scarlet fever.	Diphtheria and croup.	Whooping cough.	Malarial fever.	Influenza.	Typhoid fever.	Diarrheal diseases.	Consumption.	Cancer and tumor.	Heart disease and dropsy.	Pneumonia.	Diseases of the liver.	Diseases of the nervous system.	Diseases of the urinary organs.	Affections connected with pregnancy.	Old age.	Unknown.	All other causes.
4	1	4	2	1	16	8	23	40	21	58	55	6	90	27	3	37	8	132
1	1	1	1	1	6	6	9	17	7	33	28	4	45	16	3	17	6	64
3	3	3	1	1	10	2	14	23	14	25	27	2	45	11	3	20	2	68
.....	4	7	3	1	7	6	6	34	7	22	21	3	47	12		19	3	79
.....	2	3	2		2	5	4	18		11	10	2	26	7		7	2	43
.....	2	4	1	1	5	1	2	16	7	11	11	1	21	5		12	1	36
.....	4	7	3	1	7	6	6	34	7	22	21	3	47	12		19	3	78
.....	2	3	2		2	5	4	18		11	10	2	26	7		7	2	42
.....	2	4	1	1	5	1	2	16	7	11	11	1	21	5		12	1	36
.....	4	7	3		5	6	6	19	5	15	16	3	40	7		9	3	59
.....	2	3	2		1	5	4	9		6	8	2	24	3		4	2	32
.....	2	4	1		4	1	2	10	5	9	8	1	16	4		5	1	27
.....	1	1			4	5		9	4	10	10	3	24	3		8	2	30
.....	3	6	3		1		6	10		3	5		10	2			1	28
.....				1	1			15	2	7	5		7	5		10		18
.....				1	1			9		5	2		2	4		3		10
.....								6	2	2	3		5	1		7		8
.....				2	6		11	5	3	8	15	1	22	9	2	3		25
.....				2	4		6	2	1	5	6		8	7		1		14
.....					2	2		3	2	3	9	1	14	2	2	2		11
.....				2	6		11	5	3	8	15	1	22	9	2	3		25
.....				2	4		6	2	1	5	6		8	7		1		14
.....					2	2		3	2	3	9	1	14	2	2	2		11
.....				2	4		10	2	2	1	12	1	12	5	1	1		19
.....					2						4		5	4				11
.....				2	2		5	2	2	1	8	1	7	1	1	1		8
.....					2		1	1	1		7		9	3		1		8
.....				2	2		9	1	1		7		3	2	1	1		11
.....					2		1	3	1	7	3		10	4	1	2		6
.....					2		1	2	1	5	2		3	3		1		3
.....								1		2	1		7	1	1	1		3
14	22	39	16	5	54	14	143	180	96	221	236	28	330	128	16	180	16	557
6	10	23	6	3	23	10	79	102	25	125	120	15	175	77		52	10	316
8	12	16	10	2	31	4	64	78	71	96	116	13	155	51	16	78	6	241
2		4	1			2	28	18	6	10	23	4	27	6	3	9	8	73
2		3	1			1	16	7	1	6	15	2	14	4		3	4	34
.....		1				1	12	11	5	4	8	2	13	2	3	6	4	39
2		4	1			2	28	18	6	10	23	4	27	6	3	9	8	73
2		3	1			1	16	7	1	6	15	2	14	4		3	4	34
.....		1				1	12	11	5	4	8	2	13	2	3	6	4	39
2		3	1			1	23	8	2	5	14	3	18	4	1		4	47
2		2	1			1	15	3		3	10	2	9	2			3	23
.....						1	8	5	2	2	4	1	9	2	1		2	1
2		3	1			1	16	7	1	2	13	1	13	2	1		2	2
.....																		13
.....		1				1	5	10	4	5	9	1	9	1	2	9	4	25
.....		1				1	1	4	1	3	5		5	1		3	1	11
.....							4	6	3	2	4	1	4		2	6	3	14

TABLE 19.—POPULATION, BIRTHS, DEATHS, AND DEATH RATES AT CERTAIN AGES, AND DEATHS FROM CERTAIN

	AREAS.	UNDER 1 YEAR OF AGE.					UNDER 5 YEARS OF AGE.				ALL AGES.		
		Popula- tion.	Born and died in the census year.	Births during the census year.	Deaths.	Deaths under 1 per 1,000 births.	Popula- tion.	Deaths.	Death rate per 1,000 of popula- tion.	Deaths under 5 per 1,000 at all ages.	Popula- tion.	Deaths.	Death rate per 1,000 of popula- tion.
	MASSACHUSETTS—Continued.												
1	Group 2—Continued.												
	Fitchburg.....	803	86	889	119	133.9	3,697	159	43.0	371.5	31,531	428	13.6
2	Males.....	407	47	454	63	138.8	1,850	91	49.2	384.0	15,557	237	15.2
3	Females.....	396	39	435	56	128.7	1,847	68	36.8	356.0	15,974	191	12.0
4	White.....	803	86	889	119	133.9	3,695	159	43.0	372.4	31,439	427	13.6
5	Males.....	407	47	454	63	138.8	1,849	91	49.2	385.6	15,497	236	15.2
6	Females.....	396	39	435	56	128.7	1,846	68	36.8	356.0	15,942	191	12.0
7	Native.....	786	86	872	119	136.5	3,531	157	44.5	503.2	20,546	312	15.2
8	Males.....	398	47	445	63	141.6	1,772	91	51.4	529.1	10,149	172	16.9
9	Females.....	388	39	427	56	131.1	1,759	66	37.5	471.4	10,397	140	13.5
10	Both parents native..	193	17	210	23	109.5	954	31	32.5	250.0	9,933	124	12.5
11	One or both parents foreign.	593	67	660	94	142.4	2,677	124	48.1	720.9	10,608	172	16.2
12	Foreign.....	17		17			164	2	12.2	17.9	10,893	112	10.3
13	Males.....	9		9			77				5,348	62	11.6
14	Females.....	8		8			87	2	(*)	(*)	5,545	50	9.0
15	Gardner town.....	257	40	297	68	229.0	1,185	91	76.8	443.9	10,813	205	19.0
16	Males.....	123	20	143	34	237.8	599	42	70.1	(*)	5,658	90	15.9
17	Females.....	134	20	154	34	220.8	586	49	83.6	426.1	5,155	115	22.3
18	White.....	257	40	297	68	229.0	1,180	91	77.1	443.9	10,753	205	19.1
19	Males.....	123	20	143	34	237.8	595	42	70.6	(*)	5,626	90	16.0
20	Females.....	134	20	154	34	220.8	585	49	83.8	426.1	5,127	115	22.4
21	Native.....	250	40	290	67	231.0	1,112	90	80.9	545.5	7,310	165	22.6
22	Males.....	121	20	141	34	241.1	562	42	74.7	(*)	3,670	70	19.1
23	Females.....	129	20	149	33	221.5	550	48	87.3	(*)	3,640	95	26.1
24	Both parents native..	66	10	76	13	(*)	285	20	70.2	(*)	4,027	67	16.6
25	One or both parents foreign.	184	30	214	54	252.3	827	70	84.6	(*)	3,283	91	27.7
26	Foreign.....	7		7	1	(*)	68	1	(*)	(*)	3,443	39	11.3
27	Males.....	2		2			33				1,956	20	10.2
28	Females.....	5		5	1	(*)	35	1	(*)	(*)	1,487	19	12.8
29	Leominster town.....	246	26	272	37	136.0	1,142	53	46.4	301.1	12,392	176	14.2
30	Males.....	116	17	133	23	172.9	549	34	61.9	(*)	6,097	79	13.0
31	Females.....	130	9	139	14	100.7	593	19	32.0	(*)	6,295	97	15.4
32	White.....	243	26	269	35	130.1	1,131	51	45.1	293.1	12,304	174	14.1
33	Males.....	115	17	132	21	159.1	545	32	58.7	(*)	6,052	77	12.7
34	Females.....	128	9	137	14	102.2	586	19	32.4	(*)	6,252	97	15.5
35	Native.....	240	26	266	35	131.6	1,103	51	46.2	349.3	9,489	146	15.4
36	Males.....	114	17	131	21	160.3	527	32	60.7	(*)	4,644	70	15.1
37	Females.....	126	9	135	14	103.7	576	19	33.0	(*)	4,845	76	15.7
38	Both parents native..	115	11	126	14	111.1	490	16	32.7	(*)	6,085	69	11.3
39	One or both parents foreign.	125	15	140	21	150.0	613	34	55.5	(*)	3,404	48	14.1
40	Foreign.....	3		3			28				2,815	26	9.2
41	Males.....	1		1			18				1,408	6	4.3
42	Females.....	2		2			10				1,407	20	14.2
43	Milford town.....	211	21	232	38	163.8	1,035	53	51.2	256.0	11,376	207	18.2
44	Males.....	110	12	122	23	188.5	511	34	66.5	293.1	5,975	116	19.4
45	Females.....	101	9	110	15	136.4	524	19	36.3	(*)	5,401	91	16.8
46	White.....	211	21	232	38	163.8	1,034	53	51.3	256.0	11,344	207	18.2
47	Males.....	110	12	122	23	188.5	511	34	66.5	293.1	5,956	116	19.5
48	Females.....	101	9	110	15	136.4	523	19	36.3	(*)	5,388	91	16.9
49	Native.....	209	21	230	38	165.2	1,009	53	52.5	358.1	8,010	148	18.5
50	Males.....	108	12	120	23	191.7	499	34	68.1	(*)	4,029	77	19.1
51	Females.....	101	9	110	15	136.4	510	19	37.3	(*)	3,981	71	17.8
52	Both parents native..	86	10	96	13	(*)	400	17	42.5	(*)	3,879	68	17.5
53	One or both parents foreign.	123	11	134	24	179.1	609	35	57.5	(*)	4,131	65	15.7
54	Foreign.....	2		2			25				3,334	58	17.4
55	Males.....	2		2			12				1,927	38	19.7
56	Females.....						13				1,407	20	14.2

* Data insufficient for rates.

CAUSES, BY SEX, COLOR, GENERAL NATIVITY, AND PARENT NATIVITY: CENSUS YEAR 1900—Continued.

CAUSE OF DEATH.																		
Measles.	Scarlet fever.	Diphtheria and croup.	Whooping cough.	Malarial fever.	Influenza.	Typhoid fever.	Diarrheal diseases.	Consumption.	Cancer and tumor.	Heart disease and dropsy.	Pneumonia.	Diseases of the liver.	Diseases of the nervous system.	Diseases of the urinary organs.	Affections connected with pregnancy.	Old age.	Unknown.	All other causes.
2	4	12	3		4	6	38	34	20	37	42	4	34	17	4	23	2	142
1	3	8	1		2	3	22	21	12	19	18	2	21	9		8		87
1	1	4	2		2	3	16	13	8	18	24	2	13	8	4	15	2	55
2	4	12	3		4	6	38	34	20	37	42	4	34	17	4	23	2	141
1	3	8	1		2	3	22	21	12	19	18	2	21	9		8		86
1	1	4	2		2	3	16	13	8	18	24	2	13	8	4	15	2	55
2	3	12	3		4	2	36	24	9	20	28	4	26	11	3	14	2	109
1	3	8	1		2	2	21	14	6	12	13	2	15	5		3		64
1		4	2		2		15	10	3	8	15	2	11	6	3	11	2	45
2		2	1		3	2	7	7	9	16	9	3	15	7		12		29
.....	3	8	2		1		29	15		4	18	1	8	3	3		2	75
.....	1					4	2	10	11	17	14		8	6	1	9		29
.....						1	1	7	6	7	5		6	4		5		20
.....	1					3	1	3	5	10	9		2	2	1	4		9
6	2	2	5		7	2	18	14	5	9	14	2	43	6	2	17	2	49
4	1	1	3		2	1	7	8	2	4	6	2	20	1		7	1	20
2	1	1	2		5	1	11	6	3	5	8		23	5	2	10	1	29
6	2	2	5		7	2	18	14	5	9	14	2	43	6	2	17	2	49
4	1	1	3		2	1	7	8	2	4	6	2	20	1		7	1	20
2	1	1	2		5	1	11	6	3	5	8		23	5	2	10	1	29
6	2	2	5		7	2	18	14	5	9	14	2	43	6	2	17	2	49
4	1	1	3		2	1	7	8	2	4	6	2	20	1		7	1	20
2	1	1	2		5	1	11	6	3	5	8		23	5	2	10	1	29
6	2	2	5		7	2	18	14	5	9	14	2	43	6	2	17	2	49
4	1	1	3		2	1	7	8	2	4	6	2	20	1		7	1	20
2	1	1	2		5	1	11	6	3	5	8		23	5	2	10	1	29
6	2	2	5		7	2	18	14	5	9	14	2	43	6	2	17	2	49
4	1	1	3		2	1	7	8	2	4	6	2	20	1		7	1	20
2	1	1	2		5	1	11	6	3	5	8		23	5	2	10	1	29
6	2	2	5		7	2	18	14	5	9	14	2	43	6	2	17	2	49
4	1	1	3		2	1	7	8	2	4	6	2	20	1		7	1	20
2	1	1	2		5	1	11	6	3	5	8		23	5	2	10	1	29
6	2	2	5		7	2	18	14	5	9	14	2	43	6	2	17	2	49
4	1	1	3		2	1	7	8	2	4	6	2	20	1		7	1	20
2	1	1	2		5	1	11	6	3	5	8		23	5	2	10	1	29
6	2	2	5		7	2	18	14	5	9	14	2	43	6	2	17	2	49
4	1	1	3		2	1	7	8	2	4	6	2	20	1		7	1	20
2	1	1	2		5	1	11	6	3	5	8		23	5	2	10	1	29
6	2	2	5		7	2	18	14	5	9	14	2	43	6	2	17	2	49
4	1	1	3		2	1	7	8	2	4	6	2	20	1		7	1	20
2	1	1	2		5	1	11	6	3	5	8		23	5	2	10	1	29
6	2	2	5		7	2	18	14	5	9	14	2	43	6	2	17	2	49
4	1	1	3		2	1	7	8	2	4	6	2	20	1		7	1	20
2	1	1	2		5	1	11	6	3	5	8		23	5	2	10	1	29
6	2	2	5		7	2	18	14	5	9	14	2	43	6	2	17	2	49
4	1	1	3		2	1	7	8	2	4	6	2	20	1		7	1	20
2	1	1	2		5	1	11	6	3	5	8		23	5	2	10	1	29
6	2	2	5		7	2	18	14	5	9	14	2	43	6	2	17	2	49
4	1	1	3		2	1	7	8	2	4	6	2	20	1		7	1	20
2	1	1	2		5	1	11	6	3	5	8		23	5	2	10	1	29
6	2	2	5		7	2	18	14	5	9	14	2	43	6	2	17	2	49
4	1	1	3		2	1	7	8	2	4	6	2	20	1		7	1	20
2	1	1	2		5	1	11	6	3	5	8		23	5	2	10	1	29
6	2	2	5		7	2	18	14	5	9	14	2	43	6	2	17	2	49
4	1	1	3		2	1	7	8	2	4	6	2	20	1		7	1	20
2	1	1	2		5	1	11	6	3	5	8		23	5	2	10	1	29
6	2	2	5		7	2	18	14	5	9	14	2	43	6	2	17	2	49
4	1	1	3		2	1	7	8	2	4	6	2	20	1		7	1	20
2	1	1	2		5	1	11	6	3	5	8		23	5	2	10	1	29
6	2	2	5		7	2	18	14	5	9	14	2	43	6	2	17	2	49
4	1	1	3		2	1	7	8	2	4	6	2	20	1		7	1	20
2	1	1	2		5	1	11	6	3	5	8		23	5	2	10	1	29
6	2	2	5		7	2	18	14	5	9	14	2	43	6	2	17	2	49
4	1	1	3		2	1	7	8	2	4	6	2	20	1		7	1	20
2	1	1	2		5	1	11	6	3	5	8		23	5	2	10	1	29
6	2	2	5		7	2	18	14	5	9	14	2	43	6	2	17	2	49
4	1	1	3		2	1	7	8	2	4	6	2	20	1		7	1	20
2	1	1	2		5	1	11	6	3	5	8		23	5	2	10	1	29
6	2	2	5		7	2	18	14	5	9	14	2	43	6	2	17	2	49
4	1	1	3		2	1	7	8	2	4	6	2	20	1		7	1	20
2	1	1	2		5	1	11	6	3	5	8		23	5	2	10	1	29
6	2	2	5		7	2	18	14	5	9	14	2	43	6	2	17	2	49
4	1	1	3		2	1	7	8	2	4	6	2	20	1		7	1	20
2	1	1	2		5	1	11	6	3	5	8		23	5	2	10	1	29
6	2	2	5		7	2	18	14	5	9	14	2	43	6	2	17	2	49
4	1	1	3		2	1	7	8	2	4	6	2	20	1		7	1	20
2	1	1	2		5	1	11	6	3	5	8		23	5	2	10	1	29
6	2	2	5		7	2	18	14	5	9	14	2	43	6	2	17	2	49
4	1	1	3		2	1	7	8	2	4	6	2	20	1		7	1	20
2	1	1	2		5	1	11	6	3	5	8		23	5	2	10	1	29
6	2	2																

TABLE 19.—POPULATION, BIRTHS, DEATHS, AND DEATH RATES AT CERTAIN AGES, AND DEATHS FROM CERTAIN

AREAS.		UNDER 1 YEAR OF AGE.					UNDER 5 YEARS OF AGE.				ALL AGES.		
		Popula- tion.	Born and died in the census year.	Births during the census year.	Deaths.	Deaths under 1 per 1,000 births.	Popula- tion.	Deaths.	Death rate per 1,000 of popu- lation.	Deaths under 5 per 1,000 at all ages.	Popula- tion.	Deaths.	Death rate per 1,000 of popu- lation.
MASSACHUSETTS—Continued.													
1	Group 2—Continued. Southbridge town	251	44	295	60	203.4	1,160	94	81.0	460.8	10,025	204	20.3
2	Males	131	24	155	32	206.5	597	48	80.4	448.6	4,986	107	21.5
3	Females	120	20	140	28	200.0	563	46	81.7	(*)	5,039	97	19.2
4	White	251	44	295	60	203.4	1,157	93	80.4	458.1	9,990	203	20.3
5	Males	131	24	155	32	206.5	596	48	80.5	448.6	4,970	107	21.5
6	Females	120	20	140	28	200.0	561	45	80.2	(*)	5,020	96	19.1
7	Native	246	43	289	58	200.7	1,116	90	80.6	592.1	6,528	152	23.3
8	Males	128	23	151	30	198.7	572	46	80.4	(*)	3,215	81	25.2
9	Females	118	20	138	28	202.9	544	44	80.9	(*)	3,313	71	21.4
10	Both parents native ..	77	7	84	9	(*)	317	12	37.9	(*)	2,279	37	16.2
11	One or both parents foreign.	169	36	205	49	239.0	799	78	97.6	702.7	4,249	111	26.1
12	Foreign	5	1	6	2	(*)	41	3	(*)	(*)	3,462	48	13.9
13	Males	3	1	4	2	(*)	24	2	(*)	(*)	1,755	24	13.7
14	Females	2		2			17	1	(*)	(*)	1,707	24	14.1
15	Webster town	252	30	282	47	166.7	1,141	57	50.0	390.4	8,804	146	16.6
16	Males	121	14	135	20	148.1	579	27	46.6	(*)	4,393	67	15.3
17	Females	131	16	147	27	183.7	562	30	53.4	(*)	4,411	79	17.9
18	White	250	30	280	47	167.9	1,131	57	50.4	390.4	8,762	146	16.7
19	Males	120	14	134	20	149.3	574	27	47.0	(*)	4,367	67	15.3
20	Females	130	16	146	27	184.9	557	30	53.9	(*)	4,395	79	18.0
21	Native	247	30	277	46	166.1	1,071	56	52.3	560.0	5,203	100	19.2
22	Males	118	14	132	20	151.5	535	27	50.5	(*)	2,544	46	18.1
23	Females	129	16	145	26	179.3	536	29	54.1	(*)	2,659	54	20.3
24	Both parents native ..	43	4	47	6	(*)	190	8	42.1	(*)	1,605	29	18.1
25	One or both parents foreign.	204	25	229	39	170.3	881	47	53.3	(*)	3,598	63	17.5
26	Foreign	3		3	1	(*)	60	1	(*)	(*)	3,559	43	12.1
27	Males	2		2			39				1,823	19	10.4
28	Females	1		1	1	(*)	21	1	(*)	(*)	1,736	24	13.8
29	Worcester	2,696	298	2,994	444	148.3	12,494	621	49.7	337.9	118,421	1,838	15.5
30	Males	1,331	157	1,488	243	163.3	6,330	347	54.8	367.2	59,082	945	16.0
31	Females	1,365	141	1,506	201	133.5	6,164	274	44.5	306.8	59,339	893	15.0
32	White	2,678	295	2,973	439	147.7	12,392	616	49.7	339.2	117,206	1,816	15.5
33	Males	1,323	154	1,477	239	161.8	6,289	343	54.5	366.5	58,464	936	16.0
34	Females	1,355	141	1,496	200	133.7	6,103	273	44.7	310.2	58,742	880	15.0
35	Native	2,659	294	2,953	436	147.6	12,138	610	50.3	481.1	79,678	1,268	15.9
36	Males	1,313	153	1,466	237	161.7	6,169	338	54.8	512.9	39,433	659	16.7
37	Females	1,346	141	1,487	199	133.8	5,969	272	45.6	446.6	40,245	609	15.1
38	Both parents na- (M..	404	53	457	82	179.4	1,889	113	59.8	457.5	18,367	247	13.4
	tive	384	54	438	74	168.9	1,816	86	47.4	328.2	18,894	262	13.9
39	One or both par- (M..	909	97	1,006	150	149.1	4,280	219	51.2	640.4	21,066	342	16.2
	ents foreign	962	85	1,047	123	117.5	4,153	184	44.3	647.9	21,351	284	13.3
40	Foreign	19	1	20	3	(*)	254	6	23.6	11.1	37,528	540	14.4
41	Males	10	1	11	2	(*)	120	5	41.7	18.4	19,031	272	14.3
42	Females	9		9	1	(*)	134	1	7.5	3.7	18,497	268	14.5
43	Colored	18	3	21	5	(*)	102	5	49.0	(*)	1,215	22	18.1
44	Males	8	3	11	4	(*)	41	4	(*)	(*)	618	9	14.6
45	Females	10		10	1	(*)	61	1	(*)	(*)	597	13	21.8

* Data insufficient for rates.

POPULATION, BIRTHS, DEATHS, AND DEATH RATES.

391

CAUSES, BY SEX, COLOR, GENERAL NATIVITY, AND PARENT NATIVITY: CENSUS YEAR 1900—Continued.

CAUSE OF DEATH.																		
Measles.	Scarlet fever.	Diphtheria and croup.	Whooping cough.	Malarial fever.	Influenza.	Typhoid fever.	Diarrheal diseases.	Consumption.	Cancer and tumor.	Heart disease and dropsy.	Pneumonia.	Diseases of the liver.	Diseases of the nervous system.	Diseases of the urinary organs.	Affections connected with pregnancy.	Old age.	Unknown.	All other causes.
7		3	1			1	22	13	6	12	32	6	27	16	1	6		51
3		2					11	11	1	8	23	3	14	7		1		23
4		1	1			1	11	2	5	4	9	3	13	9	1	5		28
7		3	1			1	22	13	6	12	31	6	27	16	1	6		51
3		2					11	11	1	8	23	2	14	7		1		23
4		1	1			1	11	2	5	4	8	3	13	9	1	5		28
6		3	1				20	9	4	8	24	5	18	12		3		39
3		2					10	7		7	18	3	11	5				15
1		1	1				10	2	4	1	6	2	7	7		3		24
5		3	1				18	7	1	3	20	4	14	6		2		10
1						1	2	4	2	4	6	1	9	4	1	2		11
1						1	1	4	1	1	4	1	3	2	1	1		7
1		2		1	4	1	27	17	2	6	15	2	14	7	1	4	2	40
1		1			2	1	15	7	1	4	4	1	7	4		1		18
		1		1	2		12	10	1	2	11	1	7	3	1	3	2	22
1		2		1	4	1	27	17	2	6	15	2	14	7	1	4	2	40
1		1			2	1	15	7	1	4	4	1	7	4		1		18
		1		1	2		12	10	1	2	11	1	7	3	1	3	2	20
1		2			3		27	10		2	10		11	5		1	2	26
1		1			2		15	2		2	3		6	2		1		11
		1			1		12	8			7		5	3			2	15
		1			3		5	3		1	3		4	4				5
1		1					21	6		1	6		6	1			2	18
				1	1	1		7	2	4	5	2	2	2	1	3		12
				1	1	1		5	1	2	1	1		2		3		6
								2	1	2	4	1	2		1			6
15	21	45	9	5	28	21	147	218	76	149	191	13	210	94	6	51	4	535
7	10	24	5	3	11	14	82	111	26	79	108	9	106	49		11	3	287
8	11	21	4	2	17	7	65	107	50	70	83	4	104	45	6	40	1	248
15	21	45	9	5	27	21	144	214	74	149	189	15	209	92	6	50	4	529
7	10	24	5	3	10	14	81	110	25	79	107	9	106	49		11	3	283
8	11	21	4	2	17	7	63	104	49	70	82	4	103	43	6	39	1	246
15	20	44	9	2	12	10	127	134	39	84	120	6	148	45	2	30	1	420
7	9	24	5	1	2	7	72	72	9	47	67	4	81	28		7		217
8	11	20	4	1	10	3	55	62	30	37	53	2	67	17	2	23	1	203
2	3	8	1		1	3	26	14	7	19	17	2	34	18		5		87
1	3	4	1		4	2	19	20	18	24	18	1	36	11	1	12	1	86
5	6	16	4	1		3	44	54		9	45	2	35	5				113
7	8	16	3	1	3	1	33	35	6	8	27	1	26	3	1			105
	1	1		3	15	11	17	78	35	62	69	7	61	47	4	20	3	106
	1			2	8	7	9	37	16	31	40	5	25	21		4	3	63
		1		1	7	4	8	41	19	31	29	2	36	26	4	16		43
					1		3	4	2		2		1	2		1		6
					1		1	1	1		1							4
							2	3	1		1		1	2		1		2

TABLE 19.—POPULATION, BIRTHS, DEATHS, AND DEATH RATES AT CERTAIN AGES, AND DEATHS FROM CERTAIN

	AREAS.	UNDER 1 YEAR OF AGE.					UNDER 5 YEARS OF AGE.				ALL AGES.		
		Popula- tion.	Born and died in the census year.	Births during the census year.	Deaths.	Deaths under 1 per 1,000 births	Popula- tion.	Deaths.	Death rate per 1,000 of popula- tion.	Deaths under 5 per 1,000 at all ages.	Popula- tion.	Deaths.	Death rate per 1,000 of popula- tion.
1	MICHIGAN.....	54,161	4,639	58,800	6,570	111.7	260,658	9,378	36.0	279.3	2,420,982	33,572	13.9
2	Males.....	27,459	2,669	30,128	3,743	124.2	131,917	5,230	39.6	289.2	1,248,905	18,084	14.5
3	Females.....	26,702	1,970	28,672	2,827	98.6	128,741	4,148	32.2	267.8	1,172,077	15,488	13.2
4	White.....	53,721	4,601	58,322	6,510	111.6	258,597	9,285	35.9	279.6	2,398,563	33,205	13.8
5	Males.....	27,256	2,649	29,905	3,712	124.1	130,890	5,189	39.6	290.0	1,237,098	17,893	14.5
6	Females.....	26,465	1,952	28,417	2,798	98.5	127,707	4,096	32.1	267.5	1,161,465	15,312	13.2
7	Native.....	53,440	4,585	58,025	6,467	111.5	255,548	9,196	36.0	282.1	1,858,367	24,068	13.0
8	Males.....	27,126	2,639	29,765	3,689	123.9	129,370	5,145	39.8	403.8	941,906	12,742	13.5
9	Females.....	26,314	1,946	28,260	2,778	98.3	126,178	4,051	32.1	357.7	916,461	11,326	12.4
10	Both parents native.....	13,396	1,145	14,511	1,581	109.0	62,249	2,174	34.9	320.2	522,852	6,789	13.0
11	One or both parents foreign.....	13,015	870	13,885	1,217	87.6	61,142	1,735	28.4	277.6	503,862	6,249	12.4
	foreign.....	13,760	1,368	15,128	1,921	127.0	67,121	2,758	41.1	562.4	419,054	4,904	11.7
	foreign.....	13,299	930	14,229	1,366	96.0	65,036	2,103	32.3	498.2	412,599	4,221	10.2
12	Foreign.....	281	12	293	30	102.4	3,049	71	23.3	8.1	540,196	8,752	16.2
13	Males.....	130	9	139	17	122.3	1,520	35	23.0	7.2	295,192	4,858	16.5
14	Females.....	151	3	154	13	84.4	1,529	36	23.5	9.0	245,004	3,894	15.9
15	Colored.....	440	38	478	60	125.5	2,061	93	45.1	253.4	22,419	367	16.4
16	Males.....	203	20	223	31	139.0	1,027	41	39.9	214.7	11,807	191	16.2
17	Females.....	237	18	255	29	113.7	1,034	52	50.3	295.5	10,612	176	16.6
18	Cities in Michigan.....	15,383	1,760	17,143	2,540	148.2	73,692	3,534	48.0	324.1	711,618	10,905	15.3
19	Males.....	7,851	1,025	8,876	1,445	162.8	37,211	1,970	52.9	335.5	351,329	5,872	16.7
20	Females.....	7,532	735	8,267	1,095	132.5	36,481	1,564	42.9	310.7	360,289	5,033	14.0
21	White.....	15,269	1,749	17,018	2,517	147.9	73,134	3,499	47.8	325.8	703,324	10,741	15.3
22	Males.....	7,796	1,018	8,814	1,432	162.5	36,917	1,950	52.8	337.4	347,104	5,780	16.7
23	Females.....	7,473	731	8,204	1,085	132.3	36,217	1,549	42.8	312.2	356,220	4,961	13.9
24	Native.....	15,148	1,740	16,888	2,495	147.7	71,904	3,460	48.1	479.1	492,842	7,222	14.7
25	Males.....	7,743	1,011	8,754	1,417	161.9	36,312	1,928	53.1	498.6	239,740	3,867	16.1
26	Females.....	7,405	729	8,134	1,078	132.5	35,592	1,532	43.0	456.6	253,102	3,355	13.3
27	Both parents native.....	2,518	279	2,797	384	137.3	11,677	505	43.2	370.2	101,601	1,364	13.4
28	One or both parents foreign.....	2,423	209	2,632	314	119.3	11,588	412	35.6	323.4	105,296	1,274	12.1
	foreign.....	5,225	626	5,851	877	149.9	24,635	1,248	50.7	615.4	138,139	2,028	14.7
	foreign.....	4,982	399	5,381	602	111.9	24,004	946	39.4	568.5	147,806	1,664	11.3
29	Foreign.....	121	7	128	15	117.2	1,230	31	25.2	9.1	210,482	3,396	16.1
30	Males.....	53	7	60	11	(*)	605	18	29.8	9.9	107,364	1,822	17.0
31	Females.....	68		68	4	(*)	625	13	20.8	8.3	103,118	1,574	15.3
32	Colored.....	114	11	125	23	184.0	558	35	62.7	213.4	8,294	164	19.8
33	Males.....	55	7	62	13	(*)	294	20	68.0	(*)	4,225	92	21.8
34	Females.....	59	4	63	10	(*)	264	15	56.8	(*)	4,069	72	17.7
35	Rural part of Michigan.....	38,778	2,879	41,657	4,030	96.7	186,966	5,844	31.3	257.8	1,709,364	22,667	13.3
36	Males.....	19,608	1,644	21,252	2,298	108.1	94,706	3,260	34.4	267.0	897,576	12,212	13.6
37	Females.....	19,170	1,235	20,405	1,732	84.9	92,260	2,584	28.0	247.2	811,788	10,455	12.9
38	White.....	38,452	2,852	41,304	3,993	96.7	185,463	5,786	31.2	257.6	1,695,239	22,464	13.3
39	Males.....	19,460	1,631	21,091	2,280	108.1	93,973	3,239	34.5	267.4	889,994	12,113	13.6
40	Females.....	18,992	1,221	20,213	1,713	84.7	91,490	2,547	27.8	246.1	805,245	10,351	12.9
41	Native.....	38,292	2,845	41,137	3,972	96.6	183,644	5,736	31.2	340.5	1,365,525	16,846	12.3
42	Males.....	19,383	1,628	21,011	2,272	108.1	93,058	3,217	34.6	362.5	702,166	8,875	12.6
43	Females.....	18,909	1,217	20,126	1,700	84.5	90,586	2,519	27.8	316.0	663,359	7,971	12.0
44	Both parents native.....	10,848	866	11,714	1,197	102.2	50,572	1,669	33.0	307.6	421,251	5,425	12.9
45	One or both parents foreign.....	10,592	661	11,253	903	80.2	49,554	1,323	26.7	265.9	398,566	4,975	12.5
	foreign.....	8,535	742	9,277	1,044	112.5	42,486	1,510	35.5	525.0	280,915	2,876	10.2
	foreign.....	8,317	531	8,848	764	86.3	41,032	1,157	28.2	452.5	264,793	2,557	9.7
46	Foreign.....	160	5	165	15	90.9	1,819	40	22.0	7.5	329,714	5,356	16.2
47	Males.....	77	2	79	6	(*)	915	17	18.6	5.6	187,828	3,036	16.2
48	Females.....	83	3	86	9	(*)	904	23	25.4	9.9	141,886	2,320	16.4
49	Colored.....	326	27	353	37	104.8	1,503	58	38.6	285.7	14,125	203	14.4
50	Males.....	148	13	161	18	111.8	733	21	28.6	(*)	7,582	99	13.1
51	Females.....	178	14	192	19	99.0	770	37	48.1	355.8	6,543	104	15.9

* Data insufficient for rates.

POPULATION, BIRTHS, DEATHS, AND DEATH RATES.

393

CAUSES, BY SEX, COLOR, GENERAL NATIVITY, AND PARENT NATIVITY: CENSUS YEAR 1900—Continued.

CAUSE OF DEATH.																		
Measles.	Scarlet fever.	Diphtheria and croup.	Whooping cough.	Malaria fever.	Influenza.	Typhoid fever.	Diarrheal diseases.	Consumption.	Cancer and tumor.	Heart disease and dropsy.	Pneumonia.	Diseases of the liver.	Diseases of the nervous system.	Diseases of the urinary organs.	Affections connected with pregnancy.	Old age.	Unknown.	All other causes.
373	220	539	273	168	419	680	2,517	2,438	1,530	3,034	2,647	564	4,308	1,573	407	1,229	632	10,021
174	115	261	137	84	204	365	1,371	1,059	642	1,704	1,469	327	2,370	1,022	594	335	5,851	2
199	105	278	136	84	215	315	1,146	1,379	888	1,330	1,178	237	1,938	551	407	635	297	4,170
367	220	536	269	167	412	675	2,494	2,377	1,518	3,003	2,606	562	4,272	1,557	406	1,220	614	9,930
169	115	259	136	84	201	363	1,362	1,028	636	1,691	1,445	325	2,352	1,012	589	325	5,801	5
198	105	277	133	83	211	312	1,132	1,349	882	1,312	1,161	237	1,920	545	406	631	289	4,129
359	217	515	267	127	276	497	2,244	1,681	846	1,845	1,903	362	3,163	989	260	559	499	7,459
167	114	251	135	62	135	256	1,234	678	309	1,028	1,048	204	1,729	621	263	260	4,248	8
192	103	264	132	65	141	241	1,010	1,003	537	817	855	158	1,434	368	260	296	239	3,211
76	40	84	57	40	95	155	554	326	222	666	497	119	997	426	179	126	2,130	9
87	47	90	59	40	94	142	465	528	377	526	443	102	859	227	133	218	97	1,715
88	73	157	75	18	31	93	611	292	52	228	486	64	565	115	101	31	117	1,808
101	56	167	69	22	32	94	482	404	115	201	361	43	447	101	116	34	125	1,251
8	2	20	1	39	130	172	237	677	658	1,113	679	199	1,064	554	143	644	98	2,314
2	1	8	22	62	101	121	336	321	632	378	120	589	379	315	50	1,421	13	893
6	1	12	17	68	71	116	341	337	481	301	79	475	175	143	329	48	893	14
6		3	4	1	7	5	23	61	12	31	41	2	36	16	1	9	18	91
5		2	1	3	4	2	9	31	6	13	24	2	18	10	5	10	50	16
1		1	3	1	4	3	14	30	6	18	17		18	6	1	4	8	41
123	54	270	83	35	79	218	837	830	475	846	968	154	1,374	497	125	316	138	3,483
61	31	122	38	20	41	118	463	420	195	448	555	96	756	322	150	77	1,959	19
62	23	148	45	15	38	100	374	410	280	398	413	58	618	175	125	166	61	1,524
121	54	269	80	34	79	213	831	806	467	830	947	152	1,359	487	125	313	136	3,438
59	31	121	37	20	41	116	461	408	190	442	540	94	746	316	148	75	1,935	22
62	23	148	43	14	38	97	370	398	277	388	407	58	613	171	125	165	61	1,503
119	54	257	80	19	47	136	752	519	201	419	631	84	937	252	57	93	104	2,461
59	31	117	37	11	24	65	428	245	67	220	372	49	511	167	41	56	1,367	25
60	23	140	43	8	23	71	324	274	134	199	259	35	426	85	57	52	48	1,094
17	8	22	13	9	11	28	110	69	39	87	111	12	226	98	24	21	459	26
20	9	29	11	4	15	33	83	94	80	93	85	16	185	37	20	36	11	413
40	22	86	22	2	10	33	279	138	18	88	223	32	221	40	5	31	738	27
39	14	106	28	4	7	37	203	144	31	76	147	12	190	30	32	5	31	528
2		12	15	30	74	75	278	263	400	310	68	407	232	66	216	28	920	29
.....		4	9	15	48	30	156	121	215	162	45	225	148	105	16	523	30	397
2		8	6	15	26	45	122	142	185	148	23	182	84	66	111	12	397	31
2		1	3	1	5	6	24	8	16	21	2	15	10	3	2	45	32	32
2		1	1	2	2	2	12	5	6	15	2	10	6	2	2	24	33	34
.....						3	4	12	3	10	6		5	4	1			
250	166	269	190	133	340	462	1,680	1,608	1,055	2,188	1,679	410	2,934	1,076	282	913	494	6,538
113	84	139	99	64	163	247	908	639	447	1,256	914	231	1,614	700	444	258	3,892	36
137	82	130	91	69	177	215	772	969	608	932	765	179	1,320	376	282	469	236	2,646
246	166	267	189	133	333	462	1,663	1,571	1,051	2,173	1,659	410	2,913	1,070	281	907	478	6,492
110	84	138	99	64	160	247	901	620	446	1,249	905	231	1,606	696	441	250	3,866	39
136	82	129	90	69	173	215	762	951	605	924	754	179	1,307	374	281	466	228	2,626
240	163	258	187	108	229	361	1,492	1,162	645	1,426	1,272	278	2,226	737	203	466	395	4,998
108	83	134	98	51	111	191	806	433	242	808	676	155	1,218	454	222	204	2,881	42
132	80	124	89	57	118	170	686	729	403	618	596	123	1,008	283	203	244	191	2,117
59	32	62	44	31	84	127	444	257	183	579	386	107	771	328	155	105	1,671	43
67	38	61	48	36	79	109	382	434	297	433	358	86	674	190	113	182	86	1,302
48	51	71	53	16	21	60	332	154	34	140	263	32	344	75	26	86	1,070	44
62	42	61	41	18	25	57	279	260	84	125	214	31	257	71	84	29	94	723
6	2	8	1	24	100	98	162	399	395	713	369	131	657	322	77	428	70	1,394
2	1	4	13	47	53	91	180	200	417	216	75	364	231	210	34	898	47	496
4	1	4	11	53	53	71	219	195	296	153	56	293	91	218	36	496	48	46
4		2	1	7	17	37	37	4	15	20		21	6	1	6	16	46	49
3		1	3	7	7	19	1	1	7	9		8	4	3	8	26	50	20
1		1	4	10	18	3	10	18	3	8	11		18	2	1	3	8	20

TABLE 19.—POPULATION, BIRTHS, DEATHS, AND DEATH RATES AT CERTAIN AGES, AND DEATHS FROM CERTAIN

AREAS.	UNDER 1 YEAR OF AGE.					UNDER 5 YEARS OF AGE.				ALL AGES.		
	Popula- tion.	Born and died in the census year.	Births during the census year.	Deaths.	Deaths under 1 per 1,000 births.	Popula- tion.	Deaths.	Death rate per 1,000 of popu- lation.	Deaths under 5 per 1,000 at all ages.	Popula- tion.	Deaths.	Death rate per 1,000 of popu- lation.
MICHIGAN—Continued.												
1 Group 1	34,306	3,249	37,555	4,613	122.8	164,551	6,520	39.6	333.2	1,396,951	19,570	14.0
2 Males	17,434	1,873	19,307	2,618	135.6	83,399	3,629	43.5	340.0	726,780	10,672	14.7
3 Females	16,872	1,376	18,248	1,995	109.3	81,152	2,891	35.6	324.9	670,171	8,898	13.3
4 White	34,012	3,221	37,233	4,567	122.7	163,244	6,449	39.5	333.6	1,388,632	19,329	14.0
5 Males	17,306	1,858	19,164	2,593	135.3	82,745	3,597	43.5	340.9	719,762	10,550	14.7
6 Females	16,706	1,363	18,069	1,974	109.2	80,499	2,852	35.4	324.9	668,870	8,779	13.2
7 Native	33,772	3,207	36,979	4,531	122.5	160,653	6,374	39.7	493.6	981,843	12,912	13.2
8 Males	17,196	1,848	19,044	2,573	135.1	81,459	3,561	43.7	513.0	499,417	6,942	13.9
9 Females	16,576	1,359	17,935	1,958	109.2	79,194	2,813	35.5	471.2	482,426	5,970	12.4
10 Both parents na- tive. {M.....	6,507	612	7,119	837	117.6	29,858	1,133	37.9	406.8	210,657	2,785	13.2
11 One or both par- ents foreign. {F.....	6,335	465	6,800	670	98.5	29,268	924	31.6	374.5	199,504	2,467	12.4
12 Foreign	10,689	1,130	11,819	1,576	133.3	51,601	2,246	43.5	625.6	288,760	3,590	12.4
13 Males	10,241	756	10,997	1,104	100.4	49,926	1,691	33.9	564.6	282,922	2,995	10.6
14 Females	240	11	251	25	99.6	2,591	60	23.2	9.7	401,789	6,191	15.4
15 Colored	110	9	119	15	126.1	1,286	28	21.8	8.2	220,345	3,426	15.5
16 Males	130	2	132	10	75.8	1,305	32	24.5	11.6	181,444	2,765	15.2
17 Females	294	28	322	46	142.9	1,307	71	54.3	294.6	13,319	241	18.1
18 Alcona county	128	15	143	25	174.8	654	32	48.9	262.3	7,018	122	17.4
19 Females	166	13	179	21	117.3	653	39	59.7	327.7	6,301	119	18.9
20 Alcona county	172	1	173	1	5.8	815	6	7.4	(*)	5,691	40	7.0
21 Males	82		82			418	3	7.2	(*)	3,049	26	8.5
22 Females	90	1	91	1	(*)	397	3	7.6	(*)	2,642	14	5.3
23 Alger county	166	12	178	20	112.4	735	34	46.3	(*)	5,868	62	10.6
24 Males	85	9	94	14	(*)	367	23	62.7	(*)	3,631	41	11.3
25 Females	81	3	84	6	(*)	368	11	29.9	(*)	2,237	21	9.4
26 Allegan county	775	38	813	51	62.7	3,899	74	19.0	151.3	38,812	489	12.6
27 Males	384	19	403	28	69.5	2,001	43	21.5	158.7	19,878	271	13.6
28 Females	391	19	410	23	56.1	1,898	31	16.3	142.2	18,934	218	11.5
29 Alpena county	470	57	527	78	148.0	2,230	100	44.8	374.5	18,254	267	14.6
30 Males	244	30	274	44	160.6	1,132	55	48.6	390.1	9,422	141	15.0
31 Females	226	27	253	34	134.4	1,098	45	41.0	357.1	8,832	126	14.3
32 Antrim county	401	49	450	70	155.6	1,956	112	57.3	466.7	16,568	240	14.5
33 Males	209	27	236	35	148.3	993	59	59.4	457.4	9,155	129	14.1
34 Females	192	22	214	35	163.6	963	53	55.0	477.5	7,413	111	15.0
35 Arenac county	290	25	315	43	136.5	1,353	58	42.9	456.7	9,821	127	12.9
36 Males	135	10	145	19	131.0	646	26	40.2	(*)	5,144	65	12.6
37 Females	155	15	170	24	141.2	707	32	45.3	(*)	4,677	62	13.3
38 Baraga county	118	6	124	12	96.8	575	18	31.3	(*)	4,320	54	12.5
39 Males	59	3	62	6	(*)	296	8	27.0	(*)	2,551	28	11.0
40 Females	59	3	62	6	(*)	279	10	35.8	(*)	1,769	26	14.7
41 Bay county, rural	624	44	668	66	98.8	2,991	100	33.4	371.7	21,631	269	12.4
42 Males	311	28	339	41	120.9	1,531	59	38.5	366.5	11,447	161	14.1
43 Females	313	16	329	25	76.0	1,460	41	28.1	379.6	10,184	108	10.6

* Data insufficient for rates.

CAUSES, BY SEX, COLOR, GENERAL NATIVITY, AND PARENT NATIVITY: CENSUS YEAR 1900—Continued.

CAUSE OF DEATH.																		
Measles.	Scarlet fever.	Diphtheria and croup.	Whooping cough.	Malarial fever.	Influenza.	Typhoid fever.	Diarrheal diseases.	Consumption.	Cancer and tumor.	Heart disease and dropsy.	Pneumonia.	Diseases of the liver.	Diseases of the nervous system.	Diseases of the urinary organs.	Affections connected with pregnancy.	Old age.	Unknown.	All other causes.
250	169	370	165	75	200	376	1,664	1,406	816	1,503	1,657	304	2,309	818	248	679	438	6,123
118	90	171	84	40	98	196	916	627	375	834	945	178	1,298	508	248	333	223	3,638
132	79	199	81	35	102	180	748	779	441	669	712	126	1,011	310	248	346	215	2,485
245	169	369	162	74	194	373	1,646	1,373	810	1,486	1,629	304	2,289	807	248	671	423	6,057
114	90	170	83	40	96	195	909	610	371	827	929	178	1,288	503	248	328	216	3,603
131	79	199	79	34	98	178	737	763	439	659	700	126	1,001	304	248	343	207	2,454
240	167	354	160	58	110	245	1,466	843	325	727	1,120	175	1,549	405	129	217	344	4,278
113	89	165	82	28	57	118	813	348	132	393	643	99	885	237	129	106	169	2,465
127	78	189	78	30	53	127	653	495	193	334	477	76	664	168	129	111	175	1,813
41	24	47	27	16	35	57	269	120	89	213	223	45	399	142	51	55	54	929
45	32	55	20	15	29	61	223	179	109	174	175	44	308	79	51	78	52	738
69	64	112	52	12	18	60	500	189	29	128	378	42	410	63	21	104	104	1,339
79	46	129	54	13	19	64	382	276	59	117	267	25	293	65	72	13	110	912
5	1	14	1	16	79	125	174	517	482	741	496	129	722	394	118	449	67	1,661
1	1	5		12	35	74	93	253	238	422	277	79	389	258	118	218	37	1,034
4		9	1	4	44	51	81	264	244	319	219	50	333	136	118	231	30	627
5		1	3	1	6	3	18	33	6	17	28		20	11		8	15	66
4		1	1		2	1	7	17	4	7	16		10	5		5	7	35
1			2	1	4	2	11	16	2	10	12		10	6		3	8	31
2					2	4	1	4	2	6	3		3	1			3	9
1					2	3	1	1		5	2		2	1				8
1						1		3	2	1	1		1				3	1
7		1					9	5	1	2	6		5	1		11	12	21
4		1					7	4		2	4		3	1			8	7
3							2	1	1		2		2			3	5	23
1	1	5		4	9	6	26	39	28	47	26	11	74	22	7	34	6	143
.....	1	4		3	5	3	12	13	12	30	13	6	43	17		17	5	87
1		1		1	4	3	14	26	16	17	13	5	31	5	7	17	1	56
1	1	5	3		1	8	21	22	10	19	15	2	31	11	2	11	15	89
1	1	3	1			5	9	9	3	10	7	1	16	9		4	4	58
.....		2	2		1	3	12	13	7	9	8	1	15	2	2	7	11	31
.....	15	1	3	2	4	3	27	16	12	18	21	5	24	7	3	6	10	63
.....	6	1	3	2	3		15	7	7	9	9	1	14	4		4	7	37
.....	9				1	3	12	9	5	9	12	4	10	3	3	2	3	26
3	2	1	5				13	4	2	12	22	1	13	4	1	3	5	36
.....							6	3	2	7	9		9	2		2	3	20
3	2	1	3				7	1		5	13	1	4	2	1	1	2	16
.....						5	9	4	1	2	1		7	1	1	2	2	19
.....						1	6	3	1	2	1		2	1	1	1	1	11
.....						4	3	1					5	1				8
4	7	4	3	2		4	20	21	9	19	17	3	21	17	5	5	8	100
.....	4			1		3	14	9	7	13	8	3	14	14		2	1	68
4	3	4	3	1		1	6	12	2	6	9		7	3	5	3	7	32

TABLE 19.—POPULATION, BIRTHS, DEATHS, AND DEATH RATES AT CERTAIN AGES, AND DEATHS FROM CERTAIN

AREAS.	UNDER 1 YEAR OF AGE.					UNDER 5 YEARS OF AGE.				ALL AGES.		
	Popula- tion.	Born and died in the census year.	Births during the census year.	Deaths.	Deaths under 1 per 1,000 births.	Popula- tion.	Deaths.	Death rate per 1,000 of popu- lation.	Deaths under 5 per 1,000 at all ages.	Popula- tion.	Deaths.	Death rate per 1,000 of popu- lation.
MICHIGAN—Continued.												
Group 1—Continued.												
1 Bay City	638	55	693	72	103.9	3,038	108	35.5	307.7	27,628	351	12.7
2 Males	339	38	377	49	130.0	1,571	69	43.9	335.0	13,546	206	15.2
3 Females	299	17	316	23	72.8	1,467	39	26.6	269.0	14,082	145	10.3
4 White	636	55	691	72	104.2	3,026	108	35.7	308.6	27,485	350	12.7
5 Males	338	38	376	49	130.3	1,567	69	44.0	335.0	13,489	206	15.3
6 Females	298	17	315	23	73.0	1,459	39	26.7	270.8	13,996	144	10.3
7 Native	636	54	690	120	173.9	3,006	105	34.9	477.3	19,017	220	11.6
8 Males	338	38	376	48	127.7	1,560	68	43.6	531.3	9,233	128	13.9
9 Females	298	16	314	72	229.3	1,446	37	25.6	(*)	9,784	92	9.4
10 Both parents native ..	164	18	182	24	131.9	739	30	40.6	(*)	5,704	68	11.9
11 One or both parents foreign.	472	36	508	46	90.6	2,267	75	33.1	531.9	13,313	141	10.6
12 Foreign				1		20	2	(*)	16.1	8,468	124	14.6
13 Males				1		7	1	(*)	(*)	4,256	74	17.4
14 Females						13	1	(*)	(*)	4,212	50	11.9
15 West Bay City	303	34	337	46	136.5	1,542	67	43.5	341.8	13,119	196	14.9
16 Males	171	20	191	28	146.6	789	41	52.0	359.6	6,652	114	17.1
17 Females	132	14	146	18	123.3	753	26	34.5	(*)	6,467	82	12.7
18 White	303	34	337	46	136.5	1,542	67	43.5	341.8	13,112	196	14.9
19 Males	171	20	191	28	146.6	789	41	52.0	359.6	6,647	114	17.2
20 Females	132	14	146	18	123.3	753	26	34.5	(*)	6,465	82	12.7
21 Native	301	34	335	46	137.3	1,522	67	44.0	523.4	9,358	128	13.7
22 Males	171	20	191	28	146.6	783	41	52.4	(*)	4,682	79	16.9
23 Females	130	14	144	18	125.0	739	26	35.2	(*)	4,676	49	10.5
24 Both parents native ..	113	5	118	10	84.7	500	16	32.0	(*)	3,326	36	10.8
25 One or both parents foreign.	188	28	216	35	162.0	1,022	50	48.9	(*)	6,032	86	14.3
26 Foreign	2		2			20				3,754	67	17.8
27 Males						6				1,965	34	17.3
28 Females	2		2			14				1,789	33	18.4
29 Benzie county	249	16	265	26	98.1	1,210	38	31.4	339.3	9,685	112	11.6
30 Males	132	6	138	11	79.7	627	18	28.7	(*)	5,243	58	11.1
31 Females	117	10	127	15	118.1	583	20	34.3	(*)	4,442	54	12.2
32 Berrien county	892	72	964	99	102.7	4,663	133	28.5	212.5	49,165	626	12.7
33 Males	462	44	506	59	116.6	2,344	79	33.7	233.0	25,164	339	13.5
34 Females	430	28	458	40	87.3	2,319	54	23.3	188.2	24,001	287	12.0
35 Charlevoix county	305	25	330	38	115.2	1,533	55	35.9	329.3	13,956	167	12.0
36 Males	161	15	176	19	108.0	814	28	34.4	(*)	7,594	88	11.6
37 Females	144	10	154	19	123.4	719	27	37.6	(*)	6,362	79	12.4
38 Cheboygan county	450	57	507	73	144.0	2,123	99	46.6	424.9	15,516	233	15.0
39 Males	237	35	272	42	154.4	1,083	57	52.6	401.4	8,378	142	16.9
40 Females	213	22	235	31	131.9	1,040	42	40.4	(*)	7,138	91	12.7
41 Chippewa county, rural	359	13	372	17	45.7	1,618	28	17.3	(*)	10,800	92	8.5
42 Males	180	9	189	11	58.2	822	16	19.5	(*)	6,301	56	8.9
43 Females	179	4	183	6	32.8	796	12	15.1	(*)	4,499	36	8.0

* Data insufficient for rates.

CAUSES, BY SEX, COLOR, GENERAL NATIVITY, AND PARENT NATIVITY: CENSUS YEAR 1900—Continued.

CAUSE OF DEATH.																		
Measles.	Scarlet fever.	Diphtheria and croup.	Whooping cough.	Malarial fever.	Influenza.	Typhoid fever.	Diarrheal diseases.	Consumption.	Cancer and tumor.	Heart disease and dropsy.	Pneumonia.	Diseases of the liver.	Diseases of the nervous system.	Diseases of the urinary organs.	Affections connected with pregnancy.	Old age.	Unknown.	All other causes.
3	10	21		2	3	8	13	19	23	50	13	3	36	12	1	6		128
2	6	5		2	2	5	8	6	13	29	9	2	21	9		4		83
1	4	16			1	3	5	13	10	21	4	1	15	3	1	2		45
3	10	21		2	3	8	13	19	23	50	13	3	36	11	1	6		128
2	6	5		2	2	5	8	6	13	29	9	2	21	9		4		83
1	4	16			1	3	5	13	10	21	4	1	15	2	1	2		45
3	10	19		1		6	11	16	8	21	6	2	19	8	1	2		87
2	6	5		1		4	7	5	3	14	5	1	14	7		2		52
1	4	14				2	4	11	5	7	1	1	5	1	1			35
1	1	3		1		3	5	4	3	9	1	1	7	4	1	1		23
2	9	16				3	6	10	4	10	5		12	3				61
.....		2		1	1	2	2	3	15	28	7	1	17	3		4		38
.....				1		1	1	1	10	15	4	1	7	2		2		29
.....		2			1	1	1	2	5	13	3		10	1		2		9
4	2	8		3	1	6	15	20	6	10	14	5	23	8	5	2	2	62
2	1	6				4	9	13	3	8	7	2	13	4		2	1	39
2	1	2		3	1	2	6	7	3	2	7	3	10	4	5		1	23
4	2	8		3	1	6	15	20	6	10	14	5	23	8	5	2	2	62
2	1	6				4	9	13	3	8	7	2	13	4		2	1	39
2	1	2		3	1	2	6	7	3	2	7	3	10	4	5		1	23
4	2	7		1		1	15	12	2	6	10	2	17	3	2	1	2	41
2	1	5				9	7	2	4	5	5	1	12	1		1	1	28
2	1	2		1		6	5			2	5	1	5	2	2		1	13
2	1	2				3	4			2	1	1	10	1	1		6	24
2	1	5		1		12	8	2	4	8	1	1	5	1	1		2	33
.....		1		2	1	5		8	4	4	4	3	6	5	3	1		20
.....		1				4		6	1	4	2	1	1	3		1		10
.....				2	1	1		2	3		2	2	5	2	3			10
2	1			1	1		14	8		13	6	2	10	6	2	4	5	37
1	1					7	4		5	1			8	4		2	3	22
1				1	1		7	4		8	5	2	2	2	2	2	2	15
9	11	8	3	4	11	13	34	41	36	67	40	16	83	25	10	27	13	175
2	7	7	1	2	3	6	18	11	17	46	23	10	52	10		12	7	105
7	4	1	2	2	8	7	16	30	19	21	17	6	31	15	10	15	6	70
.....	2			1	3	2	14	7	7	7	20	3	26	3	2	8	3	59
.....	1				2	1	7	2	1	4	8	2	16	2		7	2	33
.....	1			1	1	1	7	5	6	3	12	1	10	1	2	1	1	26
3	7	2	1	2	1	4	24	15	6	18	14	2	22	15		6	6	85
1	3	1		1		2	19	7	5	13	8		12	10		4	5	51
2	4	1	1	1	1	2	5	8	1	5	6	2	10	5		2	1	34
.....	1	1	1	1	1	5	3	3	1	11	8	2	9	1	2		8	34
.....		1	1	1		3	3	1	1	5	5	1	5		2		4	25
.....	1				1	2		2		6	3	1	4	1			4	9

TABLE 19.—POPULATION, BIRTHS, DEATHS, AND DEATH RATES AT CERTAIN AGES, AND DEATHS FROM CERTAIN

AREAS.	UNDER 1 YEAR OF AGE.					UNDER 5 YEARS OF AGE.				ALL AGES.		
	Popu- lation.	Born and died in the census year.	Births during the census year.	Deaths.	Deaths under 1 per 1,000 births.	Popu- lation.	Deaths.	Death rate per 1,000 of popu- lation.	Deaths under 5 per 1,000 at all ages.	Popu- lation.	Deaths.	Death rate per 1,000 of popu- lation.
MICHIGAN—Continued.												
1 Group 1—Continued. Sault Ste. Marie.....	259	25	284	51	179.6	1,170	66	56.4	404.9	10,538	163	15.5
2 Males.....	112	11	123	24	195.1	576	31	53.8	(*)	5,778	94	16.3
3 Females.....	147	14	161	27	167.7	594	35	58.9	(*)	4,760	69	14.5
4 White.....	258	25	283	51	180.2	1,162	66	56.8	404.9	10,418	163	15.6
5 Males.....	111	11	122	24	196.7	571	31	54.3	(*)	5,714	94	16.5
6 Females.....	147	14	161	27	167.7	591	35	59.2	(*)	4,704	69	14.7
7 Native.....	246	25	271	47	173.4	1,044	61	58.4	(*)	5,111	97	19.0
8 Males.....	104	11	115	23	200.0	511	30	58.7	(*)	2,677	53	19.8
9 Females.....	142	14	156	24	153.8	533	31	58.2	(*)	2,434	44	18.1
10 Both parents native..	36	5	41	10	(*)	171	13	76.0	(*)	1,520	19	12.5
11 One or both parents foreign.	210	19	229	36	157.2	873	46	52.7	(*)	3,591	70	19.5
12 Foreign.....	12		12	2	(*)	118	3	25.4	(*)	5,307	57	10.7
13 Males.....	7		7			60				3,037	34	11.2
14 Females.....	5		5	2	(*)	58	3	(*)	(*)	2,270	23	10.1
15 Delta county, rural.....	449	34	483	42	87.0	2,099	57	27.2	401.4	14,332	142	9.9
16 Males.....	235	20	255	26	102.0	1,065	33	31.0	(*)	8,446	79	9.4
17 Females.....	214	14	228	16	70.2	1,034	24	23.2	(*)	5,886	63	10.7
18 Escanaba.....	286	34	320	45	140.6	1,262	62	49.1	329.8	9,549	188	19.7
19 Males.....	140	19	159	25	157.2	608	33	54.3	264.0	5,030	125	24.9
20 Females.....	146	15	161	20	124.2	654	29	44.3	(*)	4,519	63	13.9
21 White.....	285	34	319	45	141.1	1,258	62	49.3	331.6	9,517	187	19.6
22 Males.....	140	19	159	25	157.2	605	33	54.5	264.0	5,010	125	25.0
23 Females.....	145	15	160	20	125.0	653	29	44.4	(*)	4,507	62	13.8
24 Native.....	284	32	316	43	136.1	1,225	59	48.2	531.5	6,311	111	17.6
25 Males.....	140	17	157	23	146.5	592	31	52.4	(*)	3,145	65	20.7
26 Females.....	144	15	159	20	125.8	633	28	44.2	(*)	3,166	46	14.5
27 Both parents native..	59	9	68	13	(*)	282	16	56.7	(*)	1,687	33	19.6
28 One or both parents foreign.	225	23	248	30	121.0	943	43	45.6	(*)	4,624	71	15.4
29 Foreign.....	1	2	3	2	(*)	33	3	(*)	(*)	3,206	71	22.1
30 Males.....		2	2	2	(*)	13	2	(*)	(*)	1,865	56	30.0
31 Females.....	1		1			20	1	(*)	(*)	1,341	15	11.2
32 Dickinson county, rural.....	301	27	328	43	131.1	1,354	68	50.2	576.3	8,648	118	13.6
33 Males.....	151	14	165	24	145.5	701	37	52.8	(*)	5,108	69	13.5
34 Females.....	150	13	163	19	116.6	653	31	47.5	(*)	3,540	49	13.8
35 Iron Mountain.....	322	42	364	54	148.4	1,510	71	47.0	582.0	9,242	122	13.2
36 Males.....	156	24	180	29	161.1	736	41	55.7	(*)	5,032	73	14.5
37 Females.....	166	18	184	25	135.9	774	30	38.8	(*)	4,210	49	11.6
38 White.....	322	42	364	54	148.4	1,510	71	47.0	582.0	9,232	122	13.2
39 Males.....	156	24	180	29	161.1	736	41	55.7	(*)	5,023	73	14.5
40 Females.....	166	18	184	25	135.9	774	30	38.8	(*)	4,209	49	11.6
41 Native.....	316	41	357	53	148.5	1,459	70	48.0	(*)	4,861	88	18.1
42 Males.....	153	23	176	28	159.1	710	40	56.3	(*)	2,408	48	19.9
43 Females.....	163	18	181	23	138.1	743	30	40.1	(*)	2,453	40	16.3
44 Both parents native..	29	3	32	3	(*)	136	4	29.4	(*)	728	6	8.2
45 One or both parents foreign.	287	37	324	49	151.2	1,323	65	49.1	(*)	4,133	79	19.1
46 Foreign.....	6	1	7	1	(*)	51	1	(*)	(*)	4,371	34	7.8
47 Males.....	3					26				2,615	25	9.6
48 Females.....	3	1		1	(*)	25	1	(*)	(*)	1,756	9	5.1
49 Emmet county.....	388	28	416	46	110.6	1,715	63	36.7	333.3	15,931	189	11.9
50 Males.....	201	17	218	29	133.0	878	41	46.7	390.5	8,585	105	12.2
51 Females.....	187	11	198	17	85.9	837	22	26.3	(*)	7,346	84	11.4

* Data insufficient for rates.

CAUSES, BY SEX, COLOR, GENERAL NATIVITY, AND PARENT NATIVITY: CENSUS YEAR 1900—Continued.

CAUSE OF DEATH.																		
Measles.	Scarlet fever.	Diphtheria and croup.	Whooping cough.	Malarial fever.	Influenza.	Typhoid fever.	Diarrheal diseases.	Consumption.	Cancer and tumor.	Heart disease and dropsy.	Pneumonia.	Diseases of the liver.	Diseases of the nervous system.	Diseases of the urinary organs.	Affections connected with pregnancy.	Old age.	Unknown.	All other causes.
		7	3		2	1	17	15	2	10	14	4	16	2	1	3	17	49
		4	1		2		10	6	1	5	11	2	6	2		2	11	31
		3	2			1	7	9	1	5	3	2	10		1	1	6	18
		7	3		2	1	17	15	2	10	14	4	16	2	1	3	17	49
		4	1		2		10	6	1	5	11	2	6	2		2	11	31
		3	2			1	7	9	1	5	3	2	10		1	1	6	18
		7	3															
		4	1		2		10	6	1	5	11	2	6	2		2	11	31
		3	2			1	7	9	1	5	3	2	10		1	1	6	18
		7	3		1	1	16	8		5	5	2	8			1	8	32
		4	1		1		10	3		3	3	1	3				5	19
		3	2			1	6	5		2	2	1	5			1	3	13
		1	1				3	3		2	1		2				1	5
		6	2		1	1	12	5		3	3	2	6			1	6	22
					1		1	6	2	5	9	2	7	2	1	2	7	12
					1			3	1	2	8	1	2	2		2	5	7
							1	3	1	3	1	1	5		1		2	5
1	1	6			2	1	12	15	3	8	10		8	3	3	5	15	49
1	1	4			1		9	10	1	5	5		4			3	6	30
	1	2			1	1	3	5	2	3	5		4	3	3	2	9	19
	6	2					9	10	18	4	9	20	2	11	5		11	76
	3	1					7	5	11	1	7	17	2	7	4			54
	3	1					2	5	7	3	2	3		4	1		6	5
	6	2					9	10	18	4	9	20	2	11	5		11	75
	3	1					7	5	11	1	7	17	2	7	4		6	54
	3	1					2	5	7	3	2	3		4	1		5	21
	6	1					3	8	7		1	10	1	8	4		10	47
	3						2	4	3	1	8	1	4	3			5	31
	3	1					1	4		2	2		4	1			5	16
	3	1					2	2		1	1		5				3	16
	3	1					3	5			9	1	3	1			7	28
		1					5	2	11	4	8	10	1	3	1		1	24
		1					4	1	8	1	6	9	1	3	1		1	20
							1	3	3	2	1							4
	8	1	5		1	1	14	9	7	1	10	1	10	2	1	1	4	42
	5	1	4		1		7	2	5		4	1	5	1				33
	3		1			1	7	7	2	1	6		5	1	1	1	4	9
	5	5	3		2	1	17	8	3	7	9		6	4		1	6	45
	2	4			1		11	5	3	3	5		5	2		1	2	29
	3	1	3		1	1	6	3		4	4		1	2			4	16
	5	5	3		2	1	17	8	3	7	9		6	4		1	6	45
	2	4			1		11	5	3	3	5		5	2		1	2	29
	3	1	3		1	1	6	3		4	4		1	2			4	16
	5	5	3		1	1	16	3		4	8		6				6	30
	2	4			1		11	1		2	4		5				2	16
	3	1	3			1	5	2		2	4		1				4	14
					1		1											4
	5	5	3		1	1	15	3		3	8		6				5	25
					1		1	5	3	3	1			4		1		15
					1		1	1	3	1	1			2		1		13
										2				2				2
1				2	4	3	23	16	11	10	15	3	19	8	1	6	6	61
1				2	3	1	14	4	7	4	12	1	11	3		3	1	38
					1	2	9	12	4	6	3	2	8	5	1	3	5	23

TABLE 19.—POPULATION, BIRTHS, DEATHS, AND DEATH RATES AT CERTAIN AGES, AND DEATHS FROM CERTAIN

AREAS.	UNDER 1 YEAR OF AGE.					UNDER 5 YEARS OF AGE.				ALL AGES.		
	Popula- tion.	Born and died in the census year.	Births during the census year.	Deaths.	Deaths under 1 per 1,000 births.	Popula- tion.	Deaths.	Death rate per 1,000 of popula- tion.	Deaths under 5 per 1,000 at all ages.	Popula- tion.	Deaths.	Death rate per 1,000 of popula- tion.
MICHIGAN—Continued.												
1 Group 1—Continued. Gogebic county, rural.....	267	23	290	27	93.1	1,130	38	33.6	(*)	7,033	74	10.5
2 Males	134	13	147	14	95.2	591	19	32.1	(*)	4,313	39	9.0
3 Females.....	133	10	143	13	90.9	539	19	35.3	(*)	2,720	35	12.9
4 Ironwood	379	36	415	43	103.6	1,733	63	36.4	500.0	9,705	126	13.0
5 Males	190	24	214	30	140.2	874	40	45.8	(*)	5,355	81	15.1
6 Females.....	189	12	201	13	64.7	859	23	26.8	(*)	4,350	45	10.3
7 White	379	36	415	43	103.6	1,733	63	36.4	500.0	9,702	126	13.0
8 Males	190	24	214	30	140.2	874	40	45.8	(*)	5,352	81	15.1
9 Females.....	189	12	201	13	64.7	859	23	26.8	(*)	4,350	45	10.3
10 Native	378	36	414	43	103.9	1,703	63	37.0	(*)	5,089	77	15.1
11 Males	190	24	214	30	140.2	862	40	46.4	(*)	2,576	46	17.9
12 Females.....	188	12	200	13	65.0	841	23	27.3	(*)	2,513	31	12.3
13 Both parents native...	33	1	34	1	(*)	136	3	22.1	(*)	734	3	4.1
14 One or both parents foreign.	345	35	380	42	110.5	1,567	60	38.3	(*)	4,355	73	16.8
15 Foreign	1		1			30				4,613	49	10.6
16 Males						12				2,776	35	12.6
17 Females.....	1		1			18				1,837	14	7.6
18 Grand Traverse county, rural.....	286	15	301	37	122.9	1,305	46	35.2	330.9	11,072	139	12.6
19 Males	156	10	166	20	120.5	690	23	33.3	(*)	6,082	72	11.8
20 Females.....	130	5	135	17	125.9	615	23	37.4	(*)	4,990	67	13.4
21 Traverse City	166	21	187	32	171.1	837	34	40.6	229.7	9,407	148	15.7
22 Males	76	11	87	15	(*)	417	16	38.4	(*)	4,713	77	16.3
23 Females.....	90	10	100	17	170.0	420	18	42.9	(*)	4,694	71	15.1
24 White	166	21	187	32	171.1	837	34	40.6	229.7	9,389	148	15.8
25 Males	76	11	87	15	(*)	417	16	38.4	(*)	4,697	77	16.4
26 Females.....	90	10	100	17	170.0	420	18	42.9	(*)	4,692	71	15.1
27 Native	166	21	187	32	171.1	836	34	40.7	320.8	7,326	106	14.5
28 Males	76	11	87	15	(*)	417	16	38.4	(*)	3,584	53	14.8
29 Females.....	90	10	100	17	170.0	419	18	43.0	(*)	3,742	53	14.2
30 Both parents native...	89	15	104	23	221.2	477	25	52.4	(*)	4,502	65	14.4
31 One or both parents foreign.	77	6	83	9	(*)	359	9	25.1	(*)	2,824	29	10.3
32 Foreign						1				2,063	39	18.9
33 Males										1,113	22	19.8
34 Females.....						1				950	17	17.9
35 Houghton county.....	2,128	200	2,328	315	135.3	9,718	449	46.2	466.3	66,063	963	14.6
36 Males	1,079	130	1,209	197	162.9	4,941	282	57.1	477.2	37,040	591	16.0
37 Females.....	1,049	70	1,119	118	105.5	4,777	167	35.0	448.9	29,023	372	12.8
38 Huron county.....	932	55	987	75	76.0	4,437	103	23.2	271.8	34,162	379	11.1
39 Males	473	33	506	46	90.9	2,235	61	27.3	309.6	17,864	197	11.0
40 Females.....	459	22	481	29	60.3	2,202	42	19.1	230.8	16,298	182	11.2
41 Iosco county	232	27	259	38	146.7	1,226	58	47.3	402.8	10,246	144	14.1
42 Males	129	16	145	23	158.6	632	33	52.2	(*)	5,392	79	14.7
43 Females.....	103	11	114	15	131.6	594	25	42.1	(*)	4,854	65	13.4
44 Iron county.....	270	14	284	16	56.3	1,145	24	21.0	(*)	8,990	66	7.3
45 Males	132	8	140	9	64.3	563	12	21.3	(*)	5,650	34	6.0
46 Females.....	138	6	144	7	48.6	582	12	20.6	(*)	3,340	32	9.6
47 Keweenaw county	96	15	111	18	162.2	484	26	53.7	(*)	3,217	48	14.9
48 Males	54	7	61	9	(*)	259	11	42.5	(*)	1,937	28	14.5
49 Females.....	42	8	50	9	(*)	225	15	66.7	(*)	1,280	20	15.6

* Data insufficient for rates.

CAUSES, BY SEX, COLOR, GENERAL NATIVITY, AND PARENT NATIVITY: CENSUS YEAR 1900—Continued.

CAUSE OF DEATH.																		
Measles.	Scarlet fever.	Diphtheria and croup.	Whooping cough.	Malarial fever.	Influenza.	Typhoid fever.	Diarrheal diseases.	Consumption.	Cancer and tumor.	Heart disease and dropsy.	Pneumonia.	Diseases of the liver.	Diseases of the nervous system.	Diseases of the urinary organs.	Affections connected with pregnancy.	Old age.	Unknown.	All other causes.
		1					12	2		2	11		7	2	3	2	1	31
		1					3 9	2		2	10 1		2 5	1 1	3	2	1	20 11
	1	3			4	4	8	6		8	15		8	4	1	1	9	54
	1	2			2 2	2 2	6 2	3 3		5 3	9 6		7 1	1 3	1	1	4 5	40 14
	1	3			4	4	8	6		8	15		8	4	1	1	9	54
	1	2			2 2	2 2	6 2	3 3		5 3	9 6		7 1	1 3	1	1	4 5	40 14
	1	3			2	2	8	2		3	6		6	1			9	34
	1	2			1 1	1 1	6 2	2		1 2	3 3		5 1	1 1			4 5	24 10
	1	3			2	2	8	2		3	6		6	1			1 8	2 32
					2	2		4		5	9		2	3	1	1		20
					1 1	1 1		3 1		4 1	6 3		2	1 2	1	1		16 4
6		1	1			2	12	9	10	8	10	3	21	10	2	1	1	42
1 5		1	1			2	5 7	3 6	4 6	3 5	9 1	2 1	9 12	7 3	2	1	1	26 16
		1	1		1	3	11	13	6	12	9	3	31	7	1	6	4	39
		1	1		1	1 2	5 6	7 6	3 3	6 6	5 4	1 2	22 9	2 5	1	4 2	4	15 24
		1	1		1	3	9	7	3	8	6	3	23	4		5	4	28
		1	1		1	1 2	4 5 5 4	1 6 2 3	2 1 1	3 5 4 2	5 1 1 4	1 2 2 1	15 8 14 5	1 3 3 1		3 2 3 1	4 11 22 6	
							2	5	3	4	3		8	3		1		10
							1	5	1 2	3 1	3		7 1	1 2		1		3 7
3	31	6	17	1	2	21	117	68	29	44	92	14	83	32	11	6	36	350
2 1	16 15	2 4	7 10	1	2	14 7	76 41	25 43	17 12	24 20	60 32	9 5	58 25	16 16	11	3 3	22 14	239 111
2	2	9	3	3	5	7	26	25	13	29	30	8	35	17	9	20	15	121
1 1	2	5 4	3	1 2	2 3	3 4	13 13	11 14	4 9	18 11	17 13	5 3	21 14	15 2	9	6 14	9 6	66 55
		4	3	1	5	3	13	7	2	14	10	1	15	4	2	8	2	50
		1 3	3	1	3 2	3	6 7	3 4	2	7 7	6 4	1	8 7	3 1	2	3 5	1	29 21
	1	1	4		2		3	3		4	10		3	1	1		2	31
	1	1	2		2		3	3		2 2	5 5		1 2	1	1		2	19 12
	1	1					5	2	3		5	1	6			1		23
	1	1					5	1	2		1 4	1	2 4			1		15 8

TABLE 19.—POPULATION, BIRTHS, DEATHS, AND DEATH RATES AT CERTAIN AGES, AND DEATHS FROM CERTAIN

AREAS.	UNDER 1 YEAR OF AGE.					UNDER 5 YEARS OF AGE.				ALL AGES.		
	Popula- tion	Born and died in the census year.	Births during the census year.	Deaths.	Deaths under 1 per 1,000 births.	Popula- tion.	Deaths.	Death rate per 1,000 of popula- tion.	Deaths under 5 per 1,000 at all ages.	Popula- tion.	Deaths.	Death rate per 1,000 of popula- tion.
MICHIGAN—Continued.												
Group 1—Continued.												
1 Leelanaw county	283	34	317	43	135.6	1,391	55	39.5	314.3	10,556	175	16.6
2 Males	159	15	174	19	109.2	761	25	32.9	(*)	5,764	88	15.3
3 Females	124	19	143	24	167.8	630	30	47.6	(*)	4,792	87	18.2
4 Luce county	72	6	78	9	(*)	358	9	25.1	(*)	2,983	32	10.7
5 Males	44	3	47	3	(*)	187	3	16.0	(*)	1,744	21	12.0
6 Females	28	3	31	6	(*)	171	6	35.1	(*)	1,239	11	8.9
7 Mackinac county	212	13	225	15	66.7	1,026	27	26.3	(*)	7,703	90	11.7
8 Males	104	6	110	6	54.5	515	12	23.3	(*)	4,278	53	12.4
9 Females	108	7	115	9	78.3	511	15	29.4	(*)	3,425	37	10.8
10 Macomb county	723	60	783	78	99.6	3,481	112	32.2	224.9	33,244	498	15.0
11 Males	333	26	359	36	100.3	1,743	52	29.8	209.7	16,887	248	14.7
12 Females	390	34	424	42	99.1	1,738	60	34.5	240.0	16,357	250	15.3
13 Manistee county	710	98	808	132	163.4	3,719	188	50.6	465.3	27,856	404	14.5
14 Males	344	54	398	71	178.4	1,879	95	50.6	411.3	14,477	231	16.0
15 Females	366	44	410	61	148.8	1,840	93	50.5	537.6	13,379	173	12.9
16 Marquette county, rural	496	44	540	52	96.3	2,332	86	36.9	436.5	17,926	197	11.0
17 Males	240	27	267	35	131.1	1,154	54	46.8	442.6	10,126	122	12.0
18 Females	256	17	273	17	62.3	1,178	32	27.2	(*)	7,800	75	9.6
19 Ishpeming	428	44	472	68	144.1	1,918	96	50.1	489.8	13,255	196	14.8
20 Males	223	29	252	47	186.5	983	61	62.1	535.1	7,180	114	15.9
21 Females	205	15	220	21	95.5	935	35	37.4	(*)	6,075	82	13.5
22 White	428	44	472	68	144.1	1,918	96	50.1	489.8	13,251	196	14.8
23 Males	223	29	252	47	186.5	983	61	62.1	535.1	7,176	114	15.9
24 Females	205	15	220	21	95.5	935	35	37.4	(*)	6,075	82	13.5
25 Native	418	44	462	68	147.2	1,846	96	52.0	813.6	7,285	118	16.2
26 Males	220	29	249	47	188.8	950	61	64.2	(*)	3,590	73	20.3
27 Females	198	15	213	21	98.6	896	35	39.1	(*)	3,695	45	12.2
28 Both parents native ..	38	8	46	11	(*)	178	12	67.4	(*)	881	13	15.6
29 One or both parents foreign.	380	36	416	57	137.0	1,668	84	50.4	807.7	6,454	104	16.1
30 Foreign	10		10			72				5,966	75	12.6
31 Males	3		3			33				3,586	38	10.6
32 Females	7		7			39				2,380	37	15.5
33 Marquette	237	30	267	43	161.0	1,197	60	50.1	359.3	10,058	167	16.6
34 Males	117	19	136	28	205.9	605	33	54.5	(*)	5,208	99	19.0
35 Females	120	11	131	15	114.5	592	27	45.6	(*)	4,850	68	14.0
36 White	237	30	267	43	161.0	1,190	60	50.4	365.9	9,957	164	16.5
37 Males	117	19	136	28	205.9	603	33	54.7	(*)	5,143	97	18.9
38 Females	120	11	131	15	114.5	587	27	46.0	(*)	4,814	67	13.9
39 Native	234	30	264	43	162.9	1,174	60	51.1	571.4	6,519	105	16.1
40 Males	116	19	135	28	207.4	595	33	55.5	(*)	3,248	60	18.5
41 Females	118	11	129	15	116.3	579	27	46.6	(*)	3,271	45	13.8
42 Both parents native ..	63	6	69	10	(*)	284	12	42.3	(*)	1,779	24	13.5
43 One or both parents foreign.	171	23	194	32	164.9	890	47	52.8	(*)	4,740	74	15.6
44 Foreign	3		3			16				3,438	58	16.9
45 Males	1		1			8				1,895	36	19.0
46 Females	2		2			8				1,543	22	14.3
47 Mason county	504	48	552	56	101.4	2,372	90	37.9	371.9	18,885	242	12.8
48 Males	255	26	281	29	103.2	1,166	46	39.5	353.8	9,717	130	13.4
49 Females	249	22	271	27	99.6	1,206	44	36.5	392.9	9,168	112	12.2
50 Menominee county, rural	456	41	497	58	116.7	2,251	72	32.0	507.0	14,228	142	10.0
51 Males	217	26	243	35	144.0	1,115	45	40.4	(*)	8,121	82	10.1
52 Females	239	15	254	23	90.6	1,136	27	23.8	(*)	6,107	60	9.8

* Data insufficient for rates.

CAUSES, BY SEX, COLOR, GENERAL NATIVITY, AND PARENT NATIVITY: CENSUS YEAR 1900—Continued.

CAUSE OF DEATH.																			
Measles.	Scarlet fever.	Diphtheria and croup.	Whooping cough.	Malarial fever.	Influenza.	Typhoid fever.	Diarrheal diseases.	Consumption.	Cancer and tumor.	Heart disease and dropsy.	Pneumonia.	Diseases of the liver.	Diseases of the nervous system.	Diseases of the urinary organs.	Affections connected with pregnancy.	Old age.	Unknown.	All other causes.	
2	1	2	2		5	2	10	15	10	16	11	1	11	7	4	15	6	55	1
2	1	1	1		2	2	7	6	4	8	4	1	5	6	4	9	2	31	2
2		1	1		3		3	9	6	8	7		6	1		6	4	24	3
2							2	4		2	4		3	1				14	4
2							2	2		2	2		3	1				12	5
2							2	2			2							2	6
.....	1			2			6	12	3	7	9	3	8	2	1	2	4	30	7
.....	1			1			2	6	2	5	5	1	4	2		2	1	22	8
.....	1			1			4	6	1	2	4	2	4		1		3	8	9
8	2	8	4	6	6	17	44	40	24	42	37	9	64	31	9	8	5	134	10
7	1	4	2	4	2	11	17	12	10	32	23	4	34	18		2	4	61	11
1	1	4	2	2	4	6	27	28	14	10	14	5	30	13	9	6	1	73	12
16	1	4	5		4	8	32	31	19	13	44	5	40	18	6	9	21	128	13
8	1	2	3		2	5	15	15	10	7	19	3	24	15		7	11	84	14
8		2	2		2	3	17	16	9	6	25	2	16	3	6	2	10	44	15
10	1	1	2		2	3	13	15	6	10	12	2	17	11	3	4	2	83	16
3	1	1	1			1	9	8	3	6	10	2	9	7		1		60	17
7			1		2	2	4	7	3	4	2		8	4	3	3	2	23	18
5	2	6	8				29	11	4	14	13	2	13	6	7	3	10	63	19
3	2	3	5				20	6	2	8	7		8	2				42	20
2		3	3				9	5	2	6	6	2	5	4	7	3	4	21	21
5	2	6	8				29	11	4	14	13	2	13	6	7	3	10	63	22
3	2	3	5				20	6	2	8	7		8	2				42	23
2		3	3				9	5	2	6	6	2	5	4	7	3	4	21	24
4	2	6	8				28	1		2	10	1	7	2	2		9	36	25
3	2	3	5				20	1		1	5		5	2				23	26
1		3	3				8			1	5	1	2	2				13	27
1			1				2				10		2	2				4	28
3	2	5	7				26	1		2			5	2				32	29
1							1	10	4	12	3	1	6	4	5	3		25	30
.....								5	2	7	2		3	2				17	31
1							1	5	2	5	1	1	3	2	5	3		8	32
1	1	1	4			8	23	14	8	5	11	3	16	8	1	4		59	33
1	1	1	4			4	17	10	3	4	4	3	11	6	1	1		35	34
.....	1						6	4	5	1	7		5	2		3		24	35
1	1	1	4			8	22	14	8	4	11	3	16	7	1	4		59	36
1	1	1	4			4	17	10	3	3	4	3	11	5		1		35	37
.....	1	1	4			4	5	4	5	1	7		5	2	1	3		24	38
1	1	1	4			5	20	9	1	2	7	1	10	2		1		40	39
1	1	1	4			2	15	7		1	2	1	6	2				23	40
.....	1	1	4			3	5	2	1	1	5		4			1		17	41
.....	1	1	1			3	5			1	2		1	1		1		9	42
1	1	1	3			2	15	7		1	5	1	8	1				28	43
.....						3	2	5	7	2	4	2	6	5	1	3		18	44
.....						2	2	3	3	2	2	2	5	3		1		11	45
.....						1		2	4		2		1	2	1	2		7	46
11		3	11	2	1	4	12	23	14	17	20	4	22	5	3	10	11	69	47
4		1	5	2		2	4	11	6	10	14	3	14	5		5	5	39	48
7		2	6		1	2	8	12	8	7	6	1	8		3	5	6	30	49
.....			11		2	3	19	11	3	6	8	3	17	4	2	3	8	42	50
.....			8		1	1	13	5	1	4	4	1	13	1		1	4	25	51
.....			3		1	2	6	6	2	2	4	2	4	3	2	2	4	17	52

VITAL STATISTICS.

TABLE 19.—POPULATION, BIRTHS, DEATHS, AND DEATH RATES AT CERTAIN AGES, AND DEATHS FROM CERTAIN

AREAS.	UNDER 1 YEAR OF AGE.					UNDER 5 YEARS OF AGE.				ALL AGES.		
	Population.	Born and died in the census year.	Births during the census year.	Deaths.	Deaths under 1 per 1,000 births.	Population.	Deaths.	Death rate per 1,000 of population.	Deaths under 5 per 1,000 at all ages.	Population.	Deaths.	Death rate per 1,000 of population.
MICHIGAN—Continued.												
1 Group 1—Continued.												
2 Menominee	407	22	429	44	102.6	1,930	71	36.8	396.6	12,818	179	14.0
3 Males	210	12	232	26	117.1	1,010	45	44.6	445.5	6,784	101	14.9
4 Females	197	10	207	18	87.0	920	26	28.3	(*)	6,034	78	12.9
5 White	406	22	428	44	102.8	1,926	71	36.9	396.6	12,779	179	14.0
6 Males	209	12	221	26	117.6	1,006	45	44.7	445.5	6,761	101	14.9
7 Females	197	10	207	18	87.0	920	26	28.3	(*)	6,018	78	13.0
8 Native	404	22	426	44	103.3	1,916	71	37.1	591.7	8,595	120	14.0
9 Males	209	12	221	26	117.6	1,002	45	44.9	(*)	4,328	63	14.6
10 Females	195	10	205	18	87.8	914	26	28.4	(*)	4,267	57	13.4
11 Both parents native ..	108	5	113	10	88.5	442	16	36.2	(*)	2,143	23	10.7
One or both parents foreign.	296	16	312	33	105.8	1,474	54	36.6	(*)	6,452	83	12.9
12 Foreign	2		2			10				4,184	56	13.4
13 Males												
14 Females	2		2			4				2,433	35	14.4
15 Monroe county	729	56	785	70	89.2	3,661	104	28.4	251.8	1,751	21	12.0
16 Males	385	36	421	48	114.0	1,879	64	34.1	279.5	32,754	413	12.6
17 Females	344	20	364	22	60.4	1,782	40	22.4	217.4	16,848	229	13.6
18 Muskegon county, rural	353	21	374	27	72.2	1,712	43	25.1	233.7	15,906	184	11.6
19 Males	197	11	208	17	81.7	889	27	30.4	259.6	16,218	184	11.3
20 Females	156	10	166	10	60.2	823	16	19.4	(*)	8,525	104	12.2
21 Muskegon	411	42	453	57	125.8	2,078	89	42.8	349.0	7,693	80	10.4
22 Males	211	26	237	36	151.9	1,038	54	52.0	388.5	20,818	255	12.2
23 Females	200	16	216	21	97.2	1,040	35	33.7	301.7	10,440	139	13.3
24 White	410	42	452	57	126.1	2,077	89	42.9	351.8	10,378	116	11.2
25 Males	211	26	237	36	151.9	1,038	54	52.0	394.2	20,794	253	12.2
26 Females	199	16	215	21	97.7	1,039	35	33.7	301.7	10,428	137	13.1
27 Native	409	42	451	57	126.4	2,064	89	43.1	500.0	10,366	116	11.2
28 Males	210	26	236	36	152.5	1,028	54	52.5	(*)	14,559	178	12.2
29 Females	199	16	215	21	97.7	1,036	35	33.8	(*)	7,215	95	13.2
30 Both parents native ..	124	16	140	21	150.0	653	28	42.9	(*)	7,344	83	11.3
31 One or both parents foreign.	285	25	310	34	109.7	1,411	59	41.8	(*)	5,248	75	14.3
32 Foreign	1		1			13				9,311	89	9.6
33 Males	1		1							6,235	74	11.9
34 Females						10				3,213	41	12.8
35 Oceana county	414	27	441	33	74.8	3				3,022	38	10.9
36 Males	196	17	213	22	103.3	1,996	50	25.1	260.4	16,644	192	11.5
37 Females	218	10	228	11	48.2	1,003	31	30.9	295.2	8,708	105	12.1
38 Ontonagon county	178	16	194	23	118.6	993	19	19.1	(*)	7,936	87	11.0
39 Males	74	8	82	11	(*)	817	36	44.1	(*)	6,197	87	14.0
40 Females	104	8	112	12	107.1	412	15	36.4	(*)	3,723	46	12.4
41 Ottawa county	898	68	966	99	102.5	405	21	51.9	(*)	2,474	41	16.6
42 Males	447	36	483	47	97.3	4,631	144	31.1	247.8	39,667	581	14.6
43 Females	451	32	483	52	107.7	2,362	71	30.1	225.4	20,463	315	15.4
44 Presque Isle county	285	18	303	23	75.9	2,269	73	32.2	274.4	19,214	266	13.8
45 Males	150	10	160	14	87.5	1,262	30	23.8	(*)	8,821	72	8.2
46 Females	135	8	143	9	62.9	620	17	27.4	(*)	4,977	43	8.6
47 Saginaw county, rural	996	66	1,062	96	90.4	642	13	20.2	(*)	3,844	29	7.5
48 Males	497	37	534	54	101.1	4,718	127	26.9	272.5	38,877	466	12.0
49 Females	499	29	528	42	79.5	2,367	65	27.5	285.1	20,457	228	11.1
						2,351	62	26.4	260.5	18,420	238	12.9

* Data insufficient for rates.

CAUSES, BY SEX, COLOR, GENERAL NATIVITY, AND PARENT NATIVITY: CENSUS YEAR 1900—Continued.

CAUSE OF DEATH.																		
Measles.	Scarlet fever.	Diphtheria and croup.	Whooping cough.	Malarial fever.	Influenza.	Typhoid fever.	Diarrheal diseases.	Consumption.	Cancer and tumor.	Heart disease and dropsy.	Pneumonia.	Diseases of the liver.	Diseases of the nervous system.	Diseases of the urinary organs.	Affections connected with pregnancy.	Old age.	Unknown.	All other causes.
			2			15	27	14	6	7	22	3	19	4	3	4	5	48
			1			10	19	6	3	5	11	1	8	1			3	33
			1			5	8	8	3	2	11	2	11	3	3	4	2	15
			2			15	27	14	6	7	22	3	19	4	3	4	5	48
			1			10	19	6	3	5	11	1	8	1			3	33
			1			5	8	8	3	2	11	2	11	3	3	4	2	15
			2			9	27	6	2		17	1	14	1	1	3	1	36
			1			4	19	2			8		6					23
			1			5	8	4	2		9	1	8	1	1	3	1	13
			1				8	2			2		4			2		4
			1			8	19	1	2		12		8		1		1	30
						6		7	4	6	4	2	5	3	2	1	4	12
						6		3	3	4	2	1	2	1			3	10
								4	1	2	2	1	3	2	2	1	1	2
6	4	23	4	1	6	15	25	36	15	41	29	8	51	18		8	11	112
5	2	11	1	1	1	8	15	13	11	22	16	3	27	10		5	5	73
1	2	12	3		5	7	10	23	4	19	13	5	24	8		3	6	39
3		1	2		2	6	14	10	7	16	27	3	24	11	1	8	3	46
3		1	2		2	4	10	5	5	6	17	3	13	4		2	2	27
					2	2	4	5	2	10	10		11	7	1	6	1	19
																		20
		4	1	2	2	4	22	22	9	11	34	5	39	14	1	6	9	70
		2		1		1	13	10	4	6	24	4	17	7		4	4	42
		2	1	1	2	3	9	12	5	5	10	1	22	7	1	2	5	28
		4	1	2	2	4	22	22	9	11	34	5	38	13	1	6	9	70
		2		1		1	13	10	4	6	24	4	16	6		4	4	42
		2	1	1	2	3	9	12	5	5	10	1	22	7	1	2	5	28
		3	1	2	1	3	18	15	6	5	23	2	30	5		2	7	55
		1				1	11	6	3	1	17	1	14	3		2	3	31
		2	1	1	1	2	7	9	3	4	6	1	16	2			4	24
		3	1	1	1	2	5	7	3	2	10	1	12	4		1	3	24
					1	1	13	7	2	2	13	1	12	1			3	28
		1			1	1	4	6	3	6	11	3	8	8	1	4	2	15
		1					2	3	1	5	7	3	2	3		2	1	11
					1	1	2	3	2	1	4		6	5	1	2	1	4
	2	2		1	4	2	17	18	4	30	16	2	18	6	3	9	4	54
	1	2			2	1	8	7	1	18	9	1	9	4		4	3	35
	1			1	2	1	9	11	3	12	7	1	9	2	3	5	1	19
12			1		2	1	12	4	1	3	9		10	7		2	7	26
1					2	1	5	1		2	5		7	5			2	15
1			1				7	3	1	1	4		3	2		2	5	11
4	3	3	1	3	12	11	48	30	28	55	38	15	78	29	9	36	7	171
1	1	3		1	6	7	25	16	12	31	21	5	42	20		18	5	101
3	2		1	2	6	4	23	14	16	24	17	10	36	9	9	18	2	70
2		9				1	2	3		4	8	1	8	2	1	6	10	15
2		7					1	2		2	6		2	2		3	6	12
2		2				1	1	1		2	2	1	6		1	3	4	3
7	1	14	4	5	5	5	45	35	31	44	26	6	45	22	4	30	7	130
3		6	3	2	2	3	22	11	12	25	13	2	26	10		11	2	75
4	1	8	1	3	3	2	23	24	19	19	16	4	19	12	4	19	5	55

TABLE 19.—POPULATION, BIRTHS, DEATHS, AND DEATH RATES AT CERTAIN AGES, AND DEATHS FROM CERTAIN

AREAS.	UNDER 1 YEAR OF AGE.					UNDER 5 YEARS OF AGE.				ALL AGES.		
	Popu- lation.	Born and died in the census year.	Births during the census year.	Deaths.	Deaths under 1 per 1,000 births.	Popu- lation.	Deaths.	Death rate per 1,000 of popu- lation.	Deaths under 5 per 1,000 at all ages.	Popu- lation.	Deaths.	Death rate per 1,000 of popu- lation.
MICHIGAN—Continued.												
1 Group 1—Continued.												
2 Saginaw	712	70	782	99	126.6	3,772	124	32.9	221.4	42,345	560	13.2
3 Males	367	43	410	61	148.8	1,900	80	42.1	250.8	20,488	319	15.6
4 Females	345	27	372	38	102.2	1,872	44	23.5	182.6	21,857	241	11.0
5 White	707	70	777	98	126.1	3,753	123	32.8	221.2	41,994	556	13.2
6 Males	366	43	409	61	149.1	1,889	80	42.4	251.6	20,286	318	15.7
7 Females	341	27	368	37	100.5	1,864	43	23.1	180.7	21,708	238	11.0
8 Native	707	67	774	94	121.4	3,738	119	31.8	346.9	30,693	343	11.2
9 Males	366	40	406	57	140.4	1,883	76	40.4	391.8	14,587	194	13.3
10 Females	341	27	368	37	100.5	1,855	43	23.2	288.6	16,006	149	9.3
11 Both parents native ..	303	27	330	40	121.2	1,496	48	32.1	381.0	11,965	126	10.5
One or both parents foreign.	404	34	438	47	107.3	2,242	68	28.1	375.0	18,628	168	9.0
12 Foreign		3		3		15	3	(*)	14.9	11,401	202	17.7
13 Males		3		3		6	3	(*)	25.6	5,699	117	20.5
14 Females						9				5,702	85	14.9
15 St. Clair county, rural	778	52	830	69	83.1	3,834	109	28.4	235.9	36,070	462	12.8
16 Males	419	31	450	39	86.7	1,966	60	30.5	241.9	18,653	248	13.3
17 Females	359	21	380	30	78.9	1,868	49	26.2	229.0	17,417	214	12.3
18 Port Huron	360	33	393	50	127.2	1,741	64	36.8	268.9	19,158	238	12.4
19 Males	190	20	210	30	142.9	875	38	43.4	290.1	9,455	131	13.9
20 Females	170	13	183	20	109.3	866	26	30.0	243.0	9,703	107	11.0
21 White	360	33	393	50	127.2	1,738	64	36.8	270.0	19,088	237	12.4
22 Males	190	20	210	30	142.9	874	38	43.5	290.1	9,418	131	13.9
23 Females	170	13	183	20	109.3	864	26	30.1	245.3	9,670	106	11.0
24 Native	353	33	386	49	126.9	1,651	63	38.2	463.2	11,963	136	11.4
25 Males	186	20	206	29	140.8	827	37	44.7	(*)	5,934	69	11.6
26 Females	167	13	180	20	111.1	824	26	31.6	(*)	6,029	67	11.1
27 Both parents native ..	126	9	135	15	111.1	513	20	39.0	(*)	4,043	56	13.9
28 One or both parents foreign.	227	23	250	31	124.0	1,138	40	35.1	(*)	7,920	69	8.7
29 Foreign	7		7	1	(*)	87	1	(*)	(*)	7,125	98	13.8
30 Males	4		4	1	(*)	47	1	(*)	(*)	3,484	59	16.9
31 Females	3		3			40				3,641	39	10.7
32 Sanilac county	909	58	967	84	86.9	4,200	121	28.8	284.0	35,055	426	12.2
33 Males	442	39	481	52	108.1	2,165	70	32.3	319.6	18,283	219	12.0
34 Females	467	19	486	32	65.8	2,035	51	25.1	246.4	16,772	207	12.3
35 Schoolcraft county	234	17	251	20	79.7	1,073	27	25.2	(*)	7,889	81	10.3
36 Males	118	7	125	8	64.0	505	11	21.8	(*)	4,622	38	8.2
37 Females	116	10	126	12	95.2	568	16	28.2	(*)	3,267	43	13.2
38 Tuscola county	809	62	871	84	96.4	3,908	115	29.4	251.1	35,890	458	12.8
39 Males	412	33	445	48	107.9	1,977	65	32.9	283.8	18,496	229	12.4
40 Females	397	29	426	36	84.5	1,931	50	25.9	218.3	17,394	229	13.2
41 Van Buren county	626	39	665	51	76.7	3,044	76	25.0	159.7	33,274	476	14.3
42 Males	309	22	331	28	84.6	1,519	39	25.7	157.3	16,951	248	14.6
43 Females	317	17	334	23	68.9	1,525	37	24.3	162.3	16,323	228	14.0
44 Wayne county, rural	1,556	149	1,705	217	127.3	7,636	320	41.9	299.1	63,089	1,070	17.0
45 Males	797	94	891	135	151.5	3,918	194	49.5	317.0	32,693	612	18.7
46 Females	759	55	814	82	100.7	3,718	126	33.9	275.1	30,396	458	15.1

* Data insufficient for rates.

CAUSES, BY SEX, COLOR, GENERAL NATIVITY, AND PARENT NATIVITY: CENSUS YEAR 1900—Continued.

CAUSE OF DEATH.																			
Measles.	Scarlet fever.	Diphtheria and croup.	Whooping cough.	Malarial fever.	Influenza.	Typhoid fever.	Diarrheal diseases.	Consumption.	Cancer and tumor.	Heart disease and dropsy.	Pneumonia.	Diseases of the liver.	Diseases of the nervous system.	Diseases of the urinary organs.	Affections connected with pregnancy.	Old age.	Unknown.	All other causes.	
4		7	1	2	3	17	24	41	32	72	50	4	70	34	5	17	3	174	1
3		5			3	8	16	16	10	45	31	3	39	24		9	2	105	2
1		2	1	2		9	8	25	22	27	19	1	31	10	5	8	1	69	3
4		7		2	3	16	24	41	31	72	50	4	70	34	5	17	3	173	4
3		5			3	8	16	16	10	45	31	3	39	24		9	2	104	5
1		2		2		8	8	25	21	27	19	1	31	10	5	8	1	69	6
4		7		1	2	10	21	26	12	30	34	2	44	20	1	3	3	123	7
3		5			2	5	14	9	3	18	23	1	24	11		1	2	73	8
1		2		1		5	7	17	9	12	11	1	20	9	1	2	1	50	9
1		1		1		2	7	4	9	14	14		19	10		2	1	40	10
2		6			1	8	10	20	1	11	15	2	17	4	1	1	2	67	11
.....				1	1	6	2	15	18	40	15	2	26	14	4	13		45	12
.....					1	3	1	7	7	26	7	2	15	13		7		28	13
.....				1		3		8	11	14	8		11	1	4	6		17	14
1	4	3	2	1	7	9	38	24	30	43	31	13	72	14	3	26	8	133	15
1	4	1	2		4	5	16	11	19	29	19	10	32	7		14	3	71	16
.....		2		1	3	4	22	13	11	14	12	3	40	7	3	12	5	62	17
1		3	1		2	7	14	21	12	19	27	5	32	11	1	8	1	73	18
.....		2	1		2	2	7	7	7	7	15	4	21	6		5		45	19
1		1				5	7	14	5	12	12	1	11	5	1	3	1	28	20
1		3	1		2	7	14	21	12	19	27	5	32	11	1	8	1	72	21
.....		2	1		2	2	7	7	7	7	15	4	21	6		5		45	19
1		1				5	7	14	5	12	12	1	11	5	1	3	1	28	20
1		3	1		2	7	14	21	12	19	27	5	32	11	1	8	1	72	21
.....		2	1		2	2	7	7	7	7	15	4	21	6		5		45	19
1		1				5	7	14	5	12	12	1	11	5	1	3	1	28	20
1		3	1		2	7	14	21	12	19	27	5	32	11	1	8	1	72	21
.....		2	1		2	2	7	7	7	7	15	4	21	6		5		45	19
1		1				5	7	14	5	12	12	1	11	5	1	3	1	28	20
1		3	1		2	7	14	21	12	19	27	5	32	11	1	8	1	72	21
.....		2	1		2	2	7	7	7	7	15	4	21	6		5		45	19
1		1				5	7	14	5	12	12	1	11	5	1	3	1	28	20
1		3	1		2	7	14	21	12	19	27	5	32	11	1	8	1	72	21
.....		2	1		2	2	7	7	7	7	15	4	21	6		5		45	19
1		1				5	7	14	5	12	12	1	11	5	1	3	1	28	20
1		3	1		2	7	14	21	12	19	27	5	32	11	1	8	1	72	21
.....		2	1		2	2	7	7	7	7	15	4	21	6		5		45	19
1		1				5	7	14	5	12	12	1	11	5	1	3	1	28	20
1		3	1		2	7	14	21	12	19	27	5	32	11	1	8	1	72	21
.....		2	1		2	2	7	7	7	7	15	4	21	6		5		45	19
1		1				5	7	14	5	12	12	1	11	5	1	3	1	28	20
1		3	1		2	7	14	21	12	19	27	5	32	11	1	8	1	72	21
.....		2	1		2	2	7	7	7	7	15	4	21	6		5		45	19
1		1				5	7	14	5	12	12	1	11	5	1	3	1	28	20
1		3	1		2	7	14	21	12	19	27	5	32	11	1	8	1	72	21
.....		2	1		2	2	7	7	7	7	15	4	21	6		5		45	19
1		1				5	7	14	5	12	12	1	11	5	1	3	1	28	20
1		3	1		2	7	14	21	12	19	27	5	32	11	1	8	1	72	21
.....		2	1		2	2	7	7	7	7	15	4	21	6		5		45	19
1		1				5	7	14	5	12	12	1	11	5	1	3	1	28	20
1		3	1		2	7	14	21	12	19	27	5	32	11	1	8	1	72	21
.....		2	1		2	2	7	7	7	7	15	4	21	6		5		45	19
1		1				5	7	14	5	12	12	1	11	5	1	3	1	28	20
1		3	1		2	7	14	21	12	19	27	5	32	11	1	8	1	72	21
.....		2	1		2	2	7	7	7	7	15	4	21	6		5		45	19
1		1				5	7	14	5	12	12	1	11	5	1	3	1	28	20
1		3	1		2	7	14	21	12	19	27	5	32	11	1	8	1	72	21
.....		2	1		2	2	7	7	7	7	15	4	21	6		5		45	19
1		1				5	7	14	5	12	12	1	11	5	1	3	1	28	20
1		3	1		2	7	14	21	12	19	27	5	32	11	1	8	1	72	21
.....		2	1		2	2	7	7	7	7	15	4	21	6		5		45	19
1		1				5	7	14	5	12	12	1	11	5	1	3	1	28	20
1		3	1		2	7	14	21	12	19	27	5	32	11	1	8	1	72	21
.....		2	1		2	2	7	7	7	7	15	4	21	6		5		45	19
1		1				5	7	14	5	12	12	1	11	5	1	3	1	28	20
1		3	1		2	7	14	21	12	19	27	5	32	11	1	8	1	72	21
.....		2	1		2	2	7	7	7	7	15	4	21	6		5		45	19
1		1				5	7	14	5	12	12	1	11	5	1	3	1	28	20
1		3	1		2	7	14	21	12	19	27	5	32	11	1	8	1	72	21
.....		2	1		2	2	7	7	7	7	15	4	21	6		5		45	19
1		1				5	7	14	5	12	12	1	11	5	1	3	1	28	20
1		3	1		2	7	14	21	12	19	27	5	32	11	1	8	1	72	21
.....		2	1		2	2	7	7	7	7	15	4	21	6		5		45	19
1		1				5	7	14	5	12	12	1	11	5	1	3	1	28	20
1		3	1		2	7	14	21	12	19	27	5	32	11	1	8	1	72	21
.....		2	1		2	2	7	7	7	7	15	4	21	6		5		45	19
1		1				5	7	14	5	12	12	1	11						

TABLE 19.—POPULATION, BIRTHS, DEATHS, AND DEATH RATES AT CERTAIN AGES, AND DEATHS FROM CERTAIN

AREAS.	UNDER 1 YEAR OF AGE.					UNDER 5 YEARS OF AGE.				ALL AGES.		
	Popula- tion.	Born and died in the census year.	Births during the census year.	Deaths.	Deaths under 1 per 1,000 births.	Popula- tion.	Deaths.	Death rate per 1,000 of popu- lation.	Deaths under 5 per 1,000 at all ages.	Popula- tion.	Deaths.	Death rate per 1,000 of popu- lation.
MICHIGAN—Continued.												
1 Group 1—Continued.												
2 Detroit.....	6,557	915	7,472	1,319	176.5	31,087	1,817	58.4	371.3	285,704	4,893	17.1
3 Males.....	3,368	510	3,878	707	182.3	15,686	960	61.2	380.7	139,242	2,522	18.1
4 Females.....	3,189	405	3,594	612	170.3	15,401	857	55.6	361.5	146,462	2,371	16.2
5 White.....	6,491	908	7,399	1,303	176.1	30,787	1,792	58.2	374.1	281,575	4,790	17.0
6 Males.....	3,335	505	3,840	696	181.3	15,528	944	60.8	383.0	137,213	2,465	18.0
7 Females.....	3,156	403	3,559	607	170.6	15,259	848	55.6	364.7	144,362	2,325	16.1
8 Native.....	6,435	907	7,342	1,300	177.1	30,211	1,780	58.9	371.8	185,524	3,113	16.8
9 Males.....	3,311	504	3,815	694	181.9	15,241	938	61.5	372.3	90,353	1,639	18.1
10 Females.....	3,124	403	3,527	606	171.8	14,970	842	56.2	361.2	95,171	1,474	15.5
11 Both parents na- (M..	892	102	994	132	132.8	4,103	181	44.1	431.0	30,174	420	13.9
12 tive. (F..	863	87	950	134	141.1	4,162	166	39.9	421.3	31,135	394	12.7
13 One or both par- (M..	2,419	314	2,733	428	156.6	11,138	607	54.5	645.1	60,179	941	15.6
14 ents foreign. (F..	2,261	207	2,468	325	131.7	10,808	518	47.9	624.1	64,036	830	13.0
15 Foreign.....	56	1	57	2	(*)	576	11	19.1	6.7	96,051	1,649	17.2
16 Males.....	24	1	25	1	(*)	287	5	17.4	6.2	46,860	803	17.1
17 Females.....	32		32	1	(*)	289	6	20.8	7.1	49,191	846	17.2
18 Colored.....	66	7	73	16	(*)	300	25	83.3	242.7	4,129	103	24.9
19 Males.....	33	5	38	11	(*)	158	16	101.3	(*)	2,029	57	28.1
20 Females.....	33	2	35	5	(*)	142	9	63.4	(*)	2,100	46	21.9
21 Group 2.....	19,855	1,390	21,245	1,957	92.1	96,107	2,858	29.7	204.1	1,024,031	14,002	13.7
22 Males.....	10,025	796	10,821	1,125	104.0	48,518	1,601	33.0	216.0	522,125	7,412	14.2
23 Females.....	9,830	594	10,424	832	79.8	47,589	1,257	26.4	190.7	501,906	6,590	13.1
24 White.....	19,709	1,380	21,089	1,943	92.1	95,353	2,836	29.7	204.4	1,014,931	13,876	13.7
25 Males.....	9,950	791	10,741	1,119	104.2	48,145	1,592	33.1	216.8	517,336	7,343	14.2
26 Females.....	9,759	589	10,348	824	79.6	47,208	1,244	26.4	190.4	497,595	6,533	13.1
27 Native.....	19,668	1,378	21,046	1,936	92.0	94,895	2,822	29.7	253.0	876,524	11,156	12.7
28 Males.....	9,930	791	10,721	1,116	104.1	47,911	1,584	33.1	273.1	442,489	5,800	13.1
29 Females.....	9,738	587	10,325	820	79.4	46,984	1,238	26.3	231.1	434,035	5,356	12.3
30 Both parents na- (M..	6,859	533	7,392	744	100.6	32,391	1,041	32.1	260.0	312,195	4,004	12.8
31 tive. (F..	6,680	405	7,085	547	77.2	31,874	811	25.4	214.4	304,358	3,782	12.4
32 One or both par- (M..	3,071	238	3,309	345	104.3	15,520	512	33.0	389.6	130,294	1,314	10.1
33 ents foreign. (F..	3,058	174	3,232	262	81.1	15,110	412	27.3	336.1	129,677	1,226	9.5
34 Foreign.....	41	1	42	5	(*)	458	11	24.0	4.3	138,407	2,561	18.5
35 Males.....	20		20	2	(*)	234	7	29.9	4.9	74,847	1,432	19.1
36 Females.....	21	1	22	3	(*)	224	4	17.9	3.5	63,560	1,129	17.8
37 Colored.....	146	10	156	14	89.7	754	22	29.2	174.6	9,100	126	13.8
38 Males.....	75	5	80	6	(*)	373	9	24.1	(*)	4,789	69	14.4
39 Females.....	71	5	76	8	(*)	381	13	34.1	(*)	4,311	57	13.2
40 Barry county.....	405	28	433	36	83.1	1,949	53	27.2	184.7	22,514	287	12.7
41 Males.....	196	14	210	20	95.2	988	30	30.4	186.3	11,593	161	13.9
42 Females.....	209	14	223	16	71.7	961	23	23.9	182.5	10,921	126	11.5
43 Branch county.....	507	34	541	48	88.7	2,454	65	26.5	160.1	27,811	406	14.6
44 Males.....	256	19	275	28	101.8	1,195	37	31.0	194.7	14,175	190	13.4
45 Females.....	251	15	266	20	75.2	1,259	28	22.2	129.6	13,636	216	15.8
46 Calhoun county, rural.....	531	38	569	46	80.8	2,574	62	24.1	131.1	30,752	473	15.4
47 Males.....	277	23	300	29	96.7	1,280	38	29.7	159.0	15,489	239	15.4
48 Females.....	254	15	269	17	63.2	1,294	24	18.5	102.6	15,263	234	15.3

*Data insufficient for rates.

CAUSES, BY SEX, COLOR, GENERAL NATIVITY, AND PARENT NATIVITY: CENSUS YEAR 1900—Continued.

CAUSE OF DEATH.																		
Measles.	Scarlet fever.	Diphtheria and croup.	Whooping cough.	Malarial fever.	Infuenza.	Typhoid fever.	Diarrheal diseases.	Consumption.	Cancer and tumor.	Heart disease and dropsy.	Pneumonia.	Diseases of the liver.	Diseases of the nervous system.	Diseases of the urinary organs.	Affections connected with pregnancy.	Old age.	Unknown.	All other causes.
81	16	134	23	9	23	54	432	357	195	342	465	68	604	216	66	164	39	1,605
39	12	54	10	6	11	26	219	186	78	160	260	43	321	133	66	75	21	868
42	4	80	13	3	12	28	213	171	117	182	205	25	283	83	66	89	18	737
79	16	134	22	8	23	52	429	344	191	333	448	68	594	212	66	161	38	1,572
37	12	54	9	6	11	25	218	179	75	157	249	43	315	132	66	73	20	850
42	4	80	13	2	12	27	211	165	116	176	199	25	279	80	66	88	18	722
79	16	131	22	5	15	27	390	207	62	152	294	35	389	94	25	39	28	1,103
37	12	54	9	3	8	10	203	105	22	69	175	23	210	57	25	20	16	606
42	4	77	13	2	7	17	187	102	40	83	119	12	179	37	25	19	12	497
8	3	11	1	1	5	3	37	15	12	21	35	2	67	27	7	8	3	161
12	2	13	3	2	4	7	34	23	16	30	33	3	56	9	7	13	1	126
28	8	37	6	2	2	6	137	63	7	31	114	17	113	19	16	3	11	337
30	2	61	6	3	10	119	64	14	39	72	72	5	99	19	16	1	6	264
.....		3		3	8	25	39	136	129	179	153	33	201	117	41	121	10	451
.....		3		3	5	15	15	73	53	86	73	20	103	74	41	52	4	229
.....		3		3	5	10	24	63	76	93	80	13	98	43	41	69	6	222
2			1	1		2	3	13	4	9	17		10	4		3	1	33
2			1			1	1	7	3	3	11		6	1		2	1	18
.....				1		1	2	6	1	6	6		4	3		1		15
123	51	169	108	93	219	304	853	1,032	714	1,531	990	260	1,999	755	159	550	194	3,898
56	25	90	53	44	106	169	455	432	267	870	524	149	1,072	514	159	261	112	2,213
67	26	79	55	49	113	135	398	600	447	661	466	111	927	241	159	289	82	1,685
122	51	167	107	93	218	302	848	1,004	708	1,517	977	258	1,983	750	158	549	191	3,873
55	25	89	53	44	105	168	453	418	265	864	516	147	1,064	509	158	261	109	2,198
67	26	78	54	49	113	134	395	586	443	653	461	111	919	241	158	288	82	1,675
119	50	161	107	69	166	252	778	838	521	1,118	783	187	1,614	584	131	342	155	3,181
54	25	86	53	34	78	138	421	330	177	635	405	105	844	384	131	157	91	1,783
65	25	75	54	35	88	114	357	508	344	483	378	82	770	200	131	185	64	1,398
35	16	37	30	24	60	98	285	206	133	453	274	74	598	284	82	124	72	1,201
42	15	35	39	25	65	81	242	349	268	352	268	58	551	148	82	140	45	977
19	9	45	23	6	13	33	111	103	23	100	108	22	155	52	44	10	13	469
22	10	38	15	9	13	30	100	128	56	84	94	18	154	36	44	21	15	339
3	1	6		23	51	47	63	160	176	372	183	70	342	160	25	195	31	653
1		3		10	27	27	28	83	83	210	101	41	200	121		97	13	387
2	1	3		13	24	20	35	77	93	162	82	29	142	39	25	98	18	266
1		2	1		1	2	5	28	6	14	13	2	16	5	1	1	3	25
1		1			1	1	2	14	2	6	8	2	8	5			3	15
.....		1	1			1	3	14	4	8	5		8		1	1		10
1		2	4	1	5	4	18	13	20	29	17	7	49	19	3	7	2	86
1		1	2	1	4	3	9	5	12	20	8	6	28	9		3	1	48
.....		1	2		1	1	9	8	8	9	9	1	21	10	3	4	1	38
2		2	2	4	13	6	20	30	19	48	23	4	57	15	7	29	9	116
1		2	1	2	6	4	10	13	6	28	13	2	27	8		7	3	57
1			1	2	7	2	10	17	13	20	10	2	30	7	7	22	6	59
3		2	3	3	4	10	32	33	28	53	32	9	78	29	8	20	5	121
.....				3	4	4	21	13	7	29	17	3	44	15		12	3	64
3		2	3			6	11	20	21	24	15	6	34	14	8	8	2	57

TABLE 19.—POPULATION, BIRTHS, DEATHS, AND DEATH RATES AT CERTAIN AGES, AND DEATHS FROM CERTAIN

AREAS.	UNDER 1 YEAR OF AGE.					UNDER 5 YEARS OF AGE.				ALL AGES.		
	Popula- tion.	Born and died in the census year.	Births during the census year.	Deaths.	Deaths under 1 per 1,000 births.	Popula- tion.	Deaths.	Death rate per 1,000 of popu- lation.	Deaths under 5 per 1,000 at all ages.	Popula- tion.	Deaths.	Death rate per 1,000 of popu- lation.
MICHIGAN—Continued.												
1 Group 2—Continued. Battle Creek	302	19	321	27	84.1	1,426	44	30.9	176.0	18,563	250	13.5
2 Males	151	13	164	18	109.8	723	26	35.7	192.6	8,945	135	15.1
3 Females	151	6	157	9	57.3	698	18	25.8	156.6	9,618	115	12.0
4 White	294	19	313	27	86.3	1,388	44	31.7	181.1	18,026	243	13.5
5 Males	147	13	160	18	112.5	710	26	36.6	197.0	8,672	132	15.2
6 Females	147	6	153	9	58.8	678	18	26.5	162.2	9,354	111	11.9
7 Native	291	19	310	27	87.1	1,376	43	31.3	219.4	16,209	196	12.1
8 Males	146	13	159	18	113.2	704	26	36.9	234.2	7,726	111	14.4
9 Females	145	6	151	9	59.6	672	17	25.3	(*)	8,483	85	10.0
10 Both parents native...	221	16	237	24	101.3	1,077	39	36.2	270.8	12,715	144	11.3
11 One or both parents foreign.	70	3	73	3	(*)	299	4	13.4	(*)	3,494	23	6.6
12 Foreign	3		3			12				1,817	40	22.0
13 Males	1		1			6				946	19	20.1
14 Females	2		2			6				871	21	24.1
15 Cass county	346	33	379	40	105.5	1,749	57	32.6	203.6	20,876	280	13.4
16 Males	170	26	196	32	163.3	888	39	43.9	242.2	10,657	161	15.1
17 Females	176	7	183	8	43.7	861	18	20.9	151.3	10,219	119	11.6
18 Clare county	195	8	203	14	69.0	1,017	20	19.7	(*)	8,360	90	10.8
19 Males	91	2	93	6	(*)	496	9	18.1	(*)	4,427	45	10.2
20 Females	104	6	110	8	72.7	521	11	21.1	(*)	3,933	45	11.4
21 Clinton county	478	24	502	33	65.7	2,313	53	22.9	165.6	25,136	320	12.7
22 Males	259	15	274	20	73.0	1,165	34	29.2	215.2	12,792	158	12.4
23 Females	219	9	228	13	57.0	1,148	19	16.6	117.3	12,344	162	13.1
24 Crawford county	81	5	86	6	(*)	375	9	24.0	(*)	2,943	22	7.5
25 Males	33	5	41	5	(*)	183	7	38.3	(*)	1,651	12	7.3
26 Females	45		45	1	(*)	192	2	10.4	(*)	1,292	10	7.7
27 Eaton county	535	37	572	47	82.2	2,607	66	25.3	163.4	31,668	404	12.8
28 Males	265	17	282	22	78.0	1,305	29	22.2	135.5	16,079	214	13.3
29 Females	270	20	290	25	86.2	1,302	37	28.4	194.7	15,589	190	12.2
30 Genesee county, rural	546	34	580	47	81.0	2,627	62	23.6	177.7	28,701	349	12.2
31 Males	270	22	292	29	99.3	1,345	36	26.8	184.6	14,830	195	13.1
32 Females	276	12	288	18	62.5	1,282	26	20.3	168.8	13,871	154	11.1
33 Flint	175	16	191	22	115.2	857	33	38.5	178.4	13,103	185	14.1
34 Males	89	8	97	12	(*)	428	19	44.4	(*)	6,334	93	14.7
35 Females	86	8	94	10	(*)	429	14	32.6	(*)	6,769	92	13.6
36 White	172	15	187	21	112.3	843	32	38.0	177.8	12,840	180	14.0
37 Males	89	8	97	12	(*)	420	19	45.2	(*)	6,201	91	14.7
38 Females	83	7	90	9	(*)	423	13	30.7	(*)	6,639	89	13.4
39 Native	171	15	186	21	112.9	831	31	37.3	215.3	10,710	144	13.4
40 Males	88	8	96	12	(*)	411	18	43.8	(*)	5,132	71	13.8
41 Females	83	7	90	9	(*)	420	13	31.0	(*)	5,578	73	13.1
42 Both parents native...	114	8	122	14	114.8	540	20	37.0	(*)	7,044	97	13.8
43 One or both parents foreign.	57	6	63	6	(*)	291	10	34.4	(*)	3,666	38	10.4
44 Foreign	1		1			12	1	(*)	(*)	2,130	32	15.0
45 Males	1		1			9	1	(*)	(*)	1,069	17	15.9
46 Females						3				1,061	15	14.1
47 Gladwin county	169	12	181	16	88.4	924	23	24.9	(*)	6,564	64	9.8
48 Males	87	3	90	6	(*)	475	10	21.1	(*)	3,571	32	9.0
49 Females	82	9	91	10	(*)	449	13	29.0	(*)	2,993	32	10.7
50 Gratiot county	676	47	723	69	95.4	3,130	108	34.5	263.0	29,889	403	13.5
51 Males	346	19	365	32	87.7	1,625	53	32.6	286.5	15,411	185	12.0
52 Females	330	28	358	37	103.4	1,505	55	36.5	252.3	14,478	218	15.1

* Data insufficient for rates.

CAUSES, BY SEX, COLOR, GENERAL NATIVITY, AND PARENT NATIVITY: CENSUS YEAR 1900—Continued.

CAUSE OF DEATH.																		
Measles.	Scarlet fever.	Diphtheria and croup.	Whooping-cough.	Malarial fever.	Influenza.	Typhoid fever.	Diarrheal diseases.	Consumption.	Cancer and tumor.	Heart disease and dropsy.	Pneumonia.	Diseases of the liver.	Diseases of the nervous system.	Diseases of the urinary organs.	Affections connected with pregnancy.	Old age.	Unknown.	All other causes.
1	2	1	2	1	4	7	20	20	20	21	17	5	30	18	1	8	2	70
1	1	1	1	1	1	5	13	9	9	10	6	2	14	17		2	2	42
.....	1		1		3	2	7	11	11	11	11	3	16	1	1	6		28
1	2	1	2	1	4	7	20	17	19	20	17	5	30	17	1	8	2	69
1	1	1	1	1	1	5	13	9	8	10	6	2	14	16		2	2	41
.....	1		1		3	2	7	8	11	10	11	3	16	1	1	6		28
1	2	1	2		4	5	17	15	17	14	13	3	28	14	1	4	1	54
1	1	1	1		1	3	11	9	7	9	5	1	14	13		2	1	32
.....	1		1		3	2	6	9	10	5	8	2	14	1	1	2		9
1	2	1	2		3	4	14	11	12	8	11	1	21	9		2	1	41
.....						1	2	2	3	2	1	2	2	1		1		6
.....				1		2	2	1	2	5	3	2	2	3		3	1	13
.....				1		2	2		1	1	4		1	3		3		8
.....								1	1	1	3	1	2					5
8	1	7	4	1	4	6	8	18	14	32	11	8	44	14	3	13	5	79
4	1	6	2		1	4	5	7	5	21	6	5	21	11		7	4	51
4		1	2	1	3	2	3	11	9	11	5	3	23	3	3	6	1	28
1				1	4		5	6	5	9	3	4	8	6	1	5	3	29
1				1	1		3	2	2	2	1	3	4	4		3	2	18
.....					3		2	4	3	7	2	1	4	2	1	2	1	11
1		1	2	4	4	9	11	25	23	43	22	6	46	19	1	8	5	90
1		1	1	1	2	4	5	8	6	14	9	4	22	14		4	4	58
.....			1	3	2	5	6	17	17	29	13	2	24	5	1	4	1	32
.....	1						2			4			4	1			1	9
.....	1						2			1			2	1			1	7
.....										3								2
3	1	1	1	4	6	15	28	24	21	64	24	15	62	15	3	16	6	95
1	1	1		2	4	8	13	13	6	38	12	10	32	11		4	3	55
2			1	2	2	7	15	11	15	26	12	5	30	4	3	12	3	40
.....		2		1	8	5	11	19	20	46	18	11	47	21	1	16	6	117
.....		1		1	4	1	4	10	11	28	7	6	25	13		8	3	73
.....		1		4	4	4	7	9		18	11	5	22	8	1	8	3	44
1		3	2	3	1	5	10	20	9	18	11	5	20	10	1	5	2	59
1		2	1	2	1	2	7	10		12	5	1	7	8		2	2	31
.....		1	1	1	1	3	3	10	9	6	6	4	13	2	1	3		28
1		3	2	3	1	5	10	18	9	18	11	5	19	9	1	5	2	58
1		2	1	2		2	7	9		12	5	1	7	7		2	2	31
.....		1	1	1	1	3	3	9	9	6	6	4	12	2	1	3		27
1		2	2	2	1	5	10	14	8	10	9	4	18	8	1	1	2	46
1		1	1	2		2	7	6		6	5		7	7			2	24
.....		1	1		1	3	3	8	8	4	4	4	11	1	1	1		22
1		1	1	2	1	4	7	6	6	4	8	3	12	6		1	2	32
.....		1	1			1	3	7	1	4	1	1	6	1	1			10
.....		1		1				3	1	7	2	1	1	1		3		11
.....		1		1				2	1	5			1	1		2		6
.....								1	1	2	2					1		5
1	1					1	6	7	2	7	6	1	4	1	2	1	4	20
1	1					1	4	2		5	3	1	3		2	1	2	10
.....							2	5	2	2	3		1	1				10
5	1	2	8	3	8	13	44	29	8	35	32	8	56	18	10	8	4	111
4	1	2	3	3	3	6	23	9	1	17	16	7	23	10		4	1	52
1			5		5	7	21	20	7	18	16	1	33	8	10	4	3	51

TABLE 19.—POPULATION, BIRTHS, DEATHS, AND DEATH RATES AT CERTAIN AGES, AND DEATHS FROM CERTAIN

	AREAS.	UNDER 1 YEAR OF AGE.					UNDER 5 YEARS OF AGE.				ALL AGES.		
		Popula- tion.	Born and died in the census year.	Births during the census year.	Deaths.	Deaths under 1 per 1,000 births.	Popula- tion.	Deaths.	Death rate per 1,000 of popu- lation.	Deaths under 5 per 1,000 at all ages.	Popula- tion.	Deaths.	Death rate per 1,000 of popu- lation.
	MICHIGAN—Continued.												
1	Group 2—Continued. Hillsdale county	536	22	558	35	62.7	2,476	57	23.0	136.7	29,865	417	14.0
2	Males	261	16	277	24	86.6	1,224	35	28.6	164.3	15,047	213	14.2
3	Females	275	6	281	11	39.1	1,252	22	17.6	107.8	14,818	204	13.8
4	Ingham county, rural	424	30	454	37	81.5	1,997	53	26.5	155.9	23,333	340	14.6
5	Males	222	16	238	22	92.4	978	33	33.7	174.6	12,001	189	15.7
6	Females	202	14	216	15	69.4	1,019	20	19.6	132.5	11,332	151	13.3
7	Lansing	269	23	292	31	106.2	1,302	43	33.0	185.3	16,485	232	14.1
8	Males	145	15	160	20	125.0	659	25	37.9	219.3	8,150	114	14.0
9	Females	124	8	132	11	83.3	643	18	28.0	152.5	8,335	118	14.2
10	White	265	22	287	30	104.5	1,281	41	32.0	184.7	16,156	222	13.7
11	Males	144	14	158	19	120.3	648	24	37.0	226.4	7,981	106	13.3
12	Females	121	8	129	11	85.3	633	17	26.9	146.6	8,175	116	14.2
13	Native	262	22	284	30	105.6	1,264	40	31.6	229.9	13,796	174	12.6
14	Males	142	14	156	19	121.8	640	23	35.9	(*)	6,793	79	11.6
15	Females	120	8	128	11	85.9	624	17	27.2	(*)	7,003	95	13.6
16	Both parents native ..	164	13	177	15	84.7	751	21	28.0	172.1	9,373	122	13.0
17	One or both parents foreign	98	9	107	15	140.2	513	19	37.0	(*)	4,423	36	8.1
18	Foreign	3		3			17	1	(*)	(*)	2,360	46	19.5
19	Males	2		2			8	1	(*)	(*)	1,188	25	21.0
20	Females	1		1			9				1,172	21	17.9
21	Ionia county	580	37	617	55	89.1	2,800	73	26.1	153.4	34,329	476	13.9
22	Males	293	21	314	32	101.9	1,417	43	30.3	164.8	17,609	261	14.8
23	Females	287	16	303	23	75.9	1,383	30	21.7	139.5	16,720	215	12.9
24	Isabella county	581	32	613	38	62.0	2,677	64	23.9	225.4	22,784	284	12.5
25	Males	293	22	315	27	85.7	1,323	41	31.0	254.7	11,825	161	13.6
26	Females	288	10	298	11	36.9	1,354	23	17.0	187.0	10,959	123	11.2
27	Jackson county, rural	426	20	446	25	56.1	1,987	39	19.6	131.3	23,042	297	12.9
28	Males	222	12	234	16	68.4	983	26	26.4	166.7	11,864	156	13.1
29	Females	204	8	212	9	42.5	1,004	13	12.9	92.2	11,178	141	12.6
30	Jackson	425	31	456	43	94.3	1,951	52	26.7	153.8	25,180	338	13.4
31	Males	215	18	233	24	103.0	969	31	32.0	175.1	12,402	177	14.3
32	Females	210	13	223	19	85.2	982	21	21.4	130.4	12,778	161	12.6
33	White	424	29	453	41	90.5	1,935	50	25.8	152.4	24,701	328	13.3
34	Males	214	17	231	23	99.6	960	30	31.3	175.4	12,124	171	14.1
35	Females	210	12	222	18	81.1	975	20	20.5	127.4	12,577	157	12.5
36	Native	422	29	451	40	88.7	1,926	49	25.4	196.8	20,933	249	11.9
37	Males	213	17	230	22	95.7	956	29	30.3	230.2	10,175	126	12.4
38	Females	209	12	221	18	81.4	970	20	20.6	162.6	10,758	123	11.4
39	Both parents native ..	279	19	298	28	94.0	1,230	32	26.0	220.7	13,817	145	10.5
40	One or both parents foreign	143	9	152	11	72.4	696	16	23.0	(*)	7,116	67	9.4
41	Foreign	2		2			9				3,768	71	18.8
42	Males	1		1			4				1,949	38	19.5
43	Females	1		1			5				1,819	33	18.1
44	Kalamazoo county, rural	375	21	396	25	63.1	1,748	37	21.2	139.6	19,906	265	13.3
45	Males	181	12	193	13	67.4	866	16	18.5	115.9	10,280	138	13.4
46	Females	194	9	203	12	59.1	882	21	23.8	165.4	9,626	127	13.2

* Data insufficient for rates.

CAUSES, BY SEX, COLOR, GENERAL NATIVITY, AND PARENT NATIVITY: CENSUS YEAR 1900—Continued.

CAUSE OF DEATH.																		
Measles.	Scarlet fever.	Diphtheria and croup.	Whooping cough.	Malarial fever.	Influenza.	Typhoid fever.	Diarrheal diseases.	Consumption.	Cancer and tumor.	Heart disease and dropsy.	Pneumonia.	Diseases of the liver.	Diseases of the nervous system.	Diseases of the urinary organs.	Affections connected with pregnancy.	Old age.	Unknown.	All other causes.
1	2	3	2	3	14	3	17	31	27	44	29	6	79	36	2	13	7	98
1	1	1	1	1	6	2	12	10	5	25	14	4	38	26	2	7	5	55
1	1	2	1	2	8	1	5	21	22	19	15	2	41	10	2	6	2	43
3			2	2	7	17	17	18	16	45	22	10	59	20	3	11	4	84
1	1		1	1	2	10	9	5	9	24	14	6	37	17		7	3	43
2	2		1	1	5	7	8	13	7	21	8	4	22	3	3	4	1	41
2	2	7	2		2	4	18	19	9	29	17	2	35	11	1	9	5	58
1	1	4	1		1	2	10	10	2	16	5	1	13	10		4	4	29
1	1	3	1		1	2	8	9	7	13	12	1	22	1	1	5	1	29
2	2	7	1		2	3	17	18	8	29	15	2	35	10	1	9	4	57
1	1	4	1		1	1	9	9	2	16	3	1	13	9		4	3	28
1	1	3			1	2	8	9	6	13	12	1	22	1	1	5	1	29
2	2	7	1		2	2	12	14	4	22	11	2	32	7	1	5	2	46
1	1	4	1		1	1	7	6	1	12	2	1	11	6		1	1	22
1	1	3			1	1	5	8	3	10	9	1	21	1	1	4	1	24
2	1	4	1		1	1	7	9	4	15	6		26	5	1	5	1	33
1	1	2					4	3		5	4	1	4	1			1	10
						1	4	4	4	7	4		3	3		4	1	11
						1	1	3	1	4	1		2	3		3	1	6
							3	1	3	3	3		1			1		5
6		2	8	4	6	7	30	36	11	68	27	4	82	29	5	26	1	124
2			6	2	2	6	13	14	6	38	13	3	49	19		13	1	74
4		2	2	2	4	1	17	22	5	30	14	1	23	10	5	13		50
1	2	2	1		2	6	17	40	15	25	18	7	33	13	4	9	7	82
1	1	1	1		1	6	10	16	4	15	13	2	20	9		5	5	51
	1	1			1		7	24	11	10	5	5	13	4	4	4	2	31
3		2			4	4	12	18	12	45	17	2	42	26	3	26	3	78
2		2			2	1	6	6	2	21	10	2	25	21		9	3	44
1					2	3	6	12	10	24	7		17	5	3	17		34
		4	2	3	4	16	12	31	23	35	23	8	43	19	3	11	4	97
		4	2	3	2	7	6	16	8	13	14	7	20	13		6	1	55
					2	9	6	15	15	22	9	1	23	6	3	5	3	42
		4	2	3	4	15	11	29	23	32	21	8	42	19	3	11	4	97
		4	2	3	2	7	6	14	8	12	12	7	19	13		6	1	55
					2	8	5	15	15	20	9	1	23	6	3	5	3	42
		4	2	2	4	14	9	25	17	19	13	6	30	13	3	6	3	79
		4	2	2	2	7	5	11	5	7	8	5	13	9		2	1	43
		2	1	2	2	7	4	14	12	12	5	1	17	4	3	4	2	36
		2	1	2	2	5	5	16	14	11	6	4	20	6	2	4	3	42
		1	1		1	8	3	7	2	5	4	2	2	4	1			26
				1		1	1	3	6	12	8	2	10	6		5	1	15
				1		1	1	2	3	4	4	2	5	4		4	1	9
								1	3	8	4		5	2		1		6
		1	3	3	5	1	14	11	10	46	22	8	51	14	4	6	1	65
		1	2	1	2		4	4	4	29	10	3	26	7		5		40
		1	1	2	3	1	10	7	6	17	12	5	25	7	4	1	1	25

TABLE 19.—POPULATION, BIRTHS, DEATHS, AND DEATH RATES AT CERTAIN AGES, AND DEATHS FROM CERTAIN

AREAS.	UNDER 1 YEAR OF AGE.					UNDER 5 YEARS OF AGE.				ALL AGES.		
	Popula- tion.	Born and died in the census year.	Births during the census year.	Deaths.	Deaths under 1 per 1,000 births.	Popula- tion.	Deaths.	Death rate per 1,000 of popula- tion.	Deaths under 5 per 1,000 at all ages.	Popula- tion.	Deaths.	Death rate per 1,000 of popula- tion.
MICHIGAN—Continued.												
Group 2—Continued.												
1 Kalamazoo	434	44	478	59	123.4	2,038	81	39.7	194.7	24,404	416	17.0
2 Males	232	27	259	36	139.0	1,027	50	48.7	218.3	11,671	229	19.6
3 Females	202	17	219	23	105.0	1,011	31	30.7	165.8	12,733	187	14.7
4 White	428	44	472	57	120.8	2,002	78	39.0	192.6	23,931	405	16.9
5 Males	228	27	255	36	141.2	1,002	49	48.9	220.7	11,430	222	19.4
6 Females	200	17	217	21	96.8	1,000	29	29.0	158.5	12,501	183	14.6
7 Native	426	44	470	57	121.3	1,985	77	38.8	263.7	19,234	292	15.2
8 Males	226	27	253	36	142.3	995	48	48.2	303.8	9,064	158	17.4
9 Females	200	17	217	21	96.8	990	29	29.3	216.4	10,170	134	13.2
10 Both parents native...	218	23	241	29	120.3	1,014	35	34.5	210.8	12,020	166	13.8
11 One or both parents foreign.	208	18	226	25	110.6	971	39	40.2	(*)	7,214	94	13.0
12 Foreign	2		2			17	1	(*)	9.7	4,697	103	21.9
13 Males	2		2			7	1	(*)	(*)	2,366	57	24.1
14 Females						10				2,331	46	19.7
15 Kalkaska county	167	15	182	24	131.9	813	36	44.3	315.8	7,133	114	16.0
16 Males	85	10	95	14	(*)	447	20	44.7	(*)	4,184	60	14.3
17 Females	82	5	87	10	(*)	366	16	43.7	(*)	2,949	54	18.3
18 Kent county, rural	843	55	898	81	90.2	4,201	124	29.5	194.1	42,149	639	15.2
19 Males	420	24	444	36	81.1	2,139	59	27.6	175.6	22,258	336	15.1
20 Females	423	31	454	45	99.1	2,062	65	31.5	214.5	19,891	303	15.2
21 Grand Rapids	1,876	180	2,056	274	133.3	8,932	409	45.8	325.1	87,565	1,258	14.4
22 Males	929	109	1,038	163	157.0	4,536	233	51.4	340.1	42,470	685	16.1
23 Females	947	71	1,018	111	109.0	4,396	176	40.0	307.2	45,095	573	12.7
24 White	1,872	180	2,052	274	133.5	8,909	409	45.9	325.1	86,952	1,258	14.5
25 Males	926	109	1,035	163	157.5	4,522	233	51.5	340.1	42,165	685	16.2
26 Females	946	71	1,017	111	109.1	4,387	176	40.1	307.2	44,787	573	12.8
27 Native	1,863	179	2,042	270	132.2	8,824	404	45.8	448.4	63,094	901	14.3
28 Males	923	109	1,032	161	156.0	4,476	231	51.6	476.3	29,974	485	16.2
29 Females	940	70	1,010	109	107.9	4,348	173	39.8	415.9	33,120	416	12.6
30 Both parents native...	642	64	706	93	131.7	2,988	134	44.8	337.5	29,634	397	13.4
31 One or both parents foreign.	1,221	106	1,327	165	124.3	5,836	256	43.9	584.5	33,460	438	13.1
32 Foreign	9		9	3	(*)	85	4	(*)	11.6	23,858	344	14.4
33 Males	3		3	2	(*)	46	2	(*)	10.3	12,191	194	15.9
34 Females	6		6	1	(*)	39	2	(*)	13.3	11,667	150	12.9
35 Lake county	129	9	138	14	101.4	593	18	30.4	(*)	4,957	67	13.5
36 Males	65	4	69	7	(*)	288	10	34.7	(*)	2,722	37	13.6
37 Females	64	5	69	7	(*)	305	8	26.2	(*)	2,235	30	13.4
38 Lapeer county	528	38	566	52	91.9	2,640	69	26.1	187.5	27,641	368	13.3
39 Males	277	20	297	30	101.0	1,355	41	30.3	212.4	14,263	193	13.5
40 Females	251	18	269	22	81.8	1,285	28	21.8	160.0	13,378	175	13.1
41 Lenawee county	855	44	899	68	75.6	4,081	98	24.0	148.3	48,406	661	13.7
42 Males	445	24	469	37	78.9	2,102	55	26.2	159.4	23,997	345	14.4
43 Females	410	20	430	31	72.1	1,979	43	21.7	136.1	24,409	316	12.9
44 Livingston county	345	18	363	30	82.6	1,682	40	23.8	144.9	19,664	276	14.0
45 Males	181	12	193	18	93.3	850	24	28.2	165.5	10,078	145	14.4
46 Females	164	6	170	12	70.6	832	16	19.2	122.1	9,586	131	13.7
47 Mecosta county	474	29	503	42	83.5	2,265	66	29.1	237.4	20,693	278	13.4
48 Males	245	20	265	27	101.9	1,169	45	38.5	277.8	10,646	162	15.2
49 Females	229	9	238	15	63.0	1,096	21	19.2	181.0	10,047	116	11.5
50 Midland county	422	28	450	41	91.1	1,849	57	30.8	280.8	14,439	203	14.1
51 Males	216	16	232	27	116.4	897	34	37.9	295.7	7,554	115	15.2
52 Females	206	12	218	14	64.2	952	23	24.2	(*)	6,885	88	12.8

* Data insufficient for rates.

CAUSES, BY SEX, COLOR, GENERAL NATIVITY, AND PARENT NATIVITY: CENSUS YEAR 1900—Continued.

CAUSE OF DEATH.																		
Measles.	Scarlet fever.	Diphtheria and croup.	Whooping cough.	Malarial fever.	Influenza.	Typhoid fever.	Diarrheal diseases.	Consumption.	Cancer and tumor.	Heart disease and dropsy.	Pneumonia.	Diseases of the liver.	Diseases of the nervous system.	Diseases of the urinary organs.	Affections connected with pregnancy.	Old age.	Unknown.	All other causes.
		4	10	2	4	7	17	33	12	29	41	8	95	18	3	8	1	124
		3	4	2	1	6	11	17	7	13	25	6	61	11	3	6	1	57
		1	6		3	1	6	16	5	16	16	2	34	7		2		67
		3	10	2	4	7	17	33	11	27	41	7	94	18	3	8	1	119
		2	4		1	6	11	17	6	12	25	5	60	11		6	1	55
		1	6	2	3	1	6	16	5	15	16	2	34	7	3	2		64
		3	10	2		4	14	24	6	17	26	2	70	10	3	3	1	97
		2	4			3	11	12	2	7	16	2	47	5		2	1	44
		1	6	2		1	3	12	4	10	10		23	5	3	1		53
		2	3	1		2	9	13	4	9	12		44	8	2	3		56
			7	1		2	5	9	1	4	13	2	15		1		1	31
					4	2	3	9	4	9	14	5	19	8		5		21
					1	2		5	3	5	8	3	10	6		4		10
					3		3	4	1	4	6	2	9	2		1		11
2			2			2	15	5	7	11	10	1	15	4	1	5	2	32
1							8	2	1	6	8		7	4		3	2	18
1			2			2	7	3	6	5	2	1	8		1	2		14
6	8	14	3	2	8	18	30	45	45	71	33	6	97	43	7	35	6	162
2	5	7	2	1	2	13	14	21	21	44	17	3	53	31		11	4	85
4	3	7	1	1	6	5	16	24	24	27	16	3	44	12	7	24	2	77
20	7	37	17	8	14	34	78	94	54	102	110	15	160	55	11	43	5	394
8	3	17	9	6	9	22	41	48	19	64	64	10	96	36		20	1	212
12	4	20	8	2	5	12	37	46	35	38	46	5	64	19	11	23	4	182
20	7	37	17	8	14	34	78	94	54	102	110	15	160	55	11	43	5	394
8	3	17	9	6	9	22	41	48	19	64	64	10	96	36		20	1	212
12	4	20	8	2	5	12	37	46	35	38	46	5	64	19	11	23	4	182
19	7	35	17	3	6	23	71	72	28	64	82	9	115	31	4	13	4	298
8	3	17	9	2	3	14	38	36	6	42	48	5	65	23		3	1	162
11	4	18	1	1	3	9	33	36	22	22	34	4	50	8	4	10	3	136
7	4	7	5	2	3	14	24	25	20	32	32	3	52	21	2	10	4	130
11	3	27	12	1	3	8	44	42	5	22	44	5	56	8	2	2		143
1		2		5	8	10	7	22	26	38	27	6	43	22	6	30	1	90
				4	6	7	3	12	13	22	15	5	29	13		17		48
1		2		1	2	3	4	10	13	16	12	1	14	9	6	13	1	42
				1		1	7	6	1	5	7		11	5	1	4	2	16
							5	3		3	5		7	2		2	1	9
				1		1	2	3	1	2	2		4	3	1	2		7
2	1	1	2	4	5	7	21	30	16	40	32	4	49	15	6	26	7	100
2	1		1		4	3	13	10	2	21	14	3	30	9		14	3	63
		1	1	4	1	4	8	20	14	19	18	1	19	6	6	12	4	37
4	3	8		5	21	9	37	56	35	80	53	8	87	27	7	33	9	179
1	1	3		4	10	7	17	15	16	47	29	5	47	17		16	5	105
3	2	5		1	11	2	20	41	19	33	24	3	40	10	7	17	4	74
				2	3	2	19	17	21	38	21	11	40	26	3	5	1	67
					1		13	5	7	21	13	7	14	18		3		43
				2	2	2	6	12	14	17	8	4	26	8	3	2	1	24
		3	4	5	5	4	16	23	11	25	27	6	22	16	6	10	10	85
		2	1	2	2	2	11	12	1	16	16	2	13	12		6	6	58
		1	3	3	3	2	5	11	10	9	11	4	9	4	6	4	4	27
		4	3	5	1	5	21	14	8	25	16	4	15	10		8	9	55
		1	3	1		2	11	5	5	17	8	3	9	6		2	7	35
		3		4	1	3	10	9	3	8	8	1	6	4		6	2	20

TABLE 19.—POPULATION, BIRTHS, DEATHS, AND DEATH RATES AT CERTAIN AGES, AND DEATHS FROM CERTAIN

	AREAS.	UNDER 1 YEAR OF AGE.					UNDER 5 YEARS OF AGE.				ALL AGES.		
		Popula- tion.	Born and died in the census year.	Births during the census year.	Deaths.	Deaths under 1 per 1,000 births.	Popula- tion.	Deaths.	Death rate per 1,000 of popula- tion.	Deaths under 5 per 1,000 at all ages.	Popula- tion.	Deaths.	Death rate per 1,000 of popu- lation.
	MICHIGAN—Continued.												
1	Group 2—Continued.												
	Missaukee county.....	276	20	296	36	121.6	1,291	53	41.1	469.0	9,308	113	12.1
2	Males.....	136	9	145	17	117.2	667	26	39.0	(*)	5,154	57	11.1
3	Females.....	140	11	151	19	125.8	624	27	43.3	(*)	4,154	56	13.5
4	Montcalm county.....	655	56	711	83	116.7	3,485	125	35.9	268.8	32,754	465	14.2
5	Males.....	317	30	347	45	129.7	1,750	61	34.9	265.2	16,940	230	13.6
6	Females.....	338	26	364	38	104.4	1,735	64	36.9	272.8	15,814	235	14.9
7	Montmorency county.....	86	2	88	2	(*)	442	5	11.3	(*)	3,234	24	7.4
8	Males.....	43	1	44	1	(*)	237	1	4.2	(*)	1,873	11	5.9
9	Females.....	43	1	44	1	(*)	205	4	19.5	(*)	1,361	13	9.6
10	Newaygo county.....	423	25	448	38	84.8	2,025	55	27.2	240.2	17,673	229	13.0
11	Males.....	221	14	235	24	102.1	1,027	32	31.2	237.0	9,275	135	14.6
12	Females.....	202	11	213	14	65.7	998	23	23.0	(*)	8,398	94	11.2
13	Oakland county, rural.....	589	41	630	54	85.7	2,958	72	24.3	145.7	35,023	494	14.1
14	Males.....	308	25	333	35	105.1	1,511	45	29.8	171.8	17,994	262	14.6
15	Females.....	281	16	297	19	64.0	1,447	27	18.7	116.4	17,029	232	13.6
16	Pontiac.....	154	14	168	16	95.2	784	23	29.3	166.7	9,769	138	14.1
17	Males.....	77	10	87	11	(*)	395	14	35.4	(*)	4,867	77	15.8
18	Females.....	77	4	81	5	(*)	389	9	23.1	(*)	4,902	61	12.4
19	White.....	150	14	164	16	97.6	764	23	30.1	167.9	9,616	137	14.2
20	Males.....	76	10	86	11	(*)	390	14	35.9	(*)	4,792	76	15.9
21	Females.....	74	4	78	5	(*)	374	9	24.1	(*)	4,824	61	12.6
22	Native.....	150	14	164	16	97.6	757	23	30.4	223.3	7,618	103	13.5
23	Males.....	76	10	86	11	(*)	386	14	36.3	(*)	3,738	56	15.0
24	Females.....	74	4	78	5	(*)	371	9	24.3	(*)	3,880	47	12.1
25	Both parents native..	90	11	101	12	118.8	461	15	32.5	(*)	4,759	67	14.1
26	One or both parents foreign.	60	2	62	3	(*)	296	7	23.6	(*)	2,859	26	9.1
27	Foreign.....						7				1,998	33	16.5
28	Males.....						4				1,054	19	18.0
29	Females.....						3				944	14	14.8
30	Ogemaw county.....	234	16	250	20	80.0	1,049	32	30.5	(*)	7,765	82	10.6
31	Males.....	115	10	125	11	88.0	534	16	30.0	(*)	4,244	44	10.4
32	Females.....	119	6	125	9	72.0	515	16	31.1	(*)	3,521	38	10.8
33	Osceola county.....	426	27	453	44	97.1	2,105	65	30.9	286.3	17,859	227	12.7
34	Males.....	229	11	240	17	70.8	1,062	28	26.4	241.4	9,462	116	12.3
35	Females.....	197	16	213	27	126.8	1,043	37	35.5	333.3	8,397	111	13.2
36	Oscoda county.....	32	2	34	3	(*)	155	5	32.3	(*)	1,468	19	12.9
37	Males.....	17	1	18	1	(*)	83	2	(*)	(*)	959	8	8.3
38	Females.....	15	1	16	2	(*)	72	3	(*)	(*)	509	11	21.6
39	Otsego county.....	165	12	177	14	79.1	800	22	27.5	(*)	6,175	69	11.2
40	Males.....	91	6	97	7	(*)	424	12	28.3	(*)	3,458	39	11.3
41	Females.....	74	6	80	7	(*)	376	10	26.6	(*)	2,717	30	11.0
42	Roscommon county.....	49		49			213				1,787	9	5.0
43	Males.....	21		21			106				1,082	6	5.5
44	Females.....	28		28			107				705	3	4.3
45	St. Joseph county.....	378	24	402	31	77.1	1,969	43	21.8	134.8	23,889	319	13.4
46	Males.....	162	12	174	15	86.2	976	22	22.5	127.9	11,860	172	14.5
47	Females.....	216	12	228	16	70.2	993	21	21.1	142.9	12,029	147	12.2

* Data insufficient for rates.

CAUSES, BY SEX, COLOR, GENERAL NATIVITY, AND PARENT NATIVITY: CENSUS YEAR 1900—Continued.

CAUSE OF DEATH.																		
Measles.	Scarlet fever.	Diphtheria and croup.	Whooping cough.	Malarial fever.	Influenza.	Typhoid fever.	Diarrheal diseases.	Consumption.	Cancer and tumor.	Heart disease and dropsy.	Pneumonia.	Diseases of the liver.	Diseases of the nervous system.	Diseases of the urinary organs.	Affections connected with pregnancy.	Old age.	Unknown.	All other causes.
5	3	3			3	4	13	4	2	3	12	1	16	2	3	2	4	33
2	1	2			1	2	8	2			5		11	1		2	2	18
3	2	1			2	2	5	2	2	3	7	1	5	1	3		2	15
4	1	2	8	3	10	18	43	32	17	46	26	10	77	22	2	21	6	117
4	1	1	4	3	8	8	19	10	7	27	6	3	37	16		12	5	67
4	1	1	4	3	2	10	24	22	10	19	20	7	40	6	2	9	1	50
1		1					1			5	1		1	1	3			10
1		1					1			3	1		1	1	3			5
1		1								2								5
2		2	2	3	5	6	21	18	14	21	18	3	22	10	1	5	7	69
2		2	1	2	4	4	15	8	4	15	8	1	14	8		4	3	40
.....			1	1	1	2	6	10	10	6	10	2	8	2	1	1	4	29
5		3	1	1	10	4	26	35	33	64	40	8	65	33	8	27	8	123
2		2	1		5	3	17	11	14	40	23	6	30	19		14	5	70
3		1		1	5	1	9	24	19	24	17	2	35	14	8	13	3	53
.....		4			3	1	6	8	5	17	15	1	34	10	1		2	31
.....		2			1		3	4	1	9	10		22	7			1	17
.....		2			2	1	3	4	4	8	5	1	12	3	1		1	14
.....		4			3	1	6	8	5	17	15	1	34	10	1		2	30
.....		2			1		3	4	1	9	10		22	7			1	16
.....		2			2	1	3	4	4	8	5	1	12	3	1		1	14
.....		4			3		6	5	5	12	11	1	25	5	1		2	23
.....		2			1		3	2	1	7	8		15	3			1	13
.....		2			2		3	3	4	5	3		10	2	1		1	10
.....		4			2		3	3	3	4	8	1	17	4	1		2	19
.....					1		2	1	1	5	3		6					3
.....						1		3		4	4		9	5				7
.....								2		1	2		7	4				3
.....						1		1		3	2		2	1				4
5					1		9	7	5	4	4	3	5	4	2	1	2	30
4							3	1	3	2	2	2	3	4		1	1	18
1					1		6	6	2	2	2	1	2		2		1	12
2	1	5			4	3	16	18	11	11	27	7	25	11	2	6	6	72
2	1	3			1	1	5	10	3	2	18	3	12	8		5	1	43
2	2	2			3	2	11	8	8	9	9	4	13	3	2	1	5	29
.....		3		1				2	1	1			2	3			1	5
.....	1									1			1	3				2
.....	2			1				2	1				1				1	3
4	2		1	1		11	3	2		6	3	2	10	2	1	2	4	15
2	2		1			2	1	2		2	2	1	7	1		1	3	12
2				1		9	2			4	1	1	3	1	1	1	1	3
.....								1		2	1			1				4
.....								1		1	1			1				4
.....										1	1			1				4
3		1	1	2	6	5	13	32	18	40	22	12	56	21	3	4	1	79
3					3	2	2	14	8	28	7	7	31	12		2	1	52
.....		1	1	2	3	3	11	18	10	12	15	5	25	9	2	2		27

TABLE 19.—POPULATION, BIRTHS, DEATHS, AND DEATH RATES AT CERTAIN AGES, AND DEATHS FROM CERTAIN

	AREAS.	UNDER 1 YEAR OF AGE.					UNDER 5 YEARS OF AGE.				ALL AGES.		
		Popu- lation.	Born and died in the census year.	Births during the census year.	Deaths.	Deaths under 1 per 1,000 births.	Popu- lation.	Deaths.	Death rate per 1,000 of popu- lation.	Deaths under 5 per 1,000 at all ages.	Popu- lation.	Deaths.	Death rate per 1,000 of popu- lation.
	MICHIGAN—Continued.												
1	Group 2—Continued.												
	Shiawassee county, rural.....	479	37	516	49	95.0	2,332	78	33.4	234.2	25,170	333	13.2
2	Males	231	20	251	26	103.6	1,171	42	35.9	232.0	12,961	181	14.0
3	Females	248	17	265	23	86.8	1,161	36	31.0	236.8	12,209	152	12.4
4	Owosso	118	17	135	28	207.4	694	36	51.9	297.5	8,696	121	13.9
5	Males	67	10	77	15	(*)	361	18	49.9	(*)	4,268	66	15.5
6	Females	51	7	58	13	(*)	333	18	54.1	(*)	4,428	55	12.4
7	White	118	17	135	28	207.4	694	36	51.9	297.5	8,671	121	14.0
8	Males	67	10	77	15	(*)	361	18	49.9	(*)	4,256	66	15.5
9	Females	51	7	58	13	(*)	333	18	54.1	(*)	4,415	55	12.5
10	Native	118	17	135	28	207.4	691	36	52.1	(*)	7,280	99	13.6
11	Males	67	10	77	15	(*)	360	18	50.0	(*)	3,531	52	14.7
12	Females	51	7	58	13	(*)	331	18	54.4	(*)	3,749	47	12.5
13	Both parents native ..	81	11	92	17	(*)	448	21	46.9	(*)	4,957	68	13.7
14	One or both parents foreign.	37	6	43	11	(*)	243	15	61.7	(*)	2,323	29	12.5
15	Foreign						3				1,391	22	15.8
16	Males						1				725	14	19.3
17	Females						2				666	8	12.0
18	Washtenaw county, rural.....	571	34	605	45	74.4	2,905	69	23.8	140.0	33,252	493	14.8
19	Males	271	21	292	27	92.5	1,461	36	24.6	144.0	16,432	250	15.2
20	Females	300	13	313	18	57.5	1,444	33	22.9	135.8	16,820	243	14.4
21	Ann Arbor.....	165	13	178	17	95.5	893	21	23.5	113.5	14,509	185	12.8
22	Males	76	9	85	11	(*)	440	12	27.3	118.8	7,319	101	13.8
23	Females	89	4	93	6	(*)	453	9	19.9	(*)	7,190	84	11.7
24	White	158	13	171	17	99.4	861	20	23.2	111.1	14,138	180	12.7
25	Males	72	9	81	11	(*)	424	11	25.9	(*)	7,126	98	13.8
26	Females	86	4	90	6	(*)	437	9	20.6	(*)	7,012	82	11.7
27	Native	158	13	171	17	99.4	855	20	23.4	161.3	11,857	124	10.5
28	Males	72	9	81	11	(*)	423	11	26.0	(*)	6,047	64	10.6
29	Females	86	4	90	6	(*)	432	9	20.8	(*)	5,810	60	10.3
30	Both parents native ..	92	7	99	9	(*)	484	10	20.7	(*)	7,059	71	10.1
31	One or both parents foreign.	66	4	70	6	(*)	371	8	21.6	(*)	4,798	34	7.1
32	Foreign						6				2,281	52	22.8
33	Males						1				1,079	30	27.8
34	Females						5				1,202	22	18.3
35	Wexford county	420	39	459	52	113.3	1,973	83	42.1	377.3	16,845	220	13.1
36	Males	223	23	246	30	122.0	983	46	46.8	380.2	9,002	121	13.4
37	Females	197	16	213	22	103.3	990	37	37.4	(*)	7,843	99	12.6
38	MINNESOTA	47,056	2,668	49,724	3,569	(*)	228,290	5,059	(*)	297.5	1,751,394	17,005	(*)
39	Males	23,998	1,511	25,509	1,998	(*)	116,076	2,787	(*)	297.9	932,490	9,354	(*)
40	Females	23,058	1,157	24,215	1,571	(*)	112,214	2,272	(*)	297.0	818,904	7,651	(*)
41	White	46,818	2,659	49,477	3,551	(*)	226,418	5,012	(*)	298.0	1,737,036	16,816	(*)
42	Males	23,870	1,505	25,375	1,987	(*)	115,102	2,758	(*)	298.2	924,851	9,250	(*)
43	Females	22,948	1,154	24,102	1,564	(*)	111,316	2,254	(*)	297.9	812,185	7,566	(*)
44	Native	46,709	2,648	49,357	3,537	(*)	225,187	4,988	(*)	483.4	1,232,101	10,318	(*)
45	Males	23,812	1,495	25,307	1,976	(*)	114,467	2,742	(*)	502.6	637,378	5,456	(*)
46	Females	22,897	1,153	24,050	1,561	(*)	110,720	2,246	(*)	461.9	594,723	4,862	(*)
47	Both parents native ..(M..)	8,589	576	9,165	739	(*)	38,704	1,004	(*)	450.4	225,103	2,229	(*)
48	One or both parents foreign.....(F..)	8,081	438	8,519	570	(*)	37,251	821	(*)	412.1	200,677	1,992	(*)
	One or both parents foreign.....(M..)	15,223	866	16,089	1,161	(*)	75,763	1,646	(*)	568.4	412,275	2,896	(*)
	foreign.....(F..)	14,816	682	15,498	942	(*)	73,469	1,362	(*)	520.4	394,046	2,617	(*)
49	Foreign	109	7	116	9	(*)	1,231	16	(*)	2.5	504,935	6,285	(*)
50	Males	58	7	65	7	(*)	635	10	(*)	2.8	287,473	3,634	(*)
51	Females	51		51	2	(*)	596	6	(*)	2.3	217,462	2,651	(*)
52	Colored	238	9	247	18	(*)	1,872	47	(*)	248.7	14,358	189	(*)
53	Males	128	6	134	11	(*)	974	29	(*)	278.8	7,639	104	(*)
54	Females	110	3	113	7	(*)	898	18	(*)	(*)	6,719	85	(*)

* Data insufficient for rates.

POPULATION, BIRTHS, DEATHS, AND DEATH RATES.

419

CAUSES, BY SEX, COLOR, GENERAL NATIVITY, AND PARENT NATIVITY: CENSUS YEAR 1900—Continued.

CAUSE OF DEATH.																			
Measles.	Scarlet fever.	Diphtheria and croup.	Whooping cough.	Malarial fever.	Influenza.	Typhoid fever.	Diarrheal diseases.	Consumption.	Cancer and tumor.	Heart disease and dropsy.	Pneumonia.	Diseases of the liver.	Diseases of the nervous system.	Diseases of the urinary organs.	Affections connected with pregnancy.	Old age.	Unknown.	All other causes.	
3	1	21	5	3	4	5	26	24	22	40	20	5	37	14	4	11	3	85	1
1	1	12	3	2	2	2	17	10	9	31	11	4	15	9	4	6	2	47	2
2	1	9	5	2	2	3	9	14	13	9	9	1	22	5	4	5	1	38	3
		7	1	4	4	5	8	9	6	5	1	16	10	1	3			41	4
		3	1	2	2	2	2	4	4	4	2	1	8	8	1	1		24	5
		4		2	2	2	3	4	5	2	3		8	2	1	2		17	6
		7	1	4	4	5	8	9	6	5	1	16	10	1	3			41	7
		3	1	2	2	2	2	4	4	4	2	1	8	8	1	1		24	8
		4		2	2	2	3	4	5	2	3		8	2	1	2		17	9
		7	1	3	4	4	4	7	6	6	5	1	13	8	1	2		31	10
		3	1	1	2	2	1	3	3	4	2	1	5	7	1	1		18	11
		4		2	2	2	3	4	3	2	3		8	1	1	1		13	12
		3	1	2	2	2	1	7	5	5	3	1	8	6	1	2		21	13
		4		1	1	2	3		1	1	2		4	2				9	14
					1		1	1	3				3	2		1		10	15
					1		1	1	1				3	1		1		6	16
									2					1				4	17
9	1	3		2		9	27	34	26	59	29	10	69	24	8	34	9	140	18
4	1	1		1		7	14	17	15	28	15	3	35	18		14	4	73	19
5		2		1		2	13	17	11	31	14	7	34	6	8	20	5	67	20
		1				3	9	18	24	13	13	2	17	11	5	4	1	64	21
						2	5	10	14	9	9	1	9	9		1	1	31	22
		1				1	4	8	10	4	4	1	8	2	5	3		33	23
		1				3	9	15	24	13	13	1	16	11	5	4	1	64	24
						2	5	9	14	9	9		8	9		1	1	31	25
		1				1	4	6	10	4	4	1	8	2	5	3		33	26
		1				3	9	11	12	8	8	1	10	10	4	2	1	44	27
						2	5	7	6	6	7		3	8		1	1	18	28
		1				1	4	4	6	2	1	1	7	2	4	1		26	29
		1				2	2	2	6	4	5	1	4	9	1	1	1	32	30
						1	6	7	2	1	3		5		2			7	31
								4	11	5	5		5	1	1	2		18	32
								2	7	3	2		4	1	1	2		11	33
								2	4	2	3		1					7	34
6	4	1		2	3	3	22	18	5	21	13	2	27	3	4	6	2	78	35
2	1			1	2	3	12	9	1	10	9		19	2		2		48	36
4	3	1		1	1		10	9	4	11	4	2	8	1	4	4	2	30	37
79	92	488	164	9	152	386	927	1,844	733	1,358	1,379	173	1,857	833	200	832	788	4,711	38
43	50	253	70	3	72	233	489	878	354	749	781	104	1,052	528		416	442	2,837	39
36	42	235	94	6	80	153	438	966	379	609	598	99	805	305	200	416	346	1,874	40
79	92	486	164	9	146	384	914	1,784	731	1,346	1,361	173	1,841	822	200	830	777	4,677	41
43	50	253	70	3	69	232	480	848	353	743	771	104	1,043	519		415	437	2,817	42
36	42	233	94	6	77	152	434	936	378	603	590	69	798	303	200	415	340	1,860	43
76	87	468	164	7	83	227	807	953	246	571	836	76	1,219	384	109	168	626	3,211	44
42	47	243	70	3	37	125	429	413	98	297	457	43	676	231		67	353	1,825	45
34	40	225	94	4	46	102	378	540	143	274	379	33	543	153	109	101	273	1,386	46
14	11	67	25	3	24	44	139	141	60	179	188	17	301	135		36	107	738	47
16	13	81	29	1	22	34	124	174	80	143	148	18	258	77	30	80	111	553	48
26	36	172	45		12	68	274	243	28	93	245	20	342	72		14	239	967	49
18	26	140	64	3	23	64	241	345	53	110	212	14	252	66	71	9	155	751	50
3	5	17		1	63	148	107	814	472	758	507	93	605	426	90	654	146	1,376	51
1	3	10			32	98	51	429	252	432	298	58	353	279		343	80	915	52
2	2	7		1	31	50	56	385	220	326	209	35	252	147	90	311	66	461	53
		2			6	2	13	60	2	12	18		16	11		2	11	34	54
					3	1	9	30	1	6	10		9	9		1	5	20	55
					3	1	4	20	1	6	8		7	2		1	6	14	56

TABLE 19.—POPULATION, BIRTHS, DEATHS, AND DEATH RATES AT CERTAIN AGES, AND DEATHS FROM CERTAIN

AREAS.		UNDER 1 YEAR OF AGE.					UNDER 5 YEARS OF AGE.				ALL AGES.		
		Popula- tion.	Born and died in the census year.	Births during the census year.	Deaths.	Deaths under 1 per 1,000 births.	Popula- tion.	Deaths.	Death rate per 1,000 of popu- lation.	Deaths under 5 per 1,000 at all ages.	Popula- tion.	Deaths.	Death rate per 1,000 of popu- lation.
MINNESOTA—Continued.													
1	Duluth.....	1,347.	109	1,456	150	103.0	6,356	203	31.9	290.8	52,969	698	13.2
2	Males.....	713	61	774	78	100.8	3,295	111	33.7	254.6	29,884	436	14.6
3	Females.....	634	48	682	72	105.6	3,061	92	30.1	351.1	23,085	262	11.3
4	White.....	1,339	109	1,448	150	103.6	6,323	203	32.1	291.7	52,547	696	13.2
5	Males.....	709	61	770	78	101.3	3,278	111	33.9	255.2	29,661	435	14.7
6	Females.....	630	48	678	72	106.2	3,045	92	30.2	352.5	22,886	261	11.4
7	Native.....	1,329	109	1,438	150	104.3	6,236	202	32.4	547.4	31,595	369	11.7
8	Males.....	701	61	762	78	102.4	3,233	110	34.0	552.8	17,076	199	11.7
9	Females.....	628	48	676	72	106.5	3,003	92	30.6	541.2	14,519	170	11.7
10	Foreign.....	10		10			87	1	(*)	3.3	20,952	300	14.3
11	Males.....	8		8			45	1	(*)	4.7	12,585	213	16.9
12	Females.....	2		2			42				8,367	87	10.4
13	Mankato.....	224	17	241	24	99.6	1,100	40	36.4	251.6	10,599	159	15.0
14	Males.....	121	5	126	10	79.4	545	22	40.4	(*)	5,168	98	19.0
15	Females.....	103	12	115	14	121.7	555	18	32.4	(*)	5,431	61	11.2
16	White.....	224	17	241	24	99.6	1,100	40	36.4	251.6	10,592	159	15.0
17	Males.....	121	5	126	10	79.4	545	22	40.4	(*)	5,164	98	19.0
18	Females.....	103	12	115	14	121.7	555	18	32.4	(*)	5,428	61	11.2
19	Native.....	224	17	241	24	99.6	1,095	40	36.5	363.6	8,014	110	13.7
20	Males.....	121	5	126	10	79.4	543	22	40.5	(*)	3,791	66	17.4
21	Females.....	103	12	115	14	121.7	552	18	32.6	(*)	4,223	44	10.4
22	Foreign.....						5				2,578	46	17.8
23	Males.....						2				1,373	29	21.1
24	Females.....						3				1,205	17	14.1
25	Minneapolis.....	4,207	297	4,504	429	95.2	20,692	607	29.3	278.1	202,718	2,183	10.8
26	Males.....	2,159	153	2,312	230	99.5	10,448	320	30.6	277.3	103,122	1,154	11.2
27	Females.....	2,048	144	2,192	199	90.8	10,244	287	28.0	278.9	99,596	1,029	10.3
28	White.....	4,183	296	4,479	426	95.1	20,588	602	29.2	279.2	201,113	2,156	10.7
29	Males.....	2,144	153	2,297	229	99.7	10,402	317	30.5	278.1	102,259	1,140	11.1
30	Females.....	2,039	143	2,182	197	90.3	10,186	285	28.0	280.5	98,854	1,016	10.3
31	Native.....	4,166	295	4,461	425	95.3	20,413	600	29.4	427.4	140,130	1,404	10.0
32	Males.....	2,136	152	2,288	228	99.7	10,303	315	30.6	442.4	69,198	712	10.3
33	Females.....	2,030	143	2,173	197	90.7	10,110	285	28.2	411.8	70,932	692	9.8
34	Both parents native. {M..	742	53	795	80	100.6	3,390	106	31.3	335.4	31,418	316	10.1
35	{F..	701	46	747	67	89.7	3,341	105	31.4	331.2	29,851	317	10.6
36	One or both parents {M..	1,394	80	1,474	123	83.4	6,913	181	26.2	571.0	37,780	317	8.4
37	{F..	1,329	87	1,416	117	82.6	6,769	162	23.9	519.2	41,081	312	7.6
38	Foreign.....	17	1	18	1	(*)	175	1	5.7	1.4	60,983	718	11.8
39	Males.....	8	1	9	1	(*)	99	1	(*)	2.5	33,061	404	12.2
40	Females.....	9		9			76				27,922	314	11.2
41	Colored.....	24	1	25	3	(*)	104	5	48.1	(*)	1,605	27	16.8
42	Males.....	15		15	1	(*)	46	3	(*)	(*)	863	14	16.2
43	Females.....	9	1	10	2	(*)	58	2	(*)	(*)	742	13	17.5

* Data insufficient for rates.

POPULATION, BIRTHS, DEATHS, AND DEATH RATES.

421

CAUSES, BY SEX, COLOR, GENERAL NATIVITY, AND PARENT NATIVITY: CENSUS YEAR 1900—Continued.

CAUSE OF DEATH.																		
Measles.	Scarlet fever.	Diphtheria and croup.	Whooping cough.	Malarial fever.	Influenza.	Typhoid fever.	Diarrheal diseases.	Consumption.	Cancer and tumor.	Heart disease and dropsy.	Pneumonia.	Diseases of the liver.	Diseases of the nervous system.	Diseases of the urinary organs.	Affections connected with pregnancy.	Old age.	Unknown.	All other causes.
3	3	8	6		1	23	57	49	38	42	82	8	64	45	3	12	8	246
2	2	3	2			17	25	24	22	24	63	6	40	29		8	6	163
1	1	5	4		1	6	32	25	16	18	19	2	24	16	3	4	2	83
3	3	8	6		1	22	57	49	38	42	82	8	64	44	3	12	8	246
2	2	3	2			17	25	24	22	24	63	6	40	28		8	6	163
1	1	5	4		1	5	32	25	16	18	19	2	24	16	3	4	2	83
3	2	8	6		1	8	51	20	10	15	41	2	41	16	3	3	2	137
2	1	3	2			6	24	7	2	8	27	1	23	8		1	1	83
1	1	5	4		1	2	27	13	8	7	14	1	18	8	3	2	1	54
.....	1					12	6	26	28	24	40	4	23	25		8	6	97
.....	1					9	1	16	20	13	35	4	17	17		6	5	69
.....						3	5	10	8	11	5		6	8		2	1	28
.....	2	3				6	6	12	11	9	19	2	23	8		5	2	51
.....	1	2				4	4	11	5	6	8		17	7		2	2	29
.....	1	1				2	2	1	6	3	11	2	6	1		3		22
.....	2	3				6	6	12	11	9	19	2	23	8		5	2	51
.....	1	2				4	4	11	5	6	8		17	7		2	2	29
.....	1	1				2	2	1	6	3	11	2	6	1		3		22
.....	2	3				5	6	5	7	3	12	2	19	5		1	1	39
.....	1	2				3	4	5	3	1	6		14	5		1	1	20
.....	1	1				2	2		4	2	6	2	5					19
.....								7	4	6	7		4	3		4	1	10
.....								6	2	5	2		3	2		1	1	7
.....								1	2	1	5		1	1		3		3
3	10	67	15	2	14	83	119	264	97	164	195	21	253	131	19	63	16	647
2	4	37	9	1	5	44	65	121	46	95	111	11	134	80		24	7	358
1	6	30	6	1	9	39	54	143	51	69	84	10	119	51	19	39	9	289
3	10	67	15	2	14	82	116	258	97	163	193	21	251	127	19	62	16	640
2	4	37	9	1	5	43	63	119	46	94	110	11	133	78		23	7	355
1	6	30	6	1	9	39	53	139	51	69	83	10	118	49	19	39	9	285
3	8	62	15	1	8	49	106	118	43	96	108	8	187	76	11	24	12	469
2	3	35	9	1	2	23	59	49	19	55	66	5	90	42		9	6	237
1	5	27	6		6	26	47	69	24	41	42	3	97	34	11	15	6	232
.....		5	5	1	2	9	17	22	16	36	27	2	36	27		6	4	101
.....	2	9	3		4	10	17	26	15	23	17	1	48	19	2	14	3	104
.....	3	29	4			8	37	22	2	14	33	2	48	9			2	104
.....	1	2	3		1	15	28	36	6	16	18	2	37	13	9	1	3	105
.....	2	4			6	31	10	139	52	64	83	13	62	48	8	38	4	154
.....	1	2			3	18	4	70	26	37	42	6	41	34		14	1	105
.....	1				3	13	6	69	26	27	41	7	21	14	8	24	3	49
.....						1	3	6		1	2		2	4		1		7
.....						1	2	2		1	1		1	2		1		3
.....						1	1	4			1		1	2				4

TABLE 19.—POPULATION, BIRTHS, DEATHS, AND DEATH RATES AT CERTAIN AGES, AND DEATHS FROM CERTAIN

AREAS.		UNDER 1 YEAR OF AGE.					UNDER 5 YEARS OF AGE.				ALL AGES.		
		Popula- tion.	Born and died in the census year.	Births during the census year.	Deaths.	Deaths under 1 per 1,000 births.	Popula- tion.	Deaths.	Death rate per 1,000 of popula- tion.	Deaths under 5 per 1,000 at all ages.	Popula- tion.	Deaths.	Death rate per 1,000 of popula- tion.
MINNESOTA—Continued.													
1	St. Paul	3,477	219	3,696	337	91.2	16,945	470	27.7	298.6	163,065	1,574	9.7
2	Males	1,752	122	1,874	179	95.5	8,526	247	29.0	298.3	84,405	828	9.8
3	Females	1,725	97	1,822	158	86.7	8,419	223	26.5	298.9	78,660	746	9.5
4	White	3,454	218	3,672	334	91.0	16,811	466	27.7	300.6	160,764	1,550	9.6
5	Males	1,743	121	1,864	176	94.4	8,462	244	28.8	300.1	83,043	813	9.8
6	Females	1,711	97	1,808	158	87.4	8,349	222	26.6	301.2	77,721	737	9.5
7	Native	3,443	216	3,659	331	90.5	16,707	462	27.7	482.8	114,016	957	8.4
8	Males	1,737	120	1,857	174	93.7	8,410	241	28.7	493.9	58,169	488	8.4
9	Females	1,706	96	1,802	157	87.1	8,297	221	26.6	471.2	55,847	469	8.4
10	Both parents native. {M..	620	44	664	61	91.9	2,787	78	28.0	410.5	22,966	190	8.3
11	One or both parents {F..	546	43	589	61	103.6	2,658	82	30.9	410.0	19,488	200	10.3
	foreign. {M..	1,117	57	1,174	78	66.4	5,623	126	22.4	514.3	35,203	245	7.0
	foreign. {F..	1,160	39	1,199	72	60.1	5,639	112	19.9	491.2	36,359	228	6.3
12	Foreign	11		11			104				46,748	572	12.2
13	Males	6		6			52				24,874	310	12.5
14	Females	5		5			52				21,874	262	12.0
15	Colored	23	1	24	3	(*)	134	4	29.9	(*)	2,301	24	10.4
16	Males	9	1	10	3	(*)	64	3	(*)	(*)	1,362	15	11.0
17	Females	14		14			70	1	(*)	(*)	939	9	9.6
18	Winona	473	54	527	68	129.0	2,326	87	37.4	315.2	19,714	276	14.0
19	Males	235	36	271	44	162.4	1,178	54	45.8	364.9	9,485	148	15.6
20	Females	238	18	256	24	93.8	1,148	33	28.7	257.8	10,229	128	12.5
21	White	473	54	527	68	129.0	2,326	87	37.4	315.2	19,684	276	14.0
22	Males	235	36	271	44	162.4	1,178	54	45.8	364.9	9,469	148	15.6
23	Females	238	18	256	24	93.8	1,148	33	28.7	257.8	10,215	128	12.5
24	Native	472	54	526	68	129.3	2,322	87	37.5	446.2	14,684	195	13.3
25	Males	235	36	271	44	162.4	1,177	54	45.9	495.4	6,910	109	15.8
26	Females	237	18	255	24	94.1	1,145	33	28.8	(*)	7,774	86	11.1
27	Foreign	1		1			4				5,000	80	16.0
28	Males						1				2,559	38	14.8
29	Females	1		1			3				2,441	42	17.2
30	MISSISSIPPI	45,307	2,695	48,002	3,542	(*)	229,451	6,483	(*)	320.1	1,551,270	20,251	(*)
31	Males	22,709	1,483	24,192	1,906	(*)	115,786	3,446	(*)	334.6	781,451	10,299	(*)
32	Females	22,598	1,212	23,810	1,636	(*)	113,665	3,037	(*)	305.2	769,819	9,952	(*)
33	White	19,416	906	20,322	1,262	(*)	94,420	2,280	(*)	306.3	641,200	7,444	(*)
34	Males	9,908	504	10,412	680	(*)	48,242	1,247	(*)	321.4	326,710	3,880	(*)
35	Females	9,508	402	9,910	582	(*)	46,178	1,033	(*)	289.8	314,490	3,564	(*)
36	Native ¹	19,301	890	20,191	1,237	(*)	93,895	2,245	(*)	315.3	628,832	7,120	(*)
37	Males	9,848	491	10,339	666	(*)	47,976	1,226	(*)	333.2	319,499	3,680	(*)
38	Females	9,453	399	9,852	571	(*)	45,919	1,019	(*)	296.2	309,333	3,440	(*)
39	Both parents native ¹ . {M..	9,676	484	10,160	655	(*)	47,130	1,206	(*)	351.3	310,098	3,433	(*)
40	One or both parents {F..	9,326	392	9,718	560	(*)	45,146	998	(*)	307.6	300,209	3,244	(*)
	foreign. ¹ {M..	172	6	178	8	(*)	846	17	(*)	(*)	9,401	87	(*)
	foreign. ¹ {F..	127	5	132	9	(*)	773	18	(*)	(*)	9,124	73	(*)
41	Foreign ¹	1		1			21				7,252	150	(*)
42	Males						10				4,819	95	(*)
43	Females	1		1			11				2,433	55	(*)
44	Colored	25,891	1,789	27,680	2,280	(*)	135,031	4,203	(*)	328.2	910,070	12,807	(*)
45	Males	12,801	979	13,780	1,226	(*)	67,544	2,199	(*)	342.6	454,741	6,419	(*)
46	Females	13,090	810	13,900	1,054	(*)	67,487	2,004	(*)	313.7	455,329	6,388	(*)

¹ Population excluded for areas not reporting deaths by nativity of persons and parents.

* Data insufficient for rates.

CAUSES, BY SEX, COLOR, GENERAL NATIVITY, AND PARENT NATIVITY: CENSUS YEAR 1900—Continued.

CAUSE OF DEATH.																			
Measles.	Scarlet fever.	Diphtheria and croup.	Whooping cough.	Malarial fever.	Influenza.	Typhoid fever.	Diarrheal diseases.	Consumption.	Cancer and tumor.	Heart disease and dropsy.	Pneumonia.	Diseases of the liver.	Diseases of the nervous system.	Diseases of the urinary organs.	Affections connected with pregnancy.	Old age.	Unknown.	All other causes.	
1	9	51	18		5	36	85	206	86	120	133	20	221	110	10	35	9	419	1
1	4	27	8		4	24	41	111	34	58	65	14	132	60		13	5	227	2
.....	5	24	10		1	12	44	95	52	62	68	6	89	50	10	22	4	192	3
1	9	51	18		5	36	84	201	85	116	130	20	218	107	10	35	9	415	4
1	4	27	8		4	24	40	109	34	56	63	14	130	57		13	5	224	5
.....	5	24	10		1	12	44	92	51	60	67	6	88	50	10	22	4	191	6
1	9	50	18		2	21	77	114	30	46	79	8	141	55	2	5	5	294	7
1	4	27	8		2	13	38	53	8	23	39	4	81	30			3	154	8
.....	5	23	10			8	39	61	22	23	40	4	60	25	2	5	2	140	9
.....	1	5	1		2	5	13	18	2	18	14	2	35	16				58	10
.....	1	4	1			4	9	27	13	13	16	3	31	14	1	6	1	57	11
.....	1	3	7			8	18	27	5	2	24	1	38	14			3	72	11
.....	4	19	9			4	24	31	9	6	22		22	11	1		1	65	11
.....		1			3	14	7	84	53	69	50	11	73	51	8	30	4	114	12
.....					2	10	2	55	26	32	23	9	45	26		13	2	65	13
.....		1			1	4	5	29	27	37	27	2	28	25	8	17	2	49	14
.....							1	5	1	4	3		3	3				4	15
.....							1	2		2	2		2	3				3	16
.....								3	1	2	1		1					1	17
.....		2		1	2	5	20	24	12	13	23	2	42	11	4	30	6	79	18
.....		2		1	1	2	10	13	6	5	12	1	24	7		8	3	53	19
.....					1	3	10	11	6	8	11	1	18	4	4	22	3	26	20
.....		2		1	2	5	20	24	12	13	23	2	42	11	4	30	6	79	21
.....		2		1	1	2	10	13	6	5	12	1	24	7		8	3	53	22
.....					1	3	10	11	6	8	11	1	18	4	4	22	3	26	23
.....		2		1	1	5	20	15	6	5	17	2	32	5	2	12	5	65	24
.....		2		1		2	10	8	5	2	9	1	18	3		2	2	44	25
.....					1	3	10	7	1	3	8	1	14	2	2	10	3	21	26
.....					1			9	6	8	6		10	6	2	18	1	13	27
.....					1			5	1	3	3		6	4		6	1	8	28
.....								4	5	5	3		4	2	2	12		5	29
950	44	494	175	983	587	1,370	1,056	2,129	311	1,310	2,168	164	1,270	432	259	329	1,989	4,231	30
459	21	247	91	498	304	667	558	878	98	609	1,223	93	666	317		131	1,010	2,429	31
491	23	247	84	485	283	703	498	1,251	213	701	945	71	604	115	259	198	979	1,802	32
376	24	239	56	297	278	563	504	535	170	433	828	86	588	222	77	104	697	1,367	33
174	12	123	35	155	135	286	284	236	63	220	456	48	314	160		35	362	782	34
202	12	116	21	142	143	277	220	299	107	213	372	38	274	62	77	69	335	585	35
373	24	285	56	287	272	556	474	501	154	402	787	83	559	205	76	94	685	1,297	36
173	12	121	35	149	131	281	265	214	54	203	431	46	295	146		32	352	740	37
200	12	114	21	138	141	275	209	287	100	199	356	37	264	59	76	62	333	557	38
167	12	117	35	135	127	267	251	184	51	186	409	43	268	128		28	338	687	39
193	11	113	21	130	135	267	198	264	91	189	337	36	249	53	70	51	321	515	40
3		4		6	1	9	6	6	1	4	6		8	4		4	4	25	40
3	1			6	1	4	5	7	3	2	4	1	6	2	3	4	6	15	40
.....				5	6	3	9	14	8	17	19	1	22	12	1	8	4	21	41
.....				2	4	2	6	9	5	9	13		14	10		2	4	15	42
.....				3	2	1	8	5	3	8	6	1	8	2	1	6		6	43
574	20	255	119	686	309	807	552	1,594	141	877	1,340	78	682	210	182	225	1,292	2,864	44
285	9	124	56	343	169	381	274	642	35	389	767	45	352	157		96	648	1,647	45
289	11	131	63	343	140	426	278	952	106	488	573	33	330	53	182	129	644	1,217	46

TABLE 19.—POPULATION, BIRTHS, DEATHS, AND DEATH RATES AT CERTAIN AGES, AND DEATHS FROM CERTAIN

	AREAS.	UNDER 1 YEAR OF AGE.					UNDER 5 YEARS OF AGE.				ALL AGES.		
		Popula- tion.	Born and died in the census year.	Births during the census year.	Deaths.	Deaths under 1 per 1,000 births.	Popula- tion.	Deaths.	Death rate per 1,000 of popu- lation.	Deaths under 5 per 1,000 at all ages.	Popula- tion.	Deaths.	Death rate per 1,000 of popu- lation.
	MISSISSIPPI—Continued.												
1	Natchez.....	238	44	282	61	216.3	1,144	90	78.7	185.6	12,210	485	39.7
2	Males.....	125	28	153	32	209.2	583	47	80.6	174.1	5,398	270	50.0
3	Females.....	113	16	129	29	224.8	561	43	76.6	200.0	6,812	215	31.6
4	White.....	114	16	130	25	192.3	504	34	67.5	244.6	5,116	139	27.2
5	Males.....	60	13	73	14	(*)	256	20	78.1	(*)	2,392	76	31.8
6	Females.....	54	3	57	11	(*)	248	14	56.5	(*)	2,724	63	23.1
7	Colored.....	124	28	152	36	236.8	640	56	87.5	161.8	7,094	346	48.8
8	Males.....	65	15	80	18	(*)	327	27	82.6	139.2	3,006	194	64.5
9	Females.....	59	13	72	18	(*)	313	29	92.7	190.8	4,088	152	37.2
10	MISSOURI.....	75,587	4,667	80,254	6,806	(*)	364,036	11,472	(*)	301.2	3,106,665	38,084	(*)
11	Males.....	38,262	2,627	40,889	3,742	(*)	184,578	6,128	(*)	299.2	1,595,710	20,480	(*)
12	Females.....	37,325	2,040	39,365	3,064	(*)	179,458	5,344	(*)	303.6	1,510,955	17,604	(*)
13	White.....	72,680	4,304	76,984	6,294	(*)	349,224	10,622	(*)	303.8	2,944,843	34,959	(*)
14	Males.....	36,816	2,430	39,246	3,472	(*)	177,324	5,688	(*)	302.0	1,513,977	18,833	(*)
15	Females.....	35,864	1,874	37,738	2,822	(*)	171,900	4,934	(*)	306.0	1,430,866	16,126	(*)
16	Native.....	72,659	4,292	76,951	6,273	(*)	348,913	10,577	(*)	360.0	2,729,068	29,383	(*)
17	Males.....	36,802	2,424	39,226	3,464	(*)	177,154	5,667	(*)	365.0	1,394,412	15,525	(*)
18	Females.....	35,857	1,868	37,725	2,809	(*)	171,759	4,910	(*)	354.3	1,334,656	13,855	(*)
19	Both parents native. ¹ {M..	28,284	1,546	29,830	2,176	(*)	133,618	3,755	(*)	376.9	998,062	9,962	(*)
20	One or both parents {M..	27,499	1,214	28,713	1,809	(*)	129,243	3,331	(*)	359.2	948,694	9,274	(*)
21	foreign. ¹ {F..	2,088	104	2,192	156	(*)	11,208	265	(*)	266.6	136,330	994	(*)
22	Foreign.....	2,073	73	2,146	120	(*)	11,119	213	(*)	256.6	129,266	830	(*)
23	Foreign.....	21		21			311	5	(*)	1.0	215,775	4,771	(*)
24	Males.....	14		14			170	1	(*)	0.4	119,565	2,824	(*)
25	Females.....	7		7			141	4	(*)	2.1	96,210	1,947	(*)
26	Colored.....	2,907	363	3,270	512	(*)	14,812	850	(*)	272.0	161,822	3,125	(*)
27	Males.....	1,446	197	1,643	270	(*)	7,254	440	(*)	267.2	81,733	1,647	(*)
28	Females.....	1,461	166	1,627	242	(*)	7,558	410	(*)	277.4	80,089	1,478	(*)
29	Kansas City.....	2,751	362	3,113	514	165.1	13,433	810	60.3	284.0	163,752	2,852	17.4
30	Males.....	1,383	220	1,603	289	180.3	6,781	444	65.5	285.0	82,729	1,558	18.8
31	Females.....	1,368	142	1,510	225	149.0	6,652	366	55.0	282.8	81,023	1,294	16.0
32	White.....	2,528	307	2,835	427	150.6	12,357	661	53.5	276.8	146,090	2,388	16.3
33	Males.....	1,269	183	1,452	244	168.0	6,264	367	58.6	273.9	74,078	1,340	18.1
34	Females.....	1,259	124	1,383	183	132.3	6,093	294	48.3	280.5	72,012	1,048	14.6
35	Native.....	2,526	302	2,828	419	148.2	12,319	639	51.9	374.3	127,803	1,707	13.4
36	Males.....	1,268	180	1,448	241	166.4	6,248	355	56.8	381.3	64,103	931	14.5
37	Females.....	1,258	122	1,380	178	129.0	6,071	284	46.8	366.0	63,700	776	12.2
38	Both parents native. ¹ {M..	886	95	981	129	131.5	4,397	202	45.9	376.2	47,860	537	11.2
39	One or both parents {M..	873	64	937	96	102.5	4,216	162	38.4	350.6	46,517	462	9.9
40	foreign. ¹ {F..	382	39	421	57	135.4	1,851	94	50.8	435.2	16,243	216	13.3
41	Foreign.....	385	25	410	42	102.4	1,855	77	41.5	490.4	17,183	157	9.1
42	Foreign.....	2		2			38				18,287	360	19.7
43	Males.....	1		1			16				9,975	232	23.3
44	Females.....	1		1			22				8,312	128	15.4
45	Colored.....	223	55	278	87	312.9	1,076	149	138.5	321.1	17,662	464	26.3
46	Males.....	114	37	151	45	298.0	517	77	148.9	353.2	8,651	218	25.2
47	Females.....	109	18	127	42	330.7	559	72	128.8	292.7	9,011	246	27.3
48	St. Joseph.....	1,595	80	1,675	142	84.8	9,792	255	26.0	273.3	102,979	933	9.1
49	Males.....	851	43	894	83	92.8	5,137	130	25.3	261.6	56,681	497	8.8
50	Females.....	744	37	781	59	75.5	4,655	125	26.9	286.7	46,298	436	9.4
51	White.....	1,514	74	1,588	130	81.9	9,311	232	24.9	278.2	96,712	834	8.6
52	Males.....	799	43	842	78	92.6	4,874	121	24.8	270.7	53,310	447	8.4
53	Females.....	715	31	746	52	69.7	4,437	111	25.0	286.8	43,402	387	8.9
54	Colored.....	81	6	87	12	(*)	481	23	47.8	(*)	6,267	99	15.8
55	Males.....	52		52	5	(*)	263	9	34.2	(*)	3,371	50	14.8
56	Females.....	29	6	35	7	(*)	218	14	64.2	(*)	2,896	49	16.9

¹ Population excluded for areas not reporting deaths by nativity of persons and parents.

* Data insufficient for rates.

425

CAUSE OF DEATH.																			
Measles.	Scarlet fever.	Diphtheria and croup.	Whooping cough.	Malarial fever.	Infuenza.	Typhoid fever.	Diarrheal diseases.	Consumption.	Cancer and tumor.	Heart disease and dropsy.	Pneumonia.	Diseases of the liver.	Diseases of the nervous system.	Diseases of the urinary organs.	Affections connected with pregnancy.	Old age.	Unknown.	All other causes.	
4		7	6	11		17	32	80	25	55	39	3	30	23		14	27	112	1
1		2	1	7		13	19	45	10	30	23	3	15	18		5	18	60	2
3		4		4		4	18	14	8	12	16		15	5		9	9	52	3
1		2		3		3	10	7	4	7	5	1	5	4		1	4	39	4
2		2		1		1	8	7	4	5	8		1	1		1	2	19	5
1		3	6	7		13	14	66	17	43	26	2	24	18		12	21	73	7
.....			1	4		10	9	38	6	23	18	2	10	14		4	14	41	8
1		3	5	3		3	5	28	11	20	8		14	4		8	7	32	9
494	184	1,124	380	965	355	1,790	2,466	4,107	1,019	2,472	4,442	466	4,130	1,608	355	1,088	1,382	9,357	10
253	65	591	167	494	166	926	1,816	1,967	416	1,356	2,539	287	2,256	1,086		500	747	5,348	11
241	69	533	213	471	189	864	1,150	2,140	603	1,116	1,903	179	1,874	522	355	538	635	4,009	12
470	134	1,075	350	923	335	1,682	2,347	3,459	972	2,251	4,075	438	3,845	1,441	327	957	1,311	8,567	13
240	65	565	151	476	159	860	1,253	1,638	406	1,245	2,319	274	2,117	983		453	713	4,916	14
230	69	510	199	447	176	822	1,094	1,821	566	1,006	1,756	164	1,728	458	327	504	598	3,651	15
465	134	1,069	348	838	285	1,553	2,170	2,970	656	1,676	3,436	306	3,243	1,002	295	433	1,231	7,273	16
236	65	561	151	428	135	775	1,162	1,327	259	910	1,933	188	1,750	691		201	663	4,090	17
229	69	508	197	410	150	778	1,008	1,643	397	766	1,503	118	1,493	311	295	232	568	3,183	18
215	30	351	128	338	102	610	767	722	165	576	1,333	105	1,090	394		110	586	2,340	19
200	38	297	164	334	117	621	673	1,113	246	482	1,055	80	1,003	158	212	128	503	1,850	20
7	4	35	8	26	10	60	67	117	25	47	123	7	115	46		13	30	259	21
6	6	36	13	28	7	53	50	111	22	59	102	6	72	22	26	17	21	173	22
2		2	1	72	44	104	150	393	288	495	572	127	496	394	25	492	49	1,065	23
2		1		41	21	70	76	264	134	289	341	83	309	263		230	28	672	24
.....		1	1	31	23	34	74	129	154	206	231	44	187	131	25	262	21	393	25
24		49	30	42	20	108	119	648	47	221	367	28	285	167	28	81			

VITAL STATISTICS.

TABLE 19.—POPULATION, BIRTHS, DEATHS, AND DEATH RATES AT CERTAIN AGES, AND DEATHS FROM CERTAIN

AREAS.		UNDER 1 YEAR OF AGE.					UNDER 5 YEARS OF AGE.				ALL AGES.		
		Popula- tion.	Born and died in the census year.	Births during the census year.	Deaths.	Deaths under 1 per 1,000 births.	Popula- tion.	Deaths.	Death rate per 1,000 of popu- lation.	Deaths under 5 per 1,000 at all ages.	Popula- tion.	Deaths.	Death rate per 1,000 of popu- lation.
MISSOURI—Continued.													
1	St. Louis	11,676	1,284	12,960	1,896	146.3	57,023	2,842	49.8	275.4	575,238	10,320	17.9
2	Males	5,886	722	6,608	1,051	159.0	28,793	1,546	53.7	267.7	288,197	5,776	20.0
3	Females	5,790	562	6,352	845	133.0	28,230	1,296	45.9	285.2	287,041	4,544	15.8
4	White	11,217	1,149	12,366	1,708	138.1	54,620	2,544	46.6	277.6	539,385	9,165	17.0
5	Males	5,642	655	6,297	955	151.7	27,566	1,395	50.6	271.7	270,378	5,135	19.0
6	Females	5,575	494	6,069	753	124.1	27,054	1,149	42.5	285.1	269,007	4,030	15.0
7	Colored	459	135	594	188	316.5	2,403	298	124.0	258.0	35,853	1,155	32.2
8	Males	244	67	311	96	308.7	1,227	151	123.1	235.6	17,819	641	36.0
9	Females	215	68	283	92	325.1	1,176	147	125.0	286.0	18,034	514	28.5
10	MONTANA	5,629	218	5,847	306	(*)	26,979	512	(*)	234.0	243,329	2,188	(*)
11	Males	2,817	128	2,945	178	(*)	13,648	279	(*)	201.2	149,842	1,387	(*)
12	Females	2,812	90	2,902	128	(*)	13,331	233	(*)	290.9	93,487	801	(*)
13	White	5,306	199	5,505	277	(*)	25,292	436	(*)	225.9	226,283	1,930	(*)
14	Males	2,652	113	2,765	156	(*)	12,765	238	(*)	189.5	139,139	1,256	(*)
15	Females	2,654	86	2,740	121	(*)	12,527	198	(*)	293.8	87,144	674	(*)
16	Native	5,273	196	5,469	271	(*)	24,951	421	(*)	393.8	163,910	1,069	(*)
17	Males	2,641	111	2,752	154	(*)	12,588	231	(*)	370.2	95,930	624	(*)
18	Females	2,632	85	2,717	117	(*)	12,363	190	(*)	427.0	67,980	445	(*)
19	Both parents native ¹ (M..)	1,150	49	1,199	79	(*)	5,564	110	(*)	380.6	53,595	289	(*)
20	One or both parents foreign ¹ (M..)	1,197	31	1,228	49	(*)	5,560	81	(*)	395.1	35,257	205	(*)
21	Foreign	1,403	50	1,453	62	(*)	6,571	98	(*)	507.8	38,474	193	(*)
22	Foreign	1,337	37	1,374	48	(*)	6,350	82	(*)	550.3	28,847	149	(*)
23	Foreign	33		33			341	5	(*)	9.4	62,373	534	(*)
24	Males	11		11			177	4	(*)	10.2	43,209	394	(*)
25	Females	22		22			164	1	(*)	7.1	19,164	140	(*)
26	Colored	323	19	342	29	(*)	1,687	76	(*)	294.6	17,046	258	(*)
27	Males	165	15	180	22	(*)	883	41	(*)	313.0	10,703	131	(*)
28	Females	158	4	162	7	(*)	804	35	(*)	275.6	6,343	127	(*)
29	Helena	190	10	200	10	50.0	935	22	23.5	142.9	10,770	154	14.3
30	Males	88	5	93	5	(*)	469	12	25.6	(*)	5,560	86	15.5
31	Females	102	5	107	5	46.7	466	10	21.5	(*)	5,210	68	13.1
32	White	187	9	196	9	45.9	910	21	23.1	140.9	10,345	149	14.4
33	Males	88	4	92	4	(*)	454	11	24.2	(*)	5,260	82	15.6
34	Females	99	5	104	5	48.1	456	10	21.9	(*)	5,085	67	13.2
35	Native	186	9	195	9	46.2	906	19	21.0	(*)	7,737	75	9.7
36	Males	88	4	92	4	(*)	453	11	24.3	(*)	3,861	44	11.4
37	Females	98	5	103	5	48.5	453	8	17.7	(*)	3,876	31	8.0
38	Foreign	1		1			4				2,608	41	15.7
39	Males	1		1			1				1,399	23	16.4
40	Females	1		1			3				1,209	18	14.9
41	NEBRASKA	27,793	1,207	29,000	1,642	(*)	133,747	2,599	(*)	314.5	1,066,300	8,264	(*)
42	Males	14,206	707	14,913	929	(*)	67,836	1,406	(*)	313.8	564,592	4,480	(*)
43	Females	13,587	500	14,087	713	(*)	65,911	1,193	(*)	315.3	501,708	3,784	(*)
44	White	27,607	1,171	28,778	1,600	(*)	132,940	2,526	(*)	315.2	1,056,526	8,015	(*)
45	Males	14,112	689	14,801	908	(*)	67,430	1,374	(*)	315.5	559,339	4,355	(*)
46	Females	13,495	482	13,977	692	(*)	65,510	1,152	(*)	314.8	497,187	3,660	(*)
47	Native	27,563	1,167	28,730	1,584	(*)	132,478	2,487	(*)	411.6	879,409	6,042	(*)
48	Males	14,083	686	14,769	900	(*)	67,191	1,355	(*)	418.3	459,627	3,239	(*)
49	Females	13,480	481	13,961	684	(*)	65,287	1,132	(*)	403.9	419,782	2,803	(*)
50	Both parents native ¹ (M..)	7,805	306	8,111	403	(*)	36,217	628	(*)	402.3	255,401	1,561	(*)
51	One or both parents foreign ¹ (M..)	7,473	220	7,693	311	(*)	34,974	552	(*)	390.1	230,183	1,415	(*)
52	Foreign	5,020	226	5,246	271	(*)	24,663	421	(*)	546.8	146,936	770	(*)
53	Foreign	4,789	140	4,929	196	(*)	24,075	315	(*)	468.8	137,243	672	(*)
54	Foreign	44	2	46	2	(*)	462	14	(*)	8.1	177,117	1,737	(*)
55	Males	29	1	30	1	(*)	239	6	(*)	6.1	99,712	987	(*)
56	Females	15	1	16	1	(*)	223	8	(*)	10.7	77,405	750	(*)
57	Colored	186	36	222	42	(*)	807	73	(*)	293.2	9,774	249	(*)
58	Males	94	18	112	21	(*)	406	32	(*)	256.0	5,253	125	(*)
59	Females	92	18	110	21	(*)	401	41	(*)	330.6	4,521	124	(*)

¹ Population excluded for areas not reporting deaths by nativity of persons and parents.

* Data insufficient for rates.

POPULATION, BIRTHS, DEATHS, AND DEATH RATES.

427

CAUSES, BY SEX, COLOR, GENERAL NATIVITY, AND PARENT NATIVITY: CENSUS YEAR 1900—Continued.

CAUSE OF DEATH.																			
Measles.	Scarlet fever.	Diphtheria and croup.	Whooping cough.	Malarial fever.	Influenza.	Typhoid fever.	Diarrheal diseases.	Consumption.	Cancer and tumor.	Heart disease and dropsy.	Pneumonia.	Diseases of the liver.	Diseases of the nervous system.	Diseases of the urinary organs.	Affections connected with pregnancy.	Old age.	Unknown.	All other causes.	
21	54	303	30	124	51	190	624	1,168	327	649	1,106	177	1,089	705	63	503	36	3,100	1
6	29	155	19	69	25	105	325	706	119	355	666	119	614	445	63	226	23	1,770	2
15	25	148	11	55	26	85	299	462	208	294	440	58	475	260	63	277	13	1,330	3
16	54	296	25	110	47	171	583	955	316	570	965	167	982	595	54	470	34	2,755	4
6	29	149	15	63	24	91	303	587	117	313	569	114	557	381	54	209	22	1,586	5
10	25	147	10	47	23	80	280	368	199	257	396	53	425	214	54	261	12	1,169	6
5		7	5	14	4	19	41	213	11	79	141	10	107	110	9	33	2	345	7
.....		6	4	6	1	14	22	119	2	42	97	5	57	64		17	1	184	8
5		1	1	8	3	5	19	94	9	37	44	5	50	46	9	16	1	161	9
17	26	51	19	5	17	42	108	164	61	134	407	13	211	61	33	36	101	682	10
8	13	16	9	4	10	29	54	97	28	83	302	11	145	46		21	53	458	11
9	13	35	10	1	7	13	54	67	33	51	105	2	66	15	33	15	48	224	12
10	25	36	12	5	15	38	93	112	57	121	376	10	202	57	24	25	84	628	13
5	13	10	5	4	8	26	46	79	26	73	285	8	138	42		16	45	427	14
5	12	26	7	1	7	12	47	33	31	48	91	2	64	15	24	9	39	201	15
10	25	33	11	5	5	22	87	54	26	50	138	5	127	30	12	8	58	363	16
5	13	8	5	4	2	12	44	28	7	34	91	4	82	23		4	28	230	17
5	12	25	6	1	3	10	43	26	19	16	47	1	45	7	12	4	30	133	18
4	5	2	1	3		6	24	12	3	16	33	2	44	13		1	11	109	19
1	4	10	4	1	1	8	26	10	10	8	23	1	16	4	5	1	5	67	20
.....	8	5	4			2	17	5	1	10	35	2	17	4		11	11	72	21
2	6	12	1		1	2	15	9	4	4	17		21	1	4	2	12	36	22
.....		2			6	8	3	40	25	52	125	3	53	18	10	2	10	177	23
.....		1			5	8	1	35	16	30	99	3	43	13		4	4	136	24
.....		1			1		2	5	9	22	26		10	5	10	2	6	41	25
7	1	15	7		2	4	15	52	4	13	31	3	9	4	9	11	17	54	26
3		6	4		2	3	8	18	2	10	17	3	7	4		5	8	31	27
4	1	9	3			1	7	34	2	3	14		2		9	6	9	23	28
.....	2	1				4	3	14	8	11	20	1	18	6	4	2	9	51	29
.....	2	1				4	1	11	5	4	13	1	10	3		1	4	29	30
.....	2	1				4	3	14	8	10	20	1	18	6	3	2	8	49	31
.....	2	1				4	1	11	5	3	13	7	10	3		1	3	27	32
.....	2	1				2	1	9	4	2	6		11	4	2	1	5	26	33
.....						2	1	6	1	1	4		7	3		1	2	16	34
.....	2						3	3	3	1	2		4	1	2		3	10	35
.....	1					2		3	4	4	10	1	2	1	1		1	11	36
.....						2		3	4		5	1	1	1			1	7	37
50	83	228	105	32	122	260	618	592	305	680	823	96	965	324	93	261	458	2,169	38
30	43	119	47	16	64	145	306	265	130	379	459	56	552	226		111	255	1,277	39
20	40	109	58	16	58	115	312	327	175	301	364	40	413	98	93	150	203	892	40
45	83	227	103	31	116	256	610	550	300	668	793	95	947	316	91	257	425	2,102	41
26	43	118	47	16	61	142	302	244	126	374	440	56	542	219		111	239	1,249	42
19	40	109	56	15	55	114	308	306	174	294	353	39	405	97	91	146	186	853	43
42	81	214	103	24	82	192	567	394	175	427	621	63	735	203	59	115	327	1,618	44
23	42	111	47	15	40	107	281	169	61	232	333	38	423	141		44	185	947	45
19	39	103	56	9	42	85	286	225	114	195	288	25	312	62	59	71	142	671	46
14	21	49	21	12	24	60	141	65	36	138	158	20	185	77		17	80	443	47
10	16	39	32	8	29	42	133	120	67	113	144	16	162	30	31	39	71	313	48
7	15	51	20	3	6	26	91	32	10	38	72	7	91	21		8	72	200	49
8	17	37	16		6	27	72	50	18	30	64	6	58	13	20	8	49	173	50
3	1	11		5	32	62	38	140	114	218	160	30	190	102	30	133	49	419	51
3		6		1	20	34	20	69	61	128	100	17	106	70		62	27	263	52
.....	1	5		4	12	28	18	71	53	90	60	13	84	32	30	71	22	156	53
5		1	2	1	6	4	8	42	5	12	30	1	18	8	2	4	33	67	54
4		1			3	3	4	21	4	5	19		10	7		16	28	54	55
1			2	1	3	1	4	21	1	7	11	1	8	1	2	4	17	39	56

TABLE 19.—POPULATION, BIRTHS, DEATHS, AND DEATH RATES AT CERTAIN AGES, AND DEATHS FROM CERTAIN

		UNDER 1 YEAR OF AGE.					UNDER 5 YEARS OF AGE.				ALL AGES.		
		Popula- tion.	Born and died in the census year.	Births during the census year.	Deaths.	Deaths under 1 per 1,000 births.	Popula- tion.	Deaths.	Death rate per 1,000 of popu- lation.	Deaths under 5 per 1,000 at all ages.	Popula- tion.	Deaths.	Death rate per 1,000 of popu- lation.
NEBRASKA—Continued.													
1	Lincoln.....	594	50	644	80	124.2	3,601	129	35.8	271.0	40,169	476	11.8
2	Males.....	291	30	321	46	143.3	1,804	66	36.6	251.9	20,726	262	12.6
3	Females.....	303	20	323	34	105.3	1,797	63	35.1	229.4	19,443	214	11.0
4	White.....	586	47	633	76	120.1	3,540	122	34.5	268.1	39,324	455	11.6
5	Males.....	286	28	314	44	140.1	1,769	62	35.0	246.0	20,274	252	12.4
6	Females.....	300	19	319	32	100.3	1,771	60	33.9	295.6	19,050	203	10.7
7	Native.....	583	47	630	76	120.6	3,478	118	33.9	360.9	34,066	327	9.6
8	Males.....	284	28	312	44	141.0	1,736	61	35.1	354.7	17,556	172	9.8
9	Females.....	299	19	318	32	100.6	1,742	57	32.7	367.7	16,510	155	9.4
10	Foreign.....	3		3			62	4	(*)	(*)	5,258	84	16.0
11	Males.....	2		2			33	1	(*)	(*)	2,718	51	18.8
12	Females.....	1		1			29	3	(*)	(*)	2,540	33	13.0
13	Omaha.....	1,942	204	2,146	295	137.5	9,331	419	44.9	303.2	102,555	1,382	13.5
14	Males.....	998	114	1,112	163	146.6	4,695	227	48.3	286.3	54,093	793	14.7
15	Females.....	944	90	1,034	132	127.7	4,636	192	41.4	326.0	48,462	589	12.2
16	White.....	1,897	194	2,091	282	134.9	9,112	403	44.2	307.6	99,009	1,310	13.2
17	Males.....	977	106	1,083	154	142.2	4,597	215	46.8	287.4	52,238	748	14.3
18	Females.....	920	88	1,008	128	127.0	4,515	188	41.6	334.5	46,771	562	12.0
19	Native.....	1,893	194	2,087	282	135.1	9,071	402	44.3	437.9	75,580	918	12.1
20	Males.....	974	106	1,080	154	142.6	4,575	215	47.0	418.3	39,734	514	12.9
21	Females.....	919	88	1,007	128	127.1	4,496	187	41.6	462.9	35,846	404	11.3
22	Foreign.....	4		4			41	1	(*)	3.1	23,429	319	13.6
23	Males.....	3		3			22				12,504	194	15.5
24	Females.....	1		1			19	1	(*)	8.0	10,925	125	11.4
25	NEVADA.....	771	33	804	46	(*)	3,754	79	(*)	180.4	42,335	438	(*)
26	Males.....	408	16	424	23	(*)	1,928	42	(*)	144.8	25,603	290	(*)
27	Females.....	363	17	380	23	(*)	1,826	37	(*)	250.0	16,732	148	(*)
28	White.....	682	25	707	34	(*)	3,166	48	(*)	137.5	35,405	349	(*)
29	Males.....	360	14	374	20	(*)	1,612	27	(*)	112.5	21,318	240	(*)
30	Females.....	322	11	333	14	(*)	1,554	21	(*)	192.7	14,087	109	(*)
31	Native.....	682	25	707	34	(*)	3,157	48	(*)	238.8	26,824	201	(*)
32	Males.....	360	14	374	20	(*)	1,606	27	(*)	210.9	15,257	128	(*)
33	Females.....	322	11	333	14	(*)	1,551	21	(*)	(*)	11,567	73	(*)
34	Both parents native.....	223	6	229	11	(*)	928	15	(*)	(*)	8,879	51	(*)
35	One or both parents foreign.....	211	7	218	10	(*)	933	14	(*)	(*)	6,232	38	(*)
36	Foreign.....	137	7	144	8	(*)	678	11	(*)	(*)	6,378	42	(*)
37	Foreign.....	111	4	115	4	(*)	618	7	(*)	(*)	5,335	29	(*)
38	Foreign.....						9				8,581	137	(*)
39	Males.....						6				6,061	107	(*)
40	Females.....						3				2,520	30	(*)
41	Colored.....	89	8	97	12	(*)	588	31	(*)	(*)	6,930	89	(*)
42	Males.....	48	2	50	3	(*)	316	15	(*)	(*)	4,285	50	(*)
43	Females.....	41	6	47	9	(*)	272	16	(*)	(*)	2,645	39	(*)
44	NEW HAMPSHIRE.....	8,048	824	8,872	1,384	156.0	38,231	1,981	51.8	267.7	411,588	7,400	18.0
45	Males.....	4,054	453	4,507	759	168.4	19,078	1,058	55.5	288.8	205,379	3,663	17.8
46	Females.....	3,994	371	4,365	625	143.2	19,153	923	48.2	247.0	206,209	3,737	18.1
47	White.....	8,039	823	8,862	1,382	155.9	38,190	1,978	51.8	267.7	410,791	7,388	18.0
48	Males.....	4,047	453	4,500	759	168.7	19,056	1,058	55.5	289.1	204,931	3,660	17.9
49	Females.....	3,992	370	4,362	623	142.8	19,134	920	48.1	246.8	205,860	3,728	18.1
50	Native.....	7,883	802	8,685	1,336	153.8	36,689	1,875	51.1	320.6	322,830	5,848	18.1
51	Males.....	3,981	443	4,424	739	167.0	18,333	1,005	54.8	346.1	160,544	2,904	18.1
52	Females.....	3,902	359	4,261	597	140.1	18,356	870	47.4	295.5	162,286	2,944	18.1
53	Both parents native.....	1,883	163	2,046	247	120.7	9,385	336	35.8	223.7	120,889	1,502	12.4
54	One or both parents foreign.....	1,830	127	1,957	189	96.6	9,113	277	30.4	178.8	121,725	1,549	12.7
55	Foreign.....	2,098	269	2,367	476	201.1	8,948	646	72.2	755.6	39,655	855	21.6
56	Foreign.....	2,072	217	2,289	382	166.9	9,243	560	60.6	703.5	40,561	796	19.6
57	Foreign.....	156	6	162	19	117.3	1,501	61	40.6	56.6	87,961	1,077	12.2
58	Males.....	66	2	68	6	(*)	723	30	41.5	56.7	44,387	529	11.9
59	Females.....	90	4	94	13	(*)	778	31	39.8	56.6	43,574	548	12.6
60	Colored.....	9	1	10	2	(*)	41	3	(*)	(*)	797	12	15.1
61	Males.....	7		7			22				448	3	6.7
62	Females.....	2	1	3	2	(*)	19	3	(*)	(*)	349	9	25.8

* Data insufficient for rates.

POPULATION, BIRTHS, DEATHS, AND DEATH RATES.

429

CAUSES, BY SEX, COLOR, GENERAL NATIVITY, AND PARENT NATIVITY: CENSUS YEAR 1900—Continued.

CAUSE OF DEATH.																		
Measles.	Scarlet fever.	Diphtheria and croup.	Whooping cough.	Malarial fever.	Influenza.	Typhoid fever.	Diarrheal diseases.	Consumption.	Cancer and tumor.	Heart disease and dropsy.	Pneumonia.	Diseases of the liver.	Diseases of the nervous system.	Diseases of the urinary organs.	Affections connected with pregnancy.	Old age.	Unknown.	All other causes.
1	5	6	7	1	7	14	37	51	21	37	48	6	65	23	4	15	12	116
1	2	2	3	1	4	8	12	31	5	20	29	3	37	18	4	7	5	75
1	3	4	4	1	3	6	25	20	16	17	19	3	28	5	4	8	7	41
1	5	6	7	1	7	13	35	47	19	36	45	5	64	21	4	15	12	112
1	2	2	3	1	4	7	10	31	4	19	27	3	37	17	4	7	5	73
1	3	4	4	1	3	6	25	16	15	17	18	2	27	4	4	8	7	39
1	5	4	7	1	6	8	32	35	13	22	33	3	41	13	3	7	9	85
1	2	1	3	1	4	4	9	21	2	10	18	3	22	10	3	3	4	56
1	3	3	4	1	2	4	23	14	11	12	15	3	19	3	3	4	5	29
1	2	2	3	1	4	7	10	31	4	19	27	3	37	17	4	7	5	73
1	3	4	4	1	3	6	25	16	15	17	18	2	27	4	4	8	7	39
1	5	4	7	1	6	8	32	35	13	22	33	3	41	13	3	7	9	85
1	2	1	3	1	4	4	9	21	2	10	18	3	22	10	3	3	4	56
1	3	3	4	1	2	4	23	14	11	12	15	3	19	3	3	4	5	29
1	2	2	3	1	4	7	10	31	4	19	27	3	37	17	4	7	5	73
1	3	4	4	1	3	6	25	16	15	17	18	2	27	4	4	8	7	39
1	5	4	7	1	6	8	32	35	13	22	33	3	41	13	3	7	9	85
1	2	1	3	1	4	4	9	21	2	10	18	3	22	10	3	3	4	56
1	3	3	4	1	2	4	23	14	11	12	15	3	19	3	3	4	5	29
1	2	2	3	1	4	7	10	31	4	19	27	3	37	17	4	7	5	73
1	3	4	4	1	3	6	25	16	15	17	18	2	27	4	4	8	7	39
1	5	4	7	1	6	8	32	35	13	22	33	3	41	13	3	7	9	85
1	2	1	3	1	4	4	9	21	2	10	18	3	22	10	3	3	4	56
1	3	3	4	1	2	4	23	14	11	12	15	3	19	3	3	4	5	29
1	2	2	3	1	4	7	10	31	4	19	27	3	37	17	4	7	5	73
1	3	4	4	1	3	6	25	16	15	17	18	2	27	4	4	8	7	39
1	5	4	7	1	6	8	32	35	13	22	33	3	41	13	3	7	9	85
1	2	1	3	1	4	4	9	21	2	10	18	3	22	10	3	3	4	56
1	3	3	4	1	2	4	23	14	11	12	15	3	19	3	3	4	5	29
1	2	2	3	1	4	7	10	31	4	19	27	3	37	17	4	7	5	73
1	3	4	4	1	3	6	25	16	15	17	18	2	27	4	4	8	7	39
1	5	4	7	1	6	8	32	35	13	22	33	3	41	13	3	7	9	85
1	2	1	3	1	4	4	9	21	2	10	18	3	22	10	3	3	4	56
1	3	3	4	1	2	4	23	14	11	12	15	3	19	3	3	4	5	29
1	2	2	3	1	4	7	10	31	4	19	27	3	37	17	4	7	5	73
1	3	4	4	1	3	6	25	16	15	17	18	2	27	4	4	8	7	39
1	5	4	7	1	6	8	32	35	13	22	33	3	41	13	3	7	9	85
1	2	1	3	1	4	4	9	21	2	10	18	3	22	10	3	3	4	56
1	3	3	4	1	2	4	23	14	11	12	15	3	19	3	3	4	5	29
1	2	2	3	1	4	7	10	31	4	19	27	3	37	17	4	7	5	73
1	3	4	4	1	3	6	25	16	15	17	18	2	27	4	4	8	7	39
1	5	4	7	1	6	8	32	35	13	22	33	3	41	13	3	7	9	85
1	2	1	3	1	4	4	9	21	2	10	18	3	22	10	3	3	4	56
1	3	3	4	1	2	4	23	14	11	12	15	3	19	3	3	4	5	29
1	2	2	3	1	4	7	10	31	4	19	27	3	37	17	4	7	5	73
1	3	4	4	1	3	6	25	16	15	17	18	2	27	4	4	8	7	39
1	5	4	7	1	6	8	32	35	13	22	33	3	41	13	3	7	9	85
1	2	1	3	1	4	4	9	21	2	10	18	3	22	10	3	3	4	56
1	3	3	4	1	2	4	23	14	11	12	15	3	19	3	3	4	5	29
1	2	2	3	1	4	7	10	31	4	19	27	3	37	17	4	7	5	73
1	3	4	4	1	3	6	25	16	15	17	18	2	27	4	4	8	7	39
1	5	4	7	1	6	8	32	35	13	22	33	3	41	13	3	7	9	85
1	2	1	3	1	4	4	9	21	2	10	18	3	22	10	3	3	4	56
1	3	3	4	1	2	4	23	14	11	12	15	3	19	3	3	4	5	29
1	2	2	3	1	4	7	10	31	4	19	27	3	37	17	4	7	5	73
1	3	4	4	1	3	6	25	16	15	17	18	2	27	4	4	8	7	39
1	5	4	7	1	6	8	32	35	13	22	33	3	41	13	3	7	9	85
1	2	1	3	1	4	4	9	21	2	10	18	3	22	10	3	3	4	56
1	3	3	4	1	2	4	23	14	11	12	15	3	19	3	3	4	5	29
1	2	2	3	1	4	7	10	31	4	19	27	3	37	17	4	7	5	73
1	3	4	4	1	3	6	25	16	15	17	18	2	27	4	4	8	7	39
1	5	4	7	1	6	8	32	35	13	22	33	3	41	13	3	7	9	85
1	2	1	3	1	4	4	9	21	2	10	18	3	22	10	3	3	4	56
1	3	3	4	1	2	4	23	14	11	12	15	3	19	3	3	4	5	29
1	2	2	3	1	4	7	10	31	4	19	27	3	37	17	4	7	5	73
1	3	4	4	1	3	6	25	16	15	17	18	2	27	4	4	8	7	39
1	5	4	7	1	6	8	32	35	13	22	33	3	41	13	3	7	9	85
1	2	1	3	1	4	4	9	21	2	10	18	3	22	10	3	3	4	56
1	3	3	4	1	2	4	23	14	11	12	15	3	19	3	3	4	5	29
1	2	2	3	1	4	7	10	31	4	19	27	3	37	17	4	7	5	73
1	3	4	4	1	3	6	25	16	15	17	18	2	27	4	4	8	7	39
1	5	4	7	1	6	8	32	35	13	22	33	3	41	13	3	7	9	85
1	2	1	3	1	4	4	9	21	2	10	18	3	22	10	3	3	4	56
1	3	3	4	1	2	4	23	14	11	12	15	3	19	3	3	4	5	29
1	2	2	3	1	4	7	10	31	4	19	27	3	37	17	4	7	5	73
1	3	4	4	1	3	6	25	16	15	17	18	2	27	4	4	8	7	39
1	5	4	7	1	6	8	32	35	13	22	33	3	41	13	3	7	9	85
1	2	1	3	1	4	4	9	21	2	10	18	3	22	10	3	3	4	56
1	3	3	4	1	2	4	23	14	11	12	15	3	19	3	3	4	5	29
1	2	2	3	1	4	7	10	31	4	19	27	3	37	17	4	7	5	73
1	3	4	4	1	3	6	25	16	15	17	18	2	27	4	4	8	7	39
1	5	4	7	1	6	8	32	35	13	22	33	3	41	13	3	7	9	85
1	2	1	3	1	4	4	9	21	2	10	18	3	22	10	3	3	4	56
1	3	3	4	1	2	4	23	14	11	12	15	3	19	3	3	4	5	29
1	2	2	3	1	4	7	10	31	4	19	27	3	37	17	4	7	5	73
1	3	4	4	1	3	6	25	16	15	17	18	2	27	4	4	8	7	39
1	5	4	7	1	6	8	32	35	13	22	33	3	41	13	3	7	9	85
1	2	1	3	1	4	4	9	21	2	10	18	3	22	10	3	3	4	56
1	3	3	4	1	2	4	23	14	11	12	15	3	19	3	3	4	5	29
1	2	2	3	1	4	7	10	31	4	19	27	3	37	17	4	7	5	73
1	3	4	4	1	3	6	25	16	15	17	18	2	27	4	4	8	7	39
1	5	4	7	1	6	8	32	35	13	22	33	3	41	13	3	7	9	85
1	2	1	3	1	4	4	9	21	2	10	18	3	22	10	3	3	4	56
1	3	3	4	1	2	4	23	14	11	12	15	3	19	3	3	4	5	29
1	2	2	3	1	4	7	10	31	4	19	27	3	37	17	4	7	5	73
1	3	4	4	1	3	6	25	16	15	17	18	2	27	4	4	8	7	39
1	5	4	7	1	6	8	32	35	13	22	33	3	41	13	3	7	9	85
1	2	1	3	1	4	4	9	21										

VITAL STATISTICS.

TABLE 19.—POPULATION, BIRTHS, DEATHS, AND DEATH RATES AT CERTAIN AGES, AND DEATHS FROM CERTAIN

AREAS.		UNDER 1 YEAR OF AGE.					UNDER 5 YEARS OF AGE.				ALL AGES.		
		Popula- tion.	Born and died in the census year.	Births during the census year.	Deaths.	Deaths under 1 per 1,000 births.	Popula- tion.	Deaths.	Death rate per 1,000 of popu- lation.	Deaths under 5 per 1,000 at all ages.	Popula- tion.	Deaths.	Death rate per 1,000 of popu- lation.
NEW HAMPSHIRE—Continued.													
1	Cities in New Hampshire	3,498	403	3,901	731	187.4	16,100	1,093	67.9	365.6	158,920	2,990	18.8
2	Males	1,740	217	1,957	401	204.9	7,920	583	73.6	395.8	76,303	1,473	19.3
3	Females	1,758	186	1,944	330	169.8	8,180	510	62.3	336.2	82,617	1,517	18.4
4	White	3,492	403	3,895	730	187.4	16,076	1,091	67.9	365.6	158,546	2,984	18.8
5	Males	1,734	217	1,951	401	205.5	7,905	583	73.8	396.1	76,091	1,472	19.3
6	Females	1,758	186	1,944	329	169.2	8,171	508	62.2	336.0	82,455	1,512	18.3
7	Native	3,386	393	3,779	708	187.4	15,182	1,031	67.9	460.9	107,814	2,237	20.7
8	Males	1,694	213	1,907	393	206.1	7,474	555	74.3	499.5	51,861	1,111	21.4
9	Females	1,692	180	1,872	315	168.3	7,708	476	61.8	422.7	55,953	1,126	20.1
10	Both parents native.. (M..	504	42	546	79	144.7	2,452	116	47.3	263.0	31,105	441	14.2
11	One or both parents (M..	509	37	546	59	108.1	2,479	94	37.9	202.6	34,013	464	13.6
	foreign. (F..	1,190	166	1,356	308	227.1	5,022	428	85.2	786.8	20,756	544	26.2
		1,183	140	1,323	248	187.5	5,229	372	71.1	747.0	21,940	498	22.7
12	Foreign	106	5	111	13	117.1	894	45	50.3	67.1	50,732	671	13.2
13	Males	40	2	42	3	(*)	431	20	46.4	61.9	24,230	323	13.3
14	Females	66	3	69	10	(*)	463	25	54.0	71.8	26,502	348	13.1
15	Colored	6		6	1	(*)	24	2	(*)	(*)	374	6	16.0
16	Males	6		6			15				212	1	4.7
17	Females				1		9	2	(*)	(*)	162	5	30.9
18	Rural part of New Hampshire.....	4,550	421	4,971	653	131.4	22,131	888	40.1	201.4	252,668	4,410	17.5
19	Males	2,314	236	2,550	358	140.4	11,158	475	42.6	216.9	129,076	2,190	17.0
20	Females	2,236	185	2,421	295	121.9	10,973	413	37.6	186.0	123,592	2,220	18.0
21	White	4,547	420	4,967	652	131.3	22,114	887	40.1	201.4	252,245	4,404	17.5
22	Males	2,313	236	2,549	358	140.4	11,151	475	42.6	217.1	128,840	2,188	17.0
23	Females	2,234	184	2,418	294	121.6	10,963	412	37.6	185.9	123,405	2,216	18.0
24	Native	4,497	409	4,906	628	128.0	21,507	844	39.2	233.7	215,016	3,611	16.8
25	Males	2,287	230	2,517	346	137.5	10,859	450	41.4	251.0	108,683	1,793	16.5
26	Females	2,210	179	2,389	282	118.0	10,648	394	37.0	216.7	106,333	1,818	17.1
27	Both parents native.. (M..	1,379	121	1,500	168	112.0	6,933	220	31.7	207.4	89,784	1,061	11.8
28	One or both parents (F..	1,321	90	1,411	130	92.1	6,634	183	27.6	168.7	87,712	1,085	12.4
	foreign. (M..	908	103	1,011	168	166.2	3,926	218	55.5	701.0	18,899	311	16.5
	foreign. (F..	889	77	966	134	138.7	4,014	188	46.8	630.9	18,621	298	16.0
29	Foreign	50	1	51	6	(*)	607	16	26.4	39.4	37,229	406	10.9
30	Males	26		26	3	(*)	292	10	34.2	48.5	20,157	206	10.2
31	Females	24	1	25	3	(*)	315	6	19.0	30.0	17,072	200	11.7
32	Colored	3	1	4	1	(*)	17	1	(*)	(*)	423	6	14.2
33	Males	1		1			7				236	2	8.5
34	Females	2	1	3	1	(*)	10	1	(*)	(*)	187	4	21.4
35	Group 1	5,378	617	995	1,042	173.8	25,360	1,530	60.3	292.5	275,051	5,231	19.0
36	Males	2,635	341	2,976	572	192.2	12,494	812	65.0	313.2	135,003	2,593	19.2
37	Females	2,743	276	3,019	470	155.7	12,866	718	55.8	272.2	140,048	2,638	18.8
38	White	5,369	617	5,986	1,041	173.9	25,325	1,528	60.3	292.6	274,436	5,223	19.0
39	Males	2,628	341	2,969	572	192.7	12,475	812	65.1	313.4	134,655	2,591	19.2
40	Females	2,741	276	3,017	469	155.5	12,850	716	55.7	272.0	139,781	2,632	18.8
41	Native	5,248	599	5,847	1,004	171.7	24,199	1,446	59.8	354.0	208,562	4,085	19.6
42	Males	2,577	333	2,910	557	191.4	11,941	773	64.7	378.7	102,617	2,041	19.9
43	Females	2,671	266	2,937	447	152.2	12,258	673	54.9	329.3	105,945	2,044	19.3
44	Both parents na.. (M..	1,115	100	1,215	152	125.1	5,578	216	38.7	214.9	74,679	1,005	13.5
	tive. (F..	1,123	78	1,201	117	97.4	5,534	184	33.2	176.8	76,919	1,041	13.5
45	One or both par- (M..	1,462	224	1,686	393	233.1	6,363	540	84.9	779.2	27,938	693	24.8
	ents foreign. (F..	1,548	177	1,725	312	180.9	6,724	468	69.6	729.0	29,026	642	22.1
46	Foreign	121	5	126	18	142.9	1,126	55	48.8	64.0	65,874	859	13.0
47	Males	51	2	53	6	(*)	534	27	50.6	64.1	32,038	421	13.1
48	Females	70	3	73	12	(*)	592	28	47.3	63.9	33,836	438	12.9
49	Colored	9		9	1	(*)	35	2	(*)	(*)	615	8	13.0
50	Males	7		7			19				348	2	5.7
51	Females	2		2	1	(*)	16	2	(*)	(*)	267	6	22.5

*Data insufficient for rates.

CAUSES, BY SEX, COLOR, GENERAL NATIVITY, AND PARENT NATIVITY: CENSUS YEAR 1900—Continued.

CAUSE OF DEATH.																			
Measles.	Scarlet fever.	Diphtheria and croup.	Whooping cough.	Malarial fever.	Influenza.	Typhoid fever.	Diarrheal diseases.	Consumption.	Cancer and tumor.	Heart disease and dropsy.	Pneumonia.	Diseases of the liver.	Diseases of the nervous system.	Diseases of the urinary organs.	Affections connected with pregnancy.	Old age.	Unknown.	All other causes.	
26	11	65	34	11	48	18	267	280	88	261	376	30	411	106	6	91	47	814	1
11	4	29	19	5	26	13	132	132	28	133	179	19	199	56	6	40	24	424	3
15	7	36	15	6	22	5	135	148	60	128	197	11	212	50	6	51	23	390	3
26	11	65	34	11	48	18	266	280	88	259	375	30	410	106	6	90	47	814	4
11	4	29	19	5	26	13	132	132	28	132	179	19	199	56	6	40	24	424	5
15	7	36	15	6	22	5	134	148	60	127	196	11	211	50	6	50	23	390	6
24	8	59	32	9	31	10	243	152	61	169	274	20	331	78	2	63	38	633	7
10	3	25	18	4	17	8	125	71	21	83	137	11	161	42	2	30	17	328	8
14	5	34	14	5	14	2	118	81	14	86	137	9	170	36	2	33	21	305	9
1	3	11	6	1	8	6	16	31	40	55	55	4	63	23	1	22	7	118	10
4	3	12	3	2	5	1	17	30	20	58	52	6	71	27	1	23	7	122	11
9	3	14	11	3	2	1	106	31	3	13	72	5	76	10	1	1	6	179	12
10	2	20	11	3	4	1	92	41	7	14	72	7	57	7	1	1	9	146	13
1	3	5	2	2	15	7	18	121	22	82	92	8	69	26	4	25	4	165	14
1	1	4	1	1	8	5	5	58	6	44	38	7	33	13	4	9	3	87	15
1	2	1	1	1	7	2	13	63	16	38	54	1	36	13	4	16	1	78	16
							1			2	1		1			1			17
										1									18
							1			1	1		1			1			19
19	18	42	44	7	137	51	238	347	212	511	497	35	651	211	26	258	75	1,031	20
9	12	21	16	4	53	27	110	160	61	274	247	23	325	132	26	112	41	563	21
10	6	21	28	3	84	24	128	187	151	237	250	12	326	79	26	146	34	468	22
19	18	42	44	7	136	51	238	346	212	511	497	35	650	211	26	258	75	1,028	23
9	12	21	16	4	53	27	110	159	61	274	247	23	325	132	26	112	41	562	24
10	6	21	28	3	83	24	128	187	151	237	250	12	325	79	26	146	34	466	25
15	17	41	43	5	112	38	209	256	166	422	416	23	515	171	19	204	60	879	26
6	12	21	15	4	44	19	93	119	46	229	208	17	253	108	88	34	477	27	27
9	5	20	28	1	68	19	116	137	120	193	208	6	262	63	19	116	26	402	28
3	4	8	5	1	29	13	34	70	35	157	132	11	155	63	52	16	273	29	29
2	3	6	9	1	38	10	46	82	80	128	126	5	168	43	13	62	16	247	30
3	8	12	8	1	1	2	53	21	7	10	34	1	28	5	1	1	12	112	31
5	2	11	18		3	5	61	19		15	34		29	3	1	3	7	74	32
3		1	1	1	11	7	13	54	25	37	51	8	60	22	7	23	4	78	33
2			1		3	5	8	26	8	18	24	3	35	15		12	2	44	34
1		1		1	8	2	5	28	17	19	27	5	25	7	7	11	2	34	35
					1			1					1					3	36
																		1	37
					1			1					1					2	38
37	20	88	45	11	118	40	388	454	178	538	641	52	757	228	19	233	78	1,306	39
14	8	42	21	5	55	27	194	217	53	281	314	34	374	131	19	94	42	687	40
23	12	46	24	6	63	13	194	237	125	257	327	18	383	97	19	139	36	619	41
37	20	88	45	11	118	40	387	454	178	536	640	52	756	228	19	232	78	1,304	42
14	8	42	21	5	55	27	194	217	53	280	314	34	374	131	19	94	42	686	43
23	12	46	24	6	63	13	193	237	125	256	326	18	382	97	19	138	36	618	44
32	16	82	44	9	92	24	351	273	130	393	499	35	604	178	12	174	63	1,074	45
11	7	39	20	4	42	16	179	132	42	205	252	24	296	103	71	33	565	46	46
21	9	43	24	5	50	8	172	141	88	188	247	11	308	75	12	103	30	509	47
3	1	16	7	1	22	10	34	69	30	142	127	13	148	63	9	45	15	259	48
6	5	15	7	2	30	3	38	69	52	128	120	7	163	56	9	66	12	253	49
8	6	22	11	3	3	2	140	38	3	18	91	4	84	11	1	12	12	237	50
14	4	26	17	3	3	4	126	48	12	24	82	1	70	9	1	13	13	187	51
4	3	5	1	2	20	12	24	151	34	101	115	13	98	41	7	38	6	184	52
2	1	3	1	1	9	9	9	73	8	55	50	8	52	23	7	15	5	97	53
2	2	2		1	11	3	15	78	26	46	65	5	46	18		23	1	87	54
							1			2	1		1			1		2	55
							1			1	1		1			1		1	56

TABLE 19.—POPULATION, BIRTHS, DEATHS, AND DEATH RATES AT CERTAIN AGES, AND DEATHS FROM CERTAIN

	AREAS.	UNDER 1 YEAR OF AGE.					UNDER 5 YEARS OF AGE.				ALL AGES.		
		Popula- tion.	Born and died in the census year.	Births during the census year.	Deaths.	Deaths under 1 per 1,000 births.	Popula- tion.	Deaths.	Death rate per 1,000 of popula- tion.	Deaths under 5 per 1,000 at all ages.	Popula- tion.	Deaths.	Death rate per 1,000 of popula- tion.
	NEW HAMPSHIRE—Continued.												
1	Group 1—Continued. Belknap county, rural	155	22	177	28	158.2	844	36	42.7	157.2	11,484	229	19.9
2	Males	80	15	95	18	(*)	407	24	59.0	198.3	5,901	121	20.5
3	Females	75	7	82	10	(*)	437	12	27.5	111.1	5,583	108	19.3
4	Laconia	112	23	135	33	244.4	643	49	76.2	300.6	8,042	163	20.3
5	Males	49	13	62	17	(*)	331	26	78.5	(*)	3,779	86	22.8
6	Females	63	10	73	16	(*)	312	23	73.7	(*)	4,263	77	18.1
7	White	112	23	135	33	244.4	642	48	74.8	296.3	8,018	162	20.2
8	Males	49	13	62	17	(*)	330	26	78.8	(*)	3,765	86	22.8
9	Females	63	10	73	16	(*)	312	22	70.5	(*)	4,253	76	17.9
10	Native	107	23	130	33	253.8	607	48	79.1	352.9	6,251	136	21.8
11	Males	44	13	57	17	(*)	308	26	84.4	(*)	2,942	68	23.1
12	Females	63	10	73	16	(*)	299	22	73.6	(*)	3,309	68	20.6
13	Both parents native ..	51	10	61	11	(*)	292	16	54.8	(*)	4,758	74	15.6
14	One or both parents foreign.	56	12	68	21	(*)	315	31	98.4	(*)	1,493	40	26.8
15	Foreign	5		5			35				1,767	24	13.6
16	Males	5		5			22				823	17	20.7
17	Females						13				944	7	7.4
18	Hillsboro county, rural	594	36	630	59	93.7	2,791	82	29.4	148.0	31,755	554	17.4
19	Males	297	23	320	34	106.3	1,416	42	29.7	158.5	16,235	265	16.3
20	Females	297	13	310	25	80.6	1,375	40	29.1	138.4	15,520	289	18.6
21	Manchester	1,376	199	1,575	328	208.3	6,120	481	78.6	440.5	56,987	1,092	19.2
22	Males	680	106	786	171	217.6	2,981	247	82.9	475.9	26,603	519	19.5
23	Females	696	93	789	157	199.0	3,139	234	74.5	408.4	30,384	573	18.9
24	White	1,376	199	1,575	328	208.3	6,118	481	78.6	440.9	56,926	1,091	19.2
25	Males	680	106	786	171	217.6	2,980	247	82.9	475.9	26,555	519	19.5
26	Females	696	93	789	157	199.0	3,138	234	74.6	409.1	30,371	572	18.8
27	Native	1,313	198	1,511	321	212.4	5,655	458	80.1	616.3	32,702	735	22.5
28	Males	655	105	760	169	222.4	2,756	234	84.9	653.6	15,671	358	22.8
29	Females	658	93	751	152	202.4	2,899	219	75.5	580.9	17,031	377	22.1
30	Both parents native ..	269	24	293	37	126.3	1,262	63	49.9	315.0	15,324	200	13.1
31	One or both parents foreign.	1,044	173	1,217	283	232.5	4,393	389	88.5	824.2	17,378	472	27.2
32	Foreign	63	1	64	7	(*)	463	28	60.5	80.9	24,224	346	14.3
33	Males	25	1	26	2	(*)	224	13	58.0	84.4	10,884	154	14.1
34	Females	38		38	5	(*)	239	15	62.8	78.1	13,340	192	14.4
35	Nashua	536	67	603	140	232.2	2,550	215	84.3	448.9	23,898	479	20.0
36	Males	247	38	285	76	266.7	1,246	111	89.1	468.4	11,529	237	20.6
37	Females	289	29	318	64	201.3	1,304	104	79.8	429.8	12,369	242	19.6
38	White	533	67	600	140	233.3	2,543	215	84.5	448.9	23,829	479	20.1
39	Males	244	38	282	76	269.5	1,241	111	89.4	468.4	11,490	237	20.6
40	Females	289	29	318	64	201.3	1,302	104	79.9	429.8	12,339	242	19.6
41	Native	517	61	578	132	228.4	2,383	202	84.8	577.1	15,738	350	22.2
42	Males	241	36	277	74	267.1	1,174	108	92.0	617.1	7,550	175	23.2
43	Females	276	25	301	58	192.7	1,209	94	77.8	537.1	8,188	175	21.4
44	Both parents native ..	148	9	157	17	108.3	1,709	30	42.3	283.0	8,570	106	12.4
45	One or both parents foreign.	369	52	421	115	273.2	1,674	171	102.2	834.1	7,168	205	28.6
46	Foreign	16	3	19	5	(*)	160	9	56.3	80.4	8,091	112	13.8
47	Males	3	1	4	1	(*)	67	2	(*)	(*)	3,940	55	14.0
48	Females	13	2	15	4	(*)	93	7	(*)	(*)	4,151	57	13.7
49	Merrimack county, rural	576	69	645	112	173.6	2,843	159	55.9	247.7	32,798	642	19.6
50	Males	272	36	308	58	188.3	1,412	81	57.4	253.9	16,486	319	19.3
51	Females	304	33	337	54	160.2	1,431	78	54.5	241.5	16,312	323	19.8

* Data insufficient for rates.

CAUSES, BY SEX, COLOR, GENERAL NATIVITY, AND PARENT NATIVITY: CENSUS YEAR 1900—Continued.

CAUSE OF DEATH.																		
Measles.	Scarlet fever.	Diphtheria and croup.	Whooping cough.	Malarial fever.	Influenza.	Typhoid fever.	Diarrheal diseases.	Consumption.	Cancer and tumor.	Heart disease and dropsy.	Pneumonia.	Diseases of the liver.	Diseases of the nervous system.	Diseases of the urinary organs.	Affections connected with pregnancy.	Old age.	Unknown.	All other causes.
			4		9	1	5	18	11	34	28		34	7	1	28	2	47
			3		7	1	4	10	6	16	15		16	6	1	11		27
			1		2		1	8	5	18	13		18	1		17	2	20
1	2	2	1		3	2	10	22	5	16	18	1	20	7	1	9	3	40
1	1	1	1		3	2	6	11	3	10	11		8	4		4	2	20
	1	2	2	1			4	11	2	6	7	1	12	3	1	5	1	20
1	2	2	1		3	2	10	22	5	16	17	1	20	7	1	9	3	40
1	1	2	1		3	2	6	11	3	10	11		8	4		4	2	20
	1	2	1				4	11	2	6	6	1	12	3	1	5	1	20
1	2	2	1		1	1	10	14	4	13	15	1	17	7		7	3	37
1	1	2	1		1	1	6	6	3	7	9		7	4		3	2	17
	1	2	1		1		4	8	1	6	6	1	10	3		4	1	20
1	1	2	1		1		2	6	2	10	6		7	7		5	2	21
	1						6	6		1	8		5				1	11
					2	1		8	1	2	2		3		1	1		3
					2	1		5		2	2		1			1		3
								3	1				2		1			17
1	8	1	2		15	5	24	52	16	70	39	9	108	41	2	31	5	125
1	3	1			5	2	10	21	2	43	16	7	54	24		10	4	63
	5		2		10	3	14	31	14	27	23	2	54	17	2	21	1	62
5	5	14	10	4	5	6	116	117	21	80	125	16	141	34	2	21	16	354
2	2	5	5	2	3	4	55	57	5	32	53	12	78	20		7	7	170
3	3	9	5	2	2	2	61	60	16	48	72	4	63	14	2	14	9	184
5	5	14	10	4	5	6	116	117	21	80	125	16	141	34	2	20	16	354
2	2	5	5	2	3	4	55	57	5	32	53	12	78	20		7	7	170
3	3	9	5	2	2	2	61	60	16	48	72	4	63	14	2	13	9	184
5	3	12	9	4	2	3	103	48	10	37	83	9	108	21		8	12	258
2	1	3	4	2	2	2	53	24	2	12	39	6	62	12		3	4	125
3	2	9	5	2		1	60	24	8	25	44	3	46	9		5	8	133
1		5		3	2	2	8	14	5	18	16	3	39	13		4	2	65
4	3	6	9	1		1	93	32	2	10	62	3	61	5			7	173
	2	2	1		3	3	12	69	10	42	41	7	30	12	2	12	4	94
	1	2	1		1	2	2	33	2	19	13	6	14	8		4	3	43
	1				2	1	10	36	8	23	28	1	16	4	2	8	1	51
13	2	25	3	7	15	1	46	39	10	43	63	5	50	14		5	7	131
3		9	1	3	5	1	23	21	1	21	33	2	24	8		4	2	76
10	2	16	2	4	10		23	18	9	22	30	3	26	6		1	5	55
13	2	25	3	7	15	1	46	39	10	43	63	5	50	14		5	7	131
3		9	1	3	5	1	23	21	1	21	33	2	24	8		4	2	76
10	2	16	2	4	10		23	18	9	22	30	3	26	6		1	5	55
11	1	22	3	5	10		41	22	4	27	40	3	40	7		2	6	106
2		8	1	2	3		21	12		12	24	1	19	5		2	2	61
9	1	14	2	3	7		20	10	4	15	16	2	21	2			4	42
2	1	5			5		1	10	3	15	10	1	13	2		1	4	33
9		17	2	5			40	9		7	24	1	22	4			1	64
1	1	2		2	4	1	4	15	5	14	21	1	9	7		3		22
		1		1	1	1	2	8	1	7	9	1	4	3		2		14
1	1	1		1	3		2	7	4	7	12		5	4		1		8
7		10	2		13	7	44	43	22	80	110	6	103	26	4	32	10	123
2		2	1		4	5	22	20	8	43	52	5	53	14		11	5	72
5		8	1		9	2	22	23	14	37	58	1	50	12	4	21	5	51

VITAL STATISTICS.

TABLE 19.—POPULATION, BIRTHS, DEATHS, AND DEATH RATES AT CERTAIN AGES, AND DEATHS FROM CERTAIN

AREAS.	UNDER 1 YEAR OF AGE.					UNDER 5 YEARS OF AGE.				ALL AGES.		
	Popu- lation.	Born and died in the census year.	Births during the census year.	Deaths.	Deaths under 1 per 1,000 births.	Popu- lation.	Deaths.	Death rate per 1,000 of popu- lation.	Deaths under 5 per 1,000 at all ages.	Popu- lation.	Deaths.	Death rate per 1,000 of popu- lation.
NEW HAMPSHIRE—Continued.												
1 Group 1—Continued.												
2 Concord.....	358	31	389	52	133.7	1,677	79	47.1	221.3	19,632	357	18.2
3 Males.....	184	17	201	34	169.2	834	46	55.2	269.0	9,625	171	17.8
4 Females.....	174	14	188	18	95.7	843	33	39.1	177.4	10,007	186	18.6
5 White.....	357	31	388	52	134.0	1,672	79	47.2	221.9	19,567	356	18.2
6 Males.....	183	17	200	34	170.0	831	46	55.4	269.0	9,589	171	17.8
7 Females.....	174	14	188	18	95.7	841	33	39.2	178.4	9,978	185	18.5
8 Native.....	355	30	385	51	132.5	1,652	77	46.6	250.0	15,765	308	19.5
9 Males.....	183	17	200	34	170.0	821	45	54.8	312.5	7,684	144	18.7
10 Females.....	172	13	185	17	91.9	831	32	38.5	195.1	8,081	164	20.3
11 Both parents native..	159	11	170	20	117.6	762	28	36.7	162.8	11,408	172	15.1
12 One or both parents foreign.....	196	18	214	29	135.5	890	47	52.8	(*)	4,357	32	18.8
13 Foreign.....	2	1	3	1	(*)	20	2	(*)	(*)	3,802	42	11.0
14 Males.....						10	1	(*)	(*)	1,905	23	12.1
15 Females.....	2	1	3	1	(*)	10	1	(*)	(*)	1,897	19	10.0
16 Rockingham county, rural.....	703	55	758	89	117.4	3,392	127	37.4	176.4	40,481	720	17.8
17 Males.....	359	30	389	48	123.4	1,713	68	39.7	191.5	20,618	355	17.2
18 Females.....	344	25	369	41	111.1	1,679	59	35.1	161.6	19,863	365	18.4
19 Portsmouth.....	194	19	213	33	154.9	891	48	53.9	266.7	10,637	180	16.9
20 Males.....	86	11	97	20	(*)	413	28	67.8	(*)	4,983	92	18.5
21 Females.....	108	8	116	13	112.1	478	20	41.8	(*)	5,654	88	15.6
22 White.....	192	19	211	32	151.7	884	47	53.2	264.0*	10,530	178	16.9
23 Males.....	84	11	95	20	(*)	409	28	68.5	(*)	4,935	91	18.4
24 Females.....	108	8	116	12	103.4	475	19	40.0	(*)	5,595	87	15.5
25 Native.....	191	19	210	32	152.4	870	46	52.9	310.8	8,509	148	17.4
26 Males.....	84	11	95	20	(*)	404	28	69.3	(*)	3,963	79	19.9
27 Females.....	107	8	115	12	104.3	466	18	38.6	(*)	4,546	69	15.2
28 Both parents native..	84	7	91	15	(*)	410	22	53.7	(*)	6,101	90	14.8
29 One or both parents foreign.....	107	10	117	15	128.2	460	20	43.5	(*)	2,408	33	13.7
30 Foreign.....	1		1			14				2,021	25	12.4
31 Males.....						5				972	12	12.3
32 Females.....	1		1			9				1,049	13	12.4
33 Strafford county, rural.....	348	60	408	100	245.1	1,636	138	84.4	373.0	17,664	370	20.9
34 Males.....	173	35	208	59	283.7	790	75	94.9	375.0	8,723	200	22.9
35 Females.....	175	25	200	41	205.0	846	63	74.5	370.6	8,941	170	19.0
36 Dover.....	242	25	267	45	168.5	1,150	64	55.7	249.0	13,207	257	19.5
37 Males.....	121	10	131	25	190.8	557	39	70.0	302.3	6,289	129	20.5
38 Females.....	121	15	136	20	147.1	593	25	42.2	195.3	6,918	128	18.5
39 White.....	242	25	267	45	168.5	1,150	64	55.7	250.0	13,186	256	19.4
40 Males.....	121	10	131	25	190.8	557	39	70.0	302.3	6,278	129	20.5
41 Females.....	121	15	136	20	147.1	593	25	42.2	196.9	6,908	127	18.4
42 Native.....	240	24	264	44	166.7	1,120	61	54.5	317.7	9,894	192	19.4
43 Males.....	119	10	129	25	193.8	541	37	68.4	362.7	4,691	102	21.7
44 Females.....	121	14	135	19	140.7	579	24	41.5	(*)	5,203	90	17.3
45 Both parents native..	97	7	104	14	134.6	460	19	41.3	(*)	6,543	91	13.9
46 One or both parents foreign.....	143	16	159	28	176.1	660	38	57.6	(*)	3,351	65	19.4
47 Foreign.....	2		2			30	2	(*)	(*)	3,292	53	16.1
48 Males.....	2		2			16	2	(*)	(*)	1,587	23	14.5
49 Females.....						14				1,705	30	17.6

*Data insufficient for rates.

CAUSES, BY SEX, COLOR, GENERAL NATIVITY, AND PARENT NATIVITY: CENSUS YEAR 1900—Continued.

CAUSE OF DEATH.																			
Measles.	Scarlet fever.	Diphtheria and croup.	Whooping cough.	Malarial fever.	Influenza.	Typhoid fever.	Diarrheal diseases.	Consumption.	Cancer and tumor.	Heart disease and dropsy.	Pneumonia.	Diseases of the liver.	Diseases of the nervous system.	Diseases of the urinary organs.	Affections connected with pregnancy.	Old age.	Unknown.	All other causes.	
1	1	5	5		4	2	15	25	18	35	38	4	69	22		20	7	86	1
1	1	3	3		4	1	8	12	5	21	15	3	27	10		5	5	49	2
1	1	2	2			1	7	13	13	14	23	1	42	12		15	2	37	3
1	1	5	5		4	2	15	25	18	34	38	4	69	22		20	7	86	4
1	1	3	3		4	1	8	12	5	21	15	3	27	10		5	5	49	5
1	1	2	2			1	7	13	13	13	23	1	42	12		15	2	37	6
1	1	5	5		4	2	13	20	17	26	33	4	58	21		17	7	74	7
1	1	3	3		4	1	6	9	5	16	12	3	23	10		4	5	40	8
1	1	2	2			1	7	11	12	10	21	1	35	11		13	2	34	9
1	1	3	2		1	1	6	10	9	21	19	4	18	16		14	3	43	10
.....		2	3		1		6	6	4	1	13		16	3			2	25	11
.....							1	5	1	7	4		9	1		2		12	12
.....							1	3		5	2		3					9	13
.....							2	2	1	2	2		6	1		2		3	14
1		11	2		27	8	34	59	41	83	78	6	112	38	7	43	13	157	15
1		8	1		8	7	18	31	9	36	44	3	56	25		17	7	84	16
.....		3	1		19	1	16	28	32	47	34	3	56	13	7	26	6	73	17
.....		5	1		2	1	13	16	12	20	15		33	6		13	1	42	18
.....		2	1		1	1	5	7	6	13	10		15	5		9		17	19
.....		3			1		8	9	6	7	5		18	1		4	1	25	20
.....		5	1		2	1	12	16	12	19	15		33	6		13	1	42	21
.....		2	1		1	1	5	7	6	12	10		15	5		9		17	22
.....		3			1		7	9	6	7	5		18	1		4	1	25	23
.....		5	1		2	1	12	9	9	14	13		26	6		11	1	38	24
.....		2	1		1	1	5	4	6	8	9		11	5		9		17	25
.....		3			1		7	5	3	6	4		15	1		2	1	21	26
.....		1	1		1	1	5	7	6	10	7		16	4		8		21	27
.....		1			1		7	1	3	1	2		6					11	28
.....							7	1	5	2		6				2		2	29
.....							3		4	1	1		4						30
.....							4	1	1	1		2				2		2	31
7	2	7	8		10	4	51	22	6	28	45	3	36	15	2	12	9	103	32
4	2	5	2		5	1	27	9	3	19	26	1	17	9		8	7	55	33
3		2	6		5	3	24	13	3	9	19	2	19	6	2	4	2	48	34
.....		5	2		7	3	19	21	13	32	43	1	27	13		16	3	52	35
.....		4	2		4	3	11	10	4	19	21		14	3		5	1	28	36
.....		1			3		8	11	9	13	22	1	13	10		11	2	24	37
.....		5	2		7	3	19	21	13	32	43	1	26	13		16	3	52	38
.....		4	2		4	3	11	10	4	19	21		14	3		5	1	28	39
.....		1			3		8	11	9	13	22	1	12	10		11	2	24	40
.....		5	2		3	2	19	14	12	22	31	1	19	8		12	3	39	41
.....		4	2		2	2	11	8	3	14	17		11	1		4	1	22	42
.....		1			1		8	6	9	8	14		8	7		8	2	17	43
.....		2	2		1	2	4	5	5	17	20		9	3		9	1	10	44
.....		3			1		14	8	1	3	11		2	3			2	17	45
.....					3	1		7	1	7	9		5	5		4		11	46
.....					2	1		2	1	4	3		3	2		1		4	47
.....					1			5		3	6		2	3		3		7	48

VITAL STATISTICS.

TABLE 19.—POPULATION, BIRTHS, DEATHS, AND DEATH RATES AT CERTAIN AGES, AND DEATHS FROM CERTAIN

AREAS.	UNDER 1 YEAR OF AGE.					UNDER 5 YEARS OF AGE.				ALL AGES.		
	Popula- tion.	Born and died in the census year.	Births during the census year.	Deaths.	Deaths under 1 per 1,000 births.	Popula- tion.	Deaths.	Death rate per 1,000 of popula- tion.	Deaths under 5 per 1,000 at all ages.	Popula- tion.	Deaths.	Death rate per 1,000 of popula- tion.
NEW HAMPSHIRE—Continued.												
1 Group 1—Continued. Rochester.....	184	11	195	23	117.9	823	52	63.2	276.6	8,466	188	22.2
2 Males.....	87	7	94	12	(*)	394	25	63.5	(*)	4,232	99	23.4
3 Females.....	97	4	101	11	108.9	429	27	62.9	(*)	4,234	89	21.0
4 White.....	184	11	195	23	117.9	823	52	63.2	276.6	8,461	188	22.2
5 Males.....	87	7	94	12	(*)	394	25	63.5	(*)	4,227	99	23.4
6 Females.....	97	4	101	11	108.9	429	27	62.9	(*)	4,234	89	21.0
7 Native.....	181	11	192	22	114.6	800	48	60.0	303.8	6,812	158	23.2
8 Males.....	87	7	94	11	(*)	382	22	57.6	(*)	3,331	80	24.0
9 Females.....	94	4	98	11	(*)	418	26	62.2	(*)	3,481	78	22.4
10 Both parents native.....	91	4	95	8	(*)	410	15	36.6	(*)	5,178	96	18.5
11 One or both parents foreign.....	90	6	96	12	(*)	390	31	79.5	(*)	1,634	39	23.9
12 Foreign.....	3		3			23				1,649	18	10.9
13 Males.....						12				896	13	14.5
14 Females.....	3		3			11				753	5	6.6
15 Group 2.....	2,670	207	2,877	342	118.9	12,871	451	35.0	207.9	136,537	2,169	15.9
16 Males.....	1,419	112	1,531	187	122.1	6,584	246	37.4	229.9	70,376	1,070	15.2
17 Females.....	1,251	95	1,346	155	115.2	6,287	205	32.6	186.5	66,161	1,099	16.6
18 White.....	2,670	206	2,876	341	118.6	12,865	450	35.0	207.9	136,355	2,165	15.9
19 Males.....	1,419	112	1,531	187	122.1	6,581	246	37.4	230.1	70,276	1,069	15.2
20 Females.....	1,251	94	1,345	154	114.5	6,284	204	32.5	186.1	66,079	1,096	16.6
21 Native.....	2,635	203	2,838	332	117.0	12,490	429	34.3	243.3	114,268	1,763	15.4
22 Males.....	1,404	110	1,514	182	120.2	6,392	232	36.3	268.8	57,927	863	14.9
23 Females.....	1,231	93	1,324	150	113.3	6,098	197	32.3	218.9	56,341	900	16.0
24 Both parents na- (M.....	768	63	831	95	114.3	3,807	120	31.5	241.4	46,210	497	10.8
(F.....	707	49	756	72	95.2	3,579	93	26.0	183.1	44,806	508	11.3
25 One or both par- (M.....	636	45	681	83	121.9	2,585	106	41.0	654.3	11,717	162	13.8
(F.....	524	40	564	70	124.1	2,519	92	36.5	597.4	11,535	154	13.4
26 Foreign.....	35	1	36	1	(*)	375	6	16.0	27.5	22,087	218	9.9
27 Males.....	15		15			189	3	15.9	27.8	12,349	108	8.7
28 Females.....	20	1	21	1	(*)	186	3	16.1	27.3	9,738	110	11.3
29 Colored.....		1	1	1	(*)	6	1	(*)	(*)	182	4	22.0
30 Males.....						3				100	1	10.0
31 Females.....		1	1	1	(*)	3	1	(*)	(*)	82	3	(*)
32 Carroll county.....	263	17	280	24	85.7	1,397	28	20.0	94.0	16,895	298	17.6
33 Males.....	137	10	147	12	81.6	737	13	17.6	85.5	8,675	152	17.5
34 Females.....	126	7	133	12	90.2	660	15	22.7	102.7	8,220	146	17.8
35 Cheshire county, rural.....	431	52	483	80	165.6	2,150	101	47.0	262.3	22,156	385	17.4
36 Males.....	240	36	276	50	181.2	1,101	61	55.4	294.7	11,341	207	18.3
37 Females.....	191	16	207	30	144.9	1,049	40	38.1	224.7	10,815	178	16.5
38 Keene.....	162	10	172	20	116.3	781	23	29.4	184.0	9,165	125	13.6
39 Males.....	98	6	104	13	125.0	411	15	36.5	(*)	4,459	61	13.7
40 Females.....	64	4	68	7	(*)	370	8	21.6	(*)	4,706	64	13.6
41 White.....	162	10	172	20	116.3	779	23	29.5	184.0	9,147	125	13.7
42 Males.....	98	6	104	13	125.0	410	15	36.6	(*)	4,452	61	13.7
43 Females.....	64	4	68	7	(*)	369	8	21.7	(*)	4,695	64	13.6
44 Native.....	161	10	171	20	117.0	774	23	29.7	221.2	7,900	104	13.2
45 Males.....	98	6	104	13	125.0	408	15	36.8	(*)	3,853	51	13.2
46 Females.....	63	4	67	7	(*)	366	8	21.9	(*)	4,047	53	13.1
47 Both parents native.....	89	5	94	14	(*)	471	15	31.8	(*)	5,944	68	11.4
48 One or both parents foreign.....	72	4	76	5	(*)	303	6	19.8	(*)	1,956	21	10.7
49 Foreign.....	1		1			5				1,247	20	16.0
50 Males.....						2				599	9	15.0
51 Females.....	1		1			3				648	11	17.0

*Data insufficient for rates.

437

TABLE 19.—POPULATION, BIRTHS, DEATHS, AND DEATH RATES AT CERTAIN AGES, AND DEATHS FROM CERTAIN

	AREAS.	UNDER 1 YEAR OF AGE.					UNDER 5 YEARS OF AGE.				ALL AGES.		
		Popula- tion.	Born and died in the census year.	Births during the census year.	Deaths.	Deaths under 1 per 1,000 births.	Popula- tion.	Deaths.	Death rate per 1,000 of popu- lation.	Deaths under 5 per 1,000 at all ages.	Popula- tion.	Deaths.	Death rate per 1,000 of popu- lation.
	NEW HAMPSHIRE—Continued.												
1	Group 2—Continued.												
	Coos county, rural	430	26	456	39	85.5	2,133	55	25.8	221.8	20,582	248	12.0
2	Males	219	9	228	15	65.8	1,065	25	23.5	193.8	11,037	129	11.7
3	Females	211	17	228	24	105.3	1,068	30	28.1	252.1	9,545	119	12.5
4	Berlin	334	18	352	57	161.9	1,465	82	56.0	550.3	8,886	149	16.8
5	Males	188	9	197	33	167.5	753	46	61.1	(*)	4,804	79	16.4
6	Females	146	9	155	24	154.8	712	36	50.6	(*)	4,082	70	17.1
7	White	334	18	352	57	161.9	1,465	82	56.0	550.3	8,882	149	16.8
8	Males	188	9	197	33	167.5	753	46	61.1	(*)	4,800	79	16.5
9	Females	146	9	155	24	154.8	712	36	50.6	(*)	4,082	70	17.1
10	Native	321	17	338	53	156.8	1,321	73	55.3	688.7	4,243	106	25.0
11	Males	183	8	191	30	157.1	680	40	58.8	(*)	2,176	54	24.8
12	Females	138	9	147	23	156.5	641	33	51.5	(*)	2,067	52	25.2
13	Both parents native..	25	2	27	2	(*)	155	2	12.9	(*)	1,292	8	6.2
14	One or both parents foreign.	296	15	311	48	154.3	1,166	67	57.5	(*)	2,951	85	28.8
15	Foreign	13		13			144	4	27.8	(*)	4,639	31	6.7
16	Males	5		5			73	2	(*)	(*)	2,624	17	6.5
17	Females	8		8			71	2	(*)	(*)	2,015	14	6.9
18	Grafton county	768	57	825	86	104.2	3,493	117	33.5	175.4	40,844	667	16.3
19	Males	391	27	418	43	102.9	1,775	60	33.8	197.4	21,045	304	14.4
20	Females	377	30	407	43	105.7	1,718	57	33.2	157.0	19,799	363	18.3
21	Sullivan county	282	27	309	36	116.5	1,452	45	31.0	151.5	18,009	297	16.5
22	Males	146	15	161	21	130.4	742	26	35.0	188.4	9,015	138	15.3
23	Females	136	12	148	15	101.4	710	19	26.8	119.5	8,994	159	17.7
24	NEW JERSEY	43,571	4,587	48,158	7,292	151.4	206,446	10,870	52.7	332.1	1,883,669	32,735	17.4
25	Males	21,921	2,730	24,651	4,202	170.5	103,966	6,044	58.1	346.1	941,760	17,462	18.5
26	Females	21,650	1,857	23,507	3,090	131.5	102,480	4,826	47.1	316.0	941,909	15,273	16.2
27	White	42,138	4,280	46,418	6,786	146.2	199,987	10,157	50.8	326.9	1,812,317	31,069	17.1
28	Males	21,214	2,545	23,759	3,911	164.6	100,800	5,645	56.0	339.7	906,543	16,617	18.3
29	Females	20,924	1,735	22,659	2,875	126.9	99,187	4,512	45.5	312.2	905,774	14,452	16.0
30	Native	41,993	4,269	46,262	6,758	146.1	197,778	10,085	51.0	441.8	1,382,267	22,829	16.5
31	Males	21,152	2,539	23,691	3,899	164.6	99,684	5,612	56.3	460.5	683,427	12,187	17.8
32	Females	20,841	1,730	22,571	2,859	126.7	98,094	4,473	45.6	420.3	698,840	10,642	15.2
33	Both parents native {M..	10,325	1,224	11,549	1,795	155.4	49,202	2,526	51.3	396.5	409,430	6,370	16.6
34	One or both parents {F..	10,229	852	11,081	1,380	124.5	48,495	2,060	42.5	346.9	416,543	5,939	14.3
35	foreign. {M..	10,827	1,213	12,040	1,953	162.2	50,482	2,882	57.1	431.3	273,997	4,565	16.7
36	foreign. {F..	10,612	817	11,429	1,366	119.5	49,599	2,259	45.5	599.4	282,297	3,769	13.4
37	Foreign	145	5	150	14	93.3	2,209	53	24.0	6.7	430,050	7,915	18.4
38	Males	62	3	65	6	(*)	1,116	24	21.5	5.7	223,116	4,202	18.8
39	Females	83	2	85	8	(*)	1,093	29	26.5	7.8	206,934	3,713	17.9
40	Colored	1,433	307	1,740	506	290.8	6,459	713	110.4	428.0	71,352	1,666	23.3
41	Males	707	185	892	291	326.2	3,166	399	126.0	472.2	35,217	845	24.0
42	Females	726	122	848	215	253.5	3,293	314	95.4	382.5	36,135	821	22.7
43	Cities in New Jersey	26,154	3,063	29,217	4,847	165.9	122,514	7,388	60.3	367.9	1,069,522	20,083	18.8
44	Males	13,134	1,788	14,922	2,763	185.2	61,561	4,075	66.2	379.6	531,083	10,734	20.2
45	Females	13,020	1,275	14,295	2,084	145.8	60,953	3,313	54.4	354.4	538,439	9,349	17.4
46	White	25,455	2,897	28,352	4,567	161.1	119,435	6,991	58.5	364.6	1,033,372	19,172	18.6
47	Males	12,797	1,687	14,484	2,601	179.6	60,093	3,848	64.0	375.0	513,577	10,260	20.0
48	Females	12,658	1,210	13,868	1,966	141.8	59,342	3,143	53.0	352.7	519,795	8,912	17.1
49	Native	25,353	2,890	28,243	4,547	161.0	117,918	6,933	58.8	522.4	738,966	13,272	18.0
50	Males	12,755	1,684	14,439	2,593	179.6	59,316	3,822	64.4	536.7	363,409	7,121	19.6
51	Females	12,598	1,206	13,804	1,954	141.6	58,602	3,111	53.1	505.8	375,557	6,151	16.4
52	Both parents native {M..	5,085	689	5,774	1,004	173.9	23,788	1,439	60.5	507.4	173,691	2,836	16.3
53	One or both parents {F..	5,099	502	5,601	810	144.6	23,718	1,220	51.4	461.6	178,288	2,643	14.8
54	foreign. {M..	7,670	919	8,589	1,478	172.1	35,523	2,236	62.9	656.3	189,718	3,407	18.0
55	foreign. {F..	7,499	652	8,151	1,057	129.7	34,884	1,773	50.8	620.8	197,269	2,856	14.5
56	Foreign	102	3	105	11	104.8	1,517	46	30.3	8.1	294,406	5,702	19.4
57	Males	42	1	43	4	(*)	777	20	25.7	6.6	150,168	3,011	20.1
58	Females	60	2	62	7	(*)	740	26	35.1	9.7	144,238	2,691	18.7
59	Colored	699	166	865	280	323.7	3,079	397	128.9	435.8	36,150	911	25.2
60	Males	337	101	438	162	309.9	1,468	227	154.6	478.9	17,506	474	27.1
61	Females	362	65	427	118	276.3	1,611	170	105.5	389.0	18,644	437	23.4

* Data insufficient for rates.

CAUSES, BY SEX, COLOR, GENERAL NATIVITY, AND PARENT NATIVITY: CENSUS YEAR 1900—Continued.

CAUSE OF DEATH.																		
Measles.	Scarlet fever.	Diphtheria and croup.	Whooping cough.	Malarial fever.	Influenza.	Typhoid fever.	Diarrheal diseases.	Consumption.	Cancer and tumor.	Heart disease and dropsy.	Pneumonia.	Diseases of the liver.	Diseases of the nervous system.	Diseases of the urinary organs.	Affections connected with pregnancy.	Old age.	Unknown.	All other causes.
.....	1	2	2		7	6	8	16	16	30	24		41	8	2	10	5	70
.....	1	2	1		4	2	4	10	4	15	14		20	3		6	3	42
.....			1		3	4	4	6	12	15	10		21	5	2	4	2	28
5	1	5	3		2	3	30	7	2	2	28		22	3	1	1	8	26
4	1	3	2			1	17	2	2	1	13		11	2			5	15
1		2	1		2	2	13	5		1	15		11	1	1	1	3	11
5	1	5	3		2	3	30	7	2	2	28		22	3	1	1	8	26
4	1	3	2			1	17	2	2	1	13		11	2			5	15
1		2	1		2	2	13	5		1	15		11	1	1	1	3	11
5	1	4	3		2	1	27	1		1	19		18	2		1	4	17
4	1	2	2			1	16				7		9	2			1	9
1		2	1		2		11	1		1	12		9			1	3	8
5	1	3	3		2	1	25				2		1			1	1	4
.....											16		14	1		1	2	11
.....		1				1	1	5	2	1	8		4	1	1			6
.....		1				1	1	2	2	1	5		2					4
.....								3			3		2	1	1			2
.....	5	6	7	3	23	10	33	58	43	81	62	6	76	34	4	45	14	157
.....	4	2	2	1	5	5	16	25	11	39	25	5	44	20		20	6	74
.....	1	4	5	2	18	5	17	33	32	42	37	1	32	14	4	25	8	83
1			2	2	8	2	11	28	17	37	35	1	45	15	2	17	4	70
1			1	2	3	1	1	8	2	22	18	1	20	9		6	2	41
.....			1		5	1	10	20	15	15	17		25	6	2	11	2	29
206	232	919	329	110	443	398	2,507	3,392	1,063	2,628	3,668	384	4,801	1,963	238	620	186	8,648
109	119	487	161	59	199	240	1,323	1,830	400	1,315	1,966	225	2,560	1,121		260	95	4,993
97	113	432	168	51	244	158	1,184	1,562	663	1,313	1,702	159	2,241	842	238	360	91	3,656
198	230	895	286	107	428	375	2,379	3,158	1,037	2,493	3,490	374	4,589	1,878	229	594	178	8,156
104	117	477	142	56	191	227	1,259	1,714	397	1,246	1,859	219	2,455	1,076		250	90	4,738
94	113	418	144	51	237	148	1,120	1,439	640	1,247	1,631	155	2,134	802	229	344	88	3,418
190	218	882	282	80	265	286	2,118	2,172	556	1,609	2,516	201	3,467	1,180	129	353	135	6,190
100	113	470	140	43	119	168	1,133	1,111	187	805	1,338	119	1,890	679		160	70	3,542
90	105	412	142	37	146	118	985	1,061	369	804	1,178	82	1,577	501	129	193	65	2,648
32	50	236	62	23	87	97	504	476	133	529	605	61	1,063	411		119	38	1,844
36	46	198	73	21	109	70	458	543	269	528	599	46	943	301	71	151	42	1,435
65	58	215	76	16	19	57	576	467	25	163	610	38	631	147		6	23	1,373
51	55	203	67	15	24	32	473	383	49	190	512	24	477	124	50	13	19	1,008
8	11	11	3	27	160	86	250	953	472	860	952	168	1,083	680	97	234	35	1,825
4	4	5	2	13	70	57	120	588	206	430	509	97	537	387		86	14	1,073
4	7	6	1	14	90	29	130	365	266	430	443	71	546	293	97	148	21	732
8	2	24	43	3	15	23	128	239	26	135	178	10	212	85	9	26	8	492
5	2	10	19	3	8	13	64	116	3	69	107	6	105	45		10	5	255
3		14	24		7	10	64	123	23	66	71	4	107	40	9	16	3	237
152	170	625	208	49	207	225	1,568	2,162	593	1,398	2,448	247	2,795	1,229	148	253	86	5,520
82	91	336	100	26	95	152	830	1,232	223	689	1,327	147	1,436	677		91	39	3,161
70	79	289	108	23	112	73	738	930	370	709	1,121	100	1,359	552	148	162	47	2,359
147	168	613	187	47	201	215	1,503	2,031	580	1,325	2,342	241	2,685	1,180	144	241	82	5,240
79	89	331	90	24	92	144	801	1,165	222	650	1,258	145	1,380	649		86	37	3,018
68	79	282	97	23	109	71	702	866	358	675	1,084	96	1,305	531	144	155	45	2,222
140	156	605	185	35	94	142	1,306	1,302	233	725	1,631	115	1,911	663	70	89	59	3,811
76	85	326	90	18	43	95	702	703	72	357	875	71	1,004	365		35	30	2,174
64	71	279	95	17	51	47	604	599	161	368	756	44	907	298		54	29	1,637
20	31	140	35	6	25	41	234	203	38	175	299	23	455	175		17	13	906
19	26	114	41	8	27	16	232	214	91	174	301	16	439	134	29	33	11	718
53	51	172	53	10	12	41	436	358	15	106	478	32	443	104		1		1,031
44	41	154	53	8	18	22	340	282	29	135	413	19	376	102	34	7	14	765
7	11	7	1	12	105	70	191	713	341	586	696	123	752	503	73	149	20	1,342
3	4	4		6	47	47	96	454	148	288	376	72	361	277		50	5	773
4	7	3	1	6	53	23	95	259	193	298	320	51	391	226	73	99	15	569
5	2	12	21	2	6	10	65	131	13	73	106	6	110	49	4	12	4	280
3	2	5	10	2	3	8	29	67	1	39	69	2	56	28		5	2	143
2		7	11		3	2	36	64	12	34	37	4	54	21	4	7	2	137

TABLE 19.—POPULATION, BIRTHS, DEATHS, AND DEATH RATES AT CERTAIN AGES, AND DEATHS FROM CERTAIN

AREAS.		UNDER 1 YEAR OF AGE.					UNDER 5 YEARS OF AGE.				ALL AGES.		
		Popula- tion.	Born and died in the census year.	Births during the census year.	Deaths.	Deaths under 1 per 1,000 births.	Popula- tion.	Deaths.	Death rate per 1,000 of popu- lation.	Deaths under 5 per 1,000 at all ages.	Popula- tion.	Deaths.	Death rate per 1,000 of popu- lation.
NEW JERSEY—Continued.													
1	Rural part of New Jersey.....	17,417	1,524	18,941	2,445	129.1	83,932	3,482	41.5	275.2	814,147	12,652	15.5
2	Males.....	8,787	942	9,729	1,439	147.9	42,405	1,969	46.4	292.7	410,677	6,728	16.4
3	Females.....	8,630	582	9,212	1,006	109.2	41,527	1,513	36.4	255.4	403,470	5,924	14.7
4	White.....	16,683	1,383	18,066	2,219	122.8	80,552	3,166	39.3	266.1	778,945	11,897	15.3
5	Males.....	8,417	858	9,275	1,310	141.2	40,707	1,797	44.1	282.7	392,966	6,357	16.2
6	Females.....	8,266	525	8,791	909	103.4	39,845	1,369	34.4	247.1	385,979	5,540	14.4
7	Native.....	16,640	1,379	18,019	2,211	122.7	79,860	3,152	39.5	329.8	643,301	9,557	14.9
8	Males.....	8,397	855	9,252	1,306	141.2	40,368	1,790	44.3	353.3	320,018	5,066	15.8
9	Females.....	8,243	524	8,767	905	103.2	39,492	1,362	34.5	303.3	323,283	4,491	13.9
10	Both parents native.. (M..	5,240	535	5,775	791	137.0	25,414	1,087	42.8	307.6	235,739	3,534	15.0
	One or both parents (F..	5,130	350	5,480	570	104.0	24,777	840	33.9	254.9	238,255	3,296	13.8
11	foreign. (M..	3,157	294	3,451	475	137.6	14,954	646	43.2	557.9	84,279	1,158	13.7
	foreign. (F..	3,113	165	3,278	309	94.3	14,715	486	33.0	532.3	85,028	913	10.7
12	Foreign.....	43	2	45	3	(*)	692	7	10.1	3.2	135,644	2,213	16.3
13	Males.....	20	2	22	2	(*)	339	4	11.8	3.4	72,948	1,191	16.3
14	Females.....	23		23	1	(*)	353	3	8.5	2.9	62,696	1,022	16.3
15	Colored.....	734	141	875	226	258.3	3,380	316	93.5	418.5	35,202	755	21.4
16	Males.....	370	84	454	129	284.1	1,698	172	101.3	463.6	17,711	371	20.9
17	Females.....	364	57	421	97	230.4	1,682	144	85.6	375.0	17,491	384	22.0
18	Group 1.....	33,620	3,532	37,152	5,706	153.6	159,959	8,607	53.8	339.5	1,438,576	25,352	17.6
19	Males.....	16,909	2,134	19,043	3,301	173.3	80,660	4,774	59.2	352.7	718,727	13,535	18.8
20	Females.....	16,711	1,398	18,109	2,405	132.8	79,299	3,833	48.3	324.4	719,849	11,817	16.4
21	White.....	32,399	3,270	35,669	5,271	147.8	154,465	7,996	51.8	333.9	1,377,863	23,947	17.4
22	Males.....	16,309	1,980	18,289	3,054	167.0	77,987	4,436	56.9	345.6	688,889	12,835	18.6
23	Females.....	16,090	1,290	17,380	2,217	127.6	76,478	3,560	46.5	320.4	688,974	11,112	16.1
24	Native.....	32,303	3,260	35,563	5,245	147.5	152,915	7,933	51.9	456.0	1,048,627	17,397	16.6
25	Males.....	16,270	1,974	18,244	3,042	166.7	77,208	4,407	57.1	473.3	518,520	9,311	18.0
26	Females.....	16,033	1,286	17,319	2,203	127.2	75,707	3,526	46.6	436.1	530,107	8,086	15.3
27	Both parents na- (M..	7,843	980	8,823	1,436	162.8	37,477	2,027	54.1	424.2	299,512	4,778	16.0
	tive. (F..	7,824	660	8,484	1,105	130.2	36,866	1,653	44.8	373.9	304,197	4,421	14.5
28	One or both par- (M..	8,427	931	9,358	1,509	161.3	39,731	2,249	56.6	618.2	219,008	3,638	16.6
	ents foreign. (F..	8,209	584	8,793	1,016	115.5	38,841	1,762	45.4	587.1	225,910	3,001	13.3
29	Foreign.....	96	4	100	12	120.0	1,550	45	29.0	7.1	329,236	6,306	19.2
30	Males.....	39	3	42	6	(*)	779	21	27.0	6.3	170,369	3,349	19.7
31	Females.....	57	1	58	6	(*)	771	24	31.1	8.1	158,867	2,957	18.6
32	Colored.....	1,221	262	1,483	435	293.3	5,494	611	111.2	434.9	60,713	1,405	23.1
33	Males.....	600	154	754	247	327.6	2,673	338	126.4	482.9	29,838	700	23.5
34	Females.....	621	108	729	188	257.9	2,821	273	96.8	387.2	30,875	705	22.8
35	Atlantic county, rural.....	438	37	475	69	145.3	2,094	98	46.8	356.4	18,564	275	14.8
36	Males.....	231	26	257	45	175.1	1,060	60	56.6	382.2	9,519	157	16.5
37	Females.....	207	11	218	24	110.1	1,034	38	36.8	322.0	9,045	118	13.0
38	Atlantic City.....	520	68	588		190.5	2,362	153	64.8	328.3	27,838	466	16.7
39	Males.....	291	41	332	63	189.8	1,196	83	69.4	340.2	13,844	244	17.6
40	Females.....	229	27	256	49	191.4	1,166	70	60.0	315.3	13,994	222	15.9
41	White.....	436	53	489	83	169.7	1,985	115	57.9	299.5	21,267	384	18.1
42	Males.....	246	33	279	48	172.0	1,004	63	62.7	316.6	10,499	199	19.0
43	Females.....	190	20	210	35	166.7	981	52	53.0	281.1	10,768	185	17.2
44	Native.....	434	53	487	83	170.4	1,978	114	57.6	372.5	18,191	306	16.8
45	Males.....	245	33	278	48	172.7	1,001	63	62.9	425.7	9,049	148	16.4
46	Females.....	189	20	209	35	167.5	977	51	52.2	322.8	9,142	158	17.3
47	Both parents native..	302	32	334	47	140.7	1,398	66	47.2	368.7	13,915	179	12.9
48	One or both parents foreign.	132	16	148	24	162.2	580	34	58.6	(*)	4,276	60	14.0
49	Foreign.....	2		2			7	1	(*)	(*)	3,076	74	24.1
50	Males.....	1		1			3				1,450	47	32.4
51	Females.....	1		1			4	1	(*)	(*)	1,626	27	16.6
52	Bergen county.....	1,873	181	2,054	273	132.9	9,086	382	42.0	307.3	78,441	1,243	15.8
53	Males.....	958	113	1,071	169	157.8	4,574	217	47.4	320.1	38,996	678	17.4
54	Females.....	915	68	983	104	105.8	4,512	165	36.6	292.0	39,445	565	14.3

* Data insufficient for rates.

CAUSES, BY SEX, COLOR, GENERAL NATIVITY, AND PARENT NATIVITY: CENSUS YEAR 1900—Continued.

CAUSE OF DEATH.																		
Measles.	Scarlet fever.	Diphtheria and croup.	Whooping cough.	Malarial fever.	Influenza.	Typhoid fever.	Diarrheal diseases.	Consumption.	Cancer and tumor.	Heart disease and dropsy.	Pneumonia.	Diseases of the liver.	Diseases of the nervous system.	Diseases of the urinary organs.	Affections connected with pregnancy.	Old age.	Unknown.	All other causes.
54	62	294	121	61	236	173	939	1,230	470	1,230	1,220	137	2,006	734	90	367	100	3,128
27	28	151	61	33	104	88	493	598	177	626	639	78	1,124	444	90	169	56	1,832
27	34	143	60	28	132	85	446	632	293	604	581	59	882	290	90	198	44	1,296
51	62	282	99	60	227	160	876	1,122	457	1,168	1,148	133	1,904	698	85	353	96	2,916
25	28	146	52	32	99	83	458	549	175	596	601	74	1,075	427	85	164	53	1,720
26	34	136	47	28	128	77	418	573	282	572	547	59	829	271	85	189	43	1,196
50	62	277	97	45	171	144	812	870	323	884	885	86	1,556	517	59	264	76	2,379
24	28	144	50	25	76	73	431	408	115	448	463	48	886	314	59	125	40	1,368
26	34	133	47	20	95	71	381	462	208	436	422	38	670	203	59	139	36	1,011
12	19	96	27	17	62	56	270	273	95	354	306	38	608	236	42	102	25	938
12	20	84	32	13	82	54	226	329	178	354	298	30	504	167	42	118	31	717
17	7	43	23	6	7	16	140	109	10	57	132	6	188	43	16	5	12	342
7	14	49	14	7	6	10	133	101	20	55	99	5	101	22	16	6	5	243
1		4	2	15	55	16	59	240	131	274	256	45	331	177	24	85	15	483
1		1	2	7	23	10	24	134	58	142	133	25	176	110	24	36	9	300
.....	3			8	32	6	35	106	73	132	123	20	155	67	24	49	6	183
3		12	22	1	9	13	63	108	13	62	72	4	102	36	5	14	4	212
2		5	9	1	5	5	35	49	2	30	38	4	49	17		5	3	112
1		7	13		4	8	28	59	11	32	34		53	19	5	9	1	100
175	190	724	241	90	312	287	1,967	2,690	796	2,020	2,901	315	3,661	1,529	192	444	142	6,676
91	96	379	128	45	139	167	1,049	1,493	297	1,019	1,560	176	1,939	883		188	76	3,810
84	94	345	113	45	173	120	918	1,197	499	1,001	1,341	139	1,722	646	192	256	66	2,866
168	190	705	206	87	300	268	1,851	2,492	773	1,914	2,746	307	3,491	1,453	184	423	134	6,255
86	96	373	111	42	133	156	991	1,398	294	968	1,467	172	1,858	843		180	71	3,596
82	94	332	95	45	167	112	860	1,094	479	946	1,279	135	1,633	610	184	243	63	2,659
161	178	702	203	66	175	207	1,634	1,695	398	1,197	1,971	162	2,610	886	100	250	100	4,702
88	92	372	109	33	74	116	885	900	135	604	1,046	87	1,416	513		117	55	2,674
78	86	330	94	33	101	91	749	795	263	593	925	75	1,194	373	100	133	45	2,028
24	38	182	46	17	50	70	405	359	93	380	459	42	808	306	50	86	27	1,386
30	35	166	48	18	70	57	357	391	185	370	457	40	709	207	50	111	27	1,093
59	49	178	63	12	15	39	440	404	20	138	494	29	491	118	45	6	23	1,060
45	47	160	46	14	20	24	357	308	41	157	420	23	384	110	45	8	16	776
7	11	2	2	21	122	59	207	778	369	698	757	143	855	553	82	168	27	1,445
3	4		2	9	57	39	100	487	156	355	411	84	423	321		61	11	826
4	7	2		12	65	20	107	291	213	343	346	59	432	232	82	107	16	619
7		19	35	3	12	19	116	198	23	106	155	8	170	76	8	21	8	421
5		6	17	3	6	11	58	95	3	51	93	4	81	40		8	5	214
2		13	18		6	8	58	103	20	55	62	4	89	36	8	13	3	207
.....		6	3	1	6	3	23	19	7	23	32	5	42	15	1	16	1	72
.....		4	2	1	1	3	16	11	3	6	16	2	22	13	1	10	1	46
.....		2	1		5		7	8	4	17	16	3	20	2	1	6		26
2	1	16	2		10	5	26	40	14	38	34	9	71	33	2	10	3	150
1	1	9			5	2	11	21	5	30	16	6	41	18		2	2	75
1	1	7	2		5	3	15	19	9	8	18	3	30	15	2	8	1	75
2	1	15	1		10	4	20	32	14	28	29	9	60	28	2	10	3	116
1		9			5	1	9	15	5	23	12	6	36	15		2	2	58
1	1	6	1		5	3	11	17	9	5	17	3	24	13	2	8	1	58
2	1	15	1		9	3	17	23	10	20	22	6	48	20	1	7	3	98
1		9			4	1	7	11	4	15	10	4	27	8		1	2	44
1	1	6	1		5	2	10	12	6	5	12	2	21	12	1	6	1	54
2	1	6			7	2	11	14	6	12	15	5	28	11	1	1	1	46
.....		6	1				4	4		3	4		9	1			1	26
.....					1	1	3	9	4	8	7	3	12	6	1	2		17
.....					1		2	4	1	8	2	2	9	5				13
.....						1	1	5	3		5	1	3	1	1	2		4
8	6	31	10	6	25	18	83	105	40	124	131	16	190	58	8	40	10	334
3	1	16	9	3	13	8	41	55	16	63	70	10	113	36		18	7	196
5	5	15	1	3	12	10	42	50	24	61	61	6	77	22	8	22	3	138

VITAL STATISTICS.

TABLE 19.—POPULATION, BIRTHS, DEATHS, AND DEATH RATES AT CERTAIN AGES, AND DEATHS FROM CERTAIN

AREAS.	UNDER 1 YEAR OF AGE.					UNDER 5 YEARS OF AGE.				ALL AGES.		
	Popula- tion.	Born and died in the census year.	Births during the census year.	Deaths.	Deaths under 1 per 1,000 births.	Popula- tion.	Deaths.	Death rate per 1,000 of popu- lation.	Deaths under 5 per 1,000 at all ages.	Popula- tion.	Deaths.	Death rate per 1,000 of popu- lation.
NEW JERSEY—Continued.												
1 Group 1—Continued. Burlington county.....	1,124	112	1,236	171	138.3	5,424	238	43.9	234.5	58,241	1,015	17.4
2 Males.....	567	72	639	102	159.6	2,767	141	51.0	265.5	28,912	531	18.4
3 Females.....	557	40	597	69	115.6	2,657	97	36.5	200.4	29,329	484	16.5
4 Camden county, rural.....	655	67	722	110	152.4	3,236	150	46.4	305.5	31,708	491	15.5
5 Males.....	315	43	358	70	195.5	1,634	90	55.1	347.5	15,880	259	16.3
6 Females.....	340	24	364	40	109.9	1,602	60	37.5	258.6	15,828	232	14.7
7 Camden.....	1,687	215	1,902	289	151.9	7,851	444	56.6	359.5	75,935	1,235	16.3
8 Males.....	802	115	917	155	169.0	3,838	229	59.7	361.2	37,154	634	17.1
9 Females.....	885	100	985	134	136.0	4,013	215	53.6	357.7	38,781	601	15.5
10 White.....	1,574	173	1,747	229	131.1	7,329	367	50.1	343.3	70,288	1,069	15.2
11 Males.....	749	91	840	123	146.4	3,603	190	52.7	343.6	34,481	553	16.0
12 Females.....	825	82	907	106	116.9	3,726	177	47.5	343.0	35,807	516	14.4
13 Native.....	1,572	170	1,742	225	129.2	7,290	362	49.7	408.1	60,288	887	14.7
14 Males.....	749	89	838	121	144.4	3,585	188	52.4	421.5	29,499	446	15.1
15 Females.....	823	81	904	104	115.0	3,705	174	47.0	394.6	30,789	441	14.3
16 Both parents native.....	1,053	122	1,175	152	129.4	4,764	235	49.3	383.4	43,113	613	14.2
17 One or both parents foreign.....	519	41	560	62	110.7	2,526	113	44.7	567.8	17,175	199	11.6
18 Foreign.....	2	1	3	1	(*)	39	2	(*)	11.7	10,000	171	17.1
19 Males.....	-----	1	1	1	(*)	18	1	(*)	(*)	4,982	99	19.9
20 Females.....	2	-----	2	-----	-----	21	1	(*)	(*)	5,018	72	14.3
21 Cape May county.....	262	18	280	32	114.3	1,250	42	33.6	206.9	13,201	203	15.4
22 Males.....	137	8	145	14	96.6	648	19	29.3	172.7	6,724	110	16.4
23 Females.....	125	10	135	18	133.3	602	23	38.2	(*)	6,477	93	14.4
24 Cumberland county, rural.....	569	41	610	65	106.6	2,815	86	30.6	234.3	26,697	367	13.7
25 Males.....	260	25	285	37	129.8	1,420	50	35.2	256.4	13,515	195	14.4
26 Females.....	309	16	325	28	86.2	1,395	36	25.8	209.3	13,182	172	13.0
27 Bridgeton.....	49	36	284	49	172.5	1,249	59	47.2	295.0	13,913	200	14.4
28 Males.....	109	20	129	26	201.6	593	34	57.3	333.3	6,873	102	14.8
29 Females.....	140	15	155	23	148.4	656	25	38.1	(*)	7,040	98	13.9
30 White.....	227	33	260	45	173.1	1,170	55	47.0	302.2	13,209	182	13.8
31 Males.....	99	18	117	24	205.1	560	32	57.1	(*)	6,549	96	11.7
32 Females.....	128	15	143	21	146.9	610	23	37.7	(*)	6,660	86	12.9
33 Native.....	227	33	260	45	173.1	1,169	55	47.0	319.8	12,559	172	13.7
34 Males.....	99	18	117	24	205.1	560	32	57.1	(*)	6,202	90	14.5
35 Females.....	128	15	143	21	146.9	609	23	37.8	(*)	6,357	82	12.9
36 Both parents native.....	197	31	228	43	188.6	1,025	52	50.7	391.0	11,286	133	11.8
37 One or both parents foreign.....	30	2	32	2	(*)	144	3	20.8	(*)	1,273	10	7.9
38 Foreign.....	-----	-----	-----	-----	-----	1	-----	-----	-----	650	9	13.8
39 Males.....	-----	-----	-----	-----	-----	-----	-----	-----	-----	347	6	17.3
40 Females.....	-----	-----	-----	-----	-----	1	-----	-----	-----	303	3	9.9
41 Millville.....	213	22	235	38	161.7	1,062	51	48.0	289.8	10,583	176	16.6
42 Males.....	104	16	120	25	208.3	512	30	58.6	(*)	5,310	81	15.3
43 Females.....	109	6	115	13	113.0	550	21	38.2	(*)	5,273	95	18.0
44 White.....	211	22	233	38	163.1	1,046	50	47.8	287.4	10,444	174	16.7
45 Males.....	102	16	118	25	211.9	504	29	57.5	(*)	5,250	80	15.2
46 Females.....	109	6	115	13	113.0	542	21	38.7	(*)	5,194	94	18.1
47 Native.....	211	22	233	38	163.1	1,045	50	47.8	299.4	9,846	167	17.0
48 Males.....	102	16	118	25	211.9	504	29	57.5	(*)	4,932	77	15.6
49 Females.....	109	6	115	13	113.0	541	21	38.8	(*)	4,914	90	18.3
50 Both parents native.....	184	22	206	38	181.5	915	49	53.6	340.3	8,575	144	16.8
51 One or both parents foreign.....	27	-----	27	-----	-----	130	1	7.7	(*)	1,271	17	13.4
52 Foreign.....	-----	-----	-----	-----	-----	1	-----	-----	-----	598	6	10.0
53 Males.....	-----	-----	-----	-----	-----	-----	-----	-----	-----	318	3	9.4
54 Females.....	-----	-----	-----	-----	-----	1	-----	-----	-----	280	3	10.7

* Data insufficient for rates.

CAUSES, BY SEX, COLOR, GENERAL NATIVITY, AND PARENT NATIVITY: CENSUS YEAR 1900—Continued.

CAUSE OF DEATH.																			
Measles.	Scarlet fever.	Diphtheria and croup.	Whooping cough.	Malarial fever.	Influenza.	Typhoid fever.	Diarrheal diseases.	Consumption.	Cancer and tumor.	Heart disease and dropsy.	Pneumonia.	Diseases of the liver.	Diseases of the nervous system.	Diseases of the urinary organs.	Affections connected with pregnancy.	Old age.	Unknown.	All other causes.	
2	3	11	5	4	18	19	57	84	46	105	104	9	174	66	4	31	8	265	1
2	2	4	2	2	9	8	34	51	16	53	57	2	90	38		17	3	143	2
2	1	7	3	2	9	11	23	33	30	52	47	7	84	28	4	14	5	122	3
2		10	6		9	9	39	49	16	39	42	4	102	15	2	12	5	130	4
2		3	3		4	2	26	25	3	20	20	3	58	8		5	3	76	5
2		7	3		5	7	13	24	13	19	22	1	44	7	2	7	2	54	6
8	1	90	4	1	14	22	56	120	36	101	115	14	181	97	6	14	8	347	7
2	1	48	1	1	3	17	27	60	12	48	58	8	82	58		7	5	196	8
6		42	3		11	5	29	60	24	53	57	6	99	39	6	7	3	151	9
8	1	89	4	1	13	19	49	107	33	89	94	13	161	86	6	10	6	280	10
2	1	47	1	1	3	15	25	55	12	43	45	8	72	52		6	4	161	11
6		42	3		10	4	24	52	21	46	49	5	89	34	6	4	2	119	12
8	1	89	4	1	11	14	46	80	22	76	74	8	134	69	4	7	5	234	13
2	1	47	1	1	2	11	23	36	7	35	37	5	58	40		5	3	132	14
6		42	3		9	3	23	44	15	41	37	3	76	29	4	2	2	102	15
6	1	53	3	1	5	10	36	60	16	59	43	4	94	47	1	5	3	166	16
2		35	1		6	2	8	14	1	9	26		28	18	3		2	44	17
.....					2	5	3	27	10	13	20	5	26	16	2	3		39	18
.....					1	4	2	19	5	8	8	3	13	11		1		24	19
.....					1	1	1	8	5	5	12	2	13	5	2	2		15	20
.....	1	1			4	2	13	23	6	26	18	10	44	10		8	1	36	21
.....		1			2	1	4	12	3	18	12	6	19	7		5	1	19	22
.....	1				2	1	9	11	3	8	6	4	25	3		3		17	23
3		3	3	4	4	9	17	43	16	34	32	5	57	20	1	16	6	94	24
3		3	2	1	2	5	9	14	11	20	17	3	30	13		10	4	48	25
.....			1	3	2	4	8	29	5	14	15	2	27	7	1	6	2	46	26
3		1	1			3	9	28	12	19	17	3	34	20	1	2	2	45	27
2		1				2	5	12	3	13	11	2	17	9		2	1	22	28
1			1			1	4	16	9	6	6	1	17	11	1		1	23	29
2		1				2	8	26	12	17	16	3	33	17	1	2	2	40	30
1		1				1	5	11	3	13	10	2	17	9		2	1	20	31
1						1	3	15	9	4	6	1	16	8	1		1	20	32
2		1				1	8	26	10	15	15	3	33	16	1	1	2	38	33
1		1					5	11	3	12		2	17	8		1	1	19	34
1						1	3	15	7	3	9	1	16	8	1		1	19	35
2		1					8	20	7	14	11	3	19	11	1		2	34	36
.....						1	2	2	1		3		2					1	37
.....						1			2	2	1			1		1		1	38
.....						1			2	1	1			1		1		1	39
.....																			40
.....		10				5	12	26	4	12	14	6	27	11	2	3		44	41
.....		6				3	8	8	1	6	8	3	11	5				22	42
.....		4				2	4	18	3	6	6	3	16	6	2	3		22	43
.....		10				5	12	26	4	12	14	6	26	10	2	3		44	44
.....		6				3	8	8	1	6	8	3	11	4				22	45
.....		4				2	4	18	3	6	6	3	15	6	2	3		22	46
.....		10				5	12	26	4	11	11	6	25	8	2	3		44	47
.....		6				3	8	8	1	6	6	3	11	3				22	48
.....		4				2	4	18	3	5	5	3	14	5	2	3		22	49
.....		10				5	11	22	3	7	9	5	22	6	2	3		39	50
.....						1	4	4	1	1	1	1	2	2				4	51
.....											3		1	2					52
.....											2			1					53
.....											1		1	1					54

VITAL STATISTICS.

TABLE 19.—POPULATION, BIRTHS, DEATHS, AND DEATH RATES AT CERTAIN AGES, AND DEATHS FROM CERTAIN

AREAS.		UNDER 1 YEAR OF AGE.					UNDER 5 YEARS OF AGE.				ALL AGES.		
		Popula- tion.	Born and died in the census year.	Births during the census year.	Deaths.	Deaths under 1 per 1,000 births.	Popula- tion.	Deaths.	Death rate per 1,000 of popu- lation.	Deaths under 5 per 1,000 at all ages.	Popula- tion.	Deaths.	Death rate per 1,000 of popu- lation.
NEW JERSEY—Continued.													
1	Group 1—Continued. Essex county, rural	1,557	114	1,671	189	113.1	7,439	301	40.5	296.6	74,880	1,015	13.6
2	Males	787	66	853	112	131.3	3,775	180	47.7	341.6	35,863	527	14.7
3	Females	770	48	818	77	94.1	3,664	121	33.0	248.0	39,017	488	12.5
4	Montclair town.....	288	38	326	56	171.8	1,341	83	61.9	382.5	13,962	217	15.5
5	Males	163	21	184	33	179.3	687	45	65.5	(*)	6,406	98	15.3
6	Females	125	17	142	23	162.0	654	38	58.1	319.3	7,556	119	15.7
7	White.....	247	32	279	45	161.3	1,202	65	54.1	345.7	12,599	188	14.9
8	Males	140	18	158	26	164.6	621	34	54.8	(*)	5,841	82	14.0
9	Females	107	14	121	19	157.0	581	31	53.4	292.5	6,758	106	15.7
10	Native	247	32	279	45	161.3	1,194	65	54.4	436.2	9,564	149	15.6
11	Males	140	18	158	26	164.6	618	34	55.0	(*)	4,474	68	15.2
12	Females	107	14	121	19	157.0	576	31	53.8	(*)	5,090	81	15.9
13	Both parents native ..	109	8	117	11	94.0	581	20	34.4	(*)	6,053	71	11.7
14	One or both parents foreign.....	138	19	157	27	172.0	613	37	60.4	(*)	3,511	54	15.4
15	Foreign						8				3,035	39	12.9
16	Males						3				1,367	14	10.2
17	Females						5				1,668	25	15.0
18	Newark.....	6,153	675	6,828	1,120	164.0	28,088	1,795	63.9	368.9	246,070	4,866	19.8
19	Males	3,098	411	3,509	660	188.1	14,150	996	70.4	379.9	121,027	2,622	21.7
20	Females	3,055	264	3,319	460	138.6	13,938	799	57.3	356.1	125,043	2,244	17.9
21	White.....	6,007	634	6,641	1,050	158.1	27,483	1,699	61.8	364.7	239,108	4,659	19.5
22	Males	3,032	383	3,415	614	179.8	13,862	940	67.8	373.8	117,727	2,515	21.4
23	Females	2,975	251	3,226	436	135.2	13,621	759	55.7	354.0	121,381	2,144	17.7
24	Native	5,984	632	6,616	1,044	157.8	27,084	1,676	61.9	531.2	168,058	3,155	18.8
25	Males	3,024	382	3,406	611	179.4	13,667	930	68.0	541.3	81,865	1,718	21.0
26	Females	2,900	250	3,210	433	134.9	13,417	746	55.6	519.1	86,193	1,437	16.7
27	Both parents na- (M... tive. (F... ..	1,119	172	1,307	260	198.9	5,112	374	73.2	584.4	35,129	640	18.2
28	One or both par- (M... ents foreign. (F... ..	1,889	192	2,081	318	152.8	8,555	512	59.8	664.9	46,736	770	16.5
		1,841	120	1,961	216	110.1	8,327	424	50.9	664.6	49,770	638	12.8
29	Foreign	23		23	2	(*)	399	18	45.1	12.5	71,050	1,444	20.3
30	Males	8		8	2	(*)	195	8	41.0	10.5	35,862	763	21.3
31	Females	15		15			204	10	49.0	14.7	35,188	681	19.4
32	Colored	146	41	187	70	374.3	605	96	158.7	463.8	6,962	207	29.7
33	Males	66	28	94	46	(*)	288	56	194.4	523.4	3,300	107	32.4
34	Females	80	13	93	24	(*)	317	40	126.2	400.0	3,662	100	27.3
35	Orange.....	616	61	677	118	174.3	2,754	191	69.4	389.8	24,141	490	20.3
36	Males	291	37	328	64	195.1	1,339	110	82.2	404.4	11,454	272	23.7
37	Females	325	24	349	54	154.7	1,415	81	57.2	371.6	12,687	218	17.2
38	White.....	561	53	614	99	161.2	2,535	162	63.9	382.1	22,210	424	19.1
39	Males	266	33	299	53	177.3	1,232	91	73.9	387.2	10,624	235	22.1
40	Females	295	20	315	46	146.0	1,303	71	54.5	375.7	11,586	189	16.3
41	Native	560	53	613	99	161.5	2,497	161	64.5	547.5	15,659	294	18.8
42	Males	266	33	299	53	177.3	1,210	90	74.4	552.1	7,463	163	21.8
43	Females	294	20	314	46	146.5	1,287	71	55.2	542.0	8,196	131	16.0
44	Both parents native ..	217	21	238	36	151.3	965	62	64.2	579.4	6,835	107	15.7
45	One or both parents foreign.....	343	31	374	58	155.1	1,532	93	60.7	600.0	8,824	155	17.6
46	Foreign	1		1			38	1	(*)	7.8	6,551	128	19.5
47	Males						22	1	(*)	(*)	3,161	71	22.5
48	Females	1		1			16				3,390	57	16.8
49	Gloucester county	598	55	653	85	130.2	3,032	135	44.5	280.1	31,905	482	15.1
50	Males	304	34	338	56	165.7	1,562	80	51.2	299.6	13,620	267	16.1
51	Females	294	21	315	29	92.1	1,470	55	37.4	255.8	15,285	215	14.1

* Data insufficient for rates.

CAUSES, BY SEX, COLOR, GENERAL NATIVITY, AND PARENT NATIVITY: CENSUS YEAR 1900—Continued.

CAUSE OF DEATH.																		
Measles.	Scarlet fever.	Diphtheria and croup.	Whooping cough.	Malarial fever.	Influenza.	Typhoid fever.	Diarrheal diseases.	Consumption.	Cancer and tumor.	Heart disease and dropsy.	Pneumonia.	Diseases of the liver.	Diseases of the nervous system.	Diseases of the urinary organs.	Affections connected with pregnancy.	Old age.	Unknown.	All other causes.
3	10	22	12	2	13	7	84	111	26	93	104	13	138	68	9	21	12	267
2	6	14	9	2	5	7	36	56	11	45	54	5	80	36	9	9	10	247
1	4	8	3		8		48	55	15	48	50	8	58	32		12	2	120
1	1	8	1	1	3	1	12	26	5	14	41		30	11	6	3		53
1	1	4	1	1	1	1	6	14	1	6	22		14	4	6	1		23
1	1	4			2		6	12	4	8	19		16	7	6	2		30
1	1	8		1	3	1	9	22	5	11	33		29	8	6	3		47
1	1	4		1	1	1	4	12	1	5	15		13	4		1		20
1	1	4			2		5	10	4	6	18		16	4	6	2		27
1	1	8		1	3		8	15	4	10	29		21	7	3	1		37
1	1	4		1	1		4	7	1	5	15		9	4				17
1	1	4			2		4	8	3	5	14		12	3	3	1		20
1	1	3		1	3		5	5	3	3	14		13	4	2	1		19
1	1	5					6	7		4	11		6		1			12
.....						1	1	7	1	1	4		8	1	3	2		10
.....						1	1	5		1	4		4	1	3	1		3
.....								2	1	1			4					7
62	59	114	47	13	63	26	367	576	168	301	627	53	678	321	29	48	9	1,275
36	35	71	21	6	27	21	196	351	57	145	362	34	338	182		20	8	712
26	24	73	26	7	36	5	171	225	111	156	265	19	340	139	29	28	1	563
60	59	141	41	13	60	24	345	547	163	288	605	53	650	312	28	47	8	1,215
35	35	71	17	6	26	19	186	336	56	142	346	34	326	178		19	8	675
25	24	70	24	7	34	5	159	211	107	146	259	19	324	134	28	28		540
55	50	140	40	10	28	14	297	348	54	145	428	24	449	169	11	18	7	868
32	32	71	17	6	12	11	170	198	12	70	235	14	231	95		9	7	496
23	18	69	23	4	16	3	127	150	42	75	193	10	218	74	11	9		372
9	6	23	13	2	5	4	63	39	3	28	72	2	115	40		3	2	211
5	5	26	9	3	7		44	41	19	31	61	3	103	30	6	6		179
23	23	45	4	4	4	4	96	91	1	17	126	7	86	25			2	212
17	10	40	14	1	5	3	79	60	8	22	117	3	89	24	3			143
5	8	1		3	30	9	46	191	106	140	169	28	193	140	17	28	1	329
3	3				12	8	16	135	43	71	105	19	91	81		10	1	165
2	5	1		3	18	1	30	56	63	69	64	9	102	59	17	18		164
2		3	6		3	2	22	29	5	13	22		28	9	1	1	1	60
1			4		1	2	10	15	1	3	16		12	4		1		37
1		3	2		2		12	14	4	10	6		16	5	1		1	23
2	13	11	13		1	5	39	66	18	24	52	6	56	38	3	6	4	133
1	4	7	8		1	2	22	42	8	11	33	5	35	21		3	2	67
1	9	4	5			3	17	24	10	13	19	1	21	17	3	3	2	66
2	13	10	7		1	4	32	52	16	22	45	6	49	37	1	5	3	119
1	4	7	4		1	1	18	34	8	10	28	5	31	20		2	1	60
1	9	3	3			3	14	18	8	12	17	1	18	17	1	3	2	59
2	13	10	7			4	27	42	7	12	28	3	38	11		1	2	87
1	4	7	4			1	13	27	1	6	16	2	26	5		1	1	48
1	9	3	3			3	14	15	6	6	12	1	12	6			1	39
.....	4	5	2		1	1	10	9	5	4	9	1	18	3	3	1	1	34
.....	9	4	5			3	15	28	2	8	18	1	14	2			1	43
.....					1		5	10	9	9	16	3	11	26	1	4	1	32
.....					1			7	7	3	12	3	5	15	1	1		12
.....								3	2	6	4		6	11		3	1	20
2	3	27	3	2	5	7	46	51	20	38	33	6	78	21	5	19	7	109
1	1	18	1	1	1	4	29	21	9	22	19	3	46	18		4	4	65
1	2	9	2	1	4	3	17	30	11	16	14	3	32	3	5	15	3	44

TABLE 19.—POPULATION, BIRTHS, DEATHS, AND DEATH RATES AT CERTAIN AGES, AND DEATHS FROM CERTAIN

	AREAS.	UNDER 1 YEAR OF AGE.					UNDER 5 YEARS OF AGE.				ALL AGES.		
		Popula- tion.	Born and died in the census year.	Births during the census year.	Deaths.	Deaths under 1 per 1,000 births.	Popula- tion.	Deaths.	Death rate per 1,000 of popu- lation.	Deaths under 5 per 1,000 at all ages.	Popula- tion.	Deaths.	Death rate per 1,000 of popu- lation.
	NEW JERSEY—Continued.												
1	Group I—Continued.												
	Hudson county, rural.....	1,621	142	1,763	245	139.0	7,950	385	48.4	333.9	61,746	1,153	18.7
2	Males.....	802	87	889	139	156.4	3,946	214	54.2	338.6	31,548	632	20.0
3	Females.....	819	55	874	106	121.3	4,004	171	42.7	328.2	30,198	521	17.3
4	Bayonne.....	1,041	99	1,140	156	136.8	4,683	237	50.6	434.9	32,722	545	16.7
5	Males.....	532	53	585	85	145.3	2,357	130	55.2	454.5	16,930	286	16.9
6	Females.....	509	46	555	71	127.9	2,326	107	46.0	413.1	15,792	259	16.4
7	White.....	1,035	96	1,131	153	135.3	4,651	232	49.9	433.6	32,353	535	16.5
8	Males.....	529	50	579	82	141.6	2,345	127	54.2	452.0	16,750	281	16.8
9	Females.....	506	46	552	71	128.6	2,306	105	45.5	413.4	15,603	254	16.3
10	Native.....	1,031	96	1,127	153	135.8	4,572	232	50.7	415.4	21,603	377	17.5
11	Males.....	526	50	576	82	142.4	2,298	127	55.3	428.7	10,953	202	18.4
12	Females.....	505	46	551	71	128.9	2,274	105	46.2	400.0	10,650	175	16.4
13	Both parents native..	274	22	296	41	138.5	1,211	62	51.2	492.1	7,937	126	15.9
14	One or both parents foreign.	757	73	830	111	133.7	3,361	169	50.3	719.1	13,666	235	17.2
15	Foreign.....	4		4			79				10,750	154	14.3
16	Males.....	3		3			47				5,797	76	13.1
17	Females.....	1		1			32				4,953	78	15.7
18	Harrison town.....	272	41	313	53	169.3	1,293	82	63.4	350.4	10,596	234	22.1
19	Males.....	142	24	166	33	198.8	642	46	71.7	403.5	5,233	114	21.8
20	Females.....	130	17	147	20	136.1	651	36	55.3	300.0	5,363	120	22.4
21	White.....	271	40	311	52	167.2	1,287	80	62.2	344.8	10,539	232	22.0
22	Males.....	141	24	165	33	200.0	639	45	70.4	398.2	5,203	113	21.7
23	Females.....	130	16	146	19	130.1	648	35	54.0	294.1	5,336	119	22.3
24	Native.....	269	40	309	52	168.3	1,263	80	63.3	540.5	6,914	148	21.4
25	Males.....	141	24	165	33	200.0	626	45	71.9	(*)	3,402	79	23.2
26	Females.....	128	16	144	19	131.9	637	35	54.9	(*)	3,512	69	19.6
27	Both parents native..	96	13	109	16	146.8	407	24	59.0	(*)	2,046	43	21.0
28	One or both parents foreign.	173	25	198	33	166.7	856	52	60.7	(*)	4,868	87	17.9
29	Foreign.....	2		2			24				3,625	81	22.3
30	Males.....						13				1,801	32	17.8
31	Females.....	2		2			11				1,824	49	26.9
32	Hoboken.....	1,518	180	1,698	301	177.3	7,378	480	65.1	383.1	59,364	1,253	21.1
33	Males.....	762	108	870	179	205.7	3,693	273	73.9	379.7	30,009	719	24.0
34	Females.....	756	72	828	122	147.3	3,685	207	56.2	387.6	29,355	534	18.2
35	White.....	1,515	180	1,695	301	177.6	7,356	480	65.3	383.4	59,200	1,252	21.1
36	Males.....	761	108	869	179	206.0	3,684	273	74.1	380.2	29,898	718	24.0
37	Females.....	754	72	826	122	147.7	3,672	207	56.4	387.6	29,302	534	18.2
38	Native.....	1,508	179	1,687	297	176.1	7,269	472	64.9	626.0	37,890	754	19.9
39	Males.....	759	108	867	179	206.5	3,637	271	74.5	642.2	18,807	422	22.4
40	Females.....	749	71	820	118	143.9	3,632	201	55.3	605.4	19,083	332	17.4
41	Both parents native..	490	57	547	90	164.5	2,294	145	63.2	633.2	10,924	229	21.0
42	One or both parents foreign.	1,018	119	1,137	204	179.4	4,975	323	64.9	667.4	26,966	484	17.9
43	Foreign.....	7	1	8	4	(*)	87	8	(*)	16.2	21,310	494	23.2
44	Males.....	2		2			47	2	(*)	3.8	11,091	292	26.3
45	Females.....	5	1	6	4	(*)	40	6	(*)	29.7	10,219	202	19.8

* Data insufficient for rates.

CAUSES, BY SEX, COLOR, GENERAL NATIVITY, AND PARENT NATIVITY: CENSUS YEAR 1900—Continued.

CAUSE OF DEATH.																		
Measles.	Scarlet fever.	Diphtheria and croup.	Whooping cough.	Malarial fever.	Influenza.	Typhoid fever.	Diarrheal diseases.	Consumption.	Cancer and tumor.	Heart disease and dropsy.	Pneumonia.	Diseases of the liver.	Diseases of the nervous system.	Diseases of the urinary organs.	Affections connected with pregnancy.	Old age.	Unknown.	All other causes.
3	12	38	10	9	9	8	109	130	44	73	166	9	165	72	16	14	2	264
1	4	22	6	2	3	5	66	72	15	38	86	6	97	42	7	1	159	2
2	8	16	4	7	6	3	43	58	29	35	80	3	68	30	16	7	1	105
6		13	29		5	5	44	53	14	35	77	7	73	33	6	5		140
3		8	15		3	4	26	33	5	15	37	3	30	16		2		86
3		5	14		2	1	18	20	9	20	40	4	43	17	6	3		54
6		13	28		5	5	44	51	14	34	76	7	73	32	6	5		136
3		8	15		3	4	26	32	5	15	36	3	30	15		2		84
3		5	13		2	1	18	19	9	19	40	4	43	17	6	3		52
6		13	28		3	4	41	31	6	17	59	2	50	14	2	1		100
3		8	15		1	4	25	18	1	8	26	1	23	7		1		61
3		5	13		2	1	16	13	5	9	33	1	27	7	2			39
2		6	5		3	2	13	10	2	6	20	1	15	5	1			35
4		7	23			2	28	20	4	10	35	1	30	7	1	1		62
.....					2	1	3	20	8	17	16	5	23	18	4	4		33
.....					2		1	14	4	7	10	2	7	8		1		20
.....						1	2	6	4	10	6	3	16	10	4	3		13
2	4	11	4	6	10	3	9	26	4	12	22	8	32	7	2	1	2	69
2	1	5	3	2	5	3	6	14		4	7	4	13	4				41
.....	3	6	1	4	5		3	12	4	8	15	4	19	3	2	1	2	28
1	4	11	4	6	10	3	9	26	4	12	22	8	32	7	2	1	2	68
1	1	5	3	2	5	3	6	14		4	7	4	13	4				41
.....	3	6	1	4	5		3	12	4	8	15	4	19	3	2	1	2	27
1	4	11	4	4	4	3	7	16	1	5	11	1	19	2	1		1	53
1	1	5	3	1	2	3	4	10		2	4	1	9					33
.....	3	6	1	3	2		3	6	1	3	7		10	2	1		1	20
.....	1	4	3	1	1	1	2	4		1	4		7					14
1	3	7	1	2	2	2	5	10		2	6		12		1			32
.....				2	6		2	10	3	6	11	7	13	5	1	1	1	13
.....			1	3			2	4		2	3	3	4	4				6
.....			1	3			6	6	3	4	8	4	9	1	1	1	1	7
14	3	33	8	1	7	19	86	133	30	88	170	24	167	61	6	17	7	379
9	1	18	4		3	12	55	95	17	48	85	17	80	32		3	3	237
5	2	15	4	1	4	7	31	38	13	40	85	7	87	29	6	14	4	142
14	3	33	8	1	7	19	86	132	30	88	170	24	167	61	6	17	7	379
9	1	18	4		3	12	55	94	17	48	85	17	80	32		3	3	237
5	2	15	4	1	4	7	31	38	13	40	85	7	87	29	6	14	4	142
13	2	33	8		1	10	72	60	9	30	109	14	118	25	2	5	6	237
9	1	18	4		1	6	49	40	4	15	58	7	61	12		1	3	133
4	1	15	4			4	23	20	5	15	51	7	57	13	2	4	3	104
3		15	2			6	17	9	2	11	33	3	39	9	1	3	1	75
10	2	18	6		1	3	54	41	4	17	74	10	76	12	1	1	4	150
1	1			1	6	9	14	72	21	58	61	10	49	36	4	12	1	138
.....					2	6	6	54	13	33	27	10	19	20		2		10
1	1			1	4	3	8	18	8	25	34		30	15	4	10	1	58

TABLE 19.—POPULATION, BIRTHS, DEATHS, AND DEATH RATES AT CERTAIN AGES, AND DEATHS FROM CERTAIN

AREAS.		UNDER 1 YEAR OF AGE.					UNDER 5 YEARS OF AGE.				ALL AGES.		
		Popula- tion.	Born and died in the census year.	Births during the census year.	Deaths.	Deaths under 1 per 1,000 births.	Popula- tion.	Deaths.	Death rate per 1,000 of popula- tion.	Deaths under 5 per 1,000 at all ages.	Popula- tion.	Deaths.	Death rate per 1,000 of popula- tion.
NEW JERSEY—Continued.													
1	Group 1—Continued. Jersey City.....	5,030	598	5,628	988	175.6	24,916	1,571	63.1	367.3	206,433	4,277	20.
2	Males	2,575	349	2,924	551	188.4	12,731	834	65.5	365.0	104,027	2,285	22.0
3	Females	2,455	249	2,704	437	161.6	12,185	737	60.5	370.0	102,406	1,992	19.5
4	White	4,966	585	5,551	962	173.3	24,599	1,531	62.2	366.5	202,510	4,177	20.6
5	Males	2,544	343	2,887	540	187.0	12,571	815	64.8	364.8	101,962	2,234	21.9
6	Females	2,422	242	2,664	422	158.4	12,028	716	59.5	368.5	100,548	1,943	19.3
7	Native	4,959	585	5,544	958	172.8	24,418	1,521	62.3	545.4	144,349	2,789	19.3
8	Males	2,541	343	2,884	537	186.2	12,469	808	64.8	532.3	72,079	1,518	21.1
9	Females	2,418	242	2,660	421	158.3	11,949	713	59.7	561.0	72,270	1,271	17.6
10	Both parents na- (M..	1,044	133	1,177	200	169.9	5,028	291	57.9	553.2	29,006	526	18.1
	tive. (F..	996	112	1,108	189	170.6	4,819	296	61.4	590.8	28,191	501	17.8
11	One or both par- (M..	1,497	206	1,703	333	195.5	7,441	512	68.8	574.6	43,073	891	20.7
	ents foreign. (F..	1,422	127	1,549	227	146.5	7,130	410	57.5	560.9	44,079	731	16.6
12	Foreign	7		7	2	(*)	181	8	44.2	5.9	58,161	1,354	23.3
13	Males	3		3	1	(*)	102	5	49.0	7.3	29,883	689	23.1
14	Females	4		4	1	(*)	79	3	(*)	4.5	28,278	665	23.5
15	Colored	64	13	77	26	(*)	317	40	126.2	400.0	3,923	100	25.5
16	Males	31	6	37	11	(*)	160	19	118.8	(*)	2,065	51	24.7
17	Females	33	7	40	15	(*)	157	21	133.8	(*)	1,858	49	26.4
18	Town of Union.....	391	24	415	45	108.4	1,895	75	39.6	362.3	15,187	207	13.6
19	Males	188	15	203	27	133.0	951	44	46.3	411.2	7,538	107	14.2
20	Females.....	203	9	212	18	84.9	944	31	32.8	310.0	7,649	100	13.1
21	White	391	24	415	45	108.4	1,895	75	39.6	362.3	15,167	207	13.6
22	Males	188	15	203	27	133.0	951	44	46.3	411.2	7,522	107	14.2
23	Females.....	203	9	212	18	84.9	944	31	32.8	310.0	7,645	100	13.1
24	Native	390	24	414	45	108.7	1,866	75	40.2	581.4	10,001	129	12.9
25	Males	188	15	203	27	133.0	938	44	46.9	(*)	4,884	69	14.1
26	Females.....	202	9	211	18	85.3	928	31	33.4	(*)	5,117	60	11.7
27	Both parents native... (M..	133	6	139	17	122.3	641	29	45.2	(*)	3,431	50	14.6
28	One or both parents foreign. (F..	257	18	275	28	101.8	1,225	46	37.6	(*)	6,570	76	11.6
29	Foreign	1		1			29				5,166	76	14.7
30	Males						13				2,638	37	14.0
31	Females.....	1		1			16				2,528	39	15.4
32	Middlesex county, rural.....	1,005	91	1,096	130	118.6	4,799	185	38.5	299.4	42,057	618	14.7
33	Males	484	52	536	69	128.7	2,400	95	39.6	273.8	22,899	347	15.2
34	Females.....	521	39	560	61	108.9	2,399	90	37.5	332.1	19,158	271	14.1
35	New Brunswick	408	60	468	90	192.3	1,890	117	61.9	275.3	20,006	425	21.2
36	Males	200	36	236	48	203.4	949	63	66.4	298.0	9,632	215	22.3
37	Females	208	24	232	42	181.0	941	54	57.4	257.1	10,374	210	20.2
38	White	392	59	451	86	190.7	1,813	107	59.0	270.9	19,233	395	20.5
39	Males	192	35	227	45	198.2	912	57	62.5	280.8	9,278	203	21.9
40	Females	200	24	224	41	183.0	901	50	55.5	260.4	9,955	192	19.3
41	Native	392	59	451	86	190.7	1,808	107	59.2	375.4	15,726	285	18.1
42	Males	192	35	227	45	198.2	907	57	62.8	404.3	7,664	141	18.4
43	Females	200	24	224	41	183.0	901	50	55.5	347.2	8,062	144	17.9
44	Both parents native... (M..	248	29	277	47	169.7	1,103	57	51.7	404.3	9,425	141	15.0
45	One or both parents foreign. (F..	144	17	161	25	155.3	705	32	45.4	(*)	6,301	70	11.1
46	Foreign						5				3,507	98	27.9
47	Males						5				1,614	54	33.5
48	Females.....										1,893	44	23.2

* Data insufficient for rates.

CAUSES, BY SEX, COLOR, GENERAL NATIVITY, AND PARENT NATIVITY: CENSUS YEAR 1900—Continued.

CAUSE OF DEATH.																		
Measles.	Scarlet fever.	Diphtheria and croup.	Whooping cough.	Malarial fever.	Influenza.	Typhoid fever.	Diarrheal diseases.	Consumption.	Cancer and tumor.	Heart disease and dropsy.	Pneumonia.	Diseases of the liver.	Diseases of the nervous system.	Diseases of the urinary organs.	Affections connected with pregnancy.	Old age.	Unknown.	All other causes.
24	43	112	31	19	29	46	375	490	97	328	562	55	568	232	37	44	25	1,160
12	24	54	15	9	10	32	195	281	36	151	308	26	305	131		17	8	671
12	19	58	16	10	19	14	180	209	61	177	254	29	263	101	37	27	17	489
24	43	110	31	17	28	45	366	470	97	321	547	52	557	226	37	44	25	1,137
12	24	53	15	7	9	31	192	270	36	146	301	24	300	127		17	8	662
12	19	57	16	10	19	14	174	200	61	175	246	28	257	99	37	27	17	475
24	41	110	31	13	8	30	307	296	34	160	364	20	381	119	21	13	18	799
12	23	53	15	4	3	20	157	172	15	76	198	12	208	69		6	7	468
12	18	57	16	9	5	10	150	124	19	84	166	8	173	50	21	7	11	331
2	12	22	2	1	3	6	52	40	7	23	75	1	86	25		4	5	160
1	8	23	10	3	2	2	58	31	12	37	69	1	77	14	5	3	4	141
10	11	31	13	2		12	101	112	6	41	112	9	111	36		2	2	282
11	9	34	6	6	3	8	90	86	5	44	94	6	92	31	16	3	7	180
.....	2			4	20	14	56	173	63	158	181	32	170	106	16	31	7	321
.....	1			3	6	10	32	97	21	69	102	12	87	58		11	1	179
.....	1			1	14	4	24	76	42	89	79	20	83	48	16	20	6	142
.....		2		2	1	1	9	20		7	15	3	11	6				23
.....		1		2	1	1	3	11		5	7	2	5	4				9
.....		1					6	9		2	8	1	6	2				14
2	1	7				1	23	23	10	14	37	2	27	9	2	1	3	45
1		6				1	12	15	6	4	17	1	13	5				26
1	1	1					11	8	4	10	20	1	14	4	2	1	3	19
2	1	7				1	23	23	10	14	37	2	27	9	2	1	3	45
1		6				1	12	15	6	4	17	1	13	5				26
1	1	1					11	8	4	10	20	1	14	4	2	1	3	19
2	1	7					21	15		5	25	2	16	5	1			29
1		6					11	8		1	13	1	7	2				19
1	1	1					10	7		4	12	1	9	3	1			10
.....		3					10	3		3	12		9	2				7
2		4					11	10		1	13	2	7	3	1			22
.....						1	2	8	10	9	12		11	4	1	1	3	14
.....						1	1	7	6	3	4		6	3				6
.....						1	1	1	4	6	8		5	1	1	1	3	8
6	2	11	7	5	14	7	47	52	16	62	53	9	95	25	8	18	8	173
2	1	4	5	3	10	3	21	29	7	33	27	6	58	11		12	5	110
4	1	7	2	2	4	4	26	23	9	29	26	3	37	14	8	6	3	63
1	2	3	5		9	4	36	42	7	49	35	3	81	33	3	5	1	106
.....		2	3		4	2	19	13	5	29	16	2	48	16		1	1	54
1	2	1	2		5	2	17	29	2	20	19	1	33	17	3	4		52
.....	2	2	5		9	4	33	36	7	45	34	3	76	33	3	3	1	99
.....		1	3		4	2	17	12	5	25	16	2	45	16		1	1	53
.....	2	1	2		5	2	16	24	2	20	18	1	31	17	3	2		46
.....	2	2	5		5	3	30	26	3	33	24	1	57	18	2	1	1	72
.....		1	3		3	2	15	10	2	18	12		33	9			1	32
.....	2	1	2		2	2	15	16	1	15	12		24	9	2			40
.....	1	2	3		2	2	13	9		17	10		30	13	1	1		37
.....	1		2		2	1	9	9	1	4	9		14	2			1	15
.....					4	1	3	9	4	11	10	2	18	12	1	2		21
.....					1		2	1	3	7	4	2	11	6		1		16
.....					3	1	1	8	1	4	6		7	6	1	1		5

TABLE 19.—POPULATION, BIRTHS, DEATHS, AND DEATH RATES AT CERTAIN AGES, AND DEATHS FROM CERTAIN

AREAS.		UNDER 1 YEAR OF AGE.					UNDER 5 YEARS OF AGE.				ALL AGES.		
		Popula- tion.	Born and died in the census year.	Births during the census year.	Deaths.	Deaths under 1 per 1,000 births.	Popula- tion.	Deaths.	Death rate per 1,000 of popu- lation.	Deaths under 5 per 1,000 at all ages.	Popula- tion.	Deaths.	Death rate per 1,000 of popu- lation.
NEW JERSEY—Continued.													
1	Group 1—Continued.												
	Perth Amboy	595	61	656	87	132.6	2,620	125	47.7	500.0	17,699	250	14.1
2	Males	309	37	346	53	153.2	1,336	74	55.4	517.5	9,825	143	14.6
3	Females	286	24	310	34	109.7	1,284	51	39.7	476.6	7,874	107	13.6
4	White.....	592	58	650	83	127.7	2,608	121	46.4	493.9	17,599	245	13.9
5	Males	309	36	345	51	147.8	1,333	72	54.0	514.3	9,772	140	14.3
6	Females	283	22	305	32	104.9	1,275	49	38.4	466.7	7,827	105	13.4
7	Native	586	58	644	83	128.9	2,527	120	47.5	648.6	9,633	185	19.2
8	Males	306	36	342	51	149.1	1,300	72	55.4	685.7	4,875	105	21.5
9	Females	280	22	302	32	106.0	1,227	48	39.1	(*)	4,758	80	16.8
10	Both parents native ..	94	12	106	14	132.1	477	16	33.5	(*)	3,463	37	10.7
11	One or both parents foreign.	492	46	538	69	128.3	2,050	104	50.7	764.7	6,170	136	22.0
12	Foreign	6		6			81				7,966	58	7.3
13	Males	3		3			33				4,897	34	6.9
14	Females	3		3			48				3,069	24	7.8
15	Monmouth county.....	1,664	161	1,825	308	168.8	8,004	423	52.8	306.3	82,057	1,381	16.8
16	Males	832	111	943	181	191.9	4,040	235	58.2	334.8	40,625	702	17.3
17	Females	832	50	882	127	144.0	3,964	188	47.4	276.9	41,432	679	16.4
18	Ocean county.....	389	36	425	48	112.9	1,970	69	35.0	250.0	19,747	276	14.0
19	Males	199	28	227	32	141.0	991	43	43.4	272.2	9,979	158	15.8
20	Females	190	8	198	16	80.8	979	26	26.6	220.3	9,768	118	12.1
21	Salem county	548	54	602	77	127.9	2,518	107	42.5	268.2	25,530	399	15.6
22	Males	284	34	318	48	150.9	1,300	61	46.9	308.1	13,149	198	15.1
23	Females.....	264	20	284	29	102.1	1,218	46	37.8	228.9	12,381	201	16.2
24	Union county, rural.....	626	48	674	84	124.6	3,153	118	37.4	268.2	31,854	440	13.8
25	Males	329	29	358	44	122.9	1,602	61	38.1	287.7	15,664	212	13.5
26	Females.....	297	19	316	40	126.6	1,551	57	36.8	250.0	16,190	228	14.1
27	Elizabeth	1,406	160	1,566	261	166.7	6,346	357	56.3	391.9	52,130	911	17.5
28	Males	704	99	803	149	185.6	3,223	193	59.9	384.5	26,459	502	19.0
29	Females.....	702	61	763	112	146.8	3,123	164	52.5	401.0	25,671	409	15.9
30	White.....	1,378	152	1,530	249	162.7	6,219	344	55.3	388.3	50,963	886	17.4
31	Males	693	93	786	142	180.7	3,166	186	58.7	379.6	25,923	490	18.9
32	Females.....	685	59	744	107	143.8	3,053	158	51.8	399.0	25,040	396	15.8
33	Native	1,364	152	1,516	249	164.2	6,156	343	55.7	576.5	36,228	595	16.4
34	Males	686	93	779	142	182.3	3,130	185	59.1	581.8	18,088	318	17.6
35	Females.....	678	59	737	107	145.2	3,026	158	52.2	570.4	18,140	277	15.3
36	Both parents native ..	530	63	583	102	175.0	2,361	133	56.3	588.5	15,333	226	14.7
37	One or both parents foreign.	844	87	931	144	154.7	3,795	204	53.8	647.6	20,895	315	15.1
38	Foreign	14		14			63	1	(*)	3.5	14,735	287	19.5
39	Males	7		7			36	1	(*)	5.9	7,835	170	21.7
40	Females	7		7			27				6,900	117	17.0
41	Plainfield.....	304	38	342	47	137.4	1,461	68	46.5	281.0	15,369	242	15.7
42	Males	150	24	174	32	183.9	744	44	59.1	318.8	7,113	138	19.4
43	Females	154	14	168	15	89.3	717	24	33.5	230.8	8,256	104	12.6
44	White.....	277	34	311	42	135.0	1,316	57	43.3	267.6	13,907	213	15.3
45	Males	136	21	157	28	178.3	673	34	50.5	281.0	6,475	121	18.7
46	Females	141	13	154	14	90.9	643	23	35.8	(*)	7,432	92	12.4
47	Native	277	34	311	42	135.0	1,314	57	43.4	358.5	11,191	159	14.2
48	Males	136	21	157	28	178.3	671	34	50.7	(*)	5,229	96	18.4
49	Females	141	13	154	14	90.9	643	23	35.8	(*)	5,962	63	10.6
50	Both parents native ..	146	16	162	20	123.5	671	29	43.2	263.6	7,463	110	14.7
51	One or both parents foreign.	131	17	148	21	141.9	643	27	42.0	(*)	3,728	39	10.5
52	Foreign						2				2,716	54	19.9
53	Males												
54	Females						2				1,246	25	20.1
											1,170	29	19.7

* Data insufficient for rates.

CAUSES, BY SEX, COLOR, GENERAL NATIVITY, AND PARENT NATIVITY: CENSUS YEAR 1900—Continued.

CAUSE OF DEATH.																		
Measles.	Scarlet fever.	Diphtheria and croup.	Whooping cough.	Malarial fever.	Influenza.	Typhoid fever.	Diarrheal diseases.	Consumption.	Cancer and tumor.	Heart disease and dropsy.	Pneumonia.	Diseases of the liver.	Diseases of the nervous system.	Diseases of the urinary organs.	Affections connected with pregnancy.	Old age.	Unknown.	All other causes.
2		10		1	1	2	29	12	5	19	25	4	32	18	2	4		84
		5		1	1		16	7	3	14	17	2	18	9		2		48
2		5				2	13	5	2	5	8	2	14	9	2	2		36
2		10		1	1	2	29	12	5	18	25	4	32	18	2	3		81
		5		1	1		16	7	3	13	17	2	18	9		1		47
2		5				2	13	5	2	5	8	2	14	9	2	2		34
2		10		1	1	1	27	10	2	10	16	3	28	6		2		66
		5		1	1		15	5	2	7	12	1	16	2				38
2		5				1	12	5		3	4	2	12	4		2		28
1		1				1	4	2	1	2	3	2	7	2				10
1		9			1		23	8		7	11	1	18	3		1		54
						1	2	2	3	8	8	1	4	12	2	1		14
						1	1	2	1	6	5	1	2	7	2	1		8
									2	2	3		2	5				6
7	3	52	10	9	15	25	139	143	49	140	99	7	195	87	12	36	6	347
5	3	18	6	5	5	13	60	76	12	62	52	4	108	58		10	3	202
2		34	4	4	10	12	79	67	37	78	47	3	87	29	12	26	3	145
2		6			5	8	15	22	15	36	16	3	50	20	4	14	1	59
1		5			3	7	8	8	9	20	8	2	31	16		8		32
1		1			2	1	7	14	6	16	8	1	19	4	4	6	1	27
2	4	5	6	1	12	5	21	44	11	50	31	5	70	25	4	11	2	90
1	2	2	3		6	2	14	18	3	23	14	2	37	14		7		50
1	2	3	3	1	6	3	7	26	8	27	17	3	33	11	4	4	2	40
2	2	11	2	3	11	6	41	41	22	37	45	8	51	33	1	11	3	110
	1	7	1	3	4	1	17	18	8	20	21	5	26	17		3	1	59
2	1	4	1		7	5	24	23	14	17	24	3	25	16	1	8	2	51
2	13	18	15	2	7	5	97	90	26	57	128	10	123	53	6	11	5	243
2	8	12	6	2	6	2	55	50	7	33	72	4	65	32		1	2	143
	5	6	9		1	3	42	40	19	24	56	6	58	21	6	10	3	100
2	13	18	13	2	7	4	96	86	25	56	124	10	121	53	6	11	5	234
2	8	12	5	2	6	2	55	48	7	32	70	4	64	32		1	2	138
	5	6	8		1	2	41	38	18	24	54	6	57	21	6	10	3	96
2	13	18	13	1	1	2	77	53	9	27	91	4	75	29	4	3	2	171
2	8	12	5	1	1	1	42	26	1	12	49	1	39	18				100
	5	6	8			1	35	27	8	15	42	3	36	11	4	3	2	71
	4	6	9			1	27	10	6	15	30	1	28	13		2		75
2	9	12	4	1	1	1	46	37	2	9	50	2	40	10	3		2	84
				1	6	2	19	33	16	28	33	6	46	24	2	7	2	62
				1	5	1	13	22	6	19	21	3	25	14		1	2	37
					1		6	11	10	9	12	3	21	10	2	6		25
2	3	3	4		3	2	13	22	12	29	39	2	30	17	4	3	1	53
1	1	2	3		2	1	9	11	5	19	18		14	14		2	1	35
1	2	1	1		1	1	4	11	7	10	21	2	16	3	4	1		18
2	3	3	2		3	2	13	20	12	28	31		29	12	4	3	1	45
1	1	2	2		2	1	9	11	5	18	13		13	9		2	1	31
1	2	1	1		1	1	4	9	7	10	18		16	3	4	1		14
1	3	3	2		1	2	11	14	9	17	24		26	7		3	1	35
1	1	2	2		1	1	9	9	4	11	9		12	5		2	1	26
	2	1	1		1	1	2	5	5	6	15		14	2		1		9
	3	1	2		1	2	7	9	9	14	15		19	6		2		20
1		2					4	3		1	8		5	1			1	13
1					2		2	6	3	11	7		3	5	4			10
					1			2	1	7	4			1				5
1					1		2	4	2	4	3			4				5

TABLE 19.—POPULATION, BIRTHS, DEATHS, AND DEATH RATES AT CERTAIN AGES, AND DEATHS FROM CERTAIN

AREAS.		UNDER 1 YEAR OF AGE.					UNDER 5 YEARS OF AGE.				ALL AGES.		
		Popula- tion.	Born and died in the census year.	Births during the census year.	Deaths.	Deaths under 1 per 1,000 births.	Popula- tion.	Deaths.	Death rate per 1,000 of popu- lation.	Deaths under 5 per 1,000 at all ages.	Popula- tion.	Deaths.	Death rate per 1,000 of popu- lation.
NEW JERSEY—Continued.													
1	Group 2	9,951	1,055	11,006	1,586	144.1	46,487	2,263	48.7	306.5	445,093	7,383	16.6
2	Males	5,012	596	5,608	901	160.7	23,306	1,270	54.5	323.4	223,033	3,927	17.6
3	Females	4,939	459	5,398	685	126.9	23,181	993	42.8	287.3	222,060	3,456	15.6
4	White	9,739	1,010	10,749	1,515	140.9	45,522	2,161	47.5	303.4	434,454	7,122	16.4
5	Males	4,905	565	5,470	857	156.7	22,813	1,209	53.0	319.7	217,654	3,782	17.4
6	Females	4,834	445	5,279	658	124.6	22,709	952	41.9	285.0	216,800	3,340	15.4
7	Native	9,690	1,009	10,699	1,513	141.4	44,863	2,152	48.0	396.2	333,640	5,432	16.3
8	Males	4,882	565	5,447	857	157.3	22,476	1,205	53.6	419.0	164,907	2,876	17.4
9	Females	4,808	444	5,252	656	124.9	22,387	947	42.3	370.5	168,733	2,556	15.1
10	Both parents na- tive. (M..	2,482	244	2,726	359	131.7	11,725	499	42.6	313.4	109,918	1,592	14.5
11	One or both par- ents foreign. (F..	2,405	192	2,597	275	105.9	11,629	407	35.0	268.1	112,346	1,618	13.5
12	Foreign. (F..	2,400	282	2,682	444	165.5	10,751	633	58.9	682.8	54,989	927	16.9
13	Foreign. (F..	2,403	233	2,636	350	132.8	10,758	497	46.2	647.1	56,387	768	13.6
14	Foreign	49	1	50	2	(*)	659	8	12.1	5.0	100,814	1,609	16.0
15	Males	23		23			337	3	8.9	3.5	52,747	853	16.2
16	Females	26	1	27	2	(*)	322	5	15.5	6.6	48,067	756	15.7
17	Colored	212	45	257	71	276.3	965	102	105.7	390.8	10,639	261	24.5
18	Males	107	31	138	44	318.8	493	61	123.7	420.7	5,379	145	27.0
19	Females	105	14	119	27	226.9	472	41	86.9	353.4	5,260	116	22.1
20	Hunterdon county	648	69	717	86	119.9	3,079	112	36.4	205.1	34,507	546	15.8
21	Males	327	43	370	51	137.8	1,563	61	39.0	202.7	17,260	301	17.4
22	Females	321	26	347	35	100.9	1,516	51	33.6	208.2	17,247	245	14.2
23	Mercer county, rural	411	32	443	47	106.1	1,970	64	32.5	162.4	22,058	394	17.9
24	Males	216	17	233	22	94.4	1,002	26	25.9	136.1	11,366	191	16.8
25	Females	195	15	210	25	119.0	968	38	39.3	187.2	10,692	203	19.0
26	Trenton	1,583	189	1,772	271	152.9	7,740	375	48.4	319.4	73,307	1,174	16.0
27	Males	792	102	894	150	167.8	3,809	203	53.3	330.1	37,043	615	16.6
28	Females	791	87	878	121	137.8	3,931	172	43.8	307.7	36,264	559	15.4
29	White	1,552	181	1,733	261	150.6	7,620	363	47.6	323.0	71,149	1,124	15.8
30	Males	770	96	866	143	165.1	3,750	194	51.7	334.5	35,864	580	16.2
31	Females	782	85	867	118	136.1	3,870	169	43.7	310.7	35,285	544	15.4
32	Native	1,545	181	1,726	260	150.6	7,542	362	48.0	450.2	54,420	804	14.8
33	Males	769	96	865	143	165.3	3,713	194	52.2	463.0	27,000	419	15.5
34	Females	776	85	861	117	135.9	3,829	168	43.9	436.4	27,420	385	14.0
35	Both parents native ..	682	79	761	109	143.2	3,394	158	46.6	402.0	32,109	393	12.2
36	One or both parents foreign. (F..	863	97	960	139	144.8	4,148	188	45.3	643.8	22,311	292	13.1
37	Foreign	7		7	1	(*)	78	1	(*)	3.3	16,729	300	17.9
38	Males	1		1			37				8,864	149	16.8
39	Females	6		6	1	(*)	41	1	(*)	6.6	7,865	151	19.2
40	Morris county, rural	1,189	93	1,282	143	111.5	5,413	204	37.7	237.2	53,889	860	16.0
41	Males	611	56	667	88	131.9	2,794	126	45.1	266.9	27,618	472	17.1
42	Females	578	37	615	55	89.4	2,619	78	29.8	201.0	26,271	388	14.8
43	Morristown town	213	16	229	34	148.5	1,075	50	46.5	261.8	11,267	191	17.0
44	Males	106	9	115	21	182.6	538	35	65.1	339.8	5,016	103	20.5
45	Females	107	7	114	13	114.0	537	15	27.9	(*)	6,251	88	14.1
46	White	192	14	206	27	131.1	971	38	39.1	234.6	10,440	162	15.5
47	Males	99	8	107	18	168.2	488	27	55.3	(*)	4,648	88	18.9
48	Females	93	6	99	9	(*)	483	11	22.8	(*)	5,792	74	12.8
49	Native	191	14	205	27	131.7	958	38	39.7	294.6	8,193	129	15.7
50	Males	98	8	106	18	169.8	482	27	56.0	(*)	3,755	77	20.5
51	Females	93	6	99	9	(*)	476	11	23.1	(*)	4,438	62	11.7
52	Both parents native ..	103	6	111	13	117.1	532	18	33.8	(*)	5,513	90	16.3
53	One or both parents foreign. (F..	86	8	94	14	(*)	426	20	46.9	(*)	2,680	38	14.2
54	Foreign	1		1			13				2,247	32	14.2
55	Males	1		1			6				893	10	11.2
56	Females						7				1,354	22	16.2

* Data insufficient for rates.

POPULATION, BIRTHS, DEATHS, AND DEATH RATES.

453

CAUSES, BY SEX, COLOR, GENERAL NATIVITY, AND PARENT NATIVITY: CENSUS YEAR 1900—Continued.

CAUSE OF DEATH.																		
Measles.	Scarlet fever.	Diphtheria and croup.	Whooping cough.	Malarial fever.	Influenza.	Typhoid fever.	Diarrheal diseases.	Consumption.	Cancer and tumor.	Heart disease and dropsy.	Pneumonia.	Diseases of the liver.	Diseases of the nervous system.	Diseases of the urinary organs.	Affections connected with pregnancy.	Old age.	Unknown.	All other causes.
31	42	195	88	20	131	111	540	702	267	608	767	69	1,140	434	46	176	44	1,972
18	23	108	33	14	60	73	274	337	103	296	406	49	621	238	46	72	19	1,183
13	19	87	55	6	71	38	266	365	164	312	361	20	519	196	46	104	25	789
30	40	190	80	20	128	107	528	661	264	579	744	67	1,098	425	45	171	44	1,901
18	21	104	31	14	58	71	268	316	103	278	392	47	597	233	45	70	19	1,142
12	19	86	49	6	70	36	260	345	161	301	352	20	501	192	45	101	25	759
29	40	180	79	14	90	79	484	477	158	412	545	39	857	294	29	103	35	1,488
17	21	98	31	10	45	52	248	211	52	201	292	32	474	166	29	43	15	868
12	19	82	48	4	45	27	236	266	106	211	253	7	383	128	29	60	20	620
8	12	54	16	6	37	27	99	117	40	149	146	19	255	105	21	33	11	458
6	11	32	25	3	39	13	101	152	84	158	142	6	234	94	21	40	15	342
6	9	37	13	4	4	18	136	63	5	25	116	9	140	29	5	5	3	313
6	8	43	21	1	4	8	116	75	8	33	92	1	93	14	5	5	3	232
1		9	1	6	38	27	43	175	103	162	195	25	228	127	15	66	8	380
1		5		4	13	18	20	101	50	75	98	13	114	66		25	3	247
.....		4	1	2	25	9	23	74	53	87	97	12	114	61	15	41	5	133
1	2	5	8		3	4	12	41	3	29	23	2	42	9	1	5		71
.....	2	4	2		2	2	6	21		18	14	2	24	5		2		41
1		1	6		1	2	6	20	3	11	9		18	4	1	3		30
2	4	1	9		22	5	24	44	25	70	39	6	83	31	2	29	11	139
1	3	1	2		12	4	15	16	11	43	16	4	46	20		19	1	87
1	1		7		10	1	9	28	14	27	23	2	37	11	2	10	10	52
1	1	6	3	3	6	8	14	49	10	36	27	3	84	20	1	19	1	102
1		2		2	2	6	6	17	1	20	14	2	41	12		6		59
.....	1	4	3	1	4	2	8	32	9	16	13	1	43	8	1	13	1	43
6	7	20	20		27	25	63	121	46	80	116	10	178	75	12	24	5	339
2	4	14	8		15	17	33	63	14	39	59	10	90	40		6	2	199
4	3	6	12		12	8	30	58	32	41	57		88	35	12	18	3	140
6	5	20	20		26	25	62	111	45	75	115	10	168	74	12	23	5	322
2	2	14	8		14	17	33	54	14	38	58	10	81	39		6	2	188
4	3	6	12		12	8	29	57	31	37	57		87	35	12	17	3	134
6	5	18	20		10	23	56	74	21	48	86	8	120	42	7	9	4	247
2	2	12	8		6	15	29	32	6	26	45	8	64	25		2	1	136
4	3	6	12		4	8	27	42	15	22	41		56	17	7	7	3	111
4	3	11	9		7	6	18	32	12	25	39	3	72	23	5	6	1	117
1	2	6	10		3	13	32	27	1	12	41	4	29	7	2			102
.....		1			16	1	6	35	23	26	29	2	46	28	5	14	1	67
.....		1			8	1	4	20	8	12	13	2	17	13		4	1	45
.....					8		2	15	15	14	16		29	15	5	10		22
2	6	17	6	5	21	5	67	80	36	73	93	4	169	54	6	17	6	193
1	3	9	2	3	9	3	35	37	10	39	53	3	94	31		6	5	129
1	3	8	4	2	12	2	32	43	26	34	40	1	75	23	6	11	1	64
.....		1	4	1	2	3	16	23	9	12	18	1	33	18		6	2	42
.....		1	1	1	1	3	9	12	2	4	11	1	18	12			1	26
.....		3			1		7	11	7	8	7		15	6		6	1	16
.....		1	3	1	2	3	15	18	8	8	15	1	26	16		5	2	38
.....		1	1	1	1	3	9	11	2	1	8	1	15	10			1	23
.....		1	2	1	1		6	7	6	7	7		11	6		5	1	15
.....		1	3	1	2	3	13	16	5	5	12	1	17	15		3	1	31
.....		1	1	1	1	3	8	10	1		7	1	12	10		3		21
.....		1	2	1	1		5	6	4	5	5		5	5			1	10
.....		1	2	1	2	1	9	9	5	3	9	1	12	13		3	1	18
.....		1	1		2	2	4	7		2	3		5	2				12
.....							2	2	3	3	3		9	1		2		7
.....							1	1	1	1	1		3					2
.....							1	1	2	2	2		6	1		2		5

TABLE 19.—POPULATION, BIRTHS, DEATHS, AND DEATH RATES AT CERTAIN AGES, AND DEATHS FROM CERTAIN

AREAS.	UNDER 1 YEAR OF AGE.					UNDER 5 YEARS OF AGE.				ALL AGES.		
	Population.	Born and died in the census year.	Births during the census year.	Deaths.	Deaths under 1 per 1,000 births.	Population.	Deaths.	Death rate per 1,000 of population.	Deaths under 5 per 1,000 at all ages.	Population.	Deaths.	Death rate per 1,000 of population.
NEW JERSEY—Continued.												
Group 2—Continued.												
1 Passaic county, rural	582	45	627	89	141.9	2,741	122	44.5	368.6	22,254	331	14.9
2 Males	280	27	307	56	182.4	1,355	73	53.9	412.4	11,545	177	15.3
3 Females	302	18	220	33	103.1	1,386	49	35.4	318.2	10,709	154	14.4
4 Passaic	952	158	1,110	217	195.5	3,756	302	80.4	536.4	27,777	563	20.3
5 Males	473	85	558	116	207.9	1,896	162	85.4	566.4	13,320	286	21.5
6 Females	479	73	552	101	183.0	1,860	140	75.3	505.4	14,457	277	19.2
7 White	943	152	1,095	210	191.8	3,717	292	78.6	533.8	27,313	547	20.0
8 Males	468	81	549	112	204.0	1,876	157	83.7	564.7	13,131	278	21.2
9 Females	475	71	546	98	179.5	1,841	135	73.3	501.9	14,182	269	19.0
10 Native	933	152	1,085	210	193.5	3,602	291	80.8	755.8	14,434	385	26.7
11 Males	462	81	543	112	206.3	1,814	157	86.5	769.6	7,057	204	28.9
12 Females	471	71	542	98	180.8	1,788	134	74.9	740.3	7,377	181	24.5
13 Both parents native ..	146	23	169	28	165.7	691	35	50.7	(*)	5,155	71	13.8
14 One or both parents foreign.	787	122	909	172	189.2	2,911	243	83.5	864.8	9,279	281	30.3
15 Foreign	10		10			115	1	8.7	6.5	12,879	153	11.9
16 Males	6		6			62				6,074	69	11.4
17 Females	4		4			53	1	(*)	(*)	6,805	84	12.3
18 Paterson	2,515	299	2,814	479	170.2	11,840	727	61.4	363.5	105,171	2,000	19.0
19 Males	1,246	165	1,411	266	188.5	5,929	414	69.8	383.0	51,889	1,081	20.8
20 Females	1,269	134	1,403	213	151.8	5,911	313	53.0	340.6	53,282	919	17.2
21 White	2,488	296	2,784	471	169.2	11,725	712	60.7	364.0	103,859	1,956	18.8
22 Males	1,236	164	1,400	261	186.4	5,874	405	68.9	382.1	51,217	1,060	20.7
23 Females	1,252	132	1,384	210	151.7	5,851	307	52.5	342.6	52,642	896	17.0
24 Native	2,473	295	2,768	470	169.8	11,463	706	61.6	554.6	65,193	1,273	19.5
25 Males	1,229	164	1,393	261	187.4	5,744	402	70.0	584.3	31,723	688	21.7
26 Females	1,244	131	1,375	209	152.0	5,719	304	53.2	519.7	33,470	585	17.5
27 Both parents na- (M..	364	41	405	66	163.0	1,643	101	61.5	515.3	11,519	196	17.0
28 tive. (F..	362	35	397	56	141.1	1,641	83	50.6	461.1	12,378	180	14.5
One or both par- (M..	865	101	966	169	174.9	4,101	260	63.4	718.2	20,204	362	17.9
ents foreign. (F..	882	81	963	131	136.0	4,078	192	47.1	642.1	21,092	299	14.2
29 Foreign	15	1	16	1	(*)	262	5	19.1	7.6	38,666	660	17.1
30 Males	7		7			130	2	15.4	5.6	19,494	358	18.4
31 Females	8	1	9	1	(*)	132	3	22.7	9.9	19,172	302	15.8
32 Colored	27	3	30	8	(*)	115	15	130.4	(*)	1,312	44	33.5
33 Males	10	1	11	5	(*)	55	9	(*)	(*)	672	21	31.3
34 Females	17	2	19	3	(*)	60	6	(*)	(*)	640	23	35.9
35 Somerset county	663	49	712	86	120.8	3,162	121	38.3	259.7	32,948	466	14.1
36 Males	325	28	353	50	141.6	1,538	65	42.3	270.8	16,527	240	14.5
37 Females	338	21	359	36	100.3	1,624	56	34.5	247.8	16,421	226	13.8
38 Sussex county	469	36	505	45	89.1	2,319	66	28.5	187.5	24,134	352	14.6
39 Males	263	16	279	22	78.9	1,196	29	24.2	147.2	12,337	197	16.0
40 Females	206	20	226	23	101.8	1,123	37	32.9	238.7	11,797	155	13.1
41 Warren county, rural	526	43	569	53	93.1	2,478	74	29.9	214.5	27,729	345	12.4
42 Males	276	27	303	32	105.6	1,238	43	34.7	242.9	14,131	177	12.5
43 Females	250	16	266	21	78.9	1,240	31	25.0	184.5	13,598	168	12.4
44 Phillipsburg town	200	26	226	36	159.3	914	46	50.3	285.7	10,052	161	16.0
45 Males	97	21	118	27	228.8	448	33	73.7	(*)	4,981	87	17.5
46 Females	103	5	108	9	83.3	466	13	27.9	(*)	5,071	74	14.6
47 White	200	26	226	36	159.3	908	46	50.7	285.7	10,015	161	16.1
48 Males	97	21	118	27	228.8	445	33	74.2	(*)	4,963	87	17.5
49 Females	103	5	108	9	83.3	463	13	28.1	(*)	5,052	74	14.6
50 Native	200	26	226	36	159.3	903	46	50.9	353.8	9,026	130	14.4
51 Males	97	21	118	27	228.8	442	33	74.7	(*)	4,409	73	16.6
52 Females	103	5	108	9	83.3	461	13	28.2	(*)	4,617	57	12.3
53 Both parents native ..	168	19	187	26	139.0	743	34	45.8	(*)	6,757	95	14.1
54 One or both parents foreign.	32	6	38	8	(*)	160	10	62.5	(*)	2,269	24	10.6
55 Foreign						5				989	30	30.3
56 Males						3				554	13	23.5
57 Females						2				435	17	39.1

*Data insufficient for rates.

CAUSES, BY SEX, COLOR, GENERAL NATIVITY, AND PARENT NATIVITY: CENSUS YEAR 1900—Continued.

CAUSE OF DEATH.																		
Measles.	Scarlet fever.	Diphtheria and croup.	Whooping cough.	Malarial fever.	Influenza.	Typhoid fever.	Diarrheal diseases.	Consumption.	Cancer and tumor.	Heart disease and dropsy.	Pneumonia.	Diseases of the liver.	Diseases of the nervous system.	Diseases of the urinary organs.	Affections connected with pregnancy.	Old age.	Unknown.	All other causes.
	3	14	4	2	1	1	36	34	12	33	34	1	49	16	1	8	4	78
	1	6	3	2	1		22	12	6	14	18	1	29	12		3	2	45
	2	8	1			1	14	22	6	19	16		20	4	1	5	2	33
7	3	9	12		5	10	79	42	16	24	73	7	70	9	3	2		192
5	2	3	6		4	6	38	21	8	12	36	4	32	5				104
2	1	6	6		1	4	41	21	8	12	37	3	38	4	3	2		88
7	3	8	12		5	10	79	39	16	21	71	7	70	9	3	2		185
5	2	3	6		4	6	38	20	8	9	35	4	32	5				101
2	1	5	6		1	4	41	19	8	12	36	3	38	4	3	2		84
7	3	7	11		2	3	77	11	5	12	51	2	54	5		1		134
5	2	3	6		1	2	37	5	2	6	28	2	27	4				74
2	1	4	5		1	1	40	6	3	6	23		27	1		1		60
		1	1			1	4	4	2	5	9		7	1				35
6	3	5	9		2	2	71	6	2	4	39	1	42	3		1		85
		1	1		3	7	2	27	11	8	20	4	15	4	2	1		47
		1	1		3	4	1	15	6	3	7	1	4	1				24
						3	1	12	5	5	13	3	11	3	2	1		23
6	14	103	7	4	9	31	171	193	55	125	233	21	274	121	14	39	9	571
3	8	58	5	3	3	19	79	106	25	51	126	13	157	60		20	3	342
3	6	45	2	1	6	12	92	87	30	74	107	8	117	61	14	19	6	229
6	14	101	7	4	9	31	167	185	55	121	226	21	269	120	13	38	9	560
3	8	56	5	3	3	19	75	103	25	48	123	13	155	60		19	3	339
3	6	45	2	1	6	12	92	82	30	73	103	8	114	60	13	19	6	221
6	14	97	7	3	3	16	146	111	16	53	141	5	179	66	7	9	6	388
3	8	53	5	2	2	10	68	58	5	21	79	4	102	35		5	3	225
3	6	44	2	1	1	6	78	53	11	32	62	1	77	31	7	4	3	163
2	3	20			1	3	17	14	2	9	15	2	31	10		2	2	63
	2	10			1	1	27	15	5	11	14		25	12	3		1	51
	6	27	4	2		2	47	29	2	7	51		57	9				120
3	4	28	2			1	41	23	3	13	38	1	42	8	1	2	2	87
		4		1	6	15	20	71	38	67	83	15	88	54	6	29	3	160
		3		1	1	9	7	44	19	26	44	9	51	25		14		105
		1			5	6	13	27	19	41	39	6	37	29	6	15	3	55
		2					4	8		4	7		5	1	1	1		11
		2					4	3		3	3		2			1		3
								5		1	4		3	1	1			8
6	2	6	15	4	8	8	29	47	19	60	43	2	70	37	2	13	2	93
4		2	3	2	1	4	18	25	8	32	22	1	40	16		5		55
2	2	4	12	2	7	4	11	22	11	28	21	1	30	21	2	8		38
		4	1		15	7	20	37	14	37	61	4	35	27		5	3	82
		2			7	5	10	18	8	17	33	2	21	17		2		47
		2	1		8	2	10	19	6	20	23	2	14	10		3		35
1		12	6	1	13	6	15	22	20	41	17	8	65	14	3	9	1	91
1		8	2	1	4	4	6	7	7	18	5	6	38	9		3		58
		4	4		9	2	9	15	13	23	12	2	27	5	3	6	1	33
	2	2	1		2	2	6	10	5	17	13	2	30	12	2	5		50
	2	2	1		1	2	3	3	3	7	8	2	15	4		2		32
					1		3	7	2	10	5		15	8	2	3		18
	2	2	1		2	2	6	10	5	17	13	2	30	12	2	5		50
	2	2	1		1	2	3	3	3	7	8	2	15	4		2		32
					1		3	7	2	10	5		15	8	2	3		18
	2	2	1		2	1	6	9	2	14	11	2	23	10	1	1		43
	2	2	1		1	1	3	2		5	7	2	12	4		1		30
					1		3	7	2	9	4		11	6	1			13
	2	1	1		2		5	6	2	9	9		18	9	1	1		29
		1				1	1	2		3	1	1	3					11
						1		1	3	2	2		6	2	1	4		7
						1		1	3	2	1		2	2	1	3		2
										1			4					5

TABLE 19.—POPULATION, BIRTHS, DEATHS, AND DEATH RATES AT CERTAIN AGES, AND DEATHS FROM CERTAIN

	AREAS.	UNDER 1 YEAR OF AGE.					UNDER 5 YEARS OF AGE.				ALL AGES.		
		Popula- tion.	Born and died in the census year.	Births during the census year.	Deaths.	Deaths under 1 per 1,000 births.	Popula- tion.	Deaths.	Death rate per 1,000 of popu- lation.	Deaths under 5 per 1,000 at all ages.	Popula- tion.	Deaths.	Death rate per 1,000 of popu- lation.
1	NEW MEXICO	6,159	376	6,535	562	(*)	27,227	1,112	(*)	415.9	195,310	2,674	(*)
2	Males	3,094	222	3,316	326	(*)	13,785	601	(*)	413.1	104,228	1,455	(*)
3	Females	3,065	154	3,219	236	(*)	13,442	511	(*)	419.2	91,082	1,219	(*)
4	White	5,761	346	6,107	519	(*)	25,329	1,036	(*)	432.0	180,207	2,398	(*)
5	Males	2,896	201	3,097	297	(*)	12,803	551	(*)	427.1	96,036	1,290	(*)
6	Females	2,865	145	3,010	222	(*)	12,526	485	(*)	437.7	84,171	1,108	(*)
7	Native	5,739	345	6,084	517	(*)	25,138	1,027	(*)	461.0	166,946	2,228	(*)
8	Males	2,887	201	3,088	296	(*)	12,719	547	(*)	467.1	87,766	1,171	(*)
9	Females	2,852	144	2,996	221	(*)	12,419	480	(*)	454.1	79,180	1,057	(*)
10	Both parents native. (M..)	2,514	181	2,695	259	(*)	11,181	481	(*)	466.5	78,245	1,031	(*)
11	One or both parents foreign. (M..)	2,479	132	2,611	200	(*)	10,852	428	(*)	448.6	70,784	954	(*)
	foreign. (F..)	373	19	392	31	(*)	1,538	63	(*)	572.7	9,521	110	(*)
	foreign. (F..)	373	12	385	24	(*)	1,567	51	(*)	(*)	8,396	94	(*)
12	Foreign	22		22			191	6	(*)	51.7	13,261	116	(*)
13	Males	9		9			84	2	(*)	(*)	8,270	78	(*)
14	Females	13		13			107	4	(*)	(*)	4,991	38	(*)
15	Colored	398	30	428	43	(*)	1,898	76	(*)	275.4	15,103	276	(*)
16	Males	198	21	219	29	(*)	982	50	(*)	303.0	8,192	165	(*)
17	Females	200	9	209	14	(*)	916	26	(*)	234.2	6,911	111	(*)
18	NEW YORK	159,521	15,813	175,334	25,492	145.4	753,490	39,381	52.3	302.3	7,268,894	130,268	17.9
19	Males	80,473	8,918	89,391	14,169	158.5	379,124	21,478	56.7	312.9	3,614,780	68,648	19.0
20	Females	79,048	6,895	85,943	11,323	131.8	374,366	17,903	47.8	290.5	3,654,114	61,620	16.9
21	White	157,523	15,384	172,907	24,798	143.4	744,939	38,331	51.5	301.0	7,156,881	127,332	17.8
22	Males	79,518	8,686	88,204	13,799	156.4	375,063	20,939	55.8	311.9	3,558,116	67,135	18.9
23	Females	78,005	6,698	84,703	10,999	129.9	369,876	17,392	47.0	288.9	3,598,765	60,197	16.7
24	Native	156,789	15,309	172,098	24,627	143.1	733,057	37,776	51.5	426.9	5,267,358	88,479	16.8
25	Males	79,140	8,647	87,787	13,704	156.1	369,020	20,643	55.9	441.0	2,604,331	46,814	18.0
26	Females	77,649	6,662	84,311	10,923	129.6	364,037	17,133	47.1	411.2	2,663,027	41,665	15.6
27	Both parents native. (M..)	35,568	3,717	39,285	5,547	141.2	169,397	8,028	47.4	372.0	1,417,769	21,581	15.2
28	One or both parents foreign. (M..)	34,969	2,926	37,895	4,573	120.7	167,041	6,793	40.7	332.6	1,433,744	20,425	14.2
	foreign. (F..)	43,572	4,437	48,009	7,453	155.2	199,623	11,654	58.4	563.2	1,186,562	20,694	17.4
	foreign. (F..)	42,680	3,354	46,034	5,748	124.9	196,996	9,501	48.2	546.8	1,229,283	17,377	14.1
29	Foreign	734	46	780	112	143.6	11,882	455	38.3	12.1	1,889,523	37,505	19.8
30	Males	378	25	403	63	156.3	6,043	244	40.4	12.6	953,785	19,428	20.4
31	Females	356	21	377	49	130.0	5,839	211	36.1	11.7	935,738	18,077	19.3
32	Colored	1,998	429	2,427	694	285.9	8,551	1,050	122.8	357.6	112,013	2,936	26.2
33	Males	955	232	1,187	370	311.7	4,061	539	132.7	356.2	56,664	1,513	26.7
34	Females	1,043	197	1,240	324	261.3	4,490	511	113.8	359.1	55,349	1,423	25.7
35	Cities in New York	115,897	12,641	128,538	20,999	163.4	539,417	32,949	61.1	349.2	4,908,861	94,362	19.2
36	Males	58,455	7,157	65,612	11,681	178.0	271,172	17,948	66.2	360.1	2,417,957	49,841	20.6
37	Females	57,442	5,484	62,926	9,318	148.1	268,245	15,001	55.9	336.9	2,490,904	44,521	17.9
38	White	114,502	12,293	126,795	20,416	161.0	533,624	32,053	60.1	348.5	4,825,905	91,969	19.1
39	Males	57,791	6,972	64,763	11,377	175.7	268,418	17,493	65.2	359.8	2,376,778	48,619	20.5
40	Females	56,711	5,321	62,032	9,039	145.7	265,206	14,560	54.9	335.9	2,449,127	43,350	17.7
41	Native	113,889	12,226	126,115	20,259	160.6	523,111	31,540	60.3	526.6	3,223,804	59,892	18.6
42	Males	57,467	6,937	64,404	11,287	175.3	263,024	17,217	65.5	537.2	1,578,672	32,052	20.3
43	Females	56,422	5,289	61,711	8,972	145.4	260,087	14,323	55.1	514.5	1,645,132	27,840	16.9
44	Both parents native. (M..)	19,340	2,446	21,786	3,786	173.8	90,143	5,526	61.3	494.6	643,587	11,173	17.4
45	One or both parents foreign. (M..)	19,059	1,889	3,120	148.9	89.377	89,377	4,722	52.8	450.9	662,819	10,473	15.8
	foreign. (F..)	38,127	4,040	42,167	6,873	163.0	172,881	10,836	62.7	597.6	935,085	18,133	19.4
	foreign. (F..)	37,363	3,056	40,419	5,308	131.3	170,710	8,845	51.8	584.3	982,313	15,139	15.4
46	Foreign	613	43	656	105	160.1	10,513	425	40.4	13.6	1,602,101	31,243	19.5
47	Males	324	23	347	61	175.8	5,394	228	42.3	14.3	798,106	15,990	20.0
48	Females	289	20	309	44	142.4	5,119	197	38.5	12.9	803,995	15,253	19.0
49	Colored	1,395	348	1,743	583	334.5	5,793	896	154.7	374.4	82,956	2,393	28.8
50	Males	664	185	849	304	358.1	2,754	455	165.2	372.3	41,179	1,222	29.7
51	Females	731	163	894	279	312.1	3,039	441	145.1	376.6	41,777	1,171	28.0

* Data insufficient for rates.

POPULATION, BIRTHS, DEATHS, AND DEATH RATES.

457

CAUSES, BY SEX, COLOR, GENERAL NATIVITY, AND PARENT NATIVITY: CENSUS YEAR 1900--Continued.

CAUSE OF DEATH.																			
Measles.	Scarlet fever.	Diphtheria and croup.	Whooping cough.	Malarial fever.	Influenza.	Typhoid fever.	Diarrheal diseases.	Consumption.	Cancer and tumor.	Heart disease and dropsy.	Pneumonia.	Diseases of the liver.	Diseases of the nervous system.	Diseases of the urinary organs.	Affections connected with pregnancy.	Old age.	Unknown.	All other causes.	
71	44	101	29	89	26	102	78	152	47	126	232	32	125	39	65	39	404	873	1
41	21	50	13	41	15	47	44	84	25	67	129	19	74	30		23	231	501	2
30	23	51	16	48	11	55	34	68	22	59	103	13	51	9	65	16	173	372	2
56	44	100	29	63	24	99	75	135	44	125	209	32	120	37	59	29	299	823	4
31	21	50	13	29	13	46	39	78	23	66	114	19	72	29		16	162	469	5
25	23	50	16	34	11	53	32	57	21	59	95	13	48	8	59	13	137	354	6
55	44	99	28	63	21	97	65	101	38	108	196	29	110	29	57	25	289	774	7
30	21	49	13	29	13	45	37	51	20	55	107	18	66	22		14	154	427	8
25	23	50	15	34	8	52	28	50	18	53	89	11	44	7	57	11	135	347	9
25	19	46	10	28	12	32	30	40	16	52	93	16	60	20		10	140	382	10
20	20	46	13	33	7	42	24	41	17	47	84	11	37	6	54	10	130	312	10
5	2	3	3	1	1	11	6	6	2	1	7	2	6	1		3	13	37	11
4	3	3	2	1	1	10	4	7	1	5	4		7	1	3	1	5	32	11
.....		1	1		3	1	3	19	6	12	9	3	5	4	2	4	7	36	12
.....		1					1	14	3	7	4	1	3	4		2	5	33	13
.....			1		3	1	2	5	3	5	5	2	2		2	2	2	3	14
15		1		26	2	3	7	17	3	1	23		5	2	6	10	105	50	15
10				12	2	1	5	6	2	1	15		2	1		7	69	32	16
5		1		14		2	2	11	1		8		3	1	6	3	36	18	17
1,174	812	3,292	988	308	1,453	1,776	10,050	14,110	4,852	10,219	16,604	1,722	14,815	9,132	989	3,658	580	33,734	18
574	426	1,689	472	138	605	1,014	5,299	8,001	1,744	5,134	8,845	981	7,812	5,096		1,632	319	18,867	19
600	386	1,603	516	170	848	762	4,751	6,109	3,108	5,085	7,759	741	7,003	4,036	989	2,026	261	14,867	20
1,143	808	3,264	959	299	1,429	1,746	9,848	13,577	4,812	10,018	16,163	1,706	14,547	8,942	974	3,607	551	32,939	21
561	424	1,675	456	133	595	1,000	5,189	7,693	1,733	5,016	8,618	971	7,675	5,005		1,614	303	18,474	22
582	384	1,589	503	166	834	746	4,659	5,884	3,079	5,002	7,545	735	6,872	3,937	974	1,993	248	14,465	23
1,093	773	3,160	944	212	898	1,306	8,783	8,589	2,443	5,615	11,615	899	10,129	4,727	520	1,998	424	24,351	24
538	400	1,621	446	100	385	742	4,734	4,704	751	2,860	6,226	516	5,397	2,687		931	228	13,548	25
555	373	1,539	498	112	513	564	4,049	3,885	1,692	2,755	5,389	383	4,732	2,040	520	1,067	196	10,803	26
161	160	664	214	48	232	411	1,889	1,561	494	1,657	2,253	256	3,045	1,410		665	146	6,315	27
186	143	616	235	63	341	329	1,656	1,574	1,042	1,593	2,219	188	2,802	1,013	234	787	144	5,260	27
321	223	901	222	48	101	271	2,608	2,685	164	808	3,523	210	1,799	903		51	60	5,796	28
308	219	869	255	40	117	202	2,156	1,969	418	796	2,779	154	1,428	802	238	79	32	4,516	28
40	35	102	14	85	525	424	1,038	4,901	2,336	4,279	4,454	789	4,270	4,123	449	1,561	120	7,960	29
19	24	58	9	33	206	248	440	2,938	971	2,091	2,333	446	2,195	2,253		664	68	4,437	30
21	11	49	5	52	319	176	598	1,963	1,365	2,188	2,121	343	2,075	1,870	449	897	52	3,523	31
31	4	28	29	9	24	30	202	533	40	201	441	16	268	190	15	51	29	795	32
13	2	14	16	5	10	14	110	308	11	118	227	10	137	91		18	16	393	33
18	2	14	13	4	14	16	92	225	29	83	214	6	131	99	15	33	13	402	34
1,022	684	2,793	810	216	767	1,117	8,065	10,809	3,196	6,458	13,546	1,239	9,307	6,964	762	1,612	240	24,695	35
501	360	1,427	386	98	305	641	4,262	6,416	1,148	3,127	7,291	714	4,914	3,745		609	133	13,764	36
521	324	1,366	424	118	462	476	3,803	4,453	2,048	3,331	6,255	525	4,393	3,219	762	1,003	107	10,931	37
999	681	2,767	783	211	750	1,097	7,895	10,447	3,159	6,289	13,155	1,225	9,094	6,806	751	1,585	232	24,043	38
491	358	1,414	372	96	300	632	4,166	6,164	1,138	3,033	7,090	705	4,809	3,671		602	130	13,448	39
508	323	1,353	411	115	450	465	3,729	4,283	2,021	3,256	6,065	520	4,285	3,135	751	983	102	10,595	40
952	650	2,670	772	141	373	748	7,031	6,012	1,194	2,859	9,162	531	5,657	3,077	327	573	156	17,007	41
470	338	1,364	365	69	153	426	3,796	3,484	338	1,431	4,992	303	3,062	1,670		221	86	9,484	42
482	312	1,306	407	72	220	322	3,235	2,528	856	1,428	4,170	228	2,595	1,407	327	352	70	7,523	43
115	117	493	151	25	67	175	1,217	858	176	607	1,402	99	1,376	666		147	35	3,447	44
135	102	465	160	32	118	153	1,069	704	426	635	1,323	85	1,207	562	106	260	43	2,888	44
302	208	825	206	41	69	214	2,407	2,336	115	644	3,267	175	1,443	778		17	37	5,049	45
291	199	800	240	36	84	150	1,993	1,628	312	642	2,587	124	1,158	708	190	35	18	3,944	45
37	31	96	11	70	375	343	844	4,376	1,952	3,371	3,926	685	3,376	3,667	420	1,001	75	6,587	46
17	20	50	7	27	146	202	359	2,646	796	1,570	2,055	397	1,708	1,957		377	43	3,613	47
20	11	46	4	43	229	141	485	1,730	1,156	1,801	1,871	288	1,668	1,710	420	624	32	2,974	48
23	3	26	27	5	17	90	170	422	37	169	391	14	213	158	11	27	8	652	49
10	2	13	14	2	5	9	96	252	10	94	201	9	105	74		7	3	316	50
13	1	13	13	3	12	11	74	170	27	75	190	5	108	84	11	20	5	336	50

TABLE 19.—POPULATION, BIRTHS, DEATHS, AND DEATH RATES AT CERTAIN AGES, AND DEATHS FROM CERTAIN

AREAS.		UNDER 5 YEARS OF AGE.					UNDER 5 YEARS OF AGE.				ALL AGES.		
		Popula- tion.	Born and died in the census year.	Births during the census year.	Deaths.	Deaths under 1 per 1,000 births.	Popula- tion.	Deaths.	Death rate per 1,000 of popu- lation.	Deaths under 5 per 1,000 at all ages.	Popula- tion.	Deaths.	Death rate per 1,000 of popu- lation.
NEW YORK—Continued.													
1	Rural part of New York.....	43,624	3,172	46,796	4,493	96.0	214,073	6,432	30.0	179.1	2,360,033	35,906	15.2
2	Males	22,018	1,761	23,779	2,488	104.6	107,952	3,530	32.7	187.7	1,196,823	18,807	15.7
3	Females	21,606	1,411	23,017	2,005	87.1	106,121	2,902	27.3	169.7	1,163,210	17,099	14.7
4	White	43,021	3,091	46,112	4,382	95.0	211,315	6,278	29.7	177.5	2,330,976	35,363	15.2
5	Males	21,727	1,714	23,441	2,422	103.3	106,645	3,446	32.3	186.1	1,181,338	18,516	15.7
6	Females	21,294	1,377	22,671	1,960	86.5	104,670	2,832	27.1	168.1	1,149,638	16,847	14.7
7	Native	42,900	3,083	45,983	4,368	95.0	209,946	6,236	29.7	218.1	2,043,554	28,587	14.0
8	Males	21,673	1,710	23,383	2,417	103.4	105,996	3,426	32.3	232.1	1,025,659	14,762	14.4
9	Females	21,227	1,373	22,600	1,951	86.3	103,950	2,810	27.0	203.3	1,017,895	13,825	13.6
10	Both parents native. (M..	16,228	1,271	17,499	1,761	100.6	79,254	2,502	31.6	240.4	774,182	10,408	13.4
11	(F..	15,910	1,037	16,947	1,453	85.7	77,664	2,071	26.7	208.1	770,925	9,952	12.9
	One or both parents (M..	5,445	397	5,842	580	99.3	26,742	818	30.6	319.4	251,477	2,561	10.2
	foreign. (F..	5,317	298	5,615	440	78.4	26,286	656	25.0	293.1	246,970	2,238	9.1
12	Foreign	121	3	124	7	56.5	1,369	30	21.9	4.8	287,422	6,262	21.8
13	Males	54	2	56	2	(*)	649	16	24.7	4.7	155,679	3,438	22.1
14	Females	67	1	68	5	(*)	720	14	19.4	5.0	131,743	2,824	21.4
15	Colored	603	81	684	111	162.3	2,758	154	55.8	283.6	29,057	543	18.7
16	Males	291	47	338	66	195.3	1,307	84	64.3	288.7	15,485	291	18.8
17	Females	312	34	346	45	130.1	1,451	70	48.2	277.8	13,572	252	18.6
18	Group 1	94,410	10,279	104,689	17,573	167.9	434,340	28,020	64.5	368.3	3,792,787	76,080	20.1
19	Males	47,723	5,803	53,526	9,740	182.0	218,370	15,208	69.6	374.5	1,883,602	40,611	21.6
20	Females	46,687	4,476	51,163	7,833	153.1	215,970	12,812	59.3	361.2	1,909,185	35,469	18.6
21	White	92,994	9,928	102,922	16,987	165.0	428,512	27,135	63.3	367.4	3,712,269	73,850	19.9
22	Males	47,047	5,620	52,667	9,435	179.1	215,591	14,758	68.5	373.8	1,843,400	39,478	21.4
23	Females	45,947	4,308	50,255	7,552	150.3	212,921	12,377	58.1	360.1	1,868,869	34,372	18.4
24	Native	92,484	9,869	102,353	16,851	164.6	419,347	26,680	63.6	560.9	2,372,043	47,566	20.1
25	Males	46,779	5,589	52,368	9,361	178.8	210,893	14,519	68.8	564.8	1,171,830	25,706	21.9
26	Females	45,705	4,280	49,985	7,490	149.8	208,454	12,161	58.3	556.3	1,200,213	21,860	18.2
27	Both parents na- (M..	14,479	1,810	16,289	2,926	179.6	66,995	4,354	65.0	620.6	452,145	8,364	18.5
	(F..	14,239	1,403	15,642	2,406	153.8	66,283	3,707	55.9	489.1	455,090	7,579	16.7
28	One or both par- (M..	32,300	3,413	35,713	5,909	165.5	143,898	9,451	65.7	619.9	719,685	15,246	21.2
	ents foreign. (F..	31,466	2,594	34,060	4,621	135.7	142,171	7,807	54.9	613.5	745,123	12,726	17.1
29	Foreign	510	39	549	90	163.9	9,165	374	40.8	14.6	1,340,226	25,603	19.1
30	Males	268	20	288	48	166.7	4,698	195	41.5	14.7	671,570	13,271	19.8
31	Females	242	19	261	42	160.9	4,467	179	40.1	14.5	668,656	12,332	18.4
32	Colored	1,416	351	1,767	586	331.6	5,828	885	151.9	396.9	80,518	2,230	27.7
33	Males	676	183	859	305	355.1	2,779	450	161.9	397.2	40,202	1,133	28.2
34	Females	740	168	908	281	309.5	3,049	435	142.7	396.5	40,316	1,097	27.2
35	New York city	86,597	9,567	96,164	16,400	170.5	397,287	26,295	66.2	374.4	3,437,202	70,229	20.4
36	Males	43,765	5,399	49,164	9,089	184.9	199,683	14,263	71.4	380.4	1,705,705	37,499	22.0
37	Females	42,832	4,168	47,000	7,311	155.6	197,604	12,032	60.9	367.6	1,731,497	32,730	18.9
38	White	85,466	9,268	94,734	15,903	167.9	392,651	25,533	65.0	374.1	3,369,898	68,259	20.3
39	Males	43,229	5,242	48,471	8,832	182.2	197,475	13,876	70.3	380.2	1,672,118	36,493	21.8
40	Females	42,237	4,026	46,263	7,071	152.8	195,176	11,657	59.7	367.0	1,697,780	31,766	18.7
41	Native	84,986	9,210	94,196	15,769	167.4	383,857	25,088	65.4	578.2	2,108,980	43,393	20.6
42	Males	42,978	5,211	48,189	8,758	181.7	192,953	13,640	70.7	580.7	1,041,945	23,489	22.5
43	Females	42,008	3,999	46,007	7,011	152.4	190,904	11,448	60.0	575.2	1,067,035	19,904	18.7
44	Both parents na- (M..	12,541	1,607	14,148	2,610	184.5	57,474	3,902	67.9	546.5	368,008	7,140	19.4
	(F..	12,414	1,268	13,682	2,181	159.4	57,007	3,385	59.4	520.6	369,469	6,502	17.6
45	One or both par- (M..	30,437	3,255	33,692	5,657	167.9	135,479	9,068	66.9	623.6	673,937	14,542	21.6
	ents foreign. (F..	29,594	2,458	32,052	4,391	137.0	133,897	7,453	55.7	616.9	697,566	12,081	17.3
46	Foreign	480	38	518	88	169.9	8,794	367	41.7	15.1	1,260,918	24,279	19.3
47	Males	251	20	271	48	177.1	4,522	193	42.7	15.4	630,173	12,563	19.9
48	Females	229	18	247	40	161.9	4,272	174	40.7	14.9	630,745	11,716	18.6
49	Colored	1,131	299	1,430	497	347.6	4,636	762	164.4	386.8	67,304	1,970	29.3
50	Males	536	157	693	257	370.9	2,208	387	175.3	384.7	33,587	1,006	30.0
51	Females	595	142	737	240	325.6	2,428	375	154.4	389.0	33,717	964	28.6

* Data insufficient for rates.

CAUSES, BY SEX, COLOR, GENERAL NATIVITY, AND PARENT NATIVITY: CENSUS YEAR 1900—Continued.

CAUSE OF DEATH.																		
Measles.	Scarlet fever.	Diphtheria and croup.	Whooping cough.	Malarial fever.	Influenza.	Typhoid fever.	Diarrheal diseases.	Consumption.	Cancer and tumor.	Heart disease and dropsy.	Pneumonia.	Diseases of the liver.	Diseases of the nervous system.	Diseases of the urinary organs.	Affections connected with pregnancy.	Old age.	Unknown.	All other causes.
152	128	499	178	92	686	659	1,985	3,241	1,656	3,761	3,058	483	5,508	2,168	227	2,046	340	9,039
73	66	262	86	40	300	373	1,037	1,585	596	2,007	1,554	267	2,898	1,351		1,023	186	5,103
79	62	237	92	52	386	286	948	1,656	1,060	1,754	1,504	216	2,610	817	227	1,023	154	3,936
144	127	497	176	88	679	649	1,953	3,130	1,653	3,729	3,008	481	5,453	2,136	223	2,022	319	8,896
70	66	261	84	37	295	368	1,023	1,529	595	1,983	1,528	266	2,866	1,334		1,012	173	5,026
74	61	236	92	51	384	281	930	1,601	1,058	1,746	1,480	215	2,587	802	223	1,010	146	3,870
141	123	490	172	71	525	558	1,752	2,577	1,249	2,756	2,453	368	4,472	1,650	193	1,425	268	7,344
68	62	257	81	31	232	316	938	1,220	413	1,429	1,234	213	2,335	1,017		710	142	4,064
73	61	233	91	40	293	242	814	1,357	836	1,327	1,219	155	2,137	633	193	715	126	3,280
46	43	171	63	23	165	236	672	703	318	1,050	851	157	1,669	744		518	111	2,868
51	41	151	75	31	223	176	587	870	616	958	896	103	1,595	451	128	527	101	2,372
19	15	76	16	7	32	57	201	349	49	164	256	35	356	125		34	23	747
17	20	69	15	4	33	52	163	341	106	154	192	30	270	94	48	44	14	572
3	4	6	3	15	150	81	194	525	384	908	528	104	894	456	29	560	45	1,373
2	4	3	2	6	60	46	81	292	175	521	278	49	487	296		287	25	824
1		3	1	9	90	35	113	233	209	387	250	55	407	160	29	273	20	549
8	1	2	2	4	7	10	32	111	3	32	50	2	55	32	4	24	21	143
3		1	2	3	5	5	14	56	1	24	26	1	32	17		11	13	77
5	1	1		1	2	5	18	55	2	8	24	1	23	15	4	13	8	66
842	591	2,363	701	200	622	642	7,000	8,964	2,418	4,931	11,735	998	6,892	5,832	658	1,042	154	19,495
407	315	1,193	323	88	263	367	3,693	5,433	869	2,420	6,318	583	3,740	3,125		393	91	10,990
435	276	1,170	378	112	359	275	3,307	3,531	1,549	2,511	5,417	415	3,152	2,707	658	649	63	8,505
819	587	2,337	678	193	602	630	6,822	8,565	2,389	4,796	11,359	987	6,707	5,685	647	1,017	152	18,878
398	313	1,180	311	84	256	363	3,594	5,193	861	2,348	6,124	576	3,646	3,054		388	90	10,699
421	274	1,157	367	109	346	267	3,238	3,872	1,528	2,448	5,235	411	3,061	2,631	647	629	62	8,179
775	557	2,253	668	128	298	409	6,111	4,701	822	2,072	7,931	416	4,026	2,446	273	355	95	13,230
379	293	1,135	305	58	130	232	3,291	2,819	225	1,050	4,311	242	2,247	1,338		147	55	7,449
396	264	1,118	363	70	168	177	2,820	1,882	597	1,022	3,620	174	1,779	1,108	273	208	40	5,781
90	94	373	117	22	60	100	1,045	649	116	419	1,116	79	938	527		96	31	2,492
93	69	384	134	32	90	76	900	490	293	406	1,099	61	762	422	82	152	26	2,005
251	188	731	183	34	58	115	2,105	1,939	80	505	2,926	141	1,132	650		11	18	4,179
253	186	699	222	36	66	92	1,765	1,260	232	518	2,335	107	891	589	164	26	12	3,273
35	30	82	10	64	303	218	693	3,823	1,561	2,688	3,378	566	2,631	3,183	371	655	53	5,259
15	20	44	6	26	125	129	292	2,347	634	1,278	1,779	331	1,368	1,680		238	31	2,928
20	10	38	4	38	178	89	401	1,476	927	1,410	1,599	235	1,263	1,503	371	417	22	2,331
23	4	26	23	7	20	12	178	399	29	135	376	11	185	147	11	25	2	617
9	2	13	12	4	7	4	99	240	8	72	194	7	94	71		5	1	291
14	2	13	11	3	13	8	79	159	21	63	182	4	91	76	11	20	1	326
801	572	2,278	666	168	535	594	6,435	8,349	2,229	4,437	11,132	922	6,073	5,486	631	878	89	17,954
390	306	1,149	308	71	227	335	3,406	5,112	805	2,177	5,988	543	3,268	2,927		324	55	10,108
411	266	1,129	358	97	308	259	3,029	3,237	1,424	2,260	5,144	379	2,805	2,559	631	554	34	7,846
782	569	2,253	644	164	521	582	6,283	7,990	2,201	4,306	10,792	912	5,916	5,356	621	857	87	17,423
381	304	1,136	297	70	225	331	3,319	4,889	797	2,109	5,815	536	3,189	2,864		320	54	9,857
401	265	1,117	347	94	296	251	2,964	3,101	1,404	2,197	4,977	376	2,727	2,492	621	537	33	7,566
739	541	2,172	634	106	240	375	5,639	4,280	704	1,771	7,516	367	3,434	2,219	253	248	47	12,108
363	286	1,092	291	48	105	209	3,039	2,603	189	900	4,090	217	1,903	1,202		105	28	6,819
376	255	1,080	343	58	135	166	2,600	1,677	515	871	3,426	150	1,531	1,017	253	143	19	5,289
81	90	349	107	17	45	84	923	556	90	330	1,005	65	729	434		65	8	2,162
86	66	368	123	25	66	69	800	385	234	319	992	47	622	369	71	106	9	1,745
244	185	713	179	29	52	109	1,997	1,852	74	474	2,840	133	1,046	627		11	15	3,962
241	180	681	214	32	63	89	1,671	1,178	220	484	2,260	98	824	564	158	20	10	3,094
34	28	80	10	58	280	205	629	3,674	1,494	2,507	3,233	541	2,449	3,087	365	605	39	4,961
14	18	44	6	22	119	121	271	2,262	608	1,192	1,694	317	1,262	1,627		214	25	2,747
20	10	36	4	36	161	84	358	1,412	886	1,315	1,539	224	1,187	1,460	365	391	14	2,214
19	3	25	22	4	14	12	152	359	28	131	340	10	157	130	10	21	2	531
9	2	13	11	1	2	4	87	223	8	68	173	7	79	63		4	1	251
10	1	12	11	3	12	8	65	136	20	63	167	3	78	67	10	17	1	280

TABLE 19.—POPULATION, BIRTHS, DEATHS, AND DEATH RATES AT CERTAIN AGES, AND DEATHS FROM CERTAIN

AREAS.		UNDER 1 YEAR OF AGE.					UNDER 5 YEARS OF AGE.				ALL AGES.		
		Popula- tion.	Born and died in the census year.	Births during the census year.	Deaths.	Deaths under 1 per 1,000 births.	Popula- tion.	Deaths.	Death rate per 1,000 of popula- tion.	Deaths under 5 per 1,000 at all ages.	Popula- tion.	Deaths.	Death rate per 1,000 of popula- tion.
NEW YORK—Continued.													
1	Group 1—Continued. Bronx borough	5,290	456	5,746	776	135.1	24,700	1,268	51.3	349.9	200,507	3,624	18.1
2	Males	2,610	264	2,874	444	154.5	12,278	697	56.8	353.4	101,756	1,972	19.4
3	Females	2,680	192	2,872	332	115.6	12,422	571	46.0	345.6	98,751	1,652	16.7
4	White	5,228	443	5,671	756	133.3	24,467	1,240	50.7	350.9	197,923	3,534	17.9
5	Males	2,581	256	2,837	432	152.3	12,168	682	56.0	353.2	100,387	1,931	19.2
6	Females	2,647	187	2,834	324	114.3	12,299	558	45.4	348.1	97,536	1,603	16.4
7	Native	5,208	442	5,650	753	133.3	24,179	1,221	50.5	529.3	136,665	2,307	16.9
8	Males	2,571	255	2,826	429	151.8	12,007	669	55.7	531.0	67,645	1,260	18.6
9	Females	2,637	187	2,824	324	114.7	12,172	552	45.3	527.2	69,020	1,047	15.2
10	Both parents na- (M..	973	114	1,087	170	156.4	4,586	247	53.9	574.4	25,097	430	17.1
	tive. (F..	1,025	78	1,103	131	118.8	4,702	196	41.7	514.4	25,136	381	15.2
11	One or both par- (M..	1,598	138	1,736	252	145.2	7,421	403	54.3	529.6	42,548	761	17.9
	ents foreign. (F..	1,612	103	1,715	182	106.1	7,470	327	43.8	536.9	43,884	609	13.9
12	Foreign	20	1	21	2	(*)	288	11	38.2	9.2	61,258	1,193	19.5
13	Males	10	1	11	2	(*)	161	8	49.7	12.4	32,742	645	19.7
14	Females	10		10			127	3	23.6	5.5	28,516	548	19.2
15	Colored	62	13	75	20	(*)	233	28	120.2	(*)	2,584	90	34.8
16	Males	29	8	37	12	(*)	110	15	136.4	(*)	1,369	41	29.9
17	Females	33	5	38	8	(*)	123	13	105.7	(*)	1,215	49	40.3
18	Brooklyn borough	28,961	3,238	32,199	5,712	177.4	135,638	8,949	66.0	384.7	1,166,582	23,263	19.9
19	Males	14,649	1,836	16,485	3,192	193.6	68,383	4,857	71.0	402.6	573,733	12,063	21.0
20	Females	14,312	1,402	15,714	2,520	160.4	67,255	4,092	60.8	365.4	592,849	11,200	18.9
21	White	28,588	3,155	31,743	5,558	175.1	134,130	8,715	65.0	383.5	1,146,909	22,722	19.8
22	Males	14,459	1,787	16,246	3,104	191.1	67,635	4,729	69.9	400.9	564,321	11,797	20.9
23	Females	14,129	1,368	15,497	2,454	158.4	66,495	3,986	59.9	364.9	582,588	10,925	18.8
24	Native	28,489	3,136	31,625	5,528	174.8	132,167	8,610	65.1	562.3	793,159	15,312	19.3
25	Males	14,404	1,780	16,184	3,091	191.0	66,620	4,680	70.2	578.6	388,434	8,089	20.8
26	Females	14,085	1,356	15,441	2,437	157.8	65,547	3,930	60.0	544.1	404,725	7,223	17.8
27	Both parents na- (M..	5,266	685	5,951	1,157	194.4	24,582	1,724	70.1	574.9	153,080	2,999	19.6
	tive. (F..	5,128	530	5,658	914	161.5	24,161	1,441	59.6	520.0	157,421	2,771	17.6
28	One or both par- (M..	9,138	1,052	10,190	1,875	184.0	42,038	2,876	68.4	605.5	235,354	4,750	20.2
	ents foreign. (F..	8,957	794	9,751	1,466	150.3	41,386	2,415	58.4	581.5	247,304	4,153	16.8
29	Foreign	99	16	115	27	234.8	1,963	94	47.9	12.9	353,750	7,269	20.5
30	Males	55	5	60	11	(*)	1,015	43	42.4	11.9	175,887	3,603	20.5
31	Females	44	11	55	16	(*)	948	51	53.8	13.9	177,863	3,666	20.6
32	Colored	373	83	456	154	337.7	1,508	234	155.2	432.5	19,673	541	27.5
33	Males	190	49	239	88	368.2	748	128	171.1	481.2	9,412	266	28.3
34	Females	183	34	217	66	304.1	760	106	139.5	385.5	10,261	275	26.8
35	Manhattan borough	46,796	5,360	52,156	8,935	171.3	210,305	14,673	69.8	373.1	1,850,093	39,331	21.3
36	Males	23,720	3,007	26,727	4,909	183.7	105,680	7,941	75.1	373.6	918,259	21,254	23.1
37	Females	23,076	2,353	25,429	4,026	158.3	104,625	6,732	64.3	372.4	931,834	18,077	19.4
38	White	46,181	5,171	51,352	8,640	168.3	207,760	14,217	68.4	373.3	1,808,968	38,086	21.1
39	Males	23,441	2,918	26,359	4,771	181.0	104,491	7,721	73.9	374.6	897,291	20,609	23.0
40	Females	22,740	2,253	24,993	3,869	154.8	103,269	6,496	62.9	371.7	911,677	17,477	19.2
41	Native	45,834	5,134	50,968	8,544	167.6	201,439	13,911	69.1	600.2	1,026,254	23,178	22.6
42	Males	23,265	2,896	26,161	4,717	180.3	101,263	7,555	74.6	593.6	508,993	12,727	25.0
43	Females	22,569	2,238	24,807	3,827	154.3	100,176	6,356	63.4	608.2	517,261	10,451	20.2
44	Both parents na- (M..	5,171	702	5,873	1,091	185.8	22,889	1,661	72.6	524.5	157,308	3,167	20.1
	tive. (F..	5,132	579	5,711	972	170.2	22,737	1,514	66.6	533.5	154,999	2,838	18.3
45	One or both par- (M..	18,094	1,899	19,993	3,213	160.7	78,374	5,337	68.1	644.3	351,685	8,284	23.6
	ents foreign. (F..	17,437	1,428	18,865	2,489	131.9	77,439	4,342	56.1	648.7	362,202	6,693	18.5
46	Foreign	347	21	368	56	152.2	6,321	249	39.4	17.1	782,714	14,523	18.6
47	Males	176	14	190	33	173.7	3,228	136	42.1	17.9	388,298	7,594	19.6
48	Females	171	7	178	23	129.2	3,093	113	36.5	16.3	394,416	6,929	17.6
49	Colored	615	189	804	295	366.9	2,545	456	179.2	366.3	41,125	1,245	30.3
50	Males	279	89	368	138	375.0	1,189	220	185.0	341.1	20,968	645	30.8
51	Females	336	100	436	157	360.1	1,356	236	174.0	393.3	20,157	609	29.8

* Data insufficient for rates.

POPULATION, BIRTHS, DEATHS, AND DEATH RATES.

461

CAUSES, BY SEX, COLOR, GENERAL NATIVITY, AND PARENT NATIVITY: CENSUS YEAR 1900—Continued.

CAUSE OF DEATH.																			
Measles.	Scarlet fever.	Diphtheria and croup.	Whooping cough.	Malarial fever.	Influenza.	Typhoid fever.	Diarrheal diseases.	Consumption.	Cancer and tumor.	Heart disease and dropsy.	Pneumonia.	Diseases of the liver.	Diseases of the nervous system.	Diseases of the urinary organs.	Affections connected with pregnancy.	Old age.	Unknown.	All other causes.	
73	25	108	52	30	16	21	306	504	109	241	539	49	357	254	35	51	1	853	1
34	11	62	30	11	8	13	160	334	32	124	261	32	198	137		16	1	508	2
39	14	46	22	19	8	8	146	170	77	117	278	17	159	117	35	35		345	3
71	25	107	47	30	16	20	297	485	109	236	532	49	349	246	35	46	1	833	4
34	11	61	25	11	8	13	155	325	32	121	261	32	193	134		15	1	499	5
37	14	46	22	19	8	7	142	160	77	115	271	17	156	112	35	31		334	6
66	25	103	47	17	6	14	261	288	44	100	393	17	185	112	20	15	1	593	7
32	11	58	25	7	4	9	140	193	10	53	196	10	105	55		4	1	347	8
34	14	45	22	10	2	5	121	95	34	47	197	7	80	57	20	11		246	9
9	3	20	13	1	2	3	52	40	4	20	60	4	49	22	4			124	10
13	4	18	9	5	1	1	44	20	16	18	70	1	37	16	5	9		94	11
16	6	36	12	6	2	5	84	147	5	32	135	4	52	29			1	189	11
13	8	26	13	5	1	3	72	70	16	26	121	6	39	41	13	1		135	12
1		4		13	10	5	36	196	65	135	135	32	161	133	15	31		221	12
1		3		4	4	3	15	131	22	68	62	22	86	78		11		136	13
1		1		9	6	2	21	65	43	67	73	10	75	55	15	20		85	14
2		1	5			1	9	19		5	7		8	8		5		20	15
2		1	5			1	5	9		3	2		5	3		1		9	16
2							4	10			7		3	5		4		11	17
258	192	842	287	56	199	245	2,449	2,613	708	1,577	3,371	304	2,081	1,806	218	291	24	5,742	18
128	102	426	126	23	83	138	1,269	1,555	244	715	1,791	163	1,106	933		104	13	3,144	19
130	90	416	161	33	116	107	1,180	1,058	464	852	1,580	141	975	873	218	187	11	2,598	20
253	191	835	283	55	191	242	2,400	2,526	701	1,543	3,272	299	2,081	1,775	216	284	24	5,601	21
126	101	423	126	23	82	137	1,238	1,506	240	704	1,742	160	1,080	918		102	13	3,076	22
127	90	412	157	32	109	105	1,162	1,020	461	839	1,530	139	951	857	216	182	11	2,525	23
244	183	810	280	31	95	170	2,161	1,505	269	721	2,308	125	1,228	801	104	93	16	4,168	24
124	98	408	125	15	43	96	1,139	898	62	352	1,245	67	668	418		32	8	2,291	25
120	85	402	155	16	52	74	1,022	607	207	369	1,063	58	560	383	104	61	8	1,877	26
36	39	162	53	6	21	41	427	228	34	148	380	21	289	185		23	3	903	27
35	28	168	58	7	23	37	362	164	102	151	390	24	251	143	30	46	3	749	28
84	59	243	72	9	20	54	694	629	23	181	825	41	344	195		3	3	1,271	29
75	57	231	97	9	29	37	636	408	83	188	651	33	276	214	67	9	5	1,048	30
9	8	25	3	24	96	72	237	1,012	431	813	957	174	791	961	111	190	8	1,347	31
2	3	15	1	8	39	41	98	604	178	346	490	93	403	492		70	5	715	32
7	6	10	2	16	57	31	139	408	253	467	467	81	388	469	111	120	3	632	33
5	1	7	4	1	8	3	49	87	7	34	99	5	50	31	2	7		141	34
2	1	3			1	1	31	49	4	11	49	3	26	15		2		68	35
3		4	4	1	7	2	18	38	3	23	50	2	24	16	2	5		73	36
443	331	1,215	291	53	291	275	3,196	4,842	1,286	2,387	6,097	502	3,221	3,121	355	444	56	10,325	37
215	183	606	137	25	125	159	1,708	2,979	490	1,203	3,665	304	1,733	1,691		156	34	5,841	38
228	148	609	154	28	166	116	1,488	1,863	796	1,184	3,032	198	1,488	1,430	355	288	22	4,484	39
431	330	1,199	280	50	285	269	3,115	4,602	1,267	2,299	6,479	498	3,130	3,033	347	435	54	9,983	40
208	183	597	131	24	124	157	1,664	2,821	486	1,153	3,551	301	1,692	1,646		155	33	5,683	41
223	147	602	149	26	161	112	1,451	1,781	781	1,146	2,928	197	1,438	1,387	347	280	21	4,300	42
403	310	1,149	273	35	125	155	2,782	2,265	343	836	4,494	202	1,768	1,152	117	95	29	6,645	43
194	168	572	126	16	52	89	1,516	1,378	102	431	2,477	126	993	655		45	19	3,768	44
209	142	577	147	19	73	66	1,266	887	241	405	2,017	76	775	497	117	50	10	2,877	45
32	44	144	38	8	18	31	347	256	41	135	499	37	325	193		26	5	989	46
35	30	163	48	8	37	20	309	174	97	125	469	20	281	168	81	34	5	784	47
136	115	404	83	8	30	46	1,077	989	44	239	1,782	79	593	376		7	11	2,265	48
144	106	388	93	10	31	40	857	640	109	250	1,404	52	454	277	72	10	5	1,751	49
23	20	49	7	15	159	113	320	2,312	922	1,445	1,956	292	1,345	1,846	228	338	24	3,109	50
12	15	25	5	8	71	68	140	1,425	384	711	1,055	173	687	965		110	13	1,727	51
11	5	24	2	7	88	45	180	887	538	734	901	119	658	881	228	228	11	1,382	52
12	1	16	11	3	6	6	81	240	19	88	218	4	91	88	8	9	2	342	53
7		9	6	1	1	2	44	158	4	50	114	3	41	45		1	1	158	54
5	1	7	5	2	5	4	37	82	15	38	104	1	50	43	8	8	1	184	55

TABLE 19.—POPULATION, BIRTHS, DEATHS, AND DEATH RATES AT CERTAIN AGES, AND DEATHS FROM CERTAIN

AREAS.		UNDER 1 YEAR OF AGE.					UNDER 5 YEARS OF AGE.				ALL AGES.		
		Popula- tion.	Born and died in the census year.	Births during the census year.	Deaths.	Deaths under 1 per 1,000 births.	Popula- tion.	Deaths.	Death rate per 1,000 of popula- tion.	Deaths under 5 per 1,000 at all ages.	Popula- tion.	Deaths.	Death rate per 1,000 of popula- tion.
NEW YORK—Continued.													
1	Group 1—Continued. Queens borough	3,988	352	4,340	664	153.0	19,162	971	50.7	367.5	152,999	2,642	17.3
2	Males	2,006	200	2,206	369	167.3	9,610	526	54.7	371.5	77,547	1,416	18.3
3	Females	1,982	152	2,134	295	138.2	9,552	445	46.6	363.0	75,452	1,226	16.2
4	White.....	3,936	343	4,279	646	151.0	18,924	941	49.7	365.0	150,235	2,578	17.2
5	Males	1,982	193	2,175	356	163.7	9,501	508	53.5	368.9	76,278	1,377	18.1
6	Females	1,954	150	2,104	290	137.8	9,423	433	46.0	360.5	73,957	1,201	16.2
7	Native	3,929	342	4,271	644	150.8	18,794	933	49.6	547.5	105,620	1,704	16.1
8	Males	1,978	192	2,170	354	163.1	9,428	503	53.4	555.2	52,747	906	17.2
9	Females	1,951	150	2,101	290	138.0	9,366	430	45.9	538.8	52,873	798	15.1
10	Both parents na- tive. (M..	785	66	851	126	148.1	3,798	179	47.1	531.2	20,875	337	16.1
	(F..	783	50	833	103	123.6	3,761	150	39.9	473.2	20,783	317	15.3
11	One or both par- ents foreign. (M..	1,193	121	1,314	219	166.7	5,630	314	55.8	597.0	31,872	526	16.5
	(F..	1,168	97	1,265	183	144.7	5,605	274	48.9	598.3	32,090	458	14.3
12	Foreign	7		7	1	(*)	130	7	53.8	8.1	44,615	859	19.3
13	Males	4		4	1	(*)	73	4	(*)	8.7	23,531	460	19.5
14	Females	3		3			57	3	(*)	7.5	21,084	399	18.9
15	Colored	52	9	61	18	(*)	238	30	126.1	(*)	2,764	64	23.2
16	Males	24	7	31	13	(*)	109	18	165.1	(*)	1,269	39	30.7
17	Females	28	2	30	5	(*)	129	12	93.0	(*)	1,495	25	16.7
18	Richmond borough.....	1,562	161	1,723	313	181.7	7,482	434	58.0	317.0	67,021	1,369	20.4
19	Males	780	92	872	175	200.7	3,732	242	64.8	304.8	34,410	794	23.1
20	Females	782	69	851	138	162.2	3,750	192	51.2	333.9	32,611	575	17.6
21	White.....	1,533	156	1,689	303	179.4	7,370	420	57.0	313.7	65,863	1,339	20.3
22	Males	766	88	854	169	197.9	3,680	236	64.1	303.0	33,841	779	23.0
23	Females	767	68	835	134	160.5	3,690	184	49.9	328.6	32,022	560	17.5
24	Native	1,526	156	1,682	300	178.4	7,278	413	56.7	463.0	47,282	892	18.9
25	Males	760	88	848	167	196.9	3,635	233	64.1	459.6	24,126	507	21.0
26	Females	766	68	834	133	159.5	3,643	180	49.4	467.5	23,156	385	16.6
27	Both parents na- tive. (M..	346	40	386	66	171.0	1,619	91	56.2	439.6	11,648	207	17.8
	(F..	346	31	377	61	161.8	1,646	84	51.0	430.8	11,130	195	17.5
28	One or both par- ents foreign. (M..	414	45	459	98	213.5	2,016	138	68.5	624.4	12,478	221	17.7
	(F..	420	36	456	71	155.7	1,997	95	47.6	565.5	12,026	168	14.0
29	Foreign	7		7	2	(*)	92	6	(*)	13.8	18,581	435	23.4
30	Males	6		6	1	(*)	45	2	(*)	7.7	9,715	261	26.9
31	Females	1		1			47	4	(*)	23.0	8,866	174	19.6
32	Colored	29	5	34	10	(*)	112	14	125.0	(*)	1,158	30	25.9
33	Males	14	4	18	6	(*)	52	6	(*)	(*)	569	15	26.4
34	Females	15	1	16	4	(*)	60	8	(*)	(*)	589	15	25.5
35	Nassau county	1,174	99	1,273	165	129.6	5,697	235	41.2	307.2	55,448	765	13.8
36	Males	620	55	675	91	134.8	2,930	131	44.7	323.5	27,945	405	14.5
37	Females	554	44	598	74	123.7	2,767	104	37.6	288.9	27,503	360	13.1
38	Rockland county	854	62	916	103	112.4	3,996	155	38.8	287.0	38,298	540	14.1
39	Males	422	40	462	60	129.9	1,999	94	47.0	312.3	20,014	301	15.0
40	Females	432	22	454	43	94.7	1,997	61	30.5	255.2	18,284	239	13.1
41	Suffolk county.....	1,515	120	1,635	190	116.2	7,372	262	35.5	182.3	77,582	1,437	18.5
42	Males	787	66	853	105	123.1	3,736	147	39.3	190.7	38,614	771	20.0
43	Females	728	54	782	85	108.7	3,636	115	31.6	172.7	38,968	666	17.1
44	Westchester county, rural	1,798	168	1,966	282	143.4	8,742	418	47.8	285.3	90,020	1,465	16.3
45	Males	896	92	988	154	155.9	4,363	219	50.2	282.2	45,998	776	16.9
46	Females	902	76	978	128	130.9	4,379	199	45.4	288.8	44,022	689	15.7

* Data insufficient for rates.

POPULATION, BIRTHS, DEATHS, AND DEATH RATES.

463

CAUSES, BY SEX, COLOR, GENERAL NATIVITY, AND PARENT NATIVITY: CENSUS YEAR 1900—Continued.

CAUSE OF DEATH.																		
Measles.	Scarlet fever.	Diphtheria and croup.	Whooping cough.	Malarial fever.	Influenza.	Typhoid fever.	Diarrheal diseases.	Consumption.	Cancer and tumor.	Heart disease and dropsy.	Pneumonia.	Diseases of the liver.	Diseases of the nervous system.	Diseases of the urinary organs.	Affections connected with pregnancy.	Old age.	Unknown.	All other causes.
12	24	73	26	27	20	36	331	245	69	144	359	52	291	187	17	41		688 1
6	10	32	13	11	5	16	177	148	16	82	186	35	161	96		14		408 2
6	14	41	13	16	15	20	154	97	53	62	173	17	130	91	17	27		280 3
12	23	73	25	27	20	35	321	235	68	142	347	52	285	186	17	41		669 4
6	9	32	13	11	5	15	172	144	16	80	179	35	155	96		14		395 5
6	14	41	12	16	15	20	149	91	52	62	168	17	130	90	17	27		274 6
12	23	71	25	21	10	26	300	137	23	68	209	19	171	95	7	19		468 7
6	9	31	13	9	3	9	162	80	5	39	112	12	91	43		6		276 8
6	14	40	12	12	7	17	138	57	18	29	97	7	80	52	7	13		192 9
2	4	14	2	3	3	7	63	1	3	18	35	2	41	24		6		94 10
4	4	11	4	5	4	10	56	1	9	16	35	1	36	28	4	11		70 10
4	5	17	11	6		2	94		2	13	76	8	43	17				164 11
5	9	28	8	7	2	6	82		8	10	62	6	40	21	3			117 11
.....		2		6	10	9	21		45	74	136	33	113	90	10	22		191 12
.....		1		2	2	6	10	6	11	41	66	23	63	53		8		111 13
.....		1		4	8	3	11	34	34	33	70	10	50	37	10	14		80 14
.....	1		1			1	10	10	1	2	12		6	1				19 15
.....	1					1	5	4		2	7		6					13 16
.....			1				5	6	1		5			1				6 17
15		40	10	2	9	17	153	145	57	88	166	15	123	118	6	51	8	346 18
7		23	2	1	6	9	92	96	23	53	85	9	70	70		34	7	207 19
8		17	8	1	3	8	61	49	34	35	81	6	53	48	6	17	1	139 20
15		39	9	2	9	16	150	142	56	86	162	14	121	116	6	51	8	337 21
7		23	2	1	6	9	90	93	23	51	82	8	69	70		34	7	204 22
8		16	7	1	3	7	60	49	33	35	80	6	52	46	6	17	1	133 23
14		39	9	2	4	10	135	85	25	46	112	4	82	59	5	26	1	234 24
7		23	2	1	3	6	82	54	10	25	60	2	46	31		18		137 25
7		16	7	1	1	4	53	31	15	21	52	2	36	28	5	8	1	97 26
2		9	1		1	2	34	16	8	9	31	1	25	10		6		52 27
3		8	4		1	1	29	14	10	9	28	1	17	14	1	6	1	48 27
4		13	1			2	48	23		9	22	1	14	10		1		73 28
4		8	3	1		3	24	16	4	10	22	1	15	11	3			43 28
1					5	6	15	57	31	40	49	10	39	57	1	24	7	93 29
.....					3	3	8	39	13	26	21	6	23	39		15	7	58 30
1					2	3	7	18	18	14	28	4	16	18	1	9		35 31
.....		1	1			1	3	3	1	2	4	1	2	2				9 32
.....							2	3		2	3	1	1					3 33
.....		1	1			1	1		1		1		1	2				6 34
3	1	5	4	8	14	3	89	67	31	66	99	8	101	36	5	23	5	197 35
2	1	3	4	4	6	3	46	37	10	26	57	6	62	19		10	3	106 36
1		2		4	8		43	30	21	40	42	2	39	17	5	13	2	91 37
6	1	13	1	2	7	6	48	59	14	45	47	7	86	29		17	5	147 38
3		7	1	1	5	3	25	33	5	20	20	5	52	18		8	3	92 39
3	1	6		1	2	3	23	26	9	25	27	2	34	11		9	2	55 40
.....	2	15	5	7	20	21	136	162	39	154	102	13	248	101	5	56	15	336 41
.....	2	8	1	4	10	14	69	74	12	82	49	5	157	59		25	9	191 42
.....		7	4	3	10	7	67	88	27	72	53	8	91	42	5	31	6	145 43
4	9	31	9	6	31	10	126	159	50	110	138	31	208	84	8	45	23	383 44
2	3	15	1	3	8	7	61	93	16	62	78	15	112	51		16	12	221 45
2	6	16	8	3	23	3	65	66	34	48	60	16	96	33	8	29	11	162 46

VITAL STATISTICS.

TABLE 19.—POPULATION, BIRTHS, DEATHS, AND DEATH RATES AT CERTAIN AGES, AND DEATHS FROM CERTAIN

	AREAS.	UNDER 1 YEAR OF AGE.					UNDER 5 YEARS OF AGE.				ALL AGES.		
		Popula- tion.	Born and died in the census year.	Births during the census year.	Deaths.	Deaths under 1 per 1,000 births.	Popula- tion.	Deaths.	Death rate per 1,000 of popu- lation.	Deaths under 5 per 1,000 at all ages.	Popula- tion.	Deaths.	Death rate per 1,000 of popu- lation.
	NEW YORK—Continued.												
1	Group 1—Continued. Mount Vernon	580	91	671	145	216.1	2,538	221	87.1	537.7	21,228	411	19.4
2	Males	288	51	339	76	224.2	1,321	114	86.3	561.6	10,040	203	20.2
3	Females	292	40	332	69	207.8	1,217	107	87.9	514.4	11,188	208	18.6
4	White	550	82	632	126	199.4	2,468	190	77.0	510.8	20,685	372	18.0
5	Males	275	46	321	66	205.6	1,283	97	75.6	530.1	9,831	183	18.6
6	Females	275	36	311	60	192.9	1,185	93	78.5	492.1	10,854	189	17.4
7	Native	546	81	627	125	199.4	2,426	188	77.5	610.4	15,456	308	19.9
8	Males	273	46	319	66	206.9	1,263	97	76.8	659.9	7,271	147	20.2
9	Females	273	35	308	59	191.6	1,163	91	78.2	565.2	8,185	161	19.7
10	Both parents native ..	228	29	257	48	186.8	1,139	70	61.5	507.2	8,220	138	16.8
11	One or both parents foreign.	318	46	364	70	192.3	1,287	109	84.7	721.9	7,236	151	20.9
12	Foreign	4	1	5	1	(*)	42	1	(*)	(*)	5,229	62	11.9
13	Males	2	1	2	1	(*)	20	1	(*)	(*)	2,560	36	14.1
14	Females	2	1	3	1	(*)	22	1	(*)	(*)	2,669	26	9.7
15	New Rochelle	415	30	445	53	119.1	1,826	90	49.3	365.9	14,720	246	16.7
16	Males	205	16	221	28	126.7	920	43	52.2	363.6	7,330	132	18.0
17	Females	210	14	224	25	111.6	906	42	46.4	368.4	7,390	114	15.4
18	White	401	28	429	49	114.2	1,750	81	46.3	361.6	13,922	224	16.1
19	Males	199	16	215	26	120.9	880	45	51.1	371.9	7,006	121	17.3
20	Females	202	12	214	23	107.5	870	36	41.4	349.5	6,916	103	14.9
21	Native	399	28	427	49	114.8	1,728	81	46.9	512.7	9,522	158	16.6
22	Males	198	16	214	26	121.5	871	45	51.7	(*)	4,681	89	19.0
23	Females	201	12	213	23	108.0	857	36	42.0	(*)	4,841	69	14.3
24	Both parents native ..	102	10	112	11	98.2	545	26	47.7	(*)	4,443	68	15.3
25	One or both parents foreign.	297	18	315	38	120.6	1,183	55	46.5	(*)	5,079	83	16.3
26	Foreign	2	1	2	1	(*)	22	1	(*)	(*)	4,400	66	15.0
27	Males	1	1	1	1	(*)	9	1	(*)	(*)	2,325	32	13.8
28	Females	1	1	1	1	(*)	13	1	(*)	(*)	2,075	34	16.4
29	Peekskill	203	20	223	30	134.5	1,007	58	57.6	281.6	10,358	206	19.9
30	Males	98	12	110	17	154.5	463	30	64.8	294.1	4,768	102	21.4
31	Females	105	8	113	13	115.0	544	28	51.5	269.2	5,590	104	18.6
32	White	197	20	217	29	133.6	983	57	58.0	278.0	10,112	205	20.3
33	Males	93	12	105	16	152.4	451	29	64.3	287.1	4,669	101	21.6
34	Females	104	8	112	13	116.1	532	28	52.6	269.2	5,443	104	19.1
35	Native	197	20	217	28	129.0	977	56	57.3	341.5	8,774	164	18.7
36	Males	93	12	105	16	152.4	448	29	64.7	(*)	4,027	77	19.1
37	Females	104	8	112	12	107.1	529	27	51.0	(*)	4,747	87	18.3
38	Both parents native ..	142	15	157	21	133.8	713	39	54.7	371.4	6,659	105	15.8
39	One or both parents foreign.	55	4	59	5	(*)	264	11	41.7	(*)	2,115	33	15.6
40	Foreign	1	1	1	1	(*)	6	1	(*)	(*)	1,338	39	29.1
41	Males	1	1	1	1	(*)	3	1	(*)	(*)	642	23	35.8
42	Females	1	1	1	1	(*)	3	1	(*)	(*)	696	16	23.0
43	Yonkers	1,274	122	1,396	205	146.8	5,875	286	48.7	366.2	47,931	781	16.3
44	Males	642	72	714	120	168.1	2,955	162	54.8	383.9	23,188	422	18.2
45	Females	632	50	682	85	124.6	2,920	124	42.5	345.4	24,743	359	14.5
46	White	1,249	119	1,568	199	145.5	5,783	280	48.4	370.9	46,876	755	16.1
47	Males	628	70	698	117	167.6	2,913	159	54.6	389.7	22,714	408	18.0
48	Females	621	49	670	82	122.4	2,870	121	42.2	348.7	24,162	347	14.4
49	Native	1,245	119	1,364	199	145.9	5,719	278	48.6	536.7	32,293	518	16.0
50	Males	625	70	695	117	168.3	2,874	159	55.3	550.2	15,636	289	18.5
51	Females	620	49	669	82	122.6	2,845	119	41.8	519.7	16,657	229	13.7
52	Both parents native ..	398	41	439	69	157.2	1,984	93	46.9	494.7	13,847	188	13.6
53	One or both parents foreign.	847	76	923	126	136.5	3,735	181	48.5	591.5	18,446	306	16.6
54	Foreign	4	1	4	1	(*)	64	2	(*)	8.6	14,583	232	15.9
55	Males	3	1	3	1	(*)	39	2	(*)	17.5	7,078	118	16.7
56	Females	1	1	1	1	(*)	25	2	(*)	17.5	7,505	114	15.2

* Data insufficient for rates.

CAUSES, BY SEX, COLOR, GENERAL NATIVITY, AND PARENT NATIVITY: CENSUS YEAR 1900—Continued.

CAUSE OF DEATH.																		
Measles.	Scarlet fever.	Diphtheria and croup.	Whooping cough.	Malarial fever.	Influenza.	Typhoid fever.	Diarrheal diseases.	Consumption.	Cancer and tumor.	Heart disease and dropsy.	Pneumonia.	Diseases of the liver.	Diseases of the nervous system.	Diseases of the urinary organs.	Affections connected with pregnancy.	Old age.	Unknown.	All other causes.
8		3	2		1	1	41	30	14	16	89	2	40	28	3	7	3	123
3		2	2		1		24	9	4	6	50		18	15		2	2	65
5		1				1	17	21	10	10	39	2	22	13	3	5	1	58
8		3	1		1	1	35	27	14	16	76	2	35	27	2	7	3	114
3		2	1		1		21	8	4	6	42		15	14		2	2	62
5		1				1	14	19	10	10	34	2	20	13	2	5	1	52
8		3	1				33	23	8	8	68	1	26	21	2	5	2	98
3		2	1				19	7	3	3	38		7	9			2	53
5						1	14	16	5	5	30	1	19	12	2	5		45
2		2	1			1	13	8	4	5	27	1	14	14	1	4	2	39
6		1					18	14	3	3	36		10	6	1	1		52
					1		2	3	6	8	7	1	9	6		2	1	16
					1		2	1	1	3	4		8	5		2		9
								2	5	5	3	1	1	1			1	7
11	4	4	8	6	2	1	12	14	7	18	30	1	26	10	1	7	10	74
4	2	4	4	4	2	1	4	7	3	9	20	1	13	7		3	5	39
7	2		4	2			8	7	4	9	10		13	3	1	4	5	16
9	4	4	8	6	2	1	12	11	6	17	25	1	22	9	1	6	10	70
4	2	4	4	4	2	1	4	5	3	8	17	1	11	6		3	5	37
5	2		4	2			8	6	3	9	8		11	3	1	3	6	33
8	4	4	8	6	2	1	9	8	4	7	18		14	5		4	7	49
3	2	4	4	4	2	1	4	3	1	5	13		8	4		2	3	26
5	3	1	4	2		1	5	5	3	2	6		6	1		2	4	23
5	1	3	4	6	1		2	2	3	4	5		9	3		3	5	19
					1		7	6	1	2	12		4	1		1	2	27
1							3	3	2	10	7	1	8	4	1	2	3	21
1								2	2	3	4	1	3	2		1	2	11
							3	1		7	3		5	2	1	1	1	10
8	8	5	1	3			17	22	8	11	20	3	23	16	1	2	3	55
2	3	2	3	3			7	9	2	7	12	2	12	8		2	1	33
6	5	3	1	3			10	13	6	4	8	1	11	8	1	2	2	22
8	8	5	1	3			17	22	8	11	20	3	22	16	1	2	3	55
2	3	2					7	9	2	7	12	2	11	8		2	1	33
6	5	3	1	3			10	13	6	4	8	1	11	8	1		2	22
8	7	5	1	3			13	21	6	6	14	3	19	11	1	3	42	
2	3	2					5	9	1	4	7	2	9	7		1	1	24
6	4	3	1	3			8	12	5	2	7	1	10	4	1		2	18
5	4	4	1	2			8	12	5	3	10	2	9	8	1		3	28
2	3						4	5			2		6	2				9
		1					4	1	2	5	5		3	5		1		12
		1					2	1	1	3	5		2	1		1		8
							2			2			1	4				4
1	2	6	1	2	9	6	96	102	26	74	78	11	87	42	4	7	1	226
1	1	2		1	4	4	51	59	12	31	44	6	46	21		3	1	135
	1	4	1	1	5	2	45	43	14	43	34	5	41	21	4	4		91
1	2	6	1	1	8	6	94	99	26	73	75	11	83	40	4	7	1	217
1	1	2			3	4	50	57	12	30	41	6	45	21		3	1	131
	1	4	1	1	5	2	44	42	14	43	34	5	38	19	4	4		86
1	1	6	1	1	5	4	84	63	9	38	52	5	61	25	1	3	1	157
1		2			2	3	48	37	4	16	27	2	35	11		1	1	99
	1	4	1	1	3	1	36	26	5	22	25	3	26	14	1	2		58
	3	3			3	1	31	15	4	22	12	2	26	12		1		56
1	1	3	1	1	1	3	52	47	5	15	39	3	28	10	1	1		94
	1				3	2	10	36	17	34	23	6	21	15	3	4		57
	1				1	1	2	20	8	14	14	4	10	10		2		31
					2	1	8	16	9	20	9	2	11	5	3	2		26
																		55

TABLE 19.—POPULATION, BIRTHS, DEATHS, AND DEATH RATES AT CERTAIN AGES, AND DEATHS FROM CERTAIN

	AREAS.	UNDER 1 YEAR OF AGE.					UNDER 5 YEARS OF AGE.				ALL AGES.		
		Popula- tion.	Born and died in the census year.	Births during the census year.	Deaths	Deaths under 1 per 1,000 births	Popula- tion.	Deaths.	Death rate per 1,000 of popula- tion.	Deaths under 5 per 1,000 at all ages.	Popula- tion.	Deaths.	Death rate per 1,000 of popula- tion.
1	NEW YORK—Continued.												
2	Group 2	6,151	448	6,599	641	97.1	29,771	937	31.5	207.9	296,012	4,508	15.2
3	Males	3,059	245	3,304	358	108.4	15,012	518	34.5	218.3	150,476	2,373	15.8
4	Females	3,092	203	3,295	283	85.9	14,759	419	28.4	196.3	145,536	2,135	14.7
5	White	6,112	446	6,558	639	97.4	29,530	933	31.6	208.5	294,005	4,475	15.2
6	Males	3,040	243	3,283	356	108.4	14,889	516	34.7	219.6	149,367	2,350	15.7
7	Females	3,072	203	3,275	283	86.4	14,641	417	28.5	196.2	144,638	2,125	14.7
8	Native	6,078	445	6,523	634	97.2	29,158	924	31.7	263.8	256,149	3,502	13.7
9	Males	3,026	242	3,268	353	108.0	14,714	510	34.7	277.6	129,459	1,837	14.2
10	Females	3,052	203	3,255	281	86.3	14,444	414	28.7	248.6	126,690	1,665	13.1
11	Both parents na- tive. {M..	2,235	177	2,412	258	107.0	10,969	390	35.6	316.6	89,316	1,232	13.8
12	{F..	2,274	154	2,428	207	85.3	10,733	314	29.3	276.4	87,623	1,136	13.0
13	One or both par- ents foreign. {M..	791	59	850	86	101.2	3,745	107	28.6	247.1	40,143	433	10.8
14	{F..	778	47	825	71	86.1	3,711	96	25.9	256.7	39,067	374	9.6
15	Foreign	34	1	35	5	(*)	372	9	24.2	9.8	37,856	923	24.4
16	Males	14	1	15	3	(*)	175	6	34.3	12.4	19,908	483	24.3
17	Females	20		20	2	(*)	197	3	15.2	6.8	17,948	440	24.5
18	Colored	39	2	41	2	(*)	241	4	16.6	(*)	2,007	33	16.4
19	Males	19	2	21	2	(*)	123	2	16.3	(*)	1,109	23	20.7
20	Females	20		20			118	2	16.9	(*)	898	10	11.1
21	Clinton county	1,189	105	1,294	145	112.1	5,536	213	38.5	297.1	47,430	717	15.1
22	Males	599	51	650	71	109.2	2,807	108	38.5	293.5	24,537	368	15.0
23	Females	590	54	644	74	114.9	2,729	105	38.5	300.9	22,893	349	15.2
24	Essex county	623	23	646	38	58.8	3,070	62	20.2	143.9	30,707	431	14.0
25	Males	321	13	334	17	50.9	1,539	33	21.4	151.4	15,451	218	14.1
26	Females	302	10	312	21	67.3	1,531	29	18.9	136.2	15,256	213	14.0
27	Franklin county	1,091	80	1,171	117	99.9	5,149	163	31.7	277.2	42,853	588	13.7
28	Males	529	52	581	77	132.5	2,598	103	39.6	300.3	22,095	343	15.5
29	Females	562	28	590	40	67.8	2,551	60	23.5	244.9	20,758	245	11.8
30	Hamilton county	95	8	103	15	145.6	514	18	35.0	(*)	4,947	69	13.9
31	Males	40	2	42	8	(*)	237	10	42.2	(*)	2,881	37	12.8
32	Females	55	6	61	7	(*)	277	8	28.9	(*)	2,066	32	15.5
33	Herkimer county	880	69	949	102	107.5	4,366	138	31.6	185.5	51,049	744	14.6
34	Males	437	41	478	59	123.4	2,191	78	35.6	199.0	25,852	392	15.2
35	Females	443	28	471	43	91.3	2,175	60	27.6	170.5	25,197	352	14.0
36	St. Lawrence county, rural	1,445	81	1,526	109	71.4	7,224	179	24.8	146.5	76,450	1,222	16.0
37	Males	734	44	778	64	82.3	3,692	100	27.1	149.0	38,911	671	17.2
38	Females	711	37	748	45	60.2	3,532	79	22.4	143.4	37,539	551	14.7
39	Ogdensburg	285	30	315	41	130.2	1,261	50	39.7	245.1	12,633	204	16.1
40	Males	138	16	154	22	142.9	623	23	36.9	227.7	5,967	101	16.9
41	Females	147	14	161	19	118.0	638	27	42.3	262.1	6,666	103	15.5
42	White	285	30	315	41	130.2	1,260	50	39.7	245.1	12,608	204	16.2
43	Males	138	16	154	22	142.9	623	23	36.9	227.7	5,956	101	17.0
44	Females	147	14	161	19	118.0	637	27	42.4	262.1	6,652	103	15.5
45	Native	283	30	313	39	124.6	1,235	48	38.9	396.7	9,390	121	12.9
46	Males	137	16	153	20	130.7	611	21	34.4	(*)	4,508	58	12.9
47	Females	146	14	160	19	118.8	624	27	43.3	(*)	4,882	63	12.9
48	Both parents native	132	18	150	21	140.0	594	25	42.1	(*)	3,708	51	13.8
49	One or both parents foreign.	151	12	163	18	110.4	641	23	35.9	(*)	5,682	50	8.8
50	Foreign	2		2	2	(*)	25	2	(*)	(*)	3,218	78	24.2
51	Males	1		1	2	(*)	12	2	(*)	(*)	1,448	39	26.9
52	Females	1		1			13				1,770	39	22.0
53	Warren county, rural	293	34	327	40	122.3	1,556	59	37.9	202.7	17,330	291	16.8
54	Males	149	16	165	20	121.2	819	31	37.9	226.3	9,008	137	15.2
55	Females	144	18	162	20	123.5	737	28	38.0	181.8	8,322	154	18.6

* Data insufficient for rates.

CAUSES, BY SEX, COLOR, GENERAL NATIVITY, AND PARENT NATIVITY: CENSUS YEAR 1900—Continued.

CAUSE OF DEATH.																		
Measles.	Scarlet fever.	Diphtheria and croup.	Whooping cough.	Malarial fever.	Influenza.	Typhoid fever.	Diarrheal diseases.	Consumption.	Cancer and tumor.	Heart disease and dropsy.	Pneumonia.	Diseases of the liver.	Diseases of the nervous system.	Diseases of the urinary organs.	Affections connected with pregnancy.	Old age.	Unknown.	All other causes.
3	37	74	27	4	67	120	278	454	200	431	405	50	670	279	35	243	63	1,068
3	18	48	15	2	30	71	151	212	75	251	210	21	358	177	35	104	31	599
3	19	26	12	2	37	49	127	242	125	180	195	29	312	102	35	139	32	469
3	37	74	27	4	66	119	277	441	200	429	402	50	667	276	35	240	63	1,065
3	18	48	15	2	29	70	150	205	75	250	208	21	356	174	35	102	31	596
3	19	26	12	2	37	49	127	236	125	179	194	29	311	102	35	138	32	469
3	37	74	26	3	51	106	244	376	139	291	314	29	521	193	28	139	53	875
3	18	48	14	2	23	65	131	174	51	169	164	13	281	116	28	61	25	482
3	19	26	12	1	28	41	113	202	88	122	150	16	240	77	28	78	28	393
2	14	29	12	2	15	46	99	91	33	112	113	9	187	76	19	41	18	337
2	14	18	8	2	21	25	81	118	59	86	108	11	164	50	19	58	22	272
3	15	2	2	1	5	13	27	64	13	36	37	2	64	25	7	8	5	113
1	5	8	3	1	5	14	25	65	19	19	30	4	54	12	7	8	4	90
1			1	1	14	12	33	61	60	132	86	21	139	78	7	95	10	173
1			1	1	6	5	19	29	24	78	43	8	73	53	7	39	6	99
1			1	1	8	7	14	32	36	54	43	13	66	25	7	56	4	74
1					1	1	1	13		2	3		3	3		3		3
1					1	1	1	7		1	2		2	3		2		3
1								6		1	1		1			1		
1	1	18	17	1	13	16	44	69	28	61	48	12	125	23	7	36	16	181
1	1	12	8	1	5	9	22	32	13	37	24	5	67	14	7	13	5	102
1	1	6	9	1	8	7	22	37	15	24	24	7	58	9	7	23	11	79
2	2	2	3		4	6	24	45	24	61	39	9	64	30	3	20	5	90
1	1	2	3		2	6	7	23	11	33	17	2	31	19		11	4	46
1	1				2		17	22	13	28	22	7	33	11	3	9	1	44
1	16			1	7	11	49	99	13	33	57	2	73	24	4	26	8	164
1	11			1	3	6	32	59	4	20	30	2	41	17		15	7	95
1	5				4	5	17	40	9	13	27		32	7	4	11	1	69
1							6	3	6	4	3		10	5		5		26
1							4	2	5				6	4		3		12
1							2	1	1	4	3		4	1		2		14
3	13	3	1	7	14	45	59	47	64	70	10	103	63	4	4	40	16	182
3	9	2	1	3	8	19	23	12	42	38	4	56	38		4	14	8	113
3	4	1	1	4	6	6	26	36	35	22	32	6	47	25	4	26	8	69
2	5	15	1	1	23	46	61	101	49	126	124	10	195	89	10	84	11	269
2	2	7	1	1	12	28	41	42	21	78	67	4	109	57		36	7	159
2	3	8			11	18	20	59	28	48	57	6	86	32	10	48	4	110
7						11	17	27	8	26	14	3	21	20		6	1	43
3						5	8	8	2	13	7	1	14	13		5		22
4						6	9	19	6	13	7	2	7	7		1	1	21
7						11	17	27	8	26	14	3	21	20		6	1	43
3						5	8	8	2	13	7	1	14	13		5		22
4						6	9	19	6	13	7	2	7	7		1	1	21
7						8	11	21	4	10	5		12	7		1		35
3						5	3	6	1	5	4		10	4		1		16
4						3	8	15	3	5	1		2	3				19
6						3	3	6	2	4	3		4	1		1		18
1						3	7	11	1	3	1		6	4				13
						3	6	6	4	15	9	3	9	11		4	1	7
						3	5	2	1	8	3	1	4	7		3		5
						3	1	4	3	7	6	2	5	4		1	1	2
	4	4	1		8	11	18	22	15	36	24	2	46	15	3	19	4	59
2	3				3	6	11	11	4	16	12	1	23	11		6		28
2	1	1	1		5	5	7	11	11	20	12	1	23	4	3	13	4	31

TABLE 19.—POPULATION, BIRTHS, DEATHS, AND DEATH RATES AT CERTAIN AGES, AND DEATHS FROM CERTAIN

	AREAS.	UNDER 1 YEAR OF AGE.					UNDER 5 YEARS OF AGE.				ALL AGES.		
		Popula- tion.	Born and died in the census year.	Births during the census year.	Deaths.	Deaths under 1 per 1,000 births.	Popula- tion.	Deaths.	Death rate per 1,000 of popula- tion.	Deaths under 5 per 1,000 at all ages.	Popula- tion.	Deaths.	Death rate per 1,000 of popula- tion.
	NEW YORK—Continued.												
1	Group 2—Continued. Glens Falls.....	250	18	268	34	126.9	1,095	55	50.2	227.3	12,613	242	19.2
2	Males.....	112	10	122	20	163.9	506	32	63.2	301.9	5,774	106	18.4
3	Females.....	138	8	146	14	95.9	589	23	39.0	169.1	6,839	136	19.9
4	White.....	250	18	268	34	126.9	1,093	55	50.3	228.2	12,577	241	19.2
5	Males.....	112	10	122	20	163.9	505	32	63.4	301.9	5,756	106	18.4
6	Females.....	138	8	146	14	95.9	588	23	39.1	170.4	6,821	135	19.8
7	Native.....	249	18	267	34	127.3	1,078	55	51.0	292.6	10,818	188	17.4
8	Males.....	112	10	122	20	163.9	498	32	64.3	(*)	4,938	85	17.2
9	Females.....	137	8	145	14	96.6	580	23	39.7	223.3	5,880	103	17.5
10	Both parents native.....	162	8	170	21	123.5	716	35	48.9	301.7	6,950	116	16.7
11	One or both parents foreign.....	87	10	97	13	(*)	362	20	55.2	(*)	3,868	62	16.0
12	Foreign.....	1		1			15				1,759	51	29.0
13	Males.....						7				818	21	25.7
14	Females.....	1		1			8				941	30	31.9
15	Group 3.....	5,640	509	6,149	710	115.5	28,422	1,048	36.9	213.9	302,478	4,900	16.2
16	Males.....	2,885	283	3,168	384	121.2	14,174	556	39.2	224.3	151,903	2,479	16.3
17	Females.....	2,755	226	2,981	326	109.4	14,248	492	34.5	203.2	150,575	2,421	16.1
18	White.....	5,585	492	6,027	689	114.3	27,937	1,017	36.4	212.7	297,167	4,781	16.1
19	Males.....	2,836	272	3,108	371	119.4	13,955	538	38.6	222.5	149,168	2,418	16.2
20	Females.....	2,699	220	2,919	318	108.9	13,982	479	34.3	202.7	147,999	2,363	16.0
21	Native.....	5,526	491	6,017	688	114.3	27,814	1,013	36.4	257.1	265,926	3,940	14.8
22	Males.....	2,831	271	3,102	370	119.3	13,896	534	38.4	272.6	132,086	1,959	14.8
23	Females.....	2,695	220	2,915	318	109.1	13,918	479	34.4	241.8	133,840	1,981	14.8
24	Both parents na- tive.....	2,282	215	2,497	285	114.1	11,007	403	36.6	306.5	104,113	1,315	12.6
25	One or both par- ents foreign.....	2,157	167	2,324	241	103.7	11,057	363	32.8	261.0	105,629	1,391	13.2
26	Foreign.....	549	44	593	69	116.4	2,889	104	36.0	315.2	27,973	330	11.8
27	Males.....	538	38	576	58	100.7	2,861	87	30.4	311.8	28,211	279	9.9
28	Females.....	9		9			123	2	16.3	2.6	31,241	759	24.3
29	Colored.....	105	17	122	21	172.1	485	31	63.9	260.5	5,311	119	22.4
30	Males.....	49	11	60	13	(*)	219	18	82.2	(*)	2,785	61	22.3
31	Females.....	56	6	62	8	(*)	266	13	48.9	(*)	2,576	58	22.5
32	Delaware county.....	836	76	912	93	102.0	4,290	125	29.1	180.1	46,413	694	15.0
33	Males.....	430	43	473	53	112.1	2,173	72	33.1	195.1	23,787	369	15.5
34	Females.....	406	33	439	40	91.1	2,117	53	25.0	163.1	22,626	325	14.4
35	Greene county.....	547	54	601	69	114.8	2,716	98	36.1	181.8	31,478	539	17.1
36	Males.....	266	36	302	40	132.5	1,324	52	39.3	190.5	15,651	273	17.4
37	Females.....	281	18	299	29	97.0	1,392	46	33.0	172.9	15,827	266	16.8
38	Orange county, rural.....	1,070	87	1,157	136	117.5	5,319	199	37.4	236.9	55,009	840	15.3
39	Males.....	540	45	585	75	128.2	2,613	115	44.0	263.2	28,395	437	15.4
40	Females.....	530	42	572	61	106.6	2,706	84	31.0	208.4	26,614	403	15.1
41	Middletown.....	232	27	259	41	158.3	1,107	52	47.0	205.5	14,522	253	17.4
42	Males.....	119	18	137	24	175.2	541	28	51.8	239.3	6,813	117	17.2
43	Females.....	113	9	122	17	139.3	566	24	42.4	176.5	7,709	136	17.6
44	White.....	224	24	248	37	149.2	1,074	47	43.8	193.4	14,132	243	17.2
45	Males.....	117	15	132	20	151.5	529	24	45.4	218.2	6,657	110	16.5
46	Females.....	107	9	116	17	146.6	545	23	42.2	172.9	7,475	133	17.8
47	Native.....	223	24	247	37	149.8	1,071	47	43.9	238.6	12,449	197	15.8
48	Males.....	117	15	132	20	151.5	527	24	45.5	(*)	5,795	83	15.4
49	Females.....	106	9	115	17	147.8	544	23	42.3	213.0	6,654	108	16.2
50	Both parents native.....	154	13	167	23	137.7	772	30	38.9	272.7	9,356	110	11.8
51	One or both parents foreign.....	69	5	74	8	(*)	299	9	30.1	(*)	3,093	34	11.0
52	Foreign.....	1		1			3				1,683	43	25.5
53	Males.....						2				862	18	20.9
54	Females.....	1		1			1				821	25	30.5

* Data insufficient for rates.

POPULATION, BIRTHS, DEATHS, AND DEATH RATES.

469

CAUSES, BY SEX, COLOR, GENERAL NATIVITY, AND PARENT NATIVITY: CENSUS YEAR 1900—Continued.

CAUSE OF DEATH.																		
Measles.	Scarlet fever.	Diphtheria and croup.	Whooping cough.	Malarial fever.	Influenza.	Typhoid fever.	Diarrheal diseases.	Consumption.	Cancer and tumor.	Heart disease and dropsy.	Pneumonia.	Diseases of the liver.	Diseases of the nervous system.	Diseases of the urinary organs.	Affections connected with pregnancy.	Old age.	Unknown.	All other causes.
.....	13	6	2		5	5	14	29	10	20	26	2	33	10	4	7	2	54
.....	6	4	2		2	3	7	12	3	12	15	2	11	4		1		22
.....	7	2			3	2	7	17	7	8	11		22	6	4	6	2	32
.....	13	6	2		5	5	14	28	10	20	26	2	33	10	4	7	2	54
.....	6	4	2		2	3	7	12	3	12	15	2	11	4		1		22
.....	7	2			3	2	7	16	7	8	11		22	6	4	6	2	32
.....	13	6	2		2	4	13	24	8	13	16	1	24	9	3	3	2	45
.....	6	4	2			3	7	11	2	7	10	1	9	4				19
.....	7	2			2	1	6	13	6	6	6		15	5	3	3	2	26
.....	11	3	2		1	4	9	12	5	10	11	1	9	6	3	3		26
.....	2	3			1		4	11	2	1	4		12	2		2		18
.....					3	1	1	4	2	6	9	1	9	1	1	4		9
.....					2			1	1	5	5	1	2			1		3
.....					1	1	1	3	1	1	4		7	1	1	3		6
50	23	74	45	20	96	82	253	530	200	470	485	67	775	269	29	182	41	1,209
25	11	37	20	9	37	43	127	271	75	237	241	35	379	151		89	24	668
25	12	37	25	11	59	39	126	259	125	233	244	32	396	118	29	93	17	541
45	23	74	44	20	96	79	247	517	199	457	471	66	758	264	29	176	40	1,176
23	11	37	19	9	37	43	125	265	75	229	233	35	372	148		86	23	648
22	12	37	25	11	59	36	122	252	124	228	238	31	386	116	29	90	17	528
45	23	73	44	17	71	69	231	427	146	344	393	49	622	209	25	124	32	996
23	11	36	19	9	30	36	117	208	54	163	191	26	299	122		59	16	540
22	12	37	25	8	41	33	114	219	92	181	202	23	323	87	25	65	16	456
15	7	26	16	7	17	26	82	105	39	105	130	20	209	87		41	12	371
13	11	24	23	6	29	23	89	127	64	130	155	15	229	52	17	44	14	326
4	3	6	3		8	3	29	63	4	27	36	4	43	14		3	2	78
6	1	11	2		3	4	14	54	9	16	27	4	35	13	4	3	1	72
.....		1		2	24	9	15	83	51	97	69	16	125	51	4	49	8	155
.....		1			6	7	7	53	20	59	38	8	64	25		25	7	92
.....				2	18	2	8	30	31	38	31	8	61	26	4	24	1	63
5			1			3	6	13	1	13	14	1	17	5		6	1	33
2							2	6		8	8		7	3		3	1	20
3			1			3	4	7	1	5	6	1	10	2		3		13
.....	7	4	8	1	17	19	25	47	33	57	75	12	105	34	8	42	11	189
.....	3	2	5	1	8	11	15	20	20	31	42	10	51	22		19	3	106
.....	4	2	3		9	8	10	27	13	26	33	2	54	12	8	23	8	83
3		6	5	2	10	5	25	59	25	31	51	5	95	38	2	20	2	155
2		1		2	3	4	11	30	7	12	26	4	41	25		11	2	92
1		5	5		7	1	14	29	18	19	25	1	54	13	2	9		63
10	4	29	7	4	25	14	62	84	28	70	79	8	123	48	6	27	1	211
5	3	14	4	1	12	3	31	45	9	36	34	4	63	32		14	1	126
5	1	15	3	3	13	11	31	39	19	34	45	4	60	16	6	13		85
1		4	2	1	1	3	9	28	4	28	16	8	72	17	1	4		54
.....		4	2	1	1	2	3	13	1	11	10	2	36	6				25
1						1	6	15	3	17	6	6	36	11	1	4		29
1		4	1	1	1	3	9	28	4	27	14	8	71	17	1	4		49
.....		4	1	1	1	2	3	13	1	10	8	2	36	6				22
1						1	6	15	3	17	6	6	35	11	1	4		27
1		4	1	1		3	9	22	4	20	12	7	52	16	1	4		40
.....		4	1	1		2	3	9	1	8	7	2	27	5				19
1						1	6	13	3	12	5	5	25	11	1	4		21
1		2				2	4	9	4	10	6	5	35	8		3		21
.....		1					4	4		5	3		7	3	1			6
.....					1			6		7	2	1	17	1				8
.....					1			4		2	1		7	1				2
.....								2		5	1	1	10					6

VITAL STATISTICS.

TABLE 19.—POPULATION, BIRTHS, DEATHS, AND DEATH RATES AT CERTAIN AGES, AND DEATHS FROM CERTAIN

AREAS.	UNDER 1 YEAR OF AGE.					UNDER 5 YEARS OF AGE.				ALL AGES.		
	Popula- tion.	Born and died in the census year.	Births during the census year.	Deaths.	Deaths under 1 per 1,000 births.	Popula- tion.	Deaths.	Death rate per 1,000 of popu- lation.	Deaths under 5 per 1,000 at all ages.	Popula- tion.	Deaths.	Death rate per 1,000 of popu- lation.
NEW YORK—Continued.												
Group 3—Continued.												
1 Newburg.....	436	51	487	70	143.7	2,230	116	52.0	232.0	24,943	500	20.0
2 Males.....	221	27	248	37	149.2	1,101	61	55.4	269.9	11,654	226	19.4
3 Females.....	215	24	239	33	138.1	1,129	55	48.7	200.7	13,289	274	20.6
4 White.....	428	51	479	69	144.1	2,192	113	51.6	234.9	24,369	481	19.7
5 Males.....	216	27	243	37	152.3	1,080	61	56.5	274.8	11,396	222	19.5
6 Females.....	212	24	236	32	135.6	1,112	52	46.8	200.8	12,973	259	20.0
7 Native.....	427	51	478	69	144.4	2,182	112	51.3	315.5	20,043	355	17.7
8 Males.....	215	27	242	37	152.9	1,077	60	55.7	361.4	9,349	166	17.8
9 Females.....	212	24	236	32	135.6	1,105	52	47.1	275.1	10,694	189	17.7
10 Both parents native.....	278	36	314	48	152.9	1,312	74	56.4	425.3	12,069	174	14.4
11 One or both parents foreign.....	149	8	157	10	63.7	870	18	20.7	(*)	7,974	71	8.9
12 Foreign.....	1		1			10				4,326	104	24.0
13 Males.....	1		1			3				2,047	46	22.5
14 Females.....						7				2,279	58	25.4
15 Port Jervis.....	163	13	176	17	96.6	842	26	30.9	174.5	9,385	149	15.9
16 Males.....	83	9	92	11	(*)	403	15	37.2	(*)	4,491	83	18.5
17 Females.....	80	4	84	6	(*)	439	11	25.1	(*)	4,894	66	13.5
18 White.....	159	13	172	17	98.8	828	25	30.2	176.1	9,259	142	15.3
19 Males.....	81	9	90	11	(*)	397	14	35.3	(*)	4,423	78	17.6
20 Females.....	78	4	82	6	(*)	431	11	25.5	(*)	4,836	64	13.2
21 Native.....	159	13	172	17	98.8	826	25	30.3	242.7	8,372	103	12.3
22 Males.....	81	9	90	11	(*)	396	14	35.4	(*)	3,998	61	15.3
23 Females.....	78	4	82	6	(*)	430	11	25.6	(*)	4,374	42	9.6
24 Both parents native.....	135	10	145	12	82.8	664	18	27.1	(*)	5,896	63	10.7
25 One or both parents foreign.....	24	2	26	4	(*)	162	5	30.9	(*)	2,476	17	6.9
26 Foreign.....						2				887	33	37.2
27 Males.....						1				425	14	32.9
28 Females.....						1				462	19	41.1
29 Sullivan county.....	641	43	684	59	86.3	3,204	85	26.5	160.7	32,306	529	16.4
30 Males.....	343	24	367	33	89.9	1,682	47	27.9	157.7	16,536	298	18.0
31 Females.....	298	19	317	26	82.0	1,522	38	25.0	164.5	15,770	231	14.6
32 Ulster county, rural.....	1,290	101	1,391	149	107.1	6,481	234	36.1	245.3	63,887	954	14.9
33 Males.....	666	54	720	76	105.6	3,228	114	35.3	242.6	32,851	470	14.3
34 Females.....	624	47	671	73	108.8	3,253	120	36.9	247.9	31,036	484	15.6
35 Kingston.....	425	57	482	76	157.7	2,233	113	50.6	255.7	24,535	442	18.0
36 Males.....	217	27	244	35	143.4	1,109	52	46.9	252.4	11,725	206	17.6
37 Females.....	208	30	238	41	172.3	1,124	61	54.3	258.5	12,810	236	18.4
38 White.....	419	51	470	70	148.9	2,187	107	48.9	254.8	23,983	420	17.5
39 Males.....	217	24	241	32	132.8	1,096	49	44.7	248.7	11,456	197	17.2
40 Females.....	202	27	229	38	165.9	1,091	58	53.2	260.1	12,527	223	17.8
41 Native.....	419	51	470	70	148.9	2,173	107	49.2	339.7	20,437	315	15.4
42 Males.....	217	24	241	32	132.8	1,088	49	45.0	347.5	9,662	141	14.6
43 Females.....	202	27	229	38	165.9	1,085	58	53.5	333.3	10,775	174	16.1
44 Both parents native.....	291	34	325	41	126.2	1,459	68	46.6	350.5	13,134	194	14.8
45 One or both parents foreign.....	128	14	142	26	183.1	714	34	47.6	(*)	7,303	87	11.9
46 Foreign.....						14				3,546	100	28.2
47 Males.....						8				1,794	51	28.4
48 Females.....						6				1,752	49	28.0

* Data insufficient for rates.

POPULATION, BIRTHS, DEATHS, AND DEATH RATES.

471

CAUSES, BY SEX, COLOR, GENERAL NATIVITY, AND PARENT NATIVITY: CENSUS YEAR 1900—Continued.

CAUSE OF DEATH.																		
Measles.	Scarlet fever.	Diphtheria and croup.	Whooping cough.	Malarial fever.	Influenza.	Typhoid fever.	Diarrheal diseases.	Consumption.	Cancer and tumor.	Heart disease and dropsy.	Pneumonia.	Diseases of the liver.	Diseases of the nervous system.	Diseases of the urinary organs.	Affections connected with pregnancy.	Old Age.	Unknown.	All other causes.
2		8			1	10	20	63	22	57	77	6	78	37		16	5	98
1		4			1	5	6	26	7	30	41	3	39	11		4	4	44
1		4				5	14	37	15	27	36	3	39	26		12	1	54
2		8			1	8	19	59	21	54	77	6	74	36		15	5	96
1		4			1	5	6	25	7	29	41	3	38	11		3	4	44
1		4				3	13	34	14	25	36	3	36	25		12	1	52
2		8			1	6	17	50	10	39	57	1	57	20		8	4	75
1		4			1	3	6	19	4	20	30		28	9		1	3	37
1		4				3	11	31	6	19	27	1	29	11		7	1	38
2		6				4	9	18	3	15	33		32	7		3	3	39
		1				1		15	3	7	15		9	5				15
						2	2	8	10	11	16		15	14		6	1	15
						2		5	3	7	9		8	2		2	1	5
							2	3	7	4	7	2	7	12		4		10
		2	3		4	3	6	17	6	11	11	2	21	12		11		40
		1	1			2	3	12		7	6	1	12	9		4		25
		1	2		4	1	3	5	6	4	5	1	9	3		7		15
		2	3		4	3	6	15	6	11	11	1	21	11		10		38
		1	1			2	3	11		7	6	1	12	8		3		23
		1	2		4	1	3	4	6	4	5		9	3		7		15
		2	3		4	3	3	10	3	5	8		19	7		6		30
		1	1			2	2	9		3	5		11	6		2		19
		1	2		4	1	1	1	3	2	3		8	1		4		11
		1	3		3	2	3	4	3	2	5		11	4		4		18
						1		6		1	3		1	1				4
							3	3	3	4	3	1	2	3		4		7
							1	2		3	1	1	1	1		1		3
							2	1	3	1	2		1	2		3		4
1	1	4	7	1	14	7	31	90	28	60	51	3	74	19	1	27	7	108
	1	3	2		6	5	18	51	10	34	28		40	9		19	6	66
		1	5	1	8	2	13	39	18	26	23	5	34	10	1	8	1	37
22	9	15	5	7	18	16	55	90	39	107	97	12	149	40	8	23	9	233
12	4	8	2	2	4	6	30	52	16	56	42	6	72	20		10	6	122
10	5	7	3	5	14	10	25	38	23	51	55	6	77	20	8	13	3	111
11	2	2	8	4	6	5	20	52	15	49	28	11	58	24	3	12	6	126
5			4	2	2	5	10	22	5	20	12	5	25	17		8	2	62
6	2	2	4	2	4		10	30	10	29	16	6	33	7	3	4	4	64
11	2	2	8	4	6	5	20	50	15	44	26	11	55	23	3	12	5	118
5			4	2	2	5	10	22	5	17	12	5	25	16		8	1	58
6	2	2	4	2	4		10	28	10	27	14	6	30	7	3	4	4	60
11	2	2	8	3	2	4	18	41	7	31	18	7	41	10	2	7	4	97
5			4	2	1	4	9	19	2	11	8	3	16	7		3	1	46
6	2	2	4	1	1		9	22	5	20	10	4	25	3	2	4	3	51
4	2	1	7	3	1	2	9	13	6	27	16	4	28	6		5	3	58
6		1	1				9	24	1	3	1	2	10	1	1			27
				1	4	1	2	9	7	12	7	4	13	13	1	5	1	20
					1	1	1	3	2	5	3	2	8	9		5		11
				1	3		1	6	5	7	4	2	5	4	1		1	9

TABLE 19.—POPULATION, BIRTHS, DEATHS, AND DEATH RATES AT CERTAIN AGES, AND DEATHS FROM CERTAIN

AREAS.		UNDER 1 YEAR OF AGE.					UNDER 5 YEARS OF AGE.				ALL AGES.		
		Popula- tion.	Born and died in the census year.	Births during the census year.	Deaths.	Deaths under 1 per 1,000 births.	Popula- tion.	Deaths.	Death rate per 1,000 of popu- lation	Deaths under 5 per 1,000 at all ages.	Popula- tion.	Deaths.	Death rate per 1,000 of popu- lation.
NEW YORK—Continued.													
1	Group 4.....	22,263	1,923	24,186	2,769	114.5	108,651	3,972	36.6	248.5	1,075,829	15,983	14.9
2	Males.....	11,099	1,097	12,196	1,580	129.6	54,677	2,208	40.4	264.6	534,362	8,344	15.6
3	Females.....	11,164	826	11,990	1,189	99.2	53,974	1,764	32.7	230.9	541,467	7,639	14.1
4	White.....	22,125	1,900	24,025	2,740	114.0	108,065	3,930	36.4	248.6	1,069,471	15,808	14.8
5	Males.....	11,026	1,086	12,112	1,566	129.3	54,399	2,189	40.2	265.6	530,941	8,241	15.5
6	Females.....	11,099	814	11,913	1,174	98.5	53,666	1,741	32.4	230.1	538,530	7,567	14.1
7	Native.....	22,005	1,891	23,896	2,724	114.0	106,722	3,876	36.3	352.5	827,309	10,995	13.3
8	Males.....	10,966	1,083	12,049	1,558	129.3	53,724	2,161	40.2	372.5	408,340	5,801	14.2
9	Females.....	11,039	808	11,847	1,166	98.4	52,998	1,715	32.4	330.2	418,969	5,194	12.4
10	Both parents na- tive.....	5,490	538	6,028	730	121.1	26,420	981	37.1	311.2	219,175	3,152	14.4
11	One or both par- ents foreign.....	5,476	508	5,984	773	129.2	27,304	1,110	40.7	271.8	221,812	2,951	13.3
		5,499	383	5,882	562	95.5	26,936	855	31.7	471.3	189,165	2,156	11.4
12	Foreign.....	120	5	125	9	72.0	1,343	44	32.8	9.4	197,157	1,814	9.2
13	Males.....	60	3	63	6	(*)	675	26	38.5	11.0	122,601	2,368	19.3
14	Females.....	60	2	62	3	(*)	668	18	26.9	7.8	119,561	2,309	19.3
15	Colored.....	138	23	161	29	180.1	586	42	71.7	240.0	6,358	175	27.5
16	Males.....	73	11	84	14	(*)	278	19	68.3	184.5	3,421	103	30.1
17	Females.....	65	12	77	15	(*)	308	23	74.7	(*)	2,937	72	24.5
18	Chautauqua county, rural.....	979	68	1,047	83	79.3	4,750	107	22.5	147.2	53,806	727	13.5
19	Males.....	473	32	505	43	85.1	2,372	60	25.3	161.3	27,016	372	13.8
20	Females.....	506	36	542	40	73.8	2,378	47	19.8	132.4	26,790	355	13.3
21	Dunkirk.....	296	24	320	31	96.9	1,401	53	37.8	308.1	11,616	172	14.8
22	Males.....	149	17	166	21	126.5	701	33	47.1	(*)	5,800	91	15.7
23	Females.....	147	7	154	10	64.9	700	20	28.6	(*)	5,816	81	13.9
24	White.....	295	24	319	31	97.2	1,398	53	37.9	308.1	11,602	172	14.8
25	Males.....	149	17	166	21	126.5	701	33	47.1	(*)	5,792	91	15.7
26	Females.....	146	7	153	10	65.4	697	20	28.7	(*)	5,810	81	13.9
27	Native.....	295	24	319	31	97.2	1,384	53	38.3	464.9	8,268	114	13.8
28	Males.....	149	17	166	21	126.5	691	33	47.8	(*)	4,076	66	16.2
29	Females.....	146	7	153	10	65.4	693	20	28.9	(*)	4,192	48	11.5
30	Both parents native.....	102	11	113	11	97.3	456	14	30.7	(*)	2,983	35	11.7
31	One or both parents foreign.....	193	13	206	20	97.1	928	39	42.0	(*)	5,285	71	13.4
32	Foreign.....						14				3,334	58	17.4
33	Males.....						10				1,716	25	14.6
34	Females.....						4				1,618	33	20.4
35	Jamestown.....	426	37	463	47	101.5	2,134	61	28.6	211.8	22,892	288	12.6
36	Males.....	205	15	220	20	90.9	1,062	27	25.4	187.5	10,939	144	13.2
37	Females.....	221	22	243	27	111.1	1,072	34	31.7	236.1	11,953	144	12.0
38	White.....	426	37	463	47	101.5	2,130	61	28.6	211.8	22,812	288	12.6
39	Males.....	205	15	220	20	90.9	1,061	27	25.4	187.5	10,899	144	13.2
40	Females.....	221	22	243	27	111.1	1,069	34	31.8	236.1	11,913	144	12.1
41	Native.....	424	36	460	45	97.8	2,107	59	28.0	318.9	15,546	185	11.9
42	Males.....	204	14	218	19	87.2	1,049	26	24.8	(*)	7,351	89	12.1
43	Females.....	220	22	242	26	107.4	1,058	33	31.2	(*)	8,195	96	11.7
44	Both parents native.....	135	16	151	20	132.5	689	26	37.7	209.7	8,538	124	14.5
45	One or both parents foreign.....	289	20	309	25	80.9	1,418	33	23.3	(*)	7,008	56	8.0
46	Foreign.....	2	1	3	2	(*)	23	2	(*)	19.8	7,266	101	13.9
47	Males.....	1	1	2	1	(*)	12	1	(*)	(*)	3,548	55	15.6
48	Females.....	1		1	1	(*)	11	1	(*)	(*)	3,718	46	12.4
49	Erie county, rural.....	1,796	109	1,905	158	82.9	8,633	228	26.4	208.6	81,299	1,093	13.4
50	Males.....	879	57	936	82	87.6	4,309	120	27.8	206.2	41,743	582	13.9
51	Females.....	917	52	969	76	78.4	4,324	108	25.0	211.4	39,556	511	12.9

* Data insufficient for rates.

CAUSES, BY SEX, COLOR, GENERAL NATIVITY, AND PARENT NATIVITY: CENSUS YEAR 1900—Continued.

CAUSE OF DEATH.																		
Measles.	Scarlet fever.	Diphtheria and croup.	Whooping cough.	Malarial fever.	Influenza.	Typhoid fever.	Diarrheal diseases.	Consumption.	Cancer and tumor.	Heart disease and dropsy.	Pneumonia.	Diseases of the liver.	Diseases of the nervous system.	Diseases of the urinary organs.	Affections connected with pregnancy.	Old age.	Unknown.	All other causes.
158	63	258	84	24	217	327	1,081	1,465	713	1,614	1,416	240	2,071	950	83	657	98	4,464
81	37	140	44	9	89	189	589	717	257	794	753	152	1,087	560	83	294	61	2,491
77	26	118	40	15	128	138	492	748	456	820	663	88	984	390	83	363	37	1,973
156	63	257	83	24	216	320	1,077	1,423	712	1,599	1,401	239	2,058	941	81	655	85	4,418
80	37	139	43	9	88	183	589	693	257	784	747	151	1,080	555	81	293	53	2,460
76	26	118	40	15	128	137	488	730	455	815	654	88	978	386	81	362	32	1,958
153	60	244	81	17	150	237	944	985	380	897	982	143	1,461	550	46	351	66	3,248
78	34	134	42	6	62	131	530	465	118	453	540	92	788	317	46	167	45	1,799
75	26	110	39	11	88	106	414	520	262	444	442	51	673	233	46	184	21	1,449
24	13	69	21	3	48	68	228	196	80	302	256	50	482	195	25	135	20	962
38	9	51	23	8	64	62	201	253	162	282	217	32	422	136	25	139	16	811
49	20	59	19	3	9	51	272	238	23	110	255	31	245	75	19	5	20	672
34	16	58	16	2	17	40	196	230	70	109	189	17	179	74	19	14	3	531
3	3	13	2	7	64	82	130	434	323	679	412	93	581	386	34	299	19	1,113
2	3	5	1	3	25	51	57	226	138	317	205	57	285	234	34	125	8	626
1		8	1	4	39	31	73	208	185	362	207	36	296	152	34	174	11	487
2		1	1		1	7	4	42	1	15	15	1	13	9	2	2	13	46
1		1	1		1	6		24		10	6	1	7	5		1	8	31
1						1	4	18	1	5	9		6	4	2	1	5	15
3	3	6	3		30	17	29	59	47	102	38	14	116	39	5	29	8	179
1	2	3	3		12	11	17	27	15	49	19	8	63	27		10	5	100
2	1	3			18	6	12	32	32	53	19	6	53	12	5	19	3	79
.....	2	7	3		3	6	12	12	5	10	14		18	15	1	2		62
.....	2	5	3		3	5	4	6	1	4	9		10	10		1		28
.....	2	2				1	8	6	4	6	5		8	5	1	1		34
.....	2	7	3		3	6	12	12	5	10	14		18	15	1	2		62
.....	2	5	3		3	5	4	6	1	4	9		10	10		1		28
.....	2	2				1	8	6	4	6	5		8	5	1	1		34
.....	2	7	3		1	5	9	10	1	5	8		14	8		1		40
.....	2	5	3		1	4	4	4		3	6		8	5		1		20
.....	2	2				1	5	6	1	2	2		6	3				20
.....	1				1	2	1	4	1	2	1		6	3				12
.....	1	7	2			3	7	6		2	7		5	5				26
.....					2	1	3	2	4	5	6		4	7	1	1		22
.....					2	1		2	1	1	3		2	5				8
.....						3		3	3	4	3		2	2	1	1		14
1	1	1			2	16	13	34	12	37	20	7	33	19		12	2	78
.....		1				9	3	21	3	14	9	5	18	11		7	1	42
1	1				2	7	10	13	9	23	11	2	15	8		5	1	36
1	1	1			2	16	13	34	12	37	20	7	33	19		12	2	78
.....		1				9	3	21	3	14	9	5	18	11		7	1	42
1	1				2	7	10	13	9	23	11	2	15	8		5	1	36
1	1	1			2	12	11	16	8	20	14	3	23	10		6	2	55
.....		1				8	2	8	2	9	7	2	14	6		3	1	26
1	1				2	4	9	8	6	11	7	1	9	4		3	1	29
1		1			2	9	7	11	6	16	6	2	16	9		4	1	33
.....	1				3	4	5	5	1	4	8		6	1		1		22
.....						4	2	18	4	16	5	4	10	9		6		23
.....						1	1	13	1	5	2	3	4	5		4		16
.....					3	1	5	5	3	11	3	1	6	4		2		7
20	4	16	9	3	25	15	70	84	55	112	88	22	144	76	9	37	9	295
14	2	9	5	1	12	6	32	50	20	64	41	11	70	46		21	6	172
6	2	7	4	2	13	9	38	34	35	48	47	11	74	30	9	16	3	123

TABLE 19.—POPULATION, BIRTHS, DEATHS, AND DEATH RATES AT CERTAIN AGES, AND DEATHS FROM CERTAIN

	AREAS.	UNDER 1 YEAR OF AGE.					UNDER 5 YEARS OF AGE.				ALL AGES.		
		Popula- tion.	Born and died in the census year.	Births during the census year.	Deaths.	Deaths under 1 per 1,000 births.	Popula- tion.	Deaths.	Death rate per 1,000 of popu- lation.	Deaths under 5 per 1,000 at all ages.	Popula- tion.	Deaths.	Death rate per 1,000 of popu- lation.
	NEW YORK—Continued.												
1	Group 4—Continued.												
2	Buffalo.....	8,403	853	9,256	1,268	137.0	41,179	1,870	45.4	359.1	352,387	5,207	14.8
3	Males.....	4,186	502	4,688	745	158.9	20,756	1,063	51.2	382.5	174,931	2,779	15.9
4	Females.....	4,217	351	4,568	523	114.5	20,423	807	39.5	332.4	177,456	2,428	13.7
5	White.....	8,376	851	9,227	1,264	137.0	41,061	1,858	45.2	360.3	350,586	5,157	14.7
6	Males.....	4,173	500	4,673	741	158.6	20,698	1,057	51.1	384.8	173,932	2,747	15.8
7	Females.....	4,203	351	4,554	523	114.8	20,363	801	39.3	332.4	176,654	2,410	13.6
8	Native.....	8,327	850	9,177	1,261	137.4	40,474	1,835	45.3	363.9	246,576	3,254	13.2
9	Males.....	4,146	500	4,646	739	159.1	20,412	1,042	51.0	379.5	121,773	1,798	14.8
10	Females.....	4,181	350	4,531	522	115.2	20,062	793	39.5	344.6	124,803	1,456	11.7
11	Both parents na- tive.....	1,417	180	1,597	246	154.0	7,013	323	46.1	353.1	45,841	584	12.7
12	One or both par- ents foreign.....	1,478	128	1,606	186	115.8	6,838	264	38.6	495.3	45,019	533	11.8
13	Foreign.....	2,729	298	3,027	465	153.6	13,399	684	51.0	661.5	75,932	1,084	13.6
14	Foreign.....	2,703	206	2,909	312	107.3	13,224	496	37.5	627.8	79,784	790	9.9
15	Foreign.....	49	1	50	3	(*)	587	23	39.2	12.2	104,010	1,884	18.1
16	Males.....	27	1	27	2	(*)	286	15	52.4	16.0	52,159	940	18.0
17	Females.....	22	1	23	1	(*)	301	8	26.6	8.5	51,851	944	18.2
18	Colored.....	27	2	29	4	(*)	118	12	101.7	(*)	1,801	50	27.8
19	Males.....	13	2	15	4	(*)	58	6	(*)	(*)	999	32	32.0
20	Females.....	14	1	14	1	(*)	60	6	(*)	(*)	802	18	22.4
21	Genesee county.....	604	32	636	40	62.9	2,928	62	21.2	116.3	34,561	533	15.4
22	Males.....	306	19	325	24	73.8	1,480	38	25.7	134.3	17,245	283	16.4
23	Females.....	298	13	311	16	51.4	1,448	24	16.6	96.0	17,316	250	14.4
24	Jefferson county, rural.....	1,011	61	1,072	87	81.2	4,839	120	24.8	143.4	55,052	837	15.2
25	Males.....	525	33	558	45	80.6	2,429	65	26.8	140.7	28,179	462	16.4
26	Females.....	486	28	514	42	81.7	2,410	55	22.8	146.7	26,873	375	14.0
27	Watertown.....	360	57	417	79	189.4	1,878	105	55.9	294.9	21,696	356	16.4
28	Males.....	187	30	217	46	212.0	956	59	61.7	329.6	10,571	179	16.9
29	Females.....	173	27	200	33	165.0	922	46	49.9	259.9	11,125	177	15.9
30	White.....	360	56	416	78	187.5	1,872	104	55.6	296.3	21,611	351	16.2
31	Males.....	187	29	216	45	208.3	954	58	60.8	327.7	10,517	177	16.8
32	Females.....	173	27	200	33	165.0	918	46	50.1	264.4	11,094	174	15.7
33	Native.....	355	55	410	76	185.4	1,794	102	56.9	393.8	16,505	259	15.7
34	Males.....	183	28	211	43	203.8	907	56	61.7	444.4	8,041	126	15.7
35	Females.....	172	27	199	33	165.8	887	46	51.9	345.9	8,464	133	15.7
36	Both parents native.....	195	28	223	39	174.9	967	50	51.7	352.1	10,426	142	13.6
37	One or both parents foreign.....	160	22	182	31	170.3	827	45	54.4	(*)	6,079	81	13.3
38	Foreign.....	5	1	6	1	(*)	78	1	(*)	(*)	5,106	82	16.1
39	Males.....	4	1	5	1	(*)	47	1	(*)	(*)	2,476	46	18.6
40	Females.....	1	1	1	1	(*)	31	1	(*)	(*)	2,630	36	13.7
41	Monroe county, rural.....	1,018	81	1,099	117	106.5	5,192	151	29.1	192.1	55,246	786	14.2
42	Males.....	496	49	545	75	137.6	2,708	91	33.6	219.8	28,192	414	14.7
43	Females.....	522	32	554	42	75.8	2,484	60	24.2	161.3	27,054	372	13.8
44	Rochester.....	3,129	222	3,351	340	101.5	15,416	497	32.2	203.2	162,608	2,446	15.0
45	Males.....	1,551	126	1,677	187	111.5	7,699	267	34.7	218.0	77,520	1,225	15.8
46	Females.....	1,578	96	1,674	153	91.4	7,717	230	29.8	188.4	85,088	1,221	14.3
47	White.....	3,115	221	3,336	338	101.3	15,363	494	32.2	203.3	161,994	2,430	15.0
48	Males.....	1,546	126	1,672	187	111.8	7,679	266	34.6	218.9	77,217	1,215	15.7
49	Females.....	1,569	95	1,664	151	90.7	7,684	228	29.7	187.7	84,777	1,215	14.3
50	Native.....	3,099	219	3,318	335	101.0	15,201	487	32.0	203.1	121,276	1,526	12.6
51	Males.....	1,538	126	1,664	186	111.8	7,596	265	34.9	218.9	57,716	789	13.7
52	Females.....	1,561	93	1,654	149	90.1	7,605	222	29.2	187.7	63,560	737	11.6
53	Both parents na- tive.....	715	63	778	89	114.4	3,248	130	40.0	346.7	25,378	375	14.8
54	One or both par- ents foreign.....	684	41	726	69	95.2	3,311	107	32.3	295.6	27,100	362	13.4
55	Foreign.....	823	58	881	91	103.3	4,348	126	29.0	352.9	32,338	357	11.0
56	Foreign.....	877	50	927	76	82.0	4,294	111	25.9	348.0	36,460	319	8.7
57	Foreign.....	16	1	16	1	(*)	162	4	24.7	4.5	40,718	884	21.7
58	Males.....	8	1	8	1	(*)	83	1	(*)	2.4	19,501	416	21.3
59	Females.....	8	1	8	1	(*)	79	3	(*)	6.4	21,217	468	22.1
60	Colored.....	14	1	15	2	(*)	53	3	(*)	(*)	614	16	26.1
61	Males.....	5	1	5	1	(*)	20	1	(*)	(*)	303	10	33.0
62	Females.....	9	1	10	2	(*)	33	2	(*)	(*)	311	6	19.3

* Data insufficient for rates.

CAUSES, BY SEX, COLOR, GENERAL NATIVITY, AND PARENT NATIVITY: CENSUS YEAR 1900—Continued.

CAUSE OF DEATH.																		
Measles.	Scarlet fever.	Diphtheria and croup.	Whooping cough.	Malarial fever.	Influenza.	Typhoid fever.	Diarrheal diseases.	Consumption.	Cancer and tumor.	Heart disease and dropsy.	Pneumonia.	Diseases of the liver.	Diseases of the nervous system.	Diseases of the urinary organs.	Affections connected with pregnancy.	Old age.	Unknown.	All other causes.
101	29	93	29	8	39	88	470	464	198	401	559	68	573	313	28	125	24	1,597
47	18	55	11	5	10	46	266	248	78	179	310	52	296	174		40	16	928
54	11	38	18	3	29	42	204	216	120	222	249	16	277	139	28	85	8	669
101	29	93	29	8	38	86	470	452	198	395	553	68	571	311	28	125	24	1,578
47	18	55	11	5	9	45	266	244	78	174	307	52	295	172		40	16	913
54	11	38	18	3	29	41	204	208	120	221	246	16	276	139	28	85	8	665
100	28	86	29	3	16	49	420	263	67	160	374	27	332	139	11	22	15	1,113
46	17	51	11	2	5	25	245	143	17	77	213	24	179	73		10	11	649
54	11	35	18	1	11	24	175	126	50	83	161	3	153	66	11	12	4	464
6	4	18	3	1	1	7	59	32	5	29	60	5	90	24		9	3	228
23	1	5	7		7	8	52	35	20	26	46	1	71	25	6	7	2	191
36	13	29	8	1	4	13	175	89	6	36	144	16	81	32		8	8	343
28	10	29	11	1	4	15	116	74	20	42	106	2	63	32	3	2	1	231
1	1	7		5	22	37	50	188	130	232	178	41	237	172	17	103	9	454
1	1	4		3	4	20	21	101	61	95	94	28	115	99		30	5	258
		3		2	18	17	29	87	69	137	84	13	122	73	17	73	4	196
					1	2		12		6	6		2	2				19
					1	1		4		5	3		1	2				15
					1	1		8		1	3		1					4
1	1	36			20	6	10	54	20	60	36	6	87	21	2	27	4	142
	1	19			9	3	4	24	7	36	15	4	47	11		15	1	87
1		17			11	3	6	30	13	24	21	2	40	10	2	12	3	55
1		1	3	1	15	32	46	85	30	113	61	12	108	34	2	75	3	215
1		1	1		9	15	25	40	12	74	35	7	61	23		42	3	173
			2	1	6	17	21	45	18	39	26	5	47	11	2	33		102
	1	1	1	1	2	18	37	40	13	34	34	4	38	11		15	1	105
	1	1	1		1	10	21	14	4	19	16	2	22	7		7	1	52
				1	1	8	16	26	9	15	18	2	16	4		8		53
	1	1	1	1	2	18	37	40	13	34	32	4	38	10		15	1	103
	1	1	1		1	10	21	14	4	19	16	2	22	7		7	1	50
				1	1	8	16	26	9	15	16	2	16	3		8		53
	1	1	1	1	1	13	30	28	8	16	22	3	30	5		11		88
	1	1	1		1	5	16	7	2	8	11	2	19	4		5		43
				1		8	14	21	6	8	11	1	11	1		6		45
		1				8	16	14	3	10	13		18	1		7		51
	1					8	11	13	1	4	7	2	10	1				28
						5	6	12	5	16	7	1	6	5		4	1	14
						5	4	7	2	9	3		3	3		2	1	7
						2	5	5	3	7	4	1	3	2		2		7
1	5	5	5	2	11	15	50	53	42	84	70	8	133	46	7	40	3	206
1	3	2	2		3	11	31	23	12	43	41	7	64	33		17	2	119
	2	3	3	2	8	4	19	30	30	41	29	1	69	13	7	23	1	87
5	6	46	8	1	9	38	147	250	117	256	217	36	351	174	13	86	6	680
4	2	22	6	1	4	25	78	129	39	111	117	20	183	103		30	3	348
1	4	24	2		5	13	69	121	78	145	100	16	168	71	13	56	3	332
5	6	46	8	1	9	38	147	246	117	255	216	36	347	172	13	86	6	676
4	2	22	6	1	4	25	78	125	39	111	117	20	182	102		30	3	344
1	4	24	2		5	13	69	121	78	144	99	16	165	70	13	56	3	332
5	6	45	8	1	6	31	126	169	53	120	140	15	232	95	6	28	4	436
4	2	22	6	1	4	20	69	88	17	54	78	7	128	55		8	3	223
1	4	23	2		2	11	57	81	36	66	62	8	104	40	6	20	1	213
2	1	13	3	1	4	6	30	32	10	24	40	2	62	27		6		112
1	2	11	2		1	5	27	29	21	35	26	2	53	20	3	15		109
1	1	8	2			13	36	52	6	25	31	5	63	19			1	94
	1	12			1	6	28	49	11	20	28	6	45	16	3	3	1	89
		1			3	7	21	77	61	133	76	21	112	75	6	57	2	232
						5	9	37	22	55	39	13	52	45		21		118
		1			3	2	12	40	39	78	37	8	60	30	6	36	2	114
								4		1	1		4	2				4
								4					1	1				4
									1	1			3	1				56
											1		3	1				57

VITAL STATISTICS.

TABLE 19.—POPULATION, BIRTHS, DEATHS, AND DEATH RATES AT CERTAIN AGES, AND DEATHS FROM CERTAIN

	AREAS.	UNDER 1 YEAR OF AGE.					UNDER 5 YEARS OF AGE.				ALL AGES.		
		Popula- tion.	Born and died in the census year.	Births during the census year.	Deaths.	Deaths under 1 per 1,000 births.	Popula- tion.	Deaths.	Death rate per 1,000 of popula- tion.	Deaths under 5 per 1,000 at all ages.	Popula- tion.	Deaths.	Death rate per 1,000 of popula- tion.
	NEW YORK—Continued.												
1	Group 4—Continued. Niagara county, rural	829	71	900	97	107.8	3,939	136	34.5	258.6	38,923	526	13.5
2	Males	425	42	467	55	117.8	1,978	75	37.9	272.7	20,104	275	13.7
3	Females	404	29	433	42	97.0	1,961	61	31.1	243.0	18,819	251	13.3
4	Lockport	307	19	326	36	110.4	1,466	60	40.9	231.7	16,581	259	15.6
5	Males	159	12	171	24	140.4	739	35	47.4	267.2	7,897	131	16.6
6	Females	148	7	155	12	77.4	727	25	34.4	195.3	8,684	128	14.7
7	White	304	19	323	36	111.5	1,456	60	41.2	232.6	16,415	258	15.7
8	Males	157	12	169	24	142.0	734	35	47.7	267.2	7,815	131	16.8
9	Females	147	7	154	12	77.9	722	25	34.6	196.9	8,600	127	14.8
10	Native	300	19	319	36	112.9	1,435	59	41.1	310.5	13,489	190	14.1
11	Males	154	12	166	24	144.6	719	35	48.7	(*)	6,379	99	15.5
12	Females	146	7	153	12	78.4	716	24	33.5	(*)	7,110	91	12.8
13	Both parents native...	196	11	207	23	111.1	910	38	41.8	333.3	7,432	114	15.3
14	One or both parents foreign.	104	7	111	11	99.1	525	19	36.2	(*)	6,057	60	9.9
15	Foreign	4		4			21	1	(*)	(*)	2,926	64	21.9
16	Males	3		3			15				1,436	29	20.2
17	Females	1		1			6	1	(*)	(*)	1,490	35	23.5
18	Niagara Falls	424	50	474	77	162.4	1,945	92	47.3	309.8	19,457	297	15.3
19	Males	207	31	238	47	197.5	961	56	58.3	368.4	10,125	152	15.0
20	Females	217	19	236	30	127.1	984	36	36.6	248.3	9,332	145	15.5
21	White	420	48	468	72	153.8	1,916	87	45.4	303.1	19,109	287	15.0
22	Males	203	31	234	46	196.6	946	55	58.1	376.7	9,920	146	14.7
23	Females	217	17	234	26	111.1	970	32	33.0	227.0	9,189	141	15.3
24	Native	410	48	458	72	157.2	1,790	85	47.5	464.5	11,824	183	15.5
25	Males	199	31	230	46	200.0	885	54	61.0	(*)	6,134	95	15.5
26	Females	211	17	228	26	114.0	905	31	34.3	(*)	5,690	88	15.5
27	Both parents native...	137	13	150	21	140.0	603	26	43.1	(*)	4,862	71	14.6
28	One or both parents foreign.	273	35	308	50	162.3	1,187	57	48.0	(*)	6,962	96	13.8
29	Foreign	10		10			126	2	15.9	(*)	7,285	99	13.6
30	Males	4		4			61	1	(*)	(*)	3,786	47	12.4
31	Females	6		6			65	1	(*)	(*)	3,499	52	14.9
32	Orleans county	586	44	630	54	85.7	2,777	69	24.8	166.3	30,164	415	13.8
33	Males	304	23	327	30	91.7	1,394	36	25.8	166.7	15,051	216	14.4
34	Females	282	21	303	24	79.2	1,383	33	23.9	165.8	15,113	199	13.2
35	Oswego county	1,310	114	1,424	159	111.7	6,290	237	37.7	184.4	70,881	1,285	18.1
36	Males	647	63	710	83	116.9	3,166	119	37.6	182.8	35,114	651	18.5
37	Females	663	51	714	76	106.4	3,124	118	37.8	186.1	35,767	634	17.7
38	Wayne county	785	72	857	87	101.5	3,884	112	28.8	154.1	48,660	727	14.9
39	Males	400	42	442	49	110.9	1,967	59	30.0	159.9	23,935	369	15.4
40	Females	385	30	415	38	91.6	1,917	53	27.6	148.0	24,725	358	14.5
41	Group 5	31,057	2,654	33,711	3,799	112.7	152,306	5,404	35.5	187.7	1,801,788	28,797	16.0
42	Males	15,707	1,490	17,197	2,107	122.5	76,891	2,988	38.9	201.3	894,437	14,841	16.6
43	Females	15,350	1,164	16,514	1,692	102.5	75,415	2,416	32.0	173.1	907,351	13,956	15.4
44	White	30,757	2,618	33,375	3,743	112.1	150,895	5,316	35.2	187.1	1,783,969	28,418	15.9
45	Males	15,569	1,465	17,034	2,071	121.6	76,229	2,938	38.5	200.6	885,240	14,648	16.5
46	Females	15,188	1,153	16,341	1,672	102.3	74,666	2,378	31.8	172.7	898,729	13,770	15.3
47	Native	30,696	2,613	33,309	3,730	112.0	150,016	5,283	35.2	235.1	1,545,931	22,476	14.5
48	Males	15,538	1,462	17,000	2,062	121.3	75,793	2,919	38.5	253.6	762,616	11,511	15.1
49	Females	15,158	1,151	16,309	1,668	102.3	74,223	2,364	31.8	215.6	783,315	10,965	14.0
50	Both parents na- (M... tive. (F... ..	11,082	977	12,059	1,348	111.8	54,006	1,900	35.2	252.7	553,020	7,518	13.6
51	One or both par- (M... ents foreign. (F... ..	10,759	809	11,568	1,161	100.4	52,906	1,607	30.4	218.1	563,590	7,368	13.1
		4,456	413	4,869	616	126.5	21,787	882	40.5	348.8	209,596	2,529	12.1
		4,399	292	4,691	436	92.9	21,317	656	30.8	300.4	219,725	2,184	9.9
52	Foreign	61	1	62	8	(*)	879	26	29.6	4.7	288,038	5,543	23.3
53	Males	31	1	32	6	(*)	436	15	34.4	5.2	122,624	2,894	23.6
54	Females	30		30	2	(*)	443	11	24.8	4.2	115,414	2,649	23.0
55	Colored	300	36	336	56	166.7	1,411	88	62.4	232.2	17,819	379	21.3
56	Males	138	25	163	36	220.9	662	50	75.5	259.1	9,197	193	21.0
57	Females	162	11	173	20	115.6	749	38	50.7	204.3	8,622	186	21.6

*Data insufficient for rates.

POPULATION, BIRTHS, DEATHS, AND DEATH RATES.

477

CAUSES, BY SEX, COLOR, GENERAL NATIVITY, AND PARENT NATIVITY: CENSUS YEAR 1900—Continued.

CAUSE OF DEATH.																			
Measles.	Scarlet fever.	Diphtheria and croup.	Whooping cough.	Malarial fever.	Influenza.	Typhoid fever.	Diarrheal diseases.	Consumption.	Cancer and tumor.	Heart disease and dropsy.	Pneumonia.	Diseases of the liver.	Diseases of the nervous system.	Diseases of the urinary organs.	Affections connected with pregnancy.	Old age.	Unknown.	All other causes.	
4		6	2	4	6	9	28	45	28	65	48	13	63	25	4	32	5	139	1
1		3		1	1	5	12	23	15	32	21	6	34	16		22	3	80	2
3		3	2	3	5	4	16	22	13	33	27	7	29	9	4	10	2	59	3
3	1	5	2		4	3	22	18	18	27	15	6	39	13	2	10	4	67	4
3	1	3	2		1	1	16	10	7	10	7	6	18	7		5	3	31	5
.....		2			3	2	6	8	11	17	8		21	6	2	5	1	36	6
3	1	5	2		4	3	22	18	18	26	15	6	39	13	2	10	4	67	7
3	1	3	2		1	1	16	10	7	10	7	6	18	7		5	3	31	8
.....		2			3	2	6	8	11	16	8		21	6	2	5	1	36	9
3	1	5	2		2	3	19	17	8	19	11	2	27	12	1	7	3	48	10
3	1	3	2		1	1	14	9	2	8	6	2	14	7		3	2	21	11
.....		2			1	2	5	8	6	11	5		13	5	1	4	1	27	12
3	1	3	1		1	1	16	5	5	8	5	1	19	9		6	2	28	13
.....		2	1		1	2	2	10	2	6	5	1	7	3	1		1	16	14
.....					2		3	1	9	7	4	3	12	1	1	3	1	17	15
.....							2	1	4	2	1	3	4			2	1	9	16
.....					2		1		5	5	3		8	1	1	1		8	17
6		3	1		3	24	22	23	13	18	34	5	23	16	2	5	2	97	18
4			1		1	14	16	10	2	8	13	2	14	7		1	2	57	19
2		3			2	10	6	13	11	10	21	3	9	9	2	4		40	20
5		3	1		3	22	22	22	13	18	34	5	22	16	2	5	1	93	21
4			1		1	12	16	9	2	8	13	2	13	7		1	1	56	22
1		3			2	10	6	13	11	10	21	3	9	9	2	4		37	23
5		1	1		3	9	18	11	7	9	20	3	19	7	2	3	1	64	24
4			1		1	4	12	5	1	4	9	2	11	3		1	1	36	25
1		1			2	5	6	6	6	5	11	1	8	4	2	2		28	26
2		1			2	4	5	4	3	4	11	1	5	3		3		23	27
3			1		1	4	11	7	3	3	8	1	13	4	2			35	28
.....		2				13	4	11	6	8	14	2	3	9		2		25	29
.....						8	4	4	1	4	4		2	2				16	30
.....		2				5		7	5	4	10	2	1	4		2		9	31
1	4	2			8	5	13	38	23	53	25	8	56	26	2	33	6	112	32
.....	2	1			1	5	9	21	8	30	11	6	32	12		17	3	58	33
1	2	1			7		4	17	15	23	14	2	24	14	2	16	3	54	34
10	2	28	18	2	24	16	74	114	57	158	106	18	168	88	4	83	8	307	35
4	1	14	9		16	9	39	36	22	84	58	7	91	58		38	6	159	36
6	1	14	9	2	8	7	35	78	35	74	48	11	77	30	4	45	2	148	37
.....	4	2		2	16	16	37	86	35	84	51	13	119	33	1	45	7	176	38
.....	2	1		1	6	11	16	31	12	37	31	9	62	14		20	3	113	39
.....	2	1		1	10	5	21	55	23	47	20	4	57	19	1	25	4	63	40
121	98	523	131	60	451	605	1,438	2,697	1,321	2,773	2,563	367	4,407	1,802	184	1,534	224	7,498	41
61	45	271	70	30	186	344	739	1,368	468	1,432	1,323	190	2,248	1,083		752	112	4,119	42
60	53	252	61	30	265	261	699	1,329	853	1,341	1,240	177	2,159	719	184	782	112	3,379	43
120	98	522	127	58	449	598	1,425	2,631	1,312	2,737	2,530	364	4,357	1,776	182	1,519	211	7,402	44
60	45	271	68	29	185	341	731	1,337	465	1,405	1,306	188	2,221	1,074		745	106	4,071	45
60	53	251	59	29	264	257	694	1,294	847	1,332	1,224	176	2,136	702	182	774	105	3,331	46
117	96	516	125	47	328	485	1,253	2,100	956	2,011	1,995	262	3,499	1,329	148	1,029	178	6,002	47
58	44	268	66	25	140	278	665	1,038	303	1,025	1,020	143	1,782	794		497	87	3,278	48
59	52	248	59	22	188	207	588	1,062	653	986	975	119	1,717	535	148	532	91	2,724	49
32	32	167	48	16	92	171	435	520	226	719	638	98	1,229	525		352	65	2,153	50
40	40	139	47	17	137	143	385	586	464	689	640	69	1,225	353	91	394	66	1,843	51
17	9	90	15	9	21	89	175	381	44	130	269	32	315	139		25	15	754	52
14	11	93	12	1	26	52	156	360	88	134	198	22	269	114	44	28	12	550	53
2	2	6	1	11	120	103	167	500	341	683	509	93	794	425	33	463	30	1,260	54
2	1	3	1	4	44	56	65	283	155	359	268	42	405	261		237	16	692	55
.....	1	3		7	76	47	102	217	186	324	241	51	389	164	33	226	14	568	56
1		1	4	2	2	7	13	66	9	36	33	3	50	26	2	15	13	96	57
1			2	1	1	3	8	31	3	27	17	2	27	9		7	6	48	58
.....		1	2	1	1	4	5	35	6	9	16	1	23	17	2	8	7	48	59

TABLE 19.—POPULATION, BIRTHS, DEATHS, AND DEATH RATES AT CERTAIN AGES, AND DEATHS FROM CERTAIN

	AREAS.	UNDER 1 YEAR OF AGE.					UNDER 5 YEARS OF AGE.				ALL AGES.		
		Popula- tion.	Born and died in the census year.	Births during the census year.	Deaths.	Deaths under 1 per 1,000 births.	Popula- tion.	Deaths.	Death rate per 1,000 of popula- tion.	Deaths under 5 per 1,000 at all ages.	Popula- tion.	Deaths.	Death rate per 1,000 of popula- tion.
	NEW YORK—Continued.												
1	Group 5—Continued.												
2	Albany county, rural.....	614	56	670	77	114.9	2,991	122	40.8	223.9	33,189	545	16.4
3	Males.....	306	32	338	42	124.3	1,516	57	37.6	194.5	16,944	293	17.3
4	Females.....	308	24	332	35	105.4	1,475	65	44.1	257.9	16,245	252	15.5
5	Albany.....	1,558	194	1,752	311	177.5	7,466	454	60.8	250.4	94,151	1,813	19.3
6	Males.....	796	113	909	177	194.7	3,736	253	67.7	282.1	45,031	897	19.9
7	Females.....	762	81	843	134	159.0	3,730	201	53.9	219.4	49,120	916	18.6
8	White.....	1,541	190	1,731	307	177.4	7,397	447	60.4	250.1	92,962	1,787	19.2
9	Males.....	784	109	893	173	193.7	3,700	248	67.0	281.5	44,378	881	19.9
10	Females.....	757	81	838	134	159.9	3,697	199	53.8	219.6	48,584	906	18.6
11	Native.....	1,539	188	1,727	304	176.0	7,360	444	60.3	250.1	92,962	1,787	19.2
12	Males.....	783	108	891	171	191.9	3,678	246	66.9	280.2	44,378	881	19.9
13	Females.....	756	80	836	133	159.1	3,682	198	53.8	219.6	48,584	906	18.6
14	Both parents native....	989	104	1,093	171	166.5	4,548	238	52.3	250.1	92,962	1,787	19.2
15	One or both parents foreign.....	550	35	585	63	107.7	2,812	112	39.8	264.8	36,842	423	11.5
16	Foreign.....	2		2	1	(*)	37	1	(*)	1.8	17,689	541	30.6
17	Males.....	1		1	1	(*)	22	1	(*)	4.0	8,301	251	30.2
18	Females.....	1		1			15				9,388	290	30.9
19	Cohoes.....	476	88	564	129	228.7	2,228	187	83.9	386.4	23,910	484	20.2
20	Males.....	236	46	282	72	255.3	1,121	100	89.2	420.2	11,028	238	21.6
21	Females.....	240	42	282	57	202.1	1,107	87	78.6	353.7	12,882	246	19.1
22	White.....	476	88	564	129	228.7	2,228	187	83.9	386.4	23,886	484	20.3
23	Males.....	236	46	282	72	255.3	1,121	100	89.2	420.2	11,018	238	21.6
24	Females.....	240	42	282	57	202.1	1,107	87	78.6	353.7	12,868	246	19.1
25	Native.....	473	87	560	124	221.4	2,172	178	82.0	541.0	16,592	329	19.8
26	Males.....	235	45	280	67	239.3	1,099	95	86.4	572.3	7,697	166	21.6
27	Females.....	238	42	280	57	203.6	1,073	83	77.4	509.2	8,895	163	18.3
28	Both parents native....	179	40	219	52	237.4	803	71	88.4	563.5	5,654	126	22.3
29	One or both parents foreign.....	294	44	338	68	201.2	1,369	102	74.5	534.0	10,938	191	17.5
30	Foreign.....	3	1	4	5	(*)	56	9	(*)	59.2	7,294	152	20.8
31	Males.....	1	1	2	5	(*)	22	5	(*)	(*)	3,321	69	20.8
32	Females.....	2		2			34	4	(*)	(*)	3,973	83	20.9
33	Watervliet.....	275	33	308	55	178.6	1,325	80	60.4	290.9	14,321	275	19.2
34	Males.....	142	15	157	29	184.7	669	44	65.8	305.6	6,786	144	21.2
35	Females.....	133	18	151	26	172.2	656	36	54.9	274.8	7,535	131	17.4
36	White.....	275	33	308	55	178.6	1,323	80	60.5	290.9	14,259	275	19.3
37	Males.....	142	15	157	29	184.7	669	44	65.8	305.6	6,760	144	21.3
38	Females.....	133	18	151	26	172.2	654	36	55.0	274.8	7,499	131	17.5
39	Native.....	274	33	307	55	179.2	1,319	79	59.9	405.1	11,509	195	16.9
40	Males.....	142	15	157	29	184.7	667	44	66.0	423.1	5,429	104	19.2
41	Females.....	132	18	150	26	173.3	652	35	53.7	(*)	6,080	91	15.0
42	Both parents native....	167	17	174	29	166.7	782	41	52.4	(*)	5,689	96	16.9
43	One or both parents foreign.....	117	16	133	26	195.5	537	36	67.0	(*)	5,820	88	15.1
44	Foreign.....	1		1			4	1	(*)	(*)	2,750	80	29.1
45	Males.....						2				1,331	40	30.1
46	Females.....	1		1			2	1	(*)	(*)	1,419	40	28.2
47	Allegany county.....	652	32	684	33	55.6	3,542	68	19.2	121.2	41,501	561	13.5
48	Males.....	347	18	365	23	63.0	1,842	40	21.7	137.5	20,982	291	13.9
49	Females.....	305	14	319	15	47.0	1,700	28	16.5	103.7	20,519	270	13.2
50	Broome county, rural.....	492	37	529	49	92.6	2,447	69	28.2	144.7	29,502	477	16.2
51	Males.....	250	18	268	26	97.0	1,241	39	31.4	162.5	14,936	240	16.1
	Females.....	242	19	261	23	88.1	1,206	30	24.9	126.6	14,566	237	16.3

* Data insufficient for rates.

CAUSES, BY SEX, COLOR, GENERAL NATIVITY, AND PARENT NATIVITY: CENSUS YEAR 1900—Continued.

CAUSE OF DEATH.																			
Measles.	Scarlet fever.	Diphtheria and croup.	Whooping cough.	Malarial fever.	Influenza.	Typhoid fever.	Diarrheal diseases.	Consumption.	Cancer and tumor.	Heart disease and dropsy.	Pneumonia.	Diseases of the liver.	Diseases of the nervous system.	Diseases of the urinary organs.	Affections connected with pregnancy.	Old age.	Unknown.	All other causes.	
2	5	19	1		15	10	32	38	35	45	65	2	66	53	4	20		133	1
1		8	1		10	7	17	18	13	30	30	1	31	34		14		78	2
1	5	11			5	3	15	20	22	15	35	1	35	19	4	6		55	3
22	11	52	5	1	21	41	67	236	68	145	167	30	264	124	11	57	4	487	4
12	5	27	1	1	8	26	32	125	31	70	95	7	124	56		21	2	254	5
10	6	25	4		13	15	35	111	37	75	72	23	140	68	11	36	2	233	6
21	11	52	5	1	21	41	67	228	68	143	163	30	262	119	11	57	4	483	7
11	5	27	1	1	8	26	32	120	31	68	92	7	122	55		21	2	252	8
10	6	25	4		13	15	35	108	37	75	71	23	140	64	11	36	2	231	9
20	10	51	5	1	12	29	51	165	33	78	115	17	188	60	9	16	3	349	10
11	5	27	1	1	5	18	26	84	17	39	66	2	91	23		5	2	189	11
9	5	24	4		7	11	25	81	16	39	49	15	97	37	9	11	1	160	12
6	6	25	5		4	12	28	41	21	37	48	6	93	17	4	13	2	153	13
4	2	20		1	7	15	13	91	9	25	42	9	53	31	4	1	1	95	14
.....	1	1			9	11	16	57	33	64	46	13	69	56	2	41	1	121	15
.....	1	1			3	8	6	33	13	28	25	5	31	29		16		54	16
.....					6	3	10	24	20	36	21	8	38	27	2	25	1	67	17
6		19	3		4	35	42	57	11	26	46	6	69	23		4	1	132	18
3		11	3		1	16	19	23	4	14	23	3	35	13		1	1	68	19
3		8			3	19	23	34	7	12	23	3	34	10		3		64	20
6		19	3		4	35	42	57	11	26	46	6	69	23		4	1	132	21
3		11	3		1	16	19	23	4	14	23	3	35	13		1	1	68	22
3		8			3	19	23	34	7	12	23	3	34	10		3		64	23
5		19	3			23	37	39	6	11	30	2	38	11		3		102	24
2		11	3			11	16	17	3	6	14	2	20	6		1		54	25
3		8				12	22	22	3	5	16		18	5		2		48	26
3		6	2			9	12	8		10	11	1	14	6		1		43	27
2		13	1			13	24	31	5	1	19	1	22	4		1		54	28
1					4	10	5	18	5	15	16	4	31	12		1	1	29	29
1					1	3	3	6	1	8	9	1	15	7		1	1	13	30
.....					3	7	2	12	4	7	7	3	16	5				16	31
.....	1	10	1		9	12	19	27	6	26	33	4	34	14	2	8	1	68	32
.....	1	5			2	6	12	14	2	15	17	2	18	10		3	1	37	33
.....	1	5	1		7	6	7	13	4	11	16	2	16	4	2	5		31	34
.....	1	10	1		9	12	19	27	6	26	33	4	34	14	2	8	1	68	35
.....	1	5			2	6	12	14	2	15	17	2	18	10		3	1	37	36
.....	1	5	1		7	6	7	13	4	11	16	2	16	4	2	5		31	37
.....	1	10	1		5	10	18	22	2	14	24	2	22	9	1	4	1	49	38
.....	1	5			2	5	12	10	1	8	12	1	13	7			1	27	39
.....	1	5	1		3	5	6	12	1	6	12	1	9	2	1	4		22	40
.....	1	4			1	4	9	9	1	7	15		12	3	1	3		24	41
.....		4	1		4	6	9	13		5	8	1	7	5		1		24	42
.....					4	2	1	5	4	12	9	2	12	5	1	4		19	43
.....					4	1	1	4	1	7	5	1	5	3		3		10	44
.....					4	1	1	1	3	5	4	1	7	2	1	1		9	45
5		8		1	13	12	26	38	32	74	50	8	82	31	3	36	3	139	46
5		3			6	9	15	18	10	40	18	4	44	18		24	2	75	47
.....		5		1	7	3	11	20	22	34	32	4	38	13	3	12	1	64	48
.....	1	15		3	7	7	24	38	20	46	37	9	68	37	3	46	1	115	49
.....	1	9		1	2	4	11	21	6	25	19	7	38	23		16		57	50
.....		6		2	5	3	13	17	14	21	18	2	30	14	3	30	1	58	51

TABLE 19.—POPULATION, BIRTHS, DEATHS, AND DEATH RATES AT CERTAIN AGES, AND DEATHS FROM CERTAIN

AREAS.		UNDER 1 YEAR OF AGE.					UNDER 5 YEARS OF AGE.				ALL AGES.		
		Popula- tion.	Born and died in the census year.	Births during the census year.	Deaths.	Deaths under 1 per 1,000 births.	Popula- tion.	Deaths.	Death rate per 1,000 of popula- tion.	Deaths under 5 per 1,000 at all ages.	Popula- tion.	Deaths.	Death rate per 1,000 of popula- tion.
NEW YORK—Continued.													
1	Group 5—Continued. Binghamton	589	80	669	116	173.4	2,931	165	56.3	236.4	39,647	698	17.6
2	Males	286	43	329	63	191.5	1,464	87	59.4	248.6	18,566	350	18.9
3	Females	303	37	340	53	155.9	1,467	78	53.2	224.1	21,081	348	16.5
4	White	582	79	661	114	172.5	2,893	161	55.7	233.7	39,142	689	17.6
5	Males	283	43	326	62	190.2	1,444	85	58.9	245.7	18,334	346	18.9
6	Females	299	36	335	52	155.2	1,449	76	52.4	221.6	20,808	343	16.5
7	Native	580	79	659	113	171.5	2,872	160	55.7	282.7	34,879	566	16.2
8	Males	282	43	325	61	187.7	1,432	84	58.7	305.5	16,276	275	16.9
9	Females	298	36	334	52	155.7	1,440	76	52.8	261.2	18,603	291	15.6
10	Both parents native	425	55	480	80	166.7	2,070	111	53.6	341.5	26,228	325	12.4
11	One or both parents foreign	155	22	177	29	163.8	802	43	53.6	349.6	8,651	123	14.2
12	Foreign	2		2			21				4,263	111	26.0
13	Males	1		1			12				2,058	65	31.6
14	Females	1		1			9				2,205	46	20.9
15	Cattaraugus county, rural	1,139	78	1,217	108	88.7	5,635	138	24.5	179.9	56,181	767	13.7
16	Males	558	46	604	65	107.6	2,878	82	28.5	199.5	28,621	411	14.4
17	Females	581	32	613	43	70.1	2,757	56	20.3	157.3	27,560	356	12.9
18	Olean	157	19	176	22	125.0	867	26	30.0	218.5	9,462	119	12.6
19	Males	71	7	78	8	(*)	415	10	24.1	(*)	4,710	51	10.8
20	Females	86	12	98	14	(*)	452	16	35.4	(*)	4,752	68	14.3
21	White	155	19	174	22	126.4	858	25	29.1	215.5	9,335	116	12.4
22	Males	69	7	76	8	(*)	410	10	24.4	(*)	4,644	51	11.0
23	Females	86	12	98	14	(*)	448	15	33.5	(*)	4,691	65	13.9
24	Native	155	19	174	22	126.4	854	24	28.1	(*)	7,830	83	10.6
25	Males	69	7	76	8	(*)	409	9	22.0	(*)	3,854	35	9.1
26	Females	86	12	98	14	(*)	445	15	33.7	(*)	3,976	48	12.1
27	Both parents native	102	11	113	13	115.0	522	15	28.7	(*)	5,002	47	9.4
28	One or both parents foreign	53	6	59	7	(*)	332	7	21.1	(*)	2,828	23	8.1
29	Foreign						4				1,505	28	18.6
30	Males						1				790	12	15.2
31	Females						3				715	16	22.4
32	Cayuga county, rural	585	37	622	48	77.2	2,825	72	25.5	128.6	35,889	560	15.6
33	Males	275	26	301	33	109.6	1,416	50	35.3	161.8	18,150	309	17.0
34	Females	310	11	321	15	46.7	1,409	22	15.6	87.6	17,739	251	14.1
35	Auburn	478	63	541	89	164.5	2,346	126	53.7	241.8	30,345	521	17.2
36	Males	238	40	278	53	190.6	1,191	72	60.5	271.7	15,115	265	17.5
37	Females	240	23	263	36	136.9	1,155	54	46.8	210.9	15,230	256	16.8
38	White	473	62	535	87	162.6	2,312	123	53.2	240.7	29,814	511	17.1
39	Males	235	39	274	52	189.8	1,177	71	60.3	272.0	14,838	261	17.6
40	Females	238	23	261	35	134.1	1,135	52	45.8	208.0	14,976	250	16.7
41	Native	473	62	535	87	162.6	2,298	123	53.5	311.4	24,397	395	16.2
42	Males	235	39	274	52	189.8	1,171	71	60.6	343.0	12,085	207	17.1
43	Females	238	23	261	35	134.1	1,127	52	46.1	276.6	12,312	188	15.3
44	Both parents native	272	37	309	52	168.3	1,361	72	52.9	300.0	14,120	240	17.0
45	One or both parents foreign	201	21	222	30	135.1	937	44	47.0	403.7	10,277	109	10.6
46	Foreign						14				5,417	115	21.2
47	Males						6				2,753	54	19.6
48	Females						8				2,664	61	22.9
49	Chemung county, rural	318	25	343	33	96.2	1,582	41	25.9	148.6	18,391	276	15.0
50	Males	144	9	153	14	91.5	777	18	23.2	126.8	9,313	142	15.2
51	Females	174	16	190	19	100.0	805	23	28.6	171.6	9,078	134	14.8

* Data insufficient for rates.

CAUSES, BY SEX, COLOR, GENERAL NATIVITY, AND PARENT NATIVITY: CENSUS YEAR 1900—Continued.

CAUSE OF DEATH.																		
Measles.	Scarlet fever.	Diphtheria and croup.	Whooping cough.	Malarial fever.	Influenza.	Typhoid fever.	Diarrheal diseases.	Consumption.	Cancer and tumor.	Heart disease and dropsy.	Pneumonia.	Diseases of the liver.	Diseases of the nervous system.	Diseases of the urinary organs.	Affections connected with pregnancy.	Old age.	Unknown.	All other causes.
.....	7	41	11	3	5	13	47	68	21	47	60	8	109	33	5	39	2	179
.....	3	18	5	1	3	8	21	33	9	23	31	4	54	21		16	2	98
.....	4	23	6	2	2	5	26	35	12	24	29	4	55	12	5	23		81
.....	7	41	11	3	5	13	47	67	21	46	60	8	106	33	5	39	2	175
.....	3	18	5	1	3	8	21	33	9	23	31	4	53	21		16	2	95
.....	4	23	6	2	2	5	26	34	12	23	29	4	53	12	5	23		80
.....	7	40	11	3	4	12	38	57	16	27	49	7	86	25	5	30	1	148
.....	3	18	5	1	2	7	18	27	5	16	24	3	42	14		10	1	79
.....	4	22	6	2	2	5	20	30	11	11	25	4	44	11	5	20		69
.....	7	23	8	1		7	14	28	7	17	27	5	54	13	2	16	1	95
.....		15	3	1	3	3	14	17	2	5	9	2	11	3	1	3		31
.....		1			1	1	6	9	5	17	11	1	18	7		9	1	24
.....		1			1	1	2	6	4	6	7	1	10	6		6	1	14
.....							4	3	1	11	4		8	1		3		10
.....	5	1	1	8		30	12	54	50	37	88	60	11	103	41	8	45	18
.....	2		1	6		9	7	35	14	51	25	9	58	24		23	10	115
.....	3	1		2		21	5	19	23	37	35	2	45	17	8	22	8	80
.....	1				6	3	8	7	10	5	7	1	20	6	1	3		41
.....	1				6	3	3	3	3	1	3		9	5		1		20
.....	1				6		5	4	7	4	4	1	11	1	1	2		21
.....	1				6	3	8	7	10	5	7		20	6	1	3		39
.....	1					3	3	3	3	1	3		9	5		1		20
.....	1				6		5	4	7	4	4		11	1	1	2		19
.....	1				5	3	4	4	6	4	6		14	4	1	1		30
.....	1					3	1	3	2	1	2		5	3				15
.....	1				5		3	1	4	3	4		9	1	1	1		15
.....	1				3	2	3		3	4	4		8	2		1		16
.....					2	1	1	4	2		1		3	1				8
.....					1		4	3	4	1			6	2		2		5
.....							2		1				4	2		1		2
.....					1		2	3	3	1			2			1		3
.....	1	3	7		2	21	8	27	27	60	40	3	98	33	3	41	13	127
.....	1	2	3		1	10	6	21	11	30	26		47	22		24	8	76
.....	1	4		1	11	2	6	25	16	30	14	3	51	11	3	17	5	51
.....	1	1	18	13	4	2	12	30	26	42	55	12	83	16	8	17	16	119
.....	1	9	5	3	1	6	16	22	13	23	40	6	37	7		3	7	67
.....	1	9	8	1	1	6	14	24	13	19	15	6	46	9	8	14	9	52
.....	1	17	10	4	2	12	29	44	26	42	55	12	82	16	8	17	15	118
.....	1	9	4	3	1	6	16	20	13	23	40	6	37	7		3	7	66
.....	1	8	6	1	1	6	13	24	13	19	15	6	45	9	8	14	8	52
.....	1	17	10	3	2	10	26	34	13	29	37	11	70	13	6	10	10	92
.....	1	9	4	2	1	6	15	14	7	16	26	5	35	6		2	6	53
.....	1	8	6	1	1	4	11	20	6	13	11	6	35	7	6	8	4	39
.....	1	12	5	2	2	4	13	13	8	21	19	8	50	9	4	10	5	53
.....		4	5	1		5	11	12	1	5	12	2	16	3	2		3	27
.....				1		2	3	10	13	13	17	1	12	3	2	7	5	26
.....				1			1	6	6	7	14	1	2	1		1	1	13
.....					2	2	2	4	7	6	3		10	2	2	6	4	13
.....	3	2	1	1		1	10	16	10	30	19	4	52	21		16		80
.....	1	1	1			4	4	9	2	16	8	2	23	17		10		44
.....	3	1			1	6	6	7	8	14	11	2	29	4		6		36

TABLE 19.—POPULATION, BIRTHS, DEATHS, AND DEATH RATES AT CERTAIN AGES, AND DEATHS FROM CERTAIN

	AREAS.	UNDER 1 YEAR OF AGE.					UNDER 5 YEARS OF AGE.				ALL AGES.		
		Popula- tion.	Born and died in the census year.	Births during the census year.	Deaths.	Deaths under 1 per 1,000 births.	Popula- tion.	Deaths.	Death rate per 1,000 of popu- lation.	Deaths under 5 per 1,000 at all ages.	Popula- tion.	Deaths.	Death rate per 1,000 of popu- lation.
	NEW YORK—Continued.												
1	Group 5—Continued. Elmira	504	53	557	72	129.3	2,699	99	36.7	180.0	35,672	550	15.4
2	Males	261	31	292	40	137.0	1,375	58	42.2	197.3	17,891	294	16.4
3	Females	243	22	265	32	120.8	1,324	41	31.0	160.2	17,781	256	14.4
4	White	495	52	547	70	128.0	2,643	96	36.3	178.8	34,856	537	15.4
5	Males	256	31	287	40	139.4	1,346	57	42.3	198.6	17,423	287	16.5
6	Females	239	21	260	30	115.4	1,297	39	30.1	156.0	17,433	250	14.3
7	Native	495	52	547	70	128.0	2,625	95	36.2	224.1	29,369	424	14.4
8	Males	256	31	287	40	139.4	1,338	56	41.9	244.5	14,563	229	15.7
9	Females	239	21	260	30	115.4	1,287	39	30.3	200.0	14,806	195	13.2
10	Both parents native...	316	34	350	42	120.0	1,729	60	34.7	212.8	19,507	282	14.5
11	One or both parents foreign.	179	17	196	27	137.8	896	34	37.9	283.3	9,862	120	12.2
12	Foreign						18	1	(*)	9.1	5,487	110	20.0
13	Males						8	1	(*)	(*)	2,860	55	19.2
14	Females						10				2,627	55	20.9
15	Chenango county.....	564	31	595	47	79.0	2,828	70	24.8	114.6	36,568	611	16.7
16	Males	288	21	309	30	97.1	1,451	45	31.0	148.5	18,320	303	16.5
17	Females	276	10	286	17	59.4	1,377	25	18.2	81.2	18,248	308	16.9
18	Columbia county, rural.....	536	59	595	82	137.8	2,803	112	40.0	192.1	33,683	583	17.3
19	Males	261	28	289	39	134.9	1,418	56	39.5	194.4	17,177	288	16.8
20	Females	275	31	306	43	140.5	1,385	56	40.4	189.8	16,506	295	17.9
21	Hudson	145	24	169	29	171.6	664	50	75.3	240.4	9,528	208	21.8
22	Males	64	17	81	20	(*)	320	33	103.1	282.1	4,300	117	27.2
23	Females	81	7	88	9	(*)	344	17	49.4	(*)	5,228	91	17.4
24	White	136	22	158	26	164.6	637	45	70.6	239.4	9,094	188	20.7
25	Males	62	15	77	18	(*)	310	30	96.8	277.8	4,124	108	26.2
26	Females	74	7	81	8	(*)	327	15	45.9	(*)	4,970	80	16.1
27	Native	135	22	157	26	165.6	634	45	71.0	288.5	7,951	156	19.6
28	Males	61	15	76	18	(*)	307	30	97.7	(*)	3,582	89	24.8
29	Females	74	7	81	8	(*)	327	15	45.9	(*)	4,369	67	15.3
30	Both parents native...	101	15	116	18	155.2	459	34	74.1	303.6	5,613	112	20.0
31	One or both parents foreign.	34	6	40	7	(*)	175	10	57.1	(*)	2,338	29	12.4
32	Foreign	1		1			3				1,143	28	24.5
33	Males	1		1			3				542	16	29.5
34	Females										601	12	20.0
35	Cortland county, rural.....	294	17	311	21	67.5	1,482	31	20.9	111.1	18,562	279	15.0
36	Males	156	8	164	10	61.0	743	13	17.5	94.2	9,435	138	14.6
37	Females	138	9	147	11	74.8	739	18	24.4	127.7	9,127	141	15.4
38	Cortland	137	8	145	12	82.8	695	19	27.3	158.3	9,014	120	13.3
39	Males	77	3	80	5	(*)	356	8	22.5	(*)	4,299	56	13.0
40	Females	60	5	65	7	(*)	339	11	32.4	(*)	4,715	64	13.6
41	White	137	8	145	12	82.8	693	19	27.4	159.7	8,962	119	13.3
42	Males	77	3	80	5	(*)	355	8	22.5	(*)	4,271	56	13.1
43	Females	60	5	65	7	(*)	338	11	32.5	(*)	4,691	63	13.4
44	Native	137	8	145	12	82.8	693	19	27.4	175.9	8,283	108	13.0
45	Males	77	3	80	5	(*)	355	8	22.5	(*)	3,951	48	12.1
46	Females	60	5	65	7	(*)	338	11	32.5	(*)	4,332	60	13.9
47	Both parents native...	110	7	117	11	94.0	552	18	32.6	(*)	6,695	80	11.9
48	One or both parents foreign.	27		27			141				1,588	10	6.3
49	Foreign										679	10	14.7
50	Males										320	8	25.0
51	Females										359	2	5.6
52	Dutchess county, rural	1,012	100	1,112	147	132.2	4,889	200	40.9	201.6	57,641	992	17.2
53	Males	510	58	568	78	137.3	2,481	105	42.3	198.5	29,328	529	18.0
54	Females	502	42	544	69	126.8	2,408	95	39.5	205.2	28,313	463	16.4

* Data insufficient for rates.

CAUSES, BY SEX, COLOR, GENERAL NATIVITY, AND PARENT NATIVITY: CENSUS YEAR 1900—Continued.

CAUSE OF DEATH.																		
Measles.	Scarlet fever.	Diphtheria and croup.	Whooping cough.	Malarial fever.	Influenza.	Typhoid fever.	Diarrheal diseases.	Consumption.	Cancer and tumor.	Heart disease and dropsy.	Pneumonia.	Diseases of the liver.	Diseases of the nervous system.	Diseases of the urinary organs.	Affections connected with pregnancy.	Old age.	Unknown.	All other causes.
1	2	8			13	13	17	63	22	39	39	6	86	46	1	22	2	170
1	2	8			3	6	7	37	9	24	14	1	47	32		12		94
1	2	8			10	7	10	26	13	15	25	5	39	14	1	10	2	76
1	2	8			13	13	17	57	22	38	39	6	85	45	1	22	2	166
1	2	8			3	6	7	35	9	23	14	1	46	31		12		92
1	2	8			10	7	10	22	13	15	25	5	39	14	1	10	2	74
1	2	8			9	12	15	44	17	26	30	4	65	33	1	15	1	141
1	2	8			2	5	6	28	7	18	12	1	35	22		8		77
1	2	6			7	7	9	16	10	8	18	3	30	11	1	7	1	64
1	2	2			7	7	7	21	12	21	20	2	47	23	1	13	1	93
					1	5	8	21	4	3	7	1	15	7		1		43
					4	1	2	13	5	12	9	2	18	12		6	1	25
					1	1	1	7	2	5	2		9	9		3		15
					3		1	6	3	7	7	2	9	3		3	1	10
	1	5	3	1	17	3	25	44	35	58	49	11	97	47	4	38	4	169
	1	1	2		8	2	17	22	11	24	24	7	52	29		12	1	90
		4	1	1	9	1	8	22	24	34	25	4	45	18	4	26	3	79
7	3	4	3	4	6	12	29	43	26	45	61	4	79	43	2	47	4	161
3	2	1	1	1	4	9	12	29	6	25	30	2	40	23		18	1	81
4	1	3	2	3	2	3	17	14	20	20	31	2	39	20	2	29	3	80
2		3	1	1	6	5	14	15	7	17	23	5	38	9		8	2	52
2		2	1	1	1	2	9	6	2	13	12	3	21	5		4	1	32
		1			5	3	5	9	5	4	11	2	17	4		4	1	20
2		3	1	1	6	5	14	13	7	17	21	5	33	7		8	2	43
2		2	1	1	1	2	9	5	2	13	11	3	18	5		4	1	28
		1			5	3	5	8	5	4	10	2	15	2		4	1	15
2		3	1	1	5	5	14	11	5	13	20	3	22	6		5	2	38
2		2	1	1	1	2	9	4	2	10	10	1	11	4		3	1	25
		1			4	3	5	7	3	3	10	2	11	2		2	1	13
2		3			4	3	11	8	5	9	15	2	16	5		4	2	23
			1	1		2	1	2		1	5		3	1				12
					1			2	2	2	1	1	11	1		3		4
					1			1		2	1	1	7	1		2		2
					1			1	2				4			1		34
	1	2	1		3	7	20	25	25	27	18	3	40	19	1	26	1	60
	1				1	3	7	9	5	18	9	2	20	11		19	1	32
		2	1		2	4	13	16	20	9	9	1	20	8	1	7		28
	3	1	2		1	5	7	10	4	9	10		21	4	1	3		39
		1	1			4	6	3	2	4	4		11	2		1		17
	3		1		1	1	1	7	2	5	6		10	2	1	2		22
	3	1	2		1	5	7	10	4	8	10		21	4	1	3		39
		1	1			4	6	3	2	4	4		11	2		1		17
		1	1		1	1	1	7	2	4	6		10	2	1	2		22
	3	1	2		1	5	7	10	3	7	8		19	3	1	3		35
		1	1			4	6	3	1	3	3		10	1		1		14
	3				1	1	1	7	2	4	5		9	2	1	2		21
	3	1			1	2	4	7	3	5	7		12	3	1	2		27
						2	2	2		1			1					4
									1	1	1		2	1				4
									1	1	1		1	1				3
													1					1
7	3	11	11	7	22	17	49	95	29	105	100	15	175	45	3	42	2	249
3	1	5	6	5	5	11	20	54	11	55	58	10	108	24		17	2	134
4	2	6	5	2	17	6	29	41	18	50	42	5	67	21	8	25		115

TABLE 19.—POPULATION, BIRTHS, DEATHS, AND DEATH RATES AT CERTAIN AGES, AND DEATHS FROM CERTAIN

AREAS.	UNDER 1 YEAR OF AGE					UNDER 5 YEARS OF AGE.				ALL AGES.		
	Popula- tion.	Born and died in the census year.	Births during the census year.	Deaths.	Deaths under 1 per 1,000 births.	Popula- tion.	Deaths.	Death rate per 1,000 of popula- tion.	Deaths under 5 per 1,000 at all ages.	Popula- tion.	Deaths.	Death rate per 1,000 of popula- tion.
NEW YORK—Continued.												
1 Group 5—Continued. Poughkeepsie.....	380	53	433	77	177.8	1,926	110	57.1	221.8	24,029	406	20.6
2 Males.....	175	27	202	41	203.0	964	57	59.1	259.1	11,174	220	19.7
3 Females.....	205	26	231	36	155.8	962	53	55.1	192.0	12,855	276	21.5
4 White.....	374	49	423	72	170.2	1,880	102	54.3	216.6	23,397	471	20.1
5 Males.....	174	25	199	38	191.0	943	52	55.1	248.8	10,905	209	19.2
6 Females.....	200	24	224	34	151.8	937	50	53.4	190.8	12,492	262	21.0
7 Native.....	374	49	423	72	170.2	1,870	102	54.5	311.0	19,410	328	16.9
8 Males.....	174	25	199	38	191.0	940	52	55.3	351.4	8,974	148	16.5
9 Females.....	200	24	224	34	151.8	930	50	53.8	277.8	10,436	180	17.2
10 Both parents native....	230	28	258	44	170.5	1,135	59	52.0	302.6	12,792	195	15.2
11 One or both parents foreign.....	144	19	163	26	159.5	735	40	54.4	(*)	6,618	95	14.4
12 Foreign.....						10				3,987	136	34.1
13 Males.....						3				1,931	57	29.5
14 Females.....						7				2,056	79	38.4
15 Fulton county, rural.....	271	17	288	25	86.8	1,330	38	28.6	159.7	14,363	238	16.6
16 Males.....	128	5	133	9	67.7	625	17	27.2	141.7	7,399	120	16.2
17 Females.....	143	12	155	16	103.2	705	21	29.8	178.0	6,964	118	16.9
18 Gloversville.....	222	30	252	44	174.6	1,268	49	38.6	225.8	18,349	217	11.8
19 Males.....	112	16	128	25	195.3	647	27	41.7	262.1	8,758	103	11.8
20 Females.....	110	14	124	19	153.2	621	22	35.4	193.0	9,591	114	11.9
21 White.....	220	30	250	44	176.0	1,252	49	39.1	226.9	18,125	216	11.9
22 Males.....	110	16	126	25	198.4	639	27	42.3	262.1	8,651	103	11.9
23 Females.....	110	14	124	19	153.2	613	22	35.9	194.7	9,474	113	11.9
24 Native.....	218	30	248	44	177.4	1,219	49	40.2	264.9	15,588	185	11.9
25 Males.....	109	16	125	25	200.0	623	27	43.3	(*)	7,328	89	12.1
26 Females.....	109	14	123	19	154.5	596	22	36.9	(*)	8,260	96	11.6
27 Both parents native....	140	18	158	25	158.2	847	28	33.1	217.1	12,255	129	10.5
28 One or both parents foreign.....	78	11	89	16	(*)	372	18	48.4	(*)	3,333	32	9.6
29 Foreign.....	2		2			33				2,537	30	11.8
30 Males.....	1		1			16				1,323	14	10.6
31 Females.....	1		1			17				1,214	16	13.2
32 Johnstown.....	178	16	194	25	128.9	796	30	37.7	222.2	10,130	135	13.3
33 Males.....	89	10	99	17	(*)	402	22	54.7	(*)	4,833	79	16.3
34 Females.....	89	6	95	8	(*)	394	8	20.3	(*)	5,297	56	10.6
35 White.....	172	16	188	25	133.0	782	30	38.4	225.6	10,021	133	13.3
36 Males.....	87	10	97	17	(*)	396	22	55.6	(*)	4,775	77	16.1
37 Females.....	85	6	91	8	(*)	386	8	20.7	(*)	5,246	56	10.7
38 Native.....	170	16	186	25	134.4	775	30	38.7	275.2	8,370	109	13.0
39 Males.....	86	10	96	17	(*)	393	22	56.0	(*)	3,913	63	16.1
40 Females.....	84	6	90	8	(*)	382	8	20.9	(*)	4,457	46	10.3
41 Both parents native....	82	11	93	17	(*)	432	19	44.0	(*)	6,416	79	12.3
42 One or both parents foreign.....	88	5	93	8	(*)	343	11	32.1	(*)	1,954	25	12.8
43 Foreign.....	2		2			7				1,651	22	13.3
44 Males.....	1		1			3				862	14	16.2
45 Females.....	1		1			4				789	8	10.1
46 Lewis county.....	506	35	541	50	92.4	2,592	75	28.9	205.5	27,427	365	13.3
47 Males.....	240	17	257	24	93.4	1,327	39	29.4	200.0	14,192	195	13.7
48 Females.....	266	18	284	26	91.5	1,265	36	28.5	211.8	13,235	170	12.8
49 Livingston county.....	603	22	625	33	52.8	3,087	51	16.5	100.2	37,059	509	13.7
50 Males.....	297	13	310	20	64.5	1,560	33	21.2	117.9	18,522	280	15.1
51 Females.....	306	9	315	13	41.3	1,527	18	11.8	78.6	18,537	229	12.4

* Data insufficient for rates.

CAUSES, BY SEX, COLOR, GENERAL NATIVITY, AND PARENT NATIVITY: CENSUS YEAR 1900—Continued.

CAUSE OF DEATH.																		
Measles.	Scarlet fever.	Diphtheria and croup.	Whooping cough.	Malarial fever.	Influenza.	Typhoid fever.	Diarrheal diseases.	Consumption.	Cancer and tumor.	Heart disease and dropsy.	Pneumonia.	Diseases of the liver.	Diseases of the nervous system.	Diseases of the urinary organs.	Affections connected with pregnancy.	Old age.	Unknown.	All other causes.
4		4	4	5	3	7	26	60	21	50	48	3	105	20	5	25	1	105
3		1	2	1	1	5	8	25	5	21	23	3	48	12		8		54
1		3	2	4	2	2	18	35	16	29	25		57	8	5	17	1	51
4		4	4	5	3	7	25	55	20	47	45	3	99	19	5	25		101
3		1	2	1	1	5	8	22	5	20	21	3	45	12		8		52
1		3	2	4	2	2	17	33	15	27	24		54	7	5	17		49
4		4	4	2	2	7	18	39	11	31	33	2	67	11	2	14		77
3		1	2	1	1	5	7	16	2	13	15	2	30	7		4		39
1		3	2	1	1	2	11	23	9	18	18		37	4	2	10		38
2		2	3		1	5	13	17	7	21	20	2	36	8	2	12		44
2		2	1	1		2	4	18	3	8	7		20	1				26
.....				3	1		6	16	9	16	11	1	31	8	3	11		20
.....				3	1		1	6	3	7	6	1	14	5		4		10
.....							5	10	6	9	5		17	3	3	7		10
.....		2	1		3	4	7	21	9	27	16	2	46	19	3	17	1	60
.....		1	1		3	2	3	9	3	20	7	1	25	9		12	1	27
.....		1	1		3	2	4	12	6	7	9	1	21	10	3	5		33
.....	1	1			2	3	19	18	11	26	15		29	16	1	11	3	61
.....	1	1			1	2	11	7	1	17	9		12	9		3		29
.....					1	1	8	11	10	9	6		17	7	1	8	3	32
.....	1	1			2	3	19	18	10	26	15		29	16	1	11	3	61
.....	1	1			1	2	11	7	1	17	9		12	9		3		29
.....					1	1	8	11	9	9	6		17	7	1	8	3	32
.....	1	1			2	1	16	16	8	25	11		23	14		7	2	58
.....	1	1			1	1	10	6	7	16	7		9	8		1		27
.....	1	1			1	1	6	10	1	9	4		14	6		6	2	31
.....							6	13	5	19	10		17	9		5	1	40
.....							6	3	1	2	1		3	3				13
.....					2	3	3	2	2	1	4		6	2	1	3	1	3
.....					1	1	1	1	2	1	2		3	1		2		2
.....					1	2	2	1	2		2		3	1	1	1	1	1
.....		1			2	3	7	10	5	18	5	2	24	11		12	4	31
.....		1			2	1	7	5	2	9	1	2	13	8		8	2	18
.....					2			5	3	9	4		11	3		4	2	13
.....		1			2	3	7	10	4	17	5	2	24	11		12	4	31
.....		1			2	1	7	5	1	8	1	2	13	8		8	2	18
.....					2	2		5	3	9	4		11	3		4	2	13
.....		1			1	2	7	9	4	16	4	2	21	9		5	4	24
.....		1			1	1	7	4	1	8	1	2	11	6		3	2	15
.....					1	1	4	5	2	8	3		10	3		2	2	9
.....					1	1	3	4	1	12	4	1	17	8		5	2	17
.....		1				1				1		1	3	1			2	7
.....					1	1		1			1		2	2		7		7
.....					1	1		1			1		2	2		5		3
.....																2		4
2		6	3	2	6	7	16	21	10	33	21	12	54	24	2	25	7	114
1		4		1	3	3	6	10	3	15	11	7	30	17		14	2	68
1		2	3	1	3	4	10	11	7	18	10	5	24	7	2	11	5	46
.....																		48
1	1	11	2		12	6	16	42	34	75	36	10	91	39	3	20	2	108
.....	1	6			5	4	9	21	17	42	19	7	52	24		11	2	60
1		5	2		7	2	7	21	17	33	17	3	39	15	3	9		48

VITAL STATISTICS.

TABLE 19.—POPULATION, BIRTHS, DEATHS, AND DEATH RATES AT CERTAIN AGES, AND DEATHS FROM CERTAIN

	AREAS.	UNDER 1 YEAR OF AGE.					UNDER 5 YEARS OF AGE.				ALL AGES.		
		Popula- tion.	Born and died in the census year.	Births during the census year.	Deaths.	Deaths under 1 per 1,000 births.	Popula- tion.	Deaths.	Death rate per 1,000 of popu- lation.	Deaths under 5 per 1,000 at all ages.	Popula- tion.	Deaths.	Death rate per 1,000 of popu- lation.
	NEW YORK—Continued.												
1	Group 5—Continued. Madison county.....	634	43	677	54	79.8	3,113	71	22.8	122.8	40,545	578	14.3
2	Males.....	325	22	347	29	83.6	1,588	35	22.0	118.2	20,180	296	14.7
3	Females.....	309	21	330	25	75.8	1,525	36	23.6	127.7	20,365	282	13.8
4	Montgomery county, rural.....	389	28	417	34	81.5	2,031	46	22.6	134.1	26,559	343	12.9
5	Males.....	202	13	215	18	83.7	1,036	23	22.2	119.8	13,450	192	14.3
6	Females.....	187	15	202	16	79.2	995	23	23.1	152.3	13,109	151	11.5
7	Amsterdam.....	464	45	509	68	133.6	2,044	92	45.0	273.8	20,929	336	16.1
8	Males.....	216	27	243	39	160.5	1,011	50	49.5	297.6	10,023	168	16.8
9	Females.....	248	18	266	29	109.0	1,033	42	40.7	250.0	10,906	168	15.4
10	White.....	461	44	505	67	132.7	2,037	91	44.7	272.5	20,831	334	16.0
11	Males.....	215	26	241	38	157.7	1,008	49	48.6	295.2	9,984	166	16.6
12	Females.....	246	18	264	29	109.8	1,029	42	40.8	250.0	10,847	168	15.5
13	Native.....	461	44	505	67	132.7	2,009	91	45.3	362.5	15,260	251	16.4
14	Males.....	215	26	241	38	157.7	994	49	49.3	408.3	7,210	120	16.6
15	Females.....	246	18	264	29	109.8	1,015	42	41.4	320.6	8,050	131	16.3
16	Both parents native....	142	17	159	23	144.7	744	31	41.7	248.0	8,399	125	14.9
17	One or both parents foreign.....	319	26	345	43	124.6	1,265	57	45.1	518.2	6,861	110	16.0
18	Foreign.....						28				5,571	82	14.7
19	Males.....						14				2,774	45	16.2
20	Females.....						14				2,797	37	13.2
21	Oneida county, rural.....	1,023	76	1,099	98	89.2	5,101	128	25.1	144.3	61,074	887	14.5
22	Males.....	518	49	567	63	111.1	2,548	79	31.0	167.7	30,946	471	15.2
23	Females.....	505	27	532	35	65.8	2,553	49	19.2	117.8	30,128	416	13.8
24	Rome.....	308	18	326	29	89.0	1,369	43	31.4	161.0	15,343	267	17.4
25	Males.....	160	10	170	14	82.4	719	22	30.6	142.9	7,591	154	20.3
26	Females.....	148	8	156	15	96.2	650	21	32.3	185.8	7,752	113	14.6
27	White.....	306	18	324	29	89.5	1,361	43	31.6	162.3	15,252	265	17.4
28	Males.....	159	10	169	14	82.8	714	22	30.8	143.8	7,544	153	20.3
29	Females.....	147	8	155	15	96.8	647	21	32.5	187.5	7,708	112	14.5
30	Native.....	306	18	324	29	89.5	1,352	43	31.8	215.0	12,728	200	15.7
31	Males.....	159	10	169	14	82.8	707	22	31.1	196.4	6,172	112	18.1
32	Females.....	147	8	155	15	96.8	645	21	32.6	(*)	6,556	88	13.4
33	Both parents native....	199	14	213	21	98.6	909	31	34.1	267.2	7,980	116	14.5
34	One or both parents foreign.....	107	4	111	8	72.1	443	10	22.6	(*)	4,748	57	12.0
35	Foreign.....						9				2,524	65	25.8
36	Males.....						7				1,372	41	29.9
37	Females.....						2				1,152	24	20.8
38	Utica.....	1,140	118	1,258	158	125.6	5,226	214	40.9	216.2	56,383	990	17.6
39	Males.....	573	76	649	96	147.9	2,662	128	48.1	241.5	26,875	530	19.7
40	Females.....	567	42	609	62	101.8	2,564	86	33.5	187.0	29,508	460	15.6
41	White.....	1,136	117	1,253	156	124.5	5,210	212	40.7	215.4	56,137	984	17.5
42	Males.....	570	75	645	94	145.7	2,656	126	47.4	239.5	26,747	526	19.7
43	Females.....	566	42	608	62	102.0	2,554	86	33.7	187.8	29,390	458	15.6
44	Native.....	1,131	117	1,248	156	125.0	5,135	211	41.1	303.2	42,668	696	16.3
45	Males.....	566	75	641	94	146.6	2,618	125	47.7	328.1	20,172	381	18.9
46	Females.....	565	42	607	62	102.1	2,517	86	34.2	273.0	22,496	315	14.0
47	Both parents native....	539	65	604	80	132.5	2,527	106	41.9	320.2	19,852	331	16.7
48	One or both parents foreign.....	592	48	640	67	104.7	2,608	95	36.4	316.7	22,816	300	13.1
49	Foreign.....	5		5			75	1	(*)	3.6	13,469	280	20.8
50	Males.....	4		4			38	1	(*)	7.2	6,575	139	21.1
51	Females.....	1		1			37				6,894	141	20.5

* Data insufficient for rates.

CAUSES, BY SEX, COLOR, GENERAL NATIVITY, AND PARENT NATIVITY: CENSUS YEAR 1900—Continued.

CAUSE OF DEATH.																		
Measles.	Scarlet fever.	Diphtheria and croup.	Whooping cough.	Malarial fever.	Influenza.	Typhoid fever.	Diarrheal diseases.	Consumption.	Cancer and tumor.	Heart disease and dropsy.	Pneumonia.	Diseases of the liver.	Diseases of the nervous system.	Diseases of the urinary organs.	Affections connected with pregnancy.	Old age.	Unknown.	All other causes.
4	2	2	1	1	13	7	20	47	31	59	44	8	100	37	4	48	3	147
3	1	2	1	1	7	3	12	22	9	29	21	5	51	23	4	28	2	79
1	1	2	1	1	6	4	8	25	22	30	23	3	49	14	4	20	1	68
.....	3				3	8	16	29	14	44	21	5	52	22	2	27	4	93
.....	2				2	7	5	22	6	25	4	2	23	11		18	4	61
.....	1				1	1	11	7	8	19	17	3	29	11	2	9		32
.....	3	7	4		6	3	26	39	20	27	34	2	55	10	6	7	1	86
.....	3	2	2		1	1	13	17	11	12	18	2	29	5		4	1	50
.....	3	5	2		5	2	13	22	9	15	16		26	5	6	3		36
.....	3	7	4		6	3	26	39	20	27	34	2	53	10	6	7	1	86
.....	3	2	2		1	1	13	17	11	12	18	2	27	5		4	1	50
.....	3	5	2		5	2	13	22	9	15	16		26	5	6	3		36
.....	3	7	4		3	2	23	29	17	18	22	1	44	7	3	6		62
.....	3	2	2		1	1	13	12	9	8	12	1	20	3		3		33
.....	3	5	2		2	1	10	17	8	10	10		24	4	3	3		29
.....	3	4	2		3	2	4	13	11	11	12		21	4	1	5		29
.....	3	3	2				18	15	3	5	10	1	20	3	2			28
.....					3	1	3	10	3	9	12	1	9	3	3	1	1	23
.....					3	1	3	5	2	4	6	1	7	2	3	1	1	16
.....								5	1	5	6		2	1				7
.....	1	10	3	1	14	15	30	88	43	104	79	8	134	51	3	62	17	224
.....	1	6	2	1	8	6	18	45	24	57	37	2	69	33		33	10	119
.....	4	1	1		6	9	12	43	19	47	42	6	65	18	3	29	7	105
.....	1		2	1	1	6	16	22	13	34	21	2	40	8	1	18	9	72
.....	1		1	1		5	8	15	4	24	9	1	22	5		11	5	42
.....			1		1	1	8	7	9	10	12	1	18	3	1	7	4	30
.....	1		2	1	1	5	16	22	13	34	21	2	40	8	1	17	9	72
.....	1		1	1		4	8	15	4	24	9	1	22	5		11	5	42
.....			1		1	1	8	7	9	10	12	1	18	3	1	6	4	30
.....	1		2	1	1	2	11	20	7	22	16	1	30	8	1	8	9	60
.....	1		1	1		2	7	13	1	13	5	1	19	5		4	5	34
.....			2		1		4	7	6	9	11		11	3	1	4	4	26
.....			1		1	1	5	4	5	14	8	1	16	2		8	7	43
.....			1		1	1	3	12	1	6	4		8	5	1		2	12
.....						3	5	2	6	12	5	1	10			9		12
.....						2	1	2	3	11	4		3			7		8
.....					1	4		3	3	1	1	1	7			2		4
1	1	49	1		13	8	34	119	40	76	107	15	131	76	2	29	5	283
.....	1	27	1		5	3	19	73	11	33	59	7	82	43		12	2	152
.....	22				8	5	15	46	29	43	48	8	49	33	2	17	3	131
1	1	49	1		13	8	33	119	40	75	107	14	130	76	2	29	4	282
.....	1	27	1		5	3	18	73	11	32	59	6	82	43		12	2	151
.....	22				8	5	15	46	29	43	48	8	48	33	2	17	2	131
1	1	49			6	8	26	82	21	47	72	6	98	51		14	3	211
.....	1	27			4	3	13	47	5	20	38	3	68	29		6	1	116
.....					2	5	13	35	16	27	34	3	30	22		8	2	95
.....	1	25			3	5	10	29	11	18	26	3	52	26		9	1	113
1	1	24			2	2	12	48	9	24	35		37	23		1	1	77
.....			1		7		7	35	19	28	34	8	31	25	2	15	1	67
.....					1		5	24	6	12	20	3	13	14		6		33
.....					6		2	11	13	16	14	5	18	11	2	9		34

VITAL STATISTICS.

TABLE 19.—POPULATION, BIRTHS, DEATHS, AND DEATH RATES AT CERTAIN AGES, AND DEATHS FROM CERTAIN

	AREAS.	UNDER 1 YEAR OF AGE.					UNDER 5 YEARS OF AGE.				ALL AGES.		
		Popula- tion.	Born and died in the census year.	Births during the census year.	Deaths.	Deaths under 1 per 1,000 births.	Popula- tion.	Deaths.	Death rate per 1,000 of popu- lation.	Deaths under 5 per 1,000 at all ages.	Popula- tion.	Deaths.	Death rate per 1,000 of popu- lation.
	NEW YORK—Continued.												
1	Group 5—Continued. Onondaga county, rural	1,169	57	1,226	84	68.5	5,726	130	22.7	149.8	60,361	868	14.4
2	Males	587	31	618	45	72.8	2,828	73	25.8	169.0	31,136	432	13.9
3	Females	582	26	608	39	64.1	2,898	57	19.7	130.7	29,225	436	14.9
4	Syracuse	1,894	177	2,071	251	121.2	9,750	357	36.6	239.0	108,374	1,494	13.8
5	Males	986	99	1,085	139	128.1	4,925	203	41.2	260.6	52,538	779	14.8
6	Females	908	78	986	112	113.6	4,824	154	31.9	215.4	55,836	715	12.8
7	White	1,878	176	2,054	249	121.2	9,668	353	36.5	239.2	107,309	1,476	13.8
8	Males	979	99	1,078	139	128.9	4,889	203	41.5	263.6	52,011	770	14.8
9	Females	899	77	976	110	112.7	4,779	150	31.4	212.5	55,298	706	12.8
10	Native	1,875	176	2,051	249	121.4	9,607	350	36.4	334.6	83,604	1,046	12.5
11	Males	978	99	1,077	139	129.1	4,855	200	41.2	366.3	40,254	546	13.6
12	Females	897	77	974	110	112.9	4,752	150	31.6	300.0	43,350	500	11.5
13	Both parents na- tive. (M.....)	494	49	543	64	117.9	2,430	98	40.3	345.1	21,329	284	13.3
14	One or both par- ents foreign. (F.....)	413	38	451	60	133.0	2,236	77	34.4	272.1	22,488	283	12.6
15	Foreign	484	42	526	63	119.8	2,425	89	36.7	458.8	18,925	194	10.3
16	Foreign	484	34	518	44	84.9	2,516	64	25.4	397.5	20,862	161	7.7
17	Foreign	3		3			61	3	(*)	7.4	23,705	408	17.2
18	Males	1		1			34	3	(*)	14.2	11,757	212	18.0
19	Females	2		2			27				11,948	196	16.4
20	Colored	16	1	17	2	(*)	82	4	(*)	(*)	1,065	18	16.9
21	Males	7		7			37				527	9	17.1
22	Females	9	1	10	2	(*)	45	4	(*)	(*)	538	9	16.7
23	Ontario county, rural	672	38	710	55	77.5	3,216	70	21.8	124.1	39,172	564	14.4
24	Males	338	27	365	37	101.4	1,638	43	26.3	155.2	19,783	277	14.0
25	Females	334	11	345	18	52.2	1,578	27	17.1	94.1	19,389	287	14.8
26	Geneva	179	16	195	23	117.9	877	31	35.3	202.6	10,433	153	14.7
27	Males	91	9	100	11	110.0	435	14	32.2	(*)	5,050	72	14.3
28	Females	88	7	95	12	(*)	442	17	38.5	(*)	5,383	81	15.0
29	White	173	16	189	22	116.4	858	30	35.0	206.9	10,236	145	14.2
30	Males	88	9	97	10	(*)	427	13	30.4	(*)	4,957	69	13.9
31	Females	85	7	92	12	(*)	431	17	39.4	(*)	5,279	76	14.4
32	Native	173	16	189	22	116.4	850	30	35.3	291.3	8,331	103	12.4
33	Males	88	9	97	10	(*)	425	13	30.6	(*)	4,012	52	13.0
34	Females	85	7	92	12	(*)	425	17	40.0	(*)	4,319	51	11.8
35	Both parents native...	97	8	105	13	123.8	492	15	30.5	(*)	4,877	60	12.3
36	One or both parents foreign. (F.....)	76	8	84	9	(*)	358	15	41.9	(*)	3,454	37	10.7
37	Foreign						8				1,905	40	21.0
38	Males						2				945	15	15.9
39	Females						6				960	25	26.0
40	Otsego county	733	36	769	51	66.3	3,600	71	19.7	99.7	48,939	712	14.5
41	Males	381	19	400	23	57.5	1,849	34	18.4	100.6	24,370	338	13.9
42	Females	352	17	369	28	75.9	1,751	37	21.1	98.9	24,569	374	15.2
43	Putnam county	282	26	308	36	116.9	1,253	47	37.5	210.8	13,787	223	16.2
44	Males	138	12	150	18	120.0	624	23	36.9	178.3	7,001	129	18.4
45	Females	144	14	158	18	113.9	629	24	38.2	(*)	6,786	94	13.9
46	Rensselaer county, rural	850	67	917	92	100.3	4,111	128	31.1	168.6	48,451	759	15.7
47	Males	447	37	484	55	113.6	2,053	70	34.1	188.2	24,235	372	15.3
48	Females	403	30	433	37	85.5	2,058	58	28.2	149.9	24,216	387	16.0

* Data insufficient for rates.

POPULATION, BIRTHS, DEATHS, AND DEATH RATES.

489

CAUSES, BY SEX, COLOR, GENERAL NATIVITY, AND PARENT NATIVITY: CENSUS YEAR 1900—Continued.

CAUSE OF DEATH.																		
Measles.	Scarlet fever.	Diphtheria and croup.	Whooping cough.	Malarial fever.	Influenza.	Typhoid fever.	Diarrheal diseases.	Consumption.	Cancer and tumor.	Heart disease and dropsy.	Pneumonia.	Diseases of the liver.	Diseases of the nervous system.	Diseases of the urinary organs.	Affections connected with pregnancy.	Old age.	Unknown.	All other causes.
1		7	6	2	7	15	40	66	39	82	72	13	145	51	4	75	1	242
1		6	4	1	3	6	18	27	11	38	33	5	69	38		34	1	138
.....		1	2	1	4	9	22	39	28	44	39	8	76	13	4	41		104
3	4	23	14	5	11	25	90	143	86	106	136	12	208	102	6	62	16	442
2	1	13	10	2	6	16	48	86	31	48	78	6	101	64		23	6	238
1	3	10	4	3	5	9	42	57	55	58	58	6	107	38	6	39	10	204
3	4	23	14	5	11	25	89	143	86	105	134	12	205	100	6	62	15	434
2	1	13	10	2	6	16	48	86	31	47	77	6	100	63		23	6	233
1	3	10	4	3	5	9	41	57	55	58	57	6	105	37	6	39	9	201
3	4	22	14	3	5	20	77	101	49	62	95	7	151	64	4	26	12	327
2	1	13	10	1	3	12	44	59	11	28	56	5	73	42		8	4	174
1	3	9	4	2	2	8	33	42	38	34	39	2	78	22		18	8	153
1	1	11	6	1	2	8	23	24	7	12	28	1	42	17	4	6	1	83
1	2	4	2	2	2	7	18	17	22	25	18	1	48	14		12	5	83
1		2	3		1	3	18	28	1	9	24	2	24	10		1	2	65
.....	1	4	2			1	12	23	11	7	16	1	24	4	4	1		50
.....		1		2	6	4	12	40	37	40	38	3	54	35	2	34	3	97
.....		1		1	3	3	4	25	20	18	20	1	27	21		15	2	52
.....				1	3	1	8	15	17	22	18	2	27	14	2	19	1	45
.....							1			1	2		3	2			1	8
.....										1	1		1	1				5
.....							1				1		2	1			1	3
1	5	3	1	1	8	10	24	48	32	68	40	6	95	26	3	44	2	147
1	2	1	1		1	5	13	17	9	40	19	2	43	18		22	1	82
.....	3	2		1	7	5	11	31	23	28	21	4	52	8	3	22	1	65
.....	2	2				5	8	11	11	21	9		18	10		5		51
.....	1					3	4	8	3	12	3		12	3		2		21
.....	1	2				2	4	3	8	9	6		6	7		3		30
.....	2	2				5	7	11	8	20	9		17	10		5		49
.....	1					3	3	8	3	11	3		11	3		2		21
.....	1	2				2	4	3	5	9	6		6	7		3		28
.....	2	2				5	7	11	4	12	5		13	8		1		33
.....	1					3	3	8	2	10	1		8	2				14
.....	1	2				2	4	3	2	2	4		5	6		1		19
.....	1	1				2	2	4	4	9	4		10	4				20
.....	2	1				3	5	6		1			3	3				13
.....									4	8	4		4	2		4		14
.....									1	1	2		3	1		2		5
.....									3	7	2		1	1		2		9
.....		4	1		9	16	23	53	37	81	79	15	123	57	5	44	3	162
.....	3	1	1		5	9	8	16	9	39	41	7	58	32		20		91
.....					4	7	15	37	28	42	38	8	65	25	5	24	3	71
.....		5		1	3	1	7	21	9	32	21	1	31	15	1	2	2	71
.....		2				1	4	12	6	19	13		19	9				44
.....		3		1	3		3	9	3	13	8	1	12	6	1	2	2	27
3	2	11	3		25	26	28	89	31	69	61	8	90	60	3	44	5	201
1		1	2		10	12	13	38	10	36	35	4	44	34		21	1	110
2	2	10	1		15	14	15	51	21	33	26	4	46	26	3	23	4	91

TABLE 19.—POPULATION, BIRTHS, DEATHS, AND DEATH RATES AT CERTAIN AGES, AND DEATHS FROM CERTAIN

	AREAS.	UNDER 1 YEAR OF AGE.					UNDER 5 YEARS OF AGE.				ALL AGES.		
		Popula- tion.	Born and died in the census year.	Births during the census year.	Deaths.	Deaths under 1 per 1,000 births.	Popula- tion.	Deaths.	Death rate per 1,000 of popula- tion.	Deaths under 5 per 1,000 at all ages.	Popula- tion.	Deaths.	Death rate per 1,000 of popula- tion.
	NEW YORK—Continued.												
1	Group 5—Continued. Lansingburg.....	195	22	217	45	207.4	1,043	68	65.2	274.2	12,595	248	19.7
2	Males.....	98	13	111	23	207.2	540	37	68.5	303.3	5,781	122	21.1
3	Females.....	97	9	106	22	207.5	503	31	61.6	246.0	6,814	126	18.5
4	White.....	195	22	217	45	207.4	1,039	68	65.4	281.0	12,499	242	19.4
5	Males.....	98	13	111	23	207.2	538	37	68.8	310.9	5,747	119	20.7
6	Females.....	97	9	106	22	207.5	501	31	61.9	252.0	6,752	123	18.2
7	Native.....	195	22	217	45	207.4	1,034	68	65.8	281.7	10,368	188	18.1
8	Males.....	98	13	111	23	207.2	536	37	69.0	(*)	4,809	95	19.8
9	Females.....	97	9	106	22	207.5	498	31	62.2	(*)	5,559	93	16.7
10	Both parents native.....	119	18	137	31	226.3	622	42	67.5	(*)	6,358	98	15.4
11	One or both parents foreign.....	76	3	79	12	(*)	412	23	55.8	(*)	4,010	59	14.7
12	Foreign.....						5				2,131	52	24.4
13	Males.....						2				998	24	25.6
14	Females.....						3				1,193	28	23.5
15	Troy.....	1,072	152	1,224	246	201.0	5,031	368	73.1	264.2	60,651	1,393	23.0
16	Males.....	540	88	628	132	210.2	2,529	205	81.1	275.2	28,015	745	26.6
17	Females.....	532	64	596	114	191.3	2,502	163	65.1	251.5	32,636	648	19.9
18	White.....	1,068	150	1,218	242	198.7	5,009	362	72.3	262.7	60,227	1,378	22.9
19	Males.....	539	87	626	130	207.7	2,520	201	79.8	272.0	27,824	739	26.6
20	Females.....	529	63	592	112	189.2	2,489	161	64.7	252.0	32,403	639	19.7
21	Native.....	1,062	150	1,212	242	199.7	4,947	360	72.8	388.3	45,875	927	20.2
22	Males.....	535	87	622	130	209.0	2,485	199	80.1	393.3	21,366	506	23.7
23	Females.....	527	63	590	112	189.8	2,462	161	65.4	382.4	24,509	421	17.2
24	Both parents native.....	516	84	600	132	220.0	2,421	180	74.3	446.7	20,161	403	20.0
25	One or both parents foreign.....	546	60	606	102	168.3	2,526	169	66.9	382.7	25,714	466	18.1
26	Foreign.....	6		6			62	2	(*)	4.5	14,352	443	30.9
27	Males.....	4		4			35	2	(*)	8.8	6,458	226	35.0
28	Females.....	2		2			27				7,894	217	27.5
29	Saratoga county, rural.....	914	86	1,000	121	121.0	4,474	171	38.2	233.9	48,680	731	15.0
30	Males.....	464	53	517	74	143.1	2,201	101	45.9	264.4	24,496	382	15.6
31	Females.....	450	33	483	47	97.3	2,273	70	30.8	200.6	24,184	349	14.4
32	Saratoga Springs.....	196	30	226	48	212.4	987	59	59.8	222.6	12,409	265	21.4
33	Males.....	99	9	108	18	166.7	514	25	48.6	208.3	5,722	120	21.0
34	Females.....	97	21	118	30	254.2	473	34	71.9	234.5	6,687	145	21.7
35	White.....	190	28	218	45	206.4	958	55	57.4	220.9	11,775	249	21.1
36	Males.....	95	9	104	18	173.1	497	24	48.3	210.5	5,442	114	20.9
37	Females.....	95	19	114	27	236.8	461	31	67.2	229.6	6,333	135	21.3
38	Native.....	188	28	216	45	208.3	953	55	57.7	272.3	10,118	202	20.0
39	Males.....	93	9	102	18	176.5	494	24	48.6	(*)	4,696	97	20.7
40	Females.....	95	19	114	27	236.8	459	31	67.5	295.2	5,422	105	19.4
41	Both parents native.....	128	22	150	36	240.0	675	44	65.2	305.6	7,095	144	20.3
42	One or both parents foreign.....	60	6	66	9	(*)	278	11	39.6	(*)	3,023	36	11.9
43	Foreign.....	2		2			5				1,657	47	28.4
44	Males.....	2		2			3				746	17	22.8
45	Females.....						2				911	30	32.9
46	Schenectady county, rural.....	366	21	387	27	69.8	1,786	38	21.3	207.7	15,170	183	12.1
47	Males.....	180	18	198	21	106.1	911	27	29.6	252.3	8,083	107	13.2
48	Females.....	186	3	189	6	31.7	875	11	12.6	(*)	7,087	76	10.7

* Data insufficient for rates.

CAUSES, BY SEX, COLOR, GENERAL NATIVITY, AND PARENT NATIVITY: CENSUS YEAR 1900—Continued.

CAUSE OF DEATH.																		
Measles.	Scarlet fever.	Diphtheria and croup.	Whooping cough.	Malarial fever.	Influenza.	Typhoid fever.	Diarrheal diseases.	Consumption.	Cancer and tumor.	Heart disease and dropsy.	Pneumonia.	Diseases of the liver.	Diseases of the nervous system.	Diseases of the urinary organs.	Affections connected with pregnancy.	Old age.	Unknown.	All other causes.
		16	2		6	8	15	29	7	14	27	2	32	21	2	6	1	60
		9	1		2	7	11	14	3	4	14	2	15	12		3	1	24
		7	1		4	1	4	15	4	10	13		17	9	2	3		36
		16	2		6	7	15	29	7	13	27	2	32	20	2	5	1	58
		9	1		2	6	11	14	3	3	14	2	15	12		2	1	24
		7	1		4	1	4	15	4	10	13		17	8	2	3		34
		16	2		4	6	13	23	4	5	21	1	27	10		5	1	50
		9	1		1	5	10	12	1	1	11	1	12	6		2	1	22
		7	1		3	1	3	11	3	4	10		15	4				28
		6	2			3	3	8	3	3	10		19	3		2	1	31
		9			2	3	5	11		1	9		2	4				12
					2	1	2	6	3	7	6	1	5	10	2			7
					1	1	1	2	2	2	3	1	3	6				2
					1		1	4	1	5	3		2	4	2			5
19		33	2	1	12	53	104	208	41	102	179	16	163	74	7	33	7	339
13		19	2	1	3	36	46	125	10	45	97	10	88	34		16	3	197
6		14			9	17	58	83	31	57	82	6	75	40	7	17	4	142
19		33	2	1	12	53	103	207	41	100	176	16	161	73	7	33	7	334
13		19	2	1	3	36	46	125	10	44	96	10	87	33		16	3	195
6		14			9	17	57	82	31	56	80	6	74	40	7	17	4	139
19		33	2	1	6	36	92	136	20	49	113	9	96	44	5	15	6	245
13		19	2	1	2	22	43	80	3	22	67	6	53	20		9	2	142
6		14			4	14	49	56	17	27	46	3	43	24	5	6	4	103
9		17	2	1	4	10	42	37	11	17	40	3	55	18	1	13	3	120
8		16			1	24	45	95	8	24	63	5	33	21	4	2	1	116
					6	17	11	69	20	51	62	7	65	29	2	18	1	85
					1	14	5	43	6	22	28	4	34	13		7	1	50
					5	3	8	26	14	29	34	3	31	16	2	11		35
1	4	20			13	18	51	60	34	65	75	9	98	58	9	34	1	181
	3	12			6	9	29	23	9	37	45	5	49	39		19	1	96
1	1	8			7	9	22	37	25	28	30	4	49	19	9	15		85
	1	2	3	1	3	6	14	29	10	24	29	6	30	29		13		65
	1	2	2	1		5	7	17	2	10	12	1	15	15		3		32
	1	2	2	1	3	1	7	12	8	14	17	5	15	14		10		33
	1	2	3	1	3	6	13	27	10	22	27	6	30	26		12		60
	1	2	2	1		5	6	17	2	8	11	1	15	15		3		30
	1	2	2	1	3	1	7	10	8	14	16	5	15	11		9		30
	1	2	3	1	3	6	12	24	7	19	17	5	25	19		6		52
	1	2	2	1		5	5	15	2	8	7		13	12		1		27
	1	1	2	1	3	1	7	9	5	11	10	4	12	7		5		25
			2		2	3	8	16		14	13	1	19	14		4		40
			1			2	4	7		2	3		5	2				10
							1	3	3	3	10	1	5	7		6		8
							1	2	1	3	4		2	3		2		3
												1	3	4		4		5
	3	2			2	2	7	16	8	17	12	1	33	14		4	1	61
	2	1			1	1	2	12	2	7	8	1	19	8		4		39
	1	1			1	1	5	4	6	10	4		14	6		1		22

TABLE 19.—POPULATION, BIRTHS, DEATHS, AND DEATH RATES AT CERTAIN AGES, AND DEATHS FROM CERTAIN

	AREAS.	UNDER 1 YEAR OF AGE.					UNDER 5 YEARS OF AGE.				ALL AGES.		
		Popula- tion.	Born and died in the census year.	Births during the census year.	Deaths.	Deaths under 1 per 1,000 births.	Popula- tion.	Deaths.	Death rate per 1,000 of popu- lation.	Deaths under 5 per 1,000 at all ages.	Popula- tion.	Deaths.	Death rate per 1,000 of popu- lation.
	NEW YORK—Continued.												
1	Group 5—Continued. Schenectady	725	77	802	106	132.2	3,245	146	45.0	304.8	31,682	479	15.1
2	Males	388	44	432	57	131.9	1,694	82	48.4	332.0	17,053	247	14.5
3	Females	337	33	370	49	132.4	1,551	64	41.3	275.9	14,629	232	15.9
4	White	725	77	802	106	132.2	3,240	146	45.1	306.1	31,528	477	15.1
5	Males	388	44	432	57	131.9	1,690	82	48.5	334.7	16,981	245	14.4
6	Females	337	33	370	49	132.4	1,550	64	41.3	275.9	14,647	232	15.9
7	Native	722	77	799	106	132.7	3,197	145	45.4	451.7	24,386	321	13.2
8	Males	387	44	431	57	132.3	1,669	81	48.5	485.0	12,954	167	12.9
9	Females	335	33	368	49	133.2	1,528	64	41.9	415.6	11,432	154	13.5
10	Both parents native...	315	34	349	44	126.1	1,450	63	43.4	401.3	14,575	157	10.8
11	One or both parents foreign.	407	39	446	58	130.0	1,747	75	42.9	572.5	9,811	131	13.4
12	Foreign	3		3			43	1	(*)	7.0	7,142	142	19.9
13	Males	1		1			21	1	(*)	(*)	4,027	70	17.4
14	Females	2		2			22				3,115	72	23.1
15	Schoharie county	418	28	446	38	85.2	2,148	62	28.9	132.2	26,854	469	17.5
16	Males	216	12	228	18	78.9	1,105	29	26.2	121.8	13,656	238	17.4
17	Females	202	16	218	20	91.7	1,043	33	31.6	142.9	13,198	231	17.5
18	Schuyler county	280	11	291	16	55.0	1,210	26	21.5	102.4	15,811	254	16.1
19	Males	143	7	150	10	66.7	604	16	26.5	124.0	7,852	129	16.4
20	Females	137	4	141	6	42.6	606	10	16.5	80.0	7,959	125	15.7
21	Seneca county	407	27	434	38	87.6	1,971	53	26.9	101.1	28,114	524	18.6
22	Males	193	15	208	21	101.0	987	32	32.4	125.5	13,957	255	18.3
23	Females	214	12	226	17	75.2	984	21	21.3	78.1	14,157	269	19.0
24	Steuben county, rural	1,248	62	1,310	85	64.9	6,150	138	22.4	129.9	71,761	1,062	14.8
25	Males	654	32	686	44	64.1	3,063	75	24.5	128.0	36,796	586	15.9
26	Females	594	30	624	41	65.7	3,087	63	20.4	132.4	34,965	476	13.6
27	Corning	239	21	260	32	123.1	1,078	47	43.6	236.2	11,061	199	18.0
28	Males	127	13	140	20	142.9	552	28	50.7	264.2	5,429	106	19.5
29	Females	112	8	120	12	100.0	526	19	36.1	(*)	5,632	93	16.5
30	White	237	21	258	31	130.2	1,070	46	43.0	234.7	10,940	196	17.9
31	Males	127	13	140	20	142.9	550	28	50.9	266.7	5,374	105	19.5
32	Females	110	8	118	11	93.2	520	18	34.6	(*)	5,566	91	16.3
33	Native	237	21	258	31	120.2	1,069	46	43.0	282.2	9,531	163	17.1
34	Males	127	13	140	20	142.9	550	28	50.9	(*)	4,678	89	19.0
35	Females	110	8	118	11	93.2	519	18	34.7	(*)	4,853	74	15.2
36	Both parents native...	174	17	191	22	115.2	772	30	38.9	(*)	6,564	93	14.2
37	One or both parents foreign.	63	4	67	8	(*)	297	15	50.5	(*)	2,967	52	17.5
38	Foreign						1				1,409	33	23.4
39	Males										696	16	23.0
40	Females						1				713	17	23.8
41	Tioga county	439	34	473	42	88.8	2,074	62	29.9	127.6	27,951	486	17.4
42	Males	219	15	234	21	89.7	1,040	29	27.9	111.1	13,813	261	18.9
43	Females	220	19	239	21	87.9	1,034	33	31.9	146.7	14,138	225	15.9
44	Tompkins county, rural	320	19	339	25	73.7	1,524	35	23.0	104.2	20,694	336	16.2
45	Males	170	10	180	14	77.8	781	21	26.9	110.5	10,482	190	18.1
46	Females	150	9	159	11	69.2	743	14	18.8	95.9	10,212	146	14.3

*Data insufficient for rates.

POPULATION, BIRTHS, DEATHS, AND DEATH RATES.

493

CAUSES, BY SEX, COLOR, GENERAL NATIVITY, AND PARENT NATIVITY: CENSUS YEAR 1900—Continued.

CAUSE OF DEATH.																		
Measles.	Scarlet fever.	Diphtheria and croup.	Whooping cough.	Malarial fever.	Influenza.	Typhoid fever.	Diarrheal diseases.	Consumption.	Cancer and tumor.	Heart disease and dropsy.	Pneumonia.	Diseases of the liver.	Diseases of the nervous system.	Diseases of the urinary organs.	Affections connected with pregnancy.	Old age.	Unknown.	All other causes.
	2	15			2	10	33	35	13	36	37	2	82	24	4	8	1	175
	2	8			1	6	14	14	5	19	21		37	14		4	1	101
		7			1	4	19	21	8	17	16	2	45	10	4	4		74
	2	15			2	10	33	35	13	34	37	2	82	24	4	8	1	175
	2	8			1	6	14	14	5	17	21		37	14		4	1	101
		7			1	4	19	21	8	17	16	2	45	10	4	4		74
	2	13			2	5	28	25	9	17	22	1	55	20	2	3	1	116
	2	6			1	4	13	11	2	10	15		26	12			1	64
	1	7			1	1	15	14	7	7	7	1	29	8	2	3		52
	1	5			1	2	11	13	4	10	14	1	26	13	2	1		53
	1	6				3	16	11	4	4	6		23	6		1		50
						5	5	8	4	16	13	1	24	4	2	5		53
						2	1	3	3	7	4		9	2		4		33
						3	4	5	1	9	9	1	15	2	2	1		20
		4	3		5	14	15	44	28	50	37	6	74	29	4	47	2	107
		2			4	11	9	19	12	19	15	3	38	19		29	2	56
		2	3		1	3	6	25	16	31	22	3	36	10	4	18		51
3	3	4		4	1	2	12	16	19	29	20	5	44	9	2	16	4	61
1	1	3		3		1	8	7	7	14	10	4	21	6		9	1	33
2	2	1		1	1	1	4	9	12	15	10	1	23	3	2	7	3	28
	2	4			8	4	19	58	36	64	46	8	39	39	1	27	1	118
	2	2			5	1	6	31	9	29	23	5	47	23		13	1	60
					3	3	13	27	27	35	23	3	42	16	1	14		58
1	2	17	1	1	9	24	57	82	61	137	76	9	161	56	16	73	18	261
	1	9	1	1	3	12	29	51	24	70	43	7	85	41		43	11	155
	1	8			6	12	28	31	37	67	33	2	76	15	16	30	7	106
	3	8		2	4	5	8	19	7	16	29	4	26	8	2	5	2	51
	2	4		2	2	1	5	8	4	10	16		11	6		2	1	32
	1	4			2	4	3	11	3	6	13	4	15	2	2	3	1	19
	3	8		2	4	5	7	18	7	16	28	4	26	8	2	5	2	51
	2	4		2	2	1	4	8	4	10	16		11	6		2	1	32
	1	4			2	4	3	10	3	6	12	4	15	2	2	3	1	19
	3	8		2	2	5	7	17	5	11	25	2	18	6	2	4	2	44
	2	4		2	1	1	4	8	3	6	13		6	5		2	1	31
	1	4			1	4	3	9	2	5	12	2	12	1	2	2	1	13
	3	4		1	1	3	4	9	2	6	10	1	9	2	1	3	1	33
		4				1	3	8	2	4	10		6	4	1		1	7
					2			1	2	5	3	2	8	2		1		7
					1				1	4			5	1				1
					1			1	1	1		2	3	1				6
1	2		7		15	10	25	41	21	41	47	3	79	28	6	36	4	120
1	1		3		10	8	16	19	4	23	26	1	40	20		18		71
	1		4		5	2	9	22	17	18	21	2	39	8	6	18	4	49
	1			2	5	5	12	21	22	36	22	3	73	18	1	28	8	79
	1				2	2	7	8	10	19	12	2	45	16		15	3	48
				2	3	3	5	13	12	17	10	1	28	2	1	13	5	31

TABLE 19.—POPULATION, BIRTHS, DEATHS, AND DEATH RATES AT CERTAIN AGES, AND DEATHS FROM CERTAIN

AREAS.	UNDER 1 YEAR OF AGE.					UNDER 5 YEARS OF AGE.				ALL AGES.		
	Popula- tion.	Born and died in the census year.	Births during the census year.	Deaths.	Deaths under 1 per 1,000 births.	Popula- tion.	Deaths.	Death rate per 1,000 of popu- lation.	Deaths under 5 per 1,000 at all ages.	Popula- tion.	Deaths.	Death rate per 1,000 of popu- lation.
NEW YORK—Continued.												
1 Group 5—Continued.												
2 Ithaca	181	16	197	22	111.7	836	29	34.7	135.5	13,136	214	16.3
3 Males	98	11	109	13	119.3	431	15	34.8	(*)	6,151	86	14.0
4 Females	83	5	88	9	(*)	405	14	34.6	109.4	6,985	128	18.3
5 White	173	16	189	21	111.1	811	28	34.5	134.6	12,768	208	16.3
6 Males	93	11	104	12	115.4	414	14	33.8	(*)	5,972	81	13.6
7 Females	80	5	85	9	(*)	397	14	35.3	110.2	6,796	127	18.7
8 Native	173	16	189	21	111.1	810	28	34.6	160.9	11,466	174	15.2
9 Males	93	11	104	12	115.4	414	14	33.8	(*)	5,340	69	12.9
10 Females	80	5	85	9	(*)	396	14	35.4	133.3	6,126	105	17.1
11 Both parents native...	124	12	136	16	117.6	588	22	37.4	167.9	8,988	131	14.6
12 One or both parents foreign.	49	3	52	4	(*)	222	5	22.5	(*)	2,478	20	8.1
13 Foreign						1				1,302	29	22.3
14 Males										632	11	17.4
15 Females						1				670	18	26.9
16 Washington county	810	56	866	72	88.1	4,068	100	24.6	152.9	45,624	654	14.3
17 Males	424	29	453	34	75.1	2,027	51	25.2	156.0	22,818	327	14.3
18 Females	386	27	413	38	92.0	2,041	49	24.0	149.8	22,806	327	14.3
19 Wyoming county	489	27	516	41	79.5	2,485	59	23.7	135.9	30,413	434	14.3
20 Males	254	16	270	24	88.9	1,270	34	26.8	139.3	15,255	244	16.0
21 Females	235	11	246	17	69.1	1,215	25	20.6	131.6	15,158	190	12.5
22 Yates county	336	12	348	22	63.2	1,535	30	19.5	106.4	20,318	282	13.9
23 Males	171	6	177	12	67.8	790	18	22.8	140.6	10,090	128	12.7
24 Females	165	6	171	10	58.5	745	12	16.1	77.9	10,228	154	15.1
25 NORTH CAROLINA	60,225	3,079	63,304	4,200	(*)	283,712	7,219	(*)	342.7	1,893,810	21,068	(*)
26 Males	30,313	1,732	32,045	2,310	(*)	143,488	3,869	(*)	371.1	938,677	10,427	(*)
27 Females	29,912	1,347	31,259	1,890	(*)	140,224	3,350	(*)	314.8	955,133	10,641	(*)
28 White	39,646	1,854	41,500	2,586	(*)	185,901	4,337	(*)	328.1	1,263,603	13,217	(*)
29 Males	20,137	1,034	21,171	1,392	(*)	94,723	2,293	(*)	353.6	632,155	6,484	(*)
30 Females	19,509	820	20,329	1,194	(*)	91,178	2,044	(*)	303.6	631,448	6,733	(*)
31 Native	39,645	1,831	41,476	2,536	(*)	185,887	4,242	(*)	331.3	1,259,209	12,805	(*)
32 Males	20,137	1,024	21,161	1,361	(*)	94,719	2,235	(*)	356.7	629,443	6,265	(*)
33 Females	19,508	807	20,315	1,175	(*)	91,168	2,007	(*)	306.9	629,766	6,540	(*)
34 Both parents native ¹ (M)	19,824	995	20,819	1,309	(*)	93,219	2,145	(*)	360.8	617,199	5,945	(*)
35 One or both parents (F)	19,175	780	19,955	1,119	(*)	89,681	1,916	(*)	308.0	616,852	6,221	(*)
36 foreign. ¹ (M)	92		92		(*)	469	6	(*)		3,658	28	(*)
37 One or both parents (F)	93	1	94	1	(*)	486	2	(*)		3,611	25	(*)
38 Foreign	1		1			14				4,394	63	(*)
39 Males						4				2,712	38	(*)
40 Females	1		1			10				1,682	25	(*)
41 Colored	20,579	1,225	21,804	1,614	(*)	97,811	2,882	(*)	367.1	630,207	7,851	(*)
42 Males	10,176	698	10,874	918	(*)	48,765	1,576	(*)	399.7	306,522	3,943	(*)
43 Females	10,403	527	10,930	696	(*)	49,046	1,306	(*)	334.2	323,685	3,908	(*)
44 Raleigh	311	36	347	67	193.1	1,458	123	84.4	331.5	13,643	371	27.2
45 Males	153	24	177	41	231.6	763	69	90.4	375.0	6,362	184	28.9
46 Females	158	12	170	26	152.9	695	54	77.7	288.8	7,281	187	25.7
47 White	187	12	199	32	160.8	846	55	65.0	307.3	7,921	179	22.6
48 Males	90	5	95	16	(*)	446	30	67.3	(*)	3,838	91	23.7
49 Females	97	7	104	16	153.8	400	25	62.5	(*)	4,083	88	21.6
Colored	124	24	148	35	236.5	612	68	111.1	354.2	5,722	192	33.6
Males	63	19	82	25	(*)	317	39	123.0	(*)	2,524	93	36.8
Females	61	5	66	10	(*)	295	29	98.3	(*)	3,198	99	31.0

¹ Population excluded for areas not reporting deaths by nativity of persons and parents.

* Data insufficient for rates.

CAUSES, BY SEX, COLOR, GENERAL NATIVITY, AND PARENT NATIVITY: CENSUS YEAR 1900—Continued.

CAUSE OF DEATH.																		
Measles.	Scarlet fever.	Diphtheria and croup.	Whooping cough.	Malarial fever.	Influenza.	Typhoid fever.	Diarrheal diseases.	Consumption.	Cancer and tumor.	Heart disease and dropsy.	Pneumonia.	Diseases of the liver.	Diseases of the nervous system.	Diseases of the urinary organs.	Affections connected with pregnancy.	Old age.	Unknown.	All other causes.
3	1	4			6	4	4	24	11	22	16	4	33	17	3	5	3	54
2	1	2			2	1	3	9	3	8	6	1	18	7		1	1	21
1		2			4	3	1	15	8	14	10	3	15	10	3	4	2	33
3	1	4			5	4	3	24	10	22	16	3	33	17	3	5	3	52
2	1	2			1	1	2	9	2	8	6		18	7		1	1	20
1		2			4	3	1	15	8	14	10	3	15	10	3	4	2	32
3	1	4			3	3	2	17	8	19	14	3	29	16	1	4	3	44
2	1	2				1	1	7	1	6	6		16	6		1	1	18
1		2			3	2	1	10	7	13	8	3	13	10	1	3	2	26
1	1	4			1	2	2	12	6	15	9	3	22	12	1	4	3	33
2								4		2	3		3	2				4
.....					2	1	1	4	2	2	2		4	1	2	1		7
.....					1		1	2	1	1			2	1				2
.....					1	1		2	1	1	2		2		2	1		5
1	1	13			8	10	27	59	29	72	66	5	101	42	4	41	7	168
1	1	8			4	1	15	23	18	36	31	2	50	23		21	5	90
.....		5			4	9	12	36	11	36	35	3	51	19	4	20	2	78
8	1	8	1	2	7	11	17	30	15	45	25	14	76	28	3	34	1	108
1	1	4	1	2	6	6	12	16	3	30	11	10	33	20		18	1	69
7		4			1	5	5	14	12	15	14	4	43	8	3	16		39
1	1	1	1	1	2	7	18	16	12	37	11	4	56	9	1	29	3	72
1	1	1	1		1	3	9	7	4	15	5	3	17	7		11	1	42
.....				1	1	4	9	9	8	22	6	1	39	2	1	18	2	30
223	24	623	270	527	799	1,250	1,518	2,350	410	1,642	2,127	220	1,793	454	269	393	2,105	4,071
115	14	319	134	247	350	637	772	976	117	783	1,169	110	918	300		182	1,076	2,208
108	10	304	136	280	449	613	746	1,374	293	859	958	110	875	154	269	211	1,029	1,863
132	18	518	136	278	529	887	1,074	1,206	326	1,081	1,344	150	1,244	313	151	221	1,114	2,495
72	11	257	71	122	225	448	536	509	94	506	709	68	647	202		101	561	1,345
60	7	261	65	156	304	439	538	697	232	575	635	82	597	111	151	120	553	1,150
132	17	513	134	268	518	865	1,024	1,150	317	1,047	1,319	145	1,194	304	149	205	1,089	2,415
72	10	256	70	114	221	437	506	485	91	488	701	64	621	195		92	551	1,291
60	7	257	64	154	297	428	518	665	226	559	618	81	573	109	149	113	538	1,124
72	10	250	67	110	217	429	472	451	88	450	685	61	562	181		85	543	1,212
60	5	252	63	152	289	422	474	628	218	534	590	72	540	96	142	104	533	1,047
.....		1				3	3	1	1	5	3		3	2		2		4
.....					1	1	2	1	1	7	3		1	2		2		4
.....				1	4	2	2	9	3	6	3	1	6	2		5	4	15
.....																		
.....				1	1	1	1	6	2	3	2	1	1	2		3	3	12
.....				3	3	1	1	3	1	3	1		4	2		2	1	3
91	6	105	134	249	270	363	444	1,144	84	561	783	70	549	141	118	172	991	1,576
43	3	62	63	125	125	189	236	467	23	277	460	42	271	98		81	515	863
48	3	43	71	124	145	174	208	677	61	284	323	28	278	43	118	91	476	713
.....		3		6	8	6	34	34	6	35	20	3	34	9	2	9	50	112
.....				3	4	3	16	17		19	8	1	18	5		5	27	58
.....		3		3	4	3	18	17	6	16	12	2	16	4	2	4	23	54
.....		3		1	2	3	20	17	3	24	10	3	24	2		3	11	53
.....				1		2	9	9		13	4	1	15	2		1	5	29
.....		3			2	1	11	8	3	11	6	2	9			2	6	24
.....				5	6	3	14	17	3	11	10		10	7	2	6	39	59
.....				2	4	1	7	8		6	4		3	3		4	22	29
.....				3	2	2	7	9	3	5	6		7	4	2	2	17	30

TABLE 19.—POPULATION, BIRTHS, DEATHS, AND DEATH RATES AT CERTAIN AGES, AND DEATHS FROM CERTAIN

AREAS.		UNDER 1 YEAR OF AGE.					UNDER 5 YEARS OF AGE.				ALL AGES.		
		Popula- tion.	Born and died in the census year.	Births during the census year.	Deaths.	Deaths under 1 per 1,000 births.	Popula- tion.	Deaths.	Death rate per 1,000 of popula- tion.	Deaths under 5 per 1,000 at all ages.	Popula- tion.	Deaths.	Death rate per 1,000 of popula- tion.
NORTH CAROLINA—Continued.													
1	Wilmington.....	491	71	562	114	202.8	2,265	175	77.3	309.7	20,976	565	26.9
2	Males.....	242	45	287	63	219.5	1,125	92	81.8	315.1	9,643	292	30.3
3	Females.....	249	26	275	51	185.5	1,140	83	72.8	304.0	11,333	273	24.1
4	White.....	274	18	292	36	123.3	1,188	62	52.2	298.1	10,556	208	19.7
5	Males.....	131	10	141	17	120.6	585	27	46.2	250.0	5,123	108	21.1
6	Females.....	143	8	151	19	125.8	603	35	58.0	350.0	5,433	100	18.4
7	Colored.....	217	53	270	78	288.9	1,077	113	104.9	316.5	10,420	357	34.3
8	Males.....	111	35	146	46	315.1	540	65	120.4	353.3	4,520	184	40.7
9	Females.....	106	18	124	32	258.1	537	48	89.4	277.5	5,900	173	29.3
10	NORTH DAKOTA.....	10,198	374	10,572	506	(*)	47,783	823	(*)	359.9	319,146	2,287	(*)
11	Males.....	5,159	202	5,361	272	(*)	24,238	426	(*)	367.6	177,493	1,159	(*)
12	Females.....	5,039	172	5,211	234	(*)	23,545	397	(*)	352.0	141,653	1,128	(*)
13	White.....	9,962	351	10,313	473	(*)	46,725	744	(*)	363.6	311,712	2,046	(*)
14	Males.....	5,036	190	5,226	254	(*)	23,736	386	(*)	367.6	173,676	1,050	(*)
15	Females.....	4,926	161	5,087	219	(*)	22,989	358	(*)	359.4	138,036	996	(*)
16	Native.....	9,889	346	10,235	464	(*)	45,388	721	(*)	558.5	199,122	1,291	(*)
17	Males.....	4,993	188	5,181	250	(*)	23,059	374	(*)	589.0	107,531	635	(*)
18	Females.....	4,896	158	5,054	214	(*)	22,329	347	(*)	529.0	91,591	656	(*)
19	Both parents native.....	1,147	41	1,188	47	(*)	5,357	79	(*)	462.0	37,306	171	(*)
20	One or both parents foreign.....	1,186	26	1,212	44	(*)	5,205	79	(*)	454.0	28,505	174	(*)
21	Foreign.....	3,846	144	3,990	197	(*)	17,702	289	(*)	669.0	70,225	432	(*)
22	Foreign.....	3,710	127	3,837	164	(*)	17,124	262	(*)	567.1	63,086	462	(*)
23	Foreign.....	73	5	78	9	(*)	1,337	23	(*)	32.2	112,590	715	(*)
24	Males.....	43	2	45	4	(*)	677	12	(*)	30.7	66,145	391	(*)
25	Females.....	30	3	33	5	(*)	660	11	(*)	34.0	46,445	324	(*)
26	Colored.....	236	23	259	33	(*)	1,058	79	(*)	327.8	7,434	241	(*)
27	Males.....	123	12	135	18	(*)	502	40	(*)	367.0	3,817	109	(*)
28	Females.....	113	11	124	15	(*)	556	39	(*)	295.5	3,617	132	(*)
29	OHIO.....	89,359	6,261	95,620	8,819	(*)	441,810	13,358	(*)	250.3	4,157,545	53,362	(*)
30	Males.....	45,312	3,503	48,815	4,913	(*)	218,396	7,295	(*)	254.6	2,102,655	28,648	(*)
31	Females.....	44,047	2,758	46,805	3,906	(*)	213,414	6,063	(*)	245.3	2,054,890	24,714	(*)
32	White.....	87,608	6,056	93,664	8,531	(*)	423,236	12,901	(*)	250.6	4,060,204	51,481	(*)
33	Males.....	44,435	3,381	47,816	4,748	(*)	214,125	7,050	(*)	255.3	2,052,252	27,612	(*)
34	Females.....	43,173	2,675	45,848	3,783	(*)	209,111	5,851	(*)	245.1	2,007,952	23,869	(*)
35	Native ¹	86,814	5,944	92,758	8,341	(*)	418,370	12,592	(*)	313.1	3,570,456	40,219	(*)
36	Males.....	44,018	3,317	47,335	4,644	(*)	211,637	6,874	(*)	324.5	1,789,751	21,184	(*)
37	Females.....	42,796	2,627	45,423	3,697	(*)	206,733	5,718	(*)	300.4	1,780,705	19,035	(*)
38	Both parents native.....	32,991	2,111	35,102	2,922	(*)	157,472	4,406	(*)	329.2	1,278,120	13,383	(*)
39	One or both parents foreign.....	32,049	1,689	33,738	2,362	(*)	152,988	3,741	(*)	299.2	1,255,722	12,502	(*)
40	Foreign.....	9,568	838	10,406	1,194	(*)	47,127	1,797	(*)	385.0	446,587	4,668	(*)
41	Foreign.....	9,297	621	9,918	905	(*)	46,735	1,441	(*)	357.8	456,789	4,027	(*)
42	Foreign ¹	111	6	117	13	(*)	1,384	38	(*)	4.1	455,780	9,356	(*)
43	Males.....	62	2	64	5	(*)	709	21	(*)	4.0	245,523	5,294	(*)
44	Females.....	49	4	53	8	(*)	675	17	(*)	4.2	210,257	4,062	(*)
45	Colored.....	1,751	205	1,956	288	(*)	8,574	457	(*)	243.0	97,341	1,881	(*)
46	Males.....	877	122	999	165	(*)	4,271	245	(*)	236.5	50,403	1,036	(*)
47	Females.....	874	83	957	123	(*)	4,303	212	(*)	250.9	46,938	845	(*)
48	Ashtabula.....	402	32	434	51	117.5	1,685	72	42.7	328.8	12,949	219	16.9
49	Males.....	209	19	228	28	122.8	831	38	45.7	283.6	6,819	134	19.7
50	Females.....	193	13	206	23	111.7	854	34	39.8	(*)	6,130	85	13.9
51	White.....	401	32	433	51	117.8	1,681	72	42.8	333.3	12,873	216	16.8
52	Males.....	209	19	228	28	122.8	831	38	45.7	287.9	6,781	132	19.5
53	Females.....	192	13	205	23	112.2	850	34	40.0	(*)	6,092	84	13.8
54	Native.....	396	32	428	50	116.8	1,646	67	40.7	478.6	9,190	140	15.2
55	Males.....	205	19	224	27	120.5	818	35	42.8	(*)	4,599	87	18.9
56	Females.....	191	13	204	23	112.7	828	32	38.6	(*)	4,591	53	11.5
57	Foreign.....	5		5	1	(*)	35	5	(*)	(*)	3,683	61	16.6
58	Males.....	4		4	1	(*)	13	3	(*)	(*)	2,182	38	17.4
59	Females.....	1		1			22	2	(*)	(*)	1,501	23	15.3

¹ Population excluded for areas not reporting deaths by nativity of persons and parents.

* Data insufficient for rates.

POPULATION, BIRTHS, DEATHS, AND DEATH RATES.

497

CAUSES, BY SEX, COLOR, GENERAL NATIVITY, AND PARENT NATIVITY: CENSUS YEAR 1900—Continued.

CAUSE OF DEATH.																		
Measles.	Scarlet fever.	Diphtheria and croup.	Whooping cough.	Malarial fever.	Influenza.	Typhoid fever.	Diarrheal diseases.	Consumption.	Cancer and tumor.	Heart disease and dropsy.	Pneumonia.	Diseases of the liver.	Diseases of the nervous system.	Diseases of the urinary organs.	Affections connected with pregnancy.	Old age.	Unknown.	All other causes.
.....	1	5	1	28	18	10	65	54	9	44	42	3	69	20	9	11	20	156
.....	1	3	1	15	6	5	32	24	4	23	31	1	34	13		4	14	82
.....	1	2		13	12	5	33	30	5	21	11	2	35	7	9	7	6	74
.....	1	5		6	5	4	32	17	4	20	13	3	18	9	5	3	3	60
.....	1	3		4	1	2	16	9	1	14	7	1	11	5		2	32	5
.....	1	2		2	4	2	16	8	3	6	6	2	7	4	5	3	1	28
.....			1	22	13	6	33	37	5	24	29		51	11	4	8	17	96
.....			1	11	5	3	16	15	3	9	24		23	8		4	12	50
.....			11	11	8	3	17	22	2	15	5		28	3	4	4	5	46
16	17	149	25	4	25	65	125	246	61	127	212	32	238	56	44	46	252	547
5	9	59	11	3	12	39	64	106	34	59	100	18	132	33		25	126	324
11	8	90	14	1	13	26	61	140	27	68	112	14	106	23	44	21	126	223
15	17	146	20	4	18	65	116	203	60	121	191	29	227	54	39	45	164	512
4	9	57	9	3	7	39	59	89	34	56	89	17	125	33		24	90	306
11	8	89	11	1	11	26	57	114	26	65	102	12	102	21	39	21	74	206
9	17	138	20	2	11	39	103	88	15	59	112	15	163	25	16	5	130	324
2	9	55	9	2	5	22	53	35	7	31	49	8	84	13		71	180	17
7	8	83	11		6	17	50	53	8	28	63	7	79	12	16	5	69	144
.....	5	9	1		1	5	12	9	4	13	18	5	25	7		9	48	19
2	2	13	2		1	5	13	10	7	11	21	2	24	5	5	4	7	40
2	4	45	8	2	3	14	38	24	3	15	28	2	56	4		62	122	20
5	6	69	9		4	11	37	41	1	15	39	5	62	7	10	1	49	101
6		8		2	7	19	12	115	43	60	74	14	57	28	23	40	33	174
2		2		1	2	14	5	54	27	24	36	9	37	19		24	18	117
4		6		1	5	5	7	61	16	36	38	5	20	9	23	16	15	57
1		3	5		7		9	43	1	6	21	3	11	2	5	1	88	35
1		2			5		5	17		3	11	1	7			1	36	18
.....	1	1	3		2		4	26	1	3	10	2	4	2	5		52	17
166	334	1,252	401	156	605	1,795	3,138	5,789	2,169	4,921	4,606	681	7,735	2,366	364	1,958	1,269	13,657
81	166	639	184	91	277	962	1,683	2,874	857	2,708	2,431	375	4,319	1,571		921	653	7,856
85	168	613	217	65	328	833	1,455	2,915	1,312	2,213	2,175	306	3,416	795	364	1,037	616	5,801
161	331	1,235	386	151	590	1,733	3,055	5,396	2,116	4,752	4,408	662	7,520	2,295	351	1,913	1,234	13,192
78	164	629	175	86	272	925	1,648	2,657	838	2,620	2,330	364	4,193	1,524		897	631	7,581
88	167	606	211	65	318	808	1,407	2,739	1,278	2,132	2,078	298	3,327	771	351	1,016	603	5,611
155	325	1,202	375	122	441	1,499	2,737	4,435	1,414	3,309	3,426	438	6,034	1,563	284	986	1,017	10,467
75	162	611	171	72	204	788	1,484	2,051	499	1,798	1,787	234	3,333	1,027		455	507	5,926
80	163	591	204	50	237	711	1,253	2,384	915	1,511	1,639	204	2,701	536	284	531	510	4,531
60	109	397	121	48	141	507	927	1,116	332	1,223	1,153	160	2,104	685		314	389	3,597
61	116	361	164	35	183	480	796	1,561	611	1,002	1,122	135	1,768	341	167	343	387	2,869
10	40	167	40	10	36	210	388	558	91	266	469	46	694	166		55	72	1,350
16	38	197	30	10	33	154	394	536	148	273	346	44	543	107	93	60	78	987
1	2	23	4	23	136	185	225	765	621	1,273	849	205	1,211	621	61	825	145	2,181
.....	1	11		11	61	109	119	492	301	731	467	118	685	415		398	78	1,297
1	1	12	4	12	75	76	106	273	320	542	382	87	526	206	61	427	67	884
5	3	17	15	5	15	62	83	393	53	169	198	13	215	71	13	45	35	465
3	2	10	9	5	5	37	35	217	19	88	101	11	126	47		24	22	275
2	1	7	6		10	25	48	176	34	81	97	8	89	24	13	21	13	190
1	2	5	1		3	5	17	20	6	17	19	3	33	2	1	6	8	70
1	2	3	1		3	2	8	8	4	13	9	2	19	2		4	2	51
.....	2	2				3	9	12	2	4	10	1	14		1	2	6	19
1	2	5	1		3	5	17	18	6	17	19	3	32	2	1	6	8	70
1	2	3	1		3	2	8	7	4	13	9	2	18	2		4	2	51
.....	2	2				3	9	11	2	4	10	1	14		1	2	6	19
1	2	3	1		1	3	16	11	3	10	10	1	26	1		5	6	40
1	2	2	1		1	2	8	5	2	10	3		14	1		3	2	30
.....	1					1	8	6	1		7	1	12			2	4	10
.....	2				2	2		5	3	7	9	2	5		1	1		22
.....	1				2			1	2	3	6	2	4		1	1		16
.....	1					2		4	1	4	3		1				6	35

TABLE 19.—POPULATION, BIRTHS, DEATHS, AND DEATH RATES AT CERTAIN AGES, AND DEATHS FROM CERTAIN

AREAS.		UNDER 1 YEAR OF AGE.					UNDER 5 YEARS OF AGE.				ALL AGES.		
		Popula- tion.	Born and died in the census year.	Births during the census year.	Deaths.	Deaths under 1 per 1,000 births.	Popula- tion.	Deaths.	Death rate per 1,000 of popu- lation.	Deaths under 5 per 1,000 at all ages.	Popula- tion.	Deaths.	Death rate per 1,000 of popu- lation.
OHIO—Continued.													
1	Bellaire	233	29	262	38	145.0	1,081	62	57.4	371.3	9,912	167	16.8
2	Males	120	19	139	24	172.7	544	35	64.3	(*)	5,083	94	18.5
3	Females	113	10	123	14	113.8	537	27	50.3	(*)	4,829	73	15.1
4	White	225	29	254	38	149.6	1,046	61	58.3	381.3	9,475	160	16.9
5	Males	115	19	134	24	179.1	525	34	64.8	(*)	4,842	90	18.6
6	Females	110	10	120	14	116.7	521	27	51.8	(*)	4,633	70	15.1
7	Native	224	29	253	38	150.2	1,039	61	58.7	495.9	8,325	123	14.8
8	Males	114	19	133	24	180.5	520	34	65.4	(*)	4,201	65	15.5
9	Females	110	10	120	14	116.7	519	27	52.0	(*)	4,124	58	14.1
10	Foreign	1		1			7				1,150	23	20.0
11	Males	1		1			5				641	15	23.4
12	Females						2				509	8	15.7
13	Canton	585	56	641	78	121.7	2,991	105	35.1	257.4	30,667	408	13.3
14	Males	286	35	321	47	146.4	1,493	64	42.9	301.9	15,094	212	14.0
15	Females	299	21	320	31	96.9	1,498	41	27.4	209.2	15,573	196	12.6
16	White	583	56	639	78	122.1	2,980	105	35.2	259.3	30,525	405	13.3
17	Males	286	35	321	47	146.4	1,488	64	43.0	304.8	15,012	210	14.0
18	Females	297	21	318	31	97.5	1,492	41	27.5	210.3	15,513	195	12.6
19	Native	583	53	636	74	116.4	2,975	100	33.6	331.1	26,513	302	11.4
20	Males	286	32	318	44	138.4	1,484	60	40.4	382.2	12,832	157	12.2
21	Females	297	21	318	30	94.3	1,491	40	26.8	275.9	13,681	145	10.6
22	Foreign						5				4,012	70	17.4
23	Males						4				2,180	36	16.5
24	Females						1				1,832	34	18.6
25	Chillicothe	223	14	237	24	101.3	1,123	51	45.4	184.1	12,976	277	21.3
26	Males	115	10	125	18	144.0	594	31	52.2	236.6	6,213	131	21.1
27	Females	108	4	112	6	53.6	529	20	37.8	137.0	6,763	146	21.6
28	White	211	13	224	22	98.2	1,058	44	41.6	174.6	11,987	252	21.0
29	Males	108	10	118	18	152.5	554	30	54.2	243.9	5,721	123	21.5
30	Females	103	3	106	4	37.7	504	14	27.8	108.5	6,266	129	20.6
31	Native	211	13	224	22	98.2	1,058	44	41.6	229.2	11,079	192	17.3
32	Males	108	10	118	18	152.5	554	30	54.2	(*)	5,292	94	17.8
33	Females	103	3	106	4	37.7	504	14	27.8	(*)	5,787	98	16.9
34	Foreign										908	56	61.7
35	Males										429	27	62.9
36	Females										479	29	60.5
37	Cincinnati	6,059	742	6,801	1,056	155.3	29,821	1,586	53.2	255.2	325,902	6,214	19.1
38	Males	3,020	402	3,422	582	170.1	14,915	861	57.7	254.5	157,140	3,383	21.5
39	Females	3,039	340	3,379	474	140.3	14,906	725	48.6	256.1	168,762	2,831	16.8
40	White	5,823	694	6,517	986	151.3	28,825	1,467	50.9	253.5	311,404	5,786	18.6
41	Males	2,912	377	3,289	545	165.7	14,439	800	55.4	253.7	149,968	3,153	21.0
42	Females	2,911	317	3,228	441	136.6	14,386	667	46.4	253.3	161,436	2,633	16.3
43	Native	5,822	675	6,497	947	145.8	28,770	1,396	48.5	390.7	253,517	3,573	14.1
44	Males	2,912	370	3,282	531	161.8	14,414	766	53.1	395.0	121,648	1,939	15.9
45	Females	2,910	305	3,215	416	129.4	14,356	630	43.9	385.6	131,869	1,634	12.4
46	Both parents native.. (M..)	1,894	230	2,124	320	150.7	9,173	464	50.6	557.7	55,679	832	14.9
47	One or both parents foreign. (F..)	1,855	185	2,040	249	122.1	9,022	387	42.9	521.6	58,021	742	12.8
48	One or both parents foreign. (M..)	1,018	108	1,126	167	148.3	5,241	249	47.5	335.6	65,969	742	11.2
49	One or both parents foreign. (F..)	1,055	81	1,136	119	104.8	5,334	188	35.2	297.9	73,848	631	8.5
50	Foreign	1		1			55	5	(*)	2.9	57,887	1,730	29.9
51	Males						25	4	(*)	4.4	28,320	916	32.3
52	Females	1		1			30	1	(*)	1.2	29,567	844	27.5
53	Colored	236	48	284	70	246.5	996	119	119.5	278.0	14,498	428	29.5
54	Males	108	25	133	37	278.2	476	61	128.2	265.2	7,172	230	32.1
55	Females	128	23	151	33	218.5	520	58	111.5	292.9	7,326	198	27.0

* Data insufficient for rates.

CAUSES, BY SEX, COLOR, GENERAL NATIVITY, AND PARENT NATIVITY: CENSUS YEAR 1900—Continued.

CAUSE OF DEATH.																		
Measles.	Scarlet fever.	Diphtheria and croup.	Whooping cough.	Malarial fever.	Influenza.	Typhoid fever.	Diarrheal diseases.	Consumption.	Cancer and tumor.	Heart disease and dropsy.	Pneumonia.	Diseases of the liver.	Diseases of the nervous system.	Diseases of the urinary organs.	Affections connected with pregnancy.	Old age.	Unknown.	All other causes.
	2	3	7		1	7	5	22	4	10	16	4	20	9		8	1	48
	2	1	5		1	2	3	10	1	5	12	2	8	6		2		34
	2	2	2			5	2	12	3	5	4	2	12	3		6	1	14
	2	3	7		1	6	5	21	3	10	15	4	19	9		8	1	46
	2	1	5		1	2	3	9	1	5	11	2	8	6		2		32
	2	2	2			4	2	12	2	5	4	2	11	3		6	1	14
	2	3	7			4	5	17	2	5	13	3	15	2		2	1	42
	2	1	5			1	3	6		1	9	1	6	1				29
		2	2			3	2	11	2	4	4	2	9	1		2	1	13
					1			2	1	4	1		4	3		4		3
					1			1	1	3	1		2	3		1		2
								1		1			2			3		1
		25	5	1	4	19	12	43	15	27	26	4	70	18	4	18	13	104
		16	3	1	1	12	4	22	1	10	13	3	42	9		9	9	57
		9	2		3	7	8	21	14	17	13	1	28	9	4	9	4	47
		25	5	1	4	17	12	43	15	27	26	4	69	18	4	18	13	104
		16	3	1	1	10	4	22	1	10	13	3	42	9		9	9	57
		9	2		3	7	8	21	14	17	13	1	27	9	4	9	4	47
		25	4	1	3	11	11	31	12	20	19	2	55	9	4	8	6	81
		16	2	1	1	7	4	12	1	8	9	2	33	7		3	4	47
		9	2		2	4	7	19	11	12	10		22	2	4	5	2	34
					1	5		9	1	7	5	1	8	7		7	1	18
						3		8		2	3		6	1		5		8
					1	2		1	1	5	2	1	2	6		2	1	10
	1	3	7	4	4	9	20	37	9	30	11	3	40	17		25		57
	1	2	4	1	1	6	15	16	1	13	1	2	20	10		8		30
		1	3	3	3	3	5	21	8	17	10	1	20	7		17		27
	1	3	5	4	4	8	19	32	8	25	10	2	39	16		22		54
	1	2	3	1	1	5	15	15	1	11	1	2	19	9		7		30
		1	2	3	3	3	4	17	7	14	9		20	7		15		24
	1	3	5	3	3	7	16	26	6	17	7	1	32	11		11		43
	1	2	3	1	1	4	14	11	1	8		1	16	7		2		22
		1	2	2	2	3	2	15	5	9	7		16	4		9		21
				1	1	1	2	6	2	8	3	1	7	4		11		9
						1	1	4		3	1	1	3	2		5		6
				1	1		1	2	2	5	2		4	2		6		3
7	27	108	23	5	48	106	416	767	239	442	512	119	829	374	50	227	68	1,847
3	15	60	16	3	23	60	215	486	101	228	275	72	458	228		105	39	996
4	12	48	7	2	25	46	201	281	138	214	237	47	371	146	50	122	29	851
5	27	107	23	4	48	96	392	676	231	418	461	114	786	350	48	223	65	1,712
2	15	59	16	2	23	55	205	432	98	217	251	69	430	216		103	38	922
3	12	48	7	2	25	41	187	244	133	201	210	45	356	134	48	120	27	790
4	27	103	21	2	27	69	303	505	94	172	291	47	504	148	39	41	23	1,153
2	15	56	15	1	14	35	162	314	27	87	160	27	278	83		16	13	634
2	12	47	6	1	13	34	141	191	67	85	131	20	226	65	39	25	10	519
1	7	30	8		4	11	82	77	10	33	72	4	138	31		10	10	304
2	6	26	4		7	14	70	50	21	34	70	7	127	20	10	14	3	257
1	7	25	7		8	15	59	156	8	29	73	19	94	29		2	3	207
	4	21	1		6	14	48	112	26	34	46	13	67	27	23	2	6	180
		3		1	18	16	66	128	115	206	129	59	207	171	6	158	27	420
		2			8	12	32	89	57	105	66	38	108	105		76	15	203
		1		1	10	4	34	39	58	101	63	21	99	66	6	82	12	217
2		1		1		10	24	91	8	24	51	5	43	24	2	4	3	135
1		1		1		5	10	54	3	11	24	3	28	12		2	1	74
1						5	14	37	5	13	27	2	15	12	2	2	2	61

TABLE 19.—POPULATION, BIRTHS, DEATHS, AND DEATH RATES AT CERTAIN AGES, AND DEATHS FROM CERTAIN

AREAS.		UNDER 1 YEAR OF AGE.					UNDER 5 YEARS OF AGE.				ALL AGES.		
		Popula- tion.	Born and died in the census year.	Births during the census year.	Deaths.	Deaths under 1 per 1,000 births.	Popula- tion.	Deaths.	Death rate per 1,000 of popu- lation.	Deaths under 5 per 1,000 at all ages.	Popula- tion.	Deaths.	Death rate per 1,000 of popu- lation.
OHIO—Continued.													
1	Cleveland.....	8,678	1,162	9,840	1,610	163.6	42,238	2,321	55.0	355.9	381,768	6,521	17.1
2	Males.....	4,393	653	5,046	901	178.6	21,220	1,297	61.1	360.4	192,616	3,599	18.7
3	Females.....	4,285	509	4,794	709	147.9	21,018	1,024	48.7	350.4	189,152	2,922	15.4
4	White.....	8,601	1,148	9,749	1,592	163.3	41,862	2,293	54.8	357.7	375,664	6,411	17.1
5	Males.....	4,349	645	4,994	890	178.2	21,037	1,279	60.8	362.7	189,328	3,526	18.6
6	Females.....	4,252	503	4,755	702	147.6	20,825	1,014	48.7	351.5	186,336	2,885	15.5
7	Native.....	8,555	1,145	9,700	1,587	163.6	41,295	2,277	55.1	520.2	251,310	4,377	17.4
8	Males.....	4,324	644	4,968	888	178.7	20,748	1,270	61.2	532.3	124,269	2,386	19.2
9	Females.....	4,231	501	4,732	699	147.7	20,547	1,007	49.0	505.8	127,041	1,991	15.7
10	Both parents native.....	1,293	171	1,464	238	162.6	5,980	352	58.9	461.9	43,996	762	17.3
11	One or both parents foreign.....	1,284	154	1,438	214	148.8	5,875	311	52.9	415.2	43,744	749	17.1
12	Foreign.....	3,031	368	3,399	517	152.1	14,768	770	52.1	608.2	80,273	1,266	15.8
13	Foreign.....	2,947	253	3,200	371	115.9	14,672	573	39.1	585.3	83,297	979	11.8
14	Foreign.....	46	2	48	3	(*)	567	7	12.3	3.6	124,354	1,940	15.6
15	Males.....	25	2	25	3	(*)	289	3	10.4	2.8	65,059	1,075	16.5
16	Females.....	21	2	23	3	(*)	278	4	14.4	4.6	59,295	865	14.6
17	Colored.....	77	14	91	18	(*)	376	28	74.5	254.5	6,104	110	18.0
18	Males.....	44	8	52	11	(*)	183	18	98.4	(*)	3,288	73	22.2
19	Females.....	33	6	39	7	(*)	193	10	51.8	(*)	2,816	37	13.1
20	Columbus.....	1,967	191	2,158	278	128.8	10,130	419	41.4	211.3	125,560	1,983	15.8
21	Males.....	961	118	1,079	157	145.5	5,085	232	45.6	213.8	63,301	1,085	17.1
22	Females.....	1,006	73	1,079	121	112.1	5,045	187	37.1	208.2	62,259	898	14.4
23	White.....	1,859	177	2,036	254	124.8	9,556	382	40.0	211.2	117,335	1,809	15.4
24	Males.....	908	109	1,017	144	141.6	4,791	213	44.5	216.0	58,968	986	16.7
25	Females.....	951	68	1,019	110	107.9	4,765	169	35.5	205.3	58,367	823	14.1
26	Native.....	1,857	177	2,034	254	124.9	9,530	382	40.1	263.4	105,043	1,450	13.8
27	Males.....	* 906	109	1,015	144	141.9	4,774	213	44.6	269.6	52,524	790	15.0
28	Females.....	951	68	1,019	110	107.9	4,756	169	35.5	256.1	52,519	660	12.6
29	Both parents native.....	706	87	793	110	138.7	3,605	162	44.9	303.9	37,911	533	14.1
30	One or both parents foreign.....	738	47	785	75	95.5	3,569	119	33.3	265.0	37,125	449	12.1
31	Foreign.....	200	14	214	24	112.1	1,169	39	33.4	237.8	14,613	164	11.2
32	Foreign.....	213	17	230	30	130.4	1,187	43	36.2	279.2	15,394	154	10.0
33	Colored.....	2	2	2	2		26				12,292	330	26.8
34	Males.....	2	2	2	2		17				6,444	177	27.5
35	Females.....						9				5,848	153	26.2
36	Colored.....	108	14	122	24	196.7	574	37	64.5	212.6	8,225	174	21.2
37	Males.....	53	9	62	13	(*)	294	19	64.6	(*)	4,333	99	22.8
38	Females.....	55	5	60	11	(*)	280	18	64.3	(*)	3,892	75	19.3
39	Dayton.....	1,669	149	1,818	208	114.4	7,795	265	34.0	188.6	85,333	1,405	16.5
40	Males.....	833	82	915	112	122.4	3,901	142	36.4	195.6	42,142	726	17.2
41	Females.....	836	67	903	96	106.3	3,894	123	31.6	181.1	43,191	679	15.7
42	White.....	1,610	139	1,749	195	111.5	7,547	246	32.6	184.5	81,923	1,333	16.3
43	Males.....	805	75	880	104	118.2	3,768	130	34.5	188.4	40,401	690	17.1
44	Females.....	805	64	869	91	104.7	3,779	116	30.7	180.4	41,522	643	15.5
45	Native.....	1,608	138	1,746	194	111.1	7,523	245	32.6	243.1	71,899	1,008	14.0
46	Males.....	803	74	877	103	117.4	3,758	129	34.3	256.5	35,234	503	14.3
47	Females.....	805	64	869	91	104.7	3,765	116	30.8	229.7	36,665	505	13.8
48	Foreign.....	2	2	2	2		24				10,024	275	27.4
49	Males.....	2	2	2	2		10				5,167	152	29.4
50	Females.....						14				4,857	123	25.3

* Data insufficient for rates.

CAUSES, BY SEX, COLOR, GENERAL NATIVITY, AND PARENT NATIVITY: CENSUS YEAR 1900—Continued.

CAUSE OF DEATH.																			
Measles.	Scarlet fever.	Diphtheria and croup.	Whooping cough.	Malarial fever.	Influenza.	Typhoid fever.	Diarrheal diseases.	Consumption.	Cancer and tumor.	Heart disease and dropsy.	Pneumonia.	Diseases of the liver.	Diseases of the nervous system.	Diseases of the urinary organs.	Affections connected with pregnancy.	Old age.	Unknown.	All other causes.	
7	45	197	32	6	26	184	425	503	206	499	709	63	956	224	35	210	65	2,129	1
3	25	99	17	4	11	116	244	323	91	248	402	28	550	135	83	33	1,187	2	
4	20	98	15	2	15	68	181	180	115	251	307	35	406	89	35	127	32	942	3
7	45	196	31	6	26	181	422	479	205	490	692	63	947	220	35	209	65	2,092	4
3	25	99	16	4	11	115	242	303	90	243	393	28	544	132	82	33	1,163	5	
4	20	97	15	2	15	66	180	176	115	247	299	35	403	88	35	127	32	929	6
7	45	186	31	3	11	130	393	288	85	242	473	35	712	112	18	58	46	1,502	7
3	25	94	16	2	3	80	228	177	29	115	273	12	411	61	22	24	811	8	
4	20	92	15	1	8	50	165	111	56	127	200	23	301	51	18	36	22	691	9
2	8	32	6	1	2	28	63	46	15	49	78	1	140	24	14	10	245	10	
2	9	25	6	1	4	23	42	32	32	61	80	12	115	23	6	27	6	243	10
2	16	56	10	1	4	48	148	96	12	40	177	8	230	28	2	14	378	11	
2	11	64	8	4	4	24	112	57	18	51	94	4	157	24	11	3	14	321	11
		8		3	14	51	26	181	119	239	208	28	219	96	17	146	18	567	12
		3		2	8	35	13	118	61	122	112	16	119	64	59	9	334	13	
		5		1	6	16	13	63	58	117	96	12	100	32	17	9	233	14	
		1	1			3	3	24	1	9	17		9	4	1		37	15	
		1	1			1	2	20	1	5	9		6	3	1	1	24	16	
		1				2	1	4		4	8		3	1			13	17	
10	6	32	13	5	30	68	144	269	103	145	159	35	295	88	9	50	15	507	18
6	4	14	4	4	17	40	75	154	40	75	89	19	179	51	21	10	283	19	
4	2	18	9	1	13	28	69	115	63	70	70	16	116	37	9	29	5	224	20
10	5	32	12	5	26	61	127	236	94	127	132	33	277	86	9	48	14	475	21
6	3	14	4	4	16	33	67	132	35	67	73	17	169	49	20	10	267	22	
4	2	18	8	1	10	28	60	104	59	60	59	16	108	37	9	28	4	208	23
10	5	32	12	4	20	56	117	183	65	95	103	22	230	61	8	19	11	397	24
6	3	14	4	3	12	31	64	99	26	46	57	14	139	32	8	7	225	25	
4	2	18	8	3	8	25	53	84	39	49	46	8	91	29	11	4	172	26	
3	2	11	2	3	10	21	42	51	13	37	39	12	97	24	6	4	156	27	
2	1	16	8	1	3	17	38	40	30	34	33	4	64	23	3	2	125	28	
1	1	3	2		7	7	16	29	8	6	11	1	27	5	1	1	45	28	
2	2	2			5	5	14	32	5	12	9	4	18	4	5		34	29	
					6	5	9	43	29	31	28	10	45	22	1	29	3	69	30
					4	2	2	27	9	21	15	3	28	14	1	12	3	37	30
					2	3	7	16	20	10	13	7	17	8		17		32	31
	1		1		4	7	17	33	9	18	27	2	18	2	2	2	1	32	32
	1				1	7	8	22	5	8	16	2	10	2	1	1	16	33	
			1		3	9	9	11	4	10	11		8		1	1	16	34	
	5	12	1	3	10	45	54	172	80	150	66	14	208	86	3	64	10	422	35
	2	6	1	3	5	21	31	85	26	71	33	9	110	50	26	5	242	36	
	3	6			5	24	23	87	54	79	33	5	98	36	3	38	5	180	37
	5	11	1	3	10	42	50	151	80	141	61	13	204	81	2	63	10	405	38
	2	6	1	3	5	19	30	75	26	67	29	9	109	47	25	5	232	39	
	3	5			5	23	20	76	54	74	32	4	95	34	2	38	5	173	40
	5	11	1	2	6	35	45	128	50	85	42	11	157	58	1	31	7	333	41
	2	6	1	2	3	15	27	62	13	35	20	7	77	34	13	3	183	42	
	3	5			3	20	18	66	37	50	22	4	80	24	1	18	4	150	43
				1	4	7	4	20	29	50	16	1	35	19	1	30		58	44
				1	2	4	3	12	12	28	8	1	23	10	11		37	45	
				2	3	3	1	8	17	22	8		12	9	1	19	21	46	

TABLE 19.—POPULATION, BIRTHS, DEATHS, AND DEATH RATES AT CERTAIN AGES, AND DEATHS FROM CERTAIN

AREAS.		UNDER 1 YEAR OF AGE.					UNDER 5 YEARS OF AGE.				ALL AGES.		
		Popu- lation.	Born and died in the census year.	Births during the census year.	Deaths.	Deaths under 1 per 1,000 births.	Popu- lation.	Deaths.	Death rate per 1,000 of popu- lation.	Deaths under 5 per 1,000 at all ages.	Popu- lation.	Deaths.	Death rate per 1,000 of popu- lation.
OHIO—Continued.													
1	Findlay	347	33	380	53	139.5	1,634	68	41.6	247.3	17,613	275	15.6
2	Males	166	19	185	27	145.9	820	36	43.9	253.5	8,828	142	16.1
3	Females	181	14	195	26	133.3	814	32	39.3	240.6	8,785	133	15.1
4	White	338	33	371	53	142.9	1,598	68	42.6	250.0	17,317	272	15.7
5	Males	162	19	181	27	149.2	805	36	44.7	255.3	8,689	141	16.2
6	Females	176	14	190	26	136.8	793	32	40.4	244.3	8,628	131	15.2
7	Native	338	33	371	53	142.9	1,597	68	42.6	279.8	16,270	243	14.9
8	Males	162	19	181	27	149.2	804	36	44.8	288.0	8,121	125	15.4
9	Females	176	14	190	26	136.8	793	32	40.4	271.2	8,149	118	14.5
10	Foreign						1				1,047	27	25.8
11	Males						1				568	15	26.4
12	Females										479	12	25.1
13	Hamilton	524	54	578	72	124.6	2,458	93	37.8	266.5	23,914	349	14.6
14	Males	279	32	311	43	138.3	1,263	54	42.8	285.7	12,031	189	15.7
15	Females	245	22	267	29	108.6	1,195	39	32.6	243.8	11,883	160	13.5
16	White	519	54	573	72	125.7	2,436	89	36.5	260.2	23,565	342	14.5
17	Males	275	32	307	43	140.1	1,253	52	41.5	282.6	11,835	184	15.5
18	Females	244	22	266	29	109.0	1,183	37	31.3	234.2	11,730	158	13.5
19	Native	519	53	572	71	124.1	2,435	88	36.1	349.2	20,618	252	12.2
20	Males	275	32	307	43	140.1	1,252	52	41.5	403.1	10,303	129	12.5
21	Females	244	21	265	28	105.7	1,183	36	30.4	292.7	10,315	123	11.9
22	Foreign						1				2,947	78	26.5
23	Males						1				1,532	49	32.0
24	Females										1,415	29	20.5
25	Ironton	251	24	275	31	112.7	1,169	61	52.2	276.0	11,868	221	18.6
26	Males	125	14	139	19	136.7	581	37	63.7	313.6	5,815	118	20.3
27	Females	126	10	136	12	88.2	588	24	40.8	233.0	6,053	103	17.0
28	White	227	22	249	29	116.5	1,086	56	51.6	278.6	10,943	201	18.4
29	Males	111	12	123	17	138.2	541	33	61.0	317.3	5,346	104	19.5
30	Females	116	10	126	12	95.2	545	23	42.2	(*)	5,597	97	17.3
31	Native	227	22	249	29	116.5	1,086	56	51.6	354.4	10,231	158	15.4
32	Males	111	12	123	17	138.2	541	33	61.0	(*)	4,968	77	15.5
33	Females	116	10	126	12	95.2	545	23	42.2	(*)	5,263	81	15.4
34	Foreign										712	29	40.7
35	Males										378	14	37.0
36	Females										334	15	44.9
37	Lima	433	52	485	77	158.8	2,378	110	46.3	291.8	21,723	377	17.4
38	Males	218	32	250	49	196.0	1,202	67	55.7	328.4	10,873	204	18.8
39	Females	215	20	235	28	119.1	1,176	43	36.6	248.6	10,850	173	15.9
40	White	422	51	473	74	156.4	2,305	105	45.6	288.5	20,984	364	17.3
41	Males	213	31	244	47	192.6	1,163	64	55.0	323.2	10,494	198	18.9
42	Females	209	20	229	27	117.9	1,142	41	35.9	247.0	10,490	166	15.8
43	Colored	11	1	12	3	(*)	73	5	(*)	(*)	739	13	17.6
44	Males	5	1	6	2	(*)	39	3	(*)	(*)	379	6	15.8
45	Females	6		6	1	(*)	34	2	(*)	(*)	360	7	19.4
46	Marietta	268	17	285	28	98.2	1,213	36	29.7	197.8	13,348	182	13.6
47	Males	146	11	157	18	114.6	635	21	33.1	207.9	6,649	101	15.2
48	Females	122	6	128	10	78.1	578	15	26.0		6,699	81	12.1
49	White	261	17	278	28	100.7	1,177	36	30.6	201.1	12,984	179	13.8
50	Males	142	11	153	18	117.6	616	21	34.1	(*)	6,484	99	15.3
51	Females	119	6	125	10	80.0	561	15	26.7	(*)	6,500	80	12.3
52	Colored	7		7			36				364	3	8.2
53	Males	4		4			19				165	2	12.1
54	Females	3		3			17				199	1	5.0

* Data insufficient for rates.

503

TABLE 19.—POPULATION, BIRTHS, DEATHS, AND DEATH RATES AT CERTAIN AGES, AND DEATHS FROM CERTAIN

AREAS.	UNDER 1 YEAR OF AGE.					UNDER 5 YEARS OF AGE.				ALL AGES.		
	Popula- tion.	Born and died in the census year.	Births during the census year.	Deaths.	Deaths under 1 per 1,000 births.	Popula- tion.	Deaths.	Death rate per 1,000 of popula- tion.	Deaths under 5 per 1,000 at all ages.	Popula- tion.	Deaths.	Death rate per 1,000 of popula- tion.
OHIO—Continued.												
1 Massillon	257	12	269	20	74.3	1,236	27	21.8	137.1	11,944	197	16.5
2 Males	144	8	152	11	72.4	656	15	22.9	137.6	5,975	109	18.2
3 Females	113	4	117	9	76.9	580	12	20.7	(*)	5,969	88	14.7
4 White	257	12	269	20	74.3	1,234	27	21.9	137.8	11,859	196	16.5
5 Males	144	8	152	11	72.4	654	15	22.9	138.9	5,925	108	18.2
6 Females	113	4	117	9	76.9	580	12	20.7	(*)	5,934	88	14.8
7 Native	257	12	269	20	74.3	1,229	27	22.0	223.1	10,168	121	11.9
8 Males	144	8	152	11	72.4	652	15	23.0	(*)	5,057	64	12.7
9 Females	113	4	117	9	76.9	577	12	20.8	(*)	5,111	57	11.2
10 Foreign						5				1,691	66	39.0
11 Males						2				868	40	46.1
12 Females						3				823	26	31.6
13 Middletown	190	17	207	20	96.6	902	33	36.6	227.6	9,215	145	15.7
14 Males	94	12	106	15	141.5	448	23	51.3	(*)	4,525	84	18.6
15 Females	96	5	101	5	49.5	454	10	22.0	(*)	4,690	61	13.0
16 White	179	16	195	19	97.4	866	31	35.8	223.0	8,899	139	15.6
17 Males	87	11	98	14	(*)	425	21	49.4	(*)	4,359	81	18.6
18 Females	92	5	97	5	(*)	441	10	22.7	(*)	4,540	58	12.8
19 Native	179	16	195	19	97.4	866	30	34.6	300.0	8,134	100	12.3
20 Males	87	11	98	14	(*)	425	20	47.1	(*)	3,986	57	14.3
21 Females	92	5	97	5	(*)	441	10	22.7	(*)	4,148	43	10.4
22 Foreign										765	28	36.6
23 Males										373	17	45.6
24 Females										392	11	28.1
25 Newark	357	32	389	52	133.7	1,774	67	37.8	249.1	18,157	269	14.8
26 Males	181	21	202	34	168.3	893	43	48.2	281.0	9,048	153	16.9
27 Females	176	11	187	18	96.3	881	24	27.2	206.9	9,109	116	12.7
28 White	354	32	386	52	134.7	1,753	67	38.2	256.7	17,851	261	14.6
29 Males	180	21	201	34	169.2	886	43	48.5	292.5	8,891	147	16.5
30 Females	174	11	185	18	97.3	867	24	27.7	210.5	8,960	114	12.7
31 Native	354	32	386	52	134.7	1,750	67	38.3	320.6	16,516	209	12.7
32 Males	180	21	201	34	169.2	885	43	48.6	361.3	8,213	119	14.5
33 Females	174	11	185	18	97.3	865	24	27.7	(*)	8,303	90	10.8
34 Foreign						3				1,335	42	31.5
35 Males						1				678	22	32.4
36 Females						2				657	20	30.4
37 Portsmouth	382	53	435	66	151.7	1,773	101	57.0	307.9	17,870	328	18.4
38 Males	201	30	231	35	151.5	913	52	57.0	300.6	8,700	173	19.9
39 Females	181	23	204	31	152.0	860	49	57.0	316.1	9,170	155	16.9
40 White	368	46	414	58	140.1	1,685	92	54.6	306.7	16,920	300	17.7
41 Males	192	27	219	31	141.6	865	48	55.5	300.0	8,212	160	19.5
42 Females	176	19	195	27	138.5	820	44	53.7	314.3	8,708	140	16.1
43 Native	368	46	414	57	137.7	1,685	91	54.0	361.1	15,858	252	15.9
44 Males	192	27	219	30	137.0	865	47	54.3	348.1	7,654	135	17.6
45 Females	176	19	195	27	138.5	820	44	53.7	376.1	8,204	117	14.3
46 Foreign				1			1		(*)	1,062	48	45.2
47 Males				1			1		(*)	558	25	44.8
48 Females										504	23	45.6

* Data insufficient for rates.

CAUSES, BY SEX, COLOR, GENERAL NATIVITY, AND PARENT NATIVITY: CENSUS YEAR 1900—Continued.

CAUSE OF DEATH.																			
Measles.	Scarlet fever.	Diphtheria and croup.	Whooping cough.	Malarial fever.	Influenza.	Typhoid fever.	Diarrheal diseases.	Consumption.	Cancer and tumor.	Heart disease and dropsy.	Pneumonia.	Diseases of the liver.	Diseases of the nervous system.	Diseases of the urinary organs.	Affections connected with pregnancy.	Old age.	Unknown.	All other causes.	
1		3			2	5	4	15	9	38	15	4	31	9	3	5	2	51	1
1		2			1	4	3	6	3	21	7	2	18	8		2	1	31	2
1		1			1	1	1	9	6	17	8	2	13	1	3	3	1	20	3
1		3			2	5	4	15	9	38	15	4	30	9	3	5	2	51	4
1		2			1	4	3	6	3	21	7	2	17	8		2	1	31	5
1		1			1	1	1	9	6	17	8	2	13	1	3	3	1	20	6
1		3				5	4	11	4	18	9	3	19	6	2	3	2	31	7
1		2				4	3	3	1	8	4	1	11	5		1	1	20	8
		1				1	1	8	3	10	5	2	8	1	2	2	1	11	9
					2			4	4	18	6	1	9	3	1	2		16	10
					1			3	2	11	3	1	5	3		1		10	11
					1			1	2	7	3		4		1	1		6	12
		1				1	7	19	9	18	15	1	25	5		1	2	41	13
		1					4	7	5	10	7		18	2		1	1	28	14
						1	3	12	4	8	8	1	7	3			1	13	15
		1				1	7	19	9	18	13	1	24	4		1	1	40	16
		1					4	7	5	10	6		18	2		1		27	17
						1	3	12	4	8	7	1	6	2			1	13	18
		1					7	13	6	10	8	1	17	4				33	19
		1					4	4	2	5	4		13	2				22	20
							3	9	4	5	4	1	4	2				11	21
								3	2	7	5		5			1	1	4	22
								2	2	4	2		3			1		3	23
								1		3	3		2				1	1	24
3	2	1	1	2	1	5	15	27	14	28	13	2	39	10	2	7	7	90	25
1	2	1		1		2	9	19	5	16	4	1	19	5		3	4	61	26
2			1	1	1	3	6	8	9	12	9	1	20	5	2	4	3	29	27
3	2	1	1	2	1	5	15	23	14	28	13	2	39	9	2	7	7	87	28
1	2	1		1		2	9	17	5	16	4	1	19	4		3	4	58	29
2			1	1	1	3	6	6	9	12	9	1	20	5	2	4	3	29	30
3	2	1	1	2	1	3	15	19	8	21	9	2	33	8	1	3	6	71	31
1	2	1		1		1	9	14	3	11	2	1	17	4		1	3	48	32
2			1	1	1	2	6	5	5	10	7	1	16	4	1	2	3	23	33
						2		3	6	6	3		6	1	1	3	1	10	34
						1		3	2	4	2		2			2		5	35
						1			4	2	1		4	1	1	1		5	36
11		10	3		1	9	10	48	5	35	20	4	47	9	3	18	4	91	37
4		4			1	4	5	24	1	21	13	2	30	4		9	2	48	38
7		6	3			5	5	24	4	14	7	2	17	5	3	9	1	43	39
11		9	3		1	9	10	40	5	29	19	4	45	9	3	17	4	82	40
4		4			1	4	5	20	1	18	13	2	28	4		8	3	45	41
7		5	3			5	5	20	4	11	6	2	17	5	3	9	1	37	42
11		9	3			9	8	38	3	16	18	2	37	9	3	8	3	75	43
4		4				4	4	18	1	11	12		25	4		4	2	42	44
7		5	3			5	4	20	2	5	6	2	12	5	3	4	1	33	45
					1		2	2	2	13	1	2	8			9	1	7	46
					1		1	2		7	1	2	3			4	1	3	47
							1		2	6			5			5		4	48

TABLE 19.—POPULATION, BIRTHS, DEATHS, AND DEATH RATES AT CERTAIN AGES, AND DEATHS FROM CERTAIN

AREAS.	UNDER 1 YEAR OF AGE.					UNDER 5 YEARS OF AGE.				ALL AGES.		
	Popu- lation.	Born and died in the census year.	Births during the census year.	Deaths.	Deaths under 1 per 1,000 births.	Popu- lation.	Deaths.	Death rate per 1,000 of popu- lation.	Deaths under 5 per 1,000 at all ages.	Popu- lation.	Deaths.	Death rate per 1,000 of popu- lation.
OHIO—Continued.												
1 Tiffin	160	10	170	15	88.2	913	27	29.6	194.2	10,989	139	12.6
2 Males	70	6	76	9	(*)	456	16	35.1	(*)	5,210	60	11.5
3 Females	90	4	94	6	(*)	457	11	24.1	(*)	5,779	79	13.7
4 White	158	10	168	15	89.3	909	27	29.7	194.2	10,943	139	12.7
5 Males	68	6	74	9	(*)	454	16	35.2	(*)	5,188	60	11.6
6 Females	90	4	94	6	(*)	455	11	24.2	(*)	5,755	79	13.7
7 Native	158	10	168	15	89.3	907	27	29.8	241.1	9,777	112	11.5
8 Males	68	6	74	9	(*)	454	16	35.2	(*)	4,616	49	10.6
9 Females	90	4	94	6	(*)	453	11	24.3	(*)	5,161	63	12.2
10 Foreign						2				1,166	25	21.4
11 Males										572	10	17.5
12 Females						2				594	15	25.3
13 Toledo	2,928	320	3,248	461	141.9	13,937	707	50.7	334.8	131,822	2,112	16.0
14 Males	1,491	183	1,674	254	151.7	7,016	369	52.6	338.2	65,604	1,091	16.6
15 Females	1,437	137	1,574	207	131.5	6,921	338	48.8	331.0	66,218	1,021	15.4
16 White	2,903	318	3,221	458	142.2	13,820	704	50.9	338.0	130,079	2,083	16.0
17 Males	1,479	183	1,662	253	152.2	6,957	368	52.9	342.6	64,720	1,074	16.6
18 Females	1,424	135	1,559	205	131.5	6,863	336	49.0	333.0	65,359	1,009	15.4
19 Native	2,895	316	3,211	454	141.4	13,723	698	50.9	461.9	102,350	1,511	14.8
20 Males	1,475	182	1,657	252	152.1	6,905	365	52.9	471.0	50,301	775	15.4
21 Females	1,420	134	1,554	202	130.0	6,818	333	48.8	452.4	52,049	736	14.1
22 Both parents native..M.	702	77	779	106	136.1	3,300	156	47.3	411.6	25,927	379	14.6
23 One or both parents foreign..F.	701	62	763	99	129.8	3,291	148	45.0	407.7	26,295	363	13.8
24 Foreign	773	97	870	136	156.3	3,605	199	55.2	537.8	24,374	370	15.2
25 Males	719	69	788	100	126.9	3,527	180	51.0	502.8	25,754	358	13.9
26 Females	8	1	9	3	(*)	97	4	(*)	7.4	27,729	539	19.4
27 Colored	25	2	27	3	(*)	117	3	25.6	(*)	1,743	29	16.6
28 Males	12		12	1	(*)	59	1	(*)	(*)	884	17	19.2
29 Females	13	2	15	2	(*)	58	2	(*)	(*)	859	12	14.0
30 Warren	154	16	170	22	129.4	758	35	46.2	244.8	8,529	143	16.8
31 Males	82	9	91	11	(*)	364	18	49.5	(*)	4,139	79	19.1
32 Females	72	7	79	11	(*)	394	17	43.1	(*)	4,390	64	14.6
33 White	153	15	168	19	113.1	750	32	42.7	230.2	8,392	139	16.6
34 Males	82	8	90	10	(*)	361	17	47.1	(*)	4,071	77	18.9
35 Females	71	7	78	9	(*)	389	15	38.6	(*)	4,321	62	14.3
36 Native	153	15	168	19	113.1	742	30	40.4	270.3	7,231	111	15.4
37 Males	82	8	90	10	(*)	357	15	42.0	(*)	3,473	57	16.4
38 Females	71	7	78	9	(*)	385	15	39.0	(*)	3,758	54	14.4
39 Foreign						8	2	(*)	(*)	1,161	26	22.4
40 Males						4	2	(*)	(*)	598	18	30.1
41 Females						4				563	8	14.2
42 Youngstown	1,120	133	1,253	191	152.4	5,055	265	52.4	355.7	44,885	745	16.6
43 Males	580	74	654	105	160.6	2,621	145	55.3	347.7	23,582	417	17.7
44 Females	540	59	599	86	143.6	2,434	120	49.3	365.9	21,303	328	15.4
45 White	1,106	130	1,236	188	152.1	4,980	262	52.6	357.4	43,960	733	16.7
46 Males	572	72	644	103	159.9	2,585	143	55.3	346.2	23,062	413	17.9
47 Females	534	58	592	85	143.6	2,395	119	49.7	371.9	20,898	320	15.3
48 Native	1,099	130	1,229	188	153.0	4,910	261	53.2	512.8	31,768	509	16.0
49 Males	569	72	641	103	160.7	2,543	143	56.2	510.7	16,040	280	17.5
50 Females	530	58	588	85	144.6	2,367	118	49.9	515.3	15,728	229	14.6
51 Foreign	7		7			70	1	(*)	4.8	12,192	209	17.1
52 Males	3		3			42				7,022	121	17.2
53 Females	4		4			28	1	(*)	(*)	5,170	88	17.0

* Data insufficient for rates.

CAUSES, BY SEX, COLOR, GENERAL NATIVITY, AND PARENT NATIVITY: CENSUS YEAR 1900—Continued.

CAUSE OF DEATH.																		
Measles.	Scarlet fever.	Diphtheria and croup.	Whooping cough.	Malarial fever.	Influenza.	Typhoid fever.	Diarrheal diseases.	Consumption.	Cancer and tumor.	Heart disease and dropsy.	Pneumonia.	Diseases of the liver.	Diseases of the nervous system.	Diseases of the urinary organs.	Affections connected with pregnancy.	Old age.	Unknown.	All other causes.
	3	5			1	4	11	11	4	15	14		24	7		9	2	29
	1	4				1	2	4	2	7	4		12	4		3	1	15
	2	1			1	3	9	7	2	8	10		12	3		6	1	14
	3	5			1	4	11	11	4	15	14		24	7		9	2	29
	1	4				1	2	4	2	7	4		12	4		3	1	15
	2	1			1	3	9	7	2	8	10		12	3		6	1	14
	3	5			1	4	11	11	4	15	14		24	7		9	2	29
	1	4				1	2	4	2	7	4		12	4		3	1	15
	2	1			1	3	9	7	2	8	10		12	3		6	1	14
	3	5			1	4	11	11	4	15	14		24	7		9	2	29
	1	4				1	2	4	2	7	4		10	2		3	1	13
	2	1			1	2	9	6	2	8	7		10	1		4	1	12
						1	1	1	2	4	3		4	4		2		3
							1			4			2	2				1
						1		1	2		3		2	2		2		2
7	24	153	3	11	34	53	177	184	76	121	148	38	333	69	30	49	10	592
3	13	68	2	5	17	31	85	100	28	61	73	23	175	43		21	7	336
4	11	85	1	6	17	22	92	84	48	60	75	15	158	26	30	28	3	256
7	24	153	3	11	34	51	176	177	75	118	145	38	325	69	30	49	10	588
3	13	68	2	5	17	30	84	94	28	58	71	23	172	43		21	7	335
4	11	85	1	6	17	21	92	83	47	60	74	15	153	26	30	28	3	253
7	23	148	2	6	22	36	157	120	32	63	104	17	233	38	19	15	8	456
3	13	66	2	3	12	21	75	59	8	33	47	11	123	26		8	7	258
4	10	82		3	10	15	82	61	24	35	57	6	110	12	19	7	1	198
	7	29		1	7	12	38	21	3	16	28	7	71	15		8	3	113
2	3	28		2	6	7	36	20	13	24	28	4	53	9	11	6		111
3	6	37	2	1	5	9	36	36	4	14	18	4	51	9		3	3	132
2	7	52		1	4	8	44	40	10	11	28	1	55	3	8	1	1	82
	1	5	1	5	12	15	19	50	41	47	38	21	89	29	11	33	2	120
		2		2	5	9	9	30	19	22	21	12	49	15		12		68
	1	3	1	3	7	6	10	20	22	25	17	9	40	14	11	21	2	52
						2	1	7	1	3	3		8					4
						1	1	6		3	2		3					1
						1		1	1		1		5					3
		7	2	2	2	6	5	11	3	14	16	2	12	7		4	2	48
		4		1	2	5	1	6	1	8	7	2	5	5		1	1	30
		3	2	1	1	1	4	5	2	6	9		7	2		3	1	18
		7	2	2	2	6	4	11	3	14	16	2	12	6		4	2	46
		4		1	2	5	1	6	1	8	7	2	5	4		1	1	29
		3	2	1	1	1	3	5	2	6	9		7	2		3	1	17
		6	2	2	2	3	4	10	1	11	13	1	10	5		2	2	37
		3		1	2	2	1	5		6	5	1	4	3		1	1	22
		3	2	1		1	3	5	1	5	5		6	2		1	1	15
		1				3		1	2	2	3	1	2	1		2		8
						3		1	1	1	2	1	1	1		2		6
									1	1	1		1					2
1		13	5	1	2	51	78	54	18	53	91	13	80	21	6	21	8	229
		6	2	1		28	40	27	6	33	47	7	44	14		13	4	145
1		7	3		2	23	38	27	12	20	44	6	36	7	6	8	4	84
1		13	5	1	2	51	78	51	18	53	90	13	79	21	5	21	8	223
		6	2	1		28	40	26	6	33	47	7	44	14		13	4	142
1		7	3		2	23	38	25	12	20	43	6	35	7	5	8	4	81
1		13	5		1	37	72	39	9	24	62	8	59	11	1	6	7	154
		6	2			20	38	22	1	15	30	5	32	7		3	3	96
1		7	3		1	17	34	17	8	9	32	3	27	4	1	3	4	58
				1	1	11	6	12	9	26	28	5	18	10	4	15	1	62
				1		5	2	4	5	17	17	2	10	7		10	1	40
					1	6	4	8	4	9	11	3	8	3	4	5		22

TABLE 19.—POPULATION, BIRTHS, DEATHS, AND DEATH RATES AT CERTAIN AGES, AND DEATHS FROM CERTAIN

	AREAS.	UNDER 1 YEAR OF AGE.					UNDER 5 YEARS OF AGE.				ALL AGES.		
		Popula- tion.	Born and died in the census year.	Births during the census year.	Deaths.	Deaths under 1 per 1,000 births.	Popula- tion.	Deaths.	Death rate per 1,000 of popula- tion.	Deaths under 5 per 1,000 at all ages.	Popula- tion.	Deaths.	Death rate per 1,000 of popula- tion.
1	OKLAHOMA.....	12,412	497	12,909	744	(*)	58,530	1,319	(*)	414.6	398,331	3,181	(*)
2	Males.....	6,309	286	6,595	421	(*)	29,630	714	(*)	410.1	214,359	1,741	(*)
3	Females.....	6,103	211	6,314	323	(*)	28,900	605	(*)	420.1	183,972	1,440	(*)
4	White.....	11,493	443	11,936	668	(*)	54,312	1,138	(*)	420.9	367,524	2,704	(*)
5	Males.....	5,837	260	6,097	383	(*)	27,599	626	(*)	415.1	198,943	1,508	(*)
6	Females.....	5,656	183	5,839	285	(*)	26,713	512	(*)	428.1	168,581	1,196	(*)
7	Native.....	11,487	441	11,928	666	(*)	54,244	1,133	(*)	442.1	351,920	2,563	(*)
8	Males.....	5,834	258	6,092	381	(*)	27,566	623	(*)	436.3	189,512	1,428	(*)
9	Females.....	5,653	183	5,836	285	(*)	26,678	510	(*)	449.3	162,408	1,135	(*)
10	Both parents native. ¹ (M..)	5,248	230	5,478	338	(*)	24,717	569	(*)	486.7	168,926	1,169	(*)
11	One or both parents (M..)	5,063	160	5,223	251	(*)	23,961	460	(*)	480.7	144,979	957	(*)
12	foreign. (F..)	586	25	611	37	(*)	2,849	48	(*)	387.1	20,586	124	(*)
13	Foreign.....	590	20	610	31	(*)	2,717	44	(*)	(*)	17,429	99	(*)
14	Foreign.....	6	1	7	1	(*)	68	1	(*)	8.8	15,604	113	(*)
15	Males.....	3	1	4	1	(*)	33	1	(*)	(*)	9,431	62	(*)
16	Females.....	3		3			35				6,173	51	(*)
17	Colored.....	919	54	973	76	(*)	4,218	181	(*)	379.5	30,807	477	(*)
18	Males.....	472	26	498	38	(*)	2,031	88	(*)	377.7	15,416	233	(*)
19	Females.....	447	28	475	38	(*)	2,187	93	(*)	381.1	15,391	244	(*)
20	OREGON.....	8,069	267	8,336	372	(*)	41,141	623	(*)	183.5	413,536	3,396	(*)
21	Males.....	4,130	162	4,292	215	(*)	20,870	353	(*)	174.8	232,985	2,019	(*)
22	Females.....	3,939	105	4,044	157	(*)	20,271	270	(*)	196.1	180,551	1,377	(*)
23	White.....	7,888	256	8,144	355	(*)	40,339	582	(*)	183.2	394,574	3,176	(*)
24	Males.....	4,043	154	4,197	205	(*)	20,485	332	(*)	176.6	217,475	1,880	(*)
25	Females.....	3,845	102	3,947	150	(*)	19,854	250	(*)	192.9	177,099	1,296	(*)
26	Native.....	7,878	254	8,132	349	(*)	40,202	571	(*)	236.7	340,721	2,412	(*)
27	Males.....	4,038	152	4,190	200	(*)	20,422	322	(*)	236.1	183,598	1,364	(*)
28	Females.....	3,840	102	3,942	149	(*)	19,780	249	(*)	237.6	157,123	1,048	(*)
29	Both parents native. ¹ (M..)	2,622	90	2,712	118	(*)	12,992	185	(*)	269.7	118,048	686	(*)
30	One or both parents (M..)	2,556	53	2,609	74	(*)	12,613	137	(*)	257.5	99,907	532	(*)
31	foreign. ¹ (F..)	833	27	860	35	(*)	4,256	57	(*)	296.9	31,991	192	(*)
32	Foreign.....	745	13	758	17	(*)	4,143	26	(*)	187.1	27,895	139	(*)
33	Foreign.....	10	1	11	5	(*)	137	10	(*)	15.8	53,853	632	(*)
34	Males.....	5	1	6	4	(*)	63	9	(*)	22.0	33,877	409	(*)
35	Females.....	5		5	1	(*)	74	1	(*)	4.5	19,976	223	(*)
36	Colored.....	181	11	192	17	(*)	802	41	(*)	186.4	18,962	220	(*)
37	Males.....	87	8	95	10	(*)	385	21	(*)	151.1	15,510	139	(*)
38	Females.....	94	3	97	7	(*)	417	20	(*)	(*)	3,452	81	(*)
39	Portland.....	1,148	68	1,216	106	87.2	6,348	167	26.3	195.1	90,426	856	9.5
40	Males.....	598	33	631	48	76.1	3,251	83	25.5	167.7	53,128	495	9.3
41	Females.....	550	35	585	58	99.1	3,097	84	27.1	232.7	37,298	361	9.7
42	White.....	1,126	66	1,192	102	85.6	6,253	160	25.6	199.3	80,614	803	10.0
43	Males.....	585	31	616	45	73.1	3,199	79	24.7	174.4	43,990	453	10.3
44	Females.....	541	35	576	57	99.0	3,054	81	26.5	231.4	36,624	350	9.6
45	Native.....	1,122	65	1,187	98	82.6	6,198	152	24.5	278.9	62,880	545	8.7
46	Males.....	583	30	613	42	68.5	3,174	72	22.7	254.4	33,559	283	8.4
47	Females.....	539	35	574	56	97.6	3,024	80	26.5	305.3	29,321	262	8.9
48	Foreign.....	4		4	3	(*)	55	7	(*)	28.1	17,734	249	14.0
49	Males.....	2		2	2	(*)	25	6	(*)	37.0	10,431	162	15.5
50	Females.....	2		2	1	(*)	30	1	(*)	(*)	7,303	87	11.9

¹ Population excluded for areas not reporting deaths by nativity of persons and parents.

* Data insufficient for rates.

CAUSES, BY SEX, COLOR, GENERAL NATIVITY, AND PARENT NATIVITY: CENSUS YEAR 1900—Continued.

CAUSE OF DEATH.																			
Measles.	Scarlet fever.	Diphtheria and croup.	Whooping cough.	Malarial fever.	Influenza.	Typhoid fever.	Diarrheal diseases.	Consumption.	Cancer and tumor.	Heart disease and dropsy.	Pneumonia.	Diseases of the liver.	Diseases of the nervous system.	Diseases of the urinary organs.	Affections connected with pregnancy.	Old age.	Unknown.	All other causes.	
48	11	112	50	134	23	201	320	288	54	186	313	39	301	65	56	49	271	660	1
33	4	60	19	75	14	126	174	131	24	108	180	25	175	45		25	133	390	2
15	7	52	31	59	9	75	146	157	30	78	133	14	126	20	56	24	138	270	3
43	11	105	35	118	17	186	279	178	51	164	269	37	278	62	44	38	220	569	4
32	4	58	12	64	10	119	152	77	24	93	156	24	162	44		21	108	348	5
11	7	47	23	54	7	67	127	101	27	71	113	13	116	18	44	17	112	221	6
43	11	103	35	115	14	178	275	168	42	148	259	35	264	60	38	30	206	539	7
32	4	58	12	62	9	112	152	70	18	82	150	24	157	43		17	101	325	8
11	7	45	23	53	5	66	123	98	24	66	109	11	107	17	38	13	105	214	9
29	4	52	12	48	8	98	137	42	14	63	129	20	126	24		6	88	269	10
11	7	35	20	40	4	62	111	81	18	49	100	9	94	15	27	7	90	177	10
3		6		10		8	11	12	2	5	10	2	8	5		5	7	30	11
.....		9	3	9		3	10	5	4	3	7	1	3	1	6	2	11	22	11
.....				3	3	7	3	8	9	15	9	2	12	1	4	6	9	22	12
.....				2	1	6		5	6	11	5		4	1		3	3	15	13
.....				1	2	1	3	3	3	4	4	2	8		4	3	6	7	14
5		7	15	16	6	15	41	110	3	22	44	2	23	3	12	11	51	91	15
1		2	7	11	4	7	22	54		15	24	1	13	1		4	25	42	16
4		5	8	5	2	8	19	56	3	7	20	1	10	2	12	7	26	49	17
14	10	47	32	23	66	106	168	433	161	346	305	29	401	126	25	96	108	900	18
9	4	21	15	11	39	55	106	219	66	231	204	16	234	95		58	61	575	19
5	6	26	17	12	27	51	62	214	95	115	101	13	167	31	25	38	47	325	20
14	10	45	31	22	61	102	164	362	155	338	287	29	395	124	23	93	89	832	21
9	4	21	15	11	37	52	103	172	63	223	190	16	230	94		57	49	534	22
5	6	24	16	11	24	50	61	190	92	115	97	13	165	30	23	36	40	298	23
12	10	43	31	19	45	83	148	286	97	233	219	23	280	83	17	60	76	647	24
8	4	20	15	9	27	40	96	125	38	144	135	13	151	61		33	42	403	25
4	6	23	16	10	18	43	52	161	59	89	84	10	129	22	17	27	34	244	26
6	1	12	9	7	14	22	54	60	22	76	68	7	67	23		12	33	193	27
1	3	13	8	4	16	24	20	86	36	41	45	8	57	12	12	10	22	114	27
1		2	2	1	5	7	15	27	3	21	15	4	11	3		4	6	65	28
.....		4	3	3	1	9	1	23	5	18	13	2	16	3	2	4	5	27	28
2		2		2	14	18	16	57	54	83	46	6	92	37	5	30	11	157	29
1		1		2	9	12	7	31	21	59	36	3	62	29		21	6	109	30
1		1			5	6	9	26	33	24	10	3	30	8	5	9	5	48	31
.....		2	1	1	5	4	4	71	6	8	18		6	2	2	3	19	68	32
.....					2	3	3	47	3	8	14		4	1		1	12	41	33
.....		2	1	1	3	1	1	24	3		4		2	1	2	2	7	27	34
2	6	13	10	3	4	22	64	100	53	78	42	6	108	42	2	17	6	278	35
2	3	6	4	2	4	13	32	55	22	51	25	3	61	32		8	2	170	36
.....	3	7	6	1		9	32	45	31	27	17	3	47	10	2	9	4	108	37
2	6	13	9	3	4	20	60	85	49	77	37	6	106	41	1	17	6	261	38
2	3	6	4	2	4	11	29	41	19	50	21	3	60	31		8	2	157	39
.....	3	7	5	1		9	31	44	30	27	16	3	46	10	1	9	4	104	40
1	6	11	9	2	3	12	51	62	21	46	29	2	71	22	1	7	4	185	41
1	3	5	4	1	3	6	25	26	7	28	13	2	37	15		1	1	105	42
.....	3	6	5	1		6	26	36	14	18	16		34	7	1	6	3	80	43
1		2		1	1	8	9	23	28	28	8	4	35	19		10	2	70	44
1		1		1	1	5	4	15	12	20	8	1	23	16		7	1	46	45
.....		1				3	5	8	16	8		3	12	3		3	1	24	46

TABLE 19.—POPULATION, BIRTHS, DEATHS, AND DEATH RATES AT CERTAIN AGES, AND DEATHS FROM CERTAIN

	AREAS.	UNDER 1 YEAR OF AGE.					UNDER 5 YEARS OF AGE.				ALL AGES.		
		Popula- tion.	Born and died in the census year.	Births during the census year.	Deaths.	Deaths under 1 per 1,000 births.	Popula- tion.	Deaths.	Death rate per 1,000 of popu- lation.	Deaths under 5 per 1,000 at all ages.	Popula- tion.	Deaths.	Death rate per 1,000 of popu- lation.
1	PENNSYLVANIA	155,778	12,580	168,358	18,409	(*)	730,131	29,049	(*)	322.1	6,302,115	90,199	(*)
2	Males	78,516	7,274	85,790	10,427	(*)	367,816	16,080	(*)	327.2	3,204,541	49,150	(*)
3	Females	77,262	5,306	82,568	7,982	(*)	362,315	12,969	(*)	315.9	3,097,574	41,049	(*)
4	White	152,492	12,033	164,525	17,567	(*)	715,236	27,756	(*)	320.3	6,141,664	86,653	(*)
5	Males	76,919	6,998	83,917	9,984	(*)	360,530	15,395	(*)	325.5	3,122,304	47,300	(*)
6	Females	75,573	5,035	80,608	7,583	(*)	354,706	12,361	(*)	314.1	3,019,360	39,353	(*)
7	Native ¹	150,291	11,763	162,054	17,117	(*)	701,736	26,999	(*)	401.6	5,097,486	67,229	(*)
8	Males	75,822	6,837	82,659	9,733	(*)	353,744	14,982	(*)	413.7	2,541,043	36,217	(*)
9	Females	74,469	4,926	79,395	7,384	(*)	347,992	12,017	(*)	387.5	2,556,443	31,012	(*)
10	Both parents native ¹ (M)	38,757	2,507	41,264	3,491	(*)	183,477	5,330	(*)	343.2	1,421,187	15,531	(*)
11	One or both parents foreign ¹ (M)	37,760	1,784	39,544	2,597	(*)	179,772	4,234	(*)	318.5	1,412,950	13,292	(*)
12	Foreign ¹	16,739	1,218	17,957	1,765	(*)	75,010	2,786	(*)	544.0	420,218	5,121	(*)
13	Males	16,519	888	17,407	1,320	(*)	73,736	2,231	(*)	539.4	414,603	4,136	(*)
14	Females	185	5	190	16	(*)	2,443	62	(*)	8.8	424,018	7,041	(*)
15	Colored	3,286	547	3,833	842	(*)	14,895	1,293	(*)	364.6	160,451	3,546	(*)
16	Males	1,597	276	1,873	443	(*)	7,286	685	(*)	370.3	82,237	1,850	(*)
17	Females	1,689	271	1,960	399	(*)	7,609	608	(*)	358.5	78,214	1,696	(*)
18	Allegheny	3,006	325	3,331	535	160.6	13,794	821	59.5	344.2	129,896	2,385	18.4
19	Males	1,524	189	1,713	303	176.9	6,946	461	66.4	347.7	66,667	1,326	19.9
20	Females	1,482	136	1,618	232	143.4	6,848	360	52.6	339.9	63,229	1,059	16.7
21	White	2,946	319	3,265	528	161.7	13,499	813	60.2	347.3	126,552	2,341	18.5
22	Males	1,494	185	1,679	298	177.5	6,792	455	67.0	350.0	64,844	1,300	20.0
23	Females	1,452	134	1,586	230	145.0	6,707	358	53.4	343.9	61,708	1,041	16.9
24	Native	2,928	319	3,247	526	162.0	13,370	808	60.4	489.1	96,377	1,652	17.1
25	Males	1,483	185	1,668	298	178.7	6,718	454	67.6	503.9	48,161	901	18.7
26	Females	1,445	134	1,579	228	144.4	6,652	354	53.2	471.4	48,216	751	15.6
27	Both parents native ¹ (M)	728	105	833	166	199.3	3,227	244	75.6	465.2	24,347	536	22.0
28	One or both parents foreign ¹ (M)	692	75	767	133	173.4	3,130	199	63.6	428.0	23,382	465	19.9
29	Foreign	753	58	811	91	112.2	3,491	201	57.6	589.4	23,814	341	14.3
30	Males	11		11			74	1	(*)	2.6	16,683	384	23.0
31	Females	7		7			55	4	(*)	14.0	13,492	286	21.2
32	Colored	60	6	66	7	(*)	295	8	27.1	(*)	3,344	44	13.2
33	Males	30	4	34	5	(*)	154	6	39.0	(*)	1,823	26	14.3
34	Females	30	2	32	2	(*)	141	2	14.2	(*)	1,521	18	11.8
35	Allentown	769	98	867	148	170.7	3,526	223	63.2	345.2	35,416	646	18.2
36	Males	379	61	440	89	202.3	1,792	136	75.9	393.1	17,226	346	20.1
37	Females	390	37	427	59	138.2	1,734	87	50.2	290.0	18,190	300	16.5
38	White	766	98	864	148	171.3	3,520	223	63.4	345.7	35,325	645	18.3
39	Males	377	61	438	89	203.2	1,787	136	76.1	394.2	17,170	345	20.1
40	Females	389	37	426	59	138.5	1,733	87	50.2	290.0	18,155	300	16.5
41	Native	763	97	860	147	170.9	3,507	222	63.3	393.6	32,340	564	17.4
42	Males	376	60	436	88	201.8	1,781	135	75.8	463.9	15,531	291	18.7
43	Females	387	37	424	59	139.2	1,726	87	50.4	318.7	16,809	273	16.2
44	Foreign	3	1	4	1	(*)	13	1	(*)	(*)	2,985	64	21.4
45	Males	1	1	2	1	(*)	6	1	(*)	(*)	1,639	38	23.2
46	Females	2		2			7				1,346	26	19.3
47	Altoona	908	129	1,037	195	188.0	4,474	281	62.8	373.7	38,973	752	19.3
48	Males	433	67	500	110	220.0	2,138	164	76.7	372.7	19,245	440	22.9
49	Females	475	62	537	85	158.3	2,336	117	50.1	375.0	19,728	312	15.8
50	White	900	128	1,028	194	188.7	4,436	278	62.7	375.2	38,566	741	19.2
51	Males	431	67	498	110	220.9	2,127	163	76.6	377.3	19,035	432	22.7
52	Females	469	61	530	84	158.5	2,309	115	49.8	372.2	19,531	309	15.8
53	Native	899	128	1,027	193	187.9	4,428	276	62.3	427.9	35,268	645	18.3
54	Males	431	67	498	109	218.9	2,122	162	76.3	434.3	17,228	373	21.7
55	Females	468	61	529	84	158.8	2,306	114	49.4	419.1	18,040	272	15.1
56	Foreign	1		1		(*)	8	1	(*)	(*)	3,298	82	24.9
57	Males						5	1	(*)	(*)	1,807	53	29.3
58	Females	1		1			3				1,491	29	19.5

¹ Population excluded for areas not reporting deaths by nativity of persons and parents.

* Data insufficient for rates.

POPULATION, BIRTHS, DEATHS, AND DEATH RATES.

511

CAUSES, BY SEX, COLOR, GENERAL NATIVITY, AND PARENT NATIVITY: CENSUS YEAR 1900—Continued.

CAUSE OF DEATH.																		
Measles.	Scarlet fever.	Diphtheria and croup.	Whooping cough.	Malarial fever.	Influenza.	Typhoid fever.	Diarrheal diseases.	Consumption.	Cancer and tumor.	Heart disease and dropsy.	Pneumonia.	Diseases of the liver.	Diseases of the nervous system.	Diseases of the urinary organs.	Affections connected with pregnancy.	Old age.	Unknown.	All other causes.
815	894	3,869	702	140	978	2,779	5,709	7,791	2,924	7,598	9,807	1,048	12,405	4,170	639	2,710	1,870	23,351
416	444	1,975	333	75	454	1,617	3,034	4,007	1,085	4,108	5,352	626	6,903	2,476		1,151	1,019	14,075
399	450	1,894	369	65	524	1,162	2,675	3,784	1,839	3,490	4,455	422	5,502	1,694	639	1,559	851	9,276
793	883	3,809	657	133	946	2,675	5,503	7,196	2,871	7,340	9,304	1,028	12,027	4,003	607	2,623	1,826	22,429
405	438	1,938	315	71	441	1,555	2,933	3,701	1,071	3,972	5,089	610	6,711	2,380		1,112	997	13,561
388	445	1,871	342	62	505	1,120	2,570	3,495	1,800	3,368	4,215	418	5,316	1,623	607	1,511	829	8,868
778	840	3,676	646	96	677	2,147	4,957	5,423	1,905	5,171	7,189	684	9,635	2,701	407	1,499	1,550	17,248
399	421	1,873	310	51	320	1,217	2,665	2,654	631	2,774	3,901	403	5,403	1,607		634	840	10,114
379	419	1,803	336	45	357	990	2,292	2,769	1,274	2,397	3,288	281	4,232	1,094	407	865	710	7,134
135	158	679	148	30	157	655	988	1,031	355	1,512	1,551	177	2,474	639		344	465	4,033
127	162	653	141	23	189	500	859	1,250	648	1,229	1,366	137	1,950	354	223	389	407	2,685
98	83	269	50	10	42	200	565	277	50	285	660	55	665	128		51	217	1,416
106	69	235	77	11	40	137	437	278	101	229	512	25	538	86	55	63	175	962
11	20	40	7	32	242	470	395	1,497	859	1,908	1,835	301	1,964	1,136	182	1,027	193	4,235
4	7	19	4	15	112	311	186	893	399	1,059	1,034	183	1,064	675		440	116	2,792
7	13	21	3	17	130	159	209	604	460	849	801	118	900	461	182	587	77	1,443
22	11	60	45	7	32	104	206	595	53	258	503	20	378	167	32	87	44	922
11	6	37	18	4	13	62	101	306	14	136	263	16	192	96		39	22	514
11	5	23	27	3	19	42	105	289	39	122	240	4	186	71	32	48	22	408
11	17	37	10	2	28	134	224	209	46	171	357	31	270	55	16	71	30	666
5	8	21	3	1	13	84	125	107	13	103	203	16	146	34		29	18	397
6	9	16	7	1	15	50	99	102	33	68	154	15	124	21	16	42	12	269
11	17	37	10	2	27	129	224	200	46	165	353	31	266	53	16	70	30	654
5	8	21	3	1	13	81	125	103	13	98	200	16	144	33		29	18	389
6	9	16	7	1	14	48	99	97	33	67	153	15	122	20	16	41	12	265
11	17	37	8	1	17	91	206	135	23	99	248	18	195	33	9	19	21	464
5	8	21	2		7	51	117	61	6	58	143	11	107	21		7	13	263
6	9	16	6	1	10	40	89	74	17	41	105	7	88	12	9	12	8	201
3	5	14	2		5	37	56	34	5	37	90	3	61	12		5	6	161
1	4	12	4	1	4	28	53	46	11	22	67	6	51	8	7	9	4	127
2	3	7			2	13	58	27	1	18	60	7	44	7		2	7	93
5	5	4	2		6	10	35	24	6	15	37	1	36	3	1	3	3	68
.....			2	1	9	38	17	64	22	64	102	13	70	20	7	51	7	183
.....			1	1	5	30	7	41	7	38	55	5	36	12		22	4	120
.....			1		4	8	10	23	15	26	47	8	34	8	7	29	3	63
.....					1	5		9		6	4		4	2		1		12
.....						3		4		5	3		2	1				8
.....					1	2		5		1	1		2	1	1	1		4
.....	9	31	7	1	5	17	43	49	12	75	64	3	91	21	5	16	27	170
.....	6	17	2		2	7	22	21	4	35	35	2	48	15		8	9	113
.....	3	14	5	1	3	10	21	28	8	40	29	1	43	6	5	8	18	57
.....	9	31	7	1	5	17	43	48	12	75	64	3	91	21	5	16	27	170
.....	6	17	2		2	7	22	20	4	35	35	2	48	15		8	9	113
.....	3	14	5	1	3	10	21	28	8	40	29	1	43	6	5	8	18	57
.....	9	31	7	1	3	17	41	42	12	62	54	3	81	17	5	11	24	144
.....	6	17	2		1	7	21	15	4	27	27	2	42	13		6	7	94
.....	3	14	5	1	2	10	20	27	8	35	27	1	39	4	5	5	17	50
.....					1		2	5		11	10		8	4		4	3	16
.....							1	4		6	8		4	2		1	2	10
.....					1		1	1		5	2		4	2		3	1	6
2	8	38	6		2	19	43	56	26	51	63	5	116	20	1	33	32	231
1	3	19	5		11	27	32	6	25	41	22	2	75	12		17	15	149
1	5	19	1		8	16	24	20	26	26	22	3	41	8	1	16	17	82
2	8	38	6		2	19	43	54	26	51	60	5	116	20	1	32	32	226
1	3	19	5		11	27	30	6	25	39	2	2	75	12		17	15	145
1	5	19	1		8	16	24	20	26	26	21	3	41	8	1	15	17	81
2	8	36	6		2	16	40	46	21	42	54	3	98	17	1	23	28	202
1	3	18	5		11	24	26	5	21	34	1	1	63	10		9	12	130
1	5	18	1		5	16	16	20	16	21	20	2	35	7	1	14	16	72
.....		1			2	3	7	4	8	6	2	2	17	2		8	4	18
.....							3	4	1	4	5	1	11	1		7	3	12
.....		1			2			3	3	4	1	1	6	1		1	1	6

TABLE 19.—POPULATION, BIRTHS, DEATHS, AND DEATH RATES AT CERTAIN AGES, AND DEATHS FROM CERTAIN

AREAS.		UNDER 1 YEAR OF AGE.					UNDER 5 YEARS OF AGE.				ALL AGES.		
		Popula- tion.	Born and died in the census year.	Births during the census year.	Deaths.	Deaths under 1 per 1,000 births.	Popula- tion.	Deaths.	Death rate per 1,000 of popu- lation.	Deaths under 5 per 1,000 at all ages.	Popula- tion.	Deaths.	Death rate per 1,000 of popu- lation.
PENNSYLVANIA—Continued.													
1	Carbondale	300	41	341	51	149.6	1,525	89	58.4	301.7	13,586	295	21.8
2	Males	148	25	173	31	179.2	730	48	65.8	289.2	6,647	166	25.0
3	Females	152	16	168	20	119.0	795	41	51.6	317.8	6,887	129	18.7
4	White	300	41	341	51	149.6	1,525	89	58.4	301.7	13,582	295	21.8
5	Males	148	25	173	31	179.2	730	48	65.8	289.2	6,645	166	25.0
6	Females	152	16	168	20	119.0	795	41	51.6	317.8	6,887	129	18.7
7	Native	300	41	341	51	149.6	1,523	89	58.4	442.8	10,979	201	18.3
8	Males	148	25	173	31	179.2	728	48	65.9	424.8	5,257	113	21.5
9	Females	152	16	168	20	119.0	795	41	51.6	(*)	5,722	88	15.4
10	Foreign						2				2,553	92	36.0
11	Males						2				1,388	51	36.7
12	Females										1,165	41	35.2
13	Carlisle	163	30	193	40	207.3	786	52	66.2	251.2	9,626	207	21.5
14	Males	80	20	100	26	260.0	391	34	87.0	300.9	4,429	113	25.5
15	Females	83	10	93	14	(*)	395	18	45.6	(*)	5,197	94	18.1
16	White	146	26	172	35	203.5	679	40	58.9	221.0	8,477	181	21.4
17	Males	75	18	93	23	(*)	344	27	78.5	(*)	3,912	98	25.1
18	Females	71	8	79	12	(*)	335	13	38.8	(*)	4,565	83	18.2
19	Native	146	26	172	35	203.5	678	40	59.0	226.0	8,305	177	21.3
20	Males	75	18	93	23	(*)	343	27	78.7	(*)	3,807	95	25.0
21	Females	71	8	79	12	(*)	335	13	38.8	(*)	4,498	82	18.2
22	Foreign						1				172	2	11.6
23	Males						1				105	1	9.5
24	Females										67	1	(*)
25	Columbia	311	38	349	52	149.0	1,395	80	57.3	334.7	12,316	239	19.4
26	Males	174	19	193	25	129.5	692	42	60.7	350.0	6,108	120	19.6
27	Females	137	19	156	27	173.1	703	38	54.1	319.3	6,208	119	19.2
28	White	305	37	342	50	146.2	1,355	78	57.6	340.6	11,893	229	19.3
29	Males	171	19	190	24	126.3	670	41	61.2	356.5	5,892	115	19.5
30	Females	134	18	152	26	171.1	685	37	54.0	324.6	6,001	114	19.0
31	Native	305	37	342	50	146.2	1,355	78	57.6	375.0	11,124	208	18.7
32	Males	171	19	190	24	126.3	670	41	61.2	402.0	5,470	102	18.6
33	Females	134	18	152	26	171.1	685	37	54.0	349.1	5,654	106	18.7
34	Foreign										769	18	23.4
35	Males										422	12	28.4
36	Females										347	6	17.8
37	Dubois	294	28	322	40	124.2	1,317	60	45.6	458.0	9,375	131	14.0
38	Males	147	16	163	24	147.2	664	33	49.7	(*)	4,837	68	14.1
39	Females	147	12	159	16	100.6	653	27	41.3	(*)	4,538	63	13.9
40	White	293	28	321	40	124.6	1,314	59	44.9	453.8	9,349	130	13.9
41	Males	147	16	163	24	147.2	663	32	48.3	(*)	4,828	67	13.9
42	Females	146	12	158	16	101.3	651	27	41.5	(*)	4,521	63	13.9
43	Native	293	28	321	39	121.5	1,310	57	43.5	553.4	7,696	103	13.4
44	Males	147	16	163	23	141.1	663	31	46.8	(*)	3,843	54	14.1
45	Females	146	12	158	16	101.3	647	26	40.2	(*)	3,853	49	12.7
46	Foreign				1		4	2	(*)	(*)	1,653	23	13.9
47	Males				1			1		(*)	985	10	10.2
48	Females						4	1	(*)	(*)	668	13	19.5

* Data insufficient for rates.

POPULATION, BIRTHS, DEATHS, AND DEATH RATES.

513

CAUSES, BY SEX, COLOR, GENERAL NATIVITY, AND PARENT NATIVITY: CENSUS YEAR 1900—Continued.

CAUSE OF DEATH.																		
Measles.	Scarlet fever.	Diphtheria and croup.	Whooping cough.	Malarial fever.	Influenza.	Typhoid fever.	Diarrheal diseases.	Consumption.	Cancer and tumor.	Heart disease and dropsy.	Pneumonia.	Diseases of the liver.	Diseases of the nervous system.	Diseases of the urinary organs.	Affections connected with pregnancy.	Old age.	Unknown.	All other causes.
.....	1	25	2	1	8	5	17	7	13	25	24	3	41	6	1	9	6	101
.....	1	12	2	1	4	3	6	3	5	13	12	2	24	5		4	4	66
.....	1	13			4	2	11	4	8	12	12	1	17	1	1	5	2	35
.....	1	25	2	1	8	5	17	7	13	25	24	3	41	6	1	9	6	101
.....	1	12	2	1	4	3	6	3	5	13	12	2	24	5		4	4	66
.....	1	13			4	2	11	4	8	12	12	1	17	1	1	5	2	35
.....	1	25	2	1	6	4	11	5	6	17	19	1	31	4	1	2	4	61
.....	1	12	2	1	3	2	5	2	1	10	11	1	21	3			3	36
.....	1	13			3	2	6	3	5	7	8		10	1	1	2	1	25
.....					2	1	6	2	6	8	5	2	10	2		7	2	39
.....					1	1	1	1	3	3	1	1	3	2		4	1	29
.....					1		5	1	3	5	4	1	7			3	1	10
.....	1	5			3	5	14	15	2	19	17	4	34	14	1	19	3	51
.....	1	1			1	3	10	8		8	8	4	22	8		6	1	32
.....		4			2	2	4	7	2	11	9		12	6	1	13	2	19
.....		5			2	5	12	15	2	18	14	4	30	13	1	15	3	42
.....		1			1	3	9	8		8	6	4	19	8		4	1	26
.....		4			1	2	3	7	2	10	8		11	5	1	11	2	16
.....		5			2	5	12	15	2	18	14	4	29	12	1	14	3	41
.....		1			1	3	9	8		8	6	4	18	7		3	1	26
.....		4			1	2	3	7	2	10	8		11	5	1	11	2	15
.....																1		1
.....																1		1
.....		17				6	12	15	5	20	19	4	38	11	1	10	6	75
.....		7				4	6	7	2	10	4	1	25	5		2	5	42
.....		10				2	6	8	3	10	15	3	13	6	1	8	1	33
.....		17				6	12	12	5	20	18	4	36	11	1	9	6	72
.....		7				4	6	6	2	10	4	1	23	5		1	5	41
.....		10				2	6	6	3	10	14	3	13	6	1	8	1	31
.....		17				5	12	12	5	19	17	3	32	11	1	6	4	64
.....		7				3	6	6	2	10	4	1	20	5			4	34
.....		10				2	6	6	3	9	13	2	12	6	1	6		30
.....						1				1	1	1	3			2	1	8
.....						1				1	1		2			1	1	7
.....										1	1	1	1			1		1
.....	6	3	2		2	4	7	14	1	9	12		13	2	2	3	7	44
.....	3	1	1		1	1	2	5		9	9		7	2		1	2	24
.....	3	2	1		1	3	5	9	1		3		6		2	2	5	20
.....	6	3	2		2	4	7	14	1	9	12		13	2	2	3	7	43
.....	3	1	1		1	1	2	5		9	9		7	2		1	2	23
.....	3	2	1		1	3	5	9	1		3		6		2	2	5	20
.....	6	3	2		1	3	7	10	1	7	12		11	1		1	5	33
.....	3	1	1		1	1	2	4		7	9		7	1			2	15
.....	3	2	1			2	5	6	1		3		4			1	3	18
.....					1	1		3					2	1	2	2	2	9
.....								1						1		1		7
.....					1	1		2					2		2	1	2	2

TABLE 19.—POPULATION, BIRTHS, DEATHS, AND DEATH RATES AT CERTAIN AGES, AND DEATHS FROM CERTAIN

AREAS.		UNDER 1 YEAR OF AGE.					UNDER 5 YEARS OF AGE.				ALL AGES.		
		Popula- tion.	Born and died in the census year.	Births during the census year.	Deaths.	Deaths under 1 per 1,000 births.	Popula- tion.	Deaths.	Death rate per 1,000 of popu- lation.	Deaths under 5 per 1,000 at all ages.	Popula- tion.	Deaths.	Death rate per 1,000 of popu- lation.
PENNSYLVANIA—Continued.													
1	Easton	461	55	516	85	164.7	2,219	109	49.1	258.9	25,238	421	16.7
2	Males	232	29	261	42	160.9	1,086	60	55.2	259.7	12,386	231	18.7
3	Females	229	26	255	43	168.6	1,133	49	43.2	257.9	12,852	190	14.8
4	White	451	54	505	84	166.3	2,185	107	49.0	258.5	24,907	414	16.6
5	Males	223	29	252	42	166.7	1,067	60	56.2	263.2	12,207	228	18.7
6	Females	228	25	253	42	166.0	1,118	47	42.0	252.7	12,700	186	14.6
7	Colored	10	1	11	1	(*)	34	2	(*)	(*)	331	7	21.1
8	Males	9		9			19				179	3	16.8
9	Females	1	1	2	1	(*)	15	2	(*)	(*)	152	4	26.3
10	Erie	1,243	127	1,370	172	125.5	5,877	235	40.0	293.4	52,733	801	15.2
11	Males	622	77	699	97	138.8	2,931	132	45.0	287.0	26,534	460	17.3
12	Females	621	50	671	75	111.8	2,946	103	35.0	302.1	26,199	341	13.0
13	White	1,240	126	1,366	170	124.5	5,864	233	39.7	292.7	52,483	796	15.2
14	Males	621	77	698	96	137.5	2,924	131	44.8	286.7	26,404	457	17.3
15	Females	619	49	668	74	110.8	2,940	102	34.7	300.9	26,079	339	13.0
16	Native	1,236	126	1,362	168	123.3	5,813	230	39.6	458.2	40,539	502	12.4
17	Males	618	77	695	95	136.7	2,894	129	44.6	455.8	19,956	283	14.2
18	Females	618	49	667	73	109.4	2,919	101	34.6	461.2	20,583	219	10.6
19	Foreign	4		4			51				11,944	246	20.6
20	Males	3		3			30				6,448	141	21.9
21	Females	1		1			21				5,496	105	19.1
22	Harrisburg	905	105	1,010	153	151.5	4,551	241	53.0	269.3	50,167	895	17.8
23	Males	436	60	496	84	169.4	2,286	136	59.5	274.7	24,325	495	20.3
24	Females	469	45	514	69	134.2	2,265	105	46.4	262.5	25,842	400	15.5
25	White	837	91	928	133	143.3	4,206	207	49.2	259.4	46,044	798	17.3
26	Males	403	52	455	73	160.4	2,112	120	56.8	271.5	22,297	442	19.8
27	Females	434	39	473	60	126.8	2,094	87	41.5	244.4	23,747	356	15.0
28	Native	837	91	928	132	142.2	4,200	206	49.0	317.9	43,566	648	14.9
29	Males	403	52	455	73	160.4	2,110	120	56.9	336.1	20,973	357	17.0
30	Females	434	39	473	59	124.7	2,090	86	41.1	295.5	22,593	291	12.9
31	Foreign						6				2,478	57	23.0
32	Males						2				1,824	28	21.1
33	Females						4				1,154	29	25.1
34	Hazleton	391	33	424	49	115.6	1,794	78	43.5	380.5	14,230	205	14.4
35	Males	198	11	209	16	76.6	908	31	34.1	284.4	6,965	109	15.6
36	Females	193	22	215	33	153.5	886	47	53.0	(*)	7,265	96	13.2
37	White	391	33	424	49	115.6	1,794	78	43.5	380.5	14,212	205	14.4
38	Males	198	11	209	16	76.6	908	31	34.1	284.4	6,949	109	15.7
39	Females	193	22	215	33	153.5	886	47	53.0	(*)	7,263	96	13.2
40	Native	391	33	424	49	115.6	1,786	78	43.7	541.7	11,484	144	12.5
41	Males	198	11	209	16	76.6	902	31	34.4	(*)	5,486	67	12.2
42	Females	193	22	215	33	153.5	884	47	53.2	(*)	5,998	77	12.8
43	Foreign						8				2,728	61	22.4
44	Males						6				1,463	42	28.7
45	Females						2				1,265	19	15.0
46	Johnstown	994	148	1,142	198	173.4	4,492	298	66.3	419.7	35,936	710	19.8
47	Males	476	82	558	111	198.9	2,297	167	72.7	403.4	19,221	414	21.5
48	Females	518	66	584	87	149.0	2,195	131	59.7	442.6	16,715	296	17.7
49	White	989	148	1,137	198	174.1	4,473	296	66.2	420.5	35,613	704	19.8
50	Males	473	82	555	111	200.0	2,288	165	72.1	403.4	19,033	409	21.5
51	Females	516	66	582	87	149.5	2,185	131	60.0	444.1	16,580	295	17.8
52	Native	985	148	1,133	198	174.8	4,408	295	66.9	545.3	28,304	541	19.1
53	Males	469	82	551	111	201.5	2,253	165	73.2	542.8	14,276	304	21.3
54	Females	516	66	582	87	149.5	2,155	130	60.3	548.5	14,028	237	16.9
55	Foreign	4		4			65	1	(*)	6.3	7,309	160	21.9
56	Males	4		4			35				4,757	102	21.4
57	Females						30	1	(*)	(*)	2,552	58	22.7

* Data insufficient for rates.

CAUSES, BY SEX, COLOR, GENERAL NATIVITY, AND PARENT NATIVITY: CENSUS YEAR 1900—Continued.

CAUSE OF DEATH.																		
Measles.	Scarlet fever.	Diphtheria and croup.	Whooping cough.	Malarial fever.	Influenza.	Typhoid fever.	Diarrheal diseases.	Consumption.	Cancer and tumor.	Heart disease and dropsy.	Pneumonia.	Diseases of the liver.	Diseases of the nervous system.	Diseases of the urinary organs.	Affections connected with pregnancy.	Old age.	Unknown.	All other causes.
.....	1	11		2	3	4	26	41	14	35	38	7	69	18	2	15	13	122
.....	1	8		2	2	3	12	22	4	17	19	4	31	14		5	9	79
.....	1	3		1	1	1	14	19	10	18	19	3	38	4	2	10	4	43
.....	1	11		2	3	4	26	41	14	35	35	7	68	18	2	15	13	119
.....	1	8		2	2	3	12	22	4	17	19	4	30	14		5	9	77
.....	1	3		1	1	1	14	19	10	18	16	3	38	4	2	10	4	42
.....											3		1					3
.....											3		1					2
.....																		1
.....																		8
2	7	27	3	1	4	18	55	77	22	97	58	12	115	38	7	30	6	213
1	5	12			3	10	24	46	7	56	31	5	77	27		20	4	132
1	2	15	3	1	1	8	31	31	15	41	27	7	38	11	7	19	2	81
2	7	27	3	1	4	18	55	77	22	97	58	12	113	37	7	39	6	211
1	5	12			3	10	24	46	7	56	31	5	76	26		20	4	131
1	2	15	3	1	1	8	31	31	15	41	27	7	37	11	7	19	2	80
2	7	27	3		3	14	46	42	10	42	41	6	73	18	3	6	5	154
1	5	12			2	7	19	22	3	25	23	2	49	11		3	4	95
1	2	15	3		1	7	27	20	7	17	18	4	24	7	3	3	1	59
.....				1	1	3	5	30	11	49	15	6	27	16	4	30	1	47
.....				1	1	3	3	19	4	27	7	3	16	13		17		28
.....				1			2	11	7	22	8	3	11	3	4	13	1	19
1	2	28	8	7	18	20	34	90	31	75	79	4	192	40	6	37	22	201
1	1	18	4	3	8	12	15	44	9	42	50	4	104	22		17	10	131
.....	1	10	4	4	10	8	19	46	22	33	29		88	18	6	20	12	70
1	2	28	8	6	16	16	29	77	31	66	73	4	173	35	6	33	19	175
1	1	18	4	3	7	9	13	38	9	38	47	4	92	17		14	9	118
.....	1	10	4	3	9	7	16	39	22	28	26		81	18	6	19	10	57
1	2	27	8	4	11	15	28	55	25	53	61	3	142	28	5	20	17	143
1	1	18	4	2	5	9	13	24	5	32	42	3	74	16		8	8	92
.....	1	9	4	2	6	6	15	31	20	21	19		68	12	5	12	9	51
.....				1	2			8	3	4	3		16	3		5	1	11
.....				1	2			5	3	1	1		7			1	1	7
.....				1				3		3	2		9	3		4		4
4	4	8				3	15	13	10	9	26	2	32	11		3	5	60
2	2	7				2	5	7	6	5	12	1	16	7		1	4	32
2	2	1				1	10	6	4	4	14	1	16	4		2	1	28
4	4	8				3	15	13	10	9	26	2	32	11		3	5	60
2	2	7				2	5	7	6	5	12	1	16	7		1	4	32
2	2	1				1	10	6	4	4	14	1	16	4		2	1	28
4	4	8				2	14	11	4	5	22	1	21	9			2	37
2	2	7				1	5	7	1	2	9	1	11	5			1	13
2	2	1				1	9	4	3	3	13		10	4			1	24
.....						1	1	2	6	4	4	1	11	2		3	3	23
.....						1			5	3	3		5	2		1	3	19
.....							1	2	1	1	1	1	6			2		4
9	8	21	9	1	4	35	55	37	17	52	110	6	88	20	4	15	28	191
5	5	10		1	4	24	32	18	5	19	65	4	52	18		7	14	129
4	3	11	2			11	23	19	12	33	45	2	36	2	4	8	14	62
9	8	21	9	1	4	34	54	36	17	52	110	6	87	20	4	14	28	190
5	5	10		1	4	23	31	18	5	19	65	4	51	18		6	14	128
4	3	11	2			11	23	18	12	33	45	2	36	2	4	8	14	62
9	8	21	9			30	52	23	11	32	90	2	74	14	3	4	26	132
5	5	10			1	19	30	10	4	11	53	2	43	12		2	13	82
4	3	11	2			11	22	13	7	21	37		31	2	3	2	13	50
.....				1	3	4	2	13	6	20	20	4	13	5	1	10	2	56
.....				1	3	4	1	8	1	8	12	2	8	5		4	1	44
.....							1	5	5	12	8	2	5		1	6	1	12

TABLE 19.—POPULATION, BIRTHS, DEATHS, AND DEATH RATES AT CERTAIN AGES, AND DEATHS FROM CERTAIN

AREAS.		UNDER 1 YEAR OF AGE.					UNDER 5 YEARS OF AGE.				ALL AGES.		
		Popula- tion.	Born and died in the census year.	Births during the census year.	Deaths.	Deaths under 1 per 1,000 births.	Popula- tion.	Deaths.	Death rate per 1,000 of popu- lation.	Deaths under 5 per 1,000 at all ages.	Popula- tion.	Deaths.	Death rate per 1,000 of popu- lation.
PENNSYLVANIA—Continued.													
1	Lancaster.....	868	85	953	130	136.4	3,894	210	53.9	290.1	41,459	724	17.5
2	Males.....	421	53	474	78	164.6	1,963	120	61.1	309.3	19,440	388	20.0
3	Females.....	447	32	479	52	108.6	1,931	90	46.6	267.9	22,019	336	15.3
4	White.....	853	78	931	122	131.0	3,816	201	52.7	284.3	40,668	707	17.4
5	Males.....	415	47	462	72	155.8	1,922	113	58.8	300.5	19,055	376	19.7
6	Females.....	438	31	469	50	106.6	1,894	88	46.5	265.9	21,613	331	15.3
7	Native.....	853	77	930	121	130.1	3,811	200	52.5	373.1	37,194	536	14.4
8	Males.....	415	47	462	72	155.8	1,918	113	58.9	393.7	17,323	287	16.6
9	Females.....	438	30	468	49	104.7	1,893	87	46.0	349.4	19,871	249	12.5
10	Foreign.....		1	1	1	(*)	5	1	(*)	9.6	3,474	104	29.9
11	Males.....						4				1,732	61	35.2
12	Females.....		1	1	1	(*)	1	1	(*)	(*)	1,742	43	24.7
13	Lebanon.....	399	42	441	62	140.6	1,767	100	56.6	306.7	17,628	326	18.5
14	Males.....	219	28	247	40	161.9	886	59	66.6	366.5	8,492	161	19.0
15	Females.....	180	14	194	22	113.4	881	41	46.5	248.5	9,136	165	18.1
16	White.....	399	42	441	62	140.6	1,764	100	56.7	306.7	17,566	326	18.6
17	Males.....	219	28	247	40	161.9	885	59	66.7	366.5	8,458	161	19.0
18	Females.....	180	14	194	22	113.4	879	41	46.6	248.5	9,108	165	18.1
19	Native.....	399	42	441	62	140.6	1,761	99	56.2	324.6	16,949	305	18.0
20	Males.....	219	28	247	40	161.9	884	59	66.7	396.0	8,088	149	18.4
21	Females.....	180	14	194	22	113.4	877	40	45.6	256.4	8,861	156	17.6
22	Foreign.....						3	1	(*)	(*)	617	18	29.2
23	Males.....						1				370	10	27.0
24	Females.....						2	1	(*)	(*)	247	8	32.4
25	McKeesport.....	1,085	124	1,209	192	158.8	4,949	277	56.0	467.9	34,227	592	17.3
26	Males.....	548	72	620	99	159.7	2,488	141	56.7	453.4	17,963	311	17.3
27	Females.....	537	52	589	93	157.9	2,461	136	55.3	484.0	16,264	281	17.3
28	White.....	1,059	121	1,180	189	160.2	4,859	274	56.4	477.4	33,476	574	17.1
29	Males.....	534	71	605	98	162.0	2,441	140	57.4	466.7	17,529	300	17.1
30	Females.....	525	50	575	91	158.3	2,418	134	55.4	489.1	15,947	274	17.2
31	Native.....	1,063	121	1,174	189	161.0	4,791	273	57.0	592.2	24,129	461	19.1
32	Males.....	531	71	602	98	162.8	2,402	139	57.9	579.2	12,235	240	19.6
33	Females.....	522	50	572	91	159.1	2,389	134	56.1	606.3	11,894	221	18.6
34	Foreign.....	6		6			68	1	(*)	9.3	9,347	108	11.6
35	Males.....	3		3			39	1	(*)	(*)	5,294	57	10.8
36	Females.....	3		3			29				4,053	51	12.6
37	Mahanoy.....	403	71	474	100	211.0	1,952	153	78.4	425.0	13,504	360	26.7
38	Males.....	205	47	252	58	230.2	979	84	85.8	396.2	7,121	212	29.8
39	Females.....	198	24	222	42	189.2	973	69	70.9	466.2	6,383	148	23.2
40	White.....	402	71	473	100	211.4	1,950	152	77.9	423.4	13,500	359	26.6
41	Males.....	204	47	251	58	231.1	977	84	86.0	396.2	7,117	212	29.8
42	Females.....	198	24	222	42	189.2	973	68	69.9	462.6	6,383	147	23.0
43	Native.....	400	69	469	98	209.0	1,931	149	77.2	659.3	9,623	226	23.5
44	Males.....	202	47	249	58	232.9	969	84	86.7	677.4	4,711	124	26.3
45	Females.....	198	22	220	40	181.8	962	65	67.6	637.3	4,912	102	20.8
46	Foreign.....	2		2			19				3,877	110	28.4
47	Males.....	2		2			8				2,406	75	31.2
48	Females.....						11				1,471	35	23.8

* Data insufficient for rates.

POPULATION, BIRTHS, DEATHS, AND DEATH RATES.

517

CAUSES, BY SEX, COLOR, GENERAL NATIVITY, AND PARENT NATIVITY: CENSUS YEAR 1900—Continued.

CAUSE OF DEATH.																		
Measles.	Scarlet fever.	Diphtheria and croup.	Whooping cough.	Malarial fever.	Influenza.	Typhoid fever.	Diarrheal diseases.	Consumption.	Cancer and tumor.	Heart disease and dropsy.	Pneumonia.	Diseases of the liver.	Diseases of the nervous system.	Diseases of the urinary organs.	Affections connected with pregnancy.	Old age.	Unknown.	All other causes.
.....	2	52	3	3	16	23	50	56	22	90	51	10	88	49	2	17	6	184
.....	2	27 25	2 1	1 2	8 8	11 12	27 23	29 27	6 16	42 48	28 23	6 4	57 31	28 21	 2	4 13	3 3	109 75
.....	2	50	3	3	16	23	50	53	22	87	50	10	86	49	2	17	5	179
.....	2	25 25	2 1	1 2	8 8	11 12	27 23	28 25	6 16	40 47	27 23	6 4	55 31	28 21	 2	4 13	3 2	105 74
.....	2	49	3	2	9	23	43	42	14	51	41	7	60	29	1	4	3	153
.....	2	24 25	2 1	1 1	4 5	11 12	25 18	17 25	4 10	22 29	24 17	3 4	40 20	17 12	 1	3 1	3	87 66
.....		1		1	4		5	5	5	24	5	3	14	13	1	9	1	13
.....		1		1	3 1		2 3	5	2 3	12 12	3 2	3	8 6	10 3	 1	1 8	 1	11 2
.....		12		2	8	8	12	23	8	23	30	5	53	6		2	15	119
.....	5 7			1 1	2 6	6 2	7 5	11 12	2 6	7 16	11 19	5	27 26	3 3			8 7	66 53
.....	12			2	8	8	12	23	8	23	30	5	53	6		2	15	119
.....	5 7			1 1	2 6	6 2	7 5	11 12	2 6	7 16	11 19	5	27 26	3 3			8 7	66 53
.....	11			2	8	8	12	22	8	21	27	4	48	6		2	15	111
.....	5 6			1 1	2 6	6 2	7 5	11 11	2 6	5 16	9 18	4	25 23	3 3			8 7	61 50
.....	1							1		1	3	1	5					6
.....	1							1		1	2 1	1	2 3					4 2
.....	5	28	15	3	3	15	60	36	11	31	92	3	84	21	5		5	175
.....	5	15 13	7 8	2 1	2 1	7 8	28 32	22 14	2 9	17 14	44 48	1 2	52 32	11 10	 5		3 2	98 77
.....	5	28	15	3	3	13	59	34	11	30	91	3	83	20	5		5	166
.....	5	15 13	7 8	2 1	2 1	5 8	28 31	21 13	2 9	16 14	44 47	1 2	52 31	11 9	 5		3 2	91 75
.....	5	26	15		3	11	54	30	4	14	78	2	72	13	2		4	128
.....	5	14 12	7 8		2 1	5 6	25 29	18 12	 4	8 6	37 41	1 1	44 28	9 4	 2		2 2	68 60
.....		2		3		2	5	4	7	16	13	1	11	6	3		1	34
.....		1 1		2 1			3 2	3 1	2 5	8 8	7 6	 1	8 3	2 4	 3		1	20 14
.....	7	16			2	3	22	16	11	32	40	1	38	10	3	6	3	150
.....	2 5	7 9			1 1	2 1	13 9	5 11	5 6	22 10	23 17	1	16 22	6 4	 3	1 5	2 1	106 44
.....	7	16			2	3	22	16	11	32	39	1	38	10	3	6	3	150
.....	2 5	7 9			1 1	2 1	13 9	5 11	5 6	22 10	23 16	1	16 22	6 4	 3	1 5	2 1	106 44
.....	7	16			1	1	21	8	2	17	24		31	3	1	2	3	89
.....	2 5	7 9				1	13 8	4 4	 2	9 8	12 12		14 17	2 1	 1		2 1	58 31
.....					1	2	1	5	8	12	13		7	5	2	3		51
.....					1	1		1	5	10	10		2	3		1		41
.....					1	1	1	4	3	2	3		5	2	2	2		10

VITAL STATISTICS.

TABLE 19.—POPULATION, BIRTHS, DEATHS, AND DEATH RATES AT CERTAIN AGES, AND DEATHS FROM CERTAIN

AREAS.	UNDER 1 YEAR OF AGE.					UNDER 5 YEARS OF AGE.				ALL AGES.		
	Popula- tion.	Born and died in the census year.	Births during the census year.	Deaths.	Deaths under 1 per 1,000 births.	Popula- tion.	Deaths.	Death rate per 1,000 of popu- lation.	Deaths under 5 per 1,000 at all ages.	Popula- tion.	Deaths.	Death rate per 1,000 of popu- lation.
PENNSYLVANIA—Continued.												
1 Meadville.....	165	14	179	18	100.6	774	25	32.3	135.1	10,291	185	18.0
2 Males	89	5	94	8	(*)	410	11	26.8	(*)	4,757	96	20.2
3 Females	76	9	85	10	(*)	364	14	38.5	(*)	5,534	89	16.1
4 White.....	158	12	170	16	94.1	752	22	29.3	127.2	10,110	173	17.1
5 Males	87	5	92	8	(*)	398	11	27.6	(*)	4,664	91	19.5
6 Females	71	7	78	8	(*)	354	11	31.1	(*)	5,446	82	15.1
7 Native	158	12	170	16	94.1	748	22	29.4	171.9	9,206	128	13.9
8 Males	87	5	92	8	(*)	397	11	27.7	(*)	4,207	61	14.5
9 Females	71	7	78	8	(*)	351	11	31.3	(*)	4,999	67	13.4
10 Foreign						4				904	27	29.9
11 Males						1				457	20	43.8
12 Females						3				447	7	15.7
13 Mount Carmel.....	518	65	583	95	163.0	2,153	175	81.3	593.2	13,179	295	22.4
14 Males	271	41	312	57	182.7	1,136	91	80.1	558.3	7,255	163	22.5
15 Females	247	24	271	38	140.2	1,017	84	82.6	636.4	5,924	132	22.3
16 White.....	518	65	583	95	163.0	2,153	175	81.3	595.2	13,166	294	22.3
17 Males	271	41	312	57	182.7	1,136	91	80.1	561.7	7,245	162	22.4
18 Females	247	24	271	38	140.2	1,017	84	82.6	636.4	5,921	132	22.3
19 Native	516	65	581	95	163.5	2,135	175	82.0	774.3	9,397	226	24.1
20 Males	271	41	312	57	182.7	1,124	91	81.0	739.8	4,849	123	25.4
21 Females	245	24	269	38	141.3	1,011	84	83.1	815.5	4,548	103	22.6
22 Foreign	2		2			18				3,769	67	17.8
23 Males						12				2,396	39	16.3
24 Females	2		2			6				1,373	28	20.4
25 Newcastle.....	671	66	737	93	126.2	3,157	132	41.8	302.1	28,339	437	15.4
26 Males	321	40	361	57	157.9	1,553	72	46.4	278.0	14,778	259	17.5
27 Females	350	26	376	36	95.7	1,604	60	37.4	337.1	13,561	178	13.1
28 White.....	661	65	726	92	126.7	3,122	130	41.6	303.0	27,868	429	15.4
29 Males	319	40	359	57	158.8	1,539	72	46.8	281.3	14,517	256	17.6
30 Females	342	25	367	35	95.4	1,583	58	36.6	335.3	13,351	173	13.0
31 Native	660	65	725	91	125.5	3,044	126	41.4	398.7	22,554	316	14.0
32 Males	318	40	358	56	156.4	1,506	70	46.5	391.1	11,370	179	15.7
33 Females	342	25	367	35	95.4	1,538	56	36.4	408.8	11,184	137	12.2
34 Foreign	1		1			78	1	(*)	(*)	5,314	65	12.2
35 Males	1		1			33				3,147	49	15.6
36 Females						45	1	(*)	(*)	2,167	16	7.4
37 Norristown.....	354	47	401	66	164.6	1,749	83	47.5	158.4	22,265	524	23.5
38 Males	183	25	208	40	192.3	867	48	55.4	183.2	10,413	262	25.2
39 Females	171	22	193	26	134.7	882	35	39.7	183.6	11,852	262	22.1
40 White.....	336	45	381	63	165.4	1,681	79	47.0	156.7	21,524	504	23.4
41 Males	173	25	198	39	197.0	838	46	54.9	179.0	10,025	257	25.6
42 Females	163	20	183	24	131.1	843	33	39.1	133.6	11,499	247	21.5
43 Native	333	45	378	63	166.7	1,649	79	47.9	215.3	18,491	367	19.8
44 Males	172	25	197	39	198.0	819	46	56.2	244.7	8,626	188	21.8
45 Females	161	20	181	24	132.6	830	33	39.8	184.4	9,865	179	18.1
46 Foreign	3		3			32				3,033	109	35.9
47 Males	1		1			19				1,899	54	38.6
48 Females	2		2			13				1,634	55	33.7

* Data insufficient for rates.

CAUSES, BY SEX, COLOR, GENERAL NATIVITY, AND PARENT NATIVITY: CENSUS YEAR 1900—Continued.

CAUSE OF DEATH.																		
Measles.	Scarlet fever.	Diphtheria and croup.	Whooping cough.	Malarial fever.	Influenza.	Typhoid fever.	Diarrheal diseases.	Consumption.	Cancer and tumor.	Heart disease and dropsy.	Pneumonia.	Diseases of the liver.	Diseases of the nervous system.	Diseases of the urinary organs.	Affections connected with pregnancy.	Old age.	Unknown.	All other causes.
		2	1	2	5	10	11	12	5	11	10	6	27	17	2	6	2	56
		1	1	2	2	4	6	6	2	6	5	6	14	9	2	1	1	31
		1	1	2	3	6	5	6	3	5	5	5	13	8	2	5	1	25
		2	1	2	5	9	11	8	5	10	8	6	26	16	2	6	1	55
		1	1	2	2	4	6	3	2	5	5	6	14	9	2	1	1	31
		1	1	2	3	5	5	5	3	5	3	6	12	7	2	5	1	24
		2	1	2	3	9	8	7	4	8	4	4	22	10	1	3	1	39
		1	1	2	2	4	5	2	2	4	2	4	11	5	1	3	1	17
		1	1	2	1	5	3	2	2	4	2	4	11	5	1	3	1	22
				2	2		1			2	3	2	3	3		3		8
																		10
					2		1			1	2	2	3	3		1		8
										1	1	2	3	3		2		11
																		12
	7	17			1	2	46	9	6	22	31	1	33	5			6	109
	3	10			1	1	27	3	1	9	12	1	21	2			3	69
	4	7				1	19	6	5	13	19		12	3			3	40
	7	17			1	2	46	9	6	21	31	1	33	5			6	109
	3	10			1	1	27	3	1	8	12	1	21	2			3	69
	4	7				1	19	6	5	13	19		12	3			3	40
	7	17			1	2	45	2	2	9	21	1	29	3			4	83
	8	10			1	1	27	1	1	5	8	1	17				2	46
	4	7				1	18	1	1	4	13		12	3			2	37
							1	7	4	12	10		4	2			1	26
								2		3	4			2				23
							1	5	4	9	6							3
																		24
2	2	17	2		9	42	19	20	11	25	32	11	38	14	4	13	18	158
		10			5	26	10	12	3	15	19	8	21	10		5	13	102
2	2	7	2		4	16	9	8	8	10	13	3	17	4	4	8	5	56
2	2	17	2		9	41	19	20	11	25	28	11	36	14	4	13	18	157
		10			5	25	10	12	3	15	18	8	20	10		5	13	102
2	2	7	2		4	16	9	8	8	10	10	3	16	4	4	8	5	55
1	2	16	2		8	25	16	12	8	19	22	10	29	9	3	10	13	111
		10			4	15	10	7	1	9	15	8	16	5		4	8	67
1	2	6	2		4	10	6	5	7	10	7	2	13	4	3	6	5	44
		1			1	6	2	5	3	4	3	1	4	4		3	3	25
					1	5		5	2	4	2		2	4		1	3	20
		1				1	2		1		1	1	2			2		5
1		9	3		9	9	36	72	17	53	19	2	100	31	3	12	4	144
		3	2		4	4	8	35	7	25	7	1	55	18		3	2	88
1		6	1		5	5	28	37	10	28	12	1	45	13	3	9	2	56
1		9	3		9	9	36	68	16	52	18	2	97	29	3	11	3	138
		3	2		4	4	8	33	7	25	7	1	54	18		3	2	86
1		6	1		5	5	28	35	9	27	11	1	43	11	3	8	1	52
1		9	3		6	8	24	52	8	33	15	1	77	18	1	5	2	104
		3	2		2	4	7	24	2	14	6	1	45	13		1	1	63
1		6	1		4	4	17	28	6	19	9		32	5	1	4	1	41
					3	1	12	11	7	15	2	1	14	11	2	4	1	25
					2		1	6	5	9	1		7	5		1	1	16
					1	1	11	6	2	6	1	1	7	6	2	3		9

VITAL STATISTICS.

TABLE 19.—POPULATION, BIRTHS, DEATHS, AND DEATH RATES AT CERTAIN AGES, AND DEATHS FROM CERTAIN

AREAS.		UNDER 1 YEAR OF AGE.					UNDER 5 YEARS OF AGE.				ALL AGES.		
		Popula- tion.	Born and died in the census year.	Births during the census year.	Deaths.	Deaths under 1 per 1,000 births.	Popula- tion.	Deaths.	Death rate per 1,000 of popu- lation.	Deaths under 5 per 1,000 at all ages.	Popula- tion.	Deaths.	Death rate per 1,000 of popu- lation.
PENNSYLVANIA—Continued.													
1	Oil City	281	37	318	44	138.4	1,332	60	45.0	301.5	13,264	199	15.0
2	Males	145	25	170	28	164.7	668	35	52.4	299.1	6,637	117	17.6
3	Females	136	12	148	16	108.1	664	25	37.7	(*)	6,627	82	12.4
4	White	277	37	314	44	140.1	1,317	60	45.6	303.0	13,072	198	15.1
5	Males	144	25	169	28	165.7	660	35	53.0	301.7	6,537	116	17.7
6	Females	133	12	145	16	110.3	657	25	38.1	(*)	6,535	82	12.5
7	Native	276	33	309	37	119.7	1,307	51	39.0	421.5	11,085	121	10.9
8	Males	143	22	165	25	151.5	655	30	45.8	(*)	5,423	68	12.5
9	Females	133	11	144	12	83.3	652	21	32.2	(*)	5,662	53	9.4
10	Foreign	1		1			10				1,987	28	14.1
11	Males	1		1			5				1,114	19	17.1
12	Females						5				873	9	10.3
13	Philadelphia	28,014	3,775	31,789	5,657	178.0	131,131	8,964	68.4	326.5	1,293,697	27,456	21.2
14	Males	14,071	2,156	16,227	3,167	195.2	65,877	4,942	75.0	343.6	634,485	14,381	22.7
15	Females	13,943	1,619	15,562	2,490	160.0	65,254	4,022	61.6	307.6	659,212	13,075	19.8
16	White	26,780	3,444	30,224	5,125	169.6	125,790	8,158	64.9	320.3	1,229,672	25,468	20.7
17	Males	13,468	1,986	15,454	2,884	186.6	63,278	4,510	71.3	337.6	604,267	13,358	22.1
18	Females	13,312	1,458	14,770	2,241	151.7	62,512	3,648	58.4	301.2	625,405	12,110	19.4
19	Native	26,711	3,430	30,141	5,080	168.5	124,592	8,085	64.9	435.3	936,004	18,575	19.8
20	Males	13,434	1,979	15,413	2,857	185.4	62,658	4,473	71.4	454.9	459,750	9,832	21.4
21	Females	13,277	1,451	14,728	2,223	150.9	61,934	3,612	58.3	413.1	476,254	8,743	18.4
22	Foreign	69	4	73	11	(*)	1,198	33	27.5	5.1	293,668	6,434	21.9
23	Males	34	1	35	4	(*)	620	11	17.7	3.4	144,517	3,240	22.4
24	Females	35	3	38	7	(*)	578	22	38.1	6.9	149,151	3,194	21.4
25	Phoenixville	208	26	234	43	183.8	916	66	72.1	325.1	9,196	203	22.1
26	Males	108	15	123	25	203.3	484	40	82.6	363.6	4,931	110	22.3
27	Females	100	11	111	18	162.2	432	26	60.2	(*)	4,265	93	21.8
28	White	205	26	231	43	186.1	889	64	72.0	331.6	8,914	193	21.7
29	Males	106	15	121	25	206.6	471	39	82.8	375.0	4,793	104	21.7
30	Females	99	11	110	18	163.6	418	25	59.8	(*)	4,121	89	21.6
31	Native	205	26	231	43	186.1	875	63	72.0	446.8	6,697	141	21.1
32	Males	106	15	121	25	206.6	462	38	82.3	(*)	3,330	75	22.5
33	Females	99	11	110	18	163.6	413	25	60.5	(*)	3,367	66	19.6
34	Foreign						14	1	(*)	(*)	2,217	51	23.0
35	Males						9	1	(*)	(*)	1,463	29	19.8
36	Females						5				754	22	29.2
37	Pittsburg	8,146	925	9,071	1,470	162.1	37,128	2,409	64.9	374.3	321,616	6,436	20.0
38	Males	4,084	543	4,627	824	178.1	18,676	1,305	69.9	355.8	165,646	3,668	22.1
39	Females	4,062	382	4,444	646	145.4	18,452	1,104	59.8	398.8	155,970	2,768	17.7
40	White	7,812	867	8,679	1,370	157.9	35,591	2,246	63.1	374.9	304,421	5,991	19.7
41	Males	3,921	511	4,432	771	174.0	17,940	1,213	67.6	353.1	156,067	3,435	22.0
42	Females	3,891	356	4,247	599	141.0	17,651	1,033	58.5	404.1	148,354	2,556	17.2
43	Native	7,779	862	8,641	1,363	157.7	35,150	2,227	63.4	540.7	219,749	4,119	18.7
44	Males	3,908	507	4,415	765	173.3	17,708	1,200	67.8	530.7	109,380	2,261	20.7
45	Females	3,871	355	4,226	598	141.5	17,442	1,027	58.9	552.7	110,369	1,858	16.8
46	Both parents native.. {M..	1,589	209	1,798	312	173.5	7,205	465	64.5	474.0	50,109	981	19.6
47	One or both parents {F..	1,597	139	1,736	236	135.9	7,107	370	52.1	467.2	49,456	792	16.0
	foreign. {M..	2,319	287	2,606	440	168.8	10,503	720	68.6	594.1	59,271	1,212	20.4
	foreign. {F..	2,274	213	2,487	356	143.1	10,335	647	62.6	626.9	60,913	1,032	16.9
48	Foreign	33	2	35	4	(*)	441	15	34.0	8.2	84,672	1,822	21.5
49	Males	13	2	15	4	(*)	232	11	47.4	9.7	46,687	1,133	24.3
50	Females	20		20			209	4	19.1	5.8	37,985	689	18.1
51	Colored	334	58	392	100	255.1	1,537	163	106.1	366.3	17,195	445	25.9
52	Males	163	32	195	53	271.8	736	92	125.0	394.8	9,579	233	24.3
53	Females	171	26	197	47	238.6	801	71	88.6	334.9	7,616	212	27.8

* Data insufficient for rates.

POPULATION, BIRTHS, DEATHS, AND DEATH RATES.

521

CAUSES, BY SEX, COLOR, GENERAL NATIVITY, AND PARENT NATIVITY: CENSUS YEAR 1900—Continued.

CAUSE OF DEATH.																			
Measles.	Scarlet fever.	Diphtheria and croup.	Whooping cough.	Malarial fever.	Influenza.	Typhoid fever.	Diarrheal diseases.	Consumption.	Cancer and tumor.	Heart disease and dropsy.	Pneumonia.	Diseases of the liver.	Diseases of the nervous system.	Diseases of the urinary organs.	Affections connected with pregnancy.	Old age.	Unknown.	All other causes.	
.....	1	2	1		4	11	13	21	7	17	15	2	29	2	2	5	12	55	1
.....	1	2	1		1	8	8	8	4	10	11	1	17	1		4	7	36	2
.....	1	2	1		3	3	5	13	3	7	4	1	12	1	2	1	5	19	3
.....	1	2	1		4	11	13	20	7	17	15	2	29	2	2	5	12	55	4
.....	1	2	1		1	8	8	7	4	10	11	1	17	1		4	7	36	5
.....	1	2	1		3	3	5	13	3	7	4	1	12	1	2	1	5	19	6
.....	1	2	1		2	9	10	14	3	7	11	2	13	2	1	1	5	37	7
.....	1	2	1		2	7	7	4	2	4	7	1	7	1		3	24	8	8
.....	2	1			2	2	3	10	1	3	4	1	6	1	1	1	2	13	9
.....					1	1		2	2	6	2		5		1	2	2	4	10
.....					1			2		4	2		3			2	2	3	11
.....					1	1		2	2	2			2		1			1	12
290	194	1,255	175	24	253	489	1,530	2,990	926	2,064	3,143	331	3,331	1,917	167	906	92	7,379	13
152	101	637	86	10	112	279	797	1,654	341	1,052	1,678	193	1,765	1,056		310	61	4,097	14
138	93	618	89	14	141	210	733	1,336	585	1,012	1,465	138	1,566	861	167	596	31	3,282	15
277	187	1,214	148	21	244	458	1,410	2,640	893	1,931	2,849	322	3,131	1,800	147	875	90	6,831	16
143	97	612	74	8	109	258	739	1,468	334	986	1,526	185	1,669	990		298	59	3,803	17
134	90	602	74	13	135	200	671	1,172	559	945	1,323	137	1,462	810	147	577	31	3,028	18
271	183	1,199	147	9	144	341	1,255	1,809	498	1,135	2,134	179	2,332	1,106	84	424	50	5,275	19
143	96	607	73	4	70	185	667	986	157	575	1,161	96	1,276	617		142	32	2,945	20
128	87	592	74	5	74	156	588	823	341	560	973	83	1,056	489	84	282	18	2,330	21
6	2	13	1	12	98	112	142	760	374	753	678	133	750	648	63	440	22	1,427	22
.....		5	1	4	38	71	63	436	166	385	340	81	369	348		151	18	764	23
6	2	8		8	60	41	79	324	208	368	338	52	381	300	63	289	4	663	24
3	1	5	1	1	6	4	10	12	5	19	25	6	32	7		1		65	25
1		2	1		1	3	6			8	16	3	23	4		1		41	26
2	1	3		1	5	1	4	12	5	11	9	3	9	3				24	27
2	1	5	1	1	6	4	10	12	5	17	24	6	30	7		1		61	28
1		2	1		1	3	6			7	16	3	21	4		1		38	29
1	1	3		1	5	1	4	12	5	10	8	3	9	3				23	30
2	1	5	1	1	3	2	9	7	3	13	22	5	23	5		1		38	31
1		2	1		1	1	5			6	14	2	15	2		1		24	32
1	1	3		1	2	1	4	7	3	7	8	3	8	3				14	33
.....					3	2	1	4	2	4	2	1	7	2				23	34
.....						2	1			1	2	1	6	2				14	35
.....					3			4	2	3			1					9	36
87	51	125	54	10	66	474	635	436	135	326	833	93	635	206	56	103	65	2,046	37
46	23	74	25	4	38	293	325	244	50	201	468	66	353	112		47	31	1,268	38
41	28	51	29	6	28	181	310	192	85	125	365	27	282	94	56	56	34	778	39
84	48	121	49	9	58	443	598	370	132	296	750	90	601	197	52	98	60	1,935	40
46	22	72	20	4	34	276	310	209	50	184	419	64	336	110		45	29	1,205	41
38	26	49	29	5	24	167	288	161	82	112	331	26	265	87	52	53	31	730	42
82	43	119	49	7	30	257	551	254	60	147	488	47	452	107	26	30	40	1,330	43
44	20	70	20	2	17	143	284	134	17	88	270	33	255	53		10	18	783	44
38	23	49	29	5	13	114	267	120	43	59	218	14	197	54	26	20	22	547	45
14	8	24	6	1	7	69	97	52	11	43	111	10	167	30		7	4	380	46
12	10	17	8	2	8	65	82	56	21	29	90	5	85	26	12	9	9	246	47
30	12	46	14	1	10	66	186	76	6	43	154	22	144	18		2	14	368	48
26	13	32	21	3	5	47	181	63	22	29	125	9	106	26	14	10	13	287	49
2	5	2		2	28	182	47	113	72	145	261	43	145	89	25	68	15	578	50
2	2	2		2	17	130	26	74	33	92	148	31	78	56		35	8	397	51
.....	3				11	52	21	39	39	53	113	12	67	33	25	33	7	181	52
3	3	4	5	1	8	31	37	66	3	30	83	3	34	9	4	5	5	111	53
.....	1	2	5		4	17	15	35		17	49	2	17	2		2	2	63	54
3	2	2		1	4	14	22	31	3	13	34	1	17	7	4	3	3	48	55

TABLE 19.—POPULATION, BIRTHS, DEATHS, AND DEATH RATES AT CERTAIN AGES, AND DEATHS FROM CERTAIN

AREAS.	UNDER 1 YEAR OF AGE.					UNDER 5 YEARS OF AGE.				ALL AGES.		
	Popula- tion.	Born and died in the census year.	Births during the census year.	Deaths.	Deaths under 1 per 1,000 births.	Popula- tion.	Deaths.	Death rate per 1,000 of popula- tion.	Deaths under 5 per 1,000 at all ages.	Popula- tion.	Deaths.	Death rate per 1,000 of popula- tion.
PENNSYLVANIA—Continued.												
1 Pittston.....	392	41	433	80	184.8	1,729	120	69.4	438.0	12,556	274	21.8
2 Males.....	203	29	232	54	232.8	841	75	89.2	471.7	6,334	159	25.1
3 Females.....	189	12	201	26	129.4	888	45	50.7	391.3	6,222	115	18.5
4 White.....	392	41	433	80	184.8	1,728	120	69.4	438.0	12,530	274	21.9
5 Males.....	203	29	232	54	232.8	841	75	89.2	471.7	6,319	159	25.2
6 Females.....	189	12	201	26	129.4	887	45	50.7	391.3	6,211	115	18.5
7 Native.....	389	39	428	76	177.6	1,704	115	67.5	615.0	9,137	187	20.5
8 Males.....	201	27	228	50	219.3	825	71	86.1	703.0	4,409	101	22.9
9 Females.....	188	12	200	26	130.0	879	44	50.1	(*)	4,728	86	18.2
10 Foreign.....	3	1	4	1	(*)	24	1	(*)	(*)	3,393	74	21.8
11 Males.....	2	1	3	1	(*)	16	1	(*)	(*)	1,910	47	24.6
12 Females.....	1		1			8				1,483	27	18.2
13 Plymouth.....	437	62	499	88	176.4	1,990	148	74.4	517.5	13,649	286	21.0
14 Males.....	205	41	246	54	219.5	982	86	87.6	515.0	7,076	167	23.6
15 Females.....	232	21	253	34	134.4	1,008	62	61.5	521.0	6,573	119	18.1
16 White.....	437	62	499	88	176.4	1,986	148	74.5	517.5	13,622	286	21.0
17 Males.....	205	41	246	54	219.5	980	86	87.8	515.0	7,059	167	23.7
18 Females.....	232	21	253	34	134.4	1,006	62	61.6	521.0	6,563	119	18.1
19 Native.....	435	62	497	88	177.1	1,960	122	62.2	748.5	8,819	163	18.5
20 Males.....	204	41	245	54	220.4	965	70	72.5	(*)	4,275	93	21.8
21 Females.....	231	21	252	34	134.9	995	52	52.3	(*)	4,544	70	15.4
22 Foreign.....	2		2			26				4,803	46	9.6
23 Males.....	1		1			15				2,784	30	10.8
24 Females.....	1		1			11				2,019	16	7.9
25 Pottstown.....	266	35	301	45	149.5	1,428	72	50.4	300.0	13,696	240	17.5
26 Males.....	130	20	150	25	166.7	692	40	57.8	339.0	6,785	118	17.4
27 Females.....	136	15	151	20	132.5	736	32	43.5	262.3	6,911	122	17.7
28 White.....	259	35	294	45	153.1	1,394	71	50.9	299.6	13,403	237	17.7
29 Males.....	127	20	147	25	170.1	678	39	57.5	336.2	6,647	116	17.5
30 Females.....	132	15	147	20	136.1	716	32	44.7	264.5	6,756	121	17.9
31 Native.....	259	35	294	45	153.1	1,394	71	50.9	321.3	12,608	221	17.5
32 Males.....	127	20	147	25	170.1	678	39	57.5	378.6	6,161	103	16.7
33 Females.....	132	15	147	20	136.1	716	32	44.7	271.2	6,447	118	18.3
34 Foreign.....										795	15	18.9
35 Males.....										486	12	24.7
36 Females.....										309	3	9.7
37 Pottsville.....	329	27	356	48	134.8	1,526	65	42.6	266.4	15,710	244	15.5
38 Males.....	173	18	191	34	178.0	785	39	49.7	293.2	7,470	133	17.8
39 Females.....	156	9	165	14	84.8	741	26	35.1	234.2	8,240	111	13.5
40 White.....	320	27	347	48	138.3	1,500	65	43.3	267.5	15,542	243	15.6
41 Males.....	166	18	184	34	184.8	767	39	50.8	295.5	7,368	132	17.9
42 Females.....	154	9	163	14	85.9	733	26	35.5	234.2	8,174	111	13.6
43 Native.....	320	27	347	48	138.3	1,499	64	42.7	333.3	13,890	192	13.8
44 Males.....	166	18	184	34	184.8	766	38	49.6	368.9	6,515	103	15.8
45 Females.....	154	9	163	14	85.9	733	26	35.5	(*)	7,375	89	12.1
46 Foreign.....						1	1	(*)	(*)	1,652	44	26.6
47 Males.....						1	1	(*)	(*)	853	26	30.5
48 Females.....										799	18	22.5

*Data insufficient for rates.

CAUSES, BY SEX, COLOR, GENERAL NATIVITY, AND PARENT NATIVITY: CENSUS YEAR 1900—Continued.

CAUSE OF DEATH.																		
Measles.	Scarlet fever.	Diphtheria and croup.	Whooping cough.	Malarial fever.	Influenza.	Typhoid fever.	Diarrheal diseases.	Consumption.	Cancer and tumor.	Heart disease and dropsy.	Pneumonia.	Diseases of the liver.	Diseases of the nervous system.	Diseases of the urinary organs.	Affections connected with pregnancy.	Old age.	Unknown.	All other causes.
1	4	13	5	2	2	2	29	14	9	22	32	3	38	9	6	4	3	76
1	3	8	3	2	1	1	15	9	1	13	22	3	17	3	6	3	2	54
1	1	5	2	2	1	1	14	5	8	9	10		21	6		1	1	22
1	4	13	5	2	2	2	29	14	9	22	32	3	38	9	6	4	3	76
1	3	8	3	2	1	1	15	9	1	13	22	3	17	3	6	3	2	54
1	1	5	2	2	1	1	14	5	8	9	10		21	6	6	1	1	22
1	4	13	5	2	2	2	26	9	5	8	24		24	6	2	1	2	51
1	3	8	3	2	1	1	13	5		2	15		10	1		1	1	36
1	1	5	2	2	1	1	13	4	5	6	9		14	5	2		1	15
.....							1	5	4	9	8	3	13	3	4	2		22
.....							1	4	1	6	7	3	7	2	4	2		15
.....							1	1	3	3	1		6	1				7
12	4	31		1	6	7	31	9	2	6	41	4	37	6	2	3	2	82
6	2	15		1	2	5	17	3	1	3	29	2	24	1		1	2	53
6	2	16		4	2	2	14	6	1	3	12	2	13	5	2	2		29
12	4	31		1	6	7	31	9	2	6	41	4	37	6	2	3	2	82
6	2	15		1	2	5	17	3	1	3	29	2	24	1		1	2	53
6	2	16		4	2	2	14	6	1	3	12	2	13	5	2	2		29
11	2	20			3	3	25			1	19	2	27	4	1	2	1	42
5	1	10			1	2	13			1	12	1	18	1		1	1	26
6	1	10			2	1	12				7	1	9	3	1	1		16
.....					3	2		2	2	3	11	1	3	2				17
.....					1	1		1	1	1	8	1	2					14
.....					2			1		2	3		1	2				3
7	2	8	5	1	2	5	9	26	7	25	18	3	42	10	1	6	5	58
4	1	3	2			3	4	13	2	13	9		21	3		2	3	35
3	1	5	3	1	2	2	5	13	5	12	9	3	21	7	1	4	2	23
7	2	8	5	1	2	5	9	25	7	24	17	3	42	10	1	6	5	58
4	1	3	2			3	4	13	2	12	8		21	3		2	3	35
3	1	5	3	1	2	2	5	12	5	12	9	3	21	7	1	4	2	23
7	2	8	5	1	2	4	9	23	7	23	14	3	38	9	1	6	5	54
4	1	3	2			2	4	11	2	11	6		17	2		2	3	33
3	1	5	3	1	2	2	5	12	5	12	8	3	21	7	1	4	2	21
.....						1		2		1	3		4	1				3
.....						1		2		1	2		4	1				1
.....											1							2
.....		4			1	3	10	13	6	14	31	2	60	14	1	11		74
.....		1			1	2	10	5		7	16	2	27	9		4		49
.....		3			1	1		8	6	7	15		33	5	1	7		25
.....		4			1	3	10	13	6	14	31	2	60	14	1	11		73
.....		1			1	2	10	5		7	16	2	27	9		4		48
.....		3				1		8	6	7	15		33	5	1	7		25
.....		4			1	3	10	12	6	11	21	2	49	13	1	6		53
.....		1			1	2	10	5		6	11	2	22	8		1		34
.....		3				1		7	6	5	10		27	5	1	5		19
.....								1		2	8		10	1		4		18
.....										1	4		5	1		3		12
.....								1		1	4		5			1		6

TABLE 19.—POPULATION, BIRTHS, DEATHS, AND DEATH RATES AT CERTAIN AGES, AND DEATHS FROM CERTAIN

AREAS.	UNDER 1 YEAR OF AGE.					UNDER 5 YEARS OF AGE.				ALL AGES.		
	Popula- tion.	Born and died in the census year.	Births during the census year.	Deaths.	Deaths under 1 per 1,000 births.	Popula- tion.	Deaths.	Death rate per 1,000 of popula- tion.	Deaths under 5 per 1,000 at all ages.	Popula- tion.	Deaths.	Death rate per 1,000 of popula- tion.
PENNSYLVANIA—Continued.												
1 Reading	1,684	242	1,926	335	173.9	8,133	463	56.9	330.5	78,961	1,401	17.7
2 Males	878	142	1,020	190	186.3	4,160	255	61.3	337.7	39,128	755	19.3
3 Females	806	100	906	145	160.0	3,973	208	52.4	322.0	39,833	646	16.2
4 White	1,673	239	1,912	330	172.6	8,083	456	56.4	329.5	78,414	1,384	17.6
5 Males	870	141	1,011	188	186.0	4,132	251	60.7	337.8	38,829	743	19.1
6 Females	803	98	901	142	157.6	3,951	205	51.9	319.8	39,585	641	16.2
7 Native	1,673	239	1,912	330	172.6	8,058	455	56.5	370.2	72,492	1,229	17.0
8 Males	870	141	1,011	188	186.0	4,121	250	60.7	390.0	35,478	641	18.1
9 Females	803	98	901	142	157.6	3,937	205	52.1	348.6	37,014	588	15.9
10 Foreign						25	1	(*)	7.2	5,922	139	23.5
11 Males						11	1	(*)	(*)	3,351	90	26.9
12 Females						14				2,571	49	19.1
13 Scranton	2,610	300	2,910	446	153.3	12,551	829	66.1	392.7	102,026	2,111	20.7
14 Males	1,326	167	1,493	241	161.4	6,259	437	69.8	392.3	51,216	1,114	21.8
15 Females	1,284	133	1,417	205	144.7	6,292	392	62.3	393.2	50,810	997	19.6
16 White	2,597	296	2,893	442	152.8	12,495	825	66.0	392.3	101,487	2,103	20.7
17 Males	1,319	166	1,485	240	161.6	6,226	436	70.0	392.8	50,907	1,110	21.8
18 Females	1,278	130	1,408	202	143.5	6,269	389	62.1	391.7	50,580	993	19.6
19 Native	2,576	272	2,848	409	143.6	12,338	748	60.6	562.0	72,528	1,331	18.4
20 Males	1,308	154	1,462	224	153.2	6,154	399	64.8	570.0	35,432	700	19.8
21 Females	1,268	118	1,386	185	133.5	6,184	349	56.4	553.1	37,096	631	17.0
22 Foreign	21	2	23	2	(*)	157	5	31.8	10.3	28,959	486	16.8
23 Males	11	1	12	1	(*)	72	2	(*)	7.4	15,475	269	17.4
24 Females	10	1	11	1	(*)	85	3	(*)	13.8	13,484	217	16.1
25 South Bethlehem	375	47	422	67	158.8	1,676	99	59.1	386.7	13,241	256	19.3
26 Males	189	30	219	39	178.1	867	57	65.7	413.0	7,032	138	19.6
27 Females	186	17	203	28	137.9	809	42	51.9	355.9	6,209	118	19.0
28 White	372	47	419	67	159.9	1,663	99	59.5	394.4	13,122	251	19.1
29 Males	187	30	217	39	179.7	857	57	66.5	422.2	6,971	135	19.4
30 Females	185	17	202	28	138.6	806	42	52.1	362.1	6,151	116	18.9
31 Native	370	47	417	67	160.7	1,640	99	60.4	507.7	9,806	195	19.9
32 Males	186	30	216	39	180.6	843	57	67.6	542.9	4,986	105	21.1
33 Females	184	17	201	28	139.3	797	42	52.7	(*)	4,820	90	18.7
34 Foreign	2		2			23				3,316	56	16.9
35 Males	1		1			14				1,985	30	15.1
36 Females	1		1			9				1,331	26	19.5
37 Steelton	278	39	317	68	214.5	1,296	100	77.2	469.5	12,086	213	17.6
38 Males	147	20	167	35	209.6	635	53	83.5	453.0	7,206	117	16.2
39 Females	131	19	150	33	220.0	661	47	71.1	(*)	4,880	96	19.7
40 White	246	37	283	63	222.6	1,145	93	81.2	492.1	10,575	189	17.9
41 Males	132	19	151	34	225.2	562	51	90.7	472.2	6,288	108	17.2
42 Females	114	18	132	29	219.7	583	42	72.0	(*)	4,287	81	18.9
43 Native	245	36	281	62	220.6	1,137	92	80.9	605.3	8,283	152	18.4
44 Males	131	18	149	33	221.5	561	50	89.1	(*)	4,473	83	18.6
45 Females	114	18	132	29	219.7	576	42	72.9	(*)	3,810	69	18.1
46 Foreign	1		1			8				2,292	30	13.1
47 Males	1		1			1				1,815	22	12.1
48 Females						7				477	8	16.8

* Data insufficient for rates.

POPULATION, BIRTHS, DEATHS, AND DEATH RATES.

525

CAUSES, BY SEX, COLOR, GENERAL NATIVITY, AND PARENT NATIVITY: CENSUS YEAR 1900—Continued.

CAUSE OF DEATH.																		
Measles.	Scarlet fever.	Diphtheria and croup.	Whooping cough.	Malarial fever.	Influenza.	Typhoid fever.	Diarrheal diseases.	Consumption.	Cancer and tumor.	Heart disease and dropsy.	Pneumonia.	Diseases of the liver.	Diseases of the nervous system.	Diseases of the urinary organs.	Affections connected with pregnancy.	Old age.	Unknown.	All other causes.
.....	9	81	9	1	16	35	75	136	45	133	106	9	234	59	6	20	28	399
.....	5	42	4	1	6	19	43	75	12	68	53	9	129	34		11	19	225
.....	4	39	5		10	16	32	61	33	65	53		105	25	6	9	9	174
.....	9	81	9	1	16	35	72	134	45	133	104	9	231	59	6	19	28	393
.....	5	42	4	1	6	19	40	74	12	68	51	9	128	34		10	19	221
.....	4	39	5		10	16	32	60	33	65	53		103	25	6	9	9	172
.....	9	81	9		13	33	67	123	35	109	96	7	201	53	6	13	21	353
.....	5	42	4		6	17	36	66	6	53	47	7	110	23		6	13	195
.....	4	39	5		7	16	31	57	29	56	49		91	25	6	7	8	158
.....				1	3	2	4	11	9	22	6	2	26	6		5	7	35
.....																		
.....				1		2	3	8	5	13	4	2	16	6		3	6	21
.....					3		1	3	4	9	2		10			2	1	14
2	119	202	3	2	14	30	161	115	44	117	225	19	294	100	12	30	19	603
2	49	100		1	4	14	79	43	13	67	132	12	164	52		12	11	359
.....	70	102	3	1	10	16	82	72	31	50	93	7	130	48	12	18	8	244
2	119	202	3	2	14	30	160	114	44	116	224	19	293	100	12	30	19	600
2	49	100		1	4	14	78	43	13	66	131	12	164	52		12	11	358
.....	70	102	3	1	10	16	82	71	31	50	93	7	120	48	12	18	8	242
2	105	178	2	1	6	19	127	70	10	57	125	10	195	44	3	11	14	352
2	45	86				9	64	26	2	34	73	7	111	23		4	9	205
.....	60	92	2	1	6	10	63	44	8	23	52	3	84	21	3	7	5	147
.....	6	3			6	4	20	28	26	41	67	5	63	37	6	16	3	155
.....	3	3																
.....	3	3			4	2	8	10	8	26	30	3	37	21		8	2	95
.....					2	2	12	18	18	15	28	2	26	16	6	8	1	60
.....		23	1		1	6	21	26	2	21	29	2	47	* 11	2	6	3	55
.....		11	1			4	12	13	2	14	15	2	26	7			1	30
.....		12			1	2	9	13		7	14		21	4	2	6	2	25
.....		23	1		1	6	21	22	2	21	29	2	47	11	2	6	3	54
.....		11	1			4	12	11	2	14	15	2	26	7			1	29
.....		12			1	2	9	11		7	14		21	4	2	6	2	25
.....		23	1		1	5	20	21		13	18	2	40	6	1	3	2	39
.....		11	1			3	11	10		10	9	2	24	3			1	20
.....		12			1	2	9	11		3	9		16	3	1	3	1	19
.....						1	1	1	2	8	11		7	5	1	3	1	15
.....						1	1	1	2	4	6		2	4				9
.....										4	5		5	1	1	3	1	6
3	1	1	4	2	5	3	28	16	4	19	26	1	29	9	1	3	7	51
.....			2	2	1	1	16	6	1	10	18		17	6		2	4	31
3	1	1	2		4	2	12	10	3	9	8	1	12	3	1	1	3	20
3	1	1	4	1	5	2	28	12	3	17	20	1	27	8	1	3	4	48
.....			2	1	1	1	16	6	1	10	15		16	5		2	2	30
3	1	1	2		4	1	12	6	2	7	5	1	11	3	1	1	2	18
3	1	1	4	1	4	2	27	10	2	8	17	1	20	7		2	4	38
.....			2	1	1	1	16	4		4	12		13	4		2	2	21
3	1	1	2		3	1	11	6	2	4	5	1	7	3			2	17
.....					1		1	2	1	7	3		7	1	1			6
.....								2	1	6	3		3	1				6
.....					1		1			1			4		1			47

TABLE 19.—POPULATION, BIRTHS, DEATHS, AND DEATH RATES AT CERTAIN AGES, AND DEATHS FROM CERTAIN

AREAS.		UNDER 1 YEAR OF AGE.					UNDER 5 YEARS OF AGE.				ALL AGES.		
		Popula- tion.	Born and died in the census year.	Births during the census year.	Deaths.	Deaths under 1 per 1,000 births.	Popula- tion.	Deaths.	Death rate per 1,000 of popula- tion.	Deaths under 5 per 1,000 at all ages.	Popula- tion.	Deaths.	Death rate per 1,000 of popula- tion.
PENNSYLVANIA—Continued.													
1	Wilkesbarre	1,390	141	1,531	216	141.1	6,376	318	49.9	371.1	51,721	857	16.6
2	Males	686	87	773	124	160.4	3,185	178	55.9	369.3	25,200	482	19.1
3	Females	704	54	758	92	121.4	3,191	140	43.9	373.3	26,521	375	14.1
4	White	1,370	141	1,511	212	140.3	6,305	313	49.6	371.7	51,036	842	16.5
5	Males	679	87	766	121	158.0	3,152	174	55.2	367.9	24,837	473	19.0
6	Females	691	54	745	91	122.1	3,153	139	44.1	376.7	26,199	369	14.1
7	Colored	20		20	4	(*)	71	5	(*)	(*)	685	15	21.9
8	Males	7		7	3	(*)	33	4	(*)	(*)	363	9	24.8
9	Females	13		13	1	(*)	38	1	(*)	(*)	322	6	18.6
10	Williamsport	492	42	534	61	114.2	2,600	88	33.8	255.1	28,757	345	12.0
11	Males	238	29	267	39	146.1	1,338	50	37.4	289.0	13,386	173	12.9
12	Females	254	13	267	22	82.4	1,262	38	30.1	220.9	15,371	172	11.2
13	White	471	39	510	57	111.8	2,474	81	32.7	250.0	27,613	324	11.7
14	Males	227	27	254	36	141.7	1,267	45	35.5	272.7	12,880	165	12.8
15	Females	244	12	256	21	82.0	1,207	36	29.8	226.4	14,733	159	10.8
16	Native	471	39	510	57	111.8	2,470	81	32.8	295.6	25,387	274	10.8
17	Males	227	27	254	36	141.7	1,266	45	35.5	308.2	11,772	146	12.4
18	Females	244	12	256	21	82.0	1,204	36	29.9	281.3	13,615	128	9.4
19	Foreign						4				2,226	46	20.7
20	Males						1				1,108	18	16.2
21	Females						3				1,118	28	25.0
22	RHODE ISLAND	9,368	1,104	10,472	1,854	177.0	43,452	2,752	63.3	336.6	428,556	8,176	19.1
23	Males	4,695	640	5,335	1,036	194.2	21,774	1,502	69.0	363.5	210,516	4,132	19.6
24	Females	4,673	464	5,137	818	159.2	21,678	1,250	57.7	309.1	218,040	4,044	18.5
25	White	9,185	1,075	10,260	1,813	176.7	42,657	2,678	62.8	337.3	419,050	7,939	18.9
26	Males	4,596	627	5,223	1,016	194.5	21,378	1,465	68.5	364.3	205,832	4,021	19.5
27	Females	4,589	448	5,037	797	158.2	21,279	1,213	57.0	309.6	213,218	3,918	18.4
28	Native	9,047	1,068	10,115	1,780	176.0	41,175	2,601	63.2	466.9	285,278	5,571	19.5
29	Males	4,530	626	5,156	1,001	194.1	20,668	1,424	68.9	487.3	140,261	2,922	20.8
30	Females	4,517	442	4,959	779	157.1	20,507	1,177	57.4	444.3	145,017	2,649	18.3
31	Both parents native.. (M) ..	1,450	172	1,622	283	174.5	7,000	402	57.4	299.6	71,770	1,342	18.7
32	One or both parents (M) ..	1,414	140	1,554	237	152.5	6,756	365	54.0	263.7	73,216	1,384	18.9
33	foreign. (M) ..	3,080	444	3,524	703	199.5	13,668	1,001	73.2	672.7	68,491	1,488	21.7
34	foreign. (F) ..	3,103	292	3,395	529	155.8	13,751	794	57.7	658.4	71,801	1,206	16.8
35	Foreign	138	7	145	29	200.0	1,482	69	46.6	30.1	133,772	2,295	17.2
36	Males	66	1	67	12	(*)	710	35	49.3	33.2	65,571	1,054	16.1
37	Females	72	6	78	17	(*)	772	34	44.0	27.4	68,201	1,241	18.2
38	Colored	183	29	212	41	193.4	795	74	93.1	312.2	9,506	237	24.9
39	Males	99	13	112	20	178.6	396	37	93.4	333.3	4,684	111	23.7
40	Females	84	16	100	21	210.0	399	37	92.7	293.7	4,822	126	26.1
41	Cities in Rhode Island	6,344	778	7,122	1,297	182.1	28,919	1,935	66.9	355.6	283,233	5,441	19.2
42	Males	3,159	458	3,617	738	204.0	14,475	1,065	73.6	387.8	137,470	2,746	20.0
43	Females	3,185	320	3,505	559	159.5	14,444	870	60.2	322.8	145,763	2,695	18.5
44	White	6,211	759	6,970	1,267	181.8	28,344	1,878	66.3	356.6	276,206	5,266	19.1
45	Males	3,085	451	3,536	725	205.0	14,190	1,037	73.1	389.8	134,053	2,660	19.8
46	Females	3,126	308	3,434	542	157.8	14,154	841	59.4	322.7	142,153	2,606	18.3
47	Native	6,124	755	6,879	1,245	181.0	27,378	1,827	66.7	511.5	181,191	3,572	19.7
48	Males	3,047	451	3,498	717	205.0	13,729	1,012	73.7	534.0	88,007	1,895	21.5
49	Females	3,077	304	3,381	528	156.2	13,649	815	59.7	486.0	93,184	1,677	18.0
50	Both parents native.. (M) ..	850	122	972	201	206.8	4,062	274	67.5	362.9	39,045	755	19.3
51	One or both parents (M) ..	877	88	965	147	152.3	4,007	230	57.4	303.0	40,924	759	18.5
52	foreign. (M) ..	2,197	323	2,520	510	202.4	9,667	730	75.5	665.5	48,962	1,097	22.4
53	foreign. (F) ..	2,200	210	2,410	374	155.2	9,642	574	59.5	646.4	52,260	888	17.0
54	Foreign	87	4	91	20	(*)	966	47	48.7	28.3	95,015	1,668	17.5
55	Males	38		38	7	(*)	461	22	47.7	29.5	46,046	746	16.2
56	Females	49	4	53	13	(*)	505	25	49.5	27.3	48,969	917	18.7
57	Colored	133	19	152	30	197.4	575	57	99.1	325.7	7,027	175	24.9
58	Males	74	7	81	13	(*)	285	28	98.2	(*)	3,417	86	25.2
59	Females	59	12	71	17	(*)	290	29	100.0	(*)	3,610	89	24.7

* Data insufficient for rates.

POPULATION, BIRTHS, DEATHS, AND DEATH RATES.

527

CAUSES, BY SEX, COLOR, GENERAL NATIVITY, AND PARENT NATIVITY: CENSUS YEAR 1900—Continued.

CAUSE OF DEATH.																		
Measles.	Scarlet fever.	Diphtheria and croup.	Whooping cough.	Malarial fever.	Influenza.	Typhoid fever.	Diarrheal diseases.	Consumption.	Cancer and tumor.	Heart disease and dropsy.	Pneumonia.	Diseases of the liver.	Diseases of the nervous system.	Diseases of the urinary organs.	Affections connected with pregnancy.	Old age.	Unknown.	All other causes.
1	7	29	1		8	14	59	52	31	61	100	12	131	37	5	9	5	295
1	5	15			3	6	36	23	12	26	51	5	83	25		2	2	187
.....	2	14	1		5	8	23	29	19	35	49	7	48	12	5	7	3	108
1	7	29	1		8	13	57	50	31	59	98	12	127	37	5	9	5	293
1	5	15			3	6	34	23	12	26	49	5	80	25		2	2	185
.....	2	14	1		5	7	23	27	19	33	49	7	47	12	5	7	3	108
.....						1	2	2		2	2		4					2
.....							2			2	2		3					2
.....						1		2		2			1					8
.....																		9
.....	4	4	11		7	11	23	34	18	28	26	3	57	17		11	6	85
.....	2	2	5		1	7	12	17	4	9	13	1	28	8		3	2	59
.....	2	2	6		6	4	11	17	14	19	13	2	29	9		8	4	26
.....	4	4	11		7	11	21	27	18	27	22	3	56	17		10	5	81
.....	2	2	5		1	7	10	15	4	9	10	1	28	8		3	2	58
.....	2	2	6		6	4	11	12	14	18	12	2	28	9		7	3	23
.....	4	4	11		4	11	21	24	14	21	17	1	49	13		6	4	70
.....	2	2	5			7	10	14	3	9	8		25	5		2	2	52
.....	2	2	6		4	4	11	10	11	12	9	1	24	8		4	2	18
.....					3			3	4	6	4	2	6	4		3	1	10
.....					1			1	1		2	1	3	3		1		5
.....					2			2	3	6	2	1	3	1		2	1	20
204	35	127	111	24	324	102	793	837	286	584	899	98	822	556	72	188	61	2,053
98	23	64	35	11	131	61	412	436	84	283	458	58	428	312		79	33	1,126
106	12	63	76	13	193	41	381	401	202	301	441	40	394	244	72	109	28	927
198	33	127	108	24	317	99	782	793	280	567	865	98	810	533	72	184	59	1,990
96	22	64	34	11	129	59	407	412	84	273	442	58	421	304		78	32	1,095
102	11	63	74	13	188	40	375	381	196	294	423	40	389	229	72	106	27	895
186	31	121	103	14	182	69	703	457	153	318	610	54	564	314	30	103	43	1,516
89	21	62	34	7	78	40	375	245	41	166	316	30	292	205		48	26	847
97	10	59	69	7	104	29	328	212	112	152	294	24	272	109	30	55	17	669
29	10	21	10	4	52	19	92	91	30	125	119	12	188	148		44	14	334
31	6	19	30	2	76	11	93	85	88	116	173	12	178	79	12	54	5	314
59	11	41	22	3	26	21	277	144	9	34	187	18	92	46		1	12	485
63	4	39	39	5	22	18	233	123	19	34	117	11	85	27	17		10	340
12	2	6	5	10	130	30	75	328	126	246	248	44	241	213	42	79	13	445
7	1	2		4	49	19	30	161	43	105	122	28	125	95		30	6	227
5	1	4	5	6	81	11	45	167	83	141	126	16	116	118	42	49	7	218
6	2		3		7	3	11	44	6	17	34		12	23		4	2	63
2	1		1		2	2	5	24		10	16		7	8		1	1	31
4	1		2		5	1	6	20	6	7	18		5	15		3	1	32
137	24	81	83	19	224	79	543	590	171	369	597	64	491	353	53	107	40	1,416
70	15	42	26	8	86	45	289	310	50	174	310	37	247	203		42	21	771
67	9	39	57	11	138	34	254	280	121	195	287	27	244	150	53	65	19	645
133	23	81	81	19	219	76	535	552	168	357	570	64	481	343	53	103	40	1,368
69	15	42	25	8	84	43	285	289	50	166	298	37	241	199		41	21	747
64	8	39	56	11	135	33	250	263	118	191	272	27	240	144	53	62	19	621
126	21	77	77	13	107	52	473	318	77	177	388	35	321	191	22	42	29	1,026
64	14	41	25	6	44	28	261	178	22	85	209	20	166	126		16	15	575
62	7	36	52	7	63	24	212	140	55	92	179	15	155	65	22	26	14	451
19	5	13	6	3	22	9	56	54	14	56	68	7	99	80		15	9	220
18	4	14	16	2	40	8	54	48	41	63	92	5	91	43	8	25	3	185
45	9	28	19	3	22	19	204	118	7	24	132	13	65	38			6	345
41	3	22	37	5	19	16	158	89	12	27	86	9	61	21	13		9	260
7	2	4	4	6	109	24	60	232	91	178	180	29	159	150	31	60	10	327
5	1	1		2	38	15	23	111	28	80	87	17	74	72		25	6	161
2	1	3	4	4	71	9	37	121	63	98	93	12	85	78	31	35	4	166
4	1		2		5	3	8	38	3	12	27		10	10		4		48
1			1		2	2	4			8	12		6	4		1		24
3	1		1		3	1	4	17	3	4	15		4	6		3		24

TABLE 19.—POPULATION, BIRTHS, DEATHS, AND DEATH RATES AT CERTAIN AGES, AND DEATHS FROM CERTAIN

AREAS.		UNDER 1 YEAR OF AGE.					UNDER 5 YEARS OF AGE.				ALL AGES.		
		Popula- tion.	Born and died in the census year.	Births during the census year.	Deaths.	Deaths under 1 per 1,000 births.	Popula- tion.	Deaths.	Death rate per 1,000 of popula- tion.	Deaths under 5 per 1,000 at all ages.	Popula- tion.	Deaths.	Death rate per 1,000 of popula- tion.
RHODE ISLAND—Continued.													
1	Rural part of Rhode Island.....	3,024	326	3,350	557	166.3	14,533	817	56.2	298.7	145,323	2,735	18.8
2	Males	1,536	182	1,718	298	173.5	7,299	437	59.9	315.3	73,046	1,386	19.0
3	Females.....	1,488	144	1,632	259	158.7	7,234	380	52.5	281.7	72,277	1,349	18.7
4	White.....	2,974	316	3,290	546	166.0	14,313	800	55.9	299.3	142,844	2,673	18.7
5	Males	1,511	176	1,687	291	172.5	7,188	428	59.5	314.5	71,779	1,361	19.0
6	Females.....	1,463	140	1,603	255	159.1	7,125	372	52.2	283.5	71,065	1,312	18.5
7	Native	2,923	313	3,236	535	165.3	13,797	774	56.1	387.2	104,087	1,999	19.2
8	Males	1,483	175	1,658	284	171.3	6,939	412	59.4	401.2	52,254	1,027	19.7
9	Females.....	1,440	138	1,578	251	159.1	6,858	362	52.8	372.4	51,833	972	18.8
10	Both parents native.....	600	50	650	82	126.2	2,938	128	43.6	218.1	32,725	587	17.9
11	One or both parents foreign.....	883	121	1,004	193	192.2	2,749	135	49.1	216.0	32,292	625	19.4
	foreign.....	903	82	985	155	157.4	4,001	271	67.7	693.1	19,529	391	20.0
12	Foreign.....	51	3	54	9	(*)	516	22	42.6	34.8	38,757	632	16.3
13	Males	28	1	29	5	(*)	249	13	52.2	42.2	19,525	308	15.8
14	Females.....	23	2	25	4	(*)	267	9	33.7	27.8	19,232	324	16.8
15	Colored	50	10	60	11	(*)	220	17	77.3	(*)	2,479	62	25.0
16	Males	25	6	31	7	(*)	111	9	81.1	(*)	1,267	25	19.7
17	Females.....	25	4	29	4	(*)	109	8	73.4	(*)	1,212	37	30.5
18	Bristol county.....	271	38	312	78	250.0	1,276	96	75.2	352.9	13,144	272	20.7
19	Males	138	25	163	45	276.1	644	56	87.0	383.6	6,487	146	22.5
20	Females.....	136	13	149	33	221.5	632	40	63.3	317.5	6,657	126	18.9
21	Kent county.....	638	105	743	183	246.3	3,165	265	83.7	391.4	29,976	677	22.6
22	Males	325	61	386	100	259.1	1,567	141	90.0	439.3	14,878	321	21.6
23	Females.....	313	44	357	83	232.5	1,598	124	77.6	348.3	15,098	356	23.6
24	Newport county, rural.....	204	14	218	22	100.9	979	37	37.8	237.2	10,565	156	14.8
25	Males	95	6	101	9	89.1	480	15	31.3	(*)	5,683	72	12.7
26	Females.....	109	8	117	13	111.1	499	22	44.1	(*)	4,882	84	17.2
27	Newport	475	48	523	70	133.8	2,109	100	47.4	237.5	22,034	421	19.1
28	Males	245	32	277	47	169.7	1,078	65	60.3	291.5	10,871	223	20.5
29	Females.....	230	16	246	23	93.5	1,031	35	33.9	176.8	11,163	198	17.7
30	White.....	452	46	498	64	128.5	2,009	93	46.3	243.5	20,393	382	18.7
31	Males	234	31	265	45	169.8	1,031	62	60.1	302.4	10,162	205	20.2
32	Females.....	218	15	233	19	81.5	978	31	31.7	175.1	10,231	177	17.3
38	Native	452	46	498	64	128.5	1,997	92	46.1	352.5	14,886	261	17.5
34	Males	234	31	265	45	169.8	1,026	61	59.5	406.7	7,518	150	20.0
35	Females.....	218	15	233	19	81.5	971	31	31.9	279.3	7,368	111	15.1
36	Both parents native.....	169	20	189	28	148.1	746	35	46.9	221.5	7,804	158	20.2
37	One or both parents foreign.....	283	26	309	36	116.5	1,251	57	45.6	(*)	7,082	99	14.0
38	Foreign.....						12				5,507	113	20.5
39	Males						5				2,644	48	18.2
40	Females.....						7				2,863	65	22.7
41	Providence county, rural.....	1,484	132	1,616	218	134.9	7,119	337	47.3	270.2	67,484	1,247	18.5
42	Males	749	66	815	111	136.2	3,609	178	49.3	276.4	34,052	644	18.9
43	Females.....	735	66	801	107	133.6	3,510	159	45.3	263.7	33,432	603	18.0
44	Central Falls.....	496	50	546	90	164.8	2,214	131	59.2	451.7	18,167	290	16.0
45	Males	249	30	279	52	186.4	1,090	76	69.7	513.5	8,961	148	16.5
46	Females.....	247	20	267	38	142.3	1,124	55	48.9	387.3	9,206	142	15.4
47	White.....	494	50	544	90	165.4	2,205	131	59.4	453.3	18,095	289	16.0
48	Males	247	30	277	52	187.7	1,087	76	69.9	513.5	8,927	148	16.6
49	Females.....	247	20	267	38	142.3	1,118	55	49.2	390.1	9,168	141	15.4
50	Native	482	49	531	83	156.3	2,042	118	57.8	686.0	9,458	172	18.2
51	Males	239	30	269	50	185.9	1,008	72	71.4	712.9	4,577	101	22.1
52	Females.....	243	19	262	33	126.0	1,034	46	44.5	(*)	4,881	71	14.5
53	Both parents native.....	83	4	87	10	(*)	363	17	46.8	(*)	2,492	45	18.1
54	One or both parents foreign.....	399	45	444	73	164.4	1,679	100	59.6	793.7	6,966	126	18.1
55	Foreign.....	12	1	13	5	(*)	163	11	67.5	98.2	8,637	112	13.0
56	Males	8		8	1	(*)	79	3	(*)	(*)	4,350	45	10.3
57	Females.....	4	1	5	4	(*)	84	8	(*)	(*)	4,287	67	15.6

*Data insufficient for rates.

CAUSES, BY SEX, COLOR, GENERAL NATIVITY, AND PARENT NATIVITY: CENSUS YEAR 1900—Continued.

CAUSE OF DEATH.																		
Measles.	Scarlet fever.	Diphtheria and croup.	Whooping cough.	Malarial fever.	Influenza.	Typhoid fever.	Diarrheal diseases.	Consumption.	Cancer and tumor.	Heart disease and dropsy.	Pneumonia.	Diseases of the liver.	Diseases of the nervous system.	Diseases of the urinary organs.	Affections connected with pregnancy.	Old age.	Unknown.	All other causes.
67	11	46	28	5	100	23	250	247	115	215	302	34	331	203	19	81	21	637
28	8	22	9	3	45	16	123	126	34	109	148	21	181	109		37	12	355
39	3	24	19	2	55	7	127	121	81	106	154	13	150	94	19	44	9	282
65	10	46	27	5	98	23	247	241	112	210	295	34	329	190	19	81	19	622
27	7	22	9	3	45	16	122	123	34	107	144	21	180	105		37	11	348
38	3	24	18	2	53	7	125	118	78	103	151	13	149	85	19	44	8	274
60	10	44	26	1	75	17	280	139	76	141	222	19	243	123	8	61	14	490
25	7	21	9	1	34	12	114	67	19	81	107	10	126	79		32	11	272
35	3	23	17		41	5	116	72	57	60	115	9	117	44	8	29	3	218
10	5	8	4	1	30	10	36	37	16	69	51	5	89	68		29	5	114
13	2	5	15		36	3	39	37	47	53	81	7	87	36	4	29	2	129
14	2	13	3		4	2	73	26	2	10	55	5	27	8		1	6	140
22	1	17	2		3	2	75	34	7	7	31	2	24	6	4		1	80
5		2	1	4	21	6	15	96	35	68	68	15	82	63	11	19	3	118
2		1		2	11	4	7	50	15	25	35	11	51	23		5		66
3		1	1	2	10	2	8	46	20	43	33	4	31	40	11	14	3	52
2	1		1		2		3	6	3	5	7		2	13			2	15
1	1						1	3		2	4		1	4			1	7
1			1		2		2	3	3	3	3		1	9			1	8
3		4	2		9	2	46	20	16	15	23	2	29	20	1	12	2	66
3		2	1		6	1	24	10	6	9	11		14	10		7	2	43
.....		2	1		3	1	22	10	10	6	12	2	15	10	1	5		23
27	1	16	3		16	4	77	52	19	49	85	8	63	39	8	21	6	183
11	1	6	2		8	2	41	19	2	18	43	6	39	23		9	3	88
16		10	1		8	2	36	33	17	31	42	2	24	16	8	12	3	95
.....	2	2			12		12	5	14	15	15	1	19	11	1	8	3	36
.....	1	1			7		3	1	8	7	9		5	7		3	1	19
.....	1	1			5		9	4	6	8	6	1	14	4	1	5	2	17
.....	3	8		1	12	12	25	47	12	40	32	11	57	20	2	14	5	120
.....	2	2		1	6	10	16	26	1	20	18	4	30	13		5	5	64
.....	1	6			6	2	9	21	11	20	14	7	27	7	2	9		56
.....	3	8		1	11	11	24	38	11	36	28	11	55	19	2	14	5	105
.....	2	2		1	6	9	16	22	1	17	17	4	28	13		5	5	57
.....	1	6			5	2	8	16	10	19	11	7	27	6	2	9		48
.....	3	7		1	5	9	20	23	7	23	20	4	41	11	2	6	2	77
.....	2	2		1	3	7	14	15	1	12	12		22	8		2	2	47
.....	1	5			2	7	6	8	6	11	8	4	19	3	2	4		30
.....	1	2			5	3	9	8	7	20	9	3	30	10	1	6	2	42
.....	2	5		1		6	11	15		3	10	1	9	1	1			34
.....					5	2	4	15	4	13	7	7	13	7		8	3	24
.....		1			2	2	2	7		5	4	4	5	4		3	3	7
.....		1			3		2	8	4	8	3	3	8	3		5		17
29	8	15	17	3	55	11	91	134	50	93	146	16	174	104	6	25	6	264
12	6	9	4	2	21	9	43	75	14	49	76	11	96	52		11	3	151
17	2	6	13	1	34	2	48	59	36	44	70	5	78	52	6	14	3	113
4	2	3	9	2	9	2	42	23	6	14	26	2	30	18	1	4	2	91
3	1	1	3	1	4		23	9	2	9	11		18	11			1	51
1	1	2	6	1	5	2	19	14	4	5	15	2	12	7	1	4	1	40
4	2	3	9	2	9	2	42	23	6	14	25	2	30	18	1	4	2	91
3	1	1	3	1	4		23	9	2	9	11		18	11			1	51
1	1	2	6	1	5	2	19	14	4	5	14	2	12	7	1	4	1	40
3	1	2	6	1	4	2	36	7	3	2	9	1	20	8		2	2	63
3	1	1	3	1	2		20	5	1	1	5		13	5			1	39
.....		1			2	2	16	2	2	1	4	1	7	3		2	1	24
.....	1		1		1	1	7		1	2	2	1	6	7		2	2	10
3		2	5		3	1	29	7	2		7		14	1				52
1	1	1	3	1	5		5	16	3	12	16	1	10	9	1	2		25
.....					2		3	4	1	8	6		5	6				10
1	1	1	3	1	3		2	12	2	4	10	1	5	3	1	2		15

TABLE 19.—POPULATION, BIRTHS, DEATHS, AND DEATH RATES AT CERTAIN AGES, AND DEATHS FROM CERTAIN

AREAS.	UNDER 1 YEAR OF AGE.					UNDER 5 YEARS OF AGE.				ALL AGES.		
	Popula- tion.	Born and died in the census year.	Births during the census year.	Deaths.	Deaths under 1 per 1,000 births.	Popula- tion.	Deaths.	Death rate per 1,000 of popula- tion.	Deaths under 5 per 1,000 at all ages.	Popula- tion.	Deaths.	Death rate per 1,000 of popula- tion.
RHODE ISLAND—Continued.												
1 Pawtucket.....	925	111	1,036	166	160.2	4,236	237	55.9	327.8	39,231	723	18.4
2 Males.....	469	71	540	100	185.2	2,146	133	62.0	384.4	18,938	346	18.3
3 Females.....	456	40	496	66	133.1	2,090	104	49.8	275.9	20,293	377	18.6
4 White.....	921	109	1,030	164	159.2	4,214	235	55.8	325.9	39,029	721	18.5
5 Males.....	466	70	536	99	184.7	2,132	132	61.9	382.6	18,825	345	18.3
6 Females.....	455	39	494	65	131.6	2,082	103	49.5	273.9	20,204	376	18.6
7 Native.....	916	108	1,024	163	159.2	4,139	233	56.3	306.5	25,972	460	17.7
8 Males.....	463	70	533	99	185.7	2,092	131	62.6	364.7	12,631	232	18.4
9 Females.....	453	38	491	64	130.3	2,047	102	49.8	247.4	13,341	228	17.1
10 Both parents native.....	296	32	328	51	155.5	1,314	71	54.0	358.6	10,627	198	18.6
11 One or both parents for- eign.....	620	74	694	110	158.5	2,825	159	56.3	626.0	15,345	254	16.6
12 Foreign.....	5	1	6	1	(*)	75	2	(*)	7.8	13,057	255	19.5
13 Males.....	3	1	3	1	(*)	40	1	(*)	9.0	6,194	111	17.9
14 Females.....	2	1	3	1	(*)	35	1	(*)	6.9	6,863	144	21.0
15 Providence.....	3,648	475	4,123	784	190.2	16,949	1,213	71.6	347.5	175,597	3,491	19.9
16 Males.....	1,806	266	2,072	429	207.0	8,511	647	76.0	365.1	85,072	1,772	20.8
17 Females.....	1,842	209	2,051	355	173.1	8,438	566	67.1	329.3	90,525	1,719	19.0
18 White.....	3,544	460	4,004	762	190.3	16,505	1,165	70.6	346.9	170,508	3,358	19.7
19 Males.....	1,748	261	2,009	419	208.6	8,290	623	75.2	365.4	82,531	1,705	20.7
20 Females.....	1,796	199	1,995	343	171.9	8,215	542	66.0	327.9	87,977	1,653	18.8
21 Native.....	3,517	458	3,975	755	189.9	16,107	1,143	71.0	489.5	115,198	2,335	20.3
22 Males.....	1,737	261	1,998	415	207.7	8,106	608	75.0	498.4	55,765	1,220	21.9
23 Females.....	1,780	197	1,977	340	172.0	8,001	535	66.9	479.8	59,433	1,115	18.8
24 Both parents native.....	504	78	582	124	213.1	2,525	177	70.1	348.4	26,441	508	19.2
25 One or both parents for- eign.....	1,238	178	1,411	286	202.7	5,581	424	76.0	627.2	27,982	516	18.4
26 Foreign.....	1,240	131	1,371	232	169.2	5,523	366	66.3	635.4	29,324	676	23.1
27 Males.....	27	2	29	7	(*)	398	21	52.8	20.8	31,451	576	18.3
28 Females.....	11	2	11	4	(*)	184	14	76.1	29.4	55,310	1,012	18.3
29 Colored.....	104	15	119	22	184.9	214	7	32.7	13.1	26,766	477	17.8
30 Males.....	58	5	63	10	(*)	444	48	108.1	360.9	28,544	535	18.7
31 Females.....	46	10	56	12	(*)	221	24	108.6	(*)	5,089	133	26.1
32 Woonsocket.....	800	94	894	187	209.2	223	24	107.6	(*)	2,541	67	26.4
33 Males.....	390	59	449	110	245.0	223	24	107.6	(*)	2,548	66	25.9
34 Females.....	410	35	445	77	173.0	3,411	254	74.5	492.2	28,204	516	18.3
35 White.....	800	94	894	187	209.2	3,411	254	74.5	492.2	28,181	516	18.3
36 Males.....	390	59	449	110	245.0	1,650	144	87.3	560.3	13,628	257	18.9
37 Females.....	410	35	445	77	173.0	1,761	110	62.5	424.7	14,576	259	17.8
38 Native.....	757	94	851	180	211.5	3,093	241	77.9	700.6	28,181	516	18.3
39 Males.....	374	59	433	108	249.4	1,497	140	93.5	729.2	15,677	344	21.9
40 Females.....	383	35	418	72	172.2	1,596	101	63.3	664.5	13,608	257	18.9
41 Both parents native.....	135	15	150	33	220.0	643	43	66.9	(*)	14,573	259	17.8
42 One or both parents for- eign.....	622	79	701	147	209.7	2,450	198	80.8	779.5	11,054	254	23.0
43 Foreign.....	43		43	7	(*)	318	13	40.9	76.0	12,504	171	13.7
44 Males.....	16		16	2	(*)	153	4	26.1	(*)	6,092	65	10.7
45 Females.....	27		27	5	(*)	165	9	54.5	84.9	6,412	106	16.5
46 Washington county.....	424	37	461	56	121.5	1,994	82	41.1	214.1	24,154	383	15.9
47 Males.....	229	24	253	33	130.4	999	47	47.0	231.5	11,946	203	17.0
48 Females.....	195	13	208	23	110.6	995	35	35.2	194.4	12,208	180	14.7

*Data insufficient for rates.

POPULATION, BIRTHS, DEATHS, AND DEATH RATES.

531

CAUSES, BY SEX, COLOR, GENERAL NATIVITY, AND PARENT NATIVITY: CENSUS YEAR 1900—Continued.

CAUSE OF DEATH.																		
Measles.	Scarlet fever.	Diphtheria and croup.	Whooping cough.	Malarial fever.	Influenza.	Typhoid fever.	Diarrheal diseases.	Consumption.	Cancer and tumor.	Heart disease and dropsy.	Pneumonia.	Diseases of the liver.	Diseases of the nervous system.	Diseases of the urinary organs.	Affections connected with pregnancy.	Old age.	Unknown.	All other causes.
12	2	9	10	1	70	7	52	71	24	68	52	4	67	36	9	21	9	199
8	2	7	2		25	3	26	41	8	27	25	4	31	20		9	6	102
4		2	8	1	45	4	26	30	16	41	27		36	16	9	12	3	97
12	2	9	10	1	70	7	52	71	24	68	52	4	67	36	9	21	9	197
8	2	7	2		25	3	26	41	8	27	25	4	31	20		9	6	101
4		2	8	1	45	4	26	30	16	41	27		36	16	9	12	3	96
11	1	9	10	1	21	5	48	45	10	38	36	3	43	19	4	5	6	145
7	1	7	2		5	2	24	27	2	15	17	3	20	14		2	5	79
4		2	8	1	16	3	24	18	8	23	19		23	5	4	3	1	66
3		2	6		11	1	16	15	6	22	10	1	28	15	2	5	2	53
7	1	7	4	1	7	4	32	29	4	15	26	2	15	4	2		3	91
1	1				47	2	4	25	14	29	16	1	24	17	5	16	2	51
1	1				19	1	2	14	6	11	8	1	11	6		7	1	22
					28	1	2	11	8	18	8		13	11	5	9	1	29
119	13	51	60	12	127	52	287	398	122	222	444	42	288	251	35	58	21	889
57	8	25	21	3	48	30	146	210	38	106	235	26	144	146		25	9	495
62	5	26	39	9	79	22	141	186	84	116	209	16	144	105	35	33	12	394
115	12	51	58	12	123	50	280	369	120	214	422	42	280	242	35	54	21	858
56	8	25	20	3	46	29	142	193	38	147	224	26	140	142		24	9	479
59	4	26	38	9	77	21	138	176	82	113	198	16	140	100	35	30	12	379
110	12	50	57	7	74	32	255	224	56	102	294	23	186	138	14	28	16	657
52	8	25	20	1	32	17	133	120	18	49	160	14	96	91		12	7	365
58	4	25	37	6	42	15	122	104	38	53	134	9	90	47	14	16	9	292
17	3	10	4		15	6	29	40	12	31	55	5	62	54		11	4	150
17	3	11	8	2	29	5	33	35	28	38	75	1	55	30	4	15	2	125
35	5	15	16	1	17	11	103	75	5	13	98	9	34	29			3	207
39	1	14	29	4	12	10	89	66	8	14	58	7	32	16	9		6	162
5		1	1	5	49	18	24	144	64	112	127	19	94	104	21	25	5	194
4				2	14	12	8	73	20	52	63	12	44	51		12	2	108
1		1	1	3	35	6	16	71	44	60	64	7	50	53	21	13	3	86
4	1		2		4	2	7	29	2	8	22		8	9		4		31
1			1		2	1	4	17		5	11		4	4		1		16
3	1		1		2	1	3	12	2	3	11		4	5		3		15
2	4	10	4	3	6	6	137	51	7	25	43	5	49	28	6	10	3	117
2	2	7		3	3	2	78	24	1	12	24	3	24	13		3		59
	2	3	4		3	4	59	27	6	13	22	2	25	15	6	7	3	58
2	4	10	4	3	6	6	137	51	7	25	43	5	49	28	6	10	3	117
2	2	7		3	3	2	78	24	1	12	21	3	24	13		3		59
	2	3	4		3	4	59	27	6	13	22	2	25	15	6	7	3	58
2	4	9	4	3	3	4	114	19	1	12	29	4	31	15	2	1	3	84
2	2	6		3	2	2	70	11		8	15	3	15	8				45
	2	3	4		1	2	44	8	1	4	14	1	16	7	2	1	3	39
	1	2	2	2	1	1	16	4	1	6	9	1	9	7	1	1		25
2	3	7	2	1	2	3	98	15		6	19	3	22	8	1		3	59
		1			3	2	23	32	6	12	14	1	18	13	4	9		33
		1			1		8	13	1	4	6		9	5		3		14
					2	2	15	19	5	8	8	1	9	8	4	6		19
8		9	6	2	8	6	24	36	16	43	33	7	46	29	3	15	4	88
5		4	2	1	3	4	12	21	4	26	9	4	27	17		7	3	54
3		5	4	1	5	2	12	15	12	17	24	3	19	12	3	8	1	34

TABLE 19.—POPULATION, BIRTHS, DEATHS, AND DEATH RATES AT CERTAIN AGES, AND DEATHS FROM CERTAIN

	AREAS.	UNDER 1 YEAR OF AGE.					UNDER 5 YEARS OF AGE.				ALL AGES.		
		Popula- tion.	Born and died in the census year.	Births during the census year.	Deaths.	Deaths under 1 per 1,000 births.	Popula- tion.	Deaths.	Death rate per 1,000 of popu- lation.	Deaths under 5 per 1,000 at all ages.	Popula- tion.	Deaths.	Death rate per 1,000 of popu- lation.
1	SOUTH CAROLINA	43,002	2,600	45,602	3,477	(*)	203,651	6,198	(*)	361.1	1,340,316	17,166	(*)
2	Males	21,460	1,359	22,819	1,824	(*)	102,024	3,256	(*)	384.8	664,895	8,461	(*)
3	Females	21,542	1,241	22,783	1,653	(*)	101,627	2,942	(*)	338.0	675,421	8,705	(*)
4	White	16,777	762	17,539	1,108	(*)	78,373	1,964	(*)	338.2	557,807	5,808	(*)
5	Males	8,500	421	8,921	594	(*)	39,997	1,027	(*)	351.8	281,147	2,919	(*)
6	Females	8,277	341	8,618	514	(*)	38,376	937	(*)	324.3	276,660	2,889	(*)
7	Native	16,777	760	17,537	1,103	(*)	78,367	1,955	(*)	348.8	552,436	5,605	(*)
8	Males	8,500	420	8,920	591	(*)	39,994	1,022	(*)	365.5	277,988	2,796	(*)
9	Females	8,277	340	8,617	512	(*)	38,373	933	(*)	332.1	274,448	2,809	(*)
10	Both parents native (M..)	8,401	411	8,812	579	(*)	39,465	1,000	(*)	380.8	272,312	2,626	(*)
11	One or both parents foreign. (F..)	8,175	330	8,505	497	(*)	37,821	913	(*)	343.4	268,454	2,659	(*)
12	Foreign. (F..)	99	4	103	6	(*)	529	12	(*)	5.676	62	62	(*)
13	Foreign. (F..)	102	7	109	11	(*)	552	15	(*)	5.994	80	80	(*)
14	Foreign						6				5,371	144	(*)
15	Males						3				3,159	85	(*)
16	Females						3				2,212	59	(*)
17	Colored	26,225	1,888	28,063	2,369	(*)	125,278	4,234	(*)	372.8	782,509	11,358	(*)
18	Males	13,960	938	13,898	1,230	(*)	62,027	2,229	(*)	402.2	383,748	5,542	(*)
19	Females	12,265	900	14,165	1,139	(*)	63,251	2,005	(*)	344.7	398,761	5,816	(*)
20	Charleston	1,106	332	1,438	464	322.7	5,286	700	132.4	334.3	55,807	2,094	37.5
21	Males	536	180	716	256	357.5	2,644	382	144.5	353.4	25,592	1,081	42.2
22	Females	570	152	722	208	288.1	2,642	318	120.4	313.9	30,215	1,013	33.5
23	White	447	66	513	113	220.3	2,224	158	71.0	254.4	24,238	621	25.6
24	Males	212	41	253	66	260.9	1,138	89	78.2	269.7	11,582	330	28.5
25	Females	235	25	260	47	180.8	1,086	69	63.5	237.1	12,656	291	23.0
26	Colored	659	266	925	351	379.5	3,062	542	177.0	368.0	31,569	1,473	46.7
27	Males	324	139	463	190	410.4	1,506	293	194.6	390.1	14,010	751	53.6
28	Females	335	127	462	161	348.5	1,556	249	160.0	344.9	17,559	722	41.1
29	SOUTH DAKOTA	11,893	448	12,341	616	(*)	55,217	1,024	(*)	331.6	401,570	3,088	(*)
30	Males	6,018	264	6,282	360	(*)	28,072	574	(*)	347.0	216,164	1,654	(*)
31	Females	5,875	184	6,059	256	(*)	27,145	450	(*)	313.8	185,406	1,434	(*)
32	White	11,140	373	11,513	500	(*)	52,212	749	(*)	306.0	380,714	2,448	(*)
33	Males	5,660	220	5,880	292	(*)	26,564	429	(*)	318.0	205,938	1,349	(*)
34	Females	5,480	153	5,633	208	(*)	25,648	320	(*)	291.2	174,776	1,099	(*)
35	Native	11,106	371	11,477	498	(*)	51,765	745	(*)	445.6	292,385	1,672	(*)
36	Males	5,645	218	5,863	290	(*)	26,321	426	(*)	476.5	154,971	894	(*)
37	Females	5,461	153	5,614	208	(*)	25,444	319	(*)	410.0	137,414	778	(*)
38	Both parents native (M..)	2,461	89	2,550	112	(*)	11,095	166	(*)	415.0	73,424	400	(*)
39	One or both parents foreign. (F..)	2,278	57	2,335	77	(*)	10,519	112	(*)	341.5	62,767	328	(*)
40	Foreign. (F..)	3,184	126	3,310	174	(*)	15,226	253	(*)	557.3	81,547	454	(*)
41	Foreign. (F..)	3,183	94	3,277	128	(*)	14,925	204	(*)	495.1	74,647	412	(*)
42	Foreign	34	1	35	1	(*)	447	3	(*)	4.0	88,329	751	(*)
43	Males	15	1	16	1	(*)	243	2	(*)	4.6	50,967	432	(*)
44	Females	19		19			204	1	(*)	3.1	37,362	319	(*)
45	Colored	753	75	828	116	(*)	3,005	275	(*)	429.7	20,856	640	(*)
46	Males	358	44	402	68	(*)	1,508	145	(*)	475.4	10,226	305	(*)
47	Females	395	31	426	48	(*)	1,497	130	(*)	388.1	10,630	335	(*)

* Data insufficient for rates.

POPULATION, BIRTHS, DEATHS, AND DEATH RATES.

533

CAUSES, BY SEX, COLOR, GENERAL NATIVITY, AND PARENT NATIVITY: CENSUS YEAR 1900—Continued.

CAUSE OF DEATH.																			
Measles.	Scarlet fever.	Diphtheria and croup.	Whooping cough.	Malarial fever.	Influenza.	Typhoid fever.	Diarrheal diseases.	Consumption.	Cancer and tumor.	Heart disease and dropsy.	Pneumonia.	Diseases of the liver.	Diseases of the nervous system.	Diseases of the urinary organs.	Affections connected with pregnancy.	Old age.	Unknown.	All other causes.	
102	27	297	176	749	492	970	1,420	2,133	291	1,311	1,324	155	1,356	572	290	261	1,304	3,936	1
54	14	143	81	358	249	446	768	895	68	633	725	88	686	337		107	672	2,137	2
48	13	154	95	391	243	524	652	1,238	223	678	599	67	670	235	290	154	632	1,799	3
31	4	132	57	166	181	398	631	426	147	478	431	77	591	238	81	113	358	1,268	4
10		66	24	81	88	191	322	200	38	236	232	46	326	144		39	184	692	5
21	4	66	33	85	93	207	309	226	109	242	199	31	265	94	81	74	174	576	6
31	4	131	57	158	174	394	622	415	142	456	417	74	563	215	81	99	354	1,218	7
10		65	24	75	83	187	316	193	36	221	223	44	310	181		34	183	661	8
21	4	66	33	83	91	207	306	222	106	235	194	30	253	84	81	65	171	557	9
10		65	23	73	69	178	300	176	32	214	220	43	277	116		32	181	617	10
21	4	64	28	80	82	200	293	205	94	227	190	29	234	72	76	59	169	532	10
.....		1	2	2	3	5	8	6		5	3		8	6				15	
.....		1	5	1	4	4	6	7	5	4	2	1	8	7	4	4	1	16	11
.....				5	6	3	7	7	5	15	9	3	20	19		13	2	30	12
.....				5	4	3	4	5	2	9	6	2	11	12		5	1	16	13
.....				2	2		3	2	3	6	3	1	9	7		8	1	14	14
71	23	165	119	583	311	572	789	1,707	144	833	893	78	765	334	209	148	946	2,668	15
44	14	77	57	277	161	255	446	695	30	397	493	42	360	193		68	488	1,445	16
27	9	88	62	306	150	317	343	1,012	114	436	400	36	405	141	209	80	458	1,223	17
6	3	1	24	50	66	70	217	259	54	122	118	20	231	263	25	48	15	502	18
2			13	34	31	38	116	124	11	63	57	12	123	150		18	8	281	19
4	3	1	11	16	35	32	101	135	43	59	61	8	108	113	25	30	7	221	20
3	3	1	9	16	22	25	57	46	30	38	25	12	66	76	6	22	3	161	21
1			4	12	11	13	24	23	6	22	10	7	46	47		7	3	94	22
2	3	1	5	4	11	12	33	23	24	16	15	5	20	29	6	15		67	23
3			15	34	44	45	160	213	24	84	93	8	165	187	19	26	12	341	24
1			9	22	20	25	92	101	5	41	47	5	77	103		11	5	187	25
2			6	12	24	20	68	112	19	43	46	3	88	84	19	15	7	154	26
39	21	128	53	2	26	73	176	425	87	207	280	13	273	106	52	87	284	756	27
19	11	64	25		14	38	96	181	38	123	168	5	162	75		43	143	449	28
20	10	64	28	2	12	35	80	244	49	84	112	8	111	31	52	44	141	307	29
16	21	122	21	2	22	71	148	232	84	195	240	12	238	100	47	69	139	669	30
4	11	60	10		13	37	82	98	37	115	145	5	140	71		39	78	404	31
12	10	62	11	2	9	34	66	134	47	80	95	7	98	29	47	30	61	265	32
16	19	113	21	2	15	50	130	139	29	110	172	7	180	54	20	18	109	468	33
4	9	57	10		9	23	72	57	10	62	104	3	103	33		9	59	270	34
12	10	56	11	2	6	27	58	82	19	48	68	4	77	21	20	9	50	198	35
.....	5	13	5		5	11	39	27	10	36	45	1	47	17		5	20	114	36
6	5	12	5		1	7	21	30	14	26	34	1	38	11	9	7	16	85	
4	4	43	5		4	10	32	26		22	57	2	46	13		2	32	152	
6	5	43	6	2	5	18	36	47	5	16	31	3	31	7	10	1	32	108	37
.....	2	9			7	19	18	90	52	84	66	5	58	46	27	50	27	191	38
.....	2	3			4	12	10	38	25	52	40	2	37	38		29	16	124	39
.....	6	6			3	7	8	52	27	32	26	3	21	8	27	21	11	67	40
23		6	32		4	2	28	193	3	12	40	1	35	6	5	18	145	87	41
15		4	15		1	1	14	83	1	8	23		22	4		4	65	45	42
8		2	17		3	1	14	110	2	4	17	1	13	2	5	14	80	42	43

TABLE 19.—POPULATION, BIRTHS, DEATHS, AND DEATH RATES AT CERTAIN AGES, AND DEATHS FROM CERTAIN

	AREAS.	UNDER 1 YEAR OF AGE.					UNDER 5 YEARS OF AGE.				ALL AGES.		
		Population.	Born and died in the census year.	Births during the census year.	Deaths.	Deaths under 1 per 1,000 births.	Population.	Deaths.	Death rate per 1,000 of population.	Deaths under 5 per 1,000 at all ages.	Population.	Deaths.	Death rate per 1,000 of population.
1	TENNESSEE	57,671	3,949	61,620	5,546	(*)	274,923	9,729	(*)	318.2	2,020,616	30,572	(*)
2	Males	29,081	2,149	31,230	2,977	(*)	139,915	5,156	(*)	335.8	1,021,224	15,354	(*)
3	Females	28,590	1,800	30,390	2,569	(*)	135,008	4,573	(*)	300.5	999,392	15,218	(*)
4	White	44,926	2,811	47,737	3,935	(*)	212,515	6,783	(*)	322.6	1,540,186	21,029	(*)
5	Males	22,781	1,529	24,310	2,103	(*)	108,733	3,589	(*)	339.6	782,702	10,568	(*)
6	Females	22,145	1,282	23,427	1,832	(*)	103,782	3,194	(*)	305.3	757,484	10,461	(*)
7	Native	44,923	2,801	47,724	3,919	(*)	212,451	6,758	(*)	333.6	1,522,600	20,257	(*)
8	Males	22,781	1,522	24,303	2,093	(*)	108,705	3,572	(*)	353.9	772,411	10,093	(*)
9	Females	22,142	1,279	23,421	1,826	(*)	103,746	3,186	(*)	313.5	750,189	10,164	(*)
10	Both parents native ¹ (M..)	22,070	1,404	23,474	1,905	(*)	104,622	3,263	(*)	372.7	732,356	8,755	(*)
11	One or both parents foreign. ¹ (M..)	21,441	1,165	22,606	1,638	(*)	99,999	2,809	(*)	319.7	712,724	8,974	(*)
		280	12	292	15	(*)	1,414	25	(*)	204.9	15,290	122	(*)
		275	9	284	17	(*)	1,353	35	(*)	269.2	14,919	130	(*)
12	Foreign	3		3			64	1	(*)	2.0	17,586	511	(*)
13	Males						28	1	(*)	3.0	10,291	330	(*)
14	Females	3		3			36				7,295	181	(*)
15	Colored	12,745	1,138	13,883	1,611	(*)	62,408	2,946	(*)	308.7	480,430	9,543	(*)
16	Males	6,300	620	6,920	874	(*)	31,182	1,567	(*)	327.4	238,522	4,786	(*)
17	Females	6,445	518	6,963	737	(*)	31,226	1,379	(*)	289.9	241,908	4,757	(*)
18	Memphis	1,530	237	1,767	378	213.9	9,655	665	68.9	258.6	102,320	2,572	25.1
19	Males	766	130	896	207	231.0	5,015	350	69.8	243.7	52,284	1,436	27.5
20	Females	764	107	871	171	196.3	4,640	315	67.9	277.3	50,036	1,136	22.7
21	White	858	98	956	155	162.1	5,087	264	51.9	230.6	52,380	1,145	21.9
22	Males	431	53	484	82	169.4	2,682	137	51.1	204.2	27,703	571	24.2
23	Females	427	45	472	73	154.7	2,405	127	52.8	267.9	24,677	474	19.2
24	Colored	672	139	811	223	275.0	4,568	401	87.8	281.0	49,940	1,427	28.6
25	Males	335	77	412	125	303.4	2,333	213	91.3	278.4	24,581	765	31.1
26	Females	337	62	399	98	245.6	2,235	188	84.1	284.0	25,359	662	26.1
27	Nashville	1,590	220	1,810	364	201.1	7,363	623	84.6	305.1	80,865	2,042	25.3
28	Males	811	111	922	188	203.9	3,662	336	91.8	323.4	38,356	1,039	27.1
29	Females	779	109	888	176	198.2	3,701	287	77.5	286.1	42,509	1,003	23.6
30	White	1,079	99	1,178	175	148.6	4,882	306	62.7	290.0	50,796	1,055	20.8
31	Males	576	51	627	87	138.8	2,464	156	63.3	286.2	25,063	545	21.7
32	Females	503	48	551	88	159.7	2,418	150	62.0	294.1	25,733	510	19.8
33	Colored	511	121	632	189	299.1	2,481	317	127.8	321.2	30,069	987	32.8
34	Males	235	60	295	101	342.4	1,198	180	150.3	364.4	13,293	494	37.2
35	Females	276	61	337	88	261.1	1,283	137	106.8	277.9	16,776	493	29.4
36	TEXAS	103,804	5,312	109,116	7,604	(*)	452,442	13,888	(*)	406.6	3,048,710	34,160	(*)
37	Males	57,778	2,873	60,656	4,086	(*)	229,831	7,396	(*)	409.9	1,578,900	18,045	(*)
38	Females	46,026	2,434	48,460	3,518	(*)	222,611	6,492	(*)	402.9	1,469,810	16,115	(*)
39	White	85,653	4,050	89,703	5,912	(*)	361,859	10,793	(*)	411.7	2,426,669	26,216	(*)
40	Males	48,611	2,224	50,835	3,196	(*)	184,423	5,763	(*)	410.4	1,267,670	14,041	(*)
41	Females	37,042	1,826	38,868	2,716	(*)	177,436	5,030	(*)	413.1	1,158,999	12,175	(*)
42	Native	85,461	4,014	89,475	5,839	(*)	359,669	10,365	(*)	440.6	2,249,088	23,526	(*)
43	Males	48,512	2,209	50,721	3,156	(*)	183,277	5,675	(*)	457.3	1,166,760	12,409	(*)
44	Females	36,949	1,805	38,754	2,683	(*)	176,392	4,690	(*)	421.9	1,082,328	11,117	(*)
45	Both parents native ¹ (M..)	42,899	1,772	44,671	2,532	(*)	156,275	4,593	(*)	481.3	1,008,529	9,543	(*)
46	One or both parents foreign. ¹ (M..)	31,435	1,403	32,838	2,103	(*)	149,880	3,971	(*)	452.3	930,129	8,780	(*)
		5,097	270	5,367	358	(*)	24,565	619	(*)	525.5	140,584	1,178	(*)
		5,043	251	5,294	347	(*)	24,059	583	(*)	555.2	133,379	1,050	(*)
47	Foreign	192	8	200	16	(*)	2,190	49	(*)	22.9	177,581	2,136	(*)
48	Males	99	4	103	10	(*)	1,146	25	(*)	19.3	100,910	1,292	(*)
49	Females	93	4	97	6	(*)	1,044	24	(*)	28.4	76,671	844	(*)
50	Colored	18,151	1,262	19,413	1,692	(*)	90,583	3,095	(*)	389.6	622,041	7,944	(*)
51	Males	9,167	654	9,821	890	(*)	45,408	1,633	(*)	407.8	311,230	4,004	(*)
52	Females	8,984	608	9,592	802	(*)	45,175	1,462	(*)	371.1	310,811	3,940	(*)

¹ Population excluded for areas not reporting deaths by nativity of persons and parents.

* Data insufficient for rates.

CAUSES, BY SEX, COLOR, GENERAL NATIVITY, AND PARENT NATIVITY: CENSUS YEAR 1900—Continued.

CAUSE OF DEATH.																		
Measles.	Scarlet fever.	Diphtheria and croup.	Whooping cough.	Malarial fever.	Influenza.	Typhoid fever.	Diarrheal diseases.	Consumption.	Cancer and tumor.	Heart disease and dropsy.	Pneumonia.	Diseases of the liver.	Diseases of the nervous system.	Diseases of the urinary organs.	Affections connected with pregnancy.	Old age.	Unknown.	All other causes.
794	37	1,156	425	987	1,049	1,709	1,953	4,451	513	1,815	3,185	309	2,514	612	285	525	2,279	5,974
394	17	599	183	505	494	879	1,028	1,736	168	946	1,762	173	1,364	408		218	1,180	3,300
400	20	557	242	482	555	830	925	2,715	345	809	1,423	136	1,150	204	285	307	1,099	2,674
565	34	961	270	554	840	1,290	1,495	2,593	408	1,217	2,070	236	1,868	459	187	330	1,495	4,157
282	17	502	112	297	388	677	795	960	150	647	1,131	132	997	310		142	761	2,268
283	17	459	158	257	452	613	700	1,633	258	570	939	104	871	149	187	188	734	1,889
564	33	958	269	532	814	1,280	1,448	2,511	383	1,135	1,992	227	1,782	416	182	290	1,445	3,996
281	16	499	111	282	378	671	762	920	138	588	1,079	125	939	278		127	734	2,165
283	17	459	158	250	436	609	686	1,591	245	547	913	102	843	138	182	163	711	1,831
264	14	489	104	222	345	634	639	793	123	504	934	97	799	211		100	689	1,794
262	10	438	144	201	392	573	564	1,437	200	474	806	89	743	102	169	131	666	1,573
1		2	1	4	4	3	4	9	1	8	20	1	15	4		6	6	33
3	2	5	4	7	6	5	11	16	3	16	13	1	8	2	1	2	7	18
.....			1	19	22	4	24	41	20	61	58	8	59	38	3	31	17	105
.....			1	13	9	2	16	24	11	46	40	6	37	29		13	14	69
.....			6	13	2	8	8	17	9	15	18	2	22	9	3	18	3	36
229	3	195	155	433	209	419	458	1,858	105	598	1,115	73	646	153	98	195	784	1,817
112		97	71	208	106	202	233	776	18	299	631	41	367	98		76	419	1,032
117	3	98	84	225	103	217	225	1,082	87	299	484	32	279	55	98	119	365	785
45	3	18	15	272	33	51	232	278	35	133	373	38	185	119	20	48	93	581
22	1	6	4	140	16	30	125	134	10	70	242	30	102	81		15	54	354
23	2	12	11	132	17	21	107	144	25	63	131	8	83	38	20	33	39	227
27	3	12	6	92	24	23	122	89	24	59	138	23	94	66	7	18	17	301
13	1	4	3	54	11	14	68	49	6	35	91	18	53	46		6	11	188
14	2	8	3	38	13	9	54	40	18	24	47	5	41	20	7	12	6	113
18		6	9	180	9	28	110	189	11	74	235	15	91	53	13	30	76	280
9		2	1	86	5	16	57	85	4	35	151	12	49	35		9	43	166
9		4	8	94	4	12	53	104	7	39	84	3	42	18	13	21	33	114
10		40	24	41	44	42	150	305	38	133	235	24	236	66	9	75	39	531
7		20	12	20	20	26	79	128	8	74	118	10	138	44		31	19	285
3		20	12	21	24	16	71	177	30	59	117	14	98	22	9	44	20	246
3		35	7	17	25	23	85	113	26	54	106	19	138	43	1	41	18	301
2		16	3	6	12	17	43	49	6	33	53	8	79	28		16	11	163
1		19	4	11	13	6	42	64	20	21	53	11	59	15	1	25	7	138
7		5	17	24	19	19	65	192	12	79	129	5	98	23	8	34	21	230
5		4	9	14	8	9	36	79	2	41	65	2	59	16		15	8	122
2		1	8	10	11	10	29	113	10	38	64	3	39	7	8	19	13	108
1,412	707	994	576	1,331	397	2,014	3,080	2,951	569	1,661	2,832	537	2,741	758	459	590	2,941	7,610
646	309	555	259	667	212	1,014	1,651	1,393	238	869	1,650	349	1,480	536		283	1,592	4,842
766	398	439	317	664	185	1,000	1,429	1,558	331	792	1,182	188	1,261	222	459	307	1,349	3,268
1,040	597	823	430	840	315	1,552	2,552	2,019	475	1,155	2,258	444	2,235	630	345	416	2,165	5,925
467	258	459	191	425	167	779	1,365	984	219	644	1,299	293	1,225	458		207	1,188	3,413
573	339	364	239	415	148	773	1,187	1,035	256	511	959	151	1,010	172	345	209	977	2,512
1,023	593	812	427	768	277	1,458	2,377	1,676	377	920	2,077	396	2,003	505	297	246	2,000	5,294
459	256	454	191	379	146	724	1,260	785	166	495	1,188	254	1,072	355		128	1,090	3,007
564	337	358	236	389	131	734	1,117	891	211	425	889	142	931	150	297	118	910	2,287
397	200	368	171	289	119	585	975	497	125	363	978	213	790	254		81	913	2,225
491	277	297	207	294	107	617	869	673	164	337	727	123	701	115	233	75	760	1,713
39	33	64	14	47	11	56	118	59	14	29	97	14	116	23		9	101	334
41	40	46	21	43	5	56	91	55	12	38	76	7	111	12	34	4	96	262
2	2	5		59	28	73	113	279	89	196	138	48	182	105	47	153	120	497
1	2	2		41	12	39	62	167	52	122	82	39	124	87		71	67	322
1		3		18	16	34	51	112	37	74	56	9	58	18	47	82	53	175
372	110	171	146	491	82	462	528	932	94	506	574	93	506	128	114	174	776	1,685
179	51	96	68	242	45	235	286	409	19	225	351	56	255	78		76	404	929
193	59	75	78	249	37	227	242	523	75	281	223	37	251	50	114	98	372	756

TABLE 19.—POPULATION, BIRTHS, DEATHS, AND DEATH RATES AT CERTAIN AGES, AND DEATHS FROM CERTAIN

AREAS.		UNDER 1 YEAR OF AGE.					UNDER 5 YEARS OF AGE.				ALL AGES.		
		Popu- lation.	Born and died in the census year.	Births during the census year.	Deaths.	Deaths under 1 per 1,000 births.	Popu- lation.	Deaths.	Death rate per 1,000 of popu- lation.	Deaths under 5 per 1,000 at all ages.	Popu- lation.	Deaths.	Death rate per 1,000 of popu- lation.
TEXAS—Continued.													
1	San Antonio	1,133	161	1,294	231	178.5	5,661	375	66.2	298.3	53,321	1,257	23.6
2	Males	590	92	682	133	195.0	2,816	205	72.8	283.1	26,129	724	27.7
3	Females	543	69	612	98	160.1	2,845	170	59.8	318.9	27,192	533	19.6
4	White	992	131	1,123	195	173.6	4,943	324	65.5	298.1	45,722	1,087	23.8
5	Males	519	72	591	110	186.1	2,465	175	71.0	278.7	22,489	628	27.9
6	Females	473	59	532	85	159.8	2,478	149	60.1	324.6	23,233	459	19.8
7	Colored	141	30	171	36	210.5	718	51	71.0	300.0	7,599	170	22.4
8	Males	71	20	91	23	(*)	351	30	85.5	(*)	3,640	96	26.4
9	Females	70	10	80	13	(*)	367	21	57.2	(*)	3,959	74	18.7
10	UTAH	9,176	445	9,621	580	(*)	41,852	934	(*)	303.3	276,749	3,079	(*)
11	Males	4,685	254	4,939	324	(*)	21,377	508	(*)	279.0	141,687	1,821	(*)
12	Females	4,491	191	4,682	256	(*)	20,475	426	(*)	338.6	135,062	1,258	(*)
13	White	9,122	437	9,559	571	(*)	41,503	906	(*)	304.8	272,465	2,972	(*)
14	Males	4,660	250	4,910	319	(*)	21,216	495	(*)	280.6	138,923	1,764	(*)
15	Females	4,462	187	4,649	252	(*)	20,287	411	(*)	340.2	133,542	1,208	(*)
16	Native	9,115	436	9,551	570	(*)	41,370	900	(*)	465.4	219,661	1,934	(*)
17	Males	4,658	250	4,908	319	(*)	21,147	492	(*)	461.1	112,195	1,067	(*)
18	Females	4,457	186	4,643	251	(*)	20,223	408	(*)	470.6	107,466	867	(*)
19	Both parents native. {M..	2,822	147	2,969	184	(*)	12,373	274	(*)	538.3	53,438	509	(*)
20	One or both parents {F..	2,778	111	2,889	144	(*)	11,902	238	(*)	526.5	50,588	452	(*)
21	foreign. {M..	1,836	91	1,927	118	(*)	8,774	192	(*)	452.8	58,757	424	(*)
22	foreign. {F..	1,679	70	1,749	99	(*)	8,321	158	(*)	441.3	56,878	358	(*)
23	Foreign	7		7			133	5	(*)	5.1	52,804	983	(*)
24	Males	2		2			69	3	(*)	4.7	26,728	645	(*)
25	Females	5		5			64	2	(*)	5.9	26,076	338	(*)
26	Colored	54	8	62	9	(*)	349	28	(*)	261.7	4,284	107	(*)
27	Males	25	4	29	5	(*)	161	13	(*)	(*)	2,764	57	(*)
28	Females	29	4	33	4	(*)	188	15	(*)	(*)	1,520	50	(*)
29	Salt Lake	1,472	82	1,554	122	78.5	6,574	197	30.0	230.7	53,531	854	16.0
30	White	1,468	82	1,550	122	78.7	6,547	195	29.8	233.5	53,017	835	15.7
31	Males	740	50	790	68	86.1	3,346	103	30.8	219.1	25,485	470	18.4
32	Females	728	32	760	54	71.1	3,201	92	28.7	252.1	27,532	365	13.3
33	Native	1,467	82	1,549	122	78.8	6,506	193	29.7	371.2	40,501	520	12.8
34	Males	739	50	789	68	86.2	3,325	101	30.4	350.7	19,885	288	14.5
35	Females	728	32	760	54	71.1	3,181	92	28.9	396.6	20,616	232	11.3
36	Foreign	1		1			41	2	(*)	6.6	12,516	302	24.1
37	Males	1		1			21	2	(*)	11.7	5,600	171	30.5
38	Females						20				6,916	131	18.9
39	VERMONT	6,755	617	7,372	825	111.9	32,852	1,131	34.4	194.0	343,641	5,829	17.0
40	Males	3,454	375	3,829	490	128.0	16,536	646	39.1	220.0	175,138	2,936	16.8
41	Females	3,301	242	3,543	335	94.6	16,316	485	29.7	167.6	168,503	2,893	17.2
42	White	6,744	614	7,358	821	111.6	32,776	1,124	34.3	193.7	342,771	5,804	16.9
43	Males	3,446	372	3,818	487	127.6	16,499	642	38.9	219.9	174,641	2,920	16.7
44	Females	3,298	242	3,540	334	94.4	16,277	482	29.6	167.1	168,130	2,884	17.2
45	Native	6,691	612	7,303	818	112.0	32,286	1,114	34.5	228.0	298,077	4,885	16.4
46	Males	3,420	372	3,792	487	128.4	16,257	637	39.2	259.5	150,133	2,455	16.4
47	Females	3,271	240	3,511	331	94.3	16,029	477	29.8	196.3	147,944	2,430	16.4
48	Foreign	53	2	55	2	(*)	490	8	16.3	9.5	44,694	844	18.9
49	Males	26		26			242	5	20.7	11.8	24,508	424	17.3
50	Females	27	2	29	2	(*)	248	3	12.1	7.1	20,186	420	20.8
51	Colored	11	3	14	4	(*)	76	7	(*)	(*)	870	25	28.7
52	Males	8	3	11	3	(*)	37	4	(*)	(*)	497	16	32.2
53	Females	3		3	1	(*)	39	3	(*)	(*)	373	9	24.1

*Data insufficient for rates.

POPULATION, BIRTHS, DEATHS, AND DEATH RATES.

537

CAUSES, BY SEX, COLOR, GENERAL NATIVITY, AND PARENT NATIVITY: CENSUS YEAR 1900—Continued.

CAUSE OF DEATH.																		
Measles.	Scarlet fever.	Diphtheria and croup.	Whooping cough.	Malarial fever.	Influenza.	Typhoid fever.	Diarrheal diseases.	Consumption.	Cancer and tumor.	Heart disease and dropsy.	Pneumonia.	Diseases of the liver.	Diseases of the nervous system.	Diseases of the urinary organs.	Affections connected with pregnancy.	Old age.	Unknown.	All other causes.
14	11	17	2	33	14	44	166	246	31	64	43	19	95	53	14	37	59	295
8	4	13	1	11	8	22	83	149	14	47	28	16	57	35	15	37	176	2
6	7	4	1	22	6	22	83	97	17	17	15	3	38	18	14	22	22	119
13	11	14	2	28	12	37	148	203	28	57	37	16	86	46	14	30	50	255
7	4	11	1	10	8	19	72	120	14	45	22	13	52	32	13	32	153	5
6	7	3	1	18	4	18	76	83	14	12	15	3	34	14	14	17	18	102
1		3		5	2	7	18	43	3	7	6	3	9	7		7	9	40
1		2		1		3	11	29		2	6	3	5	3		2	5	23
.....		1		4	2	4	7	14	3	5			4	4		5	4	17
15	62	47	61	6	35	73	153	143	74	240	347	32	299	129	40	127	125	1,071
6	31	27	30	1	12	38	71	89	39	115	205	22	174	84	55	67	755	11
9	31	20	31	5	23	35	82	54	35	125	142	10	125	45	40	72	58	316
15	62	47	59	6	34	73	149	133	73	239	336	32	295	125	36	125	79	1,054
6	31	27	30	1	11	38	70	84	38	114	200	22	173	80	53	45	741	14
9	31	20	29	5	23	35	79	49	35	125	136	10	122	45	36	72	34	313
15	59	46	58	4	20	60	134	70	24	147	245	19	220	59	23	27	62	642
6	29	27	29	1	4	31	63	40	10	66	141	13	129	33	12	33	400	17
9	30	19	29	3	16	29	71	30	14	81	104	6	91	26	15	29	242	18
4	9	13	18		3	5	25	11	4	34	74	8	73	19	8	20	181	19
4	20	9	18	3	14	10	32	12	5	45	51	4	56	9	5	10	13	132
2	17	13	10	1		21	34	17	2	25	57	3	38	10	2	12	160	20
5	10	10	8		1	18	33	14	5	31	48	2	24	13	18	1	15	102
.....	3	1	1		14	13	15	60	48	87	90	11	71	64	13	97	15	380
.....	2		1		7	7	7	41	27	43	58	7	40	45		40	10	310
.....	1	1			7	6	8	19	21	44	32	4	31	19	13	57	5	70
.....		2			1		4	10	1	1	11		4	4	4	2	46	17
.....			2		1		1	5	1	1	5		1	4		2	22	14
.....							3	5			6		3		4		24	3
2	15	9	7	4	4	16	59	57	29	77	101	11	77	49	10	42	5	280
1	9	8	4	1		13	32	36	16	40	59	8	45	31	14	3	166	28
1	6	1	3	3	4	3	27	21	13	37	42	3	32	18	10	28	2	114
2	15	9	7	4	4	16	58	54	28	77	97	11	76	47	10	40	5	275
1	9	8	4	1		13	31	33	15	40	56	8	45	29	12	3	162	31
1	6	1	3	3	4	3	27	21	13	37	41	3	31	18	10	28	2	113
2	13	9	7	3	3	13	53	32	8	44	59	5	52	24	5	10	2	176
1	8	8	4	1		10	28	17	4	19	31	4	31	15	4	1	102	34
1	5	1	3	2	3	3	25	15	4	25	28	1	21	9	5	6	1	74
.....	2				1	3	5	20	19	29	38	6	24	22	5	30	3	95
.....	1				3	3	3	14	10	17	25	4	14	13	8	2	2	57
.....	1				1		2	6	9	12	13	2	10	9	5	22	1	38
21	14	63	40	9	129	107	252	524	310	624	631	63	800	308	47	347	95	1,445
9	6	32	24	5	53	50	138	240	108	338	318	36	416	182	140	56	785	40
12	8	31	16	4	76	57	114	284	202	286	313	27	384	126	47	207	39	660
21	14	62	40	9	128	107	251	521	308	621	629	63	794	307	46	347	95	1,441
9	6	32	24	5	53	50	138	237	106	336	316	36	412	181	140	56	783	43
12	8	30	16	4	75	57	113	284	202	285	313	27	382	126	46	207	39	658
17	14	57	39	7	107	87	224	440	245	496	535	48	690	250	37	243	86	1,263
7	6	29	23	4	44	42	122	197	78	272	269	29	358	154	98	52	671	46
10	8	28	16	3	63	45	102	243	167	224	266	19	332	96	37	145	34	592
4		4	1	2	21	18	23	76	62	115	82	15	97	54	8	98	7	157
2		3	1	1	9	7	13	38	28	58	42	7	49	26	40	4	96	49
2		1		1	12	11	10	38	34	57	40	8	48	28	8	58	3	61
.....		1			1		1	3	2	3	2		6	1	1			4
.....								3	2	2	2		4	1				2
.....		1			1		1			1			2		1			2

TABLE 19.—POPULATION, BIRTHS, DEATHS, AND DEATH RATES AT CERTAIN AGES, AND DEATHS FROM CERTAIN

AREAS.	UNDER 1 YEAR OF AGE.					UNDER 5 YEARS OF AGE.				ALL AGES.		
	Popu- lation.	Born and died in the census year.	Births during the census year.	Deaths.	Deaths under 1 per 1,000 births.	Popu- lation.	Deaths.	Death rate per 1,000 of popu- lation.	Deaths under 5 per 1,000 at all ages.	Popu- lation.	Deaths.	Death rate per 1,000 of popu- lation.
VERMONT—Continued.												
1 Cities in Vermont.....	943	122	1,065	171	160.6	4,593	238	51.8	289.5	46,620	822	17.6
2 Males.....	449	70	519	98	188.8	2,234	133	59.5	326.0	22,546	408	18.1
3 Females.....	494	52	546	73	133.7	2,359	105	44.5	253.6	24,074	414	17.2
4 White.....	942	120	1,062	169	159.1	4,577	234	51.1	288.9	46,362	810	17.5
5 Males.....	448	68	516	96	186.0	2,232	130	58.2	325.0	22,417	400	17.8
6 Females.....	494	52	546	73	133.7	2,345	104	44.3	253.7	23,945	410	17.1
7 Native.....	929	119	1,048	167	159.4	4,485	230	51.3	372.2	37,071	618	16.7
8 Males.....	442	68	510	96	188.2	2,190	129	58.9	400.6	17,619	322	18.3
9 Females.....	487	51	538	71	132.0	2,295	101	44.0	341.2	19,452	296	15.2
10 Foreign.....	13	1	14	1	(*)	92	2	(*)	11.1	9,291	180	19.4
11 Males.....	6		6			42	1	(*)	(*)	4,798	73	15.2
12 Females.....	7	1	8	1	(*)	50	1	(*)	9.3	4,493	107	23.8
13 Colored.....	1	2	3	2	(*)	16	4	(*)	(*)	258	12	46.5
14 Males.....	1	2	3	2	(*)	2	3	(*)	(*)	129	8	62.0
15 Females.....						14	1	(*)	(*)	129	4	31.0
16 Rural part of Vermont.....	5,812	495	6,307	654	103.7	28,259	893	31.6	178.4	297,021	5,007	16.9
17 Males.....	3,005	305	3,310	392	118.4	14,302	513	35.9	202.9	152,592	2,528	16.6
18 Females.....	2,807	190	2,997	262	87.4	13,957	380	27.2	153.3	144,429	2,479	17.2
19 White.....	5,802	494	6,296	652	103.6	28,199	890	31.6	178.2	296,409	4,994	16.8
20 Males.....	2,998	304	3,302	391	118.4	14,267	512	35.9	203.2	152,224	2,520	16.6
21 Females.....	2,804	190	2,994	261	87.2	13,932	378	27.1	152.8	144,185	2,474	17.2
22 Native.....	5,762	493	6,255	651	104.1	27,801	884	31.8	207.2	261,006	4,267	16.3
23 Males.....	2,978	304	3,282	391	119.1	14,067	508	36.1	238.2	132,514	2,133	16.1
24 Females.....	2,784	189	2,973	260	87.5	13,734	376	27.4	176.2	128,492	2,134	16.6
25 Foreign.....	40	1	41	1	(*)	398	6	15.1	9.0	35,403	664	18.8
26 Males.....	20		20			200	4	20.0	11.4	19,710	351	17.8
27 Females.....	20	1	21	1	(*)	198	2	10.1	6.4	15,693	313	19.9
28 Colored.....	10	1	11	2	(*)	60	3	(*)	(*)	612	13	21.2
29 Males.....	7	1	8	1	(*)	35	1	(*)	(*)	368	8	21.7
30 Females.....	3		3	1	(*)	25	2	(*)	(*)	244	5	20.5
31 Addison county.....	403	33	436	46	105.5	2,075	65	31.3	176.2	21,912	369	16.8
32 Males.....	210	22	232	30	129.3	1,061	41	38.6	213.5	11,201	192	17.1
33 Females.....	193	11	204	16	78.4	1,014	24	23.7	135.6	10,711	177	16.5
34 Bennington county, rural.....	288	32	320	37	115.6	1,367	48	35.1	186.0	13,672	258	18.9
35 Males.....	151	20	171	23	134.5	715	25	35.0	189.4	7,224	132	18.3
36 Females.....	137	12	149	14	94.0	652	23	35.3	182.5	6,448	126	19.5
37 Bennington town.....	141	12	153	18	117.6	710	22	31.0	173.2	8,033	127	15.8
38 Males.....	62	9	71	12	(*)	336	13	38.7	(*)	3,762	61	16.2
39 Females.....	79	3	82	6	(*)	374	9	24.1	(*)	4,271	66	15.5
40 White.....	141	12	153	18	117.6	706	21	29.7	166.7	7,960	126	15.8
41 Males.....	62	9	71	12	(*)	336	13	38.7	(*)	3,731	61	16.3
42 Females.....	79	3	82	6	(*)	370	8	21.6	(*)	4,229	65	15.4
43 Native.....	140	12	152	18	118.4	698	21	30.1	205.9	6,744	102	15.1
44 Males.....	61	9	70	12	(*)	331	13	39.3	(*)	3,155	54	17.1
45 Females.....	79	3	82	6	(*)	367	8	21.8	(*)	3,589	48	13.4
46 Foreign.....	1		1			8				1,216	22	18.1
47 Males.....	1		1			5				576	6	10.4
48 Females.....						3				640	16	25.0
49 Caledonia county.....	476	39	515	50	97.1	2,214	67	30.3	167.5	24,381	400	16.4
50 Males.....	241	23	264	29	109.8	1,100	42	38.2	211.1	12,532	199	15.9
51 Females.....	235	16	251	21	83.7	1,114	25	22.4	124.4	11,849	201	17.0

* Data insufficient for rates.

CAUSES, BY SEX, COLOR, GENERAL NATIVITY, AND PARENT NATIVITY: CENSUS YEAR 1900—Continued.

CAUSE OF DEATH.																		
Measles.	Scarlet fever.	Diphtheria and croup.	Whooping cough.	Malarial fever.	Influenza.	Typhoid fever.	Diarrheal diseases.	Consumption.	Cancer and tumor.	Heart disease and dropsy.	Pneumonia.	Diseases of the liver.	Diseases of the nervous system.	Diseases of the urinary organs.	Affections connected with pregnancy.	Old age.	Unknown.	All other causes.
2	4	19	4		8	13	57	75	36	69	100	7	100	40	8	38	5	237
1	2	10	4		3	6	37	38	13	32	47	2	59	16		15	3	120
1	2	9			5	7	20	37	23	37	53	5	41	24	8	23	2	117
2	4	19	4		8	13	57	73	35	69	99	7	95	40	7	38	5	235
1	2	10	4		3	6	37	36	12	32	46	2	56	16		15	3	119
1	2	9			5	7	20	37	23	37	53	5	39	24	7	23	2	116
2	4	17	4		4	12	47	57	18	50	76	3	73	23	3	20	5	200
1	2	9	4		1	6	32	26	8	22	40		45	10		9	3	104
1	2	8			3	6	15	31	10	28	36	3	28	13	3	11	2	96
.....		1			4	1	9	16	16	17	21	4	20	16	4	18		33
.....		1			2		5	10	4	9	6	2	9	6		6		13
.....					2	1	4	6	12	8	15	2	11	10	4	12		20
.....								2	1		1		5		1			2
.....								2	1		1		3					1
.....													2		1			1
19	10	44	36	9	121	94	195	449	274	555	531	56	700	268	39	309	90	1,208
8	4	22	20	5	50	44	101	202	95	306	271	34	357	166		125	53	665
11	6	22	16	4	71	50	94	247	179	249	260	22	343	102	39	184	37	543
19	10	43	36	9	120	94	194	448	273	552	530	56	699	267	39	309	90	1,206
8	4	22	20	5	50	44	101	201	94	304	270	34	356	165		125	53	664
11	6	21	16	4	70	50	93	247	179	248	260	22	343	102	39	184	37	542
15	10	40	35	7	103	75	177	383	227	446	459	45	617	227	34	223	81	1,063
6	4	20	19	4	43	36	90	171	70	250	229	29	313	144		89	49	567
9	6	20	16	3	60	39	87	212	157	196	230	16	304	83	34	134	32	496
4		3	1	2	17	17	14	60	46	98	61	11	77	38	4	80	7	124
2		2	1	1	7	7	8	28	24	49	36	5	40	20		34	4	83
2		1		1	10	10	6	32	22	49	25	6	37	18	4	46	3	41
.....		1			1		1	1	1	3	1		1	1				2
.....								1	1	2	1		1	1				1
.....		1			1		1			1								1
.....		1	1		7	14	15	36	22	40	26	2	56	21	1	24	3	100
.....			1		7	7	9	15	7	24	15	1	29	17		11	1	55
.....		1			7	7	6	21	15	16	11	1	27	4	1	13	2	45
.....	3	1		1	8	3	8	16	9	29	32	2	46	19	1	10	4	66
.....	3	1		1	4	2	2	9	2	15	17	2	22	12		3	3	39
.....					4	1	6	7	7	14	15		24	7	1	7	1	27
.....						2	7	12	3	15	16	2	16	11	3	4	3	33
.....						1	3	8	1	8	7	2	8	3		2	1	17
.....						1	4	4	2	7	9		8	8	3	2	2	16
.....						2	7	12	3	15	16	2	15	11	3	4	3	33
.....						1	3	8	1	8	7	2	8	3		2	1	17
.....						1	4	4	2	7	9		7	8	3	2	2	16
.....						2	6	12	2	11	12		13	8	1	4	3	28
.....						1	3	8	1	6	6		7	3		2	1	16
.....						1	3	4	1	5	6		6	5	1	2	2	12
.....							1		1	3	4	2	1	3	2			5
.....							1			2	1	2	1	3	2			1
.....									1	1	3		1	3				4
2	1	3	2	1	12	14	13	37	19	52	28	6	46	19	3	23	8	111
1		1			6	8	10	14	5	31	15	1	24	11		10	5	57
1	1	2	2	1	6	6	3	23	14	21	13	5	22	8	3	13	3	54

TABLE 19.—POPULATION, BIRTHS, DEATHS, AND DEATH RATES AT CERTAIN AGES, AND DEATHS FROM CERTAIN

	AREAS.	UNDER 1 YEAR OF AGE.					UNDER 5 YEARS OF AGE.				ALL AGES.		
		Popula- tion.	Born and died in the census year.	Births during the census year.	Deaths.	Deaths under 1 per 1,000 births.	Popula- tion.	Deaths.	Death rate per 1,000 of popu- lation.	Deaths under 5 per 1,000 at all ages.	Popula- tion.	Deaths.	Death rate per 1,000 of popu- lation.
	VERMONT—Continued.												
1	Chittenden county, rural	493	55	548	72	131.4	2,271	97	42.7	263.6	20,960	368	17.6
2	Males	255	38	293	50	170.6	1,140	57	50.0	314.9	10,738	181	16.9
3	Females	238	17	255	22	86.3	1,131	40	35.4	213.9	10,222	187	18.3
4	Burlington	367	62	429	91	212.1	1,781	113	63.4	325.6	18,640	347	18.6
5	Males	179	37	216	54	250.0	887	65	73.3	384.6	8,845	169	19.1
6	Females	188	25	213	37	173.7	894	48	53.7	269.7	9,795	178	18.2
7	White	366	60	426	89	208.9	1,772	110	62.1	321.5	18,521	339	18.3
8	Males	178	35	213	52	244.1	885	62	70.1	380.4	8,787	163	18.6
9	Females	188	25	213	37	173.7	887	48	54.1	272.7	9,734	176	18.1
10	Native	358	59	417	87	208.6	1,714	108	63.0	413.8	14,804	261	17.6
11	Males	174	35	209	52	248.8	858	62	72.3	455.9	6,994	136	19.4
12	Females	184	24	208	35	168.3	856	46	53.7	368.0	7,810	125	16.0
13	Foreign	8	1	9	1	(*)	58	1	(*)	(*)	3,717	74	19.9
14	Males	4		4		(*)	27		(*)	(*)	1,793	24	13.4
15	Females	4	1	5	1	(*)	31	1	(*)	(*)	1,924	50	26.0
16	Essex county	168	19	187	22	117.6	852	27	31.7	219.5	8,056	123	15.3
17	Males	84	10	94	13	(*)	426	16	37.6	(*)	4,294	68	15.8
18	Females	84	9	93	9	(*)	426	11	25.8	(*)	3,762	55	14.6
19	Franklin county	642	71	713	102	143.1	3,156	131	41.5	280.5	30,198	467	15.5
20	Males	320	43	363	60	165.3	1,591	78	49.0	330.5	15,213	236	15.5
21	Females	322	28	350	42	120.0	1,565	53	33.9	229.4	14,985	231	15.4
22	Grand Isle county	85	5	90	7	(*)	451	12	26.6	(*)	4,462	56	12.6
23	Males	45	4	49	5	(*)	224	7	31.3	(*)	2,564	28	10.9
24	Females	40	1	41	2	(*)	227	5	22.0	(*)	1,898	28	14.8
25	Lamoille county	248	17	265	20	75.5	1,146	26	22.7	157.6	12,289	165	13.4
26	Males	139	12	151	12	79.5	586	14	23.9	(*)	6,290	88	14.0
27	Females	109	5	114	8	70.2	560	12	21.4	(*)	5,999	77	12.8
28	Orange county	343	22	365	29	79.5	1,706	36	21.1	112.1	19,313	321	16.6
29	Males	179	9	188	12	63.8	854	17	19.9	111.1	9,846	153	15.5
30	Females	164	13	177	17	96.0	852	19	22.3	113.1	9,467	168	17.7
31	Orleans county	451	36	487	50	102.7	2,145	80	37.3	217.4	22,024	368	16.7
32	Males	250	26	276	35	126.8	1,127	48	42.6	266.7	11,348	180	15.9
33	Females	201	10	211	15	71.1	1,018	32	31.4	170.2	10,676	188	17.6
34	Rutland county, rural	704	45	749	61	81.4	3,308	96	29.0	184.3	32,710	521	15.9
35	Males	336	25	361	29	80.3	1,615	46	28.5	181.1	16,939	254	15.0
36	Females	368	20	388	32	82.5	1,693	50	29.5	187.3	15,771	267	16.9
37	Rutland	194	21	215	25	116.3	1,007	41	40.7	215.8	11,499	190	16.5
38	Males	82	8	90	12	(*)	473	23	48.6	(*)	5,429	98	18.1
39	Females	112	13	125	13	104.0	534	18	33.7	(*)	6,070	92	15.2
40	White	194	21	215	25	116.3	1,004	41	40.8	218.1	11,441	188	16.4
41	Males	82	8	90	12	(*)	473	23	48.6	(*)	5,396	97	18.0
42	Females	112	13	125	13	104.0	531	18	33.9	(*)	6,045	91	15.1
43	Native	194	21	215	25	116.3	1,004	40	39.8	289.9	9,910	138	13.9
44	Males	82	8	90	12	(*)	473	23	48.6	(*)	4,649	72	15.5
45	Females	112	13	125	13	104.0	531	17	32.0	(*)	5,261	66	12.5
46	Foreign										1,531	45	29.4
47	Males										747	24	32.1
48	Females										784	21	26.8

* Data insufficient for rates.

POPULATION, BIRTHS, DEATHS, AND DEATH RATES.

541

CAUSES, BY SEX, COLOR, GENERAL NATIVITY, AND PARENT NATIVITY: CENSUS YEAR 1900—Continued.

CAUSE OF DEATH.																		
Measles.	Scarlet fever.	Diphtheria and croup.	Whooping cough.	Malarial fever.	Influenza.	Typhoid fever.	Diarrheal diseases.	Consumption.	Cancer and tumor.	Heart disease and dropsy.	Pneumonia.	Diseases of the liver.	Diseases of the nervous system.	Diseases of the urinary organs.	Affections connected with pregnancy.	Old age.	Unknown.	All other causes.
1		2	1	1	10	5	23	34	15	44	38	6	50	14	3	22	11	88
1		2	1	1	4	3	11	16	4	24	18	5	27	7		11	5	45
					6	2	12	18	11	20	20	1	23	7	3	11	6	43
1	1	3	2		4	4	36	33	18	19	39	2	41	13	1	23	2	105
1	1	1	2			1	25	12	5	8	20		26	6		9	2	51
1	1	3	2		4	4	11	21	13	11	19	2	15	7	1	14		54
							36	31	18	19	38	2	38	13		23	2	104
1	1	1	2		4	3	25	10	5	8	19		23	6		9	2	51
1	1	3	2		3	4	11	21	13	11	19	2	15	7		14		53
							30	24	8	18	29	1	28	9		10	2	88
1	1	1	2		3	1	22	7	2	7	17		19	5		5	2	45
					8	3	8	17	6	11	12	1	9	4		5		43
					1		5	7	10		9	1	9	4		13		15
							3	3	3		2		3	1		4		5
					1		2	4	7		7	1	6	3		9		10
2			2		2	2	4	13	6	10	12	2	12	7	1	8	1	39
1			1		1	2	3	8	3	2	5	1	4	7		4	1	25
1			1		1		1	5	3	8	7	1	8		1	4		14
3		9	2	1	2	5	26	63	25	42	64	1	61	20	4	32	12	95
3		4	2	1		2	14	29	13	19	33	1	33	11		6	8	57
		5			2	3	12	34	12	23	31		28	9	4	26	4	38
				1			1	5	2	8	10		9	4		2	1	13
				1				2	1	1	4		6	2		1	1	9
							1	3	1	7	6		3	2		1		4
			1		9	3	7	14	7	23	16	3	28	11		12	2	29
					4		3	7	3	12	10		14	5		8	1	19
			1		5	3	4	7	4	11	6	2	14	6		4	1	10
4		3	5	1	6	1	8	26	20	41	35	6	50	18	5	21	3	68
		3	3	1	2	1	4	10	6	25	16	5	22	9		12	1	33
4			2		4		4	16	14	16	19	1	28	9	5	9	2	35
		6	3	1	3	10	23	25	25	36	38	11	46	22	2	21	13	83
		3	2		1	3	12	8	13	20	20	5	21	13		8	7	44
		3	1	1	2	7	11	17	12	16	18	6	25	9	2	13	6	39
2	1	3	3		9	14	23	48	23	58	68	6	54	36	8	30	11	124
1	1	2	2		3	6	11	23	10	35	31	3	24	21		11	3	67
1		1	1		6	8	12	25	13	23	37	3	30	15	8	19	8	57
1	2	2	1		3	4	7	14	6	23	29	2	21	12	2	7		54
1	1	1	1		2	3	5	7	4	12	11		12	5		2		31
	1	1			1	1	2	7	2	11	18	2	9	7	2	5		23
1	2	2	1		3	4	7	14	6	23	29	2	20	12	2	7		58
1	1	1	1		2	3	5	7	4	12	11		12	5		2		30
	1	1			1	1	2	7	2	11	18	2	8	7	2	5		23
1	2	2	1		1	4	5	12	5	15	23	1	12	2	2	3		47
1	1	1	1			3	4	5	7	8	10		7			1		26
	1	1				1	1	7	4		13	1	5	2	2	2		21
					2		2	2		8	4	1	8	9		4		5
					1		1	2		5	3		5	5		1		3
					1		1			3	3	1	3	4		3		2

TABLE 19.—POPULATION, BIRTHS, DEATHS, AND DEATH RATES AT CERTAIN AGES, AND DEATHS FROM CERTAIN

	AREAS.	UNDER 1 YEAR OF AGE.					UNDER 5 YEARS OF AGE.				ALL AGES.		
		Popula- tion.	Born and died in the census year.	Births during the census year.	Deaths.	Deaths under 1 per 1,000 births.	Popula- tion.	Deaths.	Death rate per 1,000 of popu- lation.	Deaths under 5 per 1,000 at all ages.	Popula- tion.	Deaths.	Death rate per 1,000 of popu- lation.
	VERMONT—Continued.												
1	Washington county, rural	530	51	581	63	108.4	2,657	87	32.7	170.6	28,150	510	18.1
2	Males	283	34	317	41	129.3	1,384	55	39.7	206.0	14,676	267	18.2
3	Females	247	17	264	22	83.3	1,273	32	25.1	131.7	13,483	243	18.0
4	Barre	241	27	268	37	138.1	1,095	62	56.6	392.4	8,448	158	18.7
5	Males	126	16	142	20	140.8	538	32	59.5	(*)	4,510	80	17.7
6	Females	115	11	126	17	134.9	557	30	53.9	(*)	3,938	78	19.8
7	White	241	27	268	37	138.1	1,095	62	56.6	394.9	8,440	157	18.6
8	Males	126	16	142	20	140.8	538	32	59.5	(*)	4,503	79	17.5
9	Females	115	11	126	17	134.9	557	30	53.9	(*)	3,937	78	19.8
10	Native	237	27	264	37	140.2	1,069	61	57.1	521.4	5,613	117	20.8
11	Males	125	16	141	20	141.8	528	31	58.7	(*)	2,821	60	21.3
12	Females	112	11	123	17	138.2	541	30	55.5	(*)	2,792	57	20.4
13	Foreign	4		4			26	1	(*)	(*)	2,827	39	13.8
14	Males	1		1			10	1	(*)	(*)	1,682	19	11.3
15	Females	3		3			16				1,145	20	17.5
16	Windham county	445	30	475	45	94.7	2,224	59	26.5	100.9	26,660	585	21.9
17	Males	231	20	251	30	119.5	1,137	38	33.4	125.4	13,447	303	22.5
18	Females	214	10	224	15	67.0	1,087	21	19.3	74.5	13,213	282	21.3
19	Windsor county	536	40	576	50	86.8	2,687	62	23.1	125.0	32,225	496	15.4
20	Males	281	19	300	23	76.7	1,342	29	21.6	117.4	16,280	247	15.2
21	Females	255	21	276	27	97.8	1,345	33	24.5	132.5	15,945	249	15.6
22	VIRGINIA	52,388	3,498	55,886	4,921	(*)	249,055	7,748	(*)	306.8	1,854,184	25,252	(*)
23	Males	26,372	1,967	28,339	2,717	(*)	125,147	4,184	(*)	319.1	925,897	13,112	(*)
24	Females	26,016	1,531	27,547	2,204	(*)	123,908	3,564	(*)	293.6	928,287	12,140	(*)
25	White	33,972	1,774	35,746	2,607	(*)	158,692	4,063	(*)	288.8	1,192,855	14,070	(*)
26	Males	17,316	1,008	18,324	1,433	(*)	80,466	2,180	(*)	298.5	601,996	7,302	(*)
27	Females	16,656	766	17,422	1,174	(*)	78,226	1,883	(*)	278.2	590,859	6,768	(*)
28	Native	33,966	1,770	35,736	2,599	(*)	158,598	4,050	(*)	300.6	1,173,787	13,472	(*)
29	Males	17,314	1,005	18,319	1,427	(*)	80,424	2,172	(*)	314.8	589,962	6,899	(*)
30	Females	16,652	765	17,417	1,172	(*)	78,174	1,878	(*)	285.7	583,825	6,573	(*)
31	Both parents native ¹ {M..	15,945	808	16,753	1,139	(*)	74,036	1,757	(*)	326.3	531,751	5,384	(*)
32	One or both parents {F..	15,334	624	15,958	948	(*)	71,974	1,539	(*)	290.1	523,771	5,305	(*)
	foreign. ¹ {M..	289	23	312	24	(*)	1,428	31	(*)	303.9	11,940	102	(*)
	{F..	265	12	277	14	(*)	1,391	22	(*)	(*)	10,467	63	(*)
33	Foreign	6		6			94	2	(*)	4.6	19,068	439	(*)
34	Males	2		2			42				12,034	319	(*)
35	Females	4		4			52	2	(*)	16.7	7,034	120	(*)
36	Colored	18,416	1,724	20,140	2,314	(*)	90,363	3,685	(*)	329.5	661,329	11,182	(*)
37	Males	9,056	959	10,015	1,284	(*)	44,681	2,004	(*)	344.9	323,901	5,810	(*)
38	Females	9,360	765	10,125	1,030	(*)	45,682	1,681	(*)	312.9	337,428	5,372	(*)
39	Alexandria	300	47	347	75	216.1	1,439	117	81.3	333.3	14,528	351	24.2
40	Males	143	30	173	42	242.8	713	66	92.6	368.7	6,868	179	26.1
41	Females	157	17	174	33	189.7	726	51	70.2	296.5	7,660	172	22.5
42	White	213	18	231	28	121.2	1,023	52	50.8	288.9	9,986	180	18.0
43	Males	101	12	113	17	150.4	503	32	63.6	(*)	4,802	97	20.2
44	Females	112	6	118	11	93.2	520	20	38.5	(*)	5,184	83	16.0
45	Colored	87	29	116	47	405.2	416	65	156.3	380.1	4,542	171	37.6
46	Males	42	18	60	25	(*)	210	34	161.9	(*)	2,066	82	39.7
47	Females	45	11	56	22	(*)	206	31	150.5	(*)	2,476	89	35.9

¹ Population excluded for areas not reporting deaths by nativity of persons and parents.

* Data insufficient for rates.

POPULATION, BIRTHS, DEATHS, AND DEATH RATES.

543

CAUSES, BY SEX, COLOR, GENERAL NATIVITY, AND PARENT NATIVITY: CENSUS YEAR 1900—Continued.

CAUSE OF DEATH.																		
Measles.	Scarlet fever.	Diphtheria and croup.	Whooping cough.	Malarial fever.	Influenza.	Typhoid fever.	Diar-rheal diseases.	Con-sumption.	Cancer and tumor.	Heart disease and dropsy.	Pneumonia.	Dis-eases of the liver.	Diseases of the nervous system.	Dis-eases of the urinary organs.	Affec-tions connected with pregnancy.	Old age.	Un-known.	All other causes.
3	4	6	8	1	6	10	14	46	24	50	82	3	62	23	3	26	7	132
1	3	5	4	1	4	3	9	19	8	28	48	2	34	14	3	11	4	70
2	1	1	4	1	2	7	5	27	16	22	34	1	28	9	3	15	3	62
.....	1	14	1		1	3	7	16	9	12	16	1	22	4	2	4		45
.....	1	7	1		1	1	4	11	3	4	9		13	2		2		21
.....	7	7				2	3	5	6	8	7	1	9	2	2	2		24
.....	1	14	1		1	3	7	16	8	12	16	1	22	4	2	4		45
.....	1	7	1		1	1	4	11	2	4	9		13	2		2		21
.....	7	7				2	3	5	6	8	7	1	9	2	2	2		24
.....	1	12	1			2	6	9	3	6	12	1	20	4		3		37
.....	1	6	1			1	3	6	1	2	5		12	2		1		17
.....						1	3	3	2	4	7	1	8	2		2		12
.....		1			1	1	1	7	5	6	4		2		2	1		8
.....		1			1		1	5	1	2	2		1			1		4
.....						1		2	4	4	2		1		2			4
1	1	3	3	1	27	4	14	44	42	63	40	5	102	26	1	52	8	148
1	1	3	3	1	14	3	6	24	14	31	22	5	56	18		17	7	81
.....					13	1	8	20	28	32	18		46	8	1	35	1	67
1		7	5		20	9	16	42	35	59	42	8	78	28	7	26	6	112
.....		4	2		7	4	7	18	6	39	17	1	41	19		12	6	64
1		3	3		13	5	9	24	29	20	25	2	37	9	7	14		48
297	53	637	292	409	754	914	1,582	3,223	533	1,943	2,429	249	2,620	735	256	713	2,049	5,564
148	27	325	139	201	357	497	856	1,402	168	1,032	1,366	144	1,430	479	338	1,064	3,139	23
149	26	312	153	208	397	417	726	1,821	365	911	1,063	105	1,190	256	256	375	985	2,425
182	44	477	126	175	491	564	995	1,523	397	1,091	1,287	175	1,572	483	131	391	929	3,037
93	22	240	56	89	232	309	521	628	134	578	706	102	888	324		173	504	1,703
89	22	237	70	86	259	255	474	895	263	513	581	73	684	159	131	218	425	1,334
182	44	476	125	170	483	549	967	1,456	379	1,007	1,235	166	1,486	444	127	355	908	2,913
93	22	239	55	84	227	298	509	584	123	516	672	95	829	293		156	493	1,611
89	22	237	70	86	256	251	458	872	256	491	563	71	657	151	127	199	415	1,302
89	19	223	51	66	204	255	371	424	97	398	553	73	587	200		128	453	1,193
87	22	226	57	78	234	211	337	701	203	403	493	54	475	98	110	161	382	973
2	2	3	2		1	3	11	7	1	7	10	1	16	5		2	5	24
1		5	5			2	9	8	4	6	2		6	3		2	1	14
.....		1		3	5	10	22	47	14	70	38	7	64	30	2	28	11	87
.....		1		3	5	8	10	36	10	53	26	6	48	26		16	5	66
.....						2	12	11	4	17	12	1	16	4	2	12	6	21
115	9	160	166	234	263	350	587	1,700	136	852	1,142	74	1,048	252	125	322	1,120	2,527
55	5	85	83	112	125	188	335	774	34	454	660	42	542	155		165	560	1,436
60	4	75	83	122	138	162	252	926	102	398	482	32	506	97	125	157	560	1,091
1	1	25	1	11	11	11	26	36	8	22	28		33	26	1	13	32	65
.....		12		5	7	7	12	22	2	7	13		20	14		6	11	41
1	1	13	1	6	4	4	14	14	6	15	15		13	12	1	7	21	24
1	1	17		5	8	7	8	17	6	12	13		18	16	1	9	8	33
.....		9		2	5	5	4	11	2	2	7		11	10		5	3	21
1	1	8		3	3	2	4	6	4	10	6		7	6	1	4	5	12
.....		8	1	6	3	4	18	19	2	10	15		15	10		4	24	32
.....		3		3	2	2	8	11		5	6		9	4		1	8	20
.....		5	1	3	1	2	10	8	2	5	9		6	6		3	16	12

TABLE 19.—POPULATION, BIRTHS, DEATHS, AND DEATH RATES AT CERTAIN AGES, AND DEATHS FROM CERTAIN

	AREAS.	UNDER 1 YEAR OF AGE.					UNDER 5 YEARS OF AGE.				ALL AGES.		
		Popula- tion.	Born and died in the census year.	Births during the census year.	Deaths.	Deaths under 1 per 1,000 births.	Popula- tion.	Deaths.	Death rate per 1,000 of popu- lation.	Deaths under 5 per 1,000 at all ages.	Popula- tion.	Deaths.	Death rate per 1,000 of popu- lation.
	VIRGINIA—Continued.												
1	Lynchburg.....	421	82	503	127	252.5	1,964	195	99.3	372.8	18,891	523	27.7
2	Males.....	223	39	262	61	232.8	975	94	96.4	379.0	8,421	248	29.5
3	Females.....	198	43	241	66	273.9	989	101	102.1	367.3	10,470	275	26.3
4	White.....	235	30	265	44	166.0	1,090	66	60.6	296.0	10,637	223	21.0
5	Males.....	132	18	150	24	160.0	549	34	61.9	323.8	5,142	105	20.4
6	Females.....	103	12	115	20	173.9	541	32	59.1	271.2	5,495	118	21.5
7	Colored.....	186	52	238	83	348.7	874	129	147.6	430.0	8,254	300	36.3
8	Males.....	91	21	112	37	330.4	426	60	140.8	419.6	3,279	143	43.6
9	Females.....	95	31	126	46	365.1	448	69	154.0	439.5	4,975	157	31.6
10	Norfolk.....	992	201	1,193	282	236.4	4,593	408	88.8	347.8	46,624	1,173	25.2
11	Males.....	496	107	603	152	252.1	2,324	217	93.4	355.7	22,704	610	26.9
12	Females.....	496	94	590	130	220.3	2,269	191	84.2	339.3	23,920	563	23.5
13	White.....	573	71	644	108	167.7	2,675	149	55.7	306.6	26,317	486	18.5
14	Males.....	289	38	327	59	180.4	1,361	82	60.2	314.2	13,135	261	19.9
15	Females.....	284	33	317	49	154.6	1,314	67	51.0	297.8	13,182	225	17.1
16	Colored.....	419	130	549	174	316.9	1,918	259	135.0	377.0	20,307	687	33.8
17	Males.....	207	69	276	93	337.0	963	135	140.2	386.8	9,569	349	36.5
18	Females.....	212	61	273	81	296.7	955	124	129.8	366.9	10,738	338	31.5
19	Petersburg.....	498	82	580	132	227.6	2,195	201	91.6	296.5	21,810	678	31.1
20	Males.....	253	52	305	81	265.6	1,087	122	112.2	339.8	9,909	359	36.2
21	Females.....	245	30	275	51	185.5	1,108	79	71.3	247.6	11,901	319	26.8
22	White.....	239	21	260	43	165.4	1,040	66	63.5	214.3	11,057	308	27.9
23	Males.....	121	15	136	24	176.5	529	33	62.4	203.7	5,203	162	31.1
24	Females.....	118	6	124	19	153.2	511	33	64.6	226.0	5,854	146	24.9
25	Colored.....	259	61	320	89	278.1	1,155	135	116.9	364.9	10,753	370	34.4
26	Males.....	132	37	169	57	337.3	558	89	159.5	451.8	4,706	197	41.9
27	Females.....	127	24	151	32	211.9	597	46	77.1	265.9	6,047	173	28.6
28	Richmond.....	1,716	343	2,059	516	250.6	7,735	731	94.5	289.7	85,050	2,523	29.7
29	Males.....	823	209	1,032	297	287.8	3,855	415	107.7	309.9	39,936	1,339	33.5
30	Females.....	893	134	1,027	219	213.2	3,880	316	81.4	266.9	45,114	1,184	26.2
31	White.....	1,097	134	1,221	214	175.3	4,988	315	63.2	243.4	52,798	1,294	24.5
32	Males.....	539	76	615	119	193.5	2,533	175	69.1	255.5	25,562	685	26.8
33	Females.....	548	58	606	95	156.8	2,455	140	57.0	229.9	27,236	609	22.4
34	Colored.....	629	209	838	302	360.4	2,747	416	151.4	338.5	32,252	1,229	38.1
35	Males.....	284	133	417	178	426.9	1,322	240	181.5	367.0	14,374	654	45.5
36	Females.....	345	76	421	124	294.5	1,425	176	123.5	306.1	17,878	575	32.2
37	WASHINGTON.....	10,761	475	11,236	629	(*)	53,243	1,050	(*)	213.8	518,103	4,910	(*)
38	Males.....	5,532	299	5,831	379	(*)	27,095	609	(*)	193.5	304,178	3,148	(*)
39	Females.....	5,229	176	5,405	250	(*)	26,148	441	(*)	250.3	213,925	1,762	(*)
40	White.....	10,473	449	10,922	595	(*)	51,775	969	(*)	210.9	496,304	4,594	(*)
41	Males.....	5,394	285	5,679	363	(*)	26,373	565	(*)	191.2	288,647	2,955	(*)
42	Females.....	5,079	164	5,243	232	(*)	25,402	404	(*)	246.5	207,657	1,639	(*)
43	Native.....	10,436	446	10,882	588	(*)	51,229	951	(*)	310.3	394,179	3,065	(*)
44	Males.....	5,376	282	5,658	358	(*)	26,108	556	(*)	306.8	221,569	1,812	(*)
45	Females.....	5,060	164	5,224	230	(*)	25,121	395	(*)	315.2	172,610	1,253	(*)
46	Both parents native.....	3,102	141	3,243	180	(*)	15,130	292	(*)	299.5	151,737	975	(*)
47	One or both parents foreign.....	2,965	99	3,064	131	(*)	14,587	224	(*)	319.5	113,331	701	(*)
		2,274	120	2,394	145	(*)	10,978	219	(*)	438.0	69,832	500	(*)
		2,095	58	2,153	88	(*)	10,534	152	(*)	403.2	59,279	377	(*)
48	Foreign.....	37	3	40	6	(*)	546	14	(*)	11.6	102,125	1,211	(*)
49	Males.....	18	3	21	5	(*)	265	9	(*)	10.1	67,078	895	(*)
50	Females.....	19		19	1	(*)	231	5	(*)	13.8	35,047	316	(*)
51	Colored.....	288	26	314	34	(*)	1,468	81	(*)	256.3	21,799	316	(*)
52	Males.....	138	14	152	16	(*)	722	44	(*)	228.0	15,531	193	(*)
53	Females.....	150	12	162	18	(*)	746	37	(*)	300.8	6,268	123	(*)

* Data insufficient for rates.

CAUSES, BY SEX, COLOR, GENERAL NATIVITY, AND PARENT NATIVITY: CENSUS YEAR 1900—Continued.

CAUSE OF DEATH.																		
Measles.	Scarlet fever.	Diphtheria and croup.	Whooping cough.	Malarial fever.	Influenza.	Typhoid fever.	Diarrheal diseases.	Consumption.	Cancer and tumor.	Heart disease and dropsy.	Pneumonia.	Diseases of the liver.	Diseases of the nervous system.	Diseases of the urinary organs.	Affections connected with pregnancy.	Old age.	Unknown.	All other causes.
2		7		2	5	17	16	59	13	36	38	5	74	16	2	12	107	112
2		5		2	2	8	9	20	4	19	21	4	35	6		7	52	54
		3		2	2	6	9	23	8	18	21	3	34	10	1	5	55	58
		2		2		3	4	6	1	10	12	2	17	2		4	13	27
		1			2	3	5	17	7	8	9	1	17	8	1	3	9	27
2		4			3	11	7	36	5	18	17	2	40	6	1	5	85	58
2		3			2	5	5	14	3	9	9	2	18	4		3	39	27
		1			1	6	2	22	2	9	8		22	2	1	2	46	31
1	1	8	24	37	25	27	105	165	22	94	93	13	134	52	7	27	10	328
	1	5	8	25	12	14	54	76	8	57	56	9	71	29		10	2	173
	3	16	12	13	13	13	51	89	14	37	37	4	63	23	7	17	8	155
1		7	5	11	11	17	57	54	17	33	28	10	57	22	3	11	2	140
		4	1	9	6	11	28	26	7	20	21	7	31	13		4		73
		3	4	2	5	6	29	28	10	13	7	3	26	9	3	7	2	67
	1	1	19	26	14	10	48	111	5	61	65	3	77	30	4	16	8	188
	1	1	7	16	6	3	26	50	1	37	35	2	40	16		6	2	100
			12	10	8	7	22	61	4	24	30	1	37	14	4	10	6	88
1	1	4	2	13	8	18	55	71	16	55	64	4	95	51	8	8	9	195
1		3		8	3	5	37	26	2	27	38	2	45	32		3	6	121
	1	1	2	5	5	13	18	45	14	28	26	2	50	19	8	5	3	74
		2	1	3	3	14	22	36	7	25	27	3	41	22	5	5	6	86
		1		1	2	5	13	13	1	12	18	2	19	17		2	4	52
		1	1	2	1	9	9	23	6	13	9	1	22	5	5	3	2	34
1	1	2	1	10	5	4	33	35	9	30	37	1	54	29	3	3	3	109
1		2		7	1		24	13	1	15	20		26	15		1	2	69
	1		1	3	4	4	9	22	8	15	17	1	28	14	3	2	1	40
5	2	6	6	25	38	66	221	308	55	169	239	31	353	110	16	57	65	751
5	2	4	2	13	18	38	121	148	21	94	128	18	191	66		20	41	409
		2	4	12	20	28	100	160	34	75	111	13	162	44	16	37	24	342
1	1	3	4	4	18	42	122	155	37	96	98	24	188	70	8	38	25	360
1	1	2	1	3	9	23	66	74	17	50	52	12	103	44		11	16	200
		1	3	1	9	19	56	81	20	46	46	12	85	26	8	27	9	160
4	1	3	2	21	20	24	99	153	18	73	141	7	165	40	8	19	40	391
4	1	2	1	10	9	15	55	74	4	44	76	6	88	22		9	25	209
		1	1	11	11	9	44	79	14	29	65	1	77	18	8	10	15	182
11	53	143	34	13	53	171	220	563	206	449	379	45	497	206	49	130	163	1,525
6	31	74	19	5	27	107	124	298	107	298	269	34	321	155		81	103	1,089
5	22	69	15	8	26	64	96	265	99	151	110	11	176	51	49	49	60	436
8	51	139	26	11	48	161	209	469	202	445	359	44	483	202	45	123	129	1,440
5	30	71	15	3	23	99	118	243	105	295	256	33	313	151		76	84	1,035
3	21	68	11	8	25	62	91	226	97	150	103	11	170	51	45	47	45	405
8	48	131	26	7	36	105	189	319	105	261	213	20	346	126	36	62	94	933
5	28	68	15	1	15	58	101	141	44	161	145	12	212	92		37	59	618
3	20	63	11	6	21	47	88	178	61	100	68	8	134	34	36	25	35	315
4	20	35	11	1	10	38	51	79	27	94	68	9	112	50		17	38	311
2	8	18	7	4	14	34	48	99	38	62	39	6	77	20	16	18	19	172
1	5	29	3		4	9	42	39	10	32	50	2	57	12		1	14	190
1	12	38	3	2	4	8	34	45	8	23	17	1	39	7	15	3	10	107
	2	5		2	10	43	18	128	82	154	112	20	108	64	9	53	25	376
	1			1	7	31	15	89	52	112	85	17	81	50		33	18	303
	1	5		1	3	12	3	39	30	42	27	3	27	14	9	20	7	73
3	2	4	8	2	5	10	11	94	4	4	20	1	14	4	4	7	34	85
1	1	3	4	2	4	8	55	2	3	13	1	8	4			5	19	54
2	1	1	4	1	1	2	5	39	2	1	7		6		4	2	15	31

TABLE 19.—POPULATION, BIRTHS, DEATHS, AND DEATH RATES AT CERTAIN AGES, AND DEATHS FROM CERTAIN

AREAS.		UNDER 1 YEAR OF AGE.					UNDER 5 YEARS OF AGE.				ALL AGES.		
		Popula- tion.	Born and died in the census year.	Births during the census year.	Deaths.	Deaths under 1 per 1,000 births.	Popula- tion.	Deaths.	Death rate per 1,000 of popu- lation.	Deaths under 5 per 1,000 at all ages.	Popula- tion.	Deaths.	Death rate per 1,000 of popu- lation.
WASHINGTON—Continued.													
1	Seattle.....	1,043	77	1,120	107	95.5	5,173	153	29.6	170.4	80,671	898	11.1
2	Males.....	538	57	595	78	131.1	2,581	104	40.3	167.5	51,521	621	12.1
3	Females.....	505	20	525	29	55.2	2,592	49	18.9	176.9	29,150	277	9.5
4	White.....	1,033	75	1,108	104	93.9	5,130	149	29.0	171.3	76,815	870	11.3
5	Males.....	534	56	590	76	128.8	2,560	101	39.5	168.6	47,953	599	12.5
6	Females.....	499	19	518	28	54.1	2,570	48	18.7	177.1	28,862	271	9.4
7	Native.....	1,024	75	1,099	104	94.6	5,045	147	29.1	316.8	58,159	464	8.0
8	Males.....	530	56	586	76	129.7	2,518	100	39.7	332.2	35,649	301	8.4
9	Females.....	494	19	513	28	54.6	2,527	47	18.6	288.3	22,510	163	7.2
10	Foreign.....	9		9			85	1	(*)	3.8	18,656	265	14.2
11	Males.....	4		4			42	1	(*)	5.2	12,304	192	15.6
12	Females.....	5		5			43				6,352	73	11.5
13	Spokane.....	632	51	683	86	125.9	3,009	146	48.5	285.7	36,848	511	13.9
14	Males.....	317	33	350	52	148.6	1,508	78	51.7	254.9	21,167	306	14.5
15	Females.....	315	18	333	34	102.1	1,501	68	45.3	331.7	15,681	205	13.1
16	White.....	628	51	679	86	126.7	2,989	146	48.8	288.0	36,101	507	14.0
17	Males.....	315	33	348	52	149.4	1,499	78	52.0	258.3	20,601	302	14.7
18	Females.....	313	18	331	34	102.7	1,490	68	45.6	331.7	15,500	205	13.2
19	Native.....	623	51	674	85	126.1	2,942	144	48.9	398.9	28,639	361	12.6
20	Males.....	313	33	346	51	147.4	1,482	77	52.0	386.9	15,924	199	12.5
21	Females.....	310	18	328	34	103.7	1,460	67	45.9	413.6	12,715	162	12.7
22	Foreign.....	5		5	1	(*)	47	2	(*)	15.3	7,462	131	17.6
23	Males.....	2		2	1	(*)	17	1	(*)	(*)	4,677	91	19.5
24	Females.....	3		3			30	1	(*)	(*)	2,785	40	14.4
25	Tacoma.....	664	50	714	62	86.8	3,388	86	25.4	202.4	37,714	425	11.3
26	Males.....	329	34	363	39	107.4	1,759	55	31.3	207.5	21,232	265	12.5
27	Females.....	335	16	351	23	65.5	1,629	31	19.0	193.8	16,482	160	9.7
28	White.....	654	50	704	61	86.6	3,351	85	25.4	206.3	36,470	412	11.3
29	Males.....	325	34	359	39	108.6	1,742	55	31.6	214.0	20,162	257	12.7
30	Females.....	329	16	345	22	63.8	1,609	30	18.6	193.5	16,308	155	9.5
31	Native.....	653	49	702	60	85.5	3,311	84	25.4	328.1	26,312	256	9.7
32	Males.....	325	33	358	38	106.1	1,721	54	31.4	346.2	13,918	156	11.2
33	Females.....	328	16	344	22	64.0	1,590	30	18.9	300.0	12,394	100	8.1
34	Foreign.....	1	1	2	1	(*)	40	1	(*)	6.8	10,158	146	14.4
35	Males.....		1	1	1	(*)	21	1	(*)	(*)	6,244	93	14.9
36	Females.....	1		1			19				3,914	53	13.5
37	WEST VIRGINIA.....	30,106	1,403	31,509	1,956	(*)	135,465	3,187	(*)	332.4	958,800	9,588	(*)
38	Males.....	15,433	799	16,232	1,098	(*)	69,423	1,738	(*)	344.4	499,242	5,046	(*)
39	Females.....	14,673	604	15,277	858	(*)	66,042	1,449	(*)	319.0	459,558	4,542	(*)
40	White.....	29,025	1,329	30,354	1,853	(*)	130,672	3,016	(*)	332.4	915,233	9,074	(*)
41	Males.....	14,930	762	15,692	1,043	(*)	67,019	1,647	(*)	346.3	474,013	4,756	(*)
42	Females.....	14,095	567	14,662	810	(*)	63,653	1,369	(*)	317.0	441,220	4,318	(*)
43	Native.....	29,019	1,328	30,347	1,852	(*)	130,573	3,008	(*)	347.7	892,854	8,651	(*)
44	Males.....	14,929	762	15,691	1,043	(*)	66,973	1,643	(*)	364.5	459,849	4,507	(*)
45	Females.....	14,090	566	14,656	809	(*)	63,600	1,365	(*)	329.4	433,005	4,144	(*)
46	Both parents native. {M..	14,432	719	15,151	988	(*)	64,617	1,560	(*)	384.2	435,110	4,060	(*)
47	One or both parents {M..	13,609	545	14,154	773	(*)	61,364	1,310	(*)	344.9	408,871	3,798	(*)
	foreign. {F..	497	17	514	21	(*)	2,356	34	(*)	182.8	24,739	186	(*)
		481	10	491	15	(*)	2,236	25	(*)	165.6	24,134	151	(*)
48	Foreign.....	6		6			99	2	(*)	5.9	22,379	338	(*)
49	Males.....	1		1			46	1	(*)	5.0	14,164	201	(*)
50	Females.....	5		5			53	1	(*)	7.3	8,215	137	(*)
51	Colored.....	1,081	74	1,155	103	(*)	4,793	171	(*)	332.7	43,567	514	(*)
52	Males.....	503	37	540	55	(*)	2,404	91	(*)	313.8	25,229	290	(*)
53	Females.....	578	37	615	48	(*)	2,389	80	(*)	357.1	18,338	224	(*)

* Data insufficient for rates.

POPULATION, BIRTHS, DEATHS, AND DEATH RATES.

547

CAUSES, BY SEX, COLOR, GENERAL NATIVITY, AND PARENT NATIVITY: CENSUS YEAR 1900—Continued.

CAUSE OF DEATH.																		
Measles.	Scarlet fever.	Diphtheria and croup.	Whooping cough.	Malarial fever.	Influenza.	Typhoid fever.	Diarrheal diseases.	Consumption.	Cancer and tumor.	Heart disease and dropsy.	Pneumonia.	Diseases of the liver.	Diseases of the nervous system.	Diseases of the urinary organs.	Affections connected with pregnancy.	Old age.	Unknown.	All other causes.
1	4	14	7	1	6	31	29	99	49	88	117	10	88	27	2	19	10	296
1	2	6	6	1	2	23	21	57	27	59	85	8	58	20	2	9	7	230
1	4	14	7	1	6	29	29	90	49	88	111	9	86	27	2	19	10	288
1	2	6	6	1	2	21	21	50	27	59	81	7	56	20	2	9	7	224
1	2	8	1	1	4	8	8	40	22	29	30	2	30	7	2	10	3	64
1	4	13	7	1	4	12	23	50	18	43	40	5	62	12	1	7	5	157
1	2	6	6	1	2	9	15	24	9	28	28	4	41	9	1	4	4	110
1	2	7	1	1	2	3	8	26	9	15	12	1	21	3	1	3	1	47
1	1	1	1	1	1	13	6	32	22	30	52	3	11	11	1	9	3	70
1	1	1	1	1	1	9	6	22	12	21	39	2	7	8	1	3	2	61
1	1	1	1	1	1	4	1	10	10	9	13	1	4	3	1	6	1	9
1	5	4	2	2	1	19	50	48	15	51	43	4	50	25	2	9	20	160
1	4	1	1	1	1	7	22	25	10	29	32	4	27	14	2	7	12	109
1	1	3	1	1	2	12	28	23	5	22	11	1	23	11	2	2	8	51
1	5	4	2	2	1	19	50	46	15	51	43	4	50	25	2	9	20	158
1	4	1	1	1	1	7	22	23	10	29	32	4	27	14	2	7	12	107
1	1	3	1	1	2	12	28	23	5	22	11	1	23	11	2	2	8	51
1	5	4	2	2	1	15	49	35	6	26	27	1	41	15	2	4	16	109
1	4	1	1	1	1	5	21	14	3	14	20	1	20	7	2	2	9	75
1	1	3	1	1	2	10	28	21	3	12	7	1	21	8	2	2	7	34
1	1	1	1	1	1	4	1	10	7	22	14	3	8	9	1	5	3	45
1	1	1	1	1	1	2	1	8	5	14	10	3	6	6	1	5	2	29
1	1	1	1	1	1	2	1	2	2	8	4	1	2	3	1	1	1	16
1	7	1	1	1	6	7	6	56	21	46	26	6	41	21	2	14	7	158
1	4	1	1	1	1	3	4	29	13	29	21	5	28	15	2	8	5	100
1	3	1	1	1	5	4	2	27	8	17	5	1	13	6	2	6	2	58
1	7	1	1	1	6	6	6	51	20	44	26	6	41	21	2	14	7	154
1	4	1	1	1	1	2	4	25	13	28	21	5	28	15	2	8	5	98
1	3	1	1	1	5	4	2	26	7	16	5	1	13	6	2	6	2	56
1	6	1	1	1	4	3	6	31	7	25	20	1	29	13	1	8	5	97
1	3	1	1	1	4	3	4	13	5	19	17	1	20	9	1	5	3	58
1	3	1	1	1	4	3	2	18	2	6	3	1	9	4	1	3	2	39
1	1	1	1	1	2	3	1	20	13	19	6	6	11	8	1	6	2	48
1	1	1	1	1	1	2	1	12	8	9	4	5	7	6	1	3	2	33
1	1	1	1	1	1	1	1	8	5	10	2	1	4	2	1	3	1	15
228	60	488	152	34	186	586	543	1,273	217	659	722	105	1,037	281	102	184	671	2,060
112	28	255	73	15	87	342	295	503	89	341	402	66	558	200	102	90	367	1,223
116	32	233	79	19	99	244	248	770	128	318	320	39	479	81	102	94	304	837
218	57	481	148	33	178	562	523	1,182	207	628	680	108	986	271	98	176	623	1,920
104	26	252	70	15	82	326	286	454	86	321	380	66	533	192	98	87	340	1,136
114	31	229	78	18	96	236	237	728	121	307	300	37	453	79	98	89	283	784
217	57	478	148	32	171	550	506	1,142	190	581	642	92	927	253	92	148	612	1,813
103	26	251	70	15	78	318	279	434	75	294	354	60	497	177	92	73	331	1,072
114	31	227	78	17	93	232	227	708	115	287	288	32	430	76	92	75	281	741
101	25	247	66	15	72	296	260	381	70	261	319	51	425	150	85	54	318	949
112	28	222	74	16	92	220	215	654	87	244	252	29	391	65	85	64	271	677
1	3	3	3	1	3	14	6	23	5	10	17	6	19	11	4	6	5	54
1	3	3	3	1	3	7	6	22	11	22	15	1	11	7	4	4	5	23
1	2	2	2	1	2	11	14	20	15	41	34	11	43	16	4	22	6	91
1	1	1	1	1	4	7	6	12	9	22	24	6	26	14	4	9	6	55
1	2	2	2	1	3	4	8	8	6	19	10	5	17	2	4	13	1	36
10	3	7	4	1	8	24	20	91	10	31	42	2	51	10	4	8	48	140
8	2	3	3	1	5	16	9	49	3	20	22	2	25	8	4	3	27	87
2	1	4	1	1	3	8	11	42	7	11	20	2	26	2	4	5	21	53

TABLE 19.—POPULATION, BIRTHS, DEATHS, AND DEATH RATES AT CERTAIN AGES, AND DEATHS FROM CERTAIN

AREAS.		UNDER 1 YEAR OF AGE.					UNDER 5 YEARS OF AGE.				ALL AGES.		
		Popula- tion.	Born and died in the census year.	Births during the census year.	Deaths.	Deaths under 1 per 1,000 births.	Popula- tion.	Deaths.	Death rate per 1,000 of popula- tion.	Deaths under 5 per 1,000 at all ages.	Popula- tion.	Deaths.	Death rate per 1,000 of popula- tion.
WEST VIRGINIA—Continued.													
1	Wheeling	797	56	853	79	92.6	3,901	125	32.0	225.6	38,878	554	14.2
2	Males	407	36	443	50	112.9	2,016	76	37.7	253.3	19,011	300	15.8
3	Females	390	20	410	29	70.7	1,885	49	26.0	192.9	19,867	254	12.8
4	White	785	52	837	74	88.4	3,843	120	31.2	227.7	37,804	527	13.9
5	Males	402	33	435	46	105.7	1,988	72	36.2	252.6	18,484	285	15.4
6	Females	383	19	402	28	69.7	1,855	48	25.9	198.3	19,320	242	12.5
7	Native	785	52	837	74	88.4	3,820	119	31.2	308.3	32,354	386	11.9
8	Males	402	33	435	46	105.7	1,980	72	36.4	349.5	15,714	206	13.1
9	Females	383	19	402	28	69.7	1,840	47	25.5	261.1	16,640	180	10.8
10	Foreign						23	1	(*)	7.3	5,450	137	25.1
11	Males						8				2,770	75	27.1
12	Females						15	1	(*)	(*)	2,680	62	23.1
13	Colored	12	4	16	5	(*)	58	5	(*)	(*)	1,074	27	25.1
14	Males	5	3	8	4	(*)	28	4	(*)	(*)	527	15	28.5
15	Females	7	1	8	1	(*)	30	1	(*)	(*)	547	12	21.9
16	WISCONSIN	52,522	3,819	56,341	5,213	(*)	256,734	7,241	(*)	290.5	2,069,042	24,928	(*)
17	Males	26,425	2,203	28,628	2,950	(*)	129,974	4,009	(*)	290.2	1,067,562	13,815	(*)
18	Females	26,097	1,616	27,713	2,263	(*)	126,760	3,232	(*)	290.8	1,001,480	11,113	(*)
19	White	52,262	3,806	56,068	5,187	(*)	255,485	7,196	(*)	290.8	2,057,911	24,747	(*)
20	Males	26,288	2,195	28,483	2,938	(*)	129,340	3,988	(*)	290.6	1,061,606	13,724	(*)
21	Females	25,974	1,611	27,585	2,249	(*)	126,145	3,208	(*)	291.0	996,305	11,023	(*)
22	Native	52,181	3,788	55,969	5,156	(*)	254,434	7,133	(*)	466.3	1,542,206	15,298	(*)
23	Males	26,251	2,187	28,438	2,923	(*)	128,786	3,954	(*)	480.7	779,213	8,225	(*)
24	Females	25,930	1,601	27,531	2,233	(*)	125,648	3,179	(*)	449.5	762,993	7,073	(*)
25	Both parents native. (M..)	12,332	954	13,286	1,258	(*)	57,367	1,671	(*)	492.6	298,552	3,392	(*)
26	One or both parents foreign. (F..)	12,075	672	12,747	904	(*)	55,557	1,300	(*)	441.0	287,351	2,948	(*)
26	One or both parents foreign. (M..)	13,919	1,131	15,050	1,539	(*)	71,419	2,129	(*)	514.6	480,661	4,137	(*)
26	One or both parents foreign. (F..)	13,855	860	14,715	1,233	(*)	70,091	1,770	(*)	482.9	475,642	3,665	(*)
27	Foreign	81	14	95	20	(*)	1,051	37	(*)	4.1	515,705	8,974	(*)
28	Males	37	5	42	8	(*)	554	20	(*)	3.9	282,393	5,173	(*)
29	Females	44	9	53	12	(*)	497	17	(*)	4.5	233,312	3,801	(*)
30	Colored	260	13	273	26	(*)	1,249	45	(*)	248.6	11,131	181	(*)
31	Males	137	8	145	12	(*)	634	21	(*)	(*)	5,956	91	(*)
32	Females	123	5	128	14	(*)	615	24	(*)	(*)	5,175	90	(*)
33	Appleton	356	29	385	39	101.3	1,846	54	29.3	308.6	15,085	175	11.6
34	Males	173	20	193	26	134.7	929	34	36.6	317.8	7,220	107	14.8
35	Females	183	9	192	13	67.7	917	20	21.8	(*)	7,865	68	8.6
36	White	356	29	385	39	101.3	1,843	54	29.3	308.6	15,059	175	11.6
37	Males	173	20	193	26	134.7	928	34	36.6	317.8	7,208	107	14.8
38	Females	183	9	192	13	67.7	915	20	21.9	(*)	7,851	68	8.7
39	Native	355	29	384	39	101.6	1,838	54	29.4	490.9	11,459	110	9.6
40	Males	173	20	193	26	134.7	925	34	36.8	(*)	5,410	66	12.2
41	Females	182	9	191	13	68.1	913	20	21.9	(*)	6,049	44	7.3
42	Foreign	1		1			5				3,600	64	17.8
43	Males						3				1,798	41	22.8
44	Females	1		1			2				1,802	23	12.8

* Data insufficient for rates.

CAUSES, BY SEX, COLOR, GENERAL NATIVITY, AND PARENT NATIVITY: CENSUS YEAR 1900—Continued.

CAUSE OF DEATH.																			
Measles.	Scarlet fever.	Diphtheria and croup.	Whooping cough.	Malarial fever.	Influenza.	Typhoid fever.	Diarrheal diseases.	Consumption.	Cancer and tumor.	Heart disease and dropsy.	Pneumonia.	Diseases of the liver.	Diseases of the nervous system.	Diseases of the urinary organs.	Affections connected with pregnancy.	Old age.	Unknown.	All other causes.	
3	1	7	8		8	26	37	57	23	39	54	14	58	29	16	14	5	155	1
1		2	5		6	21	15	32	10	15	31	9	37	15		4	4	93	2
2	1	5	3		2	5	22	25	13	24	23	5	21	14	16	10	1	62	3
3	1	7	8		7	24	34	52	23	37	49	13	58	27	15	13	5	151	4
1		2	5		5	20	13	29	10	14	28	9	37	14		4	4	90	5
2	1	5	3		2	4	21	23	13	23	21	4	21	13	15	9	1	61	6
3	1	7	8		3	19	27	45	16	20	38	8	39	21	12	7	3	109	7
1		2	5		2	16	10	23	5	7	21	6	26	10		3	2	67	8
2	1	5	3		1	3	17	22	11	13	17	2	13	11	12	4	1	42	9
.....					4	5	7	7	7	17	10	5	19	6	3	5	1	41	10
.....					3	4	3	6	5	7	6	3	11	4			1	22	11
.....					1	1	4	1	2	10	4	2	8	2	3	5		19	12
.....					1	2	3	5		2	5	1		2	1	1		4	13
.....					1	1	2	3		1	3			1	1			3	14
.....						1	1	2		1	2	1		1	1	1		1	15
103	200	511	218	37	241	365	1,619	2,350	1,100	2,449	2,022	218	3,212	874	190	1,316	916	6,987	16
38	105	271	96	22	98	220	876	1,087	519	1,376	1,161	131	1,827	603		665	499	4,221	17
65	95	240	122	15	143	145	743	1,263	581	1,073	861	87	1,385	271	190	651	417	2,766	18
92	199	508	216	35	233	365	1,611	2,308	1,099	2,445	2,006	218	3,197	869	187	1,307	889	6,963	19
34	104	270	96	21	91	220	871	1,063	519	1,373	1,153	131	1,821	599		662	482	4,209	20
58	95	238	120	14	142	145	740	1,240	580	1,072	853	87	1,376	270	187	645	407	2,754	21
87	192	495	214	20	123	258	1,416	1,471	343	1,085	1,332	106	2,145	380	109	289	608	4,625	22
33	103	261	96	12	47	153	764	625	136	590	758	60	1,206	231		133	325	2,692	23
54	89	234	118	8	76	105	652	846	207	495	574	46	939	149	109	136	283	1,933	24
6	41	102	42	4	31	49	337	165	54	305	342	32	514	111		82	145	1,068	25
20	38	89	48	5	44	42	251	259	111	236	246	20	410	70	27	100	125	807	26
26	61	154	50	7	12	96	397	412	58	206	406	23	565	82		19	154	1,409	27
34	47	139	67	2	26	56	370	554	68	195	296	21	469	64	76	23	137	1,021	28
4	5	11	2	15	104	101	184	784	729	1,298	646	108	1,003	477	75	996	258	2,174	29
1		8		9	41	61	101	407	371	739	374	68	590	358		518	143	1,384	30
3	5	3	2	6	63	40	83	377	358	559	272	40	413	119	75	478	115	790	31
11	1	3	2	2	8		8	42	1	4	16		15	5	3	9	27	24	32
4	1	1		1	7		6	19		3	8		6	4		3	17	12	33
7		2	2	1	1		3	23	1	1	8		9	1	3	6	10	12	34
.....	1	3	1		1	3	12	18	6	21	13		16	7	3	12	6	52	35
.....	1	3	1		1	2	7	8	4	12	8		6	6		6	4	38	36
.....	1	3	1		1	1	5	10	2	9	5		10	1	3	6	2	14	37
.....	1	3	1		1	3	12	18	6	21	13		16	7	3	12	6	52	38
.....	1	3	1		1	2	7	8	4	12	8		6	6		6	4	38	39
.....	1	3	1		1	1	5	10	2	9	5		10	1	3	6	2	14	40
.....	1	3	1		1	1	12	10	3	8	12		10	7	2	3	4	32	41
.....	1	3	1		1	1	7	4	1	5	7		2	6		2	3	22	42
.....	1	3	1		1	1	6	6	2	3	5		8	1	2	1	1	10	43
.....	1	3	1		1	2	7	7	3	13	1		6		1	9	2	20	44
.....	1	3	1		1	1		4	3	7	1		4			4	1	16	45
.....	1	3	1		1	1		3		6			2		1	5	1	4	46

TABLE 19.—POPULATION, BIRTHS, DEATHS, AND DEATH RATES AT CERTAIN AGES, AND DEATHS FROM CERTAIN

	AREAS.	UNDER 1 YEAR OF AGE.					UNDER 5 YEARS OF AGE.				ALL AGES.		
		Popula- tion.	Born and died in the census year.	Births during the census year.	Deaths.	Deaths under 1 per 1,000 births.	Popula- tion.	Deaths.	Death rate per 1,000 of popula- tion.	Deaths under 5 per 1,000 at all ages.	Popula- tion.	Deaths.	Death rate per 1,000 of popula- tion.
	WISCONSIN—Continued.												
1	Beloit.....	230	28	258	33	127.9	978	43	44.0	282.9	10,436	152	14.6
2	Males.....	112	15	127	19	149.6	490	22	44.9	(*)	5,383	74	13.7
3	Females.....	118	13	131	14	106.9	488	21	43.0	(*)	5,053	78	15.4
4	White.....	228	27	255	32	125.5	976	42	43.0	278.1	10,367	151	14.6
5	Males.....	111	15	126	19	150.8	489	22	45.0	(*)	5,344	74	13.8
6	Females.....	117	12	129	13	100.8	487	20	41.1	(*)	5,023	77	15.3
7	Native.....	228	27	255	32	125.5	974	42	43.1	341.5	8,902	123	13.8
8	Males.....	111	15	126	19	150.8	488	22	45.1	(*)	4,570	60	13.1
9	Females.....	117	12	129	13	100.8	486	20	41.2	(*)	4,332	63	14.5
10	Foreign.....						2				1,465	26	17.7
11	Males.....						1				774	12	15.5
12	Females.....						1				691	14	20.3
13	Chippewa Falls.....	186	20	206	21	101.9	992	25	25.2	250.0	8,094	100	12.4
14	Males.....	97	14	111	14	126.1	508	16	31.5	(*)	3,990	54	13.5
15	Females.....	89	6	95	7	(*)	484	9	18.6	(*)	4,104	46	11.2
16	White.....	186	20	206	21	101.9	992	25	25.2	250.0	8,087	100	12.4
17	Males.....	97	14	111	14	126.1	508	16	31.5	(*)	3,983	54	13.6
18	Females.....	89	6	95	7	(*)	484	9	18.6	(*)	4,104	46	11.2
19	Native.....	186	20	206	21	101.9	991	25	25.2	(*)	5,733	60	10.5
20	Males.....	97	14	111	14	126.1	508	16	31.5	(*)	2,732	29	10.6
21	Females.....	89	6	95	7	(*)	483	9	18.6	(*)	3,001	31	10.3
22	Foreign.....						1				2,354	35	14.9
23	Males.....										1,251	21	16.8
24	Females.....						1				1,103	14	12.7
25	Eau Claire.....	373	34	407	57	140.0	2,013	72	35.8	280.2	17,517	257	14.7
26	Males.....	178	18	196	28	142.9	994	33	33.2	239.1	8,577	138	16.1
27	Females.....	195	16	211	29	137.4	1,019	39	38.3	327.7	8,940	119	13.3
28	White.....	373	34	407	57	140.0	2,013	72	35.8	281.3	17,495	256	14.6
29	Males.....	178	18	196	28	142.9	994	33	33.2	240.9	8,558	137	16.0
30	Females.....	195	16	211	29	137.4	1,019	39	38.3	327.7	8,937	119	13.3
31	Native.....	372	34	406	57	140.4	2,009	72	35.8	441.7	12,506	163	13.0
32	Males.....	177	18	195	28	143.6	992	33	33.3	(*)	5,978	82	13.7
33	Females.....	195	16	211	29	137.4	1,017	39	38.3	(*)	6,528	81	12.4
34	Foreign.....	1		1			4				4,989	88	17.6
35	Males.....	1		1			2				2,580	50	19.4
36	Females.....						2				2,409	38	15.8
37	Green Bay.....	521	62	583	86	147.5	2,418	120	49.6	381.0	18,684	315	16.9
38	Males.....	253	36	289	49	169.6	1,228	65	52.9	375.7	9,086	173	19.0
39	Females.....	268	26	294	37	125.9	1,190	55	46.2	387.3	9,598	142	14.8
40	White.....	521	62	583	86	147.5	2,416	120	49.7	381.0	18,640	315	16.9
41	Males.....	253	36	289	49	169.6	1,228	65	52.9	375.7	9,059	173	19.1
42	Females.....	268	26	294	37	125.9	1,188	55	46.3	387.3	9,581	142	14.8
43	Native.....	521	62	583	86	147.5	2,408	119	49.4	558.7	14,624	213	14.6
44	Males.....	253	36	289	49	169.6	1,223	65	53.1	550.8	6,919	118	17.1
45	Females.....	268	26	294	37	125.9	1,185	54	45.6	(*)	7,705	95	12.3
46	Foreign.....						8				4,016	94	23.4
47	Males.....						5				2,140	49	22.9
48	Females.....						3				1,876	45	24.0

* Data insufficient for rates.

551

CAUSE OF DEATH.																		
Measles.	Scarlet fever.	Diphtheria and croup.	Whooping cough.	Malarial fever.	Influenza.	Typhoid fever.	Diarrheal diseases.	Consumption.	Cancer and tumor.	Heart disease and dropsy.	Pneumonia.	Diseases of the liver.	Diseases of the nervous system.	Diseases of the urinary organs.	Affections connected with pregnancy.	Old age.	Unknown.	All other causes.
	1	4			5		8	14	11	14	10		18	5		8	2	52
	1	1			2		7	10	5	3	7		10	3		3		22
		3			3		1	4	6	11	3		8	2		5	2	30
	1	4			5		8	14	11	14	10		18	5		8	2	51
	1	1			2		7	10	5	3	7		10	3		3		22
		3			3		1	4	6	11	3		8	2		5	2	29
	1	4			4		8	11	7	11	9		16	3		4	2	43
	1	1			1		7	8	3	3	6		8	2		1		19
		3			3		1	3	4	8	3		8	1		3	2	24
					1			3	4	3	1		2	2		4		6
					1			2	2		1		2	1		2		1
								1	2	3				1		2		5
1		1	1			3	2	8	7	16	5		9	1		7	2	37
		1				3	1	2	4	8	4		2			4	2	23
1			1			1	1	6	3	8	1		7	1		3		14
	1		1			3	2	8	7	16	5		9	1		7	2	37
		1				3	1	2	4	8								23
1			1			1	1	6	3	8	1		2	7	1	4	2	17
	1					3	2	7	2	5	2		8	1		3		14
			1															26
						3	1	1	1	3	2		2			1	1	15
1			1			1	1	6	1	2			2	1		1		11
								1	5	9	3		1			6	1	9
								1	3	4	2					4	1	6
									2	5	1		1			2		3
		3	6			5	18	28	10	26	15	4	21	5	3	8	42	63
		1	4			5	8	10	3	13	7	2	14	4		6	22	39
		2	2				10	18	7	13	8	2	7	1	3	2	20	24
		3	6			5	18	28	10	26	15	4	21	5	3	8	42	62
		1	4			5	8	10	3	13	7	2	14	4		6	22	38
		2	2				10	18	7	13	8	2	7	1	3	2	20	24
		3	6			3	15	14	4	14	9	3	13	2	2	3	23	49
		1	4			3	7	4	1	8	3	1	8	2		2	11	27
		2	2				8	10	3	6	6	2	5		2	1	12	22
						2	3	14	6	11	5	1	8	3	1	5	18	11
						2	1	6	2	4	3	1	6	2		4	10	9
						2												

TABLE 19.—POPULATION, BIRTHS, DEATHS, AND DEATH RATES AT CERTAIN AGES, AND DEATHS FROM CERTAIN

AREAS.		UNDER 1 YEAR OF AGE.					UNDER 5 YEARS OF AGE.				ALL AGES.		
		Popula- tion.	Born and died in the census year.	Births during the census year.	Deaths.	Deaths under 1 per 1,000 births.	Popula- tion.	Deaths.	Death rate per 1,000 of popula- tion.	Deaths under 5 per 1,000 at all ages.	Popula- tion.	Deaths.	Death rate per 1,000 of popu- tion.
WISCONSIN—Continued.													
1	Madison	340	26	366	33	90.2	1,703	50	29.4	231.5	19,164	216	11.3
2	Males	163	18	181	21	116.0	812	33	40.6	279.7	9,453	118	12.5
3	Females	177	8	185	12	64.9	891	17	19.1	(*)	9,711	98	10.1
4	White	337	26	363	33	90.9	1,691	50	29.6	232.6	19,073	215	11.3
5	Males	161	18	179	21	117.3	809	33	40.8	279.7	9,397	118	12.6
6	Females	176	8	184	12	65.2	882	17	19.3	(*)	9,676	97	10.0
7	Native	335	26	361	33	91.4	1,686	50	29.7	373.1	15,733	134	8.5
8	Males	160	18	178	21	118.0	806	33	40.9	(*)	7,660	79	10.3
9	Females	175	8	183	12	65.6	880	17	19.3	(*)	8,073	55	6.8
10	Foreign	2		2			5				3,340	75	22.5
11	Males	1		1			3				1,737	35	20.1
12	Females	1		1			2				1,603	40	25.0
13	Manitowoc	315	24	339	41	120.9	1,472	54	36.7	321.4	11,786	168	14.3
14	Males	150	11	161	20	124.2	731	24	32.8	(*)	5,820	90	15.5
15	Females	165	13	178	21	118.0	741	30	40.5	(*)	5,966	78	13.1
16	White	315	24	339	41	120.9	1,472	54	36.7	321.4	11,780	168	14.3
17	Males	150	11	161	20	124.2	731	24	32.8	(*)	5,816	90	15.5
18	Females	165	13	178	21	118.0	741	30	40.5	(*)	5,964	78	13.1
19	Native	315	24	339	41	120.9	1,465	54	36.9	519.2	8,785	104	11.8
20	Males	150	11	161	20	124.2	727	24	33.0	(*)	4,253	50	11.8
21	Females	165	13	178	21	118.0	738	30	40.7	(*)	4,532	54	11.9
22	Foreign						7				2,995	56	18.7
23	Males						4				1,563	35	22.4
24	Females						3				1,432	21	14.7
25	Marinette	476	49	525	71	135.2	2,310	105	45.5	452.6	16,195	232	14.3
26	Males	242	29	271	41	151.3	1,131	61	53.9	500.0	8,278	122	14.7
27	Females	234	20	254	30	118.1	1,179	44	37.3	400.0	7,917	110	13.9
28	White	474	48	522	70	134.1	2,290	104	45.4	456.1	16,083	228	14.2
29	Males	240	28	268	40	149.3	1,123	60	53.4	495.9	8,219	121	14.7
30	Females	234	20	254	30	118.1	1,167	44	37.7	411.2	7,864	107	13.6
31	Native	472	48	520	69	132.7	2,267	103	45.4	705.5	10,544	146	13.8
32	Males	239	28	267	39	146.1	1,111	59	53.1	(*)	5,175	76	14.7
33	Females	233	20	253	30	118.6	1,156	44	38.1	(*)	5,369	70	13.0
34	Foreign	2		2	1	(*)	23	1	(*)	(*)	5,539	80	14.4
35	Males	1		1	1	(*)	12	1	(*)	(*)	3,044	43	14.1
36	Females	1		1			11				2,495	37	14.8
37	Milwaukee	7,081	957	8,038	1,847	167.6	34,971	1,852	53.0	407.0	285,315	4,550	15.9
38	Males	3,632	524	4,156	729	175.4	17,746	991	55.8	397.0	140,536	2,496	17.8
39	Females	3,449	433	3,882	618	159.2	17,225	861	50.0	419.2	144,779	2,054	14.2
40	White	7,071	956	8,027	1,846	167.7	34,921	1,850	53.0	407.8	284,431	4,537	16.0
41	Males	3,627	524	4,151	729	175.6	17,719	991	55.9	398.3	140,043	2,488	17.8
42	Females	3,444	432	3,876	617	159.2	17,202	859	49.9	419.2	144,388	2,049	14.2
43	Native	7,055	953	8,008	1,841	167.5	34,684	1,837	53.0	630.4	195,483	2,914	14.9
44	Males	3,621	522	4,143	726	175.2	17,602	982	55.8	629.5	94,252	1,560	16.6
45	Females	3,434	431	3,865	615	159.1	17,082	855	50.1	631.5	101,231	1,354	13.4
46	Both parents native. (M..)	1,156	143	1,299	204	157.0	5,274	272	51.6	644.5	23,943	422	17.6
47	One or both parents foreign. (F..)	1,027	116	1,143	166	145.2	4,976	232	46.6	623.7	24,655	372	15.1
48	Foreign	2,407	290	2,697	419	165.4	12,328	672	54.5	649.9	70,309	1,034	14.7
49	Males	16	2	18	3	(*)	12,106	592	48.9	637.2	76,576	929	12.1
50	Females						237	10	42.2	6.3	88,948	1,585	17.8
51	Colored	10	1	11	2	(*)	117	6	51.3	6.7	45,791	891	19.5
52	Males	5		5			120	4	33.3	5.8	43,157	694	16.1
53	Females	5	1	6	1	(*)	50	2	(*)	(*)	884	13	14.7

* Data insufficient for rates.

POPULATION, BIRTHS, DEATHS, AND DEATH RATES.

553

CAUSES, BY SEX, COLOR, GENERAL NATIVITY, AND PARENT NATIVITY: CENUS YEAR 1900—Continued.

CAUSE OF DEATH.																		
Measles.	Scarlet fever.	Diphtheria and croup.	Whooping cough.	Malarial fever.	Influenza.	Typhoid fever.	Diarrheal diseases.	Consumption.	Cancer and tumor.	Heart disease and dropsy.	Pneumonia.	Diseases of the liver.	Diseases of the nervous system.	Diseases of the urinary organs.	Affections connected with pregnancy.	Old age.	Unknown.	All other causes.
1	8			1	1	3	14	17	16	21	18	1	24	12	1	12	8	58
1	6			1	1	3	9	4	5	9	14		15	7		4	4	38
1	2					5	5	13	11	12	4	1	9	5	1	8	4	20
1	8				1	3	14	17	16	21	18	1	24	12	1	12	8	58
1	6					3	9	4	5	9	14		15	7		4	4	38
1	2				1	5	5	13	11	12	4	1	9	5	1	8	4	20
1	8					3	14	11	6	9	12	1	18	6	1	2	3	39
1	6					3	9	2	2	4	10		11	2			3	27
1	2					5	5	9	4	5	2	1	7	4	1	2		12
					1			6	9	10	6		6	6		10	5	16
								2	3	4	4		4	5		4	1	8
					1			4	6	6	2		2	1		6	4	8
	4	8				3	12	23	9	9	14		18	7	1	7	5	48
	2	4				3	5	11	5	3	9		9	5		4	1	29
	2	4					7	12	4	6	5		9	2	1	3	4	19
	4	8				3	12	23	9	9	14		18	7	1	7	5	48
	2	4				3	5	11	5	3	9		9	5		4	1	29
	2	4					7	12	4	6	5		9	2	1	3	4	19
	4	8				2	11	13	1	5	9		14		1		5	31
	2	4				2	5	5	1	2	6		6				1	16
	2	4				6	6	8		3	3		8		1		4	15
						1	1	7	7	4	5		4	7		6		14
						1		4	4	1	3		3	5		4		10
						1	1	3	3	3	2		1	2		2		4
10	1	5	3		1	19	18	21	5	15	25	1	13	5	2	12	7	69
2	1	2	2		1	9	9	8	2	8	16		10	4		2	3	43
8	3	3	1		10	9	9	13	3	7	9	1	3	1	2	10	4	26
10	1	5	3		1	19	17	19	5	15	25	1	12	5	2	12	7	69
2	1	2	2		1	9	8	8	2	8	16		10	4		2	3	43
8	3	3	1		10	9	9	11	3	7	9	1	2	1	2	10	4	26
10	1	5	3		1	9	15	7	2	4	22	1	5	1	1		5	54
2	1	2	2		1	3	7	4			15		5	1			1	32
8	3	3	1			6	8	3	2	4	7	1			1		4	22
						10	2	12	3	9	3		7	4	1	12	2	15
						6	1	4	2	6	1		5	3		2	2	11
						4	1	8	1	3	2		2	1	1	10		4
18	76	123	9	3	5	52	393	426	192	329	432	31	600	157	34	130	38	1,502
8	39	68	3	2		31	216	213	90	180	219	21	332	109		62	23	880
10	37	55	6	1	5	21	177	213	102	149	213	10	268	48	34	68	15	622
18	76	123	9	3	5	52	393	424	192	329	429	31	597	156	34	130	38	1,498
8	39	68	3	2		31	216	211	90	180	218	21	330	108		62	23	878
10	37	55	6	1	5	21	177	213	102	149	211	10	267	48	34	68	15	620
18	74	121	9	2	1	38	360	251	42	117	287	10	419	69	19	26	25	1,026
8	39	66	3	2		23	197	115	17	62	144	7	225	42		11	15	584
10	35	55	6	1		15	163	136	25	55	143	3	194	27	19	15	10	442
1	11	22	1	1		2	59	21	4	21	34	1	62	15		5	7	155
	9	21	3		1	4	43	29	8	16	34		49	6	2	9	3	135
7	28	44	2	1		20	132	89	11	32	104	6	150	21		1	5	381
10	24	33	3			8	113	103	16	37	105	2	139	20	17	5	7	287
	2	2		1	4	14	32	167	150	206	142	20	174	87	15	104	12	453
	2	2		1	4	8	18	90	73	112	74	13	101	66		51	7	276
						6	14	77	77	94	68	7	73	21	15	53	5	177
								2			3		3	1				4
								2			1		2	1				2
											2		1					2

VITAL STATISTICS.

TABLE 19.—POPULATION, BIRTHS, DEATHS, AND DEATH RATES AT CERTAIN AGES, AND DEATHS FROM CERTAIN

AREAS.		UNDER 1 YEAR OF AGE.					UNDER 5 YEARS OF AGE.				ALL AGES.		
		Popula- tion.	Born and died in the census year.	Births during the census year.	Deaths.	Deaths under 1 per 1,000 births.	Popula- tion.	Deaths.	Death rate per 1,000 of popu- lation.	Deaths under 5 per 1,000 at all ages.	Popula- tion.	Deaths.	Death rate per 1,000 of popu- lation.
WISCONSIN—Continued.													
1	Superior	859	64	923	91	98.6	4,052	128	31.6	363.6	31,091	352	11.3
2	Males	406	35	441	47	106.6	1,985	67	33.8	320.6	17,628	209	11.9
3	Females	453	29	482	44	91.3	2,067	61	29.5	426.6	13,463	143	10.6
4	White	858	64	922	90	97.6	4,042	126	31.2	360.0	30,868	350	11.3
5	Males	405	35	440	46	104.5	1,978	65	32.9	314.0	17,501	207	11.8
6	Females	453	29	482	44	91.3	2,064	61	29.6	426.6	13,367	143	10.7
7	Native	855	64	919	88	95.8	3,993	121	30.3	596.1	19,464	203	10.4
8	Males	404	35	439	45	102.5	1,951	63	32.3	567.6	10,351	111	10.7
9	Females	451	29	480	43	89.6	2,042	58	28.4	(*)	9,113	92	10.1
10	Foreign	3		3			49	1	(*)	9.6	11,404	104	9.1
11	Males	1		1			27	1	(*)	(*)	7,150	65	9.1
12	Females	2		2			22				4,254	39	9.2
13	WYOMING	2,105	104	2,209	142	(*)	10,520	232	(*)	302.5	92,531	767	(*)
14	Males	1,065	56	1,124	76	(*)	5,351	124	(*)	274.3	58,184	452	(*)
15	Females	1,037	48	1,085	66	(*)	5,169	108	(*)	342.9	34,347	315	(*)
16	White	2,035	88	2,123	122	(*)	10,179	192	(*)	294.9	89,051	651	(*)
17	Males	1,024	50	1,074	67	(*)	5,167	106	(*)	268.4	55,843	395	(*)
18	Females	1,011	38	1,049	55	(*)	5,012	86	(*)	335.9	33,208	256	(*)
19	Native	2,031	88	2,119	122	(*)	10,119	191	(*)	403.0	72,469	474	(*)
20	Males	1,022	50	1,072	67	(*)	5,138	105	(*)	373.7	44,257	281	(*)
21	Females	1,009	38	1,047	55	(*)	4,981	86	(*)	445.6	28,212	193	(*)
22	Both parents native. (M)	608	24	632	30	(*)	3,164	54	(*)	364.9	29,736	148	(*)
23	One or both parents (M)	593	22	615	28	(*)	3,073	44	(*)	(*)	18,246	99	(*)
24	foreign. (F)	414	21	435	31	(*)	1,974	44	(*)	(*)	14,521	96	(*)
25	foreign. (F)	416	15	431	23	(*)	1,908	36	(*)	(*)	9,966	73	(*)
26	Foreign	4		4			60	1	(*)	7.3	16,582	137	(*)
27	Males	2		2			29	1	(*)	(*)	11,586	82	(*)
28	Females	2		2			31				4,996	55	(*)
29	Colored	70	16	86	20	(*)	341	40	(*)	344.8	3,480	116	(*)
30	Males	44	6	50	9	(*)	184	18	(*)	(*)	2,341	57	(*)
31	Females	26	10	36	11	(*)	157	22	(*)	(*)	1,139	59	(*)

* Data insufficient for rates.

555

CAUSE OF DEATH.																		
Measles.	Scarlet fever.	Diphtheria and croup.	Whooping cough.	Malarial fever.	Influenza.	Typhoid fever.	Diarrheal diseases.	Consumption.	Cancer and tumor.	Heart disease and dropsy.	Pneumonia.	Diseases of the liver.	Diseases of the nervous system.	Diseases of the urinary organs.	Affections connected with pregnancy.	Old age.	Unknown.	All other causes.
.....	4	7	2	1	7	19	37	31	15	16	58	1	35	11	6	8	11	83
.....	1	5	2	1	3	13	19	16	8	8	43		18	8		6	5	53
.....	3	2			4	6	18	15	7	8	15	1	17	3	6	2	6	30
.....	4	7	2	1	7	19	36	31	15	16	57	1	35	11	6	8	11	83
.....	1	5	2	1	3	13	18	16	8	8	42		18	8		6	5	53
.....	3	2			4	6	18	15	7	8	15	1	17	3	6	2	6	30
.....	4	7	2	1	7	19	36	31	15	16	57	1	35	11	6	8	11	83
.....	1	5	2	1	3	13	18	16	8	8	42		18	8		6	5	53
.....	3	2			4	6	18	15	7	8	15	1	17	3	6	2	6	30
.....	3	6	2		6	9	32	11	6	6	34	1	25	3	4	4	10	41
.....	1	4	2		3	6	16	6	2	3	24		11	2		3	4	24
.....	2	2			3	3	16	5	4	3	10	1	14	1	4	1	6	17
.....	1	1		1		8	2	13	6	9	16		6	6	2	4	1	28
.....	1	1		1		5	1	4	4	5	11		5	4		3	1	20
.....	1				3	1	1	9	2	4	5		1	2	2	1		8
20	10	28	4		20	16	31	51	19	49	109	7	55	12	19	13	27	277
10	7	13	2		9	10	17	24	10	29	82	4	28	4		8	15	180
10	3	15	2		11	6	14	27	9	20	27	3	27	8	19	5	12	97
18	10	28	4		7	16	29	20	19	48	107	7	54	12	19	11	26	216
10	7	13	2		2	10	15	12	10	29	80	4	27	4		8	15	147
8	3	15	2		5	6	14	8	9	19	27	3	27	8	19	3	11	69
18	10	27	4		5	12	26	15	11	33	72	7	40	7	13	4	20	150
10	7	12	2		1	8	14	9	7	20	57	4	19	3		4	14	93
8	3	15	2		4	4	12	6	4	13	15	3	21	4	13		6	57
5	4	5	2			4	6	3	3	8	38	2	13	3		2	7	21
3	3	8	1		1	2	3	3	3	6	8	1	15	2	5		5	43
5	3	7	1		1	4	5	5		7	16	1	4				5	33
.....		7	1		3	4	7	1	3	7	7	1	5	2	6		1	34
.....	1				1	3	3	4	6	14	30		11	5	6	6	5	42
.....	1				1	1	1	3	4	9	20		5	1		4		32
.....					2	2	2	1	2	5	10		6	4				

RATIO TABLES.

TABLE 20.

NUMBER OF DEATHS, AND THE DEATH RATE PER 100,000 OF POPULATION, FROM EACH
CAUSE, IN THE REGISTRATION AREA AND ITS SUBDIVISIONS, BY SEX.

DEATHS, AND DEATH RATES.

561

TABLE 20.—NUMBER OF DEATHS, AND DEATH RATES PER 100,000 OF POPULATION.

CAUSE OF DEATH.	DEATHS.						DEATH RATE PER 100,000 OF POPULATION.					
	Total.	Cities.	States.			Registration cities in other states.	Total.	Cities.	States.			Registration cities in other states.
			Total.	Cities.	Rural.				Total.	Cities.	Rural.	
All causes	512,669	402,666	301,670	191,667	110,003	210,999	1779.7	1859.0	1729.3	1,861.3	1,539.2	1,856.9
Males.....	272,819	215,115	157,745	100,041	57,704	115,074	1895.5	2002.3	1812.9	1,980.5	1,580.9	2,021.6
Females.....	239,850	187,551	143,925	91,626	52,299	95,925	1664.0	1717.9	1646.2	1,746.5	1,495.7	1,691.5
Unknown cause.....	4,849	3,396	2,326	873	1,453	2,523	16.8	15.7	13.3	8.5	20.3	22.2
Males.....	2,677	1,885	1,269	477	792	1,408	18.6	17.6	14.6	9.4	21.7	24.7
Females.....	2,172	1,511	1,057	396	661	1,115	15.1	13.9	12.1	7.5	18.9	19.7
1. General diseases.												
General diseases—A	88,227	71,339	51,379	34,491	16,888	36,848	306.3	329.3	294.5	334.9	236.3	324.3
Males.....	45,525	36,907	26,286	17,668	8,618	19,239	316.3	343.5	302.1	349.8	236.1	338.0
Females.....	42,702	34,432	25,093	16,823	8,270	17,609	296.2	315.4	287.0	320.7	236.5	310.5
Measles.....	1,872	1,539	1,272	939	333	600	13.0	14.3	14.6	18.6	9.1	10.5
Scarlet fever.....	1,688	1,415	967	694	273	721	11.7	13.2	11.1	13.7	7.5	12.7
Diphtheria.....	1,639	1,381	899	641	258	740	11.4	12.6	10.3	12.2	7.4	13.0
Whooping cough.....	5,022	4,483	2,748	2,209	539	2,274	34.9	41.7	31.6	43.7	14.8	39.9
Malarial fever.....	5,179	4,631	2,782	2,234	548	2,397	35.9	42.4	31.8	42.6	15.7	42.3
Influenza.....	1,718	1,357	1,140	779	361	578	11.9	12.6	13.1	15.4	9.9	10.2
Typhoid fever.....	1,951	1,555	1,308	912	396	643	13.5	14.2	15.0	17.4	11.3	11.3
Cholera morbus.....	1,303	1,108	432	237	195	871	9.1	10.3	5.0	4.7	5.3	15.3
Colitis.....	1,223	1,031	464	272	192	759	8.5	9.4	5.3	5.2	5.5	13.4
Diarrhea.....	2,950	1,861	2,120	1,031	1,089	830	20.5	17.3	24.4	20.4	29.8	14.6
Dysentery.....	3,932	2,550	2,957	1,575	1,382	975	27.3	23.4	33.8	30.0	39.5	17.2
Enteritis.....	5,620	4,604	2,547	1,531	1,016	3,073	39.0	42.9	29.3	30.3	27.8	54.0
Cholera infantum.....	4,129	3,321	1,884	1,076	808	2,245	28.6	30.4	21.5	20.5	23.1	39.6
Fever.....	914	628	498	212	286	416	6.4	5.8	5.7	4.2	7.8	7.3
Cerebro-spinal fever.....	879	634	461	216	245	418	6.1	5.8	5.3	4.1	7.0	7.4
Smallpox.....	483	373	299	189	110	184	3.4	3.5	3.4	3.7	3.0	3.2
Erysipelas.....	433	339	282	188	94	151	3.0	3.1	3.2	3.6	2.7	2.7
Septicemia.....	1,965	1,483	1,262	780	482	703	13.7	13.8	14.5	15.5	13.2	12.4
Venereal diseases.....	1,712	1,320	1,123	731	392	589	11.9	12.1	12.8	13.9	11.2	10.4
Others of this group.....	1,497	1,151	782	436	346	715	10.4	10.7	9.0	8.6	9.5	12.6
General diseases—B	1,509	1,065	919	475	444	590	10.5	9.8	10.5	9.1	12.7	10.4
Alcoholism.....	7,887	7,067	4,455	3,635	820	3,432	54.8	65.8	51.2	72.0	22.5	60.3
Parasitic diseases.....	7,230	6,435	4,135	3,340	795	3,095	50.1	58.9	47.3	63.7	22.7	54.6
Lead poison.....	7,381	5,787	4,834	3,240	1,594	2,547	51.3	53.9	55.5	64.2	43.7	44.7
Other poisons.....	6,377	5,039	4,025	2,687	1,338	2,352	44.2	46.2	46.0	51.2	38.2	41.5
Inanition.....	61	47	22	8	14	39	0.4	0.4	0.3	0.2	0.4	0.7
Others of this group.....	52	39	23	10	13	29	0.4	0.4	0.3	0.2	0.4	0.5
Cerebro-spinal fever.....	1,127	833	780	486	294	347	7.8	7.8	9.0	9.6	8.1	6.1
Smallpox.....	912	679	611	378	233	301	6.3	6.2	7.0	7.2	6.7	5.3
Erysipelas.....	363	353	35	25	10	328	2.5	3.3	0.4	0.5	0.3	5.8
Septicemia.....	230	225	24	19	5	206	1.6	2.1	0.3	0.4	0.1	3.6
Venereal diseases.....	847	670	543	365	177	304	5.9	6.2	6.2	7.2	4.8	5.3
Others of this group.....	629	507	408	286	122	221	4.4	4.6	4.7	5.5	3.5	3.9
Septicemia.....	1,316	1,020	699	403	296	617	9.1	9.5	8.0	8.0	8.1	10.8
Venereal diseases.....	1,551	1,186	792	427	365	759	10.7	10.9	9.0	8.1	10.4	13.4
Others of this group.....	529	490	231	192	39	298	3.7	4.6	2.7	3.8	1.1	5.2
Venereal diseases.....	418	388	188	158	30	230	2.9	3.6	2.2	3.0	0.9	4.0
Others of this group.....	982	638	620	276	344	362	6.8	5.9	7.1	5.5	9.4	6.4
General diseases—C	788	555	497	264	233	291	5.5	5.1	5.7	5.0	6.7	5.1
General diseases—B	11,823	10,258	5,207	3,642	1,565	6,616	41.1	47.4	29.8	35.4	21.9	58.2
Males.....	7,158	6,194	3,238	2,274	964	3,920	49.7	57.7	37.2	45.0	26.4	68.9
Females.....	4,665	4,064	1,969	1,368	601	2,696	32.4	37.2	22.5	26.1	17.2	47.5
Alcoholism.....	1,693	1,485	922	714	208	771	11.8	13.8	10.6	14.1	5.7	13.6
Parasitic diseases.....	368	331	232	195	37	136	2.6	3.0	2.6	3.7	1.1	2.4
Lead poison.....	21	13	13	5	8	8	0.1	0.1	0.2	0.1	0.2	0.1
Other poisons.....	46	16	10	5	5	11	0.1	0.1	0.1	0.1	0.1	0.2
Inanition.....	21	16	10	5	5	11	0.1	0.1	0.1	0.1	0.1	0.2
Others of this group.....	46	42	27	23	4	19	0.3	0.4	0.3	0.5	0.1	0.3
Alcoholism.....	23	20	16	13	3	7	0.2	0.2	0.2	0.3	0.1	0.1
Parasitic diseases.....	1,138	943	656	461	195	482	7.9	8.8	7.5	9.1	5.3	8.5
Lead poison.....	654	545	373	264	109	281	4.5	5.0	4.3	5.0	3.1	4.9
Other poisons.....	4,260	3,711	1,620	1,071	549	2,640	29.6	34.6	18.6	21.2	15.1	46.4
Inanition.....	3,599	3,152	1,338	891	447	2,261	25.0	28.9	15.3	17.0	12.8	39.9
General diseases—C	41,145	31,545	24,674	15,074	9,600	16,471	142.8	145.6	141.5	146.4	134.3	145.0
Males.....	20,691	15,802	12,608	7,719	4,889	8,083	143.7	147.1	144.9	152.8	133.9	142.0
Females.....	20,454	15,743	12,066	7,355	4,711	8,388	141.9	144.2	138.0	140.2	134.7	141.9
Old age.....	6,673	4,147	4,069	1,543	2,526	2,604	46.3	38.6	46.8	30.5	69.2	45.7
Premature birth.....	8,885	6,095	5,196	2,406	2,790	3,689	61.6	55.8	59.5	45.9	79.8	65.0
Malformation.....	5,556	4,569	3,361	2,374	987	2,195	38.6	42.5	38.6	47.0	27.0	38.6
Debility and atrophy.....	4,134	3,415	2,468	1,749	719	1,666	28.7	31.3	28.2	33.3	20.6	29.4
Others of this group.....	946	702	642	398	244	304	6.6	6.5	7.4	7.9	6.7	5.3
Malformation.....	764	564	510	310	200	254	5.3	5.2	5.8	5.9	5.7	4.5
Debility and atrophy.....	6,885	5,891	4,068	3,074	994	2,817	47.8	54.9	46.7	60.9	27.2	49.5
Others of this group.....	6,223	5,313	3,560	2,650	910	2,663	43.2	48.6	40.7	50.5	26.0	47.0
Malformation.....	631	493	468	330	138	163	4.4	4.6	5.4	6.5	3.8	2.9
Others of this group.....	448	356	332	240	92	116	3.1	3.3	3.8	4.6	2.6	2.0

TABLE 20.—NUMBER OF DEATHS, AND DEATH RATES PER 100,000 OF POPULATION—Continued.

CAUSE OF DEATH.	DEATHS.						DEATH RATE PER 100,000 OF POPULATION.					
	Total.	Cities.	States.			Registra- tion cities in other states.	Total.	Cities.	States.			Registra- tion cities in other states.
			Total.	Cities.	Rural.				Total.	Cities.	Rural.	
1. General diseases—Continued.												
General diseases—D.....	86,919	68,597	51,158	32,836	18,322	35,761	301.7	316.7	293.3	318.9	256.4	314.7
Males.....	43,342	35,113	24,954	16,725	8,229	18,388	301.1	326.8	286.8	331.1	225.4	323.0
Females.....	43,577	33,484	26,204	16,111	10,093	17,373	302.3	306.7	299.7	307.1	288.6	306.3
Anemia.....(M..)	618	412	403	197	206	215	4.3	3.8	4.6	3.9	5.6	3.8
(F..)	890	581	612	303	309	278	6.2	5.3	7.0	5.8	8.8	4.9
Diabetes.....(M..)	1,404	946	972	514	458	432	9.8	8.8	11.2	10.2	12.5	7.6
(F..)	1,289	932	879	522	357	410	8.9	8.5	10.0	9.9	10.2	7.2
Rheumatism.....(M..)	966	690	554	278	276	412	6.7	6.4	6.4	5.5	7.6	7.2
(F..)	985	739	596	350	246	389	6.8	6.8	6.8	6.7	7.0	6.9
Scrofula and tabes.....(M..)	491	370	260	139	121	231	3.4	3.4	3.0	2.8	3.3	4.1
(F..)	549	392	286	129	157	263	3.8	3.6	3.3	2.5	4.5	4.6
Hydrocephalus.....(M..)	1,747	1,492	1,192	937	255	555	12.1	13.9	13.7	18.5	7.0	9.7
(F..)	1,426	1,191	1,000	765	235	426	9.9	10.9	11.4	14.6	6.7	7.5
Tuberculosis, general.....(M..)	513	416	327	230	97	186	3.6	3.9	3.8	4.5	2.7	3.3
(F..)	423	304	289	170	119	134	2.9	2.8	3.3	3.2	3.4	2.4
Consumption.....(M..)	29,192	24,635	16,395	11,838	4,557	12,797	202.8	229.3	188.4	234.3	124.9	224.8
(F..)	24,770	19,741	14,282	9,253	5,029	10,488	171.8	180.8	163.3	176.4	143.8	184.9
Cancer.....(M..)	6,388	4,647	3,847	2,106	1,741	2,541	44.4	43.2	44.2	41.7	47.7	44.6
(F..)	10,908	7,983	6,977	4,052	2,925	3,931	75.7	73.1	79.8	77.2	83.7	69.3
Tumor.....(M..)	694	543	387	236	151	307	4.8	5.1	4.4	4.7	4.1	5.4
(F..)	973	690	591	308	283	382	6.8	6.3	6.8	5.9	8.1	6.7
Dropsey.....(M..)	948	652	417	121	296	531	6.6	6.1	4.8	2.4	8.1	9.3
(F..)	1,031	671	494	134	360	537	7.2	6.2	5.7	2.5	10.3	9.5
Others of this group.....(M..)	381	310	200	129	71	181	2.6	2.9	2.3	2.6	1.9	3.2
(F..)	333	260	198	125	73	135	2.3	2.4	2.3	2.4	2.1	2.4
2. Diseases of the nervous system.....	62,563	46,673	37,335	21,445	15,890	25,228	217.2	215.5	214.0	208.3	222.3	222.0
Males.....	33,680	25,211	19,646	11,177	8,469	14,034	234.0	234.7	225.8	221.3	232.0	246.6
Females.....	28,883	21,462	17,689	10,268	7,421	11,194	200.4	196.6	202.3	195.7	212.2	197.4
Inflammation of the brain.....(M..)	617	450	300	133	167	317	4.3	4.2	3.4	2.6	4.6	5.6
(F..)	464	329	225	90	135	239	3.2	3.0	2.6	1.7	3.9	4.2
Meningitis.....(M..)	6,113	5,088	3,502	2,477	1,025	2,611	42.5	47.4	40.3	49.1	28.1	45.9
(F..)	4,832	4,010	2,827	2,005	822	2,005	33.5	36.7	32.3	38.2	23.5	35.3
Apoplexy.....(M..)	9,809	6,907	6,620	3,718	2,902	3,189	68.1	64.3	76.1	73.6	79.5	56.0
(F..)	9,364	6,586	6,660	3,882	2,778	2,704	65.0	60.3	76.2	74.0	79.4	47.7
Paralysis.....(M..)	4,566	2,859	2,837	1,130	1,707	1,729	31.7	26.6	32.6	22.4	46.8	30.4
(F..)	4,295	2,752	2,697	1,154	1,543	1,598	29.8	25.2	30.9	22.0	44.1	28.2
Paralysis, general (of in- sane).....(M..)	413	298	253	138	115	160	2.9	2.8	2.9	2.7	3.2	2.8
(F..)	176	114	133	71	62	43	1.2	1.0	1.5	1.4	1.8	0.8
Tetanus and trismus nas- centium.....(M..)	907	811	314	218	96	593	6.3	7.5	3.6	4.3	2.6	10.4
(F..)	411	374	109	72	37	302	2.8	3.4	1.2	1.4	1.0	5.3
Chorea.....(M..)	32	21	25	14	11	7	0.2	0.2	0.3	0.3	0.3	0.1
(F..)	54	31	34	11	23	20	0.4	0.3	0.4	0.2	0.7	0.4
Epilepsy.....(M..)	680	430	438	188	250	242	4.7	4.0	5.0	3.7	6.8	4.3
(F..)	542	358	367	183	184	175	3.8	3.3	4.2	3.5	5.3	3.1
Convulsions.....(M..)	5,275	4,508	2,384	1,617	767	2,891	36.7	42.0	27.4	32.0	21.0	50.8
(F..)	4,247	3,660	1,896	1,309	587	2,351	29.5	33.5	21.7	24.9	16.8	41.4
Mental diseases.....(M..)	981	713	573	305	268	408	6.8	6.6	6.6	6.0	7.3	7.2
(F..)	992	727	656	391	265	336	6.9	6.7	7.5	7.4	7.6	5.9
Diseases of the brain.....(M..)	2,991	2,220	1,633	862	771	1,358	20.8	20.7	18.8	17.1	21.1	23.8
(F..)	2,366	1,741	1,359	734	625	1,007	16.4	16.0	15.5	14.0	17.9	17.8
Diseases of the spinal cord.....(M..)	504	344	304	144	160	200	3.5	3.2	3.5	2.9	4.4	3.5
(F..)	430	299	298	167	131	132	3.0	2.7	3.4	3.2	3.7	2.3
Locomotor ataxia.....(M..)	371	279	213	121	92	158	2.6	2.6	2.4	2.4	2.5	2.8
(F..)	122	94	73	45	28	49	0.8	0.9	0.8	0.9	0.8	0.9
Others of this class.....(M..)	421	283	250	112	138	171	2.9	2.6	2.9	2.2	3.8	3.0
(F..)	588	387	355	154	201	233	4.1	3.6	4.1	2.9	5.7	4.1
3. Diseases of the circulatory system.....	43,233	31,538	26,962	15,267	11,695	16,271	150.1	145.6	154.6	148.3	163.6	143.2
Males.....	22,884	16,418	14,044	7,578	6,466	8,840	159.0	152.8	161.4	150.0	177.2	155.3
Females.....	20,349	15,120	12,918	7,689	5,229	7,431	141.2	138.5	147.8	146.6	149.5	131.0
Pericarditis.....(M..)	335	270	177	112	65	158	2.3	2.5	2.0	2.2	1.8	2.8
(F..)	329	263	177	111	66	152	2.3	2.4	2.0	2.1	1.9	2.7
Diseases of the heart.....(M..)	19,783	14,060	12,319	6,596	5,723	7,464	137.4	130.9	141.6	130.6	156.8	131.1
(F..)	18,161	13,465	11,626	6,930	4,696	6,535	126.0	123.3	133.0	132.1	134.3	115.2
Angina pectoris.....(M..)	1,055	689	674	308	366	381	7.3	6.4	7.8	6.1	10.0	6.7
(F..)	784	515	517	248	269	267	5.4	4.7	5.9	4.7	7.7	4.7
Diseases of the arteries.....(M..)	658	525	337	204	133	321	4.6	4.9	3.9	4.0	3.7	5.6
(F..)	400	331	214	145	69	186	2.8	3.0	2.5	2.8	1.9	3.3
Aneurism.....(M..)	369	329	152	112	40	217	2.6	3.1	1.7	2.2	1.1	3.8
(F..)	119	95	61	37	24	58	0.8	0.9	0.7	0.7	0.7	1.0
Embolism.....(M..)	144	98	95	49	46	49	1.0	0.9	1.1	1.0	1.3	0.9
(F..)	188	147	104	63	41	84	1.3	1.4	1.2	1.2	1.2	1.5
Others of this class.....(M..)	540	447	290	197	93	250	3.8	4.1	3.3	3.9	2.5	4.4
(F..)	368	304	219	155	64	149	2.6	2.8	2.5	3.0	1.8	2.6

DEATHS, AND DEATH RATES.

563

TABLE 20.—NUMBER OF DEATHS, AND DEATH RATES PER 100,000 OF POPULATION—Continued.

CAUSE OF DEATH.	DEATHS.						DEATH RATE PER 100,000 OF POPULATION.					
	Total.	Cities.	States.			Registra- tion cities in other states.	Total.	Cities.	States.			Registra- tion cities in other states.
			Total.	Cities.	Rural.				Total.	Cities.	Rural.	
4. Diseases of the respiratory system	80,504	66,283	48,727	34,506	14,221	31,777	279.5	306.0	279.3	335.1	199.0	279.7
Males.....	42,872	35,573	25,311	18,012	7,299	17,561	297.9	331.1	290.9	356.6	200.0	308.5
Females.....	37,632	30,710	23,416	16,494	6,922	14,216	261.1	281.3	267.8	314.4	198.0	250.7
Croup.....	M.. 1,527	1,259	806	538	268	721	10.6	11.7	9.3	10.6	7.4	12.6
	F.. 1,303	1,067	691	455	236	612	9.1	9.8	7.9	8.7	6.8	10.8
Pneumonia.....	M.. 29,898	24,902	17,744	12,748	4,996	12,154	207.7	231.8	203.9	252.4	136.9	213.5
	F.. 25,398	20,684	15,972	11,258	4,714	9,426	176.2	189.4	182.7	214.6	134.8	166.2
Laryngitis.....	M.. 324	253	206	135	71	118	2.3	2.4	2.4	2.7	1.9	2.1
	F.. 273	214	178	119	59	95	1.9	2.0	2.0	2.3	1.7	1.7
Bronchitis.....	M.. 6,844	5,702	4,181	3,039	1,142	2,663	47.6	53.1	48.1	60.2	31.3	46.8
	F.. 7,059	5,863	4,481	3,285	1,196	2,578	49.0	53.7	51.2	62.6	34.2	45.5
Pleurisy.....	M.. 793	659	464	330	134	329	5.5	6.1	5.3	6.5	3.7	5.8
	F.. 621	522	375	276	99	246	4.3	4.8	4.3	5.2	2.8	4.3
Asthma.....	M.. 650	550	230	130	100	420	4.5	5.1	2.6	2.6	2.7	7.4
	F.. 582	491	233	142	91	349	4.0	4.5	2.7	2.7	2.6	6.2
Others of this class.....	M.. 2,836	2,248	1,680	1,092	588	1,156	19.7	20.9	19.3	21.6	16.1	20.3
	F.. 2,396	1,869	1,486	959	527	910	16.6	17.1	17.0	18.3	15.1	16.0
5. Diseases of the digestive system.....	28,379	21,905	16,215	9,741	6,474	12,164	98.5	101.1	93.0	94.6	90.6	107.1
Males.....	14,459	11,177	8,131	4,849	3,282	6,328	100.5	104.0	93.4	96.0	89.9	111.2
Females.....	13,920	10,728	8,084	4,892	3,192	5,836	96.6	98.3	92.5	93.2	91.3	102.9
Dentition.....	M.. 392	366	173	147	26	219	2.7	3.4	2.0	2.9	0.7	3.8
	F.. 363	331	180	148	32	183	2.5	3.1	2.1	2.8	0.9	3.2
Angina.....	M.. 203	138	112	47	65	91	1.4	1.3	1.3	0.9	1.8	1.6
	F.. 184	133	98	47	51	86	1.3	1.2	1.1	0.9	1.5	1.5
Gastritis.....	M.. 1,992	1,494	1,105	607	498	887	13.8	13.9	12.7	12.0	13.6	15.6
	F.. 2,263	1,706	1,342	785	557	921	15.7	15.6	15.3	15.0	15.9	16.2
Diseases of the stomach.....	M.. 823	599	479	255	224	344	5.7	5.6	5.5	5.1	6.1	6.1
	F.. 665	466	418	219	199	247	4.6	4.3	4.8	4.2	5.7	4.4
Obstruction of the bowels.....	M.. 1,130	864	661	395	266	469	7.9	8.0	7.6	7.8	7.3	8.2
	F.. 1,208	953	708	453	255	500	8.4	8.7	8.1	8.6	7.3	8.8
Appendicitis.....	M.. 1,791	1,448	971	628	343	820	12.5	13.5	11.1	12.4	9.4	14.4
	F.. 1,067	861	599	393	206	468	7.4	7.9	6.9	7.5	5.9	8.3
Hernia.....	M.. 570	423	354	207	147	216	4.0	3.9	4.1	4.1	4.0	3.8
	F.. 501	384	307	190	117	194	3.5	3.5	3.5	3.6	2.3	3.4
Other diseases of the bowels.....	M.. 380	267	209	96	113	171	2.6	2.5	2.4	1.9	3.1	3.0
	F.. 355	264	185	94	91	170	2.5	2.4	2.1	1.8	2.6	3.0
Jaundice.....	M.. 526	396	290	160	130	236	3.7	3.7	3.3	3.2	3.6	4.1
	F.. 460	340	251	131	120	209	3.2	3.1	2.9	2.5	3.4	3.7
Inflammation and abscess.....	M.. 679	559	333	213	120	346	4.7	5.2	3.8	4.2	3.3	6.1
of the liver.....	F.. 591	442	346	197	149	245	4.1	4.1	4.0	3.7	4.3	4.3
Other diseases of the liver.....	M.. 2,682	2,118	1,562	998	564	1,120	18.6	19.7	17.9	19.8	15.4	19.7
	F.. 1,606	1,232	1,000	626	374	606	11.2	11.3	11.4	11.9	10.7	10.7
Peritonitis.....	M.. 1,888	1,427	1,008	597	411	830	12.8	13.3	11.6	11.8	11.3	14.6
	F.. 3,190	2,535	1,739	1,084	655	1,451	22.1	23.2	19.9	20.7	18.7	25.6
Ascites.....	M.. 91	66	34	9	25	57	0.6	0.6	0.4	0.2	0.7	1.0
	F.. 121	90	56	25	31	65	0.8	0.8	0.6	0.5	0.9	1.1
Others of this class.....	M.. 1,362	1,012	840	490	350	522	9.5	9.4	9.7	9.7	9.6	9.2
	F.. 1,346	991	855	500	355	491	9.3	9.1	9.8	9.5	10.2	8.7
6. Diseases of the urinary system and male organs of generation.....	29,447	23,232	18,287	12,072	6,215	11,160	102.2	107.2	104.8	117.2	87.0	98.2
Males.....	17,159	13,272	10,525	6,638	3,887	6,634	119.2	123.5	120.9	131.4	106.5	116.5
Females.....	12,288	9,960	7,762	5,434	2,328	4,526	85.2	91.2	88.8	103.6	66.6	79.8
Bright's disease.....	M.. 12,385	9,834	7,744	5,193	2,551	4,641	86.0	91.5	89.0	102.8	69.9	81.5
	F.. 9,891	8,049	6,470	4,628	1,842	3,421	68.6	73.7	74.0	88.2	52.7	60.3
Calculus, urinary.....	M.. 101	75	57	31	26	44	0.7	0.7	0.7	0.6	0.7	0.8
	F.. 38	31	25	18	7	13	0.3	0.3	0.3	0.3	0.2	0.2
Diseases of the kidney.....	M.. 1,075	804	683	412	271	392	7.5	7.5	7.8	8.2	7.4	6.9
	F.. 773	605	450	282	168	323	5.4	5.6	5.2	5.4	4.8	5.7
Diseases of the bladder.....	M.. 1,277	792	890	405	485	387	8.9	7.4	10.2	8.0	13.3	6.8
	F.. 179	125	115	61	54	64	1.2	1.1	1.3	1.2	1.5	1.1
Others of this class.....	M.. 2,321	1,767	1,151	597	554	1,170	16.1	16.4	13.2	11.8	15.2	20.5
	F.. 1,407	1,150	702	445	257	705	9.7	10.5	8.0	8.5	7.4	12.5
7. Diseases of the female organs of generation.....	1,812	1,507	1,026	721	305	786	12.6	13.8	11.8	13.7	8.7	13.9
Ovarian tumors.....	284	215	181	112	69	103	2.0	2.0	2.1	2.1	2.0	1.8
Ovarian diseases.....	100	89	51	40	11	49	0.7	0.8	0.6	0.8	0.3	0.9
Diseases of the tubes.....	308	292	159	143	16	149	2.1	2.7	1.8	2.7	0.4	2.6
Uterine tumors.....	479	389	284	194	90	195	3.3	3.6	3.3	3.7	2.6	3.5
Uterine diseases.....	117	93	71	47	24	46	0.8	0.8	0.8	0.9	0.7	0.8
Others of this class.....	524	429	280	185	95	244	3.7	3.9	3.2	3.5	2.7	4.3

TABLE 20.—NUMBER OF DEATHS, AND DEATH RATES PER 100,000 OF POPULATION—Continued.

CAUSE OF DEATH.	DEATHS.						DEATH RATE PER 100,000 OF POPULATION.					
	Total.	Cities.	States.			Registration cities in other states.	Total.	Cities.	States.			Registration cities in other states.
			Total.	Cities.	Rural.				Total.	Cities.	Rural.	
8. Affections connected with pregnancy.	3,772	2,917	2,301	1,446	855	1,471	26.2	26.7	26.3	27.6	24.5	25.9
Abortion	258	221	118	81	37	140	1.8	2.0	1.3	1.6	1.1	2.5
Childbirth	996	736	590	330	260	406	6.9	6.7	6.8	6.3	7.4	7.2
Puerperal septicemia	1,619	1,271	1,026	678	348	593	11.2	11.7	11.7	12.9	10.0	10.4
Extra-uterine pregnancy	140	131	77	68	9	63	1.0	1.2	0.9	1.3	0.3	1.1
Others of this class	759	558	490	289	201	269	5.3	5.1	5.6	5.5	5.7	4.7
9. Diseases of the bones and joints.	1,050	788	693	426	267	357	3.6	3.6	4.0	4.1	3.7	3.1
Males	600	451	405	256	149	195	4.2	4.2	4.7	5.1	4.1	3.4
Females	450	332	288	170	118	162	3.1	3.0	3.3	3.2	3.4	2.9
Diseases of the spine.....{M..	192	132	131	71	60	61	1.3	1.2	1.5	1.4	1.7	1.1
.....{F..	149	98	101	50	51	48	1.0	0.9	1.2	1.0	1.5	0.8
Abscess, lumbar and psoas.....{M..	36	25	24	13	11	12	0.3	0.3	0.3	0.3	0.3	0.2
.....{F..	24	15	15	6	9	9	0.2	0.1	0.2	0.1	0.3	0.2
Diseases of the bones.....{M..	209	175	149	115	34	60	1.5	1.6	1.7	2.3	0.9	1.0
.....{F..	146	116	89	59	30	57	1.0	1.1	1.0	1.1	0.8	1.0
Diseases of the hip-joint.....{M..	90	67	52	29	23	38	0.6	0.6	0.6	0.6	0.6	0.7
.....{F..	42	38	21	17	4	21	0.3	0.3	0.2	0.3	0.1	0.4
Others of this class.....{M..	73	52	49	28	21	24	0.5	0.5	0.6	0.5	0.6	0.4
.....{F..	89	65	62	38	24	27	0.6	0.6	0.7	0.7	0.7	0.5
10. Diseases of the skin.	920	715	529	324	205	391	3.2	3.3	3.0	3.1	2.9	3.4
Males	512	395	295	178	117	217	3.6	3.7	3.4	3.5	3.2	3.8
Females	408	320	234	146	88	174	2.8	2.9	2.7	2.8	2.5	3.1
Abscess.....{M..	274	218	159	103	56	115	1.9	2.0	1.8	2.0	1.5	2.0
.....{F..	204	157	114	67	47	90	1.4	1.4	1.3	1.3	1.3	1.6
Carbuncle.....{M..	72	58	40	26	14	32	0.5	0.6	0.5	0.5	0.4	0.6
.....{F..	35	32	16	13	3	19	0.2	0.3	0.2	0.2	0.1	0.3
Others of this class.....{M..	166	119	96	49	47	70	1.2	1.1	1.1	1.0	1.3	1.2
.....{F..	169	131	104	66	38	65	1.2	1.2	1.2	1.3	1.1	1.2
11. Diseases of the absorbent system.	377	260	251	134	117	126	1.3	1.2	1.4	1.3	1.6	1.1
Males	193	134	125	66	59	68	1.3	1.2	1.4	1.3	1.6	1.2
Females	184	126	126	68	58	58	1.3	1.2	1.4	1.3	1.7	1.0
Addison's disease.....{M..	61	44	40	23	17	21	0.4	0.4	0.4	0.5	0.5	0.4
.....{F..	55	33	44	22	22	11	0.4	0.3	0.5	0.4	0.6	0.2
Diseases of the spleen.....{M..	29	16	15	2	13	14	0.2	0.1	0.2	0.2	0.3	0.2
.....{F..	28	18	19	9	10	9	0.2	0.2	0.2	0.2	0.3	0.1
Others of this class.....{M..	103	74	70	41	29	33	0.7	0.7	0.8	0.8	0.8	0.6
.....{F..	107	75	63	37	26	38	0.7	0.7	0.7	0.7	0.8	0.7
12. Accidents and injuries.	27,649	21,718	14,600	8,669	5,931	13,049	96.0	100.3	83.7	84.2	83.0	114.8
Males	21,067	16,583	10,908	6,424	4,484	10,159	146.4	154.4	125.4	127.2	122.9	178.5
Females	6,582	5,135	3,692	2,245	1,447	2,890	45.6	47.0	42.2	42.8	41.4	51.0
Burns and scalds.....{M..	1,075	880	576	381	195	499	7.5	8.2	6.6	7.5	5.3	8.8
.....{F..	1,470	1,238	780	548	232	690	10.2	11.3	8.9	10.5	6.6	12.2
Drowning.....{M..	2,857	2,063	1,776	982	794	1,081	19.8	19.2	20.4	19.4	21.8	19.0
.....{F..	295	191	196	92	104	99	2.0	1.7	2.3	1.8	3.0	1.7
Exposure and neglect.....{M..	158	101	86	29	57	72	1.1	0.9	1.0	0.6	1.6	1.3
.....{F..	93	71	42	20	22	51	0.6	0.7	0.5	0.4	0.6	0.9
Gunshot wounds.....{M..	965	756	419	210	209	546	6.7	7.0	4.8	4.1	5.7	9.6
.....{F..	138	108	64	34	30	74	1.0	1.0	0.7	0.6	0.9	1.3
Homicide.....{M..	499	468	128	97	31	371	3.5	4.4	1.5	1.9	0.8	6.5
.....{F..	134	122	52	40	12	82	0.9	1.1	0.6	0.8	0.3	1.4
Infanticide.....{M..	12	11	10	9	1	2	0.1	0.1	0.1	0.2	0.1	0.1
.....{F..	12	8	7	3	4	5	0.1	0.1	0.1	0.1	0.1	0.1
Injuries by machinery.....{M..	107	82	40	15	25	67	0.7	0.8	0.5	0.3	0.7	1.2
.....{F..	5	4	1	1	1	4	0.0	0.0	0.0	0.0	0.0	0.1
Railroad accidents.....{M..	3,443	2,680	1,616	853	763	1,827	23.9	25.0	18.6	16.9	20.9	32.1
.....{F..	349	261	177	89	88	172	2.4	2.4	2.0	1.7	2.5	3.0
Suffocation.....{M..	747	595	418	266	152	329	5.2	5.5	4.8	5.3	4.2	5.8
.....{F..	472	353	292	173	119	180	3.3	3.2	3.3	3.3	3.4	3.2
Suicide by shooting.....{M..	764	630	375	241	134	389	5.3	5.9	4.3	4.8	3.7	6.8
.....{F..	53	39	31	17	14	22	0.4	0.4	0.4	0.3	0.4	0.4
Suicide by drowning.....{M..	112	81	60	29	31	52	0.8	0.8	0.7	0.6	0.8	0.9
.....{F..	52	33	36	17	19	16	0.4	0.3	0.4	0.3	0.6	0.3
Suicide by poison.....{M..	551	486	284	219	65	267	3.8	4.5	3.3	4.3	1.8	4.7
.....{F..	364	314	192	142	50	172	2.5	2.9	2.2	2.7	1.4	3.0
Other suicides.....{M..	1,208	934	594	325	269	609	8.4	8.7	6.8	6.4	7.4	10.7
.....{F..	301	239	156	94	62	145	2.1	2.2	1.8	1.8	1.8	2.6
Sunstroke.....{M..	298	270	132	104	28	166	2.1	2.5	1.5	2.1	0.8	2.9
.....{F..	144	134	68	58	10	76	1.0	1.2	0.8	1.1	0.3	1.3
Surgical operations.....{M..	129	112	50	33	17	79	0.9	1.0	0.6	0.7	0.5	1.4
.....{F..	285	247	118	80	38	167	2.0	2.3	1.3	1.5	1.1	3.0
Wounds.....{M..	404	341	177	114	63	227	2.8	3.2	2.0	2.3	1.7	4.0
.....{F..	34	31	21	18	3	13	0.2	0.3	0.2	0.3	0.1	0.2
Others of this class.....{M..	7,743	6,093	4,167	2,517	1,650	3,576	53.8	56.7	47.9	49.8	45.2	62.8
.....{F..	2,381	1,742	1,469	820	639	922	16.5	15.9	16.7	15.6	18.3	16.3

TABLE 21.

DEATH RATES FROM EACH CAUSE, PER 100,000 OF POPULATION, IN THE REGISTRATION
STATES, IN THE AGGREGATE AND FOR THE CITIES AND THE
RURAL DISTRICTS, BY SEX.

TABLE 21.—DEATH RATES FROM EACH

CAUSE OF DEATH.	REGISTRATION STATES.			CONNECTICUT.			DISTRICT OF COLUMBIA.		MAINE.			MASSACHUSETTS.		
	Total.	Cities.	Rural.	Total.	Cities.	Rural.	Total.	Cities.	Total.	Cities.	Rural.	Total.	Cities.	Rural.
1 All causes	1,729.3	1,861.3	1,539.2	1,697.7	1,701.6	1,690.3	2,283.3	2,283.3	1,749.3	2,050.7	1,687.3	1,773.6	1,793.4	1,710.8
2 Males.....	1,812.9	1,980.5	1,580.9	1,739.4	1,741.9	1,734.9	2,480.2	2,480.2	1,792.6	2,264.4	1,702.1	1,853.9	1,869.1	1,807.0
3 Females.....	1,646.2	1,746.5	1,495.7	1,655.9	1,661.9	1,644.8	2,106.1	2,106.1	1,704.9	1,855.9	1,671.7	1,697.2	1,722.3	1,615.9
4 Unknown cause	13.3	8.5	20.3	6.0	4.8	8.1	9.3	9.3	31.7	23.6	33.3	12.5	11.0	17.1
5 Males.....	14.6	9.4	21.7	6.8	6.1	8.0	11.4	11.4	37.3	37.2	37.4	13.8	12.2	18.9
6 Females.....	12.1	7.5	18.9	5.1	3.4	8.2	7.5	7.5	25.9	11.3	29.1	11.2	9.9	15.4
7 1. General diseases.														
8 General diseases—A.....	294.5	334.9	236.3	345.4	339.3	356.7	455.7	455.7	257.4	292.1	250.3	310.6	334.9	233.8
9 Males.....	302.1	349.8	236.1	335.7	331.0	344.1	477.2	477.2	277.2	352.3	262.8	317.4	342.9	238.9
10 Females.....	287.0	320.7	236.5	355.2	347.6	369.5	436.2	436.2	237.3	237.2	237.3	304.2	327.4	228.8
11 Measles..... {M..	14.6	18.6	9.1	17.4	15.4	21.1	14.4	14.4	6.6	5.3	6.8	12.2	14.1	6.3
12 {F..	15.0	17.8	10.8	18.1	17.2	19.6	13.0	13.0	7.9	3.2	8.9	10.0	11.5	5.3
13 Scarlet fever..... {M..	11.1	13.7	7.5	6.6	7.9	4.3	11.4	11.4	10.5	8.9	10.9	13.2	14.3	9.6
14 {F..	10.3	12.2	7.4	6.8	5.4	9.5	6.8	6.8	4.9	3.2	5.3	14.2	15.4	10.3
15 Diphtheria..... {M..	31.6	43.7	14.8	26.6	29.0	22.3	75.0	75.0	15.7	26.6	13.6	37.7	44.2	17.6
16 {F..	31.8	42.6	15.7	29.1	32.1	23.5	64.1	64.1	14.0	19.4	12.8	38.7	44.7	19.2
17 Whooping cough..... {M..	13.1	15.4	9.9	9.9	8.9	11.8	16.7	16.7	13.4	28.3	10.5	11.8	13.8	6.0
18 {F..	15.0	17.4	11.3	16.3	18.9	11.4	10.9	10.9	14.6	14.5	14.6	14.8	16.5	9.2
19 Malarial fever..... {M..	5.0	4.7	5.3	9.9	9.2	11.1	22.0	22.0	3.1		3.7	3.0	2.3	5.1
20 {F..	5.3	5.2	5.5	14.3	13.8	15.2	23.2	23.2	1.5		1.8	2.0	2.2	1.5
21 Influenza..... {M..	24.4	20.4	29.8	61.9	51.9	79.8	31.0	31.0	33.0	19.5	35.7	30.1	26.2	41.9
22 {F..	33.8	30.0	39.5	79.9	61.4	114.7	50.4	50.4	37.5	29.1	39.5	49.3	47.7	54.6
23 Typhoid fever..... {M..	29.3	30.3	27.8	30.8	31.8	29.1	102.2	102.2	36.5	65.5	30.9	27.3	28.2	24.8
24 {F..	21.5	20.5	23.1	24.0	23.3	25.4	61.3	61.3	21.0	25.8	19.9	17.5	18.7	13.3
25 Cholera morbus..... {M..	5.7	4.2	7.8	4.0	4.1	3.7	4.5	4.5	9.4	3.5	10.5	4.1	3.6	5.7
26 {F..	5.3	4.1	7.0	4.6	2.7	8.2	2.7	2.7	5.2		6.4	4.0	4.6	1.8
27 Colitis..... {M..	3.4	3.7	3.0	1.1	1.0	1.2	5.3	5.3	1.4		1.7	2.3	2.2	2.7
28 {F..	3.2	3.6	2.7	3.8	3.7	3.8	0.7	0.7	2.6	4.9	2.1	2.7	2.8	2.4
29 Diarrhea..... {M..	14.5	15.5	13.2	17.8	16.7	19.8	33.3	33.3	12.5	21.2	10.9	11.7	11.6	12.0
30 {F..	12.8	13.9	11.2	20.9	18.6	25.4	27.9	27.9	9.0	11.3	8.5	10.8	12.6	5.0
31 Dysentery..... {M..	9.0	8.6	9.5	17.6	14.7	22.9	12.9	12.9	9.1	3.5	10.2	8.6	7.9	10.8
32 {F..	10.5	9.1	12.7	18.9	17.2	22.2	14.3	14.3	12.2	3.2	14.2	10.3	9.2	13.9
33 Enteritis..... {M..	51.2	72.0	22.5	42.5	48.5	31.6	68.2	68.2	19.1	44.3	14.8	45.5	52.8	23.0
34 {F..	47.3	63.7	22.7	38.5	47.6	21.5	87.3	87.3	20.4	48.4	14.2	38.1	42.4	23.9
35 Cholera infantum..... {M..	55.5	64.2	43.7	56.8	59.8	51.4	52.3	52.3	70.1	72.6	69.6	77.7	90.3	38.6
36 {F..	46.0	51.2	38.3	53.5	56.4	48.2	41.6	41.6	56.5	46.8	58.6	62.7	69.6	40.4
37 Fever..... {M..	0.3	0.2	0.4	0.4	0.3	0.6			0.3		0.3	0.1		
38 {F..	0.3	0.2	0.4	0.2		0.6			0.6		0.7	0.3	0.5	0.3
39 Cerebro-spinal fe-..... {M..	9.0	9.6	8.1	7.3	7.9	6.2	9.8	9.8	7.1	8.9	6.8	9.1	10.1	6.3
40 ver. {F..	7.0	7.2	6.7	7.5	9.1	4.4	7.5	7.5	5.5	3.2	6.0	6.0	6.1	5.6
41 Smallpox..... {M..	0.4	0.5	0.3				1.5	1.5	1.4	5.3	0.7	0.4	0.6	
42 {F..	0.3	0.4	0.1				2.0	2.0				0.6	0.8	
43 Erysipelas..... {M..	6.2	7.2	4.8	5.7	6.8	3.7	2.3	2.3	4.6	5.3	4.4	5.9	6.1	5.1
44 {F..	4.7	5.5	3.5	4.2	3.7	5.1	2.7	2.7	2.9	1.6	3.2	5.3	5.8	3.5
45 Septicemia..... {M..	8.0	8.0	8.1	9.5	8.5	11.1	6.1	6.1	12.3	15.9	11.5	8.0	7.2	10.5
46 {F..	9.0	8.1	10.4	6.0	7.4	3.2	5.5	5.5	12.2	16.1	11.4	10.2	10.1	10.6
47 Venereal diseases..... {M..	2.7	3.8	1.1	3.5	3.8	3.1	6.8	6.8	0.3		0.3	2.1	2.1	2.1
48 {F..	2.2	3.0	0.8	1.8	2.0	1.3	10.2	10.2	0.6		0.7	1.4	1.2	2.1
49 Others of this group..... {M..	7.1	5.5	9.4	6.4	4.8	9.3	1.5	1.5	10.8	17.7	9.5	6.6	5.3	10.5
50 {F..	5.7	5.0	6.7	6.8	7.1	6.3	4.1	4.1	8.2	6.5	8.5	5.3	5.0	6.2
51 General diseases—B.....	29.8	35.4	21.9	23.6	24.6	21.6	24.4	24.4	17.0	25.3	15.3	43.6	48.2	28.8
52 Males.....	37.2	45.0	26.4	31.2	32.8	28.5	34.1	34.1	20.2	35.4	17.3	53.4	58.9	36.2
53 Females.....	22.5	26.1	17.2	15.9	16.5	14.6	15.7	15.7	13.7	16.1	13.2	34.2	38.1	21.6
54 Alcoholism..... {M..	10.6	14.1	5.7	11.6	10.6	13.6	13.6	13.6	3.4	10.6	2.0	10.6	11.7	7.2
55 {F..	2.6	3.7	1.1	3.3	4.0	1.9	1.4	1.4	0.9		1.1	3.2	3.7	1.5
56 Parasitic diseases..... {M..	0.2	0.1	0.2	0.2	0.3		0.7	0.7	0.3		0.4	0.1	0.1	
57 {F..	0.1	0.1	0.1	0.2	0.3							0.1	0.1	
58 Lead poison..... {M..	0.3	0.5	0.1	0.7	0.7	0.6						0.4	0.6	
59 {F..	0.2	0.3	0.1									0.2	0.3	
60 Other poisons..... {M..	7.5	9.1	5.3	7.9	8.9	6.2	9.9	9.9	4.8	7.1	4.4	5.5	6.4	2.7
61 {F..	4.3	5.0	3.1	4.0	4.4	3.2	4.1	4.1	2.0	1.6	2.1	3.0	2.8	3.6
62 Inanition..... {M..	18.6	21.2	15.1	10.8	12.3	8.1	10.6	10.6	12.0	17.7	10.9	36.8	40.1	26.3
63 {F..	15.3	17.0	12.8	8.4	7.8	9.5	9.5	9.5	10.5	14.5	9.6	27.7	31.2	16.5
64 General diseases—C.....	141.5	146.4	134.3	122.9	125.3	118.4	194.5	194.5	158.0	179.0	153.6	168.7	169.2	167.2
65 Males.....	144.9	152.8	133.9	131.2	137.7	119.4	217.4	217.4	158.4	196.5	151.1	171.0	173.7	162.5
66 Females.....	138.0	140.2	134.7	114.5	113.0	117.3	173.8	173.8	157.5	163.0	156.3	166.6	165.0	171.9
67 Old age..... {M..	46.8	30.5	69.2	35.4	32.5	40.8	58.3	58.3	89.2	60.2	94.7	48.3	37.7	81.1
68 {F..	59.5	45.9	79.8	44.7	40.8	52.0	52.5	52.5	99.0	80.7	103.0	72.5	62.6	104.6
69 Premature birth..... {M..	38.6	47.0	27.0	51.1	54.6	44.6	62.9	62.9	29.6	51.3	25.5	50.0	57.6	26.3
70 {F..	28.2	33.3	20.6	37.0	36.4	38.0	43.6	43.6	27.4	38.7	24.9	33.4	36.6	23.3
71 Malformation..... {M..	7.4	7.9	6.7	7.9	7.9	8.0	6.1	6.1	3.4	5.3	3.1	6.9	7.1	6.6
72 {F..	5.8	5.9	5.7	4.8	5.1	4.5	4.8	4.8	2.9	1.6	3.2	6.7	7.4	4.1
73 Debility and atro-..... {M..	46.7	60.9	27.2	29.1	34.8	18.6	84.8	84.8	33.6	72.6	26.1	59.8	63.9	47.0
74 phy..... {F..	40.7	50.5	26.0	24.7	26.7	20.9	68.8	68.8	25.9	40.4	22.7	49.9	53.7	37.8
75 Others of this group..... {M..	5.4	6.5	3.8	7.7	7.9	7.4	5.3	5.3	2.6	7.1	1.7	6.0	7.4	1.5
76 {F..	3.8	4.6	2.6	3.3	4.0	1.9	4.1	4.1	2.3	1.6	2.5	4.1	4.7	2.1

DEATH RATES FROM EACH CAUSE.

567

CAUSE PER 100,000 OF POPULATION.

MICHIGAN.			NEW HAMPSHIRE.			NEW JERSEY.			NEW YORK.			RHODE ISLAND.			VERMONT.			
Total.	Cities.	Rural.	Total.	Cities.	Rural.	Total.	Cities.	Rural.	Total.	Cities.	Rural.	Total.	Cities.	Rural.	Total.	Cities.	Rural.	
1,386.7	1,532.4	1,326.0	1,797.9	1,881.4	1,745.4	1,737.8	1,877.8	1,554.0	1,792.1	1,922.3	1,521.4	1,907.8	1,921.0	1,882.0	1,696.2	1,763.2	1,685.7	1
1,448.0	1,671.4	1,360.6	1,783.5	1,930.5	1,696.7	1,854.2	2,021.2	1,638.3	1,899.1	2,061.3	1,571.4	1,962.8	1,997.5	1,897.4	1,676.4	1,809.6	1,656.7	2
1,321.4	1,396.9	1,287.9	1,812.2	1,836.2	1,796.2	1,621.5	1,736.3	1,468.3	1,686.3	1,787.3	1,470.0	1,854.7	1,848.9	1,866.4	1,716.9	1,719.7	1,716.4	3
26.1	19.4	28.9	29.7	29.6	29.7	9.9	8.1	12.3	8.0	4.9	14.4	14.2	14.1	14.4	27.6	10.7	30.3	4
26.8	21.9	28.7	31.7	31.5	31.8	10.1	7.4	13.6	8.8	5.5	15.5	15.7	15.3	16.4	32.0	13.3	34.7	5
25.3	16.9	29.1	27.6	27.8	27.5	9.7	8.7	10.9	7.1	4.3	13.2	12.8	13.0	12.5	23.1	8.3	25.6	6
243.1	267.5	232.8	278.5	319.6	252.5	291.6	321.6	252.4	295.0	336.7	208.3	415.3	436.0	375.0	209.5	255.3	202.3	7
247.3	286.0	232.1	266.8	326.3	231.6	306.1	346.3	254.2	306.3	354.4	209.2	408.5	435.0	358.7	207.8	292.7	195.3	8
238.6	249.5	233.7	290.0	313.5	274.3	277.2	297.2	250.6	283.8	319.5	207.3	422.0	437.0	391.5	211.3	220.2	209.8	9
13.9	17.4	12.6	9.7	14.4	7.0	11.6	15.5	6.6	15.9	20.7	6.1	46.5	50.9	38.3	5.1	4.4	5.2	10
17.0	17.2	16.9	12.1	18.2	8.1	10.3	13.0	6.7	16.4	20.9	6.8	48.6	46.0	53.9	7.1	4.2	7.6	11
9.2	8.8	9.3	7.8	5.2	9.3	12.6	17.1	6.8	11.8	14.9	5.5	10.9	10.9	11.0	3.4	8.9	2.6	12
9.0	6.4	10.1	6.3	8.5	4.9	12.0	14.7	8.4	10.6	13.0	5.3	5.5	6.2	4.1	4.8	8.3	4.2	13
13.4	22.8	9.7	14.6	23.6	9.3	37.6	46.1	26.5	37.4	48.7	14.5	16.2	18.2	12.3	12.0	35.5	8.5	14
18.0	32.5	11.6	17.0	26.6	10.5	34.4	40.3	26.5	36.2	46.2	14.8	17.9	18.5	16.6	12.5	37.4	8.3	15
11.0	10.8	11.0	17.1	24.9	12.4	17.1	18.8	14.9	13.1	16.0	7.2	16.6	18.9	12.3	13.7	17.7	13.1	16
11.6	12.5	11.2	20.8	18.2	22.7	17.8	20.0	14.9	14.1	17.0	7.9	34.9	39.1	26.3	9.5		11.1	17
6.7	5.7	7.1	4.4	6.6	3.1	6.3	4.9	8.0	3.8	4.1	3.3	5.2	5.8	4.1	2.9		3.3	18
7.2	4.2	8.5	4.4	7.3	2.4	5.4	4.3	6.9	4.7	4.7	4.5	6.0	7.6	2.8	2.4		2.8	19
16.3	11.7	18.2	38.5	34.1	41.1	21.1	17.9	25.3	16.7	12.6	25.1	62.2	62.6	61.6	30.3	13.3	32.8	20
18.3	10.5	21.8	51.4	26.6	68.0	25.9	20.8	32.7	23.2	18.6	33.2	88.5	94.7	76.1	45.1	20.7	49.1	21
29.2	33.6	27.5	19.5	17.0	20.9	25.5	28.6	21.4	28.0	26.5	31.2	29.0	32.7	21.9	28.5	26.6	28.8	22
26.9	27.7	26.5	14.1	6.0	19.4	16.8	13.5	21.1	20.8	19.1	24.6	18.8	23.3	9.7	33.8	29.1	34.6	23
10.3	11.7	9.8	5.4	5.2	5.4	5.8	4.9	7.1	4.7	3.2	7.7	3.8	2.9	5.5	6.9	8.9	6.6	24
9.3	6.7	10.5	11.2	8.5	12.9	4.0	2.8	5.7	4.5	4.0	5.6	6.0	5.5	6.9	8.3		9.7	25
3.9	4.5	3.6	1.9	3.9	0.8	3.7	3.0	4.6	4.3	4.9	3.3	1.0	0.7	1.4	2.3	8.9	1.3	26
2.6	2.5	2.7	1.9	3.6	0.8	3.7	3.7	3.7	3.8	4.4	2.7	1.4	0.7	2.8	1.8		2.1	27
14.4	13.7	14.7	10.2	11.8	9.3	10.4	9.0	12.2	15.9	17.2	13.4	21.4	21.8	20.5	8.0	22.2	5.9	28
12.4	10.8	13.0	10.7	10.9	10.5	9.7	9.5	9.9	13.4	14.5	10.9	18.8	18.5	19.3	7.7	8.3	7.6	29
7.1	6.5	7.4	6.3	6.6	6.2	8.2	9.0	7.1	8.9	8.3	10.0	8.1	9.5	5.5	9.7	4.4	10.5	30
9.6	6.9	10.7	7.8	7.3	8.1	10.1	7.6	13.4	9.7	8.2	12.8	13.3	14.4	11.1	9.5	8.3	9.7	31
23.2	32.2	19.6	21.9	32.8	15.5	65.0	81.5	43.6	66.9	90.5	19.3	44.7	48.0	38.3	13.7	35.5	10.5	32
23.1	29.7	20.2	25.7	37.5	17.8	56.2	70.4	37.2	61.4	79.9	22.0	42.7	43.2	41.5	14.3	24.9	12.5	33
50.9	63.2	46.1	72.1	112.7	48.0	47.4	48.8	45.5	45.5	52.1	33.0	116.8	127.3	97.2	38.2	84.3	31.4	34
40.8	47.2	37.9	70.3	95.6	53.4	42.1	43.1	40.7	37.2	41.8	27.5	92.6	91.9	94.1	26.1	41.5	23.5	35
0.2		0.3				0.3	0.6		0.3	0.2	0.5	0.5		1.4	0.6		0.7	36
0.5	0.6	0.5				0.1	0.2		0.2	0.1	0.5							37
14.0	13.9	14.0	10.7	13.1	9.3	8.6	10.9	5.6	7.7	8.8	5.5	7.6	7.3	8.2	6.3	4.4	6.6	38
10.1	9.1	10.6	8.2	8.5	8.1	6.5	7.4	5.2	6.5	7.0	5.4	8.3	7.6	9.7	4.7	20.8	2.1	39
0.7	0.9	0.6				0.5	0.6	0.5	0.2	0.3	0.1							40
.....			0.3			0.3		0.7	0.2	0.3		0.9		2.8				41
6.4	8.8	5.5	1.9		3.1	7.2	8.1	6.1	6.9	8.1	4.4	5.2	4.4	6.9	3.4	4.4	3.3	42
3.7	4.4	3.3	3.4	3.6	3.2	5.6	6.5	4.5	4.8	5.7	2.9	5.0	5.5	4.1	4.7	4.2	4.8	43
7.1	8.2	6.6	10.7	10.5	10.8	9.3	11.9	6.1	7.7	7.4	8.2	3.8	4.4	2.7	7.4	8.9	7.2	44
11.1	9.7	11.7	15.5	16.9	14.6	9.2	10.8	7.2	8.1	6.5	11.4	1.8	2.7		11.9	8.3	12.5	45
2.7	6.5	1.1	1.0		1.5	1.4	2.3	0.2	3.3	4.5	0.8	3.8	5.1	1.4	1.1		1.3	46
2.6	6.7	0.9				1.4	1.9	0.7	2.5	3.3	0.6	3.7	4.1	2.8	0.6	4.2		47
6.7	5.1	7.4	13.1	3.9	18.6	6.5	6.8	6.1	7.0	5.4	10.1	5.2	3.6	8.2	14.3	4.4	15.7	48
4.8	4.2	5.1	9.2	9.7	8.9	5.7	6.7	4.5	5.5	4.3	7.9	7.3	7.5	6.9	6.5		7.6	49
25.4	35.0	21.4	27.7	42.1	18.6	28.5	30.2	26.3	29.6	33.7	20.8	21.0	21.2	20.6	23.6	34.3	21.9	50
30.4	42.1	25.7	34.1	55.0	21.7	34.8	37.3	31.7	37.8	44.1	25.1	27.6	29.8	23.3	28.0	44.4	25.6	51
20.1	28.0	16.6	21.3	30.3	15.4	22.2	23.2	20.8	21.4	23.7	16.4	14.7	13.0	18.0	19.0	24.9	19.0	52
6.4	11.1	4.6	3.9	6.5	2.3	8.9	10.9	6.3	13.3	17.0	5.7	15.2	14.5	16.4	5.7	17.8	4.0	53
0.4	0.5	0.4	0.5		0.8	1.8	2.4	1.0	3.5	4.7	0.9	6.0	4.1	9.7	0.6	4.1		54
0.2		0.3				0.3	0.4	0.3	0.1	0.1	0.2	0.5		1.4				55
0.3		0.4	0.5	1.2					0.1		0.1							56
.....						0.5	0.7	0.3	0.3	0.4	0.1	1.4	1.5	1.4				57
0.2	0.3	0.1							0.3	0.4	0.1				0.6		0.7	58
6.7	7.7	6.2	4.9	6.6	3.9	5.8	5.5	6.1	9.5	11.5	5.5	6.2	8.0	2.7	5.7	4.4	5.9	59
5.0	6.7	4.3	1.0		1.6	4.3	4.3	4.2	5.0	6.3	2.1	4.6	5.5	2.8	3.0		3.5	60
17.1	23.3	14.6	25.3	41.9	15.5	19.3	19.8	18.7	14.6	15.1	13.6	4.3	5.8	1.4	16.6	22.2	15.7	61
14.2	20.5	11.4	19.3	29.1	13.0	16.1	16.5	15.6	12.5	12.3	13.2	4.1	3.4	5.5	14.8	20.8	13.8	62
112.0	132.9	103.3	178.3	186.9	173.0	134.2	147.6	116.7	138.1	135.6	143.3	141.4	143.3	137.6	164.4	188.8	160.6	63
112.5	139.2	102.1	170.4	182.2	163.5	143.7	158.9	124.0	142.6	140.6	146.7	147.7	152.0	139.6	146.8	190.7	140.2	64
111.5	126.9	104.7	186.2	191.3	182.8	124.7	136.3	109.3	133.7	130.8	139.8	135.3	135.2	135.6	182.8	186.9	182.1	65
47.6	42.7	49.5	74.0	52.4	86.8	27.6	17.1	41.2	45.2	25.2	85.5	37.5	30.5	50.6	79.9	66.5	81.9	66
54.2	46.1	57.8	95.5	61.7	118.1	38.2	30.1	49.1	55.5	40.3	88.0	50.0	44.6	60.9	122.9	95.5	127.4	67
32.1	44.4	27.3	38.4	56.4	27.9	36.3	44.6	25.6	35.7	41.4	24.1	38.0	37.8	38.3	37.7	75.4	32.1	68
25.0	35.5	20.3	20.9	31.5	13.7	26.0	31.2	19.1	26.6	30.8	17.6	31.2	37.8	18.0	23.7	29.1	22.8	69
7.2	9.1	6.5	4.9	6.6	3.9	10.0	11.3	8.3	7.4	7.3	7.5	10.4	10.2	11.0	4.6	13.3	3.3	70
8.2	7.2	8.6	5.3	6.1	4.9	6.0	7.6	4.0	4.9	5.0	4.7	6.9	4.1	12.4	9.5	8.3	9.7	71
21.8	37.9	15.5	52.6	66.8	44.1	62.1												

TABLE 21.—DEATH RATES FROM EACH CAUSE

CAUSE OF DEATH.	REGISTRATION STATES.			CONNECTICUT.			DISTRICT OF CO- LUMBIA.		MAINE.			MASSACHUSETTS.		
	Total.	Cities.	Rural.	Total.	Cities.	Rural.	Total.	Cities.	Total.	Cities.	Rural.	Total.	Cities.	Rural.
1 1. General diseases—Continued.														
General diseases—D.....	293.3	318.9	256.4	277.4	287.2	259.3	437.4	437.4	315.8	343.6	310.1	311.4	314.5	301.9
2 Males.....	286.8	331.1	225.4	265.5	280.8	237.7	447.0	447.0	275.0	316.9	266.9	304.8	307.6	296.0
3 Females.....	299.7	307.1	288.6	289.3	293.6	281.4	428.7	428.7	357.5	368.0	355.2	317.8	320.9	307.7
4 Anemia.....	(M.. 4.6 F.. 7.0)	(3.9 5.8)	(5.6 8.8)	(2.6 5.1)	(3.4 4.0)	(1.2 7.0)	(6.1 4.1)	(6.1 4.1)	(6.8 9.6)	(12.4 17.8)	(5.8 7.8)	(5.6 8.3)	(5.5 7.8)	(5.7 9.7)
5 Diabetes.....	(M.. 11.2 F.. 10.0)	(10.2 9.9)	(12.5 10.2)	(16.3 10.3)	(15.7 12.2)	(17.3 7.0)	(6.1 4.8)	(6.1 4.8)	(14.3 14.2)	(10.6 12.9)	(14.9 14.5)	(11.0 11.7)	(10.4 11.1)	(12.8 13.6)
6 Rheumatism.....	(M.. 6.4 F.. 6.8)	(5.5 6.7)	(7.6 7.0)	(7.3 8.4)	(4.8 9.1)	(11.8 7.0)	(9.1 12.3)	(9.1 12.3)	(5.7 4.1)	(3.5)	(6.1 5.0)	(6.1 6.5)	(5.3 6.8)	(8.7 5.6)
7 Scrofula and tabes.....	(M.. 3.0 F.. 3.3)	(2.8 2.5)	(3.3 4.5)	(3.3 2.4)	(3.4 1.3)	(3.1 4.4)	(5.3 4.8)	(5.3 4.8)	(6.0 7.3)	(3.5 4.8)	(6.5 7.8)	(2.3 2.3)	(1.9 2.4)	(3.3 2.1)
8 Hydrocephalus.....	(M.. 13.7 F.. 11.4)	(18.5 14.6)	(7.0 6.7)	(9.0 9.0)	(9.2 9.1)	(8.7 8.9)	(18.2 10.2)	(18.2 10.2)	(10.0 12.5)	(14.2 17.8)	(9.2 11.4)	(18.2 13.6)	(21.0 15.0)	(9.6 9.2)
9 Tuberculosis, gen- eral.....	(M.. 3.8 F.. 3.3)	(3.5 3.2)	(2.7 3.4)	(1.8 1.1)	(1.0 0.3)	(3.1 2.5)	(9.1 5.4)	(9.1 5.4)	(7.1 4.9)	(7.1 4.8)	(7.1 5.0)	(5.6 5.5)	(5.8 5.3)	(5.1 6.2)
10 Consumption.....	(M.. 188.4 F.. 163.3)	(234.3 176.4)	(124.9 143.8)	(176.8 159.8)	(200.2 165.4)	(134.3 149.6)	(334.1 279.4)	(334.1 279.4)	(149.3 180.8)	(200.1 184.0)	(139.6 180.1)	(202.5 170.7)	(208.1 180.2)	(185.3 140.0)
11 Cancer.....	(M.. 44.2 F.. 79.8)	(41.7 77.2)	(47.7 83.7)	(41.0 81.2)	(37.9 81.7)	(46.4 80.5)	(46.9 94.1)	(46.9 94.1)	(62.4 105.4)	(46.1 113.0)	(65.5 103.7)	(44.2 87.6)	(40.9 82.5)	(54.4 103.9)
12 Tumor.....	(M.. 4.4 F.. 6.8)	(4.7 5.9)	(4.1 8.1)	(2.6 7.3)	(2.1 6.8)	(3.7 8.2)	(4.5 6.8)	(4.5 6.8)	(2.3 7.3)	(3.5 9.7)	(2.0 6.7)	(5.0 6.8)	(4.7 5.9)	(6.0 9.7)
13 Dropsy.....	(M.. 4.8 F.. 5.7)	(2.4 2.5)	(8.1 10.3)	(2.6 1.8)	(1.4 0.3)	(5.0 4.4)	(3.8 4.8)	(3.8 4.8)	(9.4 10.2)	(12.4 1.6)	(8.8 12.1)	(1.5 2.5)	(1.1 1.6)	(2.7 5.3)
14 Others of this group.....	(M.. 2.3 F.. 2.3)	(2.6 2.4)	(1.9 2.1)	(2.2 2.9)	(1.7 3.4)	(3.1 1.9)	(3.8 2.0)	(3.8 2.0)	(1.7 1.2)	(3.5 1.6)	(1.4 1.1)	(2.8 2.3)	(2.9 2.3)	(2.4 2.4)
15 2. Diseases of the nervous system.	214.0	208.3	222.3	215.5	209.5	226.7	282.0	282.0	263.1	384.1	238.2	219.4	210.6	247.4
16 Males.....	225.8	221.3	232.0	222.8	209.7	246.3	337.9	337.9	267.5	400.1	242.1	229.5	220.6	257.1
17 Females.....	202.3	195.7	212.2	208.3	209.2	206.6	231.8	231.8	258.6	369.6	234.1	209.8	201.2	237.7
18 Inflammation of.....	(M.. 3.4 F.. 2.6)	(2.6 1.7)	(4.6 3.9)	(2.9 2.2)	(1.4 2.0)	(5.6 2.5)	(2.3 0.7)	(2.3 0.7)	(7.7 3.2)	(7.1 6.5)	(7.8 2.5)	(3.4 1.6)	(3.2 1.3)	(3.9 2.7)
19 Meningitis.....	(M.. 40.3 F.. 32.3)	(49.1 38.2)	(28.1 23.5)	(40.1 31.9)	(41.3 36.5)	(37.7 23.5)	(35.6 28.0)	(35.6 28.0)	(41.6 37.8)	(76.1 58.1)	(35.0 33.4)	(48.0 38.2)	(52.7 40.6)	(33.2 30.4)
20 Apoplexy.....	(M.. 76.1 F.. 76.2)	(73.6 74.0)	(79.5 79.4)	(90.9 90.3)	(80.6 88.1)	(109.5 94.4)	(123.5 87.9)	(123.5 87.9)	(82.3 91.1)	(108.0 104.9)	(77.4 88.1)	(73.6 82.3)	(67.9 77.8)	(91.3 96.8)
21 Paralysis.....	(M.. 32.6 F.. 30.9)	(22.4 22.0)	(46.8 44.1)	(23.6 25.1)	(18.8 23.6)	(32.2 27.9)	(21.2 22.5)	(21.2 22.5)	(51.8 51.3)	(54.9 56.5)	(51.3 50.1)	(31.6 28.5)	(27.1 24.5)	(45.5 41.6)
22 Paralysis, general (M.. (of insane).....	(F.. 2.9 1.5)	(2.7 1.4)	(3.2 1.8)	(0.9 1.5)	(0.3 1.3)	(1.9 1.9)	(6.1 2.0)	(6.1 2.0)	(5.1 1.5)	(14.2)	(3.4 1.8)	(1.8 1.5)	(1.4 1.1)	(3.3 3.0)
23 Tetanus and tris- mus nascentium.....	(M.. 3.6 F.. 1.2)	(4.3 1.4)	(2.6 1.0)	(3.7 1.8)	(4.5 1.3)	(2.5 2.5)	(6.1 2.7)	(6.1 2.7)	(2.3 0.3)	(.....)	(2.7 0.4)	(1.9 0.3)	(2.3 0.2)	(0.6 0.9)
24 Chorea.....	(M.. 0.3 F.. 0.4)	(0.3 0.2)	(0.3 0.7)	(0.4 0.4)	(..... 0.3)	(1.2 0.6)	(1.5)	(1.5)	(..... 0.3)	(..... 1.6)	(.....)	(0.3 0.3)	(0.3 0.2)	(0.3 0.6)
25 Epilepsy.....	(M.. 5.0 F.. 4.2)	(3.7 3.5)	(6.8 5.3)	(3.7 3.7)	(2.0 3.0)	(6.8 5.1)	(6.1 6.8)	(6.1 6.8)	(4.8 2.6)	(8.9 4.8)	(4.1 2.1)	(4.8 4.7)	(4.3 3.9)	(6.6 7.1)
26 Convulsions.....	(M.. 27.4 F.. 21.7)	(32.0 24.9)	(21.0 16.8)	(24.9 19.1)	(32.8 21.6)	(10.5 14.6)	(56.0 40.9)	(56.0 40.9)	(19.1 14.0)	(23.0 17.8)	(18.3 13.1)	(28.5 21.4)	(29.9 21.7)	(24.2 20.1)
27 Mental diseases.....	(M.. 6.6 F.. 7.5)	(6.0 7.4)	(7.3 7.6)	(7.1 7.3)	(7.9 6.4)	(5.6 8.9)	(18.9 8.2)	(18.9 8.2)	(15.1 22.7)	(63.7 80.7)	(5.8 9.9)	(7.8 9.2)	(5.8 8.5)	(14.1 11.8)
28 Diseases of the.....	(M.. 18.8 F.. 15.5)	(17.1 14.0)	(21.1 17.9)	(16.3 18.1)	(12.6 17.6)	(22.9 19.0)	(53.0 21.8)	(53.0 21.8)	(27.4 22.4)	(31.8 22.6)	(26.5 22.4)	(19.3 14.3)	(18.4 14.8)	(22.1 12.7)
29 Diseases of the spi- nal column.....	(M.. 3.5 F.. 3.4)	(2.9 3.2)	(4.4 3.7)	(1.5 2.0)	(1.4 1.7)	(1.9 2.5)	(3.8 4.1)	(3.8 4.1)	(3.7 3.5)	(7.1 4.8)	(3.1 3.2)	(3.1 2.9)	(2.5 2.6)	(4.8 3.5)
30 Locomotor ataxia.....	(M.. 2.4 F.. 0.8)	(2.4 0.9)	(2.5 0.8)	(3.3 0.9)	(3.4 0.7)	(3.1 1.3)	(2.3 1.4)	(2.3 1.4)	(2.3 1.2)	(3.5 3.2)	(2.0 0.7)	(2.7 0.7)	(2.6 0.8)	(3.0 0.3)
31 Others of this class.....	(M.. 2.9 F.. 4.1)	(2.2 2.9)	(3.8 5.7)	(3.5 4.0)	(2.7 5.1)	(4.9 1.9)	(1.5 4.8)	(1.5 4.8)	(4.3 6.7)	(1.8 8.1)	(4.7 6.4)	(2.7 3.9)	(2.2 3.2)	(4.2 6.2)
32 3. Diseases of the circulatory system.	154.6	148.3	163.6	142.3	132.8	160.0	216.7	216.7	182.4	185.8	181.8	170.5	160.3	202.9
33 Males.....	161.4	150.0	177.2	139.5	121.6	172.1	237.9	237.9	201.7	226.6	196.9	177.4	160.2	230.8
34 Females.....	147.8	146.6	149.5	145.1	143.8	147.7	197.7	197.7	162.8	148.5	165.9	164.0	160.5	175.4
35 Pericarditis.....	(M.. 2.0 F.. 2.0)	(2.2 2.1)	(1.8 1.9)	(0.9 1.5)	(1.0 1.3)	(0.6 1.9)	(3.0 2.1)	(3.0 2.1)	(2.6 1.7)	(.....)	(3.0 2.1)	(2.0 1.9)	(2.1 2.0)	(2.1 1.8)
36 Diseases of the.....	(M.. 141.6 F.. 133.0)	(130.6 132.1)	(156.8 134.3)	(123.5 130.4)	(106.9 128.6)	(153.5 133.8)	(218.2 183.3)	(218.2 183.3)	(178.1 146.4)	(212.4 135.6)	(171.5 148.9)	(156.7 147.7)	(140.3 144.4)	(207.4 158.3)
37 Angina pectoris.....	(M.. 7.8 F.. 5.9)	(6.1 5.9)	(10.0 7.7)	(7.9 5.3)	(5.5 5.1)	(12.4 5.7)	(6.1 6.8)	(6.1 6.8)	(12.8 10.2)	(7.1 9.7)	(13.9 10.3)	(7.0 6.0)	(5.6 5.3)	(11.1 8.2)
38 Diseases of the ar- teries.....	(M.. 3.9 F.. 2.5)	(4.0 2.8)	(3.7 1.9)	(2.4 3.5)	(2.7 4.1)	(1.9 2.5)	(5.3)	(5.3)	(1.4 1.5)	(1.8 1.6)	(1.4 1.4)	(6.7 4.5)	(6.8 4.7)	(6.3 3.8)
39 Aneurism.....	(M.. 1.7 F.. 0.7)	(2.2 0.7)	(1.1 0.7)	(1.5 1.1)	(1.7 1.0)	(1.2 1.3)	(3.8)	(3.8)	(1.4 0.3)	(.....)	(1.7 0.4)	(1.7 0.7)	(1.9 0.6)	(0.9 0.9)
40 Embolism.....	(M.. 1.1 F.. 1.2)	(1.0 1.2)	(1.3 1.2)	(0.7 0.7)	(0.7 0.7)	(0.6 0.6)	(1.5 3.4)	(1.5 3.4)	(1.7 1.2)	(1.8)	(1.7 1.4)	(1.2 1.7)	(1.3 1.8)	(1.2 1.5)
41 Others of this class.....	(M.. 3.3 F.. 2.5)	(3.9 3.0)	(2.5 1.8)	(2.6 2.6)	(3.1 3.0)	(1.9 1.9)	(..... 2.1)	(..... 2.1)	(3.7 1.5)	(3.5 1.6)	(3.7 1.4)	(2.1 1.5)	(2.2 1.7)	(1.8 0.9)

DEATH RATES FROM EACH CAUSE.

569

PER 100,000 OF POPULATION—Continued.

MICHIGAN.			NEW HAMPSHIRE.			NEW JERSEY.			NEW YORK.			RHODE ISLAND.			VERMONT.			
Total.	Cities.	Rural.	Total.	Cities.	Rural.	Total.	Cities.	Rural.	Total.	Cities.	Rural.	Total.	Cities.	Rural.	Total.	Cities.	Rural.	
215.7	234.0	208.2	281.1	288.2	276.6	276.5	299.5	246.3	309.8	334.6	258.1	323.2	327.3	315.2	291.0	285.3	291.9	1
187.1	226.6	171.7	232.3	260.8	215.4	278.4	318.2	227.0	318.8	363.0	229.6	303.5	315.7	280.6	242.7	261.7	239.8	2
246.2	241.2	248.5	329.8	313.5	340.6	274.6	281.0	266.0	300.8	307.1	287.3	342.1	338.2	350.0	341.2	307.4	346.9	3
5.6	5.4	5.7	8.3	7.9	8.5	3.7	3.4	4.2	3.8	2.8	5.8	4.3	2.9	6.8	9.1	4.4	9.8	4
8.6	9.2	8.4	16.0	13.3	17.8	4.7	3.9	5.7	5.8	4.5	8.7	7.8	6.2	11.1	13.6	8.3	14.5	
12.5	10.0	13.5	12.2	7.9	14.7	8.4	7.9	9.0	10.8	10.4	11.6	8.5	7.3	11.0	12.6	13.3	12.5	5
7.7	8.3	7.4	14.6	10.9	17.0	8.2	8.5	7.7	10.2	10.1	10.2	10.5	6.8	18.0	10.1	8.3	10.4	
8.2	7.4	8.5	3.9	2.6	4.7	4.0	3.6	4.6	6.5	5.8	8.1	5.2	5.1	5.5	5.1	4.4	5.2	6
7.8	6.7	8.3	5.3	4.8	5.7	4.5	4.5	4.5	7.0	6.5	8.2	10.5	11.0	9.7	5.9	8.3	5.5	
3.6	4.8	3.1	5.8	7.9	4.7	2.5	2.8	2.2	2.4	2.3	2.7	5.7	5.1	6.8	3.4		3.9	7
4.9	4.4	5.2	6.3	8.5	4.8	1.6	1.7	1.5	2.9	2.1	4.7	2.8	2.7	2.7	6.5	4.2	6.9	
7.3	10.5	6.0	8.8	14.4	5.4	13.3	16.6	9.0	15.4	20.3	5.5	19.5	22.5	13.7	6.3	13.3	5.2	8
6.1	6.7	5.9	7.8	7.3	8.1	11.2	14.9	6.2	12.5	15.9	5.1	20.6	25.4	11.1	6.5	12.4	5.5	
2.5	3.4	2.1	1.5	3.9		3.0	3.9	1.7	3.1	4.1	1.1	11.9	10.2	15.0	2.3		2.6	9
3.9	3.0	4.3	2.9	3.6	2.4	2.0	1.7	2.5	2.2	2.5	1.6	10.1	9.6	11.1	3.0		3.5	
84.8	119.6	71.2	142.2	173.0	124.0	194.3	232.0	145.6	221.3	265.3	132.4	207.1	225.5	172.5	137.0	168.6	132.4	10
117.6	113.8	119.4	162.5	179.1	151.3	165.8	172.7	156.7	167.2	178.8	142.4	183.9	192.1	167.4	168.5	153.7	171.0	
47.8	51.2	46.5	39.9	31.5	44.9	37.2	35.6	39.2	43.5	42.7	45.0	37.0	34.2	42.4	55.4	53.2	55.7	11
68.9	71.3	67.7	93.6	64.2	113.3	63.6	62.4	65.2	78.8	76.9	82.7	86.7	76.8	106.5	109.2	91.4	112.2	
3.6	4.3	3.3	3.4	5.2	2.3	5.3	6.4	3.9	4.8	4.8	4.8	2.8	2.2	4.1	6.3	4.5	6.6	12
6.9	6.4	7.1	8.7	8.5	8.9	6.8	6.3	7.4	6.3	5.3	8.4	6.0	6.2	5.5	10.7	4.2	11.8	
9.4	8.3	9.9	4.4	5.2	3.9	4.0	3.4	4.9	4.9	1.8	11.1	0.5		1.4	2.9		3.3	13
11.2	9.2	12.1	9.7	8.5	10.5	4.1	2.4	6.4	5.7	2.0	13.5	1.8	0.7	4.2	4.2	12.4	2.8	
1.8	1.7	1.9	1.9	1.3	2.3	2.7	2.6	2.7	2.3	2.7	1.5	1.0	0.7	1.4	2.3		2.6	14
2.6	2.2	2.7	2.4	4.8	0.8	2.1	2.0	2.2	2.2	2.5	1.8	1.4	0.7	2.7	3.0	4.2	2.8	
177.9	193.1	171.6	258.0	258.6	257.7	254.9	261.3	246.4	203.8	189.6	233.4	191.8	173.4	227.8	232.8	214.5	235.7	15
189.8	215.2	179.8	255.1	260.8	251.8	271.8	270.4	273.7	216.1	203.2	242.2	203.3	179.7	247.8	237.5	261.7	234.0	16
165.3	171.5	162.6	260.9	256.6	263.8	237.9	252.4	218.6	191.6	176.4	224.4	180.7	167.4	207.5	227.9	170.3	237.5	17
6.6	9.4	5.6	4.9	7.9	3.1	2.7	1.9	3.7	2.4	1.5	4.1	1.4	0.7	2.7	2.3	8.9	1.3	18
5.2	4.2	5.7	4.8	7.3	3.2	3.7	3.3	4.2	1.7	0.9	3.4	1.4	1.4	1.4	5.3	4.2	5.5	
20.9	25.9	18.9	49.2	78.6	31.8	54.6	66.3	39.5	40.0	47.3	25.5	38.9	42.2	32.9	37.1	75.4	31.5	19
17.3	22.5	15.0	38.3	43.6	34.8	41.9	55.1	24.3	31.6	36.0	22.1	33.9	34.3	33.2	33.2	49.8	30.5	
49.8	54.4	48.0	86.2	60.3	101.5	77.9	78.5	77.2	79.5	74.0	90.5	86.4	72.0	113.6	91.3	57.7	96.3	20
45.0	44.7	45.1	92.1	69.0	107.6	78.1	82.3	72.6	77.7	71.6	30.8	79.8	78.9	81.6	94.4	54.0	101.1	
38.3	29.3	41.8	43.8	27.5	53.4	33.7	19.9	51.4	30.7	19.9	52.3	17.1	13.1	24.7	33.7	26.6	34.7	21
40.3	32.7	43.6	50.0	42.4	55.0	33.5	25.1	44.6	26.7	17.0	47.4	19.3	19.2	19.4	33.8	29.1	34.6	
3.4	8.8	1.2	1.0	1.3	0.8	5.5	3.8	7.8	2.4	2.2	2.8	7.1	1.5	17.8				22
1.9	2.8	1.5	1.0	2.4		2.2	1.9	2.7	1.2	1.2	1.3	2.8	0.7	6.9	0.6		0.7	
2.1	2.8	1.8	0.5		0.8	7.3	8.7	5.6	4.1	4.7	3.1	2.9	1.5	5.5	1.7	8.9	0.7	23
0.6	0.6	0.6	1.0	1.2	0.8	2.7	3.0	2.2	1.5	1.6	1.1	1.4	1.4	1.4				
0.5	0.6	0.5				0.2	0.2	0.2	0.2	0.2	0.2				0.6		0.7	24
0.8	0.5	1.0				0.4	0.4	0.5	0.3	0.1	0.8	0.4	0.7					
6.9	6.8	6.9	4.9	2.6	6.2	4.0	2.4	6.1	4.8	3.3	7.8	5.7	3.6	9.6	6.3	4.4	6.6	25
5.6	6.1	5.4	4.4	3.6	4.9	2.4	2.4	2.5	4.1	3.1	6.3	4.6	0.7	12.4	4.2	12.4	2.8	
25.8	39.6	20.4	28.2	48.5	16.3	51.7	60.1	40.9	22.1	24.7	16.9	13.8	18.2	5.5	25.1	35.5	23.6	26
21.0	32.5	15.9	22.3	35.1	13.8	42.3	52.7	28.3	18.1	19.7	14.9	7.8	7.5	8.3	13.7	12.4	13.8	
5.8	7.7	5.0	9.7	6.6	11.6	4.7	1.7	8.5	5.5	4.7	7.2	4.8	2.2	9.6	5.7	13.3	4.6	27
4.5	4.2	4.7	9.2	12.1	7.3	6.6	3.3	10.9	6.7	6.8	6.6	5.5	3.4	9.7	5.3	4.2	5.5	
19.0	19.9	18.7	19.9	22.3	13.6	19.8	17.7	22.6	16.3	14.0	20.9	17.1	15.3	20.5	21.7	26.6	21.0	28
13.7	11.6	14.6	24.2	24.2	24.3	17.3	16.0	19.1	14.2	12.2	18.5	16.0	13.7	20.7	20.2	4.2	22.9	
4.7	3.7	5.1	2.4	2.6	2.3	4.9	4.1	5.8	3.2	2.6	4.3	2.4	3.6		4.6		5.2	29
3.8	3.3	4.1	5.3	9.7	2.4	3.1	3.9	2.0	3.6	3.2	4.4	2.8	2.1	4.2	4.7		5.5	
2.2	2.0	2.3	1.0	1.3	0.8	2.9	3.0	2.7	2.3	2.1	2.7	3.3	3.6	2.7	2.3		2.6	30
0.8	1.4	0.5	1.5	2.4	0.8	0.5	0.2	1.0	0.8	0.8	0.8	0.9	0.7	1.4	1.8		2.1	
3.8	4.3	3.6	3.4	1.3	4.6	1.9	2.1	1.7	2.6	2.0	3.9	2.4	2.2	2.7	5.1	4.4	5.2	31
4.8	4.4	4.9	6.8	3.6	8.9	3.2	2.8	3.7	3.4	2.2	6.0	4.1	2.7	6.9	10.7		12.5	
129.0	125.2	130.6	194.1	165.5	212.1	149.2	140.7	160.4	150.6	144.6	163.1	152.1	145.5	165.1	198.5	158.7	204.7	32
144.8	140.0	146.6	211.3	180.9	229.3	152.2	142.0	165.3	154.7	145.1	174.0	152.5	143.3	169.8	214.1	155.2	222.8	33
112.3	110.7	113.0	177.0	151.3	194.2	146.3	139.5	155.4	146.5	144.1	151.9	151.8	147.5	160.5	182.2	162.0	185.5	34
2.0	2.0	2.0	1.9	1.3	2.3	1.3	1.5	1.0	2.3	2.7	1.4	1.9	2.9		3.4		3.9	35
1.7	0.8	2.1	0.5	1.2		2.1	2.6	1.5	2.4	2.4	2.4	1.8	2.7		0.6	4.2		
125.0	117.3	128.0	191.9	167.8	206.1	134.3	124.9	146.6	134.9	124.9	155.2	132.0	123.7	147.9	186.7	142.0	193.3	36
100.6	100.5	100.7	166.8	145.3	181.3	133.1	126.7	141.8	131.1	129.3	134.9	134.4	130.3	142.5	164.9	137.1	169.6	
9.2	9.7	9.0	11.7	5.3	15.5	7.5	8.1	6.5	6.8									

TABLE 21.—DEATH RATES FROM EACH CAUSE

CAUSE OF DEATH.	REGISTRATION STATES.			CONNECTICUT.			DISTRICT OF COLUMBIA.		MAINE.			MASSACHUSETTS.		
	Total.	Cities.	Rural.	Total.	Cities.	Rural.	Total.	Cities.	Total.	Cities.	Rural.	Total.	Cities.	Rural.
1 4. Diseases of the respiratory system.....	279.3	335.1	199.0	243.5	260.2	212.6	287.0	287.0	230.9	267.6	223.4	270.8	282.8	232.7
2 Males.....	290.9	356.6	200.0	248.5	272.3	205.5	293.9	293.9	227.9	288.6	216.3	279.9	294.5	234.7
3 Females.....	267.8	314.4	198.0	238.5	248.4	219.9	280.8	280.8	234.1	248.5	230.9	262.1	271.8	230.6
4 Croup.....	(M.. 9.3 F.. 7.9)	(M.. 10.6 F.. 8.7)	(M.. 7.4 F.. 6.8)	(M.. 7.5 F.. 8.6)	(M.. 7.5 F.. 8.8)	(M.. 7.4 F.. 8.2)	(M.. 6.8 F.. 5.5)	(M.. 6.8 F.. 5.5)	(M.. 8.3 F.. 10.5)	(M.. 8.9 F.. 6.5)	(M.. 8.2 F.. 11.4)	(M.. 7.9 F.. 6.7)	(M.. 8.6 F.. 6.5)	(M.. 5.7 F.. 7.1)
5 Pneumonia.....	(M.. 203.9 F.. 182.7)	(M.. 252.4 F.. 214.6)	(M.. 136.9 F.. 134.8)	(M.. 165.3 F.. 158.1)	(M.. 183.1 F.. 168.7)	(M.. 133.1 F.. 138.2)	(M.. 193.2 F.. 179.3)	(M.. 193.2 F.. 179.3)	(M.. 165.2 F.. 162.7)	(M.. 221.3 F.. 188.8)	(M.. 154.5 F.. 157.0)	(M.. 195.7 F.. 180.3)	(M.. 205.5 F.. 186.7)	(M.. 165.5 F.. 159.4)
6 Laryngitis.....	(M.. 2.4 F.. 2.0)	(M.. 2.7 F.. 2.3)	(M.. 1.9 F.. 1.7)	(M.. 2.0 F.. 2.4)	(M.. 1.7 F.. 2.7)	(M.. 2.5 F.. 1.9)	(M.. 1.5 F.. 2.0)	(M.. 1.5 F.. 2.0)	(M.. 0.9 F.. 1.7)	(M.. 1.8 F.. 3.2)	(M.. 0.7 F.. 1.4)	(M.. 2.3 F.. 1.5)	(M.. 2.3 F.. 1.6)	(M.. 2.1 F.. 1.2)
7 Bronchitis.....	(M.. 48.1 F.. 51.2)	(M.. 60.2 F.. 62.6)	(M.. 31.3 F.. 34.2)	(M.. 50.4 F.. 47.3)	(M.. 54.3 F.. 46.2)	(M.. 43.3 F.. 49.5)	(M.. 46.9 F.. 53.8)	(M.. 46.9 F.. 53.8)	(M.. 31.3 F.. 34.4)	(M.. 33.6 F.. 24.2)	(M.. 30.9 F.. 36.6)	(M.. 49.2 F.. 52.2)	(M.. 53.0 F.. 55.3)	(M.. 37.4 F.. 42.2)
8 Pleurisy.....	(M.. 5.3 F.. 4.3)	(M.. 6.5 F.. 5.2)	(M.. 3.7 F.. 2.8)	(M.. 5.5 F.. 5.3)	(M.. 5.8 F.. 5.8)	(M.. 5.0 F.. 4.4)	(M.. 7.6 F.. 5.5)	(M.. 7.6 F.. 5.5)	(M.. 3.1 F.. 4.7)	(M.. 5.3 F.. 8.1)	(M.. 2.7 F.. 3.9)	(M.. 5.8 F.. 3.4)	(M.. 5.9 F.. 3.9)	(M.. 5.4 F.. 1.8)
9 Asthma.....	(M.. 2.6 F.. 2.7)	(M.. 2.6 F.. 2.7)	(M.. 2.7 F.. 2.6)	(M.. 4.4 F.. 4.0)	(M.. 5.2 F.. 4.7)	(M.. 3.1 F.. 2.5)	(M.. 1.5 F.. 2.0)	(M.. 1.5 F.. 2.0)	(M.. 3.1 F.. 2.6)	(M.. F.. 1.6)	(M.. 3.7 F.. 2.8)	(M.. 2.7 F.. 1.5)	(M.. 2.7 F.. 1.4)	(M.. 2.7 F.. 2.1)
10 Others of this class.....	(M.. 19.3 F.. 17.0)	(M.. 21.6 F.. 18.3)	(M.. 16.1 F.. 15.1)	(M.. 13.4 F.. 12.8)	(M.. 14.7 F.. 11.5)	(M.. 11.1 F.. 15.2)	(M.. 36.4 F.. 32.7)	(M.. 36.4 F.. 32.7)	(M.. 16.0 F.. 17.5)	(M.. 17.7 F.. 16.1)	(M.. 15.6 F.. 17.8)	(M.. 16.3 F.. 16.5)	(M.. 16.5 F.. 16.4)	(M.. 15.9 F.. 16.8)
11 5. Diseases of the digestive system.....	93.0	94.6	90.6	89.9	92.9	84.5	118.4	118.4	84.7	87.0	84.2	82.2	81.7	83.6
12 Males.....	93.4	96.0	89.9	87.2	90.9	80.5	124.2	124.2	80.1	99.2	76.4	82.7	82.1	84.7
13 Females.....	92.5	93.2	91.3	92.7	94.8	88.7	113.1	113.1	89.4	75.8	92.4	81.6	81.4	82.4
14 Dentition.....	(M.. 2.0 F.. 2.1)	(M.. 2.9 F.. 2.8)	(M.. 0.7 F.. 0.9)	(M.. 2.2 F.. 2.6)	(M.. 2.7 F.. 3.4)	(M.. 1.2 F.. 1.3)	(M.. 6.1 F.. 11.6)	(M.. 6.1 F.. 11.6)	(M.. 0.6 F..)	(M.. 1.8 F..)	(M.. 0.3 F..)	(M.. 1.8 F.. 1.0)	(M.. 1.7 F.. 0.9)	(M.. 2.1 F.. 1.2)
15 Angina.....	(M.. 1.3 F.. 1.1)	(M.. 0.9 F.. 0.9)	(M.. 1.8 F.. 1.5)	(M.. 2.0 F.. 2.0)	(M.. 1.4 F.. 2.0)	(M.. 3.1 F.. 1.9)	(M.. F.. 0.7)	(M.. F.. 0.7)	(M.. 0.9 F.. 1.5)	(M.. F.. 3.2)	(M.. 1.0 F.. 1.1)	(M.. 1.3 F.. 1.3)	(M.. 0.9 F.. 0.9)	(M.. 2.4 F.. 2.4)
16 Gastritis.....	(M.. 12.7 F.. 15.3)	(M.. 12.0 F.. 15.0)	(M.. 13.6 F.. 15.9)	(M.. 12.8 F.. 20.3)	(M.. 13.3 F.. 20.9)	(M.. 11.8 F.. 19.0)	(M.. 18.9 F.. 20.4)	(M.. 18.9 F.. 20.4)	(M.. 10.5 F.. 15.1)	(M.. 10.6 F.. 9.7)	(M.. 10.5 F.. 16.4)	(M.. 10.0 F.. 10.7)	(M.. 9.7 F.. 11.3)	(M.. 11.1 F.. 8.9)
17 Diseases of the stomach.....	(M.. 5.5 F.. 4.8)	(M.. 5.1 F.. 4.2)	(M.. 6.1 F.. 5.7)	(M.. 4.9 F.. 5.1)	(M.. 5.5 F.. 4.4)	(M.. 3.7 F.. 6.3)	(M.. 9.8 F.. 8.2)	(M.. 9.8 F.. 8.2)	(M.. 6.8 F.. 4.4)	(M.. 8.9 F.. 3.2)	(M.. 6.5 F.. 4.6)	(M.. 4.3 F.. 5.1)	(M.. 3.9 F.. 4.5)	(M.. 5.7 F.. 7.4)
18 Obstruction of the bowels.....	(M.. 7.6 F.. 8.1)	(M.. 7.8 F.. 8.6)	(M.. 7.3 F.. 7.3)	(M.. 7.7 F.. 8.6)	(M.. 9.6 F.. 8.1)	(M.. 4.3 F.. 9.5)	(M.. 7.6 F.. 11.6)	(M.. 7.6 F.. 11.6)	(M.. 7.7 F.. 7.3)	(M.. 8.9 F.. 4.9)	(M.. 7.5 F.. 7.8)	(M.. 7.4 F.. 7.8)	(M.. 7.1 F.. 7.8)	(M.. 8.4 F.. 7.7)
19 Appendicitis.....	(M.. 11.1 F.. 6.9)	(M.. 12.4 F.. 7.5)	(M.. 9.4 F.. 5.9)	(M.. 7.9 F.. 6.6)	(M.. 7.9 F.. 8.5)	(M.. 8.1 F.. 3.2)	(M.. 12.1 F.. 6.1)	(M.. 12.1 F.. 6.1)	(M.. 5.7 F.. 7.3)	(M.. 12.4 F.. 4.9)	(M.. 4.4 F.. 7.8)	(M.. 12.2 F.. 4.3)	(M.. 13.0 F.. 4.5)	(M.. 9.9 F.. 3.8)
20 Hernia.....	(M.. 4.1 F.. 3.5)	(M.. 4.1 F.. 3.6)	(M.. 4.0 F.. 3.3)	(M.. 4.2 F.. 2.4)	(M.. 4.1 F.. 2.7)	(M.. 4.3 F.. 1.9)	(M.. 6.1 F.. 1.4)	(M.. 6.1 F.. 1.4)	(M.. 3.7 F.. 3.5)	(M.. 1.8 F.. 3.2)	(M.. 4.1 F.. 3.6)	(M.. 2.9 F.. 3.6)	(M.. 2.9 F.. 3.8)	(M.. 3.0 F.. 2.9)
21 Other diseases of the bowels.....	(M.. 2.4 F.. 2.1)	(M.. 1.9 F.. 1.8)	(M.. 3.1 F.. 2.6)	(M.. 1.5 F.. 0.4)	(M.. 2.0 F.. 0.3)	(M.. 0.6 F.. 0.6)	(M.. 0.8 F.. 1.4)	(M.. 0.8 F.. 1.4)	(M.. 3.7 F.. 1.2)	(M.. 3.5 F.. 1.6)	(M.. 3.8 F.. 1.1)	(M.. 1.8 F.. 2.3)	(M.. 1.7 F.. 2.3)	(M.. 2.1 F.. 2.4)
22 Jaundice.....	(M.. 3.3 F.. 2.9)	(M.. 3.2 F.. 2.5)	(M.. 3.6 F.. 3.4)	(M.. 1.5 F.. 1.5)	(M.. 1.4 F.. 1.0)	(M.. 1.9 F.. 2.6)	(M.. 6.8 F.. 2.0)	(M.. 6.8 F.. 2.0)	(M.. 3.7 F.. 3.2)	(M.. 5.3 F.. 3.2)	(M.. 3.4 F.. 3.2)	(M.. 2.8 F.. 2.4)	(M.. 2.9 F.. 2.2)	(M.. 2.4 F.. 2.9)
23 Inflammation and abscess of the liver.....	(M.. 3.8 F.. 4.0)	(M.. 4.2 F.. 3.7)	(M.. 3.3 F.. 4.3)	(M.. 6.2 F.. 3.7)	(M.. 7.9 F.. 2.4)	(M.. 3.1 F.. 6.3)	(M.. 9.1 F.. 4.1)	(M.. 9.1 F.. 4.1)	(M.. 5.1 F.. 5.2)	(M.. 8.9 F.. 8.1)	(M.. 4.4 F.. 4.6)	(M.. 3.0 F.. 3.0)	(M.. 3.1 F.. 2.4)	(M.. 2.7 F.. 4.7)
24 Other diseases of the liver.....	(M.. 17.9 F.. 11.4)	(M.. 19.8 F.. 11.9)	(M.. 15.4 F.. 10.7)	(M.. 17.8 F.. 10.4)	(M.. 17.7 F.. 12.8)	(M.. 18.0 F.. 5.7)	(M.. 21.2 F.. 6.8)	(M.. 21.2 F.. 6.8)	(M.. 14.0 F.. 8.1)	(M.. 14.1 F.. 3.2)	(M.. 13.9 F.. 9.2)	(M.. 14.1 F.. 10.1)	(M.. 14.5 F.. 9.2)	(M.. 12.5 F.. 13.3)
25 Peritonitis.....	(M.. 11.6 F.. 19.9)	(M.. 11.8 F.. 20.7)	(M.. 11.3 F.. 18.7)	(M.. 9.3 F.. 15.9)	(M.. 8.5 F.. 15.5)	(M.. 10.5 F.. 16.5)	(M.. 11.3 F.. 23.8)	(M.. 11.3 F.. 23.8)	(M.. 10.0 F.. 22.6)	(M.. 15.9 F.. 20.6)	(M.. 8.8 F.. 20.6)	(M.. 12.4 F.. 20.9)	(M.. 12.5 F.. 22.1)	(M.. 11.9 F.. 17.1)
26 Ascites.....	(M.. 0.4 F.. 0.6)	(M.. 0.2 F.. 0.5)	(M.. 0.7 F.. 0.9)	(M.. 0.2 F.. 0.9)	(M.. F.. 1.0)	(M.. 0.6 F.. 0.6)	(M.. 0.8 F.. 0.7)	(M.. 0.8 F.. 0.7)	(M.. 0.3 F.. 2.3)	(M.. F.. 3.2)	(M.. 0.3 F.. 2.1)	(M.. 0.4 F.. 1.0)	(M.. 0.2 F.. 0.9)	(M.. 1.2 F.. 1.5)
27 Others of this class.....	(M.. 9.7 F.. 9.8)	(M.. 9.7 F.. 9.5)	(M.. 9.6 F.. 10.2)	(M.. 9.0 F.. 12.3)	(M.. 8.9 F.. 11.8)	(M.. 9.3 F.. 13.3)	(M.. 13.6 F.. 14.3)	(M.. 13.6 F.. 14.3)	(M.. 7.4 F.. 9.3)	(M.. 7.1 F.. 4.8)	(M.. 7.5 F.. 10.3)	(M.. 8.3 F.. 8.1)	(M.. 8.0 F.. 8.6)	(M.. 9.3 F.. 6.2)
28 6. Diseases of the urinary system and male organs of generation.....	104.8	117.2	87.0	108.4	106.6	111.8	124.9	124.9	101.4	119.0	97.7	85.6	82.8	94.4
29 Males.....	120.9	131.4	106.5	126.8	118.9	141.1	153.0	153.0	124.5	127.5	123.9	101.6	96.5	117.3
30 Females.....	88.8	103.6	66.6	90.1	94.5	81.8	99.5	99.5	77.7	111.4	70.3	70.4	70.0	71.8
31 Bright's disease.....	(M.. 89.0 F.. 74.0)	(M.. 102.8 F.. 88.2)	(M.. 69.9 F.. 52.7)	(M.. 92.7 F.. 76.2)	(M.. 88.5 F.. 79.3)	(M.. 100.2 F.. 70.4)	(M.. 121.2 F.. 78.4)	(M.. 121.2 F.. 78.4)	(M.. 80.9 F.. 58.8)	(M.. 77.9 F.. 79.1)	(M.. 81.5 F.. 54.3)	(M.. 69.2 F.. 56.3)	(M.. 65.6 F.. 55.9)	(M.. 80.2 F.. 57.3)
32 Calculus, urinary.....	(M.. 0.7 F.. 0.3)	(M.. 0.6 F.. 0.3)	(M.. 0.7 F.. 0.2)	(M.. 0.2 F.. 0.4)	(M.. 0.3 F.. 0.7)	(M.. F..)	(M.. 0.7 F.. 1.4)	(M.. 0.7 F.. 1.4)	(M.. 1.1 F.. 0.3)	(M.. 1.8 F..)	(M.. 1.0 F.. 0.4)	(M.. 0.5 F.. 0.1)	(M.. 0.7 F.. 0.1)	(M.. F..)
33 Diseases of the kidney.....	(M.. 7.8 F.. 5.2)	(M.. 8.2 F.. 5.4)	(M.. 7.4 F.. 4.8)	(M.. 8.8 F.. 6.2)	(M.. 8.9 F.. 7.4)	(M.. 8.7 F.. 3.8)	(M.. 8.3 F.. 8.8)	(M.. 8.3 F.. 8.8)	(M.. 9.4 F.. 3.8)	(M.. 8.8 F..)	(M.. 9.5 F.. 4.6)	(M.. 6.4 F.. 4.4)	(M.. 6.3 F.. 4.4)	(M.. 6.6 F.. 4.7)
34 Diseases of the bladder.....	(M.. 10.2 F.. 1.3)	(M.. 8.0 F.. 1.2)	(M.. 13.3 F.. 1.5)	(M.. 14.5 F.. 2.7)	(M.. 12.3 F.. 2.0)	(M.. 18.6 F.. 3.8)	(M.. 11.4 F.. 2.7)	(M.. 11.4 F.. 2.7)	(M.. 13.7 F.. 2.0)	(M.. 14.2 F.. 3.2)	(M.. 13.6 F.. 1.8)	(M.. 11.9 F.. 1.2)	(M.. 10.2 F.. 1.2)	(M.. 17.3 F.. 1.2)
35 Others of this class.....	(M.. 13.2 F.. 8.0)	(M.. 11.8 F.. 8.5)	(M.. 15.2 F.. 7.4)	(M.. 10.6 F.. 4.6)	(M.. 8.9 F.. 5.1)	(M.. 13.6 F.. 3.8)	(M.. 11.4 F.. 8.2)	(M.. 11.4 F.. 8.2)	(M.. 19.4 F.. 12.8)	(M.. 24.8 F.. 29.1)	(M.. 18.3 F.. 9.2)	(M.. 13.6 F.. 8.4)	(M.. 13.7 F.. 8.4)	(M.. 13.2 F.. 8.6)
36 7. Diseases of the female organs of generation.....	11.7	13.7	8.7	11.0	12.8	7.6	26.6	26.6	9.0	14.5	7.8	9.7	10.7	6.2
37 Ovarian tumors.....	2.1	2.1	2.0	2.4	2.4	2.5	4.8	4.8	2.6	1.6	2.8	1.5	1.7	0.6
38 Ovarian diseases.....	0.6	0.8	0.3	0.2	0.3		1.4	1.4	0.6	1.6	0.4	0.3	0.4	0.3
39 Diseases of the tubes.....	1.8	2.7	0.4	0.2	0.3		6.8	6.8				2.3	2.9	0.3
40 Uterine tumors.....	3.2	3.7	2.6	3.3	4.1	1.9	5.4	5.4	2.3	3.2	2.1	2.8	2.6	3.5
41 Uterine diseases.....	0.8	0.9	0.7	1.1	1.3	0.7	0.7	0.7	0.9		1.1	0.6	0.6	0.3
42 Others of this class.....	3.2	3.5	2.7	3.8	4.4	2.5	7.5	7.5	2.6	8.1	1.4	2.2	2.5	1.2

DEATH RATES FROM EACH CAUSE.

571

PER 100,000 OF POPULATION—Continued.

MICHIGAN.			NEW HAMPSHIRE.			NEW JERSEY.			NEW YORK.			RHODE ISLAND.			VERMONT.			
Total.	Cities.	Rural.	Total.	Cities.	Rural.	Total.	Cities.	Rural.	Total.	Cities.	Rural.	Total.	Cities.	Rural.	Total.	Cities.	Rural.	
172.7	218.1	153.7	300.3	348.6	269.9	285.7	337.5	217.6	323.5	388.5	188.3	310.8	315.7	301.4	253.5	313.2	244.1	1
182.3	237.7	160.7	296.5	347.3	266.5	304.1	365.1	225.2	340.2	415.7	187.7	324.4	335.3	303.9	249.0	306.0	240.5	2
162.4	199.0	146.1	304.1	349.8	273.5	267.2	310.2	209.9	307.0	362.0	189.1	297.7	297.0	298.8	258.2	319.9	247.9	3
7.5	12.0	5.8	9.7	14.4	7.0	14.1	17.1	10.2	9.3	10.3	7.4	14.2	12.4	17.8	6.3	8.9	5.9	4
5.7	8.6	4.4	10.7	16.9	6.5	11.5	13.4	8.9	7.7	8.7	5.6	11.0	8.2	16.6	5.9		6.9	
117.6	158.0	101.8	207.4	234.6	191.4	208.7	249.9	155.6	244.7	301.5	129.8	217.6	225.5	202.6	181.6	208.5	177.6	5
100.5	114.6	94.2	216.8	238.5	202.3	180.7	208.2	144.0	212.3	251.1	129.3	202.3	196.9	213.1	185.8	220.1	180.0	
1.5	0.6	1.9	3.4	2.6	3.9	2.7	2.8	2.4	2.8	3.2	1.8	4.3	4.4	4.1	0.6		0.6	6
1.6	1.9	1.5	3.4	6.1	1.6	3.0	3.2	2.7	1.9	2.2	1.5	3.2	2.7	4.1	2.4	4.2	2.1	
34.4	46.1	29.8	49.7	62.9	41.8	45.9	54.4	34.8	53.4	67.5	25.1	70.3	78.5	54.7	37.1	57.6	34.1	7
34.6	51.1	27.2	53.8	67.8	44.5	47.6	57.0	35.2	58.6	71.4	31.1	63.3	70.0	49.8	43.9	74.8	38.8	
2.5	3.1	2.2	6.8	7.9	6.2	6.5	8.5	3.9	6.0	7.1	3.7	5.7	3.6	9.6	2.9		3.3	8
3.2	3.6	3.0	2.4	2.4	2.4	3.9	5.2	2.3	5.2	6.2	2.9	1.8	2.7		3.6	4.2	3.5	
4.4	5.1	4.1	1.0		1.5	1.7	1.7	1.7	2.2	2.2	2.1	2.8	3.6	1.4	1.7		2.0	9
4.4	6.4	3.6	3.4	1.2	4.9	2.0	2.2	1.7	2.5	2.7	2.1	3.2	4.1	1.4	3.0		3.5	
14.4	12.8	15.1	18.5	24.9	14.7	24.5	30.7	16.6	21.8	23.9	17.8	9.5	7.3	13.7	18.8	31.0	17.0	10
12.4	12.8	12.2	13.6	16.9	11.3	18.5	21.0	15.1	18.8	19.7	16.6	12.9	12.4	13.8	13.6	16.6	13.1	
100.5	106.0	98.2	81.2	96.3	71.6	89.4	94.6	82.7	96.1	97.1	94.1	92.4	101.0	75.7	100.1	105.1	99.3	11
104.1	113.0	100.6	77.9	98.3	65.9	87.0	94.3	77.4	96.9	98.1	94.4	99.3	109.8	79.4	96.5	84.3	98.3	12
96.6	99.1	95.5	84.4	94.4	77.7	91.9	94.9	88.0	95.3	96.0	93.7	85.8	92.6	71.9	103.9	124.6	100.4	13
1.0	2.3	0.4	3.9	6.6	2.3	1.2	1.3	1.0	2.6	3.7	0.4	1.0	1.4					14
0.8	1.1	0.6	3.4	8.5		2.0	1.5	2.7	2.7	3.5	0.9	2.3	3.4					
1.5	1.4	1.6	1.0	1.3	0.8	1.5	0.7	2.4	1.2	1.0	1.7	0.5		1.4	1.7		2.0	15
0.9	0.3	1.2	1.0		1.6	1.4	0.7	2.2	1.0	0.9	1.4	0.5	0.7					
12.7	13.4	12.5	9.7	5.2	12.4	16.5	14.5	19.0	13.0	12.3	14.3	7.6	6.5	9.6	17.1	13.3	17.7	16
15.4	14.2	15.9	18.9	21.8	17.0	17.1	17.3	16.9	15.8	15.4	16.6	11.9	9.6	16.6	18.4	12.5	19.4	
7.2	7.1	7.2	6.3	5.2	7.0	4.2	4.9	3.4	5.6	4.8	7.2	3.8	5.8		4.0	4.4	4.0	17
5.6	5.0	5.9	6.8	7.3	6.5	3.2	2.6	4.0	4.4	3.9	5.4	4.1	4.8	2.8	9.5	8.3	9.7	
9.6	10.8	9.1	5.8	9.2	3.9	5.7	7.9	2.9	7.7	7.4	8.4	6.2	8.0	2.7	6.3	13.3	5.2	18
5.5	5.8	5.3	7.8	4.8	9.7	8.7	9.7	7.4	8.7	9.1	7.7	7.8	8.9	5.5	10.6	20.8	9.0	
12.0	12.5	11.8	5.4	6.6	4.6	6.9	8.5	4.9	12.5	13.8	9.8	12.3	11.6	13.7	15.4	13.3	15.7	19
7.8	8.9	7.4	4.8	4.8	4.9	6.8	5.9	8.0	7.7	9.2	4.6	4.1	5.5	1.4	8.9	8.3	9.0	
3.8	4.0	3.7	4.4	5.2	3.9	4.8	4.9	4.6	4.3	4.3	4.2	4.7	5.1	4.1	4.6		5.2	20
2.3	1.4	2.7	1.9	2.4	1.6	3.7	3.3	4.2	4.0	4.3	3.5	5.1	3.4	5.3	3.6		4.1	
3.8	2.8	4.2	2.9	2.6	3.1	2.5	2.6	2.4	2.1	1.7	3.1	2.9	2.2	4.1	1.2		1.3	21
3.0	1.9	3.4	0.5		0.8	2.7	3.3	1.7	2.0	1.5	3.1	1.8	1.4	2.8	3.6	4.1	3.5	
4.0	4.3	3.9	1.5	1.3	1.5	4.1	5.3	2.7	3.1	2.6	3.8	5.7	4.4	8.2	5.1		5.9	22
4.0	2.5	4.7	1.5	1.2	1.6	2.4	2.6	2.2	2.9	2.7	3.2	5.5	4.1	8.3	3.6	4.1	3.5	
5.1	6.5	4.5	5.4	9.2	3.1	1.7	1.7	1.7	3.6	3.8	3.2	4.7	7.3		2.3		2.6	23
5.1	3.6	5.8	4.4	6.1	3.2	2.7	3.0	2.2	4.3	4.6	3.6	2.3	1.4	4.1	3.6	4.1	3.5	
17.1	16.5	17.4	13.6	14.4	13.2	18.1	20.7	14.6	20.5	23.1	15.3	17.1	15.3	20.5	13.1	8.9	13.8	24
11.1	10.0	11.6	5.3	6.1	4.9	11.8	13.0	10.2	13.1	13.7	11.8	10.6	13.0	5.5	8.9	12.5	8.3	
10.7	13.1	9.7	10.2	17.1	6.2	13.5	16.0	10.2	11.6	10.7	13.4	6.2	7.3	4.1	19.4	31.1	17.7	25
21.9	31.7	17.5	22.3	30.2	17.0	22.0	24.7	18.6	18.9	18.3	20.4	8.7	6.9	12.5	22.5	37.4	20.0	
0.7	0.6	0.8	0.5	1.3		0.4	0.2	0.8	0.3	0.1	0.8				1.2		1.4	26
0.9	0.8	1.0	1.0	1.2	0.8	0.3	0.4	0.3	0.3	0.1	0.6							
14.9	17.7	13.8	7.3	13.1	3.9	5.9	5.1	6.8	8.8	8.8	8.8	26.6	34.9	11.0	6.3		7.2	27
12.3	11.9	12.5	4.8		8.1	7.1	6.9	7.4	9.5	8.8	10.9	21.1	29.5	4.1	9.5	12.5	9.0	
65.0	69.8	62.9	77.0	66.7	83.5	104.2	114.9	90.1	125.7	141.9	91.9	129.7	124.6	139.7	89.6	85.8	90.2	28
81.8	91.7	78.0	91.5	73.4	102.3	119.0	127.5	108.1	141.0	154.9	112.9	148.2	147.7	149.2	103.9	71.0	108.8	29
47.0	48.6	46.3	62.5	60.5	63.9	89.4	102.5	71.9	110.4	129.2	70.2	111.9	102.9	130.1	74.8	99.7	70.6	30
50.9	62.9	46.2	58.4	45.8	65.9	90.0	99.3	78.2	110.0	128.3	72.9	113.0	112.0	115.0	66.2	53.3	68.2	31
35.6	38.9	34.2	54.8	50.9	57.5	72.7	83.8	58.0	95.0	113.5	55.3	99.5	94.0	110.7	55.8	70.6	53.3	
1.2	0.9	1.3				0.3	0.4	0.2	0.6	0.5	0.8	1.9	2.9					32
0.7	1.4	0.4				0.4	0.5	0.2	0.2	0.2	0.1	0.5		1.4				
7.5	7.4	7.6	7.3	9.2	6.2	8.1	9.4	6.3	8.2	8.6	7.5	10.0	10.2	9.6	5.7	4.4	5.9	33
4.8	2.8	5.7	2.4	4.8	0.8	5.3	5.4	5.2	5.5	6.1	4.4	5.0	2.1	11.1	4.1	4.2	4.1	
10.1	9.7	10.3	14.6	9.2	17.8	7.3	6.2	8.8	9.0	6.2	14.6	10.0	10.9	8.2	15.4	8.9	16.4	34
1.3	1.1	1.3	1.0		1.6	1.2	1.5	0.8	1.0	0.8	1.6	1.9	2.7		2.4		2.8	
12.1	10.8	12.6	11.2	9.2	12.4	13.3	12.2	14.6	13.2	11.3	17.1	13.3	11.7	16.4	16.6	4.4	18.3	35
4.6	4.4	4.7	4.3	4.8	4.0	9.8	11.3	7.7	8.7	8.6	8.8	5.0	4.1	6.9	12.5	24.9	10.4	
14.0	17.8	12.3	7.3	7.3	7.3	6.9	8.5	4.7	12.8	14.8	8.6	17.4	21.3	9.7	10.1	8.3	10.4	36
2.6	2.2	2.8	1.5	1.2	1.6	1.0	0.9	1.0	2.2	2.4	1.7	2.3	2.7	1.3	3.0		3.5	37
0.5	0.5	0.5				0.1	0.2		0.9	1.1	0.3	0.5	0.7		0.6		0.7	38
1.3	2.5	0.7	0.5	1.2		1.2	1.7	0.5	2.3	3.1	0.6	1.8	2.7					39
3.5	5.6	2.6	3.9	1.2	5.7	1.4	1.5	1.2	3.6	4.1	2.5	6.9	8.3	4.2	3.0	4.2	2.7	40
1.3	1.4	1.2				0.6	0.9	0.3	0.8	0.9	0.7	0.9	1.4					41
4.8	5.6	4.5	1.4	3.7		2.6	3.3	1.7	3.0	3.2	2.8	5.0	5.5	4.2	3.5	4.1	3.5	42

VITAL STATISTICS.

TABLE 21.—DEATH RATES FROM EACH CAUSE

CAUSE OF DEATH.	REGISTRATION STATES.			CONNECTICUT.			DISTRICT OF CO- LUMBIA.		MAINE.			MASSACHUSETTS.		
	Total.	Cities.	Rural.	Total.	Cities.	Rural.	Total.	Cities.	Total.	Cities.	Rural.	Total.	Cities.	Rural.
1 8. Affections connected with pregnancy.	26.3	27.6	24.5	25.3	25.3	25.4	29.3	29.3	25.6	17.8	27.4	18.8	19.6	16.2
2 Abortion	1.3	1.6	1.1	2.0	2.0	1.9	4.8	4.8	1.4	1.6	1.4	0.9	0.9	0.9
3 Childbirth.....	6.8	6.3	7.4	4.6	4.0	5.7	8.9	8.9	9.9	3.2	11.4	5.5	5.7	4.7
4 Puerperal septicemia...	11.7	12.9	10.0	12.1	12.5	11.4	9.5	9.5	10.2	8.1	10.7	6.4	6.8	5.3
5 Extra-uterine pregnancy.	0.9	1.3	0.3	0.7	0.7	0.7	2.0	2.0				1.3	1.6	0.3
6 Others of this class	5.6	5.5	5.7	5.9	6.1	5.7	4.1	4.1	4.1	4.9	3.9	4.7	4.6	5.0
7 9. Diseases of the bones and joints.	4.0	4.1	3.7	4.4	3.9	5.3	6.1	6.1	4.3	5.1	4.2	4.1	4.2	3.7
8 Males.....	4.7	5.1	4.1	5.3	6.1	3.7	6.1	6.1	5.1	3.5	5.4	5.4	5.5	5.1
9 Females.....	3.3	3.2	3.4	3.5	1.7	7.0	6.1	6.1	3.5	6.5	2.8	2.8	2.9	2.4
10 Diseases of the spine. {M..	1.5	1.4	1.7	0.9	1.4		1.5	1.5	2.0	1.8	2.0	1.9	1.7	2.4
11 " {F..	1.2	1.0	1.4	1.1	0.4	2.5	0.7	0.7	2.0	4.9	1.4	0.7	0.7	0.6
12 Abscess, lumbar and psoas. {M..	0.3	0.3	0.3				0.8	0.8				0.4	0.5	
13 " {F..	0.2	0.1	0.3	0.7	0.3	1.3	2.0	2.0				0.1	0.1	0.3
14 Diseases of the bones. {M..	1.7	2.3	0.9	3.1	3.7	1.9	3.0	3.0	1.4		1.7	2.0	2.4	0.9
15 " {F..	1.0	1.1	0.9	0.4	0.3	0.7	0.7	0.7	1.2	1.6	1.1	0.9	1.0	0.6
16 Diseases of the hip-joint. {M..	0.6	0.6	0.6	0.4	0.3	0.6			1.4	1.7	1.4	0.4	0.4	0.6
17 " {F..	0.2	0.3	0.1				0.7	0.7	0.3		0.3	0.2	0.2	
18 Others of this class. {M..	0.6	0.5	0.6	0.9	0.7	1.2	0.8	0.8	0.3		0.3	0.7	0.5	1.2
19 " {F..	0.7	0.7	0.7	1.3	0.7	2.5	2.0	2.0				0.9	0.9	0.9
20 10. Diseases of the skin.....	3.0	3.1	2.9	3.3	3.7	2.5	3.2	3.2	3.2	4.2	3.0	3.4	3.1	4.0
21 Males.....	3.4	3.5	3.2	3.1	3.8	1.9	3.0	3.0	4.3	5.3	4.1	3.6	3.2	4.8
22 Females.....	2.7	2.8	2.5	3.5	3.7	3.2	3.4	3.4	2.0	3.2	1.8	3.1	3.1	3.2
23 Abscess..... {M..	1.8	2.0	1.5	1.8	2.4	0.6	0.7	0.7	2.8	1.8	3.1	2.2	2.2	2.1
24 " {F..	1.3	1.3	1.3	2.4	2.4	2.5	0.7	0.7	1.4	1.6	1.4	1.2	1.1	1.7
25 Carbuncle..... {M..	0.5	0.5	0.4	0.2	0.4		2.3	2.3	0.6	1.7	0.3	0.5	0.3	1.2
26 " {F..	0.2	0.2	0.1				0.7	0.7				0.3	0.4	
27 Others of this class. {M..	1.1	1.0	1.3	1.1	1.0	1.3			0.9	1.8	0.7	0.9	0.7	1.5
28 " {F..	1.2	1.3	1.1	1.1	1.3	0.7	2.0	2.0	0.6	1.6	0.4	1.6	1.6	1.5
29 11. Diseases of the absorbent system.	1.4	1.3	1.6	1.1	0.8	1.6	1.4	1.4	1.6	3.4	1.2	1.4	1.5	1.3
30 Males.....	1.4	1.3	1.6	1.1	0.7	1.9	1.5	1.5	1.1	5.3	0.3	1.5	1.6	1.2
31 Females.....	1.5	1.3	1.7	1.1	1.0	1.3	1.4	1.4	2.0	1.6	2.1	1.3	1.3	1.5
32 Addison's disease. {M..	0.4	0.5	0.5	0.2	0.3				0.8	3.5	0.3	0.6	0.8	
33 " {F..	0.5	0.4	0.6	0.7	1.0				0.3		0.3	0.4	0.3	0.6
34 Diseases of the spleen. {M..	0.2		0.3									0.1		0.3
35 " {F..	0.2	0.2	0.3	0.4		1.3			0.6		0.7	0.3	0.5	
36 Others of this class. {M..	0.8	0.8	0.8	0.9	0.4	1.9	1.5	1.5	0.3	1.8		0.8	0.8	0.9
37 " {F..	0.8	0.7	0.8				1.4	1.4	1.1	1.6	1.1	0.6	0.5	0.9
38 12. Accidents and injuries.....	83.7	84.2	83.0	95.8	90.8	104.9	92.9	92.9	80.6	114.0	73.8	74.8	73.0	80.7
39 Males.....	125.4	127.2	122.9	134.7	129.5	144.2	135.6	135.6	112.3	170.0	101.2	111.9	109.6	118.8
40 Females.....	42.2	42.8	41.4	56.8	52.6	64.6	54.5	54.5	48.3	62.9	45.1	39.6	38.5	43.1
41 Burns and scalds. {M..	6.6	7.5	5.3	6.8	6.5	7.4	8.3	8.3	4.8	5.3	4.8	6.6	6.8	6.0
42 " {F..	8.9	10.5	6.6	10.8	11.2	10.2	16.4	16.4	7.0	9.7	6.4	8.9	9.6	6.5
43 Drowning..... {M..	20.4	19.4	21.8	21.6	17.4	29.1	22.0	22.0	27.1	37.2	25.1	19.5	18.5	22.7
44 " {F..	2.3	1.8	3.0	6.0	5.4	7.0	0.7	0.7	4.9	8.1	4.3	1.3	0.8	2.6
45 Exposure and neglect. {M..	1.0	0.6	1.6	1.3	1.0	1.9	0.7	0.7	0.6		0.7	1.1	0.7	2.4
46 " {F..	0.5	0.4	0.6	0.4	0.3	0.6			0.6		0.7	0.6	0.4	0.9
47 Gunshot wounds. {M..	4.8	4.1	5.7	4.0	3.1	5.6	7.6	7.6	4.8	1.8	5.4	1.9	1.7	2.4
48 " {F..	0.7	0.6	0.9	0.9		2.5	1.3	1.3	0.6		0.7	0.6	0.4	1.5
49 Homicide..... {M..	1.5	1.9	0.8	0.7	0.3	1.2	6.1	6.1	1.1		1.4	0.9	1.1	0.6
50 " {F..	0.6	0.8	0.3	0.4	0.3	0.6	4.1	4.1	1.2	1.6	1.1	0.4	0.4	0.6
51 Infanticide..... {M..	0.1	0.2										0.3	0.4	
52 " {F..	0.1	0.1	0.1				0.7	0.7				0.2	0.1	0.6
53 Injuries by machinery. {M..	0.5	0.3	0.7						1.1		1.4	0.4	0.6	
54 " {F..														
55 Railroad accidents. {M..	18.6	16.9	20.9	25.5	21.9	32.2	17.4	17.4	9.7	23.0	7.1	18.3	15.6	26.3
56 " {F..	2.0	1.7	2.5	4.4	2.7	7.6	1.4	1.4	1.2	4.8	0.3	1.1	1.0	1.2
57 Suffocation..... {M..	4.8	5.3	4.2	5.3	6.2	3.7	3.8	3.8	4.3	8.8	3.4	5.0	5.1	4.5
58 " {F..	3.3	3.3	3.4	4.0	5.1	1.9	4.8	4.8	2.3		2.8	3.2	3.4	2.6
59 Suicide by shooting. {M..	4.3	4.8	3.7	2.6	1.7	4.3	3.8	3.8	4.8	7.1	4.4	5.2	5.2	5.1
60 " {F..	0.4	0.3	0.4	0.2	0.3		0.7	0.7				0.3	0.4	
61 Suicide by drowning. {M..	0.7	0.6	0.8	0.7	0.3	1.2			0.9	1.8	0.7	1.4	0.9	3.0
62 " {F..	0.4	0.3	0.6	0.9	1.4				1.5		1.8	0.7	0.5	1.2
63 Suicide by poison. {M..	3.3	4.3	1.8	4.8	5.8	3.1	2.3	2.3	2.3		2.7	1.5	1.8	0.3
64 " {F..	2.2	2.7	1.4	3.3	3.0	3.8	3.4	3.4	2.3	1.6	2.5	1.0	1.1	0.6
65 Other suicides..... {M..	6.8	6.4	7.4	6.8	6.2	8.1	5.3	5.3	8.0	12.4	7.1	6.9	6.4	8.4
66 " {F..	1.8	1.8	1.8	1.5	1.0	2.5	4.8	4.8	1.7		2.1	2.1	2.1	2.1
67 Sunstroke..... {M..	1.5	2.1	0.8	1.3	1.0	1.9	5.3	5.3	0.6		0.7	0.5	0.4	0.9
68 " {F..	0.8	1.1	0.3	0.4	0.7		1.3	1.3	0.6		0.7	0.1	0.2	
69 Surgical operations. {M..	0.6	0.7	0.5	0.9	1.0	0.6			0.3		0.3	0.5	0.5	0.6
70 " {F..	1.3	1.5	1.1	0.2	0.3		1.3	1.3	2.0	3.2	1.8	1.5	1.6	1.2
71 Wounds..... {M..	2.0	2.3	1.7	2.4	3.1	1.2	3.0	3.0	1.1		1.4	2.1	2.3	1.5
72 " {F..	0.2	0.3	0.1									0.1	0.1	0.3
73 Others of this class. {M..	47.9	49.8	45.2	50.0	54.0	42.7	50.0	50.0	40.8	72.6	34.6	39.8	41.6	34.1
74 " {F..	16.7	15.6	18.3	23.4	20.9	27.9	13.6	13.6	22.4	33.9	19.9	17.5	16.4	21.2

DEATH RATES FROM EACH CAUSE.

573

PER 100,000 OF POPULATION—Continued.

MICHIGAN.			NEW HAMPSHIRE.			NEW JERSEY.			NEW YORK.			RHODE ISLAND.			VERMONT.			
Total.	Cities.	Rural.	Total.	Cities.	Rural.	Total.	Cities.	Rural.	Total.	Cities.	Rural.	Total.	Cities.	Rural.	Total.	Cities.	Rural.	
34.7	34.7	34.7	15.5	7.3	21.0	25.3	27.5	22.3	27.1	30.6	19.5	33.0	36.4	26.3	27.9	33.2	27.0	1
1.6	0.8	2.0	0.5	1.2		0.6	0.9	0.2	1.5	1.8	0.8	1.4	1.4	1.4				2
9.3	9.7	9.1	4.8	2.4	6.5	6.5	4.9	8.7	6.4	6.7	5.9	5.9	6.9	4.2	9.5	8.3	9.7	3
17.1	16.7	17.2	7.8	3.7	10.5	11.9	14.3	8.7	12.4	15.1	6.5	15.6	17.1	12.4	9.5	24.9	6.9	4
0.7	1.4	0.4				0.5	0.9		1.0	1.3	0.3	1.4	2.1					5
6.0	6.1	6.0	2.4		4.0	5.8	6.5	4.7	5.8	5.7	6.0	8.7	8.9	8.3	8.9		10.4	6
4.3	4.5	4.3	3.6	1.9	4.7	3.3	3.1	3.6	3.7	4.2	2.8	5.4	5.3	5.5	4.7	6.4	4.4	7
5.5	6.5	5.1	3.9	2.6	4.6	3.9	4.1	3.7	4.2	4.7	3.2	4.3	5.1	2.7	3.4	13.3	2.0	8
3.1	2.5	3.3	3.4	1.2	4.9	2.7	2.0	3.5	3.3	3.7	2.4	6.4	5.5	8.3	5.9		6.9	9
1.9	1.1	2.1	1.4	1.3	1.5	1.2	0.6	1.9	1.3	1.4	1.2	1.5	1.5	1.4	2.2	8.9	1.3	10
1.6	1.4	1.7	2.4	1.2	3.3	0.6	0.2	1.3	1.1	1.1	1.0	2.3	2.1	2.8	2.3		2.7	
0.3	0.3	0.3	0.5		0.8	0.1		0.3	0.3	0.2	0.5				0.6	4.4		11
0.2	0.2								0.1	0.1	0.2				1.2		1.4	
1.9	3.7	1.2				1.6	2.4	0.5	1.6	1.9	0.8	1.4	1.4	1.3				12
0.9	0.8	0.9	1.0		1.6	1.2	1.1	1.2	1.0	1.3	0.4	2.3	2.1	2.8	1.8		2.1	
0.7	1.1	0.6	1.0		1.5	0.8	0.9	0.7	0.4	0.5	0.4	1.4	2.2		0.6		0.7	13
0.1		0.1				0.1	0.2		0.4	0.5	0.1	0.4		1.4				
0.7	0.3	0.9	1.0	1.3	0.8	0.2	0.2	0.3	0.6	0.7	0.3							14
0.3	0.3	0.4				0.8	0.5	1.0	0.7	0.7	0.7	1.4	1.3	1.3	0.6		0.7	
3.5	3.1	3.7	2.4	3.1	2.0	2.1	2.2	1.8	2.9	3.2	2.4	3.3	3.5	2.8	3.5	4.3	3.4	15
4.0	2.6	4.6	2.9	3.9	2.3	2.8	3.4	1.9	3.3	3.7	2.3	4.8	5.1	4.1	1.7		2.0	16
3.0	3.6	2.7	1.9	2.4	1.6	1.4	1.1	1.7	2.6	2.7	2.4	1.8	2.1	1.4	5.3	8.3	4.8	17
1.9	1.1	2.1	0.5	1.3		1.0	1.1	0.7	1.9	2.3	1.2	2.9	2.9	2.7	0.6		0.7	18
1.6	1.9	1.5	0.5		0.8	0.9	0.5	1.2	1.3	1.4	1.0	0.4	0.7		1.8		2.1	
0.2	0.9		1.0		1.5	0.8	1.0	0.7	0.4	0.4	0.3	0.5	0.7					19
0.3	0.3	0.2	0.5	1.2		0.1	0.2		0.1	0.2					0.6		0.6	
1.9	0.6	2.5	1.4	2.6	0.8	1.0	1.3	0.5	1.0	1.0	0.8	1.4	1.5	1.4	1.1		1.3	20
1.1	1.4	1.0	0.9	1.2	0.8	0.4	0.4	0.5	1.2	1.1	1.4	1.4	1.4	1.4	2.9	8.3	2.1	
2.0	2.1	2.0	0.7	0.6	0.8	0.9	1.1	0.6	1.4	1.2	2.0	1.2	1.4	0.7	2.0	2.1	2.0	21
2.2	2.0	2.3				1.1	1.1	1.0	1.3	1.0	1.9	2.4	2.9	1.4	1.7	4.4	1.3	22
1.8	2.2	1.6	1.5	1.2	1.6	0.7	1.1	0.2	1.6	1.3	2.2				2.4		2.8	23
0.5	0.3	0.7				0.3	0.5		0.4	0.3	0.8				1.1	4.4	0.7	24
0.5	0.3	0.6	0.5		0.8	0.1	0.2		0.7	0.6	1.0				1.2		1.4	
0.4		0.5				0.3	0.2	0.5	0.2		0.4				0.6		0.7	25
0.2	0.3	0.1				0.2	0.4		0.1		0.3							
1.3	1.7	1.1				0.5	0.4	0.5	0.7	0.7	0.7	2.4	2.9	1.4	0.6		0.6	26
1.1	1.6	0.9	1.0	1.2	0.8	0.4	0.5	0.2	0.8	0.7	0.9				0.6		0.7	
85.9	95.1	82.0	73.9	66.1	78.8	91.3	97.3	83.4	83.9	83.5	84.7	80.3	79.1	82.6	76.8	77.2	76.7	27
129.4	146.9	122.6	109.1	107.5	110.0	139.2	145.2	131.5	127.1	127.3	126.7	120.6	120.8	120.5	111.3	110.9	111.4	28
39.5	44.7	37.2	38.8	27.8	46.1	43.4	50.2	34.5	41.3	41.1	41.6	41.3	39.8	44.3	40.9	45.7	40.2	29
6.3	8.2	5.5	2.9	4.0	2.3	7.9	9.2	6.1	6.8	7.6	5.2	9.0	8.7	9.6	2.8	8.9	2.0	30
7.1	8.9	6.3	4.8	6.1	4.1	12.1	14.7	8.7	8.7	9.9	5.9	8.7	6.8	12.4	7.7	20.7	5.5	
16.0	19.6	14.6	17.0	18.4	16.3	22.1	19.8	25.1	21.4	19.9	24.4	20.9	13.1	35.6	14.8	8.9	15.7	31
2.6	2.5	2.7	1.4		2.4	2.1	2.0	2.3	2.0	1.6	2.8	1.4	1.4	1.4	2.4		2.8	
1.1	0.6	1.3	2.9	1.3	3.9	1.0	0.8	1.2	0.8	0.4	1.6	1.4	1.5	1.4	1.1		1.3	32
0.7	0.3	0.9	1.0	1.2	0.8	0.2	0.4		0.4	0.4	0.5	0.4		1.4	0.6		0.7	
7.0	6.0	7.3	3.4	3.9	3.1	4.6	4.0	5.4	5.5	5.1	6.3	1.4	2.2		5.7	4.4	5.9	33
0.8	0.6	1.0	1.0		1.6	0.8	1.3		0.7	0.7	0.8				0.6	4.2		
1.1	2.0	0.8				1.3	1.7	0.7	1.9	2.4	0.9	1.9	1.5	2.7	0.6	4.4		34
0.3		0.4	0.5		0.8	0.4	0.7		0.6	0.9		1.4	0.7	2.8	0.6	4.2		
.....			0.5		0.8	0.2	0.2	0.2	0.1	0.1		1.0	1.5					35
.....												0.9	0.7	1.4				
1.1	0.9	1.2				0.3		0.7	0.3	0.2	0.5	1.4	1.5	1.4				36
0.1		0.1																
19.6	27.9	16.4	14.1	13.1	14.7	32.8	35.4	29.5	15.3	11.1	23.7	17.1	17.4	16.4	11.4	4.4	12.4	37
2.1	2.5	2.0	0.5	1.2		4.7	4.6	4.7	1.7	1.0	2.0	2.3	2.7	1.4				
3.8	4.8	3.3	4.9	3.9	5.4	6.6	8.5	4.2	4.6	4.4	5.2	7.1	9.4	2.7	2.3	4.4	2.0	38
3.3	3.0	3.4	3.4	3.6	3.2	3.8	5.0	2.3	3.1	2.6	4.3	5.5	6.2	4.1	2.9		3.5	
3.8	4.5	3.5	4.4	3.9	4.6	5.5	5.8	5.1	4.0	4.8	2.4	2.8	2.9	2.7	6.3	13.3	5.2	39
0.8	0.8	0.7				0.1		0.2	0.3	0.3	0.4	1.4	0.7	2.8				
0.7	0.6	0.8	0.5		0.8	0.6	0.9	0.2	0.5	0.4	0.5	0.5		1.4	0.6		0.7	40
0.3		0.4	0.5	1.2		0.3	0.2	0.5	0.3	0.2	0.4							
1.8	2.3	1.7	1.0	1.3	0.8	4.6	6.2	2.4	4.4	5.6	1.9	1.9	2.2	1.4	0.6		0.7	41
2.3	3.9	1.6				2.2	3.0	1.2	2.7	3.4	1.4	0.5	0.7		0.6		0.7	
6.3	7.1	6.0	10.7	10.5	10.9	4.1	3.6	4.9	7.2	6.6	8.3	8.1	8.7	6.9	9.7	8.9	9.8	42
1.2	1.7	1.0	2.9	1.2	4.1	0.8	0.6	1.0	1.9	1.8	2.1	3.2	4.1	1.4	1.8		2.1	
0.4	0.6	0.3	0.5		0.8	3.1	4.3	1.5	2.0	2.7	0.6	1.0		2.7	0.6		0.7	43
0.3	0.6	0.1				1.8	2.2	1.2	1.1	1.5	0.2							
0.5	0.3	0.6				0.6	0.6	0.7	0.7	0.9	0.4							44
2.1	5.0	0.9	0.5		0.8	1.3	1.9	0.5	1.2	1.1	1.5	0.5	0.7		1.2	4.2	0.7	
3.0	3.7	2.8	1.0		1.5	1.8	1.3	2.4	1.8	2.3	1.0	1.0	1.3		1.7		2.0	45
0.3	0.8	0.1				0.2	0.4		0.4	0.5	0.1							
56.9	57.8	56.5	45.8	47.2	44.9	42.1	42.9	41.2	49.8	52.8	43.8	44.1	48.7	35.6	53.1	53.3	53.0	46
15.2	14.1	15.6	21.8	13.3	27.5	12.6	13.2	11.9	16.2	15.2	18.2	15.1	15.1	15.2	22.5	12.4	24.2	

TABLE 22.

DEATH RATES FROM CERTAIN CAUSES PER 100,000 OF POPULATION IN EACH COUNTY IN
THE REGISTRATION STATES.

[For death rates per 1,000 of population under 1 and under 5 years of age in these areas, see Table 19.]

TABLE 22.—DEATH RATES FROM CERTAIN

COUNTIES IN REGISTRATION STATES.		Population.	DEATH RATES PER 100,000 OF POPULATION.					
			All causes.	Measles.	Scarlet fever.	Diphtheria and croup.	Whooping cough.	Malarial fever.
Connecticut:								
1	Fairfield county	184,208	1,705.7	23.9	5.4	29.3	9.2	11.4
2	Hartford county	195,480	1,734.7	10.2	6.7	74.7	21.0	11.8
3	Litchfield county	63,672	1,705.6	48.7	12.6	29.8	18.8	6.3
4	Middlesex county	41,760	1,673.9	19.2	14.4	33.5	23.9	19.2
5	New Haven county	269,163	1,658.8	15.6	7.1	18.2	10.4	16.7
6	New London county	82,758	1,714.6	8.5	3.6	33.8	3.6	4.8
7	Tolland county	24,523	1,614.8	16.3	4.1	32.6	4.1	8.2
8	Windham county	46,861	1,758.4	10.7	2.1	17.1	14.9	6.4
9	District of Columbia	278,718	2,283.3	13.6	9.0	75.3	13.6	22.6
Maine:								
10	Androscoggin county	54,242	2,000.3	12.9	9.2	103.2	22.1	3.7
11	Aroostook county	60,744	1,478.3	31.3	29.6	19.7	16.5	1.0
12	Cumberland county	100,689	1,890.0	3.0	1.0	39.7	15.9	1.0
13	Franklin county	18,444	1,745.8			43.4		
14	Hancock county	37,241	1,468.8	5.4	5.4		5.4	
15	Kennebec county	59,117	2,119.5		10.1	18.6	25.4	1.7
16	Knox county	30,406	1,756.2		3.3	9.9		6.6
17	Lincoln county	19,069	1,682.9				5.1	5.1
18	Oxford county	32,238	1,439.3		3.1	9.2	2.1	3.2
19	Penobscot county	76,246	1,614.5	5.2	5.2	1.3	10.5	5.2
20	Piscataquis county	16,949	1,663.8	35.4	17.7	5.9		
21	Sagadahoc county	20,330	1,593.7			14.8	9.8	
22	Somerset county	33,849	1,512.6	11.8	8.9	5.9	23.6	3.0
23	Waldo county	24,185	1,951.6		12.4	4.1	16.5	4.1
24	Washington county	45,232	1,558.6	2.2	6.6	13.3	13.3	
25	York county	64,885	1,980.4	6.2	6.2	32.4	18.5	1.5
Massachusetts:								
26	Barnstable county	27,826	1,922.7			32.3	3.6	3.6
27	Berkshire county	95,667	1,516.7	3.1	9.4	24.0	7.3	6.3
28	Bristol county	252,029	2,006.5	12.7	10.7	23.8	16.3	2.8
29	Dukes county	4,561	1,578.6					
30	Essex county	357,030	1,734.3	10.1	7.8	41.7	10.9	1.7
31	Franklin county	41,209	1,570.0	2.4	4.9	21.8	7.3	2.1
32	Hampden county	175,603	1,810.9	24.5	10.8	72.9	9.7	7.7
33	Hampshire county	58,820	1,579.4	6.8	8.5	18.7	8.5	6.5
34	Middlesex county	565,696	1,702.2	5.1	9.5	41.0	11.5	1.8
35	Nantucket county	3,006	2,262.1					
36	Norfolk county	151,539	1,596.3	2.6	4.6	34.3	9.2	1.3
37	Plymouth county	113,985	1,555.5	5.3	1.8	31.6	9.7	1.8
38	Suffolk county	611,417	1,984.1	17.3	28.9	74.6	22.2	1.1
39	Worcester county	346,958	1,635.1	13.5	15.6	32.0	10.4	4.0
Michigan:								
40	Alcona county	5,691	702.9	35.1				
41	Alger county	5,868	1,056.6	119.3		17.0		
42	Allegan county	38,812	1,259.9	2.6	2.6	12.9		10.3
43	Alpena county	18,254	1,462.7	5.5	5.5	27.4	16.4	
44	Antrim county	16,568	1,448.6		90.5	6.0	18.1	12.1
45	Arenac county	9,821	1,293.1	30.5	20.4	10.2	50.9	
46	Baraga county	4,320	1,250.0					
47	Barry county	22,514	1,274.8	4.4		8.9	17.8	4.4
48	Bay county	62,378	1,308.2	17.6	30.5	52.9	4.8	11.2
49	Benzie county	9,685	1,156.4	20.7	10.3			10.3
50	Berrien county	49,165	1,273.3	18.3	22.4	16.3	6.1	8.1
51	Branch county	27,811	1,459.9	7.2		7.2	7.2	14.4
52	Calhoun county	49,315	1,466.1	8.1	4.1	6.1	10.1	8.1
53	Cass county	20,876	1,341.3	38.3	4.8	33.5	19.2	4.8
54	Charlevoix county	13,956	1,196.6		14.3			7.2
55	Cheboygan county	15,516	1,501.7	19.3	45.1	12.9	6.4	12.9
56	Chippewa county	21,338	1,195.1		4.7	37.5	18.7	4.7
57	Clare county	8,360	1,076.6	12.0				12.0
58	Clinton county	25,136	1,273.1	4.0		4.0	8.0	15.9
59	Crawford county	2,943	747.5		34.0			
60	Delta county	23,881	1,381.9	4.2	29.3	33.5		
61	Dickinson county	17,890	1,341.5		72.7	33.5	44.7	
62	Eaton county	31,668	1,275.7	9.5	3.1	3.2	3.1	12.6
63	Emmet county	15,931	1,186.4	6.3				12.6
64	Genesee county	41,804	1,277.4	2.4		12.0	4.8	9.6
65	Gladwin county	6,564	975.0	15.2	15.2			
66	Gogebic county	16,738	1,194.9		6.0	23.9		
67	Grand Traverse county	20,479	1,401.4	29.3		9.8	9.8	
68	Gratiot county	29,889	1,348.3	16.7	3.3	6.7	26.8	10.0
69	Hillsdale county	29,865	1,396.3	3.3	6.7	10.1	6.7	10.0
70	Houghton county	66,063	1,457.7	4.6	46.9	9.1	25.7	1.5
71	Huron county	34,162	1,109.4	5.9	5.9	26.3	8.8	8.8
72	Ingham county	39,818	1,436.5	5.0	12.6	17.6	10.0	5.0
73	Ionia county	34,329	1,386.6	17.5		5.8	23.3	11.6
74	Iosco county	10,246	1,405.4			39.0	29.3	9.8
75	Iron county	8,990	734.1		11.1	11.1	44.5	
76	Isabella county	22,784	1,246.5	4.4	8.8	8.8	4.4	
77	Jackson county	48,222	1,316.8	6.2		12.5	4.1	6.2
78	Kalamazoo county	44,310	1,536.9			11.3	29.3	11.3
79	Kalkaska county	7,13	1,598.2	28.0			28.0	

577

DEATH RATES PER 100,000 OF POPULATION—continued.														
Influenza.	Typhoid fever.	Diarrheal diseases.	Consumption.	Cancer and tumor.	Heart disease and dropsy.	Pneumonia.	Diseases of the liver.	Diseases of the nervous system.	Diseases of the urinary organs.	Affections connected with pregnancy.	Old age.	Unknown.	All other causes.	
82.0	17.9	137.9	173.2	72.2	139.0	159.6	27.1	224.8	122.7	23.6	33.7	2.7	421.8	1
69.6	43.5	148.3	166.2	60.4	116.6	169.8	16.4	210.8	103.8	17.7	51.1	12.8	432.3	2
66.0	29.8	111.5	155.5	62.8	92.7	133.9	23.6	249.7	131.9	44.4	31.4	3.1	455.5	3
100.6	26.3	107.7	143.7	57.5	165.2	134.1	21.6	215.5	105.4	4.7	76.6	9.6	397.5	4
51.3	28.6	150.1	174.2	62.0	107.7	176.1	16.7	207.7	97.7	29.9	26.4	2.2	475.2	5
50.8	15.7	136.5	166.8	89.4	182.4	126.9	16.9	207.8	129.3	21.3	55.6	8.5	462.8	6
122.3	4.1	154.9	114.2	73.4	146.8	175.3	28.5	199.8	93.8	16.1	69.3	8.2	350.7	7
134.5	21.3	121.6	194.2	55.5	202.7	143.0	32.0	219.8	74.7	42.3	34.2	6.4	446.0	8
41.3	80.7	175.4	305.3	77.5	206.7	185.9	24.4	282.0	124.9	29.3	55.3	9.3	565.1	9
33.2	42.4	193.6	160.4	90.3	167.8	201.0	25.8	300.5	88.5	28.6	49.8	33.2	448.0	10
49.4	37.9	266.7	128.4	56.0	108.6	92.2	13.2	111.9	49.4	63.0	59.3	83.9	294.7	11
36.7	25.8	80.4	179.8	99.3	161.9	173.8	13.9	307.9	137.1	19.4	90.4	14.9	497.6	12
48.8	16.3	108.4	146.4	97.6	162.6	168.1	16.3	189.7	54.2	34.5	119.3	27.1	531.3	13
26.8	26.8	72.5	147.7	110.1	169.2	96.7	37.6	187.9	123.5	11.0	145.0	29.5	273.9	14
25.4	27.1	130.2	204.7	125.2	189.2	216.5	22.0	429.6	118.4	6.9	89.7	40.6	433.0	15
46.0	13.2	72.3	167.7	95.4	256.5	180.9	13.2	259.8	72.3	26.1	164.4	19.7	361.8	16
30.5	35.6	50.8	167.8	71.2	228.8	122.0	35.6	233.9	162.7	-----	177.9	25.4	330.5	17
40.3	21.7	40.3	114.8	96.1	176.8	111.7	15.5	276.1	86.9	19.7	102.4	12.4	313.3	18
18.4	40.7	83.9	150.8	76.1	166.6	167.9	11.8	240.0	70.8	35.0	107.6	36.7	398.7	19
58.1	17.7	88.5	106.2	76.7	177.0	194.7	11.8	218.3	94.4	25.0	100.3	29.5	424.8	20
19.7	4.9	78.7	118.1	93.5	186.9	172.1	39.4	206.6	113.1	9.9	83.6	19.7	427.9	21
20.7	20.7	82.7	174.3	82.7	162.5	130.0	20.7	251.1	94.5	18.3	91.6	23.6	295.4	22
49.6	24.8	41.4	239.8	103.4	339.1	169.5	12.4	281.2	136.5	33.0	111.6	12.4	376.3	23
17.7	24.3	88.4	210.0	81.8	150.3	123.8	15.5	236.6	101.7	49.0	42.0	26.5	380.3	24
60.1	33.9	155.7	163.3	67.8	155.7	234.2	29.3	294.3	117.1	12.2	90.9	32.4	474.7	25
50.3	7.2	46.7	161.7	68.3	233.6	194.1	25.2	301.9	57.5	6.9	161.7	25.2	546.2	26
23.0	27.2	139.0	130.7	57.5	150.5	142.1	17.8	191.3	92.0	20.6	44.9	6.3	433.8	27
34.5	23.0	2												

TABLE 22.—DEATH RATES FROM CERTAIN

COUNTIES IN REGISTRATION STATES.		Population.	DEATH RATES PER 100,000 OF POPULATION.					
			All causes.	Measles.	Scarlet fever.	Diphtheria and croup.	Whooping cough.	Malarial fever.
Michigan—Continued:								
80	Kent county.....	129,714	1,462.4	20.0	11.6	39.3	15.4	7.7
81	Keweenaw county.....	3,217	1,492.1		31.1	31.1		
82	Lake county.....	4,957	1,351.6					20.2
83	Lapeer county.....	27,641	1,331.4	7.2	3.6	3.6	7.2	14.5
84	Leelanaw county.....	10,556	1,657.8	18.9	9.5	19.0	18.9	
85	Lenawee county.....	48,406	1,365.5	8.3	6.2	16.5		10.3
86	Livingston county.....	19,664	1,403.6					10.2
87	Luce county.....	2,983	1,072.7	67.0				
88	Mackinac county.....	7,703	1,168.4		13.0			26.0
89	Macomb county.....	33,244	1,498.0	24.1	6.0	24.1	12.0	18.0
90	Manistee county.....	27,856	1,450.3	57.4	3.6	14.4	17.9	
91	Marquette county.....	41,239	1,357.9	38.8	9.7	19.4	33.9	
92	Mason county.....	18,885	1,281.4	58.2		15.9	58.2	10.6
93	Mecosta county.....	20,693	1,343.4			14.5	19.3	24.2
94	Menominee county.....	27,046	1,186.9				48.1	
95	Midland county.....	14,439	1,405.9			27.7	20.8	34.6
96	Missaukee county.....	9,308	1,214.0	53.7	32.2	32.2		
97	Monroe county.....	32,754	1,260.9	18.3	12.2	70.2	12.2	3.1
98	Montcalm county.....	32,754	1,419.7	12.2	3.1	6.1	24.4	9.2
99	Montmorency county.....	3,234	742.1	30.9		30.9		
100	Muskegon county.....	37,036	1,185.3	8.1		13.5	8.1	5.4
101	Newaygo county.....	17,673	1,295.8	11.3		11.3	11.3	17.0
102	Oakland county.....	44,792	1,411.0	11.2		15.6	2.2	2.2
103	Oceana county.....	16,644	1,153.6		12.0	12.0		6.0
104	Ogemaw county.....	7,765	1,056.0	64.4				
105	Ontonagon county.....	6,197	1,403.9	32.3			16.1	
106	Osceola county.....	17,859	1,271.1	11.2	5.6	28.0		
107	Oscoda county.....	1,468	1,294.3		204.4			68.1
108	Otsego county.....	6,175	1,117.4	64.8	32.4		16.2	16.2
109	Ottawa county.....	39,667	1,464.7	10.1	7.6	7.6	2.5	7.6
110	Presque Isle county.....	8,821	816.2	22.7		102.0		
111	Roscommon county.....	1,787	503.6					
112	Saginaw county.....	81,222	1,263.2	13.5	1.2	25.9	6.2	8.6
113	St. Clair county.....	55,228	1,267.5	3.6	7.2	10.9	5.4	1.8
114	St. Joseph county.....	23,889	1,335.3	12.6		4.2	4.2	8.4
115	Sanilac county.....	35,055	1,215.2	14.3		25.7	22.8	8.6
116	Schoolcraft county.....	7,889	1,026.7			25.4	12.7	
117	Shiawassee county.....	33,866	1,340.6	8.9	3.0	82.7	17.7	8.9
118	Tuscola county.....	35,890	1,276.1	8.4	8.4	5.6	2.8	5.6
119	Van Buren county.....	33,274	1,430.5	15.0	6.0	21.0	12.0	12.0
120	Washtenaw county.....	47,761	1,419.6	18.8	2.1	8.4		4.2
121	Wayne county.....	348,793	1,709.6	28.7	7.2	43.3	7.4	3.4
122	Wexford county.....	16,845	1,306.0	35.6	23.7	5.9		11.9
New Hampshire:								
123	Belknap county.....	19,526	2,007.6	5.1	10.2	10.2	25.6	
124	Carroll county.....	16,895	1,763.8	11.8			23.7	5.9
125	Cheshire county.....	31,321	1,628.3		6.4	19.2	47.9	3.2
126	Coos county.....	29,468	1,347.2	17.0	6.8	23.8	17.0	
127	Grafton county.....	40,844	1,633.0		12.2	14.7	17.1	7.3
128	Hillsboro county.....	112,640	1,886.5	16.9	13.3	35.5	13.3	9.8
129	Merrimack county.....	52,430	1,905.4	15.3	1.9	28.6	13.4	
130	Rockingham county.....	51,118	1,760.6	2.0		31.3	5.9	
131	Strafford county.....	39,337	2,071.8	20.3	5.1	38.1	38.1	
132	Sullivan county.....	18,009	1,649.2	5.6			11.1	11.1
New Jersey:								
133	Atlantic county.....	46,402	1,596.9	4.3	2.2	47.4	10.8	2.2
134	Bergen county.....	78,441	1,584.6	10.2	7.6	39.5	12.7	7.6
135	Burlington county.....	58,241	1,742.8	3.4	5.2	18.9	8.6	6.9
136	Camden county.....	107,643	1,603.4	9.3	0.9	92.9	9.3	0.9
137	Cape May county.....	13,201	1,537.8		7.6	7.6		
138	Cumberland county.....	51,193	1,451.4	11.7		27.4	7.8	7.8
139	Essex county.....	359,053	1,834.8	18.9	23.1	51.5	20.3	4.5
140	Gloucester county.....	31,905	1,510.7	6.3	9.4	84.6	9.4	6.3
141	Hudson county.....	386,048	1,986.5	13.2	16.3	55.4	21.2	9.1
142	Hunterdon county.....	34,507	1,582.3	5.8	11.6	2.9	26.1	
143	Mercer county.....	95,365	1,644.2	7.4	8.4	27.3	24.1	3.1
144	Middlesex county.....	79,762	1,621.1	11.3	5.0	30.1	15.0	7.5
145	Monmouth county.....	82,057	1,683.0	8.5	3.7	63.4	12.2	11.0
146	Morris county.....	65,156	1,613.1	3.1	9.2	27.6	15.3	9.2
147	Ocean county.....	19,747	1,397.7	10.1		30.4		
148	Passaic county.....	155,202	1,864.7	8.4	12.9	81.2	14.8	3.9
149	Salem county.....	25,530	1,562.9	7.8	15.7	19.6	23.5	3.9
150	Somerset county.....	32,948	1,414.3	18.2	6.1	18.2	45.5	12.1
151	Sussex county.....	24,134	1,458.5			16.6	4.1	
152	Union county.....	99,353	1,603.4	6.0	18.1	32.2	21.1	5.0
153	Warren county.....	37,781	1,339.3	2.6	5.3	37.1	18.5	2.6
New York:								
154	Albany county.....	165,571	1,882.6	18.1	10.3	60.4	6.0	0.6
155	Allegany county.....	41,501	1,351.8	12.0		19.3		2.4
156	Broome county.....	69,149	1,699.2		11.6	81.0	15.9	8.7
157	Cattaraugus county.....	65,643	1,349.7	9.1	1.5	1.5	12.2	
158	Cayuga county.....	66,234	1,632.1	3.0	6.0	37.8	19.6	9.1

DEATH RATES FROM CERTAIN CAUSES.

579

CAUSES PER 100,000 OF POPULATION—Continued.

DEATH RATES PER 100,000 OF POPULATION—continued.

Influenza.	Typhoid fever.	Diarrheal diseases.	Consumption.	Cancer and tumor.	Heart disease and dropsy.	Pneumonia.	Diseases of the liver.	Diseases of the nervous system.	Diseases of the urinary organs.	Affections connected with pregnancy.	Old age.	Unknown.	All other causes.	
17.0	40.1	83.3	107.1	76.3	133.4	110.2	16.2	198.1	75.6	27.7	60.1	8.5	428.6	80
		155.4	62.2	98.3		155.4	31.1	186.5			31.1		714.9	81
		141.2	121.0	20.2	100.9	141.2		221.9	100.9	44.7	80.7	40.3	322.7	82
18.1	25.3	76.0	108.5	57.9	144.7	115.8	14.5	177.3	54.3	44.8	94.1	25.3	361.8	83
47.4	19.0	94.7	142.1	94.7	151.6	104.2	9.5	104.2	66.3	83.5	142.1	56.8	521.0	84
43.4	18.6	76.4	115.7	72.3	165.2	109.5	16.5	179.7	55.8	28.7	68.2	18.6	369.8	85
15.3	10.2	96.6	86.5	106.8	193.2	106.8	55.9	203.4	132.2	31.3	25.4	5.1	340.7	86
		67.1	134.1		67.0	134.1		100.6	33.5				469.3	87
		77.9	155.8	38.9	90.9	116.8	38.9	103.9	26.0	29.2	26.0	51.9	389.4	88
18.0	51.1	132.4	120.3	72.2	126.3	111.3	27.1	192.5	93.3	55.0	24.1	15.0	403.1	89
14.4	28.7	114.9	111.3	68.2	46.7	158.0	17.9	143.6	64.6	44.8	32.3	75.4	459.5	90
4.8	26.7	157.6	97.0	43.6	70.3	87.3	17.0	111.6	60.6	58.7	26.7	29.1	497.1	91
5.3	21.2	63.5	121.8	74.1	90.0	105.9	21.2	116.5	26.5	32.7	53.0	58.2	365.4	92
24.2	19.3	77.3	111.1	53.2	120.8	130.5	29.0	106.3	77.3	59.7	48.3	48.3	410.8	93
7.4	66.5	170.1	92.4	33.3	48.1	110.9	22.2	133.1	29.6	41.2	25.9	48.1	332.7	94
6.9	34.6	145.4	97.0	55.4	173.2	110.8	27.7	103.9	69.3		55.4	62.3	380.9	95
32.2	43.0	139.7	43.0	21.5	32.2	128.9	10.8	171.9	21.5	72.2	21.5	43.0	354.5	96
18.3	45.8	76.3	109.9	45.8	125.2	88.5	24.4	155.7	55.0		24.4	33.6	342.0	97
30.5	55.0	131.3	97.7	51.9	140.4	79.4	30.5	235.1	67.2	12.6	64.1	18.3	357.2	98
		30.9			154.6	30.9		30.9	30.9	220.4			309.3	99
10.8	27.0	97.2	86.4	43.2	72.9	164.7	21.6	170.1	67.5	11.1	37.8	32.4	313.2	100
28.3	33.9	118.8	101.9	79.2	118.8	101.9	17.0	124.5	56.6	11.9	28.3	39.6	390.4	101
29.0	11.2	71.5	96.0	84.8	180.9	122.8	20.1	221.0	96.0	41.0	60.3	22.3	343.8	102
24.0	12.0	102.1	108.2	24.0	180.3	96.1	12.0	108.2	36.1	37.8	54.1	24.0	324.5	103
12.9		115.9	90.1	64.4	51.5	51.5	38.6	64.4	51.5	56.8	12.9	25.8	386.3	104
32.3	16.1	193.6	64.5	16.1	48.4	145.2		161.4	113.0		32.3	113.0	419.6	105
22.4	16.8	89.6	100.8	61.6	61.6	151.2	39.2	140.0	61.6	23.8	33.6	33.6	403.1	106
		136.3	68.1	68.1	68.1			136.2	204.4			68.1	340.6	107
	178.1	48.6	32.4		97.1	48.6	32.4	161.9	32.4	36.8	32.4	64.8	242.9	108
30.3	27.7	121.0	75.6	70.6	138.6	95.8	37.8	196.6	73.1	46.8	90.8	17.6	431.1	109
	11.3	22.7	34.0		45.3	90.7	11.3	90.7	22.7	28.0	68.0	113.4	170.1	110
			56.0		111.9	56.0			55.9				223.8	111
9.8	27.1	84.9	93.6	77.6	142.8	93.6	12.3	141.6	68.9	22.3	57.9	12.3	374.3	112
16.3	29.0	81.5	81.5	76.0	112.3	105.0	32.6	188.3	45.3	14.7	61.6	16.3	373.0	113
25.1	20.9	54.4	134.0	75.3	167.4	92.1	50.2	234.4	87.9	24.9	16.7	4.2	330.7	114
34.2	45.6	131.2	68.5	28.5	79.9	82.7	25.7	174.0	68.5	35.8	57.0	20.0	310.9	115
25.4	50.7	12.7	63.4	38.0	38.0	114.1	25.3	164.8	25.3		38.0	38.0	354.9	116
23.6	26.6	91.5	94.5	91.5	135.8	73.8	17.7	156.5	70.9	30.1	41.3	8.9	372.0	117
11.1	16.7	89.2	89.2	89.2	111.4	122.6	13.9	178.3	69.6	46.0	58.5	11.1	362.2	118
42.1	21.0	87.2	90.2	84.1	216.4	108.2	33.1	189.3	51.1	18.4	45.1	9.0	378.7	119
	25.1	75.4	108.9	104.7	150.8	87.9	25.1	180.1	73.3	54.1	79.6	20.9	427.1	120
10.3	23.2	153.4	125.3	68.8	119.3	159.7	24.4	219.3	71.7	45.2	15.2	15.2	541.0	121
17.8	17.8	130.6	106.9	29.7	124.7	77.2	11.9	160.3	17.8	51.0	35.6	11.9	463.0	122
61.5	15.4	76.8	204.9	81.9	256.1	235.6	5.1	276.6	71.7	20.3	189.5	25.6	445.6	123
53.3	23.7	53.3	112.4	76.9	213.1	213.1	5.9	272.3	88.8		106.5	29.6	473.5	124
57.5	12.8	83.0	143.7	99.0	153.2	150.0	16.0	239.4	44.7	25.8	25.8	25.5	434.2	125
30.5	30.5	128.9	78.0	61.1	108.6	176.5		213.8	37.3	22.0	37.3	44.1	325.8	126
56.3	24.5	80.8	142.0	105.3	198.3	151.8	14.7	186.1	83.2	20.2	110.2	34.3	384.4	127
31.1	10.7	165.1	184.7	41.7	171.3	201.5	26.6	265.4	79.0	6.9	50.6	24.9	541.5	128
32.4	17.2	112.5	129.7	76.3	219.3	282.3	19.1	328.0	91.6	15.2	99.2	32.4	398.6	129
56.7	17.6	91.9	146.7	103.7	201.5	181.9	11.7	283.6	86.1	27.4	109.6	27.4	389.3	130
63.6	17.8	205.9	160.2	55.9	195.7	322.8	12.7	221.2	83.9	10.0	78.8	35.6	511.0	131
44.4	11.1	61.1	155.5	94.4	205.4	194.3	5.6	249.9	83.3	22.2	94.4	22.2	388.7	132
34.5	17.2	105.6	127.1	45.3	131.5	142.2	30.2	243.5	103.4	13.0	56.0	8.6	478.4	133
31.9	23.0	105.8	133.9	51.0	167.0	167.0	20.4	242.2	74.0	20.3	51.0	12.7	425.8	134
30.9	32.6	97.9	144.2	79.0	180.3	178.6	15.5	298.7	113.3	13.6	53.2	13.7	455.0	135
21.4	28.8	88.3	157.0	48.3	130.1	145.8	16.7	262.9	104.0	14.6	24.2	12.1	443.1	136
30.3	15.2	98.5	174.2	45.5	196.9	136.4	75.7	333.3	75.7		60.6	7.6	272.7	137
7.8	33.2	74.2	189.5	62.5	127.0	123.1	27.4	230.5	99.6	15.7	41.0	15.6	357.5	138
22.3	10.9	139.8	216.9	60.4	120.3	229.5	20.1	251.2	122.0	25.5	21.7	7.0	481.3	139
15.7	21.9	144.2	159.8	62.7	119.1	103.4	18.8	244.5	65.8	32.7	59.6	21.9	341.6	140
15.5	21.2	167.3	221.5	51.6	142.5	267.9	27.2	267.3	107.3	36.2	21.2	10.1	532.8	141
63.8	14.5	69.6	127.5	72.4	202.9	113.0	17.4	240.5	89.8	11.6	84.0	31.9	402.8	142
34.6	34.6	80.8	178.3	58.7	121.6	150.0	13.6	274.7	99.6	27.7	45.1	6.3	462.4	143
30.1	16.3	140.4	132.9	35.1	163.0	141.7	20.1	260.8	95.3	34.8	33.8	11.3	455.1	144
18.3	30.5	169.4	174.3	59.7	170.6	120.6	8.5	237.6	106.0	29.0	43.9	7.3	422.9	145
35.3	12.3	127.4	158.1	69.1	130.4	170.4	7.7	310.0	110.5	18.4	35.3	12.3	360.7	146
25.3	40.5	76.0	111.4	76.0	182.3	81.0	15.2	253.2	101.3	41.0	70.9	5.1	298.8	147
9.7	27.0	184.3	173.3	53.5	117.2	219.0	18.7	233.2	94.1	22.9	31.6	8.4	541.9	148
47.0	19.6	82.3	172.3	43.1	195.9	121.4	19.6	274.2	97.9	32.3	43.1	7.8	352.5	149
24.3	24.3	88.0	142.6	57.7	182.1	130.5	6.1	212.4	112.3	12.2	39.4	6.1	282.3	150
62.2	23.0	82.9	153.3	58.0	153.3	252.7	16.6	145.0	103.7		20.7	12.4	339.8	151
21.1	13.1	152.0	154.0	66.4	123.8	213.4	20.1	205.3	103.7	21.9	25.2	9.1	408.7	152
39.7	21.2	55.6	84.7	66.2	153.5	79.4	26.5	251.5	68.8	26.8	37.1	2.6	373.2	153
29.6	59.2	96.6	216.2	72.5	146.2	187.8	25.4	261.5	129.2	19.8	53.8	3.6	495.3	154
31.3	28.9	62.7	91.6	77.1	178.3	120.5	19.3	197.6	74.7	14.6	86.8	7.2	334.9	155
17.3	28.9	102.7	153.3	59.3	134.5	140.3	24.6	256.0	101.2	22.4	122.9	4.3	425.1	156
54.8	22.9	94.5	86.8	71.6	141.7	102.1	18.3	187.4	71.6	27.9	73.1	27.4	359.5	157
34.7	30.2	86.1	138.9	80.0	154.0	143.4	22.6	273.3	74.0	33.4	87.6	43.8	371.4	158

TABLE 22.—DEATH RATES FROM CERTAIN

COUNTIES IN REGISTRATION STATES.		Population.	DEATH RATES PER 100,000 OF POPULATION.					
			All causes.	Measles.	Scarlet fever.	Diphtheria and croup.	Whooping cough.	Malarial fever.
New York—Continued.								
159	Chautauqua county.....	88,314	1,344.1	4.5	6.8	15.9	6.8	
160	Chemung county.....	54,063	1,527.8	7.4	7.4	16.6	1.8	
161	Chenango county.....	36,568	1,670.9		2.7	13.7	8.2	2.7
162	Clinton county.....	47,430	1,511.7	2.1	2.1	38.0	35.8	2.1
163	Columbia county.....	43,211	1,830.6	20.8	6.9	16.2	9.3	11.6
164	Cortland county.....	27,576	1,446.9		14.5	10.9	10.9	
165	Delaware county.....	46,413	1,495.3		15.1	8.6	17.2	2.2
166	Dutchess county.....	81,670	1,822.0	13.5	3.7	18.4	18.4	14.7
167	Erie county.....	433,686	1,452.7	27.9	7.6	25.1	8.8	2.5
168	Essex county.....	30,707	1,408.6		6.5	6.5	9.8	
169	Franklin county.....	42,853	1,372.1		2.3	37.3		2.3
170	Fulton county.....	42,842	1,377.2		2.3	7.0	4.7	
171	Genesee county.....	34,561	1,542.2	2.9	2.9	104.2		
172	Greene county.....	31,712	1,712.3	9.5		19.1	15.9	6.4
173	Hamilton county.....	4,947	1,394.8		20.2			
174	Herkimer county.....	51,049	1,457.4		5.9	25.5	5.9	2.0
175	Jefferson county.....	76,748	1,554.4	1.3	1.3	2.6	5.2	2.6
176	Kings county.....	1,166,582	1,994.1	22.1	16.5	72.2	24.6	4.8
177	Lewis county.....	27,427	1,330.8	7.3		21.9	10.9	7.3
178	Livingston county.....	37,059	1,373.5	2.7	2.7	29.7	5.4	
179	Madison county.....	40,545	1,425.6	9.9	4.9	4.9	2.5	2.5
180	Monroe county.....	217,854	1,483.6	2.8	5.0	23.4	6.0	1.4
181	Montgomery county.....	47,488	1,429.8		12.6	14.7	8.4	
182	Nassau county.....	55,448	1,379.7	5.4	1.8	9.0	7.2	14.4
183	New York county.....	2,050,600	2,094.8	25.2	17.4	64.5	16.7	4.0
184	Niagara county.....	74,961	1,443.4	17.3	1.3	18.7	6.7	5.3
185	Oneida county.....	132,800	1,614.5	0.8	2.3	44.4	4.5	1.5
186	Onondaga county.....	168,735	1,399.8	2.4	2.4	17.8	11.8	4.1
187	Ontario county.....	49,605	1,445.4	2.0	14.1	10.1	2.0	2.0
188	Orange county.....	103,859	1,677.3	12.5	3.9	41.4	11.6	4.8
189	Orleans county.....	30,164	1,375.8	3.3	13.3	6.6		
190	Oswego county.....	70,881	1,812.9	14.1	2.8	39.5	25.4	2.8
191	Otsego county.....	48,939	1,454.9			8.2	2.1	
192	Putnam county.....	13,787	1,617.5			36.3		7.3
193	Queens county.....	152,999	1,726.8	7.8	15.7	47.7	17.0	17.6
194	Rensselaer county.....	121,697	1,972.1	18.1	1.6	49.3	5.7	0.8
195	Richmond county.....	67,021	2,042.6	22.4		59.7	14.9	3.0
196	Rockland county.....	38,298	1,410.0	15.7	2.6	33.9	2.6	5.2
197	St. Lawrence county.....	89,083	1,600.8	2.3	13.5	16.8	1.1	1.1
198	Saratoga county.....	61,089	1,630.4	1.6	8.2	36.0	4.9	1.6
199	Schenectady county.....	46,852	1,413.0		10.7	36.3		
200	Schoharie county.....	26,854	1,746.5			14.9	11.2	
201	Schuyler county.....	15,811	1,606.5	19.0	19.0	25.3		25.3
202	Seneca county.....	28,114	1,863.8		7.1	14.2		
203	Steuben county.....	82,822	1,522.5	1.2	6.0	30.2	1.2	3.6
204	Suffolk county.....	77,582	1,852.2		2.6	19.3	6.4	9.0
205	Sullivan county.....	32,306	1,637.5	3.1	3.1	12.4	21.7	8.1
206	Tioga county.....	27,951	1,738.8	3.6	7.2		25.0	
207	Tompkins county.....	33,830	1,625.8	8.9	5.9	11.8		5.9
208	Ulster county.....	88,422	1,578.8	37.3	12.4	19.2	14.7	12.4
209	Warren county.....	29,943	1,780.0		56.8	33.4	10.0	
210	Washington county.....	45,624	1,433.5	2.2	2.2	28.5		
211	Wayne county.....	48,660	1,494.0		8.2	4.1		4.1
212	Westchester county.....	184,257	1,687.3	17.4	8.1	28.2	13.6	8.1
213	Wyoming county.....	30,413	1,427.0	26.3	3.3	26.3	3.3	6.6
214	Yates county.....	20,318	1,387.9	4.9	4.9	4.9	4.9	4.9
Rhode Island:								
215	Bristol county.....	13,144	2,069.4	22.8		30.4	15.2	
216	Kent county.....	29,976	2,258.5	90.1	3.3	53.4	10.0	
217	Newport county.....	32,599	1,770.0		15.3	30.7		3.1
218	Providence county.....	328,683	1,906.7	50.5	8.8	26.8	30.4	6.4
219	Washington county.....	24,154	1,585.7	33.1		37.3	24.8	8.3
Vermont:								
220	Addison county.....	21,912	1,684.0			4.6	4.6	
221	Bennington county.....	21,705	1,773.8		13.8	4.6		4.6
222	Caledonia county.....	24,381	1,640.6	8.2	4.1	12.3	8.2	4.1
223	Chittenden county.....	39,600	1,805.6	5.1	2.5	12.6	7.6	2.5
224	Essex county.....	8,056	1,526.8	24.8			24.8	
225	Franklin county.....	30,198	1,546.5	9.9		29.8	6.6	3.3
226	Grand Isle county.....	4,462	1,255.0					22.4
227	Lamoille county.....	12,289	1,342.7				8.1	
228	Orange county.....	19,313	1,662.1	20.7		15.5	25.9	5.2
229	Orleans county.....	22,024	1,670.9			27.2	13.6	4.5
230	Rutland county.....	44,209	1,608.3	6.8	6.8	11.3	9.0	
231	Washington county.....	36,607	1,824.8	8.2	13.7	54.6	24.6	2.7
232	Windham county.....	26,660	2,194.3	3.8	3.8	11.3	11.3	3.8
233	Windsor county.....	32,225	1,539.2	3.1		21.7	15.5	

DEATH RATES FROM CERTAIN CAUSES.

581

CAUSES PER 100,000 OF POPULATION—Continued.

DEATH RATES PER 100,000 OF POPULATION—continued.													
Influenza.	Typhoid fever.	Diarrheal diseases.	Consumption.	Cancer and tumor.	Heart disease and dropsy.	Pneumonia.	Diseases of the liver.	Diseases of the nervous system.	Diseases of the urinary organs.	Affections connected with pregnancy.	Old age.	Unknown.	All other causes.
39.6	44.2	61.1	118.9	72.5	168.7	81.5	23.8	189.1	82.7	13.5	48.7	11.3	361.2
25.9	42.6	50.0	146.1	59.2	127.6	107.3	18.5	255.3	123.9	3.7	70.3	3.7	462.4
46.5	8.2	68.4	120.3	95.7	158.6	134.0	30.1	265.3	128.6	21.9	103.9	10.9	462.2
27.4	33.7	92.8	145.5	59.0	128.6	101.2	25.3	263.6	48.5	30.6	75.9	33.7	381.6
27.8	39.4	99.5	134.2	76.4	143.5	194.4	20.8	270.8	120.3	9.2	127.3	13.9	492.9
14.5	43.5	97.9	126.9	105.2	130.5	101.5	10.9	221.2	83.4	14.4	105.2	3.6	359.0
36.6	40.9	53.9	101.3	71.1	122.8	161.6	25.9	226.2	73.3	35.4	90.5	23.7	407.2
30.6	29.4	91.8	189.8	61.2	189.8	181.2	22.0	342.8	79.6	31.6	82.0	3.7	433.5
14.8	23.7	124.5	126.4	58.3	118.3	149.2	20.8	165.3	89.7	17.0	37.4	7.6	436.3
13.0	19.5	78.2	146.5	78.2	198.7	127.0	29.3	208.4	97.7	19.7	65.1	16.3	293.1
16.3	25.7	114.4	231.0	30.3	77.0	133.0	4.7	170.4	56.0	19.3	60.7	18.7	382.7
16.3	23.4	77.0	114.4	58.4	165.7	84.0	9.3	231.1	107.4	18.3	93.4	18.7	354.8
57.9	17.4	28.9	156.2	57.9	173.6	104.2	17.4	251.7	60.7	11.6	78.1	11.6	410.8
31.7	15.9	79.4	187.4	79.4	98.5	162.0	15.9	301.8	120.7	12.6	63.5	6.4	492.4
		121.3	60.6	121.3	80.9	60.6		202.1	101.1		101.1		525.6
13.7	27.4	88.1	115.6	92.1	125.4	137.1	19.6	201.8	123.4	15.9	78.3	31.3	356.5
22.2	65.1	108.2	162.9	56.0	191.5	123.8	20.8	190.2	58.6	5.3	117.3	5.2	417.0
17.0	21.0	209.9	224.0	60.7	135.2	289.0	26.0	178.4	154.8	36.8	24.9	2.1	492.2
21.9	25.5	58.3	76.6	36.5	120.3	76.6	43.8	196.9	87.5	15.1	91.1	25.5	415.6
32.4	16.2	43.2	113.3	91.7	202.4	97.1	27.0	245.6	105.2	16.2	54.0	5.4	291.4
32.1	17.3	49.3	115.9	76.5	145.5	108.5	19.7	246.6	91.2	19.6	118.4	7.4	362.6
9.2	24.3	90.4	139.1	73.0	156.1	131.7	20.2	222.2	101.0	17.8	57.8	4.1	406.7
19.0	23.2	88.5	143.2	71.6	149.5	115.8	14.7	225.3	67.4	33.3	71.6	10.5	376.9
25.3	5.4	160.5	120.9	55.9	119.0	178.6	14.4	182.2	64.9	18.2	41.5	9.0	355.3
15.0	14.4	170.8	260.7	68.0	128.2	352.9	26.9	174.5	164.6	37.8	24.1	2.8	545.1
17.3	48.0	96.1	114.7	78.7	146.8	129.4	32.0	166.8	72.0	21.7	62.7	14.7	404.2
21.1	21.8	60.2	172.4	72.3	161.2	155.9	18.8	229.7	101.7	8.9	82.1	23.3	436.0
10.7	23.7	77.0	123.9	74.1	111.4	123.3	14.8	209.2	90.7	11.8	81.2	10.1	405.3
16.1	30.2	64.5	118.9	86.7	179.4	98.8	12.1	227.8	72.6	12.1	98.8	4.0	399.2
29.8	28.9	93.4	184.9	57.8	159.8	176.2	23.1	283.1	109.8	13.3	55.8	5.8	388.0
26.5	16.6	43.1	126.0	76.2	175.7	82.9	26.5	185.7	86.2	13.2	109.4	19.9	371.3
33.9	22.6	104.4	160.8	80.4	222.9	149.6	25.4	237.0	124.2	11.2	117.1	11.3	433.1
18.4	32.7	47.0	108.3	75.6	165.5	161.4	30.7	251.3	116.5	20.4	89.9	6.1	331.0
21.8	7.3	50.8	152.3	65.3	232.1	152.3	7.2	224.8	108.8	14.7	14.5	14.5	515.0
13.1	23.5	216.4	160.1	45.1	94.1	234.7	34.0	190.2	122.2	22.5	26.8		449.7
35.3	71.5	120.8	267.9	64.9	152.0	219.4	21.4	234.2	127.4	18.8	68.2	10.7	498.0
13.4	25.4	228.3	216.3	85.0	131.3	247.7	22.4	183.5	176.1	18.4	76.1	11.9	516.2
18.3	15.7	125.3	154.1	36.6	117.5	122.7	18.3	224.5	75.7		44.4	13.1	383.8
25.8	64.0	87.6	143.7	64.0	170.6	154.9	14.6	242.5	122.4	22.6	101.0	13.5	350.2
26.2	39.3	106.4	145.7	72.0	145.7	170.3	24.6	209.5	142.4	29.2	77.0	1.6	402.7
8.5	25.6	85.4	108.9	44.8	113.1	104.6	6.4	245.5	81.1	18.4	25.6	4.3	503.7
18.6	52.1	55.9	163.8	104.3	186.2	137.8	22.3	275.6	108.0	30.3	175.0	7.4	398.5
6.3	12.6	75.9	101.2	120.2	183.4	126.5	31.6	278.3	56.9	25.1	101.2	25.3	385.8
28.5	14.2	67.6	206.3	128.0	227.6	163.6	28.5	316.6	138.7	7.1	96.0	3.6	419.7
15.7	35.0	78.5	122.0	82.1	184.7	126.8	15.7	225.8	77.3	44.3	94.2	24.1	376.7
25.8	27.1	175.3	208.8	50.3	198.5	131.5	16.7	319.7	130.2	12.8	72.2	19.3	433.1
43.3	21.7	95.9	278.6	86.7	185.7	157.9	9.3	229.0	58.8	6.3	83.6	21.7	318.8
53.7	35.8	89.4	146.7	75.1	146.7	168.2	10.7	282.6	100.2	42.4	128.8	14.3	429.3
32.5	26.6	47.3	133.0	97.5	171.5	112.3	20.7	313.3	103.5	23.3	97.6	32.5	393.2
27.2	23.8	84.8	160.6	61.1	176.4	141.4	26.0	234.1	72.4	25.1	39.6	17.0	406.0
43.4	53.4	106.9	170.3	83.5	187.0	167.0	13.4	263.8	83.5	46.2	86.8	20.0	377.4
17.5	21.5	59.2	129.3	63.6	157.8	144.7	11.0	221.4	92.0	17.5	89.9	15.3	368.2
32.9	32.9	76.0	176.7	71.9	172.6	104.8	26.7	244.6	67.8	4.0	92.5	14.4	361.7
25.0	9.8	158.5	177.5	57.0	124.3	192.6	26.0	208.4	97.7	18.3	36.9	21.7	467.3
23.0	36.2	55.9	98.6	49.3	147.9	82.2	46.0	249.9	92.1	19.8	111.8	3.3	355.1
9.8	34.5	88.6	78.8	59.1	182.1	54.1	19.7	275.6	44.3	9.8	142.7	14.8	354.4
68.5	15.2	350.0	152.2	121.7	114.1	175.0	15.2	220.6	152.2	15.0	91.3	15.2	502.2
53.4	13.3	256.9	173.5	63.4	163.5	283.5	26.7	210.2	130.1	53.0	70.0	20.0	610.5
73.6	36.8	113.5	159.5	79.8	168.7	144.2	36.8	233.1	95.1	18.7	67.5	24.5	478.6
81.2	23.7	185.3	206.0	63.6	128.4	216.3	21.0	185.0	133.0	33.9	35.9	12.5	474.6
33.1	24.8	99.4	149.1	66.2	178.0	136.6	29.0	190.5	120.1	24.6	62.1	16.6	364.3
31.9	63.9	68.5	164.3	100.4	182.5	118.6	9.1	255.6	95.8	9.3	109.5	13.7	456.4
36.9	23.0	69.1	129.0	55.3	202.7	221.2	18.4	285.7	138.2	37.3	64.5	32.3	456.1
49.2	57.4	53.3	151.8	77.9	213.3	114.9	24.6	188.7	77.9	25.3	94.3	32.8	455.3
35.4	22.7	149.0	169.2	83.3	159.1	194.5	20.2	229.8	68.2	20.0	113.6	32.8	487.4
24.8	24.8	49.7	161.4	74.5	121.1	149.0	24.8	149.0	86.9	26.6	99.3	12.4	484.1
6.6	16.6	86.1	208.6	82.8	139.1	212.0	3.3	202.0	66.2	26.7	106.0	39.7	314.6
73.2	24.4	22.4	112.1	44.8	179.3	224.1		201.7	89.6		44.8	22.4	291.4
31.1	5.2	57.0	113.9	57.0	187.2	130.2	21.4	227.9	89.5		97.6	16.3	236.0
13.6	45.4	41.4	134.6	103.6	212.3	181.2	31.1	258.9	93.2	52.8	108.7	15.5	352.1
		104.4	113.5	113.5	163.5	172.5	50.0	208.9	99.9	18.7	95.4	59.0	376.9
27.1	40.7	67.9	140.3	65.6	183.2	219.4	18.1	169.7	108.6	45.8	83.7	24.9	402.6
19.1	35.5	57.4	169.4	90.1	169.4	267.7	10.9	229.5	73.8	28.7	81.9	19.1	483.5
101.3	15.0	52.5	165.0	157.5	236.3	150.0	18.7	382.6	97.5	7.6	195.0	30.0	555.1
62.1	27.9	49.7	130.3	108.6	183.1	130.3	9.3	242.1	86.9	43.9	80.7	18.6	347.6

TABLE 23.

NUMBER OF DEATHS AT EACH AGE PER 1,000 DEATHS AT KNOWN AGES, IN THE UNITED STATES, THE REGISTRATION AREA, AND ITS SUBDIVISIONS, AND IN EACH REGISTRATION STATE, BY SEX, COLOR, GENERAL NATIVITY, AND BIRTHPLACES OF MOTHERS.

[For the deaths in these areas, see Table 6, Part 2.]

TABLE 23.—NUMBER OF DEATHS AT EACH

ARMAS.		Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
THE UNITED STATES.												
1	Total	193.2	58.0	27.3	17.1	12.2	307.8	35.6	23.8	36.9	49.4	47.2
2	Males.....	202.2	57.7	26.8	16.4	11.6	314.7	34.1	22.3	33.5	46.1	44.2
3	Females.....	183.0	58.4	27.8	18.0	12.8	300.0	37.3	25.4	40.8	53.2	50.6
4	White	192.5	55.5	25.8	16.5	11.9	302.2	34.1	21.6	32.6	44.6	45.0
5	Males.....	201.2	55.0	25.2	15.7	11.3	308.4	32.9	20.6	30.1	41.5	42.2
6	Females.....	182.4	56.2	26.5	17.4	12.5	295.0	35.6	22.7	35.5	48.1	48.3
7	Native.....	243.4	69.7	32.3	20.6	14.7	380.7	42.0	26.0	37.4	48.2	45.8
8	Both parents native..... (M..)	234.4	69.0	31.7	19.0	13.8	367.9	41.0	27.5	37.9	44.3	36.5
	(F..)	201.9	66.0	31.5	20.0	14.1	333.5	42.0	28.3	43.6	51.3	45.4
9	One or both parents foreign..... (M..)	359.2	90.9	40.7	25.6	17.3	533.7	47.7	26.5	35.5	49.0	53.2
	(F..)	322.4	95.5	42.4	28.5	19.6	508.4	52.6	30.3	41.3	56.9	59.4
10	Foreign	3.2	2.6	1.5	1.2	0.9	9.4	4.3	4.9	13.8	29.5	40.7
11	Males.....	3.1	2.6	1.2	1.2	0.9	9.0	4.2	4.6	12.8	27.7	39.3
12	Females.....	3.2	2.7	1.8	1.2	1.0	9.9	4.4	5.4	15.1	31.8	42.5
13	Colored.....	197.6	73.6	36.2	20.6	14.2	342.2	44.7	36.8	63.7	79.2	60.5
14	Males.....	208.8	75.8	37.0	20.2	13.6	355.4	42.1	32.9	55.7	76.2	56.7
15	Females.....	186.3	71.3	35.3	21.0	14.8	328.7	47.3	40.9	71.9	82.3	64.3
Birthplaces of mothers (white).												
16	United States..... (M..)	241.8	69.3	31.8	19.3	14.1	376.3	41.7	27.8	38.3	44.8	36.9
	(F..)	208.0	66.8	31.8	20.4	14.3	341.3	42.6	28.7	44.0	51.7	45.6
17	Ireland..... (M..)	92.5	25.8	11.6	8.1	5.3	143.3	14.2	8.2	16.9	40.2	63.9
	(F..)	76.4	24.7	12.0	8.1	5.4	126.6	14.3	9.1	18.6	41.5	61.3
18	Germany..... (M..)	121.6	29.1	14.5	9.9	7.1	182.2	22.4	13.5	20.5	30.5	36.9
	(F..)	117.6	33.7	15.0	11.6	8.2	186.1	25.2	16.7	24.9	41.1	48.0
19	England and Wales..... (M..)	101.3	25.8	13.7	8.1	4.5	153.4	18.4	12.2	21.1	30.4	35.7
	(F..)	104.9	30.6	13.9	9.3	6.5	165.2	22.6	15.0	20.1	35.8	41.7
20	Canada..... (M..)	305.4	59.3	28.4	19.1	12.6	424.8	33.8	23.4	35.2	48.1	42.3
	(F..)	262.5	56.6	27.0	20.8	14.6	381.5	35.5	24.7	41.1	59.3	58.8
21	Scandinavia..... (M..)	182.2	48.8	22.6	13.3	10.9	277.8	33.5	23.9	34.5	48.0	52.3
	(F..)	167.8	54.5	23.3	16.3	14.8	276.7	43.5	31.4	48.1	63.8	58.2
22	Scotland..... (M..)	83.4	20.4	9.1	7.5	3.9	124.3	16.6	12.4	16.1	27.7	30.6
	(F..)	77.6	23.7	11.8	7.9	6.3	127.3	18.8	10.9	21.1	28.0	40.5
23	Italy..... (M..)	350.0	138.2	51.8	28.8	15.0	583.8	31.9	13.4	24.0	32.5	40.9
	(F..)	374.7	172.1	64.3	35.2	24.3	670.6	40.2	17.0	25.4	35.4	30.9
24	France..... (M..)	86.5	21.5	6.9	4.6	6.4	125.9	12.2	9.9	14.5	29.0	29.0
	(F..)	94.7	27.6	7.5	4.2	5.0	139.0	10.1	10.1	18.4	29.3	50.3
25	Russia and Poland..... (M..)	378.9	109.3	47.1	26.7	18.1	580.1	39.9	19.3	22.6	34.0	38.5
	(F..)	367.4	124.9	59.7	28.9	20.5	601.4	47.4	17.7	27.5	34.6	35.2
26	Other foreign countries..... (M..)	260.0	71.0	28.5	16.6	11.1	387.2	28.7	13.3	25.5	42.7	51.8
	(F..)	270.1	79.3	32.9	21.3	13.9	417.5	39.4	23.7	33.3	48.6	47.1
27	Unknown..... (M..)	113.5	25.3	12.4	8.0	5.3	164.5	17.6	11.5	20.2	40.7	47.5
	(F..)	123.2	29.3	14.8	8.7	6.1	182.1	18.6	15.3	25.8	46.8	51.6
THE REGISTRATION RECORD.												
28	Total	200.1	50.9	23.5	15.3	10.8	300.6	29.5	16.8	26.3	41.8	46.9
29	Males.....	210.7	50.7	23.1	14.6	10.2	309.3	28.4	15.9	24.5	39.9	45.7
30	Females.....	188.1	51.1	24.0	16.1	11.5	290.8	30.7	17.8	28.3	44.0	48.2
31	White	198.9	50.1	23.2	15.3	10.9	298.4	29.5	16.2	24.8	39.4	45.2
32	Males.....	209.8	49.9	22.7	14.7	10.3	307.4	28.5	15.6	23.5	37.4	44.0
33	Females.....	186.4	50.4	23.7	16.1	11.5	288.1	30.5	16.9	26.3	41.8	46.6
34	Native.....	276.0	68.7	31.6	20.8	14.7	411.8	39.1	20.5	28.8	42.2	45.1
35	Both parents native..... (M..)	247.4	52.3	24.9	15.6	11.4	351.6	32.6	19.5	25.8	33.9	30.9
	(F..)	208.5	49.4	24.3	16.0	11.2	309.4	32.9	20.4	28.9	37.5	37.0
36	One or both parents foreign..... (M..)	395.3	100.9	43.3	26.8	17.2	583.5	44.1	21.0	29.5	44.1	53.4
	(F..)	356.6	106.2	45.9	30.5	20.1	559.3	48.7	24.3	33.7	51.7	57.0
37	Foreign.....	3.4	3.0	1.7	1.4	1.0	10.5	4.7	5.0	14.2	31.5	44.7
38	Males.....	3.4	3.1	1.4	1.4	1.0	10.3	4.7	4.7	13.4	29.9	43.7
39	Females.....	3.4	2.8	1.9	1.4	1.1	10.6	4.7	5.3	15.2	33.3	45.8
40	Colored.....	215.9	60.8	28.1	14.9	10.0	329.7	29.2	25.0	45.0	72.5	67.9
41	Males.....	222.9	61.2	27.6	13.7	8.6	334.0	26.1	21.2	37.9	72.3	68.0
42	Females.....	208.4	60.4	28.6	16.2	11.4	325.0	32.6	29.0	52.8	72.8	67.7
Birthplaces of mothers (white).												
43	United States..... (M..)	263.9	55.4	26.1	16.4	12.1	373.9	34.3	20.4	27.3	35.3	32.0
	(F..)	222.7	53.0	26.0	17.3	11.8	330.8	34.7	21.2	30.4	38.9	37.6
44	Ireland..... (M..)	110.1	30.6	13.7	9.7	6.1	170.2	16.0	8.5	17.7	43.2	70.1
	(F..)	85.9	27.5	13.4	8.9	5.8	141.5	15.1	8.8	18.3	43.3	62.8
45	Germany..... (M..)	144.7	35.6	17.1	11.8	8.1	217.3	23.2	12.4	19.3	30.5	40.0
	(F..)	134.7	39.7	16.8	13.6	9.7	214.5	25.4	14.3	21.3	39.3	49.7
46	England and Wales..... (M..)	123.5	29.7	16.1	8.8	4.9	183.0	22.4	10.8	19.1	27.4	37.4
	(F..)	119.7	31.6	15.3	9.6	6.9	183.1	19.9	13.8	17.8	31.7	40.1
47	Canada..... (M..)	336.4	64.6	30.2	20.1	13.0	464.3	33.0	22.6	34.3	46.1	40.4
	(F..)	280.3	59.7	27.6	21.6	15.3	404.5	34.8	23.0	40.4	58.5	58.1
48	Scandinavia..... (M..)	244.5	67.9	29.9	19.0	12.3	373.6	37.2	14.3	27.2	40.1	56.5
	(F..)	225.7	81.3	26.2	22.5	19.5	375.2	47.6	28.1	32.6	61.8	61.1
49	Scotland..... (M..)	99.3	23.5	11.1	8.6	4.3	146.8	19.3	6.8	13.7	25.2	32.1
	(F..)	77.8	22.5	10.8	8.8	5.9	125.8	18.6	8.8	13.0	25.5	40.1
50	Italy..... (M..)	365.5	148.3	54.6	30.1	14.6	613.1	31.7	13.3	23.4	33.2	38.7
	(F..)	383.2	175.6	66.1	34.9	22.8	682.6	40.1	15.7	24.6	33.9	29.7
51	France..... (M..)	126.8	31.7	8.2	7.1	5.1	178.9	13.3	8.2	10.2	30.7	36.8
	(F..)	124.3	31.4	9.6	2.7	4.1	172.1	9.6	8.2	9.6	28.7	46.4
52	Russia and Poland..... (M..)	394.2	115.4	47.9	26.1	15.4	599.0	35.8	14.4	20.6	33.7	37.4
	(F..)	379.4	128.3	60.7	27.9	19.1	615.4	38.5	14.2	24.5	35.1	34.3
53	Other foreign countries..... (M..)	308.3	84.9	30.3	16.8	11.1	451.9	25.2	9.9	21.7	40.2	50.9
	(F..)	310.2	95.8	37.0	22.5	13.2	478.7	37.7	18.7	27.0	47.0	46.2
54	Unknown..... (M..)	117.2	18.5	10.4	6.5	4.2	156.8	13.6	9.1	15.9	35.2	47.3
	(F..)	123.6	22.7	11.2	7.2	4.9	169.6	12.4	9.1	17.2	36.8	42.6

PROPORTION OF DEATHS AT EACH AGE.

585

AGE PER 1,000 DEATHS AT KNOWN AGES.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	
42.5	43.0	40.2	39.0	41.4	41.8	46.7	50.6	51.4	44.6	32.8	16.7	6.0	2.6	1
40.8	42.6	41.0	41.2	43.7	43.9	48.0	52.2	52.6	45.0	32.0	15.4	4.8	1.9	2
44.4	43.5	39.2	36.5	38.7	39.5	45.2	48.8	50.2	44.2	33.6	18.1	7.3	3.5	3
42.0	42.9	40.5	39.4	42.0	44.2	49.0	54.5	55.5	48.7	35.3	18.0	6.0	1.9	4
40.4	42.7	41.5	41.8	44.3	46.0	50.1	55.8	56.1	48.7	34.3	16.5	4.7	1.4	5
43.9	43.2	39.3	36.7	39.4	42.0	47.7	53.1	54.7	48.7	36.5	19.7	7.4	2.5	6
39.5	37.7	35.4	32.7	32.1	32.8	35.8	40.6	42.4	39.0	29.6	15.6	5.3	1.4	7
30.2	29.0	30.3	32.1	34.9	36.9	42.5	50.4	52.3	47.9	35.1	17.1	5.1	1.1	8
38.7	35.6	34.4	32.4	34.5	35.9	40.3	45.7	49.2	45.4	35.0	19.4	7.3	2.1	
47.5	43.3	37.3	27.2	17.8	16.0	13.4	12.9	11.4	11.9	8.8	5.0	1.5	0.4	9
47.4	42.2	36.2	25.3	18.0	15.2	13.4	11.7	11.8	11.3	9.3	6.1	2.3	0.9	
50.2	60.5	58.0	63.8	79.3	87.7	100.0	108.6	106.6	86.5	57.0	27.0	8.4	3.8	10
50.0	62.1	62.9	69.9	85.5	90.5	99.4	105.4	103.7	84.2	53.8	25.2	6.8	3.0	11
50.5	58.6	51.8	56.2	71.6	84.2	100.7	112.5	110.2	89.4	60.9	29.2	10.4	4.7	12
45.4	43.4	38.3	36.2	37.4	27.8	32.6	26.6	26.9	19.5	17.2	8.8	5.8	7.0	13
43.7	41.8	37.5	37.0	40.0	30.4	34.3	29.3	29.5	20.9	17.7	8.6	5.0	5.3	14
47.1	45.1	39.2	35.4	34.7	25.1	30.8	23.9	24.2	18.1	16.7	9.0	6.6	8.7	15
30.5	28.9	29.8	31.4	33.9	35.7	41.2	48.8	50.6	46.6	34.1	16.6	5.0	1.1	16
38.6	35.1	33.9	31.7	33.6	35.1	39.0	44.3	47.8	44.4	34.1	19.1	7.3	2.1	
68.1	70.9	61.9	55.6	65.7	68.5	74.3	72.0	64.5	52.0	33.5	17.4	5.8	3.1	17
57.5	62.7	52.3	51.5	62.8	71.3	85.3	85.7	77.1	52.1	39.1	19.5	7.7	4.0	
44.1	50.1	54.4	54.7	56.5	60.7	69.8	79.2	84.5	71.9	43.7	18.5	4.6	1.3	18
50.2	51.9	48.3	43.1	46.3	53.8	60.5	74.3	82.3	71.9	45.8	21.1	6.4	2.1	
39.6	45.8	46.9	53.6	59.5	69.7	71.4	84.9	86.3	80.5	55.8	26.9	6.7	1.2	19
45.6	45.3	51.8	49.3	52.3	60.3	67.6	77.2	80.1	74.9	53.8	29.6	8.9	2.9	
36.3	43.8	36.5	35.8	35.3	36.9	36.6	41.0	34.3	25.9	16.4	9.7	2.1	1.8	20
51.3	48.5	37.6	35.5	34.8	30.7	34.3	35.2	31.3	27.4	18.5	8.9	3.3	1.8	
55.5	58.7	51.2	49.6	50.9	46.6	42.6	43.2	46.3	39.1	30.7	11.3	3.1	1.2	21
59.0	59.4	51.8	52.1	52.9	31.7	32.4	42.0	42.4	41.7	28.5	18.2	4.7	1.5	
35.2	49.4	53.1	59.8	70.4	70.4	71.5	85.7	90.6	78.2	63.2	31.6	9.6	3.6	22
39.5	46.1	51.3	52.0	58.2	61.5	69.1	79.6	87.8	82.3	73.1	32.9	14.1	5.9	
38.7	46.9	35.6	37.8	32.0	25.8	17.3	15.1	11.3	5.7	4.4	2.1	0.3	0.5	23
31.1	28.4	23.4	18.4	16.1	17.7	10.9	10.7	10.2	6.8	4.1	1.1	0.5	1.1	
37.1	45.3	62.7	47.0	65.6	85.3	87.0	84.2	82.4	85.9	50.5	29.6	12.8	4.1	24
41.0	57.0	51.9	62.8	56.1	61.1	77.1	76.2	78.7	76.2	60.3	26.0	15.9	2.5	
34.1	39.9	33.5	30.0	28.1	22.2	21.4	17.4	13.3	10.7	8.8	4.4	0.9	0.9	25
35.4	35.9	25.7	16.1	20.7	23.5	17.9	21.1	11.7	10.4	9.2	4.6	2.4	1.6	
47.3	49.6	49.0	39.9	42.8	37.7	39.9	36.4	38.4	30.9	21.3	13.1	2.7	1.8	26
43.0	45.5	33.4	30.0	28.8	31.9	34.6	34.4	34.2	31.6	25.1	10.7	3.8	3.4	
49.3	58.3	54.5	55.6	55.2	59.8	63.4	72.0	75.9	67.1	50.7	26.5	7.7	2.0	27
50.0	54.3	47.8	43.7	46.2	46.7	54.7	63.2	71.0	70.3	58.7	34.0	13.3	5.9	
45.4	47.6	43.6	42.9	45.3	47.2	51.2	54.4	53.6	46.8	34.0	17.6	6.3	2.2	28
46.2	49.8	46.6	45.9	47.9	48.6	50.7	53.1	51.6	44.4	30.7	14.9	4.5	1.4	29
44.4	45.1	40.3	39.4	42.3	45.6	51.7	55.9	55.9	49.6	37.9	20.8	8.3	3.0	
44.8	46.9	42.9	42.5	45.1	48.0	52.5	56.4	56.0	49.1	35.6	18.4	6.4	1.9	31
45.3	49.1	45.9	45.5	47.6	49.3	52.0	55.0	53.8	46.6	32.2	15.5	4.6	1.2	32
44.2	44.5	39.5	39.0	42.2	46.5	53.0	58.1	58.3	52.1	39.6	21.6	8.5	2.7	
40.6	39.2	35.4	32.2	30.0	31.2	33.7	37.8	39.2	38.6	30.5	16.6	6.1	1.4	34
28.7	28.3	29.5	32.4	36.5	42.2	48.9	58.2	61.4	61.4	46.3	23.2	7.6	1.1	35
32.2	30.6	30.6	33.2	36.4	41.1	48.4	56.2	62.3	63.7	52.8	30.8	12.7	2.9	
48.7	44.3	36.7	25.9	15.3	13.3	10.9	8.5	6.5	6.4	4.6	2.5	0.7	0.1	36
46.7	41.1	34.9	24.3	16.5	13.6	11.2	9.3	8.0	7.4	6.3	3.8	1.7	0.5	
54.6	65.0	60.7	67.5	83.7	91.4	101.7	105.5	99.9	77.1	48.7	22.9	7.4	3.3	37
56.1	69.0	68.1	74.9	91.2	94.5	100.0	100.0	93.7	73.1	43.8	20.8	5.7	2.4	38
52.8	60.4	52.3	59.1	75.3	87.8	103.6	111.8	107.1	81.6	54.3	25.3	9.3	4.4	
53.1	56.6	53.0	48.8	47.5	37.3	35.0	27.9	23.8	17.0	13.5	7.5	4.4	5.3	40
58.0	59.6	55.4	52.6	51.4	39.5	34.0	27.7	22.8	15.4	11.7	5.9	3.0	3.5	41
47.8	53.2	50.4	44.5	43.3	35.0	36.1	28.1	24.9	18.6	15.5	9.3	6.0	7.4	
29.4	28.0	28.6	30.9	34.2	39.3	45.6	54.3	56.9	57.1	43.1	21.5	6.9	1.0	43
32.3	30.1	30.0	32.0	34.3	39.3	45.0	52.5	58.3	59.6	49.3	28.9	12.0	2.8	
74.9	76.0	64.0	56.4	66.4	67.8	69.9	61.9	53.3	40.7	24.4	12.5	4.0	2.1	44
59.7	63.4	52.7	53.6	65.1	73.0	85.0	81.8	72.1	45.6	33.2	15.3	6.3	3.4	
48.8	56.4	60.8	58.7	58.8	59.5	66.8	69.6	71.1	57.6	32.6	12.6	3.0	1.0	45
52.5	51.2	47.8	44.7	46.1	54.3	60.6	72.0	79.4	64.6	39.4	16.7	4.7	1.5	
39.1	49.8	45.7	56.1	56.8	71.1	71.5	79.2	79.2	72.9	46.6	24.1	6.5	1.3	46
46.6	47.8	53.3	51.2	53.6	61.5	65.4	75.7	78.3	72.2	47.8	28.2	2.3	1.5	
34.1	41.2	32.3	32.8	32.9	34.0	33.1	36.4	31.8	23.8	14.1	9.0	3.6	1.5	47
49.8	46.8	35.9	33.0	35.2	30.0	32.5	33.8	27.5	25.5	17.0	8.5	3.5	1.2	
64.7	66.2	54.5	57.4	49.2	42.2	31.6	25.2	22.3	19.6	13.5	9.4	0.4	0.4	48
70.5	63.4	45.7	30.7	28.1	21.7	18.7	33.4	31.1	23.6	16.5	9.4	0.4	0.4	
41.9	59.9	59.1	59.1	73.2	68.1	70.2	81.8	82.2	71.0	69.0	30.8	12.7	5.9	49
43.6	47.5	56.3	54.8	61.7	67.1	69.0	81.2	87.6	87.6	71.0	30.8	12.7	5.9	
36.7	42.6	33.0	32.6	28.8	22.9	15.7	12.9	9.2	5.9	8.9	1.8	0.4	0.2	50
30.5	28.0	23.6	16.5	15.7	17.0	9.3	9.8	10.1	6.6	8.9	1.0	0.2	1.2	
46.0	46.0	67.5	48.1	70.6	83.8	84.9	81.8	69.5	66.9	45.1	26.0	16.4	1.4	51
38.3	66.9	53.3	68.1	51.9	62.8	71.0	76.5	88.8	8.6	7.0	3.9	0.8	0.6	
34.1	39.1	34.0	29.8	28.8	21.2	22.0	16.9	12.3	9.8	9.6	4.6	2.3	2.1	52
34.8	36.6	23.5	15.5	22.5	24.3	18.8	20.7	12.9	21.6	13.8	8.0	1.4	0.8	
48.6	50.9	48.9	37.6	42.2	36.1	33.6	28.6	28.9	26.2	21.7	7.7	3.4	1.7	53
37.2	39.2	30.8	26.8	24.3	30.0	32.1	32.5	28.9	73.1	57.6	31.7	9.5	2.0	
52.9	65.2	57.0	58.3	54.2	57.3	59.5	67.9	75.9	83.1	73.1	45.3	18.7	7.1	54
45.9	53.0	47.2	45.5	46.9	48.7	55.2	67.0	75.6						

TABLE 23.—NUMBER OF DEATHS AT EACH AGE PER

AREAS.		Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
THE REGISTRATION CITIES.												
1	Total	212.8	55.8	25.8	16.6	11.9	322.9	31.2	16.9	26.3	43.9	49.9
2	Males.....	222.9	55.3	25.2	15.9	11.1	330.4	30.0	16.0	24.3	41.9	49.1
3	Females.....	201.1	56.4	26.4	17.5	12.9	314.3	32.6	18.0	28.5	46.3	50.7
4	White	212.6	55.3	25.5	16.8	12.1	322.3	31.4	16.2	24.5	41.1	48.0
5	Males.....	223.1	54.7	24.9	16.1	11.3	330.1	30.4	15.5	23.1	38.9	47.2
6	Females.....	200.5	56.0	26.2	17.6	13.0	313.3	32.6	16.9	26.1	43.6	49.0
7	Native.....	306.0	78.7	36.1	23.7	16.9	461.4	43.2	21.1	28.8	44.5	48.2
8	Both parents native..... (M..)	302.9	65.6	31.5	19.6	14.6	434.2	39.7	20.7	25.4	36.2	33.5
	 (F..)	255.7	62.9	30.7	20.0	15.2	384.5	39.3	22.0	29.1	39.9	38.2
9	One or both parents foreign..... (M..)	403.2	107.1	45.7	27.9	17.6	601.5	43.7	19.8	27.6	43.5	53.1
	 (F..)	367.5	113.6	48.8	31.3	21.0	582.2	48.3	23.1	31.1	51.1	56.8
10	Foreign.....	3.3	2.9	1.6	1.5	1.1	10.4	4.6	5.0	14.1	32.3	46.8
11	Males.....	3.5	3.1	1.3	1.5	1.0	10.4	4.6	4.6	13.0	30.6	46.2
12	Females.....	3.1	2.7	2.0	1.4	1.2	10.4	4.6	5.4	15.2	34.2	47.5
13	Colored.....	214.5	61.0	28.4	15.0	10.1	329.0	29.3	24.7	45.0	73.6	68.9
14	Males.....	220.5	61.5	28.0	14.1	8.9	333.0	26.2	21.0	38.1	73.7	69.4
15	Females.....	207.9	60.4	28.8	16.1	11.3	324.5	32.7	28.8	52.6	73.5	68.4
Birthplaces of mothers (white).												
16	United States..... (M..)	320.2	68.5	32.7	20.6	15.1	457.1	40.7	21.8	27.3	37.4	34.6
	 (F..)	271.2	67.2	32.8	21.4	15.6	408.2	40.7	22.7	30.6	41.7	38.9
17	Ireland..... (M..)	120.3	34.6	15.2	10.5	6.8	187.4	16.6	8.5	17.5	44.5	73.0
	 (F..)	93.1	29.9	14.7	9.5	6.2	153.4	16.0	8.8	18.1	45.2	65.0
18	Germany..... (M..)	149.2	37.7	17.4	11.6	8.6	224.5	23.3	12.5	19.1	30.8	40.3
	 (F..)	138.7	42.1	17.6	14.2	10.4	223.0	25.7	14.6	20.9	39.1	49.7
19	England and Wales..... (M..)	142.6	34.2	18.1	10.5	5.7	211.1	23.8	11.9	20.8	30.2	42.9
	 (F..)	136.7	36.4	17.5	11.2	7.1	208.9	20.6	14.4	18.9	32.5	44.3
20	Canada..... (M..)	365.9	69.6	31.2	20.0	13.5	500.2	32.4	19.2	29.4	50.0	40.5
	 (F..)	304.6	60.7	28.4	22.5	16.7	432.9	32.0	21.7	36.1	57.3	60.5
21	Scandinavia..... (M..)	237.3	67.1	32.5	19.7	12.0	368.6	39.4	14.2	28.4	41.9	59.1
	 (F..)	227.2	79.0	27.9	20.4	19.9	374.4	47.8	29.3	32.7	64.8	63.4
22	Scotland..... (M..)	110.1	25.7	12.9	10.5	5.9	165.1	20.5	8.2	15.2	26.9	35.7
	 (F..)	84.5	27.3	14.6	9.3	7.3	143.0	19.3	8.6	20.6	29.3	41.3
23	Italy..... (M..)	366.0	154.4	56.0	31.8	14.8	623.0	33.0	13.1	22.5	32.6	37.8
	 (F..)	382.0	180.4	66.5	33.3	22.8	685.0	39.5	16.4	24.4	34.2	29.4
24	France..... (M..)	132.7	33.2	9.8	8.6	4.9	189.2	16.0	7.4	11.1	29.5	36.9
	 (F..)	126.0	33.9	8.1	3.3	3.2	174.5	9.7	9.7	11.3	30.7	46.8
25	Russia and Poland..... (M..)	395.4	119.2	49.0	26.4	14.8	604.8	34.9	14.0	19.9	32.1	35.9
	 (F..)	371.1	130.7	61.0	29.0	19.5	611.3	38.7	13.4	24.8	35.4	34.8
26	Other foreign countries..... (M..)	315.3	89.4	32.3	18.5	11.1	466.6	25.7	8.9	20.4	40.2	51.6
	 (F..)	315.3	102.3	38.5	22.7	13.7	492.5	38.5	18.1	28.6	49.2	46.3
27	Unknown..... (M..)	151.2	23.2	13.5	7.9	5.6	201.4	17.2	10.5	18.5	40.3	55.9
	 (F..)	165.9	30.7	14.8	9.6	6.4	227.4	15.9	11.0	20.8	44.3	51.9
THE REGISTRATION STATES.												
28	Total	201.2	50.2	22.6	14.6	9.7	298.3	26.3	15.2	23.7	36.9	42.8
29	Males.....	215.7	51.0	22.6	14.2	9.3	312.8	25.7	14.5	22.5	34.9	41.5
30	Females.....	185.3	49.3	22.7	15.0	10.2	282.5	26.9	16.0	25.0	39.0	44.4
31	White	199.6	49.8	22.4	14.5	9.7	296.0	26.3	14.9	23.2	36.1	42.4
32	Males.....	214.2	50.6	22.4	14.2	9.4	310.8	25.8	14.3	22.3	34.2	41.0
33	Females.....	183.6	48.9	22.4	14.9	10.1	279.9	26.8	15.6	24.3	38.3	43.9
34	Native.....	274.2	67.3	30.1	19.4	12.9	403.9	34.1	18.5	26.2	37.1	40.7
35	Both parents native..... (M..)	233.9	48.6	22.7	14.6	10.6	330.4	30.2	18.0	24.7	30.8	28.9
	 (F..)	197.4	45.0	22.1	14.9	10.3	289.7	30.6	18.4	26.9	34.0	34.1
36	One or both parents foreign..... (M..)	406.4	104.4	44.2	27.1	17.1	599.2	42.4	19.7	27.8	42.3	52.5
	 (F..)	364.8	108.6	46.7	31.5	20.4	572.0	48.0	23.6	31.9	49.6	55.2
37	Foreign.....	4.5	3.9	2.3	1.9	1.3	13.9	5.8	5.3	15.5	33.5	46.8
38	Males.....	4.7	4.1	2.0	2.1	1.3	14.2	6.2	5.0	15.0	31.5	45.1
39	Females.....	4.3	3.6	2.5	1.8	1.3	13.5	5.4	5.7	16.1	35.6	48.5
40	Colored.....	252.0	64.3	29.3	15.3	10.7	371.6	26.6	26.0	37.3	60.2	58.3
41	Males.....	266.5	66.2	27.7	13.4	7.3	381.1	24.0	21.1	28.4	57.4	58.1
42	Females.....	237.3	62.3	30.8	17.2	14.3	361.9	29.2	31.0	46.4	63.0	58.5
Birthplaces of mothers (white).												
43	United States..... (M..)	253.0	52.4	24.2	15.4	11.2	356.2	31.9	18.9	25.9	32.3	30.1
	 (F..)	213.2	49.0	24.0	16.3	10.9	313.4	32.5	19.3	28.3	35.4	34.9
44	Ireland..... (M..)	116.7	32.3	14.4	10.5	6.3	180.2	16.1	8.0	17.4	42.9	71.0
	 (F..)	88.5	28.0	13.7	9.2	6.2	145.6	15.3	8.6	18.1	43.0	63.0
45	Germany..... (M..)	149.9	36.5	18.1	11.8	8.3	224.6	23.6	11.6	19.0	29.5	40.1
	 (F..)	140.4	40.7	16.7	14.7	9.9	222.4	25.8	14.2	19.1	38.8	49.8
46	England and Wales..... (M..)	129.5	30.1	16.2	8.6	5.1	189.5	22.1	10.4	16.8	27.2	35.2
	 (F..)	124.1	32.3	15.0	9.5	7.2	188.1	19.1	13.8	16.9	31.0	36.5
47	Canada..... (M..)	346.5	66.4	31.2	20.8	13.3	478.2	32.6	22.0	34.8	45.2	39.2
	 (F..)	284.1	61.6	28.1	22.2	15.2	411.2	33.6	23.2	40.1	57.1	57.1
48	Scandinavia..... (M..)	274.8	74.7	33.5	22.5	12.7	418.2	33.9	11.5	21.6	33.5	53.0
	 (F..)	240.2	92.5	28.4	26.3	22.4	409.8	48.7	25.7	27.4	51.4	59.1
49	Scotland..... (M..)	100.7	23.8	12.6	10.1	4.6	151.8	20.7	5.6	14.2	24.8	32.4
	 (F..)	80.5	22.3	10.6	9.5	6.7	129.6	19.5	7.3	23.5	23.5	40.8
50	Italy..... (M..)	381.7	158.3	57.3	31.4	15.7	644.4	32.0	12.4	21.4	31.8	33.4
	 (F..)	385.3	180.5	66.7	36.1	22.6	691.2	40.1	15.7	23.9	33.5	29.8
51	France..... (M..)	161.8	42.3	10.2	7.3	7.3	228.9	16.0	10.2	13.1	33.5	50.6
	 (F..)	163.4	41.3	13.8	2.0	3.9	224.4	13.8	9.8	5.9	25.6	31.2
52	Russia and Poland..... (M..)	391.0	122.3	47.3	27.2	14.1	601.9	34.9	13.6	21.8	32.6	35.2
	 (F..)	370.7	131.2	63.0	27.0	18.0	609.9	36.0	15.0	24.0	36.3	36.6
53	Other foreign countries..... (M..)	330.1	92.4	30.5	16.5	11.9	481.4	26.1	11.4	21.3	34.5	45.0
	 (F..)	314.5	96.9	38.9	25.2	14.2	489.7	38.7	17.9	29.0	45.8	42.0
54	Unknown..... (M..)	105.0	17.4	9.6	6.5	3.7	142.2	11.6	8.4	14.1	28.9	40.2
	 (F..)	111.4	21.5	10.5	6.2	4.2	153.8	10.9	7.4	13.6	29.8	35.1

PROPORTION OF DEATHS AT EACH AGE.

587

1,000 DEATHS AT KNOWN AGES—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	
48.9	51.2	46.2	44.8	46.7	46.8	49.1	49.3	46.0	36.5	25.0	12.5	4.2	1.7	1
50.8	54.3	50.1	48.7	50.2	48.4	48.4	47.5	42.9	32.6	21.1	9.7	2.6	1.0	2
46.8	47.7	41.7	40.3	42.7	44.9	49.9	51.3	49.6	41.0	29.6	15.7	6.0	2.4	3
48.4	50.6	45.5	44.3	46.6	47.7	50.5	51.4	48.2	38.5	26.2	13.0	4.2	1.4	4
50.0	53.6	49.5	48.3	50.0	49.3	49.9	49.5	44.8	34.3	22.1	10.1	2.6	0.8	5
46.6	47.1	40.8	39.9	42.6	45.8	51.2	53.6	52.1	43.3	31.1	16.4	6.0	2.0	6
43.8	41.9	36.7	32.1	28.5	27.5	27.6	29.0	27.8	24.6	19.2	10.1	3.3	0.7	7
32.7	30.7	31.4	32.2	36.2	38.7	40.5	45.1	41.4	36.7	28.0	12.5	3.7	0.5	8
32.2	31.3	30.1	30.8	33.8	36.0	40.0	44.5	49.3	47.9	38.9	21.8	8.6	1.8	
50.2	44.7	36.7	25.3	14.8	11.7	9.2	6.3	4.0	3.8	2.7	1.1	0.3	0.4	9
46.1	40.1	33.5	24.0	15.0	12.0	9.9	6.9	6.5	5.0	4.2	2.7	1.1	0.4	
57.8	68.2	63.9	71.0	87.6	94.0	103.4	103.4	95.7	70.9	42.3	19.6	6.2	2.8	10
60.4	73.3	72.7	79.5	95.9	97.3	101.5	97.7	88.4	64.9	36.0	16.7	4.4	1.9	11
54.8	62.5	54.0	61.4	78.1	90.2	105.6	109.9	104.0	77.7	49.5	22.9	8.3	3.8	12
53.9	57.7	53.6	49.5	48.0	37.0	34.5	27.4	22.8	16.0	12.5	7.1	4.3	5.2	13
58.6	60.9	56.4	58.6	52.1	39.0	33.3	26.9	21.6	14.3	10.3	5.4	2.8	3.4	14
48.7	54.3	50.5	45.0	43.5	34.8	35.8	28.0	24.2	17.9	14.9	8.9	5.8	7.2	15
33.1	30.0	30.1	30.1	33.3	35.2	37.1	40.8	37.5	33.3	25.6	11.2	3.3	0.5	16
32.0	30.5	29.4	29.2	31.0	33.7	36.3	40.5	45.1	43.9	35.7	20.2	8.0	1.7	
79.4	79.2	65.9	57.8	69.0	67.5	66.8	57.2	46.7	32.2	17.8	8.5	2.9	1.6	17
62.1	65.2	53.6	55.9	67.0	73.5	84.0	76.6	66.8	40.5	27.5	12.8	5.2	2.8	
51.2	59.7	63.7	61.7	61.2	60.3	66.4	67.4	67.0	51.2	26.5	10.3	2.2	0.7	18
52.8	51.6	46.9	45.7	47.9	54.7	60.8	70.3	76.7	61.9	37.1	15.2	4.1	1.3	
43.2	57.3	51.2	59.4	60.1	74.2	71.8	73.4	64.4	54.8	28.6	15.6	4.6	0.7	19
47.5	47.9	56.2	52.2	54.7	64.3	64.7	68.9	70.6	64.1	39.5	24.1	5.6	3.1	
39.0	42.6	32.7	32.2	31.9	32.0	30.6	29.2	24.0	17.5	8.4	6.1	1.3	0.8	20
49.4	45.8	36.8	35.6	34.3	28.6	32.1	30.4	23.4	20.3	14.0	7.0	2.9	0.9	
68.5	67.5	57.2	59.1	50.3	40.5	32.5	23.3	19.3	15.7	12.0	8.0	0.7	0.9	21
71.0	62.0	48.7	32.7	27.4	19.9	20.4	32.2	31.7	22.7	10.9	8.0	0.7	0.9	
50.4	68.5	64.4	62.6	60.5	67.2	70.5	67.9	72.5	61.2	51.9	26.6	11.3	3.3	22
47.9	54.6	62.6	60.5	67.2	72.1	72.9	72.5	79.9	61.2	51.9	26.6	11.3	3.3	
35.0	39.9	31.6	32.2	27.1	16.4	11.9	9.5	5.3	5.3	4.0	1.6	0.4	0.2	23
31.0	27.5	23.6	15.9	16.1	16.1	9.8	9.0	9.8	6.1	3.7	1.1	0.3	0.8	
51.6	46.7	74.9	52.8	74.9	87.2	71.3	57.7	61.4	61.4	19.7	17.2	6.1	1.2	24
40.4	69.5	51.7	64.6	50.1	64.6	72.7	80.8	85.6	63.0	42.0	17.8	14.5	0.6	
34.3	38.7	34.0	29.6	21.1	22.8	16.3	11.8	8.5	8.5	6.0	4.0	0.8	0.6	25
35.4	38.4	22.6	16.4	22.3	25.3	18.7	21.4	13.4	9.8	8.9	5.0	2.0	2.0	
49.8	49.6	49.9	40.0	42.9	34.7	32.8	27.5	24.1	17.4	10.4	6.2	1.0	0.3	26
37.8	38.3	29.5	26.1	23.8	31.1	30.9	29.3	25.4	23.8	19.0	6.6	4.6	1.8	
63.9	77.0	65.4	66.6	58.6	56.9	55.5	54.1	55.8	44.2	33.6	19.2	4.6	0.8	27
56.5	62.7	53.1	49.4	47.7	45.9	50.5	57.1	56.6	56.1	47.9	30.8	10.8	3.6	
42.0	43.7	40.4	40.3	44.1	48.3	53.3	57.8	59.2	54.7	40.9	21.8	8.0	2.3	28
42.0	45.0	41.8	41.8	45.2	48.5	52.3	56.4	57.2	53.3	37.9	19.2	6.0	1.5	29
42.0	42.2	38.8	38.6	42.8	48.1	54.4	59.3	61.3	56.4	44.1	24.7	10.2	3.3	30
41.9	43.6	40.1	40.1	44.2	48.5	53.9	58.7	60.1	55.8	41.6	22.2	8.1	2.3	31
41.7	44.9	41.6	41.6	45.3	48.7	52.8	57.2	58.0	54.2	38.6	19.5	6.1	1.4	32
42.1	42.1	38.4	38.4	43.0	48.4	55.0	60.3	62.3	57.6	45.0	25.1	10.3	3.2	33
36.5	34.9	32.2	30.5	29.3	32.5	36.7	42.3	46.0	48.2	38.7	21.6	8.3	1.8	34
26.4	26.7	28.3	32.6	36.9	44.4	51.9	63.4	67.6	69.6	52.4	26.8	8.7	1.3	35
30.8	29.1	30.0	33.7	37.5	43.4	51.9	60.1	67.6	70.5	59.0	34.7	14.7	3.3	
47.5	42.8	34.1	24.6	14.6	12.5	10.6	8.2	6.5	6.6	4.6	2.5	0.8	0.2	36
45.9	40.1	34.1	23.0	15.7	13.4	10.8	9.2	7.9	7.3	6.1	3.9	1.8	0.5	
55.7	65.7	59.4	64.8	83.8	91.3	99.6	102.9	97.5	75.6	48.7	23.3	7.5	3.4	37
56.0	69.2	65.2	70.3	90.0	92.8	97.9	98.1	92.2	73.8	45.7	22.7	6.4	2.7	38
55.4	62.0	53.3	59.0	77.2	89.7	101.5	108.0	102.9	77.5	51.9	24.0	8.7	4.1	39
44.9	46.4	50.0	46.6	40.0	41.1	35.1	29.6	30.5	19.9	17.5	9.8	3.9	4.7	40
51.7	48.2	47.5	47.7	42.9	43.5	34.8	30.8	30.8	20.7	17.4	8.4	2.6	2.9	41
38.0	44.7	52.5	45.5	37.1	38.6	35.5	28.4	30.1	19.2	17.6	11.2	5.1	6.5	42
27.2	26.5	27.3	31.0	34.6	41.2	48.2	58.9	62.5	64.7	48.7	24.7	8.0	1.2	43
31.0	28.5	29.4	32.5	35.4	41.4	48.2	56.1	63.3	65.8	54.9	32.7	13.8	3.2	
75.5	75.9	63.5	56.6	65.4	66.2	69.0	60.1	51.7	39.4	23.0	12.1	4.0	2.0	44
60.7	63.8	52.7	53.7	65.6	73.1	85.1	80.5	70.7	44.3	32.2	14.8	6.0	3.2	
49.2	55.8	59.5	57.6	59.1	58.6	66.7	69.8	68.7	56.5	32.4	13.4	3.4	0.9	45
53.8	51.5	49.4	41.8	46.2	57.0	60.4	72.5	76.9	63.0	36.4	15.3	4.3	1.4	
37.7	48.6	42.2	53.1	56.5	70.2	70.4	78.8	82.8	74.0	49.5	26.5	6.9	1.6	46
45.7	49.2	53.4	50.7	51.6	60.0	66.1	73.6	80.7	73.9	49.0	28.6	9.7	2.4	
32.4	39.3	29.7	31.1	32.0	33.6	32.0	36.3	31.6	23.6	13.8	8.7	2.3	1.6	47
49.7	46.2	35.5	31.7	35.0	29.4	32.7	33.9	27.5	25.9	16.9	8.3	3.5	1.5	
58.5	64.0	49.2	58.5	45.0	39.9	29.3	23.7	20.8	19.1	15.3	4.2	0.8	0.5	48
70.0	63.5	40.5	32.8	27.9	21.3	15.3	33.4	24.6	24.1	16.4	7.1	0.5	0.5	
44.5	57.7	57.2	56.7	73.9	68.3	66.8	78.4	83.5	69.3	57.7	29.4	9.1	3.0	49
42.4	47.5	53.6	55.9	60.9	69.3	67.0	81.0	89.4	74.9	67.0	29.0	12.3	5.6	
32.2	39.0	20.2	29.0	27.5	21.2	14.3	12.2	8.2	5.9	3.1	1.4	0.2	0.2	50
30.3	26.3	22.3	15.1	15.9	16.5	8.8	9.3	8.8	6.6	3.4	1.1	0.3	1.1	
43.7	42.3	55.4	45.2	67.1	84.5	70.0	72.9	62.7	65.6	29.2	20.4	8.7	2.0	51
39.4	63.0	49.2	53.1	51.2	45.3	72.8	70.9	84.6	63.0	35.4	25.6	13.8	2.0	
34.9	39.1	32.1	26.5	27.7	23.4	22.6	19.8	12.6	9.5	7.4	3.3	0.8	0.3	52
34.3	38.0	23.0	15.7	24.3	24.6	21.0	21.6	12.3	9.7	9.0	4.3	2.7	1.7	
42.8	49.2	43.9	35.1	42.2	34.5	31.2	25.9	27.9	22.2	14.3	8.4	1.8	0.9	53
37.7	39.4	30.9	30.2	24.1	30.4	31.0	30.0	27.1	24.8	20.8	7.3	2.4	0.7	
45.1	58.6	52.9	52.3	52.7	57.3	64.1	74.6	85.5	87.6	70.2	39.2	12.1	2.4	54
39.4	45.9	42.4	44.1	46.5	48.0	58.4	72.1	83.8	97.4	86.9	53.7	22.2	8.6	

TABLE 23.—NUMBER OF DEATHS AT EACH AGE

AREAS.		Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
CITIES IN REGISTRATION STATES.												
1	Total	228.3	60.1	26.7	17.0	11.5	343.6	28.2	14.5	22.1	38.5	46.8
2	Males	244.7	61.1	26.7	16.7	10.8	360.0	27.7	13.6	21.0	36.3	46.3
3	Females	210.4	59.1	26.7	17.3	12.2	325.7	28.6	15.5	23.4	40.8	47.5
4	White	227.3	59.9	26.5	17.0	11.5	342.2	28.2	14.1	21.6	37.5	46.3
5	Males	244.0	60.8	26.6	16.7	10.9	359.0	27.9	13.4	20.7	35.4	45.6
6	Females	209.1	58.9	26.5	17.3	12.2	324.0	28.6	14.9	22.6	39.9	47.0
7	Native	333.4	86.5	38.0	24.1	16.3	498.3	38.8	18.3	24.5	38.4	43.8
8	Both parents native..... (M..)	300.2	64.0	30.0	19.2	14.2	427.6	37.8	18.2	22.7	30.5	30.5
	 (F..)	252.8	59.5	28.9	19.3	14.8	375.3	37.2	18.5	25.0	33.5	32.6
9	One or both parents foreign..... (M..)	419.3	113.2	47.5	28.7	17.6	626.3	41.3	17.8	24.8	41.1	51.9
	 (F..)	380.8	118.7	50.6	32.8	21.7	604.6	47.2	21.9	28.0	48.3	54.4
10	Foreign	4.7	4.1	2.3	2.2	1.5	14.8	6.0	5.4	15.7	35.6	51.4
11	Males	5.2	4.5	2.1	2.5	1.4	15.7	6.5	4.8	14.9	33.5	50.4
12	Females	4.1	3.7	2.7	1.9	1.5	13.9	5.4	6.0	16.4	37.9	52.4
13	Colored	253.8	66.1	31.2	16.0	11.3	378.4	26.2	25.3	35.7	62.2	60.8
14	Males	265.6	69.1	30.1	15.1	8.2	388.1	23.6	19.7	27.4	60.8	62.5
15	Females	242.0	63.1	32.2	16.9	14.4	368.6	28.9	30.8	44.2	63.6	59.2
Birthplaces of mothers (white).												
16	United States..... (M..)	322.9	68.2	31.8	20.3	14.7	457.9	38.8	19.4	24.3	32.2	32.0
	 (F..)	272.0	65.0	31.5	21.0	15.3	404.8	38.8	19.5	26.6	35.7	33.7
17	Ireland..... (M..)	130.2	37.3	16.4	11.6	7.0	202.5	16.9	8.0	17.2	44.3	74.6
	 (F..)	97.3	30.8	15.4	9.9	6.7	160.1	16.4	8.5	18.0	45.0	65.5
18	Germany..... (M..)	158.2	40.0	19.0	11.6	9.1	237.9	23.9	11.5	18.4	29.6	40.5
	 (F..)	148.2	44.6	17.9	15.8	11.0	237.5	26.3	14.7	17.9	38.3	49.8
19	England and Wales..... (M..)	158.0	36.1	18.9	10.6	6.4	230.0	23.8	11.8	17.9	30.9	41.3
	 (F..)	148.1	38.9	17.7	11.5	7.5	223.7	19.6	14.5	18.0	37.7	40.2
20	Canada..... (M..)	385.0	72.9	33.0	21.2	14.2	526.3	31.7	17.9	29.8	48.3	38.5
	 (F..)	312.6	63.8	29.2	23.4	16.7	445.7	29.8	22.1	35.3	54.9	59.0
21	Scandinavia..... (M..)	275.2	75.9	39.1	24.9	12.5	427.6	36.2	10.1	21.4	33.8	55.7
	 (F..)	249.0	93.5	32.2	24.4	24.3	423.4	49.5	26.7	25.1	51.8	62.1
22	Scotland..... (M..)	115.0	26.7	15.6	13.3	6.7	177.3	23.0	6.7	16.3	26.7	37.1
	 (F..)	89.6	28.0	15.2	10.4	8.8	152.0	20.8	6.4	20.8	27.2	42.4
23	Italy..... (M..)	384.1	166.1	59.2	33.5	16.0	658.9	33.5	12.2	20.1	31.0	31.9
	 (F..)	384.2	186.0	67.2	34.6	22.5	694.5	39.5	16.4	23.6	33.7	29.4
24	France..... (M..)	182.0	47.9	13.4	9.6	7.6	260.5	21.1	9.6	15.3	32.6	28.7
	 (F..)	177.2	48.1	12.7	2.5	2.5	243.0	15.2	12.7	7.6	27.8	58.2
25	Russia and Poland..... (M..)	392.2	128.2	48.7	27.8	13.2	610.1	33.5	12.9	20.9	30.4	33.0
	 (F..)	358.9	134.7	63.7	28.3	18.4	604.0	36.0	14.0	24.3	36.8	37.5
26	Other foreign countries..... (M..)	345.5	100.9	33.3	18.8	12.1	510.6	26.9	10.5	19.3	32.8	44.2
	 (F..)	322.4	105.8	41.4	26.3	15.1	511.0	39.9	16.9	28.1	48.4	40.8
27	Unknown..... (M..)	151.9	24.2	13.9	8.9	5.7	204.6	15.9	10.2	17.1	32.7	49.1
	 (F..)	167.8	33.1	15.5	9.1	6.0	231.5	15.3	9.1	16.3	36.1	43.9
RURAL PART OF REGISTRATION STATES.												
28	Total	153.8	32.9	15.4	10.4	6.7	219.2	23.0	16.4	26.3	34.0	35.9
29	Males	165.2	33.5	15.3	9.8	6.8	230.6	22.2	15.9	25.1	32.3	33.1
30	Females	141.2	32.2	15.5	11.1	6.6	206.6	23.9	16.9	27.7	35.9	39.0
31	White	152.3	32.4	15.3	10.4	6.7	217.1	22.9	16.2	26.0	33.8	35.7
32	Males	163.6	33.2	15.2	9.8	6.9	228.7	22.2	15.7	25.0	32.2	33.0
33	Females	139.8	31.7	15.3	11.0	6.5	204.3	23.8	16.7	27.2	35.5	38.7
34	Native	188.7	39.7	18.6	12.6	8.2	267.8	27.2	18.9	28.7	35.3	36.2
35	Both parents native..... (M..)	176.7	35.3	16.4	10.6	7.3	246.3	23.6	17.9	26.4	31.0	27.5
	 (F..)	149.2	32.3	16.3	11.0	6.3	215.1	24.9	18.4	28.7	34.4	35.4
36	One or both parents foreign..... (M..)	360.5	73.0	32.7	21.8	15.5	503.5	45.9	26.6	38.1	46.6	54.7
	 (F..)	309.3	73.8	33.1	27.0	16.3	459.5	50.7	29.6	45.2	54.1	57.2
37	Foreign	4.0	3.2	1.9	1.1	0.8	11.0	5.2	5.0	15.2	27.1	33.3
38	Males	3.3	3.0	2.0	0.9	0.8	10.0	5.3	5.3	15.1	26.1	30.6
39	Females	4.8	3.4	1.8	1.3	0.8	12.1	5.2	4.7	15.2	28.3	36.5
40	Colored	244.5	56.9	21.4	12.4	8.5	343.7	28.2	29.3	43.9	51.8	47.9
41	Males	270.1	54.7	17.9	6.7	3.3	352.7	25.7	26.8	32.4	43.5	40.2
42	Females	218.4	59.2	25.0	18.2	13.7	334.5	30.7	31.8	55.7	60.3	55.7
Birthplaces of mothers (white).												
43	United States..... (M..)	186.8	37.5	17.0	10.7	8.0	260.0	25.4	18.4	27.3	32.5	28.3
	 (F..)	157.2	33.8	16.9	11.8	6.7	226.4	26.5	19.1	30.0	35.1	36.0
44	Ireland..... (M..)	59.5	11.1	6.3	5.5	3.0	85.4	12.9	8.1	18.6	36.8	55.8
	 (F..)	46.5	14.4	5.8	6.0	3.9	76.6	10.3	9.0	18.9	33.2	60.8
45	Germany..... (M..)	120.4	24.1	15.0	12.8	5.4	177.7	22.4	11.9	21.0	28.9	38.5
	 (F..)	112.0	26.5	12.4	10.6	5.6	167.1	23.7	12.4	23.7	40.6	49.8
46	England and Wales..... (M..)	74.3	18.3	11.0	4.6	2.7	110.9	18.8	7.8	14.7	20.2	23.4
	 (F..)	72.1	18.0	9.3	5.2	6.4	111.0	18.0	12.2	14.6	29.6	28.5
47	Canada..... (M..)	287.7	56.4	28.5	20.3	12.0	404.9	34.0	28.2	42.5	39.5	40.3
	 (F..)	238.8	58.1	26.3	20.2	12.8	356.2	39.8	25.1	47.7	60.5	54.1
48	Scandinavia..... (M..)	273.8	71.4	19.3	16.4	13.4	394.3	23.3	14.9	22.3	32.7	46.1
	 (F..)	219.8	90.1	19.8	30.7	18.0	378.4	46.9	23.4	32.4	50.5	52.3
49	Scotland..... (M..)	70.0	17.5	6.4	3.2		97.1	15.9	3.2	9.6	20.7	22.3
	 (F..)	59.2	9.3		7.4	1.9	77.8	16.7	9.3	29.6	14.8	37.0
50	Italy..... (M..)	360.4	85.4	39.6	12.5	12.5	510.4	18.8	14.6	33.3	39.6	47.9
	 (F..)	398.6	114.9	60.8	54.1	23.6	652.0	47.3	6.8	27.0	30.4	33.8
51	France..... (M..)	97.5	24.4		6.1		128.0		12.2	6.1	36.6	36.6
	 (F..)	115.1	17.7	17.7		8.8	159.3	8.8			17.7	44.2
52	Russia and Poland..... (M..)	380.2	71.6	34.6	22.2	22.2	530.8	46.9	19.8	29.6	51.9	54.3
	 (F..)	484.2	98.3	56.1	14.0	14.0	666.6	35.1	24.6	21.1	31.6	28.1
53	Other foreign countries..... (M..)	278.1	63.5	20.9	8.8	11.3	382.6	23.3	14.5	28.1	40.2	47.4
	 (F..)	286.5	65.5	30.0	21.5	10.7	414.2	34.3	21.4	32.2	36.5	46.1
54	Unknown..... (M..)	38.1	7.6	3.5	3.1	0.8	53.1	5.3	5.7	9.8	23.4	27.5
	 (F..)	34.3	5.8	3.6	2.2	1.7	47.6	4.9	5.1	9.7	21.1	23.1

PROPORTION OF DEATHS AT EACH AGE.

589

PER 1,000 DEATHS AT KNOWN AGES—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	
47.4	48.9	43.9	42.7	46.4	48.0	50.1	49.2	46.4	37.7	26.0	13.5	4.6	1.5	1
49.3	51.8	46.7	45.2	48.7	48.1	48.4	46.5	41.5	33.2	21.3	10.6	2.9	0.9	2
45.4	45.8	40.8	40.0	43.9	47.9	52.1	52.0	51.6	42.7	31.0	16.7	6.5	2.1	3
47.5	48.9	43.5	42.5	46.6	48.3	50.8	50.0	47.1	38.6	26.5	13.7	4.7	1.4	4
49.1	51.8	46.5	45.0	48.9	48.4	49.0	47.2	42.1	33.8	21.7	10.7	3.0	0.8	5
45.7	45.8	40.3	39.7	44.2	48.2	52.8	53.0	52.6	43.7	31.6	16.9	6.5	2.0	6
40.3	37.4	32.8	28.9	25.7	25.9	26.6	27.5	27.7	26.8	21.4	11.8	4.2	0.9	7
29.6	28.6	29.8	32.6	37.0	41.8	42.9	50.2	45.1	42.5	32.5	15.1	4.4	0.6	8
29.1	28.3	28.6	31.0	34.8	38.6	43.8	47.8	55.0	55.4	46.0	26.3	11.0	2.2	9
49.1	48.0	33.3	23.5	13.8	10.3	8.4	5.3	3.4	3.4	2.3	0.8	0.2	0.3	10
44.9	38.6	32.0	22.2	13.6	11.3	9.1	6.2	6.0	4.2	3.5	2.6	1.1	0.3	11
62.1	71.9	64.8	70.3	90.8	96.0	102.1	98.2	88.8	63.7	36.9	17.5	5.5	2.5	12
64.5	77.6	73.0	77.6	98.8	97.5	100.0	92.8	81.4	58.1	31.2	15.5	4.3	1.9	13
59.6	66.2	56.6	63.0	82.6	94.5	104.3	103.6	96.2	69.4	42.7	19.5	6.7	3.1	14
46.8	49.7	52.0	49.8	40.4	40.4	32.8	27.7	27.3	16.2	13.4	8.0	3.0	3.9	15
53.4	51.8	50.7	51.5	44.4	42.2	31.5	27.7	26.6	16.2	11.5	6.3	1.6	2.5	16
40.0	47.5	53.3	48.0	36.4	38.6	34.2	27.8	28.1	16.1	15.3	9.7	4.4	5.3	17
30.3	27.7	28.1	30.0	33.6	37.3	38.7	44.4	40.3	38.1	29.4	13.2	3.8	0.5	18
29.1	27.4	27.8	29.2	31.7	35.6	39.1	42.9	50.0	41.6	24.2	10.2	2.1	2.1	19
80.9	79.4	65.6	58.1	68.2	65.4	65.2	54.3	43.6	29.2	14.9	7.4	2.7	1.4	20
63.5	65.9	53.7	56.3	67.8	73.7	83.9	74.5	64.4	38.3	25.4	12.0	4.6	2.5	21
52.9	60.7	63.7	61.8	62.9	59.7	66.0	66.5	61.8	46.5	23.0	10.1	2.1	0.5	22
54.5	52.2	48.5	42.5	49.0	58.4	60.7	70.1	72.2	58.4	32.0	12.7	3.2	1.1	23
42.5	57.8	47.6	55.9	60.8	73.8	70.3	71.0	65.1	50.5	27.1	16.5	4.5	0.9	24
46.4	49.9	55.8	49.1	52.0	63.0	65.5	63.8	71.9	64.4	38.9	23.6	5.9	2.1	25
36.6	39.6	28.3	29.4	30.3	31.2	28.5	22.9	16.7	7.3	5.4	1.3	0.9	0.9	26
49.2	44.7	36.3	31.5	34.0	27.5	32.5	30.2	23.0	20.7	13.6	6.3	2.7	1.0	27
62.3	65.2	51.6	61.7	45.1	36.2	29.6	20.2	15.4	12.5	13.6	1.8	0.3	0.3	28
70.7	61.3	43.2	36.9	26.7	18.1	16.5	31.4	22.8	22.8	7.1	3.9	0.3	0.3	29
56.4	67.5	63.0	60.1	75.7	63.0	63.8	71.2	69.7	49.7	43.8	21.5	4.5	3.0	30
47.2	56.0	60.0	63.2	67.2	74.4	64.8	70.4	80.8	64.8	45.6	23.2	10.4	2.4	31
29.8	35.5	28.3	28.0	25.5	21.0	14.9	11.1	8.4	5.2	3.2	1.1	0.2	0.2	32
30.9	25.7	22.2	14.4	16.7	15.6	9.2	8.4	8.4	6.1	3.2	1.2	0.3	0.6	33
51.7	42.2	63.2	51.7	72.8	90.0	69.0	58.6	42.2	59.4	21.1	11.5	3.8	0.3	34
43.0	65.8	45.6	58.2	48.1	43.0	76.0	76.0	78.5	55.7	27.8	12.7	10.1	0.3	35
35.3	38.4	31.8	25.8	28.7	23.5	23.8	19.2	12.0	9.5	6.6	3.4	0.9	0.3	36
35.0	40.5	21.7	16.9	24.3	26.1	21.0	22.8	12.9	9.6	8.1	4.8	2.2	1.5	37
42.6	46.9	43.8	37.6	43.3	32.1	29.5	23.5	22.4	16.7	9.8	5.9	1.4	0.2	38
38.7	38.1	29.3	30.3	23.3	32.1	29.3	25.1	22.1	21.2	16.9	5.8	2.1	0.6	39
57.7	73.0	63.7	61.5	59.0	56.7	60.8	56.9	59.5	50.8	39.9	24.2	6.0	0.7	40
51.0	55.8	48.2	49.1	47.5	43.0	53.5	60.5	60.5	66.3	58.0	37.5	72.6	4.3	41
32.4	34.6	34.2	36.0	40.0	48.9	58.9	72.9	81.6	84.5	67.0	36.4	13.9	3.9	42
29.3	33.3	33.2	35.8	39.3	49.2	59.2	73.7	84.5	88.2	66.9	34.3	11.4	2.5	43
36.0	35.9	35.3	36.1	40.8	48.4	58.5	72.1	78.4	80.5	67.2	38.8	16.7	5.3	44
32.4	34.6	34.1	36.0	40.0	48.9	59.1	73.5	82.2	85.3	67.6	36.7	14.1	3.8	45
29.0	33.3	33.2	35.8	39.3	49.2	59.4	74.1	85.1	89.0	67.2	34.6	11.5	2.5	46
36.1	35.9	35.1	36.2	40.8	48.6	58.8	72.8	79.1	81.3	67.9	39.1	16.9	5.2	47
31.1	31.2	31.5	32.8	34.5	42.1	51.3	63.5	72.4	79.1	63.5	35.6	14.1	3.2	48
23.6	25.1	27.0	32.7	36.8	46.6	59.7	74.9	87.1	92.9	69.7	36.9	12.5	1.8	49
32.2	29.7	31.2	36.2	39.8	47.6	59.0	70.8	78.5	83.7	70.4	42.0	17.8	4.2	50
41.9	42.3	36.7	28.5	17.4	20.1	18.6	18.5	17.7	18.1	13.0	8.4	2.7	0.7	51
49.4	45.3	41.2	25.4	23.1	20.7	16.6	19.4	14.5	18.1	15.5	8.4	4.2	1.2	52
37.3	47.5	43.6	48.9	63.3	77.6	92.4	116.7	122.8	110.2	83.0	40.3	13.4	6.2	53
33.2	46.6	44.2	50.8	66.4	80.3	92.1	112.3	121.6	116.2	84.7	42.0	12.1	5.1	54
42.2	48.7	42.9	46.5	59.7	74.4	92.6	122.0	124.3	103.1	81.0	38.2	14.9	7.5	55
37.2	33.2	41.7	33.8	38.3	43.9	44.5	37.2	43.4	35.5	34.4	16.9	7.3	7.9	56
44.6	33.5	34.6	32.4	36.8	49.1	48.0	43.5	48.0	39.0	41.3	16.7	6.7	4.5	57
29.6	33.0	48.9	35.3	39.8	38.7	41.0	30.7	38.7	31.8	27.3	17.1	8.0	11.4	58
24.2	25.3	26.6	32.0	35.5	44.9	57.2	72.7	83.5	89.8	67.1	35.7	11.9	1.7	59
32.7	29.5	30.9	35.6	38.9	46.9	56.8	68.7	76.1	80.9	67.7	40.7	17.3	4.2	60
58.0	60.1	54.8	49.9	53.4	69.4	85.3	85.1	85.9	82.5	57.2	31.8	9.5	4.5	61
47.0	53.8	47.8	41.4	54.9	70.2	90.9	109.6	100.4	73.0	64.4	28.6	12.5	6.7	62
36.0	38.5	44.8	42.8	45.6	55.0	69.1	81.6	93.2	92.1	65.7	24.9	7.7	2.6	63
51.2	49.1	53.0	39.2	36.0	51.9	59.3	81.2	94.3	79.5	52.3	25.1	8.1	2.5	64
28.4	30.7	31.6	47.7	48.1	63.2	70.6	94.0	117.3	119.6	93.0	45.8	11.5	2.7	65
44.2	47.6	48.2	54.0	50.6	53.5	67.4	94.7	100.0	94.7	70.9	39.5	18.0	2.9	66
26.0	38.9	21.8	33.7	34.5	37.3	37.3	48.2	44.9	34.2	23.6	13.7	3.8	2.7	67
50.5	48.6	34.2	32.1	36.7	32.4	33.0	39.8	34.5	34.2	22.0	11.3	4.9	2.4	68
49.1	61.0	43.2	50.6	44.7	49.1	28.3	32.7	34.2	35.7	19.4	10.4	3.0	0.3	69
68.5	68.5	34.3	23.4	30.6	28.8	12.6	37.8	28.8	27.0	37.8	14.4	1.8	1.8	70
19.1	36.6	44.6	49.4	70.1	63.7	73.2	93.9	113.0	111.5	87.6	46.2	19.1	3.2	71
31.5	27.8	38.9	38.9	46.3	57.4	72.2	105.5	109.2	98.1	116.7	42.6	16.7	13.0	72
54.2	70.8	47.9	37.5	45.8	22.9	8.3	22.9	6.3	12.5	2.1	4.2	0.3	0.3	73
23.6	33.8	23.6	23.6	6.8	27.0	3.4	20.3	13.5	13.5	6.8	0.3	0.3	0.3	74
18.3	42.7	30.5	24.4	48.8	67.1	73.2	134.1	128.0	85.3	54.9	48.8	24.4	0.3	75
26.5	53.1	62.0	35.4	62.0	53.1	62.0	53.1	106.2	88.5	62.0	70.8	26.5	8.8	76
32.1	44.4	34.6	32.1	19.8	22.2	12.3	24.7	17.3	9.9	14.8	2.5	0.3	0.3	77
28.1	14.0	35.1	3.5	24.6	10.5	21.1	10.5	7.0	10.5	17.5	0.3	0.3	0.3	78
43.4	57.1	44.2	26.5	38.6	42.6	37.0	33.8	46.6	41.0	29.8	16.9	3.2	3.2	79
34.3	44.0	36.5	30.0	26.8	24.7	37.6	47.2	45.1	37.6	34.3	12.9	3.2	1.1	80
27.2	37.9	37.5	39.1	43.8	58.2	68.8	99.8	122.5	140.4	113.5	60.7	20.9	4.9	81
23.6	32.3	34.5	37.2	45.2	54.7	65.2	83.0	115.7	140.0	126.4	75.8	35.3	14.6	82

TABLE 23.—NUMBER OF DEATHS AT EACH AGE

AREAS.		Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	REGISTRATION CITIES IN OTHER STATES.											
	Total	198.6	51.8	24.9	16.4	12.3	304.0	34.0	19.1	30.0	48.9	52.6
2	Males.....	203.8	50.2	23.8	15.3	11.3	304.4	32.0	18.0	27.3	46.7	51.5
3	Females.....	192.3	53.8	26.1	17.7	13.5	303.4	36.4	20.3	33.3	51.5	53.8
4	White	197.7	50.6	24.5	16.6	12.7	302.1	34.6	18.2	27.4	44.7	49.8
5	Males.....	203.0	48.8	23.3	15.5	11.6	302.2	32.7	17.6	25.3	42.3	48.7
6	Females.....	191.3	52.8	25.8	18.0	14.0	301.9	36.8	19.1	29.8	47.6	51.1
7	Native.....	278.9	71.0	34.1	23.2	17.7	424.9	47.6	23.8	33.1	50.6	52.6
8	Both parents native..... (M..)	308.5	68.8	34.8	20.5	15.4	448.0	43.6	26.1	31.0	48.3	39.6
	(F..)	262.4	70.9	34.7	21.4	16.0	405.4	44.2	30.1	38.6	54.5	51.1
9	One or both parents foreign..... (M..)	339.0	88.0	38.5	24.8	17.9	503.2	53.1	27.8	38.6	53.3	57.7
	(F..)	315.5	94.0	41.9	25.2	18.5	495.1	52.5	27.7	43.2	62.2	65.8
10	Foreign	1.6	1.5	0.7	0.6	0.6	5.0	2.8	4.4	12.1	28.3	41.3
11	Males.....	1.6	1.5	0.5	0.5	0.6	4.7	2.4	4.3	11.0	27.6	41.7
12	Females.....	1.6	1.4	1.0	0.7	0.7	5.4	3.4	4.6	13.5	29.2	40.8
13	Colored.....	204.2	59.7	27.7	14.8	9.7	316.1	30.1	24.6	47.5	76.5	71.0
14	Males.....	209.3	59.6	27.5	13.9	9.1	319.4	26.8	21.3	40.8	76.9	71.1
15	Females.....	198.5	59.8	27.9	15.8	10.4	312.4	33.7	28.3	54.9	76.2	70.9
	Birthplaces of mothers (white).											
16	United States..... (M..)	314.3	69.2	34.5	21.2	16.0	455.2	45.0	27.2	33.9	49.0	40.6
	(F..)	269.5	72.6	35.6	22.2	16.3	416.2	45.2	30.4	40.3	56.0	51.2
17	Ireland..... (M..)	58.6	17.5	8.2	3.5	5.2	93.0	14.9	11.7	19.5	46.1	63.2
	(F..)	61.6	23.4	10.0	5.8	2.4	103.2	12.7	11.0	19.3	46.1	61.2
18	Germany..... (M..)	132.2	33.4	14.5	11.7	7.6	199.4	22.2	14.4	20.3	33.1	39.8
	(F..)	121.0	37.4	17.0	11.2	9.2	195.8	24.4	14.5	26.6	40.5	49.4
19	England and Wales..... (M..)	95.4	28.2	15.9	10.1	3.6	153.2	23.9	12.3	25.6	28.2	47.7
	(F..)	97.5	27.8	16.7	10.2	5.6	157.8	24.1	13.9	22.3	35.3	58.5
20	Canada..... (M..)	141.1	29.5	10.5	6.3	6.3	193.7	40.0	33.7	25.3	63.1	63.1
	(F..)	188.9	16.7	16.7	8.3	16.6	247.2	63.9	16.7	47.2	91.7	83.3
21	Scandinavia..... (M..)	176.9	53.0	21.7	11.4	11.4	274.4	44.5	20.8	39.7	54.9	64.3
	(F..)	194.1	57.1	21.4	14.3	13.1	300.0	45.2	33.3	44.1	84.5	65.5
22	Scotland..... (M..)	91.7	22.2	2.8		2.8	119.5	11.1	13.9	11.1	27.8	30.6
	(F..)	59.3	23.7	11.8	4.0		98.8	11.8	19.8	19.8	39.5	35.6
23	Italy..... (M..)	212.3	54.1	28.9	17.4	3.9	316.6	29.0	21.2	42.5	46.3	88.8
	(F..)	357.1	116.9	58.4	19.5	26.0	577.9	39.0	16.2	32.5	39.0	29.2
24	France..... (M..)	44.5	6.9	3.4	6.8		61.6	6.8	3.4	3.4	24.0	51.4
	(F..)	35.7	8.9		4.5	4.5	53.6		4.5	17.9	35.7	35.7
25	Russia and Poland..... (M..)	404.3	94.1	49.8	22.5	19.3	590.0	38.6	16.9	37.0	44.2	44.2
	(F..)	409.4	118.1	52.8	31.0	22.9	634.2	47.0	11.5	26.4	31.0	26.4
26	Other foreign countries..... (M..)	238.2	60.1	29.8	1.6	8.5	354.2	22.5	4.9	23.1	58.9	70.5
	(F..)	293.1	91.5	29.2	11.3	9.4	434.5	33.9	21.7	30.2	51.8	63.2
27	Unknown..... (M..)	150.2	21.4	12.8	6.4	5.5	196.3	19.2	10.9	20.7	52.4	66.8
	(F..)	162.4	26.2	13.5	10.5	7.2	219.8	17.1	14.4	28.9	59.4	66.6
	THE NONREGISTRATION RECORD.											
28	Total	186.4	65.1	30.9	18.8	13.5	314.7	41.7	30.6	47.4	56.9	47.5
29	Males.....	193.9	64.7	30.4	18.0	13.0	320.0	39.8	28.5	42.4	52.3	42.7
30	Females.....	178.1	65.5	31.5	19.7	14.1	308.9	43.8	32.8	53.1	62.1	53.0
31	White	185.1	61.7	28.9	17.9	12.9	306.5	39.5	27.9	41.5	50.5	44.8
32	Males.....	191.5	60.7	28.0	16.9	12.4	309.5	37.8	26.4	37.6	46.2	40.2
33	Females.....	177.8	62.8	29.9	18.9	13.6	303.0	41.5	29.5	46.0	55.4	50.1
34	Native.....	212.7	70.6	33.0	20.3	14.7	351.3	44.8	31.3	45.6	53.8	46.5
35	Both parents native..... (M..)	228.5	76.5	34.7	20.5	14.9	375.1	44.8	31.0	43.3	48.9	39.1
	(F..)	198.9	73.5	34.7	21.8	15.4	344.3	46.1	31.9	50.3	57.6	49.2
36	One or both parents foreign..... (M..)	277.6	68.6	34.8	23.0	17.5	421.5	55.7	38.7	49.1	60.2	52.9
	(F..)	246.5	71.6	34.6	24.2	18.6	395.5	61.1	43.6	58.0	68.4	64.7
37	Foreign.....	2.4	1.7	1.0	0.7	0.7	6.5	3.3	4.8	12.7	24.5	30.5
38	Males.....	2.3	1.5	0.6	0.7	0.6	5.7	3.1	4.3	11.6	22.7	29.3
39	Females.....	2.6	2.2	1.5	0.8	0.7	7.8	3.7	5.6	14.6	27.2	32.4
40	Colored.....	191.4	77.9	38.9	22.6	15.7	346.5*	49.9	40.9	70.0	81.5	57.9
41	Males.....	203.7	81.0	40.4	22.5	15.4	363.0	47.7	37.0	62.0	77.5	52.7
42	Females.....	179.1	74.8	37.5	22.6	15.9	329.9	52.1	44.7	78.1	85.5	63.2
	Birthplaces of mothers (white).											
43	United States..... (M..)	231.0	76.1	34.6	20.7	15.0	377.4	45.4	31.3	43.7	49.5	39.3
	(F..)	200.8	73.5	34.6	21.9	15.6	346.4	46.6	32.3	50.6	57.9	49.5
44	Ireland..... (M..)	25.8	7.1	3.4	2.3	2.3	40.9	7.5	7.1	14.0	28.9	40.4
	(F..)	24.8	9.3	4.9	3.9	2.8	45.7	10.1	10.8	20.5	31.7	53.0
45	Germany..... (M..)	89.8	20.1	11.0	7.2	5.7	133.8	21.4	15.1	22.0	30.6	32.5
	(F..)	91.0	24.2	12.2	8.4	6.0	141.8	25.0	20.4	30.4	44.0	45.3
46	England and Wales..... (M..)	70.4	20.8	10.4	7.1	3.9	112.1	12.8	14.3	23.9	34.6	33.3
	(F..)	78.8	29.0	11.4	8.7	5.7	133.6	27.4	17.1	24.1	43.1	44.4
47	Canada..... (M..)	136.4	30.3	18.5	13.5	10.7	209.4	38.2	28.1	39.9	59.5	52.8
	(F..)	147.7	36.6	22.7	15.4	10.2	232.6	39.5	35.8	46.1	64.4	62.9
48	Scandinavia..... (M..)	145.7	37.7	18.3	9.9	10.1	221.7	31.3	29.5	38.7	52.6	49.8
	(F..)	135.0	39.3	21.7	12.7	12.1	220.8	41.2	33.3	56.9	65.0	56.5
49	Scotland..... (M..)	59.0	15.7	5.9	5.9	3.3	89.8	12.5	21.0	19.7	31.5	28.2
	(F..)	77.3	26.1	14.1	6.0	7.0	130.5	19.1	15.1	17.1	33.1	41.2
50	Italy..... (M..)	229.2	60.2	30.1	18.6	18.6	356.7	33.0	14.3	28.7	27.2	57.3
	(F..)	270.3	129.1	42.1	39.0	42.0	522.5	42.1	33.0	36.0	54.1	45.1
51	France..... (M..)	33.5	8.1	5.4	1.3	8.1	56.4	10.7	12.1	20.1	26.8	18.8
	(F..)	47.6	21.7	4.3	6.5	6.5	86.6	10.8	13.0	32.5	30.3	56.3
52	Russia and Poland..... (M..)	325.7	88.2	44.4	28.9	27.6	514.8	53.8	36.3	29.6	35.0	42.4
	(F..)	325.2	113.2	56.1	32.6	25.4	552.5	73.8	29.9	38.1	32.6	38.1
53	Other foreign countries..... (M..)	189.7	51.1	25.8	16.3	11.0	293.9	33.8	18.1	30.9	46.2	53.1
	(F..)	210.5	54.5	26.7	19.7	14.9	326.3	41.9	31.2	39.3	50.9	48.3
54	Unknown..... (M..)	110.9	30.0	13.7	9.0	6.2	169.3	20.5	13.2	23.2	44.6	47.5
	(F..)	122.9	34.4	17.5	9.9	7.1	191.8	23.5	20.0	32.4	54.4	58.5

PROPORTION OF DEATHS AT EACH AGE.

591

PER 1,000 DEATHS AT KNOWN AGES—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	
50.3	53.3	48.3	46.7	46.9	45.6	48.2	49.4	45.7	35.5	24.2	11.6	3.8	1.9	1
52.1	56.5	53.1	51.8	51.5	48.6	48.6	48.4	44.0	32.2	20.8	8.9	2.4	1.2	2
48.1	49.5	42.5	40.6	41.6	42.0	47.8	50.7	47.6	39.5	28.3	14.8	5.6	2.7	3
49.4	52.3	47.4	46.3	46.5	47.1	50.2	52.8	49.3	38.5	26.1	12.3	3.7	1.3	4
50.9	55.4	52.4	51.5	51.1	50.2	50.8	51.6	47.5	34.9	22.4	9.4	2.2	0.9	5
47.6	48.5	41.4	40.0	41.0	43.3	49.6	54.3	51.6	42.8	30.4	15.8	5.5	1.9	6
47.3	46.5	40.6	35.2	31.1	29.1	28.6	30.5	27.9	22.4	16.9	8.4	2.3	0.6	7
39.3	35.1	34.9	31.2	34.7	32.2	35.4	34.6	33.4	24.4	18.5	7.2	2.2	0.3	8
39.1	38.1	33.5	30.5	31.4	29.9	31.3	37.0	36.2	30.8	22.7	11.6	3.1	0.9	9
54.9	51.7	50.0	32.3	18.8	17.1	12.3	10.1	6.5	5.5	4.6	2.2	0.3	0.7	10
50.7	46.2	39.3	30.9	20.5	14.6	13.2	9.7	8.5	8.1	6.9	3.3	0.9	0.7	11
52.7	63.8	62.9	71.9	83.7	91.5	105.0	109.7	104.0	79.5	48.8	22.2	7.2	3.2	12
56.1	68.6	72.4	81.5	92.8	97.1	103.1	102.9	95.9	72.1	41.2	18.0	4.6	2.0	13
48.1	57.5	50.4	59.3	71.8	84.3	107.6	118.7	114.6	89.1	58.8	27.7	10.5	4.7	14
55.8	59.8	54.0	49.4	50.0	36.1	34.9	27.3	21.7	16.0	12.2	6.8	4.6	5.6	15
59.9	63.2	57.8	54.1	54.0	38.2	33.7	26.7	20.3	13.8	10.0	5.2	3.1	3.7	16
51.1	56.2	49.7	44.2	45.4	33.7	36.3	28.1	23.1	18.4	14.8	8.7	6.2	7.7	17
39.4	35.2	34.5	30.4	32.5	30.3	33.7	32.8	31.2	22.6	17.3	6.7	2.1	0.4	18
38.9	37.8	33.2	29.3	29.0	29.5	34.7	33.4	29.3	21.8	10.7	2.9	0.8	0.8	19
70.2	76.7	67.6	55.7	74.3	80.1	76.9	75.2	65.9	51.0	35.6	15.4	4.4	2.6	20
51.2	59.5	52.6	53.0	60.9	72.2	84.6	92.9	85.0	57.8	43.0	19.3	9.3	5.2	21
48.1	57.8	63.8	61.3	58.1	61.6	67.2	69.0	76.7	60.2	38.1	10.6	2.1	1.2	22
49.5	50.4	43.9	51.7	45.9	47.9	61.1	70.9	85.2	68.3	46.5	19.9	5.8	1.8	23
45.5	55.6	62.1	70.1	57.8	75.2	76.6	80.9	62.1	67.9	33.2	13.0	5.1	1.8	24
51.1	40.9	52.9	53.9	64.1	68.7	62.2	86.4	65.9	63.1	41.8	26.0	4.6	6.5	25
67.4	77.9	84.2	65.3	50.5	42.1	54.7	37.9	35.8	27.4	21.1	14.7	2.1	1.9	26
52.8	61.1	44.4	63.9	38.9	44.4	27.8	33.3	27.8	13.9	19.4	16.7	5.6	1.9	27
78.5	70.9	66.2	54.9	58.7	47.3	36.9	28.4	25.5	20.8	9.5	1.9	1.9	1.9	28
71.4	63.1	57.2	26.2	28.6	22.6	26.2	33.3	45.2	22.6	16.7	14.3	5.6	7.9	29
27.8	72.2	69.4	72.2	69.4	88.9	100.0	75.0	52.8	44.4	13.9	5.6	15.8	1.9	30
51.4	47.4	75.1	47.4	67.2	51.4	83.0	83.0	43.5	33.0	43.5	15.8	1.9	3.2	31
79.2	77.2	59.8	67.6	40.5	22.7	119.9	102.7	85.6	65.1	17.1	10.3	10.3	3.4	32
32.5	48.7	39.0	32.5	13.0	22.7	16.2	16.2	26.0	6.5	9.7	26.8	22.3	1.6	33
51.4	54.8	95.9	54.8	78.8	82.2	119.9	102.7	85.6	65.1	17.1	10.3	10.3	3.4	34
35.7	75.9	62.5	75.9	53.6	102.7	66.9	89.3	98.2	75.9	66.9	26.8	22.3	1.6	35
31.4	39.4	40.2	40.2	32.1	14.5	20.1	11.8	8.0	5.6	5.6	5.6	0.8	3.4	36
36.7	32.1	25.2	14.9	16.1	22.9	11.5	17.2	14.9	10.3	11.5	5.7	1.1	0.6	37
68.0	56.5	65.6	46.2	41.9	41.3	41.3	37.7	28.5	19.4	12.2	6.7	7.5	5.7	38
34.9	38.6	30.2	13.2	25.4	28.3	35.8	42.4	35.8	32.1	25.4	9.4	2.3	0.9	39
73.9	83.2	68.2	74.6	58.1	57.2	47.0	49.9	33.8	33.8	11.2	7.5	2.3	2.3	40
66.6	75.5	62.3	49.9	48.2	51.2	44.9	50.9	49.5	37.4	29.2	18.4	7.5	2.3	41
39.7	38.5	36.8	35.1	37.5	36.6	42.3	46.9	49.3	42.5	31.5	15.8	5.6	3.1	42
35.5	35.4	35.5	36.4	39.6	39.3	45.3	51.4	53.5	45.6	33.3	16.0	5.1	2.4	43
44.4	41.9	38.2	33.6	35.2	33.6	38.9	41.9	44.6	38.9	29.4	15.6	6.2	3.9	44
38.9	38.3	37.7	35.9	38.4	39.8	45.0	52.3	54.9	48.2	34.9	17.6	5.4	2.0	45
34.8	35.4	36.5	37.6	40.5	42.3	47.9	56.6	58.8	51.2	36.6	17.6	4.9	1.6	46
43.6	41.8	39.0	33.9	36.1	36.9	41.7	47.3	50.5	44.9	32.9	17.5	6.0	2.4	47
38.4	36.3	35.4	33.0	34.0	34.2	37.9	43.2	45.3	39.5	28.7	14.7	4.6	1.5	48
30.9	29.3	30.6	32.0	34.2	34.5	39.7	46.9	48.3	41.9	30.1	14.3	4.0	1.1	49
41.6	37.9	36.2	32.0	32.7	33.5	36.6	41.0	43.2	37.1	26.9	14.3	4.9	1.7	50
41.7	41.0	38.6	30.2	23.4	22.2	18.9	22.7	22.4	24.3	18.3	10.9	3.3	1.0	51
49.1	44.7	39.2	27.5	21.3	18.9	18.3	17.0	20.3	19.9	16.0	11.1	3.7	1.7	52
38.9	49.0	50.7	54.1	67.8	78.0	95.4	116.5	123.8	111.3	78.5	37.6	11.2	4.9	53
86.1	46.4	51.1	58.5	72.6	81.1	98.0	117.6	126.5	109.7	76.8	35.2	9.5	4.2	54
43.2	53.0	50.1	47.2	60.4	73.1	91.5	114.7	119.6	113.8	81.1	41.3	13.8	5.9	55
42.8	38.9	33.4	32.0	34.0	24.5	31.8	26.2	27.9	20.4	18.5	9.2	6.2	7.5	56
38.6	35.4	31.2	31.5	36.0	27.2	34.5	29.9	31.8	22.9	19.9	9.6	5.7	5.9	57
46.9	42.4	35.5	32.5	31.9	21.9	29.0	22.5	24.0	17.9	17.1	8.9	6.8	9.2	58
31.0	29.3	30.4	31.7	33.8	34.0	39.0	46.1	47.6	41.5	29.7	14.2	4.0	1.1	59
41.7	37.6	35.8	31.6	33.3	33.0	36.1	40.3	42.8	36.9	26.7	14.3	4.9	1.7	60
42.0	51.5	54.0	52.4	62.9	71.1	90.9	110.4	107.1	94.9	68.0	36.1	12.8	7.1	61
45.5	59.1	50.1	39.6	49.9	62.0	86.9	107.3	104.7	87.1	71.2	42.2	15.6	7.0	62
37.5	41.4	45.6	49.2	53.3	62.3	73.8	92.4	103.0	91.7	59.0	26.7	6.9	1.8	63
46.5	53.0	49.1	40.5	46.5	53.0	60.4	77.8	86.9	83.2	55.9	28.1	9.2	3.0	64
40.3	40.1	48.5	50.1	63.3	67.8	71.3	92.9	96.1	91.1	68.6	30.8	7.0	1.1	65
43.9	40.9	49.0	46.0	49.8	58.2	71.5	79.9	83.4	79.6	64.5	32.0	8.9	2.7	66
48.3	57.8	59.0	52.2	48.8	52.8	66.2	60.2	47.7	37.1	28.6	13.5	1.1	3.4	67
61.4	59.3	49.0	51.2	32.2	35.1	46.1	43.9	55.6	40.2	28.5	11.0	1.5	3.7	68
50.2	54.3	49.3	45.0	51.9	49.1	49.0	53.8	60.4	50.5	40.8	15.9	4.3	1.9	69
52.5	57.1	55.2	32.9	35.7	37.4	40.1	46.9	48.8	52.0	35.3	23.1	7.2	2.1	70
24.9	33.4	43.9	60.9	66.2	73.4	73.4	91.7	103.5	95.7	74.7	38.7	11.1	5.2	71
31.1	43.2	41.2	46.2	51.2	50.2	69.3	76.3	88.3	105.4	81.3	37.1	17.1	6.0	72
54.4	80.2	55.9	77.4	57.3	48.7	30.1	31.5	27.2	4.3	8.6	4.3	2.9	2.9	73
39.1	33.0	21.0	42.1	21.0	27.0	30.0	21.0	12.0	9.0	6.0	3.0	1.0	1.0	74
25.5	44.3	56.4	45.6	59.1	87.3	89.9	87.3	99.3	112.8	83.2	38.9	17.4	8.1	75
45.4	41.1	49.8	67.1	62.8	58.4	56.6	75.7	62.8	90.9	84.4	26.0	15.2	4.3	76
34.3	42.4	31.6	31.0	25.6	25.6	19.5	18.9	16.8	18.2	14.8	6.1	1.3	2.0	77
37.1	33.5	33.5	18.1	14.5	20.8	14.5	22.7	7.2	13.7	8.2	4.5	2.7	1.3	78
45.4	47.8	49.0	43.1	43.7	40.1	49.0	47.6	53.8	44.4	32.2	20.4	4.7	3.3	79
51.7	54.8	37.4	34.9	35.4	34.9	38.2	37.4	42.1	39.6	30.1	15.2	4.5	5.9	80
46.7	53.4	52.8	53.7	56.0	61.6	66.1	74.9	75.9	62.8	45.9	22.9	6.5	2.0	81
53.2	55.3	48.3	42.3	45.6	45.1	54.4	60.3	67.5	60.4	47.6	25.3	9.2	4.9	82

TABLE 23.—NUMBER OF DEATHS AT EACH AGE

AREAS.		Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
CONNECTICUT.												
1	Total	202.6	37.2	18.3	11.4	9.0	278.5	24.1	14.2	22.8	35.2	39.5
2	Males	220.1	37.5	18.5	11.6	7.9	295.6	22.2	14.7	22.1	32.9	41.6
3	Females	184.4	36.8	18.1	11.3	10.0	260.6	26.1	13.8	23.4	37.7	37.3
4	White	201.2	37.0	18.2	11.4	8.8	276.6	24.0	13.7	22.1	35.1	38.6
5	Males	218.8	36.9	18.7	11.4	8.0	293.8	22.5	14.2	21.9	33.0	40.5
6	Females	182.6	37.0	17.7	11.6	9.6	258.5	25.7	13.1	22.3	37.2	36.7
7	Native	276.8	49.7	24.3	15.2	11.6	377.6	30.7	16.4	24.2	36.0	35.3
8	Both parents native..... (M..	216.8	34.7	18.6	13.7	8.5	292.3	23.8	17.0	22.6	25.0	23.8
	 (F..	174.7	31.7	16.6	10.7	7.1	240.8	26.9	15.0	17.4	33.3	24.2
9	One or both parents foreign..... (M..	478.5	82.3	37.5	18.8	16.0	633.1	38.0	20.1	32.0	46.2	56.3
	 (F..	423.7	91.4	40.3	24.7	22.0	602.1	52.1	19.9	36.0	51.1	52.1
10	Foreign	4.1	3.8	2.6	1.8	1.3	13.1	6.4	5.9	16.9	33.3	47.2
11	Males	4.2	3.6	2.1	1.0	1.0	11.9	7.7	7.2	14.5	30.0	50.6
12	Females	4.1	3.1	3.0	2.5	1.5	14.2	5.1	4.6	19.3	36.6	43.7
13	Colored	262.9	46.1	21.7	10.8	16.2	357.7	27.1	37.9	48.8	40.6	73.2
14	Males	273.2	60.1	10.9	21.9	5.5	371.6	10.9	32.8	27.3	27.3	87.4
15	Females	252.7	32.3	32.2		26.9	344.1	43.0	43.0	69.9	53.8	59.1
Birthplaces of mothers (white).												
16	United States..... (M..	241.1	35.6	19.7	14.0	8.3	318.7	25.5	17.2	23.7	27.0	24.1
	 (F..	199.6	37.6	17.6	11.4	9.3	275.5	28.6	14.1	19.6	33.4	25.2
17	Ireland..... (M..	141.0	26.3	11.1	7.0	5.9	191.3	15.2	9.4	24.0	48.6	74.3
	 (F..	96.6	13.4	13.4	8.7	4.1	136.2	18.6	9.3	20.4	43.1	60.5
18	Germany..... (M..	204.5	34.8	22.5	8.2	10.2	280.2	22.5	16.4	20.4	20.4	30.7
	 (F..	157.9	35.9	16.7	9.6	9.6	229.7	31.1	14.3	33.5	62.2	40.7
19	England and Wales..... (M..	138.6	12.1	33.1	6.0	9.0	198.8	21.1	15.1	18.1	33.1	51.2
	 (F..	151.2	43.2	6.2	3.1	9.3	213.0	30.9	15.4	12.3	40.1	24.7
20	Canada..... (M..	377.8	48.9	6.5	9.8	9.8	452.8	13.0	39.1	32.6	39.1	26.1
	 (F..	306.2	48.0	25.8	11.1	7.4	398.5	36.9	22.1	59.0	48.0	66.4
21	Scandinavia..... (M..	294.1	98.1	39.2	49.0	24.5	504.9	39.2	9.8	24.5	44.1	58.8
	 (F..	283.9	70.9	38.7	38.7	58.1	490.3	58.1	12.9	32.2	51.6	32.2
22	Scotland..... (M..	(*)	(*)	(*)			(*)	(*)		(*)	(*)	(*)
	 (F..	(*)	(*)				(*)	(*)		(*)	(*)	(*)
23	Italy..... (M..	414.8	109.2	26.2		13.1	563.3	39.3	17.5	26.2	39.3	56.8
	 (F..	419.2	137.7	65.9	41.9	29.9	694.6	12.0	12.0	41.9	23.9	41.9
24	France..... (M..	(*)	(*)	(*)			(*)	(*)		(*)	(*)	(*)
	 (F..	(*)	(*)	(*)			(*)	(*)		(*)	(*)	(*)
25	Russia and Poland..... (M..	519.8	84.1	34.7	9.9	19.8	668.3	49.5	9.9	19.8	39.6	44.5
	 (F..	566.5	109.8	40.5	11.6	17.3	745.7	23.1	17.3	23.1	34.7	40.5
26	Other foreign countries..... (M..	507.6	103.1	42.0	22.9	7.6	683.2	19.1	11.5	11.4	3.8	42.0
	 (F..	434.3	146.5	35.3	20.2	15.2	651.5	45.4	10.1	20.2	45.4	35.3
27	Unknown..... (M..	86.7	8.9	10.8	8.9	2.9	118.2	13.8	8.9	12.8	33.5	27.6
	 (F..	87.7	14.1	8.2	10.5	8.2	128.7	14.0	12.9	17.5	21.1	21.1
DISTRICT OF COLUMBIA.												
28	Total	205.5	42.2	20.3	16.5	10.5	295.0	28.9	22.0	29.7	56.3	54.1
29	Males	210.3	41.3	20.2	13.8	10.4	296.0	30.0	19.3	23.9	56.0	56.6
30	Females	200.3	43.1	20.4	19.4	10.7	293.9	27.8	24.9	35.9	56.6	51.5
31	White	156.8	30.6	14.0	14.5	10.1	226.0	31.2	16.1	20.0	44.6	52.3
32	Males	159.1	31.1	12.2	13.8	11.2	227.4	30.6	14.8	17.9	44.9	52.0
33	Females	154.2	30.1	15.9	15.4	8.9	224.5	31.9	17.7	22.4	44.3	52.6
34	Native	191.0	37.5	17.1	17.7	12.4	275.7	37.1	19.1	23.7	51.2	57.5
35	Both parents native..... (M..	218.4	41.0	15.7	15.7	16.6	307.4	42.8	21.0	25.3	55.9	54.1
	 (F..	187.1	38.9	17.1	20.9	11.4	275.4	42.7	22.8	26.6	51.3	43.7
36	One or both parents foreign..... (M..	174.1	48.2	22.2	25.9	11.1	281.5	25.9	11.1	14.8	51.9	63.0
	 (F..	194.5	35.7	23.8	15.9	11.9	281.8	27.8	15.9	19.8	55.6	99.2
37	Foreign.....							1.6	3.2	3.2	13.0	27.6
38	Males							2.8	2.8		11.1	27.8
39	Females							3.9	7.8		15.6	27.2
40	Colored.....	271.2	57.7	28.9	19.2	11.1	388.1	25.9	30.0	42.9	72.2	56.6
41	Males	287.1	56.7	32.1	13.8	9.2	398.9	29.1	26.0	32.9	72.7	63.5
42	Females	256.3	58.7	25.8	24.3	12.9	378.0	22.9	33.6	52.3	71.6	50.1
Birthplaces of mothers (white).												
43	United States..... (M..	219.1	40.9	17.2	18.0	16.3	311.5	41.7	21.3	25.3	54.8	53.2
	 (F..	188.3	38.4	19.2	20.0	10.5	276.4	39.2	20.9	27.0	51.4	48.0
44	Ireland..... (M..	85.6	8.9	4.5	4.4	4.4	57.8	4.4			40.0	66.7
	 (F..	49.3	4.9	9.9	4.9		69.0	4.9	4.9	4.9	44.3	69.0
45	Germany..... (M..	40.4	17.3	5.8	5.8	5.8	75.1	11.6	5.8	5.8	5.8	40.5
	 (F..	114.0	17.5	8.8	8.8	8.8	157.9	8.8	17.5	8.8	17.5	61.4
46	England and Wales..... (M..	(*)	(*)				(*)	(*)		(*)	(*)	(*)
	 (F..	(*)	(*)				(*)	(*)		(*)	(*)	(*)
47	Canada..... (M..	(*)	(*)				(*)	(*)		(*)	(*)	(*)
	 (F..	(*)	(*)				(*)	(*)		(*)	(*)	(*)
48	Scandinavia..... (M..											
	 (F..											
49	Scotland..... (M..			(*)			(*)	(*)				
	 (F..			(*)	(*)		(*)	(*)				
50	Italy..... (M..	(*)	(*)		(*)		(*)	(*)			(*)	
	 (F..	(*)	(*)				(*)	(*)			(*)	
51	France..... (M..	(*)	(*)				(*)	(*)		(*)	(*)	
	 (F..	(*)	(*)				(*)	(*)			(*)	
52	Russia and Poland..... (M..	(*)	(*)		(*)		(*)	(*)			(*)	
	 (F..	(*)	(*)				(*)	(*)			(*)	
53	Other foreign countries..... (M..	(*)	(*)				(*)	(*)			(*)	(*)
	 (F..	(*)	(*)				(*)	(*)			(*)	(*)
54	Unknown..... (M..	70.7	5.4		10.9		87.0	(*)	(*)		(*)	
	 (F..	110.2		16.9			127.1	21.7	5.4	10.9	32.6	65.2

*Data insufficient for correct proportions.

PROPORTION OF DEATHS AT EACH AGE.

593

PER 1,000 DEATHS AT KNOWN AGES—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	
39.6	41.7	36.2	39.2	46.0	49.3	55.2	61.3	65.0	59.8	50.1	28.0	11.2	3.1	1
39.8	46.3	37.8	40.7	47.8	48.1	51.0	61.2	61.6	58.8	44.9	23.7	7.9	1.3	2
39.4	36.8	34.6	37.7	44.1	50.5	59.5	61.4	68.6	60.8	55.6	32.4	14.7	5.0	3
40.0	42.1	36.4	39.1	46.1	49.5	55.6	61.7	65.6	60.5	50.8	28.1	11.3	3.1	4
40.4	46.6	37.9	40.6	48.2	47.7	51.5	61.7	61.9	59.4	45.2	23.9	7.8	1.3	5
39.7	37.2	34.8	37.5	43.8	51.4	60.1	61.8	69.4	61.7	56.6	32.6	15.0	4.9	6
34.5	32.7	29.2	30.7	27.7	30.3	35.2	45.5	55.4	59.4	52.4	30.4	13.3	3.1	7
25.4	24.2	25.0	34.7	36.7	39.2	51.3	72.7	77.1	91.7	65.8	38.4	12.5	0.8	8
29.3	25.7	25.3	34.5	36.4	44.8	53.5	62.6	80.8	81.6	86.0	49.1	26.1	6.7	9
45.7	47.6	28.8	20.6	8.2	7.8	4.1	4.1	2.8	2.8	0.9	0.9	0.9	0.9	10
48.4	34.4	30.1	19.4	9.7	8.1	8.1	2.2	7.0	8.1	4.8	3.2	2.7	0.5	11
54.1	66.4	54.9	60.7	95.3	101.8	111.7	107.4	94.3	62.0	41.0	19.7	5.1	2.8	12
56.8	77.0	58.4	67.2	106.4	99.2	100.7	102.3	83.2	59.9	40.8	20.1	4.6	1.5	13
51.4	56.0	51.4	54.4	84.4	104.3	122.6	112.4	103.3	64.1	41.2	19.3	5.6	4.1	14
21.7	27.1	29.8	43.4	43.4	40.6	35.2	43.4	43.4	29.8	21.4	21.7	8.1	2.7	15
16.4	32.8	32.8	43.7	32.8	65.6	32.8	43.7	49.2	32.8	32.8	16.4	10.9	5.4	16
26.9	21.5	26.9	43.0	53.8	16.1	37.6	43.0	37.6	26.9	16.1	26.9	5.4	5.4	17
25.5	25.5	23.7	34.5	34.1	35.9	48.2	68.3	71.9	86.2	61.8	35.6	11.9	0.7	18
28.6	24.8	25.5	32.4	33.8	41.4	50.3	58.6	75.8	77.6	79.3	44.8	24.8	5.9	19
72.0	74.9	51.5	49.7	70.2	64.9	73.1	60.3	54.4	33.4	18.1	9.4	3.5	1.8	20
58.2	50.1	51.2	53.0	65.8	83.2	103.0	90.2	71.6	37.3	25.0	15.7	3.5	4.1	21
38.9	59.3	40.9	55.2	43.0	51.1	63.4	98.2	59.3	47.0	36.8	14.3	2.0	2.4	22
47.8	62.2	43.1	33.5	47.8	71.8	74.2	64.6	57.4	47.8	28.7	7.2	2.4	6.0	23
27.1	72.3	48.2	66.3	57.2	48.3	45.2	84.3	63.2	45.2	42.2	21.1	6.0	6.2	24
55.6	40.1	24.7	49.4	46.3	61.7	71.0	52.5	92.6	89.5	46.3	24.7	6.2	7.4	25
39.1	52.1	35.8	19.5	42.3	58.6	26.1	35.8	32.6	19.5	26.1	9.8	7.4	6.4	26
48.0	48.0	69.0	25.8	40.6	18.5	25.8	25.8	36.9	18.5	14.8	4.9	4.9	6.4	27
54.0	54.0	44.1	49.0	39.2	14.7	34.3	9.8	9.8	18.5	4.9	4.9	4.9	6.4	28
71.0	45.2	32.2	19.4	25.8	19.4	19.4	32.2	19.4	25.8	6.5	4.9	4.9	6.4	29
(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	30
(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	31
48.0	43.7	21.8	21.8	48.0	35.0	8.7	13.1	4.4	8.7	4.4	4.4	4.4	4.4	32
53.9	12.0	18.0	6.0	29.9	6.0	12.0	6.0	17.9	12.0	12.0	12.0	12.0	12.0	33
(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	34
14.9	34.6	29.7	24.8	39.6	9.9	9.9	9.9	5.0	5.0	5.0	5.0	5.0	5.0	35
30.5	40.5	17.3	5.3	17.3	17.3	11.6	5.8	7.6	15.3	15.3	15.3	15.3	15.3	36
35.3	38.2	38.2	15.3	30.5	22.9	22.9	3.8	7.6	15.3	15.3	15.3	15.3	15.3	37
36.5	25.3	25.2	15.2	10.1	20.2	5.1	20.2	15.2	15.2	15.2	15.2	15.2	15.2	38
25.7	43.3	50.2	46.3	54.2	57.1	57.2	75.9	107.4	96.6	93.6	44.3	17.7	4.9	39
42.0	42.1	32.7	48.0	52.6	43.3	44.4	67.8	85.4	107.6	115.8	77.2	29.2	12.9	40
45.6	38.3	39.8	39.5	53.3	62.1	54.5	60.3	47.8	35.8	25.1	12.2	2.1	1.8	41
38.2	38.5	46.9	40.5	44.0	49.5	55.3	48.9	50.8	39.2	33.3	13.9	5.5	4.9	42
45.7	38.6	38.3	38.9	56.6	69.0	70.1	72.5	62.7	53.9	41.9	15.9	4.1	1.6	43
47.4	37.2	36.7	40.3	63.2	77.5	69.9	78.0	61.2	49.0	35.7	13.8	2.0	0.5	44
43.7	40.2	40.2	37.2	49.0	59.1	70.3	66.1	64.4	59.6	49.0	18.3	6.5	3.0	45
47.2	38.5	38.5	39.5	52.2	60.2	54.5	57.9	50.2	43.1	34.8	14.4	3.7	1.0	46
39.3	27.1	33.2	36.7	51.5	62.0	47.2	63.7	49.8	35.8	34.1	10.5	1.7	0.9	47
37.0	32.3	36.1	36.1	40.8	58.9	60.8	57.0	57.0	52.2	42.7	20.9	3.8	1.9	48
70.4	77.8	37.0	48.1	74.1	55.6	44.4	55.6	33.3	25.9	25.9	3.7	3.7	3.7	49
83.3	67.5	67.5	31.7	35.7	27.8	31.7	27.8	51.6	31.7	23.8	7.9	11.9	11.9	50
40.6	32.5	32.5	34.1	74.7	113.6	139.6	142.9	123.4	105.5	79.5	22.7	4.9	4.9	51
55.7	33.4	39.0	27.8	75.2	119.8	142.1	139.3	130.9	103.1	61.3	25.1	2.8	1.7	52
19.5	31.1	23.3	42.8	73.9	105.1	136.2	147.8	112.8	108.9	105.1	19.5	7.8	11.7	53
37.0	38.1	50.0	41.4	38.1	38.5	34.4	30.7	31.1	15.2	11.8	9.2	3.3	5.5	54
42.9	39.8	44.4	38.3	38.3	39.1	31.4	33.7	27.6	16.1	9.2	10.0	2.3	3.8	55
31.5	36.5	55.1	44.4	37.9	37.9	37.2	27.9	34.4	14.3	14.3	8.6	4.3	7.2	56
38.4	28.6	31.9	36.0	53.2	60.5	46.6	65.4	49.9	36.0	33.5	9.8	1.6	0.8	57
37.5	31.4	36.6	35.7	41.9	58.4	56.7	54.1	55.3	54.9	41.9	21.8	5.2	1.7	58
66.7	53.3	53.3	44.4	71.1	106.7	102.2	111.1	97.8	80.0	35.6	8.9	8.9	8.9	59
39.4	49.3	49.3	39.4	54.2	83.7	118.2	123.1	88.7	54.2	78.8	14.8	5.8	9.9	60
63.6	57.8	17.3	34.7	86.7	98.2	109.8	115.6	121.4	69.4	57.8	17.3	5.8	8.8	61
70.2	52.6	78.9	35.1	52.6	79.0	52.6	70.2	43.9	114.0	52.6	8.8	8.8	8.8	62
(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	63
(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	64
(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	65
(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	66
(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	67
(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	68
(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	69
(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	70
(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	71
(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	72
(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	73
(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	74
(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	75
(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	76
(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	77
(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	78
(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	79
(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	80
(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	81
(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	82
(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	83
(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	84
(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	85
(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	86
(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	87
(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	88
(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	89
(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	90
(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	91
(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	92
(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	93
(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	94
(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	95
(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	96
(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	97
(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	98
(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	99
(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	100
48.9	48.9	54.4	76.1	92.4	125.0	108.7	81.5	32.6	59.8					

TABLE 23.—NUMBER OF DEATHS AT EACH AGE

AREAS.		Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
MAINE.												
1	Total	160.8	33.7	15.4	10.3	7.3	227.5	21.9	13.4	30.1	36.8	36.3
2	Males.....	173.1	34.3	14.8	11.2	6.5	239.9	22.0	12.8	29.7	33.3	31.9
3	Females.....	147.6	33.1	16.1	9.4	8.1	214.3	21.8	14.1	30.5	40.4	41.0
4	White.....	160.7	33.5	15.5	10.4	7.3	227.4	21.9	13.2	30.0	36.8	36.4
5	Males.....	173.2	33.9	14.9	11.2	6.6	239.8	22.1	12.5	29.8	33.5	32.0
6	Females.....	147.4	33.0	16.2	9.4	8.1	214.1	21.6	14.1	30.2	40.4	41.1
7	Native.....	181.8	36.7	16.6	11.1	8.1	254.3	22.8	14.3	29.9	33.9	34.8
8	Both parents native.....	M. 138.7	25.1	10.8	7.6	5.4	187.6	18.5	11.8	31.5	32.0	28.0
	F. 119.2	24.2	13.9	8.0	5.4	170.7	17.5	14.7	29.4	36.1	40.2	
9	One or both parents foreign.....	M. 451.8	87.2	35.8	33.1	17.5	625.4	46.8	23.0	24.8	31.2	38.6
	F. 409.7	98.0	38.6	19.8	25.3	591.4	47.4	18.7	40.8	44.1	39.7	
10	Foreign.....	21.6	12.2	8.1	6.1	2.0	50.0	14.9	6.8	31.1	57.4	47.3
11	Males.....	21.1	14.5	10.5	4.0		50.1	14.5	4.0	34.3	50.1	44.8
12	Females.....	22.2	9.7	5.5	8.3	4.2	49.9	15.3	9.7	27.7	65.2	49.9
13	Colored.....	(*)	(*)				(*)	(*)	(*)	(*)	(*)	
14	Males.....	(*)	(*)				(*)	(*)	(*)	(*)	(*)	
15	Females.....	(*)	(*)				(*)	(*)	(*)	(*)	(*)	
Birthplaces of mothers (white).												
16	United States.....	M. 151.0	29.8	11.2	8.0	5.3	205.3	19.3	12.4	32.1	32.1	27.8
	F. 130.1	26.0	15.2	7.9	5.5	184.7	19.5	15.2	30.3	36.6	39.7	
17	Ireland.....	M. 54.9	8.7	2.9	5.8		72.3	14.5	5.8	26.0	46.2	66.5
	F. 79.5	23.2	3.3	6.6	9.9	122.5				16.6	49.7	59.6
18	Germany.....	(*)	(*)		(*)		(*)					(*)
	F. (*)	(*)					(*)					(*)
19	England and Wales.....	M. (*)	(*)	(*)	(*)	(*)	(*)	(*)		(*)	(*)	(*)
	F. (*)	(*)					(*)					(*)
20	Canada.....	M. 359.2	72.5	38.8	30.6	17.3	518.4	41.8	18.4	32.7	36.7	42.9
	F. 286.4	70.5	31.9	20.9	20.9	430.6	43.0	18.7	39.7	62.8	40.8	
21	Scandinavia.....	M. (*)	(*)	(*)			(*)	(*)			(*)	(*)
	F. (*)	(*)			(*)		(*)				(*)	(*)
22	Scotland.....	M. (*)	(*)				(*)	(*)		(*)	(*)	
	F. (*)	(*)				(*)	(*)					(*)
23	Italy.....	M. (*)	(*)				(*)					
	F. (*)	(*)					(*)					
24	France.....	M. (*)	(*)				(*)					
	F. (*)	(*)					(*)					
25	Russia and Poland.....	M. (*)	(*)				(*)	(*)	(*)		(*)	(*)
	F. (*)	(*)					(*)	(*)				
26	Other foreign countries.....	M. (*)	(*)	(*)			(*)	(*)				
	F. (*)	(*)					(*)	(*)				
27	Unknown.....	M. 30.6	3.1	3.1			36.8	3.1	6.1	9.2	18.4	30.7
	F. 14.2	7.1	3.6			24.9	10.7	3.6	17.8	28.5	28.5	
MASSACHUSETTS.												
28	Total	216.6	47.0	21.3	14.4	10.1	309.4	23.8	13.6	22.2	35.8	41.7
29	Males.....	238.4	49.3	21.4	15.2	9.5	333.8	24.3	12.1	21.1	36.8	41.3
30	Females.....	194.1	44.5	21.2	13.5	10.6	283.9	23.4	15.1	23.3	34.9	42.0
31	White.....	217.0	46.8	21.1	14.3	10.0	309.2	23.7	13.5	22.0	35.5	41.3
32	Males.....	239.2	49.0	21.2	15.1	9.5	334.0	24.1	12.1	20.9	36.6	41.0
33	Females.....	194.1	44.5	20.9	13.4	10.5	283.4	23.3	14.9	23.2	34.3	41.6
34	Native.....	301.0	63.9	28.4	19.3	13.4	426.0	30.5	16.3	23.1	32.5	36.0
35	Both parents native.....	M. 205.3	40.2	14.9	12.9	10.5	283.8	23.9	13.9	19.7	27.0	28.3
	F. 169.2	37.3	17.1	11.2	9.3	244.1	20.5	16.3	20.4	24.8	27.8	
36	One or both parents foreign.....	M. 469.0	97.9	44.3	29.6	16.1	656.9	39.7	17.0	26.2	43.1	48.0
	F. 428.8	100.4	46.7	30.2	22.8	628.9	49.6	24.1	32.9	42.2	46.3	
37	Foreign.....	7.3	4.2	2.6	1.8	1.5	17.4	6.7	6.2	19.6	43.1	54.5
38	Males.....	9.4	4.6	2.3	2.3	1.8	20.4	8.8	5.5	18.9	44.7	51.2
39	Females.....	5.3	3.8	2.8	1.4	1.3	14.6	4.8	6.9	20.2	41.7	57.6
40	Colored.....	189.6	59.3	37.6	20.3	14.5	321.3	33.3	20.3	31.8	62.2	69.5
41	Males.....	187.4	66.1	35.8	22.0	11.0	322.3	35.8	13.8	33.1	49.6	66.1
42	Females.....	192.1	51.8	39.6	18.3	18.3	320.1	30.5	27.4	30.5	76.2	73.2
Birthplaces of mothers (white).												
43	United States.....	M. 242.6	44.1	18.4	13.7	11.2	330.0	26.0	14.5	20.6	28.1	29.3
	F. 200.9	42.3	20.6	12.0	10.3	286.1	23.2	17.1	21.7	25.8	28.2	
44	Ireland.....	M. 147.7	36.2	16.6	12.7	7.2	220.4	18.3	7.2	19.1	48.2	64.9
	F. 108.7	31.5	14.7	11.5	6.9	173.3	18.9	12.0	24.1	43.6	61.1	
45	Germany.....	M. 162.7	28.1	16.1	10.0	8.0	224.9	22.1	12.0	14.1	40.2	48.2
	F. 179.2	41.1	12.1	24.2	19.4	276.0	38.7	12.1	12.1	24.2	63.0	
46	England and Wales.....	M. 214.0	44.0	15.5	13.0	4.3	290.8	32.8	16.4	16.4	24.2	35.4
	F. 190.2	40.4	22.1	11.0	7.4	271.1	18.4	17.5	23.0	31.3	30.3	
47	Canada.....	M. 410.0	76.0	33.1	22.7	12.6	554.4	32.6	18.6	30.1	47.3	36.1
	F. 336.7	64.7	28.5	21.3	18.7	469.9	34.1	20.5	32.9	50.4	47.8	
48	Scandinavia.....	M. 291.1	78.2	48.5	24.2	13.5	455.5	40.4	13.5	37.7	40.4	35.1
	F. 236.9	98.5	46.1	24.6	27.7	433.8	49.2	18.5	24.6	43.1	58.5	
49	Scotland.....	M. 152.3	25.4	17.7	25.4	7.6	228.4	20.3	7.6	15.2	38.1	38.1
	F. 84.8	14.5	21.8	12.1	4.8	138.0	26.6	7.3	24.2	21.8	33.9	
50	Italy.....	M. 381.9	123.6	70.6	33.1	19.9	629.1	33.1	6.6	17.7	35.3	48.6
	F. 416.4	170.5	59.0	29.5	16.4	691.8	36.1	6.6	6.6	26.2	42.6	
51	France.....	(*)	(*)	(*)			(*)					
	F. (*)	(*)					(*)					
52	Russia and Poland.....	M. 419.7	119.3	50.4	45.9	13.8	649.1	27.5	11.5	27.5	32.1	41.3
	F. 408.0	100.6	69.0	20.1	17.2	614.9	37.4	14.4	31.6	25.9	57.5	
53	Other foreign countries.....	M. 444.3	106.2	24.9	13.1	10.5	599.0	32.8	9.2	26.2	44.5	39.3
	F. 436.5	103.2	36.5	20.6	17.5	614.3	34.9	19.0	36.5	46.0	49.2	
54	Unknown.....	M. 61.3	9.2	5.5	2.5	1.2	79.7	2.5	4.3	9.2	20.2	27.6
	F. 49.6	8.6	5.5	3.1	2.4	69.2	3.1	3.1	6.7	15.9	19.0	

* Data insufficient for correct proportions.

PROPORTION OF DEATHS AT EACH AGE.

595

PER 1,000 DEATHS AT KNOWN AGES—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	
32.5	30.9	33.3	34.0	36.6	50.4	60.8	73.5	76.3	76.8	68.1	40.2	15.9	4.7	1
27.4	29.2	30.6	29.2	34.9	50.7	62.7	78.6	79.7	80.4	69.9	42.1	12.0	3.0	2
37.9	32.7	36.2	30.2	38.4	50.1	58.8	68.1	72.7	72.9	66.2	38.2	20.0	6.5	3
32.4	30.8	33.3	34.0	36.6	50.4	60.9	73.6	76.5	76.9	68.0	40.3	15.9	4.7	4
27.2	29.1	30.6	29.1	34.9	50.6	62.9	78.6	79.9	80.5	69.8	42.1	12.0	3.0	5
38.0	32.6	36.2	39.2	38.5	50.2	58.8	68.2	72.8	73.0	66.1	38.3	20.1	6.5	6
30.9	28.6	31.7	31.1	33.2	47.5	56.4	70.7	73.7	75.7	68.5	40.8	16.8	4.4	7
26.1	26.6	30.7	29.5	36.6	54.8	66.6	86.3	89.5	95.7	81.4	48.9	14.5	3.4	8
34.8	31.0	39.5	41.0	36.4	55.2	68.4	74.5	79.7	88.6	75.1	42.8	22.7	6.7	9
31.2	20.2	24.8	10.1	15.6	15.6	11.9	23.9	19.3	10.1	16.5	6.4	3.7	0.9	10
34.1	37.5	16.5	11.0	13.2	17.6	9.9	23.1	14.3	12.1	12.1	4.4	11.0	1.1	11
41.2	46.0	43.9	52.7	60.1	71.0	91.9	95.3	97.3	82.4	60.1	35.8	7.4	7.4	12
25.0	51.4	40.8	48.7	40.8	76.4	117.2	104.1	102.8	86.9	55.3	43.5	5.3	4.0	13
58.3	40.2	47.2	56.9	80.4	65.2	65.2	86.0	91.5	77.7	65.2	27.7	9.7	11.1	14
(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)			15
(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)			16
25.9	25.7	29.6	29.4	36.0	52.5	63.8	84.4	86.5	92.0	80.1	47.0	14.7	3.4	17
34.7	30.6	38.3	40.7	34.2	52.3	65.3	73.0	78.5	80.5	72.7	43.1	23.1	7.0	18
52.0	54.9	49.1	40.5	49.1	72.3	106.9	83.8	104.0	66.5	54.9	31.8	2.9	2.9	19
43.0	59.6	49.7	26.5	66.2	66.2	76.1	79.5	106.0	69.5	76.2	16.6	6.6	9.9	20
(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	21
(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	22
23.5	21.4	26.5	21.4	21.4	30.6	39.8	41.8	31.6	25.5	12.3	10.2	2.1	1.0	23
52.9	31.9	28.6	31.9	38.6	30.8	25.3	39.7	19.8	25.3	20.9	11.0	6.6	1.1	24
(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	25
(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	26
(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	27
(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	28
(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	29
(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	30
(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	31
33.8	49.1	33.8	39.9	61.3	58.3	58.3	101.2	113.5	110.4	131.9	73.6	24.5	6.1	32
39.1	28.5	21.4	56.9	60.5	49.8	64.1	74.7	117.4	124.5	121.0	89.0	32.0	7.1	33
41.5	40.3	37.5	38.8	45.0	48.6	53.2	58.2	58.9	55.6	41.8	23.0	8.6	2.5	34
42.6	41.8	36.8	40.3	44.6	48.0	51.9	55.6	55.2	51.6	36.9	18.2	5.6	1.5	35
40.4	38.7	38.2	37.2	45.3	49.2	54.4	61.0	62.9	59.8	46.9	28.0	11.7	3.7	36
41.2	40.0	37.3	38.5	44.9	48.7	53.5	58.7	59.4	56.2	42.1	23.2	8.6	2.5	37
42.0	41.4	36.7	40.2	44.4	48.0	52.1	56.0	55.6	52.1	37.3	18.3	5.7	1.5	38
40.2	38.6	38.0	36.8	45.3	49.4	55.0	61.4	63.4	60.4	47.2	28.2	11.7	3.7	39
31.1	28.7	29.0	30.2	30.3	31.4	36.1	42.8	47.5	51.4	41.6	24.4	9.1	2.0	40
26.1	24.6	26.1	39.7	44.9	49.7	60.8	74.4	76.5	77.6	63.3	29.1	9.2	1.4	41
22.5	22.5	29.1	36.3	44.7	51.2	55.8	68.4	80.7	88.2	72.3	47.4	21.1	4.3	42
38.7	36.0	29.6	21.1	12.0	8.2	6.5	6.4	3.2	4.3	1.9	0.7	0.5	0.5	43
38.5	31.7	31.5	20.4	13.4	8.1	8.7	6.8	4.6	4.5	4.1	2.6	1.1	1.1	44
66.2	68.5	57.1	58.5	82.2	93.5	97.6	98.6	89.5	67.7	42.4	19.7	7.0	4.0	45
69.3	71.0	59.3	64.8	85.6	98.8	97.4	92.4	83.4	63.5	37.5	18.6	5.5	3.4	46
63.4	66.1	55.0	52.8	79.0	88.6	97.8	104.3	95.0	71.6	46.9	20.8	8.4	4.5	47
68.0	56.4	50.7	60.8	52.1	42.0	27.5	28.9	26.0	15.9	17.4	7.2	5.8	2.9	48
82.7	66.1	46.8	49.6	60.6	46.8	41.3	24.8	27.5	13.8	11.0	5.5	2.8	2.8	49
51.8	45.7	54.9	73.2	42.7	36.6	12.2	33.5	24.4	18.3	24.4	9.2	12.2	3.0	50
26.2	23.4	25.2	36.9	40.4	44.3	55.3	67.2	68.9	71.5	56.8	26.0	8.2	1.2	51
24.1	21.3	28.5	34.1	42.0	47.3	49.9	62.7	73.4	80.6	67.1	43.1	19.7	4.1	52
68.6	69.6	62.2	53.1	58.9	63.9	61.6	57.3	48.2	37.6	23.5	11.3	3.4	2.7	53
61.1	57.3	50.5	46.8	61.2	68.6	75.4	77.0	68.6	44.4	31.9	14.7	6.1	3.4	54
66.3	46.2	46.2	52.2	48.2	80.3	74.3	50.2	84.3	54.2	24.1	12.0	12.0	12.0	55
41.2	41.2	55.7	33.9	36.3	46.0	43.6	75.1	79.9	70.2	24.2	16.9	9.7	0.9	56
42.3	47.4	33.6	40.5	62.1	64.7	65.6	73.3	63.0	50.0	25.0	12.1	3.5	0.9	57
44.1	42.3	50.5	37.7	51.5	58.8	62.5	73.5	63.4	63.4	37.7	14.7	7.4	0.9	58
34.7	33.4	25.2	25.7	26.8	28.2	26.0	27.9	22.7	16.4	7.1	5.2	1.1	0.5	59
47.8	45.1	34.7	27.6	32.0	25.5	32.9	28.2	24.6	23.4	14.0	5.9	1.5	1.2	60
64.7	53.9	51.2	40.4	45.8	32.3	24.3	8.1	10.8	13.5	27.0	2.7	2.7	2.7	61
70.8	80.0	52.3	33.8	12.3	15.4	6.2	40.0	21.5	21.5	12.3	6.2	12.7	5.1	62
63.5	45.7	25.4	48.2	38.4	83.7	60.9	55.8	76.1	63.5	40.6	12.7	12.7	2.4	63
41.2	50.9	67.8	36.3	79.9	67.8	75.1	67.8	94.4	79.9	50.8	29.1	4.8	2.4	64
37.5	41.9	26.5	35.3	15.5	22.1	17.7	17.7	2.2	6.6	4.4	2.2	2.2	2.2	65
22.9	39.3	16.4	16.4	36.1	22.9	13.1	3.3	6.6	6.5	3.3	3.3	3.3	3.3	66
(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	67
(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	68
34.4	39.0	27.5	18.3	13.8	16.0	20.6	13.8	11.5	13.8	2.3	2.3	5.7	2.6	69
34.5	37.4	28.7	11.5	11.5	23.0	17.2	20.1	8.6	8.6	2.9	2.9	2.6	2.6	70
32.8	47.2	22.3	31.4	34.1	13.1	21.0	17.0	11.8	9.2	5.2	1.3	1.3	1.3	71
30.2	28.6	12.7	14.3	15.9	20.6	20.6	15.9	12.7	14.3	9.5	3.2	1.6	1.6	72
30.6	38.6	35.5	46.6	53.3	55.1	75.4	90.7	122.5	129.9	98.0	60.7	17.8	1.8	73
29.4	35.1	39.2	47.2	44.7	52.1	76.5	88.2	105.3	126.8	116.3	82.0	25.7	13.5	74

TABLE 23.—NUMBER OF DEATHS AT EACH AGE

AREAS.		Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
MICHIGAN.												
1	Total	196.2	42.8	20.0	12.9	8.2	280.1	27.9	20.4	32.4	40.2	43.1
2	Males	207.8	42.4	19.9	11.8	8.5	290.4	26.9	19.1	30.1	34.8	35.1
3	Females	182.8	43.4	20.0	14.1	7.9	268.2	29.0	21.9	34.9	46.6	52.5
4	White	196.6	42.7	20.0	12.8	8.3	280.4	27.9	20.2	32.0	40.0	43.2
5	Males	208.2	42.6	20.0	11.7	8.6	291.1	26.9	19.0	30.0	34.6	35.0
6	Females	183.0	42.9	20.0	14.1	7.9	267.9	29.1	21.6	34.5	46.2	52.7
7	Native	269.0	57.9	27.0	17.4	11.2	382.5	36.4	26.2	37.5	41.6	43.4
8	Both parents native.....	M. 233.1	46.4	21.1	13.1	6.8	320.5	31.0	22.9	29.5	30.2	28.3
	F. 194.9	41.5	20.0	13.5	8.0	277.9	29.8	22.9	36.8	45.3	47.7	
9	One or both parents foreign.....	M. 391.9	86.7	40.4	22.2	21.4	562.6	48.2	32.2	47.7	46.3	44.1
	F. 323.9	88.7	40.6	29.4	16.1	498.7	54.3	38.9	49.8	55.7	66.9	
10	Foreign	3.4	2.3	1.5	0.3	0.6	8.1	5.0	4.4	17.4	34.6	42.3
11	Males	3.5	1.2	1.7	0.4	0.4	7.2	4.5	3.9	15.7	31.4	36.6
12	Females	3.3	3.6	1.3	0.3	0.8	9.3	5.7	4.9	19.5	38.6	49.4
13	Colored	164.8	52.2	13.7	22.0	2.8	255.5	27.5	38.5	60.4	65.9	38.5
14	Males	164.0	21.2	10.6	21.2		217.0	31.8	26.5	47.6	58.2	42.3
15	Females	165.7	35.7	17.1	22.9	5.7	297.1	22.9	51.4	74.3	74.3	34.3
Birthplaces of mothers (white).												
16	United States.....	M. 251.7	50.0	22.0	13.6	8.7	346.0	33.8	24.7	31.4	32.1	28.7
	F. 210.0	45.0	22.5	14.8	9.0	301.3	33.0	25.2	38.3	44.5	48.5	
17	Ireland.....	M. 30.3	3.8	2.8	4.7	1.9	43.5	8.5	5.7	13.2	36.9	51.1
	F. 25.5	9.6	3.2		3.2	41.5	3.2	6.4	12.8	31.9	56.4	
18	Germany.....	M. 184.0	33.2	20.1	12.3	9.8	259.4	25.8	13.9	29.5	38.1	31.6
	F. 153.4	36.5	17.7	11.5	9.1	228.2	29.7	19.2	26.4	48.9	59.9	
19	England and Wales.....	M. 58.6	18.9	7.3	3.1	4.2	92.1	17.8	7.3	17.8	22.0	32.5
	F. 52.7	18.5	7.1	4.3	2.9	85.5	11.4	18.5	19.9	32.8	35.6	
20	Canada.....	M. 229.5	54.5	29.9	15.2	14.6	343.7	28.7	28.7	59.7	56.8	48.6
	F. 192.3	52.3	23.5	19.0	9.8	296.9	34.0	30.1	64.1	79.1	81.8	
21	Scandinavia.....	M. 267.9	59.5	25.8	19.8	11.9	384.9	31.7	17.9	29.8	21.8	49.6
	F. 232.8	87.3	13.2	26.5	7.9	367.7	58.2	42.3	42.3	50.3	63.5	
22	Scotland.....	M. 15.2	6.1				21.3	6.1	9.1		27.3	42.5
	F. 20.4	4.1		8.2		32.7	4.1	4.1	44.9	20.4	57.1	
23	Italy.....	M. (*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)
	F. (*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)
24	France.....	M. (*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)
	F. (*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)
25	Russia and Poland.....	M. 390.4	69.1	39.0	18.0	21.0	537.5	27.0	24.0	21.0	33.1	30.0
	F. 395.7	108.7	60.9	26.1	21.7	613.1	56.5	26.1	26.1	21.7	21.7	
26	Other foreign countries.....	M. 254.5	76.2	31.1	10.0	13.0	384.8	26.0	14.0	27.0	42.1	53.1
	F. 243.2	78.0	37.7	28.6	7.8	395.3	37.7	16.9	27.3	44.2	35.1	
27	Unknown.....	M. 150.4	13.7	6.1	6.1	0.8	177.1	10.6	5.3	19.0	23.6	30.4
	F. 198.5	23.8	8.3	9.3	2.1	242.0	9.3	4.1	12.4	36.2	43.4	
NEW HAMPSHIRE.												
28	Total	189.4	41.9	18.7	13.8	7.3	271.1	21.3	14.8	21.4	32.6	29.8
29	Males	209.8	44.5	18.0	11.9	8.3	292.5	21.3	14.1	17.4	30.7	27.9
30	Females	169.4	39.3	19.5	15.7	6.2	250.1	21.4	15.4	25.2	34.4	31.7
31	White	189.5	42.0	18.6	13.8	7.3	271.2	21.4	14.7	21.4	32.6	29.6
32	Males	210.0	44.6	18.0	11.9	8.3	292.8	21.3	14.1	17.4	30.7	27.9
33	Females	169.2	39.4	19.3	15.8	6.2	249.9	21.5	15.2	25.3	34.5	31.3
34	Native	230.5	46.9	21.9	16.0	8.1	323.4	23.8	13.6	18.5	27.3	22.9
35	Both parents native.....	M. 165.2	32.1	12.0	7.4	8.0	224.7	22.7	12.7	14.0	34.8	18.7
	F. 122.8	26.0	12.4	14.3	4.5	180.0	23.4	11.7	26.7	29.2	24.7	
36	One or both parents foreign.....	M. 562.7	108.7	46.1	28.4	17.7	763.6	33.1	22.5	14.2	21.3	31.9
	F. 488.5	113.8	56.3	42.2	15.3	716.1	47.3	21.7	28.2	33.3	24.3	
37	Foreign.....	17.8	24.3	4.7	6.6	3.7	57.1	12.2	20.6	38.3	65.5	62.7
38	Males	11.4	24.8	5.7	11.4	3.8	57.1	17.1	17.1	41.9	57.2	55.2
39	Females	23.9	23.9	3.7	1.8	3.7	57.0	7.4	23.9	34.9	73.5	69.8
40	Colored	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)
41	Males	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)
42	Females	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)
Birthplaces of mothers (white).												
43	United States.....	M. 174.4	37.9	12.2	7.6	9.3	241.4	24.5	15.2	12.8	32.7	20.4
	F. 136.6	27.8	13.6	15.3	5.1	198.4	23.8	12.5	25.5	29.5	23.3	
44	Ireland.....	M. 154.4	26.8	26.8	10.1	10.1	228.2	13.4	13.4	26.9	57.0	83.9
	F. 126.5	45.2	15.1	15.0		201.8	18.1	3.0	9.0	60.2	63.3	
45	Germany.....	M. (*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)
	F. (*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)
46	England and Wales.....	M. (*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)
	F. (*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)
47	Canada.....	M. 440.7	95.4	42.5	30.9	14.2	623.7	30.9	21.9	30.9	29.6	30.9
	F. 364.1	92.4	43.5	31.7	14.5	546.2	31.7	36.9	44.9	46.2	43.5	
48	Scandinavia.....	M. (*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)
	F. (*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)
49	Scotland.....	M. (*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)
	F. (*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)
50	Italy.....	M. (*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)
	F. (*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)
51	France.....	M. (*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)
	F. (*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)
52	Russia and Poland.....	M. (*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)
	F. (*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)
53	Other foreign countries.....	M. (*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)
	F. (*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)
54	Unknown.....	M. 38.1	6.4	3.2	3.2		50.9	6.4	4.8	11.1	12.7	15.9
	F. 37.3	1.5	6.0	1.5	1.5	47.8	3.0	7.5	7.5	19.4	26.9	

* Data insufficient for correct proportions.

PROPORTION OF DEATHS AT EACH AGE.

597

PER 1,000 DEATHS AT KNOWN AGES—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	
35.3	37.9	37.0	38.3	38.7	46.0	53.2	59.8	65.3	62.9	46.6	24.1	8.3	2.5	1
29.9	35.5	35.5	39.4	40.1	50.3	55.2	60.9	70.3	67.3	45.0	25.0	7.1	2.1	2
41.6	40.6	38.8	36.9	37.0	41.0	50.8	58.5	59.6	57.7	48.4	23.1	9.8	3.1	3
35.5	37.6	36.7	38.0	38.6	45.8	53.4	60.0	65.8	63.1	46.7	24.3	8.4	2.4	4
29.8	35.2	35.1	39.3	40.0	50.2	55.4	61.0	70.6	67.6	44.9	25.1	7.1	2.1	5
42.0	40.4	38.6	36.6	36.9	40.7	51.1	58.9	60.0	57.9	48.8	23.3	9.9	2.9	6
32.1	31.1	31.8	30.4	29.4	34.8	40.0	42.9	48.2	48.3	35.1	19.3	7.3	1.7	7
23.7	26.7	30.1	34.8	34.5	46.1	54.8	63.8	72.4	71.7	46.0	24.0	7.8	1.2	8
39.2	32.0	35.9	38.0	35.6	42.9	52.5	55.3	59.3	60.7	49.3	24.2	12.5	2.2	
29.8	29.6	28.0	20.2	17.1	18.8	15.9	11.2	16.7	12.4	9.6	7.8	1.4	0.4	9
37.9	37.5	31.5	19.7	18.3	17.8	14.9	14.2	10.7	13.3	10.9	5.2	2.6	1.2	
43.6	55.1	48.7	58.0	62.9	75.4	88.5	106.9	113.2	104.0	78.4	37.7	11.3	4.5	10
35.9	53.1	47.5	63.2	66.9	84.7	91.5	103.3	116.7	110.3	73.9	37.6	11.6	4.5	11
53.2	57.6	50.2	51.4	57.9	63.8	84.9	111.4	108.8	96.2	83.9	37.8	11.1	4.4	12
24.7	60.4	65.9	60.4	46.7	60.4	33.0	38.5	27.5	38.5	35.7	8.3	2.7	11.0	13
37.0	63.5	74.1	52.9	47.6	58.2	42.3	52.9	37.0	42.3	52.9	10.6	5.3		14
11.4	57.1	57.1	68.6	45.7	62.9	22.9	22.9	17.1	34.3	17.1	5.7		22.9	15
24.7	26.0	28.1	32.7	31.6	44.5	50.2	58.5	67.2	66.1	42.6	23.0	7.0	1.1	16
39.5	31.5	34.2	36.1	34.1	40.3	48.6	52.3	54.7	56.8	45.3	22.5	11.0	2.3	
42.6	59.6	64.3	46.4	61.5	77.6	94.6	84.2	95.5	84.2	64.3	42.6	18.0	5.7	17
48.9	48.9	60.6	47.9	62.8	58.5	86.2	118.1	101.0	77.6	39.4	18.1	3.2	3.2	
30.7	33.2	41.4	48.4	43.9	50.8	63.1	64.4	74.2	73.0	50.0	21.7	5.7	1.2	18
43.6	48.4	47.5	32.1	34.0	45.1	52.3	69.0	75.7	64.2	51.3	16.8	4.8	2.9	
30.4	33.5	39.8	48.2	56.5	76.4	72.3	91.1	123.6	110.0	77.5	38.7	11.5	1.0	19
39.9	57.0	44.1	64.1	55.5	47.0	85.5	81.2	91.2	85.5	79.8	51.3	8.5	5.7	
27.5	50.9	34.5	38.7	40.4	43.3	41.9	45.1	44.5	33.4	18.1	9.4	3.5	3.5	20
57.6	52.3	36.0	33.4	34.0	34.7	30.7	39.9	31.4	30.7	15.7	11.1	5.2	1.3	
53.6	65.5	45.6	55.5	31.7	49.6	23.8	41.7	29.8	41.7	11.3	13.9			21
52.9	58.2	29.1	31.8	23.8	26.5	15.9	29.1	18.5	37.0	13.2	2.7			
36.5	66.9	27.3	54.7	100.2	82.1	85.1	100.3	106.4	115.5	69.9	30.4	12.2	6.1	22
53.1	44.9	44.9	40.8	57.1	61.2	89.8	118.4	93.9	77.5	93.9	36.7	8.2	16.3	
(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	23
(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	24
27.0	42.1	39.1	33.1	24.0	27.0	21.0	30.0	36.1	21.0	21.0	6.0			25
21.7	26.1	30.4	13.1	17.4	13.1	13.0	17.4	17.4	17.4	34.8	8.7	4.3		
38.1	35.1	36.1	31.1	30.1	39.1	44.1	36.1	53.1	47.1	34.0	22.0	3.0	4.0	26
39.0	46.9	36.4	32.5	20.8	31.2	40.3	42.9	37.7	45.5	49.5	16.9	3.9		
38.7	34.2	38.7	47.1	53.2	60.0	70.7	76.7	89.7	92.7	69.9	49.4	8.4	4.6	27
30.0	41.4	37.2	36.2	45.5	37.2	60.0	61.0	85.9	82.7	68.3	37.2	21.7	8.3	
28.3	30.4	31.6	34.2	37.5	46.4	49.8	69.7	78.7	76.5	68.7	36.0	16.7	4.5	28
27.6	27.6	31.0	31.5	37.6	43.7	52.5	71.6	81.6	78.5	70.8	28.8	12.7	0.6	29
29.0	33.1	32.2	36.9	37.4	49.1	47.2	67.7	75.9	74.5	66.7	43.1	20.6	8.4	30
28.4	30.4	31.7	34.3	37.4	46.3	49.6	69.8	78.5	76.6	68.8	36.1	16.7	4.5	31
27.7	27.7	31.0	31.5	37.6	43.7	52.0	71.7	81.4	78.6	70.8	28.8	12.7	0.6	32
29.1	33.1	32.3	37.0	37.2	48.9	47.3	67.9	75.8	74.7	66.8	43.2	20.6	8.4	33
22.1	25.0	29.3	30.2	31.8	39.5	44.3	65.0	76.6	77.5	70.2	36.6	18.8	3.6	34
26.1	22.1	30.1	31.4	43.5	42.2	56.9	92.3	93.0	103.7	80.9	30.8	19.4		35
23.4	28.0	39.0	43.5	33.1	55.9	53.3	79.9	96.2	89.0	87.1	46.1	24.0	5.8	
17.7	23.6	17.7	18.9	7.1	9.5	4.7	4.7	3.5	2.4	1.2	2.4			36
23.0	21.7	17.9	9.0	10.2	10.2	7.7	5.1	6.4	6.4	5.1	3.8	2.6		
63.6	58.0	43.0	49.6	61.7	86.1	70.1	98.2	66.4	57.1	50.5	26.2	7.5	5.6	37
62.9	51.4	49.5	41.9	61.0	93.3	70.5	95.2	70.5	57.2	70.5	21.0	7.6	1.9	38
64.3	64.3	36.8	57.0	62.5	79.0	69.8	101.1	62.5	57.0	31.3	31.3	7.4	9.2	39
			(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	40
			(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	41
			(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	42
24.5	21.6	26.8	32.1	42.0	39.6	54.8	88.0	95.0	99.1	83.4	28.6	17.5		43
21.5	27.8	39.1	41.4	30.6	56.1	51.6	79.9	95.8	85.0	81.6	47.1	23.8	5.7	
57.0	60.4	60.4	50.3	43.6	63.8	43.6	77.2	30.2	33.6	30.2	13.4	10.1	3.4	44
60.2	66.3	33.1	54.2	42.2	63.3	57.2	87.4	63.3	45.2	21.1	33.1	9.0	9.0	
(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	45
(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	46
27.1	25.8	23.2	20.6	20.6	24.5	18.1	18.1	21.9	10.3	12.9	7.7	1.3		47
38.3	27.7	18.5	21.1	29.0	23.7	22.4	19.8	14.5	18.5	9.2	4.0	1.3	2.6	
(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	48
(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	49
(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	50
(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	51
(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	52
(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	53
17.5	30.2	39.7	36.6	42.9	55.7	89.9	90.6	151.0	136.7	119.2	68.4	19.1	1.6	54
23.9	35.8	26.9	37.3	61.2	50.7	56.7	77.6	104.4	132.8	128.3	85.1	43.3	23.9	

TABLE 23.—NUMBER OF DEATHS AT EACH AGE

AREAS.		Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
NEW JERSEY.												
1	Total	223.3	57.3	25.4	15.5	11.3	332.8	31.6	15.9	22.8	35.2	43.4
2	Males.....	241.3	55.6	25.8	14.0	10.3	347.0	31.1	15.8	22.6	33.8	42.7
3	Females.....	202.7	59.3	24.9	17.1	12.5	316.5	32.1	16.1	23.1	36.9	44.3
4	White	218.9	56.6	25.0	15.7	11.4	327.6	31.6	15.5	22.3	34.5	42.5
5	Males.....	236.0	54.3	25.6	14.2	10.5	340.6	31.4	15.7	22.4	33.1	42.1
6	Females.....	199.3	59.3	24.3	17.3	12.5	312.7	31.9	15.2	22.0	36.0	43.0
7	Native.....	296.4	76.3	33.7	20.8	15.1	442.3	41.4	19.1	26.9	36.3	41.6
8	Both parents native.....	(M.. 282.2	59.3	29.7	14.6	11.3	397.1	38.8	20.9	25.9	28.5	29.1
	(F.. 232.6	57.5	26.9	17.2	13.0	347.2	36.7	17.5	30.0	31.4	33.0	
9	One or both parents foreign.....	(M.. 428.1	108.3	47.3	28.1	19.9	631.7	52.2	19.7	30.2	41.9	51.3
	(F.. 362.7	128.8	47.8	36.4	24.2	599.9	53.9	22.8	25.5	48.6	57.4	
10	Foreign.....	1.8	2.0	0.8	1.1	1.0	6.7	4.6	4.9	8.7	29.0	45.2
11	Males.....	1.4	1.9	0.7	1.5	0.2	5.7	4.1	5.2	9.5	29.1	45.1
12	Females.....	2.2	2.1	0.8	0.8	1.9	7.8	5.1	4.6	7.8	28.9	45.3
13	Colored.....	304.7	70.5	33.1	11.4	9.6	429.3	30.7	24.7	33.1	48.8	60.8
14	Males.....	344.8	80.5	30.8	10.7	5.9	472.7	24.9	17.8	24.9	46.2	54.5
15	Females.....	263.1	60.0	35.5	12.2	13.5	384.3	36.7	31.8	41.6	51.4	67.3
Birthplaces of mothers (white).												
16	United States.....	(M.. 299.2	59.9	31.1	15.0	11.3	416.5	38.9	21.6	28.2	30.4	31.4
	(F.. 242.5	63.0	28.4	12.9	366.2	38.1	18.3	30.9	33.3	34.8		
17	Ireland.....	(M.. 137.9	35.9	14.5	12.5	8.2	209.0	20.3	9.0	19.5	42.6	74.2
	(F.. 104.3	35.4	14.2	10.2	7.9	172.0	16.9	9.4	15.7	42.9	65.7	
18	Germany.....	(M.. 163.2	43.5	15.3	16.2	10.2	248.4	33.2	14.1	18.7	23.0	34.1
	(F.. 141.0	48.3	19.8	19.3	11.8	240.2	31.1	11.8	13.9	31.1	45.6	
19	England and Wales.....	(M.. 144.9	31.0	22.0	11.6	7.8	217.3	19.4	9.1	16.8	27.2	36.2
	(F.. 115.8	31.3	15.7	12.5	9.4	184.7	28.2	11.0	11.0	37.6	42.8	
20	Canada.....	(M.. (*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)
	(F.. (*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)
21	Scandinavia.....	(M.. 275.9	63.2	23.0	17.3	5.7	385.1	28.7	23.0	5.7	23.0	46.0
	(F.. 196.9	126.0	15.7	15.7	354.3	63.0	47.3	23.6	55.1			
22	Scotland.....	(M.. 146.8	41.3	18.3	13.8	13.8	234.0	27.5	18.3	18.4	27.5	
	(F.. 175.0	25.0	10.0	20.0	10.0	240.0	20.0	10.0	10.0	20.0	50.0	
23	Italy.....	(M.. 369.8	143.9	74.8	20.1	17.3	625.9	36.0	11.5	21.6	36.0	37.4
	(F.. 350.2	184.8	44.7	38.9	40.9	659.5	46.7	9.7	15.6	29.2	38.9	
24	France.....	(M.. (*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)
	(F.. (*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)
25	Russia and Poland.....	(M.. 418.8	124.4	50.8	27.9	7.6	629.5	38.1	10.2	20.3	60.9	38.1
	(F.. 388.5	161.8	79.1	36.0	36.0	701.4	25.2	18.0	18.0	43.1	21.6	
26	Other foreign countries.....	(M.. 372.9	87.4	20.9	15.6	15.6	512.4	31.3	14.3	14.3	40.4	39.1
	(F.. 350.5	96.5	38.6	16.1	9.6	511.3	43.4	25.7	22.5	43.4	35.4	
27	Unknown.....	(M.. 95.7	15.3	11.9	5.6	7.7	136.2	14.0	11.2	18.2	38.4	60.7
	(F.. 108.4	19.7	8.9	6.9	4.9	148.8	19.7	9.8	14.8	47.3	47.3	
NEW YORK.												
28	Total	196.1	55.7	24.9	15.9	10.3	302.9	26.7	14.3	21.4	36.4	44.7
29	Males.....	206.8	56.8	24.7	15.4	9.8	313.5	25.8	13.6	20.2	34.1	44.3
30	Females.....	184.0	54.6	25.2	16.4	10.8	291.0	27.8	15.1	22.8	39.0	45.1
31	White	195.1	55.5	24.8	15.9	10.3	301.6	26.8	14.1	21.2	35.9	44.4
32	Males.....	206.0	56.5	24.6	15.5	9.9	312.5	25.9	13.5	20.2	33.6	44.1
33	Females.....	183.0	54.3	25.0	16.4	10.7	289.4	27.7	14.9	22.4	38.5	44.7
34	Native.....	278.6	78.0	34.5	22.1	14.1	427.3	36.3	18.4	24.6	38.9	43.9
35	Both parents native.....	(M.. 257.2	56.6	28.2	17.7	12.6	372.3	33.0	19.2	24.5	32.2	29.5
	(F.. 224.1	52.2	26.7	17.6	12.3	332.9	36.7	19.7	26.8	34.5	33.2	
36	One or both parents foreign.....	(M.. 360.3	113.9	45.4	27.7	16.1	563.4	41.3	17.3	23.6	42.5	58.5
	(F.. 331.0	115.0	48.7	32.4	20.0	547.1	44.5	21.4	28.1	52.4	58.3	
37	Foreign.....	3.0	3.5	2.2	2.0	1.4	12.1	4.9	4.4	13.4	28.8	45.4
38	Males.....	3.3	3.9	1.9	2.0	1.5	12.6	4.9	4.1	13.3	26.3	44.9
39	Females.....	2.7	3.1	2.6	2.0	1.3	11.7	4.9	4.8	13.5	31.6	46.0
40	Colored.....	237.0	67.9	30.4	12.6	10.6	358.5	24.6	21.9	30.7	58.0	57.7
41	Males.....	245.4	67.6	26.5	10.6	7.3	357.4	17.9	17.9	23.2	57.0	54.4
42	Females.....	228.0	68.2	34.5	14.8	14.1	359.6	31.7	26.0	38.7	59.1	61.2
Birthplaces of mothers (white).												
43	United States.....	(M.. 271.5	61.3	29.5	18.6	13.2	394.1	35.1	19.8	25.6	34.1	31.4
	(F.. 235.3	56.4	28.5	19.6	12.8	352.6	38.2	20.7	28.6	36.9	34.2	
44	Ireland.....	(M.. 102.1	34.3	14.5	10.0	5.9	166.8	14.9	7.9	15.3	39.8	74.3
	(F.. 78.5	27.8	13.8	8.5	6.4	135.0	14.2	7.3	16.3	43.3	64.9	
45	Germany.....	(M.. 136.0	36.5	18.6	11.1	7.5	209.7	21.2	10.2	16.7	29.1	43.7
	(F.. 133.6	40.3	16.0	14.3	9.2	213.4	22.9	13.7	18.1	37.5	47.8	
46	England and Wales.....	(M.. 100.8	27.0	16.0	6.5	4.9	155.2	19.8	9.1	17.1	27.4	38.1
	(F.. 103.2	28.1	15.8	10.9	7.7	165.7	14.9	10.4	14.5	27.2	38.9	
47	Canada.....	(M.. 205.4	28.6	15.5	13.1	11.5	274.1	34.4	22.1	22.1	52.4	47.5
	(F.. 169.3	32.7	15.0	16.8	9.4	243.2	26.2	17.8	27.1	55.2	80.4	
48	Scandinavia.....	(M.. 264.9	75.3	33.0	21.6	13.4	408.2	35.1	6.2	15.5	32.0	60.8
	(F.. 251.7	84.4	31.0	24.9	22.1	414.9	40.1	20.8	23.5	56.7	65.0	
49	Scotland.....	(M.. 84.5	20.8	13.0	9.1	2.6	130.0	16.9	2.6	15.6	18.2	29.9
	(F.. 65.6	36.4	10.2	7.3	7.3	126.8	17.5	8.7	14.6	27.7	36.4	
50	Italy.....	(M.. 380.7	170.2	54.1	36.6	15.4	657.0	31.0	12.3	21.8	30.1	28.0
	(F.. 382.1	185.8	72.7	36.6	20.0	697.2	40.4	19.2	26.2	35.4	25.8	
51	France.....	(M.. 105.4	39.9	8.6	8.6	8.5	171.0	14.3	2.8	14.3	37.0	37.0
	(F.. 121.2	34.1	3.8	3.8	3.8	166.7	11.4	11.4		26.5	49.2	
52	Russia and Poland.....	(M.. 371.5	132.8	48.5	26.1	14.2	593.1	34.6	12.6	21.2	26.5	33.4
	(F.. 337.8	136.9	62.5	29.2	15.1	581.5	35.9	13.5	22.9	40.1	36.4	
53	Other foreign countries.....	(M.. 290.7	96.5	33.2	19.6	11.2	451.2	24.0	10.4	20.8	30.4	45.6
	(F.. 277.5	95.8	39.2	30.4	17.8	460.7	37.2	15.2	28.8	46.1	46.1	
54	Unknown.....	(M.. 127.1	25.5	12.7	8.4	5.2	178.9	14.2	10.0	14.2	32.1	45.9
	(F.. 138.9	32.7	15.0	7.0	5.1	198.7	12.6	8.2	15.3	33.0	40.2	

* Data insufficient for correct proportions.

PROPORTION OF DEATHS AT EACH AGE.

599

PER 1,000 DEATHS AT KNOWN AGES—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	
41.8	46.3	41.2	39.2	42.8	47.3	51.4	54.9	52.3	46.0	32.0	15.8	5.7	1.6	1
40.1	47.1	43.6	41.5	44.2	45.9	53.3	53.0	49.5	42.4	28.0	12.9	4.1	1.4	2
43.7	45.3	38.6	36.6	41.2	48.9	49.1	57.1	55.5	50.1	36.6	19.0	7.5	1.8	3
41.9	46.5	40.9	39.2	43.5	48.0	52.5	56.4	53.7	47.4	32.7	16.1	5.9	1.3	4
40.2	47.4	43.8	41.4	45.1	46.1	54.7	54.4	50.9	43.7	28.4	13.2	4.3	1.1	5
43.9	45.5	37.6	36.7	41.7	50.1	49.9	58.8	57.0	51.7	37.6	19.5	7.7	1.5	6
36.9	36.1	30.8	27.1	27.3	29.8	34.8	38.4	38.7	39.4	30.3	15.5	6.0	1.3	7
23.3	27.2	26.3	27.8	35.4	38.2	52.4	52.2	55.3	56.0	39.2	17.8	6.9	1.7	8
31.4	31.5	29.3	27.3	32.2	37.9	47.9	55.1	57.7	60.5	51.8	28.5	11.1	2.0	9
44.5	35.1	25.6	21.0	9.0	7.5	9.9	7.9	5.0	3.1	2.0	1.5	0.7	0.2	10
42.5	41.2	29.0	15.7	12.2	13.5	7.4	6.6	5.8	8.2	5.0	4.0	0.5	0.3	11
55.4	72.9	67.5	72.7	89.7	99.4	102.5	109.0	96.8	70.2	40.2	17.5	5.7	1.4	12
52.5	77.8	79.5	78.0	94.2	96.4	107.1	103.6	89.0	64.9	35.8	17.7	3.6	1.2	13
58.6	67.5	54.0	66.7	84.5	102.9	97.2	115.3	105.6	76.1	45.1	17.3	8.1	1.6	14
39.1	41.5	47.0	39.1	28.9	34.3	31.3	26.5	26.5	19.3	19.3	9.6	3.0	7.2	15
37.9	42.6	39.1	42.6	24.9	41.5	27.3	26.1	23.7	16.6	20.1	8.3	1.2	7.1	16
40.4	40.4	55.1	35.5	33.1	26.9	35.5	26.9	29.4	22.0	18.4	11.0	4.9	7.4	17
24.0	26.5	24.6	26.6	33.3	35.5	49.1	49.0	51.6	51.9	36.2	16.8	6.2	1.7	18
31.8	30.7	28.3	25.7	30.6	36.7	44.4	51.2	53.8	57.6	48.6	27.0	10.3	2.2	19
70.3	73.8	53.1	56.3	60.5	64.8	82.4	63.7	45.7	33.2	12.1	6.3	2.0	1.2	20
63.8	68.9	44.1	55.9	69.6	85.0	74.0	82.2	57.1	39.4	23.2	8.7	4.7	0.8	21
48.6	52.0	62.6	58.8	58.0	58.8	64.3	71.2	63.9	48.2	28.5	9.4	3.8	0.4	22
50.4	56.8	44.0	38.6	51.5	57.9	60.6	72.9	80.4	63.3	32.2	11.3	5.9	0.5	23
31.0	37.5	45.3	63.4	62.1	66.0	69.9	82.8	80.2	55.6	45.3	32.3	1.3	1.3	24
48.5	43.8	57.9	43.8	43.8	70.4	61.0	73.5	87.6	61.0	50.1	32.9	7.8	3.1	25
(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	26
57.5	80.5	46.0	86.2	63.2	46.0	23.0	40.2	23.0	5.7	11.5	5.7	5.7	5.7	27
94.5	110.2	47.3	23.6	39.4	23.6	63.0	23.6	23.6	7.9	15.7	7.9	7.9	7.9	28
50.5	55.0	96.3	59.6	73.4	45.9	68.8	59.6	73.4	36.7	41.3	9.2	4.6	4.6	29
60.0	45.0	55.0	50.0	45.0	90.0	40.0	50.0	80.0	60.0	50.0	10.0	15.0	15.0	30
31.6	44.6	46.0	28.8	17.3	17.3	18.7	11.5	5.8	7.2	1.4	1.4	1.4	1.4	31
25.3	37.0	31.1	23.4	13.6	19.5	11.7	9.7	11.7	9.7	5.8	1.9	1.9	1.9	32
(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	33
27.9	55.8	33.0	27.9	17.8	15.2	2.5	10.2	5.1	2.5	2.5	2.5	2.5	2.5	34
36.0	39.5	14.4	7.2	18.0	7.2	18.0	10.8	10.8	7.2	3.6	3.6	3.6	3.6	35
31.3	62.6	54.8	22.2	39.1	30.0	26.1	23.5	26.1	16.9	7.8	7.8	7.8	7.8	36
32.2	28.9	43.4	30.6	32.2	25.7	22.5	28.9	22.5	27.3	14.5	8.0	8.0	8.0	37
65.6	85.9	77.5	59.4	60.0	61.4	54.5	69.1	65.6	55.2	42.6	16.1	7.0	1.4	38
66.0	65.0	58.1	62.1	52.2	62.1	46.3	67.0	70.9	69.0	47.3	31.5	12.8	2.0	39
46.8	49.0	43.9	43.1	46.2	48.3	52.7	55.4	55.7	49.9	35.6	18.8	6.4	1.8	40
48.5	51.8	47.1	45.6	48.3	48.1	50.5	52.8	52.0	47.9	32.9	16.7	5.2	1.1	41
44.8	45.9	40.3	40.3	43.8	48.5	55.3	58.2	60.0	52.1	38.6	21.2	7.7	2.5	42
46.5	48.9	43.7	42.9	46.3	48.4	53.1	56.0	56.3	50.6	35.9	19.1	6.5	1.8	43
48.1	51.8	47.0	45.3	48.3	48.3	50.8	53.3	52.3	48.5	33.2	17.0	5.2	1.1	44
44.8	45.6	40.0	40.2	44.1	48.5	55.7	59.0	60.8	52.9	39.1	21.4	7.8	2.5	45
42.2	40.2	34.5	31.4	28.2	29.6	32.4	36.4	38.6	40.5	31.7	17.6	6.1	1.2	46
27.9	28.2	28.7	31.0	33.9	41.2	44.3	55.1	59.4	60.9	46.1	24.1	7.7	0.8	47
30.6	30.1	26.5	31.2	36.9	38.8	47.7	55.2	61.8	63.7	50.5	30.3	10.7	2.2	48
58.4	52.9	41.1	29.5	15.8	13.8	11.9	7.8	5.6	7.3	5.2	2.3	0.7	0.1	49
53.4	46.1	39.1	27.7	17.6	15.3	11.9	9.7	8.7	6.4	6.1	4.2	1.4	0.6	50
56.3	67.5	63.6	69.2	88.3	91.9	101.8	102.1	98.3	74.0	45.6	22.1	7.2	3.1	51
59.0	72.3	71.3	75.5	97.6	91.6	97.3	96.4	90.4	71.2	42.0	20.9	6.0	2.4	52
53.4	62.5	55.2	62.4	78.4	92.1	106.5	108.3	106.6	77.1	49.4	23.4	8.4	3.8	53
56.0	55.3	51.5	51.9	41.6	43.7	36.9	27.6	29.7	21.9	18.1	8.9	3.1	2.4	54
67.0	54.4	52.4	59.7	50.4	41.1	34.5	28.5	33.8	23.2	17.9	5.3	3.3	0.7	55
44.3	56.3	50.7	43.6	32.4	46.5	39.4	26.8	25.3	20.4	18.3	12.7	2.8	4.2	56
29.6	28.5	28.4	29.2	32.1	38.1	41.0	50.9	53.8	56.1	42.4	22.1	7.0	0.7	57
31.2	30.1	26.4	30.4	34.5	37.5	44.4	50.8	57.6	58.7	46.6	28.4	10.0	2.2	58
84.6	83.1	68.4	60.8	69.4	65.5	66.9	56.9	49.0	38.4	21.4	11.4	3.6	1.6	59
62.7	69.9	55.7	58.0	67.5	72.9	88.5	77.7	70.4	42.4	30.6	13.8	5.7	3.2	60
53.5	62.5	66.0	60.6	64.0	59.2	67.2	69.2	67.5	54.8	28.6	12.3	2.9	1.1	61
58.0	50.9	51.0	46.1	48.5	59.3	62.8	73.7	78.0	62.6	34.6	16.4	3.5	1.2	62
40.0	58.2	45.3	61.3	55.9	71.5	68.9	76.9	82.9	80.7	52.5	27.8	9.1	2.3	63
43.5	53.0	67.4	55.7	50.7	60.2	62.5	75.6	86.0	73.7	60.2	30.8	11.8	2.3	64
44.2	62.2	44.2	50.7	49.1	45.0	45.8	56.5	53.2	40.1	28.6	19.6	3.3	4.9	65
59.9	62.7	47.7	44.0	54.3	36.5	51.4	46.8	48.6	38.4	33.7	16.8	5.6	3.7	66
62.9	67.0	49.5	63.0	51.5	36.1	33.0	20.6	19.6	15.5	17.5	1.0	1.0	1.0	67
80.2	55.3	45.7	37.4	33.2	22.1	18.0	26.3	27.7	22.1	6.9	4.1	4.1	4.1	68
41.6	67.6	68.9	62.4	72.9	48.1	66.3	83.3	87.2	68.9	63.7	42.9	10.4	2.6	69
36.4	51.0	49.6	72.9	62.7	62.7	62.7	80.2	86.0	72.9	75.8	32.1	18.9	4.4	70
32.3	36.0	28.9	28.6	29.2	19.4	14.1	11.7	10.4	4.9	2.5	1.2	0.3	0.3	71
31.2	23.8	21.2	13.8	13.8	15.8	6.9	9.6	7.7	6.2	3.1	0.8	0.4	1.5	72
51.3	51.3	71.2	59.8	65.5	96.9	74.1	76.9	65.5	54.1	39.9	11.4	5.7	5.7	73
53.0	75.7	64.4	60.6	60.6	53.0	56.8	72.0	90.9	72.0	22.7	37.9	11.4	3.8	74
39.5	36.6	32.2	27.3	32.2	26.5	28.9	22.4	11.8	9.0	7.3	3.3	1.2	0.4	75
38.5	39.6	23.4	18.2	28.1	29.2	24.5	25.5	14.1	10.4	7.8	5.2	2.6	2.6	76
48.9	51.3	51.3	44.8	53.4	40.8	32.4	27.6	26.4	18.8	13.6	6.0	2.0	0.4	77
41.4	46.6	32.5	36.1	27.2	37.7	31.4	31.4	30.4	22.5	16.2	5.2	3.1	0.5	78
51.2	70.3	58.0	55.9	49.3	53.2	59.3	66.4	67.0	74.1	57.4	30.3	10.6	1.7	79
43.4	48.0	47.0	39.7	39.7	45.3	55.8	70.5	73.2	88.5	76.4	40.7	18.2	5.6	80

TABLE 23.—NUMBER OF DEATHS AT EACH AGE

AREAS.		Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
RHODE ISLAND.												
1	Total	227.5	60.8	23.9	16.3	9.2	337.7	23.6	14.4	24.2	35.3	39.1
2	Males.....	251.6	63.1	24.8	15.3	10.0	364.8	24.1	15.3	22.8	33.5	38.6
3	Females.....	202.9	58.3	23.1	17.4	8.4	310.1	23.1	13.4	25.6	37.2	39.7
4	White	229.2	59.4	24.4	16.3	9.2	338.5	23.9	14.3	23.5	34.8	38.9
5	Males.....	253.6	61.4	25.2	15.2	10.2	365.6	24.2	15.2	22.7	32.7	38.5
6	Females.....	204.1	57.4	23.5	17.4	8.2	310.6	23.6	13.3	24.3	36.9	39.4
7	Native.....	320.0	81.2	32.9	20.9	12.6	467.6	28.9	16.7	23.9	33.1	34.9
8	Both parents native.....	M. 210.9	50.7	16.4	11.2	10.4	299.6	20.9	10.4	21.6	24.6	26.1
	F. 171.5	49.9	18.8	14.5	9.4	264.1	16.6	15.2	18.8	26.0	29.0	
9	One or both parents foreign.....	M. 473.4	108.4	50.5	25.6	16.2	674.1	34.3	24.3	26.9	37.0	42.4
	F. 439.0	120.3	49.8	34.9	14.9	658.9	47.3	15.0	28.2	46.5	44.8	
10	Foreign.....	12.7	7.5	3.5	5.3	1.3	30.3	11.4	8.8	22.8	39.5	47.4
11	Males.....	11.4	10.5	1.9	6.7	2.9	33.4	14.3	8.6	19.1	39.2	47.7
12	Females.....	13.8	4.9	4.9	4.0		27.6	8.9	8.9	26.0	39.7	47.0
13	Colored.....	173.0	105.5	8.4	16.9	8.4	312.2	12.7	16.9	46.4	54.9	46.4
14	Males.....	180.2	126.1	9.0	18.0		333.3	18.0	18.0	27.0	63.1	45.1
15	Females.....	166.7	87.3	7.9	15.9	15.9	293.7	7.9	15.9	63.5	47.6	47.6
Birthplaces of mothers (white).												
16	United States.....	M. 236.8	56.1	18.5	14.5	13.2	339.1	21.8	11.2	23.1	30.3	25.1
	F. 199.2	52.0	18.4	15.1	9.2	293.9	21.0	15.1	20.4	28.3	30.2	
17	Ireland.....	M. 133.8	27.6	21.2	11.7	7.4	201.7	20.2	13.8	20.2	40.3	72.2
	F. 92.4	30.5	18.7	11.8	2.9	156.3	14.7	6.9	16.7	37.4	54.1	
18	Germany.....	M. (*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)
	F. (*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)
19	England and Wales.....	M. 235.5	61.2	21.4	21.4	3.0	342.5	24.5	15.3	18.3	45.9	18.3
	F. 190.2	59.0	13.1	13.1	6.6	282.0	39.3	23.0	23.0	39.3	49.2	
20	Canada.....	M. 459.9	90.0	45.0	19.6	13.7	628.2	33.3	21.5	29.4	19.6	23.5
	F. 342.0	78.5	38.2	44.3	14.1	517.1	28.2	18.1	30.2	52.3	38.2	
21	Scandinavia.....	M. (*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)
	F. (*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)
22	Scotland.....	M. (*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)
	F. (*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)
23	Italy.....	M. 370.4	191.4	61.7	37.0	12.3	672.8	24.7	18.5	24.7	24.7	43.2
	F. 486.9	156.5	60.9	34.8		739.1	43.4		34.8	17.4	26.1	
24	France.....	M. (*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)
	F. (*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)
25	Russia and Poland.....	M. (*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)
	F. (*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)
26	Other foreign countries.....	M. (*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)
	F. (*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)
27	Unknown.....	M. 118.2	27.3				145.5	18.2	18.2	18.2	18.2	45.4
	F. (*)	(*)	(*)			(*)	(*)	(*)	(*)	(*)	(1)	(*)
VERMONT.												
28	Total	142.4	29.2	12.6	5.3	5.7	195.2	20.5	16.2	25.9	36.4	38.8
29	Males.....	167.8	30.8	12.0	5.8	4.8	221.2	18.8	16.1	29.1	35.6	31.2
30	Females.....	116.6	27.5	13.2	4.9	6.6	168.8	22.2	16.3	22.6	37.2	46.6
31	White	142.2	28.9	12.7	5.4	5.5	194.7	20.6	16.3	25.8	36.4	38.8
32	Males.....	167.6	30.6	12.1	5.8	4.8	220.9	18.9	16.2	28.9	35.8	31.3
33	Females.....	116.5	27.2	13.3	4.9	6.3	168.2	22.3	16.4	22.7	37.0	46.4
34	Native.....	168.1	33.7	14.6	5.9	6.6	228.9	22.0	17.0	27.7	37.2	40.3
35	Both parents native.....	M.										
	F.											
36	One or both parents foreign.....	M.										
	F.											
37	Foreign.....	2.4	2.4	2.4	2.3		9.5	10.7	13.1	16.7	29.8	30.9
38	Males.....		4.7	2.4	4.7		11.8	11.8	14.2	11.8	30.8	26.1
39	Females.....	4.8		2.4			7.2	9.6	12.0	21.5	28.7	35.9
40	Colored.....	(*)	(*)			(*)	(*)			(*)	(*)	(*)
41	Males.....	(*)	(*)			(*)	(*)			(*)		
42	Females.....	(*)	(*)			(*)	(*)				(*)	(*)

* Data insufficient for correct proportions.

601

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.		
37.2	38.9	37.9	40.5	46.5	49.6	52.3	53.0	55.1	52.5	33.7	20.0	6.5	2.0	1	
38.1 36.2	39.1 38.7	40.8 35.0	39.3 41.7	45.9 47.1	51.7 47.4	48.3 56.3	50.8 55.3	50.5 59.8	48.1 57.0	28.4 39.2	14.8 25.3	3.9 9.2	1.2 2.7	2 3	
37.0	38.7	37.3	40.6	45.7	49.7	52.3	53.8	55.2	53.3	34.3	20.1	6.2	1.9	4	
38.2 35.8 31.3	38.7 38.7 25.3	40.4 34.0 29.5	39.7 41.5 27.5	44.7 46.9 27.9	51.4 47.9 27.5	47.9 56.8 32.2	51.9 55.8 35.6	50.9 59.7 43.1	48.4 58.4 49.4	29.0 39.7 34.5	14.7 25.6 22.6	4.0 8.5 6.5	1.2 2.6 2.0	5 6 7	
23.8 23.2 43.1 33.2 50.4	23.1 24.6 24.3 28.2 68.8	28.3 29.0 32.3 24.9 55.3	32.8 31.8 16.8 26.6 71.5	38.7 44.1 10.1 15.0 90.3	50.7 34.0 12.1 6.6 102.6	61.1 50.7 8.8 6.6 100.9	65.6 65.1 3.4 5.0 98.2	85.7 80.3 3.4 3.3 83.8	87.2 97.0 4.0 4.1 63.6	58.8 74.5 1.3 0.8 32.9	33.5 52.8 0.7 2.5 14.0	6.0 17.4 0.7 2.5 5.7	1.5 5.8 2.7 0.5 1.8	8 9 10	
48.7 51.9 42.2	76.4 62.4 46.4	64.0 47.9 59.1	77.4 66.5 38.0	102.2 80.3 71.7	103.1 102.2 46.4	85.0 114.4 50.6	100.3 96.5 25.3	74.5 91.7 50.6	58.3 68.1 25.3	28.7 36.5 16.9	10.5 17.0 16.9	6.7 4.9 16.9	1.9 1.6 4.2	11 12 13	
36.0 47.6	54.1 39.7	54.1 63.5	27.0 47.6	90.1 55.6	63.1 31.7	63.1 39.7	9.0 39.7	36.0 63.5	36.0 15.9	9.0 23.8	18.0 15.9	31.7	7.9	14 15	
22.4 23.7 72.2 49.2	22.4 23.7 63.7 54.1	27.7 27.6 63.7 52.1	31.7 31.5 57.3 54.1	35.6 42.1 73.2 70.8	46.8 31.5 73.2 73.8	56.7 48.0 63.7 104.2	60.0 59.8 61.6 74.7	76.5 74.3 50.9 80.6	79.8 90.1 25.3 51.1	52.8 69.0 15.9 23.5	30.4 48.7 6.4 13.8	5.3 15.8 3.2 4.9	1.3 5.3 1.1 2.0	16 17	
(*) (*) 48.9 55.7 23.5 32.2	(*) (*) 36.7 39.3 29.4 46.3	(*) (*) 58.1 23.0 17.6 36.2	(*) (*) 21.4 49.2 39.1 44.3	(*) (*) 39.8 55.7 27.4 18.1	(*) (*) 58.1 72.1 13.7 36.2	(*) (*) 79.5 59.0 13.7 16.1	(*) (*) 55.0 52.5 25.4 34.2	(*) (*) 58.1 49.2 13.7 18.1	(*) (*) 52.0 52.4 21.5 16.1	(*) (*) 18.3 19.7 7.8 10.1	(*) (*) 3.1 13.1 3.9 4.0	(*) (*) 3.1 3.3 7.8 4.0	(*) (*) 3.1 3.3 7.8 4.0	18' 19 20	
(*) (*) (*) (*) 6.2 8.7	(*) (*) (*) (*) 49.4 17.4	(*) (*) (*) (*) 18.5 17.4	(*) (*) (*) (*) 18.5 17.4	(*) (*) (*) (*) 24.7 8.7	(*) (*) (*) (*) 49.4 17.4	(*) (*) (*) (*) 12.3 17.4	(*) (*) (*) (*) 12.3 17.4	(*) (*) (*) (*) 6.2 8.7	(*) (*) (*) (*) 6.2 8.7	(*) (*) (*) (*) 6.2 8.7	(*) (*) (*) (*) 6.2 8.7	(*) (*) (*) (*) 6.2 8.7	(*) (*) (*) (*) 6.2 8.7	(*) (*) (*) (*) 6.2 8.7	21 22 23 24
(*) (*) (*) (*) 45.4 (*)	(*) (*) (*) (*) 81.8 (*)	(*) (*) (*) (*) 72.7 (*)	(*) (*) (*) (*) 81.8 (*)	(*) (*) (*) (*) 54.5 (*)	(*) (*) (*) (*) 90.9 (*)	(*) (*) (*) (*) 36.4 (*)	(*) (*) (*) (*) 72.7 (*)	(*) (*) (*) (*) 45.5 (*)	(*) (*) (*) (*) 81.8 (*)	(*) (*) (*) (*) 45.5 (*)	(*) (*) (*) (*) 18.2 (*)	(*) (*) (*) (*) 9.1	(*) (*) (*) (*) 9.1	(*) (*) (*) (*) 9.1	25 26 27
28.3	34.0	37.4	30.5	38.8	50.4	62.3	65.9	82.0	93.0	77.7	39.9	20.9	5.9	28	
25.0 31.7	27.7 40.4	39.0 35.8	29.4 31.7	32.2 45.6	50.3 50.4	59.6 65.1	65.7 66.1	92.							

TABLE 24.

NUMBER OF DEATHS AT EACH AGE PER 1,000 DEATHS AT KNOWN AGES FROM EACH
CAUSE, IN THE UNITED STATES, THE REGISTRATION AREA, AND THE
REGISTRATION CITIES, BY SEX.

[For the deaths in these areas, see Table 8, Part 2.]

VITAL STATISTICS.

TABLE 24.—NUMBER OF DEATHS AT EACH AGE PER
THE UNITED STATES.

CAUSE OF DEATH.		Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	All causes	193.2	58.0	27.3	17.1	12.2	307.8	35.6	23.8	36.9	49.4	47.2
2	Males.....	202.2	57.7	26.8	16.4	11.6	314.7	34.1	22.3	33.5	46.1	44.2
3	Females.....	183.0	58.4	27.8	18.0	12.8	300.0	37.3	25.4	40.8	53.2	50.6
4	Unknown cause.....	479.9	60.1	28.4	16.0	12.5	596.9	32.9	20.7	24.1	27.3	24.0
5	Males.....	500.6	60.5	28.8	16.2	11.7	617.8	32.2	18.7	21.2	22.5	19.1
6	Females.....	456.9	59.6	28.1	15.8	13.3	573.7	33.6	23.0	27.2	32.5	29.6
7	1. General diseases.											
	General diseases—A	267.0	121.6	54.8	34.9	25.7	504.0	73.0	38.0	45.4	47.2	36.7
8	Males.....	280.4	123.1	53.9	33.0	24.9	515.3	68.7	33.5	41.8	49.8	37.6
9	Females.....	253.0	120.0	55.9	36.8	26.5	492.2	77.5	42.7	49.1	44.5	35.7
10	Measles..... (M..)	256.3	240.2	110.7	57.8	35.7	700.7	87.1	41.2	41.5	39.9	19.2
	 (F..)	214.7	208.1	104.0	60.9	34.0	621.7	86.0	44.6	53.1	36.4	31.0
11	Scarlet fever..... (M..)	103.9	142.9	149.0	146.4	106.8	649.0	250.0	47.7	18.6	11.8	7.1
	 (F..)	77.1	130.6	142.5	142.2	117.1	609.5	257.2	61.7	29.1	13.5	7.8
12	Diphtheria..... (M..)	80.4	137.4	145.0	130.1	108.2	601.1	274.3	69.9	23.5	10.7	4.3
	 (F..)	58.5	118.8	129.4	124.7	109.6	541.0	308.4	86.9	26.2	10.3	8.1
13	Whooping cough..... (M..)	585.7	219.9	81.1	40.5	23.3	950.5	33.5	5.7	3.3	0.9	
	 (F..)	523.6	235.2	104.4	50.9	27.9	942.0	41.5	7.6	2.8	0.6	0.9
14	Malarial fever..... (M..)	122.2	83.2	46.3	31.9	28.9	312.5	95.3	60.7	74.9	79.1	57.2
	 (F..)	114.1	84.3	51.9	38.0	30.1	318.4	106.2	64.6	80.6	72.2	56.0
15	Influenza..... (M..)	138.9	35.1	15.1	8.6	6.3	204.0	18.9	10.3	16.9	22.3	20.5
	 (F..)	91.9	26.5	14.2	7.9	6.1	146.6	16.3	12.9	19.6	20.3	24.2
16	Typhoid fever..... (M..)	30.0	27.8	18.9	16.2	13.7	106.6	65.3	64.6	125.8	163.3	119.4
	 (F..)	32.0	30.8	23.9	20.8	14.5	122.0	82.1	108.1	162.9	132.1	85.5
17	Cholera morbus..... (M..)	296.3	119.7	71.0	25.7	16.4	529.1	55.2	37.6	25.7	25.4	18.2
	 (F..)	246.0	114.0	61.8	28.1	15.2	465.1	51.9	30.1	30.1	33.4	33.4
18	Colitis..... (M..)	421.1	165.6	54.8	35.2	10.4	687.1	17.0	2.6	5.2	10.4	17.0
	 (F..)	393.5	182.1	54.0	13.9	4.6	648.1	18.5	7.7	4.6	17.0	12.3
19	Diarrhea..... (M..)	322.3	123.6	45.2	10.9	7.8	509.8	43.3	14.3	9.5	10.9	13.5
	 (F..)	328.7	136.3	45.8	17.0	5.9	533.7	53.2	17.3	7.9	10.6	15.9
20	Dysentery..... (M..)	199.7	207.4	77.4	33.1	20.7	538.3	44.4	16.9	15.3	22.9	18.6
	 (F..)	186.3	185.2	74.8	28.2	15.4	489.9	34.8	11.8	12.0	16.3	18.7
21	Enteritis..... (M..)	584.3	153.0	40.2	14.6	11.1	803.2	21.8	9.5	8.8	8.7	9.8
	 (F..)	514.9	148.9	39.9	17.6	11.4	732.7	24.9	9.0	9.6	12.6	15.7
22	Cholera infantum..... (M..)	726.6	224.7	35.5	9.2	4.0	1,000.0					
	 (F..)	711.0	231.3	41.1	10.8	5.8	1,000.0					
23	Fever..... (M..)	277.3	155.7	63.7	36.2	28.3	561.2	78.2	34.0	45.6	57.2	35.5
	 (F..)	269.1	128.5	48.0	37.4	27.6	510.6	84.0	46.6	56.5	54.4	52.3
24	Cerebro-spinal fever..... (M..)	263.7	135.5	69.9	45.3	37.1	551.5	116.5	63.9	68.2	41.5	37.1
	 (F..)	257.2	132.1	70.9	58.5	33.0	551.7	127.2	85.6	55.2	37.9	36.8
25	Smallpox..... (M..)	106.9	29.3	26.4	12.2	18.6	193.4	47.4	35.1	81.5	137.2	112.3
	 (F..)	134.9	56.2	27.0	29.3	21.0	268.4	78.7	48.0	87.7	123.7	87.0
26	Erysipelas..... (M..)	267.8	29.2	12.7	7.6	3.8	321.1	15.2	17.1	22.2	26.0	36.8
	 (F..)	313.4	40.1	8.6	7.1	4.7	373.9	16.5	15.7	31.4	27.5	35.3
27	Septicemia..... (M..)	113.4	21.3	17.0	9.6	12.0	173.3	47.6	42.6	40.2	57.9	50.5
	 (F..)	77.5	18.8	14.0	10.0	8.6	128.9	28.0	21.5	57.1	131.9	137.0
28	Venereal diseases..... (M..)	402.4	36.0	13.1	7.6	1.1	460.2	5.4	5.4	21.8	44.7	62.2
	 (F..)	472.2	37.0	21.6	12.4	4.6	547.8	7.7	6.2	30.9	60.2	52.5
29	Others of this group..... (M..)	69.3	29.4	21.4	10.4	11.0	141.5	38.7	19.1	20.8	34.1	31.7
	 (F..)	74.4	25.3	17.9	11.9	14.1	143.6	33.5	19.3	20.1	32.0	29.0
30	General diseases—B.....	572.2	43.0	21.9	12.5	7.1	656.7	14.8	4.9	10.9	21.3	28.6
31	Males.....	522.9	38.3	19.3	11.1	7.2	598.8	11.9	4.4	8.0	19.3	29.0
32	Females.....	647.6	50.3	25.8	14.7	6.9	745.3	19.3	5.8	15.4	24.2	28.0
33	Alcoholism..... (M..)	0.9	0.4			0.9	2.2	2.6	0.4	1.7	19.6	70.0
	 (F..)			2.4	2.4	2.4	7.2			7.2	43.5	125.6
34	Parasitic diseases..... (M..)	109.4	211.3	200.0	135.9	117.0	773.6	154.7	7.5	7.5	11.3	3.8
	 (F..)	97.9	220.3	192.3	150.3	69.9	730.7	202.8	17.5	10.5		3.5
35	Lead poison..... (M..)	(*)	(*)	(*)		(*)	(*)	(*)		(*)	(*)	(*)
	 (F..)	(*)	(*)	(*)		(*)	(*)	(*)		(*)	(*)	(*)
36	Other poisons..... (M..)	53.6	75.3	51.1	28.0	12.1	220.1	29.9	17.9	35.7	72.9	66.1
	 (F..)	61.0	73.6	64.2	25.8	15.6	240.2	43.0	20.3	75.9	111.1	104.8
37	Inanition..... (M..)	904.4	33.1	8.3	4.4	3.3	953.5	3.4	1.3	0.7	1.3	1.5
	 (F..)	878.8	39.2	8.8	5.4	1.3	933.5	4.7	1.9	1.4	2.5	2.3
38	General diseases—C.....	452.4	18.0	4.4	1.6	0.9	477.3	1.8	1.1	1.2	1.9	2.0
39	Males.....	501.2	17.2	4.6	1.9	0.8	525.7	1.7	1.2	1.4	1.7	1.4
40	Females.....	402.1	18.8	4.3	1.3	1.0	427.5	2.0	1.0	1.0	2.1	2.5
41	Old age..... (M..)											
	 (F..)											
42	Premature birth..... (M..)	1,000.0					1,000.0					
	 (F..)	1,000.0					1,000.0					
43	Malformation..... (M..)	962.6	12.9	6.1	2.7	1.4	985.7	5.4	3.4	2.0	1.4	
	 (F..)	954.3	20.4	5.7	4.9	2.5	987.8	4.1	4.1	0.8	0.8	0.8
44	Debility and atrophy..... (M..)	649.1	60.9	15.6	6.5	2.9	735.0	5.3	3.7	4.8	6.0	5.2
	 (F..)	583.8	71.1	16.0	4.4	3.7	679.0	7.2	3.5	3.9	8.1	9.7
45	Others of this group..... (M..)	995.6			1.1		996.7					
	 (F..)	993.9					993.9					

* Data insufficient for correct proportions.

605

THE UNITED STATES.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	
42.5	43.0	40.2	39.0	41.4	41.8	46.7	50.6	51.4	44.6	32.8	16.7	6.0	2.6	1
40.8	42.6	41.0	41.2	43.7	43.9	48.0	52.2	52.6	45.0	32.0	15.4	4.8	1.9	2
44.4	43.5	39.2	36.5	38.7	39.5	45.2	48.8	50.2	44.2	33.6	18.1	7.3	3.5	3
19.8	21.4	22.0	20.7	23.3	22.7	25.9	28.9	27.7	25.3	19.5	9.6	4.3	3.0	4
16.4	18.1	20.5	20.0	23.1	23.3	26.5	29.6	28.7	27.3	20.6	8.8	3.5	2.1	5
23.7	25.1	23.8	21.5	23.5	22.1	25.1	28.2	26.5	23.1	18.2	10.5	5.2	3.9	6
28.7	25.9	22.2	20.3	20.0	18.4	21.1	23.3	24.3	21.8	17.0	8.7	2.8	1.2	7
28.4	25.7	22.6	22.3	20.9	18.8	20.5	22.5	23.2	20.9	16.1	8.3	2.2	0.9	8
28.9	26.0	21.8	18.1	19.1	18.0	21.7	24.2	25.5	22.8	17.9	9.2	3.5	1.6	9
13.8	11.8	10.5	11.8	9.3	2.4	2.7	2.9	1.3	2.6	1.0	0.3	0.2	0.2	10
29.3	25.1	21.0	13.8	12.7	7.7	4.7	4.4	3.6	2.1	1.5	0.9	0.2	0.2	11
5.4	2.6	2.2	0.3	0.6	1.3	1.3	0.6	0.6	0.3	0.3	0.3	0.3	0.3	12
6.9	6.6	2.8	0.3	0.6	0.6	1.3	0.6	0.6	0.6	0.6	0.6	0.6	0.6	13
4.5	2.2	1.5	1.5	1.9	1.2	0.7	0.7	0.5	0.4	0.5	0.5	0.1	0.1	14
4.9	3.6	1.9	2.1	2.1	1.2	1.2	0.6	0.6	0.6	0.2	0.1	0.1	0.1	15
0.4	0.4	1.1	0.9	0.2	0.7	0.4	0.2	0.7	0.4	0.7	0.2	0.2	0.2	16
1.3	0.4	0.7	0.2	0.2	0.4	0.2	0.2	0.4	0.2	0.6	0.2	0.2	0.2	17
42.2	35.2	35.5	36.5	32.2	28.7	25.2	23.9	22.8	21.1	9.4	5.6	1.5	0.5	18
39.6	32.9	34.2	29.9	27.7	24.5	26.8	26.8	24.5	16.0	10.5	5.6	1.0	2.0	19
20.3	23.8	30.2	32.6	34.3	41.6	60.9	81.7	106.4	103.9	97.4	52.0	16.5	5.5	20
24.4	24.5	27.7	27.1	41.9	47.0	70.7	86.7	111.7	113.9	99.3	51.6	22.9	10.7	21
84.0	68.6	50.3	44.1	31.1	22.4	17.6	13.0	11.5	7.2	3.0	1.7	0.4	0.1	22
63.6	53.0	40.8	32.9	29.4	24.1	20.4	17.1	13.1	6.5	4.2	1.5	0.4	0.3	23
16.1	17.9	19.7	25.4	31.3	31.3	34.0	36.1	36.1	28.9	18.2	9.0	3.3	1.5	24
31.1	35.0	28.8	19.2	26.8	32.4	34.4	39.0	37.3	33.7	25.1	10.9	4.3	1.0	25
13.0	10.4	30.0	26.1	27.4	15.6	27.4	28.7	30.0	27.4	14.3	7.8	2.6	0.6	26
21.6	18.5	20.1	20.1	24.7	20.1	37.0	43.2	27.8	27.8	17.0	9.3	4.6	0.6	27
10.5	13.1	10.2	17.8	28.8	40.9	47.1	59.9	55.1	51.6	38.0	18.8	4.3	2.6	28
18.2	16.5	16.7	16.2	21.2	25.3	37.0	41.4	53.8	45.2	36.1	23.8	6.5	3.5	29
19.4	19.3	18.8	24.9	30.3	24.9	36.7	40.2	41.5	38.4	30.3	14.3	2.8	1.8	30
18.1	18.1	22.3	24.8	28.0	26.6	42.0	56.2	58.1	56.3	36.4	19.9	7.5	2.2	31
7.8	9.8	10.5	12.4	11.5	11.9	14.3	16.7	14.6	13.9	9.2	4.4	0.7	0.5	32
13.0	14.4	13.2	13.4	13.4	14.4	19.3	26.7	24.4	21.9	12.8	6.8	1.2	0.6	33
23.2	25.3	16.7	19.6	18.8	10.9	15.9	15.2	15.2	9.4	13.8	2.9	1.4	0.7	34
30.4	26.8	19.8	18.4	17.6	10.6	14.1	12.7	11.3	11.3	10.6	9.2	2.1	0.7	35
21.2	24.6	19.4	16.4	10.4	9.9	7.3	3.9	3.5	2.6	1.7	0.4	0.4	0.4	36
22.8	19.0	16.8	13.5	9.2	7.0	5.4	1.6	4.3	3.8	1.6	0.6	0.6	0.6	37
85.0	67.9	61.5	39.5	39.1	23.9	23.4	14.2	20.5	9.3	5.8	1.5	1.0	0.5	38
66.7	50.2	46.5	33.7	33.7	18.8	18.0	18.0	9.8	3.7	3.7	1.5	0.7	1.5	39
41.2	38.7	48.9	47.6	51.4	67.3	48.2	67.3	50.8	47.6	33.6	14.6	3.8	0.6	40
25.1	47.9	38.5	37.7	45.6	49.5	55.8	51.1	49.5	44.0	36.9	13.4	8.9	0.8	41
47.6	64.5	58.2	53.5	65.9	58.5	62.9	64.5	38.9	39.9	25.9	10.6	1.3	0.7	42
118.9	111.9	64.6	37.4	29.6	30.9	28.0	19.4	21.8	14.3	10.5	5.1	2.7	0.5	43
55.6	56.7	62.2	56.7	49.1	38.2	37.1	22.9	9.8	10.9	1.1	0.4	0.4	0.4	44
74.1	57.1	47.8	38.6	24.7	10.8	15.4	12.4	7.7	1.5	4.6	0.4	0.4	0.4	45
21.9	26.6	28.9	35.8	40.4	36.9	51.4	80.8	122.4	102.8	92.4	57.1	12.7	4.0	46
29.0	24.6	25.3	25.3	44.6	44.6	76.6	99.7	87.1	100.5	97.5	41.7	19.3	6.7	47
35.6	42.0	34.6	33.7	29.2	23.8	17.6	16.3	10.8	10.4	4.4	3.0	0.8	0.6	48
42.8	54.4	46.0	44.7	38.5	30.6	22.2	19.5	11.0	11.2	4.0	2.7	0.6	0.4	49
24.5	23.1	17.1	16.8	15.0	13.3	10.7	11.5	10.5	9.1	5.0	3.4	1.0	1.0	50
116.9	171.9	142.5	128.4	117.7	86.2	51.6	48.6	18.8	16.6	2.6	1.7	0.4	0.4	51
125.6	71.5	157.0	116.0	82.2	50.7	43.5	29.0	19.3	14.5	2.4	4.8	0.4	0.4	52
	3.8	7.5	3.8	7.5	3.8	3.8	3.8	3.8	3.8	3.8	3.8	3.8	3.8	53
	7.0	7.0	3.5	3.5	7.0	3.5	3.5	3.5	3.5	3.5	3.5	3.5	3.5	54
(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	55
(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	56
84.4	81.1	72.4	77.7	57.9	51.1	45.4	33.8	20.7	22.7	6.3	2.9	1.6	1.0	57
82.2	64.2	36.0	42.3	41.5	36.0	27.4	30.5	22.7	12.5	7.0	0.4	0.4	0.4	58
1.1	1.1	1.5	2.1	2.3	3.4	3.9	4.1	4.9	5.5	3.9	3.2	1.0	0.3	59
2.7	1.6	1.8	3.3	3.3	4.5	4.3	5.8	6.8	8.4	5.1	4.1	1.0	1.0	60
2.2	2.3	2.5	2.6	4.2	6.3	13.7	26.5	63.6	96.0	131.7	93.6	45.9	23.6	61
2.0	2.1	2.2	2.7	3.7	5.7	11.7	24.6	59.7	88.1	123.7	85.2	38.3	17.2	62
2.4	2.6	2.7	2.5	4.7	6.8	15.7	25.4	67.7	104.2	139.9	102.2	53.8	30.3	63
						14.4	41.2	126.2	194.4	288.6	201.9	91.5	41.8	64
						19.3	41.7	118.6	192.0	265.9	198.4	104.8	59.3	65
														66
														67
0.7					1.4									68
					0.8		0.8							69
7.1	7.5	8.1	9.8	13.5	20.6	21.6	29.6	33.3	37.0	29.1	15.5	5.7	1.6	70
9.4	10.1	10.9	10.0	18.6	26.9	24.7	31.1	37.1	39.3	37.1	19.2	9.5	4.7	71
						1.1								72
	3.1				1.5			1.5						73

VITAL STATISTICS.

TABLE 24.—NUMBER OF DEATHS AT EACH AGE PER 1,000
THE UNITED STATES—Continued.

CAUSE OF DEATH.		Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	1. General diseases—Continued.											
	General diseases—D	29.6	16.5	9.2	5.8	4.0	65.1	17.1	21.0	60.9	101.6	100.7
2	Males.....	33.6	18.5	10.3	6.3	4.5	73.2	17.3	16.7	48.4	91.9	95.3
3	Females.....	25.9	14.8	8.1	5.4	3.6	57.8	16.9	24.8	72.2	110.4	105.6
4	Anemia.....(M.....)	146.3	29.7	8.5	10.6	6.4	201.5	30.7	19.1	28.6	31.8	32.9
	(F.....)	94.5	24.2	10.9	10.9	6.3	146.8	19.5	24.2	59.4	76.6	70.3
5	Diabetes.....(M.....)	5.7	8.4	6.8	5.3	4.9	31.1	34.1	45.1	50.4	41.3	42.5
	(F.....)	4.5	7.4	6.9	10.9	4.0	33.7	34.2	47.6	37.7	39.2	38.2
6	Rheumatism.....(M.....)	14.3	8.3	6.8	5.7	7.9	43.0	47.9	57.8	54.7	40.0	39.3
	(F.....)	15.5	5.5	7.5	4.6	7.5	40.6	46.6	58.3	52.0	43.2	35.2
7	Scrofula and tabes.....(M.....)	165.7	91.1	49.1	26.6	19.0	351.5	66.9	34.3	53.8	66.9	53.8
	(F.....)	125.0	80.3	36.2	23.2	17.5	282.2	63.4	57.1	65.0	73.0	64.5
8	Hydrocephalus.....(M.....)	363.6	198.4	94.9	51.9	32.8	741.6	93.6	31.5	26.4	21.3	14.5
	(F.....)	363.7	193.4	86.9	65.8	38.1	747.9	95.7	34.5	36.5	18.0	18.5
9	Tuberculosis, general.....(M.....)	59.0	35.1	22.5	15.4	14.0	146.0	39.3	28.1	59.0	96.9	123.6
	(F.....)	89.4	43.8	15.2	13.5	6.7	168.6	43.8	59.0	65.8	114.7	96.1
10	Consumption.....(M.....)	19.6	11.3	6.1	3.6	2.8	43.4	9.9	13.5	61.5	128.5	134.5
	(F.....)	17.4	10.1	5.3	3.4	2.3	38.5	13.7	28.5	104.6	164.9	155.3
11	Cancer.....(M.....)	3.2	1.0	1.4	0.9	0.9	7.4	2.9	3.1	4.2	7.2	11.8
	(F.....)	1.9	0.7	0.9	0.4	0.5	4.4	1.8	1.7	3.2	6.7	15.2
12	Tumor.....(M.....)	53.9	14.6	20.0	14.6	7.7	110.8	37.0	22.3	38.5	36.2	33.1
	(F.....)	23.7	9.0	9.0	8.6	4.3	54.6	13.8	14.7	24.2	36.6	43.2
13	Dropsy.....(M.....)	16.7	22.5	16.8	12.5	6.3	74.8	35.5	25.0	21.2	29.5	17.7
	(F.....)	11.8	18.8	16.7	8.2	5.4	60.9	31.0	24.7	30.8	37.6	36.6
14	Others of this group.....(M.....)	307.3	103.5	52.6	25.5	13.6	502.5	49.2	35.6	45.8	35.6	25.5
	(F.....)	236.7	104.1	59.2	34.7	26.5	461.2	44.9	40.8	38.8	51.0	40.8
15	2. Diseases of the nervous system.....	206.7	58.0	25.5	15.8	11.1	317.1	32.7	20.4	21.4	20.3	20.9
16	Males.....	217.7	56.6	24.8	15.1	10.5	324.7	32.5	19.9	20.8	19.7	20.2
17	Females.....	193.3	59.6	26.4	16.7	11.9	307.9	32.9	21.0	22.2	21.1	21.7
18	Inflammation of the brain.....(M.....)	328.7	143.8	69.9	36.5	25.9	604.8	79.7	39.1	38.8	34.8	19.8
	(F.....)	321.2	151.7	61.6	40.8	31.3	606.6	78.8	49.6	44.8	33.2	28.4
19	Meningitis.....(M.....)	332.5	151.7	68.6	43.0	27.2	623.0	91.5	44.2	41.1	31.3	26.7
	(F.....)	308.5	164.3	79.6	48.1	36.3	636.8	98.0	54.1	37.1	30.2	25.6
20	Apoplexy.....(M.....)	11.5	2.3	1.2	0.8	0.8	16.6	2.7	2.0	4.7	8.8	13.0
	(F.....)	10.4	3.4	1.6	1.5	0.5	17.4	2.8	3.3	5.9	8.1	11.7
21	Paralysis.....(M.....)	11.4	4.6	3.1	2.7	1.6	23.4	8.1	5.2	6.8	6.3	9.4
	(F.....)	9.1	4.9	3.5	2.3	1.8	21.6	7.2	4.5	8.1	10.5	10.8
22	Paralysis, general (of insane).....(M.....)							1.1	2.2	1.1	4.3	23.7
	(F.....)							2.8	2.8		8.6	31.3
23	Tetanus and trismus nascentium.....(M.....)	453.6	11.9	5.3	9.9	8.0	488.7	76.8	129.1	60.9	41.0	39.1
	(F.....)	642.0	16.2	4.0	6.7	8.1	677.0	44.4	36.3	33.7	29.6	26.9
24	Chorea.....(M.....)	(*)		(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)
	(F.....)	25.9	8.6	8.6	17.2	25.9	86.2	60.4	284.5	275.9	60.4	8.6
25	Epilepsy.....(M.....)	102.5	16.4	7.9	8.4	3.2	138.4	37.0	56.0	113.0	95.1	100.4
	(F.....)	121.4	18.7	15.8	10.0	7.2	173.1	37.4	56.0	98.4	94.1	86.2
26	Convulsions.....(M.....)	782.7	100.7	37.1	17.0	10.8	948.3	17.4	6.7	2.5	2.7	3.0
	(F.....)	707.1	113.1	41.1	24.1	12.3	897.7	21.1	6.1	13.0	12.4	13.6
27	Mental diseases.....(M.....)							1.6	3.2	13.3	38.4	45.4
	(F.....)							1.2	3.6	14.8	38.0	52.8
28	Diseases of the brain.....(M.....)	183.5	68.1	28.3	20.0	20.0	319.9	43.8	25.8	29.5	30.8	28.3
	(F.....)	170.0	72.7	32.2	22.8	17.9	315.6	56.2	38.9	38.7	31.6	32.2
29	Diseases of the spinal cord.....(M.....)	111.8	44.9	23.0	15.0	13.8	208.5	41.5	29.9	32.3	32.3	29.9
	(F.....)	105.4	62.7	22.8	15.7	14.2	220.8	47.0	34.2	34.2	21.4	22.8
30	Locomotor ataxia.....(M.....)	1.9		3.7			5.6		3.8	3.8	9.4	16.9
	(F.....)		5.7	5.7			11.4	5.7			23.0	11.5
31	Others of this class.....(M.....)	47.7	12.9	4.0	8.0	1.0	73.6	15.9	5.0	22.9	22.9	34.8
	(F.....)	27.0	7.5	1.3	1.3	3.4	40.5	12.8	12.1	33.0	43.8	54.6
32	3. Diseases of the circulatory system.....	55.4	4.1	2.6	2.2	2.9	67.2	15.7	18.3	20.4	26.7	28.6
33	Males.....	59.3	4.2	2.6	2.5	3.0	71.6	13.9	14.3	17.2	20.5	23.9
34	Females.....	50.8	3.9	2.6	2.0	2.9	62.2	17.8	23.0	24.1	33.9	34.0
35	Pericarditis.....(M.....)	26.4	11.0	2.2	8.8	6.6	55.0	44.0	68.1	68.1	59.3	52.8
	(F.....)	26.3	4.8	4.8	12.0	24.0	71.9	64.7	83.9	76.7	62.4	38.4
36	Diseases of the heart.....(M.....)	46.6	4.3	2.8	2.5	3.1	59.3	14.7	14.6	17.8	21.3	24.3
	(F.....)	41.0	4.1	2.7	2.0	2.6	52.4	18.3	23.5	24.6	33.5	33.8
37	Angina pectoris.....(M.....)							2.5	2.5	8.2	9.4	18.9
	(F.....)							4.2	7.6	11.8	40.4	37.1
38	Diseases of the arteries.....(M.....)	2.5					2.5	1.2		1.2		6.2
	(F.....)	2.2	2.2				4.4		2.2		2.2	4.5
39	Aneurism.....(M.....)							3.9	13.7	5.9	23.5	45.1
	(F.....)							12.6	21.0	21.0	50.4	84.1
40	Embolism.....(M.....)	93.8		5.2	5.2	5.2	109.4	26.0	26.0	15.6	20.8	15.6
	(F.....)	8.0		4.0		4.0	16.0	4.0		23.9	103.6	95.6
41	Others of this class.....(M.....)	938.2	11.0	4.0	8.3	6.9	968.4	2.8	2.8			1.4
	(F.....)	913.1	8.1	2.0	4.1	8.1	935.4	4.1	4.0	2.0	4.0	8.1

* Data insufficient for correct proportions.

PROPORTION OF DEATHS AT EACH AGE.

607

DEATHS AT KNOWN AGES FROM EACH CAUSE—Continued.

THE UNITED STATES—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	
86.1	78.4	69.9	64.2	62.4	58.7	56.9	54.4	45.6	31.2	16.9	6.5	1.7	0.7	1
86.1	80.5	71.4	66.1	65.0	60.6	58.9	58.1	49.5	33.3	18.5	6.9	1.6	0.7	2
86.2	76.5	68.4	62.4	60.1	57.0	55.1	51.1	42.0	29.2	15.5	6.2	1.8	0.8	3
32.9	33.9	55.1	59.4	82.7	79.5	87.0	87.0	49.8	52.0	28.6	6.4	1.1	1.1	4
56.3	64.1	68.7	59.4	73.4	64.8	61.7	57.8	47.7	30.5	11.7	4.7	1.6	0.8	
44.0	43.6	57.6	56.9	71.6	71.3	98.2	108.0	94.0	67.1	30.3	8.7	3.4	0.8	5
32.2	41.7	47.6	55.0	92.2	122.0	122.5	103.6	78.3	44.6	21.8	5.9	1.5	0.5	
37.8	43.0	43.0	56.6	57.4	77.0	75.1	88.3	96.3	71.4	47.6	17.4	3.0	3.4	6
37.7	47.0	43.6	50.7	65.4	64.6	82.6	96.0	91.8	73.8	41.9	20.6	5.5	2.9	
44.4	40.8	32.5	39.6	36.7	37.9	43.8	40.8	27.8	15.4	10.1	0.6	1.2	1.2	7
68.4	48.6	40.7	39.0	45.2	33.4	32.8	28.3	26.6	19.8	11.3	4.0	0.6	1.1	
21.7	13.2	11.5	9.4	4.7	2.6	2.1	2.1	1.7	1.7	0.4				8
12.9	8.7	8.7	5.7	3.1	3.1	2.1	1.5	2.1	1.0					
84.3	88.5	67.4	70.2	60.4	52.0	22.5	32.3	16.9	9.8	2.8				9
104.5	67.5	52.3	62.4	38.8	32.0	25.3	25.3	13.5	13.5	5.1	5.1			
118.1	106.9	85.5	70.2	60.4	49.0	38.8	32.9	24.3	14.2	5.8	1.9	0.5	0.2	10
117.0	92.3	68.7	48.8	40.3	32.6	28.4	25.8	19.8	12.6	5.5	2.1	0.4	0.2	
20.2	31.8	54.1	78.9	104.5	120.0	138.4	141.4	122.2	84.1	44.2	17.9	4.6	1.1	11
32.0	58.9	86.9	114.1	121.5	127.6	121.2	110.0	85.0	60.3	32.3	12.6	3.7	0.9	
47.7	48.5	73.9	73.1	80.1	81.6	85.5	88.5	69.3	44.6	23.1	4.6	0.8	0.8	12
58.4	70.8	100.2	94.0	85.9	91.6	97.3	80.7	68.9	42.3	15.2	6.6	0.5	0.5	
20.5	23.7	32.9	44.2	59.7	64.4	89.2	114.0	128.5	96.5	79.1	34.0	5.8	3.8	13
43.7	42.5	47.5	57.3	63.6	64.0	86.7	92.1	103.4	81.3	57.5	24.5	9.1	5.2	
28.9	28.9	56.0	33.9	27.2	28.9	20.4	27.2	22.1	17.0	10.2	3.4		1.7	14
57.2	28.6	32.7	40.8	26.5	34.7	26.5	38.8	24.5	6.1	4.1	2.0			
22.4	27.6	31.3	37.5	44.9	50.9	61.4	73.4	78.4	68.8	45.2	18.8	5.1	1.5	15
22.9	29.0	33.0	37.5	45.0	51.6	60.1	74.3	77.3	66.5	43.5	16.7	3.8	1.0	16
21.9	25.8	29.2	37.5	44.7	49.9	63.1	72.3	79.8	71.6	47.3	21.4	6.7	2.0	
20.1	19.6	18.4	19.6	18.7	17.5	13.2	16.7	16.7	10.4	6.9	4.6	0.6		18
19.7	17.1	18.2	17.1	16.0	14.2	12.0	13.5	9.9	10.2	6.2	2.6	1.5	0.4	
23.3	24.2	17.5	17.8	15.7	11.0	7.4	8.9	7.4	5.6	2.2	0.8	0.4		19
19.4	15.8	15.8	15.7	10.1	9.2	9.7	7.2	6.2	4.6	3.0	0.9	0.3	0.3	
19.0	28.0	42.4	55.2	77.9	97.8	119.0	140.9	142.2	117.1	76.8	28.5	6.8	1.1	20
15.8	24.6	37.5	61.3	79.9	95.2	116.5	130.2	141.1	120.5	77.6	36.1	11.3	3.2	
16.2	27.4	34.3	42.2	56.8	72.1	95.5	135.7	160.6	147.2	100.6	40.2	8.8	3.2	21
13.4	18.6	28.6	38.7	55.3	70.8	101.2	128.9	156.5	154.2	103.9	48.5	14.3	4.4	
84.9	121.5	159.1	157.0	117.2	91.4	77.4	59.1	47.3	24.7	14.0	11.8	2.2		22
85.5	68.4	108.3	68.4	88.3	74.1	88.3	108.3	111.1	88.3	39.9	17.1	8.5		
35.8	17.9	19.2	19.9	17.9	17.2	13.9	9.3	7.3	5.3		0.7			23
31.0	26.9	26.9	8.1	10.8	20.2	13.5	4.0	5.4	2.7	1.3			1.3	
(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	24
70.3	68.7	57.6	48.1	33.8	36.4	38.0	30.6	30.1	25.9	13.7	5.3	1.1	0.5	25
63.9	81.2	45.3	50.3	43.8	33.8	38.8	25.9	32.3	19.4	11.5	3.6	2.9	2.1	
2.8	2.8	1.8	2.5	2.7	1.3	0.9	0.9	2.0	0.6	0.8	0.1	0.1	0.1	26
9.7	7.4	4.6	2.4	1.9	1.3	2.2	2.3	1.4	1.3	1.2	0.1	0.3		
51.2	78.4	74.7	65.1	76.3	83.3	87.5	112.6	95.5	90.2	55.5	21.4	6.4		27
65.8	82.4	88.4	79.5	78.3	65.8	87.8	85.4	84.2	80.1	56.9	23.7	10.1	1.2	
34.6	38.8	40.9	40.9	46.5	47.9	51.6	57.2	59.0	52.7	35.4	12.1	3.1	0.8	28
32.2	36.4	32.4	41.1	44.3	38.3	46.7	59.6	55.4	48.1	34.2	13.1	4.0	1.0	
24.2	48.4	59.9	59.9	84.1	72.6	76.0	88.7	46.1	42.6	19.6	2.3		1.2	29
37.0	58.4	42.7	59.8	62.7	79.8	71.2	68.4	62.7	44.1	24.2	4.3	4.3		
37.6	63.9	71.4	131.6	116.5	135.3	131.6	133.5	73.3	45.1	18.8	1.9			30
23.0	80.5	57.5	86.2	126.4	166.7	143.7	86.2	80.5	46.0	34.5	11.5		5.7	
27.9	33.8	48.8	55.7	55.7	85.6	87.6	130.3	120.4	97.5	48.8	19.9	8.9	4.0	31
60.7	65.4	58.7	74.8	81.6	68.8	82.3	89.7	97.8	63.4	37.8	18.9	2.0	1.3	
34.4	42.8	47.7	52.7	68.5	78.8	98.6	112.6	113.1	91.2	53.6	21.9	5.5	1.7	32
29.7	38.8	42.9	51.2	69.8	82.9	103.5	119.1	120.9	97.6	55.2	21.1	4.7	1.2	33
39.8	47.6	53.2	54.4	67.1	74.1	92.8	105.0	104.1	83.6	51.8	22.9	6.4	2.2	
44.0	76.9	59.3	37.4	85.7	76.9	52.7	81.3	55.0	57.1	15.4	6.6	4.4		35
67.1	43.2	69.5	57.6	38.4	64.7	60.0	81.5	43.2	26.4	36.0	9.6	4.8		
30.3	38.5	42.8	51.9	69.9	83.4	104.3	120.2	123.9	99.4	55.9	21.5	4.8	1.2	36
39.5	48.7	53.9	54.6	68.8	74.7	94.7	106.0	105.3	84.6	51.4	23.3	6.2	2.2	
24.0	41.0	47.9	58.0	91.4	102.1	150.1	156.4	121.1	100.2	54.2	15.8	1.3		37
39.6	43.8	48.0	78.4	75.8	94.4	113.7	135.6	117.1	79.2	55.6	12.6	5.1		
3.7	7.4	17.2	22.2	44.4	81.4	107.3	155.4	172.6	167.7	129.5	57.9	16.0	6.2	38
4.5	8.9	13.4	13.4	29.0	60.3	78.1	122.8	198.7	178.6	156.3	71.4	35.7	15.6	
66.7	121.6	123.5	117.7	109.8	113.7	98.0	66.7	49.0	35.3	5.9				39
96.7	63.0	105.1	96.7	63.0	75.6	63.0	67.2	58.8	67.2	29.4	16.8	4.2	4.2	
41.7	41.7	41.7	62.5	78.1	83.4	62.5	125.0	125.0	72.9	46.9	5.2			40
107.6	67.7	83.7	47.8	51.8	87.6	47.8	71.7	67.7	79.7	27.9	15.9			
1.4		1.4	2.7	4.1		5.5	2.7		2.7	4.1				41
6.1	4.0	2.0	2.0	4.0		2.0	6.1	2.0	6.1	8.1				

VITAL STATISTICS.

TABLE 24.—NUMBER OF DEATHS AT EACH AGE PER 1,000

THE UNITED STATES—Continued.

CAUSE OF DEATH.		Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	4. Diseases of the respiratory system.....	227.3	95.6	46.2	26.1	16.3	411.5	36.2	16.7	26.6	33.3	31.6
2	Males.....	236.4	94.8	45.0	24.8	15.0	416.0	33.8	15.1	27.3	35.7	33.1
3	Females.....	216.5	96.5	47.8	27.7	17.7	406.2	39.1	18.6	25.7	30.6	29.8
4	Croup.....	435.3	160.6	129.4	95.7	60.6	881.6	105.0	8.0	1.4	1.1	0.9
	{M.....	432.9	149.1	121.6	98.1	63.2	864.9	113.4	9.9	1.9	1.8	0.5
	{F.....	192.2	90.6	39.2	19.3	11.2	352.5	28.8	17.2	34.2	45.3	40.8
5	Pneumonia.....	177.5	95.9	43.8	22.5	13.9	353.6	34.8	22.0	31.4	35.9	36.0
	{M.....	163.4	124.7	73.1	94.6	64.5	520.3	152.7	34.4	10.8	12.9	17.2
	{F.....	133.0	156.0	92.1	125.3	61.4	567.8	161.1	33.2	28.1	20.5	28.1
6	Laryngitis.....	404.1	121.3	41.9	16.9	11.0	595.2	19.2	6.5	7.4	10.5	11.4
	{M.....	316.0	106.9	42.3	17.9	13.2	496.3	22.0	8.0	11.1	13.8	12.1
	{F.....	31.9	31.9	22.9	16.6	7.0	110.3	30.0	26.1	41.5	48.5	55.5
7	Pleurisy.....	31.1	30.3	21.3	10.6	8.2	101.5	38.5	21.3	33.6	65.5	63.1
	{M.....	33.8	9.0	5.4	1.8	1.8	51.8	9.0	4.2	9.6	7.2	12.7
	{F.....	28.9	10.7	4.6	5.3	2.3	51.8	9.9	5.3	6.8	18.3	22.8
8	Asthma.....	283.9	43.5	19.6	10.1	7.0	364.1	22.4	15.2	24.7	29.8	31.9
	{M.....	245.6	45.0	20.6	16.5	13.9	341.6	24.7	19.3	32.2	44.2	35.5
	{F.....											
9	Others of this class.....											
10												
11	5. Diseases of the digestive system.....	174.4	58.9	20.8	12.2	9.5	275.8	36.6	32.8	38.4	46.6	47.3
12	Males.....	186.8	59.2	20.2	11.7	9.2	287.1	36.7	34.6	37.4	41.7	40.2
13	Females.....	160.8	58.6	21.4	12.8	9.9	263.5	36.5	30.9	39.4	51.9	55.2
14	Dentition.....	449.9	486.5	49.7	11.7	2.2	1,000.0					
	{M.....	452.1	470.2	68.3	7.1	2.3	1,000.0					
	{F.....	196.6	111.1	95.4	78.3	61.3	542.7	139.6	47.0	22.8	37.0	24.2
15	Angina.....	144.3	101.8	84.9	65.1	72.1	468.2	202.3	79.2	39.6	18.4	28.3
	{M.....	171.4	55.0	19.8	12.9	8.2	267.3	28.5	9.9	11.9	21.5	23.5
	{F.....	130.0	55.6	22.0	14.3	8.9	230.8	27.1	12.6	20.8	34.1	48.4
16	Gastritis.....	151.5	55.4	23.8	14.9	14.5	260.1	39.8	24.2	20.5	24.6	32.0
	{M.....	141.0	54.7	27.1	14.8	15.2	252.8	44.0	25.9	32.9	47.7	49.7
	{F.....	180.5	21.8	21.2	11.7	9.0	244.2	47.8	36.1	49.9	44.6	50.9
17	Diseases of the stomach.....	109.4	18.5	12.5	21.8	8.2	170.4	33.2	21.8	30.0	41.9	56.6
	{M.....	6.7	3.1	4.0	7.0	7.9	28.7	65.7	134.1	142.3	142.9	111.5
	{F.....	7.7	7.1	6.0	5.5	8.8	35.1	104.2	153.6	154.7	111.9	101.5
18	Obstruction of the bowels.....	115.4	14.9	3.5	4.4	1.7	139.9	9.6	9.6	26.2	28.0	26.2
	{M.....	57.5	7.3	2.4	1.2	3.7	72.1	4.9	2.4	7.3	2.4	6.1
	{F.....	284.7	112.1	37.2	17.2	8.3	459.5	33.9	22.2	30.5	36.1	25.5
19	Other diseases of the bowels.....	267.1	106.8	36.5	22.3	8.1	440.8	33.1	28.4	31.1	28.4	43.3
	{M.....	498.9	20.7	10.3	4.4	3.0	537.3	27.3	11.8	26.6	23.6	29.5
	{F.....	395.9	12.5	17.0	5.4	8.9	439.7	24.1	16.1	24.1	37.5	31.3
20	Jaundice.....	59.1	13.0	11.7	4.6	9.1	97.5	24.0	20.1	18.8	48.1	55.2
	{M.....	52.2	19.9	13.2	10.3	9.6	105.2	14.7	18.4	25.8	48.6	44.2
	{F.....	37.1	8.3	6.4	3.6	2.8	58.2	9.3	7.8	8.1	14.5	25.0
21	Inflammation and abscess of the liver.....	47.8	10.3	7.3	3.0	2.7	71.1	12.6	8.8	8.0	19.9	26.8
	{M.....	71.9	24.8	20.9	12.0	10.6	140.2	79.6	80.7	91.7	85.0	74.0
	{F.....	35.0	18.6	10.6	8.4	6.9	74.5	40.6	47.9	86.6	137.5	133.4
22	Other diseases of the liver.....	25.7	24.1	16.1	9.6	17.7	93.2	27.3	43.4	12.9	38.8	25.7
	{M.....	23.9	15.0	10.5	10.5	6.0	65.9	29.9	26.9	34.4	44.9	37.4
	{F.....	478.1	78.4	26.2	14.0	9.8	606.5	24.8	13.5	10.9	12.9	17.3
23	Others of this class.....	431.6	79.1	28.9	15.8	11.6	567.0	24.4	11.7	10.0	16.4	18.3
	{M.....											
	{F.....											
24	6. Diseases of the urinary system and male organs of generation.....	19.4	6.6	5.3	4.6	4.0	39.9	15.1	13.0	18.0	32.2	39.3
25	Males.....	18.7	5.7	4.2	4.3	3.4	36.3	13.3	9.9	13.2	23.3	29.7
26	Females.....	20.6	7.9	7.0	5.2	4.9	45.6	18.2	18.2	25.8	46.7	54.9
27	Bright's disease.....							14.6	10.4	14.9	25.7	33.8
	{M.....							18.6	19.4	24.9	45.9	51.7
	{F.....	35.4	5.9	5.9	2.9	2.9	53.0	26.5	14.7	11.8	23.6	23.6
28	Calculus, urinary.....											
	{M.....											
	{F.....											
29	Diseases of the kidney.....	117.8	47.8	37.2	35.5	28.4	266.7	14.4	9.6	13.3	18.8	19.1
	{M.....	159.4	73.1	63.7	48.8	48.8	393.8	19.4	14.4	23.1	35.6	36.3
	{F.....	8.3	3.2		0.5	1.4	13.4	1.9	2.8	2.8	11.1	10.2
30	Diseases of the bladder.....	61.9		6.9		3.4	72.2	6.9		17.2	20.6	37.8
	{M.....	42.2	2.9	1.8	3.8	2.4	53.1	11.2	10.9	10.9	21.3	28.6
	{F.....	34.4	9.0	6.9	3.7	2.6	56.6	16.9	17.5	36.5	65.7	96.4
31	Others of this class.....											
32	7. Diseases of the female organs of generation.....	4.4	0.6		0.3	0.6	5.9	0.6	10.8	53.8	101.5	126.8
33	Ovarian tumors.....		2.1				2.1	4.2	2.1	27.4	61.1	77.9
34	Ovarian diseases.....	6.9					6.9		6.9	34.5	117.2	165.5
35	Diseases of the tubes.....	2.8					2.8			59.7	164.8	238.6
36	Uterine tumors.....					1.5	1.5		1.5	6.1	26.0	50.5
37	Uterine diseases.....								7.6	75.6	141.0	166.2
38	Others of this class.....	9.9	0.8		0.8	0.8	12.3		24.0	83.5	124.8	137.2
39												
40												
41												
42												

* Data insufficient for correct proportions.

PROPORTION OF DEATHS AT EACH AGE.

609

DEATHS AT KNOWN AGES FROM EACH CAUSE—Continued.

THE UNITED STATES—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	
31.3	35.0	34.4	35.1	38.4	39.4	45.5	49.0	49.5	41.1	27.6	12.8	3.7	1.3	1
32.5	37.7	38.5	39.6	41.8	40.5	43.6	45.6	44.8	36.7	23.5	10.8	2.4	1.0	2
30.0	31.7	29.6	29.7	34.4	38.0	47.8	53.0	55.0	46.3	32.4	15.3	5.2	1.7	3
0.1	0.5	0.1	0.7	0.1	0.7	0.3	0.1	0.3	0.2	0.3	0.1	0.1	0.1	4
1.2	0.9	0.9	0.9	0.9	0.7	0.7	0.7	0.2	0.2	0.5	0.5	0.5	0.5	5
40.2	46.8	47.2	47.4	48.7	43.7	46.9	46.6	44.3	35.0	21.6	9.8	2.1	0.9	6
36.5	38.4	35.7	34.9	39.6	42.9	52.3	55.4	54.6	45.1	31.1	14.0	4.5	1.3	7
32.3	15.1	36.6	32.3	27.9	23.7	25.7	19.4	8.6	12.9	12.9	4.3	0.1	0.1	8
35.8	12.8	12.8	2.6	7.7	20.5	12.8	5.1	20.5	17.8	7.7	5.1	0.1	0.1	9
8.4	10.7	12.1	15.6	21.1	31.3	31.1	44.4	54.4	53.7	40.3	19.7	5.4	1.6	10
11.7	10.0	11.5	17.0	21.1	29.7	42.1	59.7	71.6	68.0	50.2	29.4	10.6	4.1	11
56.1	59.3	56.1	54.8	57.4	61.2	72.1	74.0	77.8	65.7	33.8	15.9	2.6	1.3	12
50.0	57.3	51.6	54.9	54.1	46.7	71.2	69.6	89.2	63.1	41.0	16.4	9.8	1.6	13
16.9	16.9	31.9	49.4	76.0	101.3	124.8	139.9	147.7	100.1	66.9	25.3	4.8	3.6	14
19.8	35.8	38.0	43.4	67.0	68.5	123.3	133.9	134.7	107.3	70.0	25.9	9.9	7.6	15
32.7	40.1	39.0	44.1	45.6	53.4	55.3	61.6	52.1	44.8	27.0	12.9	2.7	0.6	16
36.3	43.7	37.0	32.4	40.1	42.4	47.6	55.3	62.5	48.9	36.3	13.9	4.6	1.5	17
42.5	46.2	48.2	47.2	50.2	53.4	55.2	57.2	50.7	38.6	21.3	8.9	2.3	0.6	18
36.8	40.4	48.4	49.8	52.2	56.7	58.1	57.4	51.0	39.3	21.2	8.3	2.0	0.7	19
48.7	52.6	48.0	44.3	48.0	49.8	52.0	56.9	50.4	37.9	21.3	9.7	2.5	0.5	20
34.2	14.3	19.9	15.7	17.1	8.6	14.3	18.5	19.9	11.4	10.0	4.2	1.4	1.4	21
24.1	11.3	12.7	21.2	18.4	22.6	4.2	15.6	9.9	8.5	11.3	4.2	0.1	0.1	22
29.7	31.9	42.1	51.0	61.4	69.8	75.3	79.3	79.8	63.9	35.7	12.1	3.7	1.7	23
37.2	46.8	42.3	40.5	54.3	58.2	69.2	76.5	75.8	59.9	41.9	17.5	5.4	0.7	24
26.4	38.3	49.9	56.6	59.2	67.7	68.9	75.5	63.3	54.3	26.1	10.8	0.7	1.1	25
38.2	52.6	37.4	44.0	49.7	51.8	60.4	65.3	67.0	43.6	22.2	11.1	3.7	0.7	26
38.2	38.2	36.1	49.9	53.1	54.1	51.5	56.8	65.3	52.5	17.5	10.1	3.2	1.1	27
43.5	50.6	70.2	58.3	54.4	68.6	64.2	76.8	65.3	49.5	26.7	14.7	2.2	0.6	28
74.8	66.3	60.2	46.1	32.4	26.3	23.2	17.1	14.3	9.2	4.3	0.6	0.1	0.1	29
69.7	61.5	46.6	41.7	29.1	26.3	19.8	19.2	10.4	9.3	4.9	0.1	0.1	0.1	30
31.5	41.1	45.5	53.3	46.3	79.5	83.0	87.4	96.2	98.8	61.2	27.1	6.1	3.5	31
30.6	50.1	70.9	84.4	110.0	106.4	108.8	119.8	102.7	68.5	25.7	24.5	2.4	0.1	32
27.2	27.7	26.6	22.2	33.9	44.4	35.5	41.1	48.3	39.9	28.3	12.8	4.4	0.1	33
39.2	38.6	27.7	27.7	25.7	33.1	32.5	43.9	43.9	37.9	22.3	14.2	4.1	0.1	34
25.1	19.9	21.4	23.6	33.2	49.5	31.7	36.9	40.6	31.7	19.9	8.9	1.5	0.1	35
28.6	30.4	25.0	25.9	41.1	45.6	44.7	62.6	54.5	31.3	23.2	9.8	4.5	0.1	36
64.3	62.4	73.4	79.3	91.0	73.4	89.7	67.6	59.8	42.9	24.7	5.2	1.3	1.3	37
46.4	60.3	68.4	75.8	64.0	75.1	89.0	93.4	74.3	54.5	29.4	11.0	1.5	0.2	38
41.1	66.5	89.8	94.6	101.5	113.8	112.9	111.0	73.4	49.2	16.4	5.0	1.7	0.2	39
42.8	62.3	75.0	79.9	97.9	103.3	100.2	91.4	62.0	27.9	10.7	10.7	0.4	0.1	40
58.1	53.8	61.2	57.3	37.2	43.9	40.0	32.9	29.7	18.8	10.6	4.2	1.1	0.1	41
115.5	103.2	70.6	40.2	31.7	29.2	25.3	25.5	18.8	11.7	3.7	3.0	1.1	0.1	42
17.7	20.9	61.1	45.0	64.3	75.6	90.0	109.3	94.9	85.2	57.9	32.2	4.8	4.8	43
37.4	44.9	47.9	53.9	61.4	71.9	77.9	91.3	104.8	89.8	53.9	21.0	3.0	1.5	44
14.2	18.1	26.1	26.1	35.5	30.3	42.2	37.0	32.4	21.7	19.7	8.5	1.8	0.5	45
19.4	21.9	29.1	32.8	41.6	36.1	39.4	43.0	28.9	31.1	18.3	6.1	3.9	0.6	46
43.2	53.3	58.3	63.7	76.7	83.9	97.7	104.8	104.9	83.4	46.6	20.6	4.0	1.4	47
34.4	42.9	52.2	58.2	75.7	85.1	102.1	115.4	120.3	99.6	57.5	24.9	4.6	1.4	48
57.6	70.3	68.2	72.6	78.3	81.9	90.4	87.5	79.9	57.0	29.0	13.5	3.1	1.3	49
39.5	51.1	61.7	68.8	89.2	98.2	113.0	117.8	113.1	86.5	42.5	15.9	2.6	0.7	50
57.2	70.4	72.6	78.9	86.1	89.9	99.8	92.8	86.1	58.6	29.2	13.9	2.7	1.3	51
14.7	23.6	26.6	32.5	41.3	67.9	100.3	156.4	147.5	100.3	76.7	32.5	20.6	5.9	52
(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	53
24.6	22.2	30.4	31.4	41.3	47.5	65.9	89.8	97.7	105.5	64.9	28.7	6.8	1.4	54
43.7	45.0	40.6	40.6	45.0	38.7	39.4	59.4	45.0	42.5	25.0	8.1	3.1	1.3	55
8.3	12.0	15.7	21.3	34.7	45.9	87.1	135.2	201.9	172.8	130.2	77.4	10.2	5.1	56
20.6	65.3	24.1	34.4	27.5	89.3	106.5	82.5	127.1	134.0	61.8	44.7	24.1	3.4	57
32.8	36.9	43.7	48.7	59.9	71.4	82.7	107.2	124.9	120.8	86.2	37.5	8.6	2.7	58
77.8	93.7	67.8	61.9	60.9	64.1	67.2	75.7	58.8	45.5	23.8	10.6	2.1	0.5	59
121.6	125.6	127.1	109.8	66.5	40.8	37.5	30.6	18.9	13.9	4.9	1.9	0.9	0.6	60
94.7	98.9	107.4	128.4	101.0	69.5	63.2	71.6	42.1	29.5	12.6	2.1	2.1	2.1	61
213.8	158.6	96.5	69.0	27.6	48.3	13.8	27.6	13.8	-----	-----	-----	-----	-----	62
204.5	173.3	93.8	39.8	11.4	2.8	-----	2.8	5.7	-----	-----	-----	-----	-----	63
76.5	130.0	200.3	154.4	116.2	70.3	68.8	44.4	27.5	18.4	6.1	1.5	-----	-----	64
128.5	148.6	73.0	55.4	40.3	25.2	50.4	27.7	25.2	22.7	10.1	-----	2.5	-----	65
119.0	108.3	126.5	121.5	55.4	28.9	19.8	16.5	7.4	8.3	1.7	3.3	0.8	0.8	66

VITAL STATISTICS.

TABLE 24.—NUMBER OF DEATHS AT EACH AGE PER 1,000

THE UNITED STATES—Continued.

CAUSE OF DEATH.		Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	8. Affections connected with pregnancy								3.3	108.3	227.2	223.3
2	Abortion								1.8	89.3	197.9	262.6
3	Childbirth								4.9	115.0	206.4	194.8
4	Puerperal septicemia								2.2	93.6	253.6	253.0
5	Extra-uterine pregnancy									10.8	145.2	284.9
6	Others of this class								1.7	146.4	261.8	222.2
7	9. Diseases of the bones and joints	206.4	67.6	40.1	23.5	24.9	362.5	78.9	66.6	63.3	51.3	37.8
8	Males	194.1	65.9	39.1	23.9	27.4	350.4	77.0	73.5	67.6	54.2	42.6
9	Females	222.6	69.8	41.4	23.0	21.5	378.3	81.3	57.6	57.6	47.6	31.5
10	Diseases of the spine	{M.. 294.7	{F.. 91.9	{M.. 63.7	{F.. 29.3	{M.. 30.3	{F.. 509.9	{M.. 83.6	{F.. 61.6	{M.. 53.3	{F.. 37.6	{M.. 30.3
		{F.. 309.1	{F.. 98.5	{F.. 53.0	{F.. 32.0	{F.. 23.4	{F.. 516.0	{F.. 72.7	{F.. 43.1	{F.. 48.0	{F.. 43.1	{F.. 20.9
11	Abscess, lumbar and psoas	{M.. (*)	{F.. (*)	{M.. (*)	{F.. (*)	{M.. (*)	{F.. (*)	{M.. (*)	{F.. (*)	{M.. (*)	{F.. (*)	{M.. (*)
12	Diseases of the bones	{M.. 91.2	{F.. 40.5	{M.. 10.1	{F.. 17.7	{M.. 32.9	{F.. 192.4	{M.. 55.7	{F.. 86.1	{M.. 88.6	{F.. 63.3	{M.. 55.7
		{F.. 82.6	{F.. 43.5	{F.. 17.4	{F.. 13.1	{F.. 30.4	{F.. 187.0	{F.. 91.3	{F.. 100.0	{F.. 69.6	{F.. 65.2	{F.. 39.1
13	Diseases of the hip-joint	{M.. 26.8	{F.. 6.7	{M.. 26.8	{F.. 20.2	{M.. 80.5	{F.. 140.9	{M.. 161.1	{F.. 134.3	{M.. 80.5	{F.. 80.5	{M.. 80.5
		{F.. (*)	{F.. (*)	{F.. (*)	{F.. (*)	{F.. (*)	{F.. (*)	{F.. (*)	{F.. (*)	{F.. (*)	{F.. (*)	{F.. (*)
14	Others of this class	{M.. 59.2	{F.. 46.0	{M.. 13.2	{F.. 13.2	{M.. 13.2	{F.. 144.8	{M.. 52.6	{F.. 39.5	{M.. 59.2	{F.. 52.6	{M.. 13.2
		{F.. 69.4	{F.. 20.8	{F.. 7.0	{F.. 7.0	{F.. 104.2	{F.. 48.6	{F.. 41.7	{F.. 41.7	{F.. 41.7	{F.. 34.7	{F.. 41.7
15	10. Diseases of the skin	271.1	55.1	19.6	12.1	7.0	364.9	24.3	21.0	21.9	29.9	34.1
16	Males	266.3	52.8	21.8	10.1	7.5	358.5	25.1	20.1	17.6	26.8	30.2
17	Females	277.1	58.0	16.9	14.8	6.3	373.1	23.2	22.1	27.4	33.7	39.0
18	Abscess	{M.. 192.0	{F.. 48.4	{M.. 17.3	{F.. 10.4	{M.. 12.1	{F.. 280.2	{M.. 43.2	{F.. 32.9	{M.. 27.7	{F.. 39.8	{M.. 43.2
		{F.. 222.2	{F.. 32.1	{F.. 12.8	{F.. 12.8	{F.. 6.4	{F.. 286.3	{F.. 40.6	{F.. 27.8	{F.. 32.1	{F.. 51.3	{F.. 57.7
19	Carbuncle	{M.. 45.0	{F.. 5.6	{M.. 5.6	{F.. 5.6	{M.. 56.2	{F.. 56.2	{M.. 5.6	{F.. 22.5	{M.. 11.2	{F.. 22.5	{M.. 33.7
		{F.. (*)	{F.. (*)	{F.. (*)	{F.. (*)	{F.. (*)	{F.. (*)	{F.. (*)	{F.. (*)	{F.. (*)	{F.. (*)	{F.. (*)
20	Others of this class	{M.. 454.3	{F.. 77.6	{M.. 34.3	{F.. 13.7	{M.. 4.6	{F.. 584.5	{M.. 9.1	{F.. 2.3	{M.. 6.8	{F.. 11.4	{M.. 11.4
		{F.. 393.4	{F.. 101.5	{F.. 17.8	{F.. 20.3	{F.. 7.6	{F.. 540.6	{F.. 7.6	{F.. 17.8	{F.. 25.4	{F.. 12.7	{F.. 12.7
21	11. Diseases of the absorbent system	78.9	36.6	12.7	12.7	9.8	150.7	39.4	31.0	35.2	53.5	60.6
22	Males	99.2	39.2	13.1	23.5	10.4	185.4	49.6	36.6	39.2	41.8	57.4
23	Females	55.0	33.6	12.2	9.2	9.2	110.0	27.5	24.5	30.6	67.3	64.2
24	Addison's disease	{M.. (*)	{F.. (*)	{M.. (*)	{F.. (*)	{M.. (*)	{F.. (*)	{M.. (*)	{F.. (*)	{M.. (*)	{F.. (*)	{M.. (*)
25	Diseases of the spleen	{M.. (*)	{F.. (*)	{M.. (*)	{F.. (*)	{M.. (*)	{F.. (*)	{M.. (*)	{F.. (*)	{M.. (*)	{F.. (*)	{M.. (*)
26	Others of this class	{M.. 156.3	{F.. 62.5	{M.. 26.0	{F.. 20.8	{M.. 15.6	{F.. 281.2	{M.. 72.9	{F.. 46.9	{M.. 36.4	{F.. 36.4	{M.. 41.7
		{F.. 80.9	{F.. 52.0	{F.. 17.3	{F.. 5.8	{F.. 5.8	{F.. 156.0	{F.. 40.4	{F.. 28.9	{F.. 34.7	{F.. 52.0	{F.. 57.8
27	12. Accidents and injuries	68.5	24.2	24.1	23.2	16.6	156.6	54.7	48.2	72.0	93.8	88.7
28	Males	50.3	17.7	18.7	16.3	11.0	114.0	43.6	50.1	76.8	103.4	100.0
29	Females	123.8	43.9	40.6	44.5	33.8	286.6	88.3	42.6	57.2	64.6	54.2
30	Burns and scalds	{M.. 68.4	{F.. 138.7	{M.. 176.9	{F.. 152.3	{M.. 70.2	{F.. 606.5	{M.. 87.9	{F.. 27.2	{M.. 19.5	{F.. 32.0	{M.. 29.1
		{F.. 35.3	{F.. 78.0	{F.. 91.0	{F.. 108.7	{F.. 85.3	{F.. 398.3	{F.. 182.2	{F.. 57.2	{F.. 49.2	{F.. 44.0	{F.. 36.7
31	Drowning	{M.. 6.3	{F.. 24.1	{M.. 19.4	{F.. 13.0	{M.. 13.9	{F.. 76.7	{M.. 108.9	{F.. 134.8	{M.. 123.5	{F.. 112.6	{M.. 87.2
		{F.. 21.5	{F.. 112.1	{F.. 63.0	{F.. 43.0	{F.. 21.5	{F.. 261.1	{F.. 109.1	{F.. 87.6	{F.. 135.2	{F.. 64.5	{F.. 47.6
32	Exposure and neglect	{M.. 456.2	{F.. 50.9	{M.. 18.3	{F.. 4.1	{M.. 14.3	{F.. 543.8	{M.. 12.2	{F.. 18.3	{M.. 16.3	{F.. 18.3	{M.. 18.3
		{F.. 573.1	{F.. 55.1	{F.. 31.2	{F.. 19.2	{F.. 16.8	{F.. 695.4	{F.. 19.2	{F.. 7.2	{F.. 36.0	{F.. 40.7	{F.. 21.6
33	Gunshot wounds	{M.. 2.3	{F.. 2.9	{M.. 4.0	{F.. 4.3	{M.. 5.2	{F.. 18.7	{M.. 32.7	{F.. 86.4	{M.. 158.8	{F.. 171.1	{M.. 140.7
		{F.. 18.7	{F.. 14.5	{F.. 20.8	{F.. 22.8	{F.. 16.6	{F.. 93.4	{F.. 103.7	{F.. 120.4	{F.. 166.0	{F.. 178.4	{F.. 93.4
34	Homicide	{M.. 7.4	{F.. 2.7	{M.. 0.7	{F.. 4.0	{M.. 4.0	{F.. 49.4	{M.. 14.7	{F.. 23.4	{M.. 73.6	{F.. 166.0	{M.. 171.4
		{F.. 3.5	{F.. 24.7	{F.. 10.6	{F.. 10.6	{F.. 10.6	{F.. 49.4	{F.. 53.0	{F.. 31.8	{F.. 113.1	{F.. 180.2	{F.. 151.9
35	Infanticide	{M.. (*)	{F.. (*)	{M.. (*)	{F.. (*)	{M.. (*)	{F.. (*)	{M.. (*)	{F.. (*)	{M.. (*)	{F.. (*)	{M.. (*)
36	Injuries by machinery	{M.. 3.1	{F.. 3.1	{M.. 3.1	{F.. 3.1	{M.. 6.2	{F.. 6.2	{M.. 22.0	{F.. 31.4	{M.. 144.2	{F.. 159.9	{M.. 119.1
		{F.. (*)	{F.. (*)	{F.. (*)	{F.. (*)	{F.. (*)	{F.. (*)	{F.. (*)	{F.. (*)	{F.. (*)	{F.. (*)	{F.. (*)
37	Railroad accidents	{M.. 2.1	{F.. 1.8	{M.. 3.4	{F.. 2.4	{M.. 4.0	{F.. 13.7	{M.. 34.1	{F.. 43.4	{M.. 83.9	{F.. 145.4	{M.. 134.2
		{F.. 9.2	{F.. 16.5	{F.. 18.3	{F.. 23.9	{F.. 23.9	{F.. 91.8	{F.. 117.4	{F.. 66.1	{F.. 82.6	{F.. 86.2	{F.. 53.2
38	Suffocation	{M.. 596.1	{F.. 27.4	{M.. 15.5	{F.. 6.3	{M.. 7.0	{F.. 652.3	{M.. 13.4	{F.. 17.6	{M.. 23.9	{F.. 35.9	{M.. 28.9
		{F.. 715.8	{F.. 48.8	{F.. 18.7	{F.. 12.4	{F.. 13.5	{F.. 809.2	{F.. 27.0	{F.. 11.4	{F.. 16.6	{F.. 13.5	{F.. 18.7
39	Suicide by shooting	{M.. 2.6	{F.. 19.7	{M.. 108.6	{F.. 106.1	{M.. 106.1	{F.. 106.1	{M.. 9.7	{F.. 116.5	{M.. 223.3	{F.. 223.3	{M.. 106.8
		{F.. 9.7	{F.. 116.5	{F.. 223.3	{F.. 223.3	{F.. 223.3	{F.. 223.3	{F.. 9.7	{F.. 116.5	{F.. 223.3	{F.. 223.3	{F.. 106.8
40	Suicide by drowning	{M.. 25.8	{F.. 58.1	{M.. 58.1	{F.. 58.1	{M.. 58.1	{F.. 58.1	{M.. 25.8	{F.. 58.1	{M.. 58.1	{F.. 58.1	{M.. 58.1
		{F.. (*)	{F.. (*)	{F.. (*)	{F.. (*)	{F.. (*)	{F.. (*)	{F.. (*)	{F.. (*)	{F.. (*)	{F.. (*)	{F.. (*)
41	Suicide by poison	{M.. 4.0	{F.. 29.3	{M.. 97.2	{F.. 110.5	{M.. 110.5	{F.. 110.5	{M.. 13.1	{F.. 167.7	{M.. 198.2	{F.. 146.0	{M.. 146.0
		{F.. 13.1	{F.. 167.7	{F.. 198.2	{F.. 146.0	{F.. 146.0	{F.. 146.0	{F.. 13.1	{F.. 167.7	{F.. 198.2	{F.. 146.0	{F.. 146.0
42	Other suicides	{M.. 0.5	{F.. 4.6	{M.. 26.8	{F.. 76.1	{M.. 76.1	{F.. 76.1	{M.. 0.5	{F.. 4.6	{M.. 26.8	{F.. 76.1	{M.. 76.1
		{F.. 9.4	{F.. 83.0	{F.. 126.4	{F.. 120.8	{F.. 120.8	{F.. 120.8	{F.. 9.4	{F.. 83.0	{F.. 126.4	{F.. 120.8	{F.. 120.8
43	Sunstroke	{M.. 90.9	{F.. 20.8	{M.. 7.6	{F.. 3.8	{M.. 7.6	{F.. 130.7	{M.. 26.5	{F.. 15.2	{M.. 28.4	{F.. 62.5	{M.. 62.5
		{F.. 210.3	{F.. 51.3	{F.. 25.6	{F.. 20.5	{F.. 10.2	{F.. 317.9	{F.. 30.7	{F.. 35.9	{F.. 20.5	{F.. 35.9	{F.. 25.6
44	Surgical operations	{M.. 68.0	{F.. 17.0	{M.. 12.8	{F.. 2.2	{M.. 2.2	{F.. 110.6	{M.. 42.5	{F.. 8.5	{M.. 51.1	{F.. 68.1	{M.. 102.1
		{F.. 15.2	{F.. 4.3	{F.. 2.2	{F.. 2.2	{F.. 2.2	{F.. 23.9	{F.. 10.9	{F.. 10.9	{F.. 28.3	{F.. 136.9	{F.. 136.9
45	Wounds	{M.. 7.4	{F.. 6.0	{M.. 6.0	{F.. 17.9	{M.. 6.0	{F.. 43.3	{M.. 37.3	{F.. 26.9	{M.. 97.0	{F.. 126.9	{M.. 123.9
		{F.. (*)	{F.. (*)	{F.. (*)	{F.. (*)	{F.. (*)	{F.. (*)	{F.. (*)	{F.. (*)	{F.. (*)	{F.. (*)	{F.. (*)
46	Others of this class	{M.. 46.0	{F.. 10.0	{M.. 8.8	{F.. 10.0	{M.. 8.5	{F.. 83.3	{M.. 42.6	{F.. 46.1	{M.. 73.0	{F.. 91.0	{M.. 98.6
		{F.. 116.8	{F.. 27.5	{F.. 20.3	{F.. 22.4	{F.. 14.9	{F.. 201.9	{F.. 52.5	{F.. 35.0	{F.. 35.0	{F.. 42.9	{F.. 44.4

* Data insufficient for correct proportions.

PROPORTION OF DEATHS AT EACH AGE.

611

DEATHS AT KNOWN AGES FROM EACH CAUSE—Continued.

THE UNITED STATES—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	
181.5	158.4	81.4	12.6	1.8	0.9	0.4	0.3	0.1	0.5					1
196.1	175.1	68.3	3.5	1.8	1.8				1.8					2
180.2	176.7	100.1	16.5	2.5	1.6	0.7	0.2	0.2	0.2					3
186.9	136.5	61.7	9.4	1.6		0.3	0.3		0.9					4
268.8	220.4	59.1	5.4		5.4									5
150.7	130.5	74.1	11.8				0.8							6
35.8	40.1	34.8	37.1	34.1	30.5	32.5	30.5	30.8	18.2	8.6	5.0	1.3	0.3	7
30.3	43.7	39.6	36.2	33.2	25.7	34.4	32.1	25.7	21.0	5.8	5.2	1.2	0.6	8
43.0	35.3	28.4	38.4	35.3	36.8	29.9	28.4	37.6	14.6	12.3	4.6	1.5		9
13.6	33.4	28.2	23.0	20.9	18.8	21.9	19.9	15.7	17.8	6.3	4.2			10
30.8	38.2	17.2	33.2	27.1	29.6	25.9	18.5	14.8	12.3	3.7	3.7	1.2		10
(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	11
50.6	50.6	45.6	45.6	50.6	32.9	50.6	53.2	30.4	30.4	10.1	7.6			12
69.6	26.1	43.5	43.5	47.8	30.4	39.1	30.4	60.9	13.0	34.8	8.7			12
53.7	60.4	73.8	33.6	33.6	26.9	13.4	13.4	6.7	6.7					13
(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	13
19.7	46.0	78.9	92.1	59.2	46.1	78.9	72.4	85.5	26.3		13.2	13.2	6.6	14
48.6	20.8	62.5	55.6	41.7	97.2	62.5	97.2	125.0	41.7	20.8	6.9	6.9		14
33.1	43.9	42.4	41.5	49.4	50.4	52.7	56.5	46.7	38.7	30.8	12.6	3.3	1.9	15
25.1	42.7	40.2	44.4	56.1	56.9	48.6	63.6	51.1	43.6	34.3	12.6	2.5		16
43.2	45.3	45.3	37.9	41.1	42.2	58.0	47.4	41.1	32.7	26.3	12.6	4.2	4.2	17
38.1	60.6	55.4	46.7	72.7	58.8	41.5	51.9	43.2	27.7	27.7	5.2	3.5		18
53.4	64.1	53.4	42.7	34.2	47.0	55.6	59.8	29.9	27.8	23.5	8.5	4.3		18
28.1	39.3	44.9	84.3	73.0	118.0	112.4	118.0	101.1	67.4	50.6	11.2			19
(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	19
6.8	20.6	18.3	25.1	27.4	29.7	32.0	57.1	41.1	54.8	36.5	22.8	2.3		20
38.1	22.8	22.8	25.4	30.4	33.0	45.7	35.5	38.1	38.1	20.3	20.3	5.1	7.6	20
73.2	66.2	76.1	77.5	69.0	70.4	67.6	53.5	42.3	23.9	9.9				21
75.7	57.4	70.5	83.6	57.4	60.1	73.1	52.2	33.9	18.3	7.8				22
70.3	76.5	82.6	70.3	82.6	82.6	61.2	55.0	52.0	30.6	12.2				23
(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	24
(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	24
(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	25
(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	25
78.1	31.3	52.1	57.3	41.7	52.1	46.9	57.3	41.7	15.6	10.4				26
52.0	40.4	69.4	98.3	69.4	69.4	69.4	52.0	69.4	28.9	11.6				26
77.6	77.0	61.5	53.5	46.5	36.6	34.6	28.7	23.3	20.2	14.8	7.6	3.0	1.1	27
87.1	85.9	69.0	60.6	52.0	39.7	36.7	28.0	20.6	16.2	10.1	4.2	1.6	0.4	28
48.6	49.7	38.7	31.8	30.0	27.2	28.4	30.7	31.4	32.2	29.4	18.1	7.2	3.1	29
31.3	28.3	26.1	19.1	17.3	12.5	14.4	11.0	10.3	9.2	11.4	4.0	1.1	1.8	30
35.5	30.0	20.2	18.7	16.3	15.8	20.0	16.0	18.0	17.5	13.8	5.3	3.0	2.3	30
65.7	69.4	59.2	40.7	33.9	28.5	21.7	16.1	10.4	7.0	2.2	0.9	0.4	0.2	31
63.0	47.6	32.3	29.2	27.6	21.5	21.5	23.0	12.3	15.4	1.5				31
32.6	28.5	26.5	44.8	30.5	26.5	44.8	38.7	20.4	36.7	20.4	14.3	6.1	2.0	32
14.4	26.3	12.0	4.8	7.2	24.0	7.2	14.4	12.0	24.0	16.8	9.6	7.2		32
100.2	88.1	57.4	50.2	31.6	23.0	21.2	7.8	5.2	3.4	1.7	0.9	0.9		33
64.3	70.5	31.1	22.8	20.8	16.6	6.2	4.1		4.1	2.1	2.1			33
134.5	127.9	79.7	60.3	54.2	30.1	28.1	10.0	12.0	3.3	2.7	0.7			34
102.5	102.5	74.2	49.5	28.3	17.7	3.5	14.1	7.1	10.6	10.6				34
125.4	116.0	81.5	56.4	62.7	18.8	18.8	28.2	3.1	6.3					35
(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	36
116.6	101.7	73.4	61.3	57.1	38.5	37.7	20.4	16.2	12.0	7.6	2.3		0.5	37
51.4	49.6	60.6	53.2	56.9	44.0	38.5	45.9	44.0	38.5	14.7	1.8	1.8	1.8	37
31.7	40.1	32.4	23.9	14.8	19.7	21.1	18.3	8.4	12.0	2.8	2.1	0.7		38
11.4	12.4	7.3	8.3	8.3	10.4	11.4	8.3	9.3	9.3	6.2	1.0			38
105.2	130.0	126.6	107.8	93.2	64.1	45.3	38.5	27.4	16.3	6.0	2.6			39
145.7	116.5	68.0	106.8	29.1	38.8		9.7	9.7	9.7		9.7			39
77.4	83.9	83.9	71.0	135.4	90.3	90.3	71.0	38.7	90.3	25.8				40
(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	40
121.2	105.2	125.2	102.5	107.8	51.9	61.2	41.3	28.0	10.7	2.7	1.3			41
106.7	111.1	76.3	52.3	32.7	30.5	21.8	15.3	17.4	6.5	2.2		2.2		41
93.6	101.9	111.6	114.4	100.1	86.7	75.7	60.0	42.4	29.5	12.9	2.3	1.4		42
101.9	111.3	105.7	75.5	66.0	56.6	39.6	49.1	20.8	11.3	13.2	7.5	1.9		42
79.5	104.2	68.2	72.0	87.1	60.6	45.4	47.3	54.9	32.2	9.5	5.7	5.7	1.9	43
20.5	46.2	51.3	46.2	71.8	35.9	76.9	51.3	71.8	46.2	15.4				43
51.1	93.6	72.3	51.1	51.1	89.4	68.1	76.6	34.0	8.5	21.3				44
134.8	147.8	117.4	73.9	65.2	45.7	28.3	19.6	6.5	6.5	4.3	2.2			44
103.0	88.0	62.7	70.1	56.7	44.8	49.2	28.4	16.4	11.9	7.5	4.5	1.5		45
(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	45
86.3	88.1	70.9	65.9	54.8	44.2	41.2	36.3	27.5	23.1	16.1	7.5	3.0	0.5	46
41.6	47.2	40.1	34.4	36.1	34.4	41.4	52.5	58.7	63.8	67.2	46.5	17.3	7.1	46

TABLE 24.—NUMBER OF DEATHS AT EACH AGE PER 1,000
THE REGISTRATION RECORD.

CAUSE OF DEATH.		Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	All causes	200.1	50.9	23.5	15.3	10.8	300.6	29.5	16.8	26.3	41.8	46.9
2	Males.....	210.7	50.7	23.1	14.6	10.2	309.3	28.4	15.9	24.5	39.9	45.7
3	Females.....	188.1	51.1	24.0	16.1	11.5	290.8	30.7	17.8	28.3	44.0	48.2
4	Unknown cause.....	357.5	35.4	15.3	11.9	6.6	426.7	21.9	13.8	20.5	25.6	34.3
5	Males.....	363.1	33.5	14.3	11.6	6.2	428.7	21.2	11.6	18.2	21.2	30.5
6	Females.....	350.6	37.5	16.6	12.4	7.1	424.2	22.8	16.6	23.3	30.9	39.0
7	1. General diseases. General diseases—A	332.8	112.3	53.0	37.2	27.5	562.8	68.6	24.6	26.2	34.6	30.7
8	Males.....	350.4	112.6	51.6	36.2	26.3	577.1	64.2	21.9	24.7	36.6	32.4
9	Females.....	314.1	111.9	54.5	38.3	28.8	547.6	73.3	27.5	27.8	32.4	29.0
10	Measles.....	(M.. 266.0 F.. 231.6	(M.. 331.2 F.. 317.8	(M.. 145.3 F.. 145.4	(M.. 66.3 F.. 67.5	(M.. 42.2 F.. 40.0	(M.. 851.0 F.. 802.3	(M.. 76.4 F.. 91.9	(M.. 19.2 F.. 25.4	(M.. 8.5 F.. 18.2	(M.. 16.0 F.. 12.0	(M.. 7.5 F.. 13.0
11	Scarlet fever	(M.. 65.8 F.. 44.6	(M.. 128.0 F.. 116.6	(M.. 158.9 F.. 157.5	(M.. 170.7 F.. 158.7	(M.. 106.1 F.. 133.7	(M.. 629.5 F.. 611.1	(M.. 270.9 F.. 283.3	(M.. 46.8 F.. 48.2	(M.. 17.2 F.. 21.4	(M.. 11.9 F.. 12.2	(M.. 8.3 F.. 7.9
12	Diphtheria	(M.. 68.5 F.. 48.7	(M.. 149.2 F.. 135.8	(M.. 158.6 F.. 145.2	(M.. 140.9 F.. 136.2	(M.. 118.4 F.. 116.3	(M.. 635.6 F.. 582.2	(M.. 270.4 F.. 301.1	(M.. 53.8 F.. 64.5	(M.. 14.1 F.. 19.1	(M.. 7.9 F.. 10.4	(M.. 4.6 F.. 6.4
13	Whooping cough.....	(M.. 586.7 F.. 506.7	(M.. 233.5 F.. 241.8	(M.. 86.9 F.. 108.5	(M.. 42.0 F.. 57.6	(M.. 17.5 F.. 29.8	(M.. 966.6 F.. 944.4	(M.. 21.0 F.. 39.6	(M.. 1.2 F.. 4.7	(M.. 1.7 F.. 2.1	(M.. 1.2 F.. 0.5	(M.. F.. 1.0
14	Malarial fever.....	(M.. 90.4 F.. 81.3	(M.. 44.8 F.. 50.9	(M.. 23.2 F.. 46.8	(M.. 27.8 F.. 29.6	(M.. 23.2 F.. 19.7	(M.. 209.4 F.. 228.3	(M.. 59.5 F.. 76.4	(M.. 30.9 F.. 42.7	(M.. 55.7 F.. 64.9	(M.. 90.4 F.. 86.2	(M.. 71.9 F.. 59.1
15	Influenza.....	(M.. 87.0 F.. 55.6	(M.. 20.4 F.. 13.8	(M.. 7.5 F.. 9.7	(M.. 7.8 F.. 4.8	(M.. 4.4 F.. 5.4	(M.. 127.1 F.. 89.3	(M.. 14.6 F.. 10.5	(M.. 7.8 F.. 9.2	(M.. 13.3 F.. 13.0	(M.. 21.7 F.. 16.8	(M.. 22.8 F.. 23.7
16	Typhoid fever.....	(M.. 8.0 F.. 10.2	(M.. 6.4 F.. 11.4	(M.. 7.3 F.. 10.9	(M.. 8.6 F.. 15.1	(M.. 10.6 F.. 10.9	(M.. 40.9 F.. 58.5	(M.. 50.5 F.. 67.3	(M.. 52.0 F.. 91.8	(M.. 112.3 F.. 150.6	(M.. 177.8 F.. 156.2	(M.. 150.9 F.. 113.7
17	Cholera morbus.....	(M.. 216.5 F.. 189.3	(M.. 71.4 F.. 75.2	(M.. 79.1 F.. 73.0	(M.. 33.0 F.. 20.5	(M.. 13.2 F.. 10.3	(M.. 413.2 F.. 368.3	(M.. 50.5 F.. 34.2	(M.. 31.9 F.. 27.4	(M.. 18.7 F.. 31.9	(M.. 26.4 F.. 27.4	(M.. 22.0 F.. 26.2
18	Colitis	(M.. 504.2 F.. 437.5	(M.. 116.2 F.. 152.8	(M.. 37.3 F.. 39.4	(M.. 33.2 F.. 13.9	(M.. 8.3 F.. 4.6	(M.. 699.2 F.. 648.2	(M.. 20.8 F.. 16.2	(M.. 4.1 F.. 9.3	(M.. 4.1 F.. 6.9	(M.. 8.3 F.. 13.9	(M.. 20.8 F.. 16.2
19	Diarrhea	(M.. 421.1 F.. 409.0	(M.. 87.1 F.. 83.3	(M.. 29.2 F.. 23.5	(M.. 6.1 F.. 7.1	(M.. 6.7 F.. 4.1	(M.. 550.2 F.. 527.0	(M.. 31.3 F.. 34.6	(M.. 6.7 F.. 13.5	(M.. 7.7 F.. 4.7	(M.. 11.3 F.. 8.2	(M.. 8.7 F.. 14.7
20	Dysentery	(M.. 166.1 F.. 141.4	(M.. 102.9 F.. 74.4	(M.. 43.0 F.. 31.2	(M.. 27.6 F.. 20.6	(M.. 18.8 F.. 8.6	(M.. 358.4 F.. 276.2	(M.. 33.6 F.. 15.3	(M.. 14.1 F.. 6.7	(M.. 14.1 F.. 6.7	(M.. 33.6 F.. 17.9	(M.. 29.6 F.. 17.9
21	Enteritis.....	(M.. 640.9 F.. 556.6	(M.. 141.1 F.. 142.7	(M.. 32.1 F.. 32.7	(M.. 11.7 F.. 13.2	(M.. 8.3 F.. 8.8	(M.. 834.1 F.. 754.0	(M.. 14.4 F.. 17.0	(M.. 5.7 F.. 6.1	(M.. 4.9 F.. 6.0	(M.. 6.4 F.. 10.0	(M.. 8.4 F.. 14.3
22	Cholera infantum.....	(M.. 807.6 F.. 800.7	(M.. 158.1 F.. 162.1	(M.. 22.8 F.. 25.0	(M.. 7.9 F.. 7.8	(M.. 3.6 F.. 4.4	(M.. 1,000.0 F.. 1,000.0					
23	Fever.....	(M.. (*) F.. (*)	(M.. (*) F.. (*)	(M.. (*) F.. (*)	(M.. (*) F.. (*)	(M.. (*) F.. (*)	(M.. (*) F.. (*)	(M.. (*) F.. (*)	(M.. (*) F.. (*)	(M.. (*) F.. (*)	(M.. (*) F.. (*)	(M.. (*) F.. (*)
24	Cerebro-spinal fever.....	(M.. 263.8 F.. 249.2	(M.. 155.4 F.. 122.9	(M.. 72.8 F.. 79.0	(M.. 57.7 F.. 63.7	(M.. 33.7 F.. 36.2	(M.. 583.4 F.. 551.0	(M.. 119.9 F.. 125.1	(M.. 66.6 F.. 88.9	(M.. 55.1 F.. 60.4	(M.. 39.9 F.. 29.6	(M.. 32.0 F.. 30.7
25	Smallpox.....	(M.. 38.7 F.. 60.9	(M.. 19.3 F.. 47.8	(M.. 19.3 F.. 26.1	(M.. 8.3 F.. 17.4	(M.. 2.8 F.. 8.7	(M.. 88.4 F.. 160.9	(M.. 22.1 F.. 52.2	(M.. 30.4 F.. 52.2	(M.. 71.8 F.. 82.6	(M.. 182.3 F.. 213.1	(M.. 160.2 F.. 139.1
26	Erysipelas.....	(M.. 256.8 F.. 328.0	(M.. 20.1 F.. 27.1	(M.. 3.6 F.. 9.5	(M.. 4.7 F.. 6.4	(M.. 3.6 F.. 3.2	(M.. 288.8 F.. 374.2	(M.. 5.9 F.. 4.8	(M.. 8.3 F.. 6.4	(M.. 20.1 F.. 15.9	(M.. 20.1 F.. 28.7	(M.. 41.4 F.. 38.2
27	Septicemia	(M.. 106.7 F.. 79.1	(M.. 16.8 F.. 12.3	(M.. 13.0 F.. 9.7	(M.. 9.1 F.. 11.0	(M.. 9.9 F.. 7.8	(M.. 155.5 F.. 119.9	(M.. 46.5 F.. 29.2	(M.. 26.7 F.. 14.3	(M.. 31.2 F.. 42.8	(M.. 59.4 F.. 129.7	(M.. 54.9 F.. 142.0
28	Venereal diseases.....	(M.. 575.8 F.. 636.2	(M.. 36.5 F.. 26.5	(M.. 11.5 F.. 19.3	(M.. 9.6 F.. 12.0	(M.. 1.9 F.. 4.8	(M.. 635.3 F.. 698.8	(M.. 3.8 F.. 2.4	(M.. 3.8 F.. 4.8	(M.. 9.6 F.. 21.7	(M.. 15.4 F.. 41.0	(M.. 46.1 F.. 38.6
29	Others of this group.....	(M.. 40.0 F.. 39.4	(M.. 11.3 F.. 11.4	(M.. 17.4 F.. 12.7	(M.. 6.1 F.. 6.4	(M.. 5.1 F.. 6.4	(M.. 79.9 F.. 76.3	(M.. 26.6 F.. 20.4	(M.. 12.3 F.. 10.2	(M.. 16.4 F.. 8.9	(M.. 24.6 F.. 16.5	(M.. 31.8 F.. 26.7
30	General diseases—B.....	606.3	31.1	9.8	6.9	2.6	656.7	6.5	2.1	8.0	19.2	31.4
31	Males.....	551.5	28.8	8.7	5.3	3.1	597.4	5.4	2.0	4.7	16.2	32.3
32	Females.....	690.2	34.5	11.4	9.3	2.0	747.4	8.2	2.4	13.2	23.7	30.0
33	Alcoholism.....	(M.. F.. (*) (*)	(M.. F.. (*) (*)	(M.. F.. (*) (*)	(M.. F.. (*) (*)	(M.. F.. (*) (*)	(M.. F.. (*) (*)	(M.. F.. (*) (*)	(M.. F.. (*) (*)	(M.. F.. (*) (*)	(M.. F.. (*) (*)	(M.. F.. (*) (*)
34	Parasitic diseases	(M.. F.. (*) (*)	(M.. F.. (*) (*)	(M.. F.. (*) (*)	(M.. F.. (*) (*)	(M.. F.. (*) (*)	(M.. F.. (*) (*)	(M.. F.. (*) (*)	(M.. F.. (*) (*)	(M.. F.. (*) (*)	(M.. F.. (*) (*)	(M.. F.. (*) (*)
35	Lead poison	(M.. F.. (*) (*)	(M.. F.. (*) (*)	(M.. F.. (*) (*)	(M.. F.. (*) (*)	(M.. F.. (*) (*)	(M.. F.. (*) (*)	(M.. F.. (*) (*)	(M.. F.. (*) (*)	(M.. F.. (*) (*)	(M.. F.. (*) (*)	(M.. F.. (*) (*)
36	Other poisons	(M.. 39.9 F.. 36.8	(M.. 50.6 F.. 41.4	(M.. 31.1 F.. 32.2	(M.. 17.7 F.. 21.5	(M.. 8.9 F.. 9.2	(M.. 148.2 F.. 141.1	(M.. 18.6 F.. 23.0	(M.. 7.1 F.. 7.7	(M.. 25.7 F.. 81.3	(M.. 69.2 F.. 133.4	(M.. 81.7 F.. 121.2
37	Inanition.....	(M.. 913.9 F.. 886.3	(M.. 33.4 F.. 36.1	(M.. 5.4 F.. 7.6	(M.. 4.3 F.. 5.6	(M.. 2.4 F.. 0.6	(M.. 959.4 F.. 936.2	(M.. 3.3 F.. 5.3	(M.. 1.2 F.. 1.7	(M.. 0.7 F.. 1.9	(M.. 0.7 F.. 2.5	(M.. 1.2 F.. 2.8
38	General diseases—C.....	522.5	22.0	5.0	1.9	1.1	552.5	1.9	0.9	1.0	1.7	1.9
39	Males.....	586.1	21.5	5.3	2.3	1.0	616.2	1.7	0.9	1.1	1.4	1.3
40	Females.....	458.2	22.6	4.6	1.4	1.3	488.1	2.1	0.9	0.9	1.9	2.5
41	Old age.....	(M.. F.. (*) (*)	(M.. F.. (*) (*)	(M.. F.. (*) (*)	(M.. F.. (*) (*)	(M.. F.. (*) (*)	(M.. F.. (*) (*)	(M.. F.. (*) (*)	(M.. F.. (*) (*)	(M.. F.. (*) (*)	(M.. F.. (*) (*)	(M.. F.. (*) (*)
42	Premature birth.....	(M.. 1,000.0 F.. 1,000.0	(M.. F.. (*) (*)	(M.. F.. (*) (*)	(M.. F.. (*) (*)	(M.. F.. (*) (*)	(M.. 1,000.0 F.. 1,000.0	(M.. F.. (*) (*)	(M.. F.. (*) (*)	(M.. F.. (*) (*)	(M.. F.. (*) (*)	(M.. F.. (*) (*)
43	Malformation	(M.. 977.7 F.. 972.5	(M.. 7.4 F.. 14.4	(M.. 5.3 F.. 2.7	(M.. 1.1 F.. 1.3	(M.. F.. (*) (*)	(M.. 991.5 F.. 992.2	(M.. 4.2 F.. 2.6	(M.. 2.1 F.. 2.6	(M.. 1.1 F.. (*) (*)	(M.. F.. (*) (*)	(M.. F.. (*) (*)
44	Debility and atrophy.....	(M.. 728.2 F.. 649.2	(M.. 63.6 F.. 72.5	(M.. 15.3 F.. 15.0	(M.. 6.7 F.. 4.3	(M.. 2.9 F.. 4.2	(M.. 816.7 F.. 745.2	(M.. 4.7 F.. 6.5	(M.. 2.5 F.. 2.7	(M.. 3.1 F.. 3.1	(M.. 4.2 F.. 6.1	(M.. 3.9 F.. 8.2
45	Others of this group.....	(M.. 996.8 F.. 995.6	(M.. F.. (*) (*)	(M.. F.. (*) (*)	(M.. F.. (*) (*)	(M.. F.. (*) (*)	(M.. 998.4 F.. 995.6	(M.. F.. (*) (*)	(M.. F.. (*) (*)	(M.. F.. (*) (*)	(M.. F.. (*) (*)	(M.. F.. (*) (*)

* Data insufficient for correct proportions.

613

THE REGISTRATION RECORD.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	
45.4	47.6	43.6	42.9	45.3	47.2	51.2	54.4	53.6	46.8	34.0	17.6	6.3	2.2	1
46.2 44.4	49.8 45.1	46.6 40.3	45.9 39.4	47.9 42.3	48.6 45.6	50.7 51.7	53.1 55.9	51.6 55.9	44.4 49.6	30.7 37.9	14.9 20.8	4.5 8.3	1.4 3.0	2 3
29.6	43.0	40.9	41.8	42.4	45.2	47.1	46.9	43.9	35.4	25.1	11.5	4.0	0.4	4
30.5 28.5	42.5 43.7	44.4 36.6	48.3 33.7	42.1 42.8	49.4 39.8	51.4 41.8	49.4 43.7	42.9 45.1	32.1 39.4	22.4 28.5	9.3 14.3	3.5 4.8	0.4 0.5	5 6
25.4	23.4	19.6	18.1	18.2	18.9	22.0	25.0	25.9	23.6	18.8	9.6	3.1	0.9	
26.7 24.1	24.5 22.2	20.9 18.3	19.8 16.2	19.2 17.2	18.6 19.2	20.3 23.7	22.4 27.9	23.3 28.6	20.2 27.2	16.1 21.6	8.3 11.0	2.1 4.1	0.7 1.1	8 9
5.9 9.3	3.7 9.9	1.6 4.7	1.1 5.2	4.3 1.0	0.5 3.6	1.1	1.1 1.0	0.5 0.5	1.6 0.5	1.0	0.5			10
6.5 4.9	3.6 4.9	2.9 3.1	0.6 0.6			0.6		0.6 0.6			0.6			11
5.0 4.6	2.2 2.9	0.2 1.4	2.2 1.7	1.4 1.9	1.0 1.0	0.6 1.0	0.4 0.4	0.2 0.4	0.2 0.6	0.2 0.4		0.2		12
1.2 3.1	1.2 1.0	1.7 1.6	0.6	0.5	0.6	1.2		0.6 0.5		0.6 0.5		0.6 0.5		13
51.8 59.1	54.1 41.1	49.5 34.5	58.7 39.4	44.0 32.0	42.5 40.2	39.4 44.3	41.7 46.8	37.9 43.5	34.0 24.6	17.0 23.8	9.3 10.7	2.3 0.8	1.6	14
30.6 25.0	30.3 25.7	43.2 29.8	40.1 31.1	40.4 45.4	49.3 56.4	76.8 85.7	89.7 102.0	113.5 115.3	107.1 127.0	102.0 107.9	51.7 55.8	14.3 25.0	3.7 5.4	15
114.6 83.8	91.2 68.3	57.7 54.2	46.2 34.5	35.2 30.8	25.5 26.2	19.5 22.3	11.2 18.0	9.1 14.8	3.4 5.1	1.1 2.9	0.9 1.0			16
24.2 35.3	20.9 45.6	34.1 29.6	41.7 21.7	43.9 39.9	43.9 36.5	39.6 49.0	56.0 50.2	54.9 58.2	38.5 46.8	19.8 41.0	13.2 19.4	3.3 9.1	3.3 2.3	17
12.4 18.5	12.4 20.8	31.1 18.5	20.8 23.1	20.8 25.5	16.6 18.5	16.6 34.7	24.9 46.3	29.1 27.8	31.1 25.5	14.5 13.9	8.3 9.3	4.1 6.9		18
10.2 15.8	12.3 12.9	13.3 14.1	12.3 15.8	25.1 17.0	39.9 30.5	41.5 38.1	53.8 46.4	57.4 55.8	52.3 59.9	38.4 51.1	18.4 27.6	5.1 8.8	3.1 3.5	19
30.3 23.2	32.3 21.9	28.2 27.9	34.3 41.8	41.0 39.2	29.6 50.5	59.9 60.4	61.9 93.6	63.2 92.3	51.8 93.6	51.1 63.1	25.6 38.5	4.7 11.3	2.7 2.0	20
6.7 12.0	9.0 12.3	8.3 12.3	11.2 12.9	10.0 13.6	11.7 13.7	13.8 18.7	14.7 28.0	14.0 25.0	12.8 21.4	8.4 14.0	4.4 6.8	0.6 1.2	0.5 0.7	21
														22
(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	23
16.0 22.0	21.3 19.8	16.0 22.0	16.9 20.8	8.9 5.5	8.0 7.7	5.3 4.4	4.4 2.2	3.6 4.4	1.8 3.3	0.9 1.1		1.1		24
105.0 78.3	105.0 56.5	60.8 56.5	58.0 26.1	41.4 30.4	33.2 30.4	13.8 8.7	11.0 13.0	8.3 8.3						25
48.5 19.1	47.3 65.3	65.1 35.0	48.5 30.3	63.9 47.8	75.8 55.7	56.8 70.1	63.9 50.9	54.5 55.7	47.3 49.4	28.4 33.4	9.5 12.7	4.7 4.8	1.2 1.6	26
61.0 114.8	70.1 108.3	67.8 64.9	61.0 44.7	70.9 35.0	67.1 43.5	54.9 31.1	70.9 20.8	37.3 24.0	34.3 17.5	23.6 8.4	6.9 6.5	2.6		27
38.4 45.8	46.1 38.6	44.1 36.1	36.5 24.1	40.3 21.7	32.6 7.2	24.9 2.4	7.7 4.8	5.8 7.2	7.7 2.4	1.9 2.4				28
20.5 22.9	25.6 26.7	29.7 19.1	42.0 30.5	47.1 49.6	44.1 56.0	61.5 94.1	93.2 115.8	139.3 117.1	114.8 119.6	104.5 115.8	66.6 47.1	16.4 19.1	3.1 7.6	29
40.1	49.1	38.6	34.9	29.9	24.3	16.7	16.1	9.7	9.5	3.8	2.3	0.6	0.5	30
49.5 25.7	63.5 27.2	49.8 21.4	45.5 18.6	38.4 17.1	30.0 15.5	20.7 10.6	19.0 11.4	10.0 9.3	9.3 9.7	3.2 4.7	2.4 2.2	0.6 0.6	0.1 1.1	31 32
133.4 120.9	190.7 181.3	139.4 164.9	129.7 118.1	113.0 88.0	77.8 57.7	41.3 41.2	46.1 22.0	13.7 13.7	11.4 11.0	2.4 2.7	2.4			33
		(*)	(*)	(*)	(*)		(*)		(*)					34
(*) (*)	(*) (*)	(*)	(*)	(*) (*)	(*) (*)	(*) (*)	(*)	(*)	(*)				(*)	35
105.6 98.2	102.0 81.3	95.0 50.6	82.5 47.5	56.8 55.2	61.2 47.5	54.1 26.1	34.6 39.9	25.8 16.9	22.2 15.3	6.2 13.8	3.5			36
1.0 1.9	1.2 1.4	1.7 1.7	1.4 3.4	3.1 2.8	2.8 4.8	3.3 4.5	3.5 5.3	4.5 7.0	5.0 8.7	2.8 3.4	2.1 2.8	0.9 0.8	0.2 1.1	37
2.0	2.5	2.3	2.2	3.7	6.2	13.0	25.9	55.8	82.2	109.8	79.3	39.1	16.1	38
1.8 2.3	2.3 2.7	1.9 2.6	2.2 2.2	3.2 4.2	5.2 7.2	10.9 15.2	23.2 28.6	49.4 62.2	74.0 90.4	97.5 122.3	66.6 92.2	28.9 49.4	10.3 22.1	39 40
						15.2 21.4	49.4 47.1	131.0 121.3	204.6 188.3	284.9 261.8	197.7 201.6	86.1 109.6	31.1 48.9	41
														42
1.1							1.3							43
5.4 7.4	7.0 8.9	5.8 8.7	6.7 7.4	9.5 13.7	15.6 23.4	17.9 19.4	21.7 26.7	21.4 31.3	24.1 28.6	17.1 28.4	8.6 15.5	3.4 6.1	0.7 2.7	44
					2.2				1.6					45

VITAL STATISTICS.

TABLE 24.—NUMBER OF DEATHS AT EACH AGE PER 1,000
THE REGISTRATION RECORD—Continued.

CAUSE OF DEATH.		Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	1. General diseases—Continued. General diseases—D.	32.8	16.0	8.2	5.7	3.7	66.4	14.3	15.5	49.8	92.7	104.8
2	Males	36.7	17.0	9.2	5.5	3.8	72.2	13.9	11.5	41.1	88.9	104.5
3	Females	28.8	15.0	7.2	6.0	3.6	60.6	14.6	19.5	58.4	96.4	105.1
4	Anemia	{M.. 126.6	26.0	6.5	9.7	3.2	172.0	27.6	14.6	21.1	35.7	34.1
		{F.. 84.5	25.9	12.4	12.4	6.7	141.9	14.6	18.0	58.6	70.9	60.8
5	Diabetes	{M.. 5.0	3.6	3.6	1.4	3.6	17.2	23.6	40.7	40.0	35.7	47.8
		{F.. 3.1	3.1	1.6	7.8	2.3	17.9	25.7	31.9	24.9	36.5	34.2
6	Rheumatism	{M.. 11.4	6.3	7.2	6.3	6.3	37.5	55.3	43.8	38.6	36.5	49.0
		{F.. 19.3	7.1	4.1	6.1	4.1	40.7	48.9	54.0	55.0	36.7	34.6
7	Scrofula and tabes	{M.. 260.3	71.7	30.7	8.2	8.2	379.1	47.1	14.4	43.0	77.9	61.5
		{F.. 160.6	56.6	29.2	12.8	18.2	277.4	32.8	36.5	78.5	73.0	76.7
8	Hydrocephalus	{M.. 358.0	200.2	99.8	54.0	37.3	749.3	94.1	29.3	21.8	21.2	14.3
		{F.. 354.4	208.4	89.8	73.0	42.8	768.4	96.2	27.4	33.0	15.4	16.2
9	Tuberculosis, general	{M.. 78.0	39.0	29.2	15.6	17.5	179.3	48.7	33.1	46.8	97.5	128.7
		{F.. 109.3	47.5	16.6	14.2	9.5	197.1	45.1	59.4	76.0	104.5	90.3
10	Consumption	{M.. 17.8	8.8	4.8	3.0	2.0	36.4	7.4	9.1	52.2	120.1	142.4
		{F.. 16.3	8.9	4.6	3.8	2.1	35.7	12.7	24.1	89.4	154.5	166.6
11	Cancer	{M.. 1.3	0.6	0.5	0.5	0.6	3.5	1.6	1.4	2.5	7.5	10.5
		{F.. 0.9	0.1	0.1	0.3	0.1	1.5	1.1	1.1	1.7	4.3	13.3
12	Tumor	{M.. 27.4	7.2	14.4	14.4	5.8	69.2	27.4	15.8	34.6	41.8	43.2
		{F.. 14.4	6.2	9.3	9.3	5.2	44.4	12.4	14.4	22.7	38.1	37.1
13	Dropsy	{M.. 23.3	8.4	7.4	5.3	2.1	46.5	22.2	19.0	13.8	26.4	12.7
		{F.. 10.8	6.8	3.9	2.9	2.9	27.3	16.6	17.5	19.5	23.4	18.5
14	Others of this group	{M.. 347.4	78.9	50.0	23.7	18.4	518.4	52.7	34.2	36.9	28.9	21.1
		{F.. 237.2	105.1	54.1	24.0	27.0	447.4	42.1	36.1	33.0	42.1	48.1
15	2. Diseases of the nervous system	210.2	53.6	23.3	13.7	9.4	310.2	24.3	14.5	14.3	15.6	19.8
16	Males	225.1	54.4	23.3	13.2	8.8	324.8	24.5	14.9	14.4	15.2	19.7
17	Females	192.8	52.6	23.3	14.3	10.2	293.2	24.0	14.0	14.2	16.0	19.9
18	Inflammation of the brain	{M.. 262.6	119.9	82.7	24.3	21.1	510.6	72.9	24.3	25.9	32.4	24.3
		{F.. 238.6	99.8	62.9	34.7	28.2	464.2	56.4	49.9	39.0	43.4	47.7
19	Meningitis	{M.. 348.3	159.6	72.6	43.1	26.1	649.7	78.8	33.1	28.2	26.9	29.2
		{F.. 332.4	164.9	79.6	49.9	36.5	663.3	89.3	43.3	26.7	26.5	24.9
20	Apoplexy	{M.. 12.8	2.7	0.7	0.8	0.8	17.8	1.9	1.5	3.9	6.7	12.7
		{F.. 10.2	2.2	1.2	1.0	0.4	15.0	1.8	1.8	3.5	5.7	10.5
21	Paralysis	{M.. 11.7	2.2	2.4	2.6	1.1	20.0	6.2	4.4	5.3	5.1	10.6
		{F.. 7.7	4.9	2.8	1.6	1.9	18.9	4.0	1.9	6.3	9.3	11.7
22	Paralysis, general (of insane)	{M.. ..	..	..	..	..	..	2.4	4.9	2.4	2.4	36.4
		{F.. ..	..	..	..	..	..	..	..	..	5.7	23.4
23	Tetanus and trismus nascentium	{M.. 480.7	10.0	5.5	7.7	6.6	510.5	66.3	138.1	57.5	34.2	37.6
		{F.. 710.5	12.1	..	4.9	4.9	732.4	17.0	29.2	19.5	21.9	21.9
24	Chorea	{M.. ..	..	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)
		{F.. (*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)
25	Epilepsy	{M.. 64.9	14.8	5.9	4.4	2.9	92.9	28.0	44.2	100.3	66.4	95.9
		{F.. 59.0	11.1	14.8	9.2	1.8	95.9	36.9	59.1	73.8	70.1	99.6
26	Convulsions	{M.. 781.3	106.3	39.5	16.9	10.5	954.5	15.4	4.9	1.3	2.5	2.8
		{F.. 715.6	118.1	41.3	24.8	13.7	913.5	20.5	3.8	6.4	9.0	12.5
27	Mental diseases	{M.. ..	..	..	..	..	..	2.0	2.0	7.2	36.9	35.9
		{F.. ..	..	..	..	..	..	3.0	3.0	12.1	26.2	42.4
28	Diseases of the brain	{M.. 153.6	51.3	14.4	13.1	12.1	244.5	24.2	18.4	21.5	27.8	32.5
		{F.. 137.8	44.9	18.2	10.2	10.6	221.7	25.9	25.4	30.1	30.1	28.8
29	Diseases of the spinal cord	{M.. 73.6	21.9	9.9	9.9	13.9	135.2	15.9	9.9	37.8	23.8	27.8
		{F.. 46.7	23.4	16.4	9.3	9.3	105.1	37.4	14.0	25.7	23.4	35.1
30	Locomotor ataxia	{M.. 2.7	..	2.7	..	..	5.4	..	2.7	2.7	8.1	10.8
		{F.. ..	..	..	..	..	..	8.2	..	..	16.4	..
31	Others of this class	{M.. 21.5	2.4	7.2	2.4	2.4	35.9	12.0	4.8	16.7	26.3	40.6
		{F.. 20.5	3.4	..	..	1.7	25.6	6.8	8.5	30.7	37.5	61.4
32	3. Diseases of the circulatory system	52.1	2.8	2.0	2.1	2.8	61.8	16.3	18.7	19.3	24.6	29.0
33	Males	56.8	3.0	2.2	2.2	2.5	66.7	14.2	13.6	17.1	20.3	26.4
34	Females	46.8	2.6	1.8	2.0	3.1	56.3	18.6	24.4	21.8	29.4	31.8
35	Pericarditis	{M.. 26.9	15.0	..	12.0	6.0	59.9	53.9	80.8	77.8	53.9	62.9
		{F.. 30.5	3.0	6.1	9.2	27.4	76.2	61.0	79.3	73.2	57.9	33.5
36	Diseases of the heart	{M.. 38.4	3.0	2.3	2.1	2.6	48.4	15.2	14.1	18.0	21.7	27.1
		{F.. 33.1	2.7	1.8	2.0	2.7	42.3	19.4	25.4	22.4	29.4	31.4
37	Angina pectoris	{M.. ..	..	..	..	..	..	1.9	1.0	5.7	7.6	20.9
		{F.. ..	..	..	..	..	..	3.8	6.4	10.2	34.5	38.3
38	Diseases of the arteries	{M.. 3.1	..	..	..	..	3.1	1.5	..	1.5	..	3.1
		{F.. 2.5	2.5	..	..	..	5.0	..	2.5	..	2.5	5.0
39	Aneurism	{M.. ..	..	..	..	..	..	16.8	8.2	..	21.8	49.0
		{F.. ..	..	..	..	..	..	..	16.8	8.4	8.4	84.1
40	Embolism	{M.. 90.3	..	6.9	..	6.9	104.1	13.9	6.9	13.9	20.8	20.8
		{F.. 10.7	..	5.4	..	5.4	21.5	5.4	..	21.5	75.3	107.5
41	Others of this class	{M.. 950.0	9.2	5.6	9.2	5.6	979.6	1.8	1.8	..	..	1.8
		{F.. 918.3	5.4	2.7	2.7	8.2	937.3	2.7	2.7	2.7	5.5	10.9

* Data insufficient for correct proportions.

PROPORTION OF DEATHS AT EACH AGE.

615

DEATHS AT KNOWN AGES FROM EACH CAUSE—Continued.

THE REGISTRATION RECORD—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	
96.0	89.3	76.0	69.3	65.8	62.4	57.2	52.8	39.8	27.7	13.7	5.0	1.2	0.3	1
102.1	96.1	80.9	72.7	67.6	60.8	54.6	50.4	38.3	26.3	12.4	4.3	1.1	0.3	2
90.0	82.4	71.2	66.0	64.1	63.9	59.9	55.2	41.2	29.1	14.9	5.8	1.3	0.4	3
32.5	39.0	66.6	60.1	92.5	92.5	87.7	87.7	47.1	48.7	30.8	8.1	2.3	1.6	4
59.7	69.8	64.2	60.8	75.5	77.7	66.4	66.4	46.2	29.3	11.3	4.5	2.3	1.1	5
47.8	48.5	67.8	62.1	91.4	81.4	113.5	111.3	80.6	58.5	25.0	4.3	2.1	0.7	6
26.4	39.6	48.2	59.1	98.0	126.7	140.0	119.8	89.4	55.2	20.2	4.7	1.6	0.2	7
52.1	49.0	50.1	63.6	64.7	93.8	74.0	87.6	84.5	63.6	40.7	12.5	2.1	1.0	8
50.9	44.8	50.9	55.0	66.2	64.2	81.5	95.7	79.4	67.2	46.8	20.4	5.1	2.0	9
45.1	55.3	30.7	43.0	22.6	38.9	47.1	45.1	28.7	10.3	8.2	-----	-----	2.0	10
78.5	56.6	45.6	49.3	54.7	27.4	32.8	29.2	16.4	18.2	16.4	-----	-----	-----	11
21.8	12.6	12.6	9.2	5.7	2.9	2.3	0.6	0.6	1.1	0.6	-----	-----	-----	12
9.1	9.1	8.4	5.6	2.8	2.8	-----	1.4	2.8	1.4	-----	-----	-----	-----	13
93.6	89.7	56.6	70.2	60.4	29.2	19.5	23.4	9.7	11.7	1.9	-----	-----	-----	14
99.8	66.5	57.0	66.5	35.6	23.8	26.1	28.5	7.1	9.5	4.8	2.4	-----	-----	15
136.5	124.1	94.5	75.8	60.3	45.9	35.0	26.7	17.8	10.6	3.8	1.1	0.2	0.1	16
130.3	104.3	70.5	48.1	39.8	33.5	28.2	24.8	17.6	12.0	5.0	2.3	0.4	0.2	17
19.9	34.5	58.0	84.1	117.5	131.2	136.6	139.5	113.1	81.0	37.3	14.6	4.9	0.8	18
30.8	60.4	89.3	115.6	122.8	133.2	124.9	112.6	83.2	58.9	31.1	11.0	2.7	0.5	19
49.0	57.6	76.4	99.4	87.9	93.7	76.4	90.8	70.6	40.3	23.0	-----	-----	-----	20
59.8	78.4	94.8	92.3	89.7	96.9	93.8	86.6	66.0	44.3	19.6	8.2	-----	-----	21
25.4	39.1	52.9	63.4	48.6	81.4	93.0	115.2	124.7	97.3	77.2	37.0	4.2	4.9	22
37.0	27.3	44.8	69.2	62.4	71.1	95.5	124.8	126.7	100.4	70.2	34.1	8.8	-----	23
28.9	34.2	57.9	34.2	26.3	28.9	23.7	23.7	21.1	18.4	5.3	2.6	-----	2.6	24
78.1	39.0	39.0	39.0	27.0	30.0	30.0	36.1	21.0	9.0	3.0	-----	-----	-----	25
22.6	29.8	32.4	40.5	48.7	56.0	67.7	77.2	80.2	72.0	47.2	19.7	5.8	1.5	26
24.3	32.0	35.4	40.9	49.1	56.4	64.9	74.8	77.1	67.6	43.1	16.0	3.9	1.0	27
20.5	27.2	29.0	40.2	48.2	55.6	71.1	80.0	83.8	77.2	51.9	24.0	8.0	2.0	28
27.6	32.4	34.0	21.1	34.0	24.3	25.9	27.6	38.9	21.1	16.2	6.5	-----	-----	29
36.9	23.9	39.0	32.5	41.2	32.5	13.0	30.4	19.5	15.2	10.9	2.2	2.2	-----	30
24.3	24.6	18.3	21.8	16.7	12.0	8.7	10.5	7.4	6.4	2.1	1.5	0.3	-----	31
19.1	16.6	14.3	17.8	11.2	9.5	10.2	10.4	7.0	4.6	3.5	1.0	0.6	0.2	32
20.2	28.6	43.9	54.8	79.7	99.9	120.2	136.9	139.6	119.1	77.8	27.4	6.3	1.1	33
13.2	23.6	35.8	60.0	79.1	98.4	120.4	132.5	139.1	123.3	80.7	39.7	12.5	3.4	34
23.5	39.6	45.7	53.6	67.5	78.7	95.9	119.4	147.5	140.1	91.2	34.5	7.5	3.7	35
15.0	20.8	26.4	40.4	50.7	68.9	102.1	131.6	154.5	155.0	111.9	49.1	17.3	4.2	36
87.4	114.1	143.2	145.6	101.9	94.7	82.5	63.1	43.7	36.4	19.4	14.6	4.9	-----	37
79.5	68.2	108.0	28.4	90.9	79.5	73.9	119.3	125.0	102.3	62.5	17.0	11.4	-----	38
36.5	16.6	19.9	21.0	18.8	15.5	7.7	7.7	6.6	5.5	-----	-----	-----	-----	39
34.1	31.6	29.2	9.7	4.9	19.5	21.9	2.4	2.4	2.4	-----	-----	-----	-----	40
(*)	-----	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	41
75.2	101.8	73.8	60.5	33.9	41.3	47.2	36.9	42.8	32.5	14.7	8.8	2.9	-----	42
59.1	99.6	55.4	62.7	62.7	40.6	66.4	36.9	33.2	25.8	14.8	3.7	3.7	-----	43
2.1	2.5	1.3	2.7	2.3	0.6	1.3	1.3	2.5	0.8	0.8	0.2	0.2	-----	44
9.0	6.8	4.5	1.9	1.7	1.4	2.8	2.4	1.2	1.4	0.5	0.2	0.5	-----	45
57.4	80.9	64.6	53.3	58.4	76.8	95.3	134.2	103.5	93.2	60.5	29.7	8.2	-----	46
55.5	70.6	71.7	67.6	67.6	65.6	106.0	96.9	96.9	99.9	68.6	34.3	13.1	2.0	47
38.6	48.6	43.9	47.6	54.7	58.4	63.7	68.1	71.1	65.7	46.9	17.4	5.4	1.0	48
35.2	52.1	37.3	51.3	51.7	45.8	64.8	80.1	72.1	70.4	47.5	22.5	5.5	1.7	49
31.8	65.6	75.5	69.6	101.4	77.5	91.5	103.4	55.7	51.7	21.9	2.0	-----	2.0	50
37.4	77.1	49.1	60.7	79.4	105.2	84.1	88.8	79.4	60.7	28.0	4.7	4.7	-----	51
35.1	62.2	70.3	154.1	118.9	162.2	127.0	110.8	67.6	48.6	10.8	2.7	-----	-----	52
16.4	73.8	49.2	98.4	139.3	163.9	131.1	98.4	81.9	65.6	41.0	16.4	-----	-----	53
33.5	47.8	59.8	69.4	62.2	95.7	100.5	131.6	124.4	88.5	31.1	12.0	4.8	2.4	54
68.3	71.7	61.4	75.1	102.4	64.8	80.2	90.5	93.9	68.3	35.8	13.7	1.7	1.7	55
35.4	45.2	50.2	56.8	71.2	83.3	99.0	110.0	110.1	88.7	52.1	21.9	5.1	1.3	56
33.6	44.8	49.1	55.8	73.4	87.5	103.6	113.2	113.6	91.4	51.1	20.2	3.6	0.8	57
37.5	45.6	51.4	58.0	68.8	78.6	93.9	106.4	106.0	85.7	53.2	23.8	6.9	1.9	58
47.9	77.8	65.9	38.9	86.8	74.9	50.9	65.9	44.9	44.9	12.0	-----	-----	-----	59
79.3	45.7	73.2	57.9	33.5	64.0	64.0	79.3	45.7	30.5	30.5	9.2	6.1	-----	60
34.9	44.7	49.4	57.2	74.3	88.4	104.2	116.0	117.0	93.2	51.3	20.4	3.6	0.9	61
37.2	47.0	52.6	58.5	71.3	79.9	96.6	107.8	107.6	86.9	52.3	23.9	6.4	1.7	62
27.6	44.7	52.3	54.2	93.2	103.7	165.6	128.5	120.8	99.0	54.2	18.1	1.0	-----	63
35.8	47.3	40.9	83.0	80.5	100.9	109.8	137.9	103.4	77.9	65.1	16.6	7.7	-----	64
4.6	7.6	18.3	24.4	44.3	91.6	103.4	161.3	171.0	155.7	129.8	56.5	13.7	3.1	65
2.5	10.0	12.5	15.0	30.0	55.0	85.0	125.0	210.0	162.5	150.0	70.0	40.0	17.5	66
65.4	147.1	141.7	130.8	103.5	125.4	89.9	43.6	40.9	30.0	2.7	-----	-----	-----	67
67.2	67.2	126.1	134.5	50.4	75.6	58.8	92.5	58.8	75.6	42.0	8.4	8.4	-----	68
41.7	55.6	27.8	69.5	97.2	83.3	76.5	111.1	111.1	90.3	48.6	6.9	-----	-----	69
112.9	48.4	75.3	59.1	53.8	86.0	43.0	64.5	86.0	91.4	26.9	21.5	-----	-----	70
1.9	-----	1.9	-----	3.7	-----	5.6	-----	-----	-----	1.9	-----	-----	-----	71
8.2	2.7	2.7	2.7	5.5	-----	-----	2.7	-----	8.2	5.5	-----	-----	-----	72

VITAL STATISTICS.

TABLE 24.—NUMBER OF DEATHS AT EACH AGE PER 1,000
THE REGISTRATION RECORD—Continued.

CAUSE OF DEATH.		Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	4. Diseases of the respiratory system.....	226.2	103.2	46.5	25.3	15.5	416.7	32.2	10.5	16.7	26.2	30.2
2	Males.....	242.0	104.9	45.6	23.9	14.2	430.6	30.4	9.2	17.1	28.3	33.0
3	Females.....	208.1	101.2	47.6	27.0	17.0	400.9	34.1	12.1	16.3	23.8	26.9
4	Croup.....(M..)	150.7	205.8	202.5	148.7	93.7	801.4	181.5	7.9	1.9	1.9	1.9
	(F..)	132.1	194.3	167.4	159.8	105.2	758.8	213.5	16.1	2.3	0.8	0.8
5	Pneumonia.....(M..)	207.3	106.6	42.6	20.6	11.5	388.6	26.0	9.9	19.9	34.2	40.0
	(F..)	185.0	106.4	47.0	23.6	14.6	376.6	30.1	13.7	18.5	26.7	31.1
6	Laryngitis.....(M..)	151.2	151.2	74.1	108.0	61.7	546.2	163.6	27.8	3.1	12.3	9.3
	(F..)	117.2	164.9	106.2	146.5	65.9	600.7	157.5	25.6	22.0	14.7	29.3
7	Bronchitis.....(M..)	431.2	118.1	39.8	14.9	10.1	614.1	15.9	5.4	5.7	7.9	9.4
	(F..)	322.7	97.8	41.7	16.3	11.1	489.6	16.2	4.6	8.8	10.9	10.9
8	Pleurisy.....(M..)	32.9	48.0	25.3	22.8	10.1	139.1	34.1	19.0	55.6	61.9	58.2
	(F..)	30.7	40.3	27.4	12.9	11.3	122.6	46.8	16.1	29.0	79.1	71.0
9	Asthma.....(M..)	40.3	4.6	1.6	1.6		48.1	12.4	1.6	12.4	13.9	17.0
	(F..)	32.7	8.6		1.7		48.0	12.0	3.4	1.7	15.5	20.6
10	Others of this class.....(M..)	314.8	33.7	19.5	8.1	8.5	384.6	17.7	8.1	15.6	25.5	31.9
	(F..)	256.3	36.1	15.1	17.7	12.6	337.8	19.3	15.1	21.4	31.9	34.9
11	5. Diseases of the digestive system.....	139.6	30.3	11.7	7.6	6.9	196.1	29.5	30.5	38.0	49.8	56.7
12	Males.....	157.0	30.9	12.1	6.9	6.5	213.4	29.5	33.2	36.9	42.8	47.5
13	Females.....	121.5	29.6	11.3	8.4	7.2	178.0	29.5	27.8	39.1	57.1	66.3
14	Dentition.....(M..)	574.0	385.2	30.6	5.1	5.1	1,000.0					
	(F..)	581.3	377.4	33.1	2.7	5.5	1,000.0					
15	Angina.....(M..)	98.5	128.1	78.8	78.8	39.4	423.6	152.7	44.3	19.7	64.0	34.5
	(F..)	87.0	92.4	76.1	38.0	81.5	375.0	228.3	103.3	21.7	32.6	38.1
16	Gastritis.....(M..)	199.6	38.7	11.1	11.1	4.0	264.5	15.6	7.0	10.6	14.6	26.6
	(F..)	131.1	41.2	14.2	14.6	8.4	209.5	18.6	6.6	13.7	30.1	42.1
17	Diseases of the stomach.....(M..)	78.2	12.2	3.7	3.7	7.3	105.1	9.8	7.3	12.2	19.6	40.3
	(F..)	66.4	19.6	4.5		6.0	96.5	10.6	7.5	28.7	58.8	60.3
18	Obstruction of the bowels.....(M..)	193.6	17.8	14.2	6.2	9.8	241.6	42.6	27.5	36.4	40.9	55.9
	(F..)	107.7	12.5	9.2	14.2	6.7	150.3	31.7	13.4	22.5	40.1	61.8
19	Appendicitis.....(M..)	5.1	2.8	2.2	5.6	6.7	22.4	61.5	131.9	136.4	142.5	115.1
	(F..)	6.6	4.7	4.7	3.8	7.5	27.3	97.7	133.4	148.5	112.8	121.2
20	Hernia.....(M..)	121.3	10.5			1.8	133.6	5.3	8.8	26.4	22.8	28.1
	(F..)	40.0	4.0			4.0	48.0	8.0		6.0	2.0	4.0
21	Other diseases of the bowels.....(M..)	285.0	39.6	10.5	5.3	2.6	343.0	13.2	13.2	26.4	39.5	44.9
	(F..)	230.1	39.8	5.7	11.4	8.5	295.5	17.0	22.7	39.8	25.6	73.9
22	Jaundice.....(M..)	559.2	5.7	13.4	3.8	1.9	584.0	7.7	3.8	7.7	9.5	24.8
	(F..)	407.9	6.6	17.5	2.2	11.0	445.2	11.0	6.6	8.8	17.5	19.7
23	Inflammation and abscess of the liver.....(M..)	54.5	7.4	2.9	2.9	11.8	79.5	16.2	14.7	13.3	45.6	58.9
	(F..)	44.1	1.7	3.4	10.1	6.8	66.1	11.9	22.0	15.2	39.0	47.5
24	Other diseases of the liver.....(M..)	13.8	1.9	2.2	0.4	0.7	19.0	3.0	4.1	4.5	10.4	25.7
	(F..)	19.4	4.4	3.1	1.2	1.2	29.3	6.2	4.4	4.4	16.9	28.1
25	Peritonitis.....(M..)	74.3	21.3	25.1	10.4	9.3	140.4	77.1	77.6	84.7	82.0	79.2
	(F..)	29.9	12.2	9.4	6.9	6.0	64.4	38.3	45.3	80.5	134.5	133.9
26	Ascites.....(M..)	(*)	(*)				(*)	(*)	(*)	(*)	(*)	(*)
	(F..)	25.4					25.4			8.5	8.5	67.8
27	Others of this class.....(M..)	479.0	61.2	26.5	9.6	12.5	588.8	18.4	2.2	3.7	11.1	15.5
	(F..)	401.8	48.4	24.6	14.1	6.7	495.6	16.4	9.7	7.5	10.4	22.3
28	6. Diseases of the urinary system and male organs of generation.....	16.9	5.4	4.6	4.6	4.2	35.7	15.3	11.1	15.7	31.0	42.0
29	Males.....	17.3	4.8	3.6	4.4	3.8	33.9	14.0	8.8	12.2	22.8	33.9
30	Females.....	16.4	6.3	6.1	4.8	4.7	38.3	17.1	14.2	20.6	42.5	53.4
31	Bright's disease.....(M..)							16.5	9.7	14.4	25.9	37.3
	(F..)							18.8	16.0	21.1	41.9	49.3
32	Calculus, urinary.....(M..)	20.0					20.0		30.0	20.0	50.0	20.0
	(F..)	(*)					(*)				(*)	(*)
33	Diseases of the kidney.....(M..)	181.9	69.0	56.0	62.5	54.1	423.5	11.2	3.7	8.4	14.9	26.1
	(F..)	194.6	88.2	83.0	68.7	70.0	504.5	5.2	3.9	11.7	27.2	35.0
34	Diseases of the bladder.....(M..)	7.8	1.6			0.8	10.2	2.4	3.9	3.1	4.7	12.5
	(F..)	27.9		11.2			39.1	5.6		5.6	16.7	33.5
35	Others of this class.....(M..)	38.6	2.6	0.4	3.5	2.6	47.7	9.1	8.2	6.5	18.6	31.2
	(F..)	28.0	6.4	6.4	4.3	2.2	47.3	13.6	9.3	24.4	58.1	95.4
36	7. Diseases of the female organs of generation.....	5.0	0.5		0.5	0.5	6.5	0.6	5.0	37.6	104.0	142.7
37	Ovarian tumors.....							3.5	3.5	28.2	56.3	91.6
38	Ovarian diseases.....									20.0	120.0	180.0
39	Diseases of the tubes.....									55.2	165.6	246.8
40	Uterine tumors.....					2.1	2.1		2.1	4.2	16.7	50.2
41	Uterine diseases.....									94.0	179.5	230.8
42	Others of this class.....	17.3	1.9		1.9		21.1		13.4	53.8	153.6	167.0

* Data insufficient for correct proportions.

PROPORTION OF DEATHS AT EACH AGE.

617

DEATHS AT KNOWN AGES FROM EACH CAUSE—Continued.

THE REGISTRATION RECORD—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	
31.6	36.8	34.3	35.3	39.9	42.7	48.3	52.6	52.2	43.5	30.3	14.3	4.4	1.3	1
34.4	41.8	39.8	40.4	42.8	42.7	43.8	45.9	44.8	36.4	23.9	11.2	2.8	0.7	2
28.4	31.1	28.0	29.5	36.5	42.7	53.5	60.3	60.6	51.6	37.7	17.9	6.2	1.9	3
0.8	0.7	0.7	0.8	0.8	1.5	0.7	0.7	0.8	0.7	0.7	0.7	0.7	0.7	4
41.6	50.6	47.4	47.8	48.9	44.7	46.0	45.4	43.0	33.2	20.7	9.3	2.2	0.6	5
33.7	37.3	32.8	33.5	40.6	47.3	57.1	60.5	58.0	47.6	33.7	14.9	4.9	1.4	6
34.0	18.5	37.0	30.9	30.9	18.5	21.6	18.5	6.2	9.3	12.3	3.7	3.7	3.7	7
33.0	14.6	7.3	3.7	11.0	25.6	11.0	3.7	14.6	18.3	3.7	3.7	3.7	3.7	8
7.3	10.4	11.8	13.9	18.9	32.0	31.5	42.3	53.8	51.5	40.2	20.5	5.9	1.6	9
10.8	8.9	9.5	16.5	21.0	31.2	46.0	65.0	73.7	70.3	56.2	32.9	12.6	4.4	10
70.8	82.2	69.5	67.0	60.7	60.7	51.8	53.1	48.1	37.9	20.2	8.8	1.3	0.7	11
72.6	64.5	59.7	59.7	54.8	40.3	71.0	51.6	64.5	53.2	27.4	12.9	3.2	0.7	12
20.1	24.8	38.7	51.2	82.2	110.1	136.4	145.7	122.5	77.5	57.4	21.7	4.7	1.6	13
18.9	29.2	41.2	41.2	79.0	73.9	127.2	165.0	125.4	113.4	61.9	22.3	5.2	0.7	14
36.1	42.1	41.4	39.3	46.4	53.1	52.4	62.7	52.8	46.4	25.5	14.2	3.5	0.7	15
29.4	40.3	37.0	33.6	45.4	46.2	48.7	61.8	70.2	55.5	46.2	17.7	5.5	2.1	16
53.0	58.1	60.5	57.6	58.8	61.7	61.2	61.3	53.2	40.5	21.0	9.3	2.7	0.5	17
46.2	51.9	63.2	63.2	61.3	66.8	63.8	60.4	51.5	39.3	18.7	7.8	2.2	0.4	18
60.2	64.6	57.8	51.9	56.2	56.5	58.5	62.2	55.0	41.7	23.3	10.7	3.1	0.5	19
59.1	9.9	34.5	24.6	29.6	9.9	19.7	9.9	24.6	14.8	19.7	5.4	5.4	4.9	20
32.7	5.4	27.2	27.2	27.2	21.7	5.4	21.7	21.7	21.7	5.4	5.4	5.4	4.9	21
33.2	38.7	46.8	54.8	59.8	74.4	70.9	83.0	76.4	62.3	38.7	15.6	5.0	1.5	22
36.8	53.2	44.7	42.1	59.4	60.3	73.1	74.4	86.0	66.9	53.2	20.4	8.0	0.9	23
42.8	68.5	69.7	102.7	89.2	96.6	90.5	85.6	68.5	61.1	17.1	13.4	4.5	0.9	24
69.4	73.9	36.2	79.9	79.9	63.4	83.0	76.9	83.0	48.3	22.6	16.6	4.5	0.9	25
46.2	39.1	33.7	55.9	59.5	63.1	46.2	60.4	63.9	57.7	15.1	10.7	3.6	0.7	26
48.4	55.9	71.8	65.9	54.3	72.6	60.9	84.3	66.8	50.1	29.2	17.5	0.8	1.7	27
87.8	71.5	66.0	48.1	35.2	27.9	18.4	14.0	11.7	5.6	3.4	0.6	0.6	0.9	28
77.1	70.6	47.0	44.2	28.2	24.4	18.8	23.5	9.4	8.5	6.6	6.6	6.6	0.9	29
35.1	49.2	56.2	66.8	51.0	82.6	84.3	75.6	100.2	93.1	51.0	22.8	5.3	1.8	30
28.0	56.0	72.0	70.0	104.0	106.0	130.0	128.0	104.0	76.0	32.0	22.0	4.0	1.8	31
42.2	31.7	50.1	31.7	47.5	60.7	47.5	55.4	68.6	44.9	29.0	2.6	7.9	2.8	32
59.7	62.5	48.3	31.2	25.6	51.1	31.2	68.2	59.7	45.4	11.4	25.6	2.8	2.8	33
22.9	9.5	21.0	24.8	28.6	49.6	42.0	45.8	49.6	36.3	21.0	9.5	1.9	1.9	34
28.5	28.5	19.7	32.9	39.5	50.4	52.6	76.8	83.3	41.7	21.9	8.8	6.6	1.9	35
73.6	78.1	83.9	86.9	100.1	66.3	88.4	70.7	61.9	36.8	22.1	1.5	1.5	1.5	36
39.0	57.6	83.1	67.8	71.2	94.9	94.9	98.3	79.7	61.0	33.9	13.5	3.4	0.4	37
42.1	74.6	110.0	108.2	112.7	122.7	120.9	105.2	68.3	47.7	13.4	5.2	1.9	0.4	38
49.4	72.5	94.3	90.6	111.8	101.2	101.8	101.8	84.3	65.6	25.6	11.2	0.6	0.6	39
62.3	57.9	70.5	59.6	35.5	48.1	38.3	34.4	23.5	15.8	7.7	3.8	1.6	1.6	40
119.1	104.7	71.7	42.7	34.9	22.1	30.2	25.8	21.4	12.6	3.8	2.5	1.6	1.6	41
(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	42
33.9	25.4	50.8	67.8	50.8	93.3	135.6	152.5	101.7	101.7	59.3	8.5	8.5	8.5	43
14.0	22.8	33.9	28.0	37.6	34.6	48.7	37.6	38.3	28.7	22.8	11.8	1.5	1.5	44
20.1	26.0	29.8	37.9	55.8	47.6	49.1	52.1	37.9	42.4	26.0	8.2	4.5	0.7	45
47.2	59.7	65.5	71.2	83.3	90.4	100.0	99.6	94.3	73.0	41.6	18.7	3.6	1.1	46
39.9	51.0	61.5	67.2	85.3	92.5	103.1	107.8	103.2	85.3	50.5	22.0	4.0	1.1	47
57.4	71.7	71.1	76.9	80.5	87.5	95.7	88.2	81.8	55.7	29.1	14.0	3.0	1.3	48
45.8	58.2	69.9	76.6	97.5	104.5	113.0	108.9	95.5	73.6	36.2	13.5	2.4	0.6	49
55.7	71.9	74.6	81.5	85.8	93.5	104.0	91.9	83.0	57.2	30.2	14.5	2.8	1.3	50
20.0	50.0	60.0	40.0	100.0	100.0	90.0	110.0	120.0	110.0	30.0	20.0	10.0	10.0	51
(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	52
21.5	33.6	36.4	32.6	42.9	41.1	44.8	70.9	62.5	63.4	37.3	23.3	1.9	1.3	53
46.7	44.1	42.8	40.2	45.4	40.2	31.1	46.7	27.2	26.0	16.9	3.9	3.9	1.3	54
7.1	11.0	17.3	20.4	39.2	43.9	88.6	141.2	185.1	169.4	142.0	78.4	14.1	5.5	55
22.3	61.5	22.3	27.9	22.3	95.0	128.5	89.4	134.1	139.7	61.5	61.5	27.9	5.6	56
36.0	42.9	52.8	59.8	65.0	78.9	85.8	100.5	117.0	110.9	83.6	36.0	8.2	1.3	57
78.9	88.2	68.9	71.0	70.3	73.2	68.9	84.7	61.7	50.2	23.0	9.3	2.9	0.7	58
141.0	132.2	135.0	101.2	61.9	36.0	31.0	26.0	17.7	12.7	6.1	1.1	1.1	0.6	59
91.6	81.0	109.2	130.3	102.1	70.4	59.9	73.9	49.3	24.6	17.6	3.5	3.5	3.5	60
240.0	180.0	100.0	60.0	40.0	10.0	10.0	30.0	20.0	20.0	20.0	20.0	20.0	20.0	61
204.6	172.1	97.4	42.2	9.7	9.7	9.7	3.2	3.2	3.2	3.2	3.2	3.2	3.2	62
83.7	133.9	213.4	161.1	119.2	62.8	60.6	31.4	27.2	23.0	8.4	8.4	8.4	8.4	63
153.8	102.6	76.9	51.3	17.1	17.1	17.1	25.6	17.1	17.1	17.1	17.1	17.1	17.1	64
161.2	132.4	119.0	84.5	32.6	23.0	15.4	7.7	5.8	5.8	3.8	3.8	1.9	1.9	65

TABLE 24.—NUMBER OF DEATHS AT EACH AGE PER 1 000
THE REGISTRATION RECORD—Continued.

CAUSE OF DEATH.		Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	8. Affections connected with pregnancy.....								1.3	69.0	216.5	246.6
2	Abortion.....									58.4	186.8	284.0
3	Childbirth.....								1.0	49.6	157.7	212.4
4	Puerperal septicemia.....								2.5	70.6	247.9	264.0
5	Extra-uterine pregnancy.....									14.4	158.3	259.0
6	Others of this class.....									104.5	247.3	239.4
7	9. Diseases of the bones and joints.....	71.4	26.7	11.4	24.8	18.1	152.4	91.4	73.1	77.1	72.4	43.8
8	Males.....	66.7	23.3	10.0	30.0	26.7	156.7	75.0	78.3	93.3	81.7	50.0
9	Females.....	77.8	31.1	13.3	17.8	6.7	146.7	113.3	77.8	55.6	60.0	35.5
10	Diseases of the spine.....	M 104.2 F 107.4	26.0 40.3	10.4 20.1	36.5 40.3	31.2	208.3 208.1	99.0 134.2	83.3 80.5	93.7 33.6	83.3 73.8	57.3 26.8
11	Abscess, lumbar and psoas.....	M (*) F (*)					(*) (*)		(*) (*)	(*) (*)	(*) (*)	(*) (*)
12	Diseases of the bones.....	M 76.6 F 75.4	19.1 54.8	14.3 13.7	33.5 6.8	38.3 20.5	181.8 171.2	52.6 95.9	67.0 89.1	95.7 54.8	57.4 68.5	43.1 47.9
13	Diseases of the hip-joint.....	M (*) F (*)	(*) (*)	(*) (*)	(*) (*)	(*) (*)	(*) (*)	(*) (*)	(*) (*)	(*) (*)	(*) (*)	(*) (*)
14	Others of this class.....	M (*) F (*)	(*) (*)	(*) (*)	(*) (*)	(*) (*)	(*) (*)	(*) (*)	(*) (*)	(*) (*)	(*) (*)	(*) (*)
15	10. Diseases of the skin.....	284.6	33.8	17.4	10.9	4.4	351.1	24.0	12.0	9.8	30.5	28.4
16	Males.....	270.6	33.3	19.6	7.8	2.0	333.3	31.4	11.7	9.8	25.5	29.4
17	Females.....	302.2	34.4	14.7	14.7	7.4	373.4	14.7	12.3	9.8	36.9	27.0
18	Abscess.....	M 201.5 F 259.8	43.9 29.4	22.0 14.7	11.0 14.7	3.7 9.8	282.1 328.4	54.9 29.4	22.0 14.7	14.6 9.8	33.0 44.1	40.3 44.1
19	Carbuncle.....	M (*) F (*)		(*) (*)			(*) (*)			(*) (*)	(*) (*)	(*) (*)
20	Others of this class.....	M 488.0 F 410.7	80.1 47.6	18.1 11.9	6.0 17.8	6.0	542.2 494.0	6.0			18.1 17.8	18.1 6.0
21	11. Diseases of the absorbent system.....	88.0	45.3	2.7	16.0	5.3	157.3	26.7	24.0	29.3	40.0	61.3
22	Males.....	104.2	52.1	5.2	31.2	10.4	203.1	41.7	20.8	36.5	41.7	52.1
23	Females.....	71.0	38.3				109.3	10.9	27.3	21.9	38.3	71.0
24	Addison's disease.....	M F						(*) (*)	(*) (*)	(*) (*)	(*) (*)	(*) (*)
25	Disease of the spleen.....	M (*) F (*)	(*) (*)		(*) (*)		(*) (*)		(*) (*)		(*) (*)	(*) (*)
26	Others of this class.....	M 156.9 F 108.9	98.0 59.4	9.8	39.2	19.6	323.5 168.3	68.7 19.8	19.6 39.6	49.0 19.8	49.0 29.7	39.2 49.5
27	12. Accidents and injuries.....	55.4	16.0	17.5	17.2	13.5	119.6	47.6	39.8	56.3	84.1	92.3
28	Males.....	40.7	11.2	13.9	12.6	9.8	88.2	42.3	43.1	60.0	90.0	101.3
29	Females.....	102.1	31.4	29.0	31.7	25.1	219.3	64.4	29.3	44.8	65.3	63.9
30	Burns and scalds.....	M 45.1 F 30.0	101.5 72.3	154.1 69.5	126.9 84.5	63.9 72.3	491.5 328.6	77.1 144.5	25.4 47.0	17.9 42.9	42.3 40.2	44.2 56.6
31	Drowning.....	M 5.7 F 31.5	10.1 66.4	8.3 38.5	9.7 45.4	12.2 14.0	46.0 195.8	111.2 87.4	128.8 83.9	99.6 122.4	102.9 73.4	87.8 38.5
32	Exposure and neglect.....	M 283.9 F (*)	6.4 (*)	6.4 (*)		12.9	309.6 (*)	25.8 (*)	12.9 (*)	6.4 (*)	32.3 (*)	19.4
33	Gunshot wounds.....	M 3.2 F 14.5	1.1 29.0	1.1 29.0	2.1 21.7	1.1	8.6 94.2	19.1 65.2	79.6 58.0	140.1 79.7	159.2 224.7	138.0 94.2
34	Homicide.....	M F	2.0 7.8	15.6	6.1 15.6	15.6	8.1 54.6	16.3 70.3	20.4 39.1	61.1 54.7	162.9 140.6	187.4 179.7
35	Infanticide.....	M (*) F (*)					(*) (*)					
36	Injuries by machinery.....	M F	9.2 (*)				9.3 (*)			112.2 (*)	140.2 (*)	149.5
37	Railroad accidents.....	M 1.8 F 14.5	2.4 17.3	3.0 23.1	4.2 20.2	6.3 34.7	17.7 109.8	41.8 132.9	43.9 54.9	68.1 80.9	121.1 69.4	128.2 52.0
38	Suffocation.....	M 493.1 F 643.7	22.1 37.9	16.6 17.8	8.3 11.1	8.3 17.8	548.4 728.3	13.8 37.9	15.2 6.7	27.6 24.5	44.2 20.0	35.9 26.7
39	Suicide by shooting.....	M F								13.2 (*)	83.5 (*)	116.6 (*)
40	Suicide by drowning.....	M F								27.0 (*)	54.0 (*)	63.1 (*)
41	Suicide by poison.....	M F								24.0 11.1	83.0 199.4	114.4 160.7
42	Other suicides.....	M F								2.5 6.6	19.3 53.3	54.5 116.7
43	Sunstroke.....	M 141.9 F 243.1	20.3 62.5	13.5 27.8		6.7	182.4 340.3	30.4 27.8	3.4 6.9	27.0 13.9	57.4 27.8	64.2 20.8
44	Surgical operations.....	M 54.7 F 10.5	7.8 22.1	7.8 16.6		7.8	78.1 17.5	46.9 7.0		39.1 21.1	70.3 133.3	117.2 126.3
45	Wounds.....	M 5.0 F (*)	2.5 (*)	7.6	10.1	10.1	35.3 (*)	27.7 (*)	25.2 (*)	93.2 (*)	110.8 (*)	153.7 (*)
46	Others of this class.....	M 39.9 F 93.1	8.1 16.8	8.7 19.4	9.5 21.5	8.0 12.2	74.2 163.0	36.5 37.9	32.4 20.6	55.4 20.2	78.0 38.7	101.0 46.8

* Data insufficient for correct proportions.

PROPORTION OF DEATHS AT EACH AGE.

619

DEATHS AT KNOWN AGES FROM EACH CAUSE—Continued.

THE REGISTRATION RECORD—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	
210.4	165.4	80.7	7.4	1.0	0.3	0.3	0.3	-----	0.8	-----	-----	-----	-----	1
194.6	202.3	66.1	-----	-----	3.9	-----	-----	-----	3.9	-----	-----	-----	-----	2
229.5	215.4	120.3	11.1	2.0	-----	-----	-----	-----	1.0	-----	-----	-----	-----	3
208.8	136.3	60.1	7.4	1.2	-----	0.6	-----	-----	0.6	-----	-----	-----	-----	4
266.2	230.2	64.7	7.2	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	5
183.9	137.6	80.7	5.3	-----	-----	-----	1.3	-----	-----	-----	-----	-----	-----	6
55.2	52.4	60.0	50.5	52.4	42.8	37.1	43.8	44.8	22.9	14.3	5.7	2.9	-----	7
55.0	56.7	66.7	53.3	53.3	36.7	31.6	43.3	30.0	26.7	5.0	5.0	1.7	-----	8
55.6	46.7	51.1	46.7	51.1	51.1	44.4	44.4	64.4	17.8	26.7	6.7	4.4	-----	9
31.3	57.3	57.3	41.7	41.7	36.4	15.6	31.3	26.0	31.3	5.2	-----	-----	-----	10
47.0	73.8	40.3	40.3	73.8	33.6	47.0	33.6	20.1	6.7	13.4	6.7	6.7	-----	11
(*)	(*)	-----	(*)	(*)	(*)	(*)	(*)	(*)	(*)	-----	-----	-----	-----	12
62.2	57.4	57.4	52.6	62.2	33.5	38.3	52.6	28.7	38.3	9.6	9.6	-----	-----	13
68.5	27.4	41.1	54.8	27.4	41.1	41.1	27.4	68.5	13.7	47.9	13.7	-----	-----	14
(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	-----	15
(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	-----	16
40.3	52.3	53.4	46.9	48.0	58.9	64.4	57.8	39.3	44.7	20.7	13.1	4.4	-----	17
31.4	51.0	54.9	51.0	54.9	70.6	56.9	56.9	37.2	49.0	29.4	13.7	2.0	-----	18
51.6	54.1	51.6	41.8	39.3	44.2	73.7	59.0	41.8	39.3	9.8	12.3	7.4	-----	19
40.3	73.3	65.9	51.3	58.6	69.6	54.9	47.6	33.0	29.3	25.6	-----	3.7	-----	20
68.7	63.8	58.8	49.0	34.3	53.9	53.9	68.7	24.5	29.4	9.8	4.9	9.8	-----	21
(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	-----	-----	22
6.0	24.1	36.1	24.1	36.1	54.3	36.1	42.2	30.1	60.3	36.1	30.1	-----	-----	23
41.7	47.6	35.7	29.8	23.8	29.7	83.3	47.6	41.7	47.6	6.0	23.8	6.0	-----	24
74.7	56.0	85.3	88.0	58.7	74.7	74.7	66.7	45.3	32.0	5.3	-----	-----	-----	25
83.3	57.3	83.3	83.3	57.3	62.5	67.7	52.1	36.5	15.6	5.2	-----	-----	-----	26
65.6	54.6	87.4	92.9	60.1	87.4	82.0	82.0	54.6	49.2	5.5	-----	-----	-----	27
(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	-----	-----	-----	28
(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	-----	-----	-----	29
(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	-----	-----	-----	30
88.3	19.6	68.7	49.0	29.4	49.0	39.2	58.8	39.2	9.8	9.8	-----	-----	-----	31
39.6	19.8	79.2	128.8	49.5	79.2	79.2	79.2	69.3	39.6	9.9	-----	-----	-----	32
88.1	92.3	72.0	63.8	53.4	43.1	39.9	33.3	26.1	21.6	14.5	8.2	3.1	0.9	33
96.2	100.7	79.0	69.7	57.7	45.6	40.7	31.1	22.4	16.6	9.5	4.1	1.5	0.3	34
62.4	65.6	49.5	44.9	39.5	34.9	37.4	40.2	38.2	37.7	30.3	21.5	8.1	2.8	35
47.9	48.9	47.9	31.0	25.4	19.7	25.4	18.8	15.0	10.3	8.5	2.8	-----	-----	36
53.2	49.1	34.8	34.8	22.5	25.9	32.0	23.2	25.2	19.8	11.6	5.4	2.7	-----	37
77.0	86.3	71.2	50.7	41.4	33.1	24.5	17.3	11.1	7.5	2.5	1.1	-----	-----	38
83.9	73.4	49.0	41.9	41.9	28.0	24.5	31.5	17.5	7.0	-----	-----	-----	-----	39
64.6	58.1	58.1	71.0	51.6	45.2	71.0	45.1	25.8	64.5	19.4	12.9	(*)	6.4	40
(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	-----	41
116.8	96.6	63.7	50.9	38.2	31.8	25.5	11.7	9.5	6.4	1.1	1.1	2.1	-----	42
123.2	123.2	50.7	29.0	21.7	-----	14.5	-----	-----	14.5	7.2	-----	-----	-----	43
160.9	144.6	69.3	61.1	38.7	24.4	20.4	10.2	8.1	2.0	4.1	-----	-----	-----	44
148.5	109.4	78.1	39.1	39.1	23.4	7.8	15.6	-----	-----	-----	-----	-----	-----	45
149.5	130.9	102.8	56.1	56.1	18.7	28.0	46.7	-----	-----	-----	-----	-----	-----	46
(*)	-----	(*)	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	47
112.7	119.2	81.9	66.3	57.4	46.0	38.9	20.9	17.0	10.2	5.7	2.7	-----	0.3	48
57.8	49.1	49.1	57.8	49.1	49.1	34.7	43.4	43.4	46.3	14.5	2.9	2.9	-----	49
42.8	60.8	41.4	37.3	20.7	27.6	30.4	26.3	11.0	11.0	2.8	2.8	-----	-----	50
17.8	17.8	6.7	13.4	13.4	20.0	17.8	13.4	15.6	8.9	8.9	2.2	-----	-----	51
115.2	127.2	124.5	119.2	94.0	67.6	45.0	43.7	23.9	15.9	7.9	2.6	-----	-----	52
(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	-----	53
81.1	90.1	90.1	90.1	135.1	90.1	72.1	63.1	45.0	81.1	18.0	-----	-----	-----	54
(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	-----	-----	-----	55
119.9	121.8	119.9	95.9	108.9	60.9	57.2	48.0	31.4	12.9	1.8	-----	-----	-----	56
99.7	127.4	72.0	55.4	33.2	27.7	16.6	13.9	19.4	8.3	2.8	-----	2.8	-----	57
90.5	104.8	114.0	119.9	108.9	93.9	74.6	54.5	44.4	31.0	12.6	2.5	1.7	-----	58
100.0	130.0	123.3	96.7	60.0	46.7	40.0	46.7	23.3	16.7	16.7	10.0	-----	-----	59
81.1	131.8	74.3	77.7	81.1	57.4	30.4	20.3	33.8	33.8	10.1	3.4	-----	-----	60
13.9	48.6	41.7	41.7	69.4	48.6	90.3	55.6	83.3	48.6	20.8	-----	-----	-----	61
95.9	101.6	78.1	70.3	62.5	85.9	70.3	62.5	15.7	7.8	7.8	-----	-----	-----	62
143.9	136.9	122.8	84.2	66.7	59.6	21.1	28.1	7.0	7.0	7.0	-----	-----	-----	63
120.9	100.8	60.5	80.6	52.9	42.8	47.8	22.7	5.0	5.0	10.1	2.5	2.5	-----	64
(*)	(*)	(*)	(*)	-----	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	-----	65
98.0	101.2	79.4	74.0	58.6	46.4	45.4	39.8	29.6	22.7	16.0	7.5	3.4	0.5	66
46.3	55.6	45.1	43.4	47.6	38.7	51.0	66.6	63.6	70.8	64.9	52.2	19.4	7.6	67

VITAL STATISTICS.

TABLE 24.—NUMBER OF DEATHS AT EACH AGE PER 1,000
REGISTRATION CITIES.

CAUSE OF DEATH.		Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	All causes	212.8	55.8	25.8	16.6	11.9	322.9	31.2	16.9	26.3	43.9	49.9
2	Males.....	222.9	55.3	25.2	15.9	11.1	330.4	30.0	16.0	24.3	41.9	49.1
3	Females.....	201.1	56.4	26.4	17.5	12.9	314.3	32.6	18.0	28.5	46.3	50.7
4	Unknown cause	324.6	38.5	17.1	12.8	8.0	401.0	24.5	13.2	19.6	28.8	40.4
5	Males.....	328.0	36.3	16.5	13.8	7.2	401.8	23.1	11.6	17.6	22.6	38.0
6	Females.....	320.2	41.3	17.9	11.7	9.0	400.1	26.2	15.2	22.0	36.5	43.4
7	1. General diseases.—A	342.8	118.9	56.8	39.1	29.8	587.4	71.7	23.5	25.2	34.9	32.0
8	Males.....	360.3	118.4	55.4	38.0	28.0	600.1	66.7	20.9	23.7	36.8	34.0
9	Females.....	324.0	119.4	58.4	40.2	31.9	573.9	77.0	26.3	26.7	32.9	29.9
10	Measles.....	264.5	354.8	159.2	71.5	42.2	892.2	72.1	11.7	2.6	10.4	3.3
	(M.....)	236.3	343.5	156.2	74.2	43.9	854.1	89.1	16.8	11.7	7.8	7.1
11	Scarlet fever.....	66.4	130.8	168.9	171.0	110.3	647.4	264.3	45.2	10.6	9.9	8.5
	(M.....)	43.4	115.9	168.7	158.6	141.9	628.5	279.5	41.3	19.6	10.9	7.3
12	Diphtheria.....	69.9	157.8	164.7	144.6	117.9	654.9	266.5	47.3	10.3	5.4	3.4
	(M.....)	49.7	143.7	148.6	139.3	120.6	601.9	297.1	57.0	15.8	8.9	5.8
13	Whooping cough.....	561.3	248.2	96.8	44.4	20.0	970.7	21.5	0.7	2.2	0.7	1.3
	(M.....)	485.5	257.6	114.6	59.3	32.8	949.8	35.5	3.9	2.6	0.6	0.6
14	Malarial fever.....	89.9	47.2	24.5	29.1	23.6	214.3	68.1	30.9	55.4	93.5	76.3
	(M.....)	84.7	57.4	51.6	33.1	21.4	248.2	78.9	41.9	67.2	86.7	61.3
15	Influenza.....	99.7	18.8	8.6	7.0	5.4	139.5	13.5	9.1	15.1	28.0	29.1
	(M.....)	57.8	15.7	11.0	5.5	7.1	97.1	9.8	8.6	13.8	22.0	29.5
16	Typhoid fever.....	7.6	7.2	8.5	8.9	11.4	43.6	51.6	50.6	109.6	178.9	155.8
	(M.....)	11.8	11.5	10.9	15.1	11.1	60.4	70.7	90.9	150.1	161.0	118.4
17	Cholera morbus.....	217.3	59.1	91.1	27.1	11.2	405.8	51.1	31.9	20.7	22.4	28.8
	(M.....)	191.5	75.9	80.7	20.6	9.5	378.2	28.5	25.3	30.1	30.1	33.2
18	Colitis.....	521.5	126.3	34.9	29.6	8.1	720.4	21.5	5.4	2.7	8.1	21.5
	(M.....)	470.4	159.8	35.5	14.8	5.9	686.4	14.8	11.8	8.9	11.8	17.7
19	Diarrhea.....	457.9	98.5	35.3	4.8	8.8	605.3	28.5	4.1	9.5	10.9	9.5
	(M.....)	429.6	89.7	28.9	6.1	4.6	558.9	37.3	16.0	3.8	9.9	14.4
20	Dysentery.....	164.3	102.3	44.6	23.6	13.1	347.9	35.8	13.1	15.7	42.0	34.1
	(M.....)	139.4	65.9	25.4	14.1	9.4	254.2	14.1	7.5	6.6	23.5	23.5
21	Enteritis.....	653.3	143.5	31.0	11.2	8.2	847.2	13.7	5.8	5.0	5.4	8.8
	(M.....)	569.1	145.1	33.0	12.0	9.0	768.2	16.9	6.2	5.4	9.6	14.6
22	Cholera infantum.....	813.8	158.2	18.3	6.4	3.3	1,000.0					
	(M.....)	802.8	166.6	20.0	4.8	3.8	1,000.0					
23	Fever.....	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)
	(F.....)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)
24	Cerebro-spinal fever.....	265.6	144.2	75.7	58.9	34.9	579.3	126.2	66.1	50.5	43.3	32.5
	(M.....)	262.5	126.9	82.6	64.9	35.4	572.3	125.4	81.1	50.2	26.6	29.5
25	Smallpox.....	39.8	19.9	19.9	8.5	2.8	90.9	22.7	31.3	68.2	184.7	164.8
	(M.....)	62.2	48.9	26.7	17.8	8.9	164.5	53.3	48.9	84.4	213.3	142.2
26	Erysipelas.....	278.4	24.0	4.5	3.0	4.5	314.4	6.0	10.5	20.9	20.9	44.9
	(M.....)	355.0	29.6	7.9	5.9	2.0	400.4	5.9	5.9	17.8	21.7	39.5
27	Septicemia.....	116.1	20.7	12.8	9.8	11.8	171.2	49.2	25.6	30.5	57.1	62.0
	(M.....)	84.9	12.8	9.3	9.3	8.5	124.8	33.1	13.6	41.6	130.7	151.1
28	Venereal diseases.....	593.0	37.2	12.4	10.3	2.1	655.0	4.1	4.1	10.3	16.5	43.3
	(M.....)	657.1	23.4	20.8	10.4	5.2	716.9	2.6	5.2	18.2	41.6	38.9
29	Others of this group.....	41.0	11.0	23.7	9.5	6.3	91.5	33.1	12.6	20.5	33.1	42.6
	(M.....)	37.9	16.2	18.1	9.0	7.2	88.4	23.5	14.4	10.8	19.9	25.3
30	General diseases—B.....	614.2	30.8	8.7	6.4	2.5	662.6	6.6	1.7	8.6	19.8	31.5
31	Males.....	558.5	28.2	7.3	5.7	3.1	602.8	5.2	1.3	5.0	16.4	32.1
32	Females.....	698.8	34.7	11.2	7.4	1.5	753.6	8.7	2.2	13.9	25.0	30.7
33	Alcoholism.....	(M.....)		3.0			3.0		0.7	0.7	17.7	81.1
	(F.....)									3.0	42.7	143.3
34	Parasitic diseases.....	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)			
	(M.....)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)			
35	Lead poison.....	(*)		(*)			(*)				(*)	(*)
	(F.....)	(*)		(*)			(*)				(*)	(*)
36	Other poisons.....	35.4	48.2	23.6	18.2	7.5	132.9	20.4	5.4	28.9	75.0	79.3
	(M.....)	25.8	36.8	29.5	12.8	7.4	112.3	23.9	7.4	93.9	145.5	127.1
37	Inanition.....	921.0	33.9	5.7	4.9	2.7	968.2	3.3	0.5	0.8	0.3	0.5
	(M.....)	894.8	37.4	8.0	5.8	0.3	946.3	5.8	1.6	1.3	2.6	2.2
38	General diseases—C.....	570.7	26.2	5.8	2.2	1.3	606.2	2.1	1.0	1.2	1.9	2.1
39	Males.....	641.5	25.7	6.2	2.9	1.0	677.3	1.8	1.2	1.3	1.6	1.6
40	Females.....	499.9	26.6	5.4	1.5	1.6	535.0	2.4	0.9	1.0	2.1	2.7
41	Old age.....	(M.....)										
	(F.....)											
42	Premature birth.....	1,000.0					1,000.0					
	(M.....)	1,000.0					1,000.0					
43	Malformation.....	984.2	2.9	5.7			992.8	1.4	3.0	1.4		
	(M.....)	975.2	12.4	3.4	1.8	1.8	994.6	1.8	1.8		1.8	
44	Debility and atrophy.....	743.9	68.7	15.9	7.5	2.7	838.7	4.8	2.8	3.4	4.4	4.3
	(M.....)	666.9	77.6	15.7	4.3	4.5	769.0	6.8	2.5	3.0	6.0	7.9
45	Others of this group.....	998.0			2.0		1,000.0					
	(F.....)	997.2					997.2					

*Data insufficient for correct proportions.

621

REGISTRATION CITIES.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	
48.9	51.2	46.2	44.8	46.7	46.8	49.1	49.3	46.0	36.5	25.0	12.5	4.2	1.7	1
50.8	54.3	50.1	48.7	50.2	48.4	48.4	47.5	42.9	32.6	21.1	9.7	2.6	1.0	2
46.8	47.7	41.7	40.3	42.7	44.9	49.9	51.3	49.6	41.0	29.6	15.7	6.0	2.4	3
35.2	51.4	46.2	48.6	48.0	48.0	47.7	47.1	42.5	27.8	18.7	8.3	2.4	0.6	4
35.2	51.2	50.1	58.3	47.3	52.8	50.1	48.4	42.9	22.6	17.6	7.2	1.1	0.5	5
35.1	51.7	41.3	36.5	48.9	42.0	44.8	45.5	42.0	34.4	20.0	9.6	4.1	0.7	6
26.2	24.0	19.6	17.8	18.6	18.1	20.4	21.9	20.3	16.9	13.0	6.1	1.8	0.6	
28.0	25.4	21.1	19.8	19.5	17.9	18.7	19.3	17.5	13.5	10.5	5.1	1.0	0.5	8
24.3	22.4	17.9	15.7	17.6	18.3	22.3	24.8	23.2	20.5	15.7	7.2	2.6	0.8	9
2.6	1.3	0.6	0.6	2.0	0.6					0.6				10
4.5	4.5	1.9	1.3		0.6									
7.1	3.5	2.1	0.7			0.7								11
3.6	4.3	2.9		0.7			0.7			0.7				
4.3	2.2	0.2	1.6	1.3	1.1	0.7	0.2	0.2		0.2		0.2		12
4.3	2.6	1.3	1.3	1.5	0.6	0.9		0.4	0.4	0.2				
0.7	0.7	0.7			0.7	0.7						0.7		13
3.2	0.6	1.3		0.6						0.6				
50.9	60.9	53.6	58.1	47.2	41.8	33.6	40.0	28.2	27.2	10.9	7.3	1.8		
63.3	42.8	31.1	37.0	33.1	41.9	41.9	41.9	37.0	15.6	18.5	8.8	1.0	1.9	14
40.4	39.3	53.3	44.2	48.0	55.0	83.5	94.3	100.2	83.5	77.6	35.6	7.0	3.8	
29.9	29.1	33.0	35.0	54.2	60.5	97.9	103.0	109.7	110.1	91.2	43.2	18.5	3.9	15
118.8	92.8	56.2	45.1	34.9	24.6	17.0	8.9	7.4	2.4	0.9	0.9			
83.9	68.9	54.4	32.0	30.2	24.2	20.2	15.4	13.0	3.3	2.1	0.9			16
24.0	24.0	39.9	43.1	49.5	47.9	35.1	60.7	49.5	28.8	11.2	16.0	4.8	4.8	
33.2	58.5	30.1	23.7	52.2	36.4	45.9	52.2	39.6	50.6	25.3	19.0	4.7	3.2	17
13.4	13.4	32.3	26.9	16.1	13.4	16.1	24.2	21.5	18.8	10.8	8.1	5.4		
17.7	23.7	23.7	23.7	23.7	20.7	11.8	44.4	23.7	17.7	8.9	5.9	3.0		18
12.2	17.0	15.6	12.9	26.5	40.8	37.4	43.5	44.8	37.4	25.8	12.2	4.1	2.0	
17.5	14.4	15.2	18.3	16.7	31.9	41.1	42.6	45.6	44.9	42.6	19.8	5.3	3.8	19
33.2	38.5	33.2	41.1	45.5	32.3	68.2	67.3	59.4	38.5	35.8	14.9	2.6	0.9	
28.3	25.4	30.1	49.0	45.2	62.2	67.8	100.8	87.6	80.0	56.5	26.4	9.4	1.9	20
6.6	8.6	7.8	10.8	10.5	10.9	12.9	13.0	10.8	11.2	6.5	3.8	0.3	0.4	
12.3	11.8	11.5	12.8	13.1	13.4	18.5	26.8	21.9	18.8	11.1	5.4	1.1	0.6	21
														22
(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)			(*)			23
16.8	20.5	15.6	16.8	10.8	7.2	7.2	2.4	2.4	1.2	1.2				
22.1	22.1	22.1	19.2	7.4	8.8	4.4		4.4	2.9	1.5				24
108.0	105.1	59.6	54.0	36.9	31.2	14.2	11.4	8.5	8.5					
75.6	53.3	57.8	26.7	26.7	31.1	8.9	13.3							25
52.4	47.9	62.9	49.4	67.4	73.4	58.4	61.4	37.4	34.4	26.9	6.0	3.0	1.5	
19.7	71.0	39.5	33.5	49.3	45.4	59.2	47.3	53.3	47.3	25.6	11.8	5.9		26
70.9	70.9	73.8	58.1	74.8	68.9	52.2	61.0	26.6	22.6	19.7	4.9			
120.6	115.5	69.6	43.3	41.6	40.7	27.2	14.4	14.4	8.5	4.2	3.4	1.7		27
39.3	39.3	43.4	37.2	41.3	31.0	22.7	2.1	2.1	6.2	2.1				
44.2	38.9	28.6	23.4	20.8	7.7	2.6		5.2	2.6	2.6				28
28.4	34.7	41.0	61.5	58.4	48.9	74.1	89.8	134.1	72.6	78.9	41.0	1.6	1.6	
30.7	32.5	21.7	37.8	63.2	64.9	104.7	120.9	108.3	101.1	90.3	21.7	18.1	1.8	29
42.5	52.5	39.1	33.7	29.3	22.3	16.1	14.4	7.4	7.1	2.7	1.3	0.4	0.4	30
51.5	68.2	51.5	44.3	38.3	28.2	20.4	18.1	8.3	5.2	1.6	1.1	0.3	0.2	
28.8	23.5	20.3	17.8	15.6	13.4	9.7	9.0	5.9	10.0	4.2	1.5	0.5	0.7	31
138.3	202.3	142.4	126.7	112.4	74.8	40.2	42.2	12.3	4.8	1.4	2.0			32
134.1	186.0	164.6	109.8	73.2	58.0	36.6	21.3	12.2	12.2					33
		(*)	(*)	(*)	(*)									34
(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)		(*)				(*)	35
113.6	113.6	102.9	80.4	58.9	57.9	54.7	36.4	19.3	16.1	4.3				
112.3	88.4	42.4	47.9	55.2	38.7	29.5	33.1	9.2	16.6	16.6				36
0.8	1.4	1.4	1.6	2.7	1.9	3.3	3.3	4.1	2.4	1.1	1.1	0.5	0.3	
2.2	1.3	1.6	3.2	2.6	3.5	3.2	3.5	4.8	8.6	2.6	1.9	0.6	0.6	37
2.2	2.6	2.6	2.5	3.9	6.6	14.7	27.5	56.6	74.6	89.9	60.5	28.4	12.9	38
2.0	2.8	2.1	2.3	3.1	5.7	11.9	24.7	48.8	64.1	74.5	46.4	18.7	8.1	
2.3	2.5	3.1	2.6	4.6	7.6	17.4	30.3	64.5	85.1	105.3	74.7	38.1	17.8	39
						21.0	66.7	159.3	219.5	265.7	169.7	68.6	29.5	
						28.3	57.3	142.4	198.8	252.8	182.1	94.2	44.1	40
														41
														42
1.4														43
5.3	7.5	5.6	6.3	8.4	15.3	17.2	19.3	18.8	17.4	12.8	4.9	1.9	0.9	
6.8	7.4	9.1	7.7	13.8	22.3	19.1	24.2	28.0	24.2	22.3	12.7	5.1	2.1	44
					2.8									45

VITAL STATISTICS.

TABLE 24.—NUMBER OF DEATHS AT EACH AGE PER 1,000
REGISTRATION CITIES—Continued.

CAUSE OF DEATH.		Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1. General diseases—Continued.												
1	General diseases—D	33.8	16.8	8.9	6.3	3.9	69.7	15.0	15.7	50.3	97.5	110.9
2	Males.....	36.9	17.5	10.2	6.0	4.0	74.6	14.4	11.5	41.2	92.6	110.1
3	Females.....	30.5	16.2	7.5	6.6	3.8	64.6	15.6	20.1	59.9	102.5	111.7
4	Anemia.....	128.9	24.3	4.9	12.2	4.9	175.2	29.2	19.5	24.3	36.5	41.4
	{M.....	65.5	20.7	13.8	13.8	6.9	120.7	17.2	19.0	62.1	76.0	70.7
5	Diabetes.....	3.2	5.3	2.1	2.1	3.2	15.9	18.0	33.9	36.0	29.6	48.7
	{F.....	2.2		2.2	5.3	1.1	10.8	20.4	22.6	18.3	32.3	31.2
6	Rheumatism.....	11.7	5.8	7.3	8.7	5.8	39.3	59.8	48.1	37.9	46.6	52.5
	{F.....	23.1	8.1	4.1	5.4	5.4	46.1	47.5	52.9	66.5	36.6	40.7
7	Scrofula and tabes.....	279.9	73.4	38.0	10.9	5.4	407.6	51.6	16.3	46.2	81.5	57.1
	{F.....	173.5	66.3	33.2	15.3	22.9	311.2	33.2	38.3	71.4	66.3	76.5
8	Hydrocephalus.....	339.4	201.6	107.5	55.8	39.7	744.0	99.5	29.6	22.2	21.5	13.4
	{F.....	361.1	211.6	87.3	76.4	40.3	776.7	98.3	23.5	31.1	17.6	15.1
9	Tuberculosis, general.....	81.7	38.5	33.7	16.8	21.6	192.3	45.7	33.7	48.1	105.8	115.4
	{F.....	125.8	62.9	16.6	16.6	13.2	235.1	46.4	72.8	59.6	106.0	86.1
10	Consumption.....	17.9	8.8	5.1	3.1	2.1	37.0	7.5	9.1	50.8	120.6	145.4
	{F.....	16.9	9.5	4.8	4.0	2.2	37.4	13.4	25.1	89.6	159.7	171.6
11	Cancer.....	0.6	0.3	0.6	0.4	0.4	2.3	1.9	1.3	2.6	9.9	12.5
	{F.....	1.0			0.3	0.1	1.4	1.4	1.3	1.5	4.8	15.2
12	Tumor.....	29.5	5.5	16.6	16.6	3.7	71.9	33.1	18.4	36.8	40.5	40.5
	{F.....	14.5	5.8	10.2	13.1	4.4	48.0	17.5	17.5	20.4	42.2	42.2
13	Dropsy.....	26.2	7.7	10.8	7.7	1.5	53.9	32.3	24.6	16.9	33.8	16.9
	{F.....	10.5	6.0	3.0	4.5	4.5	28.5	21.0	18.0	25.4	31.4	26.9
14	Others of this group.....	362.5	87.4	48.5	29.1	16.2	543.7	51.8	38.9	35.6	32.4	16.2
	{F.....	265.4	115.4	50.0	26.9	23.1	480.8	46.1	30.8	26.9	42.3	38.5
15	2. Diseases of the nervous system.....	238.5	60.4	25.9	15.5	10.7	351.0	26.5	15.0	14.9	16.9	20.9
16	Males.....	253.0	60.9	25.7	15.0	9.5	364.1	27.1	15.4	14.8	16.8	21.2
17	Females.....	221.6	59.8	26.1	16.2	11.9	335.5	25.9	14.4	14.9	17.0	20.6
18	Inflammation of the brain.....	251.1	133.3	86.7	28.9	17.8	517.8	75.6	28.9	24.4	35.6	24.4
	{F.....	254.6	110.4	67.5	42.9	30.7	506.1	52.2	36.8	36.8	39.9	46.0
19	Meningitis.....	348.5	162.2	73.6	45.9	25.6	655.8	77.8	30.9	26.8	28.2	30.1
	{F.....	338.8	168.5	80.2	50.2	39.0	676.7	89.4	42.5	26.5	27.0	23.2
20	Apoplexy.....	15.5	3.0	1.0	0.9	0.9	21.3	2.6	1.9	4.2	7.3	15.0
	{F.....	10.8	2.1	1.5	1.2	0.6	16.2	2.3	2.1	3.7	6.2	11.9
21	Paralysis.....	12.7	2.5	2.8	3.5	1.0	22.5	8.1	5.6	7.7	7.4	12.3
	{F.....	10.2	5.8	3.3	2.2	2.2	23.7	5.1	2.6	8.7	11.7	14.6
22	Paralysis, general (of insane).....							3.4	3.4			30.3
	{F.....										8.8	26.3
23	Tetanus and trismus nascentium.....	505.6	8.7	6.2	4.9	6.2	531.6	65.5	132.3	55.6	35.9	38.3
	{F.....	732.6	10.7		2.7	5.3	751.3	16.0	26.8	18.7	18.7	21.4
24	Chorea.....			(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	
	{F.....	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	
25	Epilepsy.....	51.3	16.3	4.7	4.7	2.3	79.3	32.6	28.0	102.6	72.3	93.2
	{F.....	41.9	2.8	11.1	5.6	2.8	64.2	39.1	61.5	86.6	81.0	103.4
26	Convulsions.....	784.6	105.7	38.1	15.8	10.7	954.9	16.1	4.9	1.3	2.2	3.3
	{F.....	718.9	121.7	41.1	24.9	14.5	921.1	19.2	3.8	5.8	7.9	11.5
27	Mental diseases.....							1.4	2.8	8.5	42.4	42.4
	{F.....								2.8	15.1	30.3	42.7
28	Diseases of the brain.....	156.2	54.2	14.9	13.6	13.6	252.5	26.2	17.6	23.5	32.1	35.2
	{F.....	155.0	48.4	21.3	12.1	11.0	247.8	27.1	25.4	31.7	31.1	31.7
29	Diseases of the spinal cord.....	64.0	26.2	11.6	11.6	20.3	133.7	11.6	5.8	40.7	26.2	37.8
	{F.....	30.2	20.1	16.8	6.7	3.4	77.2	36.9	3.4	30.2	23.5	47.0
30	Locomotor ataxia.....	3.6		3.6			7.2		3.6		7.2	14.4
	{F.....										(*)	
31	Others of this class.....	24.9	3.5	7.1	3.5	3.5	42.5	14.2	3.5	14.2	31.9	42.6
	{F.....	25.9	2.6			2.6	31.1	5.2	10.4	31.1	38.9	64.8
32	3. Diseases of the circulatory system.....	53.0	3.0	2.1	2.4	3.5	64.0	19.6	21.9	21.6	28.4	34.4
33	Male.....	58.4	3.1	2.4	2.6	3.3	69.8	17.6	16.0	19.1	23.8	32.6
34	Females.....	47.1	3.0	1.8	2.1	3.8	57.8	21.7	28.3	24.3	33.3	36.5
35	Pericarditis.....	33.5	11.1		14.9	7.4	66.9	59.5	89.2	78.1	52.1	66.9
	{F.....	34.2	3.8	7.6	7.6	34.2	87.4	64.6	76.1	83.7	64.6	38.0
36	Diseases of the heart.....	36.6	3.1	2.6	2.5	3.4	48.2	19.1	16.6	20.3	25.8	33.8
	{F.....	31.2	3.0	1.7	2.2	3.4	41.5	22.7	29.8	24.9	33.6	36.3
37	Angina pectoris.....							1.5	1.5	4.4	8.7	26.2
	{F.....							3.9	5.8	9.7	42.7	46.6
38	Diseases of the arteries.....	1.9					1.9					3.8
	{F.....		3.0				3.0	1.9		1.9		3.0
39	Aneurism.....							(*)	6.1		18.3	55.1
	{F.....							(*)	(*)		(*)	(*)
40	Embolism.....	(*)		(*)		(*)	(*)	(*)	(*)	(*)	(*)	(*)
	{F.....	13.8		6.9		6.9	27.6	6.9			75.9	117.2
41	Others of this class.....	946.3	9.0	6.7	9.0	6.7	977.7	2.2	2.2			2.2
	{F.....	924.3	6.6	3.3		6.6	940.8	3.3	3.3	3.3		3.3

* Data insufficient for correct proportions.

PROPORTION OF DEATHS AT EACH AGE

623

DEATHS AT KNOWN AGES FROM EACH CAUSE—Continued.

REGISTRATION CITIES—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	
102.6	95.5	79.9	71.5	66.9	59.8	53.4	45.2	32.7	20.3	9.0	3.2	0.6	0.3	1
110.0	103.2	85.2	75.6	69.5	58.7	51.2	43.4	30.1	18.1	7.5	2.3	0.5	0.3	2
94.8	87.3	74.5	67.2	64.4	60.9	55.7	47.1	35.4	22.5	10.6	4.1	0.7	0.4	3
41.4	41.4	77.8	63.3	87.6	99.7	87.6	72.9	41.4	41.4	12.2	4.8	-----	2.4	4
67.2	69.0	77.6	57.0	79.3	79.3	60.3	60.3	44.8	22.4	10.3	3.4	1.7	1.7	
55.0	57.1	70.9	65.6	99.5	85.7	124.9	120.6	73.0	47.6	11.6	4.2	1.1	1.1	5
30.1	43.0	53.7	55.9	104.3	141.9	149.5	119.3	88.2	53.7	19.4	4.3	1.1	-----	
56.8	59.8	59.8	78.7	72.9	93.3	72.9	80.2	58.3	43.7	30.6	7.3	1.5	-----	6
55.6	51.6	47.5	63.8	73.3	59.7	81.4	92.3	74.6	54.3	38.0	10.8	4.1	2.7	
51.6	54.4	32.6	40.8	27.2	24.5	48.9	21.7	19.0	10.9	5.4	-----	-----	2.7	7
71.4	58.7	45.9	53.6	51.0	28.1	28.1	33.2	17.8	10.2	5.1	-----	-----	-----	
22.2	10.7	12.7	9.4	6.0	3.4	2.7	0.7	-----	1.3	0.7	-----	-----	-----	8
8.4	8.4	7.6	5.0	1.7	2.5	-----	0.8	2.5	0.8	-----	-----	-----	-----	
88.9	91.4	55.3	72.1	60.1	24.0	21.6	21.6	9.6	14.4	-----	-----	-----	-----	9
96.0	66.2	59.6	62.9	36.4	16.6	19.9	26.5	6.6	3.3	-----	-----	-----	-----	
141.5	129.0	97.5	77.5	61.0	43.2	32.4	23.1	14.1	6.8	2.4	0.8	0.2	0.1	10
133.1	107.5	72.2	47.3	39.2	31.0	25.5	20.2	13.2	8.3	3.6	1.6	0.3	0.2	
24.2	39.9	63.0	92.5	133.3	143.2	140.0	132.4	100.0	63.2	26.3	8.2	2.4	0.9	11
35.0	67.0	98.5	125.4	129.8	133.3	122.8	101.1	77.7	50.1	23.7	8.4	1.1	0.5	
60.8	57.1	81.0	103.1	92.1	101.3	82.9	77.3	60.8	25.8	16.6	-----	-----	-----	12
62.6	85.9	91.7	99.0	90.2	99.0	88.8	75.7	61.1	33.5	16.0	8.7	-----	-----	
33.8	50.8	64.6	72.3	50.8	89.2	95.4	107.7	110.8	78.5	46.2	20.0	1.5	-----	13
44.9	34.4	49.4	85.3	70.4	70.4	94.3	110.8	122.8	85.3	43.4	25.4	7.5	4.5	
29.1	32.4	55.0	32.4	29.1	25.9	19.4	25.9	12.9	12.9	3.2	3.2	-----	-----	14
73.1	42.3	38.5	42.3	19.2	30.8	19.2	38.5	19.2	7.7	3.8	-----	-----	-----	
24.7	32.4	35.4	43.3	50.8	56.1	65.8	70.0	68.2	55.2	34.2	14.2	3.5	1.0	15
27.1	34.9	39.2	44.3	51.5	56.4	62.8	67.7	64.6	49.3	29.7	10.3	2.2	0.6	16
21.8	29.6	30.9	42.2	50.0	55.7	69.3	72.8	72.4	62.2	39.5	18.7	5.1	1.5	17
33.3	37.8	33.3	22.2	33.3	26.7	24.5	22.2	37.8	4.4	15.6	2.2	-----	-----	18
36.8	24.5	39.9	43.0	45.0	24.5	15.4	24.5	12.3	6.1	9.2	-----	-----	-----	
25.8	25.6	19.9	22.6	16.1	10.4	9.1	8.3	5.3	4.3	2.0	1.0	-----	-----	19
17.7	16.5	12.5	16.2	11.3	8.7	9.5	9.2	5.0	4.0	2.5	0.7	0.7	0.2	
23.2	33.5	53.0	62.5	91.6	108.6	124.2	137.8	131.4	95.7	61.7	19.3	4.6	0.6	20
14.3	28.2	41.9	69.4	88.6	107.7	126.7	130.7	131.0	110.2	64.1	34.0	7.9	2.9	
30.9	46.8	59.4	66.8	83.3	88.3	107.3	117.8	127.7	116.7	60.8	23.2	4.2	3.2	21
17.5	25.5	31.4	45.2	58.3	77.7	107.5	131.6	148.0	133.8	101.3	39.0	13.9	2.9	
94.3	131.3	158.3	165.0	101.0	94.3	77.4	47.1	50.5	26.9	10.1	6.7	-----	-----	22
105.3	96.5	114.0	26.3	96.5	105.3	70.1	87.7	96.5	96.5	52.6	8.8	8.8	-----	
37.1	18.5	18.5	22.3	14.8	9.9	4.9	6.2	4.9	3.7	-----	-----	-----	-----	23
32.1	29.4	26.8	10.7	5.3	18.7	18.7	2.7	2.7	-----	-----	-----	-----	-----	
(*)	-----	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	-----	-----	-----	-----	24
86.2	95.6	86.2	72.3	37.3	49.0	51.3	32.6	30.3	25.6	16.3	7.0	2.3	-----	
67.0	100.6	58.7	64.2	58.7	36.3	78.2	30.7	33.5	22.3	8.4	5.6	-----	-----	25
2.0	2.2	1.6	2.7	2.2	0.4	1.6	1.3	2.0	0.4	0.9	-----	-----	-----	
7.9	5.8	4.4	1.6	1.6	1.6	3.0	1.1	1.4	1.4	0.3	0.3	0.3	-----	26
59.3	98.9	65.0	57.9	69.2	83.3	105.9	132.8	89.0	70.6	38.1	28.3	4.2	-----	
63.4	81.3	79.9	71.6	67.5	59.2	107.4	90.9	99.2	89.5	56.5	30.3	9.6	2.8	27
46.5	56.9	51.0	56.0	55.6	62.8	62.8	62.3	61.9	49.7	33.4	10.8	2.7	0.5	
40.9	59.4	38.6	56.5	54.2	40.3	64.0	78.4	57.6	51.9	38.0	20.7	3.5	1.2	28
40.7	78.5	84.3	81.4	98.9	78.5	87.2	87.2	58.1	32.0	14.5	2.9	-----	-----	
43.6	90.6	60.4	70.5	80.5	110.7	80.5	83.9	77.2	57.0	16.8	6.7	3.4	-----	29
43.2	75.5	82.7	147.5	113.7	161.9	125.9	104.3	57.5	36.0	10.8	3.6	-----	-----	
(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	-----	-----	30
31.9	60.3	63.9	81.6	70.9	92.2	92.2	124.1	124.1	63.9	31.9	10.6	3.5	-----	
85.5	75.1	72.5	67.3	114.0	69.9	85.5	82.9	80.3	54.4	20.7	5.2	2.6	2.6	31
41.9	53.5	57.7	64.7	78.1	88.1	99.3	103.5	97.0	69.3	36.9	15.5	3.5	1.1	32
41.7	54.8	59.5	65.7	82.9	93.1	103.9	104.1	97.0	68.4	33.9	13.5	2.0	0.6	33
42.0	52.2	55.8	63.7	72.8	82.8	94.1	102.9	96.9	70.2	40.3	17.8	5.0	1.6	34
59.5	85.5	74.3	40.9	89.2	74.3	48.3	52.1	26.0	37.2	-----	-----	-----	-----	35
76.1	57.1	76.1	64.6	41.8	53.2	68.5	60.8	41.3	19.0	15.2	3.8	7.6	-----	
43.5	55.3	60.3	67.9	85.0	94.4	104.6	106.9	100.0	68.9	33.7	13.2	1.9	0.6	36
42.4	53.8	57.4	64.1	75.3	85.5	97.8	104.5	97.7	70.3	39.0	17.9	4.2	1.3	
37.8	53.9	65.5	62.6	101.9	116.4	173.2	113.5	110.6	75.7	32.0	14.6	-----	-----	37
38.8	58.3	44.7	97.1	97.1	97.1	102.9	132.0	91.3	66.0	46.6	11.6	7.8	-----	
5.7	7.7	21.1	28.7	49.8	105.4	122.6	176.3	162.9	145.6	99.6	49.8	13.4	1.9	38
-----	12.1	12.1	18.1	30.2	51.3	81.6	136.0	223.6	154.1	151.1	57.4	42.3	18.1	
67.3	159.0	149.9	143.7	100.9	116.2	88.7	42.8	30.6	18.3	3.1	-----	-----	-----	39
(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	-----	-----	-----	
117.2	48.3	75.9	69.0	55.2	89.6	34.5	55.2	89.6	89.6	6.9	13.8	-----	-----	40
2.2	-----	-----	-----	4.5	-----	6.8	-----	-----	-----	2.2	-----	-----	-----	
9.8	3.2	3.3	3.3	6.6	-----	-----	3.3	-----	9.8	6.6	-----	-----	-----	41

TABLE 24.—NUMBER OF DEATHS AT EACH AGE PER 1,000
REGISTRATION CITIES—Continued.

CAUSE OF DEATH.		Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	4. Diseases of the respiratory system	235.9	110.8	50.0	27.1	16.8	440.6	32.6	10.2	15.9	26.7	31.8
2	Males.....	250.6	111.9	48.3	25.4	15.4	451.6	31.1	8.9	16.1	28.6	35.2
3	Females.....	219.0	109.4	51.9	29.0	18.4	427.7	34.3	11.7	15.6	24.5	27.9
4	Croup.....	143.1	202.7	207.5	146.3	100.9	800.5	184.4	7.9	0.8	1.6	1.6
	{M.....	124.8	197.9	173.5	165.1	107.9	769.2	206.4	13.2	2.8		
	{F.....	215.9	115.1	45.6	22.7	12.7	412.0	27.1	9.5	18.8	34.3	42.3
5	Pneumonia.....	196.8	117.3	51.6	25.9	16.0	407.6	30.5	13.5	17.7	28.0	32.3
6	Laryngitis.....	166.0	154.2	71.1	106.7	67.2	565.2	142.3	27.7	4.0	11.8	7.9
	{M.....	107.5	172.9	126.2	154.2	65.4	626.2	172.9	23.4	23.4	14.0	18.6
7	Bronchitis.....	448.1	124.1	41.3	15.6	10.9	640.0	16.0	5.4	5.4	8.2	10.7
	{M.....	332.6	102.0	45.4	17.9	12.1	510.0	17.3	4.6	8.7	10.8	10.8
8	Pleurisy.....	35.0	51.7	25.9	25.9	10.7	149.2	38.1	19.8	48.7	60.9	65.4
	{M.....	34.6	42.2	32.6	11.5	13.5	134.4	44.1	13.4	28.8	84.5	76.8
9	Asthma.....	31.1	3.7	1.8	1.8		38.4	12.8	1.8	11.0	14.6	18.3
	{M.....	22.4	10.2				32.6	10.2		2.0	14.2	24.4
10	Others of this class.....	319.1	33.5	21.9	8.9	8.9	392.3	17.9	8.0	15.6	27.3	36.2
	{F.....	278.8	32.8	16.1	19.4	13.5	360.6	19.9	14.5	21.5	30.1	37.1
11	5. Diseases of the digestive system	145.1	32.9	12.0	8.0	7.0	205.0	29.1	30.7	37.8	53.9	60.4
12	Males.....	164.0	34.6	12.4	7.0	6.7	224.7	28.9	32.9	36.4	45.9	50.4
13	Females.....	125.3	31.1	11.7	9.0	7.3	184.4	29.4	28.4	39.3	62.3	70.9
14	Dentition.....	579.2	377.0	32.8	5.5	5.5	1,000.0					
	{M.....	595.2	365.6	33.2		6.0	1,000.0					
15	Angina.....	108.7	187.7	87.0	87.0	36.2	456.6	174.0	43.5	7.2	72.5	36.2
	{M.....	90.2	105.3	82.7	37.6	97.7	413.5	208.0	105.2	30.1	45.1	15.0
16	Gastritis.....	221.8	46.2	12.7	12.7	4.7	298.1	16.1	8.0	10.0	15.4	23.4
	{M.....	143.9	45.2	14.1	17.0	8.2	228.4	23.5	7.6	15.3	34.6	42.9
17	Diseases of the stomach.....	89.2	16.8	3.4	3.4	6.7	119.5	13.5	6.7	11.8	23.6	42.1
	{M.....	69.0	19.4	4.3		6.5	99.2	15.1	8.6	30.2	66.8	73.3
18	Obstruction of the bowels.....	217.2	16.3	15.1	5.8	11.6	266.0	33.7	27.9	36.0	48.8	63.9
	{M.....	102.6	9.5	9.5	14.8	6.4	142.8	30.7	13.8	24.3	44.4	67.7
19	Appendicitis.....	4.1	3.5	1.4	6.2	5.5	20.7	62.2	125.8	134.1	150.0	115.4
	{M.....	5.8	3.4	4.7	4.7	5.8	24.4	101.3	136.2	140.9	117.6	125.7
20	Hernia.....	118.5	14.2			2.4	135.1	7.1	11.8	28.4	28.4	35.5
	{M.....	36.5	5.2			5.2	46.9			5.2	2.6	5.2
21	Other diseases of the bowels.....	293.2	41.3	3.8		3.8	342.1	15.0	11.3	30.1	48.9	60.2
	{M.....	229.0	42.0	7.6	3.8	11.5	293.9	19.1	26.7	42.0	34.3	91.6
22	Jaundice.....	590.9	7.6	10.1	5.1	2.5	616.2		2.5	10.1	7.6	25.2
	{M.....	452.7	5.9	17.8		11.8	488.2	14.8		5.9	17.8	17.8
23	Inflammation and abscess of the liver.....	57.2	7.2	3.6	1.8	12.5	82.3	16.1	10.7	16.1	48.3	64.4
	{M.....	54.4		4.5	11.4	6.8	77.1	15.9	22.7	15.9	49.9	45.4
24	Other diseases of the liver.....	12.3	1.9	1.4	0.5	0.9	17.0	3.3	4.3	4.3	10.4	26.5
	{M.....	19.6	4.9	1.6	1.6	1.6	29.3	5.7	3.3	4.9	20.4	30.9
25	Peritonitis.....	77.5	23.3	27.5	10.6	8.5	147.4	74.7	75.4	78.9	80.3	88.1
	{M.....	28.9	10.7	9.1	7.1	5.9	61.7	34.4	44.3	78.0	138.5	139.3
26	Ascites.....	(*)	(*)				(*)	(*)	(*)	(*)	(*)	(*)
	{M.....	(*)	(*)				(*)	(*)	(*)	(*)	(*)	(*)
27	Others of this class.....	489.6	68.4	28.7	9.9	14.9	611.5	16.8	3.0	2.0	12.9	14.9
	{F.....	405.0	52.5	29.3	18.2	6.1	511.1	13.1	10.1	7.1	13.1	27.3
28	6. Diseases of the urinary system and male organs of generation.....	17.6	5.9	4.8	5.4	4.2	37.9	16.2	11.5	15.8	33.3	45.3
29	Males.....	18.1	5.4	3.9	5.1	3.9	36.4	15.4	8.9	12.5	25.9	37.6
30	Females.....	16.9	6.6	6.2	5.7	4.5	39.9	17.3	14.9	20.2	43.2	55.4
31	Bright's disease.....							17.4	10.0	14.6	28.9	40.7
	{M.....							19.0	16.8	20.7	42.4	51.4
32	Calculus, urinary.....	(*)					(*)		(*)	(*)	(*)	(*)
	{M.....	(*)					(*)					
33	Diseases of the kidney.....	196.0	81.1	63.7	77.4	57.4	475.6	13.7	3.7	7.5	18.7	27.5
	{M.....	205.3	94.4	87.7	84.4	71.2	543.0	5.0	3.3	14.9	29.8	34.8
34	Diseases of the bladder.....	7.6	2.5			1.3	11.4	3.8	2.5	3.8	6.3	17.7
	{M.....	32.0		8.0			40.0	8.0		8.0	16.0	32.0
35	Others of this class.....	42.1	2.8		3.4	2.3	50.6	10.8	6.8	6.8	19.9	34.7
	{F.....	29.0	7.0	6.2	5.3	1.8	49.3	13.2	9.7	22.0	58.9	96.7
36	7. Diseases of the female organs of generation.....	5.2	0.7		0.7	0.7	7.3	0.7	4.7	38.6	108.4	151.0
37	Ovarian tumors.....							4.7	4.7	37.2	69.7	102.3
38	Ovarian diseases.....									(*)	(*)	(*)
39	Diseases of the tubes.....									58.2	164.4	256.9
40	Uterine tumors.....					2.6	2.6		2.6	2.6	12.9	49.0
41	Uterine diseases.....									(*)	(*)	(*)
42	Others of this class.....	18.8	2.3		2.3		23.4		11.7	56.4	159.7	169.0

* Data insufficient for correct proportions.

PROPORTION OF DEATHS AT EACH AGE.

625

DEATHS AT KNOWN AGES FROM EACH CAUSE—Continued.

REGISTRATION CITIES—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	
33.2	38.4	35.0	35.7	40.3	42.1	46.9	49.8	46.3	36.3	23.4	10.6	3.1	1.1	1
36.7	43.5	41.1	41.5	44.0	42.0	42.1	42.4	38.4	29.2	17.2	8.0	1.8	0.6	2
29.2	32.4	27.9	29.1	36.2	42.1	52.4	58.3	55.5	44.5	30.5	13.7	4.8	1.7	3
0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	4
0.9	1.9	1.9	0.9	0.9	1.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	5
44.1	52.4	48.5	49.1	49.9	43.3	44.1	40.6	36.3	25.4	14.1	6.4	1.3	0.5	6
34.6	39.0	33.0	32.9	39.9	46.1	55.5	57.1	52.2	38.6	25.8	10.6	3.9	1.2	7
35.6	23.7	39.5	31.6	27.7	19.8	19.8	15.8	7.9	7.9	11.8	4.7	0.8	0.8	8
23.4	9.3	4.7	4.7	4.7	23.4	9.3	4.7	14.0	18.6	4.7	0.8	0.8	0.8	9
7.9	10.9	12.6	13.9	19.7	32.8	32.3	41.2	47.8	44.8	30.7	14.7	3.9	1.1	10
11.1	10.1	9.6	17.3	22.5	32.3	45.6	65.8	70.0	65.2	48.2	26.8	9.4	3.9	11
76.1	89.8	77.6	65.4	62.4	59.4	48.7	48.7	30.4	33.5	18.3	6.1	1.5	0.8	12
72.9	65.3	57.6	55.7	53.7	38.4	61.4	53.7	63.3	57.6	25.0	13.4	2.2	0.9	13
21.9	27.4	40.2	54.9	95.1	122.5	131.6	146.3	124.3	71.3	47.5	12.8	5.5	1.8	14
16.3	32.6	44.8	40.7	75.4	77.4	128.3	175.2	124.2	114.1	59.1	22.4	6.1	2.2	15
40.2	43.8	44.2	41.1	48.3	52.3	47.8	64.3	44.7	38.9	20.6	13.4	2.2	0.9	16
33.9	40.9	33.9	31.8	47.4	45.8	50.6	58.1	61.4	50.6	41.4	14.5	3.8	2.2	17
58.6	64.2	65.4	60.7	60.9	62.0	58.5	55.3	44.6	30.0	14.5	6.3	1.7	0.4	18
51.1	58.4	69.8	66.7	65.5	67.1	60.3	53.9	42.9	27.2	11.6	4.7	1.3	0.3	19
66.5	70.3	60.8	54.3	56.0	56.7	56.6	56.9	46.4	32.9	17.6	7.9	2.0	0.4	20
65.3	14.5	36.2	21.7	21.7	14.5	7.2	7.2	7.2	14.5	14.5	7.2	7.2	7.2	21
37.6	7.5	30.1	22.6	30.1	22.6	22.6	22.6	15.0	15.0	15.0	15.0	15.0	15.0	22
38.8	42.2	52.2	55.6	65.0	77.7	67.7	74.4	70.3	47.6	24.1	9.4	2.7	1.3	23
41.1	58.1	50.5	44.0	57.0	59.3	71.1	73.4	78.1	52.8	41.1	15.3	5.3	0.6	24
52.2	80.8	79.1	114.5	92.6	92.6	87.5	75.7	50.5	33.7	10.1	13.5	2.2	0.6	25
73.3	90.5	36.6	94.8	77.6	56.0	71.1	77.6	62.5	32.3	17.2	15.1	2.2	0.6	26
49.9	46.4	38.3	61.6	60.4	62.7	43.0	62.7	48.8	33.7	9.3	4.6	2.3	1.1	27
55.0	64.6	74.1	70.9	55.0	75.1	58.2	78.3	52.9	46.6	27.5	15.9	1.1	1.1	28
92.6	75.3	62.2	45.6	37.3	26.9	18.7	14.5	9.7	4.8	3.5	0.7	0.7	1.2	29
81.5	71.0	41.9	45.4	27.9	24.4	18.6	17.5	10.5	9.3	4.7	0.7	0.7	1.2	30
42.7	61.6	71.1	73.5	49.8	80.6	87.7	71.1	101.9	68.7	30.8	11.8	2.4	5.2	31
33.9	59.9	83.3	75.5	122.4	106.8	138.0	112.0	99.0	59.9	23.4	20.8	5.2	5.2	32
45.1	37.6	67.6	26.3	60.2	60.2	33.8	52.6	60.2	22.5	18.8	18.8	7.5	7.5	33
68.7	61.1	53.4	34.3	26.7	57.3	34.3	61.1	38.2	22.9	11.5	19.1	3.8	3.8	34
22.7	10.1	27.8	30.3	32.8	50.5	37.9	37.9	40.4	20.2	20.2	7.6	3.0	3.0	35
38.4	35.5	20.7	35.5	32.5	44.4	53.2	71.0	59.1	35.5	17.8	8.9	3.0	3.0	36
84.1	85.9	93.0	96.6	105.6	71.6	78.7	62.6	42.9	26.8	12.5	9.1	1.8	1.8	37
38.5	61.2	90.7	65.8	70.3	102.0	95.2	95.2	81.6	43.1	18.1	9.1	2.3	2.3	38
46.3	86.4	122.3	115.7	120.9	123.8	115.3	94.9	56.7	37.3	9.4	3.3	1.4	0.5	39
55.4	83.9	103.4	98.5	115.6	106.7	101.0	90.4	74.1	48.0	20.4	7.3	0.8	0.8	40
68.4	59.9	76.8	63.4	36.7	46.5	35.9	23.2	20.4	9.9	4.9	3.5	0.7	0.7	41
29.0	108.8	72.0	43.1	34.4	32.1	23.5	23.8	17.0	10.7	2.4	1.2	0.8	0.8	42
(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	43
13.9	25.7	37.7	27.7	43.6	36.7	48.5	27.7	37.7	21.8	11.9	5.0	1.0	1.0	44
21.2	29.3	30.3	39.4	55.5	48.5	49.5	46.5	31.3	37.4	20.2	5.1	3.0	1.0	45
52.3	66.3	72.2	78.7	89.9	94.3	100.3	94.7	84.8	58.6	31.5	13.0	2.4	1.0	46
46.0	59.0	69.8	76.5	94.2	98.3	104.5	103.1	91.6	66.4	36.4	14.2	2.3	1.0	47
60.7	76.0	75.4	81.7	84.2	88.9	94.7	83.6	75.7	48.2	24.9	11.5	2.5	1.1	48
51.3	65.6	77.5	84.9	104.4	109.1	113.4	101.6	84.9	57.3	26.5	9.7	1.7	0.5	49
59.0	76.2	79.5	87.3	90.0	94.9	103.2	86.4	80.5	50.0	26.5	12.6	2.5	1.1	50
(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	51
23.7	36.2	41.2	40.0	44.9	41.2	40.0	68.7	51.2	40.0	20.0	6.2	1.7	1.7	52
41.4	48.0	41.4	33.1	43.1	36.4	29.8	41.4	29.8	13.2	9.9	0.8	0.8	0.8	53
11.4	13.9	24.0	27.8	53.0	44.2	99.7	152.8	181.8	156.5	114.9	60.6	8.8	5.1	54
32.0	72.0	32.0	32.0	32.0	88.0	120.0	120.0	144.0	128.0	32.0	40.0	16.0	8.0	55
43.2	52.9	60.9	70.0	76.8	87.6	86.5	104.1	106.9	89.3	64.3	22.2	4.0	1.7	56
85.3	92.3	69.5	73.9	72.1	77.4	66.0	81.8	58.9	44.9	19.3	6.2	2.6	2.6	57
155.0	133.1	144.4	97.8	55.9	28.6	23.9	21.3	12.0	12.0	5.3	0.8	0.8	0.8	58
107.0	74.4	116.3	134.9	97.7	60.4	41.8	74.4	32.6	23.3	18.6	0.8	0.8	0.8	59
(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	60
202.1	167.8	102.7	37.7	6.8	49.0	51.5	23.2	20.6	23.2	5.2	0.8	0.8	0.8	61
100.5	128.8	239.7	177.8	110.8	49.0	51.5	23.2	20.6	23.2	5.2	0.8	0.8	0.8	62
(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	63
173.7	136.2	119.7	70.4	30.5	18.8	11.7	9.4	4.7	4.7	4.7	0.8	0.8	0.8	64

VITAL STATISTICS.

TABLE 24.—NUMBER OF DEATHS AT EACH AGE PER 1,000

REGISTRATION CITIES—Continued.

CAUSE OF DEATH.		Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	8. Affections connected with pregnancy								1.4	66.4	218.2	249.5
2	Abortion									54.5	195.5	286.4
3	Childbirth								1.4	53.4	151.9	212.0
4	Puerperal septicemia								2.4	66.2	247.4	268.7
5	Extra-uterine pregnancy									7.7	153.9	269.2
6	Others of this class									102.5	262.6	235.6
7	9. Diseases of the bones and joints	67.7	29.4	11.5	26.8	20.4	155.8	100.9	88.1	77.9	71.5	44.7
8	Males	59.9	22.2	8.9	33.3	28.8	153.1	84.3	88.7	90.9	77.6	51.0
9	Females	78.3	39.2	15.1	18.1	9.0	159.7	123.5	87.3	60.2	63.3	36.1
10	Diseases of the spine	(M.. 60.6 F.. (*)	22.7 (*)	7.5 (*)	37.9 (*)	45.5	174.2 (*)	121.2 (*)	90.9 (*)	98.5 (*)	68.2 (*)	75.8 (*)
11	Abscess, lumbar and psoas	(M.. (*) F.. (*)					(*) (*)	(*) (*)	(*) (*)	(*) (*)	(*) (*)	(*) (*)
12	Diseases of the bones	(M.. 85.7 F.. 86.2	22.9 69.0	11.4 17.2	34.3 8.6	34.3 25.9	188.6 206.9	57.1 77.6	68.6 103.4	80.0 60.4	62.9 69.0	45.7 51.7
13	Diseases of the hip-joint	(M.. (*) F.. (*)		(*)	(*)	(*)	(*) (*)	(*) (*)	(*) (*)	(*) (*)	(*) (*)	(*) (*)
14	Others of this class	(M.. (*) F.. (*)	(*)	(*)	(*)	(*)	(*) (*)	(*) (*)	(*) (*)	(*) (*)	(*) (*)	(*) (*)
15	10. Diseases of the skin	312.4	26.6	19.6	12.6	4.2	375.4	26.6	9.8	9.8	35.0	26.6
16	Males	288.6	27.9	22.8	10.1	2.5	351.9	32.9	12.7	10.1	27.8	25.3
17	Females	341.7	25.1	15.7	15.7	6.2	404.4	18.8	6.3	9.4	43.9	28.2
18	Abscess	(M.. 233.9 F.. 318.5	45.9 12.7	22.9 19.1	13.8 12.7	4.6 6.4	321.1 369.4	55.0 38.2	22.9 6.4	13.8 6.4	32.1 51.0	32.1 51.0
19	Carbuncle	(M.. (*) F.. (*)		(*)			(*) (*)			(*) (*)	(*) (*)	(*) (*)
20	Others of this class	(M.. 521.0 F.. 446.2	8.4 46.1	25.2 7.7	8.4 23.1	7.7	563.0 530.8	8.4			25.2 23.1	16.8
21	11. Diseases of the absorbent system	108.5	58.1	3.9	15.5	3.9	189.9	23.2	23.2	34.9	31.0	85.3
22	Males	120.3	67.7	7.5	30.1	7.5	233.1	30.1	22.5	45.1	37.6	67.6
23	Females	96.0	48.0				144.0	16.0	24.0	24.0	24.0	104.0
24	Addison's disease	(M.. (*) F.. (*)						(*) (*)	(*) (*)	(*) (*)	(*) (*)	(*) (*)
25	Diseases of the spleen	(M.. (*) F.. (*)			(*)		(*) (*)		(*)		(*)	(*)
26	Others of this class	(M.. (*) F.. (*)	(*) (*)	(*)	(*)	(*)	(*) (*)	(*) (*)	(*) (*)	(*) (*)	(*) (*)	(*) (*)
27	12. Accidents and injuries	52.7	16.7	17.6	17.6	14.6	119.2	49.2	39.9	54.8	85.8	95.9
28	Males	39.0	11.4	13.7	12.6	10.4	87.1	43.6	43.2	57.4	90.1	103.7
29	Females	97.0	33.6	30.0	33.6	28.1	222.3	67.2	29.4	46.2	72.1	70.5
30	Burns and scalds	(M.. 42.4 F.. 26.7	97.5 72.8	152.5 67.2	126.2 85.0	71.1 76.1	489.7 327.8	78.0 140.8	25.2 50.2	18.3 44.5	43.6 42.1	44.7 59.1
31	Drowning	(M.. 5.0 F.. 43.5	7.5 59.8	4.5 32.6	8.9 43.5	11.9 10.9	37.8 190.3	113.3 76.1	132.7 65.2	91.5 119.6	90.0 76.1	82.5 43.5
32	Exposure and neglect	(M.. (*) F.. (*)	(*)	(*)		(*)	(*) (*)	(*) (*)	(*) (*)	(*) (*)	(*) (*)	(*) (*)
33	Gunshot wounds	(M.. 2.6 F.. 9.3	1.4	27.7	1.4 9.3	1.4 18.5	6.8 64.8	17.6 64.8	77.1 55.6	117.7 55.6	167.8 231.5	155.6 111.1
34	Homicide	(M.. (*) F.. (*)	8.6	17.2	17.2	8.6	51.6	15.2 69.0	21.7 34.5	63.1 51.7	163.0 146.6	193.5 181.0
35	Infanticide	(M.. (*) F.. (*)					(*) (*)					
36	Injuries by machinery	(M.. (*) F.. (*)	(*)				(*)			(*)	(*)	(*)
37	Railroad accidents	(M.. 1.9 F.. 7.7	3.0 19.3	3.0 27.0	4.2 27.0	7.6 42.5	19.7 123.5	49.0 158.3	47.9 54.1	66.8 73.4	119.2 57.9	128.7 46.3
38	Suffocation	(M.. 467.1 F.. 624.3	24.2 41.4	19.0 17.8	6.9 11.8	8.7 11.8	525.9 707.1	15.6 35.5	12.1 8.9	27.7 29.5	51.9 23.7	36.3 29.5
39	Suicide by shooting	(M.. (*) F.. (*)								14.5 (*)	87.0 (*)	117.6 (*)
40	Suicide by drowning	(M.. (*) F.. (*)								(*) (*)	(*) (*)	(*) (*)
41	Suicide by poison	(M.. (*) F.. (*)							9.6	25.1 157.1	79.3 217.9	116.9 179.5
42	Other suicides	(M.. (*) F.. (*)							2.2	16.2 63.0	61.4 134.5	76.5 117.7
43	Sunstroke	(M.. 145.5 F.. 231.3	18.7 59.7	14.9 29.9	7.5	7.5	186.6 328.4	26.1 29.9		18.7 14.9	59.7 29.9	63.4 22.4
44	Surgical operations	(M.. 63.1 F.. 12.1	9.0	9.0		9.0	90.1 16.2	36.0 8.1		18.0 20.2	72.1 153.8	108.1 117.4
45	Wounds	(M.. (*) F.. (*)	3.0 (*)	9.0	11.9	11.9	35.8 (*)	23.9 (*)	23.9 (*)	95.5 (*)	107.5 (*)	149.2 (*)
46	Others of this class	(M.. 37.5 F.. 92.2	9.1 21.3	8.9 22.5	9.7 24.8	8.1 16.7	73.3 177.5	39.1 42.6	34.1 22.5	57.6 21.9	79.5 44.4	103.5 54.2

*Data insufficient for correct proportions.

PROPORTION OF DEATHS AT EACH AGE.

627

DEATHS AT KNOWN AGES FROM EACH CAUSE—Continued.

REGISTRATION CITIES—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	
215.1	165.9	74.0	7.2	1.0	0.3	0.3			0.7					1
190.9	195.5	68.2			4.5				4.5					2
233.9	227.1	106.7	10.9	2.7										3
212.8	136.3	56.7	7.1	0.8		0.8			0.8					4
276.9	215.4	69.2	7.7											5
190.7	129.5	73.7	5.4											6
61.3	57.5	61.3	48.5	46.0	39.6	33.2	39.6	43.4	20.4	6.4	2.6	1.3		7
66.5	64.3	64.3	55.4	48.8	31.0	28.8	42.1	26.6	22.2	2.2	2.2			8
54.2	48.2	57.2	39.2	42.2	51.2	39.2	36.1	66.3	18.1	12.0	3.0	3.0		9
45.5	60.6	68.2	53.0	37.9	15.1		30.3	30.3	30.3					10
(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)		(*)		11
(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)					12
(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)					13
74.3	62.9	62.9	51.4	57.1	34.3	40.0	51.4	22.8	28.6	5.7	5.7			14
51.7	34.5	43.1	51.7	34.5	34.5	43.1	34.5	60.4	17.2	17.2	8.6			15
(*)	(*)	(*)		(*)	(*)	(*)								16
(*)	(*)	(*)		(*)	(*)	(*)								17
(*)	(*)	(*)		(*)	(*)	(*)								18
39.2	50.4	64.4	44.8	53.2	60.3	61.7	51.8	39.2	25.2	14.0	11.2	1.4		19
32.9	50.6	70.9	45.6	63.3	73.4	55.7	53.2	35.5	27.8	20.3	10.1			20
47.0	50.2	56.4	43.9	40.7	43.9	69.0	50.2	43.9	21.9	6.3	12.5	3.1		21
41.3	78.0	82.6	36.7	68.8	68.8	45.9	50.5	18.3	13.8	18.3				22
51.0	63.7	63.7	51.0	31.8	57.3	51.0	63.7	19.1	12.7	6.3	6.3			23
(*)		(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)			24
(*)		(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)			25
8.4	25.2	50.5	25.2	33.6	50.5	42.0	33.6	42.0	33.6	25.2	16.8			26
53.8	38.4	38.4	30.8	23.1	23.1	84.6	38.4	46.2	23.1		23.1	7.7		27
81.4	50.4	77.5	73.6	69.8	85.3	85.3	38.8	34.9	15.5					28
90.2	52.6	60.2	60.2	60.2	82.7	82.7	30.1	45.1						29
72.0	48.0	96.0	88.0	80.0	88.0	88.0	48.0	24.0	32.0					30
(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)					31
(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)					32
(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)					33
(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)					34
(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)					35
94.3	97.0	75.2	66.3	55.0	43.9	37.6	30.0	21.7	16.2	10.5	5.4	1.5	0.6	36
103.2	104.8	82.7	72.3	60.2	46.4	38.2	27.5	17.6	11.2	7.1	2.7	0.6	0.4	37
65.8	71.9	51.3	46.9	38.1	35.9	35.5	38.3	35.0	32.2	21.4	13.9	4.5	1.6	38
53.9	53.9	53.9	32.1	26.4	18.3	17.2	14.9	13.8	6.9	6.9	2.3			39
55.0	53.4	39.6	36.4	21.0	29.1	27.5	21.8	21.0	18.6	6.5	3.2	2.4		40
82.5	93.4	76.1	59.1	43.7	36.8	26.3	16.9	8.9	6.0	2.0	0.5			41
70.6	86.9	59.8	48.9	43.5	38.0	32.6	32.6	10.9	5.4					42
(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)		(*)	43
(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)		(*)	44
119.1	102.8	64.9	59.5	31.1	32.5	23.0	9.5	6.8	6.8		1.4			45
129.6	148.1	55.6	18.5	18.5		18.5			18.5	9.3				46
160.9	145.7	71.7	63.1	39.1	23.9	17.4	6.5	6.5	2.2	2.2				47
146.6	103.5	77.6	43.1	43.1	25.9	8.6	17.2							48
(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)			49
(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)			50
118.9	113.2	83.2	64.9	58.5	46.7	36.1	18.2	15.2	6.5	4.6	2.3		0.4	51
65.6	54.1	50.2	50.2	42.5	50.2	19.3	42.5	46.3	46.3	15.4	3.9			52
50.2	72.6	48.4	38.1	19.0	27.7	27.7	24.2	8.7	6.9	3.5	3.5			53
20.7	23.7	8.9	14.8	11.8	23.7	17.8	11.8	17.8	5.9	8.9				54
120.8	130.4	130.4	122.4	91.8	64.4	38.6	38.6	20.9	14.5	4.9	3.2			55
(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)			56
(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)			57
(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)			58
135.7	131.5	121.1	96.0	112.7	56.4	56.4	41.7	20.9	6.3					59
102.6	125.0	60.9	48.1	32.1	19.2	12.8	9.6	12.8	6.4	3.2		3.2		60
99.1	114.2	123.9	116.4	118.5	91.6	72.2	46.3	28.0	21.6	9.7	1.1	1.1		61
96.6	134.5	134.5	92.4	63.0	50.4	29.4	29.4	21.0	16.8	8.4	8.4			62
82.1	141.8	74.6	78.3	85.8	63.4	29.9	14.9	33.6	29.9	7.5	2.7			63
14.9	52.2	29.8	44.8	74.6	52.2	97.0	52.2	82.1	44.8	22.4				64
99.1	99.1	81.1	81.1	72.1	81.1	72.1	54.0	18.0	9.0	9.0				65
141.7	141.7	117.4	89.1	60.7	60.7	20.3	20.3	8.1	8.1	8.1				66
134.3	113.4	59.7	74.6	59.7	35.8	47.8	20.9	6.0	3.0	6.0	3.0			67
(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)			68
104.6	105.1	82.5	76.9	62.2	48.0	42.1	35.3	22.8	14.9	11.7	4.6	1.5	0.7	69
49.5	62.8	45.5	49.5	47.2	40.3	53.6	69.7	61.6	60.5	46.1	35.1	10.9	4.6	70

TABLE 25.

NUMBER OF DEATHS FROM EACH CAUSE PER 1,000 DEATHS FROM KNOWN CAUSES,
IN THE UNITED STATES, THE REGISTRATION AREA, AND THE
REGISTRATION CITIES, BY AGE AND SEX.

[For the deaths in these areas, see Table 8, Part 2.]

VITAL STATISTICS.

TABLE 25.—NUMBER OF DEATHS FROM EACH CAUSE PER
THE UNITED STATES.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	1. General diseases.												
2	General diseases—A.....	210.1	309.2	441.5	423.9	427.9	445.2	358.0	429.8	334.8	254.9	197.5	160.4
3	Males.....	203.1	299.7	434.7	410.4	411.3	438.2	346.5	408.9	303.7	250.6	215.4	169.5
4	Females.....	218.1	321.1	448.9	438.5	446.0	452.3	371.7	451.4	365.9	258.9	179.9	151.4
5	Measles.....	(M.. 11.7 F.. 14.2)	(M.. 15.9 F.. 17.7)	(M.. 49.2 F.. 50.7)	(M.. 48.9 F.. 53.1)	(M.. 41.7 F.. 48.0)	(M.. 36.4 F.. 37.7)	(M.. 27.3 F.. 30.5)	(M.. 30.1 F.. 32.6)	(M.. 21.7 F.. 24.8)	(M.. 14.4 F.. 18.2)	(M.. 10.0 F.. 9.6)	(M.. 5.0 F.. 8.6)
6	Scarlet fever.....	(M.. 5.9 F.. 6.8)	(M.. 3.2 F.. 3.1)	(M.. 14.7 F.. 15.3)	(M.. 33.2 F.. 35.1)	(M.. 53.2 F.. 54.0)	(M.. 54.8 F.. 62.7)	(M.. 12.7 F.. 14.5)	(M.. 43.5 F.. 47.0)	(M.. 12.6 F.. 16.6)	(M.. 3.3 F.. 4.8)	(M.. 1.5 F.. 1.7)	(M.. 0.9 F.. 1.0)
7	Diphtheria.....	(M.. 15.2 F.. 17.9)	(M.. 6.5 F.. 6.1)	(M.. 36.5 F.. 36.7)	(M.. 83.1 F.. 83.9)	(M.. 121.8 F.. 124.6)	(M.. 143.0 F.. 154.2)	(M.. 30.4 F.. 38.7)	(M.. 122.8 F.. 148.2)	(M.. 47.7 F.. 61.4)	(M.. 10.6 F.. 11.4)	(M.. 3.5 F.. 3.4)	(M.. 1.5 F.. 2.8)
8	Whooping cough.....	(M.. 8.7 F.. 11.4)	(M.. 26.8 F.. 35.0)	(M.. 33.3 F.. 46.3)	(M.. 26.5 F.. 43.1)	(M.. 21.6 F.. 32.4)	(M.. 17.6 F.. 25.0)	(M.. 27.4 F.. 37.4)	(M.. 8.6 F.. 12.7)	(M.. 2.2 F.. 3.5)	(M.. 0.8 F.. 0.8)	(M.. 0.2 F.. 0.1)	(M.. F.. 0.2)
9	Malarial fever.....	(M.. 14.1 F.. 15.8)	(M.. 9.1 F.. 10.4)	(M.. 20.4 F.. 22.7)	(M.. 24.5 F.. 29.3)	(M.. 27.7 F.. 33.1)	(M.. 35.3 F.. 36.9)	(M.. 14.6 F.. 17.3)	(M.. 39.5 F.. 44.5)	(M.. 38.3 F.. 39.8)	(M.. 31.2 F.. 30.6)	(M.. 23.8 F.. 21.0)	(M.. 17.9 F.. 17.1)
10	Influenza.....	(M.. 14.5 F.. 19.1)	(M.. 10.6 F.. 10.2)	(M.. 8.9 F.. 8.6)	(M.. 8.3 F.. 9.7)	(M.. 7.7 F.. 8.3)	(M.. 9.8 F.. 9.1)	(M.. 9.8 F.. 9.7)	(M.. 8.1 F.. 8.3)	(M.. 6.7 F.. 9.6)	(M.. 7.3 F.. 9.0)	(M.. 6.9 F.. 7.2)	(M.. 6.6 F.. 9.0)
11	Typhoid fever.....	(M.. 35.6 F.. 35.2)	(M.. 5.6 F.. 6.6)	(M.. 17.2 F.. 18.6)	(M.. 25.3 F.. 30.3)	(M.. 35.3 F.. 40.6)	(M.. 42.2 F.. 39.7)	(M.. 12.6 F.. 14.9)	(M.. 68.2 F.. 77.1)	(M.. 102.7 F.. 149.2)	(M.. 132.0 F.. 138.5)	(M.. 123.7 F.. 86.1)	(M.. 94.2 F.. 58.5)
12	Cholera morbus.....	(M.. 6.4 F.. 6.5)	(M.. 9.9 F.. 9.3)	(M.. 13.2 F.. 12.7)	(M.. 16.9 F.. 14.4)	(M.. 10.0 F.. 10.1)	(M.. 9.0 F.. 7.7)	(M.. 11.1 F.. 10.4)	(M.. 10.3 F.. 9.0)	(M.. 10.7 F.. 7.7)	(M.. 4.8 F.. 4.7)	(M.. 3.4 F.. 4.0)	(M.. 2.6 F.. 4.2)
13	Colitis.....	(M.. 1.5 F.. 1.4)	(M.. 3.2 F.. 3.2)	(M.. 4.2 F.. 4.3)	(M.. 3.0 F.. 2.7)	(M.. 3.1 F.. 1.1)	(M.. 1.3 F.. 0.5)	(M.. 3.3 F.. 3.1)	(M.. 0.7 F.. 0.7)	(M.. 0.2 F.. 0.4)	(M.. 0.2 F.. 0.2)	(M.. 0.3 F.. 0.4)	(M.. 0.5 F.. 0.3)
14	Diarrhea.....	(M.. 8.1 F.. 7.3)	(M.. 13.5 F.. 14.0)	(M.. 17.1 F.. 17.1)	(M.. 13.5 F.. 12.0)	(M.. 5.4 F.. 6.9)	(M.. 5.4 F.. 3.4)	(M.. 13.5 F.. 13.5)	(M.. 10.1 F.. 10.4)	(M.. 5.1 F.. 5.0)	(M.. 2.2 F.. 1.4)	(M.. 1.9 F.. 1.4)	(M.. 2.4 F.. 2.3)
15	Dysentery.....	(M.. 11.5 F.. 12.0)	(M.. 12.1 F.. 13.0)	(M.. 41.5 F.. 38.0)	(M.. 33.4 F.. 32.2)	(M.. 23.4 F.. 18.7)	(M.. 20.7 F.. 14.4)	(M.. 20.5 F.. 20.3)	(M.. 15.0 F.. 11.1)	(M.. 8.7 F.. 5.6)	(M.. 5.2 F.. 3.5)	(M.. 5.6 F.. 3.6)	(M.. 4.8 F.. 4.3)
16	Enteritis.....	(M.. 19.3 F.. 20.1)	(M.. 59.7 F.. 60.3)	(M.. 51.6 F.. 51.4)	(M.. 29.2 F.. 28.9)	(M.. 17.3 F.. 19.6)	(M.. 18.7 F.. 17.9)	(M.. 51.6 F.. 51.1)	(M.. 12.4 F.. 13.4)	(M.. 8.2 F.. 7.1)	(M.. 5.0 F.. 4.7)	(M.. 3.6 F.. 4.7)	(M.. 4.2 F.. 6.1)
17	Cholera infantum.....	(M.. 25.8 F.. 25.5)	(M.. 99.0 F.. 105.7)	(M.. 101.1 F.. 101.4)	(M.. 34.5 F.. 37.8)	(M.. 14.5 F.. 15.4)	(M.. 9.0 F.. 11.6)	(M.. 85.7 F.. 88.5)					
18	Fever.....	(M.. 2.6 F.. 3.0)	(M.. 3.8 F.. 4.8)	(M.. 7.1 F.. 6.7)	(M.. 6.3 F.. 5.3)	(M.. 5.8 F.. 6.3)	(M.. 6.4 F.. 6.5)	(M.. 4.9 F.. 5.4)	(M.. 6.0 F.. 6.8)	(M.. 4.0 F.. 5.6)	(M.. 3.5 F.. 4.2)	(M.. 3.2 F.. 3.1)	(M.. 2.1 F.. 3.1)
19	Cerebro-spinal fever.....	(M.. 4.4 F.. 4.0)	(M.. 6.1 F.. 5.9)	(M.. 10.3 F.. 9.0)	(M.. 11.5 F.. 10.1)	(M.. 12.2 F.. 12.9)	(M.. 14.1 F.. 10.2)	(M.. 8.0 F.. 7.6)	(M.. 15.0 F.. 13.5)	(M.. 12.5 F.. 13.3)	(M.. 8.8 F.. 5.3)	(M.. 3.9 F.. 2.8)	(M.. 3.6 F.. 2.8)
20	Smallpox.....	(M.. 4.0 F.. 2.9)	(M.. 2.2 F.. 2.2)	(M.. 2.0 F.. 2.8)	(M.. 3.8 F.. 2.8)	(M.. 2.9 F.. 4.6)	(M.. 6.2 F.. 4.7)	(M.. 2.5 F.. 2.7)	(M.. 5.4 F.. 6.0)	(M.. 6.1 F.. 5.4)	(M.. 9.4 F.. 6.1)	(M.. 11.3 F.. 6.6)	(M.. 9.7 F.. 4.9)
21	Erysipelas.....	(M.. 3.0 F.. 2.7)	(M.. 4.2 F.. 5.0)	(M.. 1.5 F.. 1.9)	(M.. 1.4 F.. 0.8)	(M.. 1.4 F.. 1.1)	(M.. 1.0 F.. 1.0)	(M.. 3.2 F.. 3.5)	(M.. 1.3 F.. 1.2)	(M.. 2.3 F.. 1.7)	(M.. 2.0 F.. 2.1)	(M.. 1.6 F.. 1.4)	(M.. 2.4 F.. 1.9)
22	Septicemia.....	(M.. 5.7 F.. 8.0)	(M.. 3.4 F.. 3.6)	(M.. 2.1 F.. 2.6)	(M.. 3.6 F.. 4.0)	(M.. 3.4 F.. 4.4)	(M.. 5.9 F.. 5.4)	(M.. 3.3 F.. 3.6)	(M.. 7.9 F.. 6.0)	(M.. 10.8 F.. 6.7)	(M.. 6.8 F.. 11.0)	(M.. 7.0 F.. 19.5)	(M.. 6.4 F.. 21.3)
23	Venereal diseases.....	(M.. 1.8 F.. 1.4)	(M.. 3.7 F.. 3.8)	(M.. 1.1 F.. 0.9)	(M.. 0.9 F.. 1.1)	(M.. 0.8 F.. 1.0)	(M.. 0.2 F.. 0.5)	(M.. 2.6 F.. 2.6)	(M.. 0.3 F.. 0.3)	(M.. 0.4 F.. 0.3)	(M.. 1.1 F.. 1.0)	(M.. 1.6 F.. 1.6)	(M.. 2.4 F.. 1.4)
24	Others of this group.....	(M.. 3.3 F.. 2.9)	(M.. 1.2 F.. 1.2)	(M.. 1.7 F.. 1.2)	(M.. 2.6 F.. 1.9)	(M.. 2.1 F.. 1.9)	(M.. 3.1 F.. 3.2)	(M.. 1.5 F.. 1.4)	(M.. 3.7 F.. 2.6)	(M.. 2.8 F.. 2.2)	(M.. 2.0 F.. 1.4)	(M.. 2.4 F.. 1.7)	(M.. 2.3 F.. 1.6)
25	General diseases—B.....	18.3	57.3	13.5	14.6	13.3	10.6	40.3	7.6	3.8	5.3	7.7	10.8
26	Males.....	20.8	56.9	13.8	15.0	14.1	12.9	41.0	7.2	4.1	4.9	8.5	13.3
27	Females.....	15.4	57.7	13.2	14.2	12.5	8.2	39.5	7.9	3.5	5.7	6.9	8.3
28	Alcoholism.....	(M.. 4.5 F.. 0.9)			0.1	0.1	0.3		0.3	0.1	0.2	1.9	6.9
29	Parasitic diseases.....	(M.. 0.5 F.. 0.6)	(M.. 0.3 F.. 0.3)	(M.. 1.9 F.. 2.3)	(M.. 3.8 F.. 4.2)	(M.. 4.2 F.. 5.1)	(M.. 5.0 F.. 3.3)	(M.. 1.3 F.. 1.5)	(M.. 2.3 F.. 3.3)	(M.. 0.2 F.. 0.4)	(M.. 0.1 F.. 0.2)	(M.. 0.1 F.. 0.2)	(M.. F..)
30	Lead poison.....	(M.. 0.2 F.. 0.1)	(M.. F.. 0.1)		0.1		0.2				0.2	0.1	0.3
31	Other poisons.....	(M.. 3.9 F.. 2.8)	(M.. 1.1 F.. 1.0)	(M.. 5.2 F.. 3.5)	(M.. 7.5 F.. 6.3)	(M.. 6.8 F.. 3.9)	(M.. 4.1 F.. 3.3)	(M.. 2.9 F.. 2.3)	(M.. 3.4 F.. 3.1)	(M.. 3.1 F.. 2.2)	(M.. 4.2 F.. 5.0)	(M.. 6.1 F.. 5.7)	(M.. 5.7 F.. 5.6)
32	Inanition.....	(M.. 11.7 F.. 11.0)	(M.. 55.5 F.. 56.3)	(M.. 6.7 F.. 7.4)	(M.. 3.6 F.. 3.5)	(M.. 3.1 F.. 3.4)	(M.. 3.3 F.. 1.2)	(M.. 36.8 F.. 35.6)	(M.. 1.2 F.. 1.4)	(M.. 0.7 F.. 0.9)	(M.. 0.2 F.. 0.3)	(M.. 0.3 F.. 0.5)	(M.. 0.4 F.. 0.5)
33	General diseases—C.....	65.6	163.2	20.3	10.6	6.2	5.1	105.7	3.3	3.0	2.1	2.5	2.7
34	Males.....	62.7	165.1	18.7	10.7	7.4	4.6	109.0	3.1	3.2	2.6	2.3	2.0
35	Females.....	68.9	160.9	22.1	10.6	5.0	5.5	101.8	3.6	2.8	1.7	2.7	3.3
36	Old age.....	(M.. 25.2 F.. 33.9)											
37	Premature birth.....	(M.. 15.8 F.. 13.5)	(M.. 83.7 F.. 79.1)					(M.. 52.7 F.. 47.1)					
38	Malformation.....	(M.. 2.8 F.. 2.6)	(M.. 14.1 F.. 14.6)	(M.. 0.6 F.. 0.9)	(M.. 0.7 F.. 0.6)	(M.. 0.5 F.. 0.7)	(M.. 0.3 F.. 0.5)	(M.. 9.1 F.. 9.0)	(M.. 0.4 F.. 0.3)	(M.. 0.4 F.. 0.4)	(M.. 0.2 F.. 0.1)	(M.. 0.1 F.. 0.1)	(M.. F..)
39	Debility and atrophy.....	(M.. 17.2 F.. 17.5)	(M.. 58.3 F.. 59.1)	(M.. 18.1 F.. 21.2)	(M.. 10.0 F.. 10.0)	(M.. 6.8 F.. 4.3)	(M.. 4.3 F.. 5.0)	(M.. 41.6 F.. 40.9)	(M.. 2.7 F.. 3.3)	(M.. 2.8 F.. 2.4)	(M.. 2.4 F.. 1.6)	(M.. 2.2 F.. 2.6)	(M.. 2.0 F.. 3.3)
40	Others of this group.....	(M.. 1.7 F.. 1.4)	(M.. 9.0 F.. 8.1)			0.1		(M.. 5.6 F.. 4.8)					

PROPORTION OF DEATHS FROM EACH CAUSE.

631

1,000 DEATHS FROM KNOWN CAUSES AT EACH AGE.

THE UNITED STATES.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
139.0	124.1	114.2	107.5	100.1	91.1	93.2	95.3	97.6	101.2	107.4	108.0	99.8	97.9	159.7	1
138.4	120.3	110.1	108.3	95.4	85.6	85.2	86.1	88.3	93.1	100.9	107.2	94.4	90.9	143.6	2
139.6	128.2	119.1	106.5	106.1	97.9	102.8	106.4	108.7	110.5	114.2	108.7	103.8	102.3	183.8	3
3.9	3.2	3.0	3.3	2.5	0.6	0.7	0.7	0.3	0.7	0.4	0.2	0.3	0.6	4.9	4
9.2	8.0	7.5	5.3	4.6	2.7	1.4	1.3	1.0	0.7	0.6	0.7	0.3	0.6	8.1	5
0.8	0.3	0.3	0.1	0.1	0.2	0.2	0.1	0.1	0.1	0.1	0.1	0.4	0.4	1.8	6
1.0	1.0	0.5	0.1	0.1	0.1	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	1.9	7
1.6	0.8	0.5	0.5	0.6	0.4	0.2	0.2	0.1	0.1	0.2	0.5	0.4	0.4	3.3	8
1.9	1.5	0.9	1.0	1.0	0.5	0.5	0.2	0.2	0.2	0.1	0.1	0.1	0.1	4.6	9
0.1	0.1	0.2	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.2	0.4	0.3	3.1	10
0.3	0.1	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.2	0.3	0.3	4.6	11
14.3	11.4	12.0	12.3	10.3	9.1	7.3	6.4	6.0	6.5	4.1	5.1	4.3	4.0	12.4	12
13.8	11.7	13.4	12.7	11.1	9.6	9.1	8.5	7.5	5.6	4.8	4.8	2.0	9.4	22.6	13
7.1	8.0	10.6	11.3	11.2	13.5	18.1	22.4	29.0	33.1	43.7	48.2	50.0	41.9	11.8	14
10.3	10.5	13.2	13.9	20.3	22.3	29.3	33.3	41.6	48.1	55.3	53.3	59.3	59.3	21.9	15
71.7	56.2	43.0	37.5	24.9	17.9	12.9	8.8	7.7	5.6	3.3	3.7	2.7	2.0	27.3	16
49.5	42.1	36.0	31.2	26.3	21.1	15.6	12.2	9.0	5.1	4.3	2.9	1.8	3.1	41.8	17
2.4	2.6	3.0	3.8	4.5	4.5	4.4	4.3	4.3	4.0	3.6	3.6	4.3	5.0	4.9	18
4.5	5.1	4.7	3.3	4.4	5.2	4.4	5.1	4.8	4.9	4.8	3.9	3.8	1.9	5.4	19
0.5	0.3	1.0	0.9	0.9	0.5	0.8	0.8	0.8	0.9	0.6	0.7	0.8	0.8	0.8	20
0.7	0.6	0.7	0.8	0.9	0.7	1.1	1.2	0.8	0.9	0.7	0.7	0.9	0.9	1.1	21
2.0	2.4	2.0	3.4	5.2	7.3	7.7	9.0	8.2	9.0	9.3	9.6	7.1	11.0	16.7	22
2.9	2.7	3.1	3.2	3.9	4.6	5.9	6.1	7.7	7.3	7.7	9.4	6.4	7.5	13.0	23
5.4	5.1	5.2	6.8	7.9	6.4	8.7	8.7	9.0	9.7	10.8	10.5	6.7	11.0	9.8	24
4.8	4.9	6.7	8.0	8.5	7.9	10.9	13.6	13.6	15.0	12.8	12.9	12.3	7.5	9.6	25
3.6	4.3	4.9	5.8	5.0	5.2	5.7	6.1	5.3	5.9	5.5	5.4	2.7	5.0	6.7	26
5.8	6.6	6.7	7.3	6.9	7.2	8.4	10.8	9.6	9.8	7.5	7.5	3.2	3.8	8.1	27
														1.8	28
														2.3	29
1.5	1.5	1.0	1.2	1.1	0.6	0.8	0.8	0.7	0.6	1.1	0.5	0.8	0.8	2.8	30
2.0	1.8	1.5	1.5	1.4	0.8	0.9	0.8	0.7	0.8	0.9	1.5	0.9	0.6	3.5	31
2.2	2.5	2.0	1.7	1.0	1.0	0.7	0.8	0.3	0.2	0.2	0.2	0.4	0.4	1.3	32
2.0	1.7	1.7	1.4	0.9	0.7	0.5	0.1	0.3	0.3	0.2	0.2	0.3	0.3	1.9	33
7.9	6.1	5.7	3.7	3.4	2.1	1.9	1.0	1.5	0.8	0.7	0.4	0.8	1.0	17.5	34
4.2	3.3	3.3	2.6	2.4	1.3	1.1	1.0	0.5	0.2	0.3	0.2	0.3	1.2	13.0	35
2.9	2.7	3.5	3.4	3.5	4.5	2.9	3.8	2.9	3.1	3.1	2.8	2.4	1.0	1.5	36
1.5	3.0	2.6	2.8	3.1	3.4	3.8	2.8	2.7	2.7	3.0	2.0	1.5	0.6	2.3	37
6.5	8.5	7.3	7.3	8.4	7.5	7.3	6.9	4.2	5.0	4.6	3.9	1.6	2.0	6.7	38
21.0	20.2	12.9	8.0	6.0	6.1	4.9	3.1	3.4	2.5	2.5	2.2	2.9	1.2	10.4	39
2.3	2.3	2.6	2.4	1.9	1.5	1.3	0.8	0.3	0.4	0.1	0.1	0.1	0.1	4.4	40
2.3	1.8	1.7	1.4	0.9	0.4	0.5	0.4	0.2	0.2	0.2	0.2	0.2	0.2	3.5	41
1.7	2.0	2.3	2.8	3.0	2.7	3.5	5.0	7.5	7.4	9.3	12.0	8.6	7.0	4.1	42
1.9	1.6	1.8	2.0	3.3	3.2	4.8	5.8	4.9	6.4	8.2	6.5	7.6	5.6	4.2	43
14.9	17.4	15.4	15.4	12.6	10.1	6.7	5.8	3.8	4.2	2.4	3.2	2.3	4.2	29.4	44
21.2	25.9	22.8	22.1	18.0	14.2	9.4	7.6	4.3	5.1	2.6	3.6	2.8	4.0	33.2	45
8.3	8.0	6.6	6.9	5.8	5.1	3.5	3.6	3.1	3.1	2.3	2.8	2.0	4.4	23.8	46
12.4	17.6	15.2	13.6	11.8	8.6	4.7	4.1	1.6	1.6	0.3	0.5	0.5	0.5	11.3	47
2.4	3.4	3.5	2.7	1.8	1.1	0.8	0.5	0.3	0.3	0.1	0.2	0.2	0.2	3.5	48
		0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.4	0.4	0.4	49
	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	50
0.5	0.7	0.3	0.6	0.4	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.6	51
0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.6	52
8.0	7.3	6.8	7.3	5.1	4.5	3.7	2.5	1.5	2.0	0.8	0.7	0.6	2.0	7.7	53
5.0	4.0	2.5	3.1	2.9	2.5	1.6	1.7	1.2	0.8	0.6	0.6	0.6	0.6	3.8	54
0.3	0.3	0.4	0.6	0.6	0.9	0.9	0.9	1.1	1.4	1.4	2.4	2.4	2.0	14.2	55
0.7	0.4	0.5	1.0	0.9	1.2	1.0	1.3	1.5	2.0	1.6	2.5	1.4	3.2	16.5	56
3.3	3.5	4.0	4.3	6.6	9.6	18.9	33.7	79.6	138.7	259.5	361.1	501.1	590.6	64.8	57
3.0	3.0	3.3	4.0	5.2	8.0	15.0	29.1	70.0	121.0	239.1	340.2	497.2	567.4	52.3	58
3.6	4.1	4.7	4.7	8.3	11.7	23.5	39.4	91.0	159.1	281.5	381.2	503.9	605.1	83.6	59
						7.4	19.5	59.4	107.1	223.8	323.3	477.2	553.4	28.3	60
						14.2	28.4	78.3	143.9	262.6	363.0	481.4	581.4	53.7	61
															62
															63
0.1					0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	2.3	64
														0.4	65
2.9	3.0	3.3	4.0	5.2	7.9	7.6	9.6	10.6	13.9	15.3	16.9	20.0	14.0	21.7	66
3.6	4.0	4.7	4.7	8.2	11.6	9.3	10.9	12.6	15.2	18.9	18.2	22.5	23.7	29.5	67
	0.1				0.1			0.1							68

VITAL STATISTICS.

TABLE 25.—NUMBER OF DEATHS FROM EACH CAUSE PER 1,000
THE UNITED STATES—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	1. General diseases—Continued.												
	General diseases—D.....	176.3	28.7	50.3	59.2	59.9	58.4	38.7	84.2	154.7	286.6	355.8	368.8
2	Males.....	157.7	27.8	50.7	61.0	60.3	60.8	38.1	79.9	117.2	224.5	307.8	332.4
3	Females.....	197.5	29.7	49.9	57.2	59.4	55.8	39.5	88.7	191.9	344.1	403.1	404.9
4	Anemia.....	(M.. 1.8 F.. 2.8)	(M.. 1.4 F.. 1.5)	(M.. 0.9 F.. 1.1)	(M.. 0.6 F.. 1.1)	(M.. 1.2 F.. 1.7)	(M.. 1.0 F.. 1.3)	(M.. 1.2 F.. 1.4)	(M.. 1.6 F.. 1.4)	(M.. 1.5 F.. 2.6)	(M.. 1.5 F.. 3.9)	(M.. 1.2 F.. 3.9)	(M.. 1.3 F.. 3.8)
5	Diabetes.....	(M.. 5.0 F.. 4.3)	(M.. 0.1 F.. 0.1)	(M.. 0.7 F.. 0.6)	(M.. 1.3 F.. 1.1)	(M.. 1.6 F.. 2.6)	(M.. 2.1 F.. 1.3)	(M.. 0.5 F.. 0.5)	(M.. 5.0 F.. 4.0)	(M.. 10.1 F.. 8.1)	(M.. 7.4 F.. 3.9)	(M.. 4.4 F.. 3.1)	(M.. 4.7 F.. 3.2)
6	Rheumatism.....	(M.. 5.0 F.. 5.1)	(M.. 0.4 F.. 0.5)	(M.. 0.7 F.. 0.5)	(M.. 1.3 F.. 1.4)	(M.. 1.7 F.. 1.3)	(M.. 3.5 F.. 3.0)	(M.. 0.7 F.. 0.7)	(M.. 7.0 F.. 6.4)	(M.. 12.9 F.. 11.7)	(M.. 8.1 F.. 6.5)	(M.. 4.3 F.. 4.1)	(M.. 4.4 F.. 3.5)
7	Scrofula and tabes.....	(M.. 3.2 F.. 3.8)	(M.. 2.8 F.. 2.8)	(M.. 5.1 F.. 5.2)	(M.. 5.9 F.. 4.9)	(M.. 5.2 F.. 4.9)	(M.. 5.3 F.. 5.2)	(M.. 3.7 F.. 3.7)	(M.. 6.3 F.. 6.4)	(M.. 4.9 F.. 8.5)	(M.. 5.1 F.. 6.0)	(M.. 4.6 F.. 5.1)	(M.. 3.8 F.. 4.8)
8	Hydrocephalus.....	(M.. 4.5 F.. 4.2)	(M.. 8.5 F.. 8.8)	(M.. 15.4 F.. 13.8)	(M.. 15.9 F.. 13.0)	(M.. 14.2 F.. 15.2)	(M.. 12.6 F.. 12.4)	(M.. 10.9 F.. 10.8)	(M.. 12.2 F.. 10.6)	(M.. 6.3 F.. 5.7)	(M.. 3.5 F.. 3.7)	(M.. 2.0 F.. 1.4)	(M.. 1.4 F.. 1.5)
9	Tuberculosis, general.....	(M.. 1.3 F.. 1.3)	(M.. 0.4 F.. 0.7)	(M.. 0.9 F.. 1.0)	(M.. 1.1 F.. 0.7)	(M.. 1.3 F.. 1.0)	(M.. 1.6 F.. 0.7)	(M.. 0.7 F.. 0.8)	(M.. 1.6 F.. 1.5)	(M.. 1.7 F.. 2.9)	(M.. 2.3 F.. 2.0)	(M.. 2.8 F.. 2.7)	(M.. 3.7 F.. 2.4)
10	Consumption.....	(M.. 101.1 F.. 119.9)	(M.. 10.4 F.. 12.1)	(M.. 19.9 F.. 20.8)	(M.. 23.2 F.. 22.9)	(M.. 22.0 F.. 22.1)	(M.. 24.5 F.. 21.7)	(M.. 14.5 F.. 15.9)	(M.. 29.2 F.. 43.6)	(M.. 60.9 F.. 134.0)	(M.. 183.0 F.. 302.6)	(M.. 275.9 F.. 365.6)	(M.. 300.9 F.. 361.3)
11	Cancer.....	(M.. 21.6 F.. 38.5)	(M.. 0.4 F.. 0.4)	(M.. 0.4 F.. 0.4)	(M.. 1.1 F.. 1.2)	(M.. 1.2 F.. 1.0)	(M.. 1.6 F.. 1.5)	(M.. 0.5 F.. 0.6)	(M.. 1.8 F.. 1.9)	(M.. 3.0 F.. 2.5)	(M.. 2.7 F.. 3.0)	(M.. 3.3 F.. 4.8)	(M.. 5.7 F.. 11.3)
12	Tumor.....	(M.. 2.5 F.. 4.5)	(M.. 0.7 F.. 0.6)	(M.. 0.6 F.. 0.7)	(M.. 1.8 F.. 1.5)	(M.. 2.2 F.. 2.1)	(M.. 1.6 F.. 1.5)	(M.. 0.9 F.. 0.9)	(M.. 2.7 F.. 1.7)	(M.. 2.4 F.. 2.6)	(M.. 2.8 F.. 2.6)	(M.. 1.9 F.. 3.1)	(M.. 1.8 F.. 3.8)
13	Dropsy.....	(M.. 10.6 F.. 12.1)	(M.. 0.9 F.. 0.8)	(M.. 4.1 F.. 3.9)	(M.. 6.6 F.. 7.2)	(M.. 8.0 F.. 5.5)	(M.. 5.7 F.. 5.0)	(M.. 2.6 F.. 2.5)	(M.. 10.9 F.. 9.9)	(M.. 11.7 F.. 11.6)	(M.. 6.6 F.. 8.9)	(M.. 6.6 F.. 8.3)	(M.. 4.1 F.. 8.5)
14	Others of this group.....	(M.. 1.1 F.. 1.0)	(M.. 1.8 F.. 1.4)	(M.. 2.0 F.. 1.9)	(M.. 2.2 F.. 2.2)	(M.. 1.7 F.. 2.0)	(M.. 1.3 F.. 2.2)	(M.. 1.9 F.. 1.7)	(M.. 1.6 F.. 1.3)	(M.. 1.8 F.. 1.7)	(M.. 1.5 F.. 1.0)	(M.. 0.8 F.. 1.0)	(M.. 0.6 F.. 0.8)
15	2. Diseases of the nervous system.....	117.7	133.9	117.9	110.5	108.5	107.7	126.1	107.8	100.6	67.4	47.5	51.2
16	Males.....	121.0	138.5	119.1	112.6	111.7	109.4	129.9	115.3	107.5	74.2	50.6	54.1
17	Females.....	114.0	128.3	116.6	108.3	105.4	106.0	121.6	100.0	93.8	61.2	44.5	48.2
18	Inflammation of the brain.....	(M.. 6.6 F.. 5.9)	(M.. 11.4 F.. 11.0)	(M.. 16.5 F.. 15.3)	(M.. 17.3 F.. 13.0)	(M.. 14.8 F.. 13.3)	(M.. 14.7 F.. 14.4)	(M.. 13.2 F.. 12.4)	(M.. 15.4 F.. 12.3)	(M.. 11.5 F.. 11.5)	(M.. 7.5 F.. 6.4)	(M.. 4.9 F.. 3.6)	(M.. 2.9 F.. 3.3)
19	Meningitis.....	(M.. 20.3 F.. 18.4)	(M.. 35.7 F.. 33.2)	(M.. 53.7 F.. 52.2)	(M.. 52.4 F.. 53.0)	(M.. 53.7 F.. 49.4)	(M.. 48.0 F.. 52.5)	(M.. 42.0 F.. 40.8)	(M.. 54.6 F.. 48.4)	(M.. 40.2 F.. 39.2)	(M.. 24.7 F.. 16.6)	(M.. 13.6 F.. 10.3)	(M.. 12.1 F.. 9.2)
20	Apoplexy.....	(M.. 27.0 F.. 26.9)	(M.. 1.6 F.. 1.6)	(M.. 1.1 F.. 1.6)	(M.. 1.2 F.. 1.5)	(M.. 1.3 F.. 2.3)	(M.. 2.0 F.. 1.0)	(M.. 1.5 F.. 1.6)	(M.. 2.1 F.. 2.0)	(M.. 2.5 F.. 3.5)	(M.. 3.7 F.. 3.9)	(M.. 5.0 F.. 4.1)	(M.. 7.8 F.. 6.1)
21	Paralysis.....	(M.. 22.3 F.. 23.0)	(M.. 1.3 F.. 1.2)	(M.. 1.8 F.. 2.0)	(M.. 2.6 F.. 2.9)	(M.. 3.7 F.. 3.0)	(M.. 3.1 F.. 3.2)	(M.. 1.7 F.. 1.7)	(M.. 5.3 F.. 4.4)	(M.. 5.2 F.. 4.0)	(M.. 4.5 F.. 4.5)	(M.. 3.0 F.. 4.5)	(M.. 4.6 F.. 4.8)
22	Paralysis, general (of insane).....	(M.. 1.8 F.. 0.8)	(M.. F..)	(M.. F..)	(M.. F..)	(M.. F..)	(M.. F..)	(M.. F..)	(M.. 0.1 F.. 0.1)	(M.. 0.2 F.. 0.1)	(M.. 0.1 F..)	(M.. 0.2 F.. 0.1)	(M.. 0.9 F.. 0.5)
23	Tetanus and trismus nascentium.....	(M.. 2.9 F.. 1.6)	(M.. 6.8 F.. 6.0)	(M.. 0.6 F.. 0.4)	(M.. 0.6 F.. 0.2)	(M.. 1.7 F.. 0.6)	(M.. 2.0 F.. 1.0)	(M.. 4.6 F.. 3.7)	(M.. 6.4 F.. 1.9)	(M.. 16.5 F.. 2.3)	(M.. 5.1 F.. 1.3)	(M.. 2.5 F.. 0.9)	(M.. 2.5 F.. 0.8)
24	Chorea.....	(M.. 0.1 F.. 0.2)	(M.. F..)	(M.. F..)	(M.. 0.2 F.. 0.1)	(M.. 0.3 F.. 0.2)	(M.. 0.2 F.. 0.5)	(M.. 0.1 F.. 0.1)	(M.. 0.5 F.. 0.4)	(M.. 0.3 F.. 2.8)	(M.. 0.4 F.. 1.7)	(M.. 0.1 F.. 0.3)	(M.. 0.1 F..)
25	Epilepsy.....	(M.. 3.6 F.. 3.0)	(M.. 1.9 F.. 2.1)	(M.. 1.0 F.. 1.0)	(M.. 1.1 F.. 1.7)	(M.. 1.9 F.. 1.7)	(M.. 1.0 F.. 1.7)	(M.. 1.6 F.. 1.8)	(M.. 3.9 F.. 3.0)	(M.. 9.0 F.. 6.6)	(M.. 12.0 F.. 7.1)	(M.. 7.3 F.. 5.2)	(M.. 8.0 F.. 5.0)
26	Convulsions.....	(M.. 16.1 F.. 14.8)	(M.. 66.5 F.. 61.2)	(M.. 28.3 F.. 28.8)	(M.. 22.5 F.. 22.0)	(M.. 16.9 F.. 19.9)	(M.. 15.1 F.. 14.3)	(M.. 50.7 F.. 46.2)	(M.. 8.2 F.. 8.3)	(M.. 4.8 F.. 3.5)	(M.. 1.2 F.. 4.7)	(M.. 0.9 F.. 3.4)	(M.. 1.0 F.. 3.9)
27	Mental diseases.....	(M.. 3.6 F.. 3.6)	(M.. F..)	(M.. F..)	(M.. F..)	(M.. F..)	(M.. F..)	(M.. F..)	(M.. 0.2 F.. 0.1)	(M.. 0.5 F.. 0.5)	(M.. 1.4 F.. 1.3)	(M.. 2.9 F.. 2.5)	(M.. 3.6 F.. 3.7)
28	Diseases of the brain.....	(M.. 12.2 F.. 10.7)	(M.. 11.8 F.. 10.6)	(M.. 14.4 F.. 13.3)	(M.. 12.9 F.. 12.4)	(M.. 15.0 F.. 13.5)	(M.. 21.1 F.. 14.9)	(M.. 12.9 F.. 11.7)	(M.. 15.7 F.. 16.0)	(M.. 14.0 F.. 16.3)	(M.. 10.6 F.. 10.0)	(M.. 8.0 F.. 6.2)	(M.. 7.6 F.. 6.7)
29	Diseases of the spinal cord.....	(M.. 1.6 F.. 1.5)	(M.. 1.0 F.. 0.9)	(M.. 1.3 F.. 1.6)	(M.. 1.4 F.. 1.2)	(M.. 1.5 F.. 1.3)	(M.. 2.0 F.. 1.7)	(M.. 1.1 F.. 1.2)	(M.. 2.0 F.. 1.9)	(M.. 2.2 F.. 2.0)	(M.. 1.6 F.. 1.2)	(M.. 1.1 F.. 0.6)	(M.. 1.1 F.. 0.7)
30	Locomotor ataxia.....	(M.. 1.0 F.. 0.4)	(M.. F..)	(M.. F..)	(M.. 0.1 F.. 0.1)	(M.. F..)	(M.. F..)	(M.. F..)	(M.. F.. 0.1)	(M.. F..)	(M.. 0.1 F..)	(M.. 0.2 F.. 0.2)	(M.. 0.4 F.. 0.1)
31	Others of this class.....	(M.. 1.9 F.. 3.2)	(M.. 0.5 F.. 0.5)	(M.. 0.4 F.. 0.4)	(M.. 0.3 F.. 0.2)	(M.. 0.9 F.. 0.2)	(M.. 0.2 F.. 0.8)	(M.. 0.5 F.. 0.4)	(M.. 0.9 F.. 1.1)	(M.. 0.4 F.. 1.5)	(M.. 1.3 F.. 2.5)	(M.. 0.9 F.. 2.6)	(M.. 1.5 F.. 3.4)
32	3. Diseases of the circulatory system.....	75.9	23.1	5.3	7.2	10.0	18.2	17.2	33.4	58.2	41.3	40.2	45.1
33	Males.....	76.9	24.0	5.6	7.5	11.6	19.7	18.2	31.4	49.0	39.0	33.5	40.7
34	Females.....	74.7	22.1	5.0	6.9	8.3	16.6	16.1	35.4	67.3	43.5	46.9	49.4
35	Pericarditis.....	(M.. 0.8 F.. 0.9)	(M.. 0.1 F.. 0.1)	(M.. 0.2 F.. 0.1)	(M.. 0.1 F.. 0.2)	(M.. 0.5 F.. 0.6)	(M.. 0.5 F.. 1.7)	(M.. 0.2 F.. 0.2)	(M.. 1.1 F.. 1.5)	(M.. 2.6 F.. 2.9)	(M.. 1.7 F.. 1.7)	(M.. 1.1 F.. 1.0)	(M.. 1.0 F.. 0.7)
36	Diseases of the heart.....	(M.. 68.8 F.. 68.2)	(M.. 16.9 F.. 16.3)	(M.. 5.2 F.. 4.8)	(M.. 7.1 F.. 6.5)	(M.. 10.3 F.. 7.5)	(M.. 18.2 F.. 14.0)	(M.. 13.5 F.. 12.4)	(M.. 29.5 F.. 33.2)	(M.. 44.9 F.. 62.9)	(M.. 36.1 F.. 40.5)	(M.. 31.1 F.. 42.4)	(M.. 37.1 F.. 44.8)
37	Angina pectoris.....	(M.. 3.0 F.. 2.5)	(M.. F..)	(M.. F..)	(M.. F..)	(M.. F..)	(M.. F..)	(M.. F..)	(M.. 0.2 F.. 0.3)	(M.. 0.3 F.. 0.8)	(M.. 0.7 F.. 0.7)	(M.. 0.6 F.. 1.9)	(M.. 1.3 F.. 1.8)
38	Diseases of the arteries.....	(M.. 1.5 F.. 1.0)	(M.. F..)	(M.. F..)	(M.. F..)	(M.. F..)	(M.. F..)	(M.. F..)	(M.. 0.1 F..)	(M.. F.. 0.1)	(M.. 0.1 F..)	(M.. F..)	(M.. 0.2 F.. 0.1)
39	Aneurism.....	(M.. 1.0 F.. 0.5)	(M.. F..)	(M.. F..)	(M.. F..)	(M.. F..)	(M.. F..)	(M.. F..)	(M.. 0.1 F.. 0.2)	(M.. 0.6 F.. 0.4)	(M.. 0.2 F.. 0.2)	(M.. 0.5 F.. 0.5)	(M.. 1.0 F.. 0.8)
40	Embolism.....	(M.. 0.4 F.. 0.5)	(M.. 0.2 F..)	(M.. F..)	(M.. 0.1 F.. 0.1)	(M.. 0.1 F..)	(M.. 0.2 F..)	(M.. 0.1 F..)	(M.. 0.8 F.. 0.1)	(M.. 0.4 F..)	(M.. 0.2 F.. 0.3)	(M.. 0.2 F.. 1.0)	(M.. 0.1 F.. 1.0)
41	Others of this class.....	(M.. 1.4 F.. 1.1)	(M.. 6.8 F.. 5.7)	(M.. 0.2 F.. 0.1)	(M.. 0.2 F.. 0.1)	(M.. 0.7 F.. 0.2)	(M.. 0.8 F.. 0.7)	(M.. 4.4 F.. 3.5)	(M.. 0.1 F.. 0.1)	(M.. 0.2 F.. 0.2)	(M.. F.. 0.1)	(M.. F.. 0.1)	(M.. F.. 0.2)

PROPORTION OF DEATHS FROM EACH CAUSE.

633

DEATHS FROM KNOWN CAUSES AT EACH AGE—Continued.

THE UNITED STATES—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
349.5	314.9	301.0	284.8	261.4	242.8	211.1	186.4	153.2	120.9	89.7	67.8	48.8	50.3	194.0	1
324.4	291.5	269.1	248.1	229.9	213.5	190.1	172.4	145.7	114.8	89.9	69.4	50.7	60.9	164.0	2
375.7	341.0	338.7	331.8	301.6	279.6	236.3	203.3	162.1	127.9	89.4	66.2	47.4	43.7	238.7	3
1.4	1.4	2.4	2.5	3.3	3.2	3.2	2.9	1.7	2.0	1.6	0.7		1.0	1.3	4
3.4	4.0	4.7	4.4	5.1	4.4	3.7	3.2	2.6	1.9	0.9	0.7	0.6	0.6	2.7	
5.3	5.0	6.9	6.8	8.1	8.0	10.1	10.2	8.8	7.4	4.7	2.8	3.5	2.0	3.1	5
3.1	4.1	5.2	6.4	10.2	13.1	11.5	9.0	6.6	4.3	2.8	1.4	0.9	0.6	1.9	
4.6	5.0	5.2	6.8	6.5	8.7	7.7	8.4	9.0	7.8	7.4	5.6	3.1	9.0	5.1	6
4.3	5.4	5.6	7.0	8.5	8.2	9.2	9.9	9.2	8.4	6.3	5.7	3.8	4.4	5.0	
3.4	3.0	2.5	3.0	2.6	2.7	2.9	2.5	1.7	1.1	1.0	0.1	0.8	2.0	4.4	7
5.3	4.2	3.9	4.0	4.4	3.1	2.7	2.2	2.0	1.7	1.2	0.8	0.3	1.3	5.4	
2.3	1.4	1.2	1.0	0.5	0.3	0.2	0.2	0.1	0.2	0.1				1.8	8
1.2	0.8	0.9	0.6	0.3	0.3	0.2	0.1	0.2	0.1					0.8	
2.7	2.7	2.2	2.3	1.8	1.6	0.6	0.8	0.4	0.3	0.1					9
2.9	1.9	1.7	2.1	1.3	1.0	0.9	0.6	0.3	0.4	0.2	0.3			1.5	
285.6	248.1	206.6	168.9	137.2	110.8	80.3	62.7	45.8	31.4	18.0	12.0	9.8	11.0	107.9	10
309.6	249.9	206.2	157.5	122.8	97.0	74.0	62.4	46.4	33.6	19.3	13.4	7.0	7.5	143.5	
10.4	15.8	27.9	40.6	50.7	57.9	61.1	57.5	49.3	39.7	29.3	24.6	20.5	13.0	19.1	11
27.2	51.3	84.0	118.5	119.0	122.2	101.4	85.4	64.0	51.6	36.4	26.2	19.6	10.6	39.9	
2.8	2.7	4.4	4.3	4.4	4.5	4.3	4.1	3.2	2.4	1.8	0.7	0.4	1.0	1.5	12
5.8	7.2	11.3	11.5	9.9	10.3	9.5	7.4	6.1	4.2	2.0	1.6	0.3	0.6	6.1	
5.1	5.7	8.3	11.0	14.1	15.1	19.2	22.5	25.2	22.1	25.5	22.7	12.6	20.9	19.3	13
11.6	11.5	14.3	18.6	19.4	19.1	22.6	22.3	24.2	21.6	20.2	16.0	14.9	18.1	31.5	
0.8	0.7	1.5	0.9	0.7	0.7	0.5	0.6	0.5	0.4	0.4	0.2		1.0	0.5	14
1.3	0.7	0.9	1.2	0.7	0.9	0.6	0.8	0.5	0.1	0.1	0.1			0.4	
60.9	74.0	90.1	111.3	125.8	140.6	152.3	168.1	176.4	178.6	160.1	130.5	100.4	65.3	105.1	15
66.3	80.6	95.5	108.2	122.6	139.8	149.0	169.6	175.0	176.1	162.1	128.7	96.4	64.9	108.9	16
55.2	66.7	83.6	115.4	129.9	141.7	156.3	166.3	178.1	181.5	157.8	132.3	103.5	65.5	99.4	17
3.2	3.0	2.9	3.1	2.8	2.6	1.8	2.1	2.1	1.5	1.4	1.9	0.8		4.1	18
2.6	2.3	2.7	2.7	2.4	2.1	1.5	1.6	1.1	1.3	1.1	0.8	1.2	0.6	1.9	
11.4	11.3	8.5	8.6	7.2	5.0	3.1	3.4	2.8	2.5	1.4	1.1	1.6		10.5	19
7.9	6.6	7.3	7.8	4.8	4.2	3.9	2.7	2.2	1.9	1.6	0.9	0.9	1.9	5.7	
12.2	17.4	27.4	35.5	47.3	59.0	65.8	71.7	71.8	69.2	63.8	49.0	35.0	16.0	24.4	20
9.4	15.0	25.3	44.5	54.8	63.7	68.2	70.6	74.3	72.0	61.1	52.6	41.5	25.0	19.6	
8.6	14.0	18.2	22.4	28.4	35.8	43.5	56.8	66.7	71.6	68.8	56.9	40.5	36.9	24.7	21
6.8	9.6	16.5	24.0	32.3	40.4	50.5	59.7	70.3	78.6	69.7	60.4	44.7	29.4	26.9	
3.6	4.9	6.7	6.6	4.6	3.6	2.8	2.0	1.6	1.0	0.8	1.3			4.4	22
1.4	1.2	2.1	1.4	1.7	1.4	1.4	1.6	1.6	1.5	0.9	0.7	0.9		1.9	
2.4	1.2	1.3	1.4	1.2	1.1	0.8	0.5	0.4	0.3	0.1	0.1			1.5	23
1.1	1.0	1.1	0.3	0.4	0.8	0.5	0.1	0.2	0.1	0.1			0.6		
0.1		0.1	0.1	0.3	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.4		0.3	24
.....	0.1		0.3	0.1	0.1	0.2	0.2		0.2	0.1	0.1				
6.0	5.7	5.0	4.1	2.7	2.9	2.8	2.1	2.0	2.0	1.5	1.2	0.8	1.0	5.7	25
4.2	5.5	3.4	4.1	3.3	2.5	2.5	1.6	1.9	1.3	1.0	0.6	1.2	1.9	7.3	
1.1	1.0	0.7	0.9	1.0	0.5	0.3	0.3	0.6	0.2	0.4	0.1	0.4	1.0	9.3	26
3.2	2.5	1.7	1.0	0.7	0.5	0.7	0.7	0.4	0.4	0.5	0.1	0.6		12.7	
4.4	6.4	6.4	5.5	6.1	6.6	6.4	7.5	6.3	7.0	6.1	4.9	4.7		9.3	27
5.3	6.7	8.0	7.8	7.2	5.9	6.9	6.2	6.0	6.4	6.0	4.7	4.9	1.2	8.1	
10.1	10.9	12.0	11.9	12.9	13.1	12.9	13.2	13.5	14.1	13.3	9.4	7.9	5.0	11.1	28
7.6	8.8	8.7	11.8	12.0	10.1	10.8	12.8	11.6	11.4	10.7	7.6	5.8	3.1	9.2	
1.0	1.8	2.4	2.4	3.1	2.7	2.6	2.7	1.4	1.5	1.0	0.3		1.0	0.5	29
1.2	2.0	1.6	2.4	2.4	3.0	2.3	2.1	1.8	1.5	1.1	0.3	0.9		1.9	
0.9	1.5	1.7	3.2	2.6	3.1	2.7	2.5	1.4	1.0	0.6	0.1			1.3	30
0.2	0.7	0.5	0.9	1.2	1.5	1.2	0.6	0.6	0.4	0.4	0.2		0.6	0.4	
1.3	1.5	2.2	2.5	2.4	3.7	5.4	4.7	4.3	4.1	2.9	2.4	3.5	4.0	1.8	31
4.3	4.7	4.7	6.4	6.6	5.5	5.7	5.8	6.1	4.5	3.5	3.3	0.9	1.2	3.8	
60.1	74.1	88.5	100.7	123.6	140.4	157.4	166.0	163.9	152.4	122.3	98.0	69.1	49.2	77.6	32
54.7	68.6	79.0	93.7	120.6	142.6	163.1	172.6	173.8	164.4	130.8	103.4	74.7	50.0	76.4	33
65.8	80.3	99.7	109.6	127.4	137.6	150.6	158.1	152.1	138.6	113.1	92.9	64.9	48.7	79.4	34
0.9	1.5	1.2	0.8	1.7	1.5	0.9	1.3	0.9	1.1	0.4	0.4	0.8		0.5	35
1.3	0.9	1.6	1.4	0.9	1.4	1.2	1.5	0.8	0.5	0.9	0.5	0.6		0.8	
49.9	60.9	70.4	85.0	108.1	128.3	146.9	155.7	159.4	149.6	118.4	94.2	68.0	45.0	70.8	36
59.6	75.1	92.2	100.4	119.3	126.6	140.2	145.6	140.4	127.9	102.5	86.0	57.6	43.7	74.8	
1.7	2.8	3.5	3.8	6.2	6.9	9.3	8.9	6.8	6.6	5.0	3.0	0.8		2.3	37
2.2	2.5	3.1	5.4	4.9	6.0	6.3	7.0	5.8	4.5	4.2	1.7	1.7		1.1	
0.1	0.3	0.6	0.8	1.5	2.8	3.4	4.5	5.0	5.7	6.1	5.7	5.1	5.0	1.5	38
0.1	0.2	0.3	0.3	0.7	1.4	1.6	2.4	3.7	3.8	4.4	3.7	4.7	4.4	1.1	
1.6	2.7	2.9	2.7	2.4	2.4	1.9	1.2	0.9	0.7	0.2				1.3	39
1.1	0.7	1.3	1.3	0.8	1.0	0.7	0.7	0.6	0.8	0.4	0.5	0.3	0.6	0.4	
0.4	0.4	0.4	0.5	0.6	0.7	0.5	0.9	0.8	0.6	0.5	0.1				40
1.3	0.8	1.1	0.7	0.7	1.2	0.6	0.8	0.7	1.0	0.4	0.5			0.8	
0.1			0.1	0.1		0.2	0.1		0.1	0.2					41
0.2	0.1	0.1	0.1	0.1			0.1	0.1	0.1	0.3				0.4	

VITAL STATISTICS.

TABLE 25.—NUMBER OF DEATHS FROM EACH CAUSE PER 1,000
THE UNITED STATES—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	4. Diseases of the respiratory system	154.3	193.2	254.8	262.4	235.3	206.6	214.6	156.6	107.9	109.5	102.3	101.5
2	Males.....	157.8	196.2	259.9	266.1	239.5	204.9	217.2	156.5	106.1	126.9	119.9	115.9
3	Females.....	150.3	189.4	249.1	258.3	230.9	208.4	211.5	156.8	109.7	93.4	84.9	87.3
4	Croup.....	12.8	29.5	36.0	62.6	75.7	67.6	37.6	39.7	4.6	0.5	0.3	0.3
	{M.....	12.1	30.6	31.1	53.2	66.2	60.0	36.4	36.9	4.7	0.6	0.4	0.1
	{F.....	110.0	111.1	173.0	161.5	130.2	106.6	128.2	92.9	84.5	111.0	105.9	99.6
5	Pneumonia.....	101.8	105.2	167.4	160.5	127.3	110.6	124.7	94.6	88.0	77.2	67.6	71.3
	{M.....	0.9	0.8	1.9	2.4	5.1	4.9	1.5	3.9	1.3	0.3	0.2	0.3
	{F.....	0.8	0.6	2.2	2.8	5.8	4.0	1.6	3.6	1.1	0.6	0.3	0.5
6	Laryngitis.....	18.9	40.3	40.0	29.8	19.6	18.1	37.4	10.7	5.5	4.1	4.2	4.8
	{M.....	21.8	40.1	40.0	33.2	21.7	22.5	37.5	12.8	6.8	5.9	5.6	5.1
	{F.....	3.0	0.5	1.7	2.6	3.0	1.8	1.1	2.6	3.5	3.6	3.1	3.6
7	Bronchitis.....	2.6	0.5	1.4	2.0	1.5	1.7	0.9	2.7	2.2	2.1	3.2	3.2
	{M.....	3.2	0.6	0.5	0.6	0.3	0.5	0.6	0.8	0.6	0.9	0.5	0.9
	{F.....	2.8	0.5	0.5	0.5	0.8	0.5	0.5	0.7	0.6	0.5	1.0	1.3
8	Asthma.....	9.0	13.4	6.8	6.6	5.6	5.4	10.8	5.9	6.1	6.5	5.7	6.4
	{M.....	8.4	11.9	6.5	6.1	7.6	9.1	9.9	5.5	6.3	6.5	6.8	5.8
9	Others of this class												
10	5. Diseases of the digestive system	60.3	58.0	61.5	46.1	43.1	47.2	56.3	61.9	83.1	61.9	55.9	59.4
11	Males.....	59.3	58.3	61.1	44.9	42.6	47.1	56.4	63.8	91.7	65.5	52.7	52.9
12	Females.....	61.4	57.5	61.8	47.3	43.7	47.5	56.1	59.9	74.5	58.6	59.1	65.9
13	Dentition.....	2.6	6.1	21.9	4.8	1.9	0.5	8.6					
	{M.....	2.7	7.2	22.0	6.7	1.1	0.5	9.5					
	{F.....	1.3	1.4	2.6	4.8	6.4	7.0	2.4	5.4	2.8	0.9	1.0	0.7
14	Angina.....	1.5	1.3	2.6	4.6	5.5	8.5	2.5	8.2	4.7	1.5	0.5	0.8
	{M.....	7.6	6.9	7.3	5.7	6.0	5.4	6.8	6.4	3.4	2.7	3.5	4.0
	{F.....	9.2	6.9	8.8	7.2	7.2	6.4	7.3	6.7	4.6	4.6	5.8	8.7
15	Gastritis.....	5.1	4.1	4.9	4.5	4.6	6.4	4.4	5.9	5.5	3.1	2.7	3.6
	{M.....	5.2	4.3	4.9	5.1	4.3	6.2	4.6	6.1	5.3	4.2	4.6	5.0
	{F.....	3.6	3.4	1.3	2.8	2.6	2.8	2.9	5.0	5.7	5.3	3.4	4.0
16	Obstruction of the bowels.....	4.0	2.5	1.3	1.8	4.8	2.5	2.3	3.5	3.4	2.8	3.1	4.3
	{M.....	6.2	0.2	0.3	0.9	2.7	4.3	0.6	12.0	37.2	26.0	18.9	15.4
	{F.....	3.9	0.2	0.5	0.8	1.2	2.7	0.5	10.9	23.6	14.6	8.1	7.7
17	Hernia.....	2.2	1.3	0.6	0.3	0.6	0.3	1.0	0.6	0.9	1.7	1.3	1.3
	{M.....	1.8	0.6	0.2	0.2	0.1	0.5	0.4	0.2	0.2	0.3	0.1	0.2
	{F.....	3.4	5.1	6.6	4.8	3.6	2.5	5.2	3.4	3.4	3.1	2.6	1.9
18	Other diseases of the bowels.....	3.2	4.9	5.8	4.2	3.9	2.0	4.8	2.8	3.5	2.4	1.7	2.7
	{M.....	2.6	6.7	0.9	1.0	0.7	0.7	4.5	2.1	1.4	2.0	1.3	1.7
	{F.....	2.4	5.5	0.5	1.5	0.7	1.7	3.6	1.5	1.5	1.4	1.7	1.5
19	Inflammation and abscess of the liver.....	2.9	0.9	0.7	1.3	0.8	2.3	0.9	2.1	2.6	1.6	3.0	3.6
	{M.....	2.9	0.9	1.0	1.4	1.7	2.2	1.1	1.1	2.1	1.8	2.6	2.5
	{F.....	7.9	1.6	1.2	1.9	1.7	2.0	1.5	2.2	2.8	1.9	2.5	4.4
20	Other diseases of the liver.....	5.6	1.6	1.0	1.5	1.0	1.2	1.4	1.9	1.9	1.1	2.1	2.9
	{M.....	5.4	2.0	2.3	4.2	4.0	4.9	2.5	12.5	19.3	14.5	9.7	8.8
	{F.....	9.9	2.0	2.3	3.8	4.6	5.4	2.6	10.8	18.7	20.8	25.3	25.8
21	Ascites.....	1.2	0.2	0.5	0.7	0.7	1.8	0.4	0.9	2.3	0.4	0.8	0.7
	{M.....	1.4	0.2	0.4	0.5	0.8	0.7	0.3	1.1	1.5	1.2	1.2	1.0
	{F.....	7.3	18.4	10.0	7.2	6.3	6.2	14.7	5.3	4.4	2.3	2.0	2.8
22	Others of this class.....	7.7	19.4	10.5	8.0	6.8	7.0	15.2	5.1	3.5	1.9	2.3	2.8
23	6. Diseases of the urinary system and male organs of generation.....	45.0	4.8	5.1	8.7	12.2	14.6	6.1	19.1	24.6	21.7	28.8	36.7
24	Males.....	52.6	5.2	5.2	8.3	13.8	15.6	6.3	20.5	23.1	20.5	26.0	34.6
25	Females.....	36.5	4.4	4.9	9.2	10.5	14.1	5.8	17.7	26.1	22.8	31.6	38.9
26	Bright's disease.....	35.8							15.3	16.7	15.7	19.6	26.9
	{M.....	28.2							14.0	21.4	17.0	24.0	28.3
	{F.....	0.7	0.1	0.1	0.1	0.1	0.2	0.1	0.5	0.4	0.2	0.3	0.3
27	Calculus, urinary.....	0.2	0.2		0.2	0.4		0.1				0.2	0.1
	{M.....	5.6	3.5	4.6	7.8	12.1	13.6	4.9	2.4	2.4	2.2	2.2	2.4
	{F.....	3.4	3.2	4.3	7.8	9.3	13.1	4.7	1.8	1.9	1.9	2.3	2.4
28	Diseases of the kidney.....	4.1	0.2	0.2		0.1	0.5	0.2	0.2	0.5	0.3	1.0	0.9
	{M.....	0.6	0.2		0.2		0.2	0.2	0.1		0.3	0.2	0.5
	{F.....	6.4	1.4	0.3	0.4	1.5	1.3	1.1	2.1	3.1	2.1	2.9	4.1
29	Others of this class.....	4.1	0.8	0.6	1.0	0.8	0.8	0.8	1.8	2.8	3.6	4.9	7.6
30	7. Diseases of the female organs of generation.....	6.9	0.2	0.1		0.1	0.3	0.1	0.1	2.9	9.0	13.0	17.1
31	Ovarian tumors.....	1.0							0.1	0.1	0.7	1.1	1.5
32	Ovarian diseases.....	0.3								0.1	0.3	0.7	1.0
33	Diseases of the tubes.....	0.7									1.1	2.3	3.5
34	Uterine tumors.....	1.4					0.1			0.1	0.2	0.7	1.4
35	Uterine diseases.....	0.9								0.2	1.5	2.2	2.8
36	Others of this class.....	2.6	0.2			0.1	0.2	0.1		2.4	5.2	6.0	6.9

PROPORTION OF DEATHS FROM EACH CAUSE.

635

DEATHS FROM KNOWN CAUSES AT EACH AGE—Continued.

THE UNITED STATES—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
111.6	123.2	130.2	136.5	141.1	142.7	147.9	147.1	146.0	139.9	128.0	116.6	94.9	78.0	116.8	1
122.8	137.0	145.6	148.9	148.5	143.3	141.0	135.8	132.4	126.9	114.4	108.3	79.8	79.9	120.2	2
99.7	107.8	111.9	120.6	131.6	142.1	156.2	160.8	161.9	154.8	142.7	124.7	106.1	76.7	111.7	3
0.3	0.1	0.3	0.2	0.3	0.2	0.1	0.2	0.1	0.1	0.1	0.1	0.1	1.0	2.1	4
106.0	118.3	124.5	124.1	120.5	107.5	105.7	96.6	91.1	84.3	73.2	68.5	48.8	51.9	95.2	5
82.2	88.4	91.2	95.8	102.5	108.7	115.6	113.6	108.7	102.1	92.5	77.1	62.0	39.3	79.0	6
0.7	0.3	0.8	0.7	0.6	0.5	0.5	0.3	0.1	0.3	0.4	0.3	0.3	0.3	0.5	7
0.7	0.2	0.3	0.1	0.2	0.4	0.2	0.1	0.3	0.3	0.2	0.2	0.2	0.2	0.8	8
3.8	4.7	5.5	7.1	9.0	13.3	12.1	15.9	19.3	22.3	23.6	23.9	21.2	16.0	6.7	9
5.7	5.0	6.3	10.0	11.7	16.1	20.0	26.3	30.6	32.9	32.0	34.8	31.5	26.2	10.4	10
4.0	4.1	4.0	3.9	3.8	4.1	4.4	4.2	4.3	4.3	3.1	3.0	1.6	2.0	2.8	11
2.9	3.4	3.4	3.9	3.6	3.1	4.1	3.7	4.6	3.7	3.1	2.3	3.5	1.2	2.3	12
1.3	1.2	2.4	3.7	5.4	7.1	8.0	8.3	8.7	6.9	6.5	5.1	3.1	6.0	5.2	13
1.2	2.3	2.7	3.3	4.8	4.8	7.5	7.6	7.4	6.7	5.8	4.0	3.8	6.2	5.0	14
7.0	8.3	8.4	9.4	9.2	10.8	10.2	10.5	8.8	8.8	7.5	7.4	5.1	3.0	7.7	15
6.7	8.3	7.7	7.3	8.5	8.8	8.6	9.3	10.2	9.1	8.9	6.3	5.3	3.8	11.1	16
59.2	63.7	71.2	71.8	72.0	75.8	70.2	67.1	58.5	51.5	38.6	31.8	22.8	14.6	42.4	17
52.4	55.2	68.9	70.5	69.7	75.4	70.7	64.3	56.7	51.2	38.9	31.3	24.8	23.0	37.3	18
66.3	73.1	74.1	73.5	75.1	76.1	69.5	70.5	60.6	51.7	38.4	32.2	21.3	9.4	49.9	19
1.1	0.4	0.6	0.5	0.5	0.3	0.4	0.5	0.5	0.3	0.4	0.3	0.4	1.0	0.3	20
0.8	0.4	0.5	0.9	0.7	0.9	0.1	0.5	0.3	0.3	0.5	0.3	0.3	0.3	0.8	21
5.5	5.6	7.7	9.3	10.6	12.0	11.8	11.5	11.4	10.7	8.4	5.9	5.9	7.0	3.6	22
7.6	9.7	9.8	10.0	12.7	13.3	13.8	14.2	13.6	12.2	11.2	8.7	6.7	1.9	5.4	23
3.2	4.5	6.1	6.9	6.8	7.7	7.2	7.3	6.0	6.1	4.1	3.5	0.8	3.0	3.1	24
4.4	6.2	4.9	6.2	6.6	6.7	6.9	6.9	6.9	5.0	3.4	3.2	2.6	0.6	3.8	25
3.3	3.1	3.1	4.3	4.3	4.3	3.8	3.8	4.4	4.1	1.9	2.3	2.4	1.3	2.6	26
3.8	4.5	6.9	6.2	5.5	6.7	5.5	6.1	5.0	4.3	3.1	3.2	1.1	0.6	5.1	27
11.1	9.5	9.0	6.8	4.5	3.6	2.9	2.0	1.7	1.2	0.8	0.2	0.2	0.2	2.4	28
6.0	5.4	4.6	4.4	2.9	2.6	1.7	1.5	0.8	0.8	0.6	0.6	0.6	0.6	2.3	29
1.6	2.1	2.4	2.8	2.3	3.9	3.7	3.6	3.9	4.7	4.1	3.7	2.7	4.0	3.3	30
1.2	2.0	3.1	4.0	4.9	4.6	4.2	4.2	3.5	2.7	1.3	2.3	0.6	0.6	1.5	31
2.2	2.2	2.2	1.8	2.6	3.4	2.5	2.6	3.1	3.0	3.0	2.8	3.1	3.7	2.1	32
2.8	2.8	2.2	2.4	2.1	2.6	2.2	2.8	2.7	2.7	2.1	2.4	1.7	0.6	5.0	33
1.5	1.2	1.3	1.4	1.9	2.8	1.7	1.8	1.9	1.8	1.6	1.5	0.8	0.8	0.8	34
1.5	1.7	1.5	1.7	2.5	2.7	2.3	3.0	2.6	1.7	1.6	1.3	1.5	2.0	3.1	35
4.5	4.2	5.1	5.5	6.0	4.8	5.3	3.7	3.3	2.8	2.2	1.0	0.8	2.0	2.8	36
3.0	4.0	5.0	5.9	4.8	5.4	5.7	5.5	4.2	3.5	2.5	1.7	0.6	0.6	1.6	37
7.9	12.2	17.2	18.0	18.2	20.3	18.5	16.7	11.0	8.6	4.0	2.5	2.7	1.0	4.6	38
5.3	7.9	10.6	12.1	14.0	13.8	12.6	11.4	10.0	7.7	4.6	3.3	0.3	0.3	3.8	39
7.5	6.6	7.9	7.3	4.5	5.3	4.4	3.3	3.0	2.2	1.8	1.5	1.2	0.6	5.1	40
25.4	23.2	17.6	10.8	8.0	7.2	5.5	5.1	3.7	2.6	1.1	1.6	1.5	0.6	9.6	41
0.5	0.6	1.7	1.3	1.7	2.0	2.2	2.4	2.1	2.2	2.1	2.4	1.2	3.0	1.5	42
1.2	1.5	1.7	2.1	2.2	2.6	2.4	2.6	2.9	2.9	2.3	1.6	0.6	0.6	3.5	43
2.5	3.0	4.6	4.6	5.8	5.0	6.3	5.1	4.4	3.5	4.5	4.0	2.8	2.0	4.9	44
3.3	3.8	5.7	6.8	8.2	7.0	6.6	6.7	4.4	5.3	4.1	2.6	4.1	1.3	4.2	45
44.8	54.7	64.2	72.3	82.1	88.7	92.6	91.8	90.2	82.8	63.1	54.5	30.2	23.4	38.4	46
43.3	51.9	65.7	72.9	89.5	100.1	110.1	114.4	118.3	114.7	93.1	83.4	50.4	39.0	42.5	47
46.4	58.0	62.4	71.4	72.7	74.3	71.6	64.4	57.0	46.2	30.9	26.8	15.2	13.7	32.2	48
33.9	42.1	52.9	58.7	71.8	78.7	83.0	79.6	75.9	68.0	47.0	36.4	19.7	13.0	27.3	49
35.6	44.8	51.2	59.9	61.7	62.9	61.1	52.7	47.4	36.7	24.1	21.3	10.5	10.6	20.7	50
0.2	0.4	0.4	0.5	0.6	1.0	1.4	1.9	1.8	1.4	1.5	1.3	2.8	2.0	0.8	51
0.2	0.2	0.4	0.3	0.3	0.2	0.2	0.4	0.3	0.3	0.4	0.1	0.1	0.6	0.6	52
3.3	2.8	4.1	4.2	5.2	5.9	7.5	9.4	10.1	12.8	11.1	10.2	7.9	4.0	4.9	53
3.3	3.5	3.5	3.8	4.0	3.3	2.9	4.1	3.0	3.2	2.5	1.5	1.5	1.3	2.7	54
0.8	1.1	1.6	2.1	3.2	4.2	7.3	10.5	15.5	15.5	16.4	20.2	8.6	11.0	3.3	55
0.3	0.9	0.4	0.6	0.4	1.4	1.5	1.0	1.6	1.9	1.1	1.5	2.0	0.6	0.6	56
5.1	5.5	6.7	7.4	8.7	10.3	10.9	13.0	15.0	17.0	17.1	15.3	11.4	9.0	6.2	57
7.0	8.6	6.9	6.8	6.3	6.5	5.9	6.2	4.7	4.1	2.8	2.4	1.2	0.6	8.8	58
18.7	19.7	22.1	20.6	11.7	7.0	5.7	4.3	2.6	2.1	1.0	0.7	0.9	1.2	7.7	59
2.1	2.3	2.7	3.5	2.6	1.8	1.4	1.5	0.8	0.6	0.3	0.1	0.3	0.6	1.2	60
1.5	1.1	0.8	0.6	0.2	0.4	0.1	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	61
3.4	3.0	1.8	0.8	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	62
2.4	4.1	7.0	5.9	4.1	2.4	2.1	1.2	0.8	0.6	0.3	0.1	0.1	0.1	1.2	63
2.4	2.9	1.6	1.3	0.9	0.5	1.0	0.5	0.4	0.4	0.3	0.3	0.3	0.3	3.4	64
6.9	6.3	8.2	8.5	3.7	1.8	1.1	0.9	0.4	0.5	0.1	0.5	0.3	0.6	1.9	65

VITAL STATISTICS.

TABLE 25.—NUMBER OF DEATHS FROM EACH CAUSE PER 1,000
THE UNITED STATES—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	8. Affections connected with pregnancy.....	20.7								2.7	54.0	86.9	89.6
2	Abortion.....	1.2								0.1	2.6	4.5	6.3
3	Childbirth.....	9.7								1.8	26.7	36.7	36.4
4	Puerperal septicemia.....	6.8								0.6	15.5	32.2	33.7
5	Extra-uterine pregnancy.....	0.4									0.1	1.1	2.2
6	Others of this class.....	2.6								0.2	9.1	12.4	11.0
7	9. Diseases of the bones and joints.....	3.0	3.5	3.5	4.5	4.2	6.2	3.7	6.7	8.5	5.1	3.1	2.4
8	Males.....	3.2	3.3	3.7	4.8	4.8	7.7	3.8	7.3	10.7	6.5	3.8	3.1
9	Females.....	2.8	3.6	3.4	4.2	3.6	4.7	3.7	6.1	6.3	3.9	2.5	1.7
10	Diseases of the spine.....	M.. 1.8 F.. 1.7	2.8 3.2	2.9 3.0	4.3 3.4	3.3 3.1	4.8 3.1	3.1 3.2	4.4 3.4	5.0 3.0	2.8 2.0	1.5 1.4	1.2 0.7
11	Abscess, lumbar and psoas.....	M.. 0.1 F.. 0.1			0.1				0.1 0.2	0.3 0.1	0.1 0.1	0.5 0.1	0.4 0.1
12	Diseases of the bones.....	M.. 0.7 F.. 0.5	0.4 0.2	0.5 0.4	0.3 0.3	0.8 0.4	2.1 1.2	0.5 0.3	1.2 1.2	2.9 1.9	2.0 0.8	1.0 0.6	0.9 0.4
13	Diseases of the hip-joint.....	M.. 0.3 F.. 0.2				0.5 0.2	0.5 0.2	0.1 0.1	1.2 0.9	2.0 0.8	1.1 0.7	0.5 0.2	0.5 0.3
14	Others of this class.....	M.. 0.3 F.. 0.3	0.1 0.1	0.3	0.2 0.2	0.2 0.1	0.3 0.2	0.1 0.1	0.4 0.4	0.5 0.5	0.5 0.3	0.3 0.2	0.1 0.2
15	10. Diseases of the skin.....	2.2	3.2	2.1	1.6	1.5	1.2	2.7	1.5	1.9	1.3	1.3	1.5
16	Males.....	2.3	3.2	2.1	1.8	1.4	1.5	2.7	1.7	2.0	1.2	1.3	1.5
17	Females.....	2.0	3.3	2.0	1.2	1.7	1.0	2.6	1.3	1.8	1.3	1.3	1.5
18	Abscess.....	M.. 1.1 F.. 1.0	1.1 1.3	0.9 0.5	0.7 0.5	0.7 0.7	1.2 0.5	1.0 1.0	1.4 1.1	1.6 1.1	0.9 0.7	0.9 1.0	1.0 1.1
19	Carbuncle.....	M.. 0.3 F.. 0.2	0.1 0.1	0.1	0.1 0.2			0.1 0.1	0.1	0.3	0.1	0.2	0.3
20	Others of this class.....	M.. 0.9 F.. 0.8	2.0 1.9	1.1 1.5	1.0 0.5	0.7 1.0	0.3 0.5	1.6 1.5	0.2 0.2	0.1 0.6	0.2 0.5	0.2 0.2	0.2 0.2
21	11. Diseases of the absorbent system.....	0.7	0.3	0.5	0.3	0.5	0.6	0.4	0.8	0.9	0.7	0.8	0.9
22	Males.....	0.7	0.4	0.5	0.4	1.0	0.7	0.4	1.1	1.2	0.8	0.6	0.9
23	Females.....	0.7	0.2	0.4	0.3		0.5	0.3	0.5	0.7	0.5	0.9	0.9
24	Addison's disease.....	M.. 0.2 F.. 0.2							0.1	0.2	0.2	0.1	0.3
25	Diseases of the spleen.....	M.. 0.2 F.. 0.1	0.1	0.1		0.6	0.2	0.1	0.2	0.2	0.2	0.2	0.3
26	Others of this class.....	M.. 0.3 F.. 0.4	0.3 0.2	0.4 0.3	0.4 0.2	0.4	0.5 0.2	0.3 0.2	0.8 0.4	0.8 0.4	0.4 0.3	0.3 0.4	0.3 0.4
27	12. Accidents and injuries.....	57.6	21.5	23.8	50.4	77.3	78.0	30.1	87.2	115.1	109.5	106.2	105.0
28	Males.....	81.9	21.4	24.9	56.5	80.5	76.9	30.5	103.3	180.5	182.8	177.6	179.1
29	Females.....	30.1	21.6	22.6	43.8	73.9	79.1	29.7	70.6	50.1	41.4	35.8	31.6
30	Burns and scalds.....	M.. 5.2 F.. 8.6	1.9 1.8	12.4 11.5	34.2 28.1	48.1 51.8	31.3 57.2	10.4 11.8	13.3 41.7	6.2 19.3	3.0 10.2	3.5 7.0	3.3 6.1
31	Drowning.....	M.. 8.9 F.. 1.4	0.3 0.2	3.7 2.7	6.3 3.1	7.0 3.3	10.5 2.3	2.2 1.3	27.8 4.0	52.5 4.8	31.8 4.6	20.9 1.7	16.9 1.3
32	Exposure and neglect.....	M.. 0.9 F.. 0.9	2.2 3.0	0.8 0.9	0.6 1.0	0.2 1.0	1.1 1.2	1.7 2.1	0.3 0.5	0.8 0.3	0.4 0.8	0.4 0.7	0.4 0.4
33	Gunshot wounds.....	M.. 6.7 F.. 1.1	0.1 0.1	0.3 0.3	1.0 0.8	1.8 1.3	2.9 1.3	0.4 0.3	6.3 2.9	25.5 4.9	30.9 4.1	24.1 3.4	20.6 1.9
34	Homicide.....	M.. 2.9 F.. 0.6			0.3 0.5	0.1 0.4	1.0 0.5	0.1 0.1	1.2 0.9	3.0 0.7	6.1 1.7	10.0 2.0	10.8 1.8
35	Infanticide.....	M.. F.. 0.1	0.2 0.3					0.1 0.2					
36	Injuries by machinery.....	M.. 0.6 F..			0.1	0.1			0.4 0.2	0.8 0.1	2.6 0.1	2.1	1.6
37	Railroad accidents.....	M.. 12.0 F.. 1.2	0.1 0.1	0.4 0.3	1.5 0.8	1.8 1.5	4.1 2.2	0.5 0.4	11.7 3.7	22.7 3.0	29.0 2.3	36.3 1.8	34.9 1.2
38	Suffocation.....	M.. 2.8 F.. 2.1	8.5 8.6	1.3 1.7	1.6 1.4	1.0 1.4	1.6 2.2	5.8 5.8	1.1 1.5	2.1 0.9	1.9 0.8	2.1 0.5	1.7 0.8
39	Suicide by shooting.....	M.. 2.3 F.. 0.2								0.3 0.1	1.3 0.6	5.1 0.9	5.2 0.5
40	Suicide by drowning.....	M.. 0.3 F.. 0.2									0.2 0.3	0.4 0.5	0.4 0.5
41	Suicide by poison.....	M.. 1.4 F.. 1.0								0.3 0.5	1.2 4.0	2.9 3.6	3.5 2.8
42	Other suicides.....	M.. 4.2 F.. 1.1							0.1	0.8 0.4	3.3 2.3	5.2 2.7	6.9 2.7
43	Sunstroke.....	M.. 1.0 F.. 0.4	0.5 0.5	0.4 0.4	0.3 0.4	0.2 0.5	0.7 0.3	0.4 0.5	0.8 0.3	0.7 0.6	0.8 0.2	1.3 0.3	1.4 0.2
44	Surgical operations.....	M.. 0.5 F.. 1.0	0.2 0.1	0.1	0.2 0.2		0.5 0.2	0.2 0.1	0.6 0.3	0.2 0.4	0.7 0.7	0.6 2.5	1.0 2.6
45	Wounds.....	M.. 1.3 F.. 0.1		0.1 0.1	0.3 0.1	1.4 0.1	0.7	0.2 0.1	1.4 0.5	1.5 0.3	3.6 0.2	3.4 0.2	3.5 0.2
46	Others of this class.....	M.. 30.9 F.. 10.1	7.4 6.8	5.4 4.7	10.2 7.3	18.8 12.5	22.5 11.7	8.5 7.0	38.3 14.1	63.1 18.8	66.0 8.5	59.3 8.0	67.0 8.6

PROPORTION OF DEATHS FROM EACH CAUSE.

637

DEATHS FROM KNOWN CAUSES AT EACH AGE—Continued.

THE UNITED STATES—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
82.8	73.9	42.2	7.0	0.9	0.5	0.2	0.1	-----	0.2	-----	-----	-----	-----	31.8	1
5.3	4.9	2.1	0.1	0.1	0.1	-----	-----	-----	-----	-----	-----	-----	-----	2.7	2
38.3	38.4	24.1	4.3	0.6	0.3	0.1	-----	-----	-----	-----	-----	-----	-----	19.1	3
28.3	21.1	10.6	1.7	0.2	-----	0.1	-----	-----	0.2	-----	-----	-----	-----	5.0	4
2.4	2.0	0.6	0.1	-----	0.1	-----	-----	-----	-----	-----	-----	-----	-----	0.8	5
8.5	7.5	4.8	0.8	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	4.2	6
2.5	2.8	2.6	2.8	2.5	2.2	2.1	1.8	1.8	1.2	0.8	0.9	0.7	0.4	0.5	7
2.4	3.3	3.1	2.8	2.4	1.9	2.3	2.0	1.6	1.5	0.6	1.1	0.8	1.0	0.5	8
2.7	2.2	2.0	2.9	2.5	2.6	1.8	1.6	2.1	0.9	1.0	0.7	0.6	-----	0.4	9
0.6	1.4	1.2	1.0	0.8	0.8	0.8	0.7	0.6	0.7	0.4	0.5	-----	-----	0.2	10
1.2	1.5	0.7	1.5	1.2	1.3	1.0	0.6	0.5	0.5	0.2	0.4	0.3	-----	0.4	
0.4	0.3	-----	0.1	0.1	0.1	0.1	0.1	0.1	0.1	-----	-----	-----	-----	0.3	11
0.1	-----	0.2	0.2	0.3	0.2	-----	-----	0.1	-----	-----	-----	-----	-----	-----	
0.9	0.9	0.8	0.8	0.9	0.5	0.8	0.7	0.4	0.5	0.2	0.4	-----	-----	-----	12
0.8	0.3	0.5	0.6	0.6	0.4	0.4	0.3	0.6	0.1	0.5	0.2	-----	-----	-----	
0.4	0.4	0.5	0.2	0.2	0.2	0.1	0.1	-----	-----	-----	-----	-----	-----	-----	13
0.3	0.3	0.1	0.1	0.1	-----	-----	0.1	0.1	-----	0.1	-----	-----	-----	-----	
0.1	0.3	0.6	0.7	0.4	0.3	0.5	0.4	0.5	0.2	-----	0.2	0.8	1.0	-----	14
0.3	0.1	0.5	0.5	0.3	0.7	0.4	0.6	0.8	0.3	0.2	0.1	0.3	-----	-----	
1.6	2.2	2.2	2.3	2.5	2.6	2.4	2.4	1.9	1.8	2.0	1.6	1.2	1.5	2.3	15
1.4	2.2	2.2	2.4	2.9	2.9	2.3	2.7	2.2	2.2	2.4	1.8	1.2	-----	2.6	16
1.9	2.1	2.3	2.1	2.1	2.1	2.6	1.9	1.6	1.5	1.6	1.4	1.2	2.5	1.9	17
1.0	1.5	1.4	1.2	1.8	1.4	0.9	1.1	0.9	0.7	0.9	0.4	0.8	-----	1.0	18
1.2	1.5	1.3	1.2	0.9	1.1	1.2	1.2	0.6	0.6	0.7	0.5	0.6	-----	1.1	
0.2	0.3	0.4	0.7	0.6	0.9	0.8	0.7	0.7	0.5	0.6	0.2	-----	-----	0.6	19
-----	0.2	0.5	0.3	0.6	0.3	0.5	0.1	0.4	0.2	0.4	-----	-----	0.6	0.4	
0.2	0.4	0.4	0.5	0.5	0.6	0.6	0.9	0.6	1.0	0.9	1.2	0.4	-----	1.0	20
0.7	0.4	0.5	0.6	0.6	0.7	0.9	0.6	0.6	0.7	0.5	0.9	0.6	1.9	0.4	
1.2	1.1	1.3	1.4	1.2	1.2	1.0	0.8	0.6	0.4	0.2	-----	-----	-----	0.6	21
1.3	1.0	1.2	1.4	0.9	1.0	1.1	0.7	0.5	0.3	0.2	-----	-----	-----	0.5	22
1.1	1.2	1.5	1.3	1.5	1.4	0.9	0.8	0.7	0.5	0.3	-----	-----	-----	0.8	23
0.3	0.4	0.4	0.6	0.4	0.4	0.4	0.1	0.1	0.1	-----	-----	-----	-----	0.2	24
0.3	0.5	0.4	0.2	0.5	0.5	0.3	0.2	0.1	0.2	0.1	-----	-----	-----	0.4	
0.3	0.3	0.3	0.3	0.2	0.2	0.4	0.2	0.1	0.1	0.1	-----	-----	-----	-----	25
0.4	0.4	0.4	0.1	0.3	0.3	0.1	0.2	0.1	0.1	0.1	-----	-----	-----	-----	
0.7	0.3	0.5	0.5	0.3	0.4	0.3	0.4	0.3	0.1	0.1	-----	-----	-----	0.3	26
0.4	0.3	0.7	1.0	0.7	0.6	0.5	0.4	0.5	0.2	0.1	-----	-----	-----	0.4	
101.8	100.0	85.7	76.8	63.0	48.9	41.5	31.7	25.3	25.3	25.4	25.6	28.2	23.8	152.5	27
168.4	159.5	133.5	116.7	94.4	71.7	60.7	42.7	31.2	28.7	25.0	21.6	26.8	19.0	218.0	28
32.2	33.7	29.1	25.7	22.8	20.3	18.5	18.5	18.4	21.4	25.8	29.4	29.2	26.8	54.9	29
3.9	3.4	3.2	2.4	2.0	1.4	1.5	1.1	1.0	1.0	1.8	1.3	1.2	5.0	8.0	30
6.8	5.8	4.3	4.4	3.6	3.4	3.7	2.8	3.0	3.3	3.4	2.4	3.5	5.6	8.4	
13.7	13.9	12.4	8.5	6.6	5.6	3.9	2.7	1.7	1.3	0.6	0.5	0.8	1.0	31.9	31
1.9	1.5	1.1	1.1	1.0	0.7	0.7	0.6	0.3	0.5	0.1	-----	-----	-----	5.0	
0.7	0.6	0.6	1.0	0.6	0.6	0.9	0.7	0.4	0.8	0.6	0.8	1.2	1.0	2.3	32
0.3	0.5	0.3	0.1	0.2	0.5	0.1	0.3	0.2	0.5	0.4	0.5	0.9	-----	1.9	
15.9	13.4	9.1	7.9	4.6	3.4	2.9	1.0	0.6	0.5	0.4	0.4	1.2	-----	22.7	33
1.5	1.7	0.8	0.6	0.5	0.4	0.1	0.1	-----	0.1	0.1	0.1	-----	-----	2.7	
9.2	8.3	5.4	4.1	3.5	1.9	1.6	0.5	0.6	0.2	0.2	0.1	-----	-----	10.0	34
1.4	1.4	1.1	0.8	0.4	0.3	-----	0.2	0.1	0.1	0.2	-----	-----	-----	5.0	
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	35
1.8	1.6	1.2	0.8	0.9	0.3	0.2	0.3	-----	0.1	-----	-----	-----	-----	0.3	
-----	-----	0.1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	36
32.8	27.5	20.6	17.1	15.1	10.1	9.1	4.5	3.6	3.1	2.8	1.6	-----	3.0	49.7	
1.3	1.3	1.8	1.7	1.7	1.3	1.0	1.1	1.0	1.0	0.5	0.1	0.3	0.6	3.5	37
2.1	2.5	2.1	1.5	0.9	1.2	1.2	0.9	0.4	0.7	0.2	0.4	0.4	-----	8.5	
0.5	0.6	0.4	0.5	0.4	0.5	0.5	0.3	0.4	0.4	0.4	0.1	-----	-----	11.5	38
5.6	6.6	6.7	5.7	4.7	3.2	2.1	1.6	1.1	0.8	0.4	0.4	-----	-----	5.4	
0.7	0.6	0.4	0.6	0.2	0.2	-----	-----	-----	0.1	-----	0.1	-----	-----	-----	39
0.5	0.6	0.6	0.5	0.9	0.6	0.5	0.4	0.2	0.6	0.2	-----	-----	-----	0.5	
0.4	0.3	0.3	0.3	0.5	0.4	0.3	0.1	0.2	0.1	-----	-----	-----	-----	-----	40
4.1	3.4	4.3	3.5	3.5	1.6	1.8	1.1	0.8	0.3	0.1	0.1	-----	-----	2.6	
2.3	2.5	1.9	1.4	0.8	0.7	0.5	0.3	0.3	0.1	0.1	-----	0.3	-----	1.9	41
9.2	9.6	11.0	11.2	9.2	8.0	6.4	4.7	3.3	2.7	1.6	0.6	1.2	-----	9.5	
2.6	2.9	3.0	2.3	1.9	1.6	1.0	1.1	0.5	0.3	0.4	0.5	0.3	-----	1.5	42
1.9	2.4	1.6	1.7	2.0	1.3	0.9	0.9	1.0	0.7	0.3	0.4	1.2	1.0	1.8	
0.2	0.4	0.5	0.5	0.8	0.4	0.7	0.4	0.6	0.4	0.2	-----	-----	-----	0.4	43
0.5	1.0	0.8	0.6	0.5	0.9	0.6	0.6	0.3	0.1	0.3	-----	-----	-----	1.5	
2.9	3.3	2.9	2.0	1.6	1.2	0.6	0.4	0.1	0.1	0.1	0.1	-----	-----	1.2	44
3.1	2.6	1.9	2.1	1.6	1.3	1.3	0.7	0.4	0.3	0.3	0.4	-----	-----	5.1	
0.1	0.1	0.1	0.1	-----	0.1	0.2	0.1	0.1	0.1	0.1	0.1	0.3	-----	0.4	45
63.4	62.1	52.0	48.1	37.8	30.3	25.8	21.0	15.8	15.5	15.2	14.6	19.2	8.0	58.2	
9.3	10.8	10.1	9.3	9.2	8.6	9.1	10.7	11.6	14.3	19.8	25.4	23.6	20.6	11.5	46

VITAL STATISTICS.

TABLE 25.—NUMBER OF DEATHS FROM EACH CAUSE PER 1,000
THE REGISTRATION RECORD.

CAUSE OF DEATH.		All ages	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	1. General diseases—Continued.												
	General diseases—A	173.7	291.4	382.9	390.6	421.3	441.1	326.9	404.3	254.3	173.2	143.3	113.7
2	Males	168.5	282.6	374.0	375.6	416.6	435.2	316.1	381.0	230.7	170.0	154.1	119.1
3	Females	179.7	302.6	393.0	407.0	426.2	446.9	340.0	428.8	278.6	176.4	132.1	107.9
4	Measles.....	{M.. 6.9	8.8	45.3	43.6	31.5	28.8	19.2	18.7	8.4	2.4	2.8	1.1
		{F.. 8.1	10.1	50.4	49.0	34.0	28.1	22.5	24.3	11.6	5.2	2.2	2.2
5	Scarlet fever.....	{M.. 6.3	2.0	15.8	43.0	73.1	65.2	12.8	59.7	18.3	4.4	1.9	1.1
		{F.. 6.9	1.7	15.8	45.2	67.9	79.8	14.6	63.6	18.8	5.2	1.9	1.1
6	Diphtheria	{M.. 18.6	6.1	54.8	127.6	179.4	216.3	38.5	177.3	62.7	10.7	3.7	1.9
		{F.. 21.8	5.7	57.9	131.7	184.2	219.5	43.9	213.8	79.3	14.8	5.2	2.9
7	Whooping cough.....	{M.. 6.4	17.8	29.2	23.9	18.3	10.9	20.0	4.7	0.5	0.5	0.2	
		{F.. 8.2	22.3	38.7	36.9	29.3	21.2	26.8	10.6	2.1	0.6	0.1	0.2
8	Malarial fever.....	{M.. 4.8	2.1	4.2	4.8	9.1	10.9	3.3	10.1	9.3	10.9	10.9	7.5
		{F.. 5.2	2.2	5.1	10.0	9.4	8.7	4.0	12.8	12.4	11.8	10.0	6.3
9	Influenza.....	{M.. 10.9	4.5	4.4	3.5	5.8	4.7	4.5	5.6	5.3	5.9	5.9	5.4
		{F.. 16.6	4.9	4.5	6.7	5.0	7.7	5.1	5.6	8.6	7.6	6.3	8.1
10	Typhoid fever.....	{M.. 20.8	0.8	2.6	6.6	12.2	21.5	2.8	37.0	67.5	95.1	92.4	68.5
		{F.. 17.4	0.9	3.9	7.9	16.2	16.4	3.5	38.0	89.8	92.4	61.5	40.9
11	Cholera morbus	{M.. 3.4	3.5	4.8	11.5	7.6	4.4	4.5	6.0	6.7	2.6	2.2	1.6
		{F.. 3.7	3.8	5.4	11.2	4.7	3.3	4.7	4.1	5.7	4.2	2.3	2.0
12	Colitis	{M.. 1.8	4.3	4.1	2.9	4.1	1.5	4.1	1.3	0.5	0.3	0.4	0.8
		{F.. 1.8	4.3	5.4	3.0	1.6	0.7	4.1	1.0	0.9	0.4	0.6	0.6
13	Diarrhea	{M.. 7.3	14.6	12.4	9.1	3.0	4.7	13.0	8.0	3.0	2.3	2.1	1.4
		{F.. 7.2	15.7	11.7	7.0	3.1	2.6	13.1	8.1	5.5	1.2	1.3	2.2
14	Dysentery	{M.. 5.5	4.4	11.2	10.3	10.4	10.2	6.4	6.5	4.9	3.2	4.6	3.6
		{F.. 6.4	4.8	9.2	8.2	8.1	4.7	6.1	3.2	2.4	1.5	2.6	2.4
15	Enteritis.....	{M.. 29.2	89.7	81.3	40.6	23.3	23.7	79.2	14.8	10.4	5.9	4.6	5.4
		{F.. 30.4	90.9	85.0	41.3	24.8	23.3	79.4	16.9	10.5	6.4	6.9	9.0
16	Cholera infantum.....	{M.. 27.3	105.8	85.2	26.9	14.7	9.8	88.9					
		{F.. 26.8	115.3	85.1	27.8	13.1	10.2	92.8					
17	Fever.....	{M.. 0.2	0.3	0.4	0.2		0.4	0.3	0.3	0.2	0.6	0.4	0.1
		{F.. 0.2	0.4	0.2	0.5	0.5	0.4	0.4	0.7	0.5	0.4	0.3	0.3
18	Cerebro-spinal fever	{M.. 4.2	5.3	12.8	13.1	16.5	13.8	7.9	17.6	17.4	9.4	4.2	2.9
		{F.. 3.8	5.1	9.2	12.6	15.2	12.0	7.3	15.6	19.2	8.2	2.6	2.4
19	Smallpox.....	{M.. 1.3	0.2	0.5	1.1	0.8	0.4	0.4	1.0	2.6	3.9	6.1	4.7
		{F.. 1.0	0.3	0.9	1.1	1.0	0.7	0.5	1.6	2.8	2.8	4.7	2.8
20	Erysipelas.....	{M.. 3.1	3.9	1.2	0.5	1.0	1.1	2.9	0.7	1.6	2.6	1.6	2.8
		{F.. 2.6	4.7	1.4	1.1	1.0	0.7	3.4	0.4	0.9	1.5	1.7	2.1
21	Septicemia	{M.. 4.9	2.5	1.6	2.7	3.0	4.7	2.5	8.0	8.1	6.2	7.2	5.8
		{F.. 6.5	2.8	1.6	2.6	4.5	4.4	2.7	6.2	5.2	9.8	19.1	19.2
22	Venereal diseases	{M.. 2.0	5.3	1.4	1.0	1.3	0.4	4.0	0.3	0.5	0.7	0.7	2.0
		{F.. 1.8	6.0	0.9	1.4	1.3	0.7	4.2	0.1	0.5	1.4	1.6	1.4
23	Others of this group	{M.. 3.6	0.7	0.8	2.7	1.5	1.8	0.9	3.4	2.8	2.4	2.2	2.5
		{F.. 3.3	0.7	0.7	1.8	1.3	1.8	0.9	2.2	1.9	1.0	1.2	1.8
24	General diseases—B	23.3	70.7	14.1	9.6	10.4	5.6	50.8	5.1	2.9	7.1	10.6	15.5
25	Males.....	26.5	69.4	14.9	9.9	9.6	8.0	51.1	5.0	3.2	5.0	10.7	18.6
26	Females	19.6	72.3	13.2	9.3	11.2	3.3	50.4	5.2	2.6	9.1	10.5	12.1
27	Alcoholism.....	{M.. 6.3							0.1	0.2	0.2	3.0	10.5
		{F.. 1.5			0.2						0.1	1.3	4.3
28	Parasitic diseases.....	{M.. 0.1	0.1	0.4	0.5		0.8	0.2	0.3				
		{F.. 0.1		0.3	0.5	2.4	0.4	0.3	0.4				
29	Lead poison	{M.. 0.2			0.2							0.2	0.2
		{F.. 0.1	0.1	0.1	0.2			0.1	0.1				0.1
30	Other poisons.....	{M.. 4.2	0.8	4.2	5.6	5.1	3.6	2.0	2.8	1.8	4.4	7.2	7.5
		{F.. 2.8	0.6	2.2	3.7	3.6	2.2	1.3	2.1	1.2	7.9	8.3	6.9
31	Inanition	{M.. 15.7	68.5	10.3	3.6	4.5	3.6	48.9	1.8	1.2	0.4	0.3	0.4
		{F.. 15.1	71.6	10.6	4.7	5.2	0.7	48.7	2.6	1.4	1.1	0.9	0.8
32	General diseases—C	81.0	213.3	35.0	17.2	9.8	8.6	149.6	5.2	4.5	3.1	3.2	3.3
33	Males.....	76.6	214.8	32.4	17.6	12.2	7.3	153.4	4.7	4.4	3.3	2.7	2.2
34	Females	86.1	211.3	37.9	16.6	7.3	9.8	145.0	5.8	4.5	2.8	3.7	4.4
35	Old age.....	{M.. 24.7											
		{F.. 37.4											
36	Premature birth.....	{M.. 20.6	98.7					67.0					
		{F.. 17.4	93.5					60.2					
37	Malformation	{M.. 3.5	16.3	0.5	0.8	0.3		11.3	0.5	0.5	0.2		
		{F.. 3.2	16.8	0.9	0.3	0.3	0.4	11.0	0.3	0.5		0.1	
38	Debility and atrophy.....	{M.. 25.5	88.6	31.9	16.8	11.6	7.3	67.5	4.2	3.9	3.1	2.7	2.2
		{F.. 26.2	90.9	37.0	16.3	7.0	9.4	67.3	5.5	4.0	2.8	3.6	4.4
39	Others of this group.....	{M.. 2.3	11.2			0.3		7.6					
		{F.. 1.9	10.1					6.5					

639

THE REGISTRATION RECORD.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
97.1	85.2	78.2	73.5	70.0	69.7	74.5	79.9	83.8	87.5	95.8	94.7	84.6	71.0	111.8	1
97.0	82.7	75.5	73.2	67.5	64.7	67.5	71.1	76.1	76.7	88.3	94.1	77.9	86.5	104.9	2
97.1	88.3	81.6	74.0	73.2	75.7	82.2	89.3	92.0	98.5	102.7	95.2	88.6	63.2	122.4	3
0.9	0.5	0.2	0.2	0.6	0.1	0.1	0.1	0.1	0.3						4
1.7	1.8	0.9	1.1	0.2	0.6		0.2	0.1	0.1	0.2	0.2			4.5	
0.9	0.5	0.4	0.1			0.1		0.1			0.2			1.0	5
0.8	0.7	0.5	0.1	0.1			0.1	0.1		0.1				1.5	
2.0	0.8	0.1	0.9	0.5	0.4	0.2	0.1	0.1		0.1		0.8		2.9	6
2.3	1.4	0.7	1.0	1.0	0.5	0.4	0.2	0.2	0.3	0.2				3.0	
0.2	0.1	0.2	0.1		0.1	0.1		0.1		0.1		0.8		4.8	7
0.6	0.2	0.3		0.1			0.1			0.1		0.5		10.4	
5.4	5.2	5.1	6.2	4.4	4.2	3.7	3.8	3.5	3.7	2.7	3.0	2.5		8.6	8
6.8	4.7	4.4	5.1	3.9	4.5	4.4	4.3	4.0	2.5	3.2	2.6	0.5	2.7	7.5	
7.2	6.6	10.1	9.5	9.2	11.1	16.6	18.5	24.0	26.3	36.2	37.8	34.8	29.8	7.7	9
9.3	9.4	12.3	13.0	17.7	20.4	27.4	30.1	34.1	42.3	47.1	44.5	49.3	28.8	16.4	
51.4	38.0	25.8	20.9	15.3	10.9	8.0	4.4	3.7	1.6	0.7	1.2			18.3	10
32.6	26.3	23.3	15.2	12.6	10.0	7.5	5.6	4.6	1.8	1.3	0.8			17.9	
1.8	1.4	2.5	3.1	3.1	3.1	2.6	3.6	3.6	2.9	2.2	3.0	2.5	8.1	3.8	11
2.9	3.7	2.7	2.0	3.5	3.0	3.5	3.3	3.8	3.5	4.0	3.5	4.0	2.7	3.0	
0.5	0.5	1.2	0.8	0.8	0.6	0.6	0.8	1.0	1.3	0.8	1.0	1.7		1.0	12
0.8	0.8	0.8	1.1	1.1	0.7	1.2	1.5	0.9	0.9	0.7	0.8	1.5		1.5	
1.6	1.9	2.1	2.0	3.8	5.9	5.9	7.4	8.0	8.5	9.1	9.0	8.3	16.2	12.5	13
2.6	2.1	2.5	2.9	2.9	4.8	5.3	5.9	7.2	8.6	9.7	9.5	7.6	8.3	11.9	
3.6	3.6	3.3	4.1	4.7	3.4	6.5	6.4	6.7	6.4	9.2	9.5	5.8	10.8	9.6	14
3.3	3.1	4.4	6.7	5.9	7.0	7.4	10.6	10.5	12.0	10.6	11.8	8.6	4.1	4.5	
4.2	5.3	5.2	7.1	6.1	7.0	8.0	8.1	7.9	8.4	8.0	8.7	4.1	10.8	7.7	15
8.2	8.3	9.3	10.0	9.8	9.2	11.0	15.2	13.6	13.1	11.3	10.0	4.5	6.9	8.9	
														5.8	16
														7.5	
	0.1	0.5	0.4	0.4	0.1	0.1	0.3		0.1	0.1	0.2				17
0.3			0.1					0.1	0.1		0.4	0.5			
1.4	1.8	1.4	1.5	0.8	0.7	0.4	0.3	0.3	0.2	0.1				1.0	18
1.9	1.7	2.1	2.0	0.5	0.6	0.3	0.2	0.3	0.3	0.1		0.5		1.5	
3.0	2.8	1.8	1.7	1.2	0.9	0.4	0.3	0.2	0.3					1.0	19
1.7	1.2	1.4	0.6	0.7	0.6	0.2	0.2								
3.3	3.0	4.4	3.3	4.2	4.9	3.5	3.8	3.3	3.3	2.9	2.0	3.3	2.7	1.9	20
1.1	3.8	2.3	2.0	3.0	3.2	3.6	2.4	2.6	2.6	2.3	1.6	1.5	1.4	1.5	
6.4	6.9	7.1	6.5	7.2	6.7	5.3	6.5	3.5	3.8	3.7	2.3			3.8	21
16.7	15.6	10.5	7.4	5.4	6.2	3.9	2.4	2.8	2.3	1.5	2.0	2.0		13.4	
1.6	1.8	1.8	1.5	1.6	1.3	1.0	0.3	0.2	0.3	0.1				7.7	22
1.8	1.5	1.6	1.1	0.9	0.3	0.1	0.2	0.2	0.1	0.1				4.5	
1.6	1.9	2.3	3.3	3.6	3.3	4.4	6.4	9.8	9.3	12.3	16.2	13.3	8.1	5.8	23
1.7	2.0	1.6	2.6	3.9	4.1	6.0	6.8	6.9	8.0	10.2	7.5	7.6	8.3	3.0	
20.4	23.9	20.5	18.8	15.3	11.9	7.6	6.8	4.2	4.7	2.6	3.0	2.2	5.5	57.9	24
28.1	33.5	28.2	26.1	21.1	16.3	10.8	9.4	5.1	5.5	2.8	4.2	3.3	2.7	63.5	25
11.3	11.8	10.4	9.2	7.9	6.7	4.0	4.0	3.2	3.8	2.4	2.0	1.5	6.9	49.3	26
17.9	23.7	18.6	17.5	14.6	9.9	5.1	5.4	1.6	1.6	0.5	1.0			20.2	27
4.2	6.2	6.3	4.6	3.2	1.9	1.2	0.6	0.4	0.3	0.1				6.0	
		0.1	0.1	0.1	0.1		0.1								28
0.4	0.8	0.4	0.5	0.4	0.1	0.2	0.2		0.1						29
0.4	0.2			0.1	0.3	0.1		0.1					1.4		
9.5	8.6	8.5	7.5	5.0	5.3	4.5	2.7	2.1	2.1	0.8	1.0			10.6	30
6.0	4.9	3.5	3.3	3.6	2.9	1.4	2.0	0.8	0.9	1.0				3.0	
0.3	0.4	0.6	0.5	1.0	0.9	1.0	1.0	1.4	1.7	1.5	2.2	3.3	2.7	32.7	31
0.7	0.5	0.6	1.3	1.0	1.6	1.3	1.4	1.9	2.6	1.3	2.0	1.5	5.5	40.3	
3.6	4.3	4.3	4.2	6.5	10.6	20.6	38.5	84.2	142.0	260.9	364.0	502.3	602.9	64.4	32
3.0	3.6	3.2	3.7	5.0	8.2	16.4	33.5	73.2	127.6	242.7	342.3	493.8	573.0	50.1	33
4.4	5.1	5.6	4.9	8.5	13.5	25.2	44.0	95.6	166.5	277.7	381.6	507.6	618.1	86.5	34
						7.4	23.1	62.6	113.7	228.6	327.6	474.7	559.5	16.4	35
						15.4	31.5	80.9	141.5	258.1	362.1	488.4	594.8	46.2	
															36
															37
0.1							0.1							5.8	
														1.5	38
2.9	3.6	3.2	3.7	5.0	8.2	9.0	10.4	10.6	13.8	14.1	14.7	19.1	13.5	27.9	
4.4	5.1	5.6	4.9	8.5	13.4	9.8	12.4	14.6	15.0	19.6	19.5	19.2	23.3	38.8	39
					0.1				0.1						

VITAL STATISTICS.

TABLE 25.—NUMBER OF DEATHS FROM EACH CAUSE PER 1,000
THE REGISTRATION RECORD—Continued.

	CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	1. General diseases—Continued.												
	General diseases—D.....	171.2	28.2	53.7	59.6	64.0	59.0	38.0	82.8	157.9	323.8	378.3	382.2
2	Males.....	160.5	28.2	53.7	64.0	59.9	60.5	37.6	78.5	115.8	268.6	356.6	366.3
3	Females.....	183.3	28.3	53.7	54.8	68.2	57.6	38.4	87.2	200.9	378.2	400.6	399.3
4	Anemia.....	M.. 2.3 F.. 3.8	M.. 1.4 F.. 1.7	M.. 1.2 F.. 1.9	M.. 0.6 F.. 1.9	M.. 1.5 F.. 2.2	M.. 0.7 F.. 2.2	M.. 1.5 F.. 1.8	M.. 2.2 F.. 1.8	M.. 2.1 F.. 3.8	M.. 2.0 F.. 7.7	M.. 2.1 F.. 6.0	M.. 1.7 F.. 4.7
5	Diabetes.....	M.. 5.2 F.. 5.4	M.. 0.1 F.. 0.1	M.. 0.4 F.. 0.3	M.. 0.8 F.. 2.6	M.. 0.5 F.. 1.1	M.. 1.8 F.. 0.3	M.. 0.3 F.. 4.5	M.. 4.3 F.. 9.7	M.. 13.2 F.. 8.5	M.. 8.5 F.. 4.8	M.. 4.6 F.. 4.5	M.. 5.4 F.. 3.8
6	Rheumatism.....	M.. 3.6 F.. 4.1	M.. 0.2 F.. 0.4	M.. 0.4 F.. 0.6	M.. 1.1 F.. 0.7	M.. 1.5 F.. 1.6	M.. 2.2 F.. 1.5	M.. 0.4 F.. 0.6	M.. 6.9 F.. 6.6	M.. 9.8 F.. 12.6	M.. 5.6 F.. 8.0	M.. 3.3 F.. 3.5	M.. 3.8 F.. 3.0
7	Scrofula and tabes.....	M.. 1.8 F.. 2.3	M.. 2.3 F.. 2.0	M.. 2.5 F.. 2.5	M.. 2.4 F.. 2.8	M.. 1.0 F.. 1.8	M.. 1.5 F.. 3.6	M.. 2.2 F.. 2.2	M.. 3.0 F.. 2.5	M.. 1.6 F.. 4.7	M.. 3.2 F.. 6.4	M.. 3.5 F.. 3.8	M.. 2.4 F.. 3.7
8	Hydrocephalus.....	M.. 6.5 F.. 6.0	M.. 11.1 F.. 11.4	M.. 25.5 F.. 24.5	M.. 27.9 F.. 22.4	M.. 23.9 F.. 27.2	M.. 23.7 F.. 22.2	M.. 15.7 F.. 16.0	M.. 21.4 F.. 18.8	M.. 11.8 F.. 9.3	M.. 5.7 F.. 7.0	M.. 3.4 F.. 2.1	M.. 2.0 F.. 2.0
9	Tuberculosis, general.....	M.. 1.9 F.. 1.8	M.. 0.7 F.. 1.0	M.. 1.5 F.. 1.6	M.. 2.4 F.. 1.2	M.. 2.0 F.. 1.6	M.. 3.3 F.. 1.5	M.. 1.1 F.. 1.2	M.. 3.3 F.. 2.6	M.. 3.9 F.. 5.9	M.. 3.6 F.. 4.8	M.. 4.6 F.. 4.2	M.. 5.4 F.. 3.3
10	Consumption.....	M.. 108.1 F.. 104.2	M.. 9.2 F.. 9.1	M.. 18.7 F.. 18.2	M.. 22.5 F.. 19.8	M.. 22.6 F.. 24.5	M.. 21.1 F.. 18.9	M.. 12.8 F.. 12.9	M.. 28.2 F.. 43.0	M.. 61.5 F.. 141.5	M.. 229.9 F.. 328.9	M.. 324.6 F.. 364.9	M.. 336.1 F.. 359.9
11	Cancer.....	M.. 23.6 F.. 45.9	M.. 0.1 F.. 0.2	M.. 0.3 F.. 0.1	M.. 0.5 F.. 0.2	M.. 0.8 F.. 0.8	M.. 1.5 F.. 0.4	M.. 0.3 F.. 0.2	M.. 1.3 F.. 1.6	M.. 2.1 F.. 2.9	M.. 2.4 F.. 2.7	M.. 4.5 F.. 4.5	M.. 5.4 F.. 12.7
12	Tumor.....	M.. 2.6 F.. 4.1	M.. 0.3 F.. 0.3	M.. 0.4 F.. 0.5	M.. 1.6 F.. 1.6	M.. 2.5 F.. 2.3	M.. 1.5 F.. 1.8	M.. 0.6 F.. 0.6	M.. 2.5 F.. 1.6	M.. 2.6 F.. 3.3	M.. 3.6 F.. 3.3	M.. 2.7 F.. 3.5	M.. 2.4 F.. 3.1
13	Dropsy.....	M.. 3.5 F.. 4.3	M.. 0.4 F.. 0.3	M.. 0.6 F.. 0.6	M.. 1.1 F.. 0.7	M.. 1.3 F.. 0.8	M.. 0.7 F.. 1.1	M.. 0.5 F.. 0.4	M.. 2.8 F.. 2.3	M.. 4.2 F.. 4.3	M.. 2.0 F.. 3.0	M.. 2.3 F.. 2.3	M.. 1.0 F.. 1.7
14	Others of this group.....	M.. 1.4 F.. 1.4	M.. 2.4 F.. 1.8	M.. 2.2 F.. 2.9	M.. 3.1 F.. 3.1	M.. 2.3 F.. 2.1	M.. 2.5 F.. 3.3	M.. 2.4 F.. 2.2	M.. 2.6 F.. 1.9	M.. 3.0 F.. 2.9	M.. 2.1 F.. 1.6	M.. 1.0 F.. 1.3	M.. 0.7 F.. 1.4
15	2. Diseases of the nervous system.....	123.2	130.4	129.4	121.5	110.3	107.5	127.7	101.3	106.2	66.9	45.7	51.9
16	Males.....	124.7	134.2	133.6	125.3	112.6	107.8	131.5	107.7	116.3	72.9	47.2	53.7
17	Females.....	121.5	125.6	124.7	117.3	107.9	107.2	123.0	94.7	95.9	60.9	44.2	50.0
18	Inflammation of the brain.....	M.. 2.3 F.. 2.0	M.. 2.9 F.. 2.5	M.. 5.4 F.. 3.8	M.. 8.2 F.. 5.1	M.. 3.8 F.. 4.2	M.. 4.7 F.. 4.7	M.. 3.8 F.. 3.1	M.. 5.9 F.. 3.6	M.. 3.5 F.. 5.5	M.. 2.4 F.. 2.7	M.. 1.9 F.. 1.9	M.. 1.2 F.. 1.9
19	Meningitis.....	M.. 22.6 F.. 20.3	M.. 37.7 F.. 36.3	M.. 71.2 F.. 65.6	M.. 71.0 F.. 67.3	M.. 66.7 F.. 63.0	M.. 57.9 F.. 64.2	M.. 47.8 F.. 46.6	M.. 62.8 F.. 59.1	M.. 46.9 F.. 49.6	M.. 26.0 F.. 19.2	M.. 15.2 F.. 12.2	M.. 14.4 F.. 10.5
20	Apoplexy.....	M.. 36.3 F.. 39.4	M.. 2.2 F.. 2.1	M.. 1.9 F.. 1.7	M.. 1.1 F.. 1.9	M.. 2.0 F.. 2.4	M.. 2.9 F.. 1.5	M.. 2.1 F.. 2.0	M.. 2.5 F.. 2.3	M.. 3.5 F.. 4.0	M.. 5.7 F.. 4.9	M.. 6.0 F.. 5.1	M.. 10.1 F.. 8.6
21	Paralysis.....	M.. 16.9 F.. 18.1	M.. 0.9 F.. 0.7	M.. 0.7 F.. 1.7	M.. 1.7 F.. 2.1	M.. 3.0 F.. 1.8	M.. 1.8 F.. 2.9	M.. 1.1 F.. 1.2	M.. 3.7 F.. 2.3	M.. 4.6 F.. 1.9	M.. 3.6 F.. 4.0	M.. 2.1 F.. 3.8	M.. 3.9 F.. 4.4
22	Paralysis, general (of insane).....	M.. 1.5 F.. 0.7	M.. 1.5 F.. 0.7	M.. 1.5 F.. 0.7	M.. 1.5 F.. 0.7	M.. 1.5 F.. 0.7	M.. 1.5 F.. 0.7	M.. 1.5 F.. 0.7	M.. 0.1 F.. 0.1	M.. 0.5 F.. 0.5	M.. 0.2 F.. 0.2	M.. 0.1 F.. 0.1	M.. 1.2 F.. 0.4
23	Tetanus and trismus nascentium.....	M.. 3.4 F.. 1.7	M.. 7.7 F.. 6.6	M.. 0.7 F.. 0.4	M.. 0.8 F.. 0.4	M.. 1.8 F.. 0.5	M.. 2.2 F.. 0.7	M.. 5.6 F.. 4.4	M.. 7.8 F.. 1.0	M.. 29.0 F.. 2.8	M.. 7.8 F.. 1.2	M.. 2.9 F.. 0.9	M.. 2.8 F.. 0.8
24	Chorea.....	M.. 0.1 F.. 0.2	M.. 0.1 F.. 0.1	M.. 0.1 F.. 0.1	M.. 0.2 F.. 0.2	M.. 0.5 F.. 0.7	M.. 0.4 F.. 0.7	M.. 0.1 F.. 0.1	M.. 0.4 F.. 0.4	M.. 0.2 F.. 3.1	M.. 0.9 F.. 2.2	M.. 0.2 F.. 0.4	M.. 0.1 F.. 0.1
25	Epilepsy.....	M.. 2.5 F.. 2.3	M.. 0.8 F.. 0.7	M.. 0.7 F.. 0.5	M.. 0.6 F.. 1.4	M.. 0.8 F.. 1.3	M.. 0.7 F.. 0.4	M.. 0.8 F.. 0.8	M.. 2.5 F.. 2.8	M.. 7.0 F.. 7.6	M.. 10.3 F.. 6.0	M.. 4.2 F.. 3.6	M.. 5.3 F.. 4.7
26	Convulsions.....	M.. 19.5 F.. 17.9	M.. 73.0 F.. 68.5	M.. 40.9 F.. 41.2	M.. 33.3 F.. 30.6	M.. 22.5 F.. 27.4	M.. 20.0 F.. 21.1	M.. 60.5 F.. 56.3	M.. 10.6 F.. 11.9	M.. 6.0 F.. 3.8	M.. 1.1 F.. 4.0	M.. 1.2 F.. 3.6	M.. 1.2 F.. 4.6
27	Mental diseases.....	M.. 3.6 F.. 4.2	M.. 3.6 F.. 4.2	M.. 3.6 F.. 4.2	M.. 3.6 F.. 4.2	M.. 3.6 F.. 4.2	M.. 3.6 F.. 4.2	M.. 3.6 F.. 4.2	M.. 0.3 F.. 0.7	M.. 0.5 F.. 1.1	M.. 1.1 F.. 1.8	M.. 3.3 F.. 2.5	M.. 2.8 F.. 3.7
28	Diseases of the brain.....	M.. 11.1 F.. 9.9	M.. 8.1 F.. 7.4	M.. 11.2 F.. 8.7	M.. 6.9 F.. 7.5	M.. 9.9 F.. 6.3	M.. 13.1 F.. 9.1	M.. 8.8 F.. 7.6	M.. 9.4 F.. 8.4	M.. 12.7 F.. 14.3	M.. 9.7 F.. 10.6	M.. 7.7 F.. 6.8	M.. 7.9 F.. 6.0
29	Diseases of the spinal cord.....	M.. 1.9 F.. 1.8	M.. 0.7 F.. 0.5	M.. 0.8 F.. 0.8	M.. 0.8 F.. 1.2	M.. 1.3 F.. 1.0	M.. 3.7 F.. 1.5	M.. 0.8 F.. 0.7	M.. 1.0 F.. 2.2	M.. 1.2 F.. 1.4	M.. 2.8 F.. 1.6	M.. 1.1 F.. 1.0	M.. 1.1 F.. 1.3
30	Locomotor ataxia.....	M.. 1.4 F.. 0.5	M.. 1.4 F.. 0.5	M.. 1.4 F.. 0.5	M.. 1.4 F.. 0.5	M.. 1.4 F.. 0.5	M.. 1.4 F.. 0.5	M.. 1.4 F.. 0.5	M.. 0.1 F.. 0.1	M.. 0.2 F.. 0.2	M.. 0.2 F.. 0.2	M.. 0.3 F.. 0.2	M.. 0.3 F.. 0.3
31	Others of this class.....	M.. 1.6 F.. 2.5	M.. 0.2 F.. 0.3	M.. 0.1 F.. 0.1	M.. 0.5 F.. 0.2	M.. 0.3 F.. 0.4	M.. 0.4 F.. 0.4	M.. 0.2 F.. 0.2	M.. 0.7 F.. 0.6	M.. 0.5 F.. 1.2	M.. 1.1 F.. 2.7	M.. 1.0 F.. 2.1	M.. 1.4 F.. 3.1
32	3. Diseases of the circulatory system.....	85.1	22.3	4.7	7.2	11.7	21.9	17.5	47.0	94.5	62.4	49.9	52.5
33	Males.....	84.7	23.0	5.0	8.0	12.7	21.1	18.3	42.3	71.9	58.8	43.1	48.8
34	Females.....	85.6	21.4	4.4	6.3	10.7	22.6	16.6	51.9	117.6	66.0	57.0	56.5
35	Pericarditis.....	M.. 1.3 F.. 1.4	M.. 0.2 F.. 0.2	M.. 0.4 F.. 0.1	M.. 0.3 F.. 0.3	M.. 1.0 F.. 0.8	M.. 0.7 F.. 3.3	M.. 0.2 F.. 0.4	M.. 2.3 F.. 2.8	M.. 6.3 F.. 6.2	M.. 3.9 F.. 3.6	M.. 1.7 F.. 1.8	M.. 1.7 F.. 1.0
36	Diseases of the heart.....	M.. 73.2 F.. 76.4	M.. 13.5 F.. 13.6	M.. 4.2 F.. 4.0	M.. 7.3 F.. 5.6	M.. 10.4 F.. 9.6	M.. 18.9 F.. 17.8	M.. 11.5 F.. 11.1	M.. 39.2 F.. 48.2	M.. 64.3 F.. 109.3	M.. 53.5 F.. 60.4	M.. 39.7 F.. 50.9	M.. 43.3 F.. 49.8
37	Angina pectoris.....	M.. 3.9 F.. 3.3	M.. 3.9 F.. 3.3	M.. 3.9 F.. 3.3	M.. 3.9 F.. 3.3	M.. 3.9 F.. 3.3	M.. 3.9 F.. 3.3	M.. 3.9 F.. 3.3	M.. 0.3 F.. 0.4	M.. 0.2 F.. 1.2	M.. 0.9 F.. 1.2	M.. 0.7 F.. 2.6	M.. 1.8 F.. 2.6
38	Diseases of the arteries.....	M.. 2.4 F.. 1.7	M.. 2.4 F.. 1.7	M.. 2.4 F.. 1.7	M.. 2.4 F.. 1.7	M.. 2.4 F.. 1.7	M.. 2.4 F.. 1.7	M.. 2.4 F.. 1.7	M.. 0.1 F.. 0.1	M.. 0.2 F.. 0.2	M.. 0.2 F.. 0.2	M.. 0.2 F.. 0.1	M.. 0.2 F.. 0.2
39	Aneurism.....	M.. 1.4 F.. 0.5	M.. 1.4 F.. 0.5	M.. 1.4 F.. 0.5	M.. 1.4 F.. 0.5	M.. 1.4 F.. 0.5	M.. 1.4 F.. 0.5	M.. 1.4 F.. 0.5	M.. 0.3 F.. 0.3	M.. 0.7 F.. 0.5	M.. 0.1 F.. 0.1	M.. 0.7 F.. 0.1	M.. 1.5 F.. 0.9
40	Embolism.....	M.. 0.5 F.. 0.8	M.. 0.2 F.. 0.2	M.. 0.2 F.. 0.2	M.. 0.2 F.. 0.2	M.. 0.4 F.. 0.4	M.. 0.4 F.. 0.4	M.. 0.2 F.. 0.1	M.. 0.3 F.. 0.1	M.. 0.2 F.. 0.2	M.. 0.3 F.. 0.6	M.. 0.3 F.. 1.3	M.. 0.2 F.. 1.7
41	Others of this class.....	M.. 2.0 F.. 1.5	M.. 9.1 F.. 7.6	M.. 0.4 F.. 0.2	M.. 0.5 F.. 0.2	M.. 1.3 F.. 0.3	M.. 1.1 F.. 1.1	M.. 6.4 F.. 5.0	M.. 0.1 F.. 0.1	M.. 0.2 F.. 0.2	M.. 0.1 F.. 0.1	M.. 0.2 F.. 0.2	M.. 0.1 F.. 0.3

PROPORTION OF DEATHS FROM EACH CAUSE.

641

DEATHS FROM KNOWN CAUSES AT EACH AGE—Continued.

THE REGISTRATION RECORD—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
361.3	320.6	298.3	276.8	249.0	226.3	191.3	166.2	126.9	101.2	68.7	48.7	32.6	27.3	124.6	1
353.9	309.6	279.0	254.2	226.6	201.0	172.8	152.5	119.1	95.1	64.9	46.1	38.9	32.4	99.1	2
370.2	334.7	323.7	306.6	277.8	256.7	211.9	180.9	135.0	107.4	72.2	50.9	28.7	24.7	164.2	3
1.6	1.8	3.3	3.0	4.4	4.4	4.0	3.8	2.1	2.5	2.3	1.3	1.0	2.7	1.9	4
5.0	5.8	6.0	5.8	6.7	6.4	4.8	4.4	3.1	2.2	1.1	0.8	1.0	1.4	3.0	
5.4	5.1	7.6	7.0	9.9	8.7	11.6	10.9	8.1	6.9	4.2	1.5	2.5	2.7	2.9	5
3.2	4.8	6.5	8.1	12.5	15.1	14.6	11.6	8.7	6.0	2.9	1.2	1.0	2.7	4.5	
4.0	3.5	3.8	4.9	4.8	6.9	5.2	5.9	5.8	5.1	4.7	3.0	1.6	2.7	6.7	6
4.7	4.1	5.2	5.8	6.5	5.8	6.5	7.1	5.9	5.6	5.2	4.1	2.5	2.7	4.5	
1.8	2.0	1.2	1.7	0.9	1.5	1.7	1.5	1.0	0.4	0.5			2.7	2.9	7
4.1	2.9	2.6	2.9	3.0	1.4	1.5	1.2	0.7	0.8	1.0			2.7	1.5	
3.0	1.6	1.8	1.3	0.8	0.4	0.3	0.1	0.1	0.2	0.1				3.8	8
1.2	1.2	1.3	0.8	0.4	0.4		0.2	0.3	0.2					1.5	
3.9	3.4	2.3	2.9	2.4	1.1	0.7	0.8	0.3	0.5	0.1					9
4.0	2.6	2.5	3.0	1.5	0.9	0.9	0.9	0.2	0.3	0.2	0.2			3.0	
318.5	269.0	219.5	178.5	136.2	102.4	74.5	54.6	37.3	25.8	13.3	7.7	5.8	5.4	64.5	10
304.7	241.0	182.1	127.1	98.0	76.6	56.7	46.2	32.8	25.1	13.9	11.6	5.1	5.5	92.5	
10.2	16.4	29.5	43.3	58.1	63.9	63.8	62.3	51.8	43.1	28.7	23.2	25.7	13.5	13.5	11
31.7	61.4	101.7	134.5	133.2	133.8	110.7	92.4	68.2	54.4	37.7	24.3	14.6	8.2	41.8	
2.7	3.0	4.2	5.6	4.7	5.0	3.9	4.4	3.5	2.3	1.9	0.5			4.5	12
5.5	7.1	9.6	9.6	8.7	8.7	7.4	6.3	4.8	3.7	2.1	1.6				
1.9	2.8	4.0	4.9	3.6	5.9	6.4	7.6	8.5	7.7	8.8	8.7	3.3		1.9	13
3.6	2.6	4.8	7.6	6.4	6.7	8.0	9.7	9.8	8.8	8.0	7.1	4.5	6.9	7.4	
0.9	1.0	1.8	1.1	0.8	0.8	0.7	0.6	0.6	0.6	0.3	0.2		2.7	1.0	14
2.5	1.2	1.4	1.4	0.9	0.9	0.8	0.9	0.5	0.3	0.1					
61.1	77.0	91.6	116.4	132.5	146.3	162.9	174.8	184.0	189.1	170.3	137.6	112.7	82.9	107.7	15
65.5	79.9	94.8	110.9	127.8	144.9	159.5	175.7	186.0	189.4	174.5	134.2	107.7	89.2	105.9	16
55.8	73.4	87.5	123.7	138.6	148.0	166.7	173.9	182.0	188.8	166.5	140.4	115.8	79.7	110.4	
1.4	1.5	1.7	1.1	1.6	1.1	1.2	1.2	1.7	1.1	1.2	1.0			4.5	18
1.6	1.0	1.9	1.6	1.9	1.4	0.5	1.0	0.7	0.6	0.6	0.2	0.5			
11.9	11.2	8.9	10.5	7.9	5.6	3.9	4.5	3.2	3.2	1.6	2.3	1.7		11.5	19
8.7	7.5	7.2	9.2	5.4	4.2	4.0	3.8	2.6	1.8	1.9	1.0	1.5	1.4	8.9	
15.8	20.8	34.2	43.3	60.4	74.7	86.0	93.6	98.0	97.2	91.6	66.7	51.3	29.7	37.5	20
11.6	20.6	35.0	59.9	73.7	84.9	91.6	93.3	97.9	97.8	84.0	75.3	59.0	44.0	35.8	
8.6	13.4	16.6	19.7	23.8	27.4	31.9	38.0	48.2	53.2	50.0	39.1	28.2	46.0	17.3	21
6.1	8.3	11.8	18.5	21.6	27.3	35.6	42.4	49.8	56.3	53.3	42.6	37.3	24.7	23.9	
2.9	3.5	4.7	4.9	3.3	3.0	2.5	1.8	1.3	1.3	1.0	1.5	1.7		1.0	22
1.3	1.1	2.0	0.5	1.6	1.3	1.1	1.6	1.6	1.5	1.2	0.6	1.0			
2.6	1.1	1.4	1.5	1.3	1.1	0.5	0.5	0.4	0.4					1.9	23
1.3	1.2	1.3	0.4	0.2	0.7	0.7	0.1	0.1	0.1						
0.2		0.1	0.1	0.3	0.1	0.1	0.1	0.1	0.1			0.8			24
.....		0.2	0.2	0.2	0.1	0.2	0.2		0.2	0.1					
4.1	5.1	4.0	3.3	1.8	2.1	2.3	1.7	2.1	1.8	1.2	1.5	1.7		1.9	25
3.0	5.1	3.1	3.6	3.4	2.0	2.9	1.5	1.4	1.2	0.9	0.4	1.0			
0.9	1.0	0.6	1.1	0.9	0.2	0.5	0.5	0.9	0.3	0.5	0.2	0.8		16.4	26
3.6	2.7	2.0	0.9	0.7	0.6	1.0	0.8	0.4	0.5	0.2	0.2	1.0		19.4	
4.5	5.9	5.0	4.2	4.4	5.7	6.8	9.2	7.3	7.6	7.1	7.2	6.6		4.8	27
5.2	6.6	7.4	7.2	6.7	6.0	8.6	7.2	7.2	8.4	7.6	6.9	6.5	2.7	1.5	
9.2	10.8	10.5	11.5	12.7	13.3	13.9	14.2	15.2	16.4	16.9	13.0	13.2	8.1	8.7	28
7.9	11.5	9.2	12.9	12.1	10.0	12.5	14.2	12.8	14.1	12.5	10.8	6.5	5.5	10.4	
1.3	2.4	3.0	2.8	4.0	3.0	3.4	3.6	2.0	2.2	1.3	0.2		2.7	1.0	29
1.5	3.1	2.2	2.8	3.4	4.2	2.9	2.9	2.6	2.2	1.3	0.4	1.0		3.0	
1.0	1.7	2.1	4.6	3.4	4.6	3.4	2.9	1.8	1.5	0.5	0.2			1.0	30
0.2	0.8	0.6	1.3	1.7	1.8	1.3	0.9	0.8	0.7	0.6	0.4				
1.1	1.5	2.0	2.3	2.0	3.1	3.1	3.9	3.8	3.1	1.6	1.3	1.7	2.7	2.9	31
3.8	3.9	3.8	4.7	6.0	3.5	3.8	4.0	4.1	3.4	2.3	1.6	0.5	1.4	3.0	
66.2	80.6	97.9	112.7	133.9	150.2	164.5	172.0	174.4	160.8	130.0	105.3	69.2	51.9	88.3	32
61.4	76.1	89.3	102.8	129.8	152.7	173.1	180.7	186.1	174.0	140.6	114.5	67.1	51.4	78.9	33
72.0	86.3	109.0	125.7	139.1	147.2	155.1	162.7	162.1	147.4	120.1	97.8	70.5	52.2	103.0	
1.3	1.9	1.7	1.0	2.2	1.9	1.2	1.6	1.1	1.3	0.5				1.0	35
2.5	1.4	2.5	2.0	1.1	1.9	1.7	2.0	1.1	0.8	1.1	0.6	1.0		1.5	
55.1	65.7	77.7	91.2	113.5	133.4	150.5	160.0	165.7	153.5	121.9	100.4	58.8	46.0	69.3	36
63.8	79.4	99.5	113.1	128.7	133.7	142.3	147.0	146.8	133.4	105.3	87.9	57.9	42.6	95.5	
2.3	3.5	4.4	4.6	7.6	8.4	12.8	9.5	9.1	8.7	6.9	4.7	0.8		3.8	37
2.6	3.5	3.3	7.0	6.3	7.3	7.0	8.1	6.1	5.2	5.6	2.6	3.0		1.5	
0.2	0.4	1.0	1.3	2.2	4.6	5.2	7.4	8.0	8.5	10.3	9.2	7.5	5.4	2.9	38
0.1	0.4	0.5	0.6	1.2	2.0	2.8	3.8	6.4	5.5	6.7	5.7	8.1	9.6		
1.9	4.0	4.1	3.9	3.0	3.5	2.4	1.1	1.1	0.9	0.1				1.9	39
0.7	0.7	1.6	1.7	0.6	0.8	0.6	0.8	0.5	0.8	0.6	0.2	0.5			
0.5	0.6	0.3	0.8	1.1	0.9	0.8	1.1	1.1	1.1	0.8	0.2				40
2.0	0.8	1.5	1.2	1.0	1.5	0.7	0.9	1.2	1.4	0.6	0.8			3.0	
0.1		0.1		0.2		0.2				0.1					41
0.3	0.1	0.1	0.1	0.2			0.1		0.3	0.2				1.5	

VITAL STATISTICS.

TABLE 25.—NUMBER OF DEATHS FROM EACH CAUSE PER 1,000
THE REGISTRATION RECORD—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	4. Diseases of the respiratory system.....	158.5	180.7	320.9	313.0	261.8	227.0	220.8	172.8	99.3	100.9	99.0	101.9
2	Males.....	158.7	183.8	327.9	313.1	259.0	221.0	222.1	170.0	91.0	110.9	112.3	114.3
3	Females.....	158.3	176.7	313.0	312.8	264.7	232.9	219.3	175.7	107.8	91.0	85.3	88.5
4	Croup.....	5.7	4.1	23.0	49.5	57.6	52.1	14.8	36.2	2.8	0.5	0.3	0.2
	{M.....	5.5	3.9	20.8	38.2	54.3	49.9	14.4	38.1	5.0	0.5	0.1	0.1
	{F.....												
5	Pneumonia.....	110.7	109.8	232.4	203.9	156.0	124.9	139.8	101.6	68.5	89.9	94.6	96.7
	{M.....	106.9	106.0	222.2	208.7	156.5	134.5	139.0	104.8	82.1	70.0	64.7	68.9
	{F.....												
6	Laryngitis.....	1.2	0.9	3.6	3.9	8.9	7.3	2.1	6.9	2.1	0.2	0.4	0.2
	{M.....	1.1	0.7	3.7	5.1	10.5	6.6	2.4	5.9	1.7	0.9	0.4	0.7
	{F.....												
7	Bronchitis.....	25.3	52.3	59.0	43.6	25.9	25.1	50.6	14.3	8.6	5.9	5.0	5.2
	{M.....	29.7	51.5	56.7	51.5	30.0	28.4	50.3	15.6	7.6	9.2	7.3	6.7
	{F.....												
8	Pleurisy.....	2.9	0.5	2.8	3.2	4.5	2.9	1.3	3.5	3.5	6.6	4.5	3.8
	{M.....	2.6	0.4	2.1	3.0	2.1	2.6	1.1	4.0	2.4	2.7	4.7	3.9
	{F.....												
9	Asthma.....	2.4	0.5	0.2	0.2	0.3	0.3	0.4	1.0	0.2	1.2	0.8	0.9
	{M.....	2.4	0.4	0.4	0.2	0.3	0.3	0.4	1.0	0.5	0.1	0.9	1.0
	{F.....												
10	Others of this class.....	10.5	15.7	6.9	8.8	5.8	8.7	13.1	6.5	5.3	6.6	6.7	7.3
	{M.....	10.1	13.8	7.1	6.3	11.0	10.9	11.7	6.3	8.5	7.6	7.2	7.3
	{F.....												
11	5. Diseases of the digestive system.....	55.9	39.3	33.2	27.7	27.7	35.3	36.6	55.9	101.4	80.7	66.4	67.5
12	Males.....	53.5	40.2	32.6	27.9	25.1	34.2	37.1	55.7	111.2	80.5	57.4	55.5
13	Females.....	58.6	38.1	33.8	27.5	30.3	36.5	36.0	56.1	91.4	80.9	75.7	80.4
14	Dentition.....	1.5	4.0	11.0	1.9	0.5	0.7	4.7	5.3				
	{M.....	1.5	4.8	11.3	2.1	0.3	0.7	5.3					
	{F.....												
15	Angina.....	0.8	0.4	1.9	2.6	4.0	2.9	1.0	4.1	2.1	0.6	1.2	0.6
	{M.....	0.8	0.4	1.4	2.4	1.8	5.5	1.0	5.8	4.5	0.6	0.6	0.6
	{F.....												
16	Gastritis.....	7.4	7.0	5.6	3.5	5.6	2.9	6.4	4.1	3.2	3.2	2.7	4.3
	{M.....	9.5	6.7	7.7	5.6	8.6	6.9	6.9	5.8	3.5	4.6	6.5	8.3
	{F.....												
17	Diseases of the stomach.....	3.0	1.1	0.7	0.5	0.8	2.2	1.0	1.0	1.4	1.5	1.5	2.7
	{M.....	2.8	1.0	1.1	0.5	0.5	1.5	0.9	1.0	1.2	2.8	3.7	3.5
	{F.....												
18	Obstruction of the bowels.....	4.2	3.9	1.5	2.6	1.8	4.0	3.3	6.3	7.2	6.2	4.3	5.1
	{M.....	5.1	2.9	1.2	1.9	4.4	2.9	2.6	5.2	3.8	4.0	4.6	6.5
	{F.....												
19	Appendicitis.....	6.6	0.2	0.4	0.6	2.5	4.3	0.5	14.4	54.8	36.9	23.6	16.7
	{M.....	4.5	0.2	0.4	0.9	1.0	2.9	0.4	14.2	33.7	23.5	11.4	11.3
	{F.....												
20	Hernia.....	2.1	1.2	0.4	0.4	0.4	0.4	0.9	0.4	1.2	2.3	1.2	1.3
	{M.....	2.1	0.4	0.2	0.4	0.7	0.7	0.4	0.5		0.5	0.1	0.2
	{F.....												
21	Other diseases of the bowels.....	1.4	1.9	1.1	0.6	0.5	0.4	1.6	0.7	1.2	1.5	1.4	1.4
	{M.....	1.5	1.8	1.1	0.4	1.0	1.1	1.5	0.8	1.9	2.1	0.9	2.3
	{F.....												
22	Jaundice.....	1.9	5.2	0.2	1.1	0.5	0.4	3.7	0.5	0.5	0.6	0.5	1.0
	{M.....	1.9	4.2	0.2	1.4	0.3	1.9	3.0	0.7	0.7	0.6	0.8	0.8
	{F.....												
23	Inflammation and abscess of the liver.....	2.5	0.7	0.4	0.3	0.5	2.9	0.7	1.4	2.3	1.4	2.9	3.2
	{M.....	2.5	0.6	0.1	0.4	1.6	1.5	0.6	1.0	3.1	1.4	2.2	2.4
	{F.....												
24	Other diseases of the liver.....	9.9	0.7	0.4	1.0	0.3	0.7	0.6	1.0	2.5	1.8	2.6	5.6
	{M.....	6.8	0.7	0.6	0.9	0.5	0.7	0.7	1.4	1.7	1.1	2.6	3.9
	{F.....												
25	Peritonitis.....	6.8	2.4	2.8	7.4	4.8	6.2	3.1	18.4	32.9	23.4	13.9	11.7
	{M.....	13.4	2.1	3.2	5.2	5.8	6.9	3.0	16.7	34.2	38.1	40.9	37.3
	{F.....												
26	Ascites.....	0.3	0.1	0.1					0.1	1.2	0.3	0.2	0.2
	{M.....	0.5									0.1	0.1	0.7
	{F.....												
27	Others of this class.....	5.1	11.5	6.1	5.8	3.3	6.2	9.6	3.3	0.7	0.8	1.4	1.7
	{M.....	5.7	12.2	5.3	5.8	5.0	3.3	9.7	3.0	3.1	1.5	1.3	2.6
	{F.....												
28	6. Diseases of the urinary system and male organs of generation.....	58.0	5.0	6.1	11.4	17.3	22.2	6.9	30.1	38.1	34.5	42.9	51.9
29	Males.....	63.5	5.2	6.0	9.8	19.0	23.7	7.0	31.4	35.0	31.4	36.2	46.9
30	Females.....	51.7	4.5	6.3	13.1	15.4	20.8	6.8	28.8	41.3	37.6	49.8	57.3
31	Bright's disease.....	45.8							26.7	27.8	26.9	29.7	37.3
	{M.....	41.6							25.5	37.5	31.0	39.6	42.6
	{F.....												
32	Calculus, urinary.....	0.4								0.7	0.3	0.5	0.2
	{M.....	0.2	0.1					0.1				0.2	0.2
	{F.....												
33	Diseases of the kidney.....	4.0	3.4	5.4	9.6	17.0	21.1	5.5	1.6	0.9	1.4	1.5	2.3
	{M.....	3.2	3.4	5.6	11.2	13.8	19.7	5.6	0.6	0.7	1.4	2.0	2.4
	{F.....												
34	Diseases of the bladder.....	4.7	0.2	0.2			0.4	0.2	0.4	1.2	0.6	0.5	1.3
	{M.....	0.8	0.1		0.3			0.1	0.1		0.1	0.3	0.5
	{F.....												
35	Others of this class.....	8.6	1.6	0.4	0.2	2.0	2.2	1.3	2.7	4.4	2.2	4.0	5.8
	{M.....	5.9	0.9	0.7	1.6	1.6	1.1	1.0	2.6	3.1	5.1	7.7	11.6
	{F.....												
36	7. Diseases of the female organs of generation.....	7.6	0.2	0.1		0.3	0.4	0.2	0.1	2.1	10.1	18.0	22.6
37	Ovarian tumors.....	1.2							0.1	0.2	1.2	1.5	2.3
38	Ovarian diseases.....	0.4									0.3	1.1	1.6
39	Diseases of the tubes.....	1.3									2.5	4.9	6.6
40	Uterine tumors.....	2.0					0.4			0.2	0.3	0.8	2.1
41	Uterine diseases.....	0.5									1.6	2.0	2.4
42	Others of this class.....	2.2	0.2	0.1		0.3		0.2		1.7	4.2	7.7	7.6

PROPORTION OF DEATHS FROM EACH CAUSE.

643

DEATHS FROM KNOWN CAUSES AT EACH AGE—Continued.

THE REGISTRATION RECORD—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
110.2	122.5	124.7	130.5	139.6	143.6	149.6	153.5	154.3	147.1	141.1	128.8	110.6	92.9	103.6	1
118.1	133.1	135.9	139.7	142.0	139.7	137.1	137.3	137.8	130.0	123.2	119.0	100.3	83.8	91.4	2
100.8	109.3	109.9	118.4	136.6	148.2	163.6	170.8	171.5	164.4	157.6	136.8	116.8	97.5	122.4	3
0.1	0.1	0.1	0.1	0.1	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	1.0	4
0.1	0.3	0.2	0.1	0.1	0.2	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	1.5	5
99.5	112.4	112.7	115.2	113.2	101.9	100.5	94.7	92.2	82.7	74.4	68.9	55.5	46.0	64.5	6
80.7	88.4	86.9	90.7	102.7	110.6	117.9	115.5	110.9	102.4	95.2	76.7	63.0	48.0	76.1	7
0.9	0.4	1.0	0.8	0.8	0.5	0.5	0.4	0.1	0.3	0.5	0.1	0.2	0.1	0.1	8
0.9	0.4	0.2	0.1	0.3	0.6	0.2	0.1	0.3	0.4	0.1	0.2	0.1	0.1	0.1	9
4.0	5.3	6.4	7.7	10.0	16.7	15.8	20.2	26.4	29.4	33.1	34.9	33.2	29.7	7.7	10
7.2	5.9	7.0	12.4	14.7	20.3	26.4	34.5	39.1	42.0	44.1	47.1	44.8	42.6	19.4	11
4.5	4.8	4.4	4.3	3.7	3.7	3.0	2.9	2.7	2.5	1.9	1.7	0.8	0.1	1.9	12
4.3	3.7	3.9	4.0	3.4	2.3	3.6	2.4	3.0	2.8	1.9	1.6	1.0	0.1	1.5	13
1.0	1.2	2.0	2.7	4.1	5.4	6.4	6.6	5.7	4.2	4.5	3.5	2.5	2.7	4.8	14
1.0	1.6	2.5	2.6	4.6	4.0	6.0	7.2	5.5	5.6	4.0	2.7	1.5	0.1	0.1	15
8.2	8.9	9.3	9.0	10.2	11.5	10.8	12.4	10.7	10.9	8.7	10.0	8.3	5.4	11.5	16
6.6	9.0	9.2	8.5	10.8	10.2	9.5	11.1	12.6	11.2	12.3	8.5	6.5	6.9	23.9	17
65.1	68.2	77.5	75.1	72.6	73.1	66.8	63.0	55.4	48.3	34.3	29.3	23.5	11.8	47.4	18
53.4	55.8	72.7	73.6	68.6	73.7	67.5	61.0	53.4	47.4	32.6	28.1	26.5	16.2	30.8	19
79.0	83.7	83.9	77.0	77.7	72.4	66.0	65.1	57.5	49.1	36.0	30.2	21.7	9.6	73.1	20
1.0	0.1	0.6	0.4	0.5	0.2	0.3	0.1	0.4	0.3	0.5	0.1	0.2	0.1	2.7	21
0.6	0.1	0.5	0.5	0.5	0.4	0.1	0.3	0.3	0.3	0.1	0.2	0.1	0.1	0.1	22
5.3	5.7	7.4	8.8	9.2	11.3	10.3	11.5	10.9	10.4	9.3	7.7	8.3	8.1	2.9	23
7.8	11.2	10.6	10.2	13.3	12.6	13.4	12.7	14.6	12.8	13.4	9.4	9.1	2.7	8.9	24
2.8	4.2	4.5	6.8	5.7	6.1	5.4	4.9	4.0	4.2	1.7	2.7	1.5	0.1	4.8	25
4.3	4.6	2.5	5.7	5.3	3.9	4.5	3.8	4.2	2.7	1.7	2.2	1.3	0.1	3.0	26
4.2	3.3	3.0	5.1	5.2	5.4	3.8	4.8	5.2	5.4	2.1	3.0	3.3	0.1	3.8	27
5.5	6.3	9.0	8.4	6.5	8.0	5.9	7.6	6.0	5.1	3.9	4.3	0.5	2.7	14.9	28
12.6	9.5	9.4	6.9	4.9	3.8	2.4	1.7	1.5	0.8	0.7	0.2	0.1	0.1	1.9	29
7.8	7.0	5.2	5.0	3.0	2.4	1.6	1.9	0.8	0.8	0.8	0.8	0.8	1.4	4.5	30
1.6	2.1	2.6	3.1	2.2	3.6	3.5	3.0	4.1	4.4	3.5	3.3	2.5	2.7	1.0	31
1.3	2.6	3.8	3.7	5.2	4.9	5.3	4.8	3.9	3.2	1.8	2.2	1.0	1.0	1.5	32
1.3	0.9	1.5	1.0	1.4	1.8	1.3	1.5	1.9	1.4	1.3	0.2	2.5	0.1	1.0	33
2.0	2.0	1.8	1.2	0.9	1.7	0.9	1.8	1.6	1.4	0.4	1.8	0.5	1.4	4.5	34
1.0	0.4	0.9	1.0	1.2	2.0	1.6	1.7	1.9	1.6	1.3	1.3	0.8	0.1	1.9	35
1.2	1.2	0.9	1.6	1.8	2.1	1.9	2.6	2.9	1.6	1.1	0.8	1.5	0.1	6.0	36
4.0	4.0	4.5	4.8	5.3	3.4	4.4	3.4	3.0	2.1	1.8	0.2	0.8	0.1	0.1	37
2.2	3.2	5.1	4.3	4.2	5.2	4.6	4.4	3.5	3.1	2.2	1.6	1.0	0.1	1.5	38
9.0	14.9	23.6	23.4	23.4	25.2	23.8	19.7	13.1	10.7	4.4	3.5	4.1	2.7	1.0	39
7.5	10.8	15.8	15.5	17.8	14.9	13.3	12.3	10.2	8.9	4.6	3.7	0.5	0.1	7.4	40
9.1	7.9	10.3	8.8	5.0	6.7	5.1	4.4	3.1	2.4	1.7	1.8	2.5	0.1	7.7	41
35.9	31.1	23.9	14.5	11.1	9.4	7.8	6.2	5.1	3.4	1.3	1.6	2.5	0.1	13.4	42
0.4	0.3	0.6	0.9	0.6	1.0	1.3	1.4	0.9	1.0	0.8	0.2	0.5	0.1	4.5	43
1.5	2.3	3.7	3.1	3.9	3.6	4.9	3.6	3.7	3.3	3.7	4.0	1.7	0.1	4.8	44
2.5	3.3	4.2	5.5	7.5	5.9	5.4	5.3	3.8	4.8	3.9	2.2	3.1	1.4	3.0	45
60.1	72.6	87.0	96.3	106.7	111.1	113.2	106.2	101.8	90.2	70.7	61.2	33.2	31.0	52.1	46
54.6	65.0	83.9	92.9	113.2	121.0	129.1	129.1	126.7	121.9	104.2	93.9	57.2	48.6	54.9	47
66.5	82.1	91.1	100.7	98.3	99.1	95.5	81.5	75.6	58.0	39.8	34.7	18.6	22.0	47.8	48
45.3	53.5	68.8	76.5	93.3	98.7	102.1	94.2	84.7	75.9	53.9	41.6	24.9	18.9	36.6	49
52.0	66.3	77.0	86.1	84.4	85.2	83.6	68.4	65.5	48.0	33.2	29.0	14.1	17.8	25.4	50
0.2	0.4	0.5	0.3	0.8	0.8	0.7	0.8	0.9	0.9	0.4	0.5	0.1	2.7	1.0	51
0.3	0.1	0.2	0.2	0.2	0.2	0.2	0.3	0.2	0.3	0.3	0.2	0.1	0.1	0.1	52
1.8	2.7	3.1	2.8	3.6	3.3	3.5	5.3	4.8	5.7	4.8	6.2	1.7	0.1	2.9	53
3.4	3.2	3.5	3.3	3.5	2.9	2.0	2.7	1.6	1.7	1.5	0.6	0.1	1.4	3.0	54
0.7	1.0	1.8	2.1	3.9	4.3	8.3	12.6	16.9	18.0	21.8	24.9	14.9	18.9	1.9	55
0.4	1.0	0.4	0.5	0.4	1.6	1.9	1.2	1.8	2.1	1.2	2.2	2.5	1.4	0.1	56
6.6	7.4	9.7	11.2	11.6	13.9	14.5	16.2	19.4	21.4	23.3	20.7	15.7	8.1	12.5	57
10.4	11.5	10.0	10.6	9.8	9.4	7.8	8.9	6.5	5.9	3.6	2.7	2.0	1.4	19.4	58
24.1	22.3	25.5	19.6	11.2	6.0	4.6	3.5	2.4	2.0	1.2	0.4	1.0	1.4	6.0	59
2.5	2.1	3.3	4.0	2.9	1.8	1.4	1.6	1.1	0.6	0.6	0.1	0.5	1.4	0.1	60
2.3	1.7	1.0	0.6	0.4	0.1	0.1	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	61
5.9	5.0	3.1	1.4	0.3	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	62
3.8	6.0	10.7	8.3	5.7	2.8	2.4	1.1	1.0	0.9	0.4	0.1	0.1	0.1	1.5	63
1.7	1.1	0.9	0.6	0.2	0.2	0.2	0.2	0.1	0.2	0.1	0.1	0.1	0.1	0.1	64
7.9	6.4	6.5	4.7	1.7	1.1	0.6	0.3	0.3	0.3	0.2	0.4	0.5	0.1	4.5	65

VITAL STATISTICS.

TABLE 25.—NUMBER OF DEATHS FROM EACH CAUSE PER 1,000
THE REGISTRATION RECORD—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	8. Affections connected with pregnancy	15.9								1.2	38.6	77.7	81.0
2	Abortion	1.1									2.2	4.6	6.4
3	Childbirth	4.2								0.2	7.3	14.9	18.4
4	Puerperal septicemia	6.8								1.0	17.0	38.2	37.3
5	Extra-uterine pregnancy	0.6									0.3	2.1	3.1
6	Others of this class	3.2									11.8	17.9	15.8
7	9. Diseases of the bones and joints	2.1	0.7	1.1	1.0	3.3	3.5	1.1	6.4	9.6	6.1	3.6	1.9
8	Males	2.2	0.7	1.0	1.0	4.6	5.8	1.1	5.9	10.9	8.5	4.5	2.4
9	Females	1.9	0.8	1.2	1.1	2.1	1.1	1.0	7.0	8.3	3.7	2.6	1.4
10	Diseases of the spine {M..	0.7	0.4	0.3	0.3	1.8	2.1	0.5	2.5	3.7	2.7	1.5	0.9
	{F..	0.6	0.4	0.5	0.5	1.5		0.4	2.8	2.9	0.8	1.0	0.3
11	Abscess, lumbar and psoas. {M..	0.1								0.5	0.2	0.7	0.4
	{F..	0.1								0.2		0.2	
12	Diseases of the bones. {M..	0.8	0.3	0.3	0.5	1.8	2.9	0.4	1.4	3.2	3.0	1.1	0.7
	{F..	0.6	0.2	0.7	0.4	0.3	1.1	0.4	1.9	3.1	1.2	1.0	0.7
13	Diseases of the hip-joint. {M..	0.3		0.1		0.7	0.4	0.1	1.6	3.0	2.3	0.8	0.4
	{F..	0.2	0.1		0.2			0.1	1.5	1.2	1.6	0.1	0.1
14	Others of this class. {M..	0.3		0.3	0.2	0.3	0.4	0.1	0.4	0.5	0.3	0.4	
	{F..	0.4	0.1			0.3		0.1	0.3	0.9	0.1	0.3	0.3
15	10. Diseases of the skin	1.8	2.6	1.2	1.3	1.3	0.7	2.1	1.5	1.3	0.7	1.3	1.1
16	Males	1.9	2.5	1.2	1.6	1.0	0.4	2.1	2.1	1.4	0.8	1.2	1.2
17	Females	1.7	2.8	1.2	1.1	1.6	1.1	2.2	0.8	1.2	0.6	1.4	1.0
18	Abscess	1.0	1.0	0.9	0.9	0.7	0.4	0.9	2.0	1.4	0.6	0.8	0.9
	{F..	0.9	1.2	0.5	0.5	0.8	0.7	1.0	0.8	0.7	0.3	0.8	0.8
19	Carbuncle	0.3			0.2			0.1			0.2	0.1	0.1
	{F..	0.1			0.2						0.1	0.3	0.1
20	Others of this class. {M..	0.6	1.5	0.3	0.5	0.3		1.1	0.1			0.3	0.2
	{F..	0.7	1.6	0.7	0.4	0.8	0.4	1.2		0.5	0.2	0.3	0.1
21	11. Diseases of the absorbent system	0.7	0.3	0.7	0.1	0.8	0.4	0.4	0.7	1.1	0.8	0.7	1.0
22	Males	0.7	0.4	0.7	0.2	1.5	0.7	0.5	1.0	0.9	1.1	0.7	0.8
23	Females	0.8	0.3	0.6				0.3	0.3	1.2	0.6	0.7	1.1
24	Addison's disease. {M..	0.2							0.1	0.5	0.3	0.1	0.2
	{F..	0.3									0.3	0.2	0.3
25	Diseases of the spleen. {M..	0.1	0.1			0.5		0.1				0.2	0.2
	{F..	0.1		0.1						0.2		0.2	0.3
26	Others of this class. {M..	0.4	0.3	0.7	0.2	1.0	0.7	0.4	0.9	0.4	0.8	0.4	0.4
	{F..	0.4	0.3	0.5				0.3	0.3	1.0	0.3	0.3	0.5
27	12. Accidents and injuries	54.5	15.0	17.0	39.8	60.2	67.0	21.5	86.8	127.2	115.3	107.9	105.9
28	Males	78.0	15.0	17.0	46.0	66.2	74.3	22.1	114.7	207.3	188.2	173.3	170.2
29	Females	27.7	15.1	16.9	33.1	54.1	59.8	20.8	57.6	45.4	43.5	40.7	36.5
30	Burns and scalds. {M..	4.0	0.9	7.9	26.3	34.3	24.8	6.3	10.7	6.3	2.9	4.2	3.8
	{F..	6.2	1.0	8.7	17.8	32.4	38.6	7.0	29.1	16.4	9.4	5.6	7.3
31	Drowning	10.6	0.3	2.0	3.6	6.8	12.4	1.6	40.4	83.1	41.9	26.5	19.8
	{F..	1.2	0.2	1.6	1.9	3.4	1.5	0.8	3.4	5.7	5.2	2.0	1.0
32	Exposure and neglect. {M..	0.6	0.8	0.1	0.2		0.7	0.6	0.5	0.5	0.2	0.5	0.2
	{F..	0.4	1.0	0.5	0.4			0.7		0.2	0.1	0.5	
33	Gunshot wounds	3.6	0.1	0.1	0.2	0.5	0.4	0.1	2.4	17.4	20.0	13.9	10.5
	{F..	0.6			0.7	1.1	1.1	0.2	1.2	1.9	1.6	2.9	1.1
34	Homicide	1.8		0.2			1.1		1.0	2.3	4.5	7.4	7.5
	{F..	0.6		0.1	0.4	0.5	0.7	0.1	1.2	1.2	1.1	1.7	2.0
35	Infanticide		0.2					0.1					
	{F..	0.1	0.3					0.2					
36	Injuries by machinery. {M..	0.4		0.1							1.8	1.4	1.3
	{F..									0.2		0.1	
37	Railroad accidents. {M..	12.7	0.1	0.6	1.6	3.6	7.6	0.7	18.3	34.1	34.5	37.6	34.8
	{F..	1.5	0.1	0.5	1.4	1.8	4.4	0.6	6.3	4.5	4.2	2.3	1.6
38	Suffocation	2.8	6.3	1.1	1.9	1.5	2.2	4.8	1.3	2.6	3.0	3.0	2.1
	{F..	2.0	6.6	1.4	1.4	1.3	2.9	4.8	2.3	0.7	1.6	0.9	1.0
39	Suicide by shooting. {M..	2.8									1.5	5.8	7.1
	{F..	0.2									0.7	0.7	0.5
40	Suicide by drowning. {M..	0.4									0.5	0.6	0.6
	{F..	0.2									0.3	0.7	0.5
41	Suicide by poison	2.0									2.0	4.2	5.0
	{F..	1.5									8.1	6.9	5.1
42	Other suicides	4.5								1.0			
	{F..	1.3								0.7	3.5	6.0	6.8
43	Sunstroke	1.1	0.7	0.4	0.6		0.7	0.7	1.2	0.2	1.2	1.6	1.5
	{F..	0.6	0.8	0.7	0.7	0.3		0.7	0.6	0.2	0.3	0.4	0.3
44	Surgical operations. {M..	0.5	0.1	0.1	0.2		0.4	0.1	0.8		0.7	0.8	1.2
	{F..	1.2	0.1		0.4			0.1	0.3	0.7	0.9	3.6	3.1
45	Wounds	1.5		0.1	0.5	1.0	1.4	0.2	1.4	2.3	5.6	4.1	5.0
	{F..	0.1		0.1					0.8	0.5	0.4	0.3	0.3
46	Others of this class. {M..	28.7	5.5	4.5	10.7	18.5	22.6	6.9	36.7	57.8	64.4	55.7	63.0
	{F..	10.0	5.0	3.3	8.0	13.3	10.6	5.6	12.4	11.7	7.2	8.8	9.7

PROPORTION OF DEATHS FROM EACH CAUSE.

645

DEATHS FROM KNOWN CAUSES AT EACH AGE—Continued.

THE REGISTRATION RECORD—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
74.8	58.0	31.7	3.0	0.4	0.1	0.1	0.1		0.3					25.4	1
4.7	4.9	1.8			0.1				0.1					1.6	2
21.5	19.9	12.5	1.2	0.2					0.1					10.4	3
31.9	20.5	10.1	1.3	0.2		0.1			0.1					7.5	4
3.5	3.0	0.9	0.1											1.5	5
13.2	9.7	6.4	0.4				0.1							4.5	6
2.5	2.3	2.9	2.4	2.4	1.9	1.5	1.7	1.7	1.0	0.9	0.7	0.9			7
2.6	2.5	3.2	2.6	2.5	1.7	1.4	1.8	1.3	1.3	0.4	0.7	0.8			8
2.4	2.0	2.4	2.3	2.3	2.1	1.6	1.5	2.2	0.7	1.3	0.6	1.0			9
0.5	0.8	0.9	0.6	0.6	0.6	0.2	0.4	0.4	0.5	0.1					10
0.7	1.0	0.6	0.7	1.1	0.5	0.6	0.4	0.2	0.1	0.2	0.2	0.5			
0.4	0.1		0.2	0.2	0.2	0.1	0.1	0.1	0.1						11
0.2	0.1	0.2	0.2	0.3	0.2			0.2							
1.0	0.9	1.0	0.9	1.0	0.5	0.6	0.7	0.4	0.6	0.3	0.5				12
0.9	0.4	0.6	0.9	0.4	0.5	0.4	0.3	0.8	0.2	0.8	0.4				
0.6	0.3	0.6	0.1	0.3	0.2	0.1	0.1								13
0.2	0.4	0.1						0.1		0.1					
0.1	0.4	0.7	0.8	0.4	0.2	0.4	0.5	0.4	0.1		0.2	0.8			14
0.4	0.1	0.9	0.5	0.5	0.9	0.6	0.8	0.9	0.4	0.2		0.5			
1.6	2.0	2.2	2.0	1.9	2.3	2.3	1.9	1.3	1.7	1.1	1.3	1.3		1.8	15
1.3	1.9	2.2	2.1	2.2	2.8	2.1	2.0	1.4	2.1	1.8	1.7	0.8		1.9	16
2.0	2.1	2.2	1.8	1.6	1.7	2.4	1.8	1.3	1.4	0.4	1.0	1.5		1.5	17
0.9	1.5	1.4	1.1	1.2	1.5	1.1	0.9	0.6	0.7	0.9		0.8		1.0	18
1.3	1.2	1.3	1.1	0.7	1.0	0.9	1.0	0.4	0.5	0.2	0.2	1.0			
0.3	0.1	0.3	0.7	0.5	0.6	0.6	0.6	0.4	0.6	0.2	0.5			0.9	19
	0.1	0.3	0.2	0.5	0.2	0.4	0.2	0.4	0.2	0.1					
0.1	0.3	0.5	0.3	0.5	0.7	0.4	0.5	0.4	0.8	0.7	1.2				20
0.7	0.8	0.6	0.5	0.4	0.5	1.1	0.6	0.5	0.7	0.1	0.8	0.5		1.5	
1.2	0.9	1.4	1.5	1.0	1.2	1.1	0.9	0.6	0.5	0.1				1.2	21
1.3	0.8	1.3	1.3	0.9	0.9	1.0	0.7	0.5	0.3	0.1				1.0	22
1.1	0.9	1.7	1.8	1.1	1.5	1.2	1.1	0.8	0.8	0.1				1.5	23
0.3	0.6	0.5	0.7	0.6	0.5	0.6	0.2	0.1	0.1						24
0.4	0.6	0.6	0.2	0.4	0.7	0.5	0.4	0.2	0.3					1.6	
0.3	0.1	0.2	0.2	0.1		0.1	0.1	0.1	0.1	0.1					25
0.4	0.1	0.2	0.2	0.2	0.1	0.1	0.1	0.1	0.2						
0.7	0.1	0.6	0.4	0.2	0.4	0.3	0.4	0.3	0.1					1.0	26
0.3	0.2	0.9	1.4	0.5	0.7	0.6	0.6	0.5	0.3	0.1					
104.2	104.3	88.8	80.1	63.5	49.1	41.9	32.9	26.2	24.8	22.9	25.2	26.3	21.9	227.0	27
159.8	155.5	130.8	116.9	92.8	72.4	61.7	45.2	33.3	28.7	23.9	21.2	25.7	16.2	317.6	28
38.5	40.0	33.8	31.3	25.7	21.1	19.9	19.8	18.8	20.9	22.0	28.4	26.7	24.7	86.5	29
4.1	3.9	4.1	2.7	2.1	1.6	2.0	1.4	1.2	0.9	1.1	0.8			10.6	30
7.4	6.7	5.3	5.5	3.3	3.5	3.8	2.6	2.8	2.5	1.9	1.6	2.0		4.5	
17.2	17.9	15.8	11.4	8.9	7.0	5.0	3.4	2.2	1.7	0.9	0.8			74.1	31
2.3	2.0	1.5	1.3	1.2	0.7	0.6	0.7	0.4	0.2					13.4	
0.8	0.7	0.7	0.9	0.6	0.5	0.8	0.5	0.3	0.8	0.4	0.5		2.7	2.9	32
0.2	0.4	0.2	0.2	0.1	0.4	0.2		0.1	0.3	0.6	0.6	0.5		4.5	
8.8	6.8	4.8	3.9	2.8	2.3	1.7	0.8	0.6	0.5	0.1	0.2	1.7		22.1	33
1.6	1.6	0.7	0.4	0.3		0.2			0.2	0.1					
6.3	5.3	2.7	2.4	1.5	0.9	0.7	0.4	0.3	0.1	0.2				7.7	34
1.8	1.3	1.1	0.5	0.5	0.3	0.1	0.2							8.9	
															35
1.3	1.0	0.9	0.5	0.4	0.2	0.2	0.4								36
0.1		0.1													
30.2	29.7	21.9	17.9	14.9	11.8	9.5	4.9	4.1	2.8	2.3	2.3		2.7	93.3	37
1.9	1.6	1.8	2.1	1.7	1.6	1.0	1.1	1.1	1.3	0.6	0.2	0.5		4.5	
2.5	3.3	2.4	2.2	1.2	1.5	1.6	1.3	0.6	0.7	0.2	0.5			22.1	38
0.7	0.7	0.3	0.7	0.6	0.8	0.7	0.4	0.5	0.2	0.4	0.2			34.3	
7.0	7.1	7.5	7.3	5.5	3.9	2.5	2.3	1.3	1.0	0.7	0.5			8.7	39
1.1	0.7	0.3	0.5	0.3	0.2		0.1	0.1	0.1						
0.7	0.7	0.8	0.8	1.2	0.8	0.6	0.5	0.4	0.8	0.2				1.0	40
0.6	0.3	0.3	0.4	0.6	0.5	0.3	0.1	0.2	0.2						
5.2	4.9	5.2	4.2	4.6	2.5	2.3	1.8	1.2	0.6	0.1				8.7	41
3.4	4.3	2.7	2.1	1.2	0.9	0.5	0.4	0.5	0.3	0.1		0.5		4.5	
8.7	9.3	10.8	11.5	10.1	8.6	6.5	4.5	3.8	3.1	1.8	0.8	1.7		9.6	42
2.8	3.6	3.9	3.1	1.8	1.3	1.0	1.0	0.5	0.4	0.6	0.6			1.5	
1.9	2.9	1.8	1.9	1.8	1.3	0.7	0.4	0.7	0.8	0.4	0.2			1.9	43
0.2	0.7	0.6	0.7	1.0	0.6	1.0	0.6	0.9	0.6	0.3					
0.9	1.0	0.8	0.7	0.6	0.9	0.7	0.6	0.1	0.1	0.1				1.0	44
3.9	3.6	3.7	2.6	1.9	1.6	0.5	0.6	0.2	0.2	0.2					
3.8	3.0	1.9	2.6	1.6	1.3	1.4	0.6	0.1	0.2	0.5	0.2	0.8		6.7	45
0.1	0.2	0.1	0.2		0.2	0.2	0.1	0.1	0.1	0.1					
60.4	58.0	48.7	46.0	35.0	27.3	25.5	21.4	16.4	14.6	14.9	14.4	21.5	10.8	47.2	46
10.4	12.3	11.2	11.0	11.2	8.5	9.8	11.9	11.4	14.2	17.1	25.2	23.2	24.7	10.4	

VITAL STATISTICS.

TABLE 25.—NUMBER OF DEATHS FROM EACH CAUSE PER 1,000
REGISTRATION CITIES.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	1. General diseases.												
2	General diseases—A.....	178.7	289.5	380.2	393.6	418.7	446.6	326.1	410.1	248.4	171.0	141.7	114.7
3	Males.....	173.1	281.3	370.1	380.2	413.3	436.6	315.4	384.4	226.4	168.3	151.7	119.9
4	Females.....	185.1	299.8	391.6	408.3	424.4	456.4	338.9	437.2	270.8	173.6	131.3	109.0
5	Measles.....	{M.. 7.2	8.6	46.3	45.7	32.5	27.6	19.6	17.4	5.3	0.8	1.8	0.5
6	Scarlet fever.....	{F.. 8.4	9.9	50.8	49.3	35.3	28.3	22.7	22.8	7.8	3.4	1.4	1.2
7	Diphtheria.....	{M.. 6.6	2.0	15.7	44.5	71.5	66.1	13.1	58.5	18.8	2.9	1.6	1.2
8	Whooping cough.....	{F.. 7.4	1.6	15.3	47.4	67.2	81.7	14.9	63.7	17.0	5.1	1.7	1.1
9	Malarial fever.....	{M.. 21.0	6.6	60.0	137.5	191.4	223.8	41.9	186.9	62.3	8.8	2.7	1.4
10	Influenza.....	{F.. 24.9	6.2	63.4	140.1	197.9	282.6	47.9	227.1	79.0	13.8	4.8	2.9
11	Typhoid fever.....	{M.. 6.4	16.1	28.5	24.4	17.7	11.4	18.7	4.5	0.3	0.6	0.1	0.2
12	Cholera morbus.....	{F.. 8.4	20.3	38.2	36.2	28.2	21.3	25.4	9.1	1.8	0.8	0.1	0.2
13	Colitis.....	{M.. 5.2	2.1	4.4	5.0	9.5	11.0	3.4	11.7	10.0	11.7	11.5	8.0
14	Diarrhea.....	{F.. 5.5	2.3	5.6	10.8	10.5	9.2	4.4	13.4	12.9	13.1	10.3	6.7
15	Dysentery.....	{M.. 8.7	3.9	3.0	3.0	3.8	4.2	3.7	3.9	5.0	5.4	5.8	5.2
16	Enteritis.....	{F.. 13.7	4.0	3.8	5.7	4.3	7.5	4.2	4.1	6.6	6.6	6.5	8.0
17	Cholera infantum.....	{M.. 21.6	0.7	2.8	7.3	12.1	22.0	2.8	37.1	68.1	97.0	91.9	68.4
18	Fever.....	{F.. 17.9	1.0	3.6	7.3	15.4	15.4	3.4	38.6	90.0	94.0	61.9	41.6
19	Cerebro-spinal fever.....	{M.. 2.9	2.9	3.1	10.6	5.0	3.0	3.6	5.0	5.9	2.5	1.6	1.7
20	Smallpox.....	{F.. 3.4	3.3	4.6	10.4	4.0	2.5	4.1	3.0	4.8	3.6	2.2	2.2
21	Erysipelas.....	{M.. 1.7	4.1	4.0	2.4	3.2	1.3	3.8	1.3	0.6	0.2	0.3	0.8
22	Septicæmia.....	{F.. 1.8	4.3	5.2	2.5	1.5	0.8	4.0	0.8	1.2	0.6	0.5	0.6
23	Venereal diseases.....	{M.. 7.0	14.3	12.3	9.7	2.1	5.5	12.7	6.6	1.8	2.7	1.8	1.3
24	Others of this group.....	{F.. 7.1	15.2	11.3	7.7	2.5	2.5	12.6	8.1	6.3	0.9	1.5	2.0
25	General diseases—B.....	{M.. 5.4	4.0	9.9	9.5	8.0	6.4	5.7	6.4	4.4	3.5	5.4	3.7
26	Fever.....	{F.. 5.7	4.0	6.7	5.5	4.6	4.2	4.6	2.5	2.4	1.3	2.9	2.6
27	Cerebro-spinal fever.....	{M.. 33.2	97.8	86.0	40.8	23.3	24.6	85.4	15.2	12.0	6.7	4.2	5.9
28	Smallpox.....	{F.. 34.6	98.5	89.0	43.2	23.6	24.2	84.9	18.0	12.0	6.6	7.2	10.0
29	Erysipelas.....	{M.. 27.1	99.8	77.7	19.7	10.9	8.1	82.6					
30	Septicæmia.....	{F.. 27.1	108.8	80.0	22.6	7.4	7.9	86.6					
31	Venereal diseases.....	{M.. 0.2	0.3	0.3	0.2		0.4	0.2	0.2		0.6	0.3	0.1
32	Others of this group.....	{F.. 0.2	0.3	0.3	0.4	0.3	0.4	0.3	0.8	0.6	0.4	0.2	0.3
33	General diseases—C.....	{M.. 3.9	4.7	10.2	11.7	14.5	12.3	6.9	16.4	16.1	8.1	4.0	2.6
34	Fever.....	{F.. 3.6	4.8	8.2	11.4	13.5	10.0	6.7	14.0	16.4	6.4	2.1	2.1
35	Cerebro-spinal fever.....	{M.. 1.7	0.3	0.6	1.3	0.9	0.4	0.5	1.3	3.2	4.6	7.3	5.6
36	Smallpox.....	{F.. 1.2	0.4	1.0	1.2	1.2	0.8	0.6	2.0	3.3	3.6	5.6	3.4
37	Erysipelas.....	{M.. 3.2	3.9	1.4	0.6	0.6	1.3	3.0	0.6	2.1	2.7	1.6	2.9
38	Septicæmia.....	{F.. 2.7	4.8	1.4	0.8	0.9	0.4	3.5	0.5	0.9	1.7	1.3	2.1
39	Venereal diseases.....	{M.. 4.8	2.5	1.8	2.4	3.0	5.1	2.5	7.8	7.6	6.0	6.5	6.0
40	Others of this group.....	{F.. 6.4	2.7	1.4	2.2	3.4	4.2	2.5	6.4	4.8	9.3	17.9	18.9
41	General diseases—D.....	{M.. 2.3	6.1	1.5	1.1	1.5	0.4	4.5	0.3	0.6	1.0	0.9	2.0
42	Fever.....	{F.. 2.1	6.8	0.9	1.6	1.2	0.8	4.8	0.2	0.6	1.3	1.9	1.6
43	Cerebro-spinal fever.....	{M.. 3.0	0.6	0.6	2.8	1.8	1.7	0.8	3.3	2.3	2.5	2.4	2.6
44	Smallpox.....	{F.. 3.0	0.6	0.9	2.0	1.5	1.7	0.8	2.1	2.4	1.1	1.3	1.5
45	Erysipelas.....	{M.. 29.0	72.7	14.7	8.4	10.3	8.1	52.8	5.0	2.3	6.0	11.3	18.8
46	Septicæmia.....	{F.. 21.8	75.9	13.3	9.2	9.2	2.5	52.2	5.8	2.7	10.6	11.7	13.1
47	Venereal diseases.....	{M.. 6.9											
48	Others of this group.....	{F.. 1.8			0.2					0.3	0.2	2.9	11.3
49	General diseases—E.....	{M.. 0.1		0.3	0.2		0.9	0.1	0.2				5.0
50	Fever.....	{F.. 0.1	0.1	0.3	0.4	1.5	0.4	0.2	0.5				
51	Cerebro-spinal fever.....	{M.. 0.2			0.2							0.2	0.2
52	Smallpox.....	{F.. 0.1	0.1		0.2			0.1	0.2				0.1
53	Erysipelas.....	{M.. 4.4	0.7	3.8	4.1	5.0	3.0	1.8	2.9	1.4	5.2	7.9	7.1
54	Septicæmia.....	{F.. 2.9	0.4	1.9	3.3	2.2	1.7	1.0	2.1	1.2	9.6	9.2	7.3
55	Venereal diseases.....	{M.. 17.4	72.0	10.6	3.9	5.3	4.2	50.9	1.9	0.6	0.6	0.3	0.2
56	Others of this group.....	{F.. 16.9	75.3	11.1	5.1	5.5	0.4	50.9	3.0	1.5	0.8	0.9	0.7
57	General diseases—F.....	79.0	213.0	37.0	17.7	10.4	8.6	148.7	5.3	4.9	3.5	3.4	3.4
58	Males.....	74.1	214.3	34.4	18.1	13.3	6.8	152.3	4.5	5.6	4.0	2.9	2.4
59	Females.....	84.6	211.3	39.9	17.3	7.4	10.4	144.4	6.1	4.2	3.0	3.8	4.5
60	Old age.....	{M.. 19.5											
61	Premature birth.....	{F.. 32.8											
62	Malformation.....	{M.. 21.4	96.9					65.2					
63	Debility and atrophy.....	{F.. 18.4	91.9					58.7					
64	Others of this group.....	{M.. 3.3	14.5	0.2	0.8			9.9	0.2	0.6	0.2	0.1	
65	General diseases—G.....	{F.. 3.0	14.8	0.7	0.4	0.3	0.4	9.6	0.2	0.3			
66	Males.....	27.6	92.5	34.2	17.3	13.0	6.8	70.2	4.3	5.0	3.8	2.9	2.4
67	Females.....	28.5	95.0	39.2	16.9	7.1	10.0	70.0	5.9	3.9	3.0	3.7	4.5
68	Old age.....	{M.. 2.3	10.4					7.0					
69	Premature birth.....	{F.. 1.9	9.6					6.1					

647

REGISTRATION CITIES.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
95.5	83.7	75.9	71.1	71.1	69.2	74.5	79.5	78.8	82.6	92.6	87.4	75.7	66.6	114.3	1
95.1	81.1	73.0	70.4	67.2	64.2	66.9	70.4	70.7	71.6	86.3	91.2	64.5	84.8	110.2	2
96.1	87.1	79.8	72.1	76.3	75.4	82.8	89.2	86.7	92.5	97.6	84.7	81.3	57.5	120.8	3
0.4	0.2	0.1	0.1	0.3	0.1					0.2				6.4	4
0.8	0.8	0.4	0.3		0.1										
0.9	0.4	0.3	0.1			0.1									
0.6	0.7	0.5		0.1			0.1			0.2					5
1.7	0.9	0.1	0.7	0.6	0.5	0.3	0.1	0.1		0.2		1.8		4.1	
2.3	1.3	0.8	0.8	0.9	0.4	0.4		0.2	0.3	0.2				4.2	6
0.1	0.1	0.1			0.1	0.1						1.8		4.1	
0.6	0.1	0.3		0.1						0.2				4.2	7
5.2	5.8	5.5	6.2	4.9	4.5	3.6	4.4	3.4	4.3	2.7	3.9	3.6		9.5	
7.5	5.0	4.1	5.1	4.3	5.2	4.7	4.5	4.1	2.1	3.4	3.1	0.9	4.4	8.5	8
6.9	6.3	9.3	7.9	8.3	9.9	15.0	17.3	20.4	22.3	32.1	32.0	23.3	31.2	6.8	
8.7	8.4	10.9	11.9	17.4	18.5	26.9	27.5	30.3	36.8	42.1	37.6	41.9	22.1	12.7	9
50.4	36.9	24.2	20.0	15.0	11.0	7.6	4.1	3.7	1.6	0.9	1.9			20.4	
32.0	25.8	23.3	14.1	12.6	9.6	7.2	5.3	4.7	1.4	1.3	1.0			21.2	10
1.4	1.3	2.3	2.6	2.9	2.9	2.1	3.8	3.4	2.6	1.6	4.9	5.3	13.4	2.7	
2.4	4.2	2.4	2.0	4.2	2.8	3.1	3.5	2.7	4.2	2.9	4.1	2.7	4.4	4.2	11
0.5	0.4	1.1	1.0	0.6	0.5	0.6	0.9	0.9	1.0	0.9	1.5	3.6		1.4	
0.7	0.9	1.0	1.1	1.0	0.8	0.4	1.6	0.9	0.8	0.5	0.7	0.9		2.1	12
1.7	2.2	2.2	1.8	3.6	5.8	5.3	6.3	7.2	7.9	8.5	8.7	10.8	13.4	15.0	
2.6	2.1	2.6	3.2	2.8	5.0	5.8	5.9	6.5	7.7	10.1	8.9	6.3	11.1	10.6	13
3.5	3.8	3.6	4.5	4.9	3.6	7.6	7.6	7.5	6.3	9.1	8.3	5.3	4.5	9.5	
3.4	3.0	4.1	6.9	6.1	7.9	7.8	11.2	10.1	11.2	10.9	9.6	8.9	4.4	6.4	14
4.3	5.3	5.2	7.4	6.9	7.5	8.8	9.1	8.4	11.4	10.3	13.1	3.6	13.4	9.5	
9.1	8.6	9.6	11.0	10.6	10.3	12.9	18.0	15.3	15.9	12.9	11.9	6.3	8.9	8.5	15
														2.7	16
														4.2	
	0.2	0.5	0.5	0.5	0.1	0.1	0.3				0.3				17
0.3			0.1					0.1							
1.3	1.5	1.2	1.4	0.8	0.6	0.6	0.2	0.2	0.2	0.2				1.4	18
1.7	1.7	1.9	1.7	0.6	0.7	0.3		0.3	0.3	0.2				2.1	
3.5	3.2	2.0	1.8	1.2	1.1	0.5	0.4	0.3	0.4					1.4	19
2.0	1.3	1.7	0.8	0.8	0.8	0.2	0.3								
3.2	2.8	3.9	3.2	4.2	4.8	3.8	4.1	2.8	3.3	4.0	1.9	3.6	4.5	2.7	20
1.1	4.1	2.6	2.3	3.2	2.8	3.2	2.5	2.9	3.1	2.3	2.0	2.7			
6.7	6.3	7.0	5.7	7.1	6.8	5.1	6.1	3.0	3.3	4.5	2.4			5.4	21
16.3	15.4	10.6	6.8	6.2	5.8	3.5	1.8	1.9	1.3	0.9	1.4	1.8		17.0	
1.7	1.6	2.0	1.7	1.9	1.4	1.1	0.1	0.1	0.4	0.2				8.2	22
2.0	1.7	1.4	1.2	1.0	0.4	0.1		0.2	0.1	0.2				6.4	
1.7	1.9	2.4	3.8	3.5	3.0	4.6	5.6	9.3	6.6	11.1	12.6	1.8	4.4	5.4	
2.0	2.0	1.6	2.8	4.4	4.3	6.3	7.0	6.5	7.3	9.1	4.1	8.9	2.2	2.1	23
22.1	26.2	21.6	19.3	16.0	12.2	8.4	7.5	4.1	5.0	2.7	2.6	2.4	5.9	68.8	24
29.2	36.3	29.7	26.3	22.0	16.8	12.1	11.0	5.6	4.6	2.2	3.4	3.6	4.5	72.1	25
13.3	13.0	10.6	9.6	8.0	6.5	4.2	3.8	2.6	5.2	3.1	2.1	1.8	6.6	63.6	26
18.7	25.7	19.6	18.0	15.5	10.7	5.7	6.1	2.0	1.0	0.4	1.5			23.1	
5.0	6.9	7.0	4.8	3.1	2.3	1.3	0.7	0.4	0.5					6.4	27
		0.1	0.1	0.1	0.1										28
0.4	1.0	0.5	0.4	0.4	0.1	0.3	0.3		0.1						
0.5	0.2			0.1	0.4	0.1							2.2		29
9.8	9.2	9.0	7.2	5.1	5.2	4.9	3.4	2.0	2.2	0.9				13.6	30
7.0	5.4	3.0	3.5	3.8	2.5	1.7	1.9	0.6	1.2	1.6				4.2	
0.3	0.4	0.5	0.6	0.9	0.7	1.2	1.2	1.6	1.3	0.9	1.9	3.6	4.5	35.4	31
0.8	0.5	0.6	1.3	1.0	1.3	1.1	1.2	1.6	3.5	1.5	2.1	1.8	4.4	53.0	
3.5	4.1	4.4	4.4	6.6	11.2	23.6	44.1	97.3	161.0	283.0	331.8	532.8	600.6	67.1	32
3.0	3.8	3.1	3.6	4.6	8.7	18.3	38.5	84.4	145.3	261.9	354.7	528.7	567.0	55.8	33
4.1	4.4	6.2	5.5	9.2	14.3	29.5	49.9	110.0	175.3	300.2	400.9	534.8	617.3	84.7	34
						8.5	27.3	72.3	130.6	245.2	340.6	509.0	544.7	13.6	35
						18.6	36.5	93.9	158.5	278.8	378.0	510.7	592.9	42.3	
															36
0.1														6.8	37
2.9	3.8	3.1	3.6	4.6	8.7	9.8	11.2	12.1	14.7	16.7	14.1	19.7	22.3	35.4	38
4.1	4.4	6.2	5.5	9.2	14.2	10.9	13.4	16.1	16.8	21.4	22.9	24.1	24.4	42.4	
															39

VITAL STATISTICS.

TABLE 25.—NUMBER OF DEATHS FROM EACH CAUSE PER 1,000
REGISTRATION CITIES—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1. General diseases—Continued.													
General diseases—D.....		171.8	27.4	51.9	59.0	64.4	56.1	37.2	82.5	159.5	328.6	380.3	381.9
2	Males.....	164.7	27.4	52.1	66.3	61.7	59.8	37.3	79.1	118.6	278.0	363.3	369.2
3	Females.....	180.0	27.4	51.6	51.1	67.2	52.5	37.1	86.2	201.1	378.1	398.1	395.9
4	Anemia.....	(M.. 1.9 F.. 3.1)	(M.. 1.1 F.. 1.0)	(M.. 0.8 F.. 1.1)	(M.. 0.4 F.. 1.6)	(M.. 1.5 F.. 2.5)	(M.. 0.9 F.. 1.7)	(M.. 1.0 F.. 1.2)	(M.. 1.9 F.. 1.7)	(M.. 2.3 F.. 3.3)	(M.. 1.9 F.. 6.8)	(M.. 1.7 F.. 5.1)	(M.. 1.6 F.. 4.3)
5	Diabetes.....	(M.. 4.4 F.. 5.0)	(M.. 0.1 F.. 0.1)	(M.. 0.4 F.. 0.4)	(M.. 0.6 F.. 1.5)	(M.. 1.3 F.. 0.4)	(M.. 0.2 F.. 0.2)	(M.. 2.7 F.. 3.1)	(M.. 9.4 F.. 6.3)	(M.. 6.5 F.. 3.2)	(M.. 3.1 F.. 3.5)	(M.. 4.4 F.. 3.1)	(M.. 3.1 F.. 3.1)
6	Rheumatism.....	(M.. 3.2 F.. 4.0)	(M.. 0.2 F.. 0.5)	(M.. 0.3 F.. 0.6)	(M.. 0.9 F.. 0.6)	(M.. 1.8 F.. 1.2)	(M.. 1.7 F.. 1.7)	(M.. 0.4 F.. 0.6)	(M.. 6.4 F.. 5.8)	(M.. 9.7 F.. 11.6)	(M.. 5.0 F.. 9.3)	(M.. 3.6 F.. 3.1)	(M.. 3.4 F.. 3.2)
7	Scrofula and tabes.....	(M.. 1.7 F.. 2.1)	(M.. 2.2 F.. 1.8)	(M.. 2.3 F.. 2.5)	(M.. 2.6 F.. 2.7)	(M.. 1.2 F.. 1.8)	(M.. 0.9 F.. 3.8)	(M.. 2.1 F.. 2.1)	(M.. 3.0 F.. 2.1)	(M.. 1.8 F.. 4.5)	(M.. 3.3 F.. 5.3)	(M.. 3.4 F.. 3.0)	(M.. 2.0 F.. 3.2)
8	Hydrocephalus.....	(M.. 7.0 F.. 6.4)	(M.. 10.7 F.. 11.6)	(M.. 25.5 F.. 24.0)	(M.. 29.8 F.. 21.2)	(M.. 24.5 F.. 27.9)	(M.. 25.0 F.. 20.0)	(M.. 15.8 F.. 15.9)	(M.. 23.2 F.. 19.3)	(M.. 12.9 F.. 8.4)	(M.. 6.4 F.. 7.0)	(M.. 3.6 F.. 2.5)	(M.. 1.9 F.. 1.9)
9	Tuberculosis, general.....	(M.. 2.0 F.. 1.7)	(M.. 0.7 F.. 1.0)	(M.. 1.4 F.. 1.8)	(M.. 2.6 F.. 1.0)	(M.. 2.1 F.. 1.5)	(M.. 3.8 F.. 1.7)	(M.. 1.1 F.. 1.2)	(M.. 3.0 F.. 2.3)	(M.. 4.1 F.. 6.6)	(M.. 3.9 F.. 3.4)	(M.. 4.9 F.. 3.7)	(M.. 4.6 F.. 2.8)
10	Consumption.....	(M.. 115.5 F.. 106.1)	(M.. 9.3 F.. 8.9)	(M.. 18.3 F.. 17.9)	(M.. 23.3 F.. 19.1)	(M.. 22.7 F.. 24.3)	(M.. 22.1 F.. 17.9)	(M.. 13.0 F.. 12.7)	(M.. 28.9 F.. 43.8)	(M.. 65.5 F.. 147.8)	(M.. 240.6 F.. 333.7)	(M.. 331.8 F.. 365.6)	(M.. 342.0 F.. 358.6)
11	Cancer.....	(M.. 21.8 F.. 42.9)	(M.. 0.1 F.. 0.2)	(M.. 0.1 F.. 0.1)	(M.. 0.5 F.. 0.6)	(M.. 0.6 F.. 0.4)	(M.. 0.8 F.. 0.4)	(M.. 0.2 F.. 0.2)	(M.. 1.4 F.. 1.8)	(M.. 1.8 F.. 3.0)	(M.. 2.3 F.. 2.3)	(M.. 5.1 F.. 4.4)	(M.. 5.6 F.. 12.8)
12	Tumor.....	(M.. 2.6 F.. 3.7)	(M.. 0.3 F.. 0.3)	(M.. 0.3 F.. 0.4)	(M.. 1.7 F.. 1.4)	(M.. 2.6 F.. 2.8)	(M.. 0.8 F.. 1.2)	(M.. 0.6 F.. 0.6)	(M.. 2.8 F.. 2.0)	(M.. 2.9 F.. 3.6)	(M.. 3.9 F.. 2.6)	(M.. 2.5 F.. 3.4)	(M.. 2.1 F.. 3.1)
13	Dropsy.....	(M.. 3.1 F.. 3.6)	(M.. 0.3 F.. 0.2)	(M.. 0.4 F.. 0.4)	(M.. 1.3 F.. 0.9)	(M.. 1.5 F.. 0.9)	(M.. 0.4 F.. 1.2)	(M.. 0.5 F.. 0.3)	(M.. 3.3 F.. 2.3)	(M.. 4.7 F.. 3.6)	(M.. 2.1 F.. 3.2)	(M.. 2.5 F.. 2.5)	(M.. 1.1 F.. 1.9)
14	Others of this group.....	(M.. 1.5 F.. 1.4)	(M.. 2.4 F.. 1.8)	(M.. 2.3 F.. 2.9)	(M.. 2.8 F.. 2.7)	(M.. 2.6 F.. 2.2)	(M.. 2.1 F.. 2.5)	(M.. 2.4 F.. 2.1)	(M.. 2.5 F.. 2.0)	(M.. 3.5 F.. 2.4)	(M.. 2.1 F.. 1.3)	(M.. 1.1 F.. 1.3)	(M.. 0.5 F.. 1.0)
2. Diseases of the nervous system.													
15		116.9	131.7	126.3	117.3	108.7	103.8	127.3	99.2	103.2	66.2	44.8	49.1
16	Males.....	118.2	134.8	130.0	120.5	111.1	101.3	130.6	106.4	113.6	71.9	47.2	51.1
17	Females.....	115.3	127.7	122.2	113.8	106.2	106.3	123.4	91.6	92.4	60.5	42.2	46.8
18	Inflammation of the brain.....	(M.. 2.1 F.. 1.8)	(M.. 2.4 F.. 2.2)	(M.. 5.1 F.. 3.4)	(M.. 7.3 F.. 4.5)	(M.. 3.8 F.. 4.3)	(M.. 3.4 F.. 4.2)	(M.. 3.3 F.. 2.8)	(M.. 5.3 F.. 2.8)	(M.. 3.8 F.. 3.6)	(M.. 2.1 F.. 2.3)	(M.. 1.8 F.. 1.5)	(M.. 1.1 F.. 1.6)
19	Meningitis.....	(M.. 23.9 F.. 21.5)	(M.. 37.5 F.. 36.5)	(M.. 69.9 F.. 64.4)	(M.. 69.7 F.. 65.4)	(M.. 68.8 F.. 61.7)	(M.. 55.1 F.. 65.1)	(M.. 47.5 F.. 46.6)	(M.. 61.8 F.. 59.1)	(M.. 46.1 F.. 50.8)	(M.. 26.2 F.. 20.0)	(M.. 16.0 F.. 12.6)	(M.. 14.6 F.. 9.9)
20	Apoplexy.....	(M.. 32.4 F.. 35.4)	(M.. 2.3 F.. 1.9)	(M.. 1.8 F.. 1.3)	(M.. 1.3 F.. 2.0)	(M.. 1.8 F.. 2.5)	(M.. 2.6 F.. 1.7)	(M.. 2.1 F.. 1.8)	(M.. 2.8 F.. 2.5)	(M.. 3.8 F.. 4.2)	(M.. 5.6 F.. 4.5)	(M.. 5.6 F.. 4.8)	(M.. 9.9 F.. 8.3)
21	Paralysis.....	(M.. 13.4 F.. 14.8)	(M.. 0.8 F.. 0.8)	(M.. 0.6 F.. 1.5)	(M.. 1.5 F.. 1.8)	(M.. 2.9 F.. 1.8)	(M.. 1.3 F.. 2.5)	(M.. 0.9 F.. 1.1)	(M.. 3.6 F.. 2.3)	(M.. 4.7 F.. 2.1)	(M.. 4.2 F.. 4.5)	(M.. 2.4 F.. 3.7)	(M.. 3.3 F.. 4.2)
22	Paralysis, general (of insane).....	(M.. 1.4 F.. 0.6)	(M.. 0.6 F.. 0.6)	(M.. 0.6 F.. 0.6)	(M.. 0.9 F.. 0.3)	(M.. 1.2 F.. 0.8)	(M.. 2.1 F.. 0.8)	(M.. 6.1 F.. 4.8)	(M.. 8.3 F.. 1.0)	(M.. 31.4 F.. 3.0)	(M.. 8.6 F.. 1.3)	(M.. 3.2 F.. 0.8)	(M.. 3.0 F.. 0.8)
23	Tetanus and trismus nascentium.....	(M.. 3.8 F.. 2.0)	(M.. 8.7 F.. 7.4)	(M.. 0.6 F.. 0.4)	(M.. 0.9 F.. 0.3)	(M.. 1.2 F.. 0.8)	(M.. 2.1 F.. 0.8)	(M.. 6.1 F.. 4.8)	(M.. 8.3 F.. 1.0)	(M.. 31.4 F.. 3.0)	(M.. 8.6 F.. 1.3)	(M.. 3.2 F.. 0.8)	(M.. 3.0 F.. 0.8)
24	Chorea.....	(M.. 0.1 F.. 0.2)	(M.. 0.1 F.. 0.1)	(M.. 0.2 F.. 0.2)	(M.. 0.6 F.. 0.2)	(M.. 0.8 F.. 0.8)	(M.. 0.8 F.. 0.8)	(M.. 0.1 F.. 0.1)	(M.. 0.5 F.. 0.2)	(M.. 0.3 F.. 2.7)	(M.. 0.8 F.. 1.5)	(M.. 0.1 F.. 0.3)	(M.. 0.1 F.. 0.3)
25	Epilepsy.....	(M.. 2.0 F.. 1.9)	(M.. 0.5 F.. 0.4)	(M.. 0.6 F.. 0.1)	(M.. 0.4 F.. 0.8)	(M.. 0.6 F.. 0.6)	(M.. 0.4 F.. 0.4)	(M.. 0.5 F.. 0.4)	(M.. 2.2 F.. 2.3)	(M.. 3.5 F.. 6.6)	(M.. 8.5 F.. 5.9)	(M.. 3.5 F.. 3.4)	(M.. 3.8 F.. 3.9)
26	Convulsions.....	(M.. 21.1 F.. 19.7)	(M.. 74.7 F.. 70.6)	(M.. 40.3 F.. 42.4)	(M.. 31.8 F.. 30.6)	(M.. 21.0 F.. 27.9)	(M.. 20.3 F.. 22.1)	(M.. 61.3 F.. 57.8)	(M.. 11.2 F.. 11.5)	(M.. 6.5 F.. 4.2)	(M.. 1.2 F.. 4.0)	(M.. 1.1 F.. 3.4)	(M.. 1.4 F.. 4.5)
27	Mental diseases.....	(M.. 3.4 F.. 3.9)	(M.. 0.6 F.. 0.6)	(M.. 0.6 F.. 0.6)	(M.. 0.9 F.. 0.3)	(M.. 1.2 F.. 0.8)	(M.. 2.1 F.. 0.8)	(M.. 6.1 F.. 4.8)	(M.. 8.3 F.. 1.0)	(M.. 31.4 F.. 3.0)	(M.. 8.6 F.. 1.3)	(M.. 3.2 F.. 0.8)	(M.. 3.0 F.. 0.8)
28	Diseases of the brain.....	(M.. 10.4 F.. 9.3)	(M.. 7.3 F.. 7.3)	(M.. 10.2 F.. 8.0)	(M.. 6.1 F.. 7.5)	(M.. 8.9 F.. 6.5)	(M.. 12.7 F.. 7.9)	(M.. 8.0 F.. 7.4)	(M.. 9.1 F.. 7.8)	(M.. 11.4 F.. 13.1)	(M.. 10.0 F.. 10.4)	(M.. 7.9 F.. 6.3)	(M.. 7.5 F.. 5.8)
29	Diseases of the spinal cord.....	(M.. 1.6 F.. 1.6)	(M.. 0.5 F.. 0.2)	(M.. 0.8 F.. 0.6)	(M.. 0.7 F.. 1.0)	(M.. 1.2 F.. 0.6)	(M.. 3.0 F.. 0.4)	(M.. 0.7 F.. 0.4)	(M.. 0.6 F.. 1.8)	(M.. 0.6 F.. 0.3)	(M.. 2.7 F.. 1.7)	(M.. 1.0 F.. 0.8)	(M.. 1.2 F.. 1.5)
30	Locomotor ataxia.....	(M.. 1.3 F.. 0.5)	(M.. 0.5 F.. 0.5)	(M.. 0.2 F.. 0.2)	(M.. 0.2 F.. 0.2)	(M.. 0.2 F.. 0.2)	(M.. 0.2 F.. 0.2)	(M.. 0.2 F.. 0.2)	(M.. 0.2 F.. 0.2)	(M.. 0.2 F.. 0.2)	(M.. 0.2 F.. 0.2)	(M.. 0.2 F.. 0.2)	(M.. 0.2 F.. 0.2)
31	Others of this class.....	(M.. 1.3 F.. 2.1)	(M.. 0.1 F.. 0.3)	(M.. 0.1 F.. 0.1)	(M.. 0.4 F.. 0.4)	(M.. 0.3 F.. 0.4)	(M.. 0.4 F.. 0.4)	(M.. 0.2 F.. 0.2)	(M.. 0.6 F.. 0.3)	(M.. 0.3 F.. 1.2)	(M.. 0.8 F.. 2.3)	(M.. 1.0 F.. 1.7)	(M.. 1.1 F.. 2.7)
3. Diseases of the circulatory system.													
32		79.0	19.8	4.3	6.5	11.1	23.3	15.7	49.5	102.1	64.7	50.9	54.5
33	Males.....	77.0	20.2	4.2	7.5	12.7	22.9	16.3	45.1	76.9	60.2	43.6	51.0
34	Females.....	81.3	19.2	4.3	5.5	9.5	23.8	15.0	54.2	127.7	69.2	58.5	58.4
35	Pericarditis.....	(M.. 1.3 F.. 1.4)	(M.. 0.2 F.. 0.2)	(M.. 0.3 F.. 0.1)	(M.. 1.2 F.. 0.6)	(M.. 0.8 F.. 3.8)	(M.. 0.3 F.. 0.4)	(M.. 0.3 F.. 0.4)	(M.. 2.5 F.. 2.8)	(M.. 7.0 F.. 6.0)	(M.. 4.0 F.. 4.2)	(M.. 1.5 F.. 2.0)	(M.. 1.7 F.. 1.1)
36	Diseases of the heart.....	(M.. 65.9 F.. 72.4)	(M.. 10.9 F.. 11.3)	(M.. 3.6 F.. 3.9)	(M.. 6.7 F.. 4.7)	(M.. 10.3 F.. 8.9)	(M.. 20.4 F.. 18.8)	(M.. 9.6 F.. 9.6)	(M.. 41.7 F.. 50.4)	(M.. 68.4 F.. 119.9)	(M.. 55.0 F.. 63.1)	(M.. 40.4 F.. 52.4)	(M.. 45.4 F.. 51.8)
37	Angina pectoris.....	(M.. 3.2 F.. 2.8)	(M.. 0.2 F.. 0.2)	(M.. 0.2 F.. 0.2)	(M.. 0.2 F.. 0.2)	(M.. 0.2 F.. 0.2)	(M.. 0.2 F.. 0.2)	(M.. 0.2 F.. 0.2)	(M.. 0.2 F.. 0.2)	(M.. 0.2 F.. 0.2)	(M.. 0.2 F.. 0.2)	(M.. 0.2 F.. 0.2)	(M.. 0.2 F.. 0.2)
38	Diseases of the arteries.....	(M.. 2.5 F.. 1.8)	(M.. 0.1 F.. 0.1)	(M.. 0.1 F.. 0.1)	(M.. 0.1 F.. 0.1)	(M.. 0.1 F.. 0.1)	(M.. 0.1 F.. 0.1)	(M.. 0.1 F.. 0.1)	(M.. 0.1 F.. 0.1)	(M.. 0.1 F.. 0.1)	(M.. 0.1 F.. 0.1)	(M.. 0.1 F.. 0.1)	(M.. 0.1 F.. 0.1)
39	Aneurism.....	(M.. 1.5 F.. 0.5)	(M.. 0.5 F.. 0.5)	(M.. 0.5 F.. 0.5)	(M.. 0.5 F.. 0.5)	(M.. 0.5 F.. 0.5)	(M.. 0.5 F.. 0.5)	(M.. 0.5 F.. 0.5)	(M.. 0.5 F.. 0.5)	(M.. 0.5 F.. 0.5)	(M.. 0.5 F.. 0.5)	(M.. 0.5 F.. 0.5)	(M.. 0.5 F.. 0.5)
40	Embolism.....	(M.. 0.5 F.. 0.8)	(M.. 0.2 F.. 0.1)	(M.. 0.2 F.. 0.2)	(M.. 0.2 F.. 0.2)	(M.. 0.2 F.. 0.2)	(M.. 0.2 F.. 0.2)	(M.. 0.2 F.. 0.2)	(M.. 0.2 F.. 0.2)	(M.. 0.2 F.. 0.2)	(M.. 0.2 F.. 0.2)	(M.. 0.2 F.. 0.2)	(M.. 0.2 F.. 0.2)
41	Others of this class.....	(M.. 2.1 F.. 1.6)	(M.. 8.9 F.. 7.6)	(M.. 0.3 F.. 0.2)	(M.. 0.6 F.. 0.2)	(M.. 1.2 F.. 0.8)	(M.. 1.3 F.. 0.8)	(M.. 6.2 F.. 4.9)	(M.. 0.2 F.. 0.2)	(M.. 0.3 F.. 0.3)	(M.. 0.8 F.. 0.2)	(M.. 1.3 F.. 0.2)	(M.. 0.1 F.. 0.1)

PROPORTION OF DEATHS FROM EACH CAUSE.

649

DEATHS FROM KNOWN CAUSES AT EACH AGE—Continued.

REGISTRATION CITIES—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
559.7	320.5	297.8	274.5	246.6	220.1	186.8	157.6	122.3	95.1	61.7	43.7	25.0	32.6	126.8	1
356.1	313.6	280.3	256.3	228.2	200.3	174.1	150.4	116.0	91.0	58.5	39.8	32.3	40.2	104.8	2
364.1	329.5	321.8	299.7	271.5	244.5	200.9	165.2	128.5	98.8	64.3	46.5	21.4	28.8	161.0	3
1.6	1.5	3.0	2.5	3.4	4.0	3.5	3.0	1.9	2.4	1.1	1.0	-----	4.5	1.4	4
4.5	4.5	5.8	4.4	5.8	5.5	3.8	3.7	2.8	1.7	1.1	0.7	0.9	2.2	2.1	
4.8	4.7	6.3	6.0	8.8	7.9	11.4	11.3	7.6	6.5	2.5	2.0	1.8	4.5	1.4	5
3.2	4.5	6.5	7.0	12.3	15.8	15.0	11.6	8.9	6.6	3.3	1.4	0.9	-----	4.2	
3.6	3.5	3.8	5.2	4.7	6.2	4.9	5.4	4.4	4.3	4.7	2.4	1.8	-----	5.4	6
4.7	4.3	4.5	6.3	6.8	5.3	6.5	7.1	6.0	5.2	5.1	2.7	2.7	4.4	4.2	
1.8	1.7	1.1	1.5	0.9	0.9	1.7	0.8	0.8	0.6	0.5	-----	-----	4.5	2.7	7
3.2	2.6	2.3	2.8	2.5	1.3	1.2	1.4	0.8	0.5	0.4	-----	-----	-----	-----	
3.1	1.4	1.8	1.4	0.8	0.5	0.4	0.1	-----	0.3	0.2	-----	-----	-----	5.4	8
1.1	1.1	1.2	0.8	0.3	0.4	-----	0.1	0.3	0.1	-----	-----	-----	-----	-----	
3.4	3.3	2.2	2.9	2.3	1.0	0.9	0.9	0.4	0.9	-----	-----	-----	-----	4.2	9
3.3	2.3	2.3	2.5	1.4	0.6	0.6	0.8	0.2	0.1	-----	-----	-----	-----	-----	
321.6	275.0	225.0	184.4	140.7	103.4	77.3	56.2	38.0	24.0	13.4	9.2	7.2	8.9	70.8	10
301.4	239.4	184.0	124.3	97.5	73.3	64.2	41.8	28.3	21.4	12.7	10.9	4.5	6.7	97.5	
10.3	16.0	27.4	41.5	58.0	64.6	63.0	60.8	51.0	42.1	27.2	18.4	19.7	17.8	13.6	11
32.1	60.3	101.5	133.4	130.6	127.5	105.7	84.4	67.2	52.4	34.3	22.9	8.0	8.8	36.0	
3.1	2.7	4.1	5.4	4.7	5.4	4.4	4.2	3.6	2.0	2.0	-----	-----	-----	6.4	12
5.0	6.7	8.1	9.1	7.8	8.2	6.6	5.5	4.6	3.0	2.0	2.1	-----	-----	-----	
2.0	2.9	4.0	4.5	3.1	5.6	6.0	6.9	7.9	7.3	6.7	6.3	1.8	-----	2.7	13
3.4	2.6	4.3	7.6	5.9	5.6	6.8	7.8	8.9	7.5	5.2	5.8	4.4	6.7	6.4	
0.8	0.9	1.6	1.0	0.8	0.8	0.6	0.8	0.4	0.6	0.2	0.5	-----	-----	1.4	14
2.2	1.2	1.3	1.5	0.6	1.0	0.5	1.0	0.5	0.3	0.2	-----	-----	-----	-----	
58.8	74.1	89.5	113.1	127.2	140.3	156.6	166.0	173.3	176.4	159.4	132.1	98.3	69.5	107.7	15
62.9	76.0	92.6	107.7	121.3	138.1	153.3	168.4	178.4	178.2	166.6	125.7	98.6	62.5	102.0	16
53.7	71.5	85.3	120.5	135.1	143.0	160.3	163.4	168.2	174.8	163.6	136.7	98.2	73.0	116.5	17
1.4	1.5	1.4	1.0	1.4	1.2	1.1	1.0	1.9	0.3	1.5	0.5	-----	-----	6.4	18
1.4	0.9	1.7	1.9	1.9	1.0	0.5	0.8	0.4	0.3	0.5	-----	-----	-----	-----	
12.1	11.3	9.5	11.1	7.7	5.2	4.5	4.1	3.0	3.2	2.2	2.4	-----	-----	12.2	19
8.2	7.4	6.5	8.7	5.7	4.2	4.1	3.9	2.2	2.1	1.8	1.0	2.7	2.2	10.6	
14.8	20.0	34.3	41.6	59.2	72.8	83.0	93.9	99.4	94.8	94.8	64.5	57.3	17.8	27.2	20
10.8	20.9	35.5	60.9	73.5	84.9	89.9	90.0	93.3	95.0	76.4	76.2	46.4	42.1	40.2	
8.2	11.5	15.9	18.4	22.2	24.4	29.6	33.1	39.9	47.7	38.6	32.0	21.5	40.2	20.4	21
5.5	7.9	11.1	16.6	20.2	25.6	31.9	37.9	44.1	48.2	50.5	36.6	33.9	17.7	19.1	
2.6	3.4	4.4	4.7	2.8	2.7	2.2	1.4	1.6	1.2	0.7	1.0	-----	-----	1.4	22
1.4	1.2	1.7	0.4	1.4	1.4	0.9	1.0	1.2	1.4	1.1	0.3	0.9	-----	-----	
2.8	1.3	1.4	1.7	1.1	0.8	0.4	0.5	0.4	0.4	-----	-----	-----	-----	2.7	23
1.4	1.2	1.3	0.5	0.3	0.8	0.7	0.1	0.1	-----	-----	-----	-----	-----	-----	
0.2	-----	0.1	0.1	0.2	-----	0.1	-----	0.1	0.1	-----	-----	-----	-----	-----	24
-----	-----	-----	-----	0.1	-----	0.2	0.1	-----	0.1	-----	-----	-----	-----	-----	
3.4	3.5	3.5	3.0	1.5	2.0	2.1	1.4	1.4	1.6	1.6	1.5	1.8	-----	1.4	25
2.7	4.1	2.7	3.1	2.6	1.6	3.0	1.2	1.3	1.0	0.5	0.7	-----	-----	-----	
0.8	0.9	0.7	1.2	0.9	0.2	0.7	0.6	1.0	0.3	0.9	-----	-----	-----	19.0	26
3.3	2.4	2.1	0.8	0.8	0.7	1.2	0.4	0.5	0.7	0.2	0.3	0.9	-----	21.2	
3.9	6.1	4.3	4.0	4.6	5.8	7.3	9.3	6.9	7.2	6.0	9.7	5.4	-----	6.8	27
5.3	6.7	7.5	6.9	6.2	5.2	8.4	6.9	7.8	8.5	7.5	7.5	6.2	4.4	2.1	
9.5	10.9	10.6	12.0	11.5	13.5	13.5	13.7	15.0	15.8	16.5	11.6	10.8	4.5	8.1	28
8.2	11.6	8.7	13.1	11.9	8.4	12.0	14.3	10.9	11.8	12.0	12.3	5.4	4.4	12.7	
1.3	2.3	2.7	2.7	3.2	2.6	2.9	3.0	2.2	1.6	1.1	0.5	-----	-----	-----	29
1.5	3.1	2.3	2.8	3.0	4.0	2.6	2.6	2.5	2.2	0.9	0.7	0.9	-----	2.1	
1.1	1.8	2.1	4.0	3.1	4.4	3.4	2.9	1.8	1.4	0.7	0.5	-----	-----	1.4	30
0.2	0.8	0.6	1.3	2.0	2.0	1.3	0.8	0.5	0.7	0.7	0.4	-----	-----	-----	
0.8	1.5	1.7	2.2	1.9	2.5	2.5	3.5	3.8	2.6	2.0	1.5	1.8	-----	1.4	31
3.8	3.3	3.6	3.5	5.5	3.2	3.6	3.4	3.4	2.8	1.5	0.7	0.9	2.2	2.1	
67.5	82.6	98.7	114.2	132.1	149.0	159.6	165.8	166.4	149.5	116.3	98.0	64.9	50.3	73.7	32
63.1	77.8	91.4	104.0	127.2	148.2	165.2	168.7	174.4	161.0	123.6	107.2	59.1	44.6	72.1	33
72.9	88.9	108.8	128.3	138.6	150.0	153.4	162.8	158.6	139.0	110.4	91.6	67.9	53.1	76.3	34
1.4	2.0	1.9	1.1	2.2	1.9	1.3	1.4	0.8	1.4	-----	-----	-----	-----	1.4	35
2.3	1.7	2.6	2.3	1.4	1.7	2.0	1.7	1.2	0.7	0.7	0.3	1.8	-----	-----	
56.4	67.2	79.4	92.1	111.7	123.7	142.4	148.3	153.8	139.0	105.5	89.8	46.6	40.2	61.2	36
65.4	81.7	99.7	115.0	127.8	137.9	141.8	147.2	142.4	124.0	95.1	82.0	50.0	39.8	72.1	
2.4	3.2	4.2	4.2	6.6	7.8	11.5	7.7	8.4	7.5	4.9	4.8	-----	-----	2.7	37
2.3	3.4	3.0	6.7	6.3	6.0	5.7	7.1	5.1	4.5	4.4	2.1	3.6	-----	-----	
0.3	0.4	1.0	1.4	2.4	5.4	6.2	9.1	9.3	10.9	11.6	12.6	12.5	4.4	4.1	38
-----	0.4	0.5	0.8	1.3	2.0	2.9	4.7	8.1	6.7	9.1	6.5	12.5	13.3	-----	
2.0	4.5	4.6	4.5	3.1	3.7	2.8	1.4	1.1	0.9	0.2	-----	-----	-----	2.7	39
0.6	0.8	1.5	2.1	0.6	0.8	0.4	1.2	0.4	1.0	0.5	-----	-----	-----	-----	
0.5	0.5	0.3	0.7	1.0	0.7	0.7	0.8	1.0	1.3	1.1	-----	-----	-----	-----	40
2.0	0.8	1.4	1.3	1.0	1.6	0.6	0.8	1.4	1.7	0.2	0.7	-----	-----	4.2	
0.1	-----	-----	-----	0.2	-----	0.3	-----	-----	-----	0.3	-----	-----	-----	-----	41
0.3	0.1	0.1	0.1	0.2	-----	-----	0.1	-----	0.4	0.4	-----	-----	-----	-----	

VITAL STATISTICS.

TABLE 25.—NUMBER OF DEATHS FROM EACH CAUSE PER 1,000
REGISTRATION CITIES—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	4. Diseases of the respiratory system.....	166.0	185.1	329.2	321.6	269.7	233.5	227.2	173.4	99.9	100.4	100.7	105.9
2	Males.....	166.8	188.6	337.2	319.5	266.5	232.3	228.8	173.0	92.5	110.3	113.5	119.6
3	Females.....	165.1	180.7	320.1	323.8	273.1	234.7	225.3	173.9	107.4	90.7	87.4	90.7
4	Croup.....	{M.. 5.9	3.8	21.6	48.6	54.4	53.8	14.4	36.3	2.9	0.2	0.2	0.2
		{F.. 5.7	3.6	20.1	37.6	54.0	48.0	14.1	36.4	4.2	0.6		
5	Pneumonia.....	{M.. 116.8	113.8	242.8	211.2	166.6	133.5	146.1	105.5	69.0	89.8	95.5	100.6
		{F.. 111.2	109.4	231.1	217.0	163.3	138.0	144.6	104.0	83.4	69.0	67.3	70.8
6	Laryngitis.....	{M.. 1.2	0.9	3.3	3.4	8.0	7.2	2.1	5.6	2.1	0.2	0.3	0.2
		{F.. 1.2	0.6	3.5	5.5	10.1	5.8	2.3	6.1	1.5	0.9	0.4	0.4
7	Bronchitis.....	{M.. 26.7	54.1	60.0	43.8	26.3	26.3	52.0	14.3	9.1	6.0	5.3	5.8
		{F.. 31.5	52.4	57.0	54.1	32.2	29.6	51.3	16.7	8.1	9.6	7.3	6.7
8	Pleurisy.....	{M.. 3.1	0.5	2.9	3.2	5.0	3.0	1.4	3.9	3.8	6.2	4.5	4.1
		{F.. 2.8	0.5	2.1	3.5	1.8	2.9	1.2	3.8	2.1	2.8	5.1	4.2
9	Asthma.....	{M.. 2.6	0.4	0.2	0.2	0.3		0.3	1.1	0.3	1.2	0.9	1.0
		{F.. 2.6	0.3	0.5				0.3	0.8		0.2	0.8	1.3
10	Others of this class.....	{M.. 10.5	15.1	6.4	9.1	5.9	8.5	12.5	6.3	5.3	6.7	6.8	7.7
		{F.. 10.1	13.9	5.8	6.1	11.1	10.4	11.5	6.1	8.1	7.6	6.5	7.3
11	5. Diseases of the digestive system.....	54.8	37.6	32.3	25.6	26.2	32.2	34.9	51.1	99.4	78.9	67.2	66.4
12	Males.....	52.4	38.8	32.8	25.7	23.0	31.8	35.8	50.4	107.8	78.3	57.3	53.8
13	Females.....	57.7	36.1	31.8	25.4	29.4	32.5	33.9	51.8	91.0	79.4	77.4	80.4
14	Dentition.....	{M.. 1.7	4.5	11.7	2.2	0.6	0.8	5.2					
		{F.. 1.8	5.3	11.5	2.2		0.8	5.7					
15	Angina.....	{M.. 0.6	0.3	1.6	2.2	3.5	2.1	0.9	3.7	1.8	0.2	1.1	0.5
		{F.. 0.7	0.3	1.3	2.2	1.5	5.4	0.9	4.4	4.2	0.8	0.7	0.2
16	Gastritis.....	{M.. 7.0	7.0	5.9	3.5	5.6	3.0	6.4	3.7	3.5	2.9	2.6	3.3
		{F.. 9.2	6.6	7.3	4.9	8.9	5.8	6.7	6.6	3.9	4.9	6.9	7.8
17	Diseases of the stomach.....	{M.. 2.8	1.1	0.9	0.4	0.6	1.7	1.0	1.3	1.2	1.3	1.6	2.4
		{F.. 2.5	0.9	0.9	0.4		1.3	0.8	1.2	1.2	2.6	3.6	3.6
18	Obstruction of the bowels.....	{M.. 4.1	4.0	1.2	2.4	1.5	4.3	3.3	4.5	7.0	6.0	4.7	5.3
		{F.. 5.1	2.6	0.9	1.9	4.3	2.5	2.3	4.8	3.9	4.3	4.9	6.8
19	Appendicitis.....	{M.. 6.8	0.1	0.4	0.4	2.7	3.4	0.4	14.1	53.4	37.4	24.3	16.0
		{F.. 4.6	0.1	0.3	0.8	1.2	2.1	0.4	14.4	35.0	22.9	11.7	11.5
20	Hernia.....	{M.. 2.0	1.1	0.5			0.4	0.8	0.5	1.5	2.3	1.3	1.4
		{F.. 2.1	0.4	0.2			0.8	0.3			0.4	0.1	0.2
21	Other diseases of the bowels.....	{M.. 1.3	1.6	0.9	0.2		0.4	1.3	0.6	0.9	1.6	1.5	1.5
		{F.. 1.4	1.6	1.0	0.4	0.3	1.3	1.3	0.8	2.1	2.1	1.0	2.5
22	Jaundice.....	{M.. 1.9	5.0	0.3	0.7	0.6	0.4	3.5		0.3	0.8	0.3	1.0
		{F.. 1.8	4.1	0.2	1.2		1.7	2.8	0.8		0.4	0.7	0.6
23	Inflammation and abscess of the liver.....	{M.. 2.6	0.7	0.3	0.4	0.3	3.0	0.7	1.4	1.8	1.7	3.0	3.4
		{F.. 2.4	0.6		0.4	1.5	1.3	0.6	1.1	3.0	1.3	2.6	2.1
24	Other diseases of the liver.....	{M.. 9.9	0.6	0.3	0.6	0.3	0.8	0.5	1.1	2.6	1.7	2.5	5.4
		{F.. 6.7	0.7	0.6	0.4	0.6	0.8	0.6	1.2	1.2	1.1	2.9	4.0
25	Peritonitis.....	{M.. 6.7	2.3	2.8	7.3	4.4	5.1	3.0	16.6	31.4	21.6	12.7	12.0
		{F.. 13.6	2.0	2.6	4.7	5.5	6.2	2.7	14.4	33.5	37.3	40.7	37.4
26	Ascites.....	{M.. 0.3		0.1					0.2	1.5	0.4	0.2	0.2
		{F.. 0.5	0.1					0.1				0.1	0.8
27	Others of this class.....	{M.. 4.7	10.5	5.9	5.4	2.9	6.4	8.8	2.7	0.9	0.4	1.5	1.4
		{F.. 5.3	10.8	5.0	5.9	5.6	2.5	8.7	2.1	3.0	1.3	1.5	2.9
28	6. Diseases of the urinary system and male organs of generation.	58.2	4.8	6.1	10.9	18.8	20.2	6.8	30.2	39.4	34.9	44.0	52.7
29	Males.....	62.3	5.1	6.1	9.5	20.1	21.6	6.9	31.9	34.6	31.8	38.4	47.6
30	Females.....	53.5	4.5	6.2	12.4	17.5	18.8	6.8	28.4	44.3	38.0	49.9	58.4
31	Bright's disease.....	{M.. 46.1							26.7	28.7	27.6	31.6	38.2
		{F.. 43.2							25.2	40.4	31.4	39.7	43.9
32	Calculus, urinary.....	{M.. 0.4	0.1					0.1		0.9	0.2	0.6	0.2
		{F.. 0.2	0.2									0.1	0.2
33	Diseases of the kidney.....	{M.. 3.8	3.3	5.5	9.5	18.3	19.5	5.5	1.7	0.9	1.1	1.7	2.1
		{F.. 3.2	3.3	5.4	10.8	15.7	17.9	5.6	0.5	0.6	1.7	2.1	2.2
34	Diseases of the bladder.....	{M.. 3.7	0.1	0.2			0.4	0.1	0.5	0.6	0.6	0.6	1.3
		{F.. 0.7	0.1		0.2			0.1	0.2		0.2	0.2	0.4
35	Others of this class.....	{M.. 8.3	1.6	0.4		1.8	1.7	1.3	3.0	3.5	2.3	3.9	5.8
		{F.. 6.2	0.9	0.8	1.4	1.8	0.9	1.0	2.5	3.3	4.7	7.8	11.7
36	7. Diseases of the female organs of generation.	8.1	0.2	0.1		0.3	0.4	0.2	0.2	2.1	11.0	19.0	24.1
37	Ovarian tumors.....	1.1							0.2	0.3	1.5	1.7	2.3
38	Ovarian diseases.....	0.5									0.4	1.2	1.8
39	Diseases of the tubes.....	1.6									3.2	5.6	8.0
40	Uterine tumors.....	2.1					0.4			0.3	0.2	0.6	2.0
41	Uterine diseases.....	0.5									1.1	2.0	2.3
42	Others of this class.....	2.3	0.2	0.1		0.3		0.2		1.5	4.6	7.9	7.7

PROPORTION OF DEATHS FROM EACH CAUSE.

651

DEATHS FROM KNOWN CAUSES AT EACH AGE—Continued.

REGISTRATION CITIES—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
112.6	124.5	125.9	132.6	143.7	149.7	158.6	167.7	167.2	164.6	154.8	141.0	124.5	106.5	106.0	1
120.4	133.8	137.1	142.4	146.4	145.2	145.3	149.1	149.7	149.0	136.7	137.3	112.9	93.7	100.7	2
102.9	112.5	110.7	119.0	140.0	155.2	173.4	187.4	184.5	178.9	169.5	143.5	130.4	112.8	114.4	3
0.1	0.1	0.1	0.1	0.1	0.2	0.2	0.1	0.1	0.1	0.2	0.2	0.2	0.2	1.4	4
0.1	0.2	0.3	0.1	0.1	0.2	0.2	0.1	0.1	0.1	0.2	0.2	0.2	0.2	2.1	5
101.4	112.9	113.1	118.0	116.4	104.8	106.4	100.0	98.9	90.7	78.1	76.7	57.3	53.6	72.1	6
82.2	91.1	88.2	90.8	103.9	114.5	123.9	123.7	117.0	104.6	96.5	74.5	72.3	53.1	67.8	7
0.8	0.5	0.9	0.8	0.7	0.5	0.5	0.4	0.2	0.3	0.7	0.7	0.7	0.7	6.8	8
0.6	0.2	0.1	0.1	0.1	0.6	0.2	0.1	0.3	0.5	0.2	0.2	0.2	0.2	2.1	9
4.2	5.4	6.8	7.6	10.5	18.2	17.9	23.3	29.9	36.7	39.0	40.7	39.4	26.8	6.8	10
7.5	6.7	7.2	13.5	16.7	22.7	28.8	40.4	44.5	50.2	51.2	53.6	49.1	50.9	19.1	11
4.6	5.1	4.8	4.2	3.8	3.8	3.1	3.2	2.2	3.2	2.7	1.9	1.8	0.9	2.7	12
4.4	3.9	3.9	3.9	3.5	2.4	3.5	2.9	3.6	3.9	2.3	2.4	2.4	2.4	2.1	13
1.1	1.3	2.1	2.9	4.9	6.5	7.0	7.9	7.5	5.6	5.8	3.4	5.4	4.4	4.1	14
0.9	1.8	2.8	2.7	4.7	4.6	6.8	9.0	6.6	7.4	5.3	3.8	2.7	2.7	4.1	15
8.3	8.5	9.3	8.9	10.1	11.4	10.4	14.2	11.0	12.5	10.2	14.6	9.0	8.9	13.6	16
7.2	8.6	8.2	7.9	11.1	10.2	10.2	11.3	12.4	12.3	14.0	9.2	6.3	8.8	23.3	17
65.6	68.8	77.7	74.3	71.6	72.8	65.3	61.6	53.2	45.0	31.7	27.5	22.1	11.8	48.9	18
52.7	56.5	73.0	72.0	68.6	72.8	65.3	59.5	52.6	43.7	28.8	25.2	26.9	17.9	32.6	19
81.7	85.0	84.0	77.6	75.6	72.8	65.4	63.8	53.8	46.2	34.1	29.0	19.6	8.9	74.2	20
0.8	0.2	0.5	0.3	0.3	0.2	0.2	0.1	0.1	0.1	0.4	0.4	0.4	4.5	4.5	21
0.6	0.1	0.5	0.4	0.5	0.4	0.4	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	22
5.4	5.5	7.3	8.0	9.1	11.3	9.8	11.0	11.5	10.2	8.0	6.8	7.1	8.9	1.4	23
8.0	11.2	11.1	10.0	12.3	12.1	13.1	13.1	14.4	11.8	12.7	8.9	8.0	2.2	6.4	24
2.9	4.2	4.4	6.6	5.2	5.3	5.0	4.4	3.3	2.9	1.3	3.9	0.9	0.9	6.8	25
3.9	4.7	2.2	5.9	4.5	3.1	3.6	3.8	3.1	2.0	1.5	2.4	0.9	0.9	4.2	26
4.0	3.5	3.1	5.1	4.9	5.3	3.6	5.3	4.6	4.2	1.8	1.9	3.6	2.2	4.0	27
6.0	6.9	9.1	8.9	6.6	8.5	6.0	7.8	5.4	5.8	4.7	5.1	0.9	2.2	17.0	28
12.4	9.4	8.4	6.4	5.1	3.8	2.6	2.1	1.5	1.0	1.1	0.5	0.5	2.2	1.4	29
8.0	6.9	4.7	5.2	3.0	2.5	1.7	1.6	1.0	1.0	0.7	0.7	0.7	2.2	4.2	30
1.7	2.2	2.8	3.0	2.0	3.3	3.6	3.0	4.7	4.2	2.9	2.4	1.8	1.8	1.4	31
1.5	2.6	4.1	3.9	5.9	4.9	5.7	4.5	4.1	3.0	1.6	2.7	1.8	1.8	4.3	32
1.1	0.9	1.7	0.7	1.5	1.6	0.9	1.4	1.8	0.9	1.1	0.5	0.5	0.5	1.4	33
2.1	1.8	1.8	1.2	0.9	1.8	1.0	1.7	1.1	0.8	0.5	1.7	0.9	0.9	4.3	34
0.8	0.3	1.0	1.2	1.2	1.9	1.5	1.5	1.8	1.1	1.8	1.5	0.9	0.9	4.2	35
1.5	1.4	0.9	1.6	1.4	1.8	1.9	2.5	2.2	1.6	1.1	1.0	0.9	0.9	4.2	36
4.3	4.2	4.9	5.2	5.5	3.9	4.3	3.5	2.6	2.1	1.6	1.8	1.8	1.8	2.1	37
1.9	3.1	5.2	3.9	3.9	5.4	4.5	4.4	3.9	2.5	1.5	1.4	0.9	0.9	2.1	38
9.0	15.9	24.3	23.7	24.0	25.5	23.7	19.9	13.2	11.4	4.5	3.4	5.4	4.5	1.4	39
7.8	11.6	16.4	16.2	17.9	15.8	13.4	11.6	9.9	7.7	4.6	3.1	0.9	0.9	8.5	40
9.0	7.4	10.2	8.7	4.9	6.4	4.9	3.9	3.2	2.0	1.6	2.4	1.8	1.8	10.8	41
37.5	31.1	23.5	14.5	11.0	9.7	7.8	6.3	4.7	3.5	1.1	1.0	1.8	1.8	17.0	42
0.5	0.6	0.8	0.4	0.8	0.7	0.6	0.6	0.1	0.6	0.5	0.5	0.5	0.5	4.2	43
1.3	2.2	3.6	2.7	4.1	3.6	4.8	2.8	4.2	3.1	2.7	2.4	1.8	2.3	4.0	44
2.4	3.3	3.9	5.2	6.9	5.8	5.3	4.8	3.4	4.9	3.6	1.7	2.6	2.3	2.1	45
62.1	75.3	91.0	102.3	112.0	117.3	118.8	111.7	107.2	93.1	73.0	60.6	33.4	35.5	58.0	46
56.3	67.6	86.7	97.9	116.8	126.5	134.3	135.0	133.1	126.3	107.5	91.2	55.5	58.0	55.8	47
69.3	85.3	96.8	108.3	105.5	106.0	101.5	87.0	81.6	62.9	44.8	39.0	22.3	24.3	61.4	48
46.5	55.7	71.3	80.5	96.0	104.1	108.0	98.6	91.5	80.8	58.0	46.1	30.5	22.3	38.1	49
54.5	69.1	82.6	93.6	91.3	91.5	89.6	72.8	70.2	52.8	38.6	34.5	17.8	19.9	31.8	50
0.2	0.3	0.5	0.3	0.8	0.8	0.8	0.9	0.7	0.4	0.4	0.5	0.5	4.5	1.4	51
0.3	0.3	0.3	0.3	0.1	0.1	0.3	0.3	0.2	0.3	0.4	0.4	0.4	0.4	2.1	52
1.8	2.5	3.1	3.1	3.4	3.2	3.1	5.4	4.5	4.6	3.6	2.4	2.4	2.2	4.1	53
2.9	3.3	3.2	2.7	3.3	2.6	1.9	2.6	2.0	1.0	1.1	1.1	1.1	2.2	2.1	54
0.8	1.0	1.8	2.1	3.9	3.4	7.7	12.0	15.8	17.9	20.3	23.3	12.5	17.8	2.2	55
0.5	1.0	0.5	0.5	0.5	1.3	1.6	1.6	2.0	2.1	0.7	1.7	1.8	2.2	2.2	56
7.0	8.1	10.0	11.9	12.7	15.0	14.7	18.1	20.6	22.6	25.2	18.9	12.5	13.4	12.2	57
11.1	11.9	10.2	11.2	10.3	10.6	8.1	9.7	7.2	6.7	4.0	2.4	2.7	2.7	27.5	58
26.8	22.6	28.1	19.6	10.6	5.2	3.9	3.4	2.0	2.4	1.5	0.7	0.7	0.7	8.5	59
2.6	1.8	3.3	3.9	2.6	1.6	1.0	1.7	0.8	0.6	0.7	0.7	0.7	0.7	0.7	60
2.7	1.9	1.3	0.4	0.4	0.1	0.1	0.1	0.2	0.2	0.2	0.2	0.2	0.2	0.2	61
6.8	5.5	3.9	1.4	0.3	0.3	0.3	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	62
4.5	5.7	12.0	9.2	5.4	2.3	2.2	1.0	0.9	1.2	0.4	0.4	0.4	0.4	2.1	63
1.7	1.1	1.0	0.7	0.3	0.2	0.2	0.1	0.1	0.3	0.3	0.3	0.3	0.3	0.3	64
8.5	6.6	6.6	4.0	1.6	1.0	0.5	0.4	0.4	0.3	0.4	0.4	0.4	0.4	6.4	65

VITAL STATISTICS.

TABLE 25.—NUMBER OF DEATHS FROM EACH CAUSE PER 1,000
REGISTRATION CITIES—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	8. Affections connected with pregnancy	15.7								1.2	36.5	73.7	76.9
2	Abortion	1.2									2.2	5.0	6.7
3	Childbirth	4.0								0.3	7.4	12.9	16.4
4	Puerperal septicemia	6.8								0.9	15.9	36.5	36.2
5	Extra-uterine pregnancy	0.7									0.2	2.3	3.7
6	Others of this class	3.0									10.8	17.0	13.9
7	9. Diseases of the bones and joints	2.0	0.6	1.0	0.9	3.2	3.4	1.0	6.4	10.2	5.8	3.2	1.8
8	Males	2.1	0.6	0.8	0.7	4.4	5.5	1.0	6.0	11.7	7.9	3.9	2.2
9	Females	1.8	0.7	1.2	1.0	1.8	1.3	0.9	6.8	8.7	3.8	2.4	1.3
10	Diseases of the spine	{M.. 0.6 {F.. 0.5	{M.. 0.2 {F.. 0.2	{M.. 0.3 {F.. 0.5	{M.. 0.2 {F.. 0.4	{M.. 1.4 {F.. 1.2	{M.. 2.5 {F.. 1.2	{M.. 0.3 {F.. 0.3	{M.. 2.5 {F.. 3.0	{M.. 3.5 {F.. 2.7	{M.. 2.5 {F.. 0.6	{M.. 1.0 {F.. 1.2	{M.. 0.9 {F.. 0.2
11	Abscess, lumbar and psoas	{M.. 0.1 {F.. 0.1								0.6 0.3	0.2	0.6	0.1
12	Diseases of the bones	{M.. 0.8 {F.. 0.6	{M.. 0.3 {F.. 0.3	{M.. 0.3 {F.. 0.7	{M.. 0.3 {F.. 0.4	{M.. 1.8 {F.. 0.3	{M.. 2.6 {F.. 1.3	{M.. 0.5 {F.. 0.4	{M.. 1.6 {F.. 1.5	{M.. 3.5 {F.. 3.6	{M.. 2.7 {F.. 1.3	{M.. 1.2 {F.. 0.9	{M.. 0.8 {F.. 0.7
13	Diseases of the hip-joint	{M.. 0.3 {F.. 0.2	{M.. 0.1 {F.. 0.1		0.2	0.9	0.4	0.1 0.1	1.6 1.6	3.5 1.2	2.3 1.7	0.8 0.1	0.4 0.1
14	Others of this class	{M.. 0.3 {F.. 0.4	{M.. 0.1 {F.. 0.1	0.2	0.2	0.3		0.1 0.1	0.3 0.2	0.6 0.9	0.2 0.2	0.3 0.2	0.3 0.3
15	10. Diseases of the skin	1.8	2.6	0.9	1.4	1.3	0.6	2.1	1.5	1.0	0.7	1.4	1.0
16	Males	1.9	2.4	0.9	1.7	1.2	0.4	2.0	2.0	1.5	0.8	1.2	1.0
17	Females	1.7	2.9	0.8	1.0	1.5	0.8	2.2	1.0	0.6	0.6	1.6	1.0
18	Abscess	{M.. 1.0 {F.. 0.8	{M.. 1.1 {F.. 1.3	{M.. 0.8 {F.. 0.2	{M.. 0.9 {F.. 0.6	{M.. 0.9 {F.. 0.6	{M.. 0.4 {F.. 0.4	{M.. 1.0 {F.. 1.0	{M.. 1.8 {F.. 1.0	{M.. 1.5 {F.. 0.3	{M.. 0.6 {F.. 0.2	{M.. 0.8 {F.. 0.9	{M.. 0.7 {F.. 0.9
19	Carbuncle	{M.. 0.3 {F.. 0.2			0.2						0.2	0.1	0.1
20	Others of this class	{M.. 0.6 {F.. 0.7	{M.. 1.3 {F.. 1.6	{M.. 0.1 {F.. 0.6	{M.. 0.6 {F.. 0.2	{M.. 0.3 {F.. 0.9	{M.. 0.4 {F.. 0.4	{M.. 1.0 {F.. 1.2	{M.. 0.2 {F.. 0.3			0.3 0.3	0.2 0.6
21	11. Diseases of the absorbent system	0.6	0.3	0.7	0.1	0.6	0.2	0.4	0.5	0.9	0.9	0.5	1.1
22	Males	0.6	0.3	0.8	0.2	1.2	0.4	0.4	0.6	0.9	1.2	0.6	0.9
23	Females	0.7	0.3	0.6				0.3	0.3	0.9	0.6	0.3	1.4
24	Addison's disease	{M.. 0.2 {F.. 0.2							0.2	0.3	0.4	0.1	0.3
25	Diseases of the spleen	{M.. 0.1 {F.. 0.1	{M.. 0.1 {F.. 0.1			0.3		0.1				0.1	0.3
26	Others of this class	{M.. 0.3 {F.. 0.4	{M.. 0.2 {F.. 0.2	{M.. 0.8 {F.. 0.6	{M.. 0.2 {F.. 0.2	{M.. 0.9 {F.. 0.4	{M.. 0.4 {F.. 0.4	{M.. 0.3 {F.. 0.3	{M.. 0.4 {F.. 0.3	{M.. 0.6 {F.. 0.6	{M.. 0.8 {F.. 0.2	{M.. 0.4 {F.. 0.2	{M.. 0.3 {F.. 0.6
27	12. Accidents and injuries	54.4	13.4	16.1	36.7	56.9	66.0	19.9	84.8	127.0	112.2	105.0	103.5
28	Males	77.8	13.5	15.9	41.7	61.2	72.5	20.4	111.6	207.6	181.3	165.1	162.5
29	Females	27.6	13.3	16.3	31.2	52.5	59.6	19.4	56.5	44.9	44.4	42.7	38.1
30	Burns and scalds	{M.. 4.1 {F.. 6.6	{M.. 0.8 {F.. 0.9	{M.. 7.2 {F.. 8.6	{M.. 24.8 {F.. 16.9	{M.. 32.5 {F.. 32.2	{M.. 26.3 {F.. 39.2	{M.. 6.1 {F.. 7.0	{M.. 10.6 {F.. 28.7	{M.. 6.5 {F.. 18.5	{M.. 3.1 {F.. 10.4	{M.. 4.3 {F.. 6.1	{M.. 3.7 {F.. 7.8
31	Drowning	{M.. 9.7 {F.. 1.0	{M.. 0.2 {F.. 0.2	{M.. 1.2 {F.. 1.0	{M.. 1.7 {F.. 1.2	{M.. 5.3 {F.. 2.5	{M.. 10.2 {F.. 0.8	{M.. 1.1 {F.. 0.6	{M.. 35.7 {F.. 2.3	{M.. 78.4 {F.. 3.6	{M.. 35.5 {F.. 4.1	{M.. 20.3 {F.. 1.6	{M.. 15.9 {F.. 0.8
32	Exposure and neglect	{M.. 0.5 {F.. 0.4	{M.. 0.6 {F.. 1.0	{M.. 0.1 {F.. 0.4	{M.. 0.2 {F.. 0.2		0.4	0.5 0.7	0.5 0.3	0.3 0.3	0.2 0.2	0.4 0.3	0.2
33	Gunshot wounds	{M.. 3.5 {F.. 0.6	{M.. 0.1 {F.. 0.1		0.3	0.3	0.4	0.1 0.1	2.0 1.2	16.7 1.8	16.7 1.1	13.9 2.9	11.0 1.3
34	Homicide	{M.. 2.2 {F.. 0.7		0.1	0.4	0.6	0.4	0.1	1.1 1.3	2.9 1.2	5.6 1.1	8.4 2.0	8.5 2.2
35	Infanticide	{M.. 0.1 {F.. 0.1	{M.. 0.2 {F.. 0.2					0.2 0.1					
36	Injuries by machinery	{M.. 0.4 {F.. 0.4		0.1							1.0	1.6 0.1	1.5
37	Railroad accidents	{M.. 12.5 {F.. 1.4	{M.. 0.1 {F.. 0.1	{M.. 0.7 {F.. 0.5	{M.. 1.5 {F.. 1.5	{M.. 3.3 {F.. 2.2	{M.. 8.5 {F.. 4.6	{M.. 0.8 {F.. 0.5	{M.. 20.2 {F.. 6.8	{M.. 37.0 {F.. 4.2	{M.. 33.9 {F.. 3.6	{M.. 35.1 {F.. 1.8	{M.. 32.5 {F.. 1.3
38	Suffocation	{M.. 2.8 {F.. 1.9	{M.. 5.7 {F.. 5.7	{M.. 1.2 {F.. 1.3	{M.. 2.0 {F.. 1.2	{M.. 1.2 {F.. 1.2	{M.. 2.1 {F.. 1.7	{M.. 4.3 {F.. 4.1	{M.. 1.4 {F.. 2.0	{M.. 2.1 {F.. 0.9	{M.. 3.1 {F.. 1.9	{M.. 3.4 {F.. 0.9	{M.. 2.0 {F.. 1.1
39	Suicide by shooting	{M.. 2.9 {F.. 0.2									1.7 0.4	6.0 0.6	7.0 0.5
40	Suicide by drowning	{M.. 0.4 {F.. 0.2									0.4 0.4	0.4 0.6	0.5 0.6
41	Suicide by poison	{M.. 2.3 {F.. 1.7									2.3 9.3	4.3 7.9	5.4 5.9
42	Other suicides	{M.. 4.4 {F.. 1.3								0.9	2.9 2.8	6.4 3.7	6.8 3.0
43	Sunstroke	{M.. 1.3 {F.. 0.7	{M.. 0.8 {F.. 0.8	{M.. 0.4 {F.. 0.8	{M.. 0.7 {F.. 0.8	0.3	0.9	0.7 0.8	1.1 0.7		1.0 0.4	1.8 0.5	1.6 0.3
44	Surgical operations	{M.. 0.5 {F.. 1.3	{M.. 0.2 {F.. 0.1	{M.. 0.1 {F.. 0.1	{M.. 0.2 {F.. 0.2		0.4	0.1 0.1	0.6 0.3		0.4 0.9	0.9 4.4	1.1 3.1
45	Wounds	{M.. 1.6 {F.. 0.2		0.1	0.6	1.2	1.7	0.2	1.3 1.0	2.3 0.6	6.2 0.6	4.0 0.3	4.8 0.2
46	Others of this class	{M.. 28.6 {F.. 9.4	{M.. 4.8 {F.. 4.3	{M.. 4.6 {F.. 3.5	{M.. 10.0 {F.. 8.0	{M.. 17.4 {F.. 13.2	{M.. 20.8 {F.. 12.1	{M.. 6.3 {F.. 5.3	{M.. 37.1 {F.. 12.2	{M.. 60.8 {F.. 11.7	{M.. 67.3 {F.. 7.2	{M.. 53.9 {F.. 9.0	{M.. 60.0 {F.. 10.0

PROPORTION OF DEATHS FROM EACH CAUSE.

653

DEATHS FROM KNOWN CAUSES AT EACH AGE—Continued.

REGISTRATION CITIES—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
71.8	54.5	27.8	2.8	0.4	0.1	0.1	-----	-----	0.3	-----	-----	-----	-----	23.3	1
4.8	4.9	1.9	-----	-----	0.1	-----	-----	-----	0.1	-----	-----	-----	-----	2.1	2
19.7	18.8	10.1	1.1	0.3	-----	-----	-----	-----	-----	-----	-----	-----	-----	10.6	3
31.0	19.5	9.3	1.2	0.1	-----	0.1	-----	-----	0.1	-----	-----	-----	-----	4.2	4
4.1	3.2	1.2	0.1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	2.1	5
12.2	8.1	5.3	0.4	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	4.3	6
2.5	2.2	2.6	2.1	1.9	1.7	1.3	1.6	1.8	1.1	0.5	0.4	0.6	-----	-----	7
2.8	2.5	2.7	2.4	2.1	1.4	1.3	1.9	1.3	1.4	0.2	0.5	-----	-----	-----	8
2.1	1.8	2.5	1.7	1.8	2.0	1.4	1.3	2.4	0.8	0.7	0.3	0.9	-----	-----	9
0.6	0.7	0.8	0.7	0.5	0.2	-----	0.4	0.4	0.6	-----	-----	-----	-----	-----	10
0.6	0.9	0.5	0.3	0.5	0.5	0.4	0.2	0.1	-----	0.2	-----	0.9	-----	-----	
0.3	0.2	-----	0.2	0.1	0.2	0.1	0.1	0.1	0.1	-----	-----	-----	-----	-----	11
0.2	-----	0.3	0.1	0.3	0.1	-----	-----	0.2	-----	-----	-----	-----	-----	-----	
1.2	0.9	1.0	0.8	0.9	0.6	0.7	0.9	0.5	0.7	0.2	0.5	-----	-----	-----	12
0.7	0.5	0.7	0.8	0.5	0.5	0.6	0.4	0.8	0.3	0.3	0.3	-----	-----	-----	
0.6	0.3	0.4	-----	0.1	0.2	0.1	-----	-----	-----	-----	-----	-----	-----	-----	13
0.2	0.4	0.1	-----	-----	-----	-----	-----	0.1	-----	0.2	-----	-----	-----	-----	
0.1	0.4	0.5	0.7	0.5	0.2	0.4	0.5	0.3	-----	-----	-----	-----	-----	-----	14
0.4	-----	0.9	0.5	0.5	0.9	0.4	0.7	1.2	0.5	-----	-----	-----	-----	-----	
1.4	1.8	2.5	1.8	2.0	2.3	2.3	1.9	1.5	1.2	1.0	1.6	0.6	-----	0.8	15
1.2	1.7	2.6	1.7	2.3	2.8	2.1	2.1	1.5	1.6	1.8	2.0	-----	-----	-----	16
1.7	1.8	2.3	1.9	1.6	1.7	2.4	1.7	1.5	0.9	0.4	1.4	0.9	-----	2.1	
0.8	1.4	1.7	0.7	1.4	1.4	0.9	1.1	0.4	0.4	0.9	-----	-----	-----	-----	18
0.9	1.1	1.3	1.1	0.6	1.1	0.9	1.1	0.3	0.3	0.2	0.4	-----	-----	-----	
0.3	-----	0.4	0.7	0.5	0.8	0.7	0.6	0.5	0.6	0.2	1.0	-----	-----	-----	19
-----	0.1	0.4	0.3	0.6	0.2	0.3	0.1	0.5	0.2	0.2	-----	-----	-----	-----	
0.1	0.3	0.5	0.3	0.4	0.6	0.5	0.4	0.6	0.6	0.7	1.0	-----	-----	-----	20
0.8	0.6	0.6	0.5	0.4	0.4	1.2	0.5	0.7	0.4	-----	1.0	0.9	-----	2.1	
1.1	0.6	1.1	1.1	1.0	1.2	1.1	0.5	0.5	0.3	-----	-----	-----	-----	1.7	21
1.1	0.6	0.8	0.8	0.8	1.1	1.1	0.4	0.7	-----	-----	-----	-----	-----	1.4	22
1.0	0.7	1.6	1.5	1.3	1.3	1.2	0.6	0.3	0.5	-----	-----	-----	-----	2.1	
0.3	0.4	0.4	0.4	0.4	0.6	0.7	0.2	0.1	-----	-----	-----	-----	-----	-----	24
0.3	0.5	0.7	-----	0.5	0.5	0.3	0.1	-----	0.1	-----	-----	-----	-----	2.1	
0.2	-----	-----	0.1	0.1	0.1	0.1	0.1	0.1	-----	-----	-----	-----	-----	-----	25
0.2	-----	0.1	0.1	0.1	0.1	0.1	0.2	-----	0.3	-----	-----	-----	-----	-----	
0.6	0.2	0.4	0.3	0.3	0.5	0.3	0.1	0.5	-----	-----	-----	-----	-----	1.4	26
0.5	0.2	0.8	1.4	0.7	0.7	0.8	0.3	0.3	0.1	-----	-----	-----	-----	-----	
103.7	102.1	87.8	79.8	63.5	50.6	41.2	32.9	25.4	23.8	22.5	23.3	19.7	20.7	213.8	27
156.1	148.7	127.0	114.5	92.5	73.9	60.7	44.6	31.6	26.3	25.9	21.8	17.9	26.8	292.5	28
38.5	41.4	33.7	31.9	24.5	22.0	19.6	20.5	19.3	21.5	19.8	24.3	20.5	17.7	91.1	29
4.4	4.1	4.4	2.7	2.2	1.5	1.5	1.3	1.3	0.9	1.3	1.0	-----	-----	10.9	30
7.8	7.5	6.3	6.0	3.3	4.3	3.7	2.8	2.8	3.0	1.5	1.4	2.7	-----	4.2	
15.4	16.3	14.4	11.5	8.2	7.2	5.1	3.4	2.0	1.7	0.9	0.5	-----	-----	69.4	31
1.5	1.8	1.4	1.2	1.0	0.8	0.7	0.6	0.2	0.1	-----	-----	-----	-----	14.9	
0.6	0.5	0.6	0.5	0.4	0.6	0.9	0.6	0.1	0.4	0.2	-----	-----	4.5	2.7	32
0.2	0.3	0.1	0.3	-----	0.4	0.2	-----	-----	0.3	0.7	1.0	-----	-----	4.2	
8.1	6.6	4.5	4.3	2.2	2.3	1.7	0.7	0.5	0.7	-----	0.5	-----	-----	23.1	33
1.6	1.8	0.8	0.3	0.2	-----	0.2	-----	-----	0.3	0.2	-----	-----	-----	-----	
6.9	5.8	3.1	2.8	1.7	1.1	0.8	0.3	0.3	0.1	0.2	-----	-----	-----	10.9	34
2.0	1.4	1.2	0.6	0.6	0.4	0.1	0.2	-----	-----	-----	-----	-----	-----	12.7	
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	35
1.2	0.8	0.8	0.5	0.5	0.2	0.2	0.2	-----	-----	-----	-----	-----	-----	-----	36
0.1	-----	0.1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	
28.9	25.8	20.5	16.5	14.4	12.0	9.2	4.7	4.4	2.5	2.7	2.9	-----	4.5	63.9	37
2.0	1.6	1.7	1.7	1.4	1.6	0.5	1.2	1.3	1.5	0.7	0.3	-----	-----	4.3	
2.7	3.6	2.6	2.1	1.0	1.5	1.5	1.4	0.5	0.6	0.5	1.0	-----	-----	23.1	38
0.8	0.9	0.4	0.7	0.5	1.0	0.7	0.4	0.7	0.3	0.5	-----	-----	-----	31.8	
6.9	7.0	7.6	7.4	5.3	3.9	2.3	2.4	1.4	1.3	0.7	1.0	-----	-----	12.2	39
1.3	0.6	0.3	0.4	0.4	0.1	-----	-----	0.1	0.1	-----	-----	-----	-----	-----	
0.7	0.7	0.8	0.9	1.0	0.6	0.5	0.5	0.5	0.4	0.4	-----	-----	-----	1.4	40
0.7	0.2	0.3	0.3	0.4	-----	0.1	0.1	0.1	0.3	-----	-----	-----	-----	-----	
6.0	5.5	5.4	4.5	5.1	2.6	2.6	2.0	1.1	0.4	-----	-----	-----	-----	9.5	41
3.7	4.4	2.5	2.0	1.3	0.7	0.4	0.3	0.4	0.3	0.2	-----	0.9	-----	4.2	
8.5	9.2	10.8	10.4	10.3	8.3	6.5	4.2	2.9	2.9	2.0	0.4	1.8	-----	8.2	42
2.6	3.6	4.1	2.9	1.9	1.5	0.8	0.8	0.6	0.5	0.4	0.7	-----	-----	2.1	
2.0	3.3	1.9	2.0	2.2	1.7	0.8	0.4	1.0	1.2	0.5	0.5	-----	-----	2.7	43
0.2	0.8	0.5	0.8	1.3	0.8	1.4	0.8	1.2	0.8	0.5	-----	-----	-----	-----	
1.0	1.0	0.8	0.9	0.8	0.9	0.8	0.6	0.2	0.1	0.2	-----	-----	-----	1.4	44
4.0	4.0	3.7	2.9	1.9	1.8	0.5	0.5	0.2	0.3	0.4	-----	-----	-----	-----	
4.2	3.3	1.9	2.4	1.9	1.2	1.5	0.7	0.2	0.1	0.5	0.5	-----	-----	8.2	45
0.1	0.2	0.1	0.3	-----	0.2	0.2	0.1	-----	-----	0.2	-----	-----	-----	-----	
58.6	55.2	46.9	45.1	35.3	28.3	24.8	21.2	15.2	13.0	15.8	13.5	16.1	17.8	44.9	46
9.9	12.3	10.2	11.5	10.3	8.4	10.1	12.7	11.6	13.7	14.5	20.9	16.9	17.7	12.7	

TABLE 26.

NUMBER OF DEATHS FROM EACH CAUSE PER 1,000 DEATHS FROM KNOWN CAUSES,
IN THE UNITED STATES AND EACH GRAND GROUP, IN THE AGGREGATE,
AND FOR THE CITIES AND RURAL DISTRICTS, BY SEX.

TABLE 26.—NUMBER OF DEATHS FROM EACH CAUSE

CAUSE OF DEATH.		UNITED STATES.			REGISTRATION RECORD..						
		Total.	Cities.	Rural.	Total.	Cities.	States.			Registra- tion cities in other states.	
							Total.	Cities.	Rural.		
1	1. General diseases.										
	General diseases—A	210.1	178.7	231.1	173.7	178.7	171.6	180.8	155.6	176.8	
2	Males.....	203.1	173.1	223.3	168.5	173.1	168.0	177.4	151.4	169.2	
3	Females.....	218.1	185.1	239.8	179.7	185.1	175.6	184.4	160.2	185.7	
4	Measles.....	(M.. 11.7 F.. 14.2	7.2 8.4	14.8 18.0	6.9 8.1	7.2 8.4	8.1 9.2	9.4 10.2	5.9 7.3	5.3 6.5	
5	Scarlet fever.....	(M.. 5.9 F.. 6.8	6.6 7.4	5.4 6.4	6.3 6.9	6.6 7.4	6.2 6.3	7.0 7.0	4.8 5.0	6.3 7.8	
6	Diphtheria	(M.. 15.2 F.. 17.9	21.0 24.9	11.3 13.4	18.6 21.8	21.0 24.9	17.5 19.5	22.2 24.5	9.5 10.6	20.0 25.3	
7	Whooping cough	(M.. 8.7 F.. 11.4	6.4 8.4	10.2 13.5	6.4 8.2	6.4 8.4	7.3 9.1	7.8 10.0	6.3 7.7	5.1 6.8	
8	Malarial fever.....	(M.. 14.1 F.. 15.8	5.2 5.5	20.2 22.5	4.8 5.2	5.2 5.5	2.8 3.2	2.4 3.0	3.4 3.7	7.7 8.0	
9	Influenza.....	(M.. 14.5 F.. 19.1	8.7 13.7	18.5 22.6	10.9 16.6	8.7 13.7	13.5 20.7	10.3 17.3	19.1 26.8	7.3 10.3	
10	Typhoid fever	(M.. 35.6 F.. 35.2	21.6 17.9	45.0 46.7	20.8 17.4	21.6 17.9	16.3 13.2	15.4 11.8	17.9 15.6	27.0 23.7	
11	Cholera morbus	(M.. 6.4 F.. 6.5	2.9 3.4	8.6 8.5	3.4 3.7	2.9 3.4	3.2 3.2	2.1 2.4	5.0 4.7	3.6 4.4	
12	Colitis	(M.. 1.5 F.. 1.4	1.7 1.8	1.3 1.1	1.8 1.8	1.7 1.8	1.9 2.0	1.9 2.1	1.9 1.8	1.6 1.6	
13	Diarrhea	(M.. 8.1 F.. 7.3	7.0 7.1	8.8 7.5	7.3 7.2	7.0 7.1	8.0 7.9	7.8 8.0	8.5 7.6	6.2 6.2	
14	Dysentery	(M.. 11.5 F.. 12.0	5.4 5.7	15.7 16.1	5.5 6.4	5.4 5.7	5.0 6.4	4.4 5.2	6.1 8.6	6.3 6.2	
15	Enteritis.....	(M.. 19.3 F.. 20.1	33.2 34.6	10.1 10.5	29.2 30.4	33.2 34.6	28.5 28.9	36.5 36.6	14.4 15.4	30.2 32.6	
16	Cholera infantum	(M.. 25.8 F.. 25.5	27.1 27.1	24.8 24.4	27.3 26.8	27.1 27.1	30.9 28.2	32.5 29.5	28.0 25.9	22.4 24.8	
17	Fever.....	(M.. 2.6 F.. 3.0	0.2 0.2	4.2 4.9	0.2 0.2	0.2 0.2	0.1 0.2	0.1 0.1	0.2 0.3	0.3 0.3	
18	Cerebro-spinal fever.....	(M.. 4.4 F.. 4.0	3.9 3.6	4.7 4.1	4.2 3.8	3.9 3.6	5.0 4.3	4.9 4.1	5.2 4.5	3.1 3.2	
19	Smallpox	(M.. 4.0 F.. 2.9	1.7 1.2	5.6 4.0	1.3 1.0	1.7 1.2	0.2 0.2	0.3 0.2	0.2 0.1	2.9 2.2	
20	Erysipelas	(M.. 3.0 F.. 2.7	3.2 2.7	2.9 2.7	3.1 2.6	3.2 2.7	3.5 2.8	3.7 3.1	3.1 2.4	2.7 2.3	
21	Septicemia	(M.. 5.7 F.. 8.0	4.8 6.4	6.3 9.1	4.9 6.5	4.8 6.4	4.5 5.5	4.0 4.7	5.2 7.1	5.4 8.0	
22	Venereal diseases	(M.. 1.8 F.. 1.4	2.3 2.1	1.4 1.0	2.0 1.8	2.3 2.1	1.5 1.3	1.9 1.7	0.7 0.6	2.6 2.4	
23	Others of this group.....	(M.. 3.3 F.. 2.9	3.0 3.0	3.5 2.8	3.6 3.3	3.0 3.0	4.0 3.5	2.8 2.9	6.0 4.5	3.2 3.1	
24	General diseases—B	18.3	25.7	13.3	23.3	25.7	17.4	19.1	14.4	31.7	
25	Males.....	20.8	29.0	15.3	26.5	29.0	20.7	22.8	16.9	34.5	
26	Females.....	15.4	21.8	11.1	19.6	21.8	13.8	15.0	11.6	23.4	
27	Alcoholism	(M.. 4.5 F.. 0.9	6.9 1.8	2.8 0.3	6.3 1.5	6.9 1.8	5.9 1.6	7.2 2.1	3.7 0.7	6.8 1.4	
28	Parasitic diseases.....	(M.. 0.5 F.. 0.6	0.1 0.1	0.8 1.0	0.1 0.1	0.1 0.1	0.1 0.1	0.1 0.1	0.1 0.1	0.1 0.1	
29	Lead poison	(M.. 0.2 F.. 0.1	0.2 0.1	0.1	0.2 0.1	0.2 0.1	0.2 0.1	0.2 0.1	0.1 0.1	0.2 0.1	
30	Other poisons.....	(M.. 3.9 F.. 2.8	4.4 2.9	3.7 2.6	4.2 2.8	4.4 2.9	4.2 2.6	4.6 2.9	3.4 2.1	4.2 3.0	
31	Inanition.....	(M.. 11.7 F.. 11.0	17.4 16.9	7.9 7.2	15.7 15.1	17.4 16.9	10.3 9.4	10.7 9.8	9.6 8.6	23.2 23.8	
32	General diseases—C	65.6	79.0	56.6	81.0	79.0	82.4	79.0	88.4	79.0	
33	Males.....	62.7	74.1	55.0	76.6	74.1	80.6	77.5	85.9	71.1	
34	Females.....	68.9	84.6	58.5	86.1	84.6	84.5	80.6	91.2	88.5	
35	Old age.....	(M.. 25.2 F.. 33.9	19.5 32.8	29.1 34.6	24.7 37.4	19.5 32.8	26.0 36.4	15.5 26.4	44.4 54.0	22.9 38.9	
36	Premature birth.....	(M.. 15.8 F.. 13.5	21.4 18.4	12.1 10.3	20.6 17.4	21.4 18.4	21.5 17.3	23.8 19.2	17.3 13.9	19.3 17.6	
37	Malformation	(M.. 2.8 F.. 2.6	3.3 3.0	2.4 2.4	3.5 3.2	3.3 3.0	4.1 3.6	4.0 3.4	4.3 3.9	2.7 2.7	
38	Debility and atrophy.....	(M.. 17.2 F.. 17.5	27.6 28.5	10.1 10.2	25.5 26.2	27.6 28.5	26.0 24.9	30.9 29.0	17.5 17.6	24.8 23.1	
39	Others of this group.....	(M.. 1.7 F.. 1.4	2.3 1.9	1.3 1.0	2.3 1.9	2.3 1.9	3.0 2.3	3.3 2.6	2.4 1.8	1.4 1.2	

PROPORTION OF DEATHS FROM EACH CAUSE.

657

PER 1,000 DEATHS FROM KNOWN CAUSES.

GRAND GROUP 1.			GRAND GROUP 2.			GRAND GROUP 3.			GRAND GROUP 4.			GRAND GROUP 5.			
Total.	Cities.	Rural.	Total.	Cities.	Rural.	Total.	Cities.	Rural.	Total.	Cities.	Rural.	Total.	Cities.	Rural.	
178.3	189.8	151.5	183.1	180.8	192.9	291.9	224.5	319.6	289.6	225.6	337.5	170.1	193.8	157.2	1
173.5	185.1	147.1	178.9	176.3	189.7	292.4	226.7	320.6	284.2	222.7	331.8	168.9	194.6	155.3	2
183.3	194.6	156.3	187.9	185.9	196.7	291.5	222.0	318.6	295.8	229.2	344.0	171.4	193.0	159.2	3
8.0	9.1	5.6	8.0	8.9	4.6	9.9	1.8	13.4	12.0	6.8	16.0	6.8	9.4	5.4	4
8.6	9.2	7.2	9.6	10.5	6.1	9.6	2.4	12.4	14.7	8.8	19.0	6.6	7.3	6.2	
6.0	6.8	4.1	6.3	7.2	2.5	2.1	0.4	2.8	6.7	0.3	11.6	5.9	6.8	5.4	5
6.0	7.2	3.1	6.4	7.0	3.9	2.2	2.9	1.9	7.4	0.4	12.5	6.2	7.4	5.4	
16.1	19.6	8.2	23.6	25.4	16.3	4.0	3.1	4.4	4.8	2.9	6.3	14.1	22.5	9.6	6
18.0	22.0	8.6	26.7	28.4	19.3	5.7	3.9	6.4	5.0	3.2	6.4	14.8	22.8	10.3	
6.9	7.9	4.6	8.2	7.8	10.0	11.8	7.9	13.4	8.1	2.6	12.3	7.1	7.2	7.1	7
10.4	11.3	8.2	10.2	10.2	10.6	13.2	8.2	15.1	10.8	2.7	16.6	8.2	8.6	8.0	
2.0	1.8	2.4	4.9	3.2	11.6	61.6	49.1	67.0	46.3	27.0	61.3	3.2	3.4	3.1	8
2.6	2.7	2.3	5.5	4.1	11.6	61.8	36.7	71.6	49.8	30.5	63.7	2.4	3.0	2.1	
21.1	18.5	27.1	8.6	7.2	14.1	34.4	23.7	39.0	15.8	5.7	23.7	21.2	17.0	23.5	9
33.0	31.1	37.4	12.2	11.0	17.3	38.2	32.3	40.5	18.7	7.6	26.7	30.5	25.7	33.2	
14.9	15.3	14.2	15.0	12.4	25.8	43.6	25.9	51.3	42.4	21.6	58.4	20.0	20.4	19.7	10
10.2	10.6	9.2	13.3	10.5	24.9	40.0	20.3	47.7	48.5	25.9	64.8	16.2	15.7	16.4	
2.3	1.8	3.4	2.1	1.6	4.1	4.7	4.4	4.9	8.5	3.5	12.4	4.3	2.9	5.0	11
2.9	2.6	3.6	1.8	1.6	2.6	5.3	6.8	4.7	8.3	4.0	11.4	3.9	2.4	4.8	
1.0	1.0	1.1	2.3	2.1	3.0	0.9	1.3	0.8	1.4	1.2	1.6	1.1	1.4	0.9	12
1.6	1.8	1.3	2.1	2.1	1.9	1.8	1.4	1.9	1.7	2.5	1.1	1.4	1.2	1.5	
7.3	7.2	7.5	8.2	7.9	9.3	12.3	11.8	12.5	14.1	15.4	13.1	8.0	8.9	7.6	13
7.0	7.2	6.5	8.6	8.3	9.6	8.3	5.3	9.4	12.8	13.7	12.2	8.3	11.5	6.5	
5.4	5.0	6.2	5.8	4.4	11.1	25.0	10.1	31.4	19.5	12.6	24.9	6.1	3.9	7.3	14
6.3	6.1	6.9	6.6	5.1	12.7	23.0	14.0	26.6	16.4	11.2	20.2	8.5	6.8	9.4	
22.5	26.6	13.0	40.7	46.3	18.4	18.9	50.0	5.5	24.5	32.5	18.3	16.1	27.7	10.0	15
22.6	25.9	14.6	42.5	47.6	21.6	18.7	50.7	6.2	28.7	39.2	21.1	13.3	20.5	9.3	
42.5	47.5	31.1	26.6	24.9	33.5	22.9	12.7	27.2	21.3	20.4	22.0	35.6	47.1	29.5	16
36.9	39.7	30.0	26.2	24.4	33.8	20.1	15.9	21.7	22.6	25.0	20.8	33.3	42.5	28.1	
0.1	0.1	0.3	0.1	0.1	0.2	17.7	0.9	25.0	7.4	0.6	13.1	0.1	0.3	0.2	17
0.1	0.1	0.3	0.1	0.1	0.1	21.4	1.4	29.2	9.9	0.6	16.6	0.3	0.3	0.3	
4.3	4.8	3.2	4.3	4.5	3.4	1.8	1.7	1.9	3.6	4.8	2.7	5.5	6.1	5.1	18
3.8	3.9	3.6	3.5	3.6	3.4	3.1	4.3	2.6	3.2	5.3	1.7	4.1	4.6	3.9	
0.2	0.3	0.2	2.4	0.3	10.8	5.3	1.3	7.0	30.1	41.3	21.4	0.2	0.2	0.2	19
0.3	0.4	0.2	1.4	0.3	5.8	5.8	0.5	7.9	22.2	31.4	15.5	0.2	0.2	0.2	
3.1	3.2	2.7	3.6	3.7	3.0	2.8	3.5	2.4	2.0	1.6	2.3	2.5	2.9	2.3	20
2.8	3.0	2.4	3.0	3.2	1.9	2.0	0.5	2.6	1.2	0.2	2.0	2.8	3.0	2.7	
4.8	4.3	6.0	3.7	3.7	3.9	6.3	8.3	5.5	4.7	5.0	4.4	4.3	3.2	4.9	21
5.4	5.4	5.3	4.0	3.4	6.5	7.7	5.8	8.5	5.7	6.3	5.3	6.5	6.1	6.6	
1.2	1.3	0.9	1.9	2.2	0.7	4.4	7.9	2.8	2.3	3.3	1.5	1.0	1.4	0.8	22
0.9	0.9	0.9	2.1	2.5	0.7	2.0	5.8	0.6	2.0	2.3	1.8	0.5	0.7	0.5	
3.8	3.1	5.5	2.6	2.5	3.4	2.0	0.9	2.4	8.7	14.2	4.5	5.8	2.2	7.7	23
3.9	3.5	5.0	2.2	2.1	2.4	1.6	2.9	1.1	6.2	8.4	4.6	3.6	2.9	4.0	
18.9	21.7	12.5	17.2	18.1	13.1	13.2	11.7	13.9	24.1	31.2	18.8	17.7	25.9	13.2	24
23.0	26.4	15.2	20.5	21.8	15.1	15.3	14.5	15.7	25.5	33.4	19.4	20.2	29.6	15.1	25
14.7	16.9	9.5	13.4	14.0	10.9	11.1	8.7	12.1	22.5	28.6	18.1	15.2	22.2	11.2	26
5.3	6.1	3.7	7.0	7.9	3.4	3.2	4.8	2.4	3.5	4.9	2.4	4.3	6.6	3.1	27
2.0	2.2	1.6	2.0	2.3	0.5	0.3	0.5	0.2	1.4	2.1	0.9	0.7	1.5	0.3	
0.1	0.1	0.1	0.1	0.1	0.5	3.7	0.4	5.1	1.2	0.8	2.2	0.1	0.2	0.1	28
0.1	0.1	0.1	0.2	0.1	0.7	3.6	0.4	5.1	2.5	0.8	3.6	0.1	0.2	0.1	
0.3	0.4	0.2	0.2	0.2	0.1	0.1	0.1	0.2	0.1	0.1	0.1	0.1	0.3	0.2	29
0.1	0.1	0.1	0.1	0.2	0.1	0.1	0.1	0.1	0.2	0.2	0.2	0.1	0.1	0.2	
3.2	3.9	1.5	4.8	5.2	3.2	3.8	4.0	3.8	4.6	3.8	5.2	3.3	2.9	3.5	30
1.8	2.0	1.4	3.1	3.3	1.9	1.9	1.4	2.1	3.3	1.3	4.9	1.8	1.2	2.1	
14.1	16.0	9.7	8.4	8.5	7.9	4.5	5.3	4.2	16.1	24.7	9.5	12.4	19.6	8.5	31
10.7	12.5	6.5	8.0	8.1	7.8	5.3	6.8	4.7	15.1	24.2	8.5	12.5	19.5	8.5	
88.8	88.4	89.8	72.7	72.4	74.1	55.0	113.3	31.1	62.7	84.1	46.7	94.3	94.8	94.1	32
87.6	88.9	84.6	70.0	69.8	70.6	49.2	95.2	29.3	55.8	73.5	42.1	90.1	92.6	88.7	33
90.1	87.9	95.4	75.8	75.2	78.2	61.0	133.2	32.8	70.9	97.0	52.0	98.7	96.9	99.8	34
27.1	20.0	43.1	13.9	11.0	25.7	17.0	17.1	17.0	22.8	24.6	21.4	38.8	22.5	47.4	35
40.0	32.4	58.0	24.8	21.7	37.7	25.1	34.3	21.4	36.2	46.5	28.7	54.1	39.6	62.3	
23.9	27.6	15.6	18.9	20.4	12.9	11.4	24.6	5.7	10.3	12.5	8.7	25.6	38.6	18.7	36
18.0	20.3	12.4	16.3	17.5	11.2	11.2	26.5	5.3	9.0	9.7	8.5	19.2	24.0	16.6	
3.8	4.1	3.1	3.7	3.8	3.2	5.2	15.4	0.8	0.8	1.0	0.5	4.0	3.6	4.1	37
3.6	3.7	3.3	2.7	3.0	1.4	4.5	14.5	0.6	1.1	1.9	0.6	3.3	3.7	3.0	
29.6	33.3	21.2	30.7	31.5	26.9	14.9	38.1	4.9	21.3	35.1	10.7	18.9	24.3	16.1	38
26.6	29.3	20.4	30.0	30.8	26.6	19.8	57.9	4.9	23.4	38.5	12.5	19.6	26.0	16.0	
3.2	3.9	1.6	2.8	3.1	1.9	0.7	0.7	0.9	0.6	0.3	0.8	2.8	3.6	2.4	39
1.9	2.2	1.3	2.0	2.2	1.3	0.4	0.4	0.6	1.2	0.4	1.7	2.5	3.6	1.9	

TABLE 26.—NUMBER OF DEATHS FROM EACH CAUSE

CAUSE OF DEATH.		UNITED STATES.			REGISTRATION RECORD.						
		Total.	Cities.	Rural.	Total.	Cities.	States.			Registra- tion cities in other states.	
							Total.	Cities.	Rural.		
1	1. General diseases—Continued. General diseases—D	176.3	171.8	179.4	171.2	171.8	170.9	172.1	168.8	171.5	
2	Males.....	157.7	164.7	152.9	160.5	164.7	159.5	168.0	144.6	161.8	
3	Females.....	197.5	180.0	209.0	183.3	180.0	183.4	176.6	195.5	183.2	
4	nemia.....	(M.. 1.8	1.9	1.7	2.3	1.9	2.6	2.0	3.6	1.9	
	(F.. 2.8	3.1	2.5	3.8	3.1	4.3	3.3	6.0	2.9		
5	Diabetes.....	(M.. 5.0	4.4	5.4	5.2	4.4	6.2	5.2	8.1	3.8	
	(F.. 4.3	5.0	3.9	5.4	5.0	6.1	5.7	6.9	4.3		
6	Rheumatism	(M.. 5.0	3.2	6.3	3.6	3.2	3.5	2.8	4.8	3.6	
	(F.. 5.1	4.0	5.9	4.1	4.0	4.2	3.8	4.8	4.1		
7	Scrofula and tabes.....	(M.. 3.2	1.7	4.2	1.8	1.7	1.7	1.4	2.1	2.0	
	(F.. 3.8	2.1	4.9	2.3	2.1	2.0	1.4	3.0	2.8		
8	Hydrocephalus.....	(M.. 4.5	7.0	2.7	6.5	7.0	7.6	9.4	4.5	4.9	
	(F.. 4.2	6.4	2.7	6.0	6.4	7.0	8.4	4.6	4.5		
9	Tuberculosis, general	(M.. 1.3	2.0	0.9	1.9	2.0	2.1	2.3	1.7	1.6	
	(F.. 1.3	1.7	1.0	1.8	1.7	2.0	1.9	2.3	1.4		
10	Consumption.....	(M.. 101.1	115.5	91.4	108.1	115.5	104.8	118.9	80.1	112.6	
	(F.. 119.9	106.1	128.9	104.2	106.1	100.0	101.4	97.4	110.6		
11	Cancer	(M.. 21.6	21.8	21.4	23.6	21.8	24.6	21.1	30.6	22.4	
	(F.. 38.5	42.9	35.6	45.9	42.9	48.8	44.4	56.6	41.5		
12	Tumor.....	(M.. 2.5	2.6	2.4	2.6	2.6	2.5	2.4	2.7	2.7	
	(F.. 4.5	3.7	5.1	4.1	3.7	4.1	3.4	5.5	4.0		
13	Dropsy	(M.. 10.6	3.1	15.6	3.5	3.1	2.6	1.2	5.2	4.7	
	(F.. 12.1	3.6	17.7	4.3	3.6	3.5	1.5	7.0	5.7		
14	Others of this group.....	(M.. 1.1	1.5	0.9	1.4	1.5	1.3	1.3	1.2	1.6	
	(F.. 1.0	1.4	0.8	1.4	1.4	1.4	1.4	1.4	1.4		
15	2. Diseases of the nervous system.....	117.7	116.9	118.3	123.2	116.9	124.7	112.4	146.4	121.0	
16	Males.....	121.0	118.2	122.9	124.7	118.2	125.5	112.3	148.8	123.4	
17	Females.....	114.0	115.3	113.2	121.5	115.3	123.8	112.5	143.7	118.1	
18	Inflammation of the brain	(M.. 6.6	2.1	9.6	2.3	2.1	1.9	1.3	2.9	2.8	
	(F.. 5.9	1.8	8.6	2.0	1.8	1.6	1.0	2.6	2.5		
19	Meningitis	(M.. 20.3	23.9	18.0	22.6	23.9	22.4	24.9	18.0	23.0	
	(F.. 18.4	21.5	16.4	20.3	21.5	19.8	22.0	15.9	21.2		
20	Apoplexy.....	(M.. 27.0	32.4	23.4	36.3	32.4	42.3	37.4	51.0	28.0	
	(F.. 26.9	35.4	21.3	39.4	35.4	46.6	42.6	53.8	28.5		
21	Paralysis	(M.. 22.3	13.4	28.2	16.9	13.4	18.1	11.3	30.0	15.2	
	(F.. 23.0	14.8	28.4	18.1	14.8	18.9	12.6	29.9	16.9		
22	Paralysis, general (of insane)	(M.. 1.8	1.4	2.0	1.5	1.4	1.6	1.4	2.0	1.4	
	(F.. 0.8	0.6	0.9	0.7	0.6	0.9	0.8	1.2	0.5		
23	Tetanus and trismus nascentium	(M.. 2.9	3.8	2.2	3.4	3.8	2.0	2.2	1.7	5.2	
	(F.. 1.6	2.0	1.3	1.7	2.0	0.8	0.8	0.7	3.2		
24	Chorea	(M.. 0.1	0.1	0.1	0.1	0.1	0.2	0.1	0.2	0.1	
	(F.. 0.2	0.2	0.3	0.2	0.2	0.2	0.1	0.4	0.2		
25	Epilepsy.....	(M.. 3.6	2.0	4.7	2.5	2.0	2.8	1.9	4.4	2.1	
	(F.. 3.0	1.9	3.7	2.3	1.9	2.5	2.0	3.6	1.8		
26	Convulsions	(M.. 16.1	21.1	12.7	19.5	21.1	15.2	16.3	13.5	25.4	
	(F.. 14.8	19.7	11.7	17.9	19.7	13.3	14.3	11.4	24.8		
27	Mental diseases.....	(M.. 3.6	3.4	3.8	3.6	3.4	3.7	3.1	4.7	3.6	
	(F.. 3.6	3.9	3.5	4.2	3.9	4.6	4.3	5.1	3.5		
28	Diseases of the brain	(M.. 12.2	10.4	13.4	11.1	10.4	10.4	8.7	13.6	11.9	
	(F.. 10.7	9.3	11.5	9.9	9.3	9.5	8.0	12.1	10.6		
29	Diseases of the spinal cord	(M.. 1.6	1.6	1.7	1.9	1.6	1.9	1.4	2.8	1.8	
	(F.. 1.5	1.6	1.4	1.8	1.6	2.1	1.8	2.5	1.4		
30	Locomotor ataxia	(M.. 1.0	1.3	0.8	1.4	1.3	1.4	1.2	1.6	1.4	
	(F.. 0.4	0.5	0.3	0.5	0.5	0.5	0.5	0.6	0.5		
31	Others of this class	(M.. 1.9	1.3	2.3	1.6	1.3	1.6	1.1	2.4	1.5	
	(F.. 3.2	2.1	3.9	2.5	2.1	2.5	1.7	3.9	2.5		
32	3. Diseases of the circulatory system	75.9	79.0	73.9	85.1	79.0	90.1	80.0	107.7	78.1	
33	Males.....	76.9	77.0	76.9	84.7	77.0	89.7	76.1	113.6	77.8	
34	Females.....	74.7	81.3	70.4	85.6	81.3	90.4	84.3	101.3	78.4	
35	Pericarditis	(M.. 0.8	1.3	0.6	1.3	1.3	1.1	1.1	1.2	1.4	
	(F.. 0.9	1.4	0.6	1.4	1.4	1.2	1.2	1.3	1.6		
36	Diseases of the heart	(M.. 68.8	65.9	70.8	73.2	65.9	78.7	66.3	100.6	65.7	
	(F.. 68.2	72.4	65.4	76.4	72.4	81.4	76.0	91.0	68.9		
37	Angina pectoris	(M.. 3.0	3.2	2.8	3.9	3.2	4.3	3.1	6.4	3.4	
	(F.. 2.5	2.8	2.4	3.3	2.8	3.6	2.7	5.2	2.8		
38	Diseases of the arteries	(M.. 1.5	2.5	0.9	2.4	2.5	2.1	2.0	2.3	2.8	
	(F.. 1.0	1.8	0.4	1.7	1.8	1.5	1.6	1.3	2.0		
39	Aneurism.....	(M.. 1.0	1.5	0.6	1.4	1.5	1.0	1.1	0.7	1.9	
	(F.. 0.5	0.5	0.5	0.5	0.5	0.5	0.4	0.5	0.6		
40	Embolism	(M.. 0.4	0.5	0.3	0.5	0.5	0.6	0.5	0.8	0.4	
	(F.. 0.5	0.8	0.4	0.8	0.8	0.7	0.7	0.8	0.9		
41	Others of this class.....	(M.. 1.4	2.1	0.9	2.0	2.1	1.9	2.0	1.6	2.2	
	(F.. 1.1	1.6	0.7	1.5	1.6	1.6	1.7	1.2	1.6		

PROPORTION OF DEATHS FROM EACH CAUSE.

659

PER 1,000 DEATHS FROM KNOWN CAUSES—Continued.

GRAND GROUP 1.			GRAND GROUP 2.			GRAND GROUP 3.			GRAND GROUP 4.			GRAND GROUP 5.			
Total.	Cities.	Rural.	Total.	Cities.	Rural.	Total.	Cities.	Rural.	Total.	Cities.	Rural.	Total.	Cities.	Rural.	
176.6	175.4	179.6	174.6	173.7	178.2	180.2	167.3	185.5	153.4	169.9	141.1	168.4	165.4	170.0	1
162.8	163.6	160.8	172.7	176.0	159.4	158.7	147.8	163.4	144.3	161.6	131.0	148.6	153.6	146.0	2
191.1	187.5	199.8	176.6	171.0	199.9	202.2	188.7	207.4	164.0	179.9	152.6	188.7	177.1	195.3	3
3.1	2.9	3.4	1.2	1.0	1.9	0.5	0.9	0.4	0.7	0.7	0.7	3.7	2.6	4.3	4
4.9	4.6	5.5	2.3	2.1	2.7	0.7	0.5	0.7	1.5	2.1	1.1	6.0	3.9	7.1	
6.5	5.5	8.6	4.3	4.3	4.4	1.5	1.7	1.3	1.3	1.9	0.8	7.5	7.3	7.7	5
7.2	6.2	9.7	4.6	4.8	3.7	2.8	1.4	3.4	1.5	1.7	1.4	6.0	6.6	5.6	
3.1	2.7	4.0	3.3	3.1	4.0	6.6	3.1	8.1	3.5	2.1	4.7	3.8	2.7	4.3	6
3.8	4.0	3.4	4.0	4.0	4.0	3.3	1.4	3.9	5.0	2.1	7.0	4.1	4.9	3.6	
1.8	1.4	3.0	1.5	1.4	2.2	4.9	3.1	5.7	2.8	2.1	3.3	2.2	2.0	2.2	7
1.7	1.3	2.6	1.4	1.2	2.6	6.0	3.4	7.0	3.6	4.0	3.3	2.9	2.5	3.1	
8.5	10.2	4.7	8.8	10.0	3.9	1.6	3.1	0.9	1.3	2.1	0.8	6.5	8.2	5.6	8
8.3	9.2	6.2	8.0	9.2	3.0	1.9	1.0	2.3	2.2	1.9	2.4	5.2	5.4	5.2	
3.2	2.9	3.8	2.1	2.4	1.1	0.1	-----	0.2	1.9	4.0	0.3	1.8	2.0	1.7	9
3.1	2.9	3.8	1.4	1.4	1.2	0.7	1.9	0.2	0.7	1.3	0.3	1.8	2.0	1.7	
107.2	112.3	95.3	126.2	130.5	108.8	98.2	109.2	93.5	103.9	128.6	84.9	88.9	102.7	81.7	10
102.0	104.6	95.6	108.3	102.9	131.0	125.2	133.7	121.9	108.7	130.0	93.2	98.8	101.0	97.7	
24.3	21.1	31.7	19.2	19.1	19.4	7.9	8.8	7.6	11.7	12.9	10.7	28.2	22.5	31.2	11
52.8	48.7	62.6	38.9	40.1	34.1	22.6	27.0	20.9	24.2	29.0	20.7	54.0	43.5	59.9	
2.4	2.3	2.6	2.0	2.1	1.5	2.4	1.7	2.6	2.3	2.1	2.4	2.4	1.9	2.6	12
4.1	3.6	5.3	3.3	2.8	5.1	4.6	5.3	4.3	3.4	1.9	4.6	4.9	4.4	5.2	
1.4	1.0	2.3	2.8	0.8	11.1	34.5	14.5	43.1	13.8	3.6	21.6	2.5	0.5	3.6	13
1.8	0.9	3.9	3.1	1.0	11.6	33.7	12.1	42.2	12.6	4.8	18.3	3.7	1.7	4.9	
1.3	1.3	1.4	1.3	1.3	1.1	0.5	1.7	-----	1.1	1.5	0.8	1.1	1.2	1.1	14
1.4	1.5	1.2	1.3	1.5	0.9	0.7	1.0	0.6	0.6	1.1	0.3	1.3	1.2	1.3	
126.7	119.0	144.7	108.3	100.8	139.3	91.9	114.2	82.7	102.9	120.4	89.7	136.8	127.2	142.1	15
127.4	119.4	145.6	110.1	100.9	147.5	91.3	119.3	79.3	103.9	121.0	90.6	137.9	124.6	144.9	16
126.0	118.5	143.7	106.3	100.7	129.8	92.4	108.6	86.1	101.7	119.8	88.7	135.7	129.8	139.1	17
1.9	1.5	3.0	1.5	0.7	4.9	5.4	0.4	7.6	5.1	1.4	8.0	2.5	2.4	2.6	18
1.2	1.1	1.3	1.4	0.6	4.9	4.1	1.4	5.1	4.8	1.5	7.1	2.5	1.5	3.1	
25.2	27.4	20.1	21.7	22.4	19.1	8.9	8.4	9.1	13.9	17.4	11.1	23.8	30.8	20.1	19
20.8	21.2	19.8	19.5	20.3	16.2	6.1	4.3	6.8	12.6	17.9	8.8	22.8	31.8	17.8	
43.5	38.9	54.1	35.6	35.0	38.1	12.3	22.4	7.9	15.4	18.7	13.0	47.0	37.1	52.3	20
50.0	45.9	60.0	37.3	37.9	34.9	13.4	24.6	9.0	18.2	25.9	12.6	51.7	48.7	53.3	
17.2	13.2	26.4	14.3	9.1	35.5	21.6	23.7	20.6	13.3	11.9	14.3	22.4	15.0	26.3	21
18.1	15.3	24.9	14.4	10.1	32.4	27.9	20.8	30.7	13.8	11.6	15.5	21.2	14.1	25.2	
1.5	1.0	2.5	1.4	1.1	2.6	0.1	-----	0.2	1.1	1.7	0.5	1.3	0.2	1.9	22
0.9	0.6	1.4	0.8	0.7	1.0	-----	-----	-----	0.6	0.9	0.5	1.2	0.7	1.4	
1.5	1.4	1.7	3.1	2.8	3.9	11.1	25.9	4.7	20.3	29.5	13.1	0.8	1.4	0.5	23
0.4	0.3	0.5	1.4	1.1	2.6	10.4	25.6	4.5	15.7	22.7	10.6	0.4	0.3	0.5	
0.1	0.1	0.2	0.1	0.1	0.2	0.1	-----	0.2	-----	-----	-----	0.2	0.2	0.2	24
0.1	-----	0.2	0.1	0.1	0.2	-----	-----	-----	-----	-----	-----	0.3	0.7	0.1	
2.4	2.1	3.0	2.1	1.4	4.6	3.2	0.4	4.3	2.1	2.1	2.1	3.9	2.0	4.9	25
2.3	2.0	3.0	1.9	1.8	2.5	3.6	1.0	4.7	3.2	2.1	3.9	3.6	2.9	4.0	
14.4	16.0	10.7	16.4	16.1	17.8	13.6	19.3	11.2	9.7	11.8	8.1	13.1	16.8	11.1	26
11.4	12.1	9.7	14.9	14.8	15.2	13.7	17.9	12.1	12.6	13.7	11.9	9.6	11.8	8.3	
4.6	4.2	5.4	2.4	1.7	5.0	2.2	2.6	2.1	1.7	2.1	1.5	4.6	4.6	4.7	27
6.2	6.3	5.7	3.4	2.9	5.3	2.2	2.9	1.9	1.8	2.3	1.4	5.0	4.6	5.2	
10.7	9.5	13.4	8.3	7.5	11.6	10.7	12.7	9.8	16.9	17.8	16.2	12.3	10.4	13.3	28
9.9	9.4	11.2	7.6	6.7	11.6	8.3	7.2	8.7	14.4	16.2	13.1	10.9	8.6	12.2	
1.6	1.4	2.0	1.4	1.3	1.9	0.5	0.4	0.6	1.7	2.6	1.1	1.8	1.0	2.2	29
1.6	1.5	2.0	1.7	1.9	0.6	0.3	0.5	0.2	1.0	2.1	0.2	2.4	2.2	2.5	
1.5	1.6	1.2	1.0	1.0	1.1	0.1	-----	0.2	1.0	1.9	0.3	1.5	1.0	1.7	30
0.4	0.5	0.2	0.4	0.5	0.3	-----	-----	-----	0.2	0.2	0.2	0.8	0.5	1.0	
1.3	1.1	1.9	0.8	0.7	1.2	1.5	3.1	0.8	1.7	2.1	1.3	2.7	1.7	3.1	31
2.7	2.3	3.8	1.5	1.3	2.1	2.4	2.4	2.4	2.8	2.7	2.9	3.3	1.4	4.5	
96.5	88.5	115.1	75.7	73.3	85.6	57.7	61.1	56.4	68.6	80.7	59.6	98.4	80.6	108.1	32
95.7	84.2	122.0	72.8	69.7	85.5	55.9	59.6	54.3	67.4	78.8	58.5	106.1	81.0	119.4	33
97.2	92.9	107.7	79.0	77.4	85.6	59.6	62.7	58.4	70.1	82.9	60.8	90.5	80.2	96.3	34
1.0	1.0	1.1	1.0	1.1	0.5	0.5	0.4	0.6	1.1	1.9	0.4	1.2	1.0	1.4	35
1.1	1.1	0.9	1.1	1.2	0.8	0.3	0.5	0.2	0.8	1.2	0.4	0.9	0.8	0.9	
84.3	73.9	108.1	63.5	59.8	78.2	51.5	51.3	51.6	60.2	67.4	54.6	94.4	73.2	105.7	36
88.3	83.9	98.7	71.3	69.5	78.8	56.2	55.9	56.3	65.5	74.7	58.9	80.5	71.1	85.8	
4.7	3.2	8.1	2.6	2.6	2.5	1.5	2.2	1.1	1.4	1.4	1.5	4.7	2.4	5.9	37
3.6	3.1	4.9	2.4	2.2	3.1	1.5	2.9	0.9	1.2	2.3	0.4	4.9	3.6	5.6	
2.7	2.9	2.3	1.7	1.8	1.5	0.7	2.2	-----	2.1	4.2	0.5	2.0	2.7	1.6	38
2.1	2.4	1.5	1.4	1.5	0.8	0.7	1.9	0.2	1.2	2.3	0.3	1.3	1.7	1.1	
1.0	1.2	0.6	1.4	1.6	0.8	1.2	2.7	0.6	1.4	2.2	0.7	0.7	0.5	0.7	39
0.4	0.5	0.3	0.4	0.3	0.5	0.4	0.5	0.4	0.6	1.1	0.3	0.4	0.2	0.5	
0.6	0.5	0.7	0.4	0.4	0.5	0.1	0.4	-----	0.2	-----	0.4	0.9	0.7	1.0	40
0.8	0.9	0.7	0.5	0.6	0.2	0.1	0.5	-----	0.2	0.2	0.2	0.9	0.8	1.0	
1.4	1.5	1.1	2.2	2.4	1.5	0.4	0.4	0.4	1.0	1.7	0.4	2.2	0.5	3.1	41
0.9	1.0	0.7	1.9	2.1	1.4	0.4	0.5	0.4	0.6	1.1	0.3	1.6	2.0	1.4	

TABLE 26.—NUMBER OF DEATHS FROM EACH CAUSE

CAUSE OF DEATH.		UNITED STATES.			REGISTRATION RECORD.						
		Total.	Cities.	Rural.	Total.	Cities.	States.			Registra- tion cities in other states.	
							Total.	Cities.	Rural.		
1	4. Diseases of the respiratory system.....	154.3	166.0	146.4	158.5	166.0	162.8	180.8	131.0	152.4	
2	Males.....	157.8	166.8	151.7	158.7	166.8	161.7	180.9	128.3	154.5	
3	Females.....	150.3	165.1	140.5	158.3	165.1	163.9	180.8	134.0	150.0	
4	Croup.....	{M.. 12.8	5.9	17.5	5.7	5.9	5.1	5.4	4.7	6.4	
	{F.. 12.1	5.7	16.3	5.5	5.7	4.9	5.0	4.6	6.5		
5	Pneumonia.....	{M.. 110.0	116.8	105.5	110.7	116.8	113.4	128.0	87.8	106.9	
	{F.. 101.8	111.2	95.5	106.9	111.2	111.8	123.4	91.3	99.4		
6	Laryngitis.....	{M.. 0.9	1.2	0.7	1.2	1.2	1.3	1.4	1.2	1.0	
	{F.. 0.8	1.2	0.6	1.1	1.2	1.2	1.3	1.1	1.0		
7	Bronchitis.....	{M.. 18.9	26.7	13.6	25.3	26.7	26.7	39.5	20.1	23.4	
	{F.. 21.8	31.5	15.3	29.7	31.5	31.4	36.0	23.1	27.2		
8	Pleurisy.....	{M.. 3.0	3.1	2.9	2.9	3.1	3.0	3.3	2.4	2.9	
	{F.. 2.6	2.8	2.5	2.6	2.8	2.6	3.0	1.9	2.6		
9	Asthma.....	{M.. 3.2	2.6	3.6	2.4	2.6	1.5	1.3	1.8	3.7	
	{F.. 2.8	2.6	3.0	2.4	2.6	1.6	1.6	1.8	3.7		
10	Others of this class.....	{M.. 9.0	10.5	7.9	10.5	10.5	10.7	11.0	10.3	10.2	
	{F.. 8.4	10.1	7.3	10.1	10.1	10.4	10.5	10.2	9.6		
11	5. Diseases of the digestive system.....	60.3	54.8	64.0	55.9	54.8	54.2	51.1	59.6	58.3	
12	Males.....	59.3	52.4	64.0	53.5	52.4	52.0	48.7	57.7	55.7	
13	Females.....	61.4	57.7	63.9	58.6	57.7	56.6	53.6	61.8	61.6	
14	Dentition.....	{M.. 2.6	1.7	3.2	1.5	1.7	1.1	1.5	0.5	1.9	
	{F.. 2.7	1.8	3.3	1.5	1.8	1.3	1.6	0.6	1.9		
15	Angina.....	{M.. 1.3	0.6	1.8	0.8	0.6	0.7	0.5	1.1	0.8	
	{F.. 1.5	0.7	2.0	0.8	0.7	0.7	0.5	1.0	0.9		
16	Gastritis.....	{M.. 7.6	7.0	8.1	7.4	7.0	7.1	6.1	8.8	7.8	
	{F.. 9.2	9.2	9.1	9.5	9.2	9.4	8.6	10.8	9.7		
17	Diseases of the stomach.....	{M.. 5.1	2.8	6.6	3.0	2.8	3.1	2.6	3.9	3.0	
	{F.. 5.2	2.5	7.0	2.8	2.5	2.9	2.4	3.8	2.6		
18	Obstruction of the bowels.....	{M.. 3.6	4.1	3.2	4.2	4.1	4.2	3.9	4.7	4.1	
	{F.. 4.0	5.1	3.2	5.1	5.1	4.9	5.0	4.9	5.3		
19	Appendicitis.....	{M.. 6.2	6.8	5.8	6.6	6.8	6.2	6.3	6.0	7.2	
	{F.. 3.9	4.6	3.4	4.5	4.6	4.2	4.3	4.0	4.9		
20	Hernia.....	{M.. 2.2	2.0	2.3	2.1	2.0	2.3	2.1	2.6	1.9	
	{F.. 1.8	2.1	1.6	2.1	2.1	2.1	2.1	2.3	2.1		
21	Other diseases of the bowels.....	{M.. 3.4	1.3	4.9	1.4	1.3	1.3	1.0	2.0	1.5	
	{F.. 3.2	1.4	4.4	1.5	1.4	1.3	1.0	1.8	1.8		
22	Jaundice.....	{M.. 2.6	1.9	3.0	1.9	1.9	1.9	1.6	2.3	2.1	
	{F.. 2.4	1.8	2.8	1.9	1.8	1.8	1.4	2.3	2.2		
23	Inflammation and abscess of the liver.....	{M.. 2.9	2.6	3.1	2.5	2.6	2.1	2.1	2.1	3.1	
	{F.. 2.9	2.4	3.3	2.5	2.4	2.4	2.1	2.9	2.6		
24	Other diseases of the liver.....	{M.. 7.9	9.9	6.6	9.9	9.9	10.0	10.0	9.9	9.9	
	{F.. 5.6	6.7	4.9	6.8	6.7	7.0	6.9	7.2	6.4		
25	Peritonitis.....	{M.. 5.4	6.7	4.5	6.8	6.7	6.4	6.0	7.2	7.3	
	{F.. 9.9	13.6	7.5	13.4	13.6	12.2	11.9	12.7	15.3		
26	Ascites.....	{M.. 1.2	0.3	1.8	0.3	0.3	0.2	0.1	0.4	0.5	
	{F.. 1.4	0.5	2.1	0.5	0.5	0.4	0.3	0.6	0.7		
27	Others of this class.....	{M.. 7.3	4.7	9.1	5.1	4.7	5.4	4.9	6.2	4.6	
	{F.. 7.7	5.3	9.3	5.7	5.3	6.0	5.5	6.9	5.2		
28	6. Diseases of the urinary system and male organs of generation.....	45.0	58.2	36.2	58.0	58.2	61.1	63.3	57.3	53.5	
29	Males.....	52.6	62.3	46.0	63.5	62.3	67.3	66.7	68.3	58.4	
30	Females.....	36.5	53.5	25.2	51.7	53.5	54.3	59.6	45.1	47.7	
31	Bright's disease.....	{M.. 35.8	46.1	28.9	45.8	46.1	49.5	52.2	44.8	40.8	
	{F.. 28.2	43.2	18.1	41.6	43.2	45.3	50.7	35.7	36.1		
32	Calculus, urinary.....	{M.. 0.7	0.4	0.8	0.4	0.4	0.4	0.3	0.5	0.4	
	{F.. 0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.1	0.1		
33	Diseases of the kidney.....	{M.. 5.6	3.8	6.7	4.0	3.8	4.4	4.1	4.8	3.5	
	{F.. 3.4	3.2	3.6	3.2	3.2	3.1	3.1	3.3	3.4		
34	Diseases of the bladder.....	{M.. 4.1	3.7	4.4	4.7	3.7	5.7	4.1	8.5	3.4	
	{F.. 0.6	0.7	0.6	0.8	0.7	0.8	0.7	1.0	0.7		
35	Others of this class.....	{M.. 6.4	8.3	5.2	8.6	8.3	7.3	6.0	9.7	10.3	
	{F.. 4.1	6.2	2.7	5.9	6.2	4.9	4.9	5.0	7.4		
36	7. Diseases of the female organs of generation.....	6.9	8.1	6.2	7.6	8.1	7.2	7.9	5.9	8.3	
37	Ovarian tumors.....	1.0	1.1	0.9	1.2	1.1	1.3	1.2	1.3	1.1	
38	Ovarian diseases.....	0.3	0.5	0.2	0.4	0.5	0.4	0.5	0.2	0.5	
39	Diseases of the tubes.....	0.7	1.6	0.2	1.3	1.6	1.1	1.6	0.3	1.6	
40	Uterine tumors.....	1.4	2.1	1.0	2.0	2.1	2.0	2.1	1.8	2.0	
41	Uterine diseases.....	0.9	0.5	1.1	0.5	0.5	0.5	0.5	0.5	0.5	
42	Others of this class.....	2.6	2.3	2.8	2.2	2.3	1.9	2.0	1.8	2.6	

PROPORTION OF DEATHS FROM EACH CAUSE.

661

PER 1,000 DEATHS FROM KNOWN CAUSES—Continued.

GRAND GROUP 1.			GRAND GROUP 2.			GRAND GROUP 3.			GRAND GROUP 4.			GRAND GROUP 5.			
Total.	Cities.	Rural.	Total.	Cities.	Rural.	Total.	Cities.	Rural.	Total.	Cities.	Rural.	Total.	Cities.	Rural.	
155.3	161.5	140.6	188.4	199.8	141.3	122.2	106.1	128.7	115.9	112.9	118.1	141.6	147.9	138.2	1
154.8	162.3	137.5	187.9	199.6	140.8	138.9	114.9	149.3	122.9	115.6	128.6	138.7	147.3	134.2	2
155.8	160.8	143.9	188.8	200.1	141.9	105.0	96.5	108.3	107.6	109.6	106.2	144.6	148.5	142.4	3
4.7	4.7	4.9	6.2	5.6	8.6	6.9	0.4	9.7	8.4	1.4	13.8	5.0	5.5	4.7	4
4.6	4.0	5.9	5.9	5.4	8.2	7.6	0.5	10.3	7.2	1.5	11.4	4.8	5.7	4.4	
107.1	112.1	95.5	136.3	144.6	102.5	102.2	78.9	112.2	86.7	81.4	90.9	97.6	102.3	95.0	5
106.7	110.2	98.6	132.6	140.3	100.6	72.1	61.8	76.1	72.8	72.6	72.9	101.3	102.2	100.8	
1.4	1.4	1.3	1.2	1.2	1.2	0.4	0.9	0.2	0.5	0.5	0.5	0.8	0.7	0.9	6
1.3	1.4	1.1	1.1	1.1	1.2	0.4	1.0	0.2	0.4	-----	0.8	0.8	0.7	0.9	
28.3	30.8	22.6	28.4	31.8	14.8	9.6	17.1	6.4	15.2	21.9	10.0	21.7	25.0	20.0	7
30.5	32.6	25.5	34.3	37.9	19.0	11.6	19.3	8.7	17.3	26.9	10.3	25.6	28.1	24.2	
3.2	3.1	3.3	3.4	3.6	2.5	6.5	0.9	8.9	3.5	2.6	4.2	2.4	2.7	2.2	8
2.2	2.3	1.9	3.1	3.5	1.6	4.2	1.4	5.3	2.7	1.5	3.5	2.1	2.9	1.6	
1.6	1.6	1.6	1.4	1.2	2.1	6.3	5.7	6.6	2.6	2.4	2.7	1.7	1.9	1.6	9
1.4	1.3	1.6	1.9	1.7	2.8	4.6	5.8	4.1	3.0	3.1	2.9	1.3	1.0	1.4	
8.5	8.6	8.3	11.0	11.6	9.1	7.0	11.0	5.3	6.0	5.4	6.5	9.5	9.2	9.8	10
9.1	9.0	9.3	9.9	10.2	8.5	4.5	6.7	3.6	4.2	4.0	4.4	8.7	7.9	9.1	
47.6	48.2	46.2	50.0	48.9	54.3	62.3	50.6	67.1	56.2	45.7	64.0	52.6	49.3	54.4	11
45.6	47.0	42.5	46.9	46.0	50.6	64.4	50.9	70.2	56.1	48.1	62.3	51.2	46.8	53.6	12
49.7	49.5	50.1	53.4	52.2	58.5	60.2	50.2	64.0	56.2	42.7	66.0	54.0	51.8	55.2	13
1.0	1.1	0.6	2.3	2.0	3.5	8.3	5.3	9.6	6.1	5.4	6.7	0.9	1.2	0.8	14
0.9	1.3	0.1	2.5	2.4	2.9	8.0	8.2	7.9	7.3	4.9	9.1	0.6	0.3	0.8	
0.5	0.4	0.6	0.6	0.4	1.4	1.2	0.9	1.3	1.4	0.2	2.4	1.2	0.9	1.4	15
0.7	0.7	0.5	0.5	0.4	1.2	1.4	-----	1.9	2.6	0.2	4.4	0.9	0.2	1.3	
5.5	5.4	5.8	6.9	6.2	9.7	6.0	6.6	5.7	4.8	4.8	4.7	6.8	5.1	7.7	16
8.1	7.7	9.1	9.1	8.9	10.3	7.0	5.8	7.5	5.6	4.6	6.2	8.2	8.0	8.4	
2.6	2.5	2.7	2.6	2.4	3.5	1.6	1.3	1.7	3.1	1.7	4.1	2.9	2.2	3.3	17
2.8	2.7	3.1	2.4	2.1	3.7	2.0	1.0	2.4	1.6	1.5	1.7	3.8	2.9	4.3	
4.2	4.3	3.7	3.0	3.2	1.9	2.2	1.3	2.6	2.8	3.6	2.1	4.0	3.9	4.0	18
4.7	4.7	4.9	4.7	4.8	4.0	1.4	2.9	0.8	3.4	4.0	3.0	4.7	4.2	4.9	
5.3	5.9	3.9	5.5	6.1	3.1	3.4	3.9	3.2	2.9	2.6	3.1	7.1	7.3	7.0	19
2.9	3.0	2.5	4.6	4.8	4.0	2.2	3.8	1.5	1.7	1.7	1.7	3.7	3.6	3.7	
1.7	1.6	2.1	2.3	2.3	2.4	2.8	3.9	2.3	1.7	1.7	1.6	2.5	2.7	2.4	20
2.3	2.2	2.4	2.1	2.3	1.2	0.4	0.5	0.4	1.0	0.8	1.1	1.5	1.5	1.4	
1.3	1.0	1.8	1.0	0.7	2.4	6.0	1.8	7.8	3.8	1.0	5.9	1.1	1.0	1.2	21
1.0	1.0	1.1	1.2	0.9	2.1	6.2	0.5	8.5	4.3	1.3	6.5	1.3	1.2	1.3	
1.6	1.5	1.9	1.6	1.5	2.2	2.9	2.2	3.2	2.4	1.4	3.2	1.8	1.4	2.0	22
1.4	1.1	2.0	1.6	1.5	1.7	3.0	3.4	2.8	2.4	0.6	3.7	1.9	1.9	2.0	
2.4	2.6	2.0	1.8	1.9	1.4	2.9	0.9	3.8	6.4	7.6	5.5	1.7	2.2	1.4	23
2.0	1.6	3.0	2.2	2.3	1.9	1.6	1.0	1.9	5.4	4.6	5.9	2.1	1.5	2.5	
8.3	8.3	8.2	10.1	10.8	7.2	5.4	6.6	4.9	8.9	9.9	8.2	7.8	7.3	8.0	24
5.6	5.4	6.1	6.9	7.1	5.9	4.5	4.3	4.5	5.0	5.7	4.6	6.1	7.1	5.5	
5.9	6.2	5.5	4.6	4.6	4.6	1.9	4.8	0.6	3.5	5.2	2.3	7.8	7.3	8.0	25
10.8	11.1	10.0	9.5	9.4	10.4	3.7	8.7	1.7	6.1	8.8	4.1	12.8	14.5	11.8	
0.1	0.1	0.3	0.3	0.1	1.0	2.6	0.9	3.4	2.0	0.9	2.9	0.3	0.2	0.4	26
0.6	0.5	0.8	0.4	0.2	1.1	2.8	1.0	3.6	2.1	0.8	3.0	0.8	0.8	0.8	
5.2	6.1	3.4	4.3	3.8	6.3	17.2	10.5	20.1	6.3	2.1	9.6	5.3	4.1	6.0	27
5.9	6.5	4.5	5.7	5.1	8.1	16.0	9.1	18.6	7.7	3.2	11.0	5.6	4.1	6.5	
53.4	50.0	61.5	68.2	72.3	51.4	38.1	81.6	20.2	43.0	63.9	27.4	56.0	55.5	56.3	28
61.2	55.3	74.7	71.3	74.1	59.9	46.5	90.4	27.6	47.6	66.2	33.1	65.4	60.9	67.8	29
45.3	44.5	47.3	64.7	70.2	41.7	29.4	71.9	12.8	37.7	61.0	20.8	46.2	50.1	44.1	30
42.8	38.7	52.0	58.9	62.5	44.1	31.4	72.8	13.6	35.5	53.1	21.9	43.2	42.7	43.5	31
37.2	36.5	38.9	56.6	62.1	33.6	23.6	63.7	7.9	31.2	53.5	15.2	36.9	39.6	35.3	
0.3	0.4	0.3	0.3	0.3	0.7	1.9	0.4	2.5	0.8	0.7	0.9	0.3	0.7	0.1	32
0.1	0.1	0.1	0.2	0.2	0.1	0.3	-----	0.4	0.1	0.2	-----	0.2	0.3	0.2	
4.4	4.2	4.7	4.5	4.4	4.7	6.6	7.5	6.2	3.8	2.4	4.8	4.0	2.7	4.7	33
2.6	2.4	3.0	3.5	3.4	3.9	3.2	3.4	3.2	2.5	2.7	2.3	3.0	3.7	2.7	
6.7	5.6	9.3	2.9	2.6	4.4	2.6	1.3	3.2	2.0	1.5	2.3	8.1	6.1	9.1	34
0.9	0.9	0.9	0.5	0.5	0.7	0.5	1.4	0.2	0.3	-----	0.4	1.0	0.7	1.1	
7.0	6.4	8.4	4.7	4.3	6.0	4.0	8.4	2.1	5.5	8.5	3.2	9.8	8.7	10.4	35
4.5	4.6	4.4	3.9	4.0	3.4	1.8	3.4	1.1	3.6	4.6	2.9	5.1	5.8	4.8	
6.4	7.1	4.7	6.9	7.7	3.7	6.0	3.4	7.0	7.7	6.5	8.5	5.4	5.9	5.0	36
1.1	1.1	1.0	1.2	1.2	1.0	0.3	-----	0.4	0.7	0.8	0.6	1.0	0.9	1.1	37
0.2	0.2	0.2	0.4	0.5	-----	0.1	-----	0.2	0.1	-----	0.2	0.3	0.3	0.2	38
0.9	1.3	0.1	1.6	1.9	0.2	-----	-----	-----	0.8	1.3	0.4	0.5	1.2	0.1	39
2.0	1.9	2.1	1.6	1.9	0.7	0.7	1.9	0.2	1.4	2.1	0.9	1.7	1.7	1.7	40
0.4	0.5	0.2	0.5	0.5	0.7	2.2	0.5	2.8	1.9	0.8	2.6	0.4	0.3	0.4	41
1.8	2.1	1.1	1.6	1.7	1.1	2.7	1.0	3.4	2.8	1.5	3.8	1.5	1.5	1.5	42

PROPORTION OF DEATHS FROM EACH CAUSE.

663

PER 1,000 DEATHS FROM KNOWN CAUSES—Continued.

GRAND GROUP 1.			GRAND GROUP 2.			GRAND GROUP 3.			GRAND GROUP 4.			GRAND GROUP 5.			
Total.	Cities.	Rural.	Total.	Cities.	Rural.	Total.	Cities.	Rural.	Total.	Cities.	Rural.	Total.	Cities.	Rural.	
11.8	12.1	10.9	18.0	17.3	20.6	36.6	20.3	42.9	29.6	15.8	39.6	16.0	14.0	17.0	1
0.7	0.7	0.5	1.2	1.3	0.9	0.9	0.5	1.1	1.1	0.4	1.7	0.7	0.5	0.8	2
3.0	2.9	3.2	5.4	3.7	12.4	26.0	7.2	33.3	16.6	3.0	26.5	4.9	3.7	5.5	3
4.9	5.1	4.6	7.5	8.2	4.3	5.6	3.9	6.2	8.1	8.2	8.1	5.4	4.9	5.7	4
0.6	0.8	0.1	0.6	0.7	-----	0.3	-----	0.4	0.4	0.4	0.3	0.4	0.7	0.3	5
2.6	2.6	2.5	3.3	3.4	3.0	3.8	8.7	1.9	3.4	3.8	3.0	4.6	4.2	4.7	6
2.5	2.3	2.7	2.1	2.1	2.2	2.2	1.4	2.5	1.5	1.5	1.5	2.5	2.4	2.5	7
2.9	2.9	3.1	2.2	2.1	2.2	1.6	0.9	1.9	1.5	1.9	1.2	2.6	3.4	2.2	8
2.0	1.8	2.4	2.1	2.1	2.1	2.8	1.9	3.2	1.5	1.1	1.8	2.3	1.4	2.9	9
1.0	0.9	1.2	0.7	0.5	1.1	0.8	0.5	0.9	0.7	0.5	0.8	1.0	1.2	0.9	10
0.6	0.5	0.9	0.7	0.6	1.2	1.8	0.5	2.2	0.7	-----	1.2	1.1	0.7	1.3	
0.1	0.2	-----	0.1	0.1	0.1	0.1	-----	0.2	0.2	0.3	-----	0.2	0.3	0.2	11
0.2	0.1	0.3	0.1	0.1	-----	-----	-----	-----	-----	-----	-----	0.2	-----	0.3	
1.1	1.3	0.7	0.9	1.0	0.5	0.3	-----	0.4	0.3	0.5	0.1	0.7	1.0	0.5	12
0.6	0.6	0.6	0.7	0.7	0.3	0.5	1.4	0.2	0.3	0.4	0.3	0.5	0.2	0.8	
0.4	0.3	0.5	0.2	0.2	0.3	0.1	0.4	-----	0.2	0.4	0.1	0.4	0.2	0.5	13
0.1	0.1	0.2	0.2	0.3	0.1	0.1	-----	0.2	0.2	0.2	0.2	-----	-----	-----	
0.3	0.2	0.7	0.3	0.3	0.2	0.3	-----	0.4	0.1	0.2	0.2	0.3	0.7	0.1	14
0.5	0.5	0.4	0.4	0.4	0.5	0.4	-----	0.6	0.3	0.5	0.1	0.5	0.5	0.5	
1.8	1.9	1.6	1.6	1.6	1.5	3.4	2.5	3.8	2.8	1.6	3.6	2.1	1.7	2.3	15
2.0	2.0	2.0	1.7	1.7	1.7	3.3	2.2	3.8	3.5	2.1	4.7	1.9	1.2	2.3	16
1.6	1.7	1.2	1.5	1.6	1.2	3.5	2.9	3.8	1.9	1.1	2.4	2.2	2.2	2.3	17
1.1	1.3	0.7	0.9	0.9	0.8	1.6	1.8	1.5	1.0	0.2	1.6	1.1	0.5	1.4	18
0.6	0.6	0.6	0.8	0.9	0.7	1.8	1.4	1.9	0.5	0.2	0.8	1.3	1.2	1.3	
0.3	0.2	0.5	0.3	0.3	0.3	0.1	-----	0.2	1.1	1.0	1.2	0.2	0.2	0.3	19
0.1	0.2	-----	0.1	0.1	-----	0.5	0.5	0.6	0.3	0.2	0.3	0.1	0.2	0.1	
0.6	0.5	0.8	0.5	0.5	0.6	1.6	0.4	2.1	1.4	0.9	1.9	0.6	0.5	0.6	20
0.9	0.9	0.6	0.6	0.6	0.5	1.2	1.0	1.3	1.1	0.7	1.3	0.8	0.8	0.9	
0.8	0.8	0.8	0.5	0.5	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.7	0.5	0.7	21
0.9	0.9	0.8	0.4	0.5	0.1	-----	-----	-----	0.2	0.3	0.1	0.5	0.7	0.4	22
0.7	0.7	0.8	0.6	0.6	0.3	0.4	0.5	0.4	0.2	-----	0.3	0.9	0.3	1.1	
0.3	0.3	0.1	0.1	0.2	-----	-----	-----	-----	-----	-----	-----	0.3	0.7	0.2	24
0.3	0.2	0.4	0.2	0.2	-----	0.1	-----	0.2	-----	-----	-----	0.2	-----	0.3	
-----	-----	0.1	-----	-----	-----	-----	-----	-----	-----	-----	-----	0.1	-----	0.1	25
0.2	0.2	0.2	-----	-----	-----	-----	-----	-----	0.2	-----	0.3	0.3	0.2	0.3	
0.6	0.6	0.6	0.3	0.3	0.1	-----	-----	-----	0.2	0.3	0.1	0.1	-----	0.1	26
0.2	0.3	0.2	0.4	0.4	0.3	0.3	0.5	0.2	-----	-----	-----	0.4	0.1	0.5	
43.9	43.0	45.9	46.0	43.9	54.6	60.7	54.2	63.3	62.0	52.3	69.3	48.4	45.0	50.2	27
62.6	62.0	64.1	64.6	61.5	76.9	82.5	77.6	84.6	87.1	74.8	96.6	67.9	63.7	70.1	28
24.3	23.5	26.3	25.0	24.0	28.9	38.3	28.5	42.2	32.6	24.8	38.2	28.2	26.6	29.1	29
3.3	3.6	2.7	4.4	4.2	5.4	12.6	7.9	14.6	5.8	2.9	8.0	3.3	3.4	3.2	30
4.6	5.1	3.6	7.3	7.0	8.9	16.9	12.6	18.6	11.3	8.6	13.2	5.7	7.6	4.7	
11.3	10.0	14.4	11.0	9.4	17.5	15.2	12.7	16.3	14.9	13.8	15.8	12.2	9.4	13.6	31
1.4	0.8	2.6	1.1	0.8	2.2	2.6	1.4	3.0	2.3	2.1	2.4	1.9	2.2	1.8	
0.6	0.3	1.3	0.5	0.2	1.5	2.6	1.8	3.0	1.8	0.7	2.7	0.9	0.9	1.0	32
0.2	0.3	0.1	0.3	0.2	0.7	3.7	2.9	3.9	1.7	0.9	2.3	0.7	0.2	0.9	
1.4	1.1	1.9	3.0	2.4	5.2	12.3	13.6	11.7	16.6	14.3	18.4	2.7	1.2	3.5	33
0.2	0.2	0.4	0.5	0.5	0.7	1.6	1.4	1.7	2.6	1.9	3.0	0.6	0.2	0.8	
0.5	0.5	0.6	1.4	1.4	1.5	4.9	3.5	5.5	5.0	1.4	7.9	0.5	0.7	0.5	34
0.4	0.3	0.5	0.6	0.6	0.2	0.9	0.5	1.1	0.8	0.2	1.2	0.3	0.2	0.4	
0.2	0.2	-----	0.1	0.1	0.1	-----	-----	-----	0.1	-----	0.1	-----	-----	-----	35
0.1	-----	0.1	-----	-----	-----	-----	-----	-----	-----	-----	-----	0.2	0.2	0.3	
0.3	0.3	0.2	0.1	-----	0.4	0.7	-----	0.9	0.8	0.5	0.9	0.2	0.2	0.3	36
9.3	8.7	10.6	6.8	5.9	10.4	5.7	9.2	4.2	8.8	9.5	8.3	9.9	10.5	9.5	37
1.0	0.9	1.3	1.0	0.8	1.6	0.7	1.0	0.6	1.8	2.3	1.5	0.7	1.2	0.5	
2.7	3.0	2.1	2.3	2.2	2.9	3.3	2.6	3.6	2.2	2.1	2.3	2.7	3.6	2.2	38
2.0	2.2	1.6	1.9	1.6	2.9	1.8	1.4	1.9	1.3	0.6	1.8	2.1	2.2	2.0	
2.4	2.3	2.8	2.4	2.5	1.9	0.4	1.3	-----	2.0	3.5	0.8	2.5	3.1	2.2	39
0.2	0.2	0.2	0.2	0.2	0.1	-----	-----	-----	0.1	-----	0.2	0.2	0.3	0.1	
0.6	0.3	1.2	0.1	0.1	0.2	0.1	-----	0.2	0.4	0.7	0.1	0.5	0.7	0.4	40
0.5	0.4	0.7	0.1	0.1	0.2	-----	-----	-----	0.1	0.2	-----	0.3	0.3	0.3	
1.4	1.6	1.0	2.5	2.9	0.8	0.1	0.4	-----	1.4	2.6	0.4	0.5	0.3	0.6	41
0.7	0.8	0.4	1.6	1.9	0.3	0.1	0.5	-----	0.4	0.4	0.5	1.0	0.7	1.2	
4.1	3.8	4.7	3.1	3.2	2.7	0.4	0.4	0.4	1.7	1.9	1.5	4.0	3.2	4.4	42
1.3	1.2	1.5	1.0	0.9	1.1	0.1	-----	0.2	0.3	0.2	0.3	1.2	0.7	1.5	
0.3	0.2	0.6	1.6	1.8	1.1	1.7	2.7	1.3	2.0	2.8	1.5	0.5	0.3	0.5	43
0.1	0.1	0.2	0.9	1.0	0.6	0.3	0.5	0.2	0.8	1.3	0.5	0.1	0.2	-----	
0.2	0.2	0.2	0.3	0.3	0.4	0.1	-----	0.2	0.5	0.3	0.7	0.3	0.5	0.2	44
0.9	0.9	0.8	0.4	0.5	0.3	0.1	-----	0.2	0.8	0.9	0.8	0.4	0.3	0.4	
1.1	1.2	0.8	1.2	1.3	0.6	1.5	2.2	1.1	1.4	1.7	1.2	0.8	1.0	0.7	45
-----	-----	-----	0.2	0.3	-----	0.5	0.5	0.6	0.4	0.4	0.3	0.1	-----	0.1	
22.9	24.7	19.0	23.8	23.6	24.3	20.9	19.3	21.6	21.7	16.1	26.0	26.4	24.7	27.3	46
10.7	10.1	12.3	7.9	7.6	9.1	9.0	5.8	10.2	7.9	4.8	10.2	12.7	10.1	14.1	

VITAL STATISTICS.

TABLE 26.—NUMBER OF DEATHS FROM EACH CAUSE

CAUSE OF DEATH.		GRAND GROUP 6.			GRAND GROUP 7.			GRAND GROUP 8.		
		Total.	Cities.	Rural.	Total.	Cities.	Rural.	Total.	Cities.	Rural.
1	1. General diseases.									
2	General diseases—A	183.7	183.3	183.9	179.1	184.3	168.6	179.1	172.9	186.3
3	Males.....	176.1	176.8	175.7	171.5	177.3	159.6	174.3	169.6	179.7
4	Females.....	192.8	190.7	193.9	188.4	192.6	179.6	184.5	176.5	193.5
5	Measles..... (M..)	8.3	5.6	9.6	7.5	7.9	6.7	8.4	8.1	8.7
6	 (F..)	9.8	6.7	11.5	9.9	10.3	8.9	8.5	8.1	8.9
7	Scarlet fever..... (M..)	10.2	12.2	9.3	10.3	11.2	8.4	5.3	5.5	5.0
8	 (F..)	12.7	16.4	10.8	11.8	12.7	9.8	5.8	6.5	5.1
9	Diphtheria..... (M..)	24.4	30.1	21.6	20.4	24.7	11.6	21.3	27.6	14.0
10	 (F..)	31.1	32.9	30.1	26.5	32.5	13.9	23.6	30.0	16.4
11	Whooping cough..... (M..)	7.7	7.0	8.1	5.3	4.5	6.9	6.6	5.6	7.8
12	 (F..)	10.9	8.7	12.0	6.6	5.7	8.4	7.9	7.0	8.8
13	Malarial fever..... (M..)	2.8	2.4	3.0	2.2	1.6	3.3	4.4	2.2	6.9
14	 (F..)	2.3	1.7	2.6	2.3	1.3	4.3	5.8	2.4	9.7
15	Influenza..... (M..)	11.6	8.4	13.2	7.3	4.6	12.9	13.4	9.0	18.6
16	 (F..)	17.0	13.5	18.8	10.3	6.7	17.6	19.1	13.0	26.0
17	Typhoid fever..... (M..)	25.5	21.9	27.3	20.3	20.2	20.6	36.5	32.2	41.4
18	 (F..)	21.5	16.4	24.1	18.9	17.7	21.5	32.1	25.5	39.4
19	Cholera morbus..... (M..)	7.4	4.9	8.5	4.9	3.2	8.1	5.0	3.7	6.5
20	 (F..)	7.3	4.8	8.6	5.2	3.5	8.8	5.7	4.8	6.6
21	Colitis..... (M..)	0.9	0.7	1.0	1.8	1.8	1.9	1.6	2.0	1.1
22	 (F..)	1.1	2.0	0.6	1.7	1.4	2.3	1.5	1.9	1.1
23	Diarrhea..... (M..)	6.3	4.3	7.4	6.0	5.0	8.1	7.5	6.6	8.4
24	 (F..)	5.6	4.0	6.4	6.3	5.4	8.4	7.3	6.8	8.0
25	Dysentery..... (M..)	6.0	5.6	6.2	4.2	3.8	4.9	7.8	3.6	12.8
26	 (F..)	7.1	5.3	8.1	4.6	3.4	7.2	9.0	4.8	13.7
27	Enteritis..... (M..)	11.8	20.3	7.6	31.0	39.2	14.4	16.9	25.7	6.7
28	 (F..)	13.5	24.7	7.7	32.5	40.3	16.3	17.2	26.0	7.3
29	Cholera infantum..... (M..)	32.9	33.8	32.5	31.0	32.1	28.7	22.4	22.5	22.2
30	 (F..)	34.5	34.8	34.4	32.5	33.9	29.8	21.7	22.6	20.7
31	Fever..... (M..)	0.3	0.1	0.3	0.3	0.2	0.4	0.9	0.1	2.0
32	 (F..)	0.2		0.3	0.6	0.4	1.0	1.0	0.1	1.9
33	Cerebro-spinal fever..... (M..)	4.6	4.9	4.4	4.0	2.9	6.4	2.7	2.5	2.9
34	 (F..)	3.8	4.3	3.5	3.4	2.3	5.8	2.7	2.5	3.0
35	Smallpox..... (M..)	0.4	0.3	0.4	0.3	0.3	0.4	0.7	0.1	1.4
36	 (F..)	0.1		0.2	0.3	0.3	0.3	0.7	0.1	1.4
37	Erysipelas..... (M..)	3.9	4.3	3.7	3.2	3.0	3.4	2.8	3.1	2.4
38	 (F..)	2.9	2.2	3.3	2.1	2.3	1.7	2.4	2.6	2.2
39	Septicemia..... (M..)	5.8	6.2	5.7	5.1	4.7	6.0	5.5	5.3	5.8
40	 (F..)	7.4	7.6	7.3	7.1	5.9	9.5	8.1	7.5	8.8
41	Venereal diseases..... (M..)	0.7	0.9	0.5	2.9	3.9	1.0	1.1	1.4	0.8
42	 (F..)	0.3		0.4	3.0	4.1	0.7	0.8	1.0	0.6
43	Others of this group..... (M..)	4.6	2.9	5.4	3.5	2.5	5.5	3.5	2.8	4.3
44	 (F..)	3.7	4.7	3.2	2.8	2.5	3.4	3.6	3.3	3.9
45	General diseases—B	15.8	22.3	12.6	28.2	33.5	17.6	17.1	22.6	10.7
46	Males.....	17.0	23.7	13.8	31.5	37.4	19.6	19.7	25.2	13.4
47	Females.....	14.3	20.6	11.1	24.3	28.7	15.1	14.2	19.8	7.9
48	Alcoholism..... (M..)	3.5	4.3	3.1	6.6	8.0	3.8	4.8	6.1	3.4
49	 (F..)	0.6	0.8	0.5	1.2	1.4	0.7	0.9	1.4	0.4
50	Parasitic diseases..... (M..)	0.2	0.3	0.2	0.1	0.1	0.3	0.3		0.6
51	 (F..)	0.2	0.1	0.2	0.1		0.2	0.4		0.7
52	Lead poison..... (M..)	0.2	0.1	0.2	0.1		0.1	0.2	0.2	0.1
53	 (F..)					0.1		0.1	0.2	
54	Other poisons..... (M..)	2.4	2.5	2.4	3.2	3.0	3.8	3.2	3.3	3.1
55	 (F..)	2.2	3.1	1.8	2.7	2.5	3.2	1.9	2.4	1.3
56	Inanition..... (M..)	10.7	16.5	7.9	21.5	26.3	11.6	11.2	15.6	6.2
57	 (F..)	11.3	16.6	8.6	20.3	24.7	11.0	10.9	15.8	5.5
58	General diseases—C	69.9	86.5	61.7	72.0	64.2	87.7	84.4	96.5	70.6
59	Males.....	66.2	80.1	59.5	66.6	57.5	84.9	80.8	90.7	69.5
60	Females.....	74.3	93.9	64.3	78.4	72.3	91.3	88.3	103.0	71.8
61	Old age..... (M..)	25.7	17.5	29.7	27.6	18.4	46.4	31.3	21.1	43.1
62	 (F..)	32.8	30.6	33.9	38.2	30.0	55.3	43.3	39.5	47.7
63	Premature birth..... (M..)	12.9	21.3	8.9	17.9	17.6	18.3	18.0	25.2	9.8
64	 (F..)	12.7	19.1	9.5	16.8	18.0	14.2	14.7	20.7	7.9
65	Malformation..... (M..)	2.5	2.1	2.6	3.9	3.7	4.2	3.1	3.1	3.0
66	 (F..)	2.5	2.2	2.7	4.4	3.9	5.7	2.4	2.2	2.5
67	Debility and atrophy..... (M..)	23.2	37.6	16.2	14.7	15.5	13.1	26.6	39.3	12.1
68	 (F..)	24.3	38.9	16.8	16.7	18.2	13.6	26.4	38.9	12.4
69	Others of this group..... (M..)	1.9	1.6	2.1	2.5	2.3	2.9	1.8	2.0	1.5
70	 (F..)	2.0	3.1	1.4	2.3	2.2	2.5	1.5	1.7	1.3

1 No cities.

PROPORTION OF DEATHS FROM EACH CAUSE.

665

PER 1,000 DEATHS FROM KNOWN CAUSES—Continued.

GRAND GROUP 9.			GRAND GROUP 10.			GRAND GROUP 11. ¹			GRAND GROUP 12.			GRAND GROUP 13.			
Total.	Cities.	Rural.	Total.	Cities.	Rural.	Total.	Cities.	Rural.	Total.	Cities.	Rural.	Total.	Cities.	Rural.	
273.2	229.8	275.6	174.5	147.9	193.4	309.3			336.0	278.5	348.9	177.3	149.7	200.7	1
270.3	225.9	272.8	168.6	144.2	186.2	315.8			331.3	265.0	347.1	169.3	142.3	192.2	2
276.2	234.0	278.4	181.2	152.2	201.5	303.0			341.3	295.5	350.8	187.0	158.8	211.2	3
19.9	3.2	20.8	5.6	4.2	6.5	22.8			35.8	14.1	40.9	6.4	1.1	11.0	4
21.0	4.5	21.8	7.1	4.7	8.7	22.5			46.4	19.9	51.9	7.8	2.2	12.6	
3.6	8.1	3.4	2.5	2.4	2.6	1.2			1.3	0.6	1.4	4.6	4.2	5.0	5
3.6	3.6	3.6	3.9	2.7	4.8	1.0			2.1	1.5	2.2	5.2	5.5	4.9	
9.8	2.4	10.2	8.6	7.7	9.3	5.3			3.8	2.5	4.1	16.7	20.2	13.7	6
11.8	5.4	12.1	13.0	11.7	14.0	5.3			4.0	6.9	3.4	19.0	23.4	15.2	
15.1	4.9	15.7	8.2	7.1	8.9	11.7			10.1	3.1	11.8	6.8	4.6	8.6	7
17.6	9.0	18.0	11.4	7.2	14.2	11.9			15.8	12.3	16.5	9.2	5.3	12.6	
14.5	14.6	14.4	7.3	6.0	8.3	43.6			84.3	90.0	83.0	15.6	8.9	21.3	8
16.0	18.9	15.9	7.9	7.2	8.4	43.9			93.9	104.4	91.8	16.2	7.9	23.2	
35.2	13.0	36.5	10.0	7.3	11.9	34.7			20.5	9.8	23.0	7.6	4.6	10.1	9
42.6	17.1	43.9	12.4	8.4	15.2	33.0			19.4	13.0	20.7	8.7	5.7	11.2	
65.1	44.5	66.3	43.1	30.0	52.6	74.0			46.0	26.3	50.7	33.0	25.2	39.6	10
61.4	38.7	62.6	44.2	28.6	55.1	78.1			48.1	19.2	54.2	33.6	23.0	42.7	
7.0	5.7	7.1	6.8	5.0	8.1	6.6			5.9	3.7	6.4	7.9	2.4	12.6	11
7.1	2.7	7.3	6.5	4.7	7.7	5.5			6.4	3.1	7.1	7.6	2.4	11.9	
0.9	1.6	0.9	0.9	1.4	0.6	1.3			1.5	5.5	0.6	1.0	1.4	0.7	12
1.1	2.7	1.0	1.2	1.3	1.2	1.0			2.0	7.7	0.8	0.6	0.7	0.5	
13.2	12.2	13.2	7.5	7.1	7.7	9.7			14.2	15.3	14.0	6.8	4.0	9.1	13
11.3	11.7	11.3	5.7	6.6	5.1	8.1			13.3	13.0	13.3	5.8	5.1	6.4	
30.5	30.0	30.6	11.3	8.4	13.4	31.5			23.8	24.5	23.6	6.1	3.3	8.5	14
28.9	39.6	28.3	11.5	7.5	14.3	29.1			19.7	21.5	19.3	6.3	3.1	9.1	
8.1	31.6	6.8	16.1	27.0	8.3	12.4			13.4	26.9	10.2	18.3	30.4	8.0	15
8.2	29.7	7.1	15.9	28.8	6.9	10.9			14.7	34.5	10.6	20.6	35.3	8.1	
22.1	43.7	20.8	19.3	12.2	24.5	18.7			7.9	12.2	6.8	19.3	15.0	22.9	16
20.6	37.8	19.8	18.8	12.4	23.2	17.1			8.5	12.3	7.7	19.9	14.7	24.5	
6.7	2.4	6.9	0.9	0.4	1.2	10.5			6.8	0.6	8.3	0.6	0.3	0.8	17
7.1	0.9	7.5	0.4	0.1	0.6	10.6			8.0	0.8	9.5	1.2	0.3	2.0	
3.9		4.1	5.3	4.9	5.6	2.2			4.1	1.8	4.6	4.1	3.7	4.4	18
3.1	0.9	3.3	5.4	5.0	5.8	1.4			3.1	4.6	2.7	7.1	6.3	7.8	
2.9		3.0	1.3	0.6	1.8	15.9			37.0	3.7	45.0	0.6	0.3	0.8	19
2.0		2.1	0.7	0.8	0.7	10.2			22.7	1.5	27.2	0.9	1.1	0.8	
2.9		3.0	3.1	2.9	3.2	1.9			2.2	1.2	2.5	2.9	2.9	2.9	20
3.2	0.9	3.3	2.7	2.0	3.1	1.8			2.9	3.1	2.9	3.5	3.2	3.7	
5.3	2.4	5.5	5.7	4.2	6.7	5.2			5.9	12.2	4.4	6.7	4.5	8.6	21
6.2	4.5	6.2	8.5	8.2	8.7	6.6			6.5	12.3	5.3	10.0	8.4	11.4	
2.0	4.0	1.9	2.1	2.2	2.1	3.7			4.0	5.5	3.6	1.8	3.2	0.7	22
1.5	2.7	1.4	1.3	1.8	1.0	2.7			1.9	3.1	1.6	1.3	2.4	0.3	
1.6	1.6	1.7	3.0	3.2	2.9	2.9			2.8	5.5	2.2	2.5	2.1	2.9	23
1.9	2.7	1.9	2.7	2.5	2.8	2.3			1.9	0.8	2.1	2.5	2.8	2.3	
10.9	32.0	9.8	21.9	33.7	13.5	9.4			14.2	30.3	10.5	24.6	36.7	14.3	24
12.7	31.6	11.6	24.0	34.6	16.4	10.9			15.2	38.0	9.8	25.6	38.4	14.8	25
9.1	32.4	7.9	19.5	32.6	10.3	8.0			13.0	20.7	11.4	23.4	34.6	13.8	26
2.3	4.9	2.2	3.5	5.4	2.2	1.1			3.2	8.6	1.9	3.3	4.5	2.3	27
0.1		0.1	0.5	1.3		0.1			0.3		0.3	0.3	0.4	0.1	
1.7		1.7	0.3		0.5	2.4			2.6	0.6	3.1	0.1		0.3	28
1.4		1.5	0.4		0.6	2.1			3.8		4.7	0.6	0.3	0.9	
0.1		0.1	0.2	0.1	0.3							0.2	0.2	0.2	29
3.6	5.7	3.5	3.0	3.6	2.6	3.5			3.2	6.7	2.3	2.8	3.0	2.6	30
2.1	4.5	2.0	2.7	3.0	2.5	2.4			3.5	4.6	3.2	2.6	2.1	3.0	
5.0	21.0	4.1	17.0	25.5	10.8	3.9			6.2	22.1	2.5	19.2	30.7	9.4	31
5.5	27.9	4.8	15.9	28.3	7.2	3.3			5.4	16.1	3.2	19.9	31.8	9.8	
36.2	57.5	35.0	71.9	91.2	58.2	35.1			31.6	39.2	29.9	76.5	89.1	65.8	32
37.1	61.5	35.7	69.5	84.2	58.9	33.0			27.2	30.6	26.4	70.3	77.6	64.1	33
35.3	53.1	34.3	74.7	99.3	57.5	37.1			36.7	49.9	33.9	84.1	103.1	67.8	34
15.1	8.1	15.5	30.8	32.7	29.5	15.7			15.8	12.2	16.6	38.7	37.7	39.6	35
16.8	12.6	17.0	38.1	48.0	31.2	22.7			24.8	32.3	23.3	52.4	61.0	45.1	
14.5	38.0	13.1	18.2	24.2	13.9	9.4			5.6	12.2	4.1	10.3	10.0	10.5	36
11.1	26.1	10.3	15.2	19.8	11.9	7.5			6.4	10.0	5.6	10.9	11.6	10.3	
1.6	2.4	1.6	2.3	1.8	2.6	1.5			1.1	2.5	0.7	2.1	1.4	2.6	37
1.6	1.8	1.6	1.4	1.8	1.2	1.3			1.1	1.5	1.0	2.0	1.1	2.8	
5.1	13.0	4.7	16.6	23.4	11.7	5.6			4.1	3.1	4.4	18.1	28.3	9.4	38
5.1	12.6	4.7	18.1	27.4	11.5	5.0			3.7	6.1	3.2	18.2	29.3	8.6	
0.8		0.8	1.6	2.1	1.2	0.8			0.6	0.6	0.6	1.1	0.2	2.0	39
0.7		0.7	1.9	2.3	1.7	0.6			0.7		0.8	0.6	0.1	1.0	

TABLE 26.—NUMBER OF DEATHS FROM EACH CAUSE

CAUSE OF DEATH.		GRAND GROUP 6.			GRAND GROUP 7.			GRAND GROUP 8.		
		Total.	Cities.	Rural.	Total.	Cities.	Rural.	Total.	Cities.	Rural.
1	1. General diseases—Continued.									
2	General diseases—D.....	148.4	130.8	157.2	166.1	161.7	175.0	169.0	157.8	181.6
3	Males.....	127.1	109.6	135.6	154.5	154.2	155.3	150.9	147.7	154.5
4	Females.....	174.0	155.5	183.5	179.9	170.6	199.4	189.1	169.2	211.2
5	Anemia.....	(M.. 1.8	2.5	1.5	2.3	1.9	3.1	2.0	2.0	2.1
6	Diabetes.....	(F.. 2.7	3.3	2.5	4.3	3.6	5.7	2.9	2.7	3.0
7	Rheumatism.....	(M.. 5.3	4.8	5.5	5.0	4.2	6.7	5.0	3.8	6.3
8	Scrofula and tabes.....	(F.. 5.4	4.0	6.0	5.2	5.1	5.4	4.8	4.8	4.7
9	Hydrocephalus.....	(M.. 5.0	2.9	5.9	4.1	3.4	5.3	4.7	3.5	6.2
10	Tuberculosis, general.....	(F.. 5.4	3.1	6.6	4.1	3.7	4.8	5.2	4.1	6.3
11	Consumption.....	(M.. 1.3	1.2	1.3	1.8	2.0	1.3	2.9	1.7	4.3
12	Cancer.....	(F.. 1.7	0.9	2.1	3.1	2.5	4.3	3.6	2.4	4.9
13	Tumor.....	(M.. 2.9	3.5	2.5	4.8	5.4	3.5	3.6	4.5	2.5
14	Dropsy.....	(F.. 2.9	3.9	2.5	4.3	4.7	3.5	2.9	3.5	2.2
15	Tuberculosis, general.....	(M.. 0.5	0.3	0.6	1.5	1.7	1.2	0.6	0.8	0.2
16	Consumption.....	(F.. 0.6	0.3	0.8	1.7	1.5	2.2	0.9	1.1	0.7
17	Cancer.....	(M.. 72.4	70.3	73.4	94.8	99.9	84.7	97.7	104.5	89.8
18	Tumor.....	(F.. 92.2	87.9	94.3	97.7	94.1	105.2	108.9	101.4	117.3
19	Dropsy.....	(M.. 21.8	16.2	24.6	29.8	27.8	33.8	20.4	18.1	23.0
20	Others of this group.....	(F.. 42.1	41.0	42.6	47.0	45.3	50.5	41.9	39.6	44.6
21	2. Diseases of the nervous system.....	156.0	153.4	157.2	123.4	119.1	132.2	134.8	129.0	141.3
22	Males.....	156.2	156.6	156.0	125.5	120.9	134.8	137.9	130.1	146.8
23	Females.....	155.7	149.8	158.7	120.8	117.1	128.8	131.3	127.8	135.2
24	Inflammation of the brain.....	(M.. 6.3	2.9	7.9	3.8	2.4	6.7	4.6	2.3	7.2
25	Meningitis.....	(F.. 5.4	1.4	7.4	3.0	2.2	4.5	3.9	2.0	6.0
26	Apoplexy.....	(M.. 21.3	31.1	16.5	21.1	24.4	14.5	19.2	23.3	14.5
27	Paralysis.....	(F.. 18.3	23.7	15.5	20.4	24.0	13.1	17.3	19.6	14.7
28	Paralysis, general (of insane).....	(M.. 35.9	35.7	36.0	29.6	26.0	36.9	36.6	34.5	39.1
29	Paralysis, general (of insane).....	(F.. 39.7	42.2	38.5	30.1	27.4	35.7	39.2	39.4	39.1
30	Tetanus and trismus nascentium.....	(M.. 29.6	16.6	36.0	17.0	12.2	26.5	25.4	15.8	36.3
31	Chorea.....	(F.. 34.2	20.2	41.3	18.5	13.4	29.1	26.5	17.6	36.3
32	Epilepsy.....	(M.. 2.4	2.1	2.5	1.5	1.8	1.0	1.7	1.6	1.7
33	Convulsions.....	(F.. 0.8	0.6	1.0	0.7	0.5	1.3	0.5	0.5	0.5
34	Mental diseases.....	(M.. 2.4	2.9	2.1	2.0	2.2	1.5	3.0	3.5	2.4
35	Diseases of the brain.....	(F.. 0.7	1.7	0.2	0.9	1.0	0.7	0.8	0.9	0.7
36	Diseases of the spinal cord.....	(M.. 0.2	0.4	0.1	0.1	0.1	0.1	0.1	0.1	0.2
37	Locomotor ataxia.....	(F.. 0.3	0.2	0.4	0.5	0.3	1.1	0.2	0.2	0.3
38	Others of this class.....	(M.. 3.0	1.9	3.5	3.2	2.5	4.5	3.7	2.1	5.4
39	3. Diseases of the circulatory system.....	84.0	73.6	89.1	83.1	76.4	96.8	84.6	81.5	88.0
40	Males.....	82.9	68.3	90.0	83.0	74.2	100.7	86.1	81.7	91.2
41	Females.....	85.3	79.8	88.1	83.3	79.1	91.9	82.8	81.4	84.4
42	Pericarditis.....	(M.. 0.5	0.4	0.7	1.5	1.8	1.0	0.9	1.3	0.3
43	Diseases of the heart.....	(F.. 0.6	0.3	0.7	1.6	1.7	1.5	1.1	1.5	0.6
44	Angina pectoris.....	(M.. 75.2	59.6	82.8	70.8	61.2	90.1	76.2	69.3	84.1
45	Diseases of the arteries.....	(F.. 78.8	74.2	81.1	74.1	69.7	83.4	74.4	71.5	77.8
46	Aneurism.....	(M.. 3.9	4.8	3.4	4.3	4.0	4.8	3.6	3.4	3.9
47	Embolism.....	(F.. 3.1	2.2	3.6	3.6	3.3	4.0	3.2	3.0	3.4
48	Others of this class.....	(M.. 0.9	1.2	0.7	3.6	4.0	2.7	1.6	2.1	0.9
49	Others of this class.....	(F.. 0.7	1.1	0.5	1.6	1.9	0.9	1.3	1.8	0.7
50	Others of this class.....	(M.. 0.6	0.4	0.7	1.2	1.4	1.0	1.1	1.6	0.6
51	Others of this class.....	(F.. 0.6	0.2	0.8	0.6	0.7	0.3	0.5	0.4	0.6
52	Others of this class.....	(M.. 0.3	0.3	0.3	0.6	0.6	0.5	0.4	0.4	0.6
53	Others of this class.....	(F.. 0.4	0.3	0.4	1.1	1.1	1.0	0.7	0.8	0.6
54	Others of this class.....	(M.. 1.5	1.6	1.4	1.0	1.2	0.6	2.3	3.6	0.8
55	Others of this class.....	(F.. 1.1	1.5	1.0	0.7	0.7	0.8	1.6	2.4	0.7

1 No cities.

PROPORTION OF DEATHS FROM EACH CAUSE.

667

PER 1,000 DEATHS FROM KNOWN CAUSES—Continued.

GRAND GROUP 9.			GRAND GROUP 10.			GRAND GROUP 11. ¹			GRAND GROUP 12.			GRAND GROUP 13.			
Total.	Cities.	Rural.	Total.	Cities.	Rural.	Total.	Cities.	Rural.	Total.	Cities.	Rural.	Total.	Cities.	Rural.	
200.8	189.3	201.4	202.0	186.8	212.8	180.9			164.5	169.2	163.5	171.5	175.9	167.7	1
161.8	170.1	161.4	177.8	179.8	176.3	146.2			145.7	147.5	145.3	155.5	166.8	145.8	2
240.5	210.7	242.1	229.2	194.8	253.4	214.3			185.8	196.5	183.5	191.1	187.0	194.6	3
1.6	8.1	1.3	1.9	2.1	1.8	0.6			1.2	2.5	0.9	2.1	3.2	1.1	4
1.8	12.6	1.2	1.8	1.4	2.0	0.7			0.7	1.5	0.5	3.3	4.7	2.1	
3.8	5.7	3.7	4.8	5.1	4.6	2.1			1.2	3.1	0.7	4.9	3.3	6.3	5
1.7	0.9	1.7	4.2	5.8	3.0	1.0			0.1	0.8		5.0	4.4	5.4	
6.9	2.4	7.2	5.3	2.8	7.1	6.0			6.6	6.7	6.6	4.7	3.4	5.8	6
6.4	5.4	6.5	5.7	3.6	7.3	4.7			5.7	4.6	5.9	5.1	3.4	6.6	
8.6	3.3	8.9	4.1	2.4	5.3	7.1			4.6	1.2	5.4	1.6	0.9	2.2	7
10.1	3.6	10.5	5.3	2.2	7.5	6.6			5.6	5.4	5.6	2.8	2.2	3.3	
1.9	1.6	1.9	4.2	5.6	3.1	1.5			1.2	1.2	1.2	4.0	5.8	2.4	8
1.3	0.9	1.3	5.0	5.2	4.9	0.9			0.9	1.5	0.8	4.4	6.8	2.8	
0.7	2.4	0.6	0.9	0.8	1.0	0.9			0.4	1.2	0.1	1.3	1.4	1.1	9
0.8	5.4	0.5	1.5	0.9	2.0	0.6			0.1		0.2	0.9	1.6	0.3	
103.4	123.1	102.3	118.9	127.5	112.7	92.5			100.1	109.6	97.8	97.0	117.4	79.7	10
167.3	133.3	169.1	147.6	116.3	169.5	145.3			129.7	137.4	128.1	109.5	109.5	109.5	
11.2	4.1	11.5	22.4	22.3	22.4	7.4			6.3	10.4	5.4	25.9	25.0	26.7	11
23.3	27.0	23.2	39.5	45.5	35.3	22.7			12.6	26.9	9.6	42.3	45.8	39.4	
2.0	2.4	2.0	2.9	4.1	2.0	1.7			1.0	1.8	0.9	2.5	2.0	3.0	12
3.6	3.6	3.6	4.7	5.2	4.5	4.1			3.1	3.8	2.9	5.8	4.0	7.3	
20.7	14.6	21.1	11.3	5.2	15.7	26.1			23.0	9.8	26.2	10.4	3.3	16.4	13
23.8	17.1	24.2	13.1	7.7	16.8	27.2			27.3	14.6	29.9	10.8	3.6	16.9	
1.0	2.4	0.9	1.1	1.9	0.6	0.3			0.1		0.1	1.1	1.1	1.1	14
0.4	0.9	0.3	0.8	1.0	0.6	0.5						1.2	1.5	1.0	
94.0	119.4	92.6	134.7	134.1	135.1	81.1			75.3	73.2	75.8	123.3	115.1	130.2	15
101.1	128.7	99.5	140.9	140.3	141.3	85.4			75.7	71.6	76.7	126.7	117.7	134.3	16
86.7	108.9	85.6	127.7	127.1	128.1	77.1			74.8	75.2	74.7	119.1	112.0	125.1	17
12.6	4.9	13.1	10.1	4.5	14.1	7.4			9.5	2.5	11.2	9.4	3.6	14.3	18
10.6	4.5	10.9	9.6	3.8	13.6	5.9			8.4	3.8	9.3	9.0	3.5	13.6	
23.6	10.5	24.4	27.0	35.2	21.1	10.8			16.9	14.7	17.5	20.1	19.1	21.1	19
19.7	12.6	20.1	22.4	29.4	17.4	9.5			13.4	16.1	12.8	20.1	19.6	20.4	
9.5	32.4	8.2	23.4	29.4	19.2	8.7			6.0	16.5	3.5	24.7	27.5	22.4	20
6.2	17.1	5.7	20.0	28.1	14.4	7.2			4.8	9.2	3.8	21.2	25.3	17.8	
24.1	31.6	23.7	29.0	17.7	37.1	22.2			9.1	9.8	8.9	22.9	12.7	31.5	21
25.4	24.3	25.5	32.7	20.2	41.5	21.7			10.0	8.5	10.3	21.3	13.2	28.2	
0.6	0.8	0.6	1.7	1.2	2.0	1.7			1.5		1.9	1.7	2.0	1.5	22
0.4	0.9	0.3	0.7	0.1	1.1	0.4			0.3		0.3	0.9	0.4	1.3	
1.4	4.0	1.3	2.7	3.9	1.9	1.8			2.4	4.3	1.9	3.6	5.3	2.2	23
0.3	1.8	0.2	1.2	1.5	0.9	1.3			2.4	5.4	1.8	3.5	5.3	2.0	
0.2		0.2	0.1		0.2	0.1			0.1		0.1	0.1		0.1	24
0.3		0.3	0.5	0.3	0.7	0.1			0.1		0.2	0.2	0.3	0.1	
4.8	1.6	4.9	5.0	1.9	7.2	6.1			4.8	1.8	5.5	3.7	2.3	4.9	25
3.4	1.8	3.5	3.8	1.7	5.3	3.5			3.2	1.5	3.5	3.0	1.9	3.9	
6.9	10.5	6.7	16.7	23.0	12.2	9.1			9.3	7.4	9.8	19.2	23.7	15.4	26
6.6	16.2	6.1	16.3	22.6	11.8	9.1			12.5	13.1	12.4	20.0	23.6	17.0	
2.0	1.6	2.0	6.2	4.9	7.1	1.8			1.6	1.2	1.8	2.4	2.3	2.5	27
1.5	1.8	1.4	3.6	3.8	3.5	2.2			1.7	1.5	1.8	3.2	3.6	2.9	
11.8	29.2	10.8	13.5	14.2	12.9	13.5			12.8	10.4	13.4	14.1	14.7	13.5	28
7.2	19.8	6.6	11.0	11.7	10.6	12.4			15.8	12.3	16.5	11.9	12.2	11.6	
1.0		1.0	1.6	1.2	1.8	0.4			0.4	1.2	0.1	1.9	2.1	1.7	29
0.9	0.9	0.9	1.2	0.5	1.8	0.6			0.4	1.5	0.2	2.2	1.8	2.6	
0.3	0.8	0.3	1.2	1.5	1.0	0.2			0.4		0.4	1.1	1.3	0.9	30
.....			0.5	1.0	0.1				0.1	0.8		0.4	0.1	0.6	
2.3	0.8	2.3	2.7	1.7	3.5	1.6			0.9	1.8	0.7	1.8	1.1	2.3	31
4.2	7.2	4.1	4.2	2.4	5.4	3.2			1.7	1.5	1.8	2.2	1.2	3.1	
50.7	66.9	49.8	79.6	77.8	80.9	53.3			41.2	53.8	38.3	73.3	74.2	72.5	32
51.4	65.6	50.6	83.0	74.3	89.2	50.7			36.8	52.6	33.0	75.0	74.4	75.6	33
49.9	68.4	48.9	75.8	81.8	71.7	55.8			46.1	55.2	44.2	71.1	73.9	68.8	34
0.4	3.2	0.3	0.7	1.0	0.5	0.3			0.5	1.2	0.3	0.9	1.6	0.4	35
0.5	5.4	0.3	0.8	1.4	0.4	0.3			0.5	2.3	0.2	1.7	2.6	0.9	
48.4	55.1	48.1	74.7	62.2	83.6	49.2			35.5	50.2	32.1	67.3	63.2	70.7	36
47.0	56.7	46.5	68.7	71.8	66.6	53.9			44.5	50.6	43.2	63.8	62.6	64.9	
1.3	3.2	1.1	3.9	4.6	3.2	0.7			0.5	0.6	0.4	1.7	1.4	1.9	37
1.2	2.7	1.1	3.1	3.6	2.7	0.6			0.7	0.8	0.6	2.0	2.4	1.7	
0.3		0.3	1.3	2.0	0.8				0.1		0.1	1.9	2.8	1.1	38
0.1	1.8		1.2	2.5	0.3							0.7	1.2	0.2	
0.7	2.5	0.6	1.1	2.1	0.4	0.3						1.2	2.0	0.6	39
0.4	0.9	0.3	0.7	0.6	0.8	0.5						0.7	0.9	0.5	
0.1	0.8		0.3	0.6	0.2				0.1		0.1	0.4	0.5	0.4	40
0.3	0.9	0.2	0.4	0.9	0.1	0.2			0.4	1.5	0.2	0.5	0.8	0.2	
0.2	0.8	0.2	1.0	1.8	0.5	0.2			0.1	0.6		1.6	2.9	0.5	41
0.4		0.5	0.9	1.0	0.8	0.3						1.7	3.4	0.4	

VITAL STATISTICS.

TABLE 26.—NUMBER OF DEATHS FROM EACH CAUSE

CAUSE OF DEATH.		GRAND GROUP 6.			GRAND GROUP 7.			GRAND GROUP 8.		
		Total.	Cities.	Rural.	Total.	Cities.	Rural.	Total.	Cities.	Rural.
1	4. Diseases of the respiratory system	158.7	163.9	156.2	155.9	171.6	123.5	152.0	159.1	144.1
2	Males.....	161.5	167.3	158.7	155.9	172.5	122.4	153.3	160.6	145.0
3	Females.....	155.5	159.8	153.2	155.8	170.5	124.9	150.6	157.3	143.1
4	Croup.....	{M. 13.9	12.7	14.6	5.5	5.8	4.9	9.4	7.3	11.8
	{F. 14.3	12.9	15.0	5.2	5.4	5.0	8.5	6.5	10.8	
5	Pneumonia.....	{M. 107.8	111.7	105.9	105.0	116.5	81.9	107.6	111.6	102.8
	{F. 105.5	104.0	106.3	100.4	109.1	82.2	104.5	107.6	101.0	
6	Laryngitis.....	{M. 0.9	1.2	0.7	1.0	1.2	0.7	1.2	1.5	0.9
	{F. 1.2	1.8	0.8	1.2	1.4	0.7	0.7	0.8	0.6	
7	Bronchitis.....	{M. 18.2	23.4	15.7	29.4	34.0	20.2	16.7	19.7	13.3
	{F. 20.2	25.0	17.8	35.0	40.8	22.9	19.3	22.4	15.9	
8	Pleurisy.....	{M. 3.6	3.6	3.6	2.8	3.2	1.9	3.6	3.1	4.3
	{F. 2.8	3.4	2.5	2.6	2.8	2.2	3.2	2.8	3.7	
9	Asthma.....	{M. 8.0	4.4	9.7	3.2	3.0	3.4	3.3	3.1	3.6
	{F. 2.6	2.0	2.9	2.8	2.7	2.8	3.1	3.1	3.1	
10	Others of this class	{M. 9.1	10.3	8.5	9.0	8.8	9.4	11.5	14.3	8.3
	{F. 8.9	10.7	7.9	8.6	8.3	9.1	11.3	14.1	8.0	
11	5. Diseases of the digestive system	53.3	54.2	52.8	62.5	59.0	69.6	57.8	54.9	61.2
12	Males.....	51.9	54.9	50.4	61.5	57.8	69.0	56.5	51.6	62.1
13	Females.....	54.9	53.4	55.6	63.6	60.4	70.4	59.3	58.6	60.2
14	Dentition.....	{M. 0.7	0.7	0.7	0.8	0.7	0.9	2.6	2.0	3.2
	{F. 1.2	0.5	1.5	0.8	0.9	0.8	2.6	2.2	3.0	
15	Angina.....	{M. 1.0	0.7	1.2	0.8	0.7	1.1	0.9	0.8	1.1
	{F. 1.2	0.8	1.3	1.0	0.9	1.3	1.0	0.9	1.1	
16	Gastritis.....	{M. 8.2	8.3	8.1	8.8	8.5	9.3	8.8	8.4	9.2
	{F. 9.8	10.1	9.7	9.5	8.5	11.7	11.1	11.0	11.2	
17	Diseases of the stomach	{M. 4.2	4.5	4.0	3.7	2.6	5.9	3.5	2.6	4.6
	{F. 3.3	1.7	4.1	3.2	2.2	5.2	2.9	2.3	3.6	
18	Obstruction of the bowels.....	{M. 3.3	4.7	2.6	5.0	5.0	5.0	3.6	3.5	3.8
	{F. 3.7	6.2	2.5	5.0	5.3	4.3	4.1	4.8	3.3	
19	Appendicitis.....	{M. 5.9	7.3	5.2	8.7	9.2	7.7	5.3	5.5	5.1
	{F. 3.3	3.1	3.4	6.6	7.3	5.0	3.3	3.4	3.2	
20	Hernia	{M. 2.3	2.1	2.4	2.1	1.7	2.9	2.2	1.5	3.0
	{F. 3.1	2.0	3.7	2.4	2.3	2.7	1.8	1.8	1.7	
21	Other diseases of the bowels	{M. 2.1	1.5	2.4	1.6	1.2	2.5	2.7	1.3	4.4
	{F. 2.3	2.5	2.2	1.7	1.3	2.5	2.8	1.7	4.1	
22	Jaundice.....	{M. 2.4	2.1	2.6	2.4	2.3	2.5	2.4	2.2	2.6
	{F. 2.5	1.9	2.8	2.3	2.1	2.7	2.8	2.5	3.1	
23	Inflammation and abscess of the liver	{M. 1.6	1.1	1.9	2.4	2.3	2.8	2.4	2.1	2.8
	{F. 2.5	1.7	2.9	2.8	2.5	3.5	2.1	2.0	2.2	
24	Other diseases of the liver.....	{M. 7.3	8.8	6.5	9.6	9.7	9.3	8.6	8.9	8.1
	{F. 4.8	4.9	4.8	6.7	5.9	8.1	6.1	6.8	5.4	
25	Peritonitis.....	{M. 6.6	9.5	5.2	7.2	6.8	7.9	6.5	8.0	4.8
	{F. 11.2	14.4	9.5	13.1	13.8	11.7	11.1	13.9	7.9	
26	Ascites.....	{M. 1.1	0.1	1.5	0.5	0.4	0.8	0.9	0.3	1.6
	{F. 1.3	0.5	1.7	0.6	0.3	1.3	1.1	0.7	1.7	
27	Others of this class	{M. 5.2	3.5	6.1	7.9	6.7	10.4	6.1	4.5	7.8
	{F. 4.7	3.1	5.5	7.9	7.1	9.6	6.5	4.6	8.7	
28	6. Diseases of the urinary system and male organs of generation ..	42.9	48.1	40.4	47.1	48.0	45.4	50.5	58.0	42.0
29	Males.....	47.1	48.8	46.2	52.4	51.9	53.3	57.1	61.3	52.2
30	Females.....	38.0	47.3	33.2	40.9	43.4	35.6	43.3	54.3	31.0
31	Bright's disease	{M. 33.4	35.0	32.6	35.9	37.4	32.9	35.9	38.9	32.4
	{F. 29.1	35.8	25.6	31.3	33.3	26.9	31.4	38.9	22.9	
32	Calculus, urinary.....	{M. 0.4	0.4	0.4	0.5	0.5	0.6	0.8	0.1	1.6
	{F. 0.2	0.2	0.2	0.3	0.3	0.2	0.1			0.1
33	Diseases of the kidney.....	{M. 5.5	2.8	6.7	3.9	3.2	5.4	5.0	3.5	6.7
	{F. 4.2	4.5	4.1	3.7	3.8	3.5	3.3	3.2	3.5	
34	Diseases of the bladder.....	{M. 2.7	2.4	2.9	4.9	3.6	7.4	4.6	3.5	5.8
	{F. 0.6	0.3	0.7	0.7	0.6	0.9	0.7	0.9	0.6	
35	Others of this class	{M. 5.1	8.2	3.6	7.2	7.2	7.0	10.8	15.3	5.7
	{F. 3.9	6.5	2.6	4.9	5.4	4.1	7.8	11.3	3.9	
36	7. Diseases of the female organs of generation	4.6	5.0	4.4	9.1	10.6	6.1	5.9	6.3	5.6
37	Ovarian tumors	0.9	0.6	1.1	1.0	1.0	1.0	1.3	1.4	1.3
38	Ovarian diseases.....	0.2	0.5	0.1	0.4	0.6	0.2	0.3	0.4	0.2
39	Diseases of the tubes	0.2	0.3	0.1	2.0	2.6	0.6	0.5	0.6	0.3
40	Uterine tumors.....	1.1	1.2	0.9	2.2	2.7	1.1	1.2	1.5	1.0
41	Uterine diseases.....	0.4	0.2	0.5	0.7	0.6	0.9	0.6	0.4	0.7
42	Others of this class	1.8	2.2	1.7	2.8	3.1	2.3	2.0	2.0	2.1

¹ No cities.

PROPORTION OF DEATHS FROM EACH CAUSE.

669

PER 1,000 DEATHS FROM KNOWN CAUSES—Continued.

GRAND GROUP 9.			GRAND GROUP 10.			GRAND GROUP 11. ¹			GRAND GROUP 12.			GRAND GROUP 13.			
Total.	Cities.	Rural.	Total.	Cities.	Rural.	Total.	Cities.	Rural.	Total.	Cities.	Rural.	Total.	Cities.	Rural.	
169.5	122.8	172.0	137.7	138.2	137.3	156.4			178.1	175.4	178.8	156.5	152.9	159.6	1
176.8	109.3	180.7	137.5	138.6	136.8	172.2			197.0	193.4	197.9	161.6	157.2	165.4	2
162.0	137.7	163.2	137.8	137.8	137.8	141.3			156.8	152.7	157.7	150.2	147.7	152.4	3
51.6	10.5	54.0	14.6	5.8	21.0	24.2			14.4	2.5	17.2	10.5	5.6	14.6	4
43.4	16.2	44.9	12.5	5.1	17.7	22.7			12.9	6.1	14.3	10.2	6.1	13.8	
98.9	76.1	100.2	89.4	86.7	91.3	126.2			162.4	162.2	162.5	114.3	106.6	120.8	5
90.2	85.5	90.4	87.7	81.1	92.3	97.9			118.9	112.8	120.2	101.2	93.0	108.2	
1.0	0.8	1.0	1.0	1.1	1.0	0.3						1.0	1.3	0.7	6
0.8		0.8	0.8	1.3	0.5	0.5			0.3	0.8	0.2	1.1	1.5	0.8	
13.7	11.4	13.8	17.7	28.1	10.2	10.6			8.6	10.4	8.1	19.9	25.5	15.2	7
16.1	19.8	15.9	22.8	34.4	14.7	10.3			13.4	19.2	12.2	23.2	29.1	18.3	
4.0	3.2	4.0	2.2	2.6	1.9	4.1			2.9	4.9	2.5	2.2	2.2	2.2	8
3.6	2.7	3.7	1.9	1.9	2.0	3.2			2.4	1.5	2.6	2.2	3.0	1.6	
2.1	0.8	2.2	5.5	6.2	5.0	2.6			3.1	2.4	3.2	4.3	4.3	4.4	9
2.4	3.6	2.3	4.8	6.4	3.6	2.7			3.3	4.6	3.1	3.9	4.4	3.3	
5.5	6.5	5.5	7.1	8.1	6.4	4.2			5.6	11.0	4.4	9.4	11.7	7.5	10
5.5	9.9	5.2	7.3	7.6	7.0	4.0			5.6	7.7	5.1	8.4	10.6	6.4	
61.4	75.9	60.7	60.8	61.9	60.1	64.7			56.0	64.7	54.1	67.8	63.4	71.6	11
64.3	76.1	63.6	58.8	56.9	60.2	68.4			54.2	63.0	52.1	66.8	60.8	71.8	12
58.5	75.6	57.7	63.1	67.5	59.9	61.2			58.1	66.8	56.3	69.2	66.5	71.4	13
5.2	10.5	4.9	1.4	1.6	1.3	12.4			4.3	3.7	4.5	1.9	2.5	1.4	14
4.6	9.9	4.3	0.9	1.1	0.7	13.2			5.6	4.6	5.8	1.8	1.3	2.2	
2.0	4.0	1.9	0.8	0.6	1.0	2.2			1.1	0.6	1.2	1.3	0.8	1.8	15
2.1	2.7	2.1	1.2	0.9	1.5	1.9			1.3	1.5	1.3	1.5	1.2	1.7	
8.8	10.5	8.7	8.5	8.3	8.6	7.1			4.2	4.9	4.1	8.5	8.1	8.8	16
9.9	9.0	10.0	9.7	10.9	8.8	6.9			5.3	7.7	4.8	9.7	10.4	9.2	
5.0	4.9	5.0	5.8	2.9	7.9	4.7			7.2	4.9	7.7	6.9	3.5	9.8	17
5.8	4.5	5.8	5.3	2.8	7.0	5.0			7.5	4.6	8.0	6.9	2.2	10.9	
2.1	4.9	2.0	4.1	4.0	4.2	1.6			1.5	3.1	1.2	5.0	4.3	5.7	18
1.1	0.9	1.1	6.1	7.6	5.0	1.2			2.0	6.9	1.0	5.3	5.3	5.4	
3.7	5.7	3.6	5.3	5.9	4.9	3.1			2.6	5.5	1.9	8.2	8.2	8.1	19
1.2	0.9	1.2	2.6	3.3	2.1	1.3			1.5	4.6	0.8	5.6	5.4	5.7	
1.6	0.8	1.7	1.9	2.5	1.4	2.1			2.0		2.5	3.0	2.3	3.5	20
1.0	0.9	1.0	1.8	2.3	1.4	0.7			0.1		0.2	1.7	2.4	1.1	
7.2	4.0	7.4	3.0	0.4	4.8	6.3			6.0	4.3	6.4	3.0	1.4	4.3	21
5.0	1.8	5.2	4.0	1.6	5.6	5.3			4.7		5.6	2.5	1.6	3.3	
3.9	5.7	3.8	2.0	1.8	2.2	3.1			1.5	2.5	1.3	2.4	2.0	2.7	22
3.4	1.8	3.4	2.3	2.5	2.1	3.0			1.3	0.8	1.5	2.5	2.0	2.9	
3.5	7.3	3.2	3.4	3.3	3.4	3.3			3.9	6.1	3.3	4.3	4.4	4.2	23
3.6	5.4	5.6	2.3	2.4	2.2	2.5			3.3		4.0	3.4	3.8	3.0	
5.0	2.4	3.2	9.8	12.6	7.8	4.2			5.4	11.6	3.9	8.8	11.7	6.3	24
3.8	3.6	3.9	6.9	7.9	6.3	2.6			3.5	5.4	3.1	6.1	6.2	6.0	
3.0	6.5	2.7	6.2	7.9	5.0	2.6			3.3	11.6	1.3	6.1	8.0	4.6	25
4.4	25.2	3.3	12.3	19.3	7.5	2.7			6.9	26.9	2.7	12.8	19.1	7.3	
3.2		3.3	1.4	0.8	1.9	3.1			2.4	2.4	2.3	1.0	0.7	1.2	26
3.0		3.2	1.7	0.8	2.3	3.3			2.5	1.5	2.7	1.2	0.9	1.4	
10.1	8.9	10.2	5.2	4.3	5.8	12.6			8.8	1.8	10.5	6.4	2.9	9.4	27
9.6	9.0	9.6	6.0	4.1	7.4	11.6			12.6	2.3	14.8	8.2	4.7	11.3	
23.6	44.3	22.4	47.2	55.5	41.3	22.6			25.3	48.3	20.1	49.1	64.4	36.1	28
32.5	54.3	31.3	57.2	60.1	55.0	31.1			33.1	60.6	26.5	58.1	72.5	45.7	29
14.4	33.3	13.4	35.9	50.2	26.0	14.4			16.5	33.0	13.0	38.1	54.3	24.3	30
17.5	36.4	16.4	35.9	40.2	32.8	17.6			19.4	47.1	12.8	38.6	49.5	29.3	31
9.8	27.0	8.9	25.0	36.3	17.2	9.3			9.6	23.0	6.7	26.9	40.3	15.6	
1.5	0.8	1.6	0.6	0.4	0.7	2.0			1.3		1.6	0.1	0.1	0.1	32
0.4		0.4	0.1		0.1	0.3			0.3		0.3	0.4	0.4	0.3	
7.4	4.1	7.6	6.4	3.1	8.7	5.7			3.8	3.1	3.9	5.8	3.3	7.8	33
2.2	0.9	2.3	3.7	2.9	4.3	2.6			2.1	1.5	2.3	3.7	2.8	4.5	
2.5	0.8	2.6	6.0	6.1	6.0	2.3			2.4	1.8	2.5	4.3	4.8	3.9	34
0.3		0.3	0.9	1.2	0.8	0.2			0.5		0.6	0.7	0.7	0.7	
3.6	12.2	3.1	8.3	10.3	6.8	3.5			6.2	8.6	5.7	9.3	14.8	4.6	35
1.7	5.4	1.5	6.2	9.8	3.6	2.0			4.0	8.5	3.1	6.4	10.1	3.2	
7.0	4.5	7.2	6.6	9.0	5.0	8.3			6.9	9.2	6.4	7.4	10.5	4.8	36
0.7		0.7	1.0	1.4	0.7	0.4			0.1		0.2	1.3	1.8	0.9	37
0.2	0.9	0.2	0.3	0.4	0.3	0.2			0.1	0.7		0.2	0.3	0.2	38
0.1		0.1	0.9	1.9	0.2	0.1			0.5	3.1		0.9	1.8	0.1	39
0.9	2.7	0.8	1.6	2.8	0.7	0.6			0.5	2.3	0.2	1.8	2.5	1.1	40
1.4		1.5	0.6	0.4	0.8	2.5			1.9		2.2	0.5	0.5	0.5	41
3.7	0.9	3.9	2.2	2.1	2.3	4.5			3.8	3.1	3.8	2.7	3.6	2.0	42

TABLE 26.—NUMBER OF DEATHS FROM EACH CAUSE

CAUSE OF DEATH.		GRAND GROUP 6.			GRAND GROUP 7.			GRAND GROUP 8.		
		Total.	Cities.	Rural.	Total.	Cities.	Rural.	Total.	Cities.	Rural.
1	8. Affections connected with pregnancy	17.2	12.6	19.6	20.5	20.5	20.6	15.7	13.7	17.8
2	Abortion	0.4	0.5	0.3	1.9	2.4	0.9	0.7	0.8	0.5
3	Childbirth	8.9	4.0	11.3	5.4	4.4	7.3	7.0	4.9	9.4
4	Puerperal septicemia	5.2	5.5	5.2	9.7	9.9	9.4	4.9	4.7	5.1
5	Extra-uterine pregnancy	0.3	0.6	0.2	0.5	0.8	0.1	0.5	0.8	0.2
6	Others of this class	2.4	2.0	2.6	3.0	3.0	2.9	2.6	2.5	2.6
7	9. Diseases of the bones and joints	3.0	1.8	3.6	2.0	1.5	3.1	2.3	2.0	2.5
8	Males	3.1	2.3	3.5	2.2	1.6	3.3	2.4	2.0	3.0
9	Females	2.9	1.2	3.7	1.8	1.3	2.8	2.0	2.1	2.0
10	Diseases of the spine..... {M..	1.6	0.4	2.3	0.7	0.4	1.2	1.0	0.7	1.4
	{F..	1.9	0.5	2.6	0.8	0.4	1.5	1.0	0.6	1.4
11	Abscess, lumbar and psoas..... {M..	0.2		0.3	0.1	0.1	0.2	0.1	0.1	0.1
	{F..				0.1		0.2	0.1	0.1	0.1
12	Diseases of the bones..... {M..	0.7	1.1	0.5	0.9	0.7	1.3	0.5	0.5	0.6
	{F..	0.3	0.1	0.3	0.6	0.6	0.5	0.5	0.7	0.4
13	Diseases of the hip-joint..... {M..	0.4	0.5	0.3	0.2	0.2	0.2	0.4	0.4	0.3
	{F..	0.3	0.1	0.4	0.1	0.1	0.1	0.1	0.3	
14	Others of this class..... {M..	0.2	0.3	0.1	0.3	0.2	0.4	0.4	0.3	0.6
	{F..	0.4	0.5	0.4	0.2	0.2	0.5	0.3	0.4	0.1
15	10. Diseases of the skin	2.3	1.8	2.5	2.2	2.3	2.0	1.9	1.6	2.2
16	Males	2.2	2.1	2.2	2.2	2.1	2.5	1.9	1.8	2.0
17	Females	2.4	1.4	2.9	2.1	2.4	1.4	1.9	1.3	2.5
18	Abscess..... {M..	1.2	1.5	1.1	1.1	1.0	1.2	1.0	1.2	0.7
	{F..	1.3	1.1	1.5	1.2	1.3	1.1	0.8	0.6	1.0
19	Carbuncle..... {M..	0.3	0.1	0.3	0.3	0.3	0.3	0.3	0.1	0.5
	{F..	0.2		0.2	0.1	0.1	0.1	0.2	0.1	0.3
20	Others of this class..... {M..	0.7	0.5	0.8	0.8	0.8	1.0	0.6	0.5	0.8
	{F..	0.9	0.3	1.2	0.8	1.0	0.2	0.9	0.6	1.2
21	11. Diseases of the absorbent system	0.7	0.7	0.7	1.0	0.7	1.6	0.8	0.6	1.0
22	Males	0.7	0.7	0.8	0.9	0.6	1.5	0.8	0.6	1.0
23	Females	0.6	0.8	0.6	1.1	0.8	1.6	0.8	0.7	1.0
24	Addison's disease..... {M..	0.1		0.2	0.2	0.1	0.4	0.3	0.2	0.3
	{F..				0.3	0.2	0.6	0.3	0.2	0.4
25	Diseases of the spleen..... {M..	0.2		0.3	0.2	0.1	0.4	0.1	0.1	0.2
	{F..	0.3	0.3	0.3	0.3	0.2	0.4	0.1	0.1	0.1
26	Others of this class..... {M..	0.4	0.7	0.3	0.5	0.4	0.7	0.4	0.3	0.5
	{F..	0.3	0.5	0.3	0.5	0.4	0.6	0.4	0.4	0.5
27	12. Accidents and injuries	71.4	71.5	71.3	64.0	63.5	65.0	55.5	54.0	57.3
28	Males	108.0	108.8	107.6	92.3	92.0	93.1	78.3	77.1	79.6
29	Females	27.5	28.2	27.2	30.0	29.7	30.5	30.3	28.0	32.8
30	Burns and scalds..... {M..	6.6	8.4	5.7	4.0	4.3	3.6	5.2	4.0	6.5
	{F..	9.1	9.1	9.1	5.9	6.1	5.4	9.0	6.9	11.4
31	Drowning..... {M..	6.0	5.1	6.4	11.1	10.6	12.2	8.4	8.6	8.1
	{F..	1.1	0.6	1.3	1.6	1.1	2.4	1.0	0.8	1.3
32	Exposure and neglect..... {M..	0.7	0.7	0.7	0.7	0.4	1.3	0.9	0.5	1.3
	{F..	0.8	0.5	1.0	0.5	0.4	0.5	0.8	0.4	1.2
33	Gunshot wounds..... {M..	4.2	3.9	4.3	2.7	2.0	4.0	2.9	1.9	4.1
	{F..	0.7	0.9	0.6	0.3	0.3	0.5	0.4	0.2	0.7
34	Homicide..... {M..	1.5	0.4	2.0	2.5	3.2	1.0	1.4	1.2	1.8
	{F..	0.4		0.6	0.9	1.1	0.5	0.8	0.5	0.1
35	Infanticide..... {M..							0.1		0.1
	{F..									
36	Injuries by machinery..... {M..	0.8	0.5	0.9	0.7	0.8	0.6	1.2	0.9	1.5
	{F..				0.1		0.2	0.1	0.1	
37	Railroad accidents..... {M..	25.9	24.6	26.6	18.2	19.1	16.4	15.6	15.2	16.0
	{F..	1.6	2.2	1.4	2.0	2.1	1.9	1.7	1.4	2.1
38	Suffocation..... {M..	3.0	4.6	2.2	3.8	4.2	3.0	2.3	2.1	2.5
	{F..	1.6	3.2	0.8	2.1	2.0	2.4	1.8	1.7	1.9
39	Suicide by shooting..... {M..	1.2	1.2	1.2	3.8	4.7	1.9	1.6	1.8	1.5
	{F..	0.2		0.3	0.4	0.3	0.4	0.2	0.1	0.2
40	Suicide by drowning..... {M..	0.2	0.4	0.1	0.7	0.8	0.6	0.3	0.4	0.1
	{F..	0.1		0.2	0.3	0.2	0.5	0.1		0.2
41	Suicide by poison..... {M..	0.4	0.1	0.6	2.8	3.6	1.3	0.9	0.8	1.0
	{F..	0.4	0.5	0.3	2.4	3.0	0.9	0.7	0.8	0.6
42	Other suicides..... {M..	2.9	2.1	3.3	5.9	5.6	6.5	4.1	4.3	3.8
	{F..	0.4		0.6	1.6	1.8	1.3	1.0	1.2	0.8
43	Sunstroke..... {M..	0.4	0.9	0.2	0.9	1.2	0.3	1.2	1.6	0.8
	{F..	0.3	0.8	0.1	0.3	0.5		0.8	1.4	0.2
44	Surgical operations..... {M..	0.5	0.8	0.4	0.5	0.4	0.7	0.4	0.4	0.4
	{F..	0.7	0.8	0.6	1.5	1.6	1.4	0.9	0.9	0.8
45	Wounds..... {M..	1.8	3.1	1.1	2.0	2.1	1.7	1.4	1.7	1.0
	{F..	0.1		0.1	0.4	0.4	0.3	0.1	0.1	0.1
46	Others of this class..... {M..	51.9	52.0	51.9	32.0	29.0	38.0	30.5	31.7	29.2
	{F..	10.0	9.6	10.2	9.8	8.8	11.9	11.3	11.5	11.1

1 No cities.

PROPORTION OF DEATHS FROM EACH CAUSE.

671

PER 1,000 DEATHS FROM KNOWN CAUSES—Continued.

GRAND GROUP 9.			GRAND GROUP 10.			GRAND GROUP 11. ¹			GRAND GROUP 12.			GRAND GROUP 13.			
Total.	Cities.	Rural.	Total.	Cities.	Rural.	Total.	Cities.	Rural.	Total.	Cities.	Rural.	Total.	Cities.	Rural.	
22.7	17.1	23.0	13.1	12.6	13.5	31.7			28.8	15.3	31.7	21.0	14.6	26.4	1
1.3		1.3	0.8	0.6	0.9	2.0			2.1		2.6	0.8	0.4	1.2	2
11.9	9.0	12.1	5.2	3.1	6.7	20.1			20.6	4.6	23.9	9.1	3.1	14.2	3
7.3	5.4	7.4	4.9	5.9	4.3	7.4			5.0	6.9	4.7	8.2	7.8	8.5	4
0.2	2.7	0.1	0.3	0.6	0.1							0.3	0.2	0.3	5
2.0		2.1	1.9	2.4	1.5	2.2			1.1	3.8	0.5	2.6	3.1	2.2	6
6.2	2.1	6.4	4.2	2.4	5.5	2.4			1.3	0.3	1.5	3.1	1.5	4.5	7
6.6	2.4	6.8	4.1	1.9	5.7	2.7			1.6	0.6	1.9	3.5	2.1	4.8	8
5.9	1.8	6.1	4.4	3.0	5.3	2.1			0.8		1.0	2.6	0.8	4.1	9
5.4	1.6	5.6	2.8	0.4	4.5	1.4			0.7	0.6	0.7	2.3	0.8	3.6	10
4.9		5.1	3.0	1.1	4.2	1.5			0.1		0.2	1.9	0.1	3.4	
0.1		0.1	0.1	0.1	0.1							0.3	0.4	0.1	11
	0.9		0.1	0.1	0.2							0.1	0.1	0.1	
0.8	0.8	0.8	0.5	0.4	0.6	0.5			0.3		0.5	0.5	0.5	0.7	12
0.4	0.9	0.4	0.7	1.1	0.3	0.2			0.6		0.6	0.2	0.1	0.2	
0.1		0.1	0.4	0.7	0.2	0.1						0.3	0.2	0.4	13
0.3		0.3	0.3	0.4	0.3	0.1			0.1		0.2	0.2	0.3	0.2	
0.2		0.2	0.3	0.3	0.3	0.7			0.6		0.7	0.1	0.2		14
0.3		0.3	0.3	0.3	0.3	0.3						0.2	0.2	0.2	
2.6	1.7	2.7	1.9	1.9	1.9	2.6			2.1	1.0	2.4	2.2	2.2	2.2	15
2.6	1.6	2.7	1.9	1.5	2.2	2.9			2.5	1.2	2.8	2.2	2.6	1.9	16
2.7	1.8	2.7	1.9	2.4	1.5	2.3			1.7	0.8	1.9	2.2	1.8	2.6	17
0.8	1.6	0.8	0.9	0.6	1.1	1.1			1.2	0.6	1.3	1.1	1.5	0.8	18
1.0		1.1	0.7	1.1	0.3	0.8			0.9		1.1	1.2	0.8	1.6	
0.3		0.3	0.5	0.6	0.4	0.5			0.1		0.2	0.3	0.4	0.2	19
0.3	0.9	0.2	0.4	0.8	0.1	0.5						0.1	0.2	0.1	
1.5		1.6	0.5	0.3	0.7	1.3			1.2	0.6	1.3	0.8	0.7	0.9	20
1.4	0.9	1.4	0.8	0.5	1.1	1.0			0.8	0.8	0.8	0.9	0.8	0.9	
0.6	0.4	0.6	0.7	0.7	0.7	0.4			0.4		0.5	0.9	0.9	0.9	21
0.6		0.6	0.7	0.5	0.9	0.5			0.6		0.7	0.7	0.9	0.6	22
0.7	0.9	0.7	0.7	0.9	0.5	0.2			0.1		0.2	1.1	0.9	1.3	23
			0.1	0.1	0.2							0.2	0.2	0.2	24
0.1		0.1			0.1							0.4	0.3	0.5	
0.2		0.2	0.2	0.1	0.2	0.2			0.4		0.4	0.2	0.3	0.1	25
0.2		0.3	0.2		0.2	0.2						0.1		0.2	
0.4		0.4	0.4	0.3	0.5	0.3			0.2		0.3	0.3	0.4	0.3	26
0.4	0.9	0.3	0.5	0.9	0.2				0.1		0.2	0.6	0.6	0.6	
55.6	47.7	56.0	53.6	57.8	50.6	61.3			57.2	55.2	57.7	61.2	62.8	59.9	27
82.2	72.9	82.7	76.0	83.1	70.9	80.2			79.1	75.9	79.8	84.7	86.7	83.0	28
28.4	19.8	28.8	28.4	28.8	28.0	43.1			32.6	29.2	33.3	32.4	33.5	31.4	29
7.5	4.1	7.7	3.9	2.9	4.7	12.8			7.5	4.3	8.3	3.1	2.5	3.5	30
11.8	4.5	12.1	8.7	7.4	9.7	20.7			12.1	7.7	13.0	5.8	5.8	5.8	
3.6	2.4	3.7	8.9	11.1	7.3	4.1			6.4	6.1	6.4	10.2	10.2	10.2	31
1.1	0.9	1.1	1.7	1.8	1.6	0.8			1.1	0.8	1.1	1.2	0.7	1.7	
1.6	0.8	1.6	0.7	0.7	0.7	2.1			1.5	2.5	1.3	0.5	0.4	0.6	32
1.8	2.7	1.8	0.2	0.1	0.2	2.8			2.5	5.4	1.9	0.5		0.9	
13.6	8.9	13.9	5.4	4.5	6.1	15.1			21.5	17.1	22.6	5.5	4.3	6.6	33
1.6	0.9	1.6	1.1	0.9	1.3	2.5			2.7	3.0	2.6	1.0	0.8	1.1	
6.1	4.1	6.2	3.2	4.8	2.2	7.5			7.7	9.2	7.3	5.1	8.0	2.6	34
0.6		0.6	0.8	0.9	0.7	1.3			1.1	2.3	0.8	0.4	0.7	0.2	
						0.2			0.1		0.1				35
			0.2	0.3	0.1	0.1						0.1		0.1	
0.9	1.6	0.8	0.4	0.1	0.6	1.0			0.8		1.0	0.3		0.7	36
0.1		0.1	0.1		0.1										
11.7	13.0	11.7	12.2	15.5	9.9	6.6			4.5	8.6	3.5	10.2	6.1	13.6	37
0.7	0.9	0.7	1.1	1.6	0.8	0.5			0.5	2.3	0.2	1.0	0.5	1.4	
3.3	7.3	3.1	2.8	3.2	2.5	4.0			1.7	1.2	1.8	1.9	1.7	2.0	38
2.3	5.4	2.2	2.3	2.4	2.2	4.5			3.2	1.5	3.5	1.7	1.3	2.0	
0.7	0.8	0.7	2.6	3.4	2.0	0.8			0.5	0.6	0.4	2.0	1.7	2.2	39
0.1		0.1	0.2		0.3	0.1						0.2		0.5	
			0.6	0.8	0.4							0.5	0.4	0.6	40
0.2		0.2	0.3	0.6	0.1	0.1			0.1		0.2	0.2		0.3	
0.5	1.6	0.4	1.4	2.6	0.6	0.4			0.6	1.2	0.4	0.9	1.3	0.6	41
0.1		0.1	0.8	1.4	0.4	0.1						1.2	1.3	1.1	
1.2	1.6	1.2	4.0	4.2	3.8	1.4			1.4	1.8	1.3	7.2	10.0	4.9	42
0.6	0.9	0.6	0.7	1.0	0.5	0.1			0.3		0.3	2.8	4.5	1.5	
0.6		0.6	1.1	1.3	0.9	0.9			0.9		1.2	1.6	2.0	1.2	43
0.2		0.2	0.3	0.8		0.3			0.5		0.6	0.4	0.8		
0.1		0.1	0.5	0.9	0.2	0.4			0.5		0.6	1.0	1.0	1.0	44
0.4		0.4	1.0	1.6	0.6	0.2			0.3	0.8	0.2	2.3	3.1	1.6	
1.4	1.6	1.4	1.2	1.2	1.1	0.7			0.9	1.2	0.9	0.5	0.4	0.6	45
0.1		0.1	0.1		0.1	0.1			0.1		0.2	0.1		0.1	
29.4	25.1	29.6	27.1	25.9	27.9	22.2			22.6	22.1	22.7	34.2	36.7	32.1	46
6.7	3.6	6.9	8.8	8.0	9.3	8.9			8.1	5.4	8.7	13.5	14.0	13.1	

TABLE 26.—NUMBER OF DEATHS FROM EACH CAUSE

CAUSE OF DEATH.	GRAND GROUP 14.			GRAND GROUP 15.			GRAND GROUP 16.		
	Total.	Cities.	Rural.	Total.	Cities.	Rural.	Total.	Cities.	Rural.
1. General diseases.									
General diseases—A	353.3	288.2	355.4	199.8	173.1	205.4	182.8	169.3	183.8
2 Males	344.0	284.9	346.1	195.7	169.0	201.3	174.0	154.7	175.4
3 Females	363.6	292.7	365.6	204.2	177.5	209.6	193.3	186.9	193.8
4 Measles	(M.. 46.3 (F.. 57.6	7.3 11.1	47.7 58.9	7.6 10.0	3.6 3.0	8.5 11.4	5.6 7.5	6.0 3.0	5.6 7.9
5 Scarlet fever	(M.. 9.4 (F.. 14.0	5.4 12.3	9.5 14.0	4.3 5.0	3.6 4.3	4.5 5.1	5.4 6.6	6.3 5.5	5.3 6.7
6 Diphtheria	(M.. 8.0 (F.. 7.5	10.9 4.9	7.9 7.6	10.1 12.8	13.4 17.3	9.4 11.9	13.8 16.2	9.9 16.2	14.1 16.2
7 Whooping cough	(M.. 15.5 (F.. 21.3	0.9 2.5	16.0 21.8	8.0 10.1	6.0 7.6	8.4 10.6	8.7 12.6	9.2 11.1	8.6 12.7
8 Malarial fever	(M.. 57.2 (F.. 58.7	40.8 54.1	57.8 58.8	9.9 11.4	6.5 7.8	10.6 12.1	7.8 9.6	1.8 7.3	8.3 9.8
9 Influenza	(M.. 13.3 (F.. 13.2	8.2 7.4	13.5 13.4	15.5 19.4	13.1 16.0	16.0 20.1	10.1 13.0	6.4 12.8	10.4 13.0
10 Typhoid fever	(M.. 67.4 (F.. 71.9	38.1 39.3	68.4 72.8	52.3 51.8	37.1 29.2	55.5 56.5	35.3 36.2	33.2 33.7	35.4 36.4
11 Cholera morbus	(M.. 9.8 (F.. 8.5	11.8 7.4	9.7 8.5	7.4 6.9	3.6 5.9	8.2 7.1	12.4 13.7	6.7 10.2	12.9 13.9
12 Colitis	(M.. 1.4 (F.. 0.9	3.6 1.2	1.3 0.9	2.0 1.4	2.7 3.3	1.8 0.9	1.0 1.1	1.1 1.3	1.0 1.1
13 Diarrhea	(M.. 9.8 (F.. 8.9	28.1 27.0	9.2 8.4	7.5 5.2	7.4 6.7	7.5 4.9	6.7 4.8	4.9 4.3	6.8 4.8
14 Dysentery	(M.. 27.9 (F.. 24.5	30.0 4.9	27.8 25.1	13.8 14.4	7.6 10.4	15.1 15.2	8.9 9.4	6.4 6.0	9.1 9.6
15 Enteritis	(M.. 17.8 (F.. 18.4	36.3 65.2	17.2 17.1	10.2 10.2	22.2 22.7	7.7 7.7	7.4 7.6	15.5 15.8	6.8 7.0
16 Cholera infantum	(M.. 25.4 (F.. 23.5	20.9 28.3	25.5 23.4	24.0 22.0	22.0 17.5	24.4 22.9	27.8 28.6	28.2 35.8	27.8 28.0
17 Fever	(M.. 7.3 (F.. 7.6		7.6 7.8	1.9 2.1	0.5 0.2	2.2 2.5	1.1 0.9	1.8 0.4	1.1 1.0
18 Cerebro-spinal fever	(M.. 7.2 (F.. 5.9	3.6 3.7	7.4 6.0	5.9 4.0	3.4 3.5	6.4 4.0	4.5 4.8	6.0 4.7	4.4 4.8
19 Smallpox	(M.. 6.9 (F.. 4.2	22.7 14.7	6.3 3.9	1.1 0.8	0.2 0.2	1.3 0.9	2.0 1.4	0.7 1.3	2.1 1.4
20 Erysipelas	(M.. 3.5 (F.. 3.1	2.7	3.5 3.2	2.6 3.0	2.9 1.7	2.5 3.3	3.1 3.2	2.1 3.8	3.1 3.1
21 Septicemia	(M.. 5.8 (F.. 10.5	3.6 3.7	5.9 10.7	7.0 10.4	8.3 15.1	6.7 9.5	8.5 12.8	3.9 10.7	8.8 13.0
22 Venereal diseases	(M.. 1.4 (F.. 0.8	7.3 2.5	1.2 0.7	1.2 1.0	1.0 1.9	1.3 0.8	0.8 0.5	1.1 0.9	0.7 0.5
23 Others of this group	(M.. 2.7 (F.. 2.6	2.7 2.5	2.7 2.6	3.4 2.3	3.9 3.2	3.3 2.2	3.1 2.8	3.5 2.1	3.1 2.9
24 General diseases—B	13.1	27.7	12.7	18.0	31.2	15.2	15.4	25.1	14.7
25 Males	14.6	26.3	14.2	20.7	34.5	17.8	17.2	26.8	16.5
26 Females	11.6	29.5	11.1	15.1	27.5	12.6	13.3	23.0	12.5
27 Alcoholism	(M.. 1.3 (F.. 0.2	2.7	1.3	3.4 0.2	4.8 0.4	3.1 0.2	2.6 0.2	3.9	2.6 0.2
28 Parasitic diseases	(M.. 0.9 (F.. 1.0		0.9 1.1	0.2 0.3		0.3 0.4	0.2 0.2		0.2 0.3
29 Lead poison	(M.. 0.1 (F.. 0.1		0.1	0.2	0.3	0.1	0.2	0.3	0.2
30 Other poisons	(M.. 5.2 (F.. 3.1	6.4 3.7	5.2 3.0	3.4 2.5	4.1 3.5	3.3 2.2	4.3 3.7	7.8 5.1	4.0 3.5
31 Inanition	(M.. 7.1 (F.. 7.5	17.2 25.8	6.7 7.0	13.5 12.1	25.3 23.4	11.0 9.8	9.9 9.2	14.8 17.9	9.5 8.5
32 General diseases—C	33.8	60.6	32.9	59.3	80.9	54.9	64.0	84.6	62.5
33 Males	32.5	49.9	31.9	58.0	76.2	54.2	61.3	80.2	59.9
34 Females	35.1	75.0	34.0	60.7	86.0	55.5	67.2	90.0	65.5
35 Old age	(M.. 12.5 (F.. 14.7	17.2 40.6	12.3 14.0	28.2 34.3	27.1 40.9	28.4 33.0	35.7 43.0	39.9 49.9	35.4 42.4
36 Premature birth	(M.. 14.1 (F.. 12.4	21.8 14.8	13.8 12.3	15.2 12.0	27.0 20.3	12.8 10.2	12.1 10.0	17.7 16.6	11.6 9.5
37 Malformation	(M.. 1.6 (F.. 2.3	1.8 1.2	1.7 2.3	2.9 2.4	2.1 2.0	3.1 2.5	2.4 2.8	2.1 2.6	2.4 2.9
38 Debility and atrophy	(M.. 3.7 (F.. 5.3	6.4 17.2	3.6 5.0	10.8 11.5	18.5 22.2	9.2 9.3	9.8 10.2	18.0 19.6	9.2 9.5
39 Others of this group	(M.. 0.6 (F.. 0.4	2.7 1.2	0.5 0.4	0.9 0.5	1.5 0.6	0.7 0.5	1.3 1.2	2.5 1.3	1.3 1.2

PROPORTION OF DEATHS FROM EACH CAUSE.

673

PER 1,000 DEATHS FROM KNOWN CAUSES—Continued.

GRAND GROUP 17.			GRAND GROUP 18.			GRAND GROUP 19.			GRAND GROUP 20.			GRAND GROUP 21.			
Total.	Cities.	Rural.	Total.	Cities.	Rural.	Total.	Cities.	Rural.	Total.	Cities.	Rural.	Total.	Cities.	Rural.	
196.4	165.8	216.0	257.9	142.0	292.9	168.6	164.1	169.9	207.8	153.7	216.1	121.7	111.6	136.7	1
183.1	153.5	203.0	241.4	125.0	277.9	163.6	159.6	164.6	175.7	133.5	181.9	113.3	105.1	125.0	2
211.6	180.8	230.3	279.3	165.6	312.0	174.7	169.7	176.0	260.1	184.3	272.3	135.4	121.8	156.2	3
6.3	2.6	8.8	18.4	5.0	22.6	7.0	5.6	7.4	9.3	1.3	10.4	1.9	1.6	2.3	4
7.9	4.4	10.0	18.6	7.7	21.7	10.1	10.7	10.0	17.0	4.8	19.0	2.4	1.4	3.9	
4.4	2.6	5.5	8.0	3.9	9.2	4.1	3.7	4.2	10.3	8.8	10.6	3.0	3.1	2.9	5
4.9	2.0	6.6	10.7	10.8	10.7	4.4	4.6	4.3	16.1	11.4	16.9	4.9	4.5	5.4	
16.5	12.4	19.3	20.3	11.7	23.0	13.0	9.7	14.0	10.1	8.1	10.4	8.7	8.3	9.4	6
22.0	20.1	23.2	30.3	17.7	33.9	14.5	11.6	15.2	20.8	16.2	21.6	14.1	15.6	11.8	
7.9	4.9	10.0	14.8	7.2	17.2	9.5	11.2	9.0	10.3	7.5	10.7	4.7	3.4	6.7	7
13.0	9.7	15.1	20.7	13.1	22.8	13.5	11.6	14.0	19.5	13.3	20.5	7.5	3.9	13.0	
9.8	5.9	12.4	15.2	2.2	19.3	3.9	4.5	3.7	8.5	5.0	9.0	3.0	3.0	2.9	8
14.4	6.4	19.3	14.5	18.6	5.1	2.8	5.7	5.7	15.1	6.6	16.4	2.8	1.6	4.8	
9.1	4.6	12.2	8.0	3.9	9.2	12.7	8.2	14.0	10.6	2.5	11.8	9.2	4.3	16.2	9
12.4	9.3	14.4	9.5	6.2	10.4	16.3	11.2	17.6	14.7	7.6	15.8	11.5	8.6	16.0	
38.7	31.1	43.8	44.9	28.3	50.1	26.4	36.1	23.7	30.0	27.6	30.4	24.4	23.2	26.0	10
37.0	25.3	44.2	41.5	28.5	45.3	20.6	26.0	19.2	34.7	20.0	37.1	23.7	17.4	33.5	
10.2	5.2	13.5	11.7	2.2	14.6	9.4	6.3	10.3	10.3	3.1	11.4	5.1	2.1	9.4	11
12.4	8.5	14.9	16.4	3.9	20.0	10.9	6.5	12.1	15.6	6.6	17.0	5.6	2.9	9.7	
2.4	4.3	1.1	1.6	1.7	1.6	1.6	1.1	1.7	1.0	3.1	0.7	0.6	0.5	0.7	12
1.4	3.2	0.2	0.5	0.8	0.4	1.2	0.9	1.3	0.8	0.9	0.9	0.9	1.0	0.9	
7.4	5.6	8.6	8.7	1.1	11.1	8.0	5.6	8.6	6.0	6.3	5.9	4.0	2.6	5.9	13
4.9	3.2	5.9	7.4	0.8	9.3	6.5	3.7	7.2	5.4	6.6	5.2	3.8	3.1	4.8	
7.0	4.6	8.6	9.9	4.5	11.7	5.4	3.0	6.0	5.1	4.4	5.3	8.1	8.6	7.6	14
10.8	7.2	12.9	11.7	4.6	13.8	8.0	7.0	8.3	6.4	3.8	6.9	2.6	2.7	2.4	
10.7	21.0	3.8	9.7	11.7	9.0	10.5	15.6	9.1	7.1	9.4	6.8	15.0	22.0	5.0	15
13.2	24.9	6.1	10.7	13.1	10.0	11.4	19.5	9.3	9.1	15.2	8.1	20.1	27.4	8.7	
27.1	24.5	28.8	33.5	20.0	37.7	29.6	30.5	29.4	14.9	22.6	13.8	7.2	5.0	10.3	16
27.2	27.3	27.1	38.3	28.5	41.1	29.3	33.0	28.3	24.1	41.8	21.3	10.6	5.5	18.4	
1.2	0.3	1.8	7.5	0.6	9.7	0.6	0.7	0.7	9.6	11.0	11.0	1.6	1.3	2.0	17
2.9	4.6	11.7	11.7	15.1	0.9	0.9	0.5	1.0	14.0	1.9	16.0	1.3	0.6	2.4	
5.7	5.6	5.8	4.0	1.1	4.9	6.0	3.7	6.7	5.6	5.6	5.5	3.8	3.4	4.5	18
3.9	4.0	3.9	5.7	2.3	6.7	4.9	5.6	4.7	7.1	7.6	7.0	5.5	5.5	5.4	
1.6	2.6	0.9	9.5	1.7	12.0	0.4	1.1	0.2	13.0	3.8	14.3	1.0	0.9	1.1	19
1.2	0.4	1.7	9.6	1.5	12.0	0.2	0.2	0.2	18.9	0.9	21.7	0.8	1.0	0.6	
2.6	2.0	3.1	3.3	3.3	3.3	3.5	3.7	3.4	3.1	3.8	3.0	1.9	1.8	2.0	20
4.3	4.4	4.2	4.3	4.6	4.2	2.6	4.2	2.2	2.6	1.9	2.7	1.8	2.7	0.3	
10.0	8.8	10.8	7.5	8.3	7.3	7.5	7.1	7.6	7.3	8.1	7.2	5.8	5.3	6.7	21
14.4	16.9	12.9	14.5	16.9	13.8	9.8	5.6	10.9	14.3	12.4	14.6	10.0	9.2	11.2	
1.6	2.3	1.1	2.8	4.4	2.3	0.9	0.7	0.9	1.3	0.6	1.4	1.6	2.1	0.7	22
1.1	1.6	0.7	1.0	3.1	0.4	0.6	0.5	0.6	0.9	0.9	0.9	2.1	2.7	1.2	
2.9	2.6	3.1	2.1	2.2	2.1	3.6	2.2	4.0	2.3	1.9	2.3	2.7	2.6	2.7	23
2.3	2.0	2.4	1.7	1.5	1.8	3.9	4.2	3.9	3.0	4.8	2.7	3.4	4.5	1.8	
27.0	49.4	12.7	17.2	33.2	12.4	18.6	27.5	16.2	20.9	23.0	20.6	31.9	42.2	16.6	24
29.9	52.1	14.8	17.8	36.1	12.0	21.2	30.9	13.6	25.1	26.3	24.9	33.4	43.9	18.2	25
23.8	46.2	10.2	16.5	29.3	12.9	15.4	23.2	13.4	14.2	18.1	13.5	29.4	39.5	13.9	26
4.0	7.5	1.6	5.6	14.4	2.8	3.3	6.3	2.5	9.7	7.5	10.0	10.5	13.2	6.7	27
0.6	1.2	0.2	1.2	3.9	0.4	0.1	0.4	0.1	1.7	1.9	1.7	4.2	6.4	0.6	
			0.1	0.6	0.7	0.1	0.1	0.1	0.2	0.2	0.2	0.3	0.3	0.4	28
			0.5	0.7	0.7							0.1	0.2	0.3	
0.3	0.7		0.3		0.3				0.3	0.6	0.3	0.2	0.2		29
						0.1		0.1	0.1	0.2	0.2	0.1	0.2		
9.1	14.1	5.7	5.2	10.0	3.7	4.7	4.9	4.7	7.1	12.6	6.3	6.0	8.0	3.0	30
5.3	9.6	2.7	5.2	6.9	4.7	3.3	2.8	3.5	5.8	5.7	5.7	4.7	6.1	2.7	
16.5	29.8	7.5	6.6	11.1	5.2	13.1	19.7	11.3	7.8	5.6	8.1	16.4	22.2	8.1	31
17.9	35.4	7.3	9.6	18.5	7.1	11.9	20.0	9.8	6.6	10.5	5.9	20.3	26.8	10.3	
55.1	62.8	50.1	46.3	66.2	40.3	76.1	74.8	76.5	54.5	74.0	51.6	48.5	44.2	54.7	32
53.4	61.2	48.0	44.1	63.9	37.9	72.0	70.3	72.5	52.0	64.5	50.2	46.6	41.4	53.9	33
57.1	64.7	52.5	49.1	69.3	43.3	81.0	80.4	81.2	58.6	88.3	53.8	51.5	48.5	56.1	34
26.6	24.6	27.9	15.8	18.3	14.9	38.3	27.5	41.3	28.6	30.1	28.4	27.2	20.7	36.4	35
34.2	28.5	37.6	23.6	26.2	22.9	47.1	35.3	50.2	31.6	43.7	29.7	31.1	26.8	37.7	
16.0	23.2	11.0	16.8	23.9	14.6	16.9	21.2	15.7	9.3	17.5	8.1	8.9	9.5	7.9	36
12.6	18.1	9.3	13.6	17.7	12.4	15.2	22.3	13.4	12.2	21.8	10.6	8.3	9.4	6.6	
3.4	2.6	4.0	2.3	1.1	2.6	3.2	2.6	3.4	1.7	1.9	1.7	1.8	2.4	1.1	37
0.9	0.8	1.0	1.4	1.5	1.3	5.0	4.6	5.1	2.1	3.8	1.8	3.4	4.1	2.4	
6.6	9.8	4.4	9.1	20.6	5.6	11.8	18.2	10.1	10.7	14.4	10.2	7.8	8.0	7.4	38
7.7	13.7	4.1	9.5	23.1	5.6	12.4	16.3	11.3	11.8	17.1	10.9	8.2	8.0	8.5	
0.8	1.0	0.7	0.1	0.2	0.2	1.8	0.8	2.0	1.7	0.6	1.3	0.9	0.8	1.1	39
1.7	3.6	0.5	1.0	0.8	1.1	1.3	1.9	1.2	0.9	1.9	0.8	0.5	0.2	0.9	

TABLE 26.—NUMBER OF DEATHS FROM EACH CAUSE

	CAUSE OF DEATH.	GRAND GROUP 14.			GRAND GROUP 15.			GRAND GROUP 16.		
		Total.	Cities.	Rural.	Total.	Cities.	Rural.	Total.	Cities.	Rural.
1	1. General diseases—Continued.									
2	General diseases—D	138.1	220.4	135.5	213.5	189.0	218.5	186.4	184.1	186.5
3	Males.....	120.6	216.9	147.3	176.9	166.9	179.0	160.6	155.1	161.0
4	Females.....	157.3	225.1	155.4	252.2	212.9	260.2	217.0	219.3	216.8
5	Anemia.....	(M.. 0.6	0.9	0.6	1.7	2.2	1.6	2.1	1.8	2.2
6	Diabetes.....	(F.. 0.7	2.5	0.7	2.8	2.8	2.8	2.8	4.3	2.7
7	Rheumatism.....	(M.. 3.0	2.7	3.1	5.7	4.0	6.0	8.3	4.6	8.6
8	Scrofula and tabes.....	(F.. 1.5	3.7	1.4	3.7	3.3	3.7	5.8	5.1	5.9
9	Hydrocephalus.....	(M.. 5.7	2.7	5.7	7.2	4.6	7.7	7.4	4.6	7.7
10	Tuberculosis, general.....	(F.. 5.2	7.4	5.2	7.3	4.8	7.8	6.2	3.8	6.4
11	Consumption.....	(M.. 3.8	1.8	3.9	6.3	3.6	6.9	3.1	3.9	3.1
12	Cancer.....	(F.. 3.5	3.7	3.4	7.1	3.7	7.9	3.2	4.7	3.1
13	Tumor.....	(M.. 1.9	0.9	1.9	3.6	4.3	3.4	3.1	3.9	3.1
14	Dropsy.....	(F.. 1.8	2.5	1.8	3.3	4.3	3.2	2.7	2.1	2.7
15	Others of this group.....	(M.. 0.5	3.5	0.4	1.0	0.9	1.0	1.0	2.1	0.9
16	Consumption.....	(F.. 0.3	3.7	0.2	0.9	1.5	0.8	1.5	3.4	1.4
17	Cancer.....	(M.. 76.9	172.5	73.6	112.1	116.4	111.2	85.0	91.5	84.4
18	Tumor.....	(F.. 109.8	170.9	108.0	165.4	134.0	171.7	127.5	123.3	127.8
19	Dropsy.....	(M.. 10.7	19.1	10.4	22.5	20.8	22.9	32.9	28.6	33.2
20	Others of this group.....	(F.. 16.0	24.6	15.8	39.2	45.6	37.9	44.5	55.9	43.6
21	Tumor.....	(M.. 2.3	3.6	2.3	2.1	2.1	2.2	3.3	4.6	3.2
22	Dropsy.....	(F.. 2.9	1.2	2.9	4.9	4.3	5.0	6.6	4.3	6.7
23	Others of this group.....	(M.. 14.9	9.1	15.1	13.8	7.0	15.2	13.4	8.1	13.7
24	Consumption.....	(F.. 15.3	3.7	15.7	16.4	7.1	18.3	15.1	10.7	15.4
25	Cancer.....	(M.. 0.3	-----	0.3	0.9	1.0	0.9	1.0	1.4	0.9
26	Tumor.....	(F.. 0.3	1.2	0.3	1.2	1.5	1.1	1.1	1.7	1.1
27	2. Diseases of the nervous system.....	93.6	84.1	93.9	126.9	131.7	125.9	130.1	122.9	130.6
28	Males.....	97.5	83.5	97.9	135.1	143.7	133.3	135.0	131.1	135.3
29	Females.....	89.3	84.9	89.4	118.1	118.7	118.0	124.2	113.0	125.0
30	Inflammation of the brain.....	(M.. 10.4	7.3	10.5	12.3	5.8	13.6	11.3	2.8	11.9
31	Meningitis.....	(F.. 10.3	2.5	10.5	9.8	4.1	10.9	10.9	2.5	11.6
32	Apoplexy.....	(M.. 24.6	9.1	25.1	20.2	24.4	19.4	17.8	24.0	17.4
33	Paralysis.....	(F.. 21.7	11.1	22.0	18.3	21.9	17.6	16.4	18.8	16.2
34	Paralysis, general (of insane).....	(M.. 6.9	13.6	6.6	24.2	32.3	22.5	23.4	35.7	22.5
35	Tetanus and trismus nascentium.....	(F.. 5.7	22.1	5.3	19.1	23.8	18.2	19.0	23.9	18.7
36	Chorea.....	(M.. 14.9	12.7	14.9	34.3	21.8	36.9	33.1	23.0	33.9
37	Epilepsy.....	(F.. 13.4	4.9	13.6	33.9	26.4	35.4	33.9	26.9	34.3
38	Convulsions.....	(M.. 0.6	-----	0.6	1.2	-----	1.5	4.5	2.8	4.6
39	Mental diseases.....	(F.. 0.1	1.2	0.1	0.6	0.6	0.6	2.3	1.7	2.3
40	Diseases of the brain.....	(M.. 2.1	6.4	2.0	2.2	4.6	1.7	2.6	5.7	2.3
41	Diseases of the spinal cord.....	(F.. 1.9	6.2	1.7	0.9	1.3	0.8	1.2	1.3	1.2
42	Locomotor ataxia.....	(M.. 0.1	-----	0.1	0.1	0.2	0.1	0.2	-----	0.2
43	Others of this class.....	(F.. 0.2	-----	0.2	0.3	0.2	0.4	0.4	0.4	0.4
44	Pericarditis.....	(M.. 3.5	2.7	3.6	4.0	2.7	4.2	5.0	2.1	5.2
45	Diseases of the heart.....	(F.. 3.3	1.2	3.4	3.1	2.2	3.3	4.2	3.4	4.3
46	Angina pectoris.....	(M.. 7.1	12.7	6.9	12.9	19.6	11.5	14.1	14.8	14.1
47	Diseases of the arteries.....	(F.. 7.2	11.1	7.1	10.2	14.9	9.3	13.1	14.1	13.0
48	Aneurism.....	(M.. 1.6	4.5	1.5	3.2	7.2	2.4	5.3	5.0	5.3
49	Embolism.....	(F.. 1.7	7.4	1.5	2.6	3.7	2.3	5.2	4.3	5.3
50	Others of this class.....	(M.. 22.3	11.8	22.7	14.9	19.1	14.0	11.4	9.9	11.5
51	Pericarditis.....	(F.. 20.0	13.5	20.2	11.5	13.2	11.1	10.1	10.2	10.1
52	Diseases of the heart.....	(M.. 1.4	1.8	1.4	1.8	1.7	1.8	2.2	2.1	2.2
53	Angina pectoris.....	(F.. 1.2	2.5	1.2	1.6	1.5	1.7	1.8	1.3	1.8
54	Diseases of the arteries.....	(M.. 0.3	-----	0.3	1.0	1.2	0.9	1.1	0.4	1.1
55	Aneurism.....	(F.. 0.6	-----	0.6	0.6	0.6	0.6	0.6	0.4	0.6
56	Embolism.....	(M.. 1.7	0.9	1.7	2.8	3.1	2.8	3.0	2.8	3.1
57	Others of this class.....	(F.. 2.6	1.2	2.6	5.6	4.3	5.8	5.1	3.8	5.2
58	3. Diseases of the circulatory system.....	39.6	61.6	38.9	72.3	75.3	71.7	85.0	83.1	85.1
59	Males.....	39.6	66.3	38.6	76.9	77.4	76.8	88.2	78.1	89.0
60	Females.....	39.5	55.3	39.1	67.5	72.9	66.4	81.2	89.2	80.6
61	Pericarditis.....	(M.. 0.5	-----	0.5	0.8	1.6	0.6	0.8	1.1	0.8
62	Diseases of the heart.....	(F.. 0.2	1.2	0.2	0.7	1.1	0.6	0.5	2.1	0.4
63	Angina pectoris.....	(M.. 37.2	60.8	36.4	68.7	65.9	69.2	80.9	69.6	81.8
64	Diseases of the arteries.....	(F.. 37.3	50.4	36.9	61.5	65.7	60.7	76.0	80.2	75.7
65	Aneurism.....	(M.. 1.1	4.6	0.9	3.9	3.9	3.9	2.7	2.1	2.7
66	Embolism.....	(F.. 1.1	2.5	1.0	2.7	2.0	2.9	2.3	2.1	2.3
67	Others of this class.....	(M.. 0.1	0.9	0.1	1.0	1.6	0.9	1.4	1.8	1.4
68	Pericarditis.....	(F.. 0.5	1.2	0.5	0.5	0.9	0.4	0.5	0.9	0.4
69	Diseases of the heart.....	(M.. 0.3	-----	0.3	0.4	1.0	0.3	0.7	0.7	0.7
70	Angina pectoris.....	(F.. 0.4	-----	0.5	0.6	0.8	0.6	0.6	0.9	0.6
71	Diseases of the arteries.....	(M.. 0.1	-----	0.1	0.2	-----	0.3	0.3	0.7	0.3
72	Aneurism.....	(F.. 0.1	-----	0.1	0.3	0.4	0.2	0.6	0.9	0.6
73	Embolism.....	(M.. 0.3	-----	0.3	1.9	3.4	1.6	1.4	2.1	1.3
74	Others of this class.....	(F.. 0.4	-----	0.4	1.2	2.0	1.0	0.7	2.1	0.6

PROPORTION OF DEATHS FROM EACH CAUSE.

675

PER 1,000 DEATHS FROM KNOWN CAUSES—Continued.

GRAND GROUP 17.			GRAND GROUP 18.			GRAND GROUP 19.			GRAND GROUP 20.			GRAND GROUP 21.			
Total.	Cities.	Rural.	Total.	Cities.	Rural.	Total.	Cities.	Rural.	Total.	Cities.	Rural.	Total.	Cities.	Rural.	
177.0	161.5	187.0	173.5	229.8	156.6	172.4	170.3	172.9	163.0	166.1	162.6	240.2	241.9	237.9	1
152.0	143.1	158.1	165.8	242.2	141.9	141.0	147.3	139.3	153.0	161.0	151.8	224.2	236.2	206.7	2
205.7	184.0	218.9	183.6	212.7	175.3	209.6	199.0	212.4	179.3	173.8	180.2	266.1	250.6	290.0	3
1.4	2.3	0.9	0.7	-----	0.9	3.9	5.6	3.5	1.5	2.5	1.3	1.8	1.9	1.6	4
3.2	2.8	3.4	1.7	3.1	1.3	5.2	6.1	4.9	2.1	2.8	2.0	3.7	3.9	3.3	
3.7	2.9	4.2	5.3	6.6	4.9	9.8	7.8	10.4	4.9	6.9	4.6	6.6	5.4	8.3	5
3.5	3.6	3.4	2.7	4.6	2.2	6.7	5.1	7.1	4.3	9.5	3.5	8.9	9.2	8.4	
5.8	4.6	6.7	4.7	2.8	5.4	6.7	5.2	7.2	5.9	5.0	6.0	3.7	2.6	5.2	6
5.9	4.0	7.1	7.6	12.3	6.2	6.5	5.1	6.9	6.9	5.7	7.2	4.0	3.7	4.5	
3.6	2.3	4.4	2.8	1.7	3.1	2.6	3.3	2.5	2.4	-----	2.8	1.9	1.9	2.0	7
3.9	5.2	3.2	3.1	2.3	3.3	3.4	6.1	2.7	3.7	-----	4.3	2.7	3.3	1.8	
2.8	3.6	2.2	2.2	3.9	1.7	3.7	5.2	3.3	3.2	5.6	2.9	7.6	10.7	3.1	8
2.6	4.0	1.7	2.7	5.4	2.0	4.2	4.2	4.2	3.0	4.8	2.7	10.2	12.7	6.3	
2.0	3.3	1.1	0.3	-----	0.3	2.2	2.6	2.0	1.4	1.3	1.4	2.7	4.1	0.7	9
0.9	0.4	1.2	0.5	-----	0.7	2.6	2.3	2.7	0.7	-----	0.8	2.8	3.7	1.5	
94.4	91.0	96.8	118.0	195.5	93.7	67.9	72.9	66.5	96.8	95.8	96.9	151.7	161.2	138.0	10
185.7	118.9	145.9	116.3	134.9	111.0	108.7	97.6	111.6	103.1	98.8	103.8	155.2	138.1	181.5	
23.5	22.6	24.1	17.2	23.9	15.1	32.5	36.5	31.4	24.0	30.7	23.0	37.7	40.5	33.6	11
32.5	33.0	32.2	29.5	38.5	26.9	53.9	58.1	52.8	37.0	38.9	36.6	63.1	64.8	60.6	
2.5	1.6	3.1	2.8	2.8	2.8	3.1	3.4	3.0	2.4	0.6	2.7	3.0	3.1	2.9	12
4.3	2.8	5.1	5.5	3.9	6.0	6.1	6.5	6.0	4.5	1.9	4.9	6.8	5.5	8.8	
10.7	6.9	13.3	11.0	5.0	12.9	7.2	3.7	8.1	9.7	11.3	9.5	5.5	2.4	9.9	13
12.0	7.7	14.7	13.8	7.7	15.5	10.8	7.0	11.8	12.7	5.7	13.8	6.9	3.3	12.4	
1.6	2.0	1.3	0.8	-----	1.1	1.4	1.1	1.4	0.8	1.3	0.7	2.0	2.4	1.4	14
1.2	1.6	1.0	0.2	-----	0.2	1.5	0.9	1.7	1.3	5.7	0.6	1.8	2.4	0.9	
118.0	120.2	116.7	98.7	119.4	92.4	127.7	125.6	128.3	99.6	101.5	99.3	116.3	104.5	133.7	15
123.8	124.7	123.1	101.7	119.4	96.2	129.8	126.5	130.7	102.3	102.8	102.3	116.1	102.2	136.2	16
111.4	114.5	109.6	94.8	119.4	87.7	125.3	124.6	125.5	95.1	99.7	94.4	116.6	108.2	129.6	17
9.8	3.9	13.7	11.7	3.9	14.1	7.3	6.7	7.5	8.3	1.3	9.3	3.3	1.4	6.1	18
10.9	2.8	15.9	9.5	2.3	11.6	5.9	3.2	6.5	9.3	2.9	10.3	4.9	2.5	8.4	
22.5	28.8	18.2	21.7	25.5	20.5	16.3	19.0	15.6	14.6	23.2	13.4	18.7	19.2	17.9	19
20.3	25.3	17.3	26.4	36.2	23.5	15.4	21.4	13.9	20.6	23.8	20.0	18.7	20.2	16.6	
18.2	25.2	13.5	12.7	23.9	9.2	32.4	31.6	32.7	20.0	25.1	19.2	34.4	37.4	30.1	20
16.1	24.1	11.2	11.0	23.1	7.6	33.2	34.9	32.8	14.4	24.7	12.7	32.8	38.7	23.5	
29.3	23.6	33.2	17.7	16.1	18.3	28.0	13.8	31.9	23.1	23.8	23.0	20.4	11.9	32.7	21
24.3	22.5	25.4	17.7	14.6	18.7	33.8	27.0	35.6	19.5	17.1	19.9	23.1	13.5	38.0	
2.0	0.7	2.9	2.4	3.9	1.9	2.7	8.5	1.1	3.3	-----	3.8	3.6	0.9	7.6	22
0.5	-----	0.7	0.3	-----	0.4	1.3	3.7	0.7	1.1	0.9	1.1	0.7	0.6	0.9	
2.6	2.3	2.9	1.2	1.1	1.2	1.5	1.9	1.3	1.0	2.5	0.8	1.7	1.8	1.6	23
0.9	0.4	1.2	0.7	0.8	0.7	0.2	-----	0.2	0.1	-----	0.2	1.3	1.0	1.8	
-----	-----	-----	0.3	0.6	0.2	0.3	0.4	0.2	0.1	-----	0.1	-----	-----	-----	24
0.3	0.4	0.3	0.2	-----	0.2	-----	-----	-----	0.4	0.9	0.3	0.2	0.2	0.3	
4.0	2.3	5.1	3.7	3.3	3.8	4.2	4.8	4.0	3.9	1.3	4.3	3.2	2.4	4.3	25
4.8	1.6	6.8	4.3	3.9	4.4	3.5	2.3	3.9	3.7	0.9	4.1	2.3	2.2	2.4	
13.4	13.7	13.1	9.8	17.2	7.5	15.0	16.4	14.6	9.4	13.8	8.8	7.7	7.8	7.6	26
13.8	17.3	11.7	10.0	19.3	7.3	12.4	14.4	11.8	9.7	16.2	8.7	7.8	8.4	6.9	
2.6	1.6	3.3	4.6	8.3	3.5	2.4	3.0	2.3	5.8	0.6	6.6	4.6	1.1	9.6	27
3.5	3.6	3.4	3.3	6.2	2.4	2.6	0.9	3.0	2.6	0.9	2.9	5.3	2.5	9.7	
13.9	16.4	12.2	12.8	12.8	12.9	13.0	13.0	13.0	9.7	8.1	9.9	13.4	12.9	14.1	28
10.5	10.9	10.3	8.8	11.5	8.0	10.9	9.8	11.2	9.7	6.7	10.2	13.1	12.7	13.6	
2.4	2.6	2.2	1.1	0.6	1.2	3.5	3.7	3.4	1.0	1.9	0.8	1.7	2.4	0.7	29
1.5	1.6	1.5	0.9	1.5	0.7	2.2	2.8	2.1	0.9	-----	1.1	2.1	2.0	2.4	
1.3	2.6	0.4	0.5	1.6	0.2	0.9	0.7	0.9	0.6	0.6	0.6	1.4	1.4	1.4	30
0.2	0.4	-----	0.3	-----	0.4	0.6	1.4	0.4	0.1	0.9	-----	0.7	1.0	0.3	
1.8	1.0	2.4	1.5	0.6	1.7	2.3	3.0	2.2	1.5	0.6	1.7	2.0	1.6	2.5	31
3.8	3.6	3.9	1.4	-----	1.8	3.3	2.8	3.4	3.0	3.8	2.9	3.6	2.7	4.8	
75.5	80.1	72.5	61.0	64.9	59.9	101.7	88.0	105.3	71.5	89.1	68.8	109.9	116.5	100.1	32
78.3	83.2	75.1	65.6	65.0	65.7	107.2	89.3	112.2	71.5	83.3	69.7	115.0	117.5	111.5	33
72.3	76.3	69.8	55.1	64.7	52.4	95.0	86.5	97.2	71.6	97.8	67.3	101.7	115.0	81.1	34
1.1	1.3	0.9	0.2	0.6	-----	1.3	1.1	1.3	0.3	-----	0.4	1.4	2.0	0.5	35
0.9	1.6	0.5	0.5	1.5	0.2	0.8	0.5	0.8	1.0	2.8	0.8	2.3	3.3	0.6	
71.1	71.7	70.7	60.4	55.5	61.9	96.5	78.1	101.7	65.6	74.5	64.3	101.1	100.5	102.0	36
65.5	67.9	63.9	50.5	55.5	49.1	86.3	77.6	88.6	66.2	84.6	63.2	91.0	101.9	74.2	
2.6	3.0	2.4	2.7	2.2	2.8	4.7	3.0	5.1	2.7	6.3	2.2	4.5	5.0	3.6	37
2.7	2.8	2.7	1.7	3.9	1.1	4.5	3.7	4.7	2.1	3.8	1.8	3.0	3.1	2.7	
0.5	1.3	-----	0.5	1.7	0.2	2.0	2.6	1.9	0.8	1.9	0.6	3.4	4.3	2.2	38
0.5	0.4	0.5	-----	-----	-----	1.6	2.8	1.3	0.3	1.9	-----	2.7	3.9	0.9	
1.0	2.6	-----	0.5	1.1	0.3	0.8	1.5	0.6	1.1	0.6	1.1	3.4	3.9	2.7	39
0.9	1.2	0.7	0.3	-----	0.4	0.3	0.5	0.2	0.8	-----	0.9	1.2	1.0	1.5	
0.3	0.3	0.2	0.4	1.7	-----	0.4	0.4	0.4	0.3	-----	0.3	0.4	0.8	-----	40
0.6	1.2	0.3	1.2	2.3	0.9	0.5	0.5	0.5	0.5	1.9	0.3	0.7	0.8	0.6	
1.7	3.0	0.9	0.9	2.2	0.5	1.5	2.6	1.2	0.7	-----	0.8	0.8	1.0	0.5	41
1.2	1.2	1.2	0.9	1.5	0.7	1.0	0.9	1.1	0.7	2.8	0.3	0.8	1.0	0.6	

TABLE 26.—NUMBER OF DEATHS FROM EACH CAUSE

CAUSE OF DEATH.		GRAND GROUP 14.			GRAND GROUP 15.			GRAND GROUP 16.		
		Total.	Cities.	Rural.	Total.	Cities.	Rural.	Total.	Cities.	Rural.
1	4. Diseases of the respiratory system.....	162.4	80.9	165.0	134.9	133.3	135.3	138.7	128.9	139.4
2	Males.....	175.6	88.9	178.7	137.0	126.2	139.3	140.3	134.9	140.7
3	Females.....	147.9	70.1	150.1	132.7	141.1	131.0	136.7	121.6	137.9
4	Croup.....	27.6	0.9	28.5	15.8	8.1	17.4	12.4	7.8	12.7
	{M.....	24.2	3.7	24.8	13.5	7.1	14.8	12.0	8.5	12.3
	{F.....									
5	Pneumonia.....	122.3	69.9	124.2	92.3	90.3	92.8	98.1	93.3	98.5
	{M.....	100.0	35.6	101.8	89.5	97.0	88.0	94.7	81.9	95.6
	{F.....									
6	Laryngitis.....	0.4	1.8	0.3	0.8	1.2	0.8	0.6	1.4	0.5
	{M.....	0.4		0.4	0.8	0.7	0.8	0.5	1.3	0.5
	{F.....									
7	Bronchitis.....	14.7	13.6	14.8	13.2	13.0	13.2	12.4	16.2	12.1
	{M.....	13.4	24.6	13.1	14.0	17.7	13.2	14.2	15.3	14.2
	{F.....									
8	Pleurisy.....	2.0		2.1	2.3	2.1	2.3	2.3	2.1	2.3
	{M.....	1.6	2.5	1.6	2.4	3.2	2.3	2.1	1.3	2.2
	{F.....									
9	Asthma.....	2.1		2.2	3.0		3.1	4.5	3.9	4.5
	{M.....	2.4	1.2	2.4	3.4	5.2	3.0	4.4	6.0	4.2
	{F.....									
10	Others of this class.....	6.5	2.7	6.6	9.6	9.1	9.7	10.0	10.2	10.1
	{M.....	5.9	2.5	6.0	9.1	10.2	8.9	8.8	7.3	8.9
	{F.....									
11	5. Diseases of the digestive system.....	69.4	54.3	69.9	64.7	66.5	64.3	73.2	65.3	73.8
12	Males.....	70.8	49.9	71.5	64.0	63.2	64.2	72.7	58.6	73.7
13	Females.....	68.0	60.3	68.2	65.4	70.2	64.4	73.9	73.4	74.0
14	Dentition.....	3.9	6.4	3.7	1.4	0.9	1.5	0.9		0.9
	{M.....	3.0	4.9	3.0	1.1	0.6	1.2	0.9	0.8	1.0
	{F.....									
15	Angina.....	3.3	1.8	3.4	2.1	1.0	2.3	1.7	1.4	1.8
	{M.....	4.3	1.2	4.2	1.7	0.7	1.9	1.9	0.8	2.0
	{F.....									
16	Gastritis.....	6.9	2.7	7.0	8.5	7.6	8.7	9.1	7.4	9.2
	{M.....	8.3	9.8	8.2	9.9	10.6	9.8	9.2	10.7	9.1
	{F.....									
17	Diseases of the stomach.....	12.0	2.7	12.3	7.1	3.1	7.9	9.3	6.7	9.5
	{M.....	14.1	2.5	14.4	8.1	5.6	8.6	9.6	6.0	9.8
	{F.....									
18	Obstruction of the bowels.....	2.3	1.8	2.4	3.8	6.0	3.4	4.4	3.5	4.4
	{M.....	1.7	1.3	1.7	3.5	4.1	3.3	4.8	9.4	4.4
	{F.....									
19	Appendicitis.....	3.9	0.9	4.0	6.1	7.2	5.8	9.7	8.5	9.9
	{M.....	2.3	2.5	2.3	3.1	3.9	2.9	6.6	3.8	6.8
	{F.....									
20	Hernia.....	1.0	2.7	1.0	2.5	2.4	2.6	2.7	1.1	2.8
	{M.....	0.8	1.2	0.8	1.4	1.5	1.4	2.5	3.0	2.5
	{F.....									
21	Other diseases of the bowels.....	7.6	1.8	7.8	5.2	3.4	5.5	4.8	2.5	4.9
	{M.....	7.6	2.5	7.7	4.4	3.2	4.6	3.6	3.0	3.6
	{F.....									
22	Jaundice.....	6.1	0.9	6.3	3.3	2.7	3.5	2.6	1.4	2.6
	{M.....	3.6	1.2	3.7	2.5	2.2	2.5	2.6	3.0	2.6
	{F.....									
23	Inflammation and abscess of the liver.....	5.1	6.4	5.0	3.1	3.1	3.1	2.4	3.5	2.3
	{M.....	3.7	2.5	3.8	4.1	3.2	4.4	3.8	2.6	3.9
	{F.....									
24	Other diseases of the liver.....	4.5	7.3	4.3	6.9	9.6	6.4	7.9	8.5	7.9
	{M.....	2.9	1.2	2.9	5.4	8.2	4.8	6.4	6.0	6.4
	{F.....									
25	Peritonitis.....	2.6	7.3	2.5	4.7	8.3	3.9	5.7	9.2	5.5
	{M.....	4.9	23.4	4.4	10.8	20.1	9.0	10.2	17.5	9.7
	{F.....									
26	Ascites.....	2.1	1.8	2.1	1.6	0.7	1.8	1.1		1.2
	{M.....	2.2	1.2	2.3	1.9	1.3	2.1	1.9	0.4	2.0
	{F.....									
27	Others of this class.....	9.5	5.4	9.7	7.7	7.2	7.8	10.4	4.9	10.8
	{M.....	8.6	4.9	8.7	7.5	5.0	7.9	9.9	6.4	10.2
	{F.....									
28	6. Diseases of the urinary system and male organs of generation.....	22.5	43.3	21.8	38.0	42.1	37.1	42.0	45.8	41.8
29	Males.....	30.2	45.4	29.6	49.0	48.4	49.1	54.6	61.1	54.1
30	Females.....	14.0	40.6	13.2	26.3	35.2	24.6	27.1	27.3	27.1
31	Bright's disease.....	16.7	31.8	16.2	30.7	29.3	31.0	34.6	39.6	34.2
	{M.....	8.7	34.4	7.9	18.3	23.8	17.2	18.9	19.6	18.8
	{F.....									
32	Calculus, urinary.....	0.8	0.9	0.8	0.2		0.2	0.6	1.1	0.6
	{M.....	0.3		0.3	0.2	0.2	0.2	0.1		0.2
	{F.....									
33	Diseases of the kidney.....	7.2	2.7	7.3	7.1	3.8	7.8	9.0	4.2	9.3
	{M.....	3.2	2.5	3.2	4.1	3.7	4.2	4.9	3.0	5.0
	{F.....									
34	Diseases of the bladder.....	2.4	6.4	2.2	4.1	4.3	4.1	4.6	6.7	4.5
	{M.....	0.2		0.2	0.7	1.3	0.6	0.6	0.4	0.6
	{F.....									
35	Others of this class.....	3.1	3.6	3.1	6.9	11.0	6.0	5.8	9.5	5.5
	{M.....	1.6	3.7	1.6	3.0	6.2	2.4	2.6	4.3	2.5
	{F.....									
36	7. Diseases of the female organs of generation.....	7.1	8.6	7.0	7.2	11.5	6.3	5.5	8.9	5.2
37	Ovarian tumors.....	0.8	1.2	0.7	1.3	1.7	1.2	1.1	0.9	1.1
38	Ovarian diseases.....	0.1	1.2	0.1	0.4	1.3	0.2	0.5	1.7	0.4
39	Diseases of the tubes.....	0.3	3.7	0.2	0.3	0.9	0.2	0.3	0.4	0.3
40	Uterine tumors.....	0.9		0.9	1.2	2.8	0.9	0.9	2.5	0.7
41	Uterine diseases.....	1.3		1.3	0.9	0.9	0.8	0.6	0.4	0.6
42	Others of this class.....	3.7	2.5	3.3	3.1	3.9	3.0	2.1	3.0	2.1

PROPORTION OF DEATHS FROM EACH CAUSE.

677

PER 1,000 DEATHS FROM KNOWN CAUSES—Continued.

GRAND GROUP 17.			GRAND GROUP 18.			GRAND GROUP 19.			GRAND GROUP 20.			GRAND GROUP 21.			
Total.	Cities.	Rural.	Total.	Cities.	Rural.	Total.	Cities.	Rural.	Total.	Cities.	Rural.	Total.	Cities.	Rural.	
158.4	154.1	161.1	149.7	144.9	151.1	120.8	138.9	116.0	155.5	149.1	156.5	117.6	128.7	101.4	1
169.1	158.5	176.3	155.6	145.0	158.9	122.9	142.9	117.3	164.5	158.5	165.4	119.4	130.4	103.6	2
146.1	148.6	144.5	142.0	144.8	141.1	118.4	133.9	114.4	141.0	134.9	142.0	114.9	126.0	97.7	3
13.2	9.5	15.7	13.8	4.4	16.7	7.3	8.9	6.8	8.1	3.1	8.8	4.5	3.0	6.7	4
13.1	13.2	12.9	13.6	6.9	15.5	7.1	9.3	6.5	11.9	1.0	13.7	5.2	3.3	8.2	
121.7	112.0	128.2	116.0	107.8	118.6	83.6	104.6	77.8	129.0	124.1	129.7	82.6	88.4	74.3	5
99.7	95.6	102.3	104.6	106.3	104.1	74.5	78.5	73.5	101.8	99.7	102.2	72.3	77.1	64.8	
0.3	0.3	0.2	0.9	1.1	0.9	1.3	1.9	1.1	0.5		0.6	0.7	0.9	0.4	6
0.5	0.4	0.5	0.4	0.8	0.2	1.2	1.9	1.1	0.1		0.2	1.4	2.2	0.3	
15.8	21.3	12.2	9.0	10.6	8.5	15.9	17.5	15.5	11.5	10.7	11.7	15.6	20.8	8.1	7
17.3	23.7	13.4	11.2	13.8	10.4	19.1	27.0	17.0	15.5	23.7	14.1	20.3	25.0	13.0	
2.5	2.9	2.2	2.0	3.3	1.5	2.0	1.1	2.3	2.5	3.1	2.4	2.6	3.1	1.8	8
1.2	1.2	1.2	1.9	3.1	1.6	2.6	1.9	2.8	2.4		2.7	2.2	3.1	0.6	
3.7	3.6	3.8	4.6	8.3	3.5	3.4	1.1	4.0	4.7	5.0	4.6	2.4	2.3	2.7	9
3.2	2.4	3.7	3.1	3.1	3.1	3.2	4.6	2.8	3.0	1.0	3.3	3.2	2.6	4.2	
11.9	8.9	14.0	9.3	9.5	9.2	9.4	7.8	9.8	8.2	12.5	7.6	11.0	11.9	9.6	10
11.1	12.1	10.5	7.2	10.8	6.2	10.7	10.7	10.7	6.3	9.5	5.8	10.3	12.7	6.6	
69.6	70.5	69.1	68.3	65.9	69.0	74.6	71.9	76.4	61.3	76.3	59.0	63.7	64.6	62.3	11
68.8	68.8	68.9	63.4	48.9	68.0	74.1	66.6	76.2	58.1	72.1	56.0	56.0	57.6	53.8	12
70.6	72.7	69.3	74.6	89.4	70.4	75.3	78.6	74.4	66.4	82.6	63.8	75.9	75.5	76.6	13
1.5	0.7	2.0	1.6	0.6	1.9	0.8		1.0	1.3	3.1	1.0	0.9	0.6	1.3	14
1.5	0.8	2.0	2.4	0.8	2.9	0.9	0.5	1.0	0.9	0.9	0.9	0.8	0.4	1.5	
1.2	1.0	1.3	1.1		1.4	1.9	1.1	2.1	1.6	1.3	1.7	1.1	0.9	1.4	15
2.6	2.0	2.9	3.8	0.8	4.7	1.3	0.5	1.6	1.7	0.9	1.8	2.0	1.0	3.6	
7.8	6.9	8.4	8.3	6.1	9.0	8.1	7.1	8.3	6.3	5.6	6.4	6.7	6.0	7.6	16
8.5	9.3	8.1	9.5	13.1	8.4	11.6	10.2	11.9	9.3	9.5	9.3	10.7	10.6	10.9	
5.4	2.9	7.1	6.5	1.7	8.0	5.2	6.0	4.9	5.6	6.3	5.4	4.4	3.8	5.4	17
6.2	2.0	8.8	10.2	3.9	12.0	4.1	3.3	4.3	4.8	3.8	5.0	5.6	3.5	8.8	
4.9	5.9	4.2	4.2	7.2	3.3	5.0	6.3	4.6	3.3	6.3	2.9	3.9	4.6	2.9	18
5.6	7.7	4.4	4.3	10.8	2.4	4.6	4.6	4.6	4.8	11.4	3.8	5.8	5.3	6.6	
9.2	12.8	6.9	8.8	6.7	9.4	9.5	10.0	9.3	9.6	11.9	9.2	7.5	8.0	6.9	19
4.0	4.0	3.9	4.7	6.9	4.0	6.3	9.8	5.4	8.3	15.2	7.2	8.3	8.0	8.8	
3.3	4.2	2.7	1.6	2.2	1.4	2.8	2.2	3.0	3.1	5.0	2.9	1.9	1.0	3.1	20
2.0	2.4	1.7	1.7	1.5	1.8	1.1	1.9	1.0	2.4	1.9	2.4	2.6	2.5	2.7	
4.0	3.3	4.4	4.9	2.2	5.7	3.5	3.7	3.5	3.6	1.3	4.0	2.0	1.5	2.7	21
3.3	2.8	3.7	4.3	5.4	4.0	3.0	1.4	3.4	3.3	2.9	3.3	1.8	1.4	2.4	
2.6	2.9	2.4	2.9	3.3	2.8	2.3	1.1	2.7	1.5	1.3	1.6	1.1	0.9	1.4	22
2.4	2.0	2.7	3.4	3.1	3.6	3.0	1.9	3.2	1.7	0.9	1.8	1.8	1.4	2.4	
3.4	3.9	3.1	3.3	2.2	3.7	3.5	4.5	3.3	3.5	3.7	3.4	4.0	3.5	4.7	23
2.4	2.4	2.4	4.8	6.2	4.4	3.8	3.3	4.0	2.9	1.9	3.0	3.8	3.9	3.6	
6.9	6.9	6.9	5.0	6.7	4.5	10.1	8.2	10.7	6.7	10.0	6.2	12.1	16.8	5.2	24
4.6	3.2	5.4	4.1	4.6	4.0	6.8	6.0	7.0	3.9	3.8	4.0	11.7	15.6	5.7	
8.1	11.5	5.8	4.5	5.6	4.2	8.5	8.2	8.5	5.6	11.9	4.6	6.7	7.7	5.4	25
16.4	28.5	9.0	11.4	27.7	6.7	16.3	26.9	13.5	14.3	24.7	12.6	14.8	17.8	10.3	
1.8	1.3	2.2	1.6		2.1	0.7	0.4	0.8	1.8		2.1	0.4		1.1	26
1.7	0.4	2.4	2.4		3.1	0.8	0.9	0.7	1.8	1.9	1.8	0.6		1.5	
8.7	4.6	11.5	9.1	4.4	10.6	12.2	7.8	13.5	4.6	4.4	4.6	3.3	2.3	4.7	27
9.4	5.2	11.9	7.6	4.6	8.4	11.7	7.4	12.8	6.3	2.9	6.9	5.6	4.1	7.8	
36.9	43.1	32.9	31.0	42.3	27.6	46.2	48.8	45.5	35.8	49.8	33.6	52.3	55.7	47.2	28
44.8	48.5	42.3	39.2	50.0	35.8	58.3	63.2	56.9	41.2	49.5	39.9	59.4	61.0	57.2	29
27.8	36.6	22.4	20.3	31.6	17.1	31.9	30.7	32.2	27.0	50.3	23.3	40.8	47.5	30.4	30
29.9	31.1	29.0	25.2	32.8	22.8	37.6	46.1	35.2	27.8	33.2	27.0	42.8	46.0	38.1	31
17.4	22.9	14.1	14.4	25.4	11.3	23.4	23.7	23.3	21.1	38.9	18.2	32.9	39.5	22.6	
0.5	1.0	0.2	0.5		0.7	0.8	1.1	0.7	0.6	1.3	0.5	0.3	0.4	0.2	32
0.3	0.4	0.2	0.2		0.2	0.2		0.2				0.2	0.2	0.3	
5.0	2.6	6.7	6.2	3.9	6.9	5.9	5.6	6.0	5.0	4.4	5.1	4.0	3.8	4.3	33
4.9	4.8	4.9	2.9	1.6	3.4	4.4	2.8	4.8	2.8	3.8	2.6	3.5	3.1	4.2	
2.8	3.9	2.0	2.1	2.2	2.1	6.9	5.6	7.3	4.3	5.0	4.2	4.0	3.4	4.9	34
0.6	0.8	0.5	0.2		0.2	1.4	0.5	1.7	0.1		0.2	1.1	1.2	0.9	
6.6	9.9	4.4	5.2	11.1	3.3	7.1	4.8	7.7	3.5	5.6	3.1	8.3	7.4	9.7	35
4.6	7.7	2.7	2.6	4.6	2.0	2.5	3.7	2.2	3.0	7.6	2.3	3.1	3.5	2.4	
8.5	12.5	6.1	7.1	7.7	6.9	9.4	10.7	9.0	7.3	9.5	7.0	9.3	12.3	4.5	36
1.1	0.8	1.2	0.7	0.8	0.7	1.8	1.4	1.9	0.5		0.6	1.9	2.0	1.8	37
0.3	0.4	0.3	0.2		0.2	0.2		0.2	0.3	1.0	0.2	0.7	1.0	0.3	38
1.1	1.6	0.7	0.3	1.5		0.7	1.4	0.5	0.4	0.9	0.3	1.6	2.3	0.3	39
1.3	2.4	0.7	1.2	2.3	0.9	2.6	4.2	2.2	1.6	1.9	1.5	2.1	3.1	0.6	40
1.1	2.4	0.3	1.2		1.6	1.1	0.9	1.2	0.9		1.1				41
3.6	4.9	2.9	3.5	3.1	3.5	3.0	2.8	3.0	3.6	5.7	3.3	3.0	3.9	1.5	42

TABLE 26.—NUMBER OF DEATHS FROM EACH CAUSE.

CAUSE OF DEATH.		GRAND GROUP 14.			GRAND GROUP 15.			GRAND GROUP 16.		
		Total.	Cities.	Rural.	Total.	Cities.	Rural.	Total.	Cities.	Rural.
1	8. Affections connected with pregnancy.....	29.9	27.1	30.0	17.6	12.5	18.6	22.1	10.2	23.0
2	Abortion.....	1.5		1.6	1.2	1.1	1.3	1.0		1.1
3	Childbirth.....	17.3	6.2	17.6	7.8	3.9	8.6	12.4	4.7	12.9
4	Puerperal septicemia.....	9.4	17.2	9.1	6.3	4.7	6.6	6.8	4.7	6.9
5	Extra-uterine pregnancy.....	0.1		0.1	0.4	0.6	0.3	0.4	0.4	0.5
6	Others of this class.....	1.6	3.7	1.6	1.9	2.2	1.8	1.5	0.4	1.6
7	9. Diseases of the bones and joints.....	4.0	3.1	4.0	4.8	1.3	5.5	3.9	1.9	4.0
8	Males.....	4.2	2.7	4.3	5.3	1.6	6.1	4.4	1.8	4.6
9	Females.....	3.7	3.7	3.7	4.2	1.1	4.8	3.3	2.1	3.4
10	Diseases of the spine.....	{M.. 2.9		3.0	{M.. 3.9	1.0	4.6	{M.. 3.0	0.4	3.2
		{F.. 2.9	1.3	2.9	{F.. 3.3	0.4	3.9	{F.. 2.4	1.3	2.5
11	Abscess, lumbar and psoas.....	{M.. 0.2	0.9	0.2	{M.. 0.1		0.1	{M.. 0.1		0.1
		{F.. 0.1		0.1	{F.. 0.1	0.2		{F.. 0.1		0.1
12	Diseases of the bones.....	{M.. 0.7	0.9	0.7	{M.. 0.8	0.2	0.9	{M.. 0.9	0.7	0.9
		{F.. 0.3	1.2	0.2	{F.. 0.5	0.3	0.5	{F.. 0.6	0.4	0.6
13	Diseases of the hip-joint.....	{M.. 0.2	0.9	0.2	{M.. 0.3	0.4	0.3	{M.. 0.3	0.4	0.3
		{F.. 0.1	1.2	0.1	{F.. 0.2	0.2	0.2	{F.. 0.1		0.1
14	Others of this class.....	{M.. 0.2		0.2	{M.. 0.2		0.2	{M.. 0.1	0.3	0.1
		{F.. 0.3		0.4	{F.. 0.1		0.2	{F.. 0.2	0.4	0.2
15	10. Diseases of the skin.....	3.0	1.6	3.1	1.7	1.5	1.7	2.7	1.4	2.8
16	Males.....	3.3	2.7	3.3	2.1	1.9	2.1	2.7	1.8	2.8
17	Females.....	2.7		2.8	1.3	1.1	1.4	2.6	0.9	2.7
18	Abscess.....	{M.. 1.6	0.9	1.6	{M.. 1.1	1.0	1.1	{M.. 1.4	1.1	1.4
		{F.. 1.3		1.3	{F.. 0.8	0.7	0.8	{F.. 1.6		1.7
19	Carbuncle.....	{M.. 0.5	0.9	0.5	{M.. 0.2	0.4	0.2	{M.. 0.5		0.6
		{F.. 0.1		0.2	{F.. 0.2	0.4	0.2	{F.. 0.1		0.1
20	Others of this class.....	{M.. 1.2	0.9	1.2	{M.. 0.8	0.5	0.8	{M.. 0.8	0.7	0.8
		{F.. 1.3		1.3	{F.. 0.3		0.4	{F.. 0.9	0.9	0.9
21	11. Diseases of the absorbent system.....	0.6	0.5	0.6	0.8	0.4	0.9	1.0	1.2	1.0
22	Males.....	0.6	0.9	0.6	1.0	0.2	1.1	1.1	1.4	1.1
23	Females.....	0.7		0.7	0.7	0.7	0.7	0.9	0.9	0.9
24	Addison's disease.....	{M.. 0.1			{M.. 0.2	0.2	0.2	{M.. 0.3	0.7	0.2
		{F.. 0.1			{F.. 0.2		0.2	{F.. 0.1	0.9	0.1
25	Diseases of the spleen.....	{M.. 0.3		0.4	{M.. 0.4		0.4	{M.. 0.4		0.4
		{F.. 0.4		0.4	{F.. 0.1		0.1	{F.. 0.3		0.3
26	Others of this class.....	{M.. 0.2	0.9	0.2	{M.. 0.4		0.5	{M.. 0.4	0.7	0.5
		{F.. 0.3		0.3	{F.. 0.4	0.7	0.4	{F.. 0.5		0.5
27	12. Accidents and injuries.....	49.0	58.5	48.6	53.3	62.2	51.4	62.2	77.7	61.1
28	Males.....	66.5	81.7	66.0	78.3	90.8	75.7	87.9	114.4	85.9
29	Females.....	29.6	27.1	29.7	26.8	31.1	25.9	31.7	33.3	31.6
30	Burns and scalds.....	{M.. 5.8	1.8	5.9	{M.. 5.4	7.6	4.9	{M.. 4.0	3.5	4.1
		{F.. 11.4	8.6	11.5	{F.. 7.5	8.2	7.4	{F.. 6.2	6.8	6.2
31	Drowning.....	{M.. 5.0	1.8	5.0	{M.. 4.4	5.7	4.2	{M.. 7.9	8.1	7.9
		{F.. 1.8	1.2	1.8	{F.. 0.8	1.1	0.8	{F.. 1.8	2.2	1.7
32	Exposure and neglect.....	{M.. 1.0	1.8	1.0	{M.. 0.7	0.3	0.8	{M.. 0.9	0.4	0.9
		{F.. 1.1		1.2	{F.. 0.6	0.4	0.6	{F.. 0.9		1.0
33	Gunshot wounds.....	{M.. 12.0	17.3	11.8	{M.. 8.3	7.6	8.4	{M.. 6.8	9.2	6.6
		{F.. 1.6	1.2	1.6	{F.. 1.3	1.7	1.2	{F.. 1.3	1.7	1.3
34	Homicide.....	{M.. 4.6	1.8	4.7	{M.. 2.1	1.9	2.1	{M.. 2.1	3.5	2.0
		{F.. 0.7		0.7	{F.. 0.5	0.7	0.5	{F.. 0.5	0.4	0.5
35	Infanticide.....	{M.. 0.1	1.2		{M.. 0.1		0.1	{M.. 0.1		
		{F.. 0.1			{F.. 0.1		0.1	{F.. 0.1		
36	Injuries by machinery.....	{M.. 0.9		0.9	{M.. 0.3		0.4	{M.. 0.4	0.7	0.3
		{F.. 0.9			{F.. 0.3		0.4	{F.. 0.4	0.7	0.3
37	Railroad accidents.....	{M.. 5.6	11.8	5.4	{M.. 14.7	26.5	12.3	{M.. 13.7	29.7	12.5
		{F.. 0.3	2.5	0.3	{F.. 1.2	2.8	0.9	{F.. 1.2	3.4	1.0
38	Suffocation.....	{M.. 2.9	1.8	3.0	{M.. 3.3	3.1	3.3	{M.. 2.6	2.5	2.6
		{F.. 2.3	2.5	2.3	{F.. 2.5	1.7	2.7	{F.. 1.5	0.9	1.5
39	Suicide by shooting.....	{M.. 1.4	3.6	1.4	{M.. 2.3	3.9	2.0	{M.. 2.2	2.1	2.2
		{F.. 0.1		0.1	{F.. 0.3	0.6	0.2	{F.. 0.3		0.3
40	Suicide by drowning.....	{M.. 0.1		0.1	{M.. 0.1		0.2	{M.. 0.2	0.4	0.2
		{F.. 0.1		0.1	{F.. 0.1	0.2	0.1	{F.. 0.1		0.2
41	Suicide by poison.....	{M.. 0.9		1.0	{M.. 1.6	2.9	1.3	{M.. 0.9	1.1	0.8
		{F.. 0.2		0.2	{F.. 0.8	2.0	0.5	{F.. 0.7	2.1	0.6
42	Other suicides.....	{M.. 2.2	4.6	2.2	{M.. 4.3	3.9	4.4	{M.. 6.5	6.3	6.5
		{F.. 0.5		0.5	{F.. 1.2	1.3	1.1	{F.. 2.2	1.3	2.2
43	Sunstroke.....	{M.. 1.2	2.7	1.1	{M.. 0.7	0.7	0.7	{M.. 1.1	0.4	1.2
		{F.. 0.4		0.4	{F.. 0.2	0.2	0.2	{F.. 0.2	0.4	0.2
44	Surgical operations.....	{M.. 0.3	0.9	0.3	{M.. 0.5	0.5	0.5	{M.. 0.4	1.0	0.4
		{F.. 0.3		0.3	{F.. 0.7	1.7	0.5	{F.. 1.5	3.0	1.4
45	Wounds.....	{M.. 0.8	3.6	0.7	{M.. 1.4	1.5	1.3	{M.. 0.7	1.4	0.7
		{F.. 0.1		0.1	{F.. 0.1		0.1	{F.. 0.1		0.1
46	Others of this class.....	{M.. 21.8	28.2	21.5	{M.. 23.2	24.7	28.9	{M.. 37.5	44.1	37.0
		{F.. 8.6	9.9	8.6	{F.. 8.9	8.5	9.0	{F.. 13.2	11.1	13.4

PROPORTION OF DEATHS FROM EACH CAUSE.

679

PER 1,000 DEATHS FROM KNOWN CAUSES—Continued.

GRAND GROUP 17.			GRAND GROUP 18.			GRAND GROUP 19.			GRAND GROUP 20.			GRAND GROUP 21.			
Total.	Cities.	Rural.	Total.	Cities.	Rural.	Total.	Cities.	Rural.	Total.	Cities.	Rural.	Total.	Cities.	Rural.	
21.1	14.9	24.9	33.8	13.1	39.7	26.9	20.4	28.6	33.5	20.0	35.7	15.5	13.9	18.1	1
0.8	0.4	1.0	2.9	3.8	2.7	1.8	1.9	1.8	2.9	2.9	2.9	3.1	3.9	1.8	2
12.1	4.0	17.1	19.5	3.1	24.2	10.3	6.0	11.5	19.6	6.7	21.7	5.4	2.7	9.7	3
5.2	6.1	4.6	8.8	3.9	10.2	10.4	7.9	11.0	6.9	3.8	7.5	4.3	4.1	4.5	4
0.6	0.8	0.5	0.4	0.8	0.2	0.4	0.9	0.2	0.7	0.9	0.6	0.6	0.8	0.3	5
2.4	3.6	1.7	2.2	1.5	2.4	4.0	3.7	4.1	3.4	5.7	3.0	2.1	2.4	1.8	6
3.5	1.3	4.9	3.8	1.3	4.6	3.1	3.5	3.0	3.4	1.1	3.7	2.9	2.3	3.8	7
3.3	1.3	4.7	3.7	0.6	4.7	3.7	4.8	3.4	3.4	0.6	3.8	3.0	2.5	3.8	8
3.6	1.2	5.1	4.0	2.3	4.4	2.4	1.9	2.5	3.3	1.9	3.5	2.7	2.0	3.9	9
2.4	0.7	3.6	1.9	0.6	2.3	1.3	0.4	1.6	2.5		2.9	1.1	0.6	1.8	10
2.6		4.2	2.9		3.8	1.7	1.4	1.8	2.1		2.4	1.7	0.6	3.3	
0.3		0.5				0.1		0.2				0.1	0.1	0.2	11
0.2		0.2				0.1		0.1							
0.4	0.6	0.2	1.3		1.7	1.2	2.6	0.8	0.2	0.6	0.1	0.9	0.9	0.9	12
0.6	0.8	0.5	0.4	0.8	0.2	0.4		0.5	0.3		0.3	0.5	0.6	0.3	
0.1		0.2				0.6	1.1	0.4	0.5		0.5	0.6	0.5	0.7	13
0.1		0.2	0.5	0.8	0.4	0.1	0.5		0.1		0.2	0.3	0.4	0.3	
0.1		0.2	0.5		0.7	0.5	0.7	0.4	0.2		0.3	0.3	0.4	0.2	14
0.1	0.4		0.2	0.7		0.1		0.1	0.8	1.9	0.6	0.2	0.4		
1.4	1.4	1.4	2.5	3.9	2.0	2.8	1.4	3.2	2.5	1.1	2.7	1.4	1.4	1.5	15
1.3	2.0	0.9	2.4	3.3	2.1	3.0	1.5	3.4	2.6	1.3	2.8	1.4	1.0	2.0	16
1.5	0.8	2.0	2.6	4.6	2.0	2.6	1.4	2.9	2.4	0.9	2.6	1.4	2.0	0.6	17
0.7	1.7		1.2	3.3	0.5	1.6	0.7	1.9	1.6	1.3	1.7	0.6	0.3	1.1	18
0.7	0.4	1.0	1.2	2.3	0.9	1.4	0.5	1.7	1.6	0.9	1.7	0.8	1.2	0.3	
0.2		0.3	0.1		0.2	0.1		0.1	0.2		0.2	0.1	0.1	0.2	19
0.6	0.3	0.9	1.1		1.4	0.1		0.1	0.1		0.2	0.2	0.2	0.3	
0.6	0.4	0.7	1.4	2.3	1.1	1.1	0.9	1.1	0.8		0.9	0.7	0.6	0.7	20
0.9	0.5	1.2	0.4		0.5	1.1	1.7	0.9	0.7		0.7	0.4	0.6		
									0.3	0.4	0.3	1.1	1.1	1.2	21
1.1	1.0	1.1	0.5		0.7	1.4	2.2	1.1	0.2		0.3	1.2	1.1	1.3	22
0.8		1.2	0.2		0.2	0.8	0.9	0.7	0.5	0.9	0.5	1.1	1.0	1.2	23
0.3	0.3	0.2	0.1		0.2	0.6	0.7	0.5				0.6	0.6	0.5	24
						0.3	0.5	0.2	0.1	0.9		0.5	0.4	0.6	
0.4	0.7	0.2	0.3		0.3	0.2		0.2	0.2		0.3	0.2	0.1	0.4	25
0.2		0.2	0.2		0.2										
0.4		0.7	0.1		0.2	0.6	1.5	0.4				0.4	0.4	0.4	26
0.6		1.0				0.5	0.4	0.5	0.4		0.5	0.6	0.6	0.6	
66.5	77.0	59.7	71.9	77.5	70.3	69.7	69.6	69.6	108.3	103.1	109.1	82.9	75.1	94.4	27
91.1	102.1	83.7	98.8	100.6	98.2	101.8	94.9	103.8	150.4	146.6	151.0	111.0	100.1	126.8	28
38.1	46.2	33.2	37.0	45.5	34.6	31.3	38.1	29.6	39.7	37.0	40.1	37.7	36.2	40.1	29
5.4	4.9	5.8	2.9	2.2	3.1	5.1	4.8	5.1	3.3	3.1	3.3	3.4	2.3	4.3	30
6.8	6.8	6.9	5.5	3.8	6.0	6.1	6.5	6.0	5.5	3.8	5.8	5.1	3.7	7.3	
5.9	4.9	6.6	6.2	6.7	6.1	12.5	14.1	12.0	9.7	13.8	9.2	17.7	15.7	20.6	31
1.4	1.6	1.2	1.4	0.8	1.6	2.2	1.9	2.3	4.4	1.9	4.8	2.7	1.2	5.1	
1.2	0.7	1.6	1.3	2.2	1.1	1.2	0.8	1.3	1.9	0.6	2.1	0.7	0.6	0.9	32
2.0	0.8	2.7	0.8		1.1	1.1	0.9	1.2	0.5		0.6	0.6	0.6	0.6	
8.7	11.1	7.1	13.4	10.0	14.4	6.6	4.1	7.3	12.8	10.7	13.1	7.6	3.8	13.2	33
0.9	0.8	1.0	3.3	4.6	2.9	1.0	0.5	1.2	2.0	0.9	2.1	0.7	1.0	0.3	
2.4	1.3	3.1	3.2	1.1	3.8	1.1	1.1	1.1	6.2	4.4	6.5	4.7	5.8	3.2	34
0.3		0.5	0.7	0.8	0.7	0.2		0.3	1.3	1.9	1.2	2.4	2.7	1.8	
0.1		0.2	0.1		0.2	0.1		0.1							35
												0.1	0.2		
0.7	1.0	0.4	1.7	1.1	1.9	1.2		1.6	0.2		0.2	0.5	0.3	0.9	36
17.6	25.2	12.4	10.5	20.6	7.3	14.3	13.4	14.6	14.4	13.1	14.6	10.8	11.2	10.3	37
1.7	2.8	1.0	1.4	3.9	0.7	1.2	0.5	1.5	1.0	0.9	1.1	2.3	2.3	2.1	
2.0	2.6	1.6	2.5	2.8	2.4	2.9	3.4	2.8	1.8	3.8	1.5	1.8	2.1	1.3	38
2.0	2.4	1.7	1.9	3.8	1.3	2.7	3.7	2.4	1.3	0.9	1.4	1.4	1.4	1.5	
3.2	2.6	3.5	2.9	1.1	3.5	3.1	3.7	3.0	3.5	6.9	3.1	5.9	8.1	2.7	39
0.3	0.4	0.2	1.2	0.8	1.3	0.6	0.9	0.5	0.7		0.8	0.7	1.0	0.3	
0.1		0.2				0.4		0.5	0.2	0.6	0.1	0.6	0.8	0.4	40
0.2	0.4		0.2		0.2	0.1		0.1	0.3		0.3	0.5	0.6	0.3	
1.8	1.6	2.0	1.3		1.7	1.1	1.1	1.1	1.8	5.0	1.4	4.5	6.1	2.0	41
1.2	2.8	0.2	0.8	0.8	0.9	1.1	2.3	0.7	2.6	1.9	2.7	4.4	6.3	1.5	
6.3	4.3	7.7	4.7	4.4	4.7	4.9	4.1	5.1	9.6	10.7	9.4	9.0	9.3	8.7	42
2.1		3.4	0.7	0.8	0.7	1.1	2.8	0.6	2.9	2.9	2.9	3.2	2.9	3.6	
1.6	1.0	2.0	0.5	0.6	0.5	0.5	1.1	0.3	0.5	0.6	0.5	0.3		0.7	43
0.1	0.4		0.3		0.4	0.1		0.1				0.1	0.2		
2.4	4.9	0.7	0.3		0.4	0.4	0.4	0.4	0.9	1.9	0.7	1.2	1.6	0.5	44
6.2	14.5	1.2	1.4	1.5	1.3	1.7	5.1	0.9	3.7	5.7	3.3	2.5	3.3	1.2	
2.4	3.6	1.6	1.9	2.2	1.7	1.9	1.5	2.1	1.4	1.9	1.3	3.1	2.3	4.3	45
									0.1		0.2				46
29.3	32.4	27.2	45.4	45.6	45.4	44.5	41.3	45.4	82.2	69.5	84.0	39.2	29.6	52.8	
12.9	12.5	13.2	17.4	23.9	15.5	12.1	13.0	11.8	13.4	16.2	12.9	11.0	8.8	14.5	

RATIO TABLES—POPULATION.

TABLE 27.

PROPORTIONS OF THE AGGREGATE POPULATION OF THE UNITED STATES AT EACH
SPECIFIED AGE, PER 100,000 POPULATION OF KNOWN AGES, BY SEX, COLOR,
GENERAL NATIVITY, AND PARENT NATIVITY.

VITAL STATISTICS.

TABLE 27.—PROPORTION OF THE AGGREGATE POPULATION AT
THE UNITED STATES.¹

AGES.		AGGREGATE.			WHITE.					
		Total.	Males.	Females.	All classes.			Native.		
					Total.	Males.	Females.	Total.		
								Total.	Males.	Females.
1	Under 1 year.....	2,525	2,496	2,555	2,494	2,469	2,521	2,938	2,937	2,938
2	1 year.....	2,328	2,300	2,359	2,291	2,265	2,317	2,691	2,688	2,694
3	2 years.....	2,411	2,383	2,440	2,358	2,332	2,387	2,766	2,762	2,770
4	3 years.....	2,403	2,370	2,437	2,357	2,328	2,388	2,759	2,753	2,765
5	4 years.....	2,411	2,383	2,441	2,364	2,337	2,393	2,761	2,757	2,767
6	Under 5 years.....	12,078	11,932	12,232	11,864	11,731	12,006	13,915	13,897	13,934
7	5 years.....	2,382	2,350	2,414	2,332	2,302	2,363	2,719	2,712	2,726
8	6 years.....	2,413	2,376	2,452	2,358	2,323	2,394	2,745	2,732	2,758
9	7 years.....	2,347	2,318	2,378	2,299	2,271	2,329	2,665	2,660	2,671
10	8 years.....	2,344	2,311	2,379	2,288	2,256	2,322	2,639	2,629	2,650
11	9 years.....	2,198	2,176	2,221	2,166	2,142	2,191	2,481	2,479	2,482
12	5 to 9 years.....	11,684	11,531	11,844	11,443	11,294	11,599	13,249	13,212	13,287
13	10 years.....	2,291	2,270	2,313	2,235	2,211	2,262	2,550	2,547	2,553
14	11 years.....	2,083	2,054	2,114	2,073	2,041	2,106	2,354	2,342	2,367
15	12 years.....	2,156	2,131	2,181	2,088	2,062	2,115	2,353	2,347	2,360
16	13 years.....	2,041	2,011	2,072	2,004	1,974	2,036	2,247	2,236	2,258
17	14 years.....	2,065	2,042	2,089	2,024	2,003	2,046	2,252	2,251	2,253
18	10 to 14 years.....	10,636	10,508	10,769	10,424	10,291	10,565	11,756	11,723	11,791
19	15 years.....	2,018	1,981	2,058	1,991	1,955	2,028	2,202	2,185	2,220
20	16 years.....	2,056	2,002	2,112	2,023	1,976	2,072	2,220	2,194	2,246
21	17 years.....	1,962	1,915	2,010	1,943	1,899	1,991	2,105	2,085	2,127
22	18 years.....	2,023	1,946	2,103	1,973	1,901	2,049	2,093	2,044	2,143
23	19 years.....	1,900	1,833	1,971	1,881	1,816	1,949	1,968	1,928	2,009
24	15 to 19 years.....	9,959	9,677	10,254	9,811	9,547	10,089	10,588	10,436	10,745
25	20 years.....	2,026	1,911	2,146	1,956	1,862	2,056	2,003	1,933	2,075
26	21 years.....	1,890	1,899	1,881	1,871	1,871	1,870	1,916	1,940	1,891
27	22 years.....	1,975	1,916	2,038	1,932	1,877	1,989	1,947	1,912	1,982
28	23 years.....	1,908	1,855	1,964	1,883	1,835	1,934	1,886	1,854	1,919
29	24 years.....	1,930	1,887	1,975	1,906	1,867	1,946	1,884	1,856	1,913
30	20 to 24 years.....	9,729	9,468	10,004	9,548	9,312	9,795	9,636	9,495	9,780
31	25 years.....	1,959	1,914	2,005	1,895	1,857	1,935	1,840	1,802	1,878
32	26 years.....	1,740	1,731	1,750	1,744	1,735	1,753	1,690	1,682	1,699
33	27 years.....	1,700	1,712	1,688	1,721	1,730	1,712	1,652	1,658	1,647
34	28 years.....	1,737	1,760	1,713	1,750	1,770	1,728	1,639	1,651	1,627
35	29 years.....	1,516	1,540	1,492	1,556	1,578	1,534	1,459	1,471	1,446
36	25 to 29 years.....	8,652	8,657	8,648	8,666	8,670	8,662	8,280	8,264	8,297
37	30 years.....	1,940	1,997	1,881	1,898	1,958	1,836	1,705	1,730	1,680
38	31 years.....	1,266	1,291	1,239	1,331	1,352	1,309	1,248	1,256	1,241
39	32 years.....	1,457	1,489	1,424	1,511	1,541	1,478	1,366	1,376	1,354
40	33 years.....	1,363	1,398	1,326	1,414	1,450	1,377	1,273	1,288	1,257
41	34 years.....	1,323	1,357	1,288	1,360	1,394	1,325	1,196	1,208	1,185
42	30 to 34 years.....	7,349	7,532	7,158	7,514	7,695	7,325	6,788	6,858	6,717
43	35 years.....	1,503	1,563	1,440	1,467	1,532	1,400	1,233	1,256	1,209
44	36 years.....	1,232	1,265	1,197	1,271	1,305	1,234	1,084	1,090	1,077
45	37 years.....	1,188	1,221	1,153	1,236	1,270	1,199	1,080	1,091	1,068
46	38 years.....	1,369	1,418	1,318	1,409	1,461	1,354	1,243	1,267	1,219
47	39 years.....	1,265	1,308	1,221	1,309	1,353	1,263	1,172	1,193	1,151
48	35 to 39 years.....	6,557	6,775	6,329	6,692	6,921	6,450	5,812	5,897	5,724
49	40 years.....	1,581	1,654	1,505	1,529	1,616	1,437	1,292	1,330	1,253
50	41 years.....	967	1,012	920	1,030	1,073	984	938	966	911
51	42 years.....	1,114	1,161	1,064	1,169	1,218	1,117	1,039	1,064	1,014
52	43 years.....	973	1,003	943	1,032	1,063	1,000	932	945	917
53	44 years.....	968	1,000	933	1,016	1,050	981	906	925	885
54	40 to 44 years.....	5,603	5,830	5,365	5,776	6,020	5,519	5,107	5,230	4,980
55	45 years.....	1,162	1,224	1,096	1,142	1,211	1,069	974	1,018	929
56	46 years.....	858	899	817	896	931	858	792	816	766
57	47 years.....	833	868	797	870	900	839	765	787	743
58	48 years.....	875	899	850	896	919	873	758	773	744
59	49 years.....	825	852	796	851	876	825	719	737	700
60	45 to 49 years.....	4,553	4,742	4,356	4,655	4,837	4,464	4,008	4,131	3,882

¹ Inclusive of Alaska and Hawaii and 91,219 persons in the military and naval service of the United States (including civilian employees, etc.) stationed abroad, not credited to any state or territory.

EACH SPECIFIED AGE PER 100,000 POPULATION OF KNOWN AGES.

THE UNITED STATES.

WHITE—continued.										COLORED.			
Native—Continued.						Foreign.				Total.	Males.	Females.	
Native parents.			Foreign parents.			Total.	Males.	Females.					
Total.	Males.	Females.	Total.	Males.	Females.								
2,831	2,822	2,839	3,218	3,242	3,193	39	37	42	2,745	2,696	2,795	1	
2,611	2,601	2,622	2,898	2,917	2,879	75	72	79	2,602	2,555	2,650	2	
2,659	2,648	2,670	3,046	3,064	3,027	104	98	111	2,787	2,756	2,819	3	
2,628	2,616	2,640	3,102	3,117	3,088	133	123	145	2,732	2,676	2,789	4	
2,635	2,628	2,643	3,091	3,099	3,083	162	152	173	2,753	2,723	2,784	5	
13,364	13,315	13,414	15,355	15,439	15,270	513	482	550	13,619	13,406	13,837	6	
2,593	2,584	2,602	3,047	3,051	3,043	190	176	205	2,741	2,701	2,782	7	
2,613	2,595	2,632	3,089	3,097	3,081	214	199	231	2,812	2,760	2,866	8	
2,537	2,526	2,549	3,000	3,013	2,986	271	250	297	2,695	2,662	2,727	9	
2,535	2,523	2,547	2,911	2,908	2,914	346	319	378	2,748	2,713	2,783	10	
2,375	2,370	2,381	2,757	2,770	2,744	421	392	457	2,429	2,427	2,432	11	
12,653	12,598	12,711	14,804	14,839	14,768	1,442	1,336	1,568	13,425	13,263	13,590	12	
2,465	2,459	2,471	2,771	2,778	2,764	497	466	533	2,694	2,709	2,678	13	
2,279	2,265	2,294	2,551	2,547	2,555	514	478	556	2,159	2,146	2,173	14	
2,282	2,273	2,290	2,540	2,543	2,538	618	581	663	2,645	2,638	2,652	15	
2,190	2,178	2,202	2,398	2,391	2,404	657	611	711	2,306	2,284	2,329	16	
2,181	2,180	2,183	2,436	2,439	2,433	764	718	818	2,357	2,326	2,389	17	
11,397	11,355	11,440	12,696	12,698	12,694	3,050	2,854	3,281	12,161	12,103	12,221	18	
2,133	2,115	2,151	2,383	2,370	2,396	821	761	892	2,216	2,168	2,264	19	
2,161	2,134	2,189	2,373	2,353	2,393	933	842	1,040	2,295	2,194	2,398	20	
2,056	2,036	2,076	2,235	2,213	2,257	1,047	933	1,182	2,092	2,039	2,146	21	
2,069	2,021	2,119	2,155	2,104	2,207	1,309	1,158	1,487	2,384	2,281	2,490	22	
1,949	1,908	1,992	2,017	1,983	2,051	1,401	1,236	1,595	2,041	1,953	2,132	23	
10,368	10,214	10,527	11,163	11,023	11,304	5,511	4,930	6,196	11,028	10,635	11,430	24	
1,982	1,915	2,051	2,060	1,981	2,139	1,696	1,490	1,938	2,526	2,272	2,786	25	
1,883	1,909	1,856	2,001	2,022	1,979	1,621	1,514	1,748	2,031	2,104	1,957	26	
1,897	1,869	1,926	2,077	2,028	2,126	1,850	1,696	2,031	2,288	2,197	2,381	27	
1,809	1,787	1,834	2,086	2,034	2,138	1,869	1,737	2,023	2,089	1,998	2,181	28	
1,796	1,780	1,812	2,114	2,056	2,174	2,025	1,924	2,144	2,107	2,035	2,181	29	
9,367	9,260	9,479	10,338	10,121	10,556	9,061	8,361	9,884	11,041	10,606	11,486	30	
1,752	1,727	1,778	2,068	2,002	2,134	2,203	2,139	2,278	2,419	2,340	2,498	31	
1,604	1,603	1,604	1,917	1,890	1,944	2,039	2,012	2,070	1,716	1,699	1,734	32	
1,572	1,566	1,558	1,863	1,848	1,878	2,102	2,107	2,096	1,547	1,577	1,516	33	
1,560	1,581	1,538	1,847	1,838	1,856	2,361	2,390	2,328	1,644	1,685	1,603	34	
1,389	1,409	1,368	1,640	1,635	1,645	2,097	2,130	2,058	1,230	1,265	1,194	35	
7,877	7,906	7,846	9,335	9,213	9,457	10,802	10,778	10,830	8,556	8,566	8,545	36	
1,631	1,669	1,592	1,899	1,893	1,904	2,968	3,141	2,763	2,242	2,283	2,200	37	
1,202	1,213	1,190	1,370	1,368	1,373	1,787	1,851	1,711	795	847	742	38	
1,309	1,324	1,293	1,513	1,514	1,512	2,314	2,397	2,216	1,073	1,106	1,040	39	
1,234	1,252	1,215	1,375	1,383	1,366	2,199	2,291	2,092	988	1,017	960	40	
1,142	1,159	1,125	1,337	1,338	1,337	2,268	2,362	2,158	1,057	1,085	1,027	41	
6,518	6,617	6,415	7,494	7,496	7,492	11,536	12,042	10,940	6,155	6,338	5,969	42	
1,174	1,203	1,143	1,387	1,396	1,379	2,767	2,965	2,533	1,759	1,790	1,726	43	
1,035	1,043	1,027	1,211	1,216	1,206	2,304	2,422	2,165	952	967	936	44	
1,044	1,060	1,028	1,173	1,174	1,172	2,097	2,200	1,976	842	863	820	45	
1,221	1,249	1,192	1,302	1,315	1,288	2,327	2,469	2,159	1,080	1,101	1,060	46	
1,157	1,182	1,131	1,212	1,221	1,202	2,066	2,182	1,931	950	982	918	47	
5,631	5,737	5,521	6,285	6,322	6,247	11,561	12,238	10,764	5,583	5,703	5,460	48	
1,276	1,316	1,236	1,333	1,367	1,298	2,837	3,098	2,530	1,961	1,932	1,991	49	
941	968	914	931	960	903	1,535	1,635	1,417	515	563	466	50	
1,039	1,063	1,013	1,040	1,065	1,015	1,890	2,022	1,733	714	741	685	51	
951	965	936	881	893	869	1,589	1,673	1,490	549	564	534	52	
944	963	924	806	826	785	1,628	1,697	1,548	617	637	596	53	
5,151	5,275	5,023	4,991	5,111	4,870	9,479	10,125	8,718	4,356	4,437	4,272	54	
1,031	1,077	983	826	863	789	2,070	2,210	1,904	1,305	1,324	1,286	55	
853	880	825	631	647	614	1,474	1,530	1,408	588	660	515	56	
838	862	814	574	586	562	1,452	1,491	1,406	567	631	502	57	
842	857	826	540	550	531	1,661	1,675	1,644	718	751	685	58	
811	830	790	480	491	469	1,582	1,597	1,565	636	678	592	59	
4,375	4,506	4,238	3,051	3,137	2,965	8,239	8,503	7,927	3,814	4,044	3,580	60	

VITAL STATISTICS.

TABLE 27.—PROPORTION OF THE AGGREGATE POPULATION AT EACH
THE UNITED STATES¹—Continued.

AGES.		AGGREGATE.			WHITE.					
		Total.	Males.	Females.	All classes.			Native.		
					Total.	Males.	Females.	Total.		
								Total.	Males.	Females.
61	50 years	1,137	1,168	1,104	1,074	1,110	1,035	841	865	817
62	51 years	672	710	633	711	743	678	607	631	582
63	52 years	754	797	708	783	819	744	650	678	621
64	53 years	652	680	623	687	710	664	574	591	556
65	54 years	661	678	644	692	703	680	565	570	561
66	50 to 54 years	3,876	4,033	3,712	3,947	4,085	3,801	3,237	3,335	3,137
67	55 years	750	765	735	751	762	740	591	595	586
68	56 years	612	628	595	641	649	631	522	523	521
69	57 years	526	534	517	559	562	556	458	456	462
70	58 years	522	521	524	550	545	555	439	430	448
71	59 years	501	502	499	527	525	530	427	420	434
72	55 to 59 years	2,911	2,950	2,870	3,028	3,043	3,012	2,437	2,424	2,451
73	60 years	722	709	736	676	662	691	492	480	505
74	61 years	379	384	373	409	410	407	335	332	338
75	62 years	437	443	430	466	468	463	374	374	375
76	63 years	425	431	419	455	456	454	367	365	368
77	64 years	396	396	396	422	418	427	335	331	338
78	60 to 64 years	2,359	2,363	2,354	2,428	2,414	2,442	1,903	1,882	1,924
79	65 years	466	459	474	457	447	467	336	329	343
80	66 years	349	353	345	375	374	375	298	297	299
81	67 years	329	336	321	353	357	349	279	282	275
82	68 years	297	297	298	315	313	318	247	245	249
83	69 years	273	273	272	290	289	292	228	226	230
84	65 to 69 years	1,714	1,718	1,710	1,790	1,780	1,801	1,388	1,379	1,396
85	70 years	360	346	374	342	332	353	245	237	252
86	71 years	201	205	197	219	222	216	175	176	174
87	72 years	225	228	223	243	243	241	191	190	192
88	73 years	196	198	193	212	214	211	166	167	167
89	74 years	181	180	182	194	193	196	153	149	156
90	70 to 74 years	1,163	1,157	1,169	1,210	1,204	1,217	930	919	941
91	75 years	204	197	212	201	194	207	152	146	158
92	76 years	146	144	147	156	154	159	124	121	126
93	77 years	123	123	123	134	133	135	108	106	110
94	78 years	114	113	115	121	119	123	96	94	99
95	79 years	97	96	98	103	102	105	84	82	86
96	75 to 79 years	684	673	695	715	702	729	564	549	579
97	80 years	117	108	126	107	101	114	82	77	87
98	81 years	66	65	66	71	70	72	60	58	61
99	82 years	59	57	61	63	61	65	53	51	56
100	83 years	47	45	50	51	48	54	43	40	46
101	84 years	42	40	45	45	42	47	37	34	40
102	80 to 84 years	331	315	348	337	322	352	275	260	290
103	85 years	38	35	42	36	33	40	30	27	32
104	86 years	26	23	29	27	24	30	23	20	26
105	87 years	22	20	24	23	21	25	20	17	22
106	88 years	18	16	19	18	16	20	15	13	17
107	89 years	13	11	15	13	11	15	11	10	14
108	85 to 89 years	117	105	129	117	105	130	99	87	111
109	90 years	15	11	18	11	9	14	9	7	11
110	91 years	6	5	7	6	5	7	5	4	6
111	92 years	5	4	6	5	4	5	4	3	5
112	93 years	3	3	4	3	2	4	3	2	3
113	94 years	3	2	3	3	2	3	2	2	3
114	90 to 94 years	32	25	38	28	22	33	23	18	28
115	95 years	3	2	4	2	1	3	1	1	2
116	96 years	2	1	2	1	1	2	1	1	1
117	97 years	1	1	1	1	1	1	1	1	1
118	98 years	1	1	2	1	1	1	1	1	1
119	99 years	1	1	1	1	1	1	1	1	1
120	95 to 99 years	8	6	10	6	4	7	4	3	5
121	100 years and over	5	3	6	1	1	2	1	1	1

¹ Inclusive of Alaska and Hawaii and 91,219 persons in the military and naval service of the United States (including civilian employees, etc.) stationed abroad, not credited to any state or territory.

RATIO TABLES—POPULATION.

687

SPECIFIED AGE PER 100,000 POPULATION OF KNOWN AGES—Continued.

THE UNITED STATES—Continued.

WHITE—continued.									COLORED.			
Native—Continued.						Foreign.			Total.	Males.	Females.	
Native parents.			Foreign parents.			Total.	Males.	Females.				
Total.	Males.	Females.	Total.	Males.	Females.							
965	992	938	518	528	508	2,360	2,383	2,332	1,591	1,590	1,592	61
709	735	682	340	354	326	1,289	1,328	1,244	391	463	317	62
764	795	732	352	367	335	1,518	1,553	1,476	542	634	448	63
683	701	663	290	300	281	1,315	1,326	1,303	399	467	331	64
675	677	673	280	288	273	1,390	1,391	1,390	443	494	390	65
3,796	3,900	3,688	1,780	1,837	1,723	7,872	7,981	7,745	3,366	3,648	3,078	66
708	708	707	285	295	275	1,640	1,628	1,655	745	787	702	67
630	626	634	241	250	232	1,296	1,307	1,284	405	472	337	68
554	547	562	208	213	203	1,118	1,117	1,119	285	329	239	69
533	519	548	194	196	191	1,160	1,137	1,186	325	347	303	70
521	509	534	180	184	177	1,083	1,067	1,102	307	333	281	71
2,946	2,909	2,985	1,108	1,138	1,078	6,297	6,256	6,346	2,067	2,268	1,862	72
605	585	624	199	199	198	1,695	1,611	1,795	1,056	1,051	1,062	73
416	410	422	123	127	120	816	815	817	163	194	131	74
465	462	468	137	140	135	972	955	992	226	265	187	75
458	454	463	127	131	124	947	929	968	207	245	168	76
419	412	427	114	116	111	907	868	952	207	234	179	77
2,363	2,323	2,404	700	713	688	5,337	5,178	5,524	1,859	1,989	1,727	78
423	411	434	109	111	107	1,126	1,058	1,206	536	551	521	79
377	373	381	90	93	88	800	780	824	163	195	130	80
354	356	352	82	86	78	764	745	786	154	182	125	81
315	311	320	69	72	66	695	665	731	167	180	155	82
292	288	297	61	62	60	635	616	656	148	158	136	83
1,761	1,739	1,784	411	424	399	4,020	3,864	4,203	1,168	1,266	1,067	84
313	303	324	65	64	66	883	822	954	489	455	524	85
225	225	225	44	46	41	464	463	465	68	74	61	86
246	243	249	48	50	46	527	521	534	103	112	95	87
215	213	216	41	43	40	463	456	472	77	84	69	88
196	191	202	39	39	39	425	417	435	84	89	79	89
1,195	1,175	1,216	237	242	232	2,762	2,679	2,860	821	814	828	90
195	186	203	39	38	40	472	446	502	231	218	245	91
159	155	163	31	31	31	339	328	351	66	71	61	92
139	136	142	28	28	28	274	269	280	46	51	41	93
123	120	128	25	24	25	260	252	270	62	64	59	94
108	105	112	21	22	21	210	206	216	52	53	51	95
724	702	748	144	143	145	1,555	1,501	1,619	457	457	457	96
106	98	113	22	22	22	247	227	271	188	158	218	97
76	74	79	16	16	16	135	135	135	24	25	23	98
68	65	72	13	13	14	116	113	120	32	33	31	99
55	51	59	11	11	11	93	87	99	22	22	22	100
48	44	52	10	9	10	85	78	92	25	24	26	101
353	332	375	72	71	73	676	640	717	291	262	320	102
38	34	41	8	8	8	73	66	81	53	44	61	103
29	25	34	6	6	6	49	44	57	18	19	17	104
25	22	28	6	5	6	40	37	44	16	16	17	105
19	17	22	5	4	5	32	29	35	15	14	15	106
15	12	17	3	3	4	23	20	25	13	12	14	107
126	110	142	28	26	29	217	196	242	115	105	124	108
11	9	14	3	2	3	25	19	31	43	31	54	109
7	5	8	1	1	2	9	8	11	4	4	5	110
5	4	6	1	1	1	8	7	9	6	5	6	111
4	3	5	1	1	1	6	5	8	4	4	5	112
2	2	3	1	1	1	4	3	5	4	4	5	113
29	23	36	7	6	8	52	42	64	61	48	75	114
2	1	2	1	1	1	5	4	6	11	8	13	115
1	1	2			1	3	3	4	4	4	5	116
1	1	1				2	2	2	3	3	4	117
1		1				2	1	3	6	4	7	118
.....		1				2	1	2	4	3	5	119
5	3	7	1	1	2	14	11	17	28	22	34	120
1	1	1				4	3	5	29	20	38	121

TABLE 28.

PROPORTIONS OF THE AGGREGATE, THE WHITE, AND THE COLORED POPULATION
OF THE UNITED STATES AND OF EACH STATE AND TERRITORY, AT EACH
SPECIFIED AGE, PER 100,000 POPULATION OF KNOWN AGES.

VITAL STATISTICS.

TABLE 28.—PROPORTION OF POPULATION AT EACH SPECIFIED AGE, PER
AGGREGATE.

STATES AND TERRITORIES.		AGES.									
		Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24
1	United States ¹	2,526	2,330	2,412	2,404	2,413	12,085	11,695	10,648	9,967	9,721
2	Alabama.....	2,986	2,916	2,981	2,869	2,920	14,672	14,089	12,552	11,242	10,408
3	Arizona.....	2,592	2,386	2,392	2,354	2,430	12,154	11,508	9,595	8,560	9,685
4	Arkansas.....	3,007	2,813	2,920	2,877	2,912	14,529	14,346	12,743	11,246	10,078
5	California.....	1,704	1,594	1,705	1,738	1,798	8,539	9,289	8,603	8,684	9,258
6	Colorado.....	2,233	2,036	2,131	2,111	2,140	10,651	10,703	9,132	8,412	9,269
7	Connecticut.....	2,180	1,924	2,000	2,040	1,974	10,118	9,498	8,416	8,524	9,704
8	Delaware.....	2,262	1,996	2,167	2,188	2,142	10,745	10,552	10,175	9,702	9,537
9	District of Columbia.....	1,709	1,547	1,736	1,642	1,681	8,315	8,523	8,165	8,912	11,317
10	Florida.....	2,865	2,644	2,763	2,786	2,767	13,825	13,380	11,596	10,318	10,845
11	Georgia.....	3,001	2,909	2,994	2,885	2,938	14,727	14,187	12,573	10,927	10,371
12	Idaho.....	2,887	2,505	2,644	2,664	2,676	13,376	12,641	10,536	9,098	8,852
13	Illinois.....	2,378	2,192	2,262	2,271	2,332	11,435	11,304	10,288	9,566	9,458
14	Indiana.....	2,309	2,117	2,136	2,185	2,196	10,943	10,889	10,546	10,251	9,224
15	Indian Territory.....	3,283	2,900	3,104	3,003	3,116	15,406	14,833	12,818	11,081	9,806
16	Iowa.....	2,460	2,304	2,322	2,380	2,365	11,831	11,526	10,758	10,230	9,499
17	Kansas.....	2,442	2,309	2,334	2,310	2,334	11,729	11,744	11,467	10,738	9,548
18	Kentucky.....	2,887	2,572	2,581	2,608	2,632	13,280	12,767	11,757	10,688	9,823
19	Louisiana.....	2,835	2,765	2,984	2,921	2,961	14,466	13,918	12,288	10,572	10,090
20	Maine.....	1,949	1,801	1,891	1,914	1,927	9,482	9,142	8,705	9,017	8,876
21	Maryland.....	2,399	2,151	2,295	2,259	2,264	11,368	11,212	10,661	10,133	9,710
22	Massachusetts.....	2,164	1,929	2,012	2,027	1,962	10,094	9,159	8,203	8,508	9,990
23	Michigan.....	2,241	2,079	2,096	2,197	2,170	10,783	10,923	10,243	9,644	9,200
24	Minnesota.....	2,693	2,544	2,568	2,632	2,628	13,065	12,445	10,992	9,739	9,196
25	Mississippi.....	2,927	2,885	3,040	2,988	2,982	14,822	14,401	12,795	11,294	10,485
26	Missouri.....	2,440	2,254	2,314	2,334	2,408	11,750	11,967	11,208	10,470	9,659
27	Montana.....	2,325	2,223	2,186	2,194	2,216	11,144	10,225	8,013	7,171	9,918
28	Nebraska.....	2,611	2,459	2,475	2,519	2,499	12,563	12,474	11,435	10,358	9,605
29	Nevada.....	1,841	1,714	1,795	1,850	1,762	8,962	8,648	8,089	8,306	9,815
30	New Hampshire.....	1,961	1,755	1,837	1,894	1,868	9,315	8,640	8,015	8,459	9,294
31	New Jersey.....	2,318	2,065	2,226	2,197	2,177	10,983	10,465	9,274	8,870	9,481
32	New Mexico.....	3,165	2,706	2,740	2,645	2,736	13,992	13,774	11,229	8,980	8,525
33	New York.....	2,198	1,956	2,082	2,085	2,062	10,383	9,834	8,870	8,827	9,682
34	North Carolina.....	3,188	2,966	3,082	2,861	2,923	15,020	13,942	12,458	11,324	9,844
35	North Dakota.....	3,203	2,979	2,987	2,902	2,936	15,007	13,254	11,152	9,180	9,597
36	Ohio.....	2,153	1,995	2,053	2,101	2,102	10,404	10,500	9,995	9,826	9,478
37	Oklahoma.....	3,128	2,923	2,984	2,872	2,843	14,750	13,293	11,911	10,158	8,937
38	Oregon.....	1,956	1,884	1,946	2,062	2,124	9,972	10,566	10,033	9,647	9,202
39	Pennsylvania.....	2,477	2,232	2,315	2,316	2,268	11,608	10,916	9,924	9,524	9,604
40	Rhode Island.....	2,191	1,919	2,030	2,042	1,979	10,161	9,419	8,591	9,188	10,012
41	South Carolina.....	3,213	2,950	3,122	2,936	2,995	15,216	14,513	13,027	11,761	10,366
42	South Dakota.....	2,967	2,695	2,693	2,729	2,691	13,775	12,985	11,800	10,069	8,976
43	Tennessee.....	2,865	2,705	2,713	2,640	2,735	13,658	13,153	12,111	11,257	10,155
44	Texas.....	3,089	2,888	2,993	2,977	2,952	14,899	14,238	12,619	11,001	10,036
45	Utah.....	3,326	2,994	3,011	2,899	2,939	15,169	13,819	12,094	10,742	8,928
46	Vermont.....	1,971	1,855	1,917	1,929	1,913	9,585	9,290	8,804	8,888	8,595
47	Virginia.....	2,831	2,566	2,721	2,651	2,691	13,460	13,005	11,935	10,998	9,840
48	Washington.....	2,102	1,972	2,047	2,093	2,187	10,401	11,023	9,423	8,617	9,066
49	West Virginia.....	3,152	2,731	2,782	2,795	2,725	14,185	12,742	11,594	10,889	10,122
50	Wisconsin.....	2,542	2,383	2,471	2,496	2,532	12,424	12,155	11,233	10,112	8,820
51	Wyoming.....	2,281	2,313	2,329	2,270	2,205	11,398	10,779	8,497	8,421	11,188

¹ Exclusive of Alaska and Hawaii, but inclusive of 91,219 persons in the military and naval service of the United States (including civilian employees, etc.) stationed abroad, not credited to any state or territory.

100,000 POPULATION OF KNOWN AGES, BY STATES AND TERRITORIES.

AGGREGATE.

AGES—continued.															
25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 years and over.
8,633	7,336	6,548	5,599	4,554	3,879	2,914	2,361	1,717	1,165	685	331	117	32	8	5
7,830	5,595	4,817	4,049	4,455	3,367	2,154	1,791	1,236	847	467	259	97	42	15	16
9,618	8,593	7,641	6,487	4,827	4,059	2,416	2,121	1,183	808	365	233	55	49	22	21
8,023	5,888	4,847	4,325	4,376	3,301	2,243	1,655	1,097	684	352	170	59	21	9	8
9,104	8,754	8,348	7,066	5,556	4,714	3,560	3,315	2,387	1,572	787	327	100	26	6	5
9,593	9,332	8,789	7,223	5,374	4,135	2,863	1,975	1,278	707	362	146	41	11	3	1
9,655	8,463	7,533	6,303	5,172	4,470	3,546	2,993	2,224	1,589	1,015	516	196	54	10	1
8,461	7,265	7,077	6,258	5,068	4,410	3,409	2,745	1,966	1,312	763	389	129	29	7	1
10,687	8,896	7,859	6,441	5,253	4,777	3,694	2,946	1,808	1,236	663	330	121	36	14	7
8,729	6,619	5,852	4,689	4,195	3,277	2,285	1,739	1,164	738	395	209	79	33	18	15
7,820	5,782	5,055	4,401	3,555	3,543	2,116	1,940	1,264	855	465	251	99	38	16	15
8,371	8,157	7,578	6,049	4,300	3,759	2,551	1,986	1,377	762	370	171	47	14	3	2
9,074	8,251	7,325	6,006	4,482	3,730	2,840	2,277	1,714	1,148	663	302	105	25	5	2
8,343	7,473	6,664	5,893	4,844	4,220	3,391	2,626	2,035	1,344	789	362	127	29	5	2
8,312	6,239	5,185	4,703	3,888	2,994	1,878	1,263	795	439	204	94	35	11	8	8
8,343	7,300	6,402	5,530	4,537	3,721	3,090	2,477	1,983	1,362	849	397	131	28	5	1
8,032	6,733	5,976	5,343	4,598	4,036	3,384	2,556	1,890	1,173	644	282	93	25	6	3
8,173	6,614	5,878	5,014	4,059	3,590	2,675	2,079	1,531	1,032	619	284	99	26	7	5
8,509	6,219	5,371	4,592	3,824	3,242	2,172	1,818	1,200	823	458	255	101	43	21	18
8,019	7,166	6,723	6,240	5,542	4,961	4,312	3,859	3,091	2,237	1,442	779	309	82	14	2
8,579	7,158	6,676	5,808	4,730	4,075	3,093	2,576	1,793	1,230	710	335	110	29	9	5
10,104	8,718	7,776	6,386	5,191	4,471	3,412	2,870	2,087	1,438	899	466	173	46	8	1
8,198	7,380	6,828	6,111	5,057	4,311	3,544	2,767	2,115	1,410	874	420	143	34	8	2
8,505	7,500	6,936	5,760	4,123	3,313	2,592	2,011	1,617	1,112	664	303	97	25	4	1
7,966	5,664	4,896	4,248	3,464	3,170	2,000	1,886	1,217	801	442	269	97	44	19	20
8,629	7,379	6,457	5,519	4,348	3,777	2,925	2,277	1,630	1,038	586	262	90	20	6	3
11,131	10,933	10,047	7,174	4,898	3,363	2,293	1,689	1,025	540	257	123	41	11	2	2
8,280	7,055	6,418	5,597	4,311	3,693	2,868	2,078	1,487	933	513	236	75	17	3	1
9,030	8,051	7,537	6,664	6,074	5,572	4,030	3,808	2,569	1,631	668	310	88	88	41	19
8,733	7,745	6,954	6,443	5,640	4,997	4,226	3,660	2,986	2,225	1,461	793	309	87	15	3
9,384	8,450	7,667	6,271	4,900	4,198	3,205	2,619	1,806	1,233	707	337	116	28	5	1
8,252	7,003	6,309	5,626	4,534	3,583	2,521	2,167	1,360	813	409	243	81	61	28	10
9,577	8,505	7,725	6,377	5,065	4,321	3,304	2,736	1,967	1,392	839	408	144	36	7	1
7,174	5,417	4,813	4,387	3,967	3,716	2,475	1,962	1,430	1,005	580	306	118	39	14	9
8,809	7,611	6,954	5,846	4,034	2,890	1,968	1,388	1,029	663	388	156	57	13	3	1
8,668	7,682	6,849	6,108	5,019	4,216	3,466	2,739	2,088	1,453	887	432	149	33	6	2
8,150	7,119	6,113	5,184	4,072	3,540	2,619	1,843	1,187	618	312	133	40	14	3	4
8,454	8,109	7,761	6,923	5,292	4,386	3,196	2,467	1,818	1,177	619	266	85	21	4	2
9,141	7,939	7,022	5,909	4,753	3,983	3,065	2,451	1,767	1,208	708	335	112	25	5	1
9,754	8,420	7,465	6,355	5,308	4,478	3,420	2,799	1,916	1,314	795	401	153	41	9	1
7,218	5,338	4,745	4,220	3,415	3,191	2,049	1,982	1,254	846	453	245	93	39	14	15
7,675	6,737	6,310	5,780	4,466	3,543	2,705	1,977	1,449	906	517	235	78	13	4	
8,043	6,195	5,312	4,470	3,921	3,811	2,625	1,988	1,447	931	543	244	91	28	9	8
8,055	6,048	5,114	4,570	4,095	3,177	2,055	1,655	1,089	690	378	177	64	22	9	9
7,409	6,603	5,805	4,997	3,631	2,982	2,258	1,918	1,469	1,055	677	314	96	26	5	3
8,083	7,316	6,650	6,099	5,502	4,998	4,346	3,742	2,944	2,293	1,555	839	345	102	21	3
7,583	6,028	5,337	5,024	4,170	3,758	2,623	2,302	1,613	1,142	660	342	119	41	12	8
9,005	9,206	9,059	7,397	5,085	4,055	2,760	2,033	1,406	813	412	160	56	17	3	3
8,367	6,706	5,551	4,784	3,853	3,396	2,510	1,920	1,405	977	582	278	104	23	5	2
7,735	7,008	6,542	5,722	4,399	3,603	2,900	2,351	1,948	1,437	957	451	156	36	9	2
11,452	9,744	9,036	6,598	4,545	3,329	2,119	1,370	802	368	220	90	39	3	2	

VITAL STATISTICS.

TABLE 28.—PROPORTION OF POPULATION AT EACH SPECIFIED AGE, PER
WHITE.

STATES AND TERRITORIES.		AGES.									
		Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24
1	United States ¹	2,495	2,291	2,359	2,357	2,364	11,866	11,444	10,426	9,813	9,549
2	Alabama	3,112	3,016	2,982	2,819	2,880	14,809	13,835	12,281	11,162	9,936
3	Arizona	2,663	2,226	2,363	2,351	2,381	11,984	11,143	9,080	8,411	9,860
4	Arkansas	3,083	2,880	2,937	2,879	2,922	14,701	14,391	12,708	11,213	9,635
5	California	1,752	1,639	1,750	1,786	1,848	8,775	9,559	8,869	8,773	9,307
6	Colorado	2,249	2,051	2,146	2,124	2,157	10,727	10,761	9,150	8,407	9,258
7	Connecticut	2,184	1,930	2,003	2,043	1,979	10,139	9,522	8,433	8,513	9,660
8	Delaware	2,230	1,975	2,076	2,123	2,121	10,525	10,341	9,986	9,519	9,314
9	District of Columbia	1,695	1,542	1,734	1,634	1,685	8,290	8,492	8,063	8,275	10,368
10	Florida	2,924	2,668	2,699	2,788	2,736	13,815	13,468	11,669	10,146	9,700
11	Georgia	2,973	2,861	2,876	2,740	2,818	14,268	13,567	12,153	10,942	9,965
12	Idaho	2,956	2,546	2,697	2,713	2,726	13,638	12,852	10,780	9,109	8,811
13	Illinois	2,391	2,204	2,276	2,284	2,344	11,499	11,358	10,321	9,572	9,413
14	Indiana	2,323	2,126	2,145	2,193	2,205	10,992	10,919	10,560	10,249	9,170
15	Indian Territory	3,164	2,853	3,038	2,963	3,071	15,089	14,637	12,577	10,942	9,713
16	Iowa	2,465	2,309	2,326	2,384	2,369	11,853	11,540	10,763	10,229	9,490
17	Kansas	2,464	2,324	2,349	2,329	2,341	11,807	11,767	11,447	10,700	9,508
18	Kentucky	2,969	2,648	2,633	2,658	2,679	13,587	12,911	11,756	10,622	9,647
19	Louisiana	2,975	2,808	2,994	2,900	2,942	14,619	13,492	11,871	10,506	9,643
20	Maine	1,949	1,801	1,891	1,914	1,926	9,481	9,141	8,706	9,019	8,874
21	Maryland	2,376	2,130	2,253	2,223	2,220	11,202	11,064	10,487	9,958	9,434
22	Massachusetts	2,167	1,933	2,015	2,032	1,967	10,114	9,184	8,225	8,516	9,961
23	Michigan	2,243	2,033	2,098	2,200	2,173	10,797	10,934	10,244	9,643	9,198
24	Minnesota	2,702	2,541	2,564	2,630	2,629	13,066	12,452	11,004	9,752	9,204
25	Mississippi	3,033	2,937	2,991	2,896	2,890	14,747	13,793	12,372	11,210	9,899
26	Missouri	2,474	2,284	2,337	2,359	2,432	11,886	12,046	11,229	10,437	9,549
27	Montana	2,356	2,241	2,199	2,202	2,231	11,229	10,304	8,030	7,017	9,833
28	Nebraska	2,617	2,468	2,483	2,526	2,508	12,602	12,499	11,453	10,355	9,583
29	Nevada	1,935	1,747	1,810	1,784	1,705	8,981	8,720	8,189	8,555	10,214
30	New Hampshire	1,962	1,757	1,840	1,894	1,870	9,323	8,647	8,017	8,457	9,282
31	New Jersey	2,329	2,077	2,242	2,213	2,192	11,053	10,548	9,336	8,849	9,309
32	New Mexico	3,209	2,728	2,748	2,672	2,752	14,109	13,882	11,210	8,865	8,524
33	New York	2,204	1,964	2,090	2,095	2,072	10,425	9,883	8,910	8,825	9,613
34	North Carolina	3,142	2,925	3,021	2,776	2,869	14,733	13,690	12,150	10,979	9,492
35	North Dakota	3,203	2,977	2,990	2,911	2,942	15,023	13,272	11,154	9,169	9,617
36	Ohio	2,161	2,002	2,060	2,109	2,109	10,441	10,526	10,066	9,827	9,443
37	Oklahoma	3,138	2,936	3,004	2,886	2,864	14,828	13,324	11,871	10,091	8,934
38	Oregon	2,003	1,937	1,998	2,117	2,188	10,243	10,890	10,331	9,809	9,221
39	Pennsylvania	2,487	2,244	2,327	2,328	2,281	11,667	10,986	9,981	9,523	9,500
40	Rhode Island	2,196	1,933	2,037	2,050	1,984	10,200	9,455	8,623	9,212	9,978
41	South Carolina	3,011	2,771	2,887	2,650	2,747	14,066	13,384	12,091	11,464	10,168
42	South Dakota	2,932	2,692	2,695	2,728	2,694	13,741	13,024	11,936	10,135	9,010
43	Tennessee	2,925	2,775	2,729	2,657	2,750	13,836	13,132	12,007	11,105	9,848
44	Texas	3,125	2,908	3,001	2,969	2,945	14,948	14,037	12,411	10,931	9,792
45	Utah	3,357	3,011	3,030	2,919	2,956	15,273	13,903	12,182	10,758	8,883
46	Vermont	1,973	1,854	1,917	1,930	1,913	9,587	9,293	8,805	8,882	8,589
47	Virginia	2,852	2,582	2,661	2,593	2,633	13,321	12,518	11,347	10,658	9,712
48	Washington	2,133	1,992	2,080	2,126	2,215	10,546	11,212	9,583	8,602	8,901
49	West Virginia	3,182	2,758	2,810	2,826	2,749	14,325	12,857	11,691	10,848	9,875
50	Wisconsin	2,543	2,386	2,473	2,497	2,532	12,431	12,156	11,235	10,118	8,820
51	Wyoming	2,291	2,316	2,329	2,297	2,224	11,457	10,898	8,590	8,387	11,133

¹ Exclusive of Alaska and Hawaii, but inclusive of persons in the military and naval service of the United States (including civilian employees, etc.) stationed abroad, not credited to any state or territory.

100,000 POPULATION OF KNOWN AGES, BY STATES AND TERRITORIES—Continued.

WHITE.

AGES—continued.

25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 years and over.	
8,664	7,512	6,689	5,774	4,654	3,947	3,028	2,428	1,791	1,211	716	337	117	27	6	1	1
7,668	5,691	4,940	4,580	4,523	3,477	2,370	1,805	1,309	834	463	209	83	19	4	2	2
10,190	8,924	7,999	6,696	4,926	4,029	2,478	1,967	1,150	670	296	137	31	15	4	10	3
7,846	5,937	4,824	4,575	4,804	3,374	2,366	1,698	1,160	702	357	150	47	9	3	-----	4
9,133	8,719	8,138	6,787	5,305	4,552	3,503	3,278	2,421	1,613	808	329	100	23	5	3	5
9,553	9,299	8,757	7,206	5,357	4,125	2,857	1,982	1,283	710	365	147	41	11	3	1	6
9,620	8,457	7,525	6,294	5,164	4,472	3,557	3,007	2,236	1,601	1,022	517	196	54	10	1	7
8,426	7,395	7,106	6,439	5,172	4,546	3,547	2,874	2,066	1,378	796	403	133	27	7	-----	8
10,462	9,309	7,841	6,475	5,239	4,895	4,202	3,373	2,055	1,411	761	349	113	21	5	1	9
8,029	6,498	5,730	5,143	4,556	3,755	2,679	1,959	1,345	829	414	176	65	16	5	3	10
7,687	5,922	5,069	4,973	4,095	3,743	2,457	1,995	1,401	914	503	230	89	20	5	2	11
8,386	8,182	7,502	6,013	4,197	3,648	2,436	1,871	1,318	708	350	146	43	10	-----	-----	12
9,015	8,219	7,296	5,993	4,476	3,726	2,844	2,286	1,724	1,155	667	303	104	24	4	1	13
8,290	7,458	6,647	5,890	4,844	4,215	3,403	2,639	2,048	1,356	794	364	127	28	5	2	14
4,46	6,583	5,413	4,876	3,962	3,057	1,939	1,285	813	422	190	76	23	3	3	1	15
8,329	7,294	6,391	5,627	4,532	3,718	3,090	2,479	1,986	1,366	851	398	130	28	5	1	16
8,008	6,745	5,970	5,363	4,591	4,034	3,395	2,563	1,893	1,174	643	275	90	22	4	1	17
8,036	6,638	5,790	4,990	4,034	3,562	2,702	2,095	1,557	1,042	627	280	97	21	4	2	18
8,433	6,525	5,522	4,995	4,103	3,344	2,328	1,835	1,248	808	443	199	67	13	4	2	19
8,013	7,166	6,718	6,240	5,539	4,960	4,313	3,864	3,096	2,240	1,444	779	309	82	14	2	20
8,544	7,353	6,717	5,894	4,834	4,135	3,245	2,671	1,905	1,307	766	344	108	24	7	1	21
10,066	8,693	7,752	6,376	5,185	4,472	3,424	2,884	2,100	1,447	904	469	173	46	8	1	22
8,196	7,377	6,820	6,108	5,053	4,308	3,545	2,768	2,116	1,410	874	419	147	33	8	2	23
8,492	7,493	6,931	5,756	4,122	3,309	2,593	2,009	1,618	1,112	665	300	96	23	3	-----	24
7,764	5,763	4,854	4,820	4,094	3,560	2,315	1,914	1,306	820	455	216	79	15	3	1	25
8,548	7,362	6,411	5,515	4,344	3,776	2,944	2,302	1,647	1,046	589	259	87	18	4	1	26
11,280	11,101	10,195	7,170	4,830	3,259	2,232	1,637	1,010	497	241	100	30	3	2	-----	27
8,259	7,043	6,401	5,591	4,307	3,690	2,872	2,083	1,489	933	512	234	75	16	2	1	28
9,332	8,166	7,386	6,365	5,392	5,276	3,980	3,741	2,669	1,594	650	210	57	14	9	-----	29
8,726	7,742	6,949	6,440	5,639	4,998	4,228	3,663	2,989	2,227	1,463	794	310	88	15	3	30
9,279	8,419	7,649	6,275	4,910	4,212	3,230	2,648	1,829	1,248	718	340	116	27	4	1	31
8,160	7,051	6,871	5,663	4,509	3,582	2,518	2,172	1,353	778	384	221	71	45	23	9	32
9,519	8,476	7,700	6,367	5,065	4,325	3,316	2,751	1,980	1,402	845	411	144	35	7	1	33
7,239	5,677	4,992	4,761	4,216	3,794	2,565	2,038	1,536	1,058	623	306	114	29	6	2	34
8,850	7,658	6,996	5,843	4,021	2,856	1,949	1,358	1,004	639	372	152	52	11	3	1	35
8,632	7,671	6,827	6,103	5,013	4,216	3,471	2,749	2,099	1,462	893	434	149	32	5	1	36
8,234	7,250	6,149	5,210	4,054	3,482	2,570	1,805	1,151	592	298	118	31	7	1	-----	37
8,420	8,089	7,538	6,607	4,974	4,206	3,161	2,471	1,852	1,196	628	261	80	18	4	1	38
9,046	7,892	6,981	5,902	4,758	3,996	3,087	2,474	1,787	1,222	717	338	112	25	5	1	39
9,719	8,404	7,439	6,324	5,290	4,466	3,425	2,808	1,932	1,322	801	399	154	40	9	-----	40
7,573	5,814	4,958	4,941	4,095	3,718	2,432	2,095	1,413	923	514	229	91	19	9	3	41
7,699	6,796	6,357	5,789	4,406	3,484	2,653	1,908	1,393	870	488	226	70	11	4	-----	42
7,941	6,288	5,304	4,660	4,013	3,770	2,689	2,042	1,512	958	553	235	82	19	4	2	43
8,009	6,127	5,141	4,843	4,179	3,299	2,183	1,666	1,121	699	380	161	55	12	4	2	44
7,369	6,584	5,769	4,954	3,596	2,932	2,242	1,907	1,467	1,056	679	315	96	25	5	-----	45
8,080	7,313	6,652	6,099	5,498	5,000	4,347	3,745	2,948	2,295	1,556	839	345	103	21	3	46
7,850	6,360	5,358	5,183	4,365	3,871	2,868	2,417	1,773	1,209	702	335	115	30	6	2	47
8,843	9,195	9,050	7,369	5,059	4,027	2,750	2,022	1,403	810	410	151	52	12	2	1	48
8,207	6,661	5,517	4,803	3,882	3,415	2,544	1,947	1,430	992	591	283	104	23	4	1	49
7,731	7,009	6,540	5,723	4,395	3,599	2,900	2,349	1,948	1,437	958	450	155	35	9	2	50
11,423	9,760	9,095	6,568	4,480	3,296	2,064	1,341	790	367	221	84	37	2	2	-----	51

VITAL STATISTICS.

TABLE 28.—PROPORTION OF POPULATION AT EACH SPECIFIED AGE, PER
COLORED.

STATES AND TERRITORIES.		AGES.									
		Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24
1	The United States ¹	2,757	2,615	2,801	2,746	2,770	13,689	13,526	12,269	11,091	10,982
2	Alabama.....	2,833	2,794	2,978	2,929	2,968	14,502	14,397	12,880	11,339	10,982
3	Arizona.....	2,368	2,894	2,485	2,364	2,588	12,699	12,670	11,231	9,031	9,127
4	Arkansas.....	2,809	2,640	2,878	2,873	2,884	14,084	14,231	12,836	11,331	11,229
5	California.....	872	814	914	900	921	4,421	4,600	3,971	7,145	8,410
6	Colorado.....	1,423	1,271	1,376	1,433	1,299	6,802	7,824	8,244	8,645	9,811
7	Connecticut.....	1,918	1,579	1,811	1,893	1,698	8,899	8,185	7,496	9,144	12,133
8	Delaware.....	2,425	2,104	2,562	2,513	2,251	11,855	11,609	11,131	10,618	10,657
9	District of Columbia.....	1,739	1,557	1,742	1,658	1,672	8,368	8,592	8,390	10,312	13,404
10	Florida.....	2,788	2,613	2,845	2,784	2,806	13,836	13,268	11,502	10,539	12,324
11	Georgia.....	3,034	2,964	3,129	3,050	3,076	15,253	14,896	13,054	10,910	10,835
12	Idaho.....	1,362	1,592	1,477	1,577	1,592	7,600	7,972	5,133	8,862	9,765
13	Illinois.....	1,657	1,528	1,497	1,551	1,648	7,881	8,354	8,468	9,285	11,944
14	Indiana.....	1,712	1,758	1,754	1,836	1,794	8,854	9,601	9,939	10,323	11,547
15	Indian Territory.....	3,692	3,065	3,329	3,141	3,273	16,500	13,506	13,649	11,558	10,126
16	Iowa.....	1,527	1,512	1,596	1,612	1,604	7,851	9,146	9,925	10,411	11,098
17	Kansas.....	1,862	1,911	1,946	1,810	2,147	9,676	11,139	11,995	11,754	10,600
18	Kentucky.....	2,347	2,073	2,233	2,277	2,325	11,255	11,813	11,768	11,124	10,980
19	Louisiana.....	2,679	2,717	2,974	2,945	2,982	14,297	14,396	12,756	10,647	10,591
20	Maine.....	1,800	1,710	2,070	1,710	2,160	9,450	9,316	8,416	8,686	9,316
21	Maryland.....	2,490	2,239	2,465	2,404	2,442	12,040	11,814	11,366	10,844	10,835
22	Massachusetts.....	1,925	1,619	1,769	1,673	1,602	8,588	7,153	6,460	7,921	12,277
23	Michigan.....	1,972	1,689	1,860	1,882	1,833	9,236	9,751	10,087	9,742	9,451
24	Minnesota.....	1,669	2,974	3,100	2,847	2,539	13,129	11,000	9,573	8,219	8,177
25	Mississippi.....	2,852	2,848	3,075	3,053	3,047	14,875	14,829	13,092	11,354	10,899
26	Missouri.....	1,815	1,707	1,892	1,869	1,967	9,250	10,522	10,829	11,064	11,674
27	Montana.....	1,918	1,978	2,019	2,097	2,007	10,019	9,170	7,774	9,229	11,052
28	Nebraska.....	1,911	1,510	1,582	1,664	1,623	8,290	9,729	9,462	10,705	11,937
29	Nevada.....	1,342	1,538	1,719	2,202	2,066	8,867	8,264	7,555	6,982	7,691
30	New Hampshire.....	1,139	759	633	1,772	886	5,189	5,190	6,709	9,114	15,443
31	New Jersey.....	2,034	1,739	1,817	1,789	1,790	9,169	8,318	7,687	9,413	13,886
32	New Mexico.....	2,642	2,450	2,642	2,330	2,536	12,600	12,488	11,446	10,351	8,531
33	New York.....	1,789	1,445	1,566	1,481	1,425	7,656	6,701	6,341	8,963	14,122
34	North Carolina.....	3,281	3,048	3,204	3,032	3,030	15,595	14,451	13,079	12,018	10,554
35	North Dakota.....	3,192	3,057	2,881	2,516	2,665	14,311	12,525	11,064	9,644	8,765
36	Ohio.....	1,810	1,694	1,779	1,762	1,817	8,862	9,410	9,520	9,772	10,930
37	Oklahoma.....	3,014	2,768	2,745	2,713	2,595	13,835	12,917	12,389	10,952	8,977
38	Oregon.....	960	758	854	912	769	4,253	3,807	3,823	6,273	8,813
39	Pennsylvania.....	2,058	1,766	1,855	1,868	1,783	9,330	8,217	7,713	9,567	13,596
40	Rhode Island.....	1,938	1,324	1,684	1,684	1,789	8,419	7,846	7,179	8,132	11,521
41	South Carolina.....	3,356	3,078	3,289	3,139	3,172	16,034	15,318	13,694	11,973	10,507
42	South Dakota.....	3,613	2,750	2,668	2,750	2,639	14,420	12,270	9,319	8,878	8,359
43	Tennessee.....	2,673	2,479	2,659	2,587	2,689	13,087	13,220	12,446	11,744	11,142
44	Texas.....	2,947	2,811	2,959	3,009	2,980	14,706	15,029	13,437	11,274	10,994
45	Utah.....	1,289	1,862	1,766	1,599	1,814	8,330	8,353	6,372	9,680	11,503
46	Vermont.....	1,273	2,199	2,083	1,273	1,968	8,796	8,449	8,449	11,111	10,764
47	Virginia.....	2,795	2,538	2,830	2,755	2,795	13,713	13,886	12,998	11,613	10,069
48	Washington.....	1,376	1,509	1,275	1,323	1,528	7,011	6,605	5,683	8,964	12,928
49	West Virginia.....	2,526	2,152	2,192	2,117	2,213	11,200	10,287	9,544	11,768	15,401
50	Wisconsin.....	2,352	1,927	2,162	2,434	2,425	11,300	11,816	10,938	9,020	8,902
51	Wyoming.....	2,023	2,225	2,340	1,560	1,705	9,853	7,714	6,097	9,304	12,597

¹ Exclusive of Alaska and Hawaii, but inclusive of persons in the military and naval service of the United States (including civilian employees, etc.) stationed abroad, not credited to any state or territory.

RATIO TABLES—POPULATION.

695

100,000 POPULATION OF KNOWN AGES, BY STATES AND TERRITORIES—Continued.

COLORED.

AGES—continued.															
25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 years and over.
8,407	6,045	5,522	4,325	3,820	3,381	2,079	1,868	1,178	829	461	293	116	62	28	29
8,028	5,479	4,668	3,404	4,373	3,232	1,891	1,774	1,148	863	471	321	115	70	29	34
7,797	7,540	6,505	5,822	4,512	4,155	2,220	2,612	1,289	1,247	584	536	131	155	79	58
8,481	5,761	4,907	3,677	4,562	3,112	1,924	1,542	933	636	339	223	89	50	24	29
8,597	9,346	12,008	11,919	9,916	7,535	4,555	3,961	1,791	862	413	301	99	84	25	41
11,588	10,986	10,432	8,072	6,209	4,633	3,152	1,624	1,022	545	210	115	57	10	19	6
11,594	8,780	7,978	6,806	5,647	4,393	2,908	2,225	1,542	934	646	451	169	38	19	13
8,635	6,613	6,927	5,346	4,541	3,727	2,712	2,097	1,466	978	599	321	111	43	7	7
11,181	7,989	7,897	6,367	5,283	4,516	2,580	2,006	1,267	851	448	288	140	67	33	21
9,632	6,776	6,010	4,104	3,728	2,660	1,775	1,456	931	619	371	253	97	54	35	30
7,972	5,622	5,039	3,746	2,937	3,315	1,725	1,876	1,108	787	422	275	110	60	28	30
8,044	7,600	9,277	6,840	6,582	6,223	5,076	4,517	2,681	1,964	803	717	129	100	72	43
12,306	10,029	8,939	6,738	4,830	3,930	2,579	1,794	1,197	768	456	253	122	65	22	40
10,593	8,103	7,389	6,021	4,861	4,415	2,903	2,095	1,477	835	552	268	118	47	24	35
7,848	5,224	4,399	4,107	3,635	2,776	1,667	1,186	735	501	253	155	78	35	29	33
10,774	8,236	8,267	6,039	5,429	4,203	3,077	2,183	1,519	833	478	270	177	46	15	23
8,660	6,429	6,123	4,831	4,794	4,086	3,105	2,362	1,793	1,139	665	468	171	91	50	69
9,081	6,454	6,461	5,169	4,222	3,774	2,495	1,976	1,360	969	566	308	111	60	27	27
8,593	5,875	5,202	4,140	3,511	3,128	1,997	1,799	1,145	839	475	317	139	74	40	37
10,126	7,156	8,146	6,211	6,526	5,356	4,095	2,475	1,350	1,395	1,035	540	315	45	45	20
8,724	6,366	6,511	5,453	4,308	3,831	2,477	2,190	1,339	917	481	298	119	49	18	20
13,041	10,658	9,707	7,151	5,611	4,359	2,508	1,792	1,098	739	518	232	133	34	11	9
8,488	7,659	7,641	6,453	5,485	4,602	3,433	2,590	2,008	1,465	856	556	264	130	72	31
10,008	8,444	7,539	6,228	4,285	3,892	2,441	2,237	1,473	1,108	575	610	175	210	42	35
8,109	5,594	4,926	3,845	3,020	2,895	1,777	1,866	1,154	788	433	305	109	65	31	34
10,118	7,674	7,301	5,590	4,410	3,788	2,592	1,804	1,315	899	548	333	146	66	42	35
9,134	8,689	8,071	7,216	5,797	4,757	3,112	2,393	1,229	1,122	469	428	184	113	6	36
10,540	8,445	8,178	6,277	4,757	4,068	2,496	1,572	1,325	935	616	370	113	92	62	31
7,420	7,435	8,340	8,249	7,043	7,148	4,298	4,162	2,036	1,825	769	845	256	483	211	121
12,025	9,367	9,747	7,848	6,076	4,430	3,291	2,279	1,266	1,266	633	260	114	54	18	10
12,080	9,255	8,129	6,162	4,640	3,850	2,566	1,865	1,224	863	437	260	114	54	18	10
9,355	6,440	6,075	5,192	4,827	3,585	2,549	2,105	1,454	1,228	704	505	199	259	80	27
13,258	10,369	9,316	7,034	5,102	4,106	2,491	1,777	1,122	742	444	252	127	39	21	17
7,044	4,894	4,462	3,635	3,465	3,560	2,293	1,808	1,216	900	493	306	125	59	29	24
7,088	5,600	5,221	6,006	4,572	4,315	2,759	2,651	2,056	1,677	1,041	325	271	81	14	14
10,205	8,159	7,768	6,320	5,280	4,256	3,257	2,308	1,646	1,039	639	366	153	54	27	29
7,147	5,550	5,691	4,861	4,280	4,231	3,211	2,303	1,610	932	479	318	141	98	26	52
9,163	8,516	12,425	13,533	11,921	8,140	3,924	2,381	1,114	764	445	371	196	95	16	27
12,788	9,732	8,578	6,203	4,587	3,478	2,224	1,555	997	665	381	221	96	39	19	14
11,298	9,117	8,609	7,730	6,078	5,008	3,177	2,435	1,239	974	498	476	127	95	21	21
6,965	4,999	4,594	3,706	2,930	2,816	1,776	1,901	1,142	791	409	257	94	52	19	23
7,241	5,662	5,442	5,600	5,562	4,607	3,647	3,225	2,467	1,564	1,046	398	226	48	14	5
8,371	5,895	5,339	3,858	3,627	3,943	2,419	1,813	1,239	842	510	274	120	56	28	27
8,238	5,737	5,008	3,499	3,761	2,699	1,553	1,611	963	657	368	236	103	62	28	37
10,048	7,828	8,138	7,804	5,943	6,277	3,317	2,673	1,599	979	549	263	48	95	24	167
9,375	8,333	6,134	6,250	6,945	3,935	3,820	2,546	1,505	1,505	1,158	694	231	231	231	46
7,098	5,429	5,299	4,736	3,818	3,553	2,180	2,095	1,323	1,020	582	357	125	62	24	20
12,823	9,447	9,284	8,057	5,693	4,709	3,009	2,297	1,471	874	439	368	138	134	33	33
11,778	7,661	6,273	4,369	3,346	2,998	1,780	1,348	857	664	393	182	93	28	14	16
8,468	6,813	7,003	5,537	5,139	4,288	2,841	2,606	1,945	1,475	869	579	226	190	9	36
12,077	9,332	7,541	7,368	6,212	4,190	3,525	2,138	1,098	405	202	231	87	29	29	51

